	A	B	C	D	E	F	G	H	I
1	**Hya1 Residue#**	**Hyal1 Residue**	**PH20 Residue #**	**PH20 Mature Residue #**	**PH20 Residue**	**Residue %**	**#neigh**	**fSASA**	**Comments**
2	32	F	49	**14**	F	95.2	13	0.000	
3	36	W	53	**18**	W	100	16	0.006	
4	43	C	60	**25**	C	100	8	0.009	
5	74	F	91	**56**	F	98.4	13	0.000	
6	75	Y	92	**57**	Y	99.2	8	0.285	bottom of the substrate binding pocket
7	80	G	97	**62**	G	100	7	0.116	
8	82	Y	99	**64**	Y	98.4	9	0.021	
9	83	P	100	**65**	P	100	12	0.005	
10	94	G	112	**77**	G	99.2	7	0.326	left handed alpha helix
11	95	G	113	**78**	G	100	8	0.000	left handed alpha helix
12	97	P	115	**80**	P	100	10	0.033	
13	98	Q	116	**81**	Q	99.2	9	0.239	
14	105	H	123	**88**	H	99.2	12	0.000	
15	124	G	141	**106**	G	98.4	6	0.041	
16	127	V	144	**109**	V	96.8	11	0.011	
17	129	D	146	**111**	D	99.2	9	0.192	catalytic
18	130	W	147	**112**	W	100	14	0.035	
19	131	E	148	**113**	E	100	5	0.437	catalytic
20	133	W	150	**115**	W	100	15	0.022	
21	135	P	152	**117**	P	100	11	0.050	
22	137	W	154	**119**	W	98.4	11	0.089	
23	140	N	157	**122**	N	99.2	13	0.013	
24	141	W	158	**123**	W	96.59	7	0.37	
25	147	Y	164	**129**	Y	100	11	0.015	
26	151	S	168	**133**	S	100	9	0.000	
27	171	A	188	**153**	A	99.2	8	0.000	
28	175	F	192	**157**	F	98.4	15	0.015	
29	186	T	203	**168**	T	99.2	10	0.000	
30	194	R	211	**176**	R	95.45	12	0.16	
31	195	P	212	**177**	P	98.4	6	0.554	
32	198	L	215	**180**	L	95.45	13	0.08	

	A	B	C	D	E	F	G	H	I
1	**Hya1 Residue#**	**Hyal1 Residue**	**PH20 Residue #**	**PH20 Mature Residue #**	**PH20 Residue**	**Residue %**	**#neigh**	**fSASA**	**Comments**
33	199	W	216	**181**	W	100	14	0.000	
34	200	G	217	**182**	G	100	7	0.000	
35	202	Y	219	**184**	Y	100	10	0.078	catalytic
36	205	P	222	**187**	P	100	9	0.031	
37	207	C	224	**189**	C	100	9	0.013	
38	209	N	226	**191**	N	99.2	13	0.022	
39	217	Y	234	**199**	Y	98.4	10	0.169	
40	219	G	236	**201**	G	99.2	7	0.008	left handed alpha helix
41	221	C	238	**203**	C	100	8	0.085	
42	229	N	246	**211**	N	100	13	0.007	
43	232	L	249	**214**	L	99.2	11	0.028	
44	234	W	251	**216**	W	99.2	9	0.155	
45	236	W	253	**218**	W	99.2	13	0.013	
46	239	S	256	**221**	S	99.2	11	0.066	
47	241	A	258	**223**	A	98.4	7	0.006	
48	242	L	259	**224**	L	100	13	0.012	
49	244	P	261	**226**	P	99.2	10	0.006	
50	265	R	281	**246**	R	97.6	12	0.030	Zhang Fig. 2
51	268	E	284	**249**	E	100	13	0.011	Arming 1997, Fig 1
52	271	R	287	**252**	R	99.2	9	0.233	Arming 1997, Fig 1
53	282	P	299	**264**	P	97.6	9	0.124	
54	298	L	316	**281**	L	98.4	11	0.029	
55	303	L	321	**286**	L	98.4	12	0.000	
56	308	G	326	**291**	G	99.2	10	0.037	
57	314	G	332	**297**	G	99.2	8	0.274	left handed alpha helix
58	317	G	335	**300**	G	99.2	7	0.000	
59	321	W	339	**304**	W	99.2	10	0.279	
60	333	C	351	**316**	C	100	9	0.017	
61	344	L	362	**327**	L	96.8	12	0.000	
62	350	N	368	**333**	N	96.8	9	0.215	
63	351	V	369	**334**	V	96.59	10	0	
64	358	C	376	**341**	C	100	10	0.000	

	A	B	C	D	E	F	G	H	I
1	**Hya1 Residue#**	**Hyal1 Residue**	**PH20 Residue #**	**PH20 Mature Residue #**	**PH20 Residue**	**Residue %**	**#neigh**	**fSASA**	**Comments**
65	359	S	377	**342**	S	97.6	10	0.044	
66	363	C	381	**346**	C	100	13	0.000	
67	367	G	385	**350**	G	100	8	0.000	
68	369	C	387	**352**	C	100	10	0.004	
69	380	L	398	**363**	L	96	11	0.038	

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
22	F	39	**4**	R	-	15.9							
22		39	**4**	-	T	15.9				-			
22		39	**4**	-	A	11.36				-			
22		39	**4**	-	Q	3.4				-			
22		39	**4**	-	S	3.4				-			
22		39	**4**	-	K	2.27				-			
22		39	**4**	-	G	1.13				-			
23	R	40	**5**	A	-	34.09			3	0.44			
23		40	**5**	-	R	15.9				-			
23		40	**5**	-	Q	2.27				-			
23		40	**5**	-	G	2.27				-			
23		40	**5**	-	T	1.13				-			
23		40	**5**	-	N	1.13				-			
24	G	41	**6**	P	-	34.09			5	0.49			
24		41	**6**	-	L	11.36				-			
24		41	**6**	-	A	4.54				-			
24		41	**6**	-	G	3.4				-			
24		41	**6**	-	D	3.4				-			
24		41	**6**	-	R	2.27				-			
24		41	**6**	-	W	2.27				-			
24		41	**6**	-	S	2.27				-			
24		41	**6**	-	H	1.13				-			
25	P	42	**7**	P	-	84.09				0.28			
25		42	**7**	-	T	2.27				-			
25		42	**7**	-	L	1.13				-			
26	L	43	**8**	V	-	25			6	0.23			
26		43	**8**	-	I	27.27	2	gain: increased hydrophobic contacts	6	-			1
26		43	**8**	-	L	25	2	neutral	6	-			
26		43	**8**	-	M	3.4				-			
26		43	**8**	-	T	2.27				-			
26		43	**8**	-	Q	2.27				-			
26		43	**8**	-	N	2.27				-			
26		43	**8**	-	F	2.27				-			
27	L	44	**9**	I	-	23.86			5	0.31			
27		44	**9**	-	F	20.45	2	neutral	5	-			
27		44	**9**	-	L	17.04	2	neutral	5	-			
27		44	**9**	-	Y	15.9	2	neutral	5	-			
27		44	**9**	-	V	13.63	2	neutral	5	-			
27		44	**9**	-	G	2.27				-			
27		44	**9**	-	S	1.13				-			
28	P	45	**10**	P	-	39.77			3	0.76			
28		45	**10**	-	T	18.18	2	neutral: turn/loop may favor Pro	3	-			
28		45	**10**	-	Q	15.9	2	neutral: turn/loop may favor Pro	3	-			
28		45	**10**	-	S	10.22	2	neutral: turn/loop may favor Pro	3	-			
28		45	**10**	-	K	5.68	2	neutral: turn/loop may favor Pro	3	-			
28		45	**10**	-	G	2.27				-			
28		45	**10**	-	L	2.27				-			
28		45	**10**	-	R	1.13				-			
28		45	**10**	-	V	1.13				-			
29	N	46	**11**	N	-	36.36			4	0.55			
29		46	**11**	-	R	25	2	neutral: residue in L alpha helix conformation	4	-			
29		46	**11**	-	G	13.63	2	neutral: residue in L alpha helix conformation	4	-			
29		46	**11**	-	E	5.68	2	neutral: residue in L alpha helix conformation	4	-			
29		46	**11**	-	K	4.54				-			
29		46	**11**	-	D	3.4	2	neutral: residue in L alpha helix conformation	4	-			
29		46	**11**	-	S	2.27				-			
29		46	**11**	-	H	2.27				-			
29		46	**11**	-	P	1.13				-			
29		46	**11**	-	A	1.13				-			
30	R	47	**12**	V	-	11.36			9	0.11			
30		47	**12**	-	R	36.36	2	loss:loss of hydrophobic contacts	9	-			1
30		47	**12**	-	K	26.13	2	loss:loss of hydrophobic contacts	9	-			1
30		47	**12**	-	Q	6.81							
30		47	**12**	-	H	3.4							
30		47	**12**	-	T	3.4				-			
30		47	**12**	-	L	3.4				-			
30		47	**12**	-	S	2.27				-			
30		47	**12**	-	A	1.13				-			
30		47	**12**	-	I	1.13				-			
30		47	**12**	-	C	1.13				-			
30		47	**12**	-	E	1.13				-			
31	P	48	**13**	P	-	88.63				0.07			
31		48	**13**	-	A	2.27				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
31		48	**13**	-	T	2.27				-			
31		48	**13**	-	N	2.27				-			
31		48	**13**	-	S	2.27				-			
31		48	**13**	-	I	1.13				-			
31		48	**13**	-	G	1.13				-			
33	T	50	**15**	L	-	25			10	0.05			
33		50	**15**	-	I	27.27	2	loss: Leu packs better	10	-			1
33		50	**15**	-	V	19.31	2	loss: Leu packs better	10	-			1
33		50	**15**	-	T	10.22	2	loss: buried polar, lost hydrophobic contacts, better B propensity	10	-	1	1	1
33		50	**15**	-	S	5.68	2	loss: buried polar, lost hydrophobic contacts, worse B propensity	10	-	1	1	1
33		50	**15**	-	N	4.54				-			
33		50	**15**	-	A	3.4				-			
33		50	**15**	-	M	2.27				-			
33		50	**15**	-	Q	1.13				-			
33		50	**15**	-	C	1.13				-			
34	T	51	**16**	W	-	14.77			12	0.01			
34		51	**16**	-	V	30.68	1	loss:loss of hydrophobic contact, cavity creating	12	-			1
34		51	**16**	-	A	20.45	1	loss: lost hydrophobic contacts, huge cavity	12	-			1
34		51	**16**	-	T	18.18	1	loss: lost hydrophobic contacts, huge cavity, buried polar	12	-	1		1
34		51	**16**	-	I	5.68							
34		51	**16**	-	S	4.54				-			
34		51	**16**	-	L	3.4				-			
34		51	**16**	-	G	1.13				-			
34		51	**16**	-	C	1.13				-			
35	V	52	**17**	A	-	46.59			6	0.07			
35		52	**17**	-	V	26.13	2	loss: increased volume may cause clashes	6	-			1
35		52	**17**	-	I	13.63	2	loss: increased volume may cause clashes	6	-			1
35		52	**17**	-	L	7.95	2	loss: possible overpacking, M142 may rotate to accommodate Leu	6	-			1
35		52	**17**	-	F	4.54				-			
35		52	**17**	-	G	1.13				-			
37	N	54	**19**	N	-	85.22			11	0.06			
37		54	**19**	-	D	10.22	1	loss: net negative charge buried	11	-			1
37		54	**19**	-	A	4.54				-			
38	A	55	**20**	A	-	71.59			6	0.01			
38		55	**20**	-	V	23.86	1	loss: crowding	6	-			1
38		55	**20**	-	I	2.27				-			
38		55	**20**	-	G	1.13				-			
38		55	**20**	-	T	1.13				-			
39	N	56	**21**	P	-	82.95			11	0.02			
39		56	**21**	-	N	9.09	1	loss: lost hydrophobic contacts, P79, L342	11	-			1
39		56	**21**	-	D	7.95	1	loss: lost hydrophobic contacts	11	-			1
40	T	57	**22**	S	-	15.9			7	0.05			
40		57	**22**	-	T	79.54	2	loss: crowding	7	-			1
40		57	**22**	-	I	2.27				-			
40		57	**22**	-	L	1.13				-			
40		57	**22**	-	V	1.13				-			
41	Q	58	**23**	E	-	30.68			6	0.45			
41		58	**23**	-	Q	28.4	2	neutral	6	-			
41		58	**23**	-	D	17.04	2	neutral	6	-			
41		58	**23**	-	A	9.09	2	neutral:loss of charge,gain in H propensity	6	-			
41		58	**23**	-	H	3.4				-			
41		58	**23**	-	S	3.4				-			
41		58	**23**	-	N	2.27				-			
41		58	**23**	-	L	2.27				-			
41		58	**23**	-	M	1.13				-			
41		58	**23**	-	Y	1.13				-			
41		58	**23**	-	F	1.13				-			
42	W	59	**24**	F	-	9.09			8	0.3			
42		59	**24**	-	D	19.31	1	loss: F59 likely important for ligand binding	8	-			1
42		59	**24**	-	Q	15.9	2	loss: lost aromatic-Lys63 hydrophobic interaction, polar	8	-	1		1
42		59	**24**	-	W	13.63	2	neutral: W is seen in Hyal1	8	-			
42		59	**24**	-	R	13.63	2	loss: lost aromatic-Lys63 hydrophobic interaction, polar	8	-			
42		59	**24**	-	L	10.22	2	loss: lost aromatic-Lys63 hydrophobic interaction	8		1		1
42		59	**24**	-	S	5.68							

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
42		59	**24**	-	H	4.54							
42		59	**24**	-	N	1.13				-			
42		59	**24**	-	Y	1.13				-			
42		59	**24**	-	P	1.13				-			
42		59	**24**	-	K	1.13				-			
42		59	**24**	-	T	1.13				-			
42		59	**24**	-	A	1.13				-			
42		59	**24**	-	E	1.13				-			
44	L	61	**26**	L	-	40.9			7	0.54			
44		61	**26**	-	K	12.5	2	neutral: increased hydrophilicity	7	-			
44		61	**26**	-	G	10.22	1	loss: Leu interacts with P67. Leu is better H former. Gly disrupts helix.	7	-		1	1
44		61	**26**	-	A	9.09	2	loss: possibleloss of hydrophobic contacts with P67	7	-			1
44		61	**26**	-	R	5.68	2	neutral	7	-			
44		61	**26**	-	Q	4.54	2	neutral	7	-			
44		61	**26**	-	M	3.4				-			
44		61	**26**	-	P	2.27				-			
44		61	**26**	-	T	2.27				-			
44		61	**26**	-	V	2.27				-			
44		61	**26**	-	I	2.27				-			
44		61	**26**	-	S	1.13				-			
44		61	**26**	-	E	1.13				-			
44		61	**26**	-	W	1.13				-			
45	E	62	**27**	G	-	9.09			6	0.89			
45		62	**27**	-	P	21.59	1	loss: distors helix	6	-		1	
45		62	**27**	-	E	13.63	3	gain: better H propensity	6	-		1	
45		62	**27**	-	I	12.5	2	neutral: higher H propensity, hydrophobic exposed	6	-			
45		62	**27**	-	K	6.81							
45		62	**27**	-	T	5.68							
45		62	**27**	-	Q	5.68				-			
45		62	**27**	-	A	4.54				-			
45		62	**27**	-	L	4.54				-			
45		62	**27**	-	R	3.4				-			
45		62	**27**	-	D	3.4				-			
45		62	**27**	-	M	2.27				-			
45		62	**27**	-	S	2.27				-			
45		62	**27**	-	N	2.27				-			
45		62	**27**	-	F	2.27				-			
46	R	63	**28**	K	-	31.81			3	0.59			
46		63	**28**	-	R	50	2	neutral	3	-			
46		63	**28**	-	N	6.81				-			
46		63	**28**	-	Q	2.27				-			
46		63	**28**	-	M	1.13				-			
46		63	**28**	-	I	1.13				-			
46		63	**28**	-	H	1.13				-			
46		63	**28**	-	E	1.13				-			
46		63	**28**	-	G	1.13				-			
46		63	**28**	-	F	1.13				-			
46		63	**28**	-	D	1.13				-			
47	H	64	**29**	F	-	39.77			10	0.23			
47		64	**29**	-	Y	29.54	2	neutral	10	-			
47		64	**29**	-	H	19.31	2	loss: potential new hbond but lost hydrophobic contacts, lower H propensity	10	-	1	1	1
47		64	**29**	-	L	6.81	2	loss: Phe packs better, lost hydrophobic contacts	10	-			
47		64	**29**	-	T	2.27				-			
47		64	**29**	-	V	1.13				-			
47		64	**29**	-	S	1.13				-			
48	G	65	**30**	D	-	7.95			3	0.81			
48		65	**30**	-	N	29.54	2	neutral	3	-			
48		65	**30**	-	G	28.4	2	gain: helix C-cap	3	-		1	
48		65	**30**	-	K	21.59	2	neutral	3	-			
48		65	**30**	-	S	5.68							
48		65	**30**	-	Q	3.4				-			
48		65	**30**	-	Y	1.13				-			
48		65	**30**	-	H	1.13				-			
48		65	**30**	-	R	1.13				-			
49	V	66	**31**	E	-	6.81			8	0.14			
49		66	**31**	-	V	65.9	3	gain: increased hydrophobic contacts	8	-			1
49		66	**31**	-	L	9.09							
49		66	**31**	-	I	6.81							
49		66	**31**	-	M	5.68				-			
49		66	**31**	-	Q	2.27				-			
49		66	**31**	-	T	1.13				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
49		66	**31**	-	H	1.13				-			
49		66	**31**	-	D	1.13				-			
50	D	67	**32**	P	-	27.27			5	0.62			
50		67	**32**	-	D	22.72	2	neutral: solvent exposed	5	-			
50		67	**32**	-	R	9.09	2	neutral: solvent exposed	5	-			
50		67	**32**	-	H	7.95	2	neutral: solvent exposed	5	-			
50		67	**32**	-	T	5.68				-			
50		67	**32**	-	S	5.68	2	neutral: solvent exposed	5	-			
50		67	**32**	-	A	4.54				-			
50		67	**32**	-	G	4.54				-			
50		67	**32**	-	N	4.54				-			
50		67	**32**	-	Q	3.4				-			
50		67	**32**	-	K	2.27				-			
50		67	**32**	-	E	2.27				-			
51	V	68	**33**	L	-	63.63			8	0.09			
51		68	**33**	-	V	17.04	1	loss: lost hydrophobic contacts	8	-			1
51		68	**33**	-	I	9.09	1	loss: poor packing	8	-			1
51		68	**33**	-	P	3.4				-			
51		68	**33**	-	M	3.4				-			
51		68	**33**	-	F	2.27				-			
51		68	**33**	-	T	1.13				-			
52	D	69	**34**	D	-	64.77			8	0.28			
52		69	**34**	-	N	22.72	2	neutral	8	-			
52		69	**34**	-	P	9.09	2	neutral	8	-			
52		69	**34**	-	Q	2.27				-			
52		69	**34**	-	S	1.13				-			
53	V	70	**35**	M	-	11.36			7	0.34			
53		70	**35**	-	L	64.77	2	loss: M packs better	7	-			1
53		70	**35**	-	V	15.9	2	neutral	7	-			
53		70	**35**	-	F	4.54				-			
53		70	**35**	-	I	2.27				-			
53		70	**35**	-	T	1.13				-			
54	S	71	**36**	S	-	43.18			5	0.52			
54		71	**36**	-	K	21.59	2	loss:loss of hbond with D69	5	-			1
54		71	**36**	-	N	11.36	2	loss:loss of hbond with D69	5	-			1
54		71	**36**	-	E	5.68	2	loss:loss of hbond with D69	5	-			1
54		71	**36**	-	D	5.68	2	loss:loss of hbond with D69	5	-			1
54		71	**36**	-	Q	5.68	2	loss:loss of hbond with D69	5	-			1
54		71	**36**	-	R	3.4				-			
54		71	**36**	-	G	2.27				-			
54		71	**36**	-	A	1.13				-			
55	V	72	**37**	L	-	21.59			8	0.2			
55		72	**37**	-	V	26.13	2	loss: Leu packs better	8	-			1
55		72	**37**	-	A	20.45	2	loss: lost hydrophobic contacts	8	-			1
55		72	**37**	-	M	12.5	2	loss: packing is not as nice	8	-			1
55		72	**37**	-	I	9.09							
55		72	**37**	-	F	3.4				-			
55		72	**37**	-	Q	3.4				-			
55		72	**37**	-	S	1.13				-			
55		72	**37**	-	D	1.13				-			
55		72	**37**	-	T	1.13				-			
56	F	73	**38**	F	-	90.9			12	0.07			
56		73	**38**	-	L	6.81	1	loss:loss of hydrophobic contacts	12	-			1
56		73	**38**	-	Y	2.27				-			
57	D	74	**39**	S	-	14.77			5	0.41			
57		74	**39**	-	D	40.9	2	neutral	5	-			
57		74	**39**	-	Q	15.9	2	neutral	5	-			
57		74	**39**	-	G	9.09	2	neutral	5	-			
57		74	**39**	-	N	7.95							
57		74	**39**	-	P	5.68							
57		74	**39**	-	H	3.4				-			
57		74	**39**	-	T	1.13				-			
57		74	**39**	-	E	1.13				-			
58	V	75	**40**	F	-	3.4			8	0.21			
58		75	**40**	-	V	44.31	2	loss: lose hydrophobic contacts	8	-			1
58		75	**40**	-	I	31.81	2	loss: lost hydrophobic contacts	8	-			1
58		75	**40**	-	L	17.04	2	loss: lost hydrophobic contacts	8	-			1
58		75	**40**	-	M	2.27				-			
58		75	**40**	-	A	1.13				-			
59	V	76	**41**	I	-	26.13			7	0.35			
59		76	**41**	-	V	39.77	2	loss: lost hydrophobic contats	7	-			1
59		76	**41**	-	Q	13.63	1	loss: lost hydrophobic contacts, lower B propensity	7	-	1		1
59		76	**41**	-	T	5.68				-			
59		76	**41**	-	L	3.4				-			
59		76	**41**	-	N	2.27				-			
59		76	**41**	-	K	2.27				-			
59		76	**41**	-	F	1.13				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
59		76	**41**	-	H	1.13				-			
59		76	**41**	-	A	1.13				-			
59		76	**41**	-	M	1.13				-			
59		76	**41**	-	S	1.13				-			
59		76	**41**	-	E	1.13				-			
60	A	77	**42**	G	-	36.36			5	0.13			
60		77	**42**	-	A	43.18	1	loss: steric clash	5	-			1
60		77	**42**	-	V	3.4				-			
60		77	**42**	-	P	3.4				-			
60		77	**42**	-	H	3.4				-			
60		77	**42**	-	T	3.4				-			
60		77	**42**	-	S	3.4				-			
60		77	**42**	-	Q	1.13				-			
60		77	**42**	-	L	1.13				-			
60		77	**42**	-	E	1.13				-			
61	N	78	**43**	S	-	53.4			8	0.11			
61		78	**43**	-	N	40.9	1	loss: overcrowding, may affect binding site	8	-			1
61		78	**43**	-	T	5.68	3	gain: replicates interactions involving S78, better B propensity	8	-			1
62	P	79	**44**	P	-	77.27			9	0.15			
62		79	**44**	-	T	4.54				-			
62		79	**44**	-	H	4.54				-			
62		79	**44**	-	K	3.4				-			
62		79	**44**	-	R	3.4	1	loss: crowding	9	-			1
62		79	**44**	-	Q	2.27				-			
62		79	**44**	-	C	1.13				-			
62		79	**44**	-	D	1.13				-			
62		79	**44**	-	L	1.13				-			
62		79	**44**	-	S	1.13				-			
63	G	80	**45**	R	-	15.9			8	0.46			
63		80	**45**	-	N	30.68	1	loss: Arg may be important for ligand binding	8	-			1
63		80	**45**	-	G	19.31	1	loss: may be important for ligand binding, somewhat model dependent	8	-			1
63		80	**45**	-	L	15.9	2	loss: van der Waals are maintained but hbond are lost	8	-			1
63		80	**45**	-	F	4.54				-			
63		80	**45**	-	E	4.54				-			
63		80	**45**	-	Q	4.54				-			
63		80	**45**	-	S	1.13				-			
63		80	**45**	-	H	1.13				-			
63		80	**45**	-	K	1.13				-			
63		80	**45**	-	A	1.13				-			
64	Q	81	**46**	I	-	4.54			8	0.35			
64		81	**46**	-	E	32.95	1	loss: negative charge against hydrophobic atoms, polar solvent exposed	8	-	1		1
64		81	**46**	-	Q	27.27	2	neutral. New hbond	8	-			
64		81	**46**	-	A	14.77	1	loss: lost hydrophobic contacts, loop will get disordered	8	-		1	1
64		81	**46**	-	K	11.36	2	neutral: lost hydrophobic contacts, hydrogen bond to I90 carbonyl			1	1	1
64		81	**46**	-	L	2.27				-			
64		81	**46**	-	G	1.13				-			
64		81	**46**	-	S	1.13				-			
64		81	**46**	-	T	1.13				-			
64		81	**46**	-	H	1.13				-			
64		81	**46**	-	N	1.13				-			
65	T	82	**47**	N	-	6.81			5	0.54			
65		82	**47**	-	T	27.27	2	neutral	5	-			
65		82	**47**	-	G	20.45	1	loss: (ligand binding) loop will get disordered	5	-		1	1
65		82	**47**	-	K	13.63	2	neutral	5	-			
65		82	**47**	-	S	11.36	1	loss: possible loss of ligand contact, loss of hydrogen bond					1
65		82	**47**	-	R	7.95							
65		82	**47**	-	D	3.4				-			
65		82	**47**	-	H	3.4							
65		82	**47**	-	E	2.27				-			
65		82	**47**	-	A	2.27				-			
66	F	83	**48**	A	-	21.59			2	0.76			
66		83	**48**	-	F	50	2	loss: hydrophobic solven exposed. Hyal1 has F	2	-	1		
66		83	**48**	-	L	5.68							
66		83	**48**	-	V	5.68							
66		83	**48**	-	Q	4.54				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
66		83	**48**	-	I	3.4				-			
66		83	**48**	-	D	2.27				-			
66		83	**48**	-	S	2.27				-			
66		83	**48**	-	W	1.13				-			
66		83	**48**	-	Y	1.13				-			
66		83	**48**	-	K	1.13				-			
66		83	**48**	-	T	1.13				-			
67	R	84	**49**	T	-	18.18			5	0.64			
67		84	**49**	-	R	26.13	2	neutral: seen in Hyal1	5	-			
67		84	**49**	-	V	20.45	2	loss: hydrophobic exposed	5	-	1		
67		84	**49**	-	S	7.95							
67		84	**49**	-	H	7.95							
67		84	**49**	-	Q	5.68				-			
67		84	**49**	-	I	4.54				-			
67		84	**49**	-	M	3.4				-			
67		84	**49**	-	F	2.27				-			
67		84	**49**	-	A	1.13				-			
67		84	**49**	-	K	1.13				-			
67		84	**49**	-	N	1.13				-			
68	G	85	**50**	G	-	75			4	0.39			
68		85	**50**	-	N	14.77	2	neutral	4	-			
68		85	**50**	-	D	5.68				-			
68		85	**50**	-	A	2.27				-			
68		85	**50**	-	R	1.13				-			
68		85	**50**	-	K	1.13				-			
69	P	86	**51**	Q	-	69.31			5	0.56			
69		86	**51**	-	P	18.18	2	neutral	5	-			
69		86	**51**	-	S	7.95	2	neutral	5	-			
69		86	**51**	-	R	1.13				-			
69		86	**51**	-	N	1.13				-			
69		86	**51**	-	H	1.13				-			
69		86	**51**	-	D	1.13				-			
70	D	87	**52**	G	-	5.68			7	0.1			
70		87	**52**	-	N	62.5	2	loss: crowded	7	-			1
70		87	**52**	-	D	9.09	2	loss: crowded	7	-			1
70		87	**52**	-	P	5.68				-			
70		87	**52**	-	T	4.54				-			
70		87	**52**	-	S	3.4				-			
70		87	**52**	-	E	2.27				-			
70		87	**52**	-	F	2.27				-			
70		87	**52**	-	K	2.27				-			
70		87	**52**	-	I	1.13				-			
70		87	**52**	-	Q	1.13				-			
71	M	88	**53**	V	-	34.09			6	0.25			
71		88	**53**	-	I	37.5	2	gain: increased hydrophobic contacts	6	-			1
71		88	**53**	-	M	17.04	2	loss: lower B propensity, flexible side chain	6	-		1	1
71		88	**53**	-	L	11.36	2	neutral	6	-			
72	T	89	**54**	T	-	88.63				0.09			
72		89	**54**	-	V	4.54				-			
72		89	**54**	-	S	3.4				-			
72		89	**54**	-	A	3.4				-			
73	I	90	**55**	I	-	84.09			10	0.06			
73		90	**55**	-	L	12.5	2	loss: lower B propensity	10	-		1	1
73		90	**55**	-	V	2.27				-			
73		90	**55**	-	T	1.13				-			
76	S	93	**58**	V	-	21.59			7	0.23			
76		93	**58**	-	S	18.18	2	loss: reduced contact to Y99 and Y101	7	-			1
76		93	**58**	-	K	15.9	2	neutral	7	-			
76		93	**58**	-	R	12.5	2	neutral	7	-			1
76		93	**58**	-	A	11.36	2	loss: reduced contact to Y99 and Y101	7	-			
76		93	**58**	-	P	6.81	2	neutral	7	-			1
76		93	**58**	-	T	4.54				-			
76		93	**58**	-	H	4.54	1	loss: crowded, packig is better with Val	7	-			
76		93	**58**	-	Q	2.27				-			
76		93	**58**	-	Y	2.27				-			
77	S	94	**59**	D	-	35.22			3	0.7			
77		94	**59**	-	N	28.4	2	neutral: solvent exposed	3	-			
77		94	**59**	-	S	14.77	2	neutral: solvent exposed, turn	3	-			
77		94	**59**	-	E	10.22	2	neutral: solvent exposed	3	-			
77		94	**59**	-	T	3.4				-			
77		94	**59**	-	R	2.27				-			
77		94	**59**	-	K	2.27				-			
77		94	**59**	-	Y	1.13				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
77		94	**59**	-	A	1.13				-			
77		94	**59**	-	W	1.13				-			
78	Q	95	**60**	R	-	62.5			7	0.37			
78		95	**60**	-	Q	18.18	2	loss: lost hbond to Y134, may be important for ligand binding	7	-			1
78		95	**60**	-	K	7.95				-			
78		95	**60**	-	E	6.81				-			
78		95	**60**	-	H	3.4				-			
78		95	**60**	-	L	1.13				-			
79	L	96	**61**	L	-	94.31			11	0			
79		96	**61**	-	F	3.4				-			
79		96	**61**	-	I	2.27				-			
81	T	98	**63**	Y	-	40.9			7	0.41			
81		98	**63**	-	L	29.54	2	loss: lost hydrophobic contacts	7	-			1
81		98	**63**	-	T	14.77	2	loss: lost hydrophobic contacts	7	-			1
81		98	**63**	-	M	5.68				-			
81		98	**63**	-	F	4.54	2	neutral	7	-			
81		98	**63**	-	H	2.27				-			
81		98	**63**	-	S	1.13				-			
81		98	**63**	-	K	1.13				-			
84	Y	101	**66**	Y	-	53.4			9	0.23			
84		101	**66**	-	H	17.04	2	loss: lost hbond	9	-			1
84		101	**66**	-	W	15.9	2	loss: lost hbond	9	-			1
84		101	**66**	-	R	7.95	2	loss: lost hydrophobic contacts	9	-			1
84		101	**66**	-	S	3.4				-			
84		101	**66**	-	K	2.27				-			
85	Y	102	**67**	I	-	19.31			10	0.05			
85		102	**67**	-	Y	46.59	2	loss: crowded	10	-			1
85		102	**67**	-	F	25	2	neutral	10	-			
85		102	**67**	-	L	4.54				-			
85		102	**67**	-	V	2.27				-			
85		102	**67**	-	H	1.13				-			
85		102	**67**	-	K	1.13				-			
86	T	103	**68**	D	-	29.54			7	0.34			
86		103	**68**	-	T	35.22	2	neutral: solved exposed B turn	7	-			
86		103	**68**	-	N	14.77	2	neutral: solved exposed B turn	7	-			
86		103	**68**	-	G	9.09	2	neutral: solved exposed B turn	7	-			
86		103	**68**	-	S	9.09				-			
86		103	**68**	-	E	1.13				-			
86		103	**68**	-	K	1.13				-			
87	P	104	**69**	S	-	35.22			3	0.89			
87		104	**69**	-	P	22.72	2	neutral: solved exposed B turn	3	-			
87		104	**69**	-	E	18.18	2	neutral: solved exposed B turn	3	-			
87		104	**69**	-	A	5.68				-			
87		104	**69**	-	D	4.54				-			
87		104	**69**	-	T	3.4	2	neutral: solved exposed B turn	3	-			
87		104	**69**	-	K	2.27				-			
87		104	**69**	-	Q	2.27				-			
87		104	**69**	-	L	2.27				-			
87		104	**69**	-	H	1.13				-			
87		105	**70**	I	-	4.54			3	0.83			
87		105	**70**	-	Q	17.04	3	gain: more polar		-	1		
87		105	**70**	-	T	12.5	3	gain: turn, new hbond		-	1	1	1
87		105	**70**	-	A	12.5	2	neutral: loss of van der Waals		-			1
87		105	**70**	-	R	9.09	2	gain: more polar		-	1		
87		105	**70**	-	D	7.95				-			
87		105	**70**	-	S	7.95				-			
87		105	**70**	-	H	6.81				-			
87		105	**70**	-	E	5.68				-			
87		105	**70**	-	V	4.54							
87		105	**70**	-	N	4.54				-			
87		105	**70**	-	K	4.54				-			
87		105	**70**	-	G	1.13				-			
87		105	**70**	-	M	1.13				-			
88	T	106	**71**	T	-	12.5			4	0.62			
88		106	**71**	-	N	2.27				-			
88		106	**71**	-	S	1.13	2	neutral: solved exposed B turn	4	-			
89	G	107	**72**	G	-	79.54				0.24			
89		107	**72**	-	E	3.4				-			
89		107	**72**	-	N	2.27				-			
89		107	**72**	-	D	2.27				-			
89		107	**72**	-	Q	1.13				-			
89		107	**72**	-	W	1.13				-			
89		107	**72**	-	M	1.13				-			
89		107	**72**	-	K	1.13				-			
89		107	**72**	-	H	1.13				-			
89		107	**72**	-	R	1.13				-			
89		107	**72**	-	S	1.13				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
90	E	108	**73**	V	-	26.13			4	0.53			
90		108	**73**	-	E	20.45	2	neutral: more soluble, lower B propensity	4	-			
90		108	**73**	-	K	12.5	2	gain: salt bridge to D103	4	-			1
90		108	**73**	-	T	12.5	3	gain: polar exposed	4	-	1		
90		108	**73**	-	R	11.36	2	gain: salt bridge to D103	4	-			1
90		108	**73**	-	A	5.68				-			
90		108	**73**	-	D	3.4				-			
90		108	**73**	-	M	2.27				-			
90		108	**73**	-	I	2.27				-			
90		108	**73**	-	Q	1.13				-			
90		108	**73**	-	L	1.13				-			
91	P	109	**74**	T	-	5.68			8	0.55			
91		109	**74**	-	P	47.72	2	neutral	8	-			
91		109	**74**	-	S	21.59	1	loss: lower B propensity	8	-		1	
91		109	**74**	-	A	12.5	1	loss: lower B propensity	8	-		1	
91		109	**74**	-	I	3.4				-			
91		109	**74**	-	E	3.4				-			
91		109	**74**	-	N	2.27				-			
91		109	**74**	-	H	1.13				-			
91		109	**74**	-	V	1.13				-			
91		109	**74**	-	K	1.13				-			
92	V	110	**75**	V	-	54.54			6	0.31			
92		110	**75**	-	I	23.86	2	neutral	6	-			
92		110	**75**	-	H	10.22	1	loss: lower B propensity, lost hydrophobic contacts	6	-		1	1
92		110	**75**	-	F	5.68							
92		110	**75**	-	L	1.13				-			
92		110	**75**	-	S	1.13				-			
92		110	**75**	-	Y	1.13				-			
92		110	**75**	-	K	1.13				-			
92		110	**75**	-	T	1.13				-			
93	F	111	**76**	N	-	52.27			6	0.42			
93		111	**76**	-	H	20.45	2	neutral	6	-			
93		111	**76**	-	F	17.04	2	neutral: observed in Hyal1	6	-			
93		111	**76**	-	Y	6.81				-			
93		111	**76**	-	S	1.13				-			
93		111	**76**	-	A	1.13				-			
93		111	**76**	-	K	1.13				-			
96	L	114	**79**	I	-	32.95			10	0.03			
96		114	**79**	-	L	46.59	2	loss: Ile better hydrophobic packing	10	-			1
96		114	**79**	-	V	20.45	2	neutral	10	-			
99	N	117	**82**	K	-	9.09			5	0.55			
99		117	**82**	-	N	61.36	2	neutral	5	-			
99		117	**82**	-	L	12.5	2	neutral	5	-			
99		117	**82**	-	A	7.95							
99		117	**82**	-	R	3.4				-			
99		117	**82**	-	V	2.27				-			
99		117	**82**	-	Q	1.13				-			
99		117	**82**	-	S	1.13				-			
99		117	**82**	-	E	1.13				-			
100	A	118	**83**	I	-	13.63			11	0.2			
100		118	**83**	-	A	26.13	1	loss: lost hydrophobic contats with P100, F199	11	-			1
100		118	**83**	-	G	20.45	1	loss: lost hydrophobic contacts	11	-			1
100		118	**83**	-	V	14.77	2	loss: lost hydrophobic contacts	11	-			1
100		118	**83**	-	S	6.81				-			
100		118	**83**	-	T	5.68				-			
100		118	**83**	-	Q	3.4				-			
100		118	**83**	-	C	2.27				-			
100		118	**83**	-	E	2.27				-			
100		118	**83**	-	N	1.13				-			
100		118	**83**	-	L	1.13				-			
100		118	**83**	-	F	1.13				-			
100		118	**83**	-	M	1.13				-			
101	S	119	**84**	S	-	77.27				0.38			
101		119	**84**	-	N	12.5	2	loss: lost hydrogen bond to mc				1	
101		119	**84**	-	P	6.81							
101		119	**84**	-	Y	1.13				-			
101		119	**84**	-	L	1.13				-			
101		119	**84**	-	D	1.13				-			
102	L	120	**85**	L	-	90.9				0.26			
102		120	**85**	-	I	4.54				-			
102		120	**85**	-	M	2.27				-			
102		120	**85**	-	R	1.13				-			
102		120	**85**	-	Y	1.13				-			
103	I	121	**86**	Q	-	25			4	0.58			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
103		121	**86**	-	D	12.5	2	loss: lost Hbond to D125, charge repulsion	4	-			1
103		121	**86**	-	K	10.22	2	neutral: hbond to D125.Positive charge clashes with macrodipole	4	-			
103		121	**86**	-	S	9.09	2	loss: lower H propensity, possible hbond to S119	4	-		1	1
103		121	**86**	-	W	9.09	1	loss: hydrophobic residue solvent exposed	4	-	1		
103		121	**86**	-	I	7.95	2	gain: hb contact L210, L206	4	-			1
103		121	**86**	-	A	5.68				-			
103		121	**86**	-	R	4.54				-			
103		121	**86**	-	E	3.4				-			
103		121	**86**	-	V	3.4				-			
103		121	**86**	-	T	2.27				-			
103		121	**86**	-	G	2.27				-			
103		121	**86**	-	N	2.27				-			
103		121	**86**	-	M	1.13				-			
103		121	**86**	-	C	1.13				-			
104	A	122	**87**	D	-	5.68			5	0.49			
104		122	**87**	-	A	23.86	2	gain: better H propensty	5	-		1	
104		122	**87**	-	V	17.04	2	gain: increased hydrophobic contacts	5	-			1
104		122	**87**	-	E	12.5	2	neutral	5	-			
104		122	**87**	-	T	9.09							
104		122	**87**	-	K	7.95							
104		122	**87**	-	R	4.54							
104		122	**87**	-	Q	3.4				-			
104		122	**87**	-	S	3.4				-			
104		122	**87**	-	H	3.4				-			
104		122	**87**	-	C	2.27				-			
104		122	**87**	-	F	2.27				-			
104		122	**87**	-	N	2.27				-			
104		122	**87**	-	L	1.13				-			
104		122	**87**	-	M	1.13				-			
106	L	124	**89**	L	-	93.18				0.2			
106		124	**89**	-	R	4.54				-			
106		124	**89**	-	I	1.13				-			
106		124	**89**	-	Y	1.13				-			
107	A	125	**90**	D	-	12.5			4	0.5			
107		125	**90**	-	E	26.13	2	neutral	4	-			
107		125	**90**	-	A	26.13	2	loss: lost H bond to Q121	4	-			1
107		125	**90**	-	K	14.77	2	gain: higher H propensity	4	-		1	
107		125	**90**	-	R	5.68							
107		125	**90**	-	N	3.4				-			
107		125	**90**	-	G	2.27				-			
107		125	**90**	-	S	2.27				-			
107		125	**90**	-	I	2.27				-			
107		125	**90**	-	T	1.13				-			
107		125	**90**	-	P	1.13				-			
107		125	**90**	-	F	1.13				-			
107		125	**90**	-	Q	1.13				-			
108	R	126	**91**	K	-	55.68			7	0.32			
108		126	**91**	-	R	19.31	2	neutral	7	-			
108		126	**91**	-	M	11.36	2	neutral	7	-			
108		126	**91**	-	H	3.4				-			
108		126	**91**	-	Q	3.4				-			
108		126	**91**	-	L	2.27							
108		126	**91**	-	C	1.13				-			
108		126	**91**	-	V	1.13				-			
108		126	**91**	-	I	1.13				-			
108		126	**91**	-	Y	1.13				-			
109	T	127	**92**	A	-	53.4			8	0.01			
109		127	**92**	-	L	18.18	2	neutral	8	-			
109		127	**92**	-	T	12.5	2	gain: improved packing, more hydrophobic contacts	8	-			1
109		127	**92**	-	S	9.09							
109		127	**92**	-	V	3.4				-			
109		127	**92**	-	M	2.27				-			
109		127	**92**	-	C	1.13				-			
110	F	128	**93**	K	-	21.59			7	0.54			
110		128	**93**	-	F	15.9	2	loss: too hydrophobic	7	-	1	1	1
110		128	**93**	-	A	14.77	2	loss:loss of salt bridge, lost hydrophobic contacts	7	-			1
110		128	**93**	-	D	12.5	2	neutral	7	-			
110		128	**93**	-	R	9.09	2	neutral	7	-			
110		128	**93**	-	Q	7.95	2	neutral	7	-			
110		128	**93**	-	P	5.68				-			
110		128	**93**	-	E	3.4				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
110		128	**93**	-	Y	2.27				-			
110		128	**93**	-	S	2.27				-			
110		128	**93**	-	N	1.13				-			
110		128	**93**	-	V	1.13				-			
110		128	**93**	-	G	1.13				-			
110		128	**93**	-	T	1.13				-			
111	Q	129	**94**	K	-	13.63			5	0.67			
111		129	**94**	-	Q	31.81	2	neutral	5	-			
111		129	**94**	-	E	15.9	2	neutral	5	-			
111		129	**94**	-	D	6.81							
111		129	**94**	-	G	6.81							
111		129	**94**	-	H	6.81							
111		129	**94**	-	Y	3.4				-			
111		129	**94**	-	S	3.4				-			
111		129	**94**	-	L	2.27				-			
111		129	**94**	-	V	2.27				-			
111		129	**94**	-	N	2.27				-			
111		129	**94**	-	T	2.27				-			
111		129	**94**	-	M	1.13				-			
111		129	**94**	-	A	1.13				-			
112	D	130	**95**	D	-	70.45			9	0.1			
112		130	**95**	-	Q	6.81	2	loss: lost salt bridge	9	-			1
112		130	**95**	-	G	5.68							
112		130	**95**	-	R	4.54							
112		130	**95**	-	H	4.54				-			
112		130	**95**	-	E	2.27				-			
112		130	**95**	-	N	2.27				-			
112		130	**95**	-	S	1.13				-			
112		130	**95**	-	A	1.13				-			
112		130	**95**	-	P	1.13				-			
113	I	131	**96**	I	-	79.54			13	0			
113		131	**96**	-	V	15.9	2	loss: lost hydrophobic contact	13	-			1
113		131	**96**	-	L	3.4				-			
113		131	**96**	-	F	1.13				-			
114	L	132	**97**	T	-	3.4			7	0.42			
114		132	**97**	-	L	19.31	3	gain: hydrophobic contact to H210, better H propensity	7	-		1	1
114		132	**97**	-	E	15.9	3	gain: salt bridge	7	-			1
114		132	**97**	-	N	15.9	2	neutral	7	-			
114		132	**97**	-	R	7.95							
114		132	**97**	-	K	7.95							
114		132	**97**	-	A	6.81				-			
114		132	**97**	-	Q	6.81							
114		132	**97**	-	H	4.54							
114		132	**97**	-	D	4.54				-			
114		132	**97**	-	G	3.4				-			
114		132	**97**	-	M	1.13				-			
114		132	**97**	-	S	1.13				-			
114		132	**97**	-	V	1.13				-			
115	A	133	**98**	F	-	6.81			4	0.82			
115		133	**98**	-	H	26.13	3	gain: more polar	4	-	1		
115		133	**98**	-	Y	22.72	3	gain: more polar	4	-	1		
115		133	**98**	-	A	17.04	3	gain: more polar, better H propensity	4	-	1	1	
115		133	**98**	-	K	10.22	3	gain: more polar			1		
115		133	**98**	-	R	4.54							
115		133	**98**	-	E	3.4				-			
115		133	**98**	-	D	2.27				-			
115		133	**98**	-	N	2.27				-			
115		133	**98**	-	T	1.13				-			
115		133	**98**	-	L	1.13				-			
115		133	**98**	-	Q	1.13				-			
115		133	**98**	-	V	1.13				-			
116	A	134	**99**	Y	-	57.95			8	0.21			
116		134	**99**	-	A	15.9	1	loss: may be important for ligand binding	8	-			1
116		134	**99**	-	S	6.81							
116		134	**99**	-	T	4.54				-			
116		134	**99**	-	L	3.4							
116		134	**99**	-	F	3.4				-			
116		134	**99**	-	N	2.27				-			
116		134	**99**	-	R	2.27				-			
116		134	**99**	-	V	1.13				-			
116		134	**99**	-	K	1.13				-			
116		134	**99**	-	G	1.13				-			
117	I	135	**100**	M	-	20.45			10	0.03			
117		135	**100**	-	I	62.5	2	loss: Met packs better	10	-			1
117		135	**100**	-	L	12.5	2	loss: lost hydrophobic contacts	10	-			1

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
117		135	**100**	-	V	4.54				-			
118	P	136	**101**	P	-	59.09			6	0.67			
118		136	**101**	-	R	23.86	2	neutral	6	-			
118		136	**101**	-	T	4.54				-			
118		136	**101**	-	S	3.4				-			
118		136	**101**	-	Q	3.4				-			
118		136	**101**	-	G	2.27				-			
118		136	**101**	-	W	1.13				-			
118		136	**101**	-	K	1.13				-			
118		136	**101**	-	H	1.13				-			
119	A	137	**102**	V	-	6.81			4	0.39			
119		137	**102**	-	S	18.18	2	gain: new hbond	4	-			1
119		137	**102**	-	A	18.18	2	loss: lost hydrophobic contacts to P136, Ala may be too flexible in loop	4	-			1
119		137	**102**	-	T	14.77	2	gain: new hbond	4	-			1
119		137	**102**	-	D	7.95							
119		137	**102**	-	I	5.68				-			
119		137	**102**	-	E	5.68							
119		137	**102**	-	L	2.27				-			
119		137	**102**	-	W	2.27				-			
119		137	**102**	-	N	2.27				-			
119		137	**102**	-	M	2.27				-			
119		137	**102**	-	H	2.27				-			
119		137	**102**	-	Y	1.13				-			
119		137	**102**	-	K	1.13				-			
120	P	138	**103**	D	-	50			4	0.65			
120		138	**103**	-	E	15.9	2	neutral	4	-			
120		138	**103**	-	G	6.81							
120		138	**103**	-	R	5.68							
120		138	**103**	-	N	5.68				-			
120		138	**103**	-	S	4.54							
120		138	**103**	-	K	3.4				-			
120		138	**103**	-	T	3.4				-			
120		138	**103**	-	A	2.27				-			
120		138	**103**	-	W	1.13				-			
120		138	**103**	-	I	1.13				-			
122	F	139	**104**	N	-	9.09			10	0.03			
122		139	**104**	-	F	50	1	loss: lost polar interactions	10	-			1
122		139	**104**	-	S	15.9	2	loss: lost hbonds, loop will get disordered	10	-			1
122		139	**104**	-	K	7.95							
122		139	**104**	-	P	6.81							
122		139	**104**	-	Y	3.4				-			
122		139	**104**	-	Q	3.4				-			
122		139	**104**	-	V	1.13				-			
122		139	**104**	-	R	1.13				-			
122		139	**104**	-	A	1.13				-			
123	S	140	**105**	L	-	6.81			4	0.55			
123		140	**105**	-	S	31.81	3	gain: more hydrophilic	4	-	1		
123		140	**105**	-	A	14.77	2	neutral	4	-			
123		140	**105**	-	E	9.09							
123		140	**105**	-	V	9.09							
123		140	**105**	-	R	4.54							
123		140	**105**	-	T	4.54				-			
123		140	**105**	-	N	4.54				-			
123		140	**105**	-	Q	3.4				-			
123		140	**105**	-	H	2.27				-			
123		140	**105**	-	K	2.27				-			
123		140	**105**	-	D	2.27				-			
123		140	**105**	-	P	1.13				-			
123		140	**105**	-	W	1.13				-			
123		140	**105**	-	F	1.13				-			
123		140	**105**	-	I	1.13				-			
125	L	142	**107**	M	-	4.54			10	0.03			
125		142	**107**	-	L	92.04	2	loss: Met interacts with Y260, V337, F301	10	-			1
125		142	**107**	-	I	1.13				-			
125		142	**107**	-	V	1.13				-			
125		142	**107**	-	P	1.13				-			
126	A	143	**108**	A	-	88.63				0			
126		143	**108**	-	G	6.81							
126		143	**108**	-	V	3.4				-			
126		143	**108**	-	S	1.13				-			
128	I	145	**110**	I	-	86.36				0			
128		145	**110**	-	L	7.95							
128		145	**110**	-	V	4.54				-			
128		145	**110**	-	M	1.13				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
132	A	149	**114**	E	-	27.27			8	0.29			
132		149	**114**	-	A	17.04	2	loss:loss of hbond to Y164	8	-			1
132		149	**114**	-	Y	14.77	2	loss: crowded	8	-			1
132		149	**114**	-	D	14.77	2	loss:loss of hbond to Y164	8	-			1
132		149	**114**	-	N	12.5	2	neutral	8	-			
132		149	**114**	-	S	4.54	2	neutral	8	-			
132		149	**114**	-	G	3.4				-			
132		149	**114**	-	K	2.27				-			
132		149	**114**	-	H	2.27				-			
132		149	**114**	-	F	1.13				-			
134	R	151	**116**	R	-	88.63				0.12			
134		151	**116**	-	C	3.4							
134		151	**116**	-	K	2.27				-			
134		151	**116**	-	Y	2.27				-			
134		151	**116**	-	E	1.13				-			
134		151	**116**	-	S	1.13				-			
134		151	**116**	-	L	1.13				-			
136	R	153	**118**	T	-	14.77			7	0.06			
136		153	**118**	-	Q	27.27	1	loss: crowding	7	-			1
136		153	**118**	-	L	17.04	2	gain: improved packing	7	-			1
136		153	**118**	-	V	14.77	2	neutral	7	-			
136		153	**118**	-	R	14.77	2	neutral	7	-			
136		153	**118**	-	I	9.09							
136		153	**118**	-	E	1.13				-			
136		153	**118**	-	K	1.13				-			
138	A	155	**120**	A	-	43.18			4	0.48			
138		155	**120**	-	V	18.18	2	loss: hydrophobic residue solvent exposed	4	-	1		
138		155	**120**	-	D	10.22	2	neutral	4	-			
138		155	**120**	-	I	9.09	2	loss: hydrophobic residue solvent exposed	4	-	1		
138		155	**120**	-	E	5.68	2	neutral	4	-			
138		155	**120**	-	S	4.54				-			
138		155	**120**	-	M	3.4				-			
138		155	**120**	-	L	2.27				-			
138		155	**120**	-	T	2.27				-			
138		155	**120**	-	K	1.13				-			
139	F	156	**121**	R	-	75			13	0.01			
139		156	**121**	-	F	14.77	2	neutral: seen in Hyal1	13	-			
139		156	**121**	-	G	6.81							
139		156	**121**	-	W	1.13				-			
139		156	**121**	-	L	1.13				-			
139		156	**121**	-	C	1.13				-			
142	D	159	**124**	K	-	18.18			2	0.84			
142		159	**124**	-	G	22.72	1	loss: Lys may be important for ligand binding	2	-			1
142		159	**124**	-	D	21.59	2	neutral	2	-			
142		159	**124**	-	Q	15.9	2	neutral	2	-			
142		159	**124**	-	N	15.9	2	neutral	2	-			
142		159	**124**	-	A	2.27				-			
142		159	**124**	-	R	1.13				-			
142		159	**124**	-	H	1.13				-			
142		159	**124**	-	E	1.13				-			
143	T	160	**125**	P	-	21.59			3	0.76			
143		160	**125**	-	T	21.59	2	loss: Pro provides rigidity important for ligand binding	3	-			1
143		160	**125**	-	S	20.45	2	neutral	3	-			
143		160	**125**	-	D	9.09	2	neutral	3	-			
143		160	**125**	-	A	7.95							
143		160	**125**	-	R	6.81							
143		160	**125**	-	N	3.4				-			
143		160	**125**	-	E	3.4				-			
143		160	**125**	-	K	2.27				-			
143		160	**125**	-	L	1.13				-			
143		160	**125**	-	F	1.13				-			
143		160	**125**	-	G	1.13				-			
144	K	161	**126**	K	-	84.09			10	0.18			
144		161	**126**	-	R	12.5	2	neutral	10	-			
144		161	**126**	-	M	2.27				-			
144		161	**126**	-	G	1.13				-			
145	D	162	**127**	D	-	67.04				0.3			
145		162	**127**	-	R	4.54							
145		162	**127**	-	N	4.54				-			
145		162	**127**	-	I	4.54				-			
145		162	**127**	-	Q	4.54				-			
145		162	**127**	-	A	3.4				-			
145		162	**127**	-	L	3.4				-			
145		162	**127**	-	K	2.27				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
145		162	**127**	-	E	2.27				-			
145		162	**127**	-	H	1.13				-			
145		162	**127**	-	M	1.13				-			
145		162	**127**	-	T	1.13				-			
146	I	163	**128**	V	-	47.72			5	0.39			
146		163	**128**	-	I	47.72	2	loss: crowding	5	-			1
146		163	**128**	-	A	3.4				-			
146		163	**128**	-	N	1.13				-			
148	R	165	**130**	K	-	15.9			6	0.24			
148		165	**130**	-	R	68.18	2	neutral	6	-			
148		165	**130**	-	Q	12.5	2	neutral	6	-			
148		165	**130**	-	W	1.13				-			
148		165	**130**	-	L	1.13				-			
148		165	**130**	-	M	1.13				-			
149	Q	166	**131**	N	-	20.45			5	0.52			
149		166	**131**	-	Q	34.09	2	gain: improved H propensity	5	-		1	
149		166	**131**	-	R	15.9	2	neutral	5	-			
149		166	**131**	-	K	6.81							
149		166	**131**	-	E	5.68							
149		166	**131**	-	A	5.68							
149		166	**131**	-	D	3.4				-			
149		166	**131**	-	I	2.27				-			
149		166	**131**	-	H	2.27				-			
149		166	**131**	-	L	1.13				-			
149		166	**131**	-	T	1.13				-			
149		166	**131**	-	M	1.13				-			
150	R	167	**132**	R	-	23.86			10	0.37			
150		167	**132**	-	K	27.27	2	neutral	10	-			
150		167	**132**	-	A	12.5	2	loss: lost hydrophobic contacts, lost hbond	10	-			1
150		167	**132**	-	L	7.95	2	neutral: improved hydrophobic contact (I102), but solvent exposed	10	-			
150		167	**132**	-	S	5.68	2	loss: lost hydrophobic contacts, lost hbond	10	-			1
150		167	**132**	-	H	5.68	2	neutral	10	-			
150		167	**132**	-	Q	4.54				-			
150		167	**132**	-	N	4.54				-			
150		167	**132**	-	V	3.4				-			
150		167	**132**	-	E	2.27				-			
150		167	**132**	-	G	1.13				-			
150		167	**132**	-	W	1.13				-			
152	R	169	**134**	I	-	22.72			9	0.22			
152		169	**134**	-	R	46.59	2	gain: improved H propensity	9	-		1	
152		169	**134**	-	L	6.81							
152		169	**134**	-	K	5.68							
152		169	**134**	-	W	5.68							
152		169	**134**	-	Q	4.54				-			
152		169	**134**	-	M	2.27				-			
152		169	**134**	-	V	2.27				-			
152		169	**134**	-	E	2.27				-			
152		169	**134**	-	C	1.13				-			
153	A	170	**135**	E	-	35.22			5	0.44			
153		170	**135**	-	A	26.13	2	neutral: better H propensity, lost hbond	5	-			
153		170	**135**	-	Q	13.63	2	neutral	5	-			
153		170	**135**	-	K	12.5	2	neutral	5	-			
153		170	**135**	-	T	3.4				-			
153		170	**135**	-	N	3.4				-			
153		170	**135**	-	R	2.27				-			
153		170	**135**	-	H	1.13				-			
153		170	**135**	-	V	1.13				-			
153		170	**135**	-	D	1.13				-			
154	L	171	**136**	L	-	79.54				0.23			
154		171	**136**	-	W	7.95							
154		171	**136**	-	F	7.95							
154		171	**136**	-	Q	1.13				-			
154		171	**136**	-	I	1.13				-			
154		171	**136**	-	K	1.13				-			
154		171	**136**	-	Y	1.13				-			
155	V	172	**137**	V	-	63.63			9	0.09			
155		172	**137**	-	I	19.31	2	gain: increased hydrophobic contacts	9	-	1		1
155		172	**137**	-	A	9.09	2	loss: lost hydrophobic contacts	9	-			1
155		172	**137**	-	T	7.95							
156	Q	173	**138**	Q	-	36.36			9	0.3			
156		173	**138**	-	R	17.04	2	neutral	9	-			
156		173	**138**	-	S	17.04	2	loss: lower H propensity	9	-		1	
156		173	**138**	-	A	13.63	2	loss: lost hbond	9	-			1

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
156		173	**138**	-	K	9.09	2	neutral	9	-			
156		173	**138**	-	L	4.54				-			
156		173	**138**	-	E	1.13				-			
156		173	**138**	-	F	1.13				-			
157	A	174	**139**	Q	-	25			4	0.62			
157		174	**139**	-	S	17.04	2	loss: lost hbond	4	-			1
157		174	**139**	-	A	14.77	2	neutral	4	-			
157		174	**139**	-	D	10.22	2	neutral	4	-			
157		174	**139**	-	E	10.22	2	loss: lost hbond	4	-			1
157		174	**139**	-	K	9.09	3	gain: salt bridge to E170	4	-			1
157		174	**139**	-	H	3.4				-			
157		174	**139**	-	N	2.27				-			
157		174	**139**	-	W	2.27				-			
157		174	**139**	-	R	2.27				-			
157		174	**139**	-	I	1.13				-			
157		174	**139**	-	L	1.13				-			
157		174	**139**	-	G	1.13				-			
158	Q	175	**140**	Q	-	22.72			4	0.83			
158		175	**140**	-	R	21.59	2	neutral	4	-			
158		175	**140**	-	M	14.77	2	loss: hydrophobic residue solvent exposed	4	-	1		
158		175	**140**	-	K	9.09	2	neutral	4	-			
158		175	**140**	-	H	7.95	2	neutral	4	-			
158		175	**140**	-	E	6.81	2	neutral	4	-			
158		175	**140**	-	T	4.54				-			
158		175	**140**	-	V	4.54	2	loss: hydrophobic residue solvent exposed	4	-	1		
158		175	**140**	-	L	4.54				-			
158		175	**140**	-	A	1.13				-			
158		175	**140**	-	N	1.13				-			
158		175	**140**	-	F	1.13				-			
159	H	176	**141**	N	-	17.04			6	0.4			
159		176	**141**	-	H	50	2	neutral	6	-			
159		176	**141**	-	Q	11.36	2	neutral					
159		176	**141**	-	F	5.68							
159		176	**141**	-	G	4.54							
159		176	**141**	-	D	4.54				-			
159		176	**141**	-	Y	3.4				-			
159		176	**141**	-	K	2.27				-			
159		176	**141**	-	L	1.13				-			
160	P	177	**142**	V	-	6.81			4	0.67			
160		177	**142**	-	P	63.63	3	gain: provides rigidity at a solvent exposed pos	4	-		1	
160		177	**142**	-	E	7.95							
160		177	**142**	-	I	5.68				-			
160		177	**142**	-	R	4.54				-			
160		177	**142**	-	K	3.4				-			
160		177	**142**	-	Q	2.27				-			
160		177	**142**	-	A	2.27				-			
160		177	**142**	-	S	1.13				-			
160		177	**142**	-	L	1.13				-			
160		177	**142**	-	T	1.13				-			
161	D	178	**143**	Q	-	11.36			3	0.85			
161		178	**143**	-	D	35.22	2	neutral	3	-			
161		178	**143**	-	N	20.45	2	neutral	3	-			
161		178	**143**	-	T	10.22	2	gain: increased contact to V177					1
161		178	**143**	-	H	4.54				-			
161		178	**143**	-	G	4.54				-			
161		178	**143**	-	S	4.54				-			
161		178	**143**	-	Y	2.27				-			
161		178	**143**	-	E	2.27				-			
161		178	**143**	-	F	2.27				-			
161		178	**143**	-	K	1.13				-			
162	W	179	**144**	L	-	23.86			8	0.18			
162		179	**144**	-	W	50	2	loss: W packs differently	8	-			1
162		179	**144**	-	V	11.36	2	loss:reduced van der Waals	8	-			1
162		179	**144**	-	I	6.81				-			
162		179	**144**	-	M	3.4				-			
162		179	**144**	-	F	1.13				-			
162		179	**144**	-	A	1.13				-			
162		179	**144**	-	Y	1.13				-			
163	P	180	**145**	S	-	37.5			4	0.55			
163		180	**145**	-	P	35.22	2	loss: may lose mc hbond	4	-			1
163		180	**145**	-	N	7.95	2	loss: may lose mc hbond because of E183	4	-			1
163		180	**145**	-	T	6.81	2	neutral	4	-			
163		180	**145**	-	D	5.68	2	loss: may lose mc hbond	4	-			1
163		180	**145**	-	A	2.27				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
163		180	**145**	-	Q	1.13				-			
163		180	**145**	-	K	1.13				-			
163		180	**145**	-	L	1.13				-			
164	A	181	**146**	L	-	10.22			4	0.69			
164		181	**146**	-	P	23.86	2	loss: lost hydrophobic contacts with I169	4	-			1
164		181	**146**	-	A	22.72	2	gain: less nonpolar	4	-	1		
164		181	**146**	-	E	14.77	2	neutral: more polar, lower H propensity	4	-			
164		181	**146**	-	I	3.4				-			
164		181	**146**	-	H	3.4				-			
164		181	**146**	-	S	3.4				-			
164		181	**146**	-	V	2.27				-			
164		181	**146**	-	Q	2.27				-			
164		181	**146**	-	D	2.27				-			
164		181	**146**	-	F	2.27				-			
164		181	**146**	-	R	2.27				-			
164		181	**146**	-	T	2.27				-			
164		181	**146**	-	K	2.27				-			
164		181	**146**	-	M	1.13				-			
165	P	182	**147**	T	-	22.72			3	0.69			
165		182	**147**	-	D	15.9	2	neutral	3	-			
165		182	**147**	-	P	11.36	2	neutral: P is common at this position	3	-			
165		182	**147**	-	E	11.36	2	neutral	3	-			
165		182	**147**	-	A	10.22	2	gain: higher H propensity	3	-		1	
165		182	**147**	-	Q	7.95	2	neutral	3	-			
165		182	**147**	-	S	6.81	2	neutral	3	-			
165		182	**147**	-	K	5.68				-			
165		182	**147**	-	N	4.54				-			
165		182	**147**	-	M	1.13				-			
165		182	**147**	-	W	1.13				-			
166	Q	183	**148**	E	-	23.86			4	0.49			
166		183	**148**	-	Q	20.45	2	neutral	4	-			
166		183	**148**	-	D	14.77	2	neutral	4	-			
166		183	**148**	-	R	13.63	2	neutral	4	-			
166		183	**148**	-	K	13.63	2	neutral	4	-			
166		183	**148**	-	A	4.54				-			
166		183	**148**	-	L	3.4				-			
166		183	**148**	-	W	2.27				-			
166		183	**148**	-	S	1.13				-			
166		183	**148**	-	Y	1.13				-			
167	V	184	**149**	A	-	20.45			8	0			
167		184	**149**	-	V	43.18	2	loss: crowding	8	-			1
167		184	**149**	-	I	23.86	2	loss: crowding	8	-			1
167		184	**149**	-	Q	6.81							
167		184	**149**	-	L	3.4				-			
167		184	**149**	-	S	1.13				-			
168	E	185	**150**	T	-	13.63			6	0.33			
168		185	**150**	-	E	37.5	2	gain: Hbond to W154. Better H propensity	6	-		1	1
168		185	**150**	-	V	13.63	2	loss: hydrophobic exposed	6	-	1		
168		185	**150**	-	K	7.95							
168		185	**150**	-	L	6.81							
168		185	**150**	-	R	5.68				-			
168		185	**150**	-	D	3.4				-			
168		185	**150**	-	A	3.4				-			
168		185	**150**	-	N	2.27				-			
168		185	**150**	-	I	1.13				-			
168		185	**150**	-	W	1.13				-			
168		185	**150**	-	H	1.13				-			
168		185	**150**	-	G	1.13				-			
168		185	**150**	-	S	1.13				-			
169	A	186	**151**	E	-	7.95			6	0.46			
169		186	**151**	-	K	30.68	2	neutral	6	-			
169		186	**151**	-	A	14.77	2	loss: lost hbond, higher H propensity	6	-		1	1
169		186	**151**	-	Y	13.63	2	loss: hydrophobic exposed	6	-	1		
169		186	**151**	-	T	9.09							
169		186	**151**	-	H	6.81							
169		186	**151**	-	R	3.4				-			
169		186	**151**	-	Q	3.4				-			
169		186	**151**	-	D	3.4				-			
169		186	**151**	-	N	2.27				-			
169		186	**151**	-	S	1.13				-			
169		186	**151**	-	G	1.13				-			
169		186	**151**	-	L	1.13				-			
169		186	**151**	-	C	1.13				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
170	V	187	**152**	K	-	17.04			8	0.48			
170		187	**152**	-	L	19.31	2	loss: Both K and L are ok. K is more hydrophilic	8	-	1		
170		187	**152**	-	V	14.77	2	loss: low H propensity, lost van der Waals	8	-		1	1
170		187	**152**	-	Q	12.5	2	neutral	8	-			
170		187	**152**	-	E	12.5	2	neutral	8	-			
170		187	**152**	-	A	9.09							
170		187	**152**	-	I	6.81							
170		187	**152**	-	R	3.4				-			
170		187	**152**	-	S	2.27				-			
170		187	**152**	-	M	1.13				-			
170		187	**152**	-	T	1.13				-			
172	Q	189	**154**	K	-	45.45			6	0.31			
172		189	**154**	-	Q	34.09	2	loss: lost hbond to E193	6	-			1
172		189	**154**	-	R	7.95	2	neutral	6	-			
172		189	**154**	-	V	4.54				-			
172		189	**154**	-	L	2.27				-			
172		189	**154**	-	I	1.13				-			
172		189	**154**	-	Y	1.13				-			
172		189	**154**	-	A	1.13				-			
172		189	**154**	-	H	1.13				-			
172		189	**154**	-	E	1.13				-			
173	D	190	**155**	Q	-	13.63			4	0.58			
173		190	**155**	-	Y	15.9	2	loss: hydrophobic residue solvent exposed	4	-	1		
173		190	**155**	-	D	14.77	2	loss: lost hbond	4	-			1
173		190	**155**	-	A	14.77	2	loss: lost hbond	4	-			1
173		190	**155**	-	V	9.09	1	loss: hydrophobic residue solvent exposed, lower H propensity	4	-	1		
173		190	**155**	-	E	6.81	2	loss: lost hbond	4	-			1
173		190	**155**	-	T	5.68	2	loss: lost hbond, lower H propensity	4	-			1
173		190	**155**	-	K	4.54				-			
173		190	**155**	-	R	4.54				-			
173		190	**155**	-	I	3.4				-			
173		190	**155**	-	F	3.4				-			
173		190	**155**	-	N	1.13				-			
173		190	**155**	-	L	1.13				-			
173		190	**155**	-	M	1.13				-			
174	Q	191	**156**	E	-	42.04			7	0.39			
174		191	**156**	-	Q	21.59	2	neutral	7	-			
174		191	**156**	-	T	13.63	2	neutral, new hbond, lower helix propensity	7	-			
174		191	**156**	-	D	9.09	2	neutral	7	-			
174		191	**156**	-	G	6.81	1	loss: Gly in helix	7	-		1	
174		191	**156**	-	S	3.4				-			
174		191	**156**	-	A	1.13				-			
174		191	**156**	-	V	1.13				-			
174		191	**156**	-	R	1.13				-			
176	Q	193	**158**	E	-	81.81			8	0.23			
176		193	**158**	-	Q	15.9	2	loss: lost salt bridge to hbond	8	-			1
176		193	**158**	-	N	1.13				-			
176		193	**158**	-	D	1.13				-			
177	G	194	**159**	K	-	18.18			5	0.66			
177		194	**159**	-	E	22.72	2	loss: lost salt bridge with D198	5	-			1
177		194	**159**	-	F	12.5	1	loss: hydrophobic exposed	5	-	1		
177		194	**159**	-	N	10.22	2	loss: lower H propensity				1	
177		194	**159**	-	Q	7.95							
177		194	**159**	-	G	7.95							
177		194	**159**	-	S	5.68				-			
177		194	**159**	-	T	4.54				-			
177		194	**159**	-	R	4.54				-			
177		194	**159**	-	L	2.27				-			
177		194	**159**	-	C	1.13				-			
177		194	**159**	-	A	1.13				-			
177		194	**159**	-	M	1.13				-			
178	A	195	**160**	A	-	75			7	0.1			
178		195	**160**	-	S	21.59	2	loss: lower H propensity	7	-		1	
178		195	**160**	-	C	1.13				-			
178		195	**160**	-	E	1.13				-			
178		195	**160**	-	T	1.13				-			
179	A	196	**161**	G	-	21.59			11	0			
179		196	**161**	-	A	77.27	2	loss: crowding. However G196A+L200M works	11	-		1	1
179		196	**161**	-	S	1.13				-			
180	R	197	**162**	K	-	36.36			6	0.38			
180		197	**162**	-	R	44.31	2	neutral	6	-			
180		197	**162**	-	Q	13.63	2	loss: replaces Lys-arom interaction	6	-			1

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
180		197	**162**	-	E	2.27				-			
180		197	**162**	-	M	1.13				-			
180		197	**162**	-	S	1.13				-			
180		197	**162**	-	C	1.13				-			
181	A	198	**163**	D	-	5.68			6	0.35			
181		198	**163**	-	A	40.9	2	loss: lost salt bridge to K194	6	-			1
181		198	**163**	-	Q	14.77	2	neutral	6	-			
181		198	**163**	-	S	10.22	2	loss: lost salt bridge to K194, lower H propensity				1	1
181		198	**163**	-	N	9.09							
181		198	**163**	-	E	4.54				-			
181		198	**163**	-	K	3.4							
181		198	**163**	-	H	2.27				-			
181		198	**163**	-	T	2.27				-			
181		198	**163**	-	C	2.27				-			
181		198	**163**	-	R	1.13				-			
181		198	**163**	-	L	1.13				-			
181		198	**163**	-	V	1.13				-			
181		198	**163**	-	I	1.13				-			
182	W	199	**164**	F	-	71.59			13	0.02			
182		199	**164**	-	W	15.9	2	neutral	13	-			
182		199	**164**	-	L	11.36	2	loss: reduced packing	13	-			1
182		199	**164**	-	Y	1.13				-			
183	M	200	**165**	L	-	2.27			11	0.03			
183		200	**165**	-	M	97.72	2	loss: coupled to G196	11	-			1
184	A	201	**166**	V	-	6.81			6	0.17			
184		201	**166**	-	L	22.72	2	gain: better H propensty	6	-		1	
184		201	**166**	-	E	19.31	2	neutral: too much nega charge, higher H propensity	6	-		1	1
184		201	**166**	-	K	13.63	2	neutral	6	-			
184		201	**166**	-	A	13.63	2	neutral	6	-			
184		201	**166**	-	N	9.09							
184		201	**166**	-	Q	6.81							
184		201	**166**	-	T	4.54				-			
184		201	**166**	-	M	1.13				-			
184		201	**166**	-	I	1.13				-			
184		201	**166**	-	S	1.13				-			
185	G	202	**167**	E	-	50			7	0.33			
185		202	**167**	-	G	17.04	2	loss: lost hydrophobic contacts, lost salt bridge	7	-			1
185		202	**167**	-	D	6.81							
185		202	**167**	-	Q	5.68				-			
185		202	**167**	-	K	4.54				-			
185		202	**167**	-	S	3.4				-			
185		202	**167**	-	T	2.27				-			
185		202	**167**	-	V	2.27				-			
185		202	**167**	-	I	2.27				-			
185		202	**167**	-	H	1.13				-			
185		202	**167**	-	R	1.13				-			
185		202	**167**	-	L	1.13				-			
185		202	**167**	-	N	1.13				-			
185		202	**167**	-	Y	1.13				-			
187	L	204	**169**	I	-	21.59			10	0			
187		204	**169**	-	L	78.4	3	gain: better core packing, improved H propensity	10	-		1	1
188	Q	205	**170**	K	-	35.22			6	0.42			
188		205	**170**	-	R	25	2	gain: better for salt bridge to E202	6	-			1
188		205	**170**	-	Q	14.77	2	loss: lost salt bridge	6	-			1
188		205	**170**	-	E	7.95	2	loss: lost salt bridge, charge repulsion	6	-			1
188		205	**170**	-	T	4.54				-			
188		205	**170**	-	S	2.27				-			
188		205	**170**	-	A	2.27				-			
188		205	**170**	-	H	2.27				-			
188		205	**170**	-	W	2.27				-			
188		205	**170**	-	L	2.27				-			
188		205	**170**	-	N	1.13				-			
189	L	206	**171**	L	-	78.4			10	0.17			
189		206	**171**	-	Y	10.22	1	loss: crowded	10	-			1
189		206	**171**	-	F	3.4				-			
189		206	**171**	-	V	2.27				-			
189		206	**171**	-	H	2.27				-			
189		206	**171**	-	K	1.13				-			
189		206	**171**	-	Q	1.13				-			
189		206	**171**	-	W	1.13				-			
190	G	207	**172**	G	-	67.04			9	0			
190		207	**172**	-	A	20.45	1	loss: crowded	9	-			1
190		207	**172**	-	V	12.5	1	loss: crowded	9	-			1

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
191	R	208	**173**	K	-	39.77			9	0.4			
191		208	**173**	-	R	18.18	2	neutral	9	-			
191		208	**173**	-	Q	15.9	2	neutral	9	-			
191		208	**173**	-	I	14.77	2	neutral: hydrophobic interaction with L209, butloss of salt bridge	9	-			
191		208	**173**	-	L	5.68	2	neutral: hydrophobic interaction with L209, butloss of salt bridge	9	-			
191		208	**173**	-	E	2.27				-			
191		208	**173**	-	M	2.27				-			
191		208	**173**	-	S	1.13				-			
192	A	209	**174**	L	-	10.22			4	0.68			
192		209	**174**	-	A	26.13	2	gain: more hydrophilic	4	-	1		
192		209	**174**	-	K	15.9	2	neutral: more polar, too much (+)	4	-			
192		209	**174**	-	S	14.77	2	loss: lower H propensity	4	-		1	
192		209	**174**	-	E	7.95							
192		209	**174**	-	N	5.68							
192		209	**174**	-	T	5.68				-			
192		209	**174**	-	R	3.4				-			
192		209	**174**	-	V	2.27				-			
192		209	**174**	-	F	2.27				-			
192		209	**174**	-	M	2.27				-			
192		209	**174**	-	I	1.13				-			
192		209	**174**	-	Q	1.13				-			
192		209	**174**	-	G	1.13				-			
193	L	210	**175**	L	-	47.72			8	0.26			
193		210	**175**	-	S	13.63	2	loss: lost hydrophobic contacts to I341, L206, T132	8	-			1
193		210	**175**	-	M	9.09	2	neutral	8	-			
193		210	**175**	-	V	9.09	2	loss: Leu packs better	8	-			1
193		210	**175**	-	F	7.95	1	loss: overcrowding	8	-			1
193		210	**175**	-	R	3.4				-			
193		210	**175**	-	T	2.27				-			
193		210	**175**	-	Y	2.27				-			
193		210	**175**	-	K	1.13				-			
193		210	**175**	-	A	1.13				-			
193		210	**175**	-	E	1.13				-			
193		210	**175**	-	N	1.13				-			
196	R	213	**178**	N	-	20.45			5	0.48			
196		213	**178**	-	R	26.13	2	neutral	5	-			
196		213	**178**	-	K	25	2	neutral	5	-			
196		213	**178**	-	Q	7.95							
196		213	**178**	-	H	6.81							
196		213	**178**	-	S	5.68				-			
196		213	**178**	-	G	3.4				-			
196		213	**178**	-	Y	1.13				-			
196		213	**178**	-	D	1.13				-			
196		213	**178**	-	A	1.13				-			
196		213	**178**	-	E	1.13				-			
197	G	214	**179**	H	-	23.86			12	0.01			
197		214	**179**	-	G	48.86	1	loss: lost van der Waals contacts	12	-			1
197		214	**179**	-	Q	10.22	2	loss: lost van der Waals contacts, new hydrogen bonds					1
197		214	**179**	-	R	5.68							
197		214	**179**	-	Y	4.54				-			
197		214	**179**	-	A	4.54				-			
197		214	**179**	-	C	1.13				-			
197		214	**179**	-	S	1.13				-			
201	F	218	**183**	Y	-	44.31			11	0.02			
201		218	**183**	-	F	54.54	2	loss; lost van der Waals contacts	11	-			1
201		218	**183**	-	L	1.13				-			
203	G	220	**185**	L	-	70.45			7	0.15			
203		220	**185**	-	G	20.45	2	loss: may be important for function, seen in Hyal1	7	-			1
203		220	**185**	-	R	5.68							
203		220	**185**	-	H	2.27				-			
203		220	**185**	-	N	1.13				-			
204	F	221	**186**	F	-	70.45			12	0.06			
204		221	**186**	-	Y	29.54	2	neutral	12	-			
206	D	223	**188**	D	-	84.09				0.06			
206		223	**188**	-	A	6.81							
206		223	**188**	-	N	3.4				-			
206		223	**188**	-	S	2.27				-			
206		223	**188**	-	C	1.13				-			
206		223	**188**	-	E	1.13				-			
206		223	**188**	-	V	1.13				-			
208	Y	225	**190**	Y	-	75			8	0.11			
208		225	**190**	-	H	17.04	1	loss: lost van der Waals	8	-			1
208		225	**190**	-	G	6.81							

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
208		225	**190**	-	F	1.13				-			
210	Y	227	**192**	H	-	32.95			6	0.52			
210		227	**192**	-	Y	48.86	3	gain: good hbond, van der Waals	6	-			1
210		227	**192**	-	N	7.95							
210		227	**192**	-	G	6.81							
210		227	**192**	-	T	1.13				-			
210		227	**192**	-	S	1.13				-			
210		227	**192**	-	D	1.13				-			
211	D	228	**193**	H	-	9.09			6	0.53			
211		228	**193**	-	D	44.31	2	neutral	6	-			
211		228	**193**	-	N	29.54	2	neutral	6	-			
211		228	**193**	-	W	6.81							
211		228	**193**	-	G	4.54							
211		228	**193**	-	K	3.4				-			
211		228	**193**	-	Y	1.13				-			
211		228	**193**	-	Q	1.13				-			
212	F	229	**194**	Y	-	46.59			8	0.3			
212		229	**194**	-	F	27.27	2	loss: similar interaction but hydrophobic solvent exposed	8	-	1		
212		229	**194**	-	V	10.22	1	loss: lost van der Waals contacts that may impact ligand binding	8	-			1
212		229	**194**	-	H	5.68	2	neutral	8	-			
212		229	**194**	-	R	2.27				-			
212		229	**194**	-	I	1.13				-			
212		229	**194**	-	L	1.13				-			
212		229	**194**	-	W	1.13				-			
212		229	**194**	-	K	1.13				-			
212		229	**194**	-	M	1.13				-			
212		229	**194**	-	S	1.13				-			
212		229	**194**	-	G	1.13				-			
213	L	230	**195**	K	-	21.59			3	0.77			
213		230	**195**	-	V	13.63	2	neutral	3	-			
213		230	**195**	-	Y	12.5	2	neutral	3	-			
213		230	**195**	-	L	11.36	2	neutral	3	-			
213		230	**195**	-	Q	6.81	2	neutral	3	-			
213		230	**195**	-	N	5.68				-			
213		230	**195**	-	R	5.68	2	neutral	3	-			
213		230	**195**	-	H	5.68				-			
213		230	**195**	-	D	4.54				-			
213		230	**195**	-	S	4.54				-			
213		230	**195**	-	G	3.4				-			
213		230	**195**	-	T	2.27				-			
213		230	**195**	-	M	1.13				-			
213		230	**195**	-	A	1.13				-			
214	S	231	**196**	K	-	19.31			7	0.48			
214		231	**196**	-	S	19.31	2	neutral	7	-			
214		231	**196**	-	Q	18.18	2	neutral	7	-			
214		231	**196**	-	A	11.36	2	neutral	7	-			
214		231	**196**	-	D	7.95							
214		231	**196**	-	I	5.68							
214		231	**196**	-	T	4.54				-			
214		231	**196**	-	G	3.4				-			
214		231	**196**	-	E	3.4				-			
214		231	**196**	-	H	1.13				-			
214		231	**196**	-	N	1.13				-			
215	P	232	**197**	P	-	13.63			2	1.07			
215		232	**197**	-	E	18.18	2	neutral	2	-			
215		232	**197**	-	S	10.22	2	neutral	2	-			
215		232	**197**	-	D	4.54				-			
215		232	**197**	-	Q	4.54				-			
215		232	**197**	-	K	4.54				-			
215		232	**197**	-	A	3.4				-			
215		232	**197**	-	L	1.13				-			
215		232	**197**	-	F	1.13				-			
215		232	**197**	-	N	1.13				-			
215		232	**197**	-	T	1.13				-			
215		232	**197**	-	H	1.13				-			
216	N	233	**198**	G	-	7.95			3	0.59			
216		233	**198**	-	N	51.13	2	loss: clashes with K231. Zhang Fig. 2	3	-			1
216		233	**198**	-	S	18.18	2	neutral	3	-			
216		233	**198**	-	T	7.95							
216		233	**198**	-	F	3.4				-			
216		233	**198**	-	K	2.27				-			
216		233	**198**	-	Q	2.27				-			
216		233	**198**	-	R	1.13				-			
216		233	**198**	-	H	1.13				-			
216		233	**198**	-	P	1.13				-			
216		233	**198**	-	I	1.13				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
216		233	**198**	-	D	1.13				-			
218	T	235	**200**	N	-	12.5			4	0.61			
218		235	**200**	-	T	78.4	3	gain: Thr hbonds to bb to stabilize loop	4	-			1
218		235	**200**	-	K	3.4				-			
218		235	**200**	-	D	3.4				-			
218		235	**200**	-	R	1.13				-			
218		235	**200**	-	S	1.13				-			
220	Q	237	**202**	S	-	27.27			5	0.52			
220		237	**202**	-	R	19.31	2	neutral	5	-			
220		237	**202**	-	Q	19.31	2	gain: hbond to R283	5	-			1
220		237	**202**	-	H	11.36	2	neutral	5	-			
220		237	**202**	-	E	6.81	2	gain: salt bridge to R283	5	-			1
220		237	**202**	-	T	3.4				-			
220		237	**202**	-	K	3.4				-			
220		237	**202**	-	N	3.4				-			
220		237	**202**	-	A	2.27				-			
220		237	**202**	-	F	1.13				-			
220		237	**202**	-	D	1.13				-			
220		237	**202**	-	I	1.13				-			
222	P	239	**204**	F	-	7.95			6	0.47			
222		239	**204**	-	P	73.86	3	gain:more rigidity in loop, less hydrophobic	6	-	1	1	
222		239	**204**	-	H	7.95							
222		239	**204**	-	S	4.54				-			
222		239	**204**	-	L	2.27				-			
222		239	**204**	-	R	1.13				-			
222		239	**204**	-	T	1.13				-			
222		239	**204**	-	A	1.13				-			
223	S	240	**205**	N	-	6.81			3	0.59			
223		240	**205**	-	D	40.9	2	neutral	3	-			
223		240	**205**	-	E	18.18	2	gain: more van der Waals	3	-			1
223		240	**205**	-	P	9.09	2	loss: clash to F239	3	-			1
223		240	**205**	-	A	7.95							
223		240	**205**	-	L	5.68				-			
223		240	**205**	-	S	5.68							
223		240	**205**	-	K	2.27				-			
223		240	**205**	-	I	1.13				-			
223		240	**205**	-	V	1.13				-			
223		240	**205**	-	T	1.13				-			
224	G	241	**206**	V	-	31.81			4	0.38			
224		241	**206**	-	E	13.63	3	gain: salt bridge to R245	4	-			1
224		241	**206**	-	G	11.36	1	loss: Gly in a helix, lost van der Waals contacts	4	-		1	1
224		241	**206**	-	I	11.36	2	neutral	4	-			
224		241	**206**	-	D	9.09	3	gain: salt bridge to R245	4	-			1
224		241	**206**	-	A	7.95	2	neutral: lost van der Waals contacts but higher H propensity	4	-		1	1
224		241	**206**	-	L	5.68				-			
224		241	**206**	-	S	2.27				-			
224		241	**206**	-	N	2.27				-			
224		241	**206**	-	K	1.13				-			
224		241	**206**	-	T	1.13				-			
224		241	**206**	-	F	1.13				-			
224		241	**206**	-	Y	1.13				-			
225	I	242	**207**	E	-	72.72			9	0.13			
225		242	**207**	-	I	14.77	2	gain: more hydrophobic contacts	9	-			1
225		242	**207**	-	T	6.81							
225		242	**207**	-	A	3.4				-			
225		242	**207**	-	V	2.27				-			
226	R	243	**208**	I	-	17.04			7	0.37			
226		243	**208**	-	V	32.95	2	gain: less hydrophobic	7	-	1		
226		243	**208**	-	K	15.9	2	neutral	7	-			
226		243	**208**	-	R	9.09	2	neutral	7	-			
226		243	**208**	-	L	5.68							
226		243	**208**	-	S	4.54				-			
226		243	**208**	-	H	3.4				-			
226		243	**208**	-	E	2.27				-			
226		243	**208**	-	M	2.27				-			
226		243	**208**	-	Q	2.27				-			
226		243	**208**	-	P	1.13				-			
226		243	**208**	-	T	1.13				-			
226		243	**208**	-	C	1.13				-			
226		243	**208**	-	Y	1.13				-			
227	A	244	**209**	K	-	10.22			4	0.51			
227		244	**209**	-	A	22.72	2	neutral: solvent exposed helix	4	-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
227		244	**209**	-	L	18.18	2	neutral: hydrophobic residue exposed, increased hydrophobic contacts	4	-	1		1
227		244	**209**	-	S	11.36	2	loss: lost hydrophobic contacts, lower H propensity				1	1
227		244	**209**	-	Q	9.09							
227		244	**209**	-	T	7.95							
227		244	**209**	-	R	4.54				-			
227		244	**209**	-	F	3.4				-			
227		244	**209**	-	D	3.4				-			
227		244	**209**	-	V	2.27				-			
227		244	**209**	-	E	2.27				-			
227		244	**209**	-	I	1.13				-			
227		244	**209**	-	N	1.13				-			
227		244	**209**	-	H	1.13				-			
227		244	**209**	-	P	1.13				-			
228	Q	245	**210**	R	-	78.4			8	0.29			
228		245	**210**	-	Q	13.63	2	neutral	8	-			
228		245	**210**	-	L	3.4				-			
228		245	**210**	-	H	1.13				-			
228		245	**210**	-	K	1.13				-			
228		245	**210**	-	M	1.13				-			
228		245	**210**	-	E	1.13				-			
230	D	247	**212**	D	-	68.18			7	0.33			
230		247	**212**	-	N	22.72	2	loss: lost salt bridge	7	-			1
230		247	**212**	-	T	6.81							
230		247	**212**	-	Q	2.27				-			
231	Q	248	**213**	D	-	11.36			4	0.57			
231		248	**213**	-	Q	44.31	1	loss: lost salt bridge to R245	4	-			1
231		248	**213**	-	E	21.59	2	neutral	4	-			
231		248	**213**	-	A	4.54				-			
231		248	**213**	-	K	4.54				-			
231		248	**213**	-	H	3.4				-			
231		248	**213**	-	N	3.4				-			
231		248	**213**	-	L	3.4				-			
231		248	**213**	-	R	2.27				-			
231		248	**213**	-	G	1.13				-			
233	G	250	**215**	S	-	25			7	0.19			
233		250	**215**	-	A	15.9	2	loss: lost of hbond to P292 mc	7	-			1
233		250	**215**	-	G	14.77	2	loss: lost of hbond to P292 mc, Gly in a helix	7	-		1	1
233		250	**215**	-	L	5.68	2	gain: better hydrophobic contacts to I291	7	-			1
233		250	**215**	-	H	5.68	2	neutral	7	-			
233		250	**215**	-	Q	4.54				-			
233		250	**215**	-	F	4.54				-			
233		250	**215**	-	K	4.54				-			
233		250	**215**	-	N	3.4				-			
233		250	**215**	-	D	3.4				-			
233		250	**215**	-	R	3.4				-			
233		250	**215**	-	M	3.4				-			
233		250	**215**	-	V	1.13				-			
233		250	**215**	-	I	1.13				-			
233		250	**215**	-	Y	1.13				-			
233		250	**215**	-	T	1.13				-			
233		250	**215**	-	E	1.13				-			
235	L	252	**217**	L	-	94.31			0	0.013			
235		252	**217**	-	M	3.4				-			
235		252	**217**	-	I	2.27				-			
237	G	254	**219**	N	-	31.81			5	0.43			
237		254	**219**	-	A	20.45	2	neutral: better H propensity, lost hbond	5	-			
237		254	**219**	-	K	20.45	2	neutral	5	-			
237		254	**219**	-	E	10.22	2	loss: too many negative charges, e.g. E293, E255	5	-			1
237		254	**219**	-	G	9.09	2	loss: low H propensity	5	-		1	
237		254	**219**	-	D	2.27				-			
237		254	**219**	-	T	2.27				-			
237		254	**219**	-	S	1.13				-			
237		254	**219**	-	R	1.13				-			
237		254	**219**	-	Q	1.13				-			
238	Q	255	**220**	E	-	39.77			7	0.22			
238		255	**220**	-	Q	17.04	2	neutral	7	-			
238		255	**220**	-	S	15.9	2	loss: lost van der Waals	7	-			1
238		255	**220**	-	A	12.5	2	loss: lost van der Waals	7	-			1
238		255	**220**	-	K	5.68	2	neutral	7	-			
238		255	**220**	-	V	2.27				-			
238		255	**220**	-	D	1.13				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
238		255	**220**	-	N	1.13				-			
238		255	**220**	-	I	1.13				-			
238		255	**220**	-	G	1.13				-			
238		255	**220**	-	H	1.13				-			
238		255	**220**	-	T	1.13				-			
240	R	257	**222**	T	-	48.86			8	0.18			
240		257	**222**	-	A	15.9	2	loss: lost hbonds to W216, H214 mc	8	-			1
240		257	**222**	-	R	11.36	2	neutral	8	-			
240		257	**222**	-	S	11.36	2	neutral	8	-			
240		257	**222**	-	Y	3.4				-			
240		257	**222**	-	Q	2.27				-			
240		257	**222**	-	M	2.27				-			
240		257	**222**	-	N	2.27				-			
240		257	**222**	-	C	1.13				-			
240		257	**222**	-	L	1.13				-			
243	Y	260	**225**	Y	-	71.59			15	0			
243		260	**225**	-	F	28.4	2	loss: lost hbond, lost van der Waals	15	-			1
245	S	262	**227**	S	-	92.04				0.05			
245		262	**227**	-	D	3.4				-			
245		262	**227**	-	N	2.27				-			
245		262	**227**	-	A	2.27				-			
246	I	263	**228**	I	-	71.59			12	0.01			
246		263	**228**	-	V	26.13	2	loss: lost hydrophobic contacts	12	-			1
246		263	**228**	-	A	1.13				-			
246		263	**228**	-	T	1.13				-			
247	Y	264	**229**	Y	-	81.81			9	0.15			
247		264	**229**	-	G	10.22	1	loss: likely impotant for ligand binding	9	-			1
247		264	**229**	-	S	4.54				-			
247		264	**229**	-	T	1.13				-			
247		264	**229**	-	V	1.13				-			
247		264	**229**	-	H	1.13				-			
248	M	265	**230**	L	-	71.59			12	0.02			
248		265	**230**	-	V	11.36	2	loss: lost hydrophobic contacts	12	-			1
248		265	**230**	-	M	10.22	2	neutral	12	-			
248		265	**230**	-	I	6.81							
249	P	266	**231**	N	-	9.09			4	0.42			
249		266	**231**	-	P	26.13	2	loss: N may be involved in ligand binding	4	-			1
249		266	**231**	-	D	20.45	2	loss: may be important for ligand binding	4	-			1
249		266	**231**	-	E	11.36	2	loss: may be important for ligand binding					1
249		266	**231**	-	R	10.22	2	loss: may be important for ligand binding					1
249		266	**231**	-	K	7.95							
249		266	**231**	-	S	5.68							
249		266	**231**	-	W	4.54				-			
249		266	**231**	-	G	2.27				-			
249		266	**231**	-	Q	1.13				-			
249		266	**231**	-	T	1.13				-			
250	A	267	**232**	T	-	11.36			7	0.39			
250		267	**232**	-	K	25	2	loss: T hbonds with Q311 and T309 mc	7	-			1
250		267	**232**	-	A	13.63	2	loss: lost hbond	7	-			1
250		267	**232**	-	E	12.5	2	neutral	7	-			
250		267	**232**	-	P	11.36	2	neutral	7	-			
250		267	**232**	-	S	6.81							
250		267	**232**	-	L	3.4				-			
250		267	**232**	-	V	3.4				-			
250		267	**232**	-	Q	3.4				-			
250		267	**232**	-	Y	3.4				-			
250		267	**232**	-	R	2.27				-			
250		267	**232**	-	I	2.27				-			
250		267	**232**	-	C	1.13				-			
251	V	268	**233**	Q	-	5.68			5	0.49			
251		268	**233**	-	S	15.9	2	neutral: new hydrogen bond		-			
251		268	**233**	-	A	14.77	2	neutral	5	-			
251		268	**233**	-	R	10.22	2	neutral					
251		268	**233**	-	V	7.95				-			
251		268	**233**	-	E	4.54	2	neutral	5	-			
251		268	**233**	-	G	4.54	2	loss: lost van der Waals, increased flexibility	5	-		1	1
251		268	**233**	-	K	3.4	2	neutral	5	-			
251		268	**233**	-	M	2.27				-			
252	L	269	**234**	Q	-	4.54			11	0.05			
252		269	**234**	-	L	87.5	2	gain: increased hydrophobic contacts		-	1		1

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
252		269	**234**	-	M	1.13				-			
252		269	**234**	-	K	1.13				-			
254	G	270	**235**	S	-	6.81			4	0.82			
254		270	**235**	-	A	20.45	2	neutral: turn residue				1	
254		270	**235**	-	G	11.36	2	neutral		-		1	
254		270	**235**	-	R	6.81				-			
254		270	**235**	-	N	1.13							
255	T	271	**236**	P	-	11.36			7	0.43			
255		271	**236**	-	S	43.18	2	gain: increased hydrogen bonds, lost hb contacts		-			1
255		271	**236**	-	G	20.45	2	loss: lost hydrophobic contacts, increased flexibility		-		1	1
255		271	**236**	-	D	13.63	2	loss: increased flexibility		-		1	
255		271	**236**	-	N	7.95				-			
255		271	**236**	-	V	1.13				-			
255		271	**236**	-	L	1.13				-			
256	G	272	**237**	V	-	4.54			2	0.91			
256		272	**237**	-	S	54.54	2	gain: more polar		-	1		
256		272	**237**	-	N	7.95	3	gain: more hydrophilic	2	-	1		
256		272	**237**	-	A	6.81				-			
256		272	**237**	-	G	2.27	2	neutral	2	-			
256		272	**237**	-	H	1.13	2	neutral	2	-			
256		272	**237**	-	D	1.13				-			
257	K	273	**238**	A	-	4.54			5	0.11			
257		273	**238**	-	N	38.63	2	loss: lower H propensity, additional van der Waals contacts		-		1	1
257		273	**238**	-	K	18.18	2	neutral	5	-			
257		273	**238**	-	H	15.9	2	gain: increased van der Waals contacts		-			1
257		273	**238**	-	Y	6.81				-			
257		273	**238**	-	Q	5.68				-			
257		273	**238**	-	S	3.4				-			
257		273	**238**	-	E	1.13				-			
257		273	**238**	-	V	1.13				-			
257		273	**238**	-	D	1.13				-			
258	S	274	**239**	A	-	27.27			6	0.02			
258		274	**239**	-	G	18.18	2	loss: lower H propensity, lower hydrophobic contacts		-		1	1
258		274	**239**	-	S	13.63	2	neutral: may form Hbond to E320	6	-			
258		274	**239**	-	I	10.22	2	loss: overcrowded, lower H propensity	6	-		1	1
258		274	**239**	-	T	10.22	2	neutral	6	-			
258		274	**239**	-	V	7.95	2	loss: overcrowded	6	-			1
258		274	**239**	-	H	5.68	2	loss: overcrowded, lower H propensity	6	-		1	1
258		274	**239**	-	R	2.27				-			
258		274	**239**	-	L	1.13	2	neutral	6	-			
258		274	**239**	-	E	1.13				-			
259	Q	275	**240**	T	-	5.68			6	0.17			
259		275	**240**	-	L	27.27	2	gain: improved hydrophobic contacts	6	-			1
259		275	**240**	-	R	22.72	2	gain: increased van der Waals, hbond	6	-			1
259		275	**240**	-	Q	22.72	2	neutral: lost van der Waals, better H propensity	6	-			
259		275	**240**	-	A	10.22	2	loss: lost hydrophobic contacts, better H propensity				1	1
259		275	**240**	-	V	4.54				-			
259		275	**240**	-	W	3.4				-			
259		275	**240**	-	P	1.13				-			
259		275	**240**	-	M	1.13				-			
260	M	276	**241**	L	-	27.27			8	0.32			
260		276	**241**	-	K	17.04	3	gain: more hydrophilic	8	-	1		
260		276	**241**	-	M	12.5	2	neutral	8	-			
260		276	**241**	-	R	12.5	3	gain: more hydrophilic	8	-	1		
260		276	**241**	-	N	11.36	2	loss: lower H propensity	8	-		1	
260		276	**241**	-	A	6.81	2	loss: lost van der Waals to N235 mc, Y234	8	-			1
260		276	**241**	-	H	5.68				-			
260		276	**241**	-	Q	2.27				-			
260		276	**241**	-	P	2.27				-			
260		276	**241**	-	T	1.13				-			
260		276	**241**	-	E	1.13				-			
261	Y	277	**242**	Y	-	32.95			14	0.04			
261		277	**242**	-	F	65.9	1	loss: lost hbond to Y264	14	-			1
261		277	**242**	-	M	1.13				-			
262	V	278	**243**	V	-	78.4			11	0			
262		278	**243**	-	S	17.04	1	loss: lost hydrophobic contacts	11	-			1

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
262		278	**243**	-	A	2.27				-			
262		278	**243**	-	T	1.13				-			
262		278	**243**	-	C	1.13				-			
263	Q	279	**244**	R	-	51.13			10	0.27			
263		279	**244**	-	Q	17.04	2	neutral	10	-			
263		279	**244**	-	H	12.5	2	loss: lower H propensity	10	-		1	
263		279	**244**	-	S	11.36	2	loss: lower H propensity, lost van der Waals	10	-		1	1
263		279	**244**	-	K	5.68				-			
263		279	**244**	-	W	1.13				-			
263		279	**244**	-	A	1.13				-			
264	H	280	**245**	N	-	19.31			11	0.02			
264		280	**245**	-	F	30.68	2	neutral: NH-aromatic	11	-			
264		280	**245**	-	H	28.4	2	neutral	11	-			
264		280	**245**	-	Y	13.63	2	neutral: NH-aromatic	11	-			
264		280	**245**	-	S	4.54				-			
264		280	**245**	-	A	2.27				-			
264		280	**245**	-	E	1.13				-			
266	V	282	**247**	V	-	85.22			11	0			
266		282	**247**	-	L	7.95	2	loss: packing is not as nice	11	-			1
266		282	**247**	-	I	6.81							
267	A	283	**248**	R	-	14.77			8	0.36			
267		283	**248**	-	Q	29.54	2	neutral	8	-			
267		283	**248**	-	H	11.36	2	loss: lower H propensity, lost hbonds	8	-		1	1
267		283	**248**	-	K	9.09							
267		283	**248**	-	A	9.09							
267		283	**248**	-	E	9.09							
267		283	**248**	-	L	4.54							
267		283	**248**	-	N	3.4				-			
267		283	**248**	-	M	2.27				-			
267		283	**248**	-	V	2.27				-			
267		283	**248**	-	T	1.13				-			
267		283	**248**	-	G	1.13				-			
267		283	**248**	-	W	1.13				-			
267		283	**248**	-	C	1.13				-			
269	A	285	**250**	A	-	77.27			8	0			
269		285	**250**	-	S	19.31	2	loss: buried hydroxyl	8	-			1
269		285	**250**	-	G	3.4				-			
270	F	286	**251**	I	-	20.45			8	0.22			
270		286	**251**	-	L	28.4	3	gain: better H propensty	8	-		1	
270		286	**251**	-	M	25	2	neutral	8	-			
270		286	**251**	-	F	22.72	2	gain: improved hydrophobic contacts	8	-			1
270		286	**251**	-	R	2.27				-			
270		286	**251**	-	V	1.13				-			
272	V	288	**253**	V	-	60.22			10	0			
272		288	**253**	-	I	26.13	2	loss: crowding	10	-			1
272		288	**253**	-	L	9.09							
272		288	**253**	-	M	2.27				-			
272		288	**253**	-	A	1.13				-			
272		288	**253**	-	T	1.13				-			
273	A	289	**254**	S	-	42.04			9	0.02			
273		289	**254**	-	A	54.54	3	gain: improved H propensity, buried pos	9	-	1	1	
273		289	**254**	-	R	1.13				-			
273		289	**254**	-	D	1.13				-			
273		289	**254**	-	Q	1.13				-			
274	V	290	**255**	K	-	15.9			5	0.56			
274		290	**255**	-	T	15.9	2	loss: low H propentity	5	-		1	
274		290	**255**	-	S	12.5	2	loss: low H propensity	5	-		1	
274		290	**255**	-	R	7.95	2	neutral	5	-			
274		290	**255**	-	L	7.95	2	loss: hydrophobic residue solvent exposed	5	-	1		
274		290	**255**	-	E	6.81	2	neutral	5	-			
274		290	**255**	-	V	5.68				-			
274		290	**255**	-	Q	5.68				-			
274		290	**255**	-	A	4.54	2	gain: higher H propensity	5	-		1	
274		290	**255**	-	H	3.4				-			
274		290	**255**	-	D	3.4				-			
274		290	**255**	-	I	3.4				-			
274		290	**255**	-	Y	3.4				-			
274		290	**255**	-	F	2.27				-			
275	A	291	**256**	I	-	10.22			7	0.32			
275		291	**256**	-	M	19.31	2	gain: better H propensity	7	-		1	
275		291	**256**	-	V	19.31	2	loss: lost van der Waals	7	-			1
275		291	**256**	-	A	11.36	2	loss: lost van der Waals					1
275		291	**256**	-	T	11.36	2	gain: more polar	7	-	1		

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
275		291	**256**	-	Q	5.68				-			
275		291	**256**	-	L	5.68	2	gain: better H propensity	7	-		1	
275		291	**256**	-	G	4.54				-			
275		291	**256**	-	R	2.27				-			
275		291	**256**	-	K	2.27				-			
275		291	**256**	-	S	2.27				-			
275		291	**256**	-	E	1.13				-			
275		291	**256**	-	D	1.13				-			
275		291	**256**	-	F	1.13				-			
275		292	**257**	P	-	6.81			3	0.62			
275		292	**257**	-	A	26.13	2	loss: lost rigidity	3	-		1	
275		292	**257**	-	H	19.31	2	neutral	3	-			
275		292	**257**	-	T	18.18	2	neutral	3	-			
275		292	**257**	-	G	6.81							
275		292	**257**	-	S	6.81				-			
275		292	**257**	-	V	2.27				-			
275		292	**257**	-	K	2.27				-			
275		292	**257**	-	M	2.27				-			
275		292	**257**	-	R	2.27				-			
276	A	293	**258**	D	-	9.09			5	0.58			
276		293	**258**	-	H	25	2	neutral	5	-			
276		293	**258**	-	S	21.59	2	neutral	5	-			
276		293	**258**	-	R	10.22	2	neutral	5	-			
276		293	**258**	-	N	5.68				-			
276		293	**258**	-	K	2.27				-			
276		293	**258**	-	G	2.27				-			
277	G	294	**259**	A	-	20.45			9	0.19			
277		294	**259**	-	H	14.77	2	neutral: extra residue in PH20	9	-			
277		294	**259**	-	G	11.36	2	neutral: extra residue in PH20	9	-			
277		294	**259**	-	K	10.22	2	neutral: extra residue in PH20	9	-			
277		294	**259**	-	R	5.68	2	neutral: extra residue in PH20	9	-			
277		294	**259**	-	P	4.54				-			
277		294	**259**	-	D	4.54				-			
277		294	**259**	-	E	3.4				-			
277		294	**259**	-	T	3.4				-			
277		294	**259**	-	V	3.4				-			
277		294	**259**	-	N	2.27				-			
277		294	**259**	-	S	1.13				-			
277		294	**259**	-	C	1.13				-			
277		294	**259**	-	Q	1.13				-			
278	D	295	**260**	K	-	13.63			4	0.83			
278		295	**260**	-	D	42.04	2	neutral	4	-			
278		295	**260**	-	N	14.77	2	neutral	4	-			
278		295	**260**	-	G	6.81				-			
278		295	**260**	-	S	4.54				-			
278		295	**260**	-	P	3.4				-			
278		295	**260**	-	E	2.27				-			
278		295	**260**	-	H	2.27				-			
278		295	**260**	-	Q	2.27				-			
278		295	**260**	-	R	1.13				-			
278		295	**260**	-	A	1.13				-			
278		295	**260**	-	L	1.13				-			
278		295	**260**	-	V	1.13				-			
278		295	**260**	-	I	1.13				-			
279	P	296	**261**	S	-	11.36			4	0.55			
279		296	**261**	-	Y	31.81	2	neutral	4	-			
279		296	**261**	-	H	22.72	2	neutral	4	-			
279		296	**261**	-	P	14.77	2	neutral	4	-			
279		296	**261**	-	N	4.54				-			
279		296	**261**	-	F	3.4				-			
279		296	**261**	-	D	2.27				-			
279		296	**261**	-	E	1.13				-			
279		296	**261**	-	G	1.13				-			
279		296	**261**	-	A	1.13				-			
279		296	**261**	-	C	1.13				-			
279		296	**261**	-	I	1.13				-			
279		296	**261**	-	Q	1.13				-			
280	N	297	**262**	P	-	26.13			4	0.43			
280		297	**262**	-	A	32.95	2	loss: lost rigidity	4	-		1	
280		297	**262**	-	S	11.36	2	loss: increased flexibility				1	
280		297	**262**	-	N	7.95							
280		297	**262**	-	T	6.81							
280		297	**262**	-	D	3.4				-			
280		297	**262**	-	V	3.4				-			
280		297	**262**	-	H	2.27				-			
280		297	**262**	-	K	2.27				-			
280		297	**262**	-	G	1.13				-			
280		297	**262**	-	R	1.13				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
280		297	**262**	-	M	1.13				-			
281	L	298	**263**	L	-	84.09				0.14			
281		298	**263**	-	V	7.95							
281		298	**263**	-	R	2.27				-			
281		298	**263**	-	A	2.27				-			
281		298	**263**	-	P	1.13				-			
281		298	**263**	-	T	1.13				-			
281		298	**263**	-	I	1.13				-			
283	V	300	**265**	V	-	84.09			12	0.04			
283		300	**265**	-	I	14.77	2	loss: crowded	12	-			1
283		300	**265**	-	T	1.13				-			
284	L	301	**266**	F	-	54.54			14	0.01			
284		301	**266**	-	L	22.72	2	loss: lost hydrophobic contacts	14	-			1
284		301	**266**	-	Y	19.31	2	neutral	14	-			
284		301	**266**	-	M	2.27				-			
284		301	**266**	-	V	1.13				-			
285	P	302	**267**	A	-	10.22			8	0.01			
285		302	**267**	-	V	65.9	2	loss: crowding	8	-			1
285		302	**267**	-	P	20.45	2	gain: improved hydrophobic contacts	8	-			1
285		302	**267**	-	I	3.4				-			
286	Y	303	**268**	Y	-	84.09			13	0.05			
286		303	**268**	-	F	15.9	2	loss: lost van der Waals	13	-			1
287	V	304	**269**	T	-	48.86			10	0.02			
287		304	**269**	-	A	15.9	2	loss: lost van der Waals, cavity creating	10	-			1
287		304	**269**	-	S	14.77	2	loss: lost van der Waals	10	-			1
287		304	**269**	-	V	11.36	2	neutral	10	-			
287		304	**269**	-	I	3.4				-			
287		304	**269**	-	L	2.27				-			
287		304	**269**	-	M	1.13				-			
287		304	**269**	-	N	1.13				-			
287		304	**269**	-	F	1.13				-			
288	Q	305	**270**	R	-	80.68			10	0.05			
288		305	**270**	-	Q	18.18	1	loss: may be important for ligand binding, seen in Hyal1	10	-			1
288		305	**270**	-	N	1.13				-			
289	I	306	**271**	I	-	25			10	0.05			
289		306	**271**	-	P	42.04	2	loss: lost hydrophobic contacts	10	-			1
289		306	**271**	-	L	31.81	1	loss: crowding	10	-			1
289		306	**271**	-	V	1.13				-			
290	F	307	**272**	V	-	22.72			9	0.01			
290		307	**272**	-	T	27.27	2	gain: improved hbond	9	-			1
290		307	**272**	-	F	26.13	1	loss: overpacking		-			1
290		307	**272**	-	G	15.9	2	loss: lost hydrophobic contacts	9	-			1
290		307	**272**	-	A	3.4				-			
290		307	**272**	-	Y	1.13				-			
290		307	**272**	-	D	1.13				-			
290		307	**272**	-	L	1.13				-			
290		307	**272**	-	S	1.13				-			
291	Y	308	**273**	F	-	23.86			12	0.13			
291		308	**273**	-	Y	67.04	3	gain: more hydrophilic, hbond to E320	12	-	1		1
291		308	**273**	-	H	7.95	3	gain: more hydrophilic, hbond to S270	12	-	1		1
291		308	**273**	-	L	1.13				-			
292	D	309	**274**	T	-	25			7	0.16			
292		309	**274**	-	R	23.86	1	loss: may be important for ligand binding	7	-			1
292		309	**274**	-	S	14.77	2	neutral: may be important for binding	7	-			
292		309	**274**	-	L	5.68				-			
292		309	**274**	-	I	3.4				-			
292		309	**274**	-	K	2.27				-			
292		309	**274**	-	G	1.13				-			
292		309	**274**	-	M	1.13				-			
292		309	**274**	-	N	1.13				-			
293	T	310	**275**	D	-	28.4			3	0.7			
293		310	**275**	-	R	19.31	1	loss: may be important for ligand binding	3	-			1
293		310	**275**	-	N	7.95	1	loss: may be important for ligand binding	3	-			1
293		310	**275**	-	S	5.68				-			
293		310	**275**	-	E	3.4	2	loss: longer sc involved in ligand binding may be disfavored	3	-			1
293		310	**275**	-	T	3.4				-			
293		310	**275**	-	H	3.4	1	loss: may be important for ligand binding	3	-			1

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
293		310	**275**	-	L	1.13				-			
293		310	**275**	-	G	1.13				-			
294	T	311	**276**	Q	-	11.36			6	0.24			
294		311	**276**	-	T	25	2	gain: mc hydrogen bond		-		1	1
294		311	**276**	-	S	17.04	2	loss: lost van der Waals contacts	6	-			1
294		311	**276**	-	E	11.36	2	neutral	6	-			
294		311	**276**	-	K	5.68	2	neutral	6	-			
294		311	**276**	-	R	4.54	2	neutral	6	-			
294		311	**276**	-	A	3.4				-			
294		311	**276**	-	V	2.27				-			
294		311	**276**	-	N	2.27				-			
294		311	**276**	-	L	2.27				-			
294		311	**276**	-	M	1.13	2	neutral	6	-			
294		311	**276**	-	G	1.13				-			
294		311	**276**	-	D	1.13				-			
294		312	**277**	V	-	4.54			5	0.36			
294		312	**277**	-	P	19.31	2	gain: more rigid, less nonpolar	5	-	1	1	
294		312	**277**	-	S	5.68	2	loss: lost van der Waals	5	-			1
294		312	**277**	-	T	5.68	2	gain: more hydrophilic	5	-	1		
294		312	**277**	-	G	4.54							
294		312	**277**	-	K	2.27				-			
294		312	**277**	-	I	1.13				-			
294		312	**277**	-	Y	1.13				-			
294		312	**277**	-	N	1.13				-			
294		312	**277**	-	A	1.13				-			
295	N	313	**278**	L	-	43.18			5	0.62			
295		313	**278**	-	N	12.5	2	loss: lost hydrophobic contacts to L353, V312	5	-			1
295		313	**278**	-	F	9.09	2	loss: hydrophobic residue solvent exposed	5	-	1		
295		313	**278**	-	S	9.09	2	loss: lost van der Waals contacts	5	-			1
295		313	**278**	-	G	6.81				-			
295		313	**278**	-	D	4.54				-			
295		313	**278**	-	M	4.54				-			
295		313	**278**	-	I	2.27				-			
295		313	**278**	-	T	2.27				-			
295		313	**278**	-	Y	1.13				-			
295		313	**278**	-	E	1.13				-			
295		313	**278**	-	P	1.13				-			
295		313	**278**	-	K	1.13				-			
296	H	314	**279**	K	-	7.95			5	0.5			
296		314	**279**	-	T	17.04	2	neutral	5	-			
296		314	**279**	-	R	13.63	2	neutral	5	-			
296		314	**279**	-	E	13.63	2	neutral	5	-			
296		314	**279**	-	H	11.36	2	neutral	5	-			
296		314	**279**	-	F	10.22	2	loss: hydrophobic residue exposed	5	-	1		
296		314	**279**	-	L	6.81				-			
296		314	**279**	-	D	6.81							
296		314	**279**	-	Y	3.4				-			
296		314	**279**	-	Q	3.4				-			
296		314	**279**	-	N	2.27				-			
296		314	**279**	-	V	2.27				-			
297	F	315	**280**	F	-	55.68			8	0.28			
297		315	**280**	-	Y	11.36	2	loss: overpacking					1
297		315	**280**	-	G	10.22	1	loss: lost hydrophobic contacts	8	-			1
297		315	**280**	-	L	6.81				-			
297		315	**280**	-	A	5.68							
297		315	**280**	-	V	5.68				-			
297		315	**280**	-	E	1.13				-			
297		315	**280**	-	Q	1.13				-			
297		315	**280**	-	T	1.13				-			
297		315	**280**	-	P	1.13				-			
299	P	317	**282**	S	-	70.45			4	0.43			
299		317	**282**	-	P	14.77	2	neutral, seen in Hyal1	4	-			
299		317	**282**	-	T	6.81							
299		317	**282**	-	E	3.4				-			
299		317	**282**	-	N	2.27				-			
299		317	**282**	-	L	1.13				-			
299		317	**282**	-	Q	1.13				-			
300	L	318	**283**	Q	-	28.4			4	0.55			
300		318	**283**	-	E	31.81	2	neutral	4	-			
300		318	**283**	-	L	17.04	2	gain: Leu may interact with I361, Y365	4	-			1
300		318	**283**	-	K	13.63	2	neutral	4	-			
300		318	**283**	-	R	3.4				-			
300		318	**283**	-	T	2.27				-			
300		318	**283**	-	P	1.13				-			
300		318	**283**	-	A	1.13				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
300		318	**283**	-	M	1.13				-			
301	D	319	**284**	D	-	27.27			4	0.5			
301		319	**284**	-	E	18.18	2	neutral	4	-			
301		319	**284**	-	M	17.04	2	loss: hydrophobic residue solvent exposed	4	-	1		
301		319	**284**	-	Q	14.77	2	neutral	4	-			
301		319	**284**	-	I	4.54				-			
301		319	**284**	-	V	3.4				-			
301		319	**284**	-	S	2.27				-			
301		319	**284**	-	T	2.27				-			
301		319	**284**	-	K	2.27				-			
301		319	**284**	-	A	2.27				-			
301		319	**284**	-	P	2.27				-			
301		319	**284**	-	G	1.13				-			
301		319	**284**	-	H	1.13				-			
302	E	320	**285**	E	-	21.59			9	0.06			
302		320	**285**	-	D	76.13	2	loss: buried in the core, lower H propensity	9	-	1	1	
302		320	**285**	-	H	1.13				-			
304	E	322	**287**	V	-	42.04			7	0.28			
304		322	**287**	-	I	34.09	2	neutral	7	-			
304		322	**287**	-	E	17.04	2	neutral	7	-			
304		322	**287**	-	M	3.4				-			
304		322	**287**	-	A	2.27				-			
305	H	323	**288**	Y	-	5.68			7	0.28			
305		323	**288**	-	S	38.63	2	gain: hbond with T275	7	-			1
305		323	**288**	-	H	29.54	2	neutral	7	-			
305		323	**288**	-	N	17.04	2	loss: lost van der Waals, lower H propensity	7	-		1	1
305		323	**288**	-	Q	7.95							
306	S	324	**289**	T	-	77.27			9	0.03			
306		324	**289**	-	S	19.31	2	loss: lost hydrophobic contacts	9	-			1
306		324	**289**	-	V	2.27				-			
307	L	325	**290**	F	-	2.27			14	0			
307		325	**290**	-	I	77.27	1	loss: clashes with W51	14	-			1
307		325	**290**	-	L	15.9	2	neutral	14	-			
307		325	**290**	-	V	2.27				-			
307		325	**290**	-	S	1.13				-			
309	E	327	**292**	E	-	89.77				0.01			
309		327	**292**	-	V	6.81							
309		327	**292**	-	Q	1.13				-			
309		327	**292**	-	T	1.13				-			
310	S	328	**293**	T	-	9.09			12	0			
310		328	**293**	-	S	79.54	1	loss: lost van der Waals	12	-			1
310		328	**293**	-	I	7.95							
310		328	**293**	-	A	1.13				-			
310		328	**293**	-	C	1.13				-			
311	A	329	**294**	V	-	19.31			9	0.01			
311		329	**294**	-	A	77.27	2	loss: lost van der Waals	9	-			1
311		329	**294**	-	M	1.13				-			
311		329	**294**	-	I	1.13				-			
312	A	330	**295**	A	-	94.31			9	0			
312		330	**295**	-	S	2.27							
312		330	**295**	-	V	1.13							
312		330	**295**	-	P	1.13							
313	Q	331	**296**	L	-	80.68			10	0.16			
313		331	**296**	-	Q	18.18	2	neutral, seen in Hyal1	10	-			
315	A	333	**298**	A	-	86.36				0.02			
315		333	**298**	-	V	6.81				-			
315		333	**298**	-	S	2.27				-			
315		333	**298**	-	T	2.27				-			
315		333	**298**	-	P	1.13				-			
316	A	334	**299**	S	-	22.72			8	0.21			
316		334	**299**	-	A	73.86	2	neutral	8	-			
316		334	**299**	-	D	2.27				-			
318	V	336	**301**	I	-	39.77			13	0.01			
318		336	**301**	-	V	47.72	2	loss: lost van der Waals	13	-			1
318		336	**301**	-	F	4.54				-			
318		336	**301**	-	A	4.54				-			
318		336	**301**	-	T	1.13				-			
318		336	**301**	-	M	1.13				-			
319	V	337	**302**	V	-	63.63			10	0.02			
319		337	**302**	-	I	35.22	2	loss: crowded	10	-			1
320	L	338	**303**	I	-	23.86			15	0			
320		338	**303**	-	L	48.86	2	neutral: better packing, worse B propensity	15	-		1	1
320		338	**303**	-	M	11.36	2	neutral					
320		338	**303**	-	F	10.22	1	loss: significant overpacking					1

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
320		338	**303**	-	V	4.54				-			
322	V	340	**305**	G	-	81.81			6	0.07			
322		340	**305**	-	V	12.5	2	loss: crowded	6	-			1
322		340	**305**	-	D	2.27				-			
322		340	**305**	-	L	1.13				-			
322		340	**305**	-	I	1.13				-			
323	S	341	**306**	T	-	4.54			6	0.13			
323		341	**306**	-	D	51.13	1	loss: T may be important for ligand binding	6	-			1
323		341	**306**	-	S	31.81	2	loss: lost hydrophobic contacts	6	-			1
323		341	**306**	-	G	5.68							
323		341	**306**	-	E	2.27				-			
323		341	**306**	-	A	2.27				-			
323		341	**306**	-	N	1.13				-			
324	W	342	**307**	L	-	23.86			4	0.63			
324		342	**307**	-	M	21.59	2	neutral: both contact the sugar face	0	0.69			
324		342	**307**	-	A	14.77	2	loss: lost contacts to ligand	0	0.64			1
324		342	**307**	-	S	12.5	2	neutral: lost van der Waals to ligand,gained hbond, seen in bvh	2	0.66		1	1
324		342	**307**	-	W	9.09	2	neutral: hydrophobic residue solvent exposed, possible hbond, seen in hyal	3	0.69	1		1
324		342	**307**	-	H	3.4	2	loss: lost hydrophobic contacts to ligand, new hbond, lower H propensity	2	0.66		1	1
324		342	**307**	-	V	3.4	2	neutral:both contact the sugar face	3	0.6			
324		342	**307**	-	Y	3.4	2	loss: lost hydrophobic contacts to ligand	6	0.46			1
324		342	**307**	-	I	3.4	2	neutral	3	0.65			
324		342	**307**	-	G	1.13	1	loss: lost van der Waals, lower H propensity	0	0.57		1	
324		342	**307**	-	T	1.13	2	neutral	3	0.65			
324		342	**307**	-	F	1.13	2	loss: lost van der Waals to ligand	6	0.47			1
325	E	343	**308**	S	-	17.04			4	0.51			
325		343	**308**	-	N	28.4	2	neutral	4	-			
325		343	**308**	-	E	25	2	neutral	4	-			
325		343	**308**	-	G	10.22	2	loss: lower H propensity	4	-		1	
325		343	**308**	-	Q	3.4				-			
325		343	**308**	-	D	3.4				-			
325		343	**308**	-	A	3.4				-			
325		343	**308**	-	T	2.27				-			
325		343	**308**	-	Y	1.13				-			
325		343	**308**	-	I	1.13				-			
325		343	**308**	-	V	1.13				-			
325		343	**308**	-	L	1.13				-			
326	N	344	**309**	I	-	4.54			8	0.04			
326		344	**309**	-	L	32.95	2	gain: improved hydrophobic contacts, better H propensity	9	0.03		1	1
326		344	**309**	-	Y	29.54	3	gain: hydrophobic contacts, new hbond	12	0.07			1
326		344	**309**	-	F	9.09	2	gain: improved hydrophobic contacts	8	0.08			1
326		344	**309**	-	N	9.09	2	neutral: seen in hyal1	10	0.05			
326		344	**309**	-	D	4.54	1	loss: buried charge	9	0.04	1	1	1
326		344	**309**	-	K	2.27	2	neutral	9	0.01			
326		344	**309**	-	M	2.27	2	gain: improved hydrophobic contacts	9	0.01		1	1
326		344	**309**	-	S	1.13	2	loss: lost hydrophobic contacts, low H propensity	7	0.06	1	1	1
326		344	**309**	-	C	1.13	1	loss: lone cysteine	8	0.05			
326		344	**309**	-	V	1.13	2	neutral	7	0.04			
327	T	345	**310**	M	-	2.27			12	0.01			
327		345	**310**	-	T	54.54	1	loss: lost hydrophobic contacts	12	-			1
327		345	**310**	-	S	23.86	2	loss: lost hydrophobic contacts	12	-			1
327		345	**310**	-	A	13.63	2	loss: lost hydrophobic contacts	12	-			1
327		345	**310**	-	V	2.27				-			
327		345	**310**	-	Y	1.13				-			
328	R	346	**311**	R	-	20.45			4	0.71			
328		346	**311**	-	S	30.68	2	loss: solvent exposed, possibility of binding the liand	4	-			1
328		346	**311**	-	K	12.5	2	neutral	4	-			
328		346	**311**	-	T	11.36	2	neutral	4	-			
328		346	**311**	-	Q	7.95				-			
328		346	**311**	-	L	4.54				-			
328		346	**311**	-	N	3.4				-			
328		346	**311**	-	H	2.27				-			
328		346	**311**	-	A	2.27				-			
328		346	**311**	-	D	2.27				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
328		346	**311**	-	E	1.13				-			
329	T	347	**312**	S	-	64.77			5	0.34			
329		347	**312**	-	T	25	2	neutral, seen in Hyal1	5	0.4			
329		347	**312**	-	N	5.68	2	neutral: may be N-cap	5	0.46		1	
329		347	**312**	-	R	2.27	2	neutral	5	0.65			
329		347	**312**	-	D	1.13	2	neutral	5	-			
330	K	348	**313**	M	-	13.63			4	0.53			
330		348	**313**	-	K	39.77	3	gain: hydrophilic, hydrophobic contacts to F64	4	0.52	1		1
330		348	**313**	-	E	17.04	2	gain: hydrophilic but potential charge repulsion	4	0.55	1		1
330		348	**313**	-	T	5.68	2	loss: lower H propensity	4	0.42		1	
330		348	**313**	-	A	4.54	2	neutral	4	0.33			
330		348	**313**	-	R	4.54	3	gain: hydrophilic, hydrophobic contacts to F64	5	0.51	1		1
330		348	**313**	-	Q	4.54	2	gain: hydrophilic	4	0.48	1		1
330		348	**313**	-	Y	2.27	2	neutral: lower H propensity, increased hydrophobic contacts, hydrophobic exposed	5	0.51	1	1	1
330		348	**313**	-	V	2.27	2	neutral: lower H propensity, increased hydrophobic contacts	4	0.45			
330		348	**313**	-	N	2.27	2	neutral	5	0.4	1	1	1
330		348	**313**	-	P	1.13	2	gain: increased hydrophobic contacts, Ncap	5	0.44		1	1
330		348	**313**	-	L	1.13	2	neutral	4	0.45	1		1
331	E	349	**314**	K	-	12.5			5	0.65			
331		349	**314**	-	E	54.54	2	neutral: helix macrodipole, lost hydrophobic contacts	5	-		1	1
331		349	**314**	-	G	7.95				-			
331		349	**314**	-	A	6.81				-			
331		349	**314**	-	Q	4.54				-			
331		349	**314**	-	R	3.4				-			
331		349	**314**	-	H	2.27				-			
331		349	**314**	-	T	2.27				-			
331		349	**314**	-	V	2.27				-			
331		349	**314**	-	P	1.13				-			
331		349	**314**	-	D	1.13				-			
331		349	**314**	-	N	1.13				-			
332	S	350	**315**	S	-	36.36			9	0.09			
332		350	**315**	-	T	23.86	2	loss: clash with S347	9	-			1
332		350	**315**	-	N	23.86	2	neutral	9	-			
332		350	**315**	-	E	5.68	2	neutral	9	-			
332		350	**315**	-	A	3.4				-			
332		350	**315**	-	M	2.27				-			
332		350	**315**	-	G	2.27				-			
332		350	**315**	-	K	1.13				-			
332		350	**315**	-	Q	1.13				-			
334	Q	352	**317**	L	-	19.31			7	0.42			
334		352	**317**	-	Q	29.54	2	gain: more hydrophilic	7	0.34	1		
334		352	**317**	-	T	21.59	2	neutral: lower H propensity, new hbond	6	0.32	1	1	1
334		352	**317**	-	W	6.81	2	loss: hydrophobic exposed, lower H propensity, seen in hyal3, electrostatic interaction with N356 amide	7	0.52	1	1	1
334		352	**317**	-	E	4.54	2	neutral: more polar, possible charge repulsion (too much negative)	6	0.47	1	1	1
334		352	**317**	-	R	4.54	3	gain: more hydrophilic, salt bridge	6	-	1		1
334		352	**317**	-	M	4.54	2	neutral	6	-			
334		352	**317**	-	S	3.4	2	loss: lower H propensity	7	-	1	1	
334		352	**317**	-	P	2.27	1	loss: Pro incompatible with helix	9	-		1	
334		352	**317**	-	I	2.27	2	neutral	7	-		1	
334		352	**317**	-	A	1.13	2	neutral	6	-			1
335	A	353	**318**	L	-	5.68			6	0.4			
335		353	**318**	-	A	17.04	2	loss: lost hydrophobic contacts F315, L353	6	-			1
335		353	**318**	-	K	17.04	2	neutral	6	-			
335		353	**318**	-	T	10.22	2	loss: lost hydrophobic contacts, lower H propensity, more polar	6	-	1	1	1
335		353	**318**	-	N	10.22	2	loss: lost hydrophobic contacts, lower H propensity, more polar	6	-	1	1	1
335		353	**318**	-	S	7.95				-			
335		353	**318**	-	Y	7.95				-			
335		353	**318**	-	R	6.81				-			
335		353	**318**	-	H	4.54				-			
335		353	**318**	-	I	3.4				-			
335		353	**318**	-	D	3.4				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
335		353	**318**	-	M	2.27				-			
335		353	**318**	-	G	1.13				-			
335		353	**318**	-	E	1.13				-			
335		353	**318**	-	V	1.13				-			
336	I	354	**319**	L	-	48.86			11	0.01			
336		354	**319**	-	V	29.54	2	loss: lost hydrophobic contacts	11	-			1
336		354	**319**	-	I	21.59	2	neutral	11	-			
337	K	355	**320**	D	-	10.22			9	0.17			
337		355	**320**	-	K	57.95	3	gain: increased van der Waals, possible salt bridge, better H propensity	9	0.16	1		1
337		355	**320**	-	H	10.22	2	gain: increased van der Waals	9	0.16			1
337		355	**320**	-	R	5.68	3	gain: increased van der Waals, possible salt bridge, better H propensity	8	0.26		1	1
337		355	**320**	-	N	5.68	2	neutral	9	0.1			
337		355	**320**	-	Q	4.54	2	gain: higher H propensity, hbond	9	0.16		1	1
337		355	**320**	-	S	2.27	2	loss: lower H propensity, lost van der Waals	7	0.11		1	1
337		355	**320**	-	G	2.27	1	loss: Gly destabilizes helix	8	0.16		1	1
337		355	**320**	-	E	1.13	2	neutral	9	0.16			
338	E	356	**321**	N	-	10.22			4	0.46			
338		356	**321**	-	D	25	2	loss: too many neg charge	4	-			1
338		356	**321**	-	Q	18.18	2	gain: better H propensity	4	-		1	
338		356	**321**	-	E	13.63	2	neutral: better H propensity, charge repulsion	4	-		1	1
338		356	**321**	-	K	12.5	2	gain: better H propensity	4	-		1	
338		356	**321**	-	S	6.81							
338		356	**321**	-	R	3.4				-			
338		356	**321**	-	T	3.4				-			
338		356	**321**	-	A	3.4				-			
338		356	**321**	-	Y	1.13				-			
338		356	**321**	-	H	1.13				-			
338		356	**321**	-	G	1.13				-			
339	Y	357	**322**	Y	-	80.68			11	0.04			
339		357	**322**	-	F	14.77	2	loss: lost van der Waals	11	-			1
339		357	**322**	-	T	3.4				-			
339		357	**322**	-	S	1.13				-			
340	M	358	**323**	M	-	23.86			10	0.02			
340		358	**323**	-	L	39.77	2	loss: M packs better	10	-			1
340		358	**323**	-	V	25	2	loss: lost hydrophobic contacts	10	-			1
340		358	**323**	-	I	11.36	2	loss: lost hydrophobic contacts	10	-			
341	D	359	**324**	E	-	12.5			7	0.48			
341		359	**324**	-	D	25	2	neutral: lower H propensty, unfavorable hydrophobic interaction, seen in hyal1	7	-	1	1	1
341		359	**324**	-	T	13.63	2	gain: increased hydrophobic interaction	7	-	1	1	1
341		359	**324**	-	S	12.5	2	neutral: low H propensity, limited interaction	6	-		1	1
341		359	**324**	-	V	7.95	2	gain: increased hydrophobic interaction	6	-			1
341		359	**324**	-	N	6.81	2	neutral	7	-			
341		359	**324**	-	K	6.81	3	gain: increased hydrophobic interaction, charge interaction with D355	6	-			1
341		359	**324**	-	R	5.68	3	gain: increased hydrophobic interaction, salt bridge to D355	7	-			1
341		359	**324**	-	L	2.27	3	gain: improved hydrophobic contacts	7	-	1	1	1
341		359	**324**	-	Q	2.27	2	gain: improved van der Waals	7	-			1
341		359	**324**	-	H	2.27	2	gain: improved van der Waals	6	-			1
341		359	**324**	-	G	1.13	2	loss: low H propensity	7	-		1	1
341		359	**324**	-	A	1.13	2	neutral: avoid charge repulsion	6	-		1	
342	T	360	**325**	T	-	22.72			4	0.63			
342		360	**325**	-	S	23.86	2	neutral	4	-			
342		360	**325**	-	G	22.72	2	neutral: start of helix after a bend	4	-			
342		360	**325**	-	R	10.22	2	neutral	4	-			
342		360	**325**	-	N	5.68				-			
342		360	**325**	-	E	4.54	2	neutral	4	-			
342		360	**325**	-	D	3.4				-			
342		360	**325**	-	K	2.27				-			
342		360	**325**	-	Q	1.13				-			
342		360	**325**	-	V	1.13				-			
342		360	**325**	-	M	1.13				-			
342		360	**325**	-	H	1.13				-			
343	T	361	**326**	I	-	10.22			6	0.25			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
343		361	**326**	-	T	39.77	2	neutral: more hydrophilic, lost hydrophobic contacts	6	-	1		1
343		361	**326**	-	D	18.18	2	loss: lost van der Waals	6	-			1
343		361	**326**	-	L	11.36	2	neutral	6	-			
343		361	**326**	-	P	9.09	1	loss: crowded, Pro breaks helix	6	-		1	1
343		361	**326**	-	R	2.27				-			
343		361	**326**	-	S	2.27				-			
343		361	**326**	-	V	2.27				-			
343		361	**326**	-	K	1.13				-			
343		361	**326**	-	H	1.13				-			
343		361	**326**	-	E	1.13				-			
343		361	**326**	-	N	1.13				-			
345	G	363	**328**	N	-	20.45			8	0			
345		363	**328**	-	G	64.77	1	loss: lost van der Waals, low H propensity	8	-		1	1
345		363	**328**	-	V	11.36	2	gain: improved hydrophobic contacts	8	-			1
345		363	**328**	-	L	1.13				-			
345		363	**328**	-	T	1.13				-			
345		363	**328**	-	A	1.13				-			
346	P	364	**329**	P	-	63.63			9	0.24			
346		364	**329**	-	H	11.36	1	loss: Pro is a good N-cap	9	-		1	
346		364	**329**	-	S	9.09	1	loss: Pro is a good N-cap	9	-		1	
346		364	**329**	-	R	9.09							
346		364	**329**	-	E	1.13				-			
346		364	**329**	-	L	1.13				-			
346		364	**329**	-	Y	1.13				-			
346		364	**329**	-	Q	1.13				-			
346		364	**329**	-	N	1.13				-			
346		364	**329**	-	V	1.13				-			
347	F	365	**330**	Y	-	84.09			10	0.14			
347		365	**330**	-	F	14.77	2	neutral	10	-			
347		365	**330**	-	S	1.13				-			
348	I	366	**331**	I	-	57.95			11	0			
348		366	**331**	-	V	25	2	loss: lost hydrophobic contacts	11	-			1
348		366	**331**	-	L	14.77	2	loss: crowded	11	-			1
348		366	**331**	-	A	2.27				-			
349	L	367	**332**	I	-	31.81			10	0.18			
349		367	**332**	-	V	37.5	2	neutral	10	-			
349		367	**332**	-	L	20.45	2	neutral: better H propensity, packing not as good	10	-			
349		367	**332**	-	A	4.54							
349		367	**332**	-	T	2.27				-			
349		367	**332**	-	M	1.13				-			
349		367	**332**	-	K	1.13				-			
349		367	**332**	-	F	1.13				-			
352	T	370	**335**	T	-	81.81			6	0.23			
352		370	**335**	-	S	17.04	2	neutral	6	-			
352		370	**335**	-	R	1.13				-			
353	S	371	**336**	L	-	19.31			9	0.16			
353		371	**336**	-	S	27.27	1	loss: lost hydrophobic contacts	9	-			1
353		371	**336**	-	R	14.77	2	neutral	9	-			
353		371	**336**	-	T	12.5	2	loss: lost van der Waals contacts	9	-			1
353		371	**336**	-	W	11.36	2	neutral: many hydrophobic contacts still	9	-			
353		371	**336**	-	K	4.54				-			
353		371	**336**	-	A	4.54							
353		371	**336**	-	E	2.27				-			
353		371	**336**	-	D	1.13				-			
353		371	**336**	-	M	1.13				-			
353		371	**336**	-	G	1.13				-			
354	G	372	**337**	A	-	84.09			8	0			
354		372	**337**	-	G	11.36	1	loss: lower H propenisty, lost van der Waals, seen in Hyal1	8	-		1	1
354		372	**337**	-	S	4.54				-			
355	A	373	**338**	A	-	89.77			8	0.03			
355		373	**338**	-	T	9.09	2	loss: lower H propensity	8	-		1	
355		373	**338**	-	V	1.13				-			
356	L	374	**339**	K	-	28.4			7	0.27			
356		374	**339**	-	E	21.59	2	loss: lost van der Waals	7	-			1
356		374	**339**	-	L	14.77	2	gain: improved van der Waals with N46	7	-			
356		374	**339**	-	Q	14.77	2	neutral	7	-			
356		374	**339**	-	T	4.54				-			
356		374	**339**	-	M	4.54	2	neutral	7	-			
356		374	**339**	-	R	3.4				-			
356		374	**339**	-	D	2.27				-			
356		374	**339**	-	F	1.13				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
356		374	**339**	-	V	1.13				-			
356		374	**339**	-	N	1.13				-			
356		374	**339**	-	H	1.13				-			
356		374	**339**	-	A	1.13				-			
357	L	375	**340**	M	-	19.31			9	0.17			
357		375	**340**	-	L	37.5	1	loss: M packs better	9	-			1
357		375	**340**	-	V	13.63	2	loss: lost hydrophobic contacts, lower H propensity	9	-		1	1
357		375	**340**	-	Y	11.36	2	neutral	9	-			
357		375	**340**	-	A	7.95							
357		375	**340**	-	I	3.4				-			
357		375	**340**	-	H	2.27				-			
357		375	**340**	-	R	1.13				-			
357		375	**340**	-	E	1.13				-			
357		375	**340**	-	Q	1.13				-			
357		375	**340**	-	N	1.13				-			
360	Q	378	**343**	Q	-	44.31			6	0.3			
360		378	**343**	-	L	11.36	2	loss: hydrophobic residue solvent exposed	6	-	1		
360		378	**343**	-	R	10.22	2	gain: salt bridge to E383	6	-			1
360		378	**343**	-	W	9.09	2	loss: hydrophobic residue solvent exposed	6	-			1
360		378	**343**	-	H	7.95	2	neutral	6	-			
360		378	**343**	-	E	6.81	2	neutral	6	-			
360		378	**343**	-	K	6.81	2	neutral	6	-			
360		378	**343**	-	I	2.27				-			
360		378	**343**	-	T	1.13				-			
361	A	379	**344**	V	-	20.45			6	0.34			
361		379	**344**	-	A	28.4	2	gain: improved packing (avoid crowding)	6	-			1
361		379	**344**	-	H	15.9	2	neutral	6	-			
361		379	**344**	-	T	10.22	2	loss: lost hydrophobic contacts					1
361		379	**344**	-	S	6.81							
361		379	**344**	-	Q	6.81							
361		379	**344**	-	N	4.54				-			
361		379	**344**	-	R	1.13				-			
361		379	**344**	-	K	1.13				-			
361		379	**344**	-	E	1.13				-			
361		379	**344**	-	I	1.13				-			
361		379	**344**	-	D	1.13				-			
361		379	**344**	-	F	1.13				-			
362	L	380	**345**	L	-	71.59			9	0.17			
362		380	**345**	-	Q	13.63	2	neutral	9	-			
362		380	**345**	-	R	6.81							
362		380	**345**	-	V	4.54				-			
362		380	**345**	-	H	1.13				-			
362		380	**345**	-	M	1.13				-			
362		380	**345**	-	T	1.13				-			
364	S	382	**347**	Q	-	18.18			8	0.45			
364		382	**347**	-	H	23.86	2	neutral	8	-			
364		382	**347**	-	S	18.18	2	neutral	8	-			
364		382	**347**	-	N	11.36	2	neutral					
364		382	**347**	-	R	10.22	2	neutral	8	-			
364		382	**347**	-	K	7.95							
364		382	**347**	-	G	4.54				-			
364		382	**347**	-	T	2.27				-			
364		382	**347**	-	E	2.27				-			
364		382	**347**	-	F	1.13				-			
365	G	383	**348**	E	-	12.5			4	0.54			
365		383	**348**	-	G	45.45	1	loss: lost interaction Q378	4	-			1
365		383	**348**	-	N	17.04	2	neutral	4	-			
365		383	**348**	-	S	11.36	2	neutral	4	-			
365		383	**348**	-	K	5.68							
365		383	**348**	-	D	4.54				-			
365		383	**348**	-	R	1.13				-			
365		383	**348**	-	A	1.13				-			
365		383	**348**	-	F	1.13				-			
366	H	384	**349**	Q	-	15.9			7	0.37			
366		384	**349**	-	H	44.31	2	gain: better van der Waals against L441	7	-			1
366		384	**349**	-	N	28.4	2	neutral	7	-			
366		384	**349**	-	R	4.54				-			
366		384	**349**	-	E	3.4				-			
366		384	**349**	-	K	2.27				-			
366		384	**349**	-	S	1.13				-			
368	R	386	**351**	V	-	11.36			8	0.13			
368		386	**351**	-	R	78.4	3	gain: makes stabilizing mc hbond with P48	8	-			1

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
368		386	**351**	-	I	3.4				-			
368		386	**351**	-	L	2.27				-			
368		386	**351**	-	A	2.27				-			
368		386	**351**	-	M	1.13				-			
368		386	**351**	-	K	1.13				-			
370	V	388	**353**	I	-	19.31			10	0.25			
370		388	**353**	-	V	37.5	2	loss: lost hydrophobic interaction	10	-			1
370		388	**353**	-	A	13.63	2	loss: lower B propensity, lost van der Waals	10	-		1	1
370		388	**353**	-	T	9.09							
370		388	**353**	-	L	7.95							
370		388	**353**	-	S	6.81							
370		388	**353**	-	R	2.27				-			
370		388	**353**	-	Q	1.13				-			
370		388	**353**	-	K	1.13				-			
370		388	**353**	-	Y	1.13				-			
371	R	389	**354**	R	-	94.31				0.08			
371		389	**354**	-	W	3.4				-			
371		389	**354**	-	K	1.13				-			
372	R	390	**355**	K	-	50			8	0.26			
372		390	**355**	-	R	37.5	2	neutral	8	-			
372		390	**355**	-	Q	5.68							
372		390	**355**	-	H	3.4				-			
372		390	**355**	-	N	1.13				-			
373	T	391	**356**	N	-	22.72			3	0.89			
373		391	**356**	-	D	23.86	2	neutral	3	-			
373		391	**356**	-	P	12.5	2	neutral	3	-			
373		391	**356**	-	T	9.09							
373		391	**356**	-	M	5.68							
373		391	**356**	-	H	5.68				-			
373		391	**356**	-	Q	4.54				-			
373		391	**356**	-	V	4.54				-			
373		391	**356**	-	A	2.27				-			
373		391	**356**	-	K	2.27				-			
373		391	**356**	-	R	2.27				-			
373		391	**356**	-	S	2.27				-			
373		391	**356**	-	E	1.13				-			
374	S	392	**357**	W	-	34.09			3	0.88			
374		392	**357**	-	P	31.81	3	gain: loop position, less hydrophobic, may be functionally important (unknown)	3	-		1	1
374		392	**357**	-	S	19.31	3	gain: more polar (model dependent)	3	-	1		
374		392	**357**	-	N	4.54				-			
374		392	**357**	-	L	2.27				-			
374		392	**357**	-	E	2.27				-			
374		392	**357**	-	V	1.13				-			
374		392	**357**	-	I	1.13				-			
374		392	**357**	-	D	1.13				-			
375	H	393	**358**	N	-	28.4			6	0.33			
375		393	**358**	-	H	13.63	2	neutral	6	-			
375		393	**358**	-	S	12.5	2	neutral	6	-			
375		393	**358**	-	K	9.09	2	neutral	6	-			
375		393	**358**	-	G	7.95	2	neutral	6	-			
375		393	**358**	-	D	7.95	2	neutral	6	-			
375		393	**358**	-	E	5.68	2	neutral	6	-			
375		393	**358**	-	Y	4.54				-			
375		393	**358**	-	T	3.4				-			
375		393	**358**	-	R	2.27				-			
375		393	**358**	-	Q	1.13				-			
375		393	**358**	-	I	1.13				-			
376	P	394	**359**	S	-	35.22			3	0.58			
376		394	**359**	-	A	30.68	2	neutral	3	-			
376		394	**359**	-	P	14.77	2	neutral	3	-			
376		394	**359**	-	Q	7.95	2	neutral	3	-			
376		394	**359**	-	T	7.95	2	neutral	3	-			
376		394	**359**	-	E	1.13				-			
376		394	**359**	-	M	1.13				-			
377	K	395	**360**	S	-	22.72			3	0.57			
377		395	**360**	-	N	14.77	2	neutral	3	-			
377		395	**360**	-	D	12.5	2	neutral	3	-			
377		395	**360**	-	E	12.5	2	neutral	3	-			
377		395	**360**	-	P	11.36	2	neutral	3	-			
377		395	**360**	-	K	9.09	2	neutral	3	-			
377		395	**360**	-	H	5.68				-			
377		395	**360**	-	F	2.27				-			
377		395	**360**	-	A	2.27				-			
377		395	**360**	-	L	1.13				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
377		395	**360**	-	Q	1.13				-			
377		395	**360**	-	G	1.13				-			
377		395	**360**	-	R	1.13				-			
377		395	**360**	-	T	1.13				-			
378	A	396	**361**	D	-	27.27			6	0.18			
378		396	**361**	-	A	26.13	2	neutral	6	-			
378		396	**361**	-	T	15.9	2	neutral	6	-			
378		396	**361**	-	V	10.22	2	loss: hydrophobic residue solvent exposed	6	-	1		
378		396	**361**	-	F	4.54				-			
378		396	**361**	-	S	4.54	2	neutral	6	-			
378		396	**361**	-	H	3.4				-			
378		396	**361**	-	I	2.27				-			
378		396	**361**	-	N	2.27				-			
378		396	**361**	-	G	1.13				-			
379	L	397	**362**	Y	-	53.4			11	0.18			
379		397	**362**	-	F	27.27	1	loss: hydrophobic exposed	11	-	1		
379		397	**362**	-	L	14.77	2	loss: lost van der Waals	11	-			1
379		397	**362**	-	H	1.13				-			
379		397	**362**	-	R	1.13				-			
381	L	399	**364**	H	-	81.81			7	0.48			
381		399	**364**	-	L	5.68				-			
381		399	**364**	-	I	5.68	2	neutral: near N-glycan	7	-			
381		399	**364**	-	T	3.4				-			
381		399	**364**	-	V	1.13				-			
381		399	**364**	-	Y	1.13				-			
382	L	400	**365**	L	-	93.18			9	0.07			
382		400	**365**	-	M	4.54	2	loss: packing is not as good	9	-			1
382		400	**365**	-	I	1.13				-			
383	N	401	**366**	N	-	60.22			5	0.28			
383		401	**366**	-	S	20.45	2	neutral	5	-			
383		401	**366**	-	Q	4.54				-			
383		401	**366**	-	H	3.4				-			
383		401	**366**	-	G	2.27				-			
383		401	**366**	-	D	2.27				-			
383		401	**366**	-	W	1.13				-			
384	P	402	**367**	P	-	69.31			4	0.78			
384		402	**367**	-	A	9.09	1	loss: lost van der Waals to N-glycan	4	-			1
384		402	**367**	-	S	7.95	1	loss: lost van der Waals to N-glycan	4	-			1
384		402	**367**	-	T	5.68	2	loss: lost van der Waals to N-glycan	4	-			1
384		402	**367**	-	L	1.13				-			
384		402	**367**	-	N	1.13				-			
385	A	403	**368**	D	-	17.04			3	0.88			
385		403	**368**	-	A	30.68	2	neutral: loop, solvent exposed	3	-			
385		403	**368**	-	S	13.63	2	neutral	3	-			
385		403	**368**	-	N	7.95							
385		403	**368**	-	R	5.68							
385		403	**368**	-	T	5.68				-			
385		403	**368**	-	G	3.4				-			
385		403	**368**	-	E	3.4							
385		403	**368**	-	K	3.4				-			
385		403	**368**	-	Q	3.4				-			
385		403	**368**	-	M	2.27				-			
385		403	**368**	-	H	1.13				-			
385		403	**368**	-	L	1.13				-			
386	S	404	**369**	N	-	19.31			7	0.15			
386		404	**369**	-	S	55.68	2	loss: lost van der Waals	7	-			1
386		404	**369**	-	T	6.81							
386		404	**369**	-	H	2.27				-			
386		404	**369**	-	F	2.27				-			
386		404	**369**	-	Q	1.13				-			
386		404	**369**	-	M	1.13				-			
386		404	**369**	-	R	1.13				-			
387	F	405	**370**	F	-	61.36			12	0.1			
387		405	**370**	-	Y	14.77	2	loss: OH next to hydrophobic group (clash)	12	-			1
387		405	**370**	-	H	5.68				-			
387		405	**370**	-	W	2.27				-			
387		405	**370**	-	L	2.27				-			
387		405	**370**	-	I	1.13				-			
388	S	406	**371**	A	-	12.5			4	0.32			
388		406	**371**	-	R	18.18	2	gain: better B propensity	4	-		1	
388		406	**371**	-	S	17.04	2	neutral	4	-			
388		406	**371**	-	H	13.63	2	neutral	4	-			
388		406	**371**	-	Q	9.09							
388		406	**371**	-	K	9.09				-			
388		406	**371**	-	D	3.4				-			
388		406	**371**	-	Y	2.27				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
388		406	**371**	-	N	1.13				-			
388		406	**371**	-	V	1.13				-			
388		406	**371**	-	G	1.13				-			
388		406	**371**	-	T	1.13				-			
389	I	407	**372**	I	-	69.31			9	0.26			
389		407	**372**	-	L	14.77	2	loss: packing is not as nice	9	-			1
389		407	**372**	-	S	1.13				-			
389		407	**372**	-	V	1.13				-			
390	Q	408	**373**	Q	-	22.72			4	0.53			
390		408	**373**	-	E	21.59	2	neutral	4	-			
390		408	**373**	-	V	15.9	2	neutral: hydrophobic exposed but better B propensity	4	-			
390		408	**373**	-	R	7.95	2	neutral	4	-			
390		408	**373**	-	H	5.68				-			
390		408	**373**	-	K	4.54	2	neutral	4	-			
390		408	**373**	-	I	1.13				-			
390		408	**373**	-	L	1.13				-			
390		408	**373**	-	D	1.13				-			
390		408	**373**	-	A	1.13				-			
390		408	**373**	-	M	1.13				-			
390		408	**373**	-	G	1.13				-			
390		408	**373**	-	S	1.13				-			
391	L	409	**374**	L	-	20.45			7	0.41			
391		409	**374**	-	P	17.04	2	neutral	7	-			
391		409	**374**	-	A	14.77	2	loss: lost hydrophobic contact to F415	7	-			1
391		409	**374**	-	R	5.68				-			
391		409	**374**	-	F	4.54				-			
391		409	**374**	-	V	4.54				-			
391		409	**374**	-	T	4.54				-			
391		409	**374**	-	I	3.4				-			
391		409	**374**	-	S	3.4				-			
391		409	**374**	-	H	3.4				-			
391		409	**374**	-	Y	1.13				-			
391		409	**374**	-	K	1.13				-			
391		409	**374**	-	M	1.13				-			
392	T	410	**375**	E	-	5.68			6	0.57			
392		410	**375**	-	S	21.59	2	loss: lost van der Waals	6	-			1
392		410	**375**	-	G	11.36	2	neutral	6	-			
392		410	**375**	-	R	5.68							
392		410	**375**	-	A	4.54				-			
392		410	**375**	-	T	4.54	2	neutral	6	-			
392		410	**375**	-	Q	4.54				-			
392		410	**375**	-	N	3.4				-			
392		410	**375**	-	K	2.27				-			
392		410	**375**	-	I	1.13				-			
392		410	**375**	-	V	1.13							
394	G	411	**376**	K	-	19.31			2	0.97			
394		411	**376**	-	G	21.59	2	neutral		-			
394		411	**376**	-	E	18.18	2	neutral	2	-			
394		411	**376**	-	D	7.95				-			
394		411	**376**	-	Q	6.81				-			
394		411	**376**	-	N	3.4				-			
394		411	**376**	-	S	3.4				-			
394		411	**376**	-	R	2.27				-			
394		411	**376**	-	P	1.13	2	neutral	2	-			
394		411	**376**	-	A	1.13				-			
395	G	412	**377**	G	-	38.63			3	0.92			
395		412	**377**	-	D	20.45	2	neutral	3	-			
395		412	**377**	-	E	11.36	2	neutral	3	-			
395		412	**377**	-	N	7.95	2	neutral	3	-			
395		412	**377**	-	S	4.54	2	neutral	3	-			
395		412	**377**	-	A	3.4				-			
395		412	**377**	-	T	2.27				-			
395		412	**377**	-	R	2.27				-			
395		412	**377**	-	K	1.13				-			
395		412	**377**	-	H	1.13				-			
395		412	**377**	-	Y	1.13				-			
396	G	413	**378**	G	-	45.45			4	0.34			
396		413	**378**	-	P	21.59	2	neutral	4	-			
396		413	**378**	-	R	7.95	2	loss: clash with E410	4	-			1
396		413	**378**	-	F	3.4				-			
396		413	**378**	-	K	3.4				-			
396		413	**378**	-	N	3.4				-			
396		413	**378**	-	E	1.13				-			
396		413	**378**	-	L	1.13				-			
396		413	**378**	-	Q	1.13				-			
396		413	**378**	-	V	1.13				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
397	P	414	**379**	K	-	22.72			3	0.62			
397		414	**379**	-	P	14.77	2	neutral	3	-			
397		414	**379**	-	E	12.5	2	neutral	3	-			
397		414	**379**	-	Q	9.09	2	neutral	3	-			
397		414	**379**	-	R	7.95	2	neutral	3	-			
397		414	**379**	-	L	4.54				-			
397		414	**379**	-	G	4.54				-			
397		414	**379**	-	S	3.4				-			
397		414	**379**	-	T	3.4				-			
397		414	**379**	-	D	2.27				-			
397		414	**379**	-	C	1.13				-			
397		414	**379**	-	W	1.13				-			
397		414	**379**	-	N	1.13				-			
397		414	**379**	-	H	1.13				-			
398	L	415	**380**	F	-	31.81			12	0.09			
398		415	**380**	-	L	31.81	2	neutral	12	-			
398		415	**380**	-	Y	18.18	2	neutral	12	-			
398		415	**380**	-	I	3.4				-			
398		415	**380**	-	P	2.27				-			
398		415	**380**	-	V	2.27				-			
399	S	416	**381**	T	-	28.4			6	0.17			
399		416	**381**	-	R	13.63	2	loss: crowded, lower B propensity	6	-		1	1
399		416	**381**	-	V	11.36	2	neutral	6	-			
399		416	**381**	-	S	10.22	2	loss: lower B propensity	6	-		1	
399		416	**381**	-	E	5.68				-			
399		416	**381**	-	I	5.68	2	neutral: improved van der Waals to R418 but hydrophobic solvent exposed	6	-	1		1
399		416	**381**	-	K	3.4				-			
399		416	**381**	-	W	2.27				-			
399		416	**381**	-	Y	2.27				-			
399		416	**381**	-	H	1.13				-			
399		416	**381**	-	M	1.13				-			
399		416	**381**	-	A	1.13				-			
399		416	**381**	-	F	1.13				-			
399		416	**381**	-	L	1.13				-			
399		416	**381**	-	Q	1.13				-			
400	L	417	**382**	V	-	38.63			8	0.28			
400		417	**382**	-	L	18.18	2	loss: lower B propensity	8	-		1	
400		417	**382**	-	P	11.36	1	loss: lost van der Waals to F405, I367, L371, L400	8	-			1
400		417	**382**	-	A	11.36	1	loss: lost van der Waals	8	-			1
400		417	**382**	-	I	9.09	2	loss: crowded	8	-			1
400		417	**382**	-	T	1.13				-			
401	R	418	**383**	R	-	11.36			4	0.56			
401		418	**383**	-	K	19.31	2	neutral	4	-			
401		418	**383**	-	Q	11.36	2	neutral	4	-			
401		418	**383**	-	E	10.22	2	neutral					
401		418	**383**	-	S	6.81							
401		418	**383**	-	T	6.81							
401		418	**383**	-	H	6.81				-			
401		418	**383**	-	V	6.81							
401		418	**383**	-	P	2.27				-			
401		418	**383**	-	L	2.27				-			
401		418	**383**	-	N	2.27				-			
401		418	**383**	-	A	1.13				-			
401		418	**383**	-	D	1.13				-			
401		418	**383**	-	I	1.13				-			
402	G	419	**384**	G	-	82.95				0.72			
402		419	**384**	-	S	2.27				-			
402		419	**384**	-	A	1.13				-			
402		419	**384**	-	P	1.13				-			
402		419	**384**	-	R	1.13				-			
402		419	**384**	-	E	1.13				-			
403	A	420	**385**	K	-	27.27			4	0.64			
403		420	**385**	-	A	12.5	2	neutral	4	-			
403		420	**385**	-	E	12.5	2	neutral	4	-			
403		420	**385**	-	R	7.95	2	neutral	4	-			
403		420	**385**	-	N	6.81	2	neutral	4	-			
403		420	**385**	-	H	5.68	2	neutral	4	-			
403		420	**385**	-	T	5.68				-			
403		420	**385**	-	Q	4.54				-			
403		420	**385**	-	S	2.27				-			
403		420	**385**	-	P	1.13				-			
403		420	**385**	-	Y	1.13				-			
403		420	**385**	-	L	1.13				-			
403		420	**385**	-	W	1.13				-			
404	L	421	**386**	P	-	20.45			5	0.37			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
404		421	**386**	-	L	38.63	2	loss: increased loop flexibility	5	-		1	
404		421	**386**	-	A	15.9	2	loss: increased loop flexibility	5	-		1	
404		421	**386**	-	V	3.4				-			
404		421	**386**	-	M	3.4				-			
404		421	**386**	-	S	3.4				-			
404		421	**386**	-	N	1.13				-			
404		421	**386**	-	H	1.13				-			
404		421	**386**	-	F	1.13				-			
404		421	**386**	-	E	1.13				-			
405	S	422	**387**	T	-	15.9			6	0.36			
405		422	**387**	-	S	55.68	3	gain: N cap	6	-		1	
405		422	**387**	-	K	6.81							
405		422	**387**	-	P	2.27				-			
405		422	**387**	-	N	2.27				-			
405		422	**387**	-	R	2.27				-			
405		422	**387**	-	G	2.27							
405		422	**387**	-	Q	1.13				-			
405		422	**387**	-	W	1.13				-			
406	L	423	**388**	L	-	28.4			4	0.74			
406		423	**388**	-	D	13.63	2	neutral: lower H propensity, but more hydrophilic	4	-			
406		423	**388**	-	W	9.09	1	loss: too hydrophobic	4	-	1		
406		423	**388**	-	A	4.54	2	gain: more hydrophilic	4	-	1		
406		423	**388**	-	P	4.54				-			
406		423	**388**	-	H	4.54				-			
406		423	**388**	-	S	4.54				-			
406		423	**388**	-	K	3.4				-			
406		423	**388**	-	R	3.4				-			
406		423	**388**	-	Q	3.4				-			
406		423	**388**	-	Y	3.4				-			
406		423	**388**	-	V	3.4				-			
406		423	**388**	-	G	2.27				-			
406		423	**388**	-	E	2.27				-			
406		423	**388**	-	N	2.27				-			
407	E	424	**389**	E	-	30.68			4	0.72			
407		424	**389**	-	A	17.04	2	neutral: better H propensity butloss of charge	4	-			
407		424	**389**	-	T	13.63	2	loss: lower H propensity	4	-		1	
407		424	**389**	-	K	11.36	3	gain: salt bridge with E427	4	-			1
407		424	**389**	-	L	3.4				-			
407		424	**389**	-	D	3.4				-			
407		424	**389**	-	H	2.27				-			
407		424	**389**	-	R	2.27				-			
407		424	**389**	-	G	2.27				-			
407		424	**389**	-	Q	1.13				-			
407		424	**389**	-	N	1.13				-			
407		424	**389**	-	W	1.13				-			
407		424	**389**	-	M	1.13				-			
407		424	**389**	-	S	1.13				-			
408	D	425	**390**	D	-	79.54				0.12			
408		425	**390**	-	G	3.4				-			
408		425	**390**	-	E	3.4				-			
408		425	**390**	-	T	3.4				-			
408		425	**390**	-	A	1.13				-			
408		425	**390**	-	S	1.13				-			
408		425	**390**	-	H	1.13				-			
409	Q	426	**391**	L	-	45.45			8	0.31			
409		426	**391**	-	I	15.9	2	loss: poor packing	8	-			1
409		426	**391**	-	R	11.36	2	loss: hydrophilic residue in hydrophobic core	8	-	1		
409		426	**391**	-	Q	10.22	2	loss: hydrophilic qesidue in hydrophobic core	8	-	1		
409		426	**391**	-	K	2.27				-			
409		426	**391**	-	V	2.27				-			
409		426	**391**	-	G	1.13				-			
409		426	**391**	-	S	1.13				-			
409		426	**391**	-	T	1.13				-			
410	A	427	**392**	E	-	11.36			4	0.65			
410		427	**392**	-	A	25	2	neutral	4	-			
410		427	**392**	-	Q	10.22	2	neutral					
410		427	**392**	-	K	6.81				-			
410		427	**392**	-	L	6.81							
410		427	**392**	-	D	5.68							
410		427	**392**	-	S	4.54				-			
410		427	**392**	-	H	4.54				-			
410		427	**392**	-	N	4.54							
410		427	**392**	-	M	3.4				-			
410		427	**392**	-	V	3.4				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
410		427	**392**	-	T	2.27				-			
410		427	**392**	-	G	1.13				-			
410		427	**392**	-	I	1.13				-			
411	Q	428	**393**	Q	-	21.59			6	0.48			
411		428	**393**	-	V	12.5	2	loss: hydrophobic exposed	6	-			1
411		428	**393**	-	Y	11.36	2	neutral: hbond to E424	6	-			
411		428	**393**	-	H	9.09	2	neutral	6	-			
411		428	**393**	-	R	6.81	3	gain: salt bridges	6	-			1
411		428	**393**	-	D	5.68	2	loss: too many negative charges	6	-			1
411		428	**393**	-	A	5.68				-			
411		428	**393**	-	N	3.4				-			
411		428	**393**	-	F	3.4				-			
411		428	**393**	-	E	3.4				-			
411		428	**393**	-	L	2.27				-			
411		428	**393**	-	T	2.27				-			
411		428	**393**	-	I	1.13				-			
411		428	**393**	-	K	1.13				-			
411		428	**393**	-	G	1.13				-			
412	M	429	**394**	F	-	23.86			13	0.08			
412		429	**394**	-	M	40.9	2	loss: lost hydrophobic contacts	13	-			1
412		429	**394**	-	L	25	2	neutral	13	-			
412		429	**394**	-	W	1.13				-			
413	A	430	**395**	S	-	19.31			5	0.42			
413		430	**395**	-	A	26.13	2	gain: better H propensity	5	-		1	
413		430	**395**	-	Q	13.63	2	neutral	5	-			
413		430	**395**	-	K	10.22	2	neutral	5	-			
413		430	**395**	-	E	7.95							
413		430	**395**	-	R	6.81							
413		430	**395**	-	M	2.27				-			
413		430	**395**	-	V	1.13				-			
413		430	**395**	-	I	1.13				-			
413		430	**395**	-	T	1.13				-			
413		430	**395**	-	G	1.13				-			
414	V	431	**396**	E	-	28.4			4	0.66			
414		431	**396**	-	K	12.5	2	neutral	4	-			
414		431	**396**	-	T	11.36	2	loss: lower H propensity	4	-		1	
414		431	**396**	-	V	9.09	1	loss: lower H propensity and hydrophobic exposed	4	-	1	1	
414		431	**396**	-	D	6.81	2	neutral	4	-			
414		431	**396**	-	M	5.68				-			
414		431	**396**	-	S	5.68				-			
414		431	**396**	-	N	4.54				-			
414		431	**396**	-	Q	4.54				-			
414		431	**396**	-	I	2.27				-			
414		431	**396**	-	A	2.27				-			
414		431	**396**	-	H	1.13				-			
415	E	432	**397**	K	-	23.86			8	0.14			
415		432	**397**	-	H	19.31	2	neutral	8	-			
415		432	**397**	-	E	14.77	2	neutral	8	-			
415		432	**397**	-	N	12.5	2	neutral	8	-			
415		432	**397**	-	G	4.54				-			
415		432	**397**	-	S	4.54				-			
415		432	**397**	-	T	4.54				-			
415		432	**397**	-	R	4.54				-			
415		432	**397**	-	D	2.27				-			
415		432	**397**	-	Q	2.27				-			
416	F	433	**398**	F	-	93.18							
417	K	434	**399**	Y	-	10.22			5	0.53			
417		434	**399**	-	R	22.72	2	loss: lost van der Waals against K390	5	-			1
417		434	**399**	-	S	14.77	1	loss: lost hydrophobic contacts	5	-			1
417		434	**399**	-	Q	12.5	2	neutral	5	-			
417		434	**399**	-	K	11.36	2	neutral: seen in Hyal1	5	-			
417		434	**399**	-	T	5.68							
417		434	**399**	-	V	4.54				-			
417		434	**399**	-	M	3.4				-			
417		434	**399**	-	E	2.27				-			
417		434	**399**	-	L	2.27				-			
417		434	**399**	-	H	1.13				-			
417		434	**399**	-	F	1.13				-			
417		434	**399**	-	D	1.13				-			
418	C	435	**400**	C	-	93.18							
419	R	436	**401**	S	-	15.9			4	0.45			
419		436	**401**	-	H	31.81	2	neutral	4	-			
419		436	**401**	-	Q	26.13	2	gain: better B propensity, additional van der Waals contacts	4	-		1	1
419		436	**401**	-	R	17.04	2	gain: better B propensity, additional van der Waals contacts	4	-		1	1
419		436	**401**	-	L	1.13				-			

Hyal1 Residue#	Hyal1 Residue	PH20 Residue #	PH20 Mature Residue #	PH20 Residue	Alternative Residue	Residue %	Rating (1-3)	Comments	#neigh	fSASA	Factors		
											Hydrophobicity	Secondary Structure	Interactions
419		436	**401**	-	V	1.13				-			
420	C	437	**402**	C	-	93.18							
421	Y	438	**403**	Y	-	85.22				0.06			
421		438	**403**	-	F	6.81							
421		438	**403**	-	N	1.13				-			

Residue #	Mature #	PH20 residue	Hyal1 #	Hyal1 Residue
39	4	T	22	F
40	5	A	23	R
41	6	P	24	G
42	7	P	25	P
43	8	V	26	L
44	9	I	27	L
45	10	P	28	P
46	11	N	29	N
47	12	V	30	R
48	13	P	31	P
49	14	F	32	F
50	15	L	33	T
51	16	W	34	T
52	17	A	35	V
53	18	W	36	W
54	19	N	37	N
55	20	A	38	A
56	21	P	39	N
57	22	S	40	T
58	23	E	41	Q
59	24	F	42	W
60	25	C	43	C
61	26	L	44	L
62	27	G	45	E
63	28	K	46	R
64	29	F	47	H
65	30	D	48	G
66	31	E	49	V
67	32	P	50	D
68	33	L	51	V
69	34	D	52	D
70	35	M	53	V
71	36	S	54	S
72	37	L	55	V
73	38	F	56	F
74	39	S	57	D
75	40	F	58	V
76	41	I	59	V
77	42	G	60	A
78	43	S	61	N
79	44	P	62	P
80	45	R	63	G
81	46	I	64	Q
82	47	N	65	T
83	48	A	66	F
84	49	T	67	R

85	50	G	68	G
86	51	Q	69	P
87	52	G	70	D
88	53	V	71	M
89	54	T	72	T
90	55	I	73	I
91	56	F	74	F
92	57	Y	75	Y
93	58	V	76	S
94	59	D	77	S
95	60	R	78	Q
96	61	L	79	L
97	62	G	80	G
98	63	Y	81	T
99	64	Y	82	Y
100	65	P	83	P
101	66	Y	84	Y
102	67	I	85	Y
103	68	D	86	T
104	69	S	87	P
105	70	I	87	P
106	71	T	88	T
107	72	G	89	G
108	73	V	90	E
109	74	T	91	P
110	75	V	92	V
111	76	N	93	F
112	77	G	94	G
113	78	G	95	G
114	79	I	96	L
115	80	P	97	P
116	81	Q	98	Q
117	82	K	99	N
118	83	I	100	A
119	84	S	101	S
120	85	L	102	L
121	86	Q	103	I
122	87	D	104	A
123	88	H	105	H
124	89	L	106	L
125	90	D	107	A
126	91	K	108	R
127	92	A	109	T
128	93	K	110	F
129	94	K	111	Q
130	95	D	112	D
131	96	I	113	I

132	97	T	114	L
133	98	F	115	A
134	99	Y	116	A
135	100	M	117	I
136	101	P	118	P
137	102	V	119	A
138	103	D	120	P
139	104	N	122	F
140	105	L	123	S
141	106	G	124	G
142	107	M	125	L
143	108	A	126	A
144	109	V	127	V
145	110	I	128	I
146	111	D	129	D
147	112	W	130	W
148	113	E	131	E
149	114	E	132	A
150	115	W	133	W
151	116	R	134	R
152	117	P	135	P
153	118	T	136	R
154	119	W	137	W
155	120	A	138	A
156	121	R	139	F
157	122	N	140	N
158	123	W	141	W
159	124	K	142	D
160	125	P	143	T
161	126	K	144	K
162	127	D	145	D
163	128	V	146	I
164	129	Y	147	Y
165	130	K	148	R
166	131	N	149	Q
167	132	R	150	R
168	133	S	151	S
169	134	I	152	R
170	135	E	153	A
171	136	L	154	L
172	137	V	155	V
173	138	Q	156	Q
174	139	Q	157	A
175	140	Q	158	Q
176	141	N	159	H
177	142	V	160	P
178	143	Q	161	D

179	144	L	162	W
180	145	S	163	P
181	146	L	164	A
182	147	T	165	P
183	148	E	166	Q
184	149	A	167	V
185	150	T	168	E
186	151	E	169	A
187	152	K	170	V
188	153	A	171	A
189	154	K	172	Q
190	155	Q	173	D
191	156	E	174	Q
192	157	F	175	F
193	158	E	176	Q
194	159	K	177	G
195	160	A	178	A
196	161	G	179	A
197	162	K	180	R
198	163	D	181	A
199	164	F	182	W
200	165	L	183	M
201	166	V	184	A
202	167	E	185	G
203	168	T	186	T
204	169	I	187	L
205	170	K	188	Q
206	171	L	189	L
207	172	G	190	G
208	173	K	191	R
209	174	L	192	A
210	175	L	193	L
211	176	R	194	R
212	177	P	195	P
213	178	N	196	R
214	179	H	197	G
215	180	L	198	L
216	181	W	199	W
217	182	G	200	G
218	183	Y	201	F
219	184	Y	202	Y
220	185	L	203	G
221	186	F	204	F
222	187	P	205	P
223	188	D	206	D
224	189	C	207	C
225	190	Y	208	Y

226	191	N	209	N
227	192	H	210	Y
228	193	H	211	D
229	194	Y	212	F
230	195	K	213	L
231	196	K	214	S
232	197	P	215	P
233	198	G	216	N
234	199	Y	217	Y
235	200	N	218	T
236	201	G	219	G
237	202	S	220	Q
238	203	C	221	C
239	204	F	222	P
240	205	N	223	S
241	206	V	224	G
242	207	E	225	I
243	208	I	226	R
244	209	K	227	A
245	210	R	228	Q
246	211	N	229	N
247	212	D	230	D
248	213	D	231	Q
249	214	L	232	L
250	215	S	233	G
251	216	W	234	W
252	217	L	235	L
253	218	W	236	W
254	219	N	237	G
255	220	E	238	Q
256	221	S	239	S
257	222	T	240	R
258	223	A	241	A
259	224	L	242	L
260	225	Y	243	Y
261	226	P	244	P
262	227	S	245	S
263	228	I	246	I
264	229	Y	247	Y
265	230	L	248	M
266	231	N	249	P
267	232	T	250	A
268	233	Q	251	V
269	234	Q	252	L
270	235	S	254	G
271	236	P	255	T
272	237	V	256	G

273	238	A	257	K
274	239	A	258	S
275	240	T	259	Q
276	241	L	260	M
277	242	Y	261	Y
278	243	V	262	V
279	244	R	263	Q
280	245	N	264	H
281	246	R	265	R
282	247	V	266	V
283	248	R	267	A
284	249	E	268	E
285	250	A	269	A
286	251	I	270	F
287	252	R	271	R
288	253	V	272	V
289	254	S	273	A
290	255	K	274	V
291	256	I	275	A
292	257	P	275	A
293	258	D	276	A
294	259	A	277	G
295	260	K	278	D
296	261	S	279	P
297	262	P	280	N
298	263	L	281	L
299	264	P	282	P
300	265	V	283	V
301	266	F	284	L
302	267	A	285	P
303	268	Y	286	Y
304	269	T	287	V
305	270	R	288	Q
306	271	I	289	I
307	272	V	290	F
308	273	F	291	Y
309	274	T	292	D
310	275	D	293	T
311	276	Q	294	T
312	277	V	294	T
313	278	L	295	N
314	279	K	296	H
315	280	F	297	F
316	281	L	298	L
317	282	S	299	P
318	283	Q	300	L
319	284	D	301	D

320	285	E	302	E
321	286	L	303	L
322	287	V	304	E
323	288	Y	305	H
324	289	T	306	S
325	290	F	307	L
326	291	G	308	G
327	292	E	309	E
328	293	T	310	S
329	294	V	311	A
330	295	A	312	A
331	296	L	313	Q
332	297	G	314	G
333	298	A	315	A
334	299	S	316	A
335	300	G	317	G
336	301	I	318	V
337	302	V	319	V
338	303	I	320	L
339	304	W	321	W
340	305	G	322	V
341	306	T	323	S
342	307	L	324	W
343	308	S	325	E
344	309	I	326	N
345	310	M	327	T
346	311	R	328	R
347	312	S	329	T
348	313	M	330	K
349	314	K	331	E
350	315	S	332	S
351	316	C	333	C
352	317	L	334	Q
353	318	L	335	A
354	319	L	336	I
355	320	D	337	K
356	321	N	338	E
357	322	Y	339	Y
358	323	M	340	M
359	324	E	341	D
360	325	T	342	T
361	326	I	343	T
362	327	L	344	L
363	328	N	345	G
364	329	P	346	P
365	330	Y	347	F
366	331	I	348	I

367	332	I	349	L	
368	333	N	350	N	
369	334	V	351	V	
370	335	T	352	T	
371	336	L	353	S	
372	337	A	354	G	EGF like
373	338	A	355	A	
374	339	K	356	L	
375	340	M	357	L	
376	341	C	358	C	
377	342	S	359	S	
378	343	Q	360	Q	
379	344	V	361	A	
380	345	L	362	L	
381	346	C	363	C	
382	347	Q	364	S	
383	348	E	365	G	
384	349	Q	366	H	
385	350	G	367	G	
386	351	V	368	R	
387	352	C	369	C	
388	353	I	370	V	
389	354	R	371	R	
390	355	K	372	R	
391	356	N	373	T	
392	357	W	374	S	
393	358	N	375	H	
394	359	S	376	P	
395	360	S	377	K	
396	361	D	378	A	
397	362	Y	379	L	
398	363	L	380	L	
399	364	H	381	L	
400	365	L	382	L	
401	366	N	383	N	
402	367	P	384	P	
403	368	D	385	A	
404	369	N	386	S	
405	370	F	387	F	
406	371	A	388	S	
407	372	I	389	I	
408	373	Q	390	Q	
409	374	L	391	L	
410	375	E	392	T	
411	376	K	394	G	
412	377	G	395	G	
413	378	G	396	G	

414	379	K	397	P
415	380	F	398	L
416	381	T	399	S
417	382	V	400	L
418	383	R	401	R
419	384	G	402	G
420	385	K	403	A
421	386	P	404	L
422	387	T	405	S
423	388	L	406	L
424	389	E	407	E
425	390	D	408	D
426	391	L	409	Q
427	392	E	410	A
428	393	Q	411	Q
429	394	F	412	M
430	395	S	413	A
431	396	E	414	V
432	397	K	415	E
433	398	F	416	F
434	399	Y	417	K
435	400	C	418	C
436	401	S	419	R
437	402	C	420	C
438	403	Y	421	Y
439	404	S	422	P
440	405	T	423	G
441	406	L	424	W
442	407	S	425	Q
443	408	C	426	A
444	409	K	427	P
445	410	E	428	W
446	411	K	429	C
447	412	A	430	E
448	413	D	431	R
449	414	V	432	K
450	415	K	433	S
451	416	D	434	M
452	417	T	435	W

Residue #	Mature	name	#neigh < 5 Å	fSASA
39	4	T	2	0.97
40	5	A	3	0.44
41	6	P	5	0.49
42	7	P	8	0.28
43	8	V	6	0.23
44	9	I	5	0.31
45	10	P	3	0.76
46	11	N	4	0.55
47	12	V	9	0.11
48	13	P	10	0.07
49	14	F	13	0.00
50	15	L	10	0.05
51	16	W	12	0.01
52	17	A	6	0.07
53	18	W	16	0.01
54	19	N	11	0.06
55	20	A	6	0.01
56	21	P	11	0.02
57	22	S	7	0.05
58	23	E	6	0.45
59	24	F	8	0.30
60	25	C	8	0.01
61	26	L	7	0.54
62	27	G	6	0.89
63	28	K	3	0.59
64	29	F	10	0.23
65	30	D	3	0.81
66	31	E	8	0.14
67	32	P	5	0.62
68	33	L	8	0.09
69	34	D	8	0.28
70	35	M	7	0.34
71	36	S	5	0.52
72	37	L	8	0.20
73	38	F	12	0.07
74	39	S	5	0.41
75	40	F	8	0.21
76	41	I	7	0.35
77	42	G	5	0.13
78	43	S	8	0.11
79	44	P	9	0.15
80	45	R	8	0.46
81	46	I	8	0.35
82	47	N	5	0.54



Number of neighbors:
1. select side chain atoms only (gly = ca)
2. all residues within 5 ang

rating	average #neigh
conserved	10.18
1	8.63
2	6.72
3	6.10

83	48	A	2	0.76
84	49	T	5	0.64
85	50	G	4	0.39
86	51	Q	5	0.56
87	52	G	7	0.10
88	53	V	6	0.25
89	54	T	11	0.09
90	55	I	10	0.06
91	56	F	13	0.00
92	57	Y	8	0.29
93	58	V	7	0.23
94	59	D	3	0.70
95	60	R	7	0.37
96	61	L	11	0.00
97	62	G	7	0.12
98	63	Y	7	0.41
99	64	Y	9	0.02
100	65	P	12	0.01
101	66	Y	9	0.23
102	67	I	10	0.05
103	68	D	7	0.34
104	69	S	3	0.89
105	70	I	3	0.83
106	71	T	4	0.62
107	72	G	5	0.24
108	73	V	4	0.53
109	74	T	8	0.55
110	75	V	6	0.31
111	76	N	6	0.42
112	77	G	7	0.33
113	78	G	8	0.00
114	79	I	10	0.03
115	80	P	10	0.03
116	81	Q	9	0.24
117	82	K	5	0.55
118	83	I	11	0.20
119	84	S	4	0.38
120	85	L	7	0.26
121	86	Q	4	0.58
122	87	D	5	0.49
123	88	H	12	0.00
124	89	L	7	0.20
125	90	D	4	0.50
126	91	K	7	0.32
127	92	A	8	0.01
128	93	K	7	0.54
129	94	K	5	0.67

130	95	D	9	0.10
131	96	I	13	0.00
132	97	T	7	0.42
133	98	F	4	0.82
134	99	Y	8	0.21
135	100	M	10	0.03
136	101	P	6	0.67
137	102	V	4	0.39
138	103	D	4	0.65
139	104	N	10	0.03
140	105	L	4	0.55
141	106	G	6	0.04
142	107	M	10	0.03
143	108	A	8	0.00
144	109	V	11	0.01
145	110	I	11	0.00
146	111	D	9	0.19
147	112	W	14	0.04
148	113	E	5	0.44
149	114	E	8	0.29
150	115	W	15	0.02
151	116	R	11	0.12
152	117	P	11	0.05
153	118	T	7	0.06
154	119	W	11	0.09
155	120	A	4	0.48
156	121	R	13	0.01
157	122	N	13	0.01
158	123	W	7	0.37
159	124	K	2	0.84
160	125	P	3	0.76
161	126	K	10	0.18
162	127	D	7	0.30
163	128	V	5	0.39
164	129	Y	11	0.02
165	130	K	6	0.24
166	131	N	5	0.52
167	132	R	10	0.37
168	133	S	9	0.00
169	134	I	9	0.22
170	135	E	5	0.44
171	136	L	8	0.23
172	137	V	9	0.09
173	138	Q	9	0.30
174	139	Q	4	0.62
175	140	Q	4	0.83
176	141	N	6	0.40

177	142	V	4	0.67
178	143	Q	3	0.85
179	144	L	8	0.18
180	145	S	4	0.55
181	146	L	4	0.69
182	147	T	3	0.69
183	148	E	4	0.49
184	149	A	8	0.00
185	150	T	6	0.33
186	151	E	6	0.46
187	152	K	8	0.48
188	153	A	8	0.00
189	154	K	6	0.31
190	155	Q	4	0.58
191	156	E	7	0.39
192	157	F	15	0.01
193	158	E	8	0.23
194	159	K	5	0.66
195	160	A	7	0.10
196	161	G	11	0.00
197	162	K	6	0.38
198	163	D	6	0.35
199	164	F	13	0.02
200	165	L	11	0.03
201	166	V	6	0.17
202	167	E	7	0.33
203	168	T	10	0.00
204	169	I	10	0.00
205	170	K	6	0.42
206	171	L	10	0.17
207	172	G	9	0.00
208	173	K	9	0.40
209	174	L	4	0.68
210	175	L	8	0.26
211	176	R	12	0.16
212	177	P	6	0.55
213	178	N	5	0.48
214	179	H	12	0.01
215	180	L	13	0.08
216	181	W	14	0.00
217	182	G	7	0.00
218	183	Y	11	0.02
219	184	Y	10	0.08
220	185	L	7	0.15
221	186	F	12	0.06
222	187	P	9	0.03
223	188	D	7	0.06

224	189	C	9	0.01
225	190	Y	8	0.11
226	191	N	13	0.02
227	192	H	6	0.52
228	193	H	6	0.53
229	194	Y	8	0.30
230	195	K	3	0.77
231	196	K	7	0.48
232	197	P	2	1.07
233	198	G	3	0.59
234	199	Y	10	0.17
235	200	N	4	0.61
236	201	G	7	0.01
237	202	S	5	0.52
238	203	C	8	0.08
239	204	F	6	0.47
240	205	N	3	0.59
241	206	V	4	0.38
242	207	E	9	0.13
243	208	I	7	0.37
244	209	K	4	0.51
245	210	R	8	0.29
246	211	N	13	0.01
247	212	D	7	0.33
248	213	D	4	0.57
249	214	L	11	0.03
250	215	S	7	0.19
251	216	W	9	0.15
252	217	L	9	0.01
253	218	W	13	0.01
254	219	N	5	0.43
255	220	E	7	0.22
256	221	S	11	0.07
257	222	T	8	0.18
258	223	A	7	0.01
259	224	L	13	0.01
260	225	Y	15	0.00
261	226	P	10	0.01
262	227	S	7	0.05
263	228	I	12	0.01
264	229	Y	9	0.15
265	230	L	12	0.02
266	231	N	4	0.42
267	232	T	7	0.39
268	233	Q	5	0.49
269	234	Q	11	0.05
270	235	S	4	0.82

271	236	P	7	0.43
272	237	V	2	0.91
273	238	A	5	0.11
274	239	A	6	0.02
275	240	T	6	0.17
276	241	L	8	0.32
277	242	Y	14	0.04
278	243	V	11	0.00
279	244	R	10	0.27
280	245	N	11	0.02
281	246	R	12	0.03
282	247	V	11	0.00
283	248	R	8	0.36
284	249	E	13	0.01
285	250	A	8	0.00
286	251	I	8	0.22
287	252	R	9	0.23
288	253	V	10	0.00
289	254	S	9	0.02
290	255	K	5	0.56
291	256	I	7	0.32
292	257	P	3	0.62
293	258	D	5	0.58
294	259	A	9	0.19
295	260	K	4	0.83
296	261	S	4	0.55
297	262	P	4	0.43
298	263	L	9	0.14
299	264	P	9	0.12
300	265	V	12	0.04
301	266	F	14	0.01
302	267	A	8	0.01
303	268	Y	13	0.05
304	269	T	10	0.02
305	270	R	10	0.05
306	271	I	10	0.05
307	272	V	9	0.01
308	273	F	12	0.13
309	274	T	7	0.16
310	275	D	3	0.70
311	276	Q	6	0.24
312	277	V	5	0.36
313	278	L	5	0.62
314	279	K	5	0.50
315	280	F	8	0.28
316	281	L	11	0.03
317	282	S	4	0.43

318	283	Q	4	0.55
319	284	D	4	0.50
320	285	E	9	0.06
321	286	L	12	0.00
322	287	V	7	0.28
323	288	Y	7	0.28
324	289	T	9	0.03
325	290	F	14	0.00
326	291	G	10	0.04
327	292	E	11	0.01
328	293	T	12	0.00
329	294	V	9	0.01
330	295	A	9	0.00
331	296	L	10	0.16
332	297	G	8	0.27
333	298	A	9	0.02
334	299	S	8	0.21
335	300	G	7	0.00
336	301	I	13	0.01
337	302	V	10	0.02
338	303	I	15	0.00
339	304	W	10	0.28
340	305	G	6	0.07
341	306	T	6	0.13
342	307	L	4	0.63
343	308	S	4	0.51
344	309	I	8	0.04
345	310	M	12	0.01
346	311	R	4	0.71
347	312	S	5	0.34
348	313	M	4	0.53
349	314	K	5	0.65
350	315	S	9	0.09
351	316	C	9	0.02
352	317	L	7	0.42
353	318	L	6	0.40
354	319	L	11	0.01
355	320	D	9	0.15
356	321	N	4	0.46
357	322	Y	11	0.04
358	323	M	10	0.02
359	324	E	6	0.48
360	325	T	4	0.63
361	326	I	6	0.25
362	327	L	12	0.00
363	328	N	8	0.00
364	329	P	9	0.24

365	330	Y	10	0.14
366	331	I	11	0.00
367	332	I	10	0.18
368	333	N	9	0.21
369	334	V	10	0.00
370	335	T	6	0.23
371	336	L	9	0.16
372	337	A	8	0.00
373	338	A	8	0.03
374	339	K	7	0.27
375	340	M	9	0.17
376	341	C	10	0.00
377	342	S	10	0.04
378	343	Q	6	0.30
379	344	V	6	0.34
380	345	L	9	0.17
381	346	C	13	0.00
382	347	Q	8	0.45
383	348	E	4	0.54
384	349	Q	7	0.37
385	350	G	8	0.00
386	351	V	8	0.13
387	352	C	10	0.00
388	353	I	10	0.25
389	354	R	14	0.08
390	355	K	8	0.26
391	356	N	3	0.89
392	357	W	3	0.88
393	358	N	6	0.33
394	359	S	3	0.58
395	360	S	3	0.57
396	361	D	6	0.18
397	362	Y	11	0.18
398	363	L	11	0.04
399	364	H	7	0.48
400	365	L	9	0.07
401	366	N	5	0.28
402	367	P	4	0.78
403	368	D	3	0.88
404	369	N	7	0.15
405	370	F	12	0.10
406	371	A	4	0.32
407	372	I	9	0.26
408	373	Q	4	0.53
409	374	L	7	0.41
410	375	E	6	0.57
411	376	K	2	0.97

412	377	G	3	0.92
413	378	G	4	0.34
414	379	K	3	0.62
415	380	F	12	0.09
416	381	T	6	0.17
417	382	V	8	0.28
418	383	R	4	0.56
419	384	G	5	0.72
420	385	K	4	0.64
421	386	P	5	0.37
422	387	T	6	0.36
423	388	L	4	0.74
424	389	E	4	0.72
425	390	D	9	0.12
426	391	L	8	0.31
427	392	E	4	0.65
428	393	Q	6	0.48
429	394	F	13	0.08
430	395	S	5	0.42
431	396	E	4	0.66
432	397	K	8	0.14
433	398	F	12	0.00
434	399	Y	5	0.53
435	400	C	8	0.13
436	401	S	4	0.45
437	402	C	8	0.26
438	403	Y	13	0.06
439	404	S	6	
440	405	T	4	
441	406	L	9	
442	407	S	5	
443	408	C	5	
444	409	K	2	
445	410	E	5	
446	411	K	14	
447	412	A	4	
448	413	D	3	
449	414	V	4	
450	415	K	7	
451	416	D	2	
452	417	T	1	

Res #	Res Name	SASA (Å)	fSASA	SS
39	T	139.0727	0.965782	L
40	A	48.78053	0.439464	L
41	P	65.73196	0.486903	L
42	P	38.04959	0.281849	L
43	V	33.67208	0.225987	L
44	I	52.91158	0.305847	L
45	P	103.2263	0.76464	L
46	N	90.51485	0.54527	L
47	V	16.84293	0.11304	L
48	P	8.982897	0.06654	L
49	F	0	0	S
50	L	8.366755	0.046742	S
51	W	2.350342	0.009439	S
52	A	7.616671	0.068619	S
53	W	1.440109	0.005784	S
54	N	10.3124	0.062123	S
55	A	0.705689	0.006358	L
56	P	3.030855	0.022451	L
57	S	6.223025	0.049784	H
58	E	83.71014	0.447648	H
59	F	63.01412	0.302953	H
60	C	1.434959	0.00914	H
61	L	96.72773	0.540378	H
62	G	76.15907	0.885571	H
63	K	124.9014	0.589158	H
64	F	48.65464	0.233917	H
65	D	130.1397	0.813373	L
66	E	25.49512	0.136338	L
67	P	84.02188	0.622384	L
68	L	16.98142	0.094868	L
69	D	44.94513	0.280907	L
70	M	68.96367	0.343103	L
71	S	65.05341	0.520427	L
72	L	36.03944	0.201338	L
73	F	14.56141	0.070007	L
74	S	51.57261	0.412581	L
75	F	43.20977	0.207739	S
76	I	60.1098	0.347456	S
77	G	10.92572	0.127043	S
78	S	13.84378	0.11075	L
79	P	20.47567	0.151672	L
80	R	113.8802	0.455521	L
81	I	60.99776	0.352588	L
82	N	90.218	0.543482	L
83	A	83.81389	0.75508	L
84	T	92.49891	0.642354	L
85	G	33.48959	0.389414	L
86	Q	109.2688	0.563241	L
87	G	8.324203	0.096793	L
88	V	36.81567	0.247085	S
89	T	12.9823	0.090155	S
90	I	10.22171	0.059085	S
91	F	0	0	S
92	Y	64.76963	0.285329	L
93	V	34.21349	0.229621	L
94	D	112.1669	0.701043	L
95	R	93.6078	0.374431	L
96	L	0	0	L
97	G	9.936408	0.11554	L
98	Y	92.69206	0.408335	L
99	Y	4.74804	0.020916	L
100	P	0.720053	0.005334	L
101	Y	51.76424	0.228036	L
102	I	8.002769	0.046259	L
103	D	54.18058	0.338629	L
104	S	111.4319	0.891455	L
105	I	144.1995	0.833523	L
106	T	88.8457	0.616984	L
107	G	20.85998	0.242558	S
108	V	79.68784	0.534818	S
109	T	78.76033	0.546947	S
110	V	45.74654	0.307024	S
111	N	69.1062	0.416302	L
112	G	28.07249	0.326424	L
113	G	0	0	L
114	I	5.990152	0.034625	L
115	P	4.421208	0.03275	L
116	Q	46.3609	0.238974	L
117	K	117.6279	0.554848	L
118	I	34.14563	0.197374	L
119	S	47.48125	0.37985	L
120	L	46.61406	0.260414	H
121	Q	112.1715	0.578204	H
122	D	78.45605	0.49035	H
123	H	0	0	H
124	L	35.09076	0.196038	H
125	D	79.30568	0.49566	H
126	K	67.62803	0.319	H
127	A	1.382817	0.012458	H
128	K	114.3349	0.539316	H
129	K	141.2661	0.666349	H
130	D	16.70683	0.104418	H
131	I	0.795373	0.004598	H
132	T	60.64203	0.421125	H
133	F	170.1091	0.817832	H
134	Y	46.94608	0.206811	H
135	M	5.097947	0.025363	L
136	P	90.7555	0.672263	L
137	V	57.3863	0.385143	L
138	D	104.1743	0.651089	L
139	N	4.550044	0.02741	L
140	L	99.0704	0.553466	L
141	G	3.542981	0.041197	L
142	M	6.943978	0.034547	S
143	A	0	0	S
144	V	1.590747	0.010676	S

residue	max sasa	med sasa	med sasa fraction
A	111	14	0.126
C	157	5	0.032
D	160	62	0.388
E	187	83	0.444
F	208	13	0.063
G	86	19	0.221
H	191	46	0.241
I	173	6	0.035
K	212	102	0.481
L	179	9	0.050
M	201	13	0.065
N	166	59	0.355
P	135	49	0.363
Q	194	74	0.381
R	250	87	0.348
S	125	35	0.280
T	144	37	0.257
V	149	8	0.054
W	249	25	0.100
Y	227	31	0.137

based on 587 structures

Analysis of accessible surface of residues in proteins

LAURENCE LINS, ANNICK THOMAS, AND ROBERT BRASSEUR

Centre de Biophysique Moléculaire Numérique (CBMN), Faculté des Sciences Agronomiques de Gembloux (FSAGx), 5030 Gembloux, Belgium

(RECEIVED January 31, 2003; FINAL REVISION March 26, 2003; ACCEPTED March 28, 2003)

145	I	0	0	S
146	D	30.64706	0.191544	S
147	W	8.740727	0.035103	S
148	E	81.62871	0.436517	L
149	E	54.48284	0.291352	L
150	W	5.584162	0.022426	L
151	R	29.30479	0.117219	L
152	P	6.733193	0.049876	L
153	T	7.966418	0.055322	L
154	W	22.21843	0.089231	L
155	A	53.06841	0.478094	L
156	R	2.963067	0.011852	L
157	N	2.114261	0.012737	L
158	W	91.13651	0.36601	L
159	K	177.9031	0.839165	L
160	P	102.4802	0.759113	L
161	K	37.64591	0.177575	H
162	D	48.43454	0.302716	H
163	V	58.06007	0.389665	H
164	Y	3.492837	0.015387	H
165	K	50.82439	0.239738	H
166	N	86.92289	0.523632	H
167	R	93.61559	0.374462	H
168	S	0	0	H
169	I	38.70304	0.223717	H
170	E	83.13011	0.444546	H
171	L	41.44552	0.231539	H
172	V	13.18192	0.088469	H
173	Q	57.82252	0.298054	H
174	Q	119.7531	0.617284	H
175	Q	160.1554	0.825543	H
176	N	65.9319	0.39718	L
177	V	99.58459	0.668353	L
178	Q	165.074	0.850897	L
179	L	32.64132	0.182354	L
180	S	68.57696	0.548616	L
181	L	122.6288	0.685077	H
182	T	98.80875	0.686172	H
183	E	92.06077	0.492304	H
184	A	0	0	H
185	T	47.99791	0.333319	H
186	E	86.41026	0.462087	H
187	K	102.7529	0.484684	H
188	A	0	0	H
189	K	65.49666	0.308947	H
190	Q	111.5523	0.575012	H
191	E	73.06978	0.390747	H
192	F	3.034617	0.01459	H
193	E	43.55907	0.232936	H
194	K	139.479	0.65792	H
195	A	10.6513	0.095958	H
196	G	0	0	H
197	K	79.80529	0.37644	H
198	D	55.3959	0.346224	H
199	F	3.865768	0.018585	H
200	L	5.09795	0.02848	H
201	V	25.22884	0.169321	H
202	E	61.55796	0.329187	H
203	T	0	0	H
204	I	0.720055	0.004162	H
205	K	89.25792	0.421028	H
206	L	29.92597	0.167184	H
207	G	0	0	H
208	K	84.79317	0.399968	H
209	L	121.3716	0.678053	H
210	L	46.65874	0.260663	H
211	R	39.59844	0.158394	L
212	P	74.73544	0.553596	L
213	N	79.97286	0.481764	L
214	H	2.085319	0.010918	L
215	L	13.98633	0.078136	S
216	W	0	0	S
217	G	0	0	S
218	Y	5.539333	0.024402	S
219	Y	17.78538	0.07835	L
220	L	27.6445	0.154439	L
221	F	12.20626	0.058684	L
222	P	4.157718	0.030798	L
223	D	9.692442	0.060578	L
224	C	2.092165	0.013326	L
225	Y	24.24874	0.106823	L
226	N	3.669718	0.022107	L
227	H	98.58447	0.516149	L
228	H	101.7812	0.532886	L
229	Y	68.69905	0.302639	L
230	K	163.5512	0.771468	L
231	K	101.7579	0.47999	L
232	P	144.9047	1.073368	L
233	G	50.4273	0.586364	L
234	Y	38.33985	0.168898	L
235	N	101.5802	0.611929	L
236	G	0.720261	0.008375	L
237	S	65.33418	0.522673	L
238	C	13.27147	0.084532	L
239	F	98.5788	0.473937	L
240	N	98.259	0.591922	L
241	V	57.31099	0.384637	H
242	E	24.33839	0.130152	H
243	I	64.06073	0.370293	H
244	K	107.6193	0.507638	H
245	R	71.65905	0.286636	H
246	N	1.184025	0.007133	H
247	D	52.00801	0.32505	H
248	D	90.79391	0.567462	H
249	L	5.022628	0.028059	H
250	S	24.29498	0.19436	H
251	W	38.55099	0.154823	H

252	L	2.3108	0.012909	H
253	W	3.197384	0.012841	H
254	N	71.24006	0.429157	H
255	E	41.65054	0.22273	H
256	S	8.289703	0.066318	L
257	T	25.29223	0.175641	L
258	A	0.638863	0.005756	L
259	L	2.235481	0.012489	L
260	Y	0	0	L
261	P	0.759595	0.005627	L
262	S	6.187244	0.049498	L
263	I	2.504621	0.014478	L
264	Y	35.1708	0.154937	L
265	L	3.39987	0.018994	L
266	N	69.57032	0.419098	L
267	T	56.71644	0.393864	L
268	Q	94.11987	0.485154	L
269	Q	10.22538	0.052708	L
270	S	102.8797	0.823038	L
271	P	58.30405	0.431882	L
272	V	135.5267	0.909575	L
273	A	12.6393	0.113868	H
274	A	2.2428	0.020205	H
275	T	24.36709	0.169216	H
276	L	57.93797	0.323676	H
277	Y	10.15308	0.044727	H
278	V	0	0	H
279	R	68.24923	0.272997	H
280	N	3.178566	0.019148	H
281	R	7.458877	0.029836	H
282	V	0	0	H
283	R	89.07126	0.356285	H
284	E	2.064605	0.011041	H
285	A	0	0	H
286	I	38.09407	0.220197	H
287	R	58.36397	0.233456	H
288	V	0	0	H
289	S	2.199704	0.017598	H
290	K	117.8166	0.555739	H
291	I	54.80646	0.3168	L
292	P	84.20916	0.623772	L
293	D	92.57571	0.578598	L
294	A	21.35289	0.192368	L
295	K	175.39	0.827311	L
296	S	68.84917	0.550793	L
297	P	57.94143	0.429196	L
298	L	25.41823	0.142001	L
299	P	16.73479	0.123961	L
300	V	6.140993	0.041215	L
301	F	2.35034	0.0113	L
302	A	0.759593	0.006843	L
303	Y	12.21952	0.05383	L
304	T	2.822923	0.019604	L
305	R	13.176	0.052704	L
306	I	7.852903	0.045393	L
307	V	2.114051	0.014188	L
308	F	26.67945	0.128267	L
309	T	23.21497	0.161215	L
310	D	111.4623	0.69664	L
311	Q	46.52712	0.239831	L
312	V	53.29199	0.357664	L
313	L	110.288	0.616134	L
314	K	105.1618	0.496046	L
315	F	57.9972	0.278833	L
316	L	5.231991	0.029229	L
317	S	53.34338	0.426747	L
318	Q	106.5521	0.549238	H
319	D	79.20552	0.495035	H
320	E	11.78541	0.063024	H
321	L	0	0	H
322	V	41.73012	0.280068	H
323	Y	63.46331	0.279574	H
324	T	3.829989	0.026597	H
325	F	0	0	H
326	G	3.145715	0.036578	H
327	E	1.379634	0.007378	H
328	T	0	0	H
329	V	1.828704	0.012273	H
330	A	0	0	H
331	L	28.76558	0.160702	H
332	G	23.52299	0.273523	L
333	A	2.078971	0.018729	L
334	S	26.44339	0.211547	L
335	G	0	0	S
336	I	2.018498	0.011668	S
337	V	2.862466	0.019211	S
338	I	0	0	S
339	W	69.38251	0.278645	S
340	G	5.680098	0.066048	L
341	T	19.0274	0.132135	L
342	L	112.2441	0.627062	H
343	S	64.22259	0.513781	H
344	I	7.200809	0.041623	H
345	M	1.382818	0.00688	H
346	R	177.5504	0.710202	H
347	S	42.4403	0.339522	L
348	M	107.3279	0.53397	H
349	K	136.8416	0.645479	H
350	S	11.50573	0.092046	H
351	C	2.590533	0.0165	H
352	L	75.81159	0.423528	H
353	L	72.00245	0.402248	H
354	L	2.099687	0.01173	H
355	D	23.79762	0.148735	H
356	N	76.58611	0.461362	H
357	Y	10.085	0.044427	H
358	M	3.715127	0.018483	H

359	E	89.03381	0.476117	H
360	T	90.86395	0.631	H
361	I	43.42431	0.251008	H
362	L	0	0	H
363	N	0.652057	0.003928	H
364	P	32.5187	0.240879	H
365	Y	32.10418	0.141428	H
366	I	0.720053	0.004162	H
367	I	31.32631	0.181077	H
368	N	35.67723	0.214923	H
369	V	0.720053	0.004833	H
370	T	33.5458	0.232957	H
371	L	29.14832	0.16284	H
372	A	0	0	H
373	A	3.663844	0.033008	H
374	K	57.66224	0.271992	H
375	M	33.48941	0.166614	H
376	C	0	0	H
377	S	5.448362	0.043587	H
378	Q	58.96843	0.303961	H
379	V	49.92249	0.33505	H
380	L	31.19652	0.174282	H
381	C	0	0	L
382	Q	86.74789	0.447154	L
383	E	101.491	0.542732	L
384	Q	70.96009	0.365774	L
385	G	0	0	S
386	V	18.70477	0.125535	S
387	C	0.652056	0.004153	S
388	I	42.83405	0.247596	S
389	R	20.89226	0.083569	S
390	K	54.63215	0.257699	L
391	N	147.9761	0.891422	L
392	W	219.0258	0.879622	L
393	N	54.01351	0.325383	L
394	S	72.41815	0.579345	L
395	S	71.41739	0.571339	L
396	D	29.41472	0.183842	L
397	Y	39.87997	0.175683	L
398	L	6.818856	0.038094	L
399	H	91.53699	0.479251	L
400	L	11.8728	0.066328	L
401	N	46.04935	0.277406	L
402	P	105.9537	0.784842	L
403	D	140.8759	0.880474	L
404	N	25.62381	0.15436	L
405	F	20.64268	0.099244	S
406	A	35.8951	0.323379	S
407	I	44.65097	0.258098	S
408	Q	103.4955	0.533482	S
409	L	73.82257	0.412417	S
410	E	106.8607	0.571448	L
411	K	205.5792	0.969713	L
412	G	78.88853	0.917309	L
413	G	28.81584	0.335068	S
414	K	131.4829	0.620202	S
415	F	19.52362	0.093864	S
416	T	23.94132	0.166259	S
417	V	41.91805	0.281329	S
418	R	140.0401	0.560161	S
419	G	61.76843	0.718238	L
420	K	135.4408	0.638872	L
421	P	50.48883	0.373991	L
422	T	51.57446	0.358156	L
423	L	132.2927	0.739065	H
424	E	134.0416	0.7168	H
425	D	19.94336	0.124646	H
426	L	55.6016	0.310623	H
427	E	122.4801	0.654974	H
428	Q	93.91027	0.484074	H
429	F	16.14733	0.077631	H
430	S	52.38034	0.419043	H
431	E	123.1558	0.658587	H
432	K	28.63549	0.135073	H
433	F	0	0	S
434	Y	119.3591	0.525811	S
435	C	20.20163	0.128673	S
436	S	55.9442	0.447554	S
437	C	40.50454	0.257991	S
438	Y	13.8258	0.060907	L