

11/7/22, 7:06 AM

Cysteine | C₃H₇NO₂S - PubChem

COMPOUND SUMMARY

Cysteine



Cite






Download

PubChem CID

5862

Structure

[Find Similar Structures](#)

Chemical Safety



Irritant

[Laboratory Chemical Safety Summary \(LCSS\) Datasheet](#)

Molecular Formula

C₃H₇NO₂S

Synonyms

L-cysteine
cysteine
52-90-4
Thioserine
(R)-2-Amino-3-mercaptopropanoic acid

[More...](#)

Molecular Weight

121.16

Dates

Modify Create
2022-11-05 2004-09-16

Cysteine is a non-essential sulfur-containing amino acid in humans, related to [cystine](#). Cysteine is important for protein synthesis, detoxification, and diverse metabolic functions. Found in beta-keratin, the main protein in nails, skin, and hair, Cysteine is important in collagen production, as well as skin elasticity and texture. Also required in the manufacture of amino acid [taurine](#), Cysteine is a component of the antioxidant [glutathione](#), and plays a role in the metabolism of essential biochemicals such as [coenzyme A](#), [heparin](#), and [biotin](#). (NCI04)

[► NCI Thesaurus \(NCIt\)](#)

L-cysteine is an optically active form of cysteine having L-configuration. It has a role as a flour treatment agent, a human metabolite and an EC 4.3.1.3 ([histidine ammonia-lyase](#)) inhibitor. It is a serine family amino acid, a proteinogenic amino acid, a cysteine and a L-alpha-amino acid. It is a conjugate base of a [L-cysteinium](#). It is a conjugate acid of a [L-cysteinate\(1-\)](#). It is an enantiomer of a [D-cystine](#). It is a tautomer of a [L-cysteine zwitterion](#).

[► ChEBI](#)

Cysteine is a metabolite found in the aging [mouse](#) brain.

[► West Coast Metabolomics Center-UC Davis](#)

Contents

1 Structures

2 Biologic Description

3 Names and Identifiers

4 Chemical and Physical Properties

5 Spectral Information

6 Related Records

7 Chemical Vendors

8 Drug and Medication Information

9 Food Additives and Ingredients

10 Agrochemical Information

11 Pharmacology and Biochemistry

12 Use and Manufacturing

13 Identification

14 Safety and Hazards

15 Toxicity

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

16 Associated Disorders and Diseases	
17 Literature	▼
18 Patents	▼
19 Interactions and Pathways	▼
20 Biological Test Results	▼
21 Taxonomy	
22 Classification	▼
23 Information Sources	

2 Biologic Description



SVG Image	IUPAC Condensed	H-Cys-OH
	Sequence	C
	PLN	H-C-OH
	HELM	PEPTIDE1[QSSSS
	IUPAC	L-cysteine
	PubChem	

Cysteine | C3H7NO2S - PubChem

11/7/22, 7:06 AM

3 Names and Identifiers

3.1 Computed Descriptors

3.1.1 IUPAC Name

(2*R*)-2-amino-3-sulfanylpropanoic acid
Computed by LexiChem TK 2.7.0 (PubChem release 2021.05.07)

3.1.2 InChI

InChI=1S/C3H7NO2S/c4-2(1-7)3(5)6/h2,7H,1,4H2,(H,5,6)/t2-m/s1
Computed by InChI 1.0.6 (PubChem release 2021.05.07)

3.1.3 InChIKey

XUJNEKJLAYXESH-REOHCLEBHS-A-N
Computed by InChI 1.0.6 (PubChem release 2021.05.07)

3.1.4 Canonical SMILES

CC(C(=O)O)NS
Computed by OEChem 2.3.0 (PubChem release 2021.05.07)

3.1.5 Isomeric SMILES

C([C@@H](C(=O)O)N)S
Computed by OEChem 2.3.0 (PubChem release 2021.05.07)

3.2 Molecular Formula

C3H7NO2S
PubChem

3.3 Other Identifiers

3.3.1 CAS

52-90-4
CAS Common Chemistry; ChemIDplus; DrugBank; EPA Chemicals under the TSCA; EPA D5STox; European Chemicals Agency (ECHA); FDA Global Substance Registration System (GSRS); Hazardous Substances Data Bank (HSD)

3.3.2 Related CAS

7048-04-6 (Hydrochloride)
ChemIDplus

3.3.3 Deprecated CAS

4371-52-2, 154605-72-8, 1404190-35-7
ChemIDplus

3.3.4 European Community (EC) Number

200-158-2
European Chemicals Agency (ECHA)

https://pubchem.ncbi.nlm.nih.gov/compound/5862

3.3.5 UNII

K848JZ4886

FDA Global Substance Registration System (GSRS)

3.3.6 JECFA Number

1419

Joint FAO/WHO Expert Committee on Food Additives (JECFA)

3.3.7 FEMA Number

3263

Flavor and Extract Manufacturers Association (FEMA); Joint FAO/WHO Expert Committee on Food Additives (JECFA)

3.3.8 DSSTox Substance ID

DTXSID8022876

EPA DSSTox

3.3.9 Wikipedia

Cysteine

Wikipedia

3.3.10 Wikidata

Q186474

Wikidata

3.3.11 NCI Thesaurus Code

C29609

NCI Thesaurus (NCI)

3.3.12 RXCUI

3024

NLM RxNorm Terminology

3.4 Synonyms

3.4.1 MeSH Entry Terms

Medical Subject Headings (MeSH)

Cysteine
Cysteine Hydrochloride
Half-Cysteine
Half-Cystine
L-Cysteine
L-Cystine
Zinc Cysteinate

3.4.2 Depositor-Supplied Synonyms

L-cysteine	beta-Mercaptoalanine	L-Cysteine	CCRIS 912	CHEBI:17561	E920	CHEMBL863	3
Cysteine	Half cystine	L-Zystein			E920		2
52-90-4	FREE CysteINE	alpha-Amino-beta-thiopropionic acid	HSDB 2109		E 920		E
Thioserine	Cysteine, L-	L-2-Amino-3-mercaptopropionic acid	alpha-Amino-beta-thiopropionic acid, L-	MFCDD00064306			1
(R)-2-Amino-3-mercaptopropionic acid	Cysteinum	L-2-Amino-3-mercaptopropionic acid	A13-26559	K848JZ4886			r
Cystein	L-Cys	Cysteinum [INN-Latin]	alpha-Amino-beta-mercaptopropionic acid, L-	(+)-2-Amino-3-mercaptopropionic acid			2
Half-Cysteine	L-Alanine, 3-mercapto-	FEMA No. 3263	alpha-Amino-beta-mercaptopropionic acid, L-	4371-52-2			L
(R)-Cysteine	Cisteinum [Latin]	Cisteina [INN-Spanish]	Propanoic acid, 2-amino-3-mercapto-, (R)-	Polycysteine			1
L-(+)-Cysteine	Cisteina [Spanish]	beta-Mercaptoalanine, L-	2-Amino-3-mercaptopropionic acid, (R)-	Cysteine [INN]			E
L-Cysteine	cisteina	(2R)-2-amino-3-mercaptopropionic acid	Cysteine HCl	b-Mercaptoalanine			L
(2R)-2-amino-3-sulfanylpropionate	Cisteinum	NSC-8746	(R)-(+)-Cysteine	(2R)-2-amino-3-mercaptopropionate			1
H-Cys-OH	(R)-2-Amino-3-mercaptopropionic acid	2-Amino-3-mercaptopropionic acid	Cys	(2R)-2-amino-3-sulfanylpropionate			(

11/7/22, 7:06 AM

Cysteine | C₃H₇NO₂S - PubChem

► PubChem

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

4 Chemical and Physical Properties

4.1 Computed Properties

Property Name	Property Value	Reference
Molecular Weight	121.16	Computed by PubChem 2.1 (PubChem release 2021.05.07)
XLogP3	-2.5	Computed by XLogP3 3.0 (PubChem release 2021.05.07)
Hydrogen Bond Donor Count	3	Computed by Cactvs 3.4.8.18 (PubChem release 2021.05.07)
Hydrogen Bond Acceptor Count	4	Computed by Cactvs 3.4.8.18 (PubChem release 2021.05.07)
Rotatable Bond Count	2	Computed by Cactvs 3.4.8.18 (PubChem release 2021.05.07)
Exact Mass	121.01974964	Computed by PubChem 2.1 (PubChem release 2021.05.07)
Monoisotopic Mass	121.01974964	Computed by PubChem 2.1 (PubChem release 2021.05.07)
Topological Polar Surface Area	64.3 Å²	Computed by Cactvs 3.4.8.18 (PubChem release 2021.05.07)
Heavy Atom Count	7	Computed by PubChem
Formal Charge	0	Computed by PubChem
Complexity	75.3	Computed by Cactvs 3.4.8.18 (PubChem release 2021.05.07)
Isotope Atom Count	0	Computed by PubChem
Defined Atom Stereocenter Count	1	Computed by PubChem
Undefined Atom Stereocenter Count	0	Computed by PubChem
Defined Bond Stereocenter Count	0	Computed by PubChem
Undefined Bond Stereocenter Count	0	Computed by PubChem
Covalently-Bonded Unit Count	1	Computed by PubChem
Compound Is Canonicalized	Yes	Computed by PubChem (release 2021.05.07)

PubChem

4.2 Experimental Properties

4.2.1 Physical Description

DryPowder

EPA Chemicals under the TSCA

Colorless or white solid; [HSDB] Colorless crystalline solid; [Sigma-Aldrich MSDS]

Haz-Map, Information on Hazardous Chemicals and Occupational Diseases

Solid

Human Metabolome Database (HMDB)

White crystals; Sulferous aroma

Joint FAO/WHO Expert Committee on Food Additives (JECFA)

4.2.2 Color/Form

Colorless crystals

Lewis, R.J., Sr (Ed.). Hawley's Condensed Chemical Dictionary. 13th ed. New York, NY: John Wiley & Sons, Inc. 1997., p. 329

Hazardous Substances Data Bank (HSDB)

White crystals

Ashford, R.D. Ashford's Dictionary of Industrial Chemicals. London, England: Wavelength Publications Ltd., 1994., p. 255

Hazardous Substances Data Bank (HSDB)

4.2.3 Melting Point

240 dec °C

PhysProp

DrugBank

260 °C decomposes

Haynes, W.M. (ed.). CRC Handbook of Chemistry and Physics. 95th Edition. CRC Press LLC, Boca Raton: FL 2014-2015, p. 3-140

Hazardous Substances Data Bank (HSDB)

220 °C

Human Metabolome Database (HMDB)

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

4.2.4 Solubility



277000 mg/L (at 25 °C)

BEILSTEIN

[DrugBank](#)

Freely soluble in water

O'Neil, M.J. (ed.). *The Merck Index - An Encyclopedia of Chemicals, Drugs, and Biologicals*. Cambridge, UK: Royal Society of Chemistry, 2013., p. 486[Hazardous Substances Data Bank \(HSDB\)](#)Freely soluble in alcohol, [acetic acid](#), [ammonia water](#); insoluble in ether, [acetone](#), [ethyl acetate](#), [benzene](#), [carbon disulfide](#), [carbon tetrachloride](#)O'Neil, M.J. (ed.). *The Merck Index - An Encyclopedia of Chemicals, Drugs, and Biologicals*. Cambridge, UK: Royal Society of Chemistry, 2013., p. 486[Hazardous Substances Data Bank \(HSDB\)](#)**Water** solubility (per g/100 g H2O): 28 g/100 mL of solution at 25 °C; 16 g/100 mL of solution at 20 °CDrauz K et al; *Amino Acids. Ullmann's Encyclopedia of Industrial Chemistry*, 7th ed. (1999-2016). New York, NY: John Wiley & Sons. Online Posting Date: 15 Apr 2007[Hazardous Substances Data Bank \(HSDB\)](#)

277 mg/mL at 25 °C

BEILSTEIN

[Human Metabolome Database \(HMDB\)](#)Very soluble in [water](#) and [acetic acid](#); Insoluble in ether, [acetone](#) and [benzene](#)[Joint FAO/WHO Expert Committee on Food Additives \(JECFA\)](#)

Soluble (in ethanol)

[Joint FAO/WHO Expert Committee on Food Additives \(JECFA\)](#)

4.2.5 Vapor Pressure



0.00000207 [mmHg]

[Haz-Map, Information on Hazardous Chemicals and Occupational Diseases](#)6.73X10⁻⁷ mm Hg at 25 °C (est)US EPA; *Estimation Program Interface (EPI) Suite*. Ver. 4.1. Nov, 2012. Available from, as of July 12, 2016: <https://www2.epa.gov/tsca-screening-tools>[Hazardous Substances Data Bank \(HSDB\)](#)

4.2.6 LogP



-2.49

HANSCH, C ET AL. (1995)

[DrugBank](#)

log Kow = -2.49

Hansch, C., Leo, A., D. Hoekman. *Exploring QSAR - Hydrophobic, Electronic, and Steric Constants*. Washington, DC: American Chemical Society, 1995., p. 6[Hazardous Substances Data Bank \(HSDB\)](#)

-2.49

HANSCH, C ET AL. (1995)

[Human Metabolome Database \(HMDB\)](#)

4.2.7 Henry's Law Constant

Henry's Law constant = 5.30X10⁻¹¹ atm-cu m/mol at 25 °C (est)US EPA; *Estimation Program Interface (EPI) Suite*. Ver. 4.1. Nov, 2012. Available from, as of July 12, 2016: <https://www2.epa.gov/tsca-screening-tools>[Hazardous Substances Data Bank \(HSDB\)](#)

4.2.8 Stability/Shelf Life



Stable under recommended storage conditions.

Sigma-Aldrich; *Safety Data Sheet for L-Cysteine*. Product Number: 168149, Version 4.5 (Revision Date 08/26/2015). Available from, as of May 18, 2016: <https://www.sigmaaldrich.com/safety-center.html>[Hazardous Substances Data Bank \(HSDB\)](#)In neutral or slightly alkaline aq solns it is oxidized to [cystine](#) by air. More stable in acidic solns.O'Neil, M.J. (ed.). *The Merck Index - An Encyclopedia of Chemicals, Drugs, and Biologicals*. Cambridge, UK: Royal Society of Chemistry, 2013., p. 497[Hazardous Substances Data Bank \(HSDB\)](#)

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

4.2.9 Optical Rotation



Decomposes 175-178 °C; soluble in **water**, alcohol, **acetone**; the aqueous solution is acid; decomposes and oxidizes slowly; hygroscopic. Specific optical rotation: +5.0 °C (5 N HCl) at 25 °C/D; +10.0 °C at 25 °C/D (glacial **acetic acid**) /**Cysteine hydrochloride**/

O'Neil, M.J. (ed.). *The Merck Index - An Encyclopedia of Chemicals, Drugs, and Biologicals*. Cambridge, UK: Royal Society of Chemistry, 2013., p. 486

► [Hazardous Substances Data Bank \(HSDB\)](#)

Specific optical rotation: +6.5 deg at 25 °C/D (5 N HCl); +13.0 deg at 25 °C/D (glacial **acetic acid**)

O'Neil, M.J. (ed.). *The Merck Index - An Encyclopedia of Chemicals, Drugs, and Biologicals*. Cambridge, UK: Royal Society of Chemistry, 2013., p. 486

► [Hazardous Substances Data Bank \(HSDB\)](#)

Specific optical rotation: +9.7 deg (c = 8 in 1M HCl) at 25 °C/D

Drauz K et al; *Amino Acids. Ullmann's Encyclopedia of Industrial Chemistry*. 7th ed. (1999-2016). New York, NY: John Wiley & Sons. Online Posting Date: 15 Apr 2007

► [Hazardous Substances Data Bank \(HSDB\)](#)

4.2.10 Decomposition



When heated to decomposition it emits very toxic fumes of /sulfur oxides and nitrogen oxides/.

Lewis, R.J. Sr. (ed) *Sax's Dangerous Properties of Industrial Materials*. 11th Edition. Wiley-Interscience, Wiley & Sons, Inc. Hoboken, NJ. 2004., p. 1059

► [Hazardous Substances Data Bank \(HSDB\)](#)

4.2.11 Dissociation Constants



pKa

1.71

MERCK INDEX (1996); pK1

► [DrugBank](#)

pK1 1.71 /carboxylic/; pK2 8.33 /amine/; pK3 10.78 /sulfide/

O'Neil, M.J. (ed.). *The Merck Index - An Encyclopedia of Chemicals, Drugs, and Biologicals*. Cambridge, UK: Royal Society of Chemistry, 2013., p. 486

► [Hazardous Substances Data Bank \(HSDB\)](#)

4.2.12 Collision Cross Section



149.57 Å² [M+H]⁺ [CCS Type: DT, Method: stepped-field]

<https://pubs.rsc.org/en/content/articlelanding/2017/sc/c7sc03464d>

► [CCSbase](#)

151.34 Å² [M+Na]⁺ [CCS Type: DT, Method: stepped-field]

<https://pubs.rsc.org/en/content/articlelanding/2017/sc/c7sc03464d>

► [CCSbase](#)

144.47 Å² [M-H]⁻ [CCS Type: DT, Method: stepped-field]

<https://pubs.rsc.org/en/content/articlelanding/2017/sc/c7sc03464d>

► [CCSbase](#)

113 Å² [M+H]⁺ [CCS Type: TW, Method: calibrated with **polyalanine**]

<https://pubs.acs.org/doi/abs/10.1021/ac500405x>

► [CCSbase](#)

144 Å² [M-H]⁻

148.6 Å² [M+H]⁺

150.4 Å² [M+Na]⁺

S50 | CCSCOMPEND | *The Unified Collision Cross Section (CCS) Compendium* | DOI:10.5281/zenodo.2658162

► [NORMAN Suspect List Exchange](#)

4.2.13 Other Experimental Properties



Readily oxidizes to form a dimeric amino acid, **cystine**, in which the two cysteines are linked via a disulfide bridge, a common structural feature in proteins. *Amino Acids and Proteins*, D.M. Greenberg, Ed. (Charles C. Thomas, Springfield, IL, 1951) 950 pp.

O'Neil, M.J. (ed.). *The Merck Index - An Encyclopedia of Chemicals, Drugs, and Biologicals*. Cambridge, UK: Royal Society of Chemistry, 2013., p. 486

► [Hazardous Substances Data Bank \(HSDB\)](#)

In neutral or slightly alkaline aqueous solution it is oxidized to **cystine** by air. More stable in acidic solutions.

O'Neil, M.J. (ed.). *The Merck Index - An Encyclopedia of Chemicals, Drugs, and Biologicals*. Cambridge, UK: Royal Society of Chemistry, 2013., p. 486

► [Hazardous Substances Data Bank \(HSDB\)](#)

11/7/22, 7:06 AM

Cysteine | C₃H₇NO₂S - PubChem

MP (anhydrous): 178 °C (decomposes). Specific optical rotation: +6.53 deg at 25 °C/D (calculated as cysteine) (c = 2 in 5M HCl); solubility >100 (20 °C) g/100 g H₂O /[L-Cysteine hydrochloride monohydrate/](#)

Drauz K et al; Amino Acids. Ullmann's Encyclopedia of Industrial Chemistry. 7th ed. (1999-2016). New York, NY: John Wiley & Sons. Online Posting Date: 15 Apr 2007

► [Hazardous Substances Data Bank \(HSDB\)](#)

Hydroxyl radical reaction rate constant = 7.96X10⁻¹¹cu cm/molecule-sec at 25 °C (est)

US EPA; Estimation Program Interface (EPI) Suite. Ver. 4.1. Nov, 2012. Available from, as of July 12, 2016; <https://www2.epa.gov/tsca-screening-tools>

► [Hazardous Substances Data Bank \(HSDB\)](#)

4.2.14 Chemical Classes



Biological Agents -> Amino Acids and Derivatives

► [Haz-Map, Information on Hazardous Chemicals and Occupational Diseases](#)

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

5 Spectral Information ?

5.1 1D NMR Spectra ?

1D NMR Spectra	1H NMR: SAD 16992 (Sadtler Research Laboratories spectral collection)
----------------	---

[▶ Hazardous Substances Data Bank \(HSDB\)](#)

1D NMR Spectra	NMRShiftDB Link
----------------	---------------------------------

[▶ NMRShiftDB](#)

5.1.1 1H NMR Spectra ?

Showing 2 of 4 [View More](#)

Spectra ID	1426
Instrument Type	Varian
Frequency	500 MHz
Solvent	Water
pH	5.00
Shifts [ppm]:Intensity	3.00:43.43, 3.01:45.61, 3.03:100.00, 3.04:98.88, 3.08:92.22, 3.09:93.74, 3.11:40.74, 3.12:42.42, 3.96:71.83, 3.97:82.72, 3.97:85.99, 3.98:67.50
Thumbnail	

[▶ Human Metabolome Database \(HMDB\)](#)

Spectra ID	4743
Instrument Type	Bruker
Solvent	D2O
pH	7.4
Shifts [ppm]:Intensity	3.00:7.07, 3.00:7.27, 3.02:15.00, 3.03:14.61, 3.06:14.31, 3.07:14.49, 3.09:6.76, 3.10:6.95, 3.95:10.70, 3.95:12.43, 3.96:10.26, 3.96:12.10
Thumbnail	

[▶ Human Metabolome Database \(HMDB\)](#)

5.1.2 13C NMR Spectra ?

Showing 2 of 4 [View More](#)

Spectra ID	1241
Instrument Type	Bruker
Frequency	125 MHz
Solvent	Water

pH	
7.00	
Shifts [ppm]:Intensity	
-0.00-1.58, 175.39-2.64, 27.80-19.00, 58.80-12.68	
Thumbnail	

Human Metabolome Database (HMDB)

Spectra ID	
166443	
Frequency	
400 MHz	
Solvent	
H2O	
Shifts [ppm]	
175.39, 27.80, 58.80	

Thumbnail	
-----------	--

Human Metabolome Database (HMDB)

5.2 2D NMR Spectra



5.2.1 1H-1H NMR Spectra

2D NMR Spectra Type	
1H-1H TOCSY	
Spectra ID	
1024	
Shifts [ppm] (F2:F1)	
3.03-2.99, 3.04-3.06, 3.04-3.94, 3.05-3.03, 3.05-3.05, 3.06-3.10, 3.95-3.00, 3.95-3.03, 3.95-3.05, 3.95-3.06, 3.95-3.09, 3.95-3.10, 3.95-3.93, 3.95-3.96	
Thumbnail	

Human Metabolome Database (HMDB)

5.2.2 1H-13C NMR Spectra



2D NMR Spectra Type	
1H-13C HSQC	
Spectra ID	
1371	

Instrument Type	Bruker
Frequency	600 MHz
Solvent	Water
pH	7.00
Shifts [ppm] (f2:f1):intensity	3.05:2.779:0.01, 3.95:58.88:1.00
Thumbnail	

Human Metabolome Database (HMDB)

5.3 Mass Spectrometry

5.3.1 GC-MS

Showing 2 of 20 View More

Spectra ID	30101
Instrument Type	El-B
Ionization Mode	positive
SPLASH	splash10-014f-0690100000-0aeb88fd507505e6b718
Top 5 Peaks	218.1 100 146.1 59.84 266.15 31.93 147.15 30.14 100.1 28.86
Thumbnail	
Notes	instrument=GCM5-2010 Plus, Shimadzu

Human Metabolome Database (HMDB)

Spectra ID	30201
Instrument Type	GC-El-TOF
Ionization Mode	positive
SPLASH	splash10-00kb-0950000000-df7e91c95b610ff21c79
Top 5 Peaks	218.0 100 146.0 91.99 100.0 52.05 147.0 51.25 148.0 20.72
Thumbnail	

https://pubchem.ncbi.nlm.nih.gov/compound/5862

Notes

instrument=Pegasus III TOF-MS system, Leco; GC 6890, Agilent Technologies

5.3.2 MS-MS

Showing 2 of 6 View More

Spectra ID

1471148

Instrument Type

QqQ

Ionization Mode

negative

SPLASH

splash10-0011-9000000000-5dc69d3b59bd15290aef

Top 5 Peaks

33.0 100

Thumbnail

Notes

adduct_type [M-H]- original_collision_energy - 14 Cannabidiol spectra from MoNA 2020 June API 2000 Respect

Spectra ID

2226479

Ionization Mode

Positive

SPLASH

splash10-0a6f-9100000000-ed3c9c47ed98679090ab

Top 5 Peaks

76.02084 100
58.99469 97
86.98946 30.67
105.00021 21.56
122.02696 16.60

Thumbnail

Human Metabolome Database (HMDB)

5.3.3 LC-MS

Showing 2 of 7 View More

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

Accession ID	MSBNK-BGC_Munich-RP001801
Authors	BGC, Helmholtz Zentrum Muenchen
Instrument	maXis plus UHR-ToF-MS, Bruker Daltonics
Instrument Type	LC-ESI-QTOF
MS Level	MS2
Ionization Mode	POSITIVE
Ionization	ESI
Collision Energy	10
Fragmentation Mode	CID
Column Name	BEH C18 1.7um, 2.1x100mm, Waters
Retention Time	0.604 min
Precursor m/z	122.027
Precursor Adduct	[M+H] ⁺
Top 5 Peaks	76.0208 999 86.9894 167 105 137 122.0264 75 125.0257 1
SPLASH	splash10-004i-9100000000-42fd929d985bfd416ebf
Thumbnail	
License	CC BY

[▶ MassBank Europe](#)

Accession ID	MSBNK-BGC_Munich-RP001802
Authors	BGC, Helmholtz Zentrum Muenchen
Instrument	maXis plus UHR-ToF-MS, Bruker Daltonics
Instrument Type	LC-ESI-QTOF
MS Level	MS2
Ionization Mode	POSITIVE
Ionization	ESI
Collision Energy	20
Fragmentation Mode	CID
Column Name	BEH C18 1.7um, 2.1x100mm, Waters
Retention Time	0.604 min
Precursor m/z	122.027
Precursor Adduct	[M+H] ⁺
Top 5 Peaks	76.0209 999 86.9895 128 104.9997 19 77.0237 13 62.9893 7
SPLASH	splash10-004i-9000000000-d4e5b9ec1a14314a822e
Thumbnail	

License	CC BY

► MassBank Europe

5.3.4 Other MS

Showing 2 of 8 View More

Other MS	MAS5: NIST 63547 (NIST/EPA/MCDC Mass Spectral Database 1990 version)
----------	--

► Hazardous Substances Data Bank (HSDB)

Accession ID	MSBNK-GL_Sciences, Inc-GL500103
Authors	Miyagawa H, Akimoto S, Yamasaki K, GL Sciences Inc.
Instrument	GCMS-2010 Plus, Shimadzu
Instrument Type	EI-B
MS Level	MS
Ionization Mode	POSITIVE
Column Name	InertCap 5MS/NP 0.25 mmID x 30 m, df=0.25 um
Retention Time	941.58
Top 5 Peaks	218.1 999
	146.1 598
	266.15 319
	147.15 301
	100.1 288
SPLASH	splash10-014f-0690100000-0aeb88fd507505e6b718
Thumbnail	
License	CC BY-SA

► MassBank Europe

UV: OES 2-10 (Phillip et al; Organic Electronic Spectral Data. NT, NY: John Wiley and Sons)
Lide, D.R., G.W.A. Milne (eds.), Handbook of Data on Organic Compounds. Volume I, 3rd ed. CRC Press, Inc. Boca Raton, FL, 1994., p. V3: 2407
► Hazardous Substances Data Bank (HSDB)

5.5 IR Spectra

IR Spectra	IR: SADP 13419 (Sadtler Research Laboratories IR prism collection)
------------	--

► Hazardous Substances Data Bank (HSDB)

5.5.1 FTIR Spectra

Technique	KBr WAFER
Source of Sample	Fluka Chemie AG, Buchs, Switzerland
Copyright	Copyright © 1980, 1981-2021 John Wiley & Sons, Inc. All Rights Reserved.
Thumbnail	

https://pubchem.ncbi.nlm.nih.gov/compound/5862

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem



[▶ SpectraBase](#)

Technique	KBr WAFER
Source of Sample	Fluka Chemie AG, Buchs, Switzerland
Copyright	Copyright © 1980, 1981-2021 John Wiley & Sons, Inc. All Rights Reserved.

Thumbnail



[▶ SpectraBase](#)

5.5.2 ATR-IR Spectra



Instrument Name	Bio-Rad FTS
Technique	ATR-Neat (DuraSamplIR II)
Source of Spectrum	Forensic Spectral Research
Source of Sample	Sigma-Aldrich Company Llc
Catalog Number	C7755
Lot Number	38C-0297
Copyright	Copyright © 2014-2021 John Wiley & Sons, Inc. All Rights Reserved.

Thumbnail



[▶ SpectraBase](#)

Source of Sample	Aldrich
Catalog Number	168149
Copyright	Copyright © 2018-2021 Sigma-Aldrich Co. LLC. - Database Compilation Copyright © 2018-2021 John Wiley & Sons, Inc. All Rights Reserved.

Thumbnail



11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem



► SpectraBase

5.6 Raman Spectra



Technique	FT-Raman
Source of Spectrum	Forensic Spectral Research
Source of Sample	Sigma-Aldrich Inc.
Catalog Number	C7755
Lot Number	38C-0297
Copyright	Copyright © 2012-2021 John Wiley & Sons, Inc. All Rights Reserved.

Thumbnail

► SpectraBase

Catalog Number	168149
Copyright	Copyright © 2017-2021 Sigma-Aldrich Co. LLC. - Database Compilation Copyright © 2017-2021 John Wiley & Sons, Inc. All Rights Reserved.

Thumbnail

► SpectraBase

6 Related Records

6.1 Related Compounds with Annotation



PubMed	44,777 Records
Protein Structures	107 Records



6.4 Entrez Crosslinks

PubChem

6.3.2 Substances by Category



PubChem

All	2,006 Records
Same	340 Records
Mixture	1,666 Records



6.3.1 Related Substances



6.3 Substances

PubChem

Same Connectivity	50 Records
Same Stereo	33 Records
Same Isotope	3 Records
Same Parent, Connectivity	359 Records
Same Parent, Stereo	180 Records
Same Parent, Isotope	309 Records
Same Parent, Exact	147 Records
Mixtures, Components, and Neutralized Forms	891 Records
Similar Compounds	214 Records
Similar Conformers	3,870 Records



6.2 Related Compounds

PubChem

6.1 Related Compounds with Annotation



11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

Taxonomy	5 Records
OMIM	25 Records
Gene	69 Records

▶ [PubChem](#)

6.5 Associated Chemicals



(+)-Cysteine; 921-01-7

▶ [Hazardous Substances Data Bank \(HSDB\)](#)

(+)-Cysteine; 3374-22-9

▶ [Hazardous Substances Data Bank \(HSDB\)](#)

Cysteine hydrochloride; 52-89-1

▶ [Hazardous Substances Data Bank \(HSDB\)](#)

6.6 NCBI LinkOut



▶ [NCBI](#)



PubChem

<https://pubchem.ncbi.nlm.nih.gov/compound/5862>

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

8 Drug and Medication Information



8.1 Drug Indication



For the prevention of liver damage and kidney damage associated with overdoses of [acetaminophen](#)

▶ [DrugBank](#)

8.2 FDA National Drug Code Directory



CYSTEINE is an active ingredient in 28 products including: 'B COMPLEX MIX SYSTEM FORMULA', 'BIO CO-ENZYME PHASE', and 'DIATHESIS V 2'.

▶ [National Drug Code \(NDC\) Directory](#)

▶ [National Drug Code \(NDC\) Directory](#)

8.3 Clinical Trials



8.3.1 ClinicalTrials.gov



▶ [ClinicalTrials.gov](#)

8.3.2 NIPH Clinical Trials Search of Japan



▶ [NIPH Clinical Trials Search of Japan](#)

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

8.4 Therapeutic Uses



/EXPL THER/ Acetaminophen-cysteine adducts (APAP-CYS) are a serum biomarker of acetaminophen exposure, formed when the oxidative metabolite of acetaminophen binds to cysteine residues of hepatic proteins. APAP-CYS adducts become elevated in cases of acute liver failure following acetaminophen overdose and have been proposed as a diagnostic tool to identify acetaminophen-induced acute liver failure when standard testing is inconclusive.

PMID:25896948

Full text: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4469719>

Frey SM et al; J Med Toxicol 11 (2): 218-22 (2015)

► Hazardous Substances Data Bank (HSDB)

/EXPL THER/ Lead is a toxic heavy metal that adversely affects nervous tissues; it often occurs as an environmental pollutant. We investigated histological changes in the cerebral cortex, hippocampus and cerebellum of adult albino mice following exposure to lead acetate. We also studied the possible ameliorative effect of the chelating agent, L-cysteine, on lead-induced neurotoxicity. We divided albino mice into six groups: 1) vehicle-only control, 2) L-cysteine control, 3 and 4) treated for 7 days with 20 and 40 mg/kg lead acetate, respectively, and 5 and 6) treated for 7 days with 20 and 40 mg/kg lead acetate, respectively, followed by 50 mg/kg L-cysteine for 7 days. Lead acetate administration caused disorganization of cell layers, neuronal loss and degeneration, and neuropil vacuolization. Brain sections from lead-intoxicated mice treated with L-cysteine showed fewer pathological changes; the neuropil showed less vacuolization and the neurons appeared less damaged. L-cysteine at the dose we used only marginally alleviated lead-induced toxicity.

PMID:27045382

Mahmoud YI, Sayed SS; Biotech Histochem 1-6 (2016) (Epub ahead of print)

► Hazardous Substances Data Bank (HSDB)

/EXPL THER/ In hamster lung cell cultures addn of L-Cysteine or vit C to media protects against or reverses abnormal growth & malignant transformation in aged controls (1-2 yr old) or young (3-6 mo) after repeated exposure to smoke of tobacco or marijuana cigarettes.

Leuchtenberger C; Br J Exp Pathol 58 (6): 625-34 (1977)

► Hazardous Substances Data Bank (HSDB)

/EXPL THER/ L-Cysteine admin orally or ip to rats protected against acute toxicity of methylmercury chloride, reducing mercury content in kidney & brain but not in liver.

Sugiyama et al; Toho Igakkai Zasshi 22 (1): 78-85 (1975)

► Hazardous Substances Data Bank (HSDB)

For more Therapeutic Uses (Complete) data for CYSTEINE (7 total), please visit the [HSDB record page](#).

► Hazardous Substances Data Bank (HSDB)

8.5 Biomarker Information



► MarkerDB

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

9 Food Additives and Ingredients



9.1 Food Additive Classes



Flavoring Agents

- ▶ [EU Food Improvement Agents; Joint FAO/WHO Expert Committee on Food Additives \(JECFA\)](#)

JECFA Functional Classes

Flavouring Agent -> FLAVOURING_AGENT;

- ▶ [Joint FAO/WHO Expert Committee on Food Additives \(JECFA\)](#)

9.2 FEMA Flavor Profile



Savory

- ▶ [Flavor and Extract Manufacturers Association \(FEMA\)](#)

9.3 FDA Substances Added to Food



Substance	L-CYSTEINE
Used for (Technical Effect)	NUTRIENT SUPPLEMENT
Document Number (21 CFR)	172.320 184.1271

- ▶ [FDA Center for Food Safety and Applied Nutrition \(CFSAN\)](#)

9.4 Evaluations of the Joint FAO/WHO Expert Committee on Food Additives - JECFA



Chemical Name	L-CYSTEINE
Evaluation Year	2004
ADI	No safety concern at current levels of intake when used as a flavouring agent
Comments	Not evaluated using the Procedure for the Safety Evaluation of Flavouring Agents; the substance is a macronutrient and a normal component of protein and, as such, human exposure through food is orders of magnitude higher than the anticipated level of exposure from use as a flavouring agent
Report	TRS 928-JECFA 63/98
Tox Monograph	FAS 54-JECFA 63/435

- ▶ [Joint FAO/WHO Expert Committee on Food Additives \(JECFA\)](#)

10 Agrochemical Information



10.1 Agrochemical Category

Pesticide active substances

EU Pesticides Database

10.2 EU Pesticides Data



Active Substance	L-cysteine
Status	Approved [Reg. (EC) No 1107/2009]
Legislation	Reg. (EU) 2020/642

EU Pesticides Database

https://pubchem.ncbi.nlm.nih.gov/compound/5862

11 Pharmacology and Biochemistry

11.1 Pharmacodynamics

Due to this ability to undergo redox reactions, cysteine has antioxidant properties. Cysteine is an important source of **sulfur** in human metabolism, and although it is classified as a non-essential amino acid, cysteine may be essential for infants, the elderly, and individuals with certain metabolic disease or who suffer from malabsorption syndromes. Cysteine may at some point be recognized as an essential or conditionally essential amino acid.

DrugBank

11.2 Biorecensity

L-Cysteine is the central compound in **sulfur** metabolism in the human body. In proteins the formation of disulfide bonds between the thiol groups of cysteine plays an important role for tertiary structure and enzymatic activity. ...

Hazardous Substances Data Bank (HSDB)

European Chemicals Agency (ECHA): Registered Substances, L-cysteine (CAS Number: 52-90-4) (EC Number: 200-158-2) (last updated: May 17, 2016). Available from, as of May 24, 2016: <https://echa.europa.eu/>

concentrations. ...

PMID:2705581

Hofler S et al; Physiol Plant doi: 10.1171/ppl.12454 (2016) (Epub ahead of print)

Hazardous Substances Data Bank (HSDB)

11.3 Metabolism/Metabolites

L-Cysteine is the central compound in **sulfur** metabolism in the human body. In proteins the formation of disulfide bonds between the thiol groups of cysteine plays an important role for tertiary structure and enzymatic activity; cysteine is however always incorporated in the polypeptide chain as cysteine. L-Cysteine is degraded to **pyruvate** in two steps: one is removal of **sulfur** and the other is a transamination. Cysteine can be metabolized to form **taurine** and **carbon dioxide** through the cysteine sulfinic pathway, where the initial step is oxidation of cysteine to **cysteine sulfinic acid**. This step is catalyzed by cysteine dioxygenase. **Cysteine sulfinic acid** may then be decarboxylated to form **taurine** or it may be metabolized via the putative intermediate **beta-sulfinylpyruvate** to **pyruvate** and **sulfite** and then to **carbon dioxide** and **sulfate**.

Hazardous Substances Data Bank (HSDB)

European Chemicals Agency (ECHA): Registered Substances, L-cysteine (CAS Number: 52-90-4) (EC Number: 200-158-2) (last updated: May 17, 2016). Available from, as of May 24, 2016: <https://echa.europa.eu/>

Amino acid catabolism is essential for adjusting pool sizes of free amino acids and takes part in energy production as well as nutrient remobilization. The **carbon** skeletons are generally converted to precursors or intermediates of the tricarboxylic acid cycle. In the case of cysteine, the reduced sulfur derived from the thiol group also has to be oxidized in order to prevent accumulation to toxic concentrations. Here we present a mitochondrial **sulfur** catabolic pathway catalyzing the complete oxidation of L-cysteine to **pyruvate** and thiosulfate. After transamination to **3-mercaptoppyruvate** the sulfinyldryl group from L-cysteine is transferred to **glutathione** by sulfuryltransferase 1 and oxidized to **sulfite** by the **sulfur** dioxygenase ETHE1. **Sulfite** is then converted to thiosulfate by addition of a second persulfide group by sulfuryltransferase 1. This pathway is most relevant during early embryo development and for vegetative growth under light limiting conditions. Characterization of a mutant produced from Arabidopsis thaliana T-DNA insertion lines for ETHE1 and sulfuryltransferase 1 revealed that an intermediate of the ETHE1 dependent pathway, most likely a persulfide, interferes with amino acid catabolism and induces early senescence.

PMID:2705581

Hofler S et al; Physiol Plant doi: 10.1171/ppl.12454 (2016) (Epub ahead of print)

Hazardous Substances Data Bank (HSDB)

11.4 Mechanism of Action

Cysteine can usually be synthesized by the human body under normal physiological conditions if a sufficient quantity of **methionine** is available. Cysteine is typically synthesized in the human body when there is sufficient **methionine** available. Cysteine exhibits antioxidant properties and participates in redox reactions. Cysteine's antioxidant properties are typically expressed in the tripeptide **glutathione**, which occurs in humans as well as other organisms. **Glutathione (GSH)** typically requires biosynthesis from its constituent amino acids, cysteine, **glycine**, and **glutamic acid**, due to its limited systemic availability. **Glutamic acid** and **glycine** are readily available in the diets of most industrialized countries, but the availability of cysteine can be the limiting substrate. In human metabolism, cysteine is also involved in the generation of sulfide present in **iron-sulfur** clusters and nitrogenease by acting as a precursor. In a 1994 report released by five top cigarette companies, cysteine is one of the 599 additives to cigarettes. Its use or purpose, however, is unknown, like most cigarette additives. Its inclusion in cigarettes could offer two benefits: Acting as an expectorant, since smoking increases mucus production in the lungs; and increasing the beneficial antioxidant **glutathione** (which is diminished in smokers).

DrugBank

11.5 Human Metabolite Information

11.5.1 Tissue Locations

Adrenal Cortex
Epididymis
Fibroblasts
Intestine
Kidney
Liver
Neuron
Placenta
Platelet
Prostate
Skeletal Muscle
Spleen
Testis

Thyroid Gland

Human Metabolome Database (HMDB)

11.5.2 Cellular Locations

Cytoplasm
Extracellular
Mitochondria

Human Metabolome Database (HMDB)

11.5.3 Metabolite Pathways

2-Hydroxyglutric Aciduria (D And L Form)
3-Phosphoglycerate dehydrogenase deficiency
4-Hydroxybutyric Aciduria/Succinic Semialdehyde Dehydrogenase Deficiency
5-Oxoprolinase deficiency
5-Oxoprolinuria
Amloride Action Pathway
Bendroflumethiazide Action Pathway
Beta-mercaptoacetate-cysteine disulfiduria
Blue diaper syndrome
Bumetanide Action Pathway
Total 65 pathways, visit the HMDB page for details

Human Metabolome Database (HMDB)

11.6 Biochemical Reactions

PubChem

https://pubchem.ncbi.nlm.nih.gov/compound/5862

12 Use and Manufacturing



12.1 Uses



EPA CPDat Chemical and Product Categories

The Chemical and Products Database, a resource for exposure-relevant data on chemicals in consumer products, Scientific Data, volume 5, Article number: 180125 (2018), DOI:10.1038/sdata.2018.125

EPA Chemical and Products Database (CPDat)

Sources/Uses

Cysteine is a non-essential amino acid that has been used as a dough conditioner and veterinary detoxicant; [Merck Index] Used as a flavoring agent, dough strengthener, nutritional supplement, and flour treating agent for foods; [FDA] Used for biochemical and nutritional research and as a medication; [HSDB]

Merck Index - O'Neil MJ, Heckelman PE, Dobbelaar PH, Roman KJ (eds). The Merck Index, An Encyclopedia of Chemicals, Drugs, and Biologicals, 15th Ed. Cambridge, UK: The Royal Society of Chemistry, 2013.

Haz-Map, Information on Hazardous Chemicals and Occupational Diseases

Reported uses (ppm):

Table: Reported uses (ppm): (Flavor and Extract Manufacturers' Association, 1994)

Food Category	Usual	Max.
Breakfast cereals	100.00	100.00
Condiments, relishes	100.00	100.00
Meat products	100.00	100.00
Milk products	100.00	100.00

Burdock, G.A. (ed.). Fenaroli's Handbook of Flavor Ingredients. 6th ed. Boca Raton, FL 2010, p. 370

Hazardous Substances Data Bank (HSDB)

Biochemical and nutrition research, reducing agent in bread doughs (up to 90 ppm).

Larranaga, M.D., Lewis, R.J. Sr., Lewis, R.A.; Hawley's Condensed Chemical Dictionary 16th Edition. John Wiley & Sons, Inc. Hoboken, NJ 2016., p. 408

Hazardous Substances Data Bank (HSDB)

MEDICATION

Hazardous Substances Data Bank (HSDB)

MEDICATION (VET)

Hazardous Substances Data Bank (HSDB)

Treatment with cysteine reduced seedling injury caused by gamma-irradiation of sorghum seed. Cysteine effects were most pronounced in primary root elongation.

Reddy CS, JD Smith; Environ Exp Bot 18 (4): 241-3 (1978)

Hazardous Substances Data Bank (HSDB)

12.1.1 Use Classification



Food additives -> Flavoring Agents

EU Food Improvement Agents

Agrochemicals -> Pesticides

EU Pesticides Database

Flavouring Agent -> FLAVOURING_AGENT; -> JECFA Functional Classes

Joint FAO/WHO Expert Committee on Food Additives (JECFA)

Flavoring Agents -> JECFA Flavorings Index

Joint FAO/WHO Expert Committee on Food Additives (JECFA)

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

Cosmetics -> Antioxidant; Antistatic; Hair conditioning; Reducing

S13 | EUCOSMETICS | Combined Inventory of Ingredients Employed in Cosmetic Products (2000) and Revised Inventory (2006) | DOI:10.5281/zenodo.2624118

[▶ NORMAN Suspect List Exchange](#)

12.1.2 Industry Uses



nutritional supplement

<https://www.epa.gov/chemical-data-reporting>[▶ EPA Chemicals under the TSCA](#)

12.1.3 Consumer Uses



nutritional supplement

<https://www.epa.gov/chemical-data-reporting>[▶ EPA Chemicals under the TSCA](#)

12.1.4 Household Products



Household & Commercial/Institutional Products

Information on 3 consumer products that contain Cysteine in the following categories is provided:

• Personal Care

[▶ Consumer Product Information Database \(CPID\)](#)

12.2 Methods of Manufacturing



By addition of a thiol compound to an unsaturated amino acid derivative; by hydrolysis of proteins in the presence of [carbon dioxide](#); by treating in HCl hydrolysis of proteins in the presence of [carbon dioxide](#); by treating an HCl hydrolysate of hair with CuO₂, followed by the decomposition of the resulting [copper](#)-cysteine complex with [hydrogen sulfide](#); by the addition of [thioacetic acid](#) to alpha-acetamido acrylic acid; by treatment of a keratine HCl hydrolysate with [zinc](#) to reduce the [cystine](#) present to cysteine; by electrolytic reduction of [cystine](#).

Burdock, G.A. (ed.). Fenaroli's Handbook of Flavor Ingredients. 6th ed. Boca Raton, FL 2010, p. 370[▶ Hazardous Substances Data Bank \(HSDB\)](#)

L-Cysteine used to be produced almost exclusively by hydrolysis of hair or other keratins. The amino acid isolated was [l-cystine](#), which was reduced electrolytically to l-cysteine. L-Cysteine has also been prepared from beta-chloro-d,l-alanine and [sodium sulfide](#) with cysteine desulfhydrase, an enzyme obtained from, e.g., *Citrobacterium freundii*. Today, however, the main processes for cysteine production are biological. A direct fermentation process has been developed for the manufacture of [l-cystine](#), using a modified *Escherichia coli* bacterium. The technology has been extended to prepare other modified l-cysteine analogues. An enzymatic process for l-cysteine has been successfully developed using microorganisms capable to hydrolyze 2-amino-delta2-[thiazoline 4-carboxylic acid](#) (ATC) which is readily available from [methyl alpha-chloroacrylate](#) and [thiourea](#). A mutant of *Pseudomonas thiazolinophilum* converts d,l-ATC to l-cysteine in 95% molar yield at product concentrations higher than 30 g/L.

Drauz K et al; Amino Acids. Ullmann's Encyclopedia of Industrial Chemistry 7th ed. (1999-2016). NY, NY: John Wiley & Sons. Online Posting Date: April 15, 2007[▶ Hazardous Substances Data Bank \(HSDB\)](#)

12.3 Formulations/Preparations



Available commercially as L-(+)-cysteine hydrochloride.

Larranaga, M.D., Lewis, R.J. Sr., Lewis, R.A.; Hawley's Condensed Chemical Dictionary 16th Edition. John Wiley & Sons, Inc. Hoboken, NJ 2016., p. 408[▶ Hazardous Substances Data Bank \(HSDB\)](#)

12.4 U.S. Production



Aggregated Product Volume (EPA CDR 2016)

25,000 - 100,000 lb

<https://www.epa.gov/chemical-data-reporting>[▶ EPA Chemicals under the TSCA](#)

Non-confidential 2012 Chemical Data Reporting (CDR) information on the production and use of chemicals manufactured or imported into the United States. Chemical: L-Cysteine. National Production Volume: 28,660 lb/yr.

USEPA/Pollution Prevention and Toxics; 2012 Chemical Data Reporting Database. L-Cysteine (52-90-4). Available from, as of July 12, 2016: https://java.epa.gov/oppt_chemical_search/[▶ Hazardous Substances Data Bank \(HSDB\)](#)

12.5 General Manufacturing Information



Industry Processing Sectors

Food, beverage, and tobacco product manufacturing

[▶ EPA Chemicals under the TSCA](#)

EPA TSCA Commercial Activity Status

L-Cysteine: ACTIVE

<https://pubchem.ncbi.nlm.nih.gov/compound/5862>

30/61

11/7/22, 7:06 AM

Cysteine | C₃H₇NO₂S - PubChem

<https://www.epa.gov/tsca-inventory>

► [EPA Chemicals under the TSCA](#)

A non-essential amino acid in human development.

O'Neil, M.J. (ed.). *The Merck Index - An Encyclopedia of Chemicals, Drugs, and Biologicals*. Cambridge, UK: Royal Society of Chemistry, 2013., p. 486

► [Hazardous Substances Data Bank \(HSDB\)](#)

An amino acid derived from [cystine](#), occurring naturally in the L-form ...

Lewis, R.J. Sr. (ed) *Sax's Dangerous Properties of Industrial Materials*. 12th Edition. Wiley-Interscience, Wiley & Sons, Inc. Hoboken, NJ, 2012., p. V2: 1292

► [Hazardous Substances Data Bank \(HSDB\)](#)

13 Identification

The near-infrared (NIR) fluorescence sensor for rapid, selective, and sensitive detection of cysteine (Cys) is of great importance in both biological and environmental sciences. Herein, we report a specific probe with turn-on fluorescence property, visible color change with naked-eye, and large wavelength shift on UV spectra for highly selective detection of Cys over **homocysteine** (Hcy) and **glutathione** (GSH) in both **HEPES** buffer (10 mM, pH 7.4) and diluted human serum. The probe based on the conjugate addition-cyclization reaction has a low limit of detection to Cys (0.16 uM as NIR fluorescence sensor and 0.13 uM as UV sensor). Kinetic study indicated that the probe has a very rapid response to Cys, owing to the much higher pseudo-first-order reaction constant with Cys (299/M/s) than with Hcy (1.29/M/s) or **GSH** (0.53/M/s). Upon addition of Cys to a solution of the probe, the color changed from purple to cyan, with the maximum wavelength shifting from 582 to 674 nm in the UV spectrum and a fluorescence emission at 697 nm appearing. It has been successfully applied for determination of Cys in diluted serum and bioimaging of Cys in living cells with low cell toxicity.

PMID:25875053
Zhang J et al. Anal Chem 87 (9): 4856-63 (2015)

Hazardous Substances Data Bank (HSDB)

Gold nanoparticles (AuNPs) were synthesized at room temperature following a simple, rapid, and green route using fresh-squeezed apple juice as a reducing reagent. The optimal AuNPs, based on the particle color, stability, and color change suitable for colorimetric detection of cysteine (Cys), are synthesized using 5 mL of 10% apple juice, 1 mL of 10 mM **gold precursor** solution, and 1 mL of 0.1 M NaOH. Under this set of parameters, the AuNPs are synthesized within 30 min at room temperature. The average size (11.1 +/- 3.2 nm) and zeta potential (-36.5 mV) of the AuNPs synthesized were similar to those of AuNPs prepared via the conventional **citrate-reduction** method. In the presence of Cys, unlike with any other amino acid, the AuNPs aggregated, possibly due to the **gold-sulfur** covalent interaction, yielding red-to-purple color change of the sample solution. The red-shift of the localized surface plasmon resonance peak of the AuNPs responsible for the color change was recorded by UV-vis spectrometer. The effect of other potential interferences such as **glucose**, **ascorbic acid**, K(+), Na(+), Ca(2+), Zn(2+), Ag(+), Ni(2+), Cu(2+), Co(2+), and Hg(2+) were also examined. The results show that AuNPs can be used to selectively detect and measure Cys with a linear dependency in the range of 2 to 100 uM and a limit of detection (signal-to-noise ratio > 3) of 50 nM. The results suggest that the green-synthesized AuNPs are useful for simple, rapid, and sensitive colorimetric detection of Cys, which is an essential amino acid in food and biological systems.

PMID:26239641
Bagci FO et al. J Food Sci 80 (9): N2071-8 (2015)

Hazardous Substances Data Bank (HSDB)

13.2 Clinical Laboratory Methods

A new fluorescent probe based on an ensemble of **gold** nanoclusters (AuNCs) and polymer protected **gold** nanoparticles (AuNPs) for turn-on sensing of L-cysteine was designed and prepared. The AuNCs were protected by bovine serum albumin and had strong fluorescence. The polymer protected AuNPs were synthesized by a facile in situ strategy at room temperature and could quench the fluorescence of AuNCs due to the Förster resonance energy transfer. Interestingly, it has been observed that the quenched fluorescence of AuNCs was recovered by L-cysteine, which could induce the aggregation of polymer protected AuNPs by **sulfur** group. Then the prepared fluorescent probe was successfully used for determination of L-Cys in human urines ...

PMID:26002483
Xu X et al. Anal Chim Acta 879: 97-103 (2015)

Hazardous Substances Data Bank (HSDB)

A chlorinated coumarin-aldehyde was developed as a colorimetric and ratiometric fluorescent probe for distinguishing **glutathione** (GSH), cysteine (Cys) and **homocysteine** (Hcy). The **GSH**-induced substitution-cyclization and Cys/Hcy-induced substitution-rearrangement cascades lead to the corresponding thio-coumarin-iminium cation and amino-coumarin-aldehyde with distinct photophysical properties. The probe can be used to simultaneously detect **GSH** and Cys/Hcy by visual determination based on distinct different colors - red and pale-yellow in PBS buffer solution by two reaction sites. From the linear relationship of fluorescence intensity and biothiols concentrations, it was determined that the limits of detection for **GSH**, Hcy and Cys are 0.08, 0.09 and 0.18 uM, respectively.

PMID:26572845
Dai X et al. Anal Chim Acta 900: 103-110 (2015)

Hazardous Substances Data Bank (HSDB)

A highly sensitive and selective turn on fluorescent probe P'-acid-aldehyde (P'-CHO) is developed for the determination of cysteine (Cys) and **homocysteine** (Hcy). The probe is designed and synthesized by incorporating the specific functional group aldehyde group for thiois into a stable 7'-conjugated material **4,4'-(2,5-dimethoxy-1,4-phenylene) bis(ethylene-2,1-diyl) dibenzoic acid** (P'-acid). The probe selectively react with aldehyde group of the probe because the inhibition of d-PET between the fluorophore and recognition group. Therefore, a turn-on fluorescent sensor was established for the fluorescence recovery. Under the optimized conditions, the fluorescence response of probe is directly proportional to the concentration of Cys in the range of 4-95 nM/L with a detection limit 3.0 nM. In addition, the sensing system exhibits good selectivity toward Cys and Hcy in the presence of other amino acids. It has been successfully applied for bioimaging of Cys and Hcy in living cells with low cell toxicity.

PMID:26802748
Yang C et al. Biosens Bioelectron 80: 17-23 (2016)

Hazardous Substances Data Bank (HSDB)

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

14 Safety and Hazards



14.1 Hazards Identification



14.1.1 GHS Classification



Showing 1 of 2 View More

Pictogram(s)	 Irritant
Signal	Warning
GHS Hazard Statements	H302 (82.76%): Harmful if swallowed [Warning Acute toxicity, oral] H315 (18.5%): Causes skin irritation [Warning Skin corrosion/irritation] H319 (18.5%): Causes serious eye irritation [Warning Serious eye damage/eye irritation] H335 (29.78%): May cause respiratory irritation [Warning Specific target organ toxicity, single exposure; Respiratory tract irritation]
Precautionary Statement Codes	P261, P264, P264+P265, P270, P271, P280, P301+P317, P302+P352, P304+P340, P305+P351+P338, P319, P321, P330, P332+P317, P337+P317, P362+P364, P403+P233, P405, and P501 (The corresponding statement to each P-code can be found at the GHS Classification page.)
ECHA C&L Notifications Summary	Aggregated GHS information provided by 416 companies from 13 notifications to the ECHA C&L Inventory. Each notification may be associated with multiple companies. Reported as not meeting GHS hazard criteria by 97 of 416 companies. For more detailed information, please visit ECHA C&L website . Of the 11 notification(s) provided by 319 of 416 companies with hazard statement code(s). Information may vary between notifications depending on impurities, additives, and other factors. The percentage value in parenthesis indicates the notified classification ratio from companies that provide hazard codes. Only hazard codes with percentage values above 10% are shown.

[European Chemicals Agency \(ECHA\)](#)

14.1.2 Hazard Classes and Categories



Acute Tox. 4 (82.76%)

Skin Irrit. 2 (18.5%)

Eye Irrit. 2 (18.5%)

STOT SE 3 (29.78%)

[European Chemicals Agency \(ECHA\)](#)

Acute toxicity (Oral) - Category 4

[NITE-CMC](#)

14.1.3 Hazards Summary



Safe when used as a flavoring agent in food; [JECFA] May cause irritation; Harmful by ingestion; [Sigma-Aldrich MSDS]

[Haz-Map, Information on Hazardous Chemicals and Occupational Diseases](#)

14.1.4 Skin, Eye, and Respiratory Irritations



... A single ocular application of the test item L-Cysteine to rabbits at a dose of 0.1 g produced slight irritant effects, which were fully reversible within 48 hours. ...

[European Chemicals Agency \(ECHA\); Registered Substances, L-cysteine \(CAS Number: 52-90-4\) \(EC Number: 200-158-2\) \(Last updated: May 17, 2016\). Available from, as of May 24, 2016: <https://echa.europa.eu/>](#)[Hazardous Substances Data Bank \(HSDB\)](#)

... The single dermal application of the test item L-Cysteine to three rabbits at a dose of 0.5 g showed neither irritant nor corrosive effects. ...

[European Chemicals Agency \(ECHA\); Registered Substances, L-cysteine \(CAS Number: 52-90-4\) \(EC Number: 200-158-2\) \(Last updated: May 17, 2016\). Available from, as of May 24, 2016: <https://echa.europa.eu/>](#)[Hazardous Substances Data Bank \(HSDB\)](#)

... Single dermal application of the test item L-Cysteine to rats at a dose of 2000 mg/kg body weight was associated with neither mortality nor signs of toxicity but signs of irritation. ...

[European Chemicals Agency \(ECHA\); Registered Substances, L-cysteine \(CAS Number: 52-90-4\) \(EC Number: 200-158-2\) \(Last updated: May 17, 2016\). Available from, as of May 24, 2016: <https://echa.europa.eu/>](#)[Hazardous Substances Data Bank \(HSDB\)](#)

14.2 Fire Fighting



14.2.1 Fire Fighting Procedures

Suitable extinguishing media: Use [water](#) spray, alcohol-resistant foam, dry chemical or [carbon dioxide](#).[Sigma-Aldrich; Safety Data Sheet for L-Cysteine. Product Number: 168149, Version 4.5 \(Revision Date 08/26/2015\). Available from, as of May 18, 2016: <https://www.sigmaaldrich.com/safety-center.html>](#)[Hazardous Substances Data Bank \(HSDB\)](#)

Advice for firefighters: Wear self-contained breathing apparatus for firefighting if necessary.

[Sigma-Aldrich; Safety Data Sheet for L-Cysteine. Product Number: 168149, Version 4.5 \(Revision Date 08/26/2015\). Available from, as of May 18, 2016: <https://www.sigmaaldrich.com/safety-center.html>](#)

◀ Hazardous Substances Data Bank (HSDb)

14.3 Accidental Release Measures

☑ ?

ACIDENTAL RELEASE MEASURES: Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Avoid dust formation. Avoid breathing vapors. Sweep up and shovel. Keep in suitable, closed containers for disposal.

Sigma-Aldrich: Safety Data Sheet for L-Cysteine. Product Number: 168149, Version 4.5 (Revision Date 08/26/2015). Available from, as of May 18, 2016: <https://www.sigmaaldrich.com/safety-center.html>

◀ Hazardous Substances Data Bank (HSDb)

14.3.2 Disposal Methods

☑ ?

SRP: Recycle any unused portion of the material for its approved use or return it to the manufacturer or supplier. Ultimate disposal of the chemical must consider the material's impact on air quality; potential migration in air, soil or water; effects on animal, aquatic and plant life; and conformance with environmental and public health regulations. If it is possible or reasonable use an alternative chemical product with less inherent propensity for occupational harm/injury/toxicity or environmental contamination.

◀ Hazardous Substances Data Bank (HSDb)

Product: Offer surplus and non-recyclable solutions to a licensed disposal company. Contaminated packaging: Dispose of as unused product.

Sigma-Aldrich: Safety Data Sheet for L-Cysteine. Product Number: 168149, Version 4.5 (Revision Date 08/26/2015). Available from, as of May 18, 2016: <https://www.sigmaaldrich.com/safety-center.html>

◀ Hazardous Substances Data Bank (HSDb)

14.3.3 Preventive Measures

☑ ?

ACIDENTAL RELEASE MEASURES: Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Avoid breathing dust. Environmental precautions: Do not let product enter drains.

Sigma-Aldrich: Safety Data Sheet for L-Cysteine. Product Number: 168149, Version 4.5 (Revision Date 08/26/2015). Available from, as of May 18, 2016: <https://www.sigmaaldrich.com/safety-center.html>

◀ Hazardous Substances Data Bank (HSDb)

Precautions for safe handling: Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed.

Sigma-Aldrich: Safety Data Sheet for L-Cysteine. Product Number: 168149, Version 4.5 (Revision Date 08/26/2015). Available from, as of May 18, 2016: <https://www.sigmaaldrich.com/safety-center.html>

◀ Hazardous Substances Data Bank (HSDb)

Appropriate engineering controls: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Sigma-Aldrich: Safety Data Sheet for L-Cysteine. Product Number: 168149, Version 4.5 (Revision Date 08/26/2015). Available from, as of May 18, 2016: <https://www.sigmaaldrich.com/safety-center.html>

◀ Hazardous Substances Data Bank (HSDb)

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Sigma-Aldrich: Safety Data Sheet for L-Cysteine. Product Number: 168149, Version 4.5 (Revision Date 08/26/2015). Available from, as of May 18, 2016: <https://www.sigmaaldrich.com/safety-center.html>

◀ Hazardous Substances Data Bank (HSDb)

SRP: Local exhaust ventilation should be applied wherever there is an incidence of point source emissions or dispersion of regulated contaminants in the work area. Ventilation control of the contaminant as close to its point of generation is both the most economical and safest method to minimize personnel exposure to airborne contaminants. Ensure that the local ventilation moves the contaminant away from the worker.

◀ Hazardous Substances Data Bank (HSDb)

14.4 Handling and Storage

☑ ?

14.4.1 Storage Conditions

☑ ?

Keep container tightly closed in a dry and well-ventilated place. Store under inert gas. Air sensitive. Storage class (TRGS 510): Non Combustible Solids.

Sigma-Aldrich: Safety Data Sheet for L-Cysteine. Product Number: 168149, Version 4.5 (Revision Date 08/26/2015). Available from, as of May 18, 2016: <https://www.sigmaaldrich.com/safety-center.html>

◀ Hazardous Substances Data Bank (HSDb)

14.5 Exposure Control and Personal Protection

☑ ?

14.5.1 Allowable Tolerances

☑ ?

Residues of cysteine are exempted from the requirement of a tolerance when used in accordance with good agricultural practice as inert (or occasionally active) ingredients in pesticide formulations applied to growing crops only. Use: Synergist. Limit: Maximum of 0.5% of formulation.

40 CFR 180.920 (USEPA); U.S. National Archives and Records Administration's Electronic Code of Federal Regulations. Available from, as of July 12, 2016: <https://www.ecfr.gov>

◀ Hazardous Substances Data Bank (HSDb)

14.5.2 Personal Protective Equipment (PPE)

☑ ?

Eye/face protection: Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
[Sigma-Aldrich Safety Data Sheet for L-Cysteine](https://pubchem.ncbi.nlm.nih.gov/compound/5862), Product Number: 168149, Version 4.5 (Revision Date 08/26/2015). Available from, as of May 18, 2016: <https://www.sigmaaldrich.com/safety-center.html>

[Hazardous Substances Data Bank \(HSDB\)](#)

Skin protection: Handle with gloves.

[Sigma-Aldrich Safety Data Sheet for L-Cysteine](https://pubchem.ncbi.nlm.nih.gov/compound/5862), Product Number: 168149, Version 4.5 (Revision Date 08/26/2015). Available from, as of May 18, 2016: <https://www.sigmaaldrich.com/safety-center.html>

[Hazardous Substances Data Bank \(HSDB\)](#)

Body Protection: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

[Sigma-Aldrich Safety Data Sheet for L-Cysteine](https://pubchem.ncbi.nlm.nih.gov/compound/5862), Product Number: 168149, Version 4.5 (Revision Date 08/26/2015). Available from, as of May 18, 2016: <https://www.sigmaaldrich.com/safety-center.html>

[Hazardous Substances Data Bank \(HSDB\)](#)

Respiratory protection: Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

[Sigma-Aldrich Safety Data Sheet for L-Cysteine](https://pubchem.ncbi.nlm.nih.gov/compound/5862), Product Number: 168149, Version 4.5 (Revision Date 08/26/2015). Available from, as of May 18, 2016: <https://www.sigmaaldrich.com/safety-center.html>

[Hazardous Substances Data Bank \(HSDB\)](#)

14.6 Stability and Reactivity



14.6.1 Hazardous Reactivities and Incompatibilities

Incompatible materials: Strong oxidizing agents.

[Sigma-Aldrich Safety Data Sheet for L-Cysteine](https://pubchem.ncbi.nlm.nih.gov/compound/5862), Product Number: 168149, Version 4.5 (Revision Date 08/26/2015). Available from, as of May 18, 2016: <https://www.sigmaaldrich.com/safety-center.html>

[Hazardous Substances Data Bank \(HSDB\)](#)

14.7 Regulatory Information



14.7.1 FIFRA Requirements

Residues of cysteine are exempted from the requirement of a tolerance when used in accordance with good agricultural practice as inert (or occasionally active) ingredients in pesticide formulations applied to growing crops only. Use: Synergist. Limit: Maximum of 0.5% of formulation.

[40 CFR 180.920 \(USEPA\); U.S. National Archives and Records Administration's Electronic Code of Federal Regulations](https://pubchem.ncbi.nlm.nih.gov/compound/5862). Available from, as of July 12, 2016: <https://www.ecfr.gov>

[Hazardous Substances Data Bank \(HSDB\)](#)

14.7.2 FDA Requirements



Cysteine used as a nutrient and/or dietary supplement in animal drugs, feeds, and related products is generally recognized as safe when used in accordance with good manufacturing or feeding practice.

[21 CFR 582.5271 \(USFDA\); U.S. National Archives and Records Administration's Electronic Code of Federal Regulations](https://pubchem.ncbi.nlm.nih.gov/compound/5862). Available from, as of July 12, 2016: <https://www.ecfr.gov>

[Hazardous Substances Data Bank \(HSDB\)](#)

Substance added directly to human food affirmed as generally recognized as safe (GRAS).

[21 CFR 184.1271 \(USFDA\); U.S. National Archives and Records Administration's Electronic Code of Federal Regulations](https://pubchem.ncbi.nlm.nih.gov/compound/5862). Available from, as of July 12, 2016: <https://www.ecfr.gov>

[Hazardous Substances Data Bank \(HSDB\)](#)

The food additive amino acids may be safely used as nutrients added to foods in accordance with the following conditions: (a) The food additive consists of one or more of the following individual amino acids in the free, hydrated, or anhydrous form, or as the hydrochloride, **sodium**, or potassium salts. L-Cysteine is included on this list.

[21 CFR 172.320 \(USFDA\); U.S. National Archives and Records Administration's Electronic Code of Federal Regulations](https://pubchem.ncbi.nlm.nih.gov/compound/5862). Available from, as of July 12, 2016: <https://www.ecfr.gov>

[Hazardous Substances Data Bank \(HSDB\)](#)

14.8 Other Safety Information



14.8.1 Toxic Combustion Products

Special hazards arising from the substance or mixture: Carbon oxides, nitrogen oxides (NOx), sulphur oxides

[Sigma-Aldrich Safety Data Sheet for L-Cysteine](https://pubchem.ncbi.nlm.nih.gov/compound/5862), Product Number: 168149, Version 4.5 (Revision Date 08/26/2015). Available from, as of May 18, 2016: <https://www.sigmaaldrich.com/safety-center.html>

[Hazardous Substances Data Bank \(HSDB\)](#)

15 Toxicity

15.1 Toxicological Information

15.1.1 Toxicity Summary

IDENTIFICATION AND USE: Cysteine forms white or colorless crystals. It is used in biochemical and nutrition research, as a reducing agent in bread doughs (up to 90 ppm). It is also used as flavor enhancer and medication, including veterinary medication. HUMAN EXPOSURE AND TOXICITY: Cysteine solution (3%) was not irritating for human eyes. ANIMAL STUDIES: A single ocular application of L-cysteine to rabbits at a dose of 0.1 g produced slight irritant effects, which were fully reversible within 48 hours. The single dermal application of L-cysteine to three rabbits at a dose of 0.5 g showed neither irritant nor corrosive effects. Decreased litter size observed in rats receiving high-dose cysteine, which was related to the degeneration and/or death of ovulated unfertilized oocytes and embryos with changes in the zona pellucida, which was already affected in the ovary. Pregnant mice and rats were treated s.c. with 1.2 mg per g on the last day of pregnancy and brain degeneration was observed one day later in the fetus. L-cysteine is considered to be non-mutagenic in the Hprt locus using V79 cells of the Chinese Hamster. L-cysteine did not induce structural chromosomal aberrations in the V79 Chinese hamster cell line. ECOTOXICITY STUDIES: The objective of the study was to determine the effects of cysteine on postthaw sperm motility, duration of sperm motility, DNA damage, and fertility in the common carp (*Cyprinus carpio*). Supplementation with cysteine increased the fertilization and hatching rate and decreased DNA damage.

Hazardous Substances Data Bank (HSDB)

15.1.2 Drug Induced Liver Injury	
Compound	L-cysteine
DILI Annotation	Ambiguous DILI-concern
Severity Grade	3
Label Section	Warnings and precautions
References	M Chen, V Vijay, Q Shi, Z Liu, H Fang, W Tong. FDA-Approved Drug Labeling for the Study of Drug-Induced Liver Injury. Drug Discovery Today. 16(15-16):697-703, 2011. PMID:21624500 DOI:10.1016/j.drudis.2011.05.007 M Chen, A Suzuki, S Thakkar, K Yu, C Hu, W Tong, Dillank: the largest reference drug list ranked by the risk for developing drug-induced liver injury in humans. Drug Discov Today 2016, 21(4): 648-653. PMID:26948801 DOI:10.1016/j.drudis.2016.02.015
15.1.3 Acute Effects	

15.1.4 Antidote and Emergency Treatment

SRP/ Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR if necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on the left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. /Poisons A and B/

Hazardous Substances Data Bank (HSDB)

SRP/ Basic treatment: Establish a patent airway (oropharyngeal or nasopharyngeal airway, if needed). Suction if necessary. Watch for signs of respiratory insufficiency and assist ventilations if needed. Administer **oxygen** by nonrebreather mask at 10 to 15 L/min. Monitor for pulmonary edema and treat if necessary. Monitor for shock and treat if necessary. Anticipate seizures and treat if necessary. For eye contamination, flush eyes immediately with **water**. Irrigate each eye continuously with 0.9% saline (NS) during transport. Do not use emetics. For ingestion, rinse mouth and administer 5 mL/kg up to 200 mL of **water** for dilution if the patient can swallow, has a strong gag reflex, and does not drool. Cover skin burns with dry sterile dressings after decontamination. /Poisons A and B/

Hazardous Substances Data Bank (HSDB)

SRP/ Advanced treatment: Consider orotracheal or nasotracheal intubation for airway control in the patient who is unconscious, has severe pulmonary edema, or is in severe respiratory distress. Positive-pressure ventilation techniques with a bag valve mask device may be beneficial. Consider drug therapy for pulmonary edema. Consider administering a beta agonist such as **albuterol** for severe bronchospasm. Monitor cardiac rhythm and treat arrhythmias as necessary. Start IV administration of D5W TKO/SRP. To keep open, minimal flow rate. Use 0.9% saline (NS) or lactated Ringers (LR) if signs of hypovolemia are present. For hypotension with signs of hypovolemia, administer fluid cautiously. Watch for signs of fluid overload. Treat seizures with **diazepam** or **lorazepam**. Use **propofol** to assist eye irrigation. /Poisons A and B/

Hazardous Substances Data Bank (HSDB)

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

15.1.5 Human Toxicity Excerpts



/HUMAN EXPOSURE STUDIES/ ... Applied as a 3% near-neutral soln to ... human eyes ... no adverse effect is reported.

Grant, W.M. *Toxicology of the Eye*. 3rd ed. Springfield, IL: Charles C. Thomas Publisher, 1986, p. 300

► [Hazardous Substances Data Bank \(HSDB\)](#)

/CASE REPORTS/ A 26-year-old female with history of unexplained, severe hepatitis presented with a second episode of severe hepatitis including coagulopathy and transaminase levels >10,000 U/L. The patient reported ingesting "only a couple" of [acetaminophen](#) tablets several days prior to her presentation. An [acetaminophen](#) concentration of 14 ug/mL at presentation aroused suspicion that [acetaminophen](#) might have caused the patient's liver failure, despite her adamant denial of overdose. ...

PMID:25896948

Full text: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4469719>

Frey SM et al; J Med Toxicol 11 (2): 218-22 (2015)

► [Hazardous Substances Data Bank \(HSDB\)](#)

15.1.6 Non-Human Toxicity Excerpts



/LABORATORY ANIMALS: Acute Exposure/ An eye irritation study according to OECD Guideline 405 was performed with L-Cysteine. 0.1 g of the pure test substance was administered into the conjunctival sac of the eye of three New Zealand White rabbits. The eyes were not rinsed after the application. After the application into the eyes of three female NZW rabbits the test item produced slight irritant but no corrosive ocular effects. Upon [fluorescein](#) examinations at the end of the observation period of 72 hours no corneal lesions were found in any animal. Conjunctival redness was observed in all animals, discharge in one animal. There were no significant body weight changes during the observation period. Under the conditions of the present study, a single ocular application of the test item L-Cysteine to rabbits at a dose of 0.1 g produced slight irritant effects, which were fully reversible within 48 hours. Neither mortalities nor significant clinical signs of toxicity were observed.

European Chemicals Agency (ECHA); Registered Substances, L-cysteine (CAS Number: 52-90-4) (EC Number: 200-158-2) (Last updated: May 17, 2016). Available from, as of May 24, 2016: <https://echa.europa.eu/>

► [Hazardous Substances Data Bank \(HSDB\)](#)

/LABORATORY ANIMALS: Acute Exposure/ ... The single dermal application of the test item L-Cysteine to three rabbits at a dose of 0.5 g showed neither irritant nor corrosive effects. Neither mortalities nor significant clinical signs of toxicity were observed. ...

European Chemicals Agency (ECHA); Registered Substances, L-cysteine (CAS Number: 52-90-4) (EC Number: 200-158-2) (Last updated: May 17, 2016). Available from, as of May 24, 2016: <https://echa.europa.eu/>

► [Hazardous Substances Data Bank \(HSDB\)](#)

/LABORATORY ANIMALS: Acute Exposure/ An acute dermal toxicity study was performed with L-Cysteine according to OECD Guideline 402. The substance was administered at a single dose, uniformly over an area which was approximately 10% of the total body surface. The test item was held in contact with the skin by a dressing throughout a 24-hour period. The dressing consisted of a gauze-dressing and non-irritating tape. Under the conditions of the present study, single dermal application of the test item L-Cysteine to rats at a dose of 2000 mg/kg body weight was associated with neither mortality nor signs of toxicity but signs of irritation. The dermal LD50 was determined to be > 2000 mg L-Cysteine/kg body weight. No clear signs of toxicity were observed.

European Chemicals Agency (ECHA); Registered Substances, L-cysteine (CAS Number: 52-90-4) (EC Number: 200-158-2) (Last updated: May 17, 2016). Available from, as of May 24, 2016: <https://echa.europa.eu/>

► [Hazardous Substances Data Bank \(HSDB\)](#)

/LABORATORY ANIMALS: Developmental or Reproductive Toxicity/ L-Cysteine (CySH) is widely distributed throughout the body. A decrease in litter size was observed in female rats that received high-dose CySH before mating. The oocytes were assessed morphologically to investigate the cause of this effect of CySH. Ten-week-old female SD rats received CySH intravenously at a dosage of 1000 mg/kg/day for more than 1 week before mating. Rats in the control group received no treatment. The ovaries were stained with PAS and examined by light microscopy (n = 6) and an antral follicle exhibiting the effects of CySH was examined by electron microscopy (n = 1). Unfertilized oocytes (n = 10) collected from the ampulla of the uterine tube after ovulation and embryos (n = 10 to 13) collected from the oviduct on gestational day 2 (GD 2) were examined by stereomicroscopy. In light microscopic examination of the ovary in the CySH group, the zona pellucida (ZP) of follicles in almost all stages was thinned or indistinct. In addition, outflow of the ZP between the corona radiata (CR) and disarrangement of the CR were occasionally observed in the developing antral follicles. Electron microscopic examination of the antral follicles in the CySH group confirmed these findings, but no lesions were observed except for those related to the ZP. Fewer unfertilized oocytes were collected from the ampulla of the uterine tube in the CySH group than in the control group. Interestingly, ZP-lacking or partially ZPlacking oocytes were observed in the CySH group. On GD 2, embryos with changes in the ZP as well as unfertilized oocytes were observed, and most of the embryos were degenerative. It is known that the ZP plays several important roles in early embryogenesis. The oocytes in which the ZP was affected by CySH treatment were abnormal or nonviable. In conclusion, the findings of this study suggest that the decreased litter size observed in rats receiving high-dose CySH was related to the degeneration and/or death of ovulated unfertilized oocytes and embryos with changes in the ZP, which was already affected in the ovary.

Harada M et al; Congenit Anom Kyoto 42 (3): 271-2 (2002)

► [Hazardous Substances Data Bank \(HSDB\)](#)

For more Non-Human Toxicity Excerpts (Complete) data for CYSTEINE (10 total), please visit the [HSDB record page](#).

► [Hazardous Substances Data Bank \(HSDB\)](#)

15.1.7 Non-Human Toxicity Values



LD50 Rat dermal >2000 mg/kg body weight

European Chemicals Agency (ECHA); Registered Substances, L-cysteine (CAS Number: 52-90-4) (EC Number: 200-158-2) (Last updated: May 17, 2016). Available from, as of May 24, 2016: <https://echa.europa.eu/>

► [Hazardous Substances Data Bank \(HSDB\)](#)

LD50 Rat oral 1890 mg/kg

Lewis, R.J. Sr. (ed) *Sax's Dangerous Properties of Industrial Materials*. 11th Edition. Wiley-Interscience, Wiley & Sons, Inc. Hoboken, NJ. 2004., p. 1059

► [Hazardous Substances Data Bank \(HSDB\)](#)

LD50 Rat ip 1620 mg/kg

Lewis, R.J. Sr. (ed) *Sax's Dangerous Properties of Industrial Materials*. 11th Edition. Wiley-Interscience, Wiley & Sons, Inc. Hoboken, NJ. 2004., p. 1059

► [Hazardous Substances Data Bank \(HSDB\)](#)

LD50 Rat sc 1550 mg/kg

Lewis, R.J. Sr. (ed) *Sax's Dangerous Properties of Industrial Materials*. 11th Edition. Wiley-Interscience, Wiley & Sons, Inc. Hoboken, NJ. 2004., p. 1059

► [Hazardous Substances Data Bank \(HSDB\)](#)

For more Non-Human Toxicity Values (Complete) data for CYSTEINE (7 total), please visit the [HSDB record page](#).

► Hazardous Substances Data Bank (HSDB)

15.1.8 Ecotoxicity Values

LD50: Species: Oncorhynchus mykiss (Rainbow trout) weight 30 g; Conditions: freshwater, 15 °C, ip injection; Concentration: 4.5 mmol/kg bw for 4 hr (95% confidence interval: 3.7-5.3 mmol/kg bw)

Yokoyama M, Sakaguchi M, Fish Sci 62 (4): 660-661 (1996)

► Hazardous Substances Data Bank (HSDB)

LD50: Species: Oncorhynchus mykiss (Rainbow trout) weight 30 g; Conditions: freshwater, 15 °C, ip injection; Concentration: 4.8 mmol/kg bw for 3 hr (95% confidence interval: 4.5-5.7 mmol/kg bw)

Yokoyama M, Sakaguchi M, Fish Sci 62 (4): 660-661 (1996)

► Hazardous Substances Data Bank (HSDB)

LD50: Species: Oncorhynchus mykiss (Rainbow trout) weight 30 g; Conditions: freshwater, 15 °C, ip injection; Concentration: 7.5 mmol/kg bw for 2 hr (95% confidence interval: 6.3-9.6 mmol/kg bw)

Yokoyama M, Sakaguchi M, Fish Sci 62 (4): 660-661 (1996)

► Hazardous Substances Data Bank (HSDB)

15.2 Ecological Information

15.2.1 Environmental Fate/Exposure Summary

Cysteine's production and use as a dough enhancer and in biochemical and nutritional research may result in its release to the environment through various waste streams. Cysteine is a non-essential

amino acid for humans and also occurs in many plants. If released to air, an estimated vapor pressure of 6.7X10⁻⁷ mm Hg at 25 °C indicates cysteine will exist in both the vapor and particulate phases in

the atmosphere. Vapor-phase cysteine will be degraded in the atmosphere by reaction with photochemically-produced hydroxyl radicals; the half-life for this reaction in air is estimated to be 1.5 hours.

Particulate-phase cysteine will be removed from the atmosphere by wet and dry deposition. Cysteine does not contain chromophores that absorb at wavelengths >290 nm and, therefore, is not expected

to be susceptible to direct photolysis by sunlight. If released to soil, cysteine is expected to have very high mobility based upon an estimated Koc of 3. The pKa values of cysteine are 1.71, 8.33 and 10.78,

indicating that this compound will exist as a zwitterion in the environment and zwitterions generally adsorb more strongly to soils containing organic **carbon** and clay than their neutral counterparts.

Volatilization from moist soil is not expected because the compound exists as an ion and ions do not volatilize. Cysteine is not expected to volatilize from dry soil surfaces based upon its vapor pressure.

Utilizing the Warburg test, 4.7% of the Theoretical BOD was reached in 24 hours indicating that biodegradation is not an important environmental fate process in soil and **water**. If released into **water**,

cysteine is not expected to adsorb to suspended solids and sediment based upon the estimated Koc. The pKa values indicate cysteine will exist almost entirely as a zwitterion at pH values of 5 to 9 and,

therefore, volatilization from **water** surfaces is not expected to be an important fate process. An estimated BCF of 3 suggests the potential for bioconcentration in aquatic organisms is low. Hydrolysis is

not expected to be an important environmental fate process since this compound lacks functional groups that hydrolyze under environmental conditions (pH 5 to 9). Occupational exposure to cysteine

may occur through inhalation and dermal contact with this compound at workplaces where cysteine is produced or used. Monitoring data indicate that the general population may be exposed to cysteine

via ingestion of food. (SRC)

► Hazardous Substances Data Bank (HSDB)

15.2.3 Artificial Pollution Sources

Cysteine's production and use as a dough enhancer(1) and in biochemical and nutritional research(2) may result in its release to the environment through various waste streams(SRC).

(1) O'Neill MJ, ed. *The Merck Index*. 15th ed. Cambridge, UK: Royal Society of Chemistry, p. 486 (2013) (2) Lorrain MD et al; *Hawley's Condensed Chemical Dictionary*. 16th ed. Hoboken, NJ: John Wiley & Sons, Inc. p. 408 (2016)

► Hazardous Substances Data Bank (HSDB)

15.2.4 Environmental Fate

TERRESTRIAL FATE: Based on a classification scheme(1), an estimated Koc value of 3(SRC), determined from a structure estimation method(2), indicates that cysteine is expected to have very high mobility

in soil(SRC). The pKa values of cysteine are 1.71, 8.33 and 10.78(3), indicating that this compound will exist as a zwitterion in the environment and zwitterions generally adsorb more strongly to soils

containing organic **carbon** and clay than their neutral counterparts(4). Volatilization from moist soil is not expected because the compound exists as an ion and ions do not volatilize. Cysteine is not

expected to volatilize from dry soil surfaces(SRC) based upon an estimated vapor pressure of 6.7X10⁻⁷ mm Hg at 25 °C(SRC), determined from a fragment constant method(2). Utilizing the Warburg test,

4.7% of the Theoretical BOD was reached in 24 hours(5) indicating that biodegradation is not an important environmental fate process in soil(SRC).

(1) Swann RL et al; *Res Rev* 85: 17-28 (1983) (2) US EPA. *Estimation Program Interface (EPI) Suite*. Ver. 4.1. Nov. 2012. Available from, as of Jul 13, 2016: <https://www2.epa.gov/tsca-screening-tools> (3) O'Neill MJ, ed. *The Merck Index*

15th ed. Cambridge, UK: Royal Society of Chemistry, p. 486 (2013) (4) Doucette WJ, pp. 141-188 in *Handbook of Property Estimation Methods for Chemicals*. Boettling RS, Mackay D, eds. Boca Raton, FL: Lewis Publ (2000) (5) Maloney

GW, *Gerhold RM*; *J Water Pollut Control Fed* 41: R18-R33 (1969)

bioconcentration in aquatic organisms is low(SRC). Utilizing the Warburg test, 4.7% of the Theoretical BOD was reached in 24 hours(6) indicating that biodegradation is not an important environmental

rate process in **water**(SRC).

(1) Swann RL et al; *Res Rev* 85: 17-28 (1983) (2) US EPA. *Estimation Program Interface (EPI) Suite*. Ver. 4.1. Nov. 2012. Available from, as of Jul 13, 2016: <https://www2.epa.gov/tsca-screening-tools> (3) O'Neill MJ, ed. *The Merck Index*

15th ed. Cambridge, UK: Royal Society of Chemistry, p. 486 (2013) (4) Frome C et al; *Chemosphere* 29: 1501-14 (1994) (5) Hensch C et al; *Exploring QSAR: Hydrophobic, Electronic, and Steric Constants*. ACS Prof Ref Book. Heller SR,

consult. ed. Washington, DC: Amer Chem Soc p. 6 (1995) (6) Maloney GW, *Gerhold RM*; *J Water Pollut Control Fed* 41: R18-R33 (1969)

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

► [Hazardous Substances Data Bank \(HSDB\)](#)

ATMOSPHERIC FATE: According to a model of gas/particle partitioning of semivolatile organic compounds in the atmosphere(1), cysteine, which has an estimated vapor pressure of 6.7X10⁻⁷ mm Hg at 25 °C(SRC), determined from a fragment constant method(2), will exist in both the vapor and particulate phases in the ambient atmosphere. Vapor-phase cysteine is degraded in the atmosphere by reaction with photochemically-produced hydroxyl radicals(SRC); the half-life for this reaction in air is estimated to be 1.6 hours(SRC), calculated from its rate constant of 8.0X10⁻¹¹ cu cm/molecule-sec at 25 °C(SRC) that was derived using a structure estimation method(3). Particulate-phase cysteine may be removed from the air by wet and dry deposition(SRC). Cysteine does not contain chromophores that absorb at wavelengths >290 nm(4) and, therefore, is not expected to be susceptible to direct photolysis by sunlight(SRC).

(1) Bidleman TF; *Environ Sci Technol* 22: 361-367 (1988) (2) US EPA; *Estimation Program Interface (EPI) Suite*. Ver. 4.1. Nov, 2012. Available from, as of Jul 13, 2016: <https://www2.epa.gov/tsca-screening-tools> (3) Meylan WM, Howard PH; *Chemosphere* 26: 2293-99 (1993) (4) Lyman WJ et al; *Handbook of Chemical Property Estimation Methods*. Washington, DC: Amer Chem Soc pp. 8-12 (1990)

► [Hazardous Substances Data Bank \(HSDB\)](#)

15.2.5 Environmental Biodegradation



AEROBIC: Cysteine, present at 500 mg/L, reached 1.5, 2.4 and 4.7% of its theoretical BOD in 6, 12, and 24 hours, respectively, using an activated sludge inoculum at 2500 mg/L in the Warburg test. It is one of the more resistant of the amino acids(1).

(1) Malaney GW, Gerhold RM; *J Water Pollut Control Fed* 41: R18-R33 (1969)

► [Hazardous Substances Data Bank \(HSDB\)](#)

PURE CULTURE: *Alcaligenes faecalis*, isolated from activated sludge, was able to oxidize 500 mg/L cysteine, exhibiting an O₂ uptake of 575 mg/L in 130 hours in the Warburg test at 20 °C(1).

(1) Marion CV, Malaney GW; *J Water Pollut Control Fed* 35: 1269-84 (1963)

► [Hazardous Substances Data Bank \(HSDB\)](#)

ANAEROBIC: An enrichment culture capable of degrading cysteine was isolated from sediment from a stream in Charleston, WV that received industrial wastewater effluent(1).

(1) Jessee JA et al; *Appl Environ Microbiol* 45: 97-102 (1983)

► [Hazardous Substances Data Bank \(HSDB\)](#)

15.2.6 Environmental Abiotic Degradation



The rate constant for the vapor-phase reaction of cysteine with photochemically-produced hydroxyl radicals has been estimated as 8.0X10⁻²² cu cm/molecule-sec at 25 °C(SRC) using a structure estimation method(1). This corresponds to an atmospheric half-life of about 1.6 hours at an atmospheric concentration of 5X10⁺⁵ hydroxyl radicals per cu cm(1). The rate constant for the estimated OH radical reaction of cysteine with hydroxyl radicals in aqueous solutions at pH 7 is 3.5X10⁻¹⁰ L/mol-sec(2); this corresponds to an aquatic half-life of 1 hour at an aquatic concentration of 1X10⁻¹⁷ hydroxyl radicals per liter(3). Cysteine is not expected to undergo hydrolysis in the environment due to the lack of functional groups that hydrolyze under environmental conditions(4). Cysteine does not contain chromophores that absorb at wavelengths >290 nm(4) and, therefore, is not expected to be susceptible to direct photolysis by sunlight(SRC).

(1) Meylan WM, Howard PH; *Chemosphere* 26: 2293-99 (1993) (2) Buxton GV et al; *J Phys Chem Ref Data* 17: 513-882 (1988) (3) Mill T et al; *Science* 207: 886-887 (1980) (4) Lyman WJ et al; *Handbook of Chemical Property Estimation Methods*. Washington, DC: Amer Chem Soc pp. 7-4, 7-5, 8-12 (1990)

► [Hazardous Substances Data Bank \(HSDB\)](#)

15.2.7 Environmental Bioconcentration



An estimated BCF of 3 was calculated in fish for cysteine(SRC), using a log Kow of -2.49(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

(1) Hansch C et al; *Exploring QSAR. Hydrophobic, Electronic, and Steric Constants*. ACS Prof Ref Book. Heller SR, consult. ed., Washington, DC: Amer Chem Soc p. 6 (1995) (2) US EPA; *Estimation Program Interface (EPI) Suite*. Ver. 4.1. Nov, 2012. Available from, as of Jul 13, 2016: <https://www2.epa.gov/tsca-screening-tools> (3) Franke C et al; *Chemosphere* 29: 1501-14 (1994)

► [Hazardous Substances Data Bank \(HSDB\)](#)

15.2.8 Soil Adsorption/Mobility



Using a structure estimation method based on molecular connectivity indices(1), the Koc of cysteine can be estimated to be 3(SRC). According to a classification scheme(2), this estimated Koc value suggests that cysteine is expected to have very high mobility in soil. The pKa values of cysteine are 1.71, 8.33 and 10.78(3) indicating that this compound will exist as a zwitterion in the environment and zwitterions generally adsorb more strongly to soils containing organic carbon and clay than their neutral counterparts(4).

(1) US EPA; *Estimation Program Interface (EPI) Suite*. Ver. 4.1. Nov, 2012. Available from, as of Jul 13, 2016: <https://www2.epa.gov/tsca-screening-tools> (2) Swann RL et al; *Res Rev* 85: 17-28 (1983) (3) O'Neil MJ, ed; *The Merck Index*. 15th ed., Cambridge, UK: Royal Society of Chemistry p. 486 (2013) (4) Doucette WJ; pp. 141-188 in *Handbook of Property Estimation Methods for Chemicals*. Boethling RS, Mackay D, eds. Boca Raton, FL: Lewis Publ (2000)

► [Hazardous Substances Data Bank \(HSDB\)](#)

15.2.9 Volatilization from Water/Soil



The pKa values of cysteine are 1.71, 8.33 and 10.78(1), indicating that this compound will exist as a zwitterion at pH values of 5 to 9; therefore, volatilization from water surfaces is not expected to be an important fate process. Cysteine is not expected to volatilize from dry soil surfaces(SRC) based upon an estimated vapor pressure of 6.7X10⁻⁷ mm Hg(SRC), determined from a fragment constant method(2).

(1) O'Neil MJ, ed; *The Merck Index*. 15th ed., Cambridge, UK: Royal Society of Chemistry p. 486 (2013) (2) US EPA; *Estimation Program Interface (EPI) Suite*. Ver. 4.1. Nov, 2012. Available from, as of Jul 13, 2016: <https://www2.epa.gov/tsca-screening-tools>

► [Hazardous Substances Data Bank \(HSDB\)](#)

15.2.10 Environmental Water Concentrations



SURFACE WATER: Cysteine was tested for but not detected in grab samples from the Huron River at the Ann Arbor, Michigan Water Treatment Plant intake, sampled in June 2004(1).

(1) Lee JH et al; *Environ Sci Technol* 40: 1478-1484 (2006)

► [Hazardous Substances Data Bank \(HSDB\)](#)

15.2.11 Effluent Concentrations



<https://pubchem.ncbi.nlm.nih.gov/compound/5862>

39/61

15.2.12 Food Survey Values

Cysteine was present at 5.0, 1.5 and 0.8 nmol/g in three consecutive horizon samples from an active landfill in a low permeability clay soil, located in Conlca-Montemarta, Sevilla, Spain; sampling was conducted following 3 years of use(1).

(1) Gonzalez-Vila FJ et al; Chemosphere 31: 2817-25 (1995)

 Hazardous Substances Data Bank (HSDB)

Juice	Concn (mg/L juice)
prune, with pulp	4
prune, no pulp	not determined
prune, concentrated extracts of dried	not determined
prune, frozen juice from fresh	76
prune, fresh French	27
plum	55
peach	53
cherry	90
nectarine	86
pear	38
apple	1
grape	23
kiwi fruit	46
strawberry	not detected

(1) van Gessel H et al; J Agric Food Chem 40: 784-789 (1992)

 Hazardous Substances Data Bank (HSDB)

15.2.13 Plant Concentrations

Cysteine has been reported in 30 plants(1).

Genus species	Family	Common name(s)	Part	Concn (ppm)
Helianthus annuus	Asteraceae	Girasol; Sunflower	Seed	16000.0
Glycine max	Fabaceae	Soybean	Seed	6430.0
Citrullus lanatus	Cucurbitaceae	Watermelon	Seed	5742.0
Opuntia ficusindica	Cactaceae	Nopal; Indian Fig; Prickly Pear; Nopalito	Seed	5740.0
Cucurbita foetidissima	Cucurbitaceae	Buffalo Gourd	Seed	3080.0
Phaseolus acutifolius	Fabaceae	Tepary Bean	Seed	2920.0
Senna obtusifolia	Fabaceae	Sicklepod	Seed	244.0
Triticum aestivum	Poaceae	Wheat	Seed	1449.0
Phoenix dactylifera	Arecaceae	Date Palm	Fruit	1140.0
Citrullus lanatus	Cucurbitaceae	Watermelon	Fruit	236.0

(1) US Dept Agric; US Dept Agric; Agric Res Service. 1992-2016. Dr. Duke's Phytochemical and Ethnobotanical Databases. Cysteine. Available from, as of Sept 28, 2016: <https://phytochem.nsl.usda.gov/phytochem/search>

 Hazardous Substances Data Bank (HSDB)

15.2.14 Probable Routes of Human Exposure

According to the 2012 TSCA Inventory Update Reporting data, 1 reporting facility estimated the number of persons reasonably likely to be exposed in the manufacturing, processing, or use of cysteine in the United States may be in the range of 25-49 workers per plant; the data may be greatly underestimated due to confidential business information (CBI) or unknown values(1).

(1) US EPA; Chemical Data Reporting (CDR). Non-confidential 2012 Chemical Data Reporting information on chemical production and use in the United States. Available from, as of July 13, 2016: <https://java.epa.gov/chemview>

 Hazardous Substances Data Bank (HSDB)

Occupational exposure to cysteine may occur through inhalation and dermal contact with this compound at workplaces where cysteine is produced or used. Monitoring data indicate that the general population may be exposed to cysteine via ingestion of food. (SRC)

 Hazardous Substances Data Bank (HSDB)

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

16 Associated Disorders and Diseases



► Comparative Toxicogenomics Database (CTD)

► Therapeutic Target Database (TTD)

Disease	References
AIDS	PubMed: 9071566, 1969014, 11153075, 8748311, 9657528, 1565552, 11418788, 1315794
Alzheimer's disease	PubMed: 17031479, 11959400, 8595727, 15361288, 9693263, 15465626, 15061359, 10494443, 11255442, 12498967, 16227558, 9720975, 12111441, 16244393, 8356878, 12391605, 8478958, 21292280, 20858978, 21474939, 20523031, 11314776, 1716470, 23857558
Uremia	PubMed: 11865086, 10509899, 9607216, 7482520, 6520173, 22626821, 21359215, 2026685, 9573551, 24023812, 15353324, 19309105, 8087979, 17132244, 12675874 Merck Manual of Diagnosis and Therapy. David F. Putnam Composition and Concentrative Properties of Human Urine. NASA Contractor Report. July 1971 Geigy Scientific Tables, 8th Rev edition, pp. 130. Edited by C. Lentner, West Cadwell, N.J.: Medical education Div., Ciba-Geigy Corp. Basel, Switzerland c1981-1992. Geigy Scientific Tables, 8th Rev edition, pp. 165-177. Edited by C. Lentner, West Cadwell, N.J.: Medical education Div., Ciba-Geigy Corp., Basel, Switzerland c1981-1992. National Health and Nutrition Examination Survey (NHANES Survey) 2013 Geigy Scientific Tables, 8th Rev edition, pp. 80-82. Edited by C. Lentner, West Cadwell, N.J.: Medical education Div., Ciba-Geigy Corp., Basel, Switzerland c1981-1992.
Sulfite oxidase deficiency, ISOLATED	PubMed: 10682307, 27289259, 23452914, 15558695 Clinical and Laboratory Barriers to the Timely Diagnosis of Sulphite Oxidase Deficiency. Proceedings of Singapore Healthcare, 19(2), 94-100.
Multiple sclerosis	PubMed: 17611627, 15061359, 15576852, 12938853, 7707089, 17384003, 10609336, 16244395, 11985629, 10577274, 20347721, 20541774, 20374079, 18562510, 16244396
Stroke	PubMed: 15993662, 17384003, 12967724, 17892481
Peripheral neuropathy	PubMed: 17384003, 17157116
Dementia	PubMed: 17384003, 9693263, 11739625, 10577274
Colorectal cancer	PubMed: 7482520, 19006102, 23940645, 24424155, 20156336, 19678709, 22148915, 25105552, 21773981, 25037050, 27015276, 27107423, 27275383, 28587349 Silke Matsysik, Caroline Ivanne Le Roy, Gerhard Liebisch, Sandrine Paule Claus. Metabolomics of fecal samples: A practical consideration. Trends in Food Science & Technology. Vol. 57, Part B, Nov. 2016, p.244-255: http://www.sciencedirect.com/science/article/pii/S0924224416301984
Autism	PubMed: 20423563, 7687150, 6150139, 15585776, 3410814, 12205654, 24130822
Eosinophilic esophagitis	Mordechai, Hien, and David S. Wishart
Cystinylglycinuria	PubMed: 10384375

► Human Metabolome Database (HMDB)

17 Literature

17.1 Coronavirus Studies



17.2 NLM Curated PubMed Citations



PubChem

17.3 Springer Nature References



PubChem

17.4 Thieme References



Springer Nature

https://pubchem.ncbi.nlm.nih.gov/compound/5862

17.5 Wiley References

Thieme Chemistry

17.6 Depositor Provided PubMed Citations

Wiley

17.7 Synthesis References

PubChem

17.8 Metabolite References

Human Metabolome Database (HMDB)

Kumagai, Hidehiko; Tanaka, Hideyuki; Sejima, Shunsuke; Yamada, Hideaki. Elimination and replacement reactions of b-chloro-L-alanine by cysteine desulphydrase from Aerobacter aerogenes. Agricultural and Biological Chemistry (1977), 41(10), 2071-5.

Alfred Maierhofer, Hans Wagner, "Process for the production of high purity 5-carboxymethyl-L-cysteine." U.S. Patent US4129593, issued May, 1965.

DrugBank

https://pubchem.ncbi.nlm.nih.gov/compound/5862

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

[▶ Human Metabolome Database \(HMDB\)](#)

17.9 General References



1. Bulaj G, Kortemme T, Goldenberg DP: Ionization-reactivity relationships for cysteine thiols in polypeptides. *Biochemistry*. 1998 Jun 23;37(25):8965-72. [PMID:9636038]
2. Baker DH, Czarnecki-Maulden GL: Pharmacologic role of cysteine in ameliorating or exacerbating mineral toxicities. *J Nutr*. 1987 Jun;117(6):1003-10. [PMID:3298579]

[▶ DrugBank](#)

Jenkins et al. A New Thiamin Salvage Pathway. *Nature Chemical Biology*, doi: 10.1038/NChemBio.2007.13, published online 8 July 2007. <http://www.nature.com/naturechemicalbiology>

[▶ Nature Chemical Biology](#)

Sawa et al. Protein S-guanylation by the biological signal 8-nitroguanosine 3',5'-cyclic monophosphate *Nature Chemical Biology*, doi: 10.1038/NChemBio.2007.33, published online 30 September 2007. <http://www.nature.com/naturechemicalbiology>

[▶ Nature Chemical Biology](#)

Wang et al. Phosphorothioation of DNA in bacteria by dnd genes *Nature Chemical Biology*, doi: 10.1038/NChemBio.2007.39, published online 14 October 2007. <http://www.nature.com/naturechemicalbiology>

[▶ Nature Chemical Biology](#)

Chatterjee et al. Reconstitution of ThiC in thiamine pyrimidine biosynthesis expands the radical SAM superfamily *Nature Chemical Biology*, doi: 10.1038/nchembio.121, published online 26 October 2008 <http://www.nature.com/naturechemicalbiology>

[▶ Nature Chemical Biology](#)

Matsuura et al. Identification of the toxic trigger in mushroom poisoning *Nature Chemical Biology*, doi: 10.1038/nchembio.179, published online 24 May 2009 <http://www.nature.com/naturechemicalbiology>

[▶ Nature Chemical Biology](#)

Geu-Flores et al. Glucosinolate engineering identifies a gamma-glutamyl peptidase *Nature Chemical Biology*, doi: 10.1038/nchembio.185, published online 31 May 2009 <http://www.nature.com/naturechemicalbiology>

[▶ Nature Chemical Biology](#)

Newton et al. Bacillithiol is an antioxidant thiol produced in Bacilli *Nature Chemical Biology*, doi: 10.1038/nchembio.189, published online 5 July 2009 <http://www.nature.com/naturechemicalbiology>

[▶ Nature Chemical Biology](#)

Yan et al. Extracellular redox modulation by regulatory T cells. *Nature Chemical Biology*, doi: 10.1038/nchembio.212, published online 30 August 2009 <http://www.nature.com/naturechemicalbiology>

[▶ Nature Chemical Biology](#)

Hein et al. A route to enantiopure RNA precursors from nearly racemic starting materials. *Nature Chemistry*, doi: 10.1038/nchem.1108, published online 7 August 2011 <http://www.nature.com/nchem>

[▶ Nature Chemistry](#)

17.10 Chemical Co-Occurrences in Literature

[▶ PubChem](#)

17.11 Chemical-Gene Co-Occurrences in Literature



11/7/22, 7:06 AM

Cysteine | C₃H₇NO₂S - PubChem

► PubChem

17.12 Chemical-Disease Co-Occurrences in Literature



► PubChem

11/7/22, 7:06 AM

Cysteine | C₃H₇NO₂S - PubChem

18 Patents



US10478453
US10493051
US10543186
US10583155
US10653719
US10702490
US10905714
US10905713
US10912795
US10918662
US10933089
US11045438

▶ DrugBank

18.1 Depositor-Supplied Patent Identifiers



▶ PubChem

[Link to all deposited patent identifiers](#)

▶ PubChem

18.2 WIPO PATENTSCOPE



Patents are available for this chemical structure:

<https://patentscope.wipo.int/search/en/result.jsf?inchikey=XUJNEKJLAYXESH-REOHCLBHSA-N>

▶ PATENTSCOPE (WIPO)

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

19 Interactions and Pathways



19.1 Protein Bound 3D Structures



► RSCB Protein Data Bank (RCSB PDB)

[View 107 proteins in NCBI Structure](#)

► PubChem

19.1.1 Ligands from Protein Bound 3D Structures



PDBe Ligand Code	CYS
PDBe Conformer	

► Protein Data Bank in Europe (PDBe)

19.2 Chemical-Target Interactions



► Comparative Toxicogenomics Database (CTD)

► Drug Gene Interaction database (DGIdb)

11/7/22, 7:06 AM

Cysteine | C₃H₇NO₂S - PubChem

► DrugBank

19.3 Pathways



► PubChem

20 Biological Test Results

20.1 BioAssay Results

PubChem

<https://pubchem.ncbi.nlm.nih.gov/compound/5862>

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

21 Taxonomy



L-Cysteine is a metabolite found in or produced by [Escherichia coli \(strain K12, MG1655\)](#).
▶ [E. coli Metabolome Database \(ECMDB\)](#)

WormJam Metabolites Local CSV for MetFrag | [DOI:10.5281/zenodo.3403364](#)
WormJam: A consensus C. elegans Metabolic Reconstruction and Metabolomics Community and Workshop Series, *Worm*, 6:2, e1373939, [DOI:10.1080/21624054.2017.1373939](#)
▶ [ECI Group, LCSB, University of Luxembourg](#)

Zebrafish Pathway Metabolite MetFrag Local CSV (Beta) | [DOI:10.5281/zenodo.3457553](#)
▶ [ECI Group, LCSB, University of Luxembourg](#)

22 Classification

22.1 MeSH Tree

22.2 NCI Thesaurus Tree

Medical Subject Headings (MeSH)

22.3 ChEBI Ontology

NCI Thesaurus (NCIt)

22.4 KEGG: Metabolite

ChEBI

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

▶ KEGG

22.5 KEGG: Drug



▶ KEGG

22.6 KEGG: JP15



▶ KEGG

22.7 KEGG: Risk Category of Japanese OTC Drugs



▶ KEGG

22.8 KEGG: OTC drugs



22.9 ChemIDplus

KEGG

22.10 ChEMBL Target Tree

ChemIDplus

22.11 UN GHS Classification

ChEMBL

UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

https://pubchem.ncbi.nlm.nih.gov/compound/5862

22.12 EPA CPDat Classification



22.13 NORMAN Suspect List Exchange Classification



► EPA Chemical and Products Database (CPDat)

22.14 CCSBase Classification



► NORMAN Suspect List Exchange

22.15 EPA DSSTox Classification



► CCSbase

22.16 Consumer Product Information Database Classification

EPA DSSTox

22.17 LOTUS Tree

Consumer Product Information Database (CPID)

22.18 FDA Drug Type and Pharmacologic Classification

LOTUS - the natural products occurrence database

22.19 EPA Substance Registry Services Tree

National Drug Code (NDC) Directory

11/7/22, 7:06 AM

Cysteine | C₃H₇NO₂S - PubChem

► [EPA Substance Registry Services](#)

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

23 Information Sources



FILTER BY SOURCE ALL SOURCES

1. CAS Common Chemistry

LICENSE

The data from CAS Common Chemistry is provided under a CC-BY-NC 4.0 license, unless otherwise stated.
<https://creativecommons.org/licenses/by-nc/4.0/>

L-(-)-Cysteine

https://commonchemistry.cas.org/detail?cas_rn=52-90-4

2. ChemIDplus

LICENSE

<https://www.nlm.nih.gov/copyright.html>

Cysteine [INN]

<https://chem.nlm.nih.gov/chemidplus/sid/0000052904>

ChemIDplus Chemical Information Classification

<https://chem.nlm.nih.gov/chemidplus/>

3. DrugBank

LICENSE

Creative Commons Attribution-NonCommercial 4.0 International License (<http://creativecommons.org/licenses/by-nc/4.0/legalcode>)
https://www.drugbank.ca/legal/terms_of_use

Cysteine

<https://www.drugbank.ca/drugs/DB00151>

4. EPA Chemicals under the TSCA

LICENSE

<https://www.epa.gov/privacy/privacy-act-laws-policies-and-resources>

L-Cysteine

<https://www.epa.gov/chemicals-under-tsca>

5. EPA DSSTox

LICENSE

<https://www.epa.gov/privacy/privacy-act-laws-policies-and-resources>

L-Cysteine

<https://comptox.epa.gov/dashboard/DTXSID8022876>

CompTox Chemicals Dashboard Chemical Lists

<https://comptox.epa.gov/dashboard/chemical-lists/>

6. European Chemicals Agency (ECHA)

LICENSE

Use of the information, documents and data from the ECHA website is subject to the terms and conditions of this Legal Notice, and subject to other binding limitations provided for under applicable law, the information, documents and data made available on the ECHA website may be reproduced, distributed and/or used, totally or in part, for non-commercial purposes provided that ECHA is acknowledged as the source: "Source: European Chemicals Agency, <http://echa.europa.eu/>". Such acknowledgement must be included in each copy of the material. ECHA permits and encourages organisations and individuals to create links to the ECHA website under the following cumulative conditions: Links can only be made to webpages that provide a link to the Legal Notice page.

<https://echa.europa.eu/web/guest/legal-notice>

L-cysteine

<https://echa.europa.eu/substance-information/-/substanceinfo/100.000.145>

L-cysteine

<https://echa.europa.eu/information-on-chemicals/cl-inventory-database/-/discli/details/7677>

7. FDA Global Substance Registration System (GSRS)

LICENSE

Unless otherwise noted, the contents of the FDA website (www.fda.gov), both text and graphics, are not copyrighted. They are in the public domain and may be republished, reprinted and otherwise used freely by anyone without the need to obtain permission from FDA. Credit to the U.S. Food and Drug Administration as the source is appreciated but not required.

<https://www.fda.gov/about-fda/about-website/website-policies#linking>

CYSTEINE

<https://gsrs.ncats.nih.gov/ginas/app/beta/substances/K848JZ4886>

8. Hazardous Substances Data Bank (HSDB)

CYSTEINE

<https://pubchem.ncbi.nlm.nih.gov/source/hsdb/2109>

9. Human Metabolome Database (HMDB)

LICENSE

HMDB is offered to the public as a freely available resource. Use and re-distribution of the data, in whole or in part, for commercial purposes requires explicit permission of the authors and explicit acknowledgment of the source material (HMDB) and the original publication (see the HMDB citing page). We ask that users who download significant portions of the database cite the HMDB paper in any resulting publications.

<http://www.hmdb.ca/citing>

L-Cysteine

<http://www.hmdb.ca/metabolites/HMDB0000574>

HMDB0000574_cms_30101

<https://hmdb.ca/metabolites/HMDB0000574#spectra>

10. CCSbase

L-Cysteine

CCSbase Classification

<https://ccsbase.net/>

11. NORMAN Suspect List Exchange

LICENSE

Data: CC-BY 4.0; Code (hosted by ECI, LCSB): Artistic-2.0

<https://creativecommons.org/licenses/by/4.0/><https://pubchem.ncbi.nlm.nih.gov/compound/5862>

57/61

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

L-Cysteine

NORMAN Suspect List Exchange Classification
<https://www.norman-network.com/nds/SLE/>

12. ChEBI

L-cysteine
<http://www.ebi.ac.uk/chebi/searchId.do?chebiId=CHEBI:17561>
ChEBI Ontology
<http://www.ebi.ac.uk/chebi/userManualForward.do#ChEBI%20Ontology>

13. E. coli Metabolome Database (ECMDB)

LICENSE
ECMDB is offered to the public as a freely available resource.
<https://ecmdb.ca/citations>
<https://ecmdb.ca/compounds/M2MDB000152>

14. NCI Thesaurus (NCIt)

LICENSE
Unless otherwise indicated, all text within NCI products is free of copyright and may be reused without our permission. Credit the National Cancer Institute as the source.
<https://www.cancer.gov/policies/copyright-reuse>
https://ncithesaurus.nci.nih.gov/ncitbrowser/ConceptReport.jsp?dictionary=NCI_Thesaurus&ns=ncit&code=C29609
NCI Thesaurus Tree
<https://ncit.nci.nih.gov>

15. West Coast Metabolomics Center-UC Davis

Cysteine

16. ClinicalTrials.gov

LICENSE
The ClinicalTrials.gov data carry an international copyright outside the United States and its Territories or Possessions. Some ClinicalTrials.gov data may be subject to the copyright of third parties; you should consult these entities for any additional terms of use.
<https://clinicaltrials.gov/ct2/about-site/terms-conditions#Use>
<https://clinicaltrials.gov/>

17. Comparative Toxicogenomics Database (CTD)

LICENSE
It is to be used only for research and educational purposes. Any reproduction or use for commercial purpose is prohibited without the prior express written permission of NC State University.
<http://ctdbase.org/about/legal.jsp>
<https://ctdbase.org/detail.go?type=chem&acc=D003545>

18. Drug Gene Interaction database (DGIdb)

LICENSE
The data used in DGIdb is all open access and where possible made available as raw data dumps in the downloads section.
<http://www.dgldb.org/downloads>
<https://www.dgldb.org/drugs/CYSTEINE>

19. Therapeutic Target Database (TTD)

L-cysteine
<http://idrblab.net/ttd/data/drug/details/D0L4VI>

20. Consumer Product Information Database (CPID)

LICENSE
Copyright (c) 2021 DeLima Associates. All rights reserved. Unless otherwise indicated, all materials from CPID are copyrighted by DeLima Associates. No part of these materials, either text or image may be used for any purpose other than for personal use. Therefore, reproduction, modification, storage in a retrieval system or retransmission, in any form or by any means, electronic, mechanical or otherwise, for reasons other than personal use, is strictly prohibited without prior written permission.
<https://www.whatsinproducts.com/contents/view/1/6>Cysteine
<https://www.whatsinproducts.com/chemicals/view/1/1692/004371-52-2>
Consumer Products Category Classification
<https://www.whatsinproducts.com/>

21. Drug Induced Liver Injury Rank (DILIrank) Dataset

LICENSE
Unless otherwise noted, the contents of the FDA website (www.fda.gov), both text and graphics, are not copyrighted. They are in the public domain and may be republished, reprinted and otherwise used freely by anyone without the need to obtain permission from FDA. Credit to the U.S. Food and Drug Administration as the source is appreciated but not required.
<https://www.fda.gov/about-fda/about-website/website-policies#linking>
l-cysteine
<https://www.fda.gov/science-research/liver-toxicity-knowledge-base-ltkb/drug-induced-liver-injury-rank-dilirank-dataset>

22. Nature Chemical Biology

<https://pubchem.ncbi.nlm.nih.gov/substance/24775649>
<https://pubchem.ncbi.nlm.nih.gov/substance/26683853>
<https://pubchem.ncbi.nlm.nih.gov/substance/26683899>
<https://pubchem.ncbi.nlm.nih.gov/substance/56269947>
<https://pubchem.ncbi.nlm.nih.gov/substance/57643975>
<https://pubchem.ncbi.nlm.nih.gov/substance/57655093>
<https://pubchem.ncbi.nlm.nih.gov/substance/81049156>
<https://pubchem.ncbi.nlm.nih.gov/substance/85147453>

23. Nature Chemistry

<https://pubchem.ncbi.nlm.nih.gov/substance/124384974>

24. Joint FAO/WHO Expert Committee on Food Additives (JECFA)

LICENSE
Permission from WHO is not required for the use of WHO materials issued under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Intergovernmental Organization (CC BY-NC-SA 3.0 IGO) licence.
<https://www.who.int/about/policies/publishing/copyright>L-Cysteine
<https://www.fao.org/food/food-safety-quality/scientific-advice/jecfa/jecfa-flav/details/en/c/1409/>
L-CYSTEINE
<https://apps.who.int/food-additives-contaminants-jecfa-database/Home/Chemical/4381><https://pubchem.ncbi.nlm.nih.gov/compound/5862>

58/61

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

25. [ECI Group, LCSB, University of Luxembourg](#)

LICENSE

Data: CC-BY 4.0; Code: Artistic-2.0
<https://creativecommons.org/licenses/by/4.0/>

26. [EPA Chemical and Products Database \(CPDat\)](#)

LICENSE

<https://www.epa.gov/privacy/privacy-act-laws-policies-and-resources>

<https://comptox.epa.gov/dashboard/DTXSID8022876#exposure>

EPA CPDat Classification

<https://www.epa.gov/chemical-research/chemical-and-products-database-cpd-at>

27. [Haz-Map, Information on Hazardous Chemicals and Occupational Diseases](#)

LICENSE

Copyright (c) 2022 Haz-Map(R). All rights reserved. Unless otherwise indicated, all materials from Haz-Map are copyrighted by Haz-Map(R). No part of these materials, either text or image may be used for any purpose other than for personal use. Therefore, reproduction, modification, storage in a retrieval system or retransmission, in any form or by any means, electronic, mechanical or otherwise, for reasons other than personal use, is strictly prohibited without prior written permission.

<https://haz-map.com/About>

Cysteine

<https://haz-map.com/Agents/13558>

28. [EU Food Improvement Agents](#)

L-Cysteine

<https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:32012R0872>

29. [EU Pesticides Database](#)

L-cysteine

https://ec.europa.eu/food/plant/pesticides/eu-pesticides-database/active-substances/?event=as.details&as_id=1291

30. [NITE-CMC](#)

L-Cysteine - FY2012

<https://www.nite.go.jp/chem/english/ghs/12-mhlw-0020e.html>

31. [FDA Center for Food Safety and Applied Nutrition \(CFSAN\)](#)

LICENSE

Unless otherwise noted, the contents of the FDA website (www.fda.gov), both text and graphics, are not copyrighted. They are in the public domain and may be republished, reprinted and otherwise used freely by anyone without the need to obtain permission from FDA. Credit to the U.S. Food and Drug Administration as the source is appreciated but not required.

<https://www.fda.gov/about-fda/about-website/website-policies#linking>

L-CYSTEINE

<https://www.cfsanappsexternal.fda.gov/scripts/fdcc/index.cfm?set=FoodSubstances&id=CYSTEINE>

32. [Flavor and Extract Manufacturers Association \(FEMA\)](#)

L-CYSTEINE

<https://www.femaflavor.org/flavor-library/l-cysteine>

33. [MassBank Europe](#)

LICENSE

<https://github.com/MassBank/MassBank-web/blob/main/MassBank-Project/LICENSE.txt>

XUJNEKJLAYXESH-REOHCLBHSA-N

<https://massbank.eu/MassBank/Result.jsp?inchikey=XUJNEKJLAYXESH-REOHCLBHSA-N>

34. [MassBank of North America \(MoNA\)](#)

LICENSE

The content of the MoNA database is licensed under CC BY 4.0.

<https://mona.fiehnlab.ucdavis.edu/documentation/license>

L-Cysteine

<https://mona.fiehnlab.ucdavis.edu/spectra/browse?query=compound.metaData%3Dq%3D%27name%3D%3D%22InChIKey%22%3D%22XUJNEKJLAYXESH-REOHCLBHSA-N%22%27>

35. [NMRShiftDB](#)

<https://pubchem.ncbi.nlm.nih.gov/substance/589754>

36. [NIST Mass Spectrometry Data Center](#)

LICENSE

<https://www.nist.gov/srd/public-law>

L-Cysteine

<http://www.nist.gov/srd/nist1a.cfm>

37. [SpectraBase](#)

L-CYSTEINE

<https://spectrabase.com/spectrum/6c4rofgmLNI>

L-Cysteine

<https://spectrabase.com/spectrum/ux8iHELNNE>

L-(+)-cysteine

<https://spectrabase.com/spectrum/9Po2PT620VJ>

L-Cysteine

<https://spectrabase.com/spectrum/1m4iLE1DEjG>

L-(+)-CYSTEINE

<https://spectrabase.com/spectrum/HmYcTtHVxPM>

L-CYSTEINE

<https://spectrabase.com/spectrum/6m6UcyWTNUL>

L-Cysteine

<https://spectrabase.com/spectrum/6sKJiCoUxKY>

L-Cysteine

<https://spectrabase.com/spectrum/9Qo6wFZ7mH>

L-Cysteine

<https://spectrabase.com/spectrum/DyZjKtAQ08e6>

L-Cysteine

<https://spectrabase.com/spectrum/JZMFaVh86un>

<https://pubchem.ncbi.nlm.nih.gov/compound/5862>

59/61

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

38. **MarkerDB**

LICENSE

This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.
<https://markerdb.ca/>

L-Cysteine

<https://markerdb.ca/chemicals/304>

39. **National Drug Code (NDC) Directory**

LICENSE

Unless otherwise noted, the contents of the FDA website (www.fda.gov), both text and graphics, are not copyrighted. They are in the public domain and may be republished, reprinted and otherwise used freely by anyone without the need to obtain permission from FDA. Credit to the U.S. Food and Drug Administration as the source is appreciated but not required.
<https://www.fda.gov/about-fda/about-website/website-policies#linking>

CYSTEINE

<https://www.fda.gov/drugs/drug-approvals-and-databases/national-drug-code-directory>

40. **NIPH Clinical Trials Search of Japan**

<https://rctportal.niph.go.jp/en/>

41. **NLM RxNorm Terminology**

LICENSE

The RxNorm Terminology is created by the National Library of Medicine (NLM) and is in the public domain and may be republished, reprinted and otherwise used freely by anyone without the need to obtain permission from NLM. Credit to the U.S. National Library of Medicine as the source is appreciated but not required. The full RxNorm dataset requires a free license.
<https://www.nlm.nih.gov/research/umls/rxnorm/docs/termsofservice.html>

<https://rxnav.nlm.nih.gov/id/rxnorm/3024>

42. **Protein Data Bank in Europe (PDBe)**

<http://www.ebi.ac.uk/pdbe-srv/pdbechem/chemicalCompound/show/CYS>

43. **PubChem**

<https://pubchem.ncbi.nlm.nih.gov>

44. **RCSB Protein Data Bank (RCSB PDB)**

LICENSE

Data files contained in the PDB archive (<ftp://ftp.wwpdb.org>) are free of all copyright restrictions and made fully and freely available for both non-commercial and commercial use. Users of the data should attribute the original authors of that structural data.

<https://www.rcsb.org/pages/policies>

<https://www.rcsb.org/>

45. **Springer Nature**

<https://pubchem.ncbi.nlm.nih.gov/substance/?source=15745&sourceid=7041996-812759424>

<https://pubchem.ncbi.nlm.nih.gov/substance/?source=15745&sourceid=7041996-812742514>

46. **The Cambridge Structural Database**

<https://www.ccdc.cam.ac.uk/structures/Search?Ccdcid=126977>

<https://www.ccdc.cam.ac.uk/structures/Search?Ccdcid=282711>

<https://www.ccdc.cam.ac.uk/structures/Search?Ccdcid=605633>

<https://www.ccdc.cam.ac.uk/structures/Search?Ccdcid=605634>

<https://www.ccdc.cam.ac.uk/structures/Search?Ccdcid=605635>

<https://www.ccdc.cam.ac.uk/structures/Search?Ccdcid=605636>

<https://www.ccdc.cam.ac.uk/structures/Search?Ccdcid=605637>

<https://www.ccdc.cam.ac.uk/structures/Search?Ccdcid=683370>

<https://www.ccdc.cam.ac.uk/structures/Search?Ccdcid=683371>

<https://www.ccdc.cam.ac.uk/structures/Search?Ccdcid=683372>

<https://www.ccdc.cam.ac.uk/structures/Search?Ccdcid=683373>

<https://www.ccdc.cam.ac.uk/structures/Search?Ccdcid=683374>

<https://www.ccdc.cam.ac.uk/structures/Search?Ccdcid=683375>

<https://www.ccdc.cam.ac.uk/structures/Search?Ccdcid=683376>

<https://www.ccdc.cam.ac.uk/structures/Search?Ccdcid=683377>

<https://www.ccdc.cam.ac.uk/structures/Search?Ccdcid=683378>

47. **Thieme Chemistry**

LICENSE

The Thieme Chemistry contribution within PubChem is provided under a CC-BY-NC-ND 4.0 license, unless otherwise stated.
<https://creativecommons.org/licenses/by-nc-nd/4.0/>

<https://pubchem.ncbi.nlm.nih.gov/substance/?source=22163&sourceid=7041996-812742514>

<https://pubchem.ncbi.nlm.nih.gov/substance/?source=22163&sourceid=7041996-812759424>

48. **Wikidata**

LICENSE

CCZero

<https://creativecommons.org/publicdomain/zero/1.0/>

Cysteine

<https://www.wikidata.org/wiki/Q186474>

49. **Wikipedia**

cysteine

<https://en.wikipedia.org/wiki/Cysteine>

50. **Wiley**

<https://pubchem.ncbi.nlm.nih.gov/substance/?source=wiley&sourceid=115572>

51. **Medical Subject Headings (MeSH)**

LICENSE

Works produced by the U.S. government are not subject to copyright protection in the United States. Any such works found on National Library of Medicine (NLM) Web sites may be freely used or reproduced without permission in the U.S.
<https://www.nlm.nih.gov/copyright.html>

Cysteine

<https://www.ncbi.nlm.nih.gov/mesh/68003545>

MeSH Tree

<http://www.nlm.nih.gov/mesh/meshhome.html>

<https://pubchem.ncbi.nlm.nih.gov/compound/5862>

60/61

11/7/22, 7:06 AM

Cysteine | C3H7NO2S - PubChem

52. **KEGG**
- LICENSE
Academic users may freely use the KEGG website. Non-academic use of KEGG generally requires a commercial license
<https://www.kegg.jp/kegg/legal.html>
- Compounds with biological roles
http://www.genome.jp/kegg-bin/get_htext?br08001.keg
- Therapeutic category of drugs in Japan
http://www.genome.jp/kegg-bin/get_htext?br08301.keg
- Drugs listed in the Japanese Pharmacopoeia
http://www.genome.jp/kegg-bin/get_htext?br08311.keg
- Risk category of Japanese OTC drugs
http://www.genome.jp/kegg-bin/get_htext?br08312.keg
- Classification of Japanese OTC drugs
http://www.genome.jp/kegg-bin/get_htext?br08313.keg
53. **UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS)**
- GHS Classification Tree
http://www.unece.org/trans/danger/publi/ghs/ghs_welcome_e.html
54. **ChEMBL**
- LICENSE
Access to the web interface of ChEMBL is made under the EBI's Terms of Use (<http://www.ebi.ac.uk/Information/termsofuse.html>). The ChEMBL data is made available on a Creative Commons Attribution-Share Alike 3.0 Unported License (<http://creativecommons.org/licenses/by-sa/3.0/>).
<http://www.ebi.ac.uk/Information/termsofuse.html>
- ChEMBL Protein Target Tree
<https://www.ebi.ac.uk/chembl/g/#browse/targets>
55. **LOTUS - the natural products occurrence database**
- LICENSE
The code for LOTUS is released under the GNU General Public License v3.0.
<https://lotus.nprod.net/>
- LOTUS Tree
<https://lotus.naturalproducts.net/>
56. **EPA Substance Registry Services**
- LICENSE
<https://www.epa.gov/privacy/privacy-act-laws-policies-and-resources>
- EPA SRS List Classification
https://sor.epa.gov/sor_internet/registry/substreg/LandingPage.do
57. **PATENTSCOPE (WIPO)**
- SID 403034401
<https://pubchem.ncbi.nlm.nih.gov/substance/403034401>
58. **NCBI**
- <https://www.ncbi.nlm.nih.gov/projects/linkout>