



US006918834B2

(12) **United States Patent**
Vancura

(10) **Patent No.:** **US 6,918,834 B2**
(45) **Date of Patent:** ***Jul. 19, 2005**

(54) **CASINO GAME WITH HIDDEN BONUS
FEATURE**

(75) Inventor: **Olaf Vancura**, Las Vegas, NV (US)

(73) Assignee: **Mikohn Gaming Corporation**, Las Vegas, NV (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 290 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **10/099,742**

(22) Filed: **Mar. 14, 2002**

(65) **Prior Publication Data**

US 2003/0176217 A1 Sep. 18, 2003

(51) **Int. Cl.⁷** **A63F 13/00**

(52) **U.S. Cl.** **463/25; 463/16**

(58) **Field of Search** 463/1, 9-13, 16-20,
463/25-27, 30-31, 35, 37, 42; 273/138.1,
143 R, 139, 429-432, 459-461

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,921,864 A * 7/1999 Walker et al. 463/9
6,113,098 A * 9/2000 Adams 273/143 R
6,251,013 B1 * 6/2001 Bennett 463/13
6,270,411 B1 * 8/2001 Gura et al. 463/20
6,315,666 B1 * 11/2001 Mastera et al. 463/31

6,364,766 B1 * 4/2002 Anderson et al. 463/16
6,413,160 B1 * 7/2002 Vancura 463/16
6,676,512 B2 * 1/2004 Fong et al. 463/20
2002/0147042 A1 * 10/2002 Vuong et al. 463/40
2003/0100362 A1 * 5/2003 Horniak et al. 463/25
2003/0176210 A1 * 9/2003 Vancura 463/16

FOREIGN PATENT DOCUMENTS

GB 2262642 A * 6/1993 G07F/17/34

OTHER PUBLICATIONS

Bueschel, Richard M., Lemons, Cherries & Bell Fruit Gum, 1995, pp 99-100, 1st Ed., Royal Bell Books.

U.S. Appl. No. 09/372,560, filed Aug. 11, 1999, Vancura.

U.S. Appl. No. 60/099,959, filed Sep. 11, 1998, Vancura.

* cited by examiner

Primary Examiner—Scott E. Jones

(74) *Attorney, Agent, or Firm*—Dorr, Carson, Sloan, Birney & Kramer, P.C.

(57) **ABSTRACT**

During play of a casino game a hidden bonus feature unknown to the player occurs, although the existence of the hidden bonus feature may be known. The occurrence of the hidden bonus feature may be at a random statistical frequency or other event. When the player inputs a correct response to the hidden bonus feature, the player receives an additional award. If a correct response is not received or if the hidden bonus feature is ignored, the player does not receive any further award. The hidden bonus feature does not affect the outcome of the play of the casino game.

22 Claims, 7 Drawing Sheets







Fig. 1

Fig. 2

**Fig. 3**






Fig. 4

**Fig. 5****Fig. 6**





Fig. 7

**Fig. 8**

CASINO GAME WITH HIDDEN BONUS FEATURE

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates to casino games and, more particularly, to casino games having bonusing features.

2. Background

Casino bonusing games are increasingly popular when placed in operation with underlying casino gaming machines such as, for example, slot machines. Such bonusing games not only attract players but provide additional gaming excitement. In the play of such casino bonusing games, instructions on how to play the bonus game are usually placed on the face of the machine or can be read by a player in a display through suitable "help" input signals such as on a touch screen, a separate button, etc. The same is true of the underlying casino game wherein a player has the ability to obtain instructions for the play of the game. By following the instructions, the player is informed of the play characteristics of both the underlying casino gaming machine and/or the casino bonus game.

UK Patent Application GB2262642A describes a fruit machine with a "special status mode" in which an indicator alerts the player to a "secret" feature. In this mode, a non-explanatory indicating sign, e.g. a light, appears on the display screen, and usually the display screen gives no instructions as to how to obtain an award. A special sequence of inputs, e.g. button pushes, is required to obtain an award. The '642A reference describes a "secret" feature whose presence is not really secret because it is known to the player (i.e., by use of the indicator). But what is secret is how the player should properly respond when the indicator is illuminated (i.e., pushing a special sequence of multiple button pushes). Hence, the proper time at which to enter the button sequence is not kept secret, but the secret lies in "cracking the code" of what to do to achieve the award. Stated another way, the '642A reference informs a player by an illuminated indicator that a bonus opportunity exists, but the player must figure out by guessing what to do. While interesting to players, this approach has the disadvantage of frustrating players who know they ought to do something, but then repeatedly err while trying to crack the code. In conjunction with the British adaptive logic approach (in which odds/payouts for subsequent game trials are adaptively dependent on previous results), this approach has the undesirable side effect of potentially frustrating poor players (who by virtue of not knowing what to do, will see the "secret feature" more often, enhancing and reinforcing feelings of failure) while also potentially frustrating the good players (who by virtue of winning more with the "secret feature," are apt to see the feature less often, leading to aggravation while waiting to see the feature again).

A need therefore exists to provide enhancements to hidden bonus features in an underlying casino gaming machine and/or even in a casino bonus game to further award the player in a surprise fashion without providing any instruction on how to play the hidden bonus feature on the face of the machine or in any help instructions for play of either casino game. A further need exists for gaming machines that are operated under strict U.S. guidelines in which the selection of game trial outcomes are independent events, and not adaptive in nature.

A need also exists for hidden bonus features to be provided without any separate indicators alerting the player to

their presence. A need exists for hidden bonus features to be secret but once discovered, simple enough so that a player need not memorize complex inputs to be awarded a prize. By combining and fulfilling these needs, different kinds of players may be accommodated and provided a rewarding experience. In particular, poor players, by virtue of not recognizing the hidden bonus feature, are not therefore frustrated at "not knowing what to do," while good players, as they succeed in finding and obtaining the hidden awards, are not penalized by decreased frequencies of winning, etc.

A need exists to make the value of the hidden bonus feature a function of the time taken to react to it. A need exists to make the hidden bonus feature awards random as a means of keeping player suspense even once the hidden bonus feature is identified.

SUMMARY OF THE INVENTION

The present invention solves the aforesaid problem by providing a hidden bonus feature in a casino game such as an underlying gaming machine or an underlying game having a casino bonus game without providing any external or separate indicator and without providing information concerning how to play and/or respond to the hidden bonus feature on the face of the casino game or in association with the instructions for the play of the casino game.

A method is set forth for further awarding a player of a casino game. The player normally plays a casino game. During play of the casino game, a hidden bonus feature occurs such as through a display. The hidden bonus feature may occur at a random statistical frequency or other event, so that the hidden bonus feature suddenly occurs. While the existence of the hidden bonus feature may be made known to the player, there is no indicator and no instructions or information concerning how to respond to this hidden bonus feature on the face of the casino game or in any play instructions for the casino game. Upon display or occurrence of the hidden bonus feature, the player must then provide a correct response and when a correct response is received, the player receives an additional award. If a correct response is not received, the player does not receive any further award.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 sets forth the hardware configuration of a casino game incorporating the hidden bonus feature of the present invention.

FIG. 2 sets forth the hardware configuration of an underlying casino gaming machine having a casino bonus game incorporating the hidden bonus feature of the present invention.

FIG. 3 sets forth one embodiment for the method of the present invention showing the various method steps for implementing the hidden bonus feature of the present invention into a casino game.

FIG. 4 is an illustration of a hidden bonus features of the present invention.

FIG. 5 is the implementation of the hidden bonus feature of the present invention into a wide area progressive.

FIG. 6 is the implementation of the hidden bonus feature of the present invention into an Internet gaming environment.

FIG. 7 sets forth a number of programs in memory for implementing various hidden bonus features of the present invention.

FIG. 8 sets forth the method of the present invention.

DETAILED DESCRIPTION OF THE INVENTION

1. Overview. In FIG. 1 is shown an embodiment of a gaming machine 10 such as a standard slot machine modified to

incorporate the present invention. The hidden bonus feature of the present invention can be used in many different types of casino games. The slot machine **10**, itself, is conventional and may comprise a number of different designs. The block diagram hardware components of such a slot machine **10** as shown in FIG. **1** are illustrative only and include a microprocessor, computer or controller **20** interconnected **26** to a device **30** for receiving bets or wagers from players. The device **30** can be of any suitable design or construction and can be, for example, but not limited to, a bill reader, coin acceptor, credit device, credit card reader, ticket reader, smart card reader, debit card reader, or any combination thereof. How a wager is received in device **30** is immaterial to the teachings of the present invention. The microprocessor **20** is also connected to an award feature **40** which can be, for example, but not limited to, a display showing current available player credits and the associated separate devices for delivering payouts to the player such as: a coin or ticket dispenser, a device for delivering payout information to a smart card; etc. The payout or award may be made to the player in a variety of ways. Furthermore, the award can be any type of an award, such as but not limited to: a monetary value, a free game play, a comp, a physical item such as a car, etc.

The microprocessor **20** is usually connected **28** to a random number generator (RNG) **50** which may be a separate hardware component or a software module within memory **60**. The microprocessor **20** is interconnected **24** to memory **60** and interconnected **72** to display **70** showing slot reels **94a**, **94b** and **94c**. Slot machine **10** is shown in functional block diagrams and conventional devices, ports, busses, buffers, etc. are not shown.

In FIG. **1**, symbols **92** are shown which are also conventional in play of conventional slot machines. Three reels **94a**, **94b**, and **94c** are illustrated in display **70** showing symbols **92a**, **92b**, and **92c**. Any number of reels **94** could be utilized and any number of symbols **92** can also be utilized. While one pay line **90** is shown, it is to be expressly understood that conventional slot machines have a plurality of pay lines and such pay lines do not need to be linear but could zigzag over the face of the reels **94**. The hidden bonus feature of the present invention is independent of the type of casino gaming machine **10** and can be implemented in any suitable casino game such as: video poker, keno, etc.

In FIG. **1**, the microprocessor **20** is further interconnected **22** over a two-way bus to display processor **120**. Display processor **120** is interconnected over two-way communication channel **124** with a display **110** and is also interconnected over a memory bus **122** with a display memory **130**. The display **110**, display processor **120**, and the display memory **130** can contain game enhancing video, graphics, etc. with the hidden bonus feature **200** occurring.

It is to be expressly understood that in some designs for the hardware of the present invention, microprocessor **120** can drive over **22** the display **110** without using a separate display processor **20** and display memory **130**. For example, in a video poker gaming machine **10**, the display **70** could display play of the underlying gaming machine **100a** with the occurrence of a hidden bonus in the same display **70** under control of the microprocessor **20**. The method of the present invention as set forth in the following works with a casino game using a single display such as only display **70** in FIG. **1** for play of the underlying gaming machine with the hidden bonus feature **200**.

In FIG. **1** when the hidden bonus feature **200** occurs (whether in a separate video display **110** or in display **70**),

the player, as will be explained later, inputs a signal (usually by touching the display screen) to obtain an additional bonus award. FIG. **1** is the embodiment of the present invention for a gaming machine in which the hidden bonus feature occurs in either the play of the underlying game or in a separate display used for other purposes.

In FIG. **2**, the conventional underlying gaming machine **100a** such as a slot machine has a separate bonus game **100b** conventionally triggered by a bonus condition such as the bonus symbol **80** on pay line **90**. The provision of a bonus symbol **80** on the pay line **90** is also conventional and it is well known that underlying gaming machines **100a** such as slot machines can have a bonus condition(s) randomly occur which results in a player having the opportunity to play the bonus game **100b**. In FIG. **2**, the microprocessor **20** over line **22** delivers the bonus condition to the casino bonus game **100b**. When the bonus condition occurs, which may be any suitable bonus condition, the player's attention is directed to the display **110** of the casino bonus game **100b**.

The bonus condition can be any suitable bonus condition and is not limited to a bonus symbol **80** appearing on the pay line **90**. Whatever causes a bonus condition to occur in the play of the underlying game **100a** causes play of the casino bonus game **100b** (either in a separate display **110** as shown in FIG. **2** or in the same display **70** as the underlying game **100a**). As the player plays the bonus game **140** in display **110**, the hidden bonus feature of the present invention may occur. It is an advantage that any type of casino bonus game **100b** including random-play games, strategic-based casino bonus games, knowledge-based bonus games or skill-based bonus games could all be utilized with the hidden bonus feature **200** of the present invention.

The hidden bonus feature **200** of the present invention is shown in FIGS. **1** and **2**. What the hidden bonus feature **200** is and how to respond to it is unknown to the player as it does not appear on the face of the gaming machine **10** in FIG. **1** or in its player instructions nor on the faces of the underlying gaming machine **100a** and the casino bonus game **100b** in FIG. **2** or their play instructions. Rather, the hidden bonus feature **200** of the present invention occurs, randomly in one embodiment, without warning to the player and further awards and creates excitement for the player when a correct response is received from the player.

The term "casino game" is defined herein to include any gaming machine **10**, underlying gaming machine **100a** having a bonus game **100b** implemented with a computer-based control **20** such as illustrated with a microprocessor in FIGS. **1** and **2**, or any type of bonus game **100b**. The hidden bonus feature **200** can be implemented in a gaming machine **10**, in a bonus game, in both the underlying gaming machine and the bonus game, in only the underlying gaming machine (and not the bonus game), in only the bonus game (and not the underlying gaming machine), etc. As will be pointed out later, the casino game can be part of a wide area progressive or played over the Internet or other online environment. Such casino games are regulated in various jurisdictions by suitable regulations ensuring fairness to both players and casinos.

2. Method. The method for implementing the hidden bonus feature **200** of the present invention is shown in FIG. **3** and can be implemented in suitable software in the gaming machine **10** of FIG. **1**, in the underlying gaming machine **100a** and casino bonus game **100b** of FIG. **2** or in casino games having a single video display for both the underlying game and the bonus game.

The hidden bonus feature **200** starts **300**, in one embodiment, at the same point in time or at different times

in the casino game, but whether it occurs can also be determined at a random statistical frequency based on the input from the random number generator **50** as shown in FIG. **3**. The occurrence of the hidden bonus feature can be, in another embodiment, based on an event **302**. For example, such an event **302** may occur when the player wins 100 credits or more in the underlying casino game. Or, the event **302** may occur when a game symbol **92** or combination of symbols **92** appear in play of the casino game. The occurrence of the hidden bonus feature **200** is vigorous and is not limited to the above embodiments. Any event **302** that invokes the occurrence of the hidden bonus feature **200** can be used. As additional examples, but not meant to limit the invention, the event **302** can be triggered on a given or randomly selected number of coin-ins to the underlying game; on a given or randomly selected number of bonus game **140** plays; on a given or randomly selected number of credits won in the underlying game (whether or not it is the same player); on the occurrence of a given timed period, given time of the day, or randomly selected time period or time of day; etc.

In one embodiment, nothing is displayed at all to the player when the hidden bonus feature **200** occurs. In this embodiment, the hidden bonus feature **200** may be a function of the outcome of the casino game (i.e., game outcome). In an example of a slot casino game, the hidden bonus feature **200** occurs with a predetermined combination (or alignment) of a game symbol **92** or game symbols **92** as an event **302**, such as, by way of an example, four watermelons (not shown). In which case, the award for the hidden bonus feature **200** is obtained by the player touching the fourth watermelon to receive 2x the standard payout. The response **310** from the player is the touching **370** of the fourth watermelon on the touch screen display **70**. If the player touches **370** any other watermelon or symbol **92** nothing happens as these are incorrect responses. Likewise, if the player wagers and spins the reels **94** again, this is an incorrect response **310** for the hidden bonus feature **200**. What the hidden bonus feature **200** is and/or how to respond is not known to the player. In the above watermelon example, the player does not know from any instructions for play of the casino game that the hidden bonus feature **200** is "four watermelons" or that the player must touch **370** the "fourth watermelon" to receive the 2x (or whatever the desired bonus is). In one variation, the player responding **310** in an incorrect manner (e.g., by touching the second watermelon) negates the feature. In another variation, an incorrect response **310** on the part of the player does not negate the feature, which remains eligible to be "discovered" and is only negated when the reels **94** are again spun to initiate the next play on the machine (e.g., causing any pre-determined time period timer to immediately time out) or when a pre-determined time period times out. This is shown by dotted lines **372** in FIG. **3**. The time it takes for a player to input **370** after the hidden bonus feature **200** occurs, in a variation, results in a higher payoff to the player in step **330**. In this variation, the method would start a timer and measure the amount of time for the correct response **310** to be input **370**. The method, either in a look-up table or a software determination, would then provide a higher award **330** for a faster input **370** resulting in a correct response **310**.

In another variation, when the four watermelons line up, the hidden bonus feature **200** may be to touch the fifth symbol on that line or to touch any non-melon, etc. The hidden bonus feature **200** then becomes touching this other symbol which may turn into a melon, etc. Or, it may be to touch any non-melon symbol whose position becomes wild,

etc. It is to be understood that many variations and other embodiments can be utilized and the examples presented herein do not limit the scope of the present invention. The watermelon example is but one of many. Additional examples of events **302** based on game outcomes are: a card combination in a casino card game (e.g., three aces), a number combination in a video keno casino game (e.g. appearance of "7, 17, 27"), etc. Again, the player input **370** is also vigorous. In the case of three aces, touching any ace, the first ace, the last ace, or simply the screen **70** can be selected as correct responses **310** under the teachings of the present invention.

In another variation, the hidden bonus feature **200** can occur when an event **302** is combination of game symbols **92** that happens during play of a casino game such as, for example, when a card combination is initially dealt to a player such as in a video poker game. Here, for example, the hidden bonus feature **200** occurs when the combination initially dealt to the player has two red queens (i.e., the event **302**). The correct response **310** from the player is to touch **370** either red queen. The predetermined game symbols as events **302** in a casino game can be one, two, or any suitable number. For example, in a Wild Deuces video poker casino game, the hidden bonus feature **200** can be a single jack which can appear as the event **302** in the initial hand or any subsequent cards dealt. The player's correct response **310** would be to slap the jack, by touching **370** the card, to receive an award **330**. The event **302** based on a symbol or combination of game symbols can occur "during play," that is, at any time from the start to the end of the casino game. the slot reel reels **94** to start turning, while the reels **94** are spinning, or after the reels **94** stop. In the case of the casino bonus game **100b** of FIG. **2**, the hidden bonus feature **200** can also be activated at the start, during, or at the end of the casino bonus game **100b**. The occurrence of the hidden bonus feature **200** does not interfere with the normal play of the casino game. In other words, after display of the hidden bonus feature **200**, play resumes **340** by returning to the underlying computer software for continued play of the casino game. In one embodiment, the interruption of the play of the casino game to activate the hidden bonus feature **200** and returning to resume play of the casino game occurs in a fashion so as not to interfere with the outcome of the casino game. When one or a combination of gaming symbols **92** appears **302** to activate the hidden bonus feature **200**, if the player does not respond with an input **370** when the hidden bonus feature **200** occurs, play continues **340** conventionally. The player's input **370** and correct response **310**, however, cause the bonus award **330** to be delivered. Stated another way, the occurrence of the hidden bonus feature **200** and any award **330** provided is independent of the play of the casino game.

In reference to FIG. **3**, the occurrence of the hidden bonus feature **200** may not occur and path **202** is entered for casino game play to continue, or the response **310** is incorrect and path **312** is entered for the casino game to continue. In one variation, the player input **370** for a correct response in step **310** must be received in a predetermined period of time such as in two seconds and, if not received, path **312** is entered. In another variation, the player may be able to keep re-trying **372** to input **370** the correct response **310** within a predetermined time period such as in three or four seconds. Once the hidden bonus feature **200** of the present invention is over, the casino game resumes (continues) **340** play as if it never happened.

The occurrence of the hidden bonus feature **200** in display **70** or **110** occurs as follows when based on randomness **300**.

The microprocessor 20 upon receiving the random number input 28 from the random number generator 50 activates the hidden bonus feature 200. During all play over time of the casino game, the occurrence of the hidden bonus feature 200 is random. Any of a number of different types of random number generator programs and hardware devices 50 could be used under the teachings of the present invention. As before, when the hidden bonus feature 200 occurs, the player is given an opportunity to respond 310 through a player input device 370. The player input device 370 can be any number of conventionally available input devices. For example, player input 370 could be incorporated in the touch screen display 110 at a suitable location such as touching the display of the hidden bonus feature 200. Or, it could be located on the gaming machine 10 or the underlying gaming machine 100a as a separate input device 370 shown in dotted lines in FIGS. 1 and 2. Again, player input devices 370 are well known in the gaming industry and any suitable player input device 370 could be utilized under the teachings of the present invention.

When the player response 310 is not correct, the hidden bonus feature 200 is over and, in one embodiment, the casino game resumes 340. In another embodiment, the casino game continues while the hidden bonus feature 200 is still displayed. If the player response 310 is correct, then the player is awarded 330 such.

In the play of the method shown in FIG. 3, no instructions or help information is provided to the player either on the face of the gaming machine 10 or in any instructions as to what the hidden bonus feature 200 is and/or how to respond. The hidden bonus feature 200 occurs on the screen 70, 110. The player must provide a correct response 310. In one embodiment, no clues, no hints, no information whatsoever is given to the player while the hidden bonus feature 200 occurs.

In another embodiment, the "existence" of the hidden bonus feature 200 is generally made known on the face of the casino game such as: "This Game has a Hidden Bonus That Pays \$20," "This Game Has Mystery Bonus—Can you Figure It Out?" In the case of the slap jack hidden bonus feature 200 example above, the "existence" may be made known: "Slap Jack Hidden Bonus," but with no instructions on what, exactly, initiates the hidden bonus feature and what to do or how to respond. In the case of the four watermelons (and, for example, touching the fourth watermelon), the existence may be known such as "Watermelon Hidden Feature" but with no information given anywhere on the gaming machine 10 for the player to know when it has occurred and then what to do to input 370 for a correct response 310.

What is important is that while the "existence" of a hidden bonus feature 200 (somewhere within the casino game) may be alluded to or otherwise generally made known, the occurrence of the hidden bonus feature 200 during the casino game is not overtly displayed to the player. In this fashion, unknowledgeable players are not frustrated at knowing they're supposed to do something and failing. Knowledgeable players are still rewarded.

The hidden bonus feature 200 of the present invention is a special attraction to the players in that it occurs, perhaps suddenly as a graphic (or the combination of game symbols 92 suddenly appears) on the display 110 to the player. As such, it may surprise the player. But, there are no instructions on the casino game as to what the player should do when the hidden bonus feature 200 appears. It may well be that others watching the player may educate the player as to what to do (i.e., touch the parrot or "You have four

watermelons, hurry and touch the last watermelon!"). This all adds to the surprise, excitement, and perhaps mysteriousness surrounding the hidden bonus feature 200 of the present invention.

In FIG. 4, an example of a hidden bonus feature 200 when displayed is shown. During play of the casino gaming machine 10 or the casino bonus game 100b, according to the method of FIG. 3, a parrot 400 suddenly appears on screen 110 in an animated sequence such as flipping a gold coin 410. In this embodiment, this is a "cue" and the player has now been "cued." The player must correctly respond 310 in a predetermined time frame such as three seconds after the cue by touching 370 the displayed image 400. However, in one embodiment no instructions are given in the animated sequence 400 to the player to do this. In another embodiment a "cue message" such as "touch me" 420 is provided. Hence, if the player does not respond correctly 310 in the predetermined time frame in stage 310, then the hidden bonus feature 400 goes away and play 340 of the casino bonus game 100b or play of the gaming machine 10 resumes. If the player correctly responds in stage 310, then the award in stage 330 is given to the player. A cue is defined herein as a subtle feature signaling action from the hidden bonus feature 200 to the player to act. The cue of the present invention is contained within the hidden bonus feature 200 only when it is displayed (or when it occurs) and is not separately shown in the casino game. The cue to a new or uninitiated player would have no meaning, but to an initiated player who has discover the meaning it would. A "cue" and/or a "cue message" always appears as part of the hidden bonus feature 200. A cue is not needed for many of the hidden bonus features 200 discussed herein. For the example of the four watermelons, there is no cue as the appearance of the four watermelons is the hidden bonus feature 200.

As another preferred example, the graphic displayed is a variation of one the player has come to expect. As an example, the parrot 400 may be used as the "emcee" in a knowledge-based bonus game on an underlying slot machine. As the trivia question and answers are shown to the player in the bonus game, he may cheer on the player with phrases such as "Let's get this one?" "This one's a gimme!" "I love you!" and so forth. As a hidden bonus feature 200, he may, instead of one of the standard phrases, randomly flip a gold coin and ask, "Who wants some credits?" To the initiated observer, this is a subtle cue. To the uninitiated observer, this particular phrase, and its timing, looks much like any of the many other phrases and actions the parrot 400 may do. However, when the player touches 370 the parrot 400 on the display 110 within three seconds, a random award 330 is given to the player. If the player does nothing, or first touches 370 a response to the trivia answer, then no hidden award 330 is given and path 312 is entered for continuation of the casino game. The use of a cue adds excitement to the casino game since while the player is uninitiated, an observer may yell out what to do upon seeing the cue.

In another embodiment of the present invention, the correct action 370 to take during the occurrence of a hidden bonus feature 200 is touching (via touch screen) the object in question. This is a simple but effective means for the player to respond to the machine in a fashion that acknowledges that the hidden bonus feature 200 has been discovered. It is an advantage of this approach that the player need not memorize complicated sequences of button pushes and so forth, which more resemble an exam than a game of entertainment. It is an advantage of this approach that the player who discovers the feature then has no further memorization to do.

Under another embodiment of the present invention, the hidden bonus feature **200** can be any type of cue to the player. The hidden bonus feature **200** can be an animated sequence, a video sequence, a graphic, a letter or number, a casino logo, a sound, etc. The present invention is not limited to the form, shape or type of hidden bonus feature **200** used. Furthermore, when the hidden bonus feature **200** is not to be displayed, an alternate feature can be displayed. For example, the parrot **400** can be displayed in an animated sequence simply flapping its wings without showing the gold coin **410**.

In one embodiment of the present invention, some mode of timing is utilized in conjunction with the hidden bonus feature **200**. A clock, internal timer, etc., such as for three seconds can be used. Alternatively, the player may have no time limit per se in step **310**, except that if the hidden bonus feature **200** is not responded to as the first response, then it goes away. As an example of this alternative, consider a trivia-based bonus game with a hidden bonus feature **200**. The hidden bonus feature **200** may be on-screen motion (e.g., a bird **400** flipping a gold coin **410**), or perhaps a change in artwork that the player sees (e.g., an orange sun instead of a yellow sun). Provided the player responds **312** correctly, by first touching **370** the element that comprises the hidden bonus feature **200**, before selecting an answer to the trivia-based bonus game, the hidden bonus feature **200** is awarded **330**. On the other hand, if the player selects and answers the trivia question, the hidden bonus feature **200** is not awarded.

The hidden bonus feature **200** of the present invention may, as discussed earlier, interrupt the play of the casino game, be part of the play of the casino game, or occur in parallel with the play of the casino game as discussed above with the parrot graphic **400**. The present invention uses a hidden bonus feature **200** occurring in a display **70**, **110** of the casino game to the player. In one embodiment, the hidden bonus feature **200** is not disclosed to the player in the instructions for or on the casino game. Alternatively, the casino game may be denoted as having a hidden bonus feature **200** existing, but with no other information about the hidden bonus feature **200** disclosed to the player such as what it is, when it occurs, why it occurs, or how to respond. The hidden bonus feature **200** of the present invention is a bonus in that it delivers an award **330** in addition to what is normally expected by the player during play of the casino game.

3. Wide Area Progressive. The interrupt in the play of the casino game and the occurrence of the hidden bonus feature **200** can also be the result of a wide area progressive interrupt. For example, in one variation of the present invention, the hidden bonus feature **200** interrupts play of the casino gaming machines GM interconnected into a wide area progressive system **500** as shown in FIG. **5**. In such wide area progressive systems **500**, a central controller **510** is used to control the wide area progressive systems **500**. The method of the present invention can be implemented into the central controller **510** for play of a casino gaming machine GM in a plurality of casino gaming machines GM all interconnected over a bus **520** in a wide area progressive system **500**. As shown in FIG. **1**, a port **140** interfaces the microprocessor **20** to the bus **520**.

In operation and in reference to FIG. **5**, the player sitting at a gaming machine GM would not be aware of how to respond to the hidden bonus feature **200**. No information on how to respond to the hidden bonus feature **200** would be found at any one of the gaming machines GM. For example,

a random number generator would cause the controller **510** to provide at one of the gaming machines GM the hidden bonus feature **200**. As previously discussed, the player sitting at that gaming machine GM would have the opportunity to correctly respond to the hidden bonus feature **200** and collect an additional award **330**. If an incorrect response **310** occurs, the play of the gaming machine GM is conventional **340**. It is to be expressly understood that there are a variety of wide area progressive system **500** configurations and that such system **500** configurations can be adapted to include an island of gaming machines, gaming machines spread across a casino, gaming machines interconnected together amongst a variety of casinos or a progressive system **500** connected over a network or over the Internet. Again, the topological configuration of a wide area progressive system **500** does not affect the teachings of the hidden bonus feature **200** of the present invention.

In FIG. **7**, a variety of programs could be utilized to implement the hidden bonus feature **200** of the present invention. For example, in FIG. **7**, the display memory **130** could have a first program **700** which can be selectively implemented by the display processor **120** based upon an address **710**. In this first program **700**, a parrot **400** as shown in FIG. **4** is displayed. The value stored at **730** is \$50. Separate programs **710** and **720** could exist for different visual hidden bonus features **200** such as a rabbit showing \$100 or a piggy showing \$10. The present invention is vigorous in that the same program **700** could always be used showing, for example, a parrot **400** as shown in FIG. **4** using the same value (i.e., 50 coins) or using different values with the same visual image. On the other hand, the different programs **700**, **710**, **720** could be randomly selected to provide a wide variety of hidden bonus features **200**.

4. Internet. In another variation of the present invention, the casino gaming machine **10** is a player's own personal computer PC interconnected to a central computer **600** over the Internet **610**. It is immaterial whether the casino game is being played in the software in the player's personal computer PC or whether the player's personal computer PC operates as an input/output device for the casino game being operated by software in the central computer **600**.

In FIG. **6**, the computer **600** is located at a remote location and communicates **610a** over the Internet **610** to a plurality of personal computers PC **1-PC j**. The communication links **610a**, **610b**, **610c**, and **610d** are conventional and use of the Internet **610** to establish such communication links **610a-d** is well known and not material to the present invention. In the same fashion, as discussed above for the wide area progressive **500**, the computer **600** causes a hidden bonus feature **200** (such as bonus features **200p**, **200g**, and **200r** shown on computers PC**1**, PC**2**, and PC**j** respectively, in FIG. **6**) to occur on a personal computer PC while a player is playing a casino game. Again, if the player correctly responds **310** to this occurrence, the player receives an award **330** and, if the player incorrectly responds **310**, the game continues.

5. Summary of Method. In FIG. **8**, the method of the present invention is set forth as implemented in a casino game (FIGS. **1** and **2**); in a wide area progressive (FIG. **5**); or over the Internet (FIG. **6**). The casino game starts **800** such as, but not limited to, coin-in, sign-on, entering a bonus game based on a bonus condition, etc. As the casino game is played (or played to conclusion), a hidden bonus feature **200** may be provided **810**. The step of providing **810** a hidden bonus feature **200** may occur randomly (FIG. **3** from RNG **300**, the appearance of a game symbol

11

or combination of game symbols, etc.) or upon a predetermined event in the casino game (FIG. 3 from event 302 such as a predetermined number of coin-ins, payout credits, etc.). When no hidden bonus feature 200 is provided, then the casino game is conventionally finished 850. When the hidden bonus feature 200 is provided it is no longer hidden and the player responds 820 with an input 830. If the response 820 is correct, an award is delivered 840. If there is no input 830 or if the response 820 is not correct, then step 820 allows the casino game to be conventionally finished 850.

The above disclosure sets forth a number of embodiments of the present invention. Those skilled in this art will however appreciate that other arrangements or embodiments, not precisely set forth, could be practiced under the teachings of the present invention and that the scope of this invention should only be limited by the scope of the following claims.

I claim:

1. A method for awarding a player of a casino bonus game played in a touch screen from an underlying game on a gaming machine, the method comprising:

providing a hidden bonus feature in the touch screen to the player in the play of the casino bonus game, the casino bonus game during said play not disclosing information on the gaming machine to the player as to when the hidden bonus feature is provided and how the player is to respond to the hidden bonus feature,

receiving a single response touch input on the provided hidden bonus feature on the touch screen of the casino bonus game from the player,

delivering a bonus award in the casino bonus game to the player when the response from the player is correct.

2. The method of claim 1 wherein providing the hidden bonus feature occurs when one or a predetermined combination of game symbols appears on the touch screen in the casino bonus game during play of the casino bonus game.

3. The method of claim 1 wherein providing the hidden bonus feature occurs when a predetermined event occurs in play of the casino bonus game.

4. The method of claim 1 wherein providing the hidden bonus feature occurs when a hidden bonus feature display randomly occurs in the casino bonus game.

5. The method of claim 1 wherein providing the hidden bonus feature occurs randomly.

6. The method of claim 1 wherein the response is correct when an input is received from the player within a predetermined time period.

7. The method of claim 6 wherein the faster a player inputs a correct answer in the predetermined time period, the greater the bonus award.

8. The method of claim 6 wherein resuming play of the casino bonus game occurs after the predetermined time period times out.

9. The method of claim 6 wherein play of the casino bonus game continues during the predetermined time period.

10. The method of claim 9 wherein if the player provides a response for play of the casino bonus game prior to providing a response for the hidden bonus feature, then the predetermined time period immediately times out.

11. The method of claim 1 wherein providing the hidden bonus feature originates in a controller of a progressive system connected to the casino bonus game.

12. The method of claim 1 wherein playing of the casino bonus game by the player occurs over the Internet.

13. The method of claim 1 wherein the hidden bonus feature is a graphic.

12

14. The method of claim 13 wherein the graphic is a variation of graphics appearing in the casino bonus game.

15. The method of claim 1 wherein the hidden bonus feature is provided at the same point in the casino bonus game.

16. A method for awarding a player of a casino bonus game played in a touch screen from an underlying game on a gaming machine, the method comprising:

providing a hidden bonus feature in the touch screen to the player in the play of the casino bonus game, the casino bonus game during said play not disclosing information on the gaming machine to the player as to when the hidden bonus feature is provided and how the player is to respond to the hidden bonus feature,

receiving a single response touch input on the provided hidden bonus feature on the touch screen of the casino bonus game from the player,

delivering a bonus award in the casino bonus game to the player when the response from the player is correct, wherein the bonus award is independent of the play of underlying game on the gaming machine, thereby affording players who correctly respond to said hidden bonus feature a higher expected return than players who do not correctly respond to the hidden bonus feature.

17. A method for awarding a player of a casino bonus game played in a touch screen from an underlying game on a gaming machine, the method comprising:

providing a hidden bonus feature in the touch screen to the player in the play of the casino bonus game, the casino bonus game during said play not disclosing information on the gaming machine to the player as to when the hidden bonus feature is provided and how the player is to respond to the hidden bonus feature,

receiving a single response touch input on the provided hidden bonus feature on the touch screen of the casino bonus game from the player,

delivering a bonus award in the casino bonus game to the player when the response from the player is correct, wherein the hidden bonus feature is an animated sequence.

18. The method of claim 17 wherein the hidden bonus feature animated sequence is a variation of animated sequences appearing in the casino bonus game.

19. The method of claim 18 wherein the response from the player is the player touching the hidden bonus feature animated sequence appearing on a touch screen display.

20. A method for awarding a player of a casino bonus game played in a touch screen from an underlying game on a gaming machine, the method comprising:

displaying on the touch screen a hidden bonus feature to the player during play of the casino bonus game, without warning the player, the casino bonus game having player instructions that do not disclose how the player is to respond to the hidden bonus feature,

receiving a single input touch response on the displayed hidden bonus feature in the touch screen from the player within a predetermined time period after providing the hidden bonus feature,

delivering a bonus award in the casino bonus game to the player when the single input response from the player occurs within the predetermined time period, wherein the delivered bonus award is independent of the play of the underlying game on the gaming machine.

21. A method for awarding a player of a casino bonus game, the casino bonus game played in the touch screen by

13

the player in conjunction with an underlying game on a gaming machine, the method comprising:

randomly displaying a hidden bonus feature in the touch screen to the player during play of the casino bonus game without warning the player, the casino bonus game and the underlying game on the gaming machine having player instructions that do not disclose how the player is to respond to the hidden bonus feature, receiving a single input response on the touch screen for the displayed provided hidden bonus feature from the player within a predetermined time period after displaying the hidden bonus feature, providing a bonus award in the casino bonus game to the player wherein the provided bonus award is indepen-

14

dent of any other awards from play of the casino bonus game and the underlying gaming machine, thereby affording players who correctly respond to said hidden bonus feature a higher expected return than players who do not correctly respond to the hidden bonus feature.

resuming play of the casino bonus game when the hidden bonus feature is over and/or the response from the player is not correct.

22. The method of claim **21** wherein the hidden bonus feature further displays a bonus value for the bonus award.

* * * * *