US008181205B2

(12) **United States Patent**
Russ et al.

(10) **Patent No.: US 8,181,205 B2**
(45) **Date of Patent: May 15, 2012**

(54) **PVR CHANNEL AND PVR IPG INFORMATION**

(76) Inventors: **Samuel H. Russ**, Lawrenceville, GA (US); **Michael A. Gaul**, Lawrenceville, GA (US); **Dariusz S. Kaminski**, Duluth, GA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 1668 days.

(21) Appl. No.: **10/253,115**

(22) Filed: **Sep. 24, 2002**

(65) **Prior Publication Data**

US 2004/0060063 A1 Mar. 25, 2004

(51) **Int. Cl.**
H04N 5/445 (2011.01)
G06F 3/00 (2006.01)
G06F 13/00 (2006.01)

(52) **U.S. Cl.** **725/58**; 725/38; 725/40; 725/43; 725/44; 725/47; 725/52; 725/53; 725/55; 725/56; 725/59; 725/60; 725/61; 386/297

(58) **Field of Classification Search** 725/38, 725/40, 43, 44–45, 47, 52, 53, 55, 56–61; 386/86
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,353,121 A * 10/1994 Young et al. 725/52
5,694,176 A * 12/1997 Bruette et al. 725/43
6,177,931 B1 1/2001 Alexander
6,292,624 B1 * 9/2001 Saib et al. 386/83
6,324,338 B1 * 11/2001 Wood et al. 386/83
6,642,939 B1 * 11/2003 Vallone et al. 715/721
6,681,396 B1 * 1/2004 Bates et al. 725/58
6,714,722 B1 * 3/2004 Tsukidate 386/83
6,774,926 B1 * 8/2004 Ellis et al. 348/14.01
2002/0009285 A1 1/2002 Safadi
2002/0012517 A1 * 1/2002 Ichioka et al. 386/46
2002/0059649 A1 * 5/2002 Ichioka 725/153
2002/0076203 A1 * 6/2002 Takahashi 386/83
2002/0110352 A1 * 8/2002 Potrebic 386/46
2002/0174430 A1 * 11/2002 Ellis et al. 725/46
2003/0014753 A1 * 1/2003 Beach et al. 725/53
2003/0156826 A1 * 8/2003 Sonoda et al. 386/83
2003/0177495 A1 * 9/2003 Needham et al. 725/55

FOREIGN PATENT DOCUMENTS

EP 1 102 482 A1 5/2001
WO WO 01/47249 A2 6/2001
WO WO 01/60064 A2 8/2001
WO WO 02/43353 A2 5/2002

* cited by examiner

Primary Examiner — Jason Salce
(74) *Attorney, Agent, or Firm* — Merchant & Gould

(57) **ABSTRACT**

A system that maps media content information to an interactive program guide displayed on a screen includes, among other things, a memory with logic, and a processor configured with the logic to display at least one personal video recording display channel in the interactive program guide. The processor is further preferably configured with the logic to display media content instance listings in the personal video recording display channel for corresponding media content instance recordings.

1 Claim, 41 Drawing Sheets





FIG. 1


Program Guide Information Provider
Network Interface 209
Headend 11
DNCS 223
BFS Server 202
Router 208
QPSK 207
202
QAM
Network Interface 206
Network
18
DHCT 16
BFS Client 343

FIG. 2


DHCT 16
PROCESSOR 344
COM PORT 374
349
FLASH MEMORY 351
PLATFORM 356
SAM 357
WIN. MGR 359
NAVIGATOR 355
PPV 364
WATCHTV 362
O.S. 353
BFS 343
DRIVER 311
RESOURCE MGR 367
DRAM 352
IPG 394
Daemon 399
IPG UI 395
IPG Configuration 396
Config Database 397
IPG Database 398
APP MEM 370
360
SAM DATABASE
366
WEB BROWSER
EMAIL 365
PVR 377
MOD CLIENT 363
SIGNAL PROC 314
MEDIA ENGINE 322
INTERFACE 375
OUTPUT SYS. 348
STORAGE DEVICE 373
disk 300
TSB 378
controller 379
TV 341
RECEIVER 346
TUNER SYSTEM
345
COMM. INTERFACE
342
NETWORK
18
HEADEND 11
380

FIG. 3A


380
381
382
383
384
385
386
387
388
389
390
391
392
393
POWER
VCR
TV
GUIDE
INFO
SEL
LIST
MUTE
EXIT
PAGE
CH
VOL
A
B
C
FAV
REC
LAST
BYPASS
TV/VCR
VCR
VOD

FIG. 3B


400
430
440
470
465
460
462
(Video)
CH 201
Cartoon Network
Johnny Bravo
8:00 PM - 8:30 PM
Johnny at computer camp
5
Thu 1/17
8:00 PM
9:00 PM
8:30 PM
8:00 PM
480
Kate and Leopold
Harry Potter
The Majestic
Lord of The Rings
Aquaman
Songe Bob
Johnny Bravo
Rugrats in Paris
Scooby Doo
Cat Dog
Peter Pan
PPV 199
PPV 200
TOONZ 201
TOONZ 202
Disney 203
Customize
C
Date
B
Browse By
A
Thu 1/17
410
420
450

FIG. 4


500
Confirm Recording
Johnny Bravo
Thur 1/17 8:00 - 8:30pm on TOONZ (Ch201)
Quality: Good
Start: from beginning of scheduled presentation
INFO
Program details
Recording Space Available: xx hr xx min
Options
Record ALL episodes
Record this episode
7 days
Save in Explorer
Manual Recording
SEL
C Cancel
505
510
520
522
524
522
530
532

FIG. 5


600
Recording Schedule
605
Johnny Bravo
Save: For 7 Days
Quality: Good
INFO
Program details
Recording Space Available: xx hr xx min
610
620
Title
Date
Time
Length
Johnny Bravo
Thur 1/17
8:00 pm
30 min
Auburn Basketball
Sat 1/19
3:00 pm
2 hours
ABC News
Sat 1/19
5:00 pm
30 min
SEL
622
624
622
B
Record Options
C
Recorded Programs List
630
632
634

FIG. 6


700
(Video)
CH 301
PVR
Johnny Bravo
Johnny at computer camp
Recorded Thur, 1/17, 8:00 - 8:30 PM
on TOONZ (Ch 201)
710
780
740
770
760
11
Thu 1/17
11:10 PM
11:00 PM
11:30 PM
12:00 AM
CNN
Behind the Glory
Football
Johnny Bravo
CNN 299
ESPN 300
PVR CH 301
PVR CH 302
PVR CH 303
Thu 1/17
A
Browse By
B
Date
C
Customize

FIG. 7


800
810
806
Recorded Length: 30 minutes
OPTIONS
C
814
Johnny Bravo
808
PLAY
Paused
812
804
802

FIG. 8


900
CH 220
Nickelodean
Barney
7:00 AM - 7:30 AM
Barney shows us how to play nice
(Video)
7
Sat 1/19
7:00 AM
7:00 AM
7:30 AM
8:00 AM
NICK 220
NICK 221
WE 222
HIST 223
BRAVO 224
Barney
Magicbus
Health
Roman Empire
Lifestyles
Funschool
Blimpy
Aerobics
Old Homes
Kidstuff
Popeye
Rafting
Profiles
Sat 1/19
A
Browse By
B
Date
C
Customize
920

FIG. 9


1000
Confirm Recording
Barney
Sat 1/19 7:00 - 7:30am on Nickelodean (Ch220)
Quality: Best
Start: from beginning of scheduled presentation
INFO
Program details
Recording Space Available: xx hr xx min
Options
Record ALL episodes
Record this episode
Save in Explorer
Manual Recording
SEL
7 days
c Cancel
1020

FIG. 10


1100
Recording Schedule
Barney
Save: For 7 Days
Quality: Good
INFO
Program details
Recording Space Available: xx hr xx min
1120
Title
Date
Time
Length
Barney
Sat 1/19
7:05 am
30 min
Barney
Sat 1/19
10:00 am
30 min
Barney
Sat 1/19
11:00 am
30 min
Auburn Basketball
Sat 1/19
3:00 pm
2 hours
SEL
B
Record Options
C
Recorded Programs List
1122

FIG. 11


Recorded Programs List
Barney
Record Options
Options
Sort recorded programs by
Time
Choose preferences
Configure a PVR Channel
Change Recording Settings
SEL
C
Recording Schedule
B
Record Options
C
Recording Schedule
1200
1205
1220
1222
1224
1222
1236

FIG. 12


1300
PVR Channel Configure Menu
PVR Channels
1305
1310
PVR CH 302:
Category: None Configured
Press SEL to configure the PVR Channel
1320
PVR CH 301
PVR CH 302
PVR CH 303
PVR CH 304
PVR CH 305
PVR CH 306
PVR CH 307
PVR CH 308
PVR CH 309
1322
SEL
1324
1322
A
IPG
1332
B
Record Options
1334
C
Title of Channel
1336
1330

FIG. 13


1400
1405
PVR Channel Configuration Categories
Category Choices
Barney CH 302:
Category: Recorded media content will be received into PVR CH 302 by Title/Barney.
1410
1420
Title
Theme
Preference Engine
Date of Recording
Content Service
SEL
1422
1422
A
IPG
B
Back to PVR Channel Configure Menu
1430
1432
1434

FIG. 14


1500
PVR Channel Configure Menu
PVR Channels
1510
Barney CH 302:
Category: Recorded media content will be received into PVR CH 302 by Title/Barney.
1520
PVR CH 301
Barney CH 302
PVR CH 303
PVR CH 304
PVR CH 305
PVR CH 306
PVR CH 307
PVR CH 308
PVR CH 309
SEL
A IPG
B Record Options
C Title of Channel
1532

FIG. 15


1600
1640
(Video)
11:00
Sat 1/19
11:35AM
12:00
12:30
Barney CH 302
PVR
Barney
Barney shows us how to play nice
Recorded on Sat, 1/19, at 7:00-7:30 AM
on Nickelodean (Ch 220)
11:30
CNN
Behind the Glory
Johnny Bravo
Barney
Football
Barney
Barney
CNN 299
ESPN 300
PVR CH 301
Barney CH 302
PVR CH 303
Sat 1/19
A
Browse By
B
Date
C
Customize
1610
1620

FIG. 16


1700
USER SETTINGS
Preference Engine
PVR Recording Options
PVR Channel Configuration
SEL
C
BACK

FIG. 17


1800
PVR Channel Configure Menu
PVR Channels
1820
PVR CH 301
Barney CH 302
PVR CH 303
PVR CH 304
PVR CH 305
PVR CH 306
PVR CH 307
PVR CH 308
PVR CH 309
SEL
1824
PVR CH 303:
Category: None Configured
Press SEL to configure the PVR Channel
A IPG
B Record Options
C Title of Channel

FIG. 18


1900
1910
PVR Channel Configuration Categories
Category Choices
PVR CH 303:
Category: Recorded media content will be received into PVR CH 303 by Time of Recording.
1920
Title
Theme
Preference Engine
Time of Recording
Content Service
SEL
1924
A
IPG
B
Back to PVR Channel Configure Menu

FIG. 19


2000
PVR Channel Configuration Categories
Recording Time Choices
PVR CH 303:
Category: Recorded media content will be received into PVR CH 303 by Time of Recording/Relative Time.
2020
SEL
Relative Time
Absolute Time
A
IPG
B
Back to PVR Channel Configure Menu
C
Title of Channel
2015
2030
2036

FIG. 20


2100
PVR Channel Configuration Categories
Relative Time Choices
2105
2120
Past 6 hours
Past 7 hours
Past 8 hours
Past 9 hours
Past 10 hours
SEL
Past 6 hours CH 303:
Category: Recorded media content will be received into PVR CH 303 by Time of Recording/Relative Time/Past 6 hours.
A IPG
B
Back to PVR Channel Configure Menu
C Back

FIG. 21


2200
2210
PVR Channel Configure Menu
PVR Channels
Past 6 hours CH 303:
Category: Recorded media content will be received into PVR CH 303 by Time of Recording/Relative Time/Past 6 hours.
PVR CH 301
Barney CH 302
Past 6 hours CH 303
PVR CH 304
PVR CH 305
PVR CH 306
PVR CH 307
PVR CH 308
PVR CH 309
SEL
A IPG
B Record Options
C Title of Channel

FIG. 22

2300


Past 6 hours CH 302
PVR
RECORDED CONTENT FOR THE PAST
6 HOURS
(Video)
11:30
Sat 1/19
11:35AM
11:30
12:00
12:30
CNN 299
ESPN 300
PVR CH 301
Barney CH 302
Past 6 hours
CH 303
Sat 1/19
CNN
Behind the Glory
Johnny Bravo
Barney
Barney
Barney
Football
Barney
Barney
A
Browse By
B
Date
C
Customize

FIG. 23


2400
PVR Channel Configure Menu
PVR Channels
2410
PVR CH 304:
Category: None
2420
PVR CH 301
Barney CH 302
Past 6 hours CH 303
PVR CH 304
PVR CH 305
PVR CH 306
PVR CH 307
PVR CH 308
PVR CH 309
SEL
2424
A IPG
B Record Options
C Title of Channel

FIG. 24


2500
PVR Channel Configuration Categories
Category Choices
PVR CH 304:
Category: Recorded media content will be received into PVR CH 304 by Theme.
2520
Title
Theme
Preference Engine
Date of Recording
Content Service
A
IPG
B
Back to PVR Channel Configure Menu

FIG. 25


2600
PVR Channel Configuration Categories
Theme Choices
News CH 304:
Category: Recorded media content received into PVR CH 304 by Theme/News.
2620
News
Sports
Movies--ALL
Movies--broadcast
Movies--PPV
SEL
2615
2622
2622
A
IPG
B
Back to PVR Channel Configure Menu
C
Back

FIG. 26

2700


PVR Channel Configure Menu
PVR Channels
PVR CH 305:
Category: None
PVR CH 301
Barney CH 302
Past 6 Hours CH 303
News CH 304
PVR CH 305
PVR CH 306
PVR CH 307
PVR CH 308
PVR CH 309
SEL
A IPG
B Record Options
C Title of Channel

FIG. 27


2800
PVR Channel Configuration Categories
Category Choices
PVR CH 305:
Category: Recorded media content will be received into PVR CH 305 by Theme.
2820
Title
Theme
Preference Engine
Date of Recording
Content Service
SEL
A
IPG
B
Back to PVR Channel Configure Menu

FIG. 28


2900
PVR Channel Configuration Categories
Theme Choices
PVR CH 305:
Category: Recorded media content received into PVR CH 305 by Theme/Sports.
2920
News
Sports
Movies--ALL
Movies--Broadcats
Movies--PPV
SEL
A
IPG
B
Back to PVR Channel Configure Menu
C
Back
2915

FIG. 29


3000
PVR Channel Configuration Categories
Sports Options
3015
Col.Basketball CH 305:
Category: Recorded media content received into PVR CH 305 by Theme/Sports/College Basketball.
3020
Basketball--H.S.
Basketball--College
Basketball--Pro
Football--H.S.
Football--College
SEL
A IPG
B Back to PVR Channel Configure Menu
C Back

FIG. 30


3100
3110
3120
PVR Channel Configure Menu
PVR Channels
PVR CH 301
Barney CH 302
Past 6 hours CH 303
News CH 304
Col. Basketball CH 305
PVR CH 306
PVR CH 307
PVR CH 308
PVR CH 309
SEL
Col. Basketball CH 305:
Category: Recorded media content received into PVR CH 305 by Theme/Sports/College Basketball.
A IPG
B Record Options
C Title of Channel

FIG. 31

3200


PVR Channel Configuration Categories
Category Choices
Col. Basketball CH 305:
Category: Recorded media content received into PVR CH 305 by Theme/Sports/College Basketball/Keyword.
3220
Theme
Preference Engine
Date of Recording
Content Service
Keyword
SEL
A
IPG
B
Back to PVR Channel Configure Menu

FIG. 32


3300
PVR Channel Configuration Categories
Enter Keyword
Col. Basketball CH 305:
Category: Recorded media content received into PVR CH 305 by Theme/Sports/College Basketball/Keyword.
AUBURN
SEL
3320
3315
3324
A
IPG
B
Back to PVR Channel Configure Menu
C
Back

FIG. 33

FIG. 34


PVR Channel Configuration Categories
Enter Keyword
Col. Basketball CH 305
CONFIGURATION QUERY
Replace Current Category?
Add As A Limitation To Current Category?
SEL
A IPG
B Back to PVR Channel Configure Menu
C Back
3400
3420
3422
3424
3422


3500
3510
PVR Channel Configure Menu
PVR Channels
Auburn Basketball CH 305:
Category: Recorded media content received into PVR CH 305 by Theme/Sports/College Basketball/Auburn.
3520
PVR CH 301
Barney CH 302
Past 6 hours CH 303
News CH 304
Auburn Basketball CH 305
PVR CH 306
PVR CH 307
PVR CH 308
PVR CH 309
SEL
A IPG
B Record Options
C Title of Channel

FIG. 35


3600
3640
3621
Past 6 Hours CH 303
PVR
Auburn versus Ga
College basketball game
Recorded Sat, 1/19, 3:00-5:00PM
on ESPN Ch.130
(Video)
7:30
Sat 1/19
7:35PM
8:00
8:30
PVR CH 301
Barney CH 302
Past 6 hours
CH 303
News CH 304
Auburn Basketball
CH 305
Johnny Bravo
Barney
Barney
Barney
Auburn versus Ga
ABC News
Auburn versus Ga
Sat 1/19
A Browse By
B Date
C Customize

FIG. 36


3700
3770
3760
Past 6 hours
CH 303 PVR
Auburn versus Ga
College basketball game
Recorded Sat, 1/19, 3:00-5:00PM
on ESPN Ch.130
(Video)
7:30
Sat 1/19
7:35PM
9:00
9:30
10:00
PVR CH 301
Johnny Bravo
Barney CH 302
Barney
Barney
Past 6 hours
CH 303
Auburn versus Ga
News CH 304
ABC News
ABC News
Auburn Football
CH 305
Auburn versus Ga
Sat 1/19
A
Browse By
B
Date
C
Customize

FIG. 37


3800
3840
CH 322
PVR Buffer
Brady Bunch
Marcia gets hit with the football
Buffered Sunday, 1/20, 4:30- 5:00PM
on Nickelodean (Ch. 220)
(Video)
5
Sun 1/20
5:15 PM
5:00 PM
5:30 PM
6:00 PM
PVR 319
PVR 320
PVR Buffer321
PVR Buffer322
Shop 323
CNN
ESPN
Family Feud
Brady Bunch
Partridge Family
Foxnews
Shop Till You Drop
Sun 1/20
A
Browse By
B
Date
C
Customize

FIG. 38


3900
3940
3942
Recorded Length: 30 minutes
IPG
A
Brady Bunch
REC
3934
Paused
PLAY
3930

FIG. 39


4000
Record Options
Configure A PVR Channel
Return To IPG
Play
SEL
Paused
Brady Bunch
Recorded Length: 30 minutes
PLAY
REC
C
OPTIONS

FIG. 40

PVR CHANNEL AND PVR IPG INFORMATION

CROSS-REFERENCE TO RELATED APPLICATION

This application is related to copending U.S. utility patent application entitled "SYSTEM AND METHOD FOR PROVIDING USER-DEFINED MEDIA PRESENTATIONS," filed on Apr. 6, 2001 and accorded Ser. No. 09/827,470, which is entirely incorporated herein by reference.

TECHNICAL FIELD

The present invention is generally related to television systems, and, more particularly, is related to personal video recording and interactive program guides.

BACKGROUND OF THE INVENTION

With recent advances in digital transmission technology, subscriber television systems are now capable of providing much more than the traditional analog broadcast video. In implementing enhanced programming, the home communication terminal device ("HCT"), otherwise known as the set-top box, has become an important computing device for accessing media content services (and media content within those services) and navigating a user through a maze of available services. In addition to supporting traditional analog broadcast video functionality, digital HCTs (or "DHCTs") now also support an increasing number of two-way digital services such as video-on-demand and personal video recording.

Typically, a DHCT is connected to a cable or satellite, or generally, a subscriber television system, and includes hardware and software necessary to provide the functionality of the digital television system at the user's site. Some of the software executed by a DHCT can be downloaded and/or updated via the subscriber television system. Each DHCT also typically includes a processor, communication components, and memory, and is connected to a television or other display device, such as a personal computer. While many conventional DHCTs are stand-alone devices that are externally connected to a television, a DHCT and/or its functionality may be integrated into a television or personal computer or even an audio device such as a programmable radio, as will be appreciated by those of ordinary skill in the art.

DHCTs are typically capable of providing users with a very large number and variety of media content choices. DHCTs equipped with personal video recording functionality (e.g., via the use of a coupled storage device) provide the user with the opportunity to record favorite media content and/or to record and subsequently view media content he or she would otherwise have missed due to, for example, scheduling conflicts. Many DHCTs provide users with television program information via interactive program guides (IPGs), which allow a user to scroll through and/or search available program information for broadcast and/or on-demand media content, but current mechanisms provide limited program information for recorded media content and are cumbersome to use.

Thus, a heretofore unaddressed need exists in the industry to address the aforementioned deficiencies and inadequacies.

BRIEF DESCRIPTION OF THE DRAWINGS

The preferred embodiments of the invention can be better understood with reference to the following drawings. The

components in the drawings are not necessarily to scale, emphasis instead being placed upon clearly illustrating the principles of the present invention. Moreover, in the drawings, like reference numerals designate corresponding parts throughout the several views.

FIG. **1** is a block diagram of an example subscriber television system (STS), in accordance with one embodiment of the invention.

FIG. **2** is a block diagram of an example headend as depicted in FIG. **1** and related equipment, in accordance with one embodiment of the invention.

FIG. **3**A is a block diagram of an example DHCT as depicted in FIG. **1** and related equipment, in accordance with one embodiment of the invention.

FIG. **3**B is a schematic diagram of an example remote control device to provide input to the DHCT **16** illustrated in FIG. **3**A, in accordance with one embodiment of the invention.

FIG. **4** is a screen diagram of an example interactive program guide (IPG) screen from which the user has selected a Johnny Bravo listing for permanent recording, in accordance with one embodiment of the invention.

FIG. **5** is a screen diagram of an example confirm recording screen from which the user selects to record the episode of Johnny Bravo selected from the example IPG screen of FIG. **4**, in accordance with one embodiment of the invention.

FIG. **6** is a screen diagram of an example recording schedule screen that results from the user selecting to record the episode of Johnny Bravo in the example confirm recording screen of FIG. **5**, in accordance with one embodiment of the invention.

FIG. **7** is a screen diagram of an example IPG screen, prompted by the user after the scheduled recording of the Johnny Bravo episode, the title of which is displayed in a Personal Video Recording (PVR) channel, in accordance with one embodiment of the invention.

FIG. **8** is a screen diagram of an example screen display of the presentation of Johnny Bravo, prompted by the user selecting the Johnny Bravo episode in the IPG of FIG. **7**, with a pause banner and playback bar overlaid on the display of Johnny Bravo, in accordance with one embodiment of the invention.

FIG. **9** is a screen diagram of an example IPG screen in which the user has scrolled to a channel that includes a scheduled broadcast presentation of Barney to record episodes of Barney, in accordance with one embodiment of the invention.

FIG. **10** is a screen diagram of an example confirm recording screen prompted by the user selecting to record the Barney episode from the example IPG screen of FIG. **9**, in accordance with one embodiment of the invention.

FIG. **11** is a screen diagram of an example recording schedule screen resulting from the user selecting to record all episodes of Barney from the example confirm recording screen of FIG. **10**, in accordance with one embodiment of the invention.

FIG. **12** is a screen diagram of an example record options screen presented to the user after selecting a record options button from the example recording schedule screen of FIG. **11**, in accordance with one embodiment of the invention.

FIG. **13** is a screen diagram of an example PVR channel configure menu screen prompted by the user selecting to configure a PVR channel from the example record options screen of FIG. **12**, in accordance with one embodiment of the invention.

FIG. **14** is a screen diagram of an example PVR channel configuration categories screen prompted by the user select-

ing to configure a PVR channel from the example PVR channel configure menu screen of FIG. **13**, in accordance with one embodiment of the invention.

FIG. **15** is a screen diagram of an example PVR channel configure menu screen that results from the user selecting to configure the PVR channel by the defaulted title, Barney, in FIG. **14**, in accordance with one embodiment of the invention.

FIG. **16** is a screen diagram of an example IPG screen that is prompted by the user after the scheduled recordings of the Barney episodes have occurred for one day and now have listings in the Barney channel, in accordance with one embodiment of the invention.

FIG. **17** is a screen diagram of an example user settings menu that enables a user to configure one or more PVR channels, in accordance with one embodiment of the invention.

FIG. **18** is a screen diagram of an example PVR channel configure menu screen presented to the user after selecting to configure a PVR channel from the example user settings menu in FIG. **17**, in accordance with one embodiment of the invention.

FIG. **19** is a screen diagram of an example PVR channel configuration categories screen from which the user seeks to configure a PVR channel by the category choice of time of recording, in accordance with one embodiment of the invention.

FIG. **20** is a screen diagram of an example PVR channel configuration categories screen prompted by the user selecting the time of recording category choice from the example screen shown in FIG. **19**, in accordance with one embodiment of the invention.

FIG. **21** is a screen diagram of an example PVR channel configuration categories screen resulting from the user selecting the relative time recording time choice from the example screen shown in FIG. **20**, in accordance with one embodiment of the invention.

FIG. **22** is a screen diagram of an example PVR channel configure menu screen resulting from selecting a relative time of the past six hours in the example screen shown in FIG. **21**, in accordance with one embodiment of the invention.

FIG. **23** is a screen diagram of an example IPG screen that illustrates how multiple, configured PVR channels are listed in the IPG, in accordance with one embodiment of the invention.

FIG. **24** is a screen diagram of an example PVR channel configure menu screen from which the user seeks to configure another PVR channel, in accordance with one embodiment of the invention.

FIG. **25** is a screen diagram of an example PVR channel configuration categories screen, in which the user seeks to configure a PVR channel by the category choice of theme, in accordance with one embodiment of the invention.

FIG. **26** is a screen diagram of an example PVR channel configuration categories screen that includes a news category that further refines the theme category selection made in the example screen shown in FIG. **25**, in accordance with one embodiment of the invention.

FIG. **27** is a screen diagram of an example PVR channel configure menu screen that illustrates the newly configured News channel, in accordance with one embodiment of the invention.

FIG. **28** is a screen diagram of an example PVR channel configuration categories screen from which the user seeks to configure another PVR channel beginning with the theme category choice, in accordance with one embodiment of the invention.

FIG. **29** is a screen diagram of an example PVR channel configuration categories screen that includes a sports theme category that further refines the theme selection made in the example screen shown FIG. **28**, in accordance with one embodiment of the invention.

FIG. **30** is a screen diagram of an example PVR channel configuration categories screen that includes a college basketball option that further refines the sports theme selection made in the example screen of FIG. **29**, in accordance with one embodiment of the invention.

FIG. **31** is a screen diagram of an example PVR channel configure menu screen that illustrates the newly configured college basketball channel, in accordance with one embodiment of the invention.

FIG. **32** is a screen diagram of an example PVR channel configuration categories screen that the user has evoked to further refine the college basketball channel category using a keyword search, in accordance with one embodiment of the invention.

FIG. **33** is a screen diagram of an example PVR channel configuration categories screen that provides the user with the ability to enter a keyword search to further refine the college basketball channel category, in accordance with one embodiment of the invention.

FIG. **34** is a screen diagram of an example configuration query screen prompted by the user selecting the keyword entry in the example screen shown in FIG. **33**, and which presents the user with a series of options, in accordance with one embodiment of the invention.

FIG. **35** is a screen diagram of an example PVR channel configure menu screen that illustrates the newly configured Auburn basketball channel, in accordance with one embodiment of the invention.

FIG. **36** is a screen diagram of an example IPG screen prompted by the user after the scheduled recordings to the newly configured PVR channels have occurred, in accordance with one embodiment of the invention.

FIG. **37** is a screen diagram of an example IPG screen that the user has evoked by scrolling to the right of the highlighted listing shown in the example screen shown in FIG. **36** in the Past Six Hours channel, in accordance with one embodiment of the invention.

FIG. **38** is a screen diagram of an example IPG screen that illustrates the PVR buffer channels, in accordance with one embodiment of the invention.

FIG. **39** is a screen diagram of an example screen display of a Brady Bunch episode selected for viewing from a PVR buffer channel in the example IPG screen shown in FIG. **38**, in accordance with one embodiment of the invention.

FIG. **40** is a screen diagram of an example record options screen resulting from the user selecting to permanently record the Brady Bunch episode shown in FIG. **39**, in accordance with one embodiment of the invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The preferred embodiments of the invention now will be described more fully hereinafter with reference to the accompanying drawings, in which preferred embodiments of the invention are shown. One way of understanding the preferred embodiments of the invention includes viewing them within the context of a subscriber television system, and more particularly within the context of a media client device, such as a digital home communication terminal (DHCT), that provides for user interaction with what is displayed on a television. Although other communication environments are considered

to be within the scope of the preferred embodiments, the preferred embodiments of the invention will be described in the context of a DHCT that receives media content from a headend over a subscriber network as one example implementation among many.

Because the preferred embodiments of the invention can be well understood in the context of a subscriber television system environment, an initial description of a subscriber television system is followed with further description of the headend and DHCT (and coupled storage device) that are included within the subscriber television system. The preferred embodiments of the invention include, among other things, a system that displays information about media content recorded in the storage device that is coupled to the DHCT. Following the description of the subscriber television system components is a description of an interactive program guide (IPG), and how the preferred embodiments of the invention are used in the context of an IPG. The displayed information, or media content information, will preferably be manifested in one or more display channels in an IPG. An IPG is typically presented as a grid with rows of display channels and columns of time slots. Listings of current and scheduled media content instance presentations, preferably identified by title of a particular media content instance (e.g., TV episode, movie), are placed in the grid according to the scheduled presentation.

In the preferred embodiments, listings for the media content stored in a storage device coupled to the DHCT are presented in the IPG in a somewhat similar format to that used for broadcast media content. In one preferred embodiment, broadcast media content that is recorded (either temporarily or permanently recorded, including scheduled recordings, live recordings, or recordings designated as permanent from a storage buffer, among others) to the storage device automatically has the corresponding title displayed in a personal video recording (PVR) channel in the IPG within a time slot that reflects the duration of the recorded presentation.

Following the description of how the preferred embodiments can be used in an IPG is a description of how the preferred embodiments include a series of user interface screens for configuring PVR channels in the IPG. These screens, as will be explained below, can be evoked during the recording process of the PVR functions of the DHCT and/or via a user settings menu screen. In the preferred embodiments, the user can configure one or more PVR channels to reflect the type of media content that is recorded in the storage device. For example, assume the user desires to record all Barney episodes for his or her child. The user can configure the DHCT PVR functionality to record all episodes of Barney to the storage device. Also, the user can configure one of a plurality of PVR channels in the IPG to not only be entitled the Barney Channel, but also to display the titles of all of the recorded Barney episodes into the newly configured Barney channel. Displaying the titles, or other media content information, of the recorded media content into PVR channels in the IPG is herein referred to as channel mapping. Similarly, the user can configure other PVR channels based on the type of downloaded media content. For example, the user can configure a News Channel to channel map all of the instances of recorded news programming. Further, the user can configure time-based channels, such as a Last Night Channel to channel map all of the media content recorded from the prior evening, for example.

The preferred embodiments of the invention may, however, be embodied in many different forms and should not be construed as limited to the embodiments set forth herein; rather, these embodiments are provided so that this disclosure will be thorough and complete, and will fully convey the scope of the invention to those having ordinary skill in the art. Furthermore, all "examples" given herein are intended to be non-limiting, and are provided as an exemplary list among many other examples contemplated but not shown.

FIG. **1** is a block diagram depicting a non-limiting example of a subscriber television system (STS) **10**. In this example, the STS **10** includes a headend **11** and a digital home communication terminal (DHCT) **16** that are coupled via a communications network **18**. It will be appreciated that the STS **10** shown in FIG. **1** is merely illustrative and should not be construed as implying any limitations upon the scope of the preferred embodiments of the invention. For example, although single components (e.g., a headend and a DHCT) are illustrated in FIG. **1**, the STS **10** can feature a plurality of any one of the illustrated components, or may be configured with alternative embodiments for any one of the individual components or with yet other additional components not enumerated above. Subscriber television systems also included within the scope of the preferred embodiments of the invention include systems not utilizing physical structured cabling for transmission, such as, but not limited to, satellite systems.

A DHCT **16** is typically situated at the residence or place of business of a user and may be a stand-alone unit or integrated into another device such as, for example, a television set or a personal computer or other display devices, or an audio device. The customer's premises may be a user's residence or place of business. The DHCT **16** receives signals (video, audio and/or other data) from the headend **11** through the network **18** and provides any reverse information to the headend **11** through the network **18**.

The headend **11** receives, among other data and/or media content, program guide data from a program guide information provider (not shown). The program guide information (data) preferably comprises data corresponding to services that may be provided via the DHCT **16**. The headend **11** edits the program guide data and transmits the edited program guide data to the DHCT **16** via the network **18**. The headend **11** may include one or more server devices (not shown) for providing video and/or audio and/or data to media client devices such as the DHCT **16**. The headend **11** and the DHCT **16** cooperate to provide a user with television services via the television (not shown). The television services may include, for example, broadcast television services, cable television services, premium television services, video-on-demand (VOD) services, and/or pay-per-view (PPV) services, among others.

FIG. **2** depicts a non-limiting example of selected components of a headend **11** that is configured in accordance with one embodiment of the present invention. It will be understood that the headend **11** shown in FIG. **2** is merely illustrative and should not be construed as implying any limitations upon the scope of the preferred embodiments of the invention. The headend **11** receives media content from a variety of service and content providers, which can provide input in a variety of ways. The headend **11** combines the media content from the various sources and distributes the media content to subscribers via the distribution systems of the network **18**. The input signals may be transmitted from sources to the headend **11** via a variety of transmission paths, including satellites (not shown), and terrestrial broadcast transmitters and antennas (not shown).

A digital network control system (DNCS) **223** provides management, monitoring, and control of the network's elements and of the broadcast services provided to users. A content provider such as a program guide information provider transmits data for television program guides through a

network interface **209** to the DNCS **223** of the headend **11**, preferably using a file transfer protocol (FTP). The DNCS **223** includes functionality that defines relationships between channel names listed in the program guide data received from the program guide provider and the numbered channels that are available via the DHCT **16**. This functionality is used by the DNCS **223** to edit the program guide data to include channel numbers that correspond to the listed channel names. After the program guide data is edited by the DNCS **223**, it is transmitted to the DHCT **16** preferably using a broadcast file system (BFS) server **202**. The BFS server **202** and its counterpart, a BFS client module **343** in the DHCT **16**, are part of a file broadcasting system. The BFS server **202** repeatedly sends data through a network interface **206** to the DHCT **16** via a quadrature amplitude modulation (QAM) modem **203** over a period of time in a cyclical manner so that the DHCT **16** may access the data as needed. Of course other mechanisms and techniques may be utilized to transfer data to the DHCT **16**.

A quadrature phase shift keying (QPSK) modem **207** is responsible for transporting out-of-band IP (internet protocol) datagram traffic between the distribution headend **11** and a DHCT **16**. Data transmitted or received by the QPSK modem **207** may be routed by a headend router **208**. The headend router **208** may be used to deliver upstream data to the various server applications (not shown).

FIG. **3**A is a block diagram illustration of an example DHCT **16** that is coupled to a headend **11** and to a television **341**, in accordance with one embodiment of the invention. It will be understood that the DHCT **16** shown in FIG. **3**A is merely illustrative and should not be construed as implying any limitations upon the scope of the preferred embodiments of the invention. For example, some of the functionality performed by applications executed in the DHCT **16** (such as an MOD application **363**) may instead be performed completely or in part at the headend **11** and vice versa, or not at all in some embodiments. The DHCT **16** preferably includes a communications interface **342** for receiving signals (video, audio and/or other data) from the headend **11** through the network **18** and for providing any reverse information to the headend **11** through the network **18**.

The DHCT **16** preferably includes one or more processors, such as processor **344**, for controlling operations of the DHCT **16**, an output system **348** for driving the television display **341**, and at least one tuner system **345** for tuning into a particular television channel or frequency to display media content and for sending and receiving various types of data or media content to and from the headend **11**. The DHCT **16** may include, in other embodiments, multiple tuners for receiving downloaded (or transmitted) media content. The tuner system **345** enables the DHCT **16** to tune to downstream media and data transmissions, thereby allowing a user to receive digital and/or analog media content delivered in the downstream transmission via the subscriber television system. The tuner system **345** includes, in one implementation, an out-of-band tuner for bidirectional QPSK data communication and one or more QAM tuners (in band) for receiving television signals. Additionally, a receiver **346** receives externally generated information, such as user inputs or commands from an input device, such as remote control device **380**, or other devices.

The DHCT **16** processes analog and/or digital transmission signals for storage in the storage device **373**, and/or for display to the television **341**. The DHCT **16** preferably includes a signal processing system **314** and a media engine **322**. The components of the signal processing system **314** are capable of QAM demodulation, forward error correction, and demultiplexing MPEG-2 transport streams, and parsing elementary streams and packetized elementary streams. Additional components, not shown, include an analog decoder and compression engine for processing an analog transmission signal and, in one implementation, converting it to compressed audio and video streams that are produced in accordance with the syntax and semantics of a designated audio and video coding method, such as specified by the MPEG-2 audio and MPEG-2 video ISO (International Organization for Standardization or ISO) standard, among others.

The signal processing system **314** outputs packetized compressed streams and presents them as input for storage in the storage device **373** via an interface **375**, or in other implementations, as input to a media engine **322** for decompression by a video decompression engine (not shown) and an audio decompression engine (not shown) for display on the TV **341**. One having ordinary skill in the art will appreciate that the signal processing system **314** will preferably include other components not shown, including memory, decryptors, samplers, digitizers (e.g., analog-to-digital converters), and multiplexers, among other components. Further, it will be understood that one or more of the components listed above will interface with the processor **344** and/or system memory **349** (and/or dedicated memory for a particular component), to facilitate data transfer and/or processing of the video and/or audio signal for display and/or storage.

One or more programmed software applications are executed by utilizing the computing resources in the DHCT **16**. Note that an application typically includes a client part and a server counterpart that cooperate to provide the complete functionality of the application. The applications may be resident in FLASH memory **351** or downloaded (or uploaded) into DRAM **352**. Applications stored in FLASH memory **351** or DRAM **352** are executed by the processor **344** (e.g., a central processing unit or digital signal processor) under the auspices of the operating system **353**. Data required as input by an application is stored in DRAM **352** or FLASH memory **351** and read by the processor **344** as need be during the course of application execution. Input data may be data stored in DRAM **352** by a secondary application or other source, either internal or external to the DHCT **16**, or possibly anticipated by the application and thus created with the application at the time it was generated as a software application, in which case it is stored in FLASH memory **351**. Data generated by an application is stored in DRAM **352** by the processor **344** during the course of application execution. DRAM **352** also includes application memory **370** that various applications may use for storing and/or retrieving-data.

An application referred to as a navigator **355** is also resident in FLASH memory **351** for providing a navigation framework for services provided by the DHCT **16**. The navigator **355** registers for and in some cases reserves certain user inputs related to navigational keys such as channel increment/decrement, last channel, favorite channel, etc. The navigator **355** also provides users with television related menu options that correspond to DHCT functions such as, for example, blocking a channel or a group of channels from being displayed in a channel menu presented on a screen display.

The FLASH memory **351** also contains a platform library **356**. The platform library **356** is a collection of utilities useful to applications, such as a timer manager, a compression manager, a configuration manager, a hyper text markup language (HTML) parser, a database manager, a widget toolkit, a string manager, and other utilities (not shown). These utilities are accessed by applications via application programming interfaces (APIs) as necessary so that each application does not have to contain these utilities. Two components of the plat-

form library **356** that are shown in FIG. **3**A are a window manager **359** and a service application manager (SAM) client **357**.

The window manager **359** provides a mechanism for implementing the sharing of the screen regions and user input. The window manager **359** on the DHCT **16** is responsible for, as directed by one or more applications, implementing the creation, display, and deallocation of the limited DHCT **16** screen resources. It allows multiple applications to share the screen by assigning ownership of screen regions, or windows. The window manager **359** communicates with the resource manager **367** to coordinate available resources (such as display memory) among different resource consuming processes. Such processes may be directly or indirectly invoked by one or more applications.

The SAM client **357** is a client component of a client-server pair of components, with the server component (not shown) being located on the headend **11**, preferably in the DNCS **323** (FIG. **2**). A SAM database **360** (i.e., structured data such as a database or data structure) in DRAM **352** includes a data structure of services and a data structure of channels that are created and updated by the headend **11**. Herein, database will refer to a database, structured data or other data structures as is well known to those of ordinary skill in the art. Applications can also be downloaded into DRAM **352** at the request of the SAM client **357**, typically in response to a request by the user or in response to a message from the headend **11**. In the example DHCT **16** illustrated in FIG. **3**A, DRAM **352** includes a media-on-demand (MOD) application **363**, an e-mail application **365**, a PVR application **377**, and a web browser application **366**. It should be clear to one with ordinary skill in the art that these applications are not limiting and merely serve as examples for embodiments of the invention. Furthermore, one or more DRAM based applications may be resident, as an alternative embodiment, in FLASH memory **351**. These applications, and others provided by the subscriber television system operator, are top-level software entities on the network for providing services to the user.

FLASH also includes a BFS client module **343** that is preferably resident in the operating system **353**, and which cooperates with a server counterpart (as described above) to provide a directory of modules such as applications that are cyclically broadcast.

An executable program or algorithm corresponding to an operating system (OS) component, or to a client platform component, or to an application, or to respective parts thereof, can reside in and execute out of DRAM **352** and/or FLASH memory **351**. Likewise, data input into or output from any executable program can reside in DRAM **352** or FLASH memory **351**. Furthermore, an executable program or algorithm corresponding to an operating system component, or to a client platform component, or to an application, or to respective parts thereof, can reside in FLASH memory **351**, or in a local storage device (such as storage device **373**) externally connected to or integrated into the DHCT **16** and be transferred into DRAM **352** for execution. Likewise, data input for an executable program can reside in FLASH memory **351** or a storage device and be transferred into DRAM **352** for use by an executable program or algorithm. In addition, data output by an executable program can be written into DRAM **352** by an executable program or algorithm and be transferred into FLASH memory **351** or into a storage device. In other embodiments, the executable code is not transferred, but instead, functionality is effected by other mechanisms.

The DHCT **16** can also include one or more wireless or wired interfaces, also called communication ports **374**, for receiving and/or transmitting data to other devices. For instance, the DHCT **16** may feature USB (Universal Serial Bus), Ethernet (for connection to a computer), IEEE-1394 (for connection to media content devices in an entertainment center), serial, and/or parallel ports. The user inputs may be, for example, provided by an input device including a computer or transmitter with buttons or keys located either on the exterior of the terminal or by a hand-held remote control device **380** or keyboard that includes user actuated buttons, or even aural input (c.g., voice activated).

The DHCT **16** includes at least one storage device **373** to provide storage for downloaded media content. The storage device **373** can be an optical storage device or a magnetic storage device, among others, and is preferably a hard disk drive. The storage device **373** comprises storage for media content and/or data that can be written to for storage and later read from for retrieval for presentation. The storage device **373** preferably includes at least one hard disk **300**. Throughout this disclosure, references relating to writing to or reading from the storage device **373**, or references regarding recordings from or to the storage device **373** will be understood to mean that such read or write operations are occurring to the actual medium (for example, the hard disk **300**) of the storage device **373**. The storage device **373** is also comprised of a controller **379** that preferably receives operating instructions from the device driver **311** of the operating system **353** and implements those instructions to cause read and/or write operations to the hard disk **300**.

The storage device **373** is preferably internal to the DHCT **16**, coupled to a common bus through a communication interface **375**, preferably an integrated drive electronics (IDE) interface or small computer system interface (SCSI), although IEEE-1394 or USB can be used. In other embodiments, the storage device **373** can be externally connected to (and thus removable from) the DHCT **16** via a communication port **374** implemented as IEEE-1394 or USB or as a data interface port such as a SCSI or an IDE interface. In one implementation, under the auspices of the real-time operating system **353** and executed by the processor **344**, and in coordination with the personal video recording (PVR) application **377**, the device driver **311**, and the device controller **379**, downloaded media content (herein understood to also refer to other types of data, in addition to, or instead of, media content instances) are received in the DHCT **16** via the communications interface **342**, processed as described above, and stored in a temporary cache (not shown) in memory **349**. The temporary cache is implemented and managed to enable media content transfers from the temporary cache to the storage device **373**, or, in concert with the insertion of a newly arriving media content into the temporary cache.

In one implementation, the processor **344**, in communication generally with the device driver **311** and the storage device controller **379** and the signal processing system **314**, effect retrieval of compressed video streams, compressed audio streams, and data streams corresponding to one or more media content instances from the storage device **373**. Retrieved streams are deposited in an output cache in the storage device **373** and transferred to DRAM **352**, and then processed for playback according to mechanisms well known to those having ordinary skill in the art. In some embodiments, one or more media content instances are retrieved and routed from the hard disk **300** to the media engine **322** for video and audio decoding simultaneously, and then further processed for eventual presentation on a display device or other device.

The PVR application **377** provides for media content recording functionality by enabling the temporary writing to,

and if requested, more permanent recording (i.e., relatively permanent) to the storage device **373**. Media content can be transmitted (or downloaded) from a remote location, such as, for example, a remote server located in the headend **11**, or from a home communication network, or from consumer electronic devices. Downloaded media content that is received at each tuner of tuner system **345** is temporarily stored, or buffered, on the hard disk **300** of the storage device **373**. The corresponding space on the hard disk **300** is called buffer space, or a time shift buffer (TSB) **378**. In a preferred embodiment, each tuner in tuner system **345** has a respective TSB **378**. Although one TSB **378** is shown, it will be understood that more TSBs can be used with multiple tuners. Note that buffering is understood to include temporarily storing media content, received from a local attached device (e.g., a camera, etc.) and/or either from reception of a broadcast digital channel or a digital compressed version of a broadcast analog channel, and/or data, in the buffer space, or TSB **378**, of the storage device **373**.

Under normal operation, the PVR application **377** effectively associates a temporary recording designation with the media content received into the TSB **378**. The media content stored in the TSB **378** will either be deleted (i.e., the clusters storing the media content will be configured as writeable for eventual write operations that overwrite the media content within those clusters) or retained (through election by the user as one example) as a permanent recording. A permanent recording will be understood to include media content that is stored for an extended period of time, for example as decided by the user. Permanent recordings can be implemented by the user electing in advance to make a scheduled recording of a media content instance that has not yet been tuned to at the DHCT **16**. A permanent recording can also be achieved by selecting a media content instance stored in the TSB **378** and designating the media content instance as permanent. Permanent recordings will preferably be more permanent than media content in the TSB **378**, and permanent recordings can eventually be deleted from the disk space, typically at the explicit request of a user, as one example. The PVR application **377** maintains a data structure, or data record, for every downloaded media content instance. This data structure is preferably maintained on the hard disk **300** of the storage device **373**, but can be maintained in memory **349** also.

The time shift buffer can be managed and implemented according to several mechanisms. Further information pertaining to creating and maintaining the TSB **378**, as well as information pertaining to the processing of incoming digital and/or analog transmission signals, can be found in the applications entitled, "CONTROLLING SUBSTANTIALLY CONSTANT BUFFER CAPACITY FOR PERSONAL VIDEO RECORDING WITH CONSISTENT USER INTERFACE OF AVAILABLE DISK SPACE," filed Dec. 6, 2001 under Ser. No. 10/010,270, "CONVERTING TIME-SHIFT BUFFERING FOR PERSONAL VIDEO RECORDING INTO PERMANENT RECORDINGS," filed Dec. 6, 2001 under Ser. No. 10/008,624, "DIVIDING AND MANAGING TIME-SHIFT BUFFERING INTO PROGRAM SPECIFIC SEGMENTS BASED ON DEFINED DURATIONS," filed Dec. 6, 2001 under Ser. No. 10/008,439, "DISK DRIVER CLUSTER MANAGEMENT OF TIME SHIFT BUFFER WITH FILE ALLOCATION TABLE STRUCTURE," filed Dec. 5, 2001 under Ser. No. 10/005,628, and "APPLICATION MANAGEMENT AND INTERFACE FOR CLUSTER CONTROL OF TIME SHIFT BUFFER," filed Dec. 5, 2001 under Ser. No. 10/010,781, all assigned to Scientific Atlanta, and all herein entirely incorporated by reference.

As described above, the user preferably permanently records from the TSB **378** by designating as permanent a currently viewed media content instance during real-time viewing or returning (e.g., rewinding) to any part of a media content instance in the TSB **378** and selecting the record button from a remote control device **380**, or alternatively, from selecting a record button (not shown) on the DHCT **16**. In one preferred embodiment, the user can record from an IPG screen, as will be described below. An example remote control device **380** to provide input to the DHCT **16** is illustrated in FIG. **3**B. Rewind **388** and fast-forward **387** buttons enable a user to access buffered media content instances in the TSB **378**. Record button **390** enables the user to designate as permanently recorded any media content instance buffered into the TSB **378**, or to schedule recordings. Pause button **391** or the stop button **393** enables the user to pause a media content instance, or pause during a search for a particular media content instance. Playback **392** enables the playback of a media content instance. "A" **381** "B" **382**, and "C" **383** buttons can correspond to certain application-defined functions that have a corresponding "A", "B", or "C" symbol displayed in a graphic user interface (GUI) presented on a display device. List button **384** can be used to evoke various PVR user interface screens. The guide button **391** may be used to access a television program guide such as, for example, an IPG screen. The information button **389** can be used to access additional information about a particular media content instance. Many alternative methods of providing user input may be used including a remote control device with different buttons and/or button layouts, a keyboard device, a voice activated device, etc. The embodiments of the invention described herein are not limited by the type of device used to provide user input.

Referring again to FIG. **3**A, the IPG application **394** displays a program guide to the user and populates the guide with information about television services. The IPG application **394** includes an IPG user interface module **395** that creates an IPG for presentation to the user. The IPG user interface module **395** accesses configuration settings stored in an EPG configuration module **396** to implement an appropriate configuration for the IPG. The EPG configuration module **396** preferably includes a configuration database **397** for storing a plurality of IPG configurations. The IPG user interface module **395** populates the IPG with information contained in an IPG database **398**. The IPG database **398** contains data files corresponding to current and future services that are or will be available via the DHCT **16** and/or other local devices.

Based on the configuration information stored in the IPG configuration module **396**, the IPG user interface module **395** utilizes the window manager **359** and other graphics utilities provided by the operating system **353** to render an IPG on the television **341**. The window manager **359** is a component that, in one embodiment, is part of the platform **356**, but in other embodiments may be part of the operating system **353**. The window manager **359** contains functionality for allocating screen areas and managing screen use among multiple applications. The operating system **353** provides primitives to the IPG user interface module **395** in order to help render images on the television **341**.

As a window is generated on a display device, the IPG user interface module **395** registers with the window manager **359** for particular user input commands that may be required for selecting options provided by a newly-created window. The EPG application **394** also contains a daemon application **399** that receives IPG data files transmitted by the headend **11** and stores them in the IPG database **398** for utilization by the user interface module **395**. The PVR application **377** also includes

functionality for searching for and retrieving from multiple sources of PVR media content and/or data for storage in the IPG database **398**. Such sources include, for example, the storage device **373** or a navigator database (not shown), or other pluggable database modules (not shown).

FIG. **4** depicts an example IPG screen **400** that illustrates an initial program guide arrangement in a time format. Other browse-by formats can be presented to the user, including, browse-by theme, as one example. The example IPG screen **400** can be presented by the IPG application **394** (FIG. **3**A) in response to a user activating the guide key **391** (FIG. **3**B), as one example. The IPG application **394** works in cooperation with the window manager **359** (FIG. **3**A) to present a user with IPG screens that are formatted in accordance with IPG configuration data that is stored in configuration database **397** (FIG. **3**A). Furthermore, an IPG application **394** can retrieve media content instance listing information from the IPG database **398** (FIG. **3**A) as needed for presentation via an IPG screen. The top left portion of the IPG screen **400** is a detailed focus area **410** that includes detailed information for a currently highlighted media content instance listing which, in the current example, is the Johnny Bravo listing **420**. The detailed media content instance listing information may include display channel number, service name (e.g., Cartoon Network), media content instance listing title (e.g., Johnny Bravo), media content instance listing description, media content instance listing duration, and/or any episode information or rating, as well as recording information for the PVR display channels, as is described below.

Video corresponding to the television service to which the DHCT **16** (FIG. **3**A) is currently tuned (for which audio may also be playing, and which preferably corresponds to a television presentation occupying the full screen before the user is presented with the IPG screen **400**) is displayed in a video area **430**. Immediately below the video area **430** is an information banner **440** for displaying the television display channel number corresponding to the service to which the DHCT **16** is currently tuned (e.g., display channel **5**), the current day and date (e.g., Thursday, January 17), and the current time (e.g., 8:00 p.m.).

An IPG grid **465** includes a main media content instance listing display area **460**, a time area **470**, and a service identification area **480**. The media content instance listing display area **460** contains listings of service instances that correspond to respective television services identified in the service identification area **480** that are scheduled to be available during the time periods listed in the time area **470**. Each media content instance listing is preferably formatted as a rectangle, or block, that has a length that depends on the duration of the scheduled presentation of the media content instance. The media content instance listing, such as the Johnny Bravo listing **420**, includes an identifier such as the title of the media content instance (e.g., Johnny Bravo), and can include other identifiers like parental control icons or differences in shading and/or color to represent different functionality. The service identification area **480** includes, in one implementation, a vertical list of television services organized sequentially from top to bottom by increasing television display channel number (except for the highest numbered television service which is typically listed immediately above the lowest numbered television service). In one embodiment, the arrow buttons **386** of the remote control device **380** (FIG. **3**B) can be used to scroll through the media content instance listing display area **460** to highlight a desired media content instance listing, such as the Johnny Bravo listing **420**. As a user scrolls in time across a calendar day boundary, the day and date indications displayed in various areas are updated.

In this non-limiting example, the left-most time column (i.e., under the 8:00 time slot) in the media content instance listing display area **460** includes the titles of media content instance listings, including the highlighted Johnny Bravo listing **420**, which is scheduled to be provided via the Cartoon Network (i.e., Toonz on display channel number **201**). It should be noted that the current media content instance listing shown in video area **430** with corresponding information referenced in information banner **440**, corresponds to the currently tuned television service (display channel number **5**), and not to the service corresponding to the currently highlighted Johnny Bravo listing **420**. The bottom area **450** of the IPG screen **400** indicates the selected day for which media content instance listing data is being displayed as well as information about the current functions of the "A", "B", and "C" buttons on the remote control device **380** (FIG. **3**B).

In an alternative embodiment, the IPG screen **400** may have fewer, additional, and/or different components and may have a different layout. For example, the IPG screen **400** might not include one or more of a detailed focus area **410**, a video area **430**, an information banner **440**, and/or a bottom area **450**. The double arrow icons **462** indicate that a given media content instance listing has a duration that expands beyond the time period shown in the current IPG display screen, suggesting to the user that the balance of the listing can be viewed in another IPG display by selecting the right or left navigation arrow buttons **386** on the remote control device **380** (FIG. **3**B), depending on the direction of the double arrow icon **462**. Note that the functions of highlighting, scrolling, and other navigation functions for interacting with a particular screen involve selecting buttons on the remote control device **380** that often correspond to symbols displayed on the screen. It will be understood that terminology that describes making selections on a particular screen will be understood to include making the corresponding selections using a remote control device **380**. Other input devices contemplated to be within the scope of the preferred embodiments of the invention include a touch screen, a mouse, an IR keyboard, among others.

In one preferred embodiment, the IPG application **394** (FIG. **3**A) will be used in cooperation with the PVR application **377** (FIG. **3**A) to provide channel mapping of media content stored in the storage device **373** (FIG. **3**A). More specifically, media content stored in buffer (e.g., TSB **378**) and non-buffer space on the hard disk **300** (FIG. **3**A) of the storage device **373** will have display channel listings in the IPG screen **400**. Further, each individual display channel row for PVR content will preferably be segmented into listings that are formatted as titled blocks, with the boundaries of each block preferably representing the duration of each recorded media content instance (wherein recorded media content instance includes scheduled recordings, active recordings, and completed recordings) stored or scheduled to be stored in the storage device **373** (FIG. **3**A). PVR channel mapping into an IPG screen can be implemented through the use of a user settings menu (not shown), or during the recording process from the IPG screen **400**. For example, starting with the recording process implementation, the user can highlight one of the media content instance listings in the media content instance listing display area **460**, and press the record button **390** (FIG. **3**B) on the remote control device **380** (FIG. **3**B) to initiate permanent recordings for the selected media content instance. Assume the user has highlighted the Johnny Bravo listing **420**, and selected the record button **390**. In response, the user will be presented with an example confirm recording screen **500**, as shown in FIG. **5**.

The example confirm recording screen **500** includes a confirm recording header **505** to identify the screen **500**. Also included is an information area **510**, that includes the title of the media content instance (e.g., Johnny Bravo), the date, time, display channel, and associated service of the scheduled presentation, as well as the default quality and the default start time, which in this case is from the beginning of the scheduled presentation. Note that the quality refers to the recording quality level. In one implementation, there exists three recording quality levels: good (with a video data rate of 3 MegaBytes per second), better (5 MegaBytes per second), and best (8 Megabytes per second). Other data rates and quality levels can also be used in other embodiments. Also included is an information button icon, which corresponds to the information button **389** on the remote control device **380** (FIG. **3**B) to provide further media content instance information. The confirm recording screen **500** also includes an options block **520**, which includes such options as the ability to record all episodes, to record this single episode, among other options shown and not shown. The user preferably scrolls through these options in the options block **520** by using the arrow buttons **386** (FIG. **3**B) of the remote control device **380**, as suggested by the navigation arrow icons **522**. The blocks of the option block **520** preferably become highlighted as the user scrolls to the block. The user can select one of the options of the option block **520** as suggested by the select button icon **524**, which corresponds to the select button **385** (FIG. **3**B) on the remote control device **380**. Also included is a bottom area **530**, which includes a cancel button icon **532**. Assume in this example that the user desires to record this episode of Johnny Bravo, and does so by highlighting and selecting the "record this episode" option in the option block **520**. This selection results in the user being presented with an example recorded programs list screen **600**, as shown in FIG. **6**.

The example recording schedule screen **600** includes a recording schedule header **605**, an information area **610**, a list block **620**, and a bottom area **630**. As shown, the information area **610** includes the title of the selected media content instance for recording, as well as default values for the amount of days the media content instances will be saved (e.g., for seven days). Other default values include the quality, which is shown here as "good," as well as an information button icon as described in respect to FIG. **5**. Also note the open padlock icon, signifying a parental control feature that is not enabled (thus permitting a user to view the associated media content instance without the requirement for inputting a personal identification number). The list block **620** shows Johnny Bravo as one of the current scheduled recordings. As shown by the highlighted block in the list block **620**, Johnny Bravo is listed as an entry scheduled to be recorded on Thursday, the 17th of January, at 8:00 p.m., with a duration of 30 minutes. Further note that the list block **620** includes the select button icon **624** for making a selection and navigation arrow icons **622** for scrolling to the next displayed entry, as described in association with FIG. **5**. Assume the user previously scheduled to record an Auburn basketball game on Saturday afternoon, as well as the ABC news later that same afternoon. The bottom area **630** includes two navigation button icons corresponding to the lettered navigation buttons **382** and **383** on the remote control device **380** (FIG. **3**B). The recorded programs list button icon **632**, when selected, presents the user a list of recordings stored in the storage device **373** (FIG. **3**A). The record options button icon **634**, presents the user with various recording options, including changing the default values of the information area **610**. At this point, the user now has the Johnny Bravo episode scheduled to be recorded into the storage device **373**, along with other scheduled recordings.

FIG. **7** is a screen diagram of an example IPG screen **700** similar to the IPG screen **400** of FIG. **4**, but with PVR channels shown. This screen **700** can be evoked by the user through the selection of the guide button **391** (FIG. **3**B), as one example. FIG. **7** is used to illustrate how scheduled recorded media content that has not been configured for a particular PVR channel is automatically mapped to a miscellaneous, or default, PVR channel (e.g., PVR channel **301**). In other embodiments, all recorded media content, scheduled, configured for a particular PVR channel, or otherwise, can have a corresponding listing displayed in the default PVR channel. Assume the user has evoked this screen **700** after the scheduled recording times for Johnny Bravo have passed (e.g., it is now 11:10 p.m. on Thursday, as shown by the information banner **740**), and that the user has scrolled to the PVR channels. Note that in other embodiments, after the user has scheduled the recording in the confirm recording screen **500** (FIG. **5**), the listings for the scheduled media content instances can be displayed in the PVR channel in an IPG screen and be distinguished from listings corresponding to completed recordings, such as by a different color, as one example. The user can configure this feature, for example, in a record options screen, or a general settings menu. The currently displayed PVR channels **301** through **303** are shown in the service identification area **780**. As illustrated, Johnny Bravo is the recorded media content instance that has been automatically channel mapped into the IPG screen **700**, in accordance with one embodiment. The PVR channel **301**, in one implementation, can be a default, or miscellaneous, PVR channel among the plurality of PVR channels for recorded media content. Note that the detailed focus area **710** preferably includes the time, date, and/or channel of the recording of the highlighted listing (e.g., the Johnny Bravo listing).

In a preferred embodiment, the blocks representing the recorded media content listings in the PVR channel **301** can be in synchronization with the time periods illustrated in the time area **770**. In other words, the PVR channel media content listings are preferably aligned along the time area **770**, having a similar appearance to the listings associated with broadcast media content. For example, since Johnny Bravo is a half hour presentation, its block boundaries in the IPG screen **700** are defined by the column positioned between the beginning of the 11:00 p.m. time slot and the beginning of the 11:30 p.m. time slot illustrated in the time area **770**. In one implementation, because the media content instance listings in the IPG screen **700** for PVR content are synchronized with the time indicated in the time area **770**, a user selecting Johnny Bravo for playback at the current time of 11:10 p.m. will be positioned 10 minutes into the presentation (i.e., ten minutes past the relative hour) of Johnny Bravo. Thus, at the end of the presentation of a recorded media content instance, the user can go to other display channels, for example, broadcast channels, to view from the beginning of a scheduled presentation of one of the broadcast media content. Further, scheduled live broadcasts can be inserted into the PVR channel, as described above, providing the user the opportunity to view the presentation while it is being recorded. In other embodiments, the user can choose to be positioned at the beginning of the presentation of the selected media content instance, regardless of what the current time is relative to the hour. This positioning can be user configurable via a user settings menu, as one example. Note that as time advances, as shown in the time area **770**, the relative positions of the media content listings with respect to the boundaries of the media content

instance listing display area **760** for the PVR channels remains the same in the IPG screen **700**. For example, when the IPG screen **700** advances to 12:30 p.m., Johnny Bravo will still positioned relative to the hour, starting at the left-most position of the IPG grid (i.e., the under the 12:30 column). An exception to this relative positioning occurs when scheduled media content is inserted into the PVR channel, since the scheduled recordings will preferably be tied to a set, or scheduled presentation time.

In other embodiments, the time area **770** can take on other forms and functionality. Unlike broadcast media content, PVR listings that are associated with completed recordings can be viewed at any time. Thus, when a listing in a PVR channel is selected, the time area **770** can be altered to reflect this selection and accessibility feature. For example, responsive to selecting a listing in a PVR channel, the time area **770** can be grayed out. In another embodiment, the time area **770** can depict the duration in "seconds," and/or "minutes," and/or "hours" of each recorded media content instance. Other embodiments include not having a time area, or having a time area with index numbers corresponding to the number and/or the recorded sequence of the recorded media content, or a ticker banner, among others. The ticker banner can include a scrolling banner that is displayed to the user when he or she has highlighted one of the listings for recorded media content instances displayed in the PVR channels. In other embodiments, the time area can still illustrate the current time increments by half an hour (as shown by the IPG screen **700**), but have relevance only to broadcast media content.

FIG. **8** is a screen diagram of an example display of the presentation of Johnny Bravo after highlighting and selecting the Johnny Bravo listing from the IPG screen **700** (FIG. **7**). As described above, the user has selected Johnny Bravo ten minutes past the start of the presentation of Johnny Bravo, and thus is placed ten minutes into the presentation, in one implementation. Overlaid on the presentation of Johnny Bravo is a pause banner **802**. The pause banner **802** can be evoked by pressing the pause button **391** on the remote control device **380** (FIG. **3**B), as one example. The PVR application **377** (FIG. **3**A) recognizes this keypress event and subsequently, in cooperation with the operating system **353** (FIG. **3**A), causes the current picture frame to "freeze". Further, the PVR application **377** generates the pause banner **802** and components therein based largely on the data maintained in a data structure maintained by the PVR application **377**. The pause banner **802** includes several descriptive elements, including a pause icon **804**, and a playback bar **806**. The playback bar **806** represents both the scheduled presentation duration and the recorded duration of Johnny Bravo. Since Johnny Bravo was recorded in its entirety, the playback bar **806** will preferably have a uniform color, as indicated by the uniform hashing within the playback bar **806**.

If there was a portion of Johnny Bravo that was not recorded, the playback bar **806** would preferably be divided into two distinct regions. For example, the unrecorded portion can be colored red, and the recorded portion can be colored green, as one example. Such a scenario can arise for scheduled recordings (i.e., scheduled to be recorded in the future), and/or recordings that are in progress, as non-limiting examples. It would be understood, in the context of the detailed description, that other mechanisms can exist to indicate the difference between unrecorded and recorded content including differences in gray shading, etc. The playback bar **806** also includes a playback position indicator **808**. As described earlier, the user is positioned, in one implementation, in the presentation of Johnny Bravo ten minutes past the start of the scheduled presentation of Johnny Bravo. The playback position indicator **808** reflects this relative position. The recorded length of Johnny Bravo is also indicated in the recorded length area **810**. The pause banner **802** also includes a play button icon **812** and an options button icon **814**. The usermight select the options button icon **814**, for example, to delete a selected recorded media content instance. Preferably, by selecting a delete option (not shown) in a screen prompted by the selection of the options button icon **814**, the corresponding listing will also be removed from the IPG screen **700** (FIG. **7**). The user can begin the playback presentation of Johnny Bravo by selecting the play button **392** on the remote control device **380** (FIG. **3**B). The user can also choose to rewind to the beginning of Johnny Bravo, by selecting the rewind button **388** on the remote control device **380**. The options button icon **814** can be selected (i.e., via the remote control device **380**) to choose various PVR options, such as creating a PVR channel, as will be described below. Further information on the playback bar **806** and the pause banner **802** can be found in the patent application entitled, "PROGRAM POSITION USER INTERFACE FOR PERSONAL VIDEO RECORDING TIME SHIFT BUFFER," filed Dec. 20, 2001 under Ser. No. 10/034,028, assigned to Scientific Atlanta, and herein entirely incorporated by reference.

FIG. **9** is a screen diagram of an example IPG screen **900** that is used to illustrate how a user can configure a PVR channel. Assume the user has decided that he or she wants to record the Barney program (in addition to other Barney programs), which begins at 7:00 a.m. and runs until 7:30 a.m. As indicated, the user has highlighted the Barney listing **920** in the Nickelodeon channel **220** scheduled to begin at 7:00 a.m. The user presses the record button **390** on the remote control device **380** (FIG. **3**B), and in response, the example confirm recording screen **1000** is displayed, as shown in FIG. **10**.

Assume the user has decided to record all episodes of Barney and in addition, the user has decided that he or she wants to configure a PVR channel as a Barney channel. By highlighting and selecting the "record all episodes" option in the options block **1020** of the confirm recording screen **1000**, the user is presented with the example recording schedule screen **1100** as shown in FIG. **11**. Reviewing the list block **1120** of the recording schedule screen **1100**, the user has selected all episodes of Barney for recording. Preferably, the episodes of Barney for recording that will be presented on Saturday, January 19, the current day in this example, are listed, as well as other scheduled recorded programs for Saturday, such as the Auburn basketball game as mentioned above. In one embodiment, the Barney episodes scheduled for recording can be displayed in the list block **1120** for a defined period, such as one day, several days, one week, etc. This defined period can be user configurable in other screens prompted by selecting the record options button icon **1122**. Continuing with the example, the user has highlighted the Barney episode shown in the top row of the list block **1120**, and has selected the record options button icon **1122**. The resulting screen is shown in FIG. **12**.

The record options screen **1200** is shown overlaid on a greyed out recording schedule screen **1100** (FIG. **11**), but in other embodiments, the record options screen **1200** can be displayed independently of the recording schedule screen **1100**. The record options screen **1200** includes a record options header **1205**, an options block **1220**, and a return to recording schedule button icon **1236**. The options block **1220** includes navigation arrow icons **1222**, as well as a select button icon **1224**. As with other screen displays, the user can scroll through the various options by using the navigation arrow buttons **386** of the remote control device **380** (FIG. **3**B) as suggested by the navigation arrow icons **1222**, and the user

can make a selection by using the select button **385** of the remote control device **380** as suggested by the select button icon **1224**. As shown, the options from the options block **1220** include the option to configure a PVR channel. Assume the user has highlighted and selected the "configure a PVR channel" option in the options block **1220**, resulting in the example PVR channel configure menu screen **1300** as shown in FIG. **13**.

The example PVR channel configure menu screen **1300** is a screen where the user can configure a particular PVR channel to catalog past, current, and/or future recordings based on one or more pre-defined and/or user configured categories. The PVR channel configure menu screen **1300** includes a header **1305**, a display area **1310**, navigation arrow icons **1322**, a select button icon **1324**, and a bottom header **1330**. The header **1305** identifies the PVR channel configuration menu screen **1300**. The display area **1310** displays information corresponding to the highlighted PVR channel selection in the PVR channel list **1320**. For example, PVR channel **302** is highlighted in the PVR channel list **1320**, as indicated in the display area **1310**. As shown in the display area **1310**, the first line preferably identifies the highlighted PVR channel, which is entitled, PVR channel **302**. The next line in the display area **1310** is entitled category, which the user has not yet configured. The bottom line in the display area **1310** instructs the user to press select to configure a highlighted PVR channel. It will be appreciated by those of ordinary skill in the art that this display area can be configured in various forms while being contemplated within the scope of the preferred embodiments. As described above, the PVR channel list **1320** includes a list of configurable PVR channel numbers for channel mapping recorded media content. Herein, it will be understood that recorded media content (or media content instances, or similarly, media content instance recordings) includes media content that is scheduled to be recorded, as well as media content where recording is in progress or has been completed.

In one embodiment, the first listed PVR channel, which is PVR channel **301**, is greyed out. As described above, this PVR channel will preferably be used as a default, or miscellaneous channel for recorded media content that does not match a user configured PVR channel. For example, for any recorded media content that does not fall into a configured category (as will be described below), such non-configured, recorded media content will fall under the PVR channel **301** entry in an IPG screen. Accordingly, upon the user being presented with the PVR channel configure menu screen **1300** for the first time, the defaulted highlighted channel available for configuration by the user will preferably be the PVR channel **302**. The user can use the navigation arrow icons **1322** and select button icon **1324** to highlight and select to configure other PVR channels. For example, the user can navigate to the PVR channel **305** to configure that PVR channel out of the default display order. The bottom header **1330** includes an IPG button icon **1332**, a record options button icon **1334**, and a title channel button icon **1336**. For example, the user can select the "A" button **381** on the remote control device **380** (FIG. **3**B), and the user will be presented with an IPG screen display. The user can also select the guide button **391** on the remote control device **380** to accomplish similar functionality.

By selecting the record options button icon **1334**, the user is presented with a record options screen, such as that shown in FIG. **12**. The title channel button icon **1336** enables a user to change the title of the PVR channel from, for example, PVR channel **302**, to a title preferred by the user, such as a title more descriptive of the category of media content channel mapped to the particular PVR channel. As will be described below, since the user is configuring a PVR channel starting from the record options screen **1200** (FIG. **12**), the default title will preferably be the title of the selected media content instance (for example, the Barney channel). In other embodiments, or when the user initiates PVR channel configuration from a user settings menu screen, the title of the PVR channel will be the last category configured in a sequence of category screens, as will be described below. Assume the user has selected the select button icon **1324**, which results in the example PVR channel configuration categories screen **1400** shown in FIG. **14**.

The example PVR channel configuration categories screen **1400** has a similar structure to the PVR channel configure menu screen **1300** (FIG. **13**). The PVR channel configuration categories screen **1400** includes a header **1405**, a display area **1410**, a category choices list **1420**, and a bottom header **1430**. The header **1405** identifies the current screen **1400**. The display area **1410** will identify the PVR channel under configuration, and in addition, will identify the category based on the highlighted choice from the category choices list **1420**. As this particular PVR channel configuration implementation was initiated by highlighting an episode of Barney and configuring through a recorded programs list screen, the PVR channel **302** will default to some association with Barney depending on the highlighted choice in the category choices list **1420**.

For example, since the title choice is highlighted in the category choices list **1420**, and Barney was the episode that was selected for the PVR channel configuration, the default channel title will be the Barney channel. Similarly, if the category choice entitled, content service, was highlighted in the category choice list **1420**, then the default PVR channel title would be the Cartoon Network Channel **302**. As shown, the category choices include title, theme, preference engine, date of recording, and content service. Theme choices include comedy, mystery, action, among others. A category choice of preference engine would utilize whatever search rule was used by the DHCT resources to scan for and/or select desired media content. Other category choices can be scrolled to using the navigation arrow icons **1422**. Other category choices can include, but are not limited to, artists, data of composition, time of presentation, display channel, rating (e.g., Motion Pictures Artist Association, or MPAA), among others. The bottom header **1430** includes an IPG button icon **1432**, as well as a back to PVR channel configuration menu button icon **1434**. Assuming the user has highlighted and selected the title choice from the category choices list **1420**, the user is presented with the example PVR channel configure menu screen **1500** shown in FIG. **15**.

As noted by the PVR channel list **1520**, the PVR channel **302** is now configured as the Barney channel **302**. This fact is reflected by the top line in the display area **1510** and the category line, which describes how recorded media content is channel mapped in this PVR channel. Thus, any Barney recordings, scheduled or otherwise, will be received into the storage device **373** (FIG. **3**A), with a corresponding listing displayed in an IPG screen grid under the Barney channel **302**. Note that in the aforementioned embodiment the functions of recording and PVR channel configuration are distinguished, but in other embodiments, the functions of configuring a PVR channel and recording can be accomplished as combined functionality. By selecting the IPG button icon **1532**, the user is presented with an IPG screen (not shown).

FIG. **16** is a screen diagram of an example IPG screen **1600**. Assume the user has tuned into this IPG screen **1600** after the scheduled recordings of the Barney episodes have been completed, as shown by the current time of 11:35 a.m. in

the information area **1640**, which is after the 7:00, 10:00 and 11:00 a.m. episodes of Barney that have been recorded into the storage device **373** (FIG. **3**A) of the DHCT **16** (FIG. **3**A). As shown in the example IPG screen **1600**, the three scheduled recordings of the Barney episodes have been channel mapped into the Barney channel **302**. By highlighting the Barney listing **1620**, the user can learn more about that particular episode and recording information by viewing the detailed focus area **1610**. In other embodiments, additional information may be included along with (or in place) the title. Note that in other embodiments, as describe above, this IPG screen **1600** can be presented before the scheduled recordings are completed using a similar format, except for different block coloring associated with the episodes that have not been recorded completely to distinguish from blocks associated with media content instances where the recordings to the storage device **373** (FIG. **3**A) are complete.

Another recording process implementation includes providing the user with the ability to configure his or her own personalized PVR channel (e.g., Michael's channel), and mapping recorded media content under user direction, such as during a manual recording process. Or in other embodiments, the user could configure the personalized channel with categories to search for, with the result that media content with characterizing information matching the categories selected would be mapped to the personalized PVR channel.

One implementation for configuring one or more PVR channels was through the recording process, as described above. Another mechanism for configuring one or more PVR channels is through a user settings menu, such as the example user settings menu screen **1700** shown in FIG. **17**. As shown, the user can select the PVR channel configuration option among a plurality of user setting options. Assuming the user has highlighted and selected the PVR channel configuration option, the user is presented with the example PVR channel configure menu screen **1800** shown in FIG. **18**. The PVR channel configure menu screen **1800** is similar in structure and functionality to the PVR channel configure menu screen **1300** described in association with FIG. **13**. Continuing with the prior example, the defaulted highlighted entry in the PVR channel list **1820** is PVR channel **303**. Above the PVR channel **303** entry is the prior configured Barney channel **302**. By selecting the select button icon **1824**, the user is presented with the example PVR channel configuration categories screen **1900** of FIG. **19**.

FIGS. **19-24** will be used to illustrate time-based channel mapping. Assume the user has scrolled to, and highlighted, the time of recording choice of the category choices list **1920**. As described earlier, the display area **1910** will display the highlighted choice from the category choices list **1920**, which in this example is time of recording. By selecting the select button icon **1924**, the user is presented with another example PVR channel configuration categories screen **2000** shown in FIG. **20**.

This screen **2000** is for configuring a category that further refines the time of recording choice selected in the prior screen **1900** (FIG. **19**). The subheader **2015** indicates the refined category, which includes recording time choices. The recording time choices list **2020** includes two displayed options, including configuring by relative time and configuring by absolute time. The bottom header **2030** includes an additional function from the prior screen **1900**, as shown by the back button icon **2036**, which enables a user to go back to the prior screen **1900**. Assume the user has highlighted and selected the recording time choice "relative time," which results in further refined categories displayed in an example PVR channel configuration categories screen **2100** (FIG. **21**).

FIG. **21** is a screen diagram of an example PVR channel configuration categories screen **2100**, which enables further refinement of the relative time choice selected in the prior screen **2000**. The subheader **2105** identifies the relative time choices list **2120** that is preferably positioned below it. The relative time choices list **2120** includes the past six hours, past seven hours, among other relative times in the past and future that are shown and not shown.

By choosing these relative time choices, a PVR channel can be configured that channel maps past recorded media content into this category based on the recording time relative to the current IPG display time (i.e., time-based channel mapping). For example, if an IPG screen is displayed at 12:00 midnight, all past recorded media content from 6:00 p.m. to 12:00 midnight would be channel mapped in the Past Six Hours channel in an IPG screen. Assume the user has highlighted and selected the past six hours choice of the relevant time choices list **2120**, resulting in the example PVR channel configure menu screen **2200** shown in FIG. **22**. As shown in the example PVR channel configure menu screen **2200**, the PVR channel **303** is newly configured as the Past Six Hours channel **303**. The display area **2210** displays this new title for the PVR channel **303**, as well as the category line which includes time of recording, further refined by relative time, further refined by the past six hours of recorded media content.

FIG. **23** is a screen diagram of an example IPG screen **2300**. Assume the user has evoked this screen **2300** on Saturday morning. Recalling from the above description that Barney was scheduled to be recorded on Saturday morning, since Barney was recorded within the past six hours, it will be mapped under the Past Six Hours channel **303**, in addition to being mapped in the Barney channel **302**. As shown, it is possible that media content instances will be mapped under a plurality of PVR configured channels.

FIGS. **24-35** will be used to illustrate content based channel mapping. FIG. **24** is a screen diagram of an example PVR channel configure menu screen **2400**. Assume that the user has entered this screen through the user setting menu. The PVR channel list **2420** includes the prior configured Barney channel **302**, as well as the prior configured Past Six Hours channel **303**. Accordingly, this display screen **2400** defaults to the next nonconfigured PVR channel entry, which is the PVR channel **304** entry in the PVR channel list **2420**. As shown by the display area **2410**, no category has been configured for PVR channel **304** to date. Assume the user selects the select button icon **2424**, resulting in the example PVR channel configuration categories screen **2500** illustrated in FIG. **25**. For this example, assume the user is attempting to configure a PVR channel that maps recorded content comprising news programming into a News channel. Although the user can configure using several different category choices, assume the user begins by configuring by theme. Thus, the user highlights and selects the theme category choice of the category choices list **2520**, resulting in the example PVR channel configuration categories screen **2600** illustrated in FIG. **26**, which includes categories that are a further refinement of the theme category selected in the prior screen **2500**.

As noted by the subheader **2615**, this screen **2600** presents theme choices to the user. The theme choices list **2620** includes a plurality of choices that can be scrolled through using the navigation arrow icons **2622**. Assume in this example the user has selected the news choice in the theme choices list **2620**. As a result, the user is presented with the example PVR channel configure menu screen **2700** as illustrated in FIG. **27**. Note that additional screens can be used to

further refine the news theme category choice, for instance by service (e.g., ABC News), as will be demonstrated below for another PVR channel. As shown by the PVR channel configure menu screen **2700**, the PVR channel **304** is newly configured as the News channel **304**. Thus, any recorded media content with characterizing information, such as meta data, indicating that it is news content will be channel mapped into an IPG screen under the News channel **304**. Meta data is data about data. Meta data describes, for example, how and when and by whom a particular set of data was collected, and how the data is formatted, as well as other characterizing information of the transmitted media content, and can be included in the transmission of television signals and/or stored locally. As the News channel **304** was the last configured PVR channel, the default highlight position in the PVR channel configure menu screen **2700** is PVR channel **305** entry.

In the next example, the user will attempt to configure a PVR channel that channel maps into an IPG screen all recorded media content that has meta data indicating that the media content includes Auburn basketball games. By selecting the PVR channel **305** entry in the example screen **2700**, the user is presented with the example PVR channel configuration categories screen **2800** illustrated in FIG. **28**.

Although there are several category choices to choose from to configure an Auburn basketball channel, in this example, the user begins by highlighting and selecting the category choice, theme, from the category choice list **2820**. In response to that selection, the user is presented with the example PVR configuration categories screen **2900** illustrated in FIG. **29**. As shown by the subheader **2915**, this screen **2900** presents categories that are a further refinement of the theme category choice selected in the prior screen **2800**. The theme choice the user highlighted in this screen **2900** is sports. By selecting the sports theme choice from the theme choices list **2920**, the user is presented with the example PVR channel configuration categories screen **3000** illustrated in FIG. **30**.

This screen **3000** presents categories that are a further refinement to the sports theme choice selected in the prior screen **2900**, as suggested by the subheader **3015** which is entitled, sports options. Since the user desires to have an Auburn basketball channel, the user highlights and selects the basketball college option in the sports options list **3020**, resulting in the example PVR channel configure menu screen **3100** illustrated in FIG. **31**. As shown in this screen **3100**, the PVR channel **305** has been configured as the college basketball channel **305**, as shown in the PVR channel list **3120**. This new configuration, in addition to the corresponding categories, is also presented in the display area **3110**. However, the user desires to have an Auburn basketball channel. In one embodiment, a further refining category can be presented in a screen (not shown) following the last configuration categories screen **3000**. Preferably, the user further refines the currently configured college basketball channel by selecting the college basketball channel **305** again and choosing other configuration categories to narrow the types of media content mapped into this channel. One category the user can choose is a keyword category, as described below.

Assume the user has highlighted and selected the college basketball channel **305** entry in the PVR channel list **3120** resulting in the example PVR channel configuration categories screen **3200** illustrated in FIG. **32**. The user can highlight and select the keyword choice of the category choices list **3220**, resulting in the example PVR channel configuration categories screen **3300** illustrated in FIG. **33**. In this screen **3300**, the user is instructed in the subheader **3315** to enter a keyword. The user can enter a keyword into the keyword box **3320**. In one implementation, the keyword box **3320** can display letters corresponding to numbered buttons on the remote control device **380** (FIG. **3**B), according to well-known key entering mechanisms. Upon the user selecting the select button icon **3324**, the user is preferably presented with a configuration query screen **3400** preferably overlaid on the PVR channel configuration categories screen **3300** (FIG. **33**), as illustrated in FIG. **34**. In other embodiments, the configuration query screen **3400** can be displayed independently from the PVR channel configuration categories screen **3300**.

The configuration query screen **3400** includes an options block **3420**, as well as select button icon **3424** and navigation arrow icons **3422**. The user can scroll through a plurality of configuration query options, including whether he or she wants to replace the current category, or add the keyword as a limitation to the currently configured category, among others. In this example, the user desires an Auburn basketball channel, thus a logical choice from the option block **3420** is to add the keyword (e.g., Auburn) as a limitation to the current college basketball category by highlighting and then selecting that option, resulting in the example PVR configure menu screen **3500** illustrated in FIG. **35**. As shown in this screen **3500**, the college basketball channel is replaced with the narrower Auburn basketball channel as indicated in the display area **3510** and the PVR channel list **3520**. Thus, recorded media content with meta data that indicates that the recorded media content has the title Barney in it, or has been recorded within the past six hours of the current time, or was a News channel that was recorded, or an Auburn basketball game, will all be channel mapped into an IPG screen according to the configured PVR channels shown in the PVR channel list **3520** of the example screen **3500**.

FIG. **36** is a screen diagram of an example IPG screen **3600**. As shown by the information banner **3640**, the user in this example is presented with this IPG screen **3600** at 7:35 p.m. on Saturday, January 19th. Thus, the user can expect to see completely recorded media content instance listings in the PVR channels that were previously configured. As shown, the PVR channels that were configured include the Barney channel, the Past Six Hours channel, the News channel, and the Auburn basketball channel.

As described above, the user, at this point in time, has at his or her disposal completed recordings for several Barney episodes, an Auburn basketball game, a news program, and whatever would have been recorded in the past six hours from this time. Looking at the Past Six Hours channel **303**, the Auburn basketball game listing **3621** is highlighted and has a double arrow icon on the right most side of this listing in the IPG screen **3600** to indicate that the duration of this recording extends beyond the hour and one-half duration shown in the IPG screen **3600**. Note that the Auburn basketball channel **305** also includes this Auburn vs. Georgia basketball game as a media content instance listing. The user can scroll to the right by using the right navigation arrow button **386** on the remote control device **380** (FIG. **3**B), which would result in the example IPG screen **3700** shown in FIG. **37**. As illustrated in this IPG screen **3700**, all of the listings for the mapped media content instances in the PVR channels have advanced and their corresponding blocks are positioned beneath the first column of the time area **3770**. The positioning beneath the time area **3770** for the listings in the PVR channels **301**, **302**, **304**, and **305** appear the same as in the example screen **3600**, except with different time slots presented in the time area **3770**. Since the Past Six Hours channel includes more recorded content than the other configured PVR channels, the listings for the Past Six Hours channels **303** continue to advance as the user scrolls in that row from the example screen **3600** to the example screen **3700**.

FIG. **38** is a screen diagram of an example IPG screen **3800** that is used to illustrate media content instance listings for temporarily stored PVR media content (i.e., buffered media content instances). As shown here, two buffer PVR channels **321** and **322** are displayed in the IPG screen **3800**, suggesting that two tuner buffers corresponding to the use of two tuners are employed in this example DHCT **16** (FIG. **3**A). Greater or fewer numbers of buffers (and accordingly, greater or fewer numbers of media content instance listings and tuners) can be employed and be within scope of the preferred embodiments. In one implementation, as media content is buffered into the DHCT **16** (FIG. **3**A), the listings for the corresponding buffered media content are inserted after the last listing corresponding to the media content instance last buffered, and thus the user preferably scrolls to the right of the IPG screen **3800** to access, view, and/or permanently record the media content instance corresponding to that listing. Accessing of media content from listings in the PVR buffer channel for display results in a time-shifted display presentation of the associated media content instance. In other embodiments, the most recent buffered media content instance can have a listing that is inserted at the left hand side of the IPG screen **3800**. In one preferred embodiment, the user can highlight and select for permanent recording, from the IPG screen **3800**, any of the media content instance listings among the PVR buffer channels **321** and **322**. For example, assume the user is interested in permanently recording the Brady Bunch episode that has been buffered into PVR buffer **322**. In one implementation, the user highlights the Brady Bunch listing and presses the record button **390** on the remote control device **380** (FIG. **3**B), resulting in the displayed episode of the Brady Bunch, as illustrated in FIG. **39**.

In one implementation, since the user highlighted and selected the Brady Bunch listing at 5:15 p.m. (as shown in the information banner **3840** of FIG. **38**), the display that is presented to the user shows the episode 15 minutes past the start of the scheduled presentation. In other implementations, the user selecting to record the Brady Bunch from the IPG screen **3800** can be presented with the beginning of that scheduled presentation. This feature can be user configurable in some embodiments. As shown in FIG. **39**, the user is presented with a pause banner **3940**, that includes a progress bar **3942** similar to that described for the example screen **800** in FIG. **8**, except this screen **3900** corresponds to a temporary recording. The user is also presented with options to play, record, or return to the IPG screen as shown in the bottom header **3930**. Assuming that the user desires to record this buffered episode of the Brady Bunch, the user selects the record button icon **3934**, resulting in the record options screen **4000** illustrated in FIG. **40**.

The record options screen **4000** is similar to that described already for FIG. **12**. The user is presented with several options shown and not shown, including the option to configure a PVR channel (e.g., a Brady Bunch channel), or to just return to the IPG screen **3800** (FIG. **38**), or the option to play the current episode of the Brady Bunch. By choosing to return to the IPG screen **3800**, the Brady Bunch episode will preferably appear as a listing in the PVR channel **301**, which has been described as a default or miscellaneous channel. Note that the Brady Bunch episode selected was actually buffered hours ago, and thus this recording procedure described above simply designates this episode from temporary to permanent.

The PVR application **377** and the IPG application **394** and associated IPG modules can be implemented in hardware, software, firmware, or a combination thereof. In the preferred embodiment(s), the PVR application **377** and the IPG application **394** and associated IPG modules are implemented in software or firmware that is stored in a memory and that is executed by a suitable instruction execution system. If implemented in hardware, as in an alternative embodiment, the PVR application **377** and the IPG application **394** and associated IPG modules may be implemented with any or a combination of the following technologies, which are all well known in the art: a discrete logic circuit(s) having logic gates for implementing logic functions upon data signals, an application specific integrated circuit (ASIC) having appropriate combinational logic gates, a programmable gate array(s) (PGA), a field programmable gate array (FPGA), etc.

The PVR application **377** and the IPG application **394** and associated IPG modules, which comprises an ordered listing of executable instructions for implementing logical functions, can be embodied in any computer-readable medium for use by or in connection with an instruction execution system, apparatus, or device, such as a computer-based system, processor-containing system, or other system that can fetch the instructions from the instruction execution system, apparatus, or device and execute the instructions. In the context of this document, a "computer-readable medium" can be any means that can contain, store, communicate, propagate, or transport the program for use by or in connection with the instruction execution system, apparatus, or device. The computer readable medium can be, for example but not limited to, an electronic, magnetic, optical, electromagnetic, infrared, or semiconductor system, apparatus, device, or propagation medium. More specific examples (a nonexhaustive list) of the computer-readable medium would include the following: an electrical connection (electronic) having one or more wires, a portable computer diskette (magnetic), a random access memory (RAM) (electronic), a read-only memory (ROM) (electronic), an erasable programmable read-only memory (EPROM or Flash memory) (electronic), an optical fiber (optical), and a portable compact disc read-only memory (CDROM) (optical). Note that the computer-readable medium could even be paper or another suitable medium upon which the program is printed, as the program can be electronically captured, via for instance optical scanning of the paper or other medium, then compiled, interpreted or otherwise processed in a suitable manner if necessary, and then stored in a computer memory.

It should be emphasized that the above-described embodiments of the present invention, particularly, any "preferred embodiments" are merely possible examples of implementations, merely setting forth a clear understanding of the principles of the inventions. Many variations and modifications may be made to the above-described embodiments of the invention without departing substantially from the spirit of the principles of the invention. All such modifications and variations are intended to be included herein within the scope of the disclosure and present invention and protected by the following claims.

Therefore, having thus described the invention, at least the following is claimed:

1. A method for mapping media content information to an interactive program guide display, comprising the steps of:

displaying at least one personal video recording display channel in an interactive program guide, the interactive program guide comprising a plurality of media content listings corresponding to future broadcasts of media content instances and in-progress media content instances; and

enabling a user to configure a time area display in the interactive program guide corresponding to the personal video recording display channels to one of a plurality of a header options, the header options including a scheduled recorded duration, an actual recorded duration, a grayed out area, a blank area, a ticker banner, an index alphanumeric, and by a time banner that is in real-time synchronization with broadcast media content instances from other display channels of the interactive program guide.

* * * * *