



(43) International Publication Date
29 June 2017 (29.06.2017)

(10) International Publication Number
WO 2017/109225 A1

- (51) International Patent Classification:
A61K 39/12 (2006.01) *C07K 14/005* (2006.01)
- (21) International Application Number:
PCT/EP2016/082664
- (22) International Filing Date:
23 December 2016 (23.12.2016)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
15202585.4 23 December 2015 (23.12.2015) EP
16161068.8 18 March 2016 (18.03.2016) EP
16176025.1 23 June 2016 (23.06.2016) EP
16176049.1 23 June 2016 (23.06.2016) EP
16182845.4 4 August 2016 (04.08.2016) EP
- (71) Applicant: **VALNEVA AUSTRIA GMBH** [AT/AT];
Campus Vienna Biocenter 3, 1030 Vienna (AT).
- (72) Inventors: **BARBERO CALZADO, Jana**; Valneva Austria GmbH, Mittersteig 20/21, 1050 Vienna (AT). **NEBENFÜHR, Mario**; Valneva Austria GmbH, Grimmelshausengasse 12/27, 1030 Vienna (AT). **SCHLEGL, Robert**; Valneva Austria GmbH, Rosenthal 63, 2500 Siegenfeld (AT). **WEBER, Michael**; Valneva Austria GmbH, Rechte Wienzeile 249/15, 1120 Vienna (AT). **WRUSS, Jürgen**; Valneva Austria GmbH, Dampfgasse 25/27-29, 1100 Vienna (AT).
- (74) Agent: **DEMPSTER, Robert**; Maschio & Soames IP Limited, 30 Carlton Crescent, Southampton Hampshire SO15 2EW (GB).
- (81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.
- (84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).
- Published:
— with international search report (Art. 21(3))
— with sequence listing part of description (Rule 5.2(a))

(54) Title: ZIKA VIRUS VACCINE

(57) Abstract: Described herein are Zika virus vaccines and compositions and methods of producing and administering said vaccines to subjects in need thereof.



WO 2017/109225 A1

ZIKA VIRUS VACCINE

FIELD OF INVENTION

5 The disclosure relates to methods for the purification of Zika viruses for use in vaccines and in particular relates to an improved sucrose gradient process step allowing the separation of impurities such as protamine sulphate. The disclosure also relates to Zika virus vaccines and compositions and methods for producing said vaccines and administering the vaccines to subjects for the generation of an anti-Zika virus immune response.

BACKGROUND OF THE INVENTION

Adverse responses to protamine sulfate have been known for many years. Previous exposure to protamine can induce a humoral immune response and predispose susceptible individuals to the development of untoward reactions from the subsequent use of this drug. Patients exposed to protamine through the use of protamine-containing insulin or during heparin neutralization may experience life-threatening reactions and fatal anaphylaxis upon receiving large doses of protamine intravenously. Severe reactions to intravenous protamine can occur in the absence of local or systemic allergic reactions to subcutaneous injection of protamine-containing insulin. Although there is no clear evidence for hypersensitivity reactions of protamine sulphate linked to vaccination, vaccines containing protamine impurities have a precaution and contraindication warning in their labels stating that a serious allergic reaction after a previous dose of such a protamine containing vaccine (e.g. IXIARO®, see CDC site <http://www.cdc.gov/japaneseencephalitis/vaccine/>) is a contraindication to further doses. Thus elimination of said impurity is a medical request for an improved safety profile. On the other hand protamine sulphate is an excellent tool (and often better than other tools such as benzonase) to purify crude harvests of viruses grown on cell substrates.

In 2007, Zika virus was detected for the first time outside of the endemic regions of Asia and Africa since its discovery in a Rhesus monkey in Uganda in 1947. Since then, the virus has caused a large epidemic in French Polynesia, spreading through islands in the Pacific and into South and Central America by 2015 (WHO “Zika Situation Report” February 5, 2016). Evidence suggests that in addition to being transmitted by *Aedes* species mosquitos, other vectors may exist, and the virus may be transmitted by blood transfusion, transplacentally, and through sexual transmission (WHO Zika Virus Fact Sheet, Feb. 2016). Though the symptoms of Zika virus infection include mild fever, rash, and conjunctivitis, there is a likely correlation between infection and neurological disorders, including

Guillain-Barré syndrome and microcephaly in fetuses/neonates subsequent to infection during pregnancy. There is currently no specific treatment or vaccine for Zika virus and the only preventative measures involve control of the mosquito vector. Zika virus presents a substantial public health threat due to the wide circulation of the *Aedes* mosquito, multiple routes of transmission, and potentially severe neurological effects of infection.

A preventative vaccine against Zika virus is a pressing medical need in endemic areas and in geographical areas where the vector is spreading. Furthermore, as Zika infection has dire consequences on embryonic and fetal development, a safe and effective vaccine for women of child-bearing potential or pregnant women is needed. Vaccines administered during pregnancy must be very safe for both the mother and the developing fetus. While live attenuated viral vaccines are highly effective, they are often not considered safe enough for administration to pregnant women. In this regard, inactivated viral vaccines, which lack the ability to propagate in the vaccinated subject, are considered much safer. Development of an inactivated Zika virus vaccine for administration to at-risk patients would fill this need.

SUMMARY OF THE INVENTION

During the course of virus purification, it was observed that addition of protamine sulfate to a virus harvest produced on a cell substrate removed not only contaminating DNA derived from host cells, as expected, but surprisingly also virtually eliminated immature and otherwise non-infectious virus particles from the preparation. This finding provided a streamlined, gentle, reproducible and broadly-applicable process for obtaining highly-purified infectious virus particles for applications such as vaccine preparation. In addition, it was surprisingly found that said protamine sulfate can be very efficiently separated from the virus fraction allowing for a safer vaccine produced at high yields.

Disclosed herein are virus vaccines and compositions comprising an inactivated Zika virus, and related methods of producing said vaccines and compositions. Also provided are methods of administering said Zika virus vaccines for the prevention of Zika virus infection and/or for the production of an anti-virus immune response in subjects, for example subjects at risk of being exposed to Zika virus. In particular, the invention is directed to a virus vaccine comprising an optimally inactivated Zika virus particle, wherein the Zika virus particle in an appropriate dose is able to seroconvert a subject that is administered the virus vaccine with at least a 70% probability, preferably an 80% probability. Another advantage of the invention is that related methods of producing said vaccines and compositions are very efficient and provide pure compositions largely

devoid of impurities, in particular protamine sulphate, allowing for high volume production of vaccines. Detail experimental examples to the above are provided for Zika virus.

The herein disclosed in vivo data regarding immunogenicity of the inactivated Zika virus vaccine of the current invention indicates that the virus is surprisingly potently immunogenic and also highly cross-protective (very similar immunogenicity in African and Asian strains). Data indicate that immunogenicity was unexpectedly higher than the recently reported inactivated Zika virus vaccine candidate (Larocca, et. al, 2016, Nature doi:10.1038/nature18952.). Inactivated viruses are among the safest vaccines and especially preferred for delivery to populations where safety is especially concerning, such as pregnant women, children and immunocompromised individuals, which makes the herein disclosed inactivated Zika virus particularly suitable. Obtaining a high titer of inactivated virus is a challenge in the field. The herein disclosed process for purifying inactivated Zika virus results in not only a high yield, but also a very pure drug substance.

Each of the limitations of the invention can encompass various embodiments of the invention. It is, therefore, anticipated that each of the limitations of the invention involving any one element or combinations of elements can be included in each aspect of the invention. This invention is not limited in its application to the details of construction and the arrangement of components set forth in the following description or illustrated in the drawings. The invention is capable of other embodiments and of being practiced or of being carried out in various ways.

BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying drawings are not intended to be drawn to scale. The figures are illustrative only and are not required for enablement of the disclosure. For purposes of clarity, not every component may be labeled in every drawing, alignments were performed with the multi alignment package Jalview (Waterhouse et al., 2009, Bioinformatics 25 (9) 1189-1191). In the drawings:

Figure 1: Average distance tree (by % identity, nt), complete genomes.

Figure 2: Neighbor joining tree (by % identity, nt), complete genomes.

Figure 3: Pairwise alignment-Jalview (% identity, nt), complete genomes.

Figure 4: Average distance tree (by % identity, aa), E-protein.

Figure 5: Neighbor joining tree (by % identity, aa), E-protein.

Figure 6: Pairwise alignment-Jalview (% identity, aa), E-protein.

Figure 7: Alignment (shading: % identity, aa), E-protein.

Figure 8: An example of virus particle maturation in the host cell. As observed in flaviviruses, full maturation of the particles requires proteolytic cleavage of the precursor membrane glycoprotein (prM) by the host protease furin. Not all prM molecules are cleaved, resulting in the release of mature, mosaic or immature-like conformations from the cells. Mosaic and immature forms are generally not infectious—only mature virions are infective and have hemagglutinin (HA) / TCID50 activity. (Figure adapted from Plevka, et al., Maturation of flaviviruses starts from one or more icosahedrally independent nucleation centres, EMBO reports (2011) 12, 602–606).

Figure 9: An exemplary downstream virus purification process from the crude harvest to formulation of the drug substance (vaccine), a preferred embodiment of the process of the invention (**A**). A flow-chart of an exemplary virus inactivation process is shown in (**B**).

Figure 10: PS treatment results in selective removal of Zika virus aggregates and Vero HCP and LMW impurities (SEC-HPLC of 30x concentrated Zika Virus harvest day 5).

Figure 11: SEC-HPLC of individual 30x concentrated Zika harvest prior to PS treatment at different time points.

Figure 12: SEC-HPLC of individual 30x concentrated Zika harvest post PS treatment at different time points. The smaller graph indicates the observed cytopathic effect (CPE) over time.

Figure 13: Preparation of the sucrose gradient.

Figure 14: Representative SDS-PAGE from the sucrose gradient harvest of a Zika purification is shown.

Figure 15: Comparison of JEV and ZikaV harvest schedules/yields.

Figure 16: SEC-HPLC elution profile of ZikaV NIV. Data were processed on Dionex Ultimate 3000 / Superose 6 Increase column. Both panels are from the same chromatogram. The upper graph is the complete elution profile; the lower graph is an enlargement of the ZIKAV elution peak.

5 **Figure 17:** SEC-MALLS analysis of inactivated ZikaV.

Figure 18: Cumulative particle size distribution of Zika NIV.

10 **Figure 19:** Graphical representation of the neutralization of the Zika virus H/PF/2013 with pooled mouse sera. The number of plaques without serum was set to 100%. The EC50 was calculated using the 3-parameter method.

15 **Figure 20:** Graphical representation of the neutralization of the Zika virus MR766 with pooled mouse sera. The number of plaques without serum was set to 100%. The EC50 was calculated using the 3-parameter method.

Figure 21: Correlation between JEV antigen content in neutralized inactivated virus (NIV) analysed by ELISA and SEC-HPLC (Dionex Ultimate 3000, Superose 6 column).

20 DETAILED DESCRIPTION OF THE INVENTION

Disclosed herein are Zika virus vaccines and compositions comprising an inactivated Zika virus, and related methods of producing said vaccines and compositions. Also provided are methods of administering said virus vaccines for the prevention of virus infection and/or for the production of an anti-virus immune response in subjects, for example subjects at risk of being exposed to virus. In particular, the invention is directed to a virus vaccine comprising an optimally inactivated virus particle, wherein the virus particle in an appropriate dose is able to seroconvert a subject that is administered the virus vaccine with at least a 70% probability, preferably an 80% probability. Another advantage of the invention is that related methods of producing said vaccines and compositions are very efficient and provide pure compositions largely devoid of impurities, in particular protamine sulphate, allowing for high volume production of vaccines. Examples to the above are provided for Zika virus.

Disclosed herein are downstream processes for purifying Zika virus particles from a crude preparation. The downstream process can be applied to either a virus which has not adapted for

propagation on a particular cell substrate or for a partially / fully cell substrate adapted Zika virus particle.

Aspects of the invention provide processes for the purification of infectious Zika virus particles comprising the steps of (a) providing a crude harvest (a) comprising virus particles and impurities, wherein the impurities are generated from growing said virus particles on a cell substrate; (b) reducing impurities from the crude harvest (a) by precipitation with an agent comprising a protamine salt, preferably a protamine sulphate, to obtain a virus preparation (b); and further purifying the virus preparation (b) by an optimized sucrose density gradient centrifugation to obtain a virus preparation (c) comprising the infectious virus particles.

In some embodiments, the concentration of protamine sulphate in step (b) is about 1 to 10 mg/ml, more preferably about 1 to 5 mg/ml, more preferably about 1 to 2 mg/ml. In one embodiment, the concentration of protamine sulphate in step (b) is about 2 mg/mL. In one embodiment, the concentration of protamine sulphate is 1.2 to 1.8 mg/ml, more preferably 1.4 to 1.6 mg/ml. In a preferred embodiment, the concentration of protamine sulphate in step (b) is about 2 mg/ml.

In some embodiments, the residual host cell DNA of the virus preparation (c) is less than 1 µg/mL, especially less than 900, 800, 700, 600, 500, 400, 300 or 200 ng/mL, preferably less than 100 ng/mL.

In a preferred embodiment, the residual host cell DNA of the virus preparation (c) is less than 10 ng/mL. In some embodiments, the residual host cell protein of the final virus preparation (c) is less than 10 µg/mL, especially less than 9, 8, 7, 6, 5, 4, 3 or 2 µg/mL, preferably less than 1 µg/mL. In a preferred embodiment, the residual host cell protein of the virus preparation (c) is less than 100 ng/mL. In some embodiments, the residual non-infectious virus particles of the final virus preparation (c) is less than 10 µg/mL, especially less than 9, 8, 7, 6, 5, 4, 3 or 2 µg/mL, preferably less than 1 µg/mL. In a preferred embodiment, the content of residual non-infectious virus particles of the virus preparation (c) is less than 100 ng/mL.

In some embodiments, the residual protamine is less than 1 µg/mL, especially less than 900, 800, 700, 600, 500, 400, 300 or 200 ng/mL, preferably less than 100 ng/mL, more preferably is below the detection limit of HPLC, in particular below the detection limit in the final drug substance. In some embodiments, the PS content is tested by HPLC or size exclusion chromatography (SEC). For example, HPLC is validated for PS determination in JEV sucrose gradient pool samples as a routine release assay and is very sensitive (i.e., LOQ 3 µg/mL; LOD 1 µg/mL). In the current invention, PS content in in Zika virus DS samples was <LOD. In one embodiment, the HPLC assessment of PS

content can be performed on a Superdex Peptide 10/300GL column (GE: 17-5176-01) using 30% Acetonitrile, 0,1% Trifluoroacetic acid as solvent with a flow rate of 0,6 ml/min at 25°C and detection at 214 nm. A more sensitive method of measurement for residual protamine in a purified virus preparation is mass spectrometry (MS). In some embodiments, the residual PS levels in a Zika virus preparation are tested by MS or other such highly sensitive method, e.g. nuclear magnetic resonance (NMR). With this method, residual PS, as well as fragments and/or break-down products of PS, can be detected at trace amounts, such as levels as low as, for example, 10^6 , 10^7 or 10^8 molecules per typical sample load. In some embodiments, the PS levels are tested in the sucrose gradient pool. In some embodiments, the PS levels are tested in the drug product. In some embodiments, the PS levels are tested in the drug substance.

In some embodiments, the crude harvest (a) comprising the virus particles and impurities is subjected to one or more pre-purification step(s) prior to step (b). In some embodiments, the one or more pre-purification step(s) comprises digesting host cell genomic DNA in the crude harvest (a) comprising the virus particles and impurities by enzymatic treatment. In some embodiments, the one or more pre-purification step(s) comprises filtration, ultrafiltration, concentration, buffer exchange and/or diafiltration. In some embodiments, the one or more pre-purification steps is filtration using a filter having a pore size equal to or less than 1 μm . In some embodiments, the filter has a pore size equal to or less than 0.2 μm . In a preferred embodiment, the filter has a pore size of 0.2 μm . In some embodiments, the concentration and/or ultra/diafiltration and/or buffer exchange is performed by tangential flow filtration (TFF). In some embodiments, ultra/diafiltration of the crude harvest (a) comprising the virus particles and impurities is performed using a hollow fiber membrane having a cut-off of equal to or less than 300 kDa. In a preferred embodiment, the hollow fiber membrane has a cut-off of about 100 kDa.

The process according to the current invention may also comprise the use of a sucrose gradient, preferably an optimized sucrose gradient. The sucrose gradient is preferably optimized for the removal of protamine sulfate, also for the removal of immature viral particles or other viral particles which are non-infectious or host cell proteins or nucleic acids (DNA, RNA, mRNA, etc) or other host cell debris. In the current invention the optimized sucrose gradient comprises at least two, at least three, at least four layers of sucrose solutions with different densities. In one embodiment, the virus preparation to be purified is provided in a sucrose solution which has a density of about 8%, about 9%, about 10%, about 11%, about 12% sucrose (w/w), preferably about 10%. In one embodiment, one sucrose solution in the gradient has a density of about 45%, about 46%, about 47%, about 48%, about 49%, about 50%, about 51%, about 52%, about 53%, about 54%, about 55% sucrose (w/w),

preferably about 50%. In one embodiment, one sucrose solution in the gradient has a density of about 30%, about 31%, about 32%, about 33%, about 34%, about 35%, about 36%, about 37%, about 38%, about 39%, about 40% sucrose (w/w), preferably about 35%. In one embodiment, one sucrose solution in the gradient has a density of about 10%, about 11%, about 12%, about 13%, about 14%, about 15%, about 16%, about 17%, about 18%, about 19%, about 20% sucrose (w/w), preferably about 15% sucrose. In a preferred embodiment, the sucrose gradient comprises three layers of sucrose solutions of about 50%, about 35% and about 15% (w/w) sucrose and the virus composition to be purified is contained in about 10% (w/w) sucrose. Because the invention provided for means to not only test for host cell DNA but also immature viral particles, the skilled person in the art is able to more precisely optimize the sucrose gradient for most efficient purification and include additional tools such as PRNT assay to monitor purification success.

In some embodiments, the virus particle is a live virus, a chimeric virus, an attenuated live virus, a modified live virus, or a recombinant live virus. In a further step, the virus particles of the invention may be optionally inactivated. In some embodiments, the virus particle is an attenuated form of the virus particle. For example, the virus may have reduced infectivity, virulence, and/or replication in a host, as compared to a wild-type virus. In some embodiments, the virus is a mutated or modified virus, for example the nucleic acid of the virus may contain at least one mutation relative to the wild-type virus. In some embodiments, the virus is a recombinant live virus, meaning a virus that is generated recombinantly and may contain nucleic acid from different sources.

In some embodiments, the Zika virus particle is a live virus, an attenuated live virus, a modified live virus, or a recombinant live virus. In preferred embodiments, the Zika virus is a Zika virus from the Asian lineage.

In some embodiments, the relative reduction of impurity of the final virus preparation relative to the liquid medium (a) comprising the virus particles and impurities is in a range from 60 to 95%. In some embodiments, the residual impurity of the final virus preparation is less than 1%.

In some embodiments, the Zika virus is propagated in a cell line selected from the group consisting of an EB66 cell line, a Vero cell line, a Vero- α His cell line, a HeLa cell line, a HeLa-S3 cell line, a 293 cell line, a PC12 cell line, a CHO cell line, a 3T3 cell line, a PerC6 cell line, a MDSK cell line, a chicken embryonic fibroblast cell line, a duck cell line, and a diploid avian cell line. In some embodiments, said cell line is a duck cell line. In some embodiments, said cell line is a diploid avian

cell line. In some embodiments, said cell line is an EB66 cell line. In a preferred embodiment, said cell line is a Vero cell line.

Aspects of the invention provide a use of any of the processes described herein for manufacturing a composition for immunization against a viral infection. In a preferred embodiment, the composition or vaccine is directed against Zika virus such as e.g. a Zika virus of the Asian lineage.

Other aspects provide compositions comprising the Zika virus particles obtainable by any of the processes described herein for treating and/or preventing (i.e. protecting from) a viral infection. In a preferred embodiment, the viral infection is caused by Zika virus such as e.g. a Zika virus of the Asian lineage.

Furthermore, disclosed herein are Zika virus vaccines and compositions comprising an inactivated Zika virus, and related methods of producing said vaccines and compositions. Also provided are methods of administering the Zika virus vaccines for the prevention of Zika virus infection and/or for the production of an anti-Zika virus immune response in subjects, for example subjects at risk of being exposed to Zika virus.

Zika virus is a flavivirus closely related to Dengue virus and is similarly transmitted by the *Aedes* species mosquito, although other arthropod vectors for Zika virus are possible. Since it was first isolated from a Rhesus monkey in the Zika forest of Uganda in 1947, there were very few reported incidents of human infection, especially outside of the endemic regions of Africa and Asia until a large outbreak in French Polynesia in 2007 (Haddow *et al. PLoS Neglected Tropical Diseases* (2012) 6(2), Malone *et al. PLoS Neglected Tropical Diseases* (2016) 10(3),). The virus has since spread through islands of the Pacific, including Oceania, and into South and Central America (WHO “Zika Situation Report” February 5, 2016).

In addition to being spread by the bite of an infected mosquito, evidence also suggests transmission may occur between individuals, such as from the blood of an infected individual, *in utero*/transplacental transmission from an infected mother to the fetus, sexual transmission between sexual partners, and possibly by other local transmission routes. There is a possible association between Zika virus infection during pregnancy and microcephaly in the fetus/neonate. Microcephaly is a rare condition in which a baby’s head circumference is significantly less than expected based on the average for their age, sex, and ethnicity. This is a result of the brain failing to undergo proper

embryonic development, and in 90% of cases is associated with mental retardation (Rocha *et al.* (2016) *Bull World Health Organ* 8 Feb. 2016).

There is a probable association between individuals having had a prior Zika virus infection and the incidence of Guillain-Barré syndrome, a neurological disorder in which the individual's immune system destroys the myelin sheath surrounding axons of the peripheral nervous system (WHO "Zika Situation Report" February 5, 2016).

No specific treatments or vaccines for Zika virus currently exist, and the only measures at this time to prevent infection are through vector control and avoiding travel to regions experiencing outbreaks.

Described herein are Zika virus vaccines and compositions comprising inactivated Zika virus that provide a safe method for generating an immune response to Zika virus, including virus-neutralizing antibodies, that may help prevent against Zika virus infection.

Any strain of Zika virus may be used in the methods and compositions described herein. In some embodiments, the Zika virus is an isolate from an infected subject during a Zika virus outbreak. In some embodiments, the Zika virus is a strain isolated from Africa or from the African virus lineage. In some embodiments, the Zika virus is a strain isolated from Asia or from the Asian lineage (includes also strains from French Polynesia). In some embodiments, the Zika virus is a strain isolated from the Americas (South America, Central America, or North America), such as a Suriname Zika virus strain. In some embodiments, the Zika virus has an RNA genome corresponding (but not limited) to the DNA sequence provided by GenBank Accession No. AY632535.2, KU321639.1, KU497555.1, KU501215.1, KU509998.1, KU527068.1, KU681081.3, KU681082.3, KU707826.1, KU744693.1, or LC002520.1 or RNA genome disclosed partially or fully herein (SEQ ID NO: 2 to 69).

In some embodiments, the process of the invention results in an enrichment of infectious Zika virus particles from the crude harvest comprising infectious Zika virus particles and non-infectious virus particles and other virus products such that the enrichment of the infectious virus particles is at least 50%, at least 60%, at least 70%, at least 80%, at least 90%, at least 95%, preferably at least 80%, especially at least 85% relative to the total virus particle content of the crude harvest (a) comprising the virus particles and impurities.

In some embodiments, the residual impurity of the final virus preparation with respect to all impurities in the crude harvest is less than 10%, 9%, 8%, 7%, 6%, 5%, 4%, 3%, 2%, 1%, preferably less than 5% as determined by SEC-HPLC (Size Exclusion Chromatography – HPLC).

- 5 A unique aspect of the current invention is the realization that know-how related to the vaccine design and purification approach used for the Japanese Encephalitis Vaccine (JEV) IXIARO® (see Srivastava A.K. et al., 2001, Vaccine 19, 4557-4565, WO99/11762) may be employed and improved upon in order to expedite the development of a Zika virus vaccine and provide it to the subjects in need as soon as possible. The industrial process as disclosed for IXIARO®, providing a very effective
- 10 vaccine against JEV, was complemented by further significant improvements disclosed herein in order to provide a more efficient (higher yield) and safer (less or no protamine sulphate with its allergic potential) Zika vaccine compared to the available JEV vaccine. A particular innovation of the herein disclosed vaccines is their greatly reduced protamine salt (SEQ ID NO: 1) content in the final drug substance facilitated by the development of an improved sucrose gradient. Said sucrose gradient
- 15 not only allowed the separation of protamine sulphate but also allowed for a very effective inactivation by formaldehyde and resulted in the case of Zika with over 90% yield with the improved process disclosed herein vs about 35% yield with the published JEV process, see experimental part for comparison).
- 20 Aspects of the disclosure relate to methods of producing a virus in Vero tissue culture cells. Vero cells are a commonly used tissue culture cell line derived from the kidney of an African green monkey. The Vero cells used in the methods described herein are the Vero (WHO) cell line, obtained from the Health Protection Agency general cell collection under catalogue number 88020401.
- 25 Vero cells can be grown to confluent monolayers, for example in tissue culture flasks; in suspension (on microcarriers), for example in roller bottles; or in any other cell culture system for viral production. In some embodiments, the Vero cells are grown in a bioreactor for viral production. For plaque assays or the plaque reduction neutralization test (PRNT), Vero cells are grown in monolayers in tissue culture flasks, dishes, or wells of a plate. To infect the Vero cells with the virus, the culture
- 30 medium is inoculated with virus and the cells are incubated with the virus for a period of time. The cells may be washed after inoculation to remove any virus that did not adsorb to the cells in a given amount of time.

The methods provided herein involve passaging the virus in Vero cells. As used herein, the terms

35 “passage” or “passaging” refer to infecting a population of Vero cells with virus and subsequently

inoculating a second population of Vero cells with virus produced by infection of the first Vero cell population. In some embodiments, a portion of the culture medium from the infected Vero cells (containing virus that was released from the infected cells) is used to inoculate a second population of Vero cells. This is referred to as one passage or one round of passaging. The passaging may be performed serially, for example, a portion of the culture medium from the infected second population of Vero cells is used to inoculate a third population of Vero cells, and so on. In some embodiments, virus obtained from a single plaque is used to inoculate another population of cells.

In some embodiments, the virus is passaged in Vero cells several times, such as at least 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, or 40 times. In some embodiments, the virus is passaged in Vero cells at least 4 times or 5 times. In some embodiments, the virus is passaged in Vero cells at least 30 times. It is important that the virus population, i.e. the virus sequences, stays as much as possible constant over said passaging. If adaption of the virus occurs (i.e. appearance of mutated viruses in the original virus population), it is preferred that said passages are not used in the context of manufacturing of said virus, e.g. for Zika it was found that up to passage 3 and culturing to day 7 can be used without major shifts in virus population, i.e. introduction of virus population with mutations. However this observation needs to be done for each virus strain and may be different.

In some embodiments, the Vero cells are incubated for at least 2 days after inoculation with the virus at e.g. a typical 0.01 MOI (multiplicity of infection) to allow for viral production prior to passaging. In some embodiments, the Vero cells are incubated for at least 3, 4, 5, 6, 7, 8, 9, 10 or more than 10 days e.g. at least 7 days after inoculation with the virus prior to passaging. The number of days the Vero cells are incubated after viral inoculation may depend on factors such as the multiplicity of infection used to inoculate the cells and the viral titer desired in the culture medium. Serial passaging of the virus in Vero cells may result in generation of a Vero cell adapted virus strain.

The culture medium from the infected Vero cells may be harvested (collected) to obtain the virus. In some embodiments, the culture medium is harvested from infected Vero cells and is replaced with fresh culture medium, which is then harvested after another period of time. In some embodiments, the culture medium harvested from infected Vero cells is pooled from independent Vero cell cultures and/or from independent days. Harvesting can be repeated up to 4 times by 7 or 9 days post infection, for example, and result in a high yield of virus per unit cell culture. In order to minimize the adaption of Zika virus strain to Vero cells, it was found that Vero cells could be incubated for at least 7 days, more preferably 5 days, prior to passaging and subsequently supernatants could be harvested at days

2, 3, 5 and 7 or 2, 3, and 5 (see also experimental part). The harvested culture medium can be stored at +4°C prior to purification of the virus from the culture medium up to 2 weeks.

In some embodiments, debris from infected and lysed Vero cells may be removed from the harvested culture medium, referred to as a “clarification” of the culture medium. The harvested culture medium may be clarified by common methods known in the art, such as low-speed centrifugation, for example, at 1500 g for 10 min, and/or by filtration through a filter of pore size of 0.45 µm. The harvested culture medium can be stored at +4°C prior to concentration.

To concentrate the titer of the Zika virus in the harvested culture medium, it may be subjected to concentration by any method known in the art. For example, the harvested culture medium may be concentrated by methods including, without limitation, ultrafiltration, ultracentrifugation, centrifugal concentrator, vacuum centrifugation, and lyophilization. In some embodiments, the harvested culture medium is concentrated by ultrafiltration and the retentate containing the Zika virus is collected. In some embodiments, the harvested culture medium is concentrated by precipitation in which polyethylene glycol (PEG) 8000 is dissolved in the culture medium (up to 10%) and the precipitate is dissolved in a buffer, for example phosphate-buffered saline (PBS, pH 7.0).

The harvested culture medium may be precipitated to produce a virus supernatant. In some embodiments, the harvested culture medium is precipitated to remove Vero cell DNA and other undesired material, such as Vero cell debris, from the harvested culture medium. In some embodiments, the harvested culture medium is concentrated prior to precipitation. In some embodiments, the harvested culture medium is precipitated by adding protamine sulfate (e.g. SEQ ID NO: 1) to the harvested culture medium and incubating the mixture, for example at +4°C or on ice. In some embodiments, the harvested culture medium is treated with benzonase to remove Vero cell DNA and other undesired material, such as Vero cell debris, from the harvested culture medium. However, it was found that the treatment with protamine sulfate is preferred (see experimental part). In some embodiments, the precipitated culture medium is centrifuged to collect precipitated material and the supernatant containing the virus, referred to as a “virus supernatant”, is collected.

The virus supernatant may be further purified after precipitation, for example density gradient ultracentrifugation. In some embodiments, the virus supernatant is further purified by sucrose gradient. Fractions may be collected from the sucrose gradients and assayed for presence of the virus. Methods for assaying for virus positive fractions include plaque assay, hemagglutination assay, polyacrylamide gel electrophoresis, and antigen assays such as Western blotting and ELISA. The

fractions containing virus may be pooled based on titer of the virus and level of other impurities. The level or amount of impurities present in the virus supernatant can be estimated by testing for Vero cell DNA, virus aggregates and/or Vero cell protein (see experimental part). A particular embodiment of the invention is the improved sucrose gradient that allows for an efficient protamine separation as shown in the experimental part. It was surprisingly found that the addition of a virus-containing fraction with 10% (w/w) sucrose to a simple three layer sucrose density gradient (e.g. a gradient comprising a 15% (w/w) sucrose solution, a 35% (w/w) sucrose solution, and a 50% (w/w) sucrose solution) resulted in efficient separation of protamine sulphate without much loss of virus. Thus a particularly preferred embodiment of the invention is the use of a sucrose density gradient that is able to efficiently separate protamine sulphate, wherein said sucrose density gradient is used in the purification of virus such as the viruses described herein, i.e. a Zika virus.

To achieve a safe vaccine or composition for the administration to subjects, the virus supernatant may be inactivated (see experimental part for Zika virus). As used herein, the terms “inactivated” and “optimally inactivated” may be used interchangeably and refer to a process (or its result) by which the virus is rendered unable to infect a host cell (non-infectious), but that does not affect or substantially affect the antigenicity of the virus, for example, the immunogenic antigens exposed on the surface of the virus are able to stimulate an immune response in a subject (*e.g.*, antigen-specific antibodies). By “does not affect or substantially affect the antigenicity of the virus” is meant that the inactivated virus retains at least 50%, at least 55%, at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or even essentially 100% of the antigenicity of a virus that is not subjected to inactivation.

A variety of methods are known in the art for inactivating viruses. In some embodiments, the virus is inactivated by chemical inactivation, thermal inactivation, pH inactivation, or UV inactivation.

In some embodiments, the inactivating is by chemical inactivation and involves contacting the virus with one or more chemical inactivation agents for a period of time under conditions such that the virus is inactivated but the antigenic epitopes are substantially intact. In some embodiments, the virus is inactivated for a period of time that is longer than is required to completely inactivate the virus. In some embodiments, the virus supernatant is inactivated for the number of days required to inactivate the virus plus at least one additional day. Samples of the virus supernatant may be taken at one or more times throughout the inactivation process and assessed for viral viability (infectivity) by any method known in the art, such as by infecting a monolayer of host cells (*i.e.*, plaque assay). Using

such a procedure, the period of time that is required to completely inactivate the virus can be determined, and a longer period of time is selected to ensure complete inactivation.

In some embodiments, the virus is contacted with a chemical inactivation agent for between 1 day and 50 days, between 2 days and 40 days, between 2 days and 30 days, between 2 days and 20 days, between 2 days and 10 days, between 3 days and 9 days, between 4 days and 8 days, between 5 days and 7 days, between 2 days and 5 days, or between 5 and 10 days. In some embodiments, the virus is contacted with one or more chemical inactivation agents for at least 1 day, 2 days, 3 days, 4 days, 5 days, 6 days, 7 days, 8 days, 9 days, 10 days, 11 days, 12 days, 13 days, 14 days, 15 days, 16 days, 17 days, 18 days, 19 days, 20 days, 21 days, 22 days, 23 days, 24 days, 25 days, 26 days, 27 days, 28 days, 29 days, 30 days, 31 days, 32 days, 33 days, 34 days, 35 days, 36 days, 37 days, 38 days, 39 days, 40 days, 41 days, 42 days, 43 days, 44 days, 45 days, 46 days, 47 days, 48 days, 49 days, or at least 50 days.

In some embodiments, the chemical inactivation is performed at about +5°C, +10°C, +15°C, +20°C, +25°C, +30°C, +35°C, +40°C, or about +45°C. In some embodiments, the chemical inactivation is performed at about +4°C. In some embodiments, the chemical inactivation is performed at about +22°C.

Any chemical inactivation agent known in the art may be suitable for inactivating the virus in the methods described herein. It will be appreciated by one of skill in the art that factors such as the chemical inactivation agent and the temperature at which inactivation is performed may affect the length of time (number of days) required to completely inactivate the virus. Examples of chemical inactivation agents include, without limitation, formaldehyde, enzymes, β -propiolactone, ethanol, trifluoroacetic acid, acetonitrile, bleach, urea, guanidine hydrochloride, tri-n-butyl phosphate, ethyleneimine or a derivatives thereof, and organic solvents such as Tween, Triton, sodium deoxycholate, and sulphobetaine. A preferred inactivation is inactivation with formaldehyde at 22°C $\pm$ 2°C for about 10 days.

In some embodiments, the inactivating agent is neutralized after chemical inactivation of the virus. In some embodiments, the inactivating agent is formaldehyde and is neutralized after chemical inactivation using sodium thiosulphate or sodium metabisulfite.

In some embodiments, the virus is inactivated by thermal inactivation. In some embodiments, the thermal inactivation involves exposing the virus to heat, such as dry heat or vapor heat, for a period of

time. In some embodiments, the thermal inactivation involves exposing the virus to temperatures of about +40°C, +45°C, +50°C, +55°C, +60°C, +65°C, +70°C, +75°C, +80°C, +85°C, +90°C, +95°C, or about +100°C. In some embodiments, the virus is exposed to heat for at least 5 hours, 6 hours, 7 hours, 8 hours, 9 hours, 10 hours, 11 hours, 12 hours, 13 hours, 14 hours, 15 hours, 16 hours, 17 hours, 18 hours, 19 hours, 20 hours, 21 hours, 22 hours, 23 hours, 24 hours, 36 hours, 48 hours, 60 hours, 72 hours, 84 hours, about 96 hours, or longer. A preferred thermal inactivation involves exposing the virus to temperatures of about +56°C for 60 minutes.

In some embodiments, the virus is inactivated by exposing the virus to acidic or alkaline conditions for a period of time such that the virus is completely inactivated. The pH of a virus preparation may be adjusted to a desired pH, for example by the addition of an acid, a base, or a buffer with a particular pH to the virus preparation. In some embodiments, the virus is inactivated at an acidic pH of about 2, 2.5, 3, 3.5, 4, 4.5, 5 or about 5.5. In other embodiments, the virus is inactivated at an alkaline pH of about 8, 8.5, 9, 9.5, 10, or about 10.5.

In some embodiments, the virus is inactivated using UV inactivation. UV inactivation involves exposing the virus to energy-rich radiation, such as UV-A, UV-B, or UV-C light for a period of time. It will be appreciated that any two or more methods of inactivation may be combined and performed concurrently or serially.

The inactivated virus may be subsequently dialyzed to remove any undesired material, including the inactivating agent and any neutralizing agent, and/or to replace the buffer with a buffer that is pharmaceutically acceptable for administration to subjects. In some embodiments, the inactivated virus is dialyzed with PBS. In addition or alternatively, the inactivated virus may be filtered, such as sterile filtered, through a 0.22 µm filter.

Any of the methods or uses described herein may be for the prevention of a Zika virus infection in a subject. As used herein, the terms “prevent,” “preventing” and “protection from” include the administration of a virus vaccine or composition to a subject to reduce, or delay the onset of the manifestation of clinical or subclinical symptoms, complications, pathologies or biochemical indicia of a disease or infection, or to reduce or inhibit the spread/transmission of the Zika virus. As used herein, antigen(s), such as an inactivated Zika virus, that is administered to a subject prophylactically (e.g., prior to infection) may be referred to as a vaccine.

Zika Vaccine

As described herein Zika virus may cause any of a variety of symptoms upon infection of a subject, and is generally characterized by mild fever; rash (exanthema) on face, neck, trunk, upper arms; headache; sensitivity to light; non-inflammatory joint pain; conjunctivitis; lack of appetite; diarrhea; abdominal pain; and/or dizziness. Zika virus infection during pregnancy is associated with microcephaly in the fetus/neonate. There is also a probable association between the onset of Guillain-Barré syndrome or symptoms thereof. Diagnosis of Zika virus infection in subjects exposed to Zika virus or suspected of being exposed to Zika virus involves detecting the presence of virus-specific antibodies and/or molecular testing, such as PCR or real-time PCR detection of Zika virus.

Provided herein are methods for administering a dose of a therapeutically effective amount of a Zika virus vaccine to a subject in need thereof. In some embodiments, the subject is a mammalian subject, such as a human, non-human primate, rodent, rabbit, sheep, dog, cat, horse, or cow. In some embodiments, the subject is a mouse. In some embodiments, the subject is a human subject, such as a child, an adult, or an elderly adult. In some embodiments, the subject is a female subject. In some embodiments, the subject is pregnant or planning on becoming pregnant. In some embodiments, the subject is at risk of being exposed to Zika virus. In some embodiments, the subject is living in or traveling to an area where Zika virus is present or is thought to be present. In some embodiments, the subject has been previously infected with or vaccinated against Dengue virus; i.e., at risk for antibody-dependent enhancement of disease. In some embodiments, the subject is living in or traveling to an area that is experiencing a Zika virus infection outbreak. In some embodiments, the subject is living in or traveling to an area where an arthropod vector capable of transmitting the Zika virus vector is present or is thought to be present.

Any of the Zika virus vaccines or compositions described herein may be administered to a subject in a therapeutically effective amount or a dose of a therapeutically effective amount. As used herein, a “therapeutically effective amount” of vaccine is any amount that results in a desired response or outcome in a subject, such as those described herein, including but not limited to prevention of infection, an immune response or an enhanced immune response to Zika virus, or prevention or reduction of symptoms associated with Zika disease.

In some embodiments, the therapeutically effective amount of a Zika virus vaccine or composition described herein is an amount sufficient to generate antigen-specific antibodies (*e.g.*, anti-Zika virus antibodies). In some embodiments, the therapeutically effective amount is sufficient to provide seroprotection in a subject; i.e., to generate sufficient antigen-specific antibodies to prevent/protect

from infection. In some embodiments, seroprotection is conferred on at least 75%, 80%, 90%, 95%, 96%, 97%, 98%, or at least 99% of vaccinated subjects. In some embodiments, seroprotection is defined by a reduction in the number of Zika virus plaques by 50% or more in a plaque reduction neutralization test (PRNT) by a 1:10 or higher dilution of sera from a vaccinated subject. In some
5 embodiments, an effective amount of the Zika vaccine is sufficient to seroconvert a subject with at least 70% probability. In some embodiments, the therapeutically effective amount is sufficient to seroconvert a subject with at least 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or at least 99% probability. Whether a subject has been seroconverted can be assessed by any method known in the art, such as obtaining a serum sample from the subject and performing an assay to detect anti-Zika
10 virus antibodies. In some embodiments, a subject is seroconverted if a serum sample from the subject contains an amount of anti-Zika virus antibodies that surpasses a threshold or predetermined baseline. A subject is generally considered seroconverted if there is at least a 4-fold increase in anti-Zika virus antibodies (*i.e.*, anti-Zika E protein IgG antibodies) in a serum sample from the subject as compared to a serum sample previously taken from the same subject.

15 In some embodiments, seroconversion of a subject is assessed by performing a plaque reduction neutralization test (PRNT). Briefly, PRNT is used to determine the serum titer required to reduce the number of Zika virus plaques by 50% (PRNT50) as compared to a control serum/antibody. The PRNT50 may be carried out using monolayers of Vero cells or any other cell type/line that can be
20 infected with Zika virus. Sera from subjects are diluted and incubated with live, non-inactivated Zika virus. The serum/virus mixture may be applied to the Vero cells and incubated for a period of time. Plaques formed on the Vero cell monolayers are counted and compared to the number of plaques formed by the Zika virus in the absence of serum or a control antibody. A threshold of neutralizing antibodies of 1:10 dilution of serum in a PRNT50 is generally accepted as evidence of protection
25 (Hombach *et. al.* Vaccine (2005) 23:5205-5211).

In some embodiments, the Zika virus may be formulated for administration in a composition, such as a pharmaceutical composition. The term “pharmaceutical composition” as used herein means a
30 product that results from the mixing or combining of at least one active ingredient, such as an inactivated Zika virus, and one or more inactive ingredients, which may include one or more pharmaceutically acceptable excipient.

Pharmaceutical compositions of the invention, including vaccines, can be prepared in accordance with methods well known and routinely practiced in the art (see *e.g.*, Remington: The Science and Practice
35 of Pharmacy, Mack Publishing Co. 20th ed. 2000; and Ingredients of Vaccines – Fact Sheet from the

Centers for Disease Control and Prevention, e.g., adjuvants and enhancers such as alum to help the vaccine improve its work, preservatives and stabilizers to help the vaccine remain unchanged (e.g., albumin, phenols, glycine)). Pharmaceutical compositions are preferably manufactured under GMP conditions. Typically a therapeutically effective dose of the inactivated Zika virus preparation is employed in the pharmaceutical composition of the invention. The inactivated Zika virus is formulated into pharmaceutically acceptable dosage forms by conventional methods known to those of skill in the art. Dosage regimens are adjusted to provide the optimum desired response (e.g., the prophylactic response).

Dosages of the active ingredients in the pharmaceutical compositions of the present invention can be varied so as to obtain an amount of the active ingredient which is effective to achieve the desired pharmaceutical response for a particular subject, composition, and mode of administration, without being toxic to the subject. The selected dosage level depends upon a variety of pharmacokinetic factors including the activity of the particular compositions of the present invention employed, the route of administration, the time of administration, the rate of excretion of the particular compound being employed, the duration of the treatment, other drugs, compounds and/or materials used in combination with the particular compositions employed, the age, sex, weight, condition, general health and prior medical history of the subject being treated, and like factors.

A physician, veterinarian or other trained practitioner, can start doses of the inactivated Zika virus vaccine employed in the pharmaceutical composition at levels lower than that required to achieve the desired therapeutic effect and gradually increase the dosage until the desired effect (e.g., production of anti-Zika virus antibodies) is achieved. In general, effective doses of the compositions of the present invention, for the prophylactic treatment of groups of people as described herein vary depending upon many different factors, including means of administration, target site, physiological state of the patient, whether the patient is human or an animal, other medications administered, and the titer of anti-Zika virus antibodies desired. Dosages need to be titrated to optimize safety and efficacy. In some embodiments, the dosing regimen entails subcutaneous or intramuscular administration of a dose of inactivated Zika virus twice, once at day 0 and once at about day 7. In some embodiments, the dosing regimen entails subcutaneous administration of a dose of inactivated Zika virus twice, once at day 0 and once at about day 14. In some embodiments, the dosing regimen entails subcutaneous administration of a dose of inactivated Zika virus twice, once at day 0 and once at about day 28. In some embodiments, the inactivated Zika virus is administered to the subject once.

Any of the Zika virus vaccines or compositions described herein may be administered to a subject with, prior to, or after administration of one or more adjuvants. An adjuvant is a molecule that enhances a response in a subject, such as an immune response, to an antigen or other molecule. In some embodiments, an adjuvant may stabilize an antigen or other molecule. Determining whether a Zika virus vaccine or compositions thereof are administered with an adjuvant depends on various factors (e.g., type and extent of response desired) and will be evident to one of skill in the art. In some embodiments, administering any of the Zika virus vaccines or compositions described herein with, prior to, or after administration of an adjuvant may enhance the production of virus neutralizing (anti-Zika virus) antibodies. In some embodiments, a subject that is administered any of the Zika virus vaccines or compositions described herein with, prior to, or after administration of an adjuvant may only require a single administration of the Zika virus vaccine or composition to be seroconverted (produce a level of anti-Zika virus antibodies). Examples of adjuvants may include, without limitation, aluminium salt (aluminium hydroxide or aluminium phosphate), calcium phosphate hydroxide, paraffin oil, killed bacteria, bacterial toxins, toxoids, subunits of bacteria, squalene, thimerosal, detergents, IL-1, IL-2, IL-12, 2-component adjuvants, such as 2-component adjuvants containing an antibacterial peptide and a TLR9 agonist (e.g., IC31®), and combinations such as Freund's complete adjuvant and Freund's incomplete adjuvant. In some embodiments, the Zika virus vaccines or compositions is administered with aluminium hydroxide. In some embodiments, the inactivated Zika virus vaccine or composition is administered with aluminium phosphate salt. A preferred aluminium salt is the aluminium hydroxide with reduced Cu content, e.g. lower than 1,25ppb based on the weight of the Zika composition, an adjuvant described in detail in WO 2013/083726 or Schlegl et al., Vaccine 33 (2015) 5989-5996.

In some embodiments, the adjuvant is comprised of two components. In some embodiments, the 2-component adjuvant comprises an antibacterial peptide and a TLR9 agonist. In some embodiments, the antibacterial peptide is provided by the amino acid sequence KLKL₅KLK (SEQ ID NO: 71). In some embodiments, the TLR9 agonist is a deoxyinosine-containing immunostimulatory oligodeoxynucleic acid molecule (I-ODN). In some embodiments, the I-ODN comprises the nucleic acid sequence (dIdC)₁₃ (SEQ ID NO: 70). In some embodiments, the adjuvant is IC31®. In some embodiments, the adjuvant is in nanoparticle form (See, e.g., US Patent No. 8,765,148 B2, incorporated by reference in its entirety). In some embodiments, the adjuvant is IC31®, i.e. KLKL₅KLK (SEQ ID NO: 71) and the nucleic acid sequence (dIdC)₁₃ (SEQ ID NO: 70), in combination with an aluminium salt such as aluminium hydroxide.

The Zika virus vaccines or compositions described herein may be administered to a subject concomitantly with one or more vaccines to another infectious agent, such as another infectious agent is that present or thought to be present in the same geographic area as Zika virus. In some embodiments, the other infectious agent is one that the subject is also at risk of being in contact with.

5 In some embodiments, the other infectious agent is transmitted by the same arthropod vector as Zika virus. In some embodiments, the other infectious agent is Japanese Encephalitis virus, Yellow Fever virus, Dengue virus and/or Chikungunya virus.

Also within the scope of the present disclosure are kits for use in prophylactically administering to a subject, for example to prevent or reduce the severity of Zika virus infection. Such kits can include one or more containers comprising a composition containing inactivated Zika virus, such as an inactivated Zika virus vaccine. In some embodiments, the kit may further include one or more additional containing comprising a second composition, such as a second vaccine. In some embodiments, the second vaccine is a vaccine for another arbovirus. In some embodiments, the second vaccine is a Dengue virus vaccine and/or a Chikungunya virus vaccine.

In some embodiments, the kit can comprise instructions for use in accordance with any of the methods described herein. The included instructions can comprise a description of administration of the composition containing inactivated Zika virus to prevent, delay the onset, or reduce the severity of Zika virus infection. The kit may further comprise a description of selecting a subject suitable for administration based on identifying whether that subject is at risk for exposure to Zika virus or contracting a Zika virus infection. In still other embodiments, the instructions comprise a description of administering a composition containing inactivated Zika virus to a subject at risk of exposure to Zika virus or contracting Zika virus infection.

25 The instructions relating to the use of the composition containing inactivated Zika virus generally include information as to the dosage, dosing schedule, and route of administration for the intended treatment. The containers may be unit doses, bulk packages (*e.g.*, multi-dose packages) or sub-unit doses. Instructions supplied in the kits of the invention are typically written instructions on a label or package insert (*e.g.*, a paper sheet included in the kit), but machine readable instructions are also acceptable.

The kits of the present disclosure are in suitable packaging. Suitable packaging includes, but is not limited to, vials, bottles, jars, flexible packaging, and the like. Also contemplated are packages for use in combination with a specific device, such as a syringe or an infusion device. The container may

have a sterile access port, for example the container may be a vial having a stopper pierceable by a hypodermic injection needle. At least one active agent in the composition is an inactivated Zika virus, as described herein.

5 This invention is not limited in its application to the details of construction and the arrangement of components set forth in the following description or illustrated in the drawings. The invention is capable of other embodiments and of being practiced or of being carried out in various ways. Also, the phraseology and terminology used herein is for the purpose of description and should not be regarded as limiting. The use of “including”, “comprising”, or “having,” “containing”, “involving”,
10 and variations thereof herein, is meant to encompass the items listed thereafter and equivalents thereof as well as additional items.

Unless otherwise defined herein, scientific and technical terms used in connection with the present disclosure shall have the meanings that are commonly understood by those of ordinary skill in the art.

15 Further, unless otherwise required by context, singular terms shall include pluralities and plural terms shall include the singular. The methods and techniques of the present disclosure are generally performed according to conventional methods well-known in the art. Generally, nomenclatures used in connection with, and techniques of biochemistry, enzymology, molecular and cellular biology, microbiology, virology, cell or tissue culture, genetics and protein and nucleic chemistry described
20 herein are those well-known and commonly used in the art. The methods and techniques of the present disclosure are generally performed according to conventional methods well known in the art and as described in various general and more specific references that are cited and discussed throughout the present specification unless otherwise indicated.

25 The present invention is further illustrated by the following examples, which in no way should be construed as further limiting. The entire contents of all of the references (including literature references, issued patents, published patent applications, and co-pending patent applications) cited throughout this application are hereby expressly incorporated by reference, in particular for the teaching that is referenced hereinabove. However, the citation of any reference is not intended to be
30 an admission that the reference is prior art.

Table 1. Overview of process buffers and stock solutions.

Buffer	Composition	Final pH	Final conductivity [mS/cm]
A	0.5 M NaOH		n.a.
B	0.1 M NaOH		n.a.

C	25 mM Tris, 150 mM NaCl	7.4±0.2	16.5
D	1 M Tris	7.4±0.2	n.a.
E	4.5 M NaCl	n.a.	n.a.
F	1 M NaCl	n.a.	n.a.
G	1 % SDS	n.a.	n.a.
H	50 % (w/w) Sucrose in 25 mM Tris, 150 mM NaCl	7.4±0.2	n.a.
I	35 % (w/w) Sucrose in 25 mM Tris, 150 mM NaCl	7.4±0.2	n.a.
J	15 % (w/w) Sucrose in 25 mM Tris, 150 mM NaCl	7.4±0.2	n.a.
K	10 x PBS	7.4±0.2	n.a.
L	50 mg/mL Protamine sulphate	7.4±0.2	n.a.
M	Drug substance formulation buffer (10mM Tris(hydroxymethyl)-aminomethan, 5 % Sucrose, 1% (10 mg/mL) rHSA)	7.4±0.2	1.3

Table 2. Abbreviations.

°Bx	Degrees Brix = sugar content (w/w) of an aqueous solution*
BSA	Bovine serum albumin
CC700	Capto™ Core 700
CPE	Cytopathic effect
EtOH	Ethanol
EU	Endotoxin units
DS	Drug Substance
DP	Drug Product
DSP	Downstream Process
HCP	Host cell protein
hcDNA	Host cell DNA
hpi	Hours post infection
HPLC	High Performance Liquid Chromatography
ID	Inner diameter
JEV	Japanese Encephalitis virus
LAL	Limulus amoebocyte lysate
LDS buffer	Lithium dodecyl sulfate sample loading buffer
LOD	Limit of detection
LOQ	Limit of quantitation
MALLS	Multiangle light scattering
mAU	Milli absorbance units
MS	Mass spectroscopy
NIV	Neutralized inactivated virus
PBS	Phosphate buffered saline
PD	Process development
PFU	Plaque forming units
p.i.	Post-infection
PS	Protamine sulphate or protamine sulfate
rcf	Relative centrifugal force
rHSA	Recombinant human serum albumin
Rms radius	Root mean square radius
rMSB	Research master seed bank
RSD	Relative standard deviation
SEC	Size exclusion chromatography
SGC	Sucrose gradient centrifugation
SGP	Sucrose gradient purified
SDS	Sodium dodecyl sulphate

TBS	Tris buffered saline
TFF	Tangential flow filtration
TCID50	Tissue culture infectious dose 50%
UF/DF	Ultrafiltration/diafiltration
WFI	Water for injection
ZikaV	Zika virus

*Degrees Brix (°Bx) is the sugar content of an aqueous solution. One degree Brix is 1 gram of sucrose in 100 grams of solution and represents the strength of the solution as percentage by mass. °Bx corresponds to the sucrose content in percent (w/w), e.g., 45 °Bx equals 45 % (w/w) sucrose.

5

Table A. Primers for Zika virus sequencing: lower case letters indicate bases not included in ZIKA but containing restriction sites for later cloning when needed (therefore, two Tms provided).

Primer Pair	Oligoname	Primer sequence (5'-3') restriction sites (lower case)	Tm (gene-specific)	Tm (entire primer)	Amplicon size [bp]
1	9320_Zika_PF_1F	SEQ ID NO: 74 ttaggatccGTTGTTGATCTGTGTGAAT	69.9	74.6	707
	9321_Zika_PF_1R	SEQ ID NO: 75 taactcgagCGTACACAACCAAGTT	69.3	75.6	
2	9322_Zika_PF_2F	SEQ ID NO: 76 ttaggatccTCACTAGACGTGGGAGTG	70	73.9	704
	9323_Zika_PF_2R	SEQ ID NO: 77 taactcgagAAGCCATGTCYGATATTGAT	69.8	73.7	
3	9324_Zika_PF_3F	SEQ ID NO: 78 ttaggatccGCATACAGCATCAGGTG	72.3	74.5	712
	9325_Zika_PF_3R	SEQ ID NO: 79 taactcgagTGTGGAGTTCCGGTGTCT	72	76.4	
4	9326_Zika_PF_4F	SEQ ID NO: 80 ttaggatccGAATAGAGCGAARGTTGAGATA	70.9	74	712
	9327_Zika_PF_4R	SEQ ID NO: 81 taactcgAGTGGTGGGTGATCTTCTTCT	70.5	73.7	
5	9328_Zika_PF_5F	SEQ ID NO: 82 ttaggatccCAGTCACAGTGGAGGTACAGTAC	70.3	75	704
	9329_Zika_PF_5R	SEQ ID NO: 83 taactcgagCRCAGATACCATCTTCCC	71.5	77.3	
6	9330_Zika_PF_6F	SEQ ID NO: 84 ttaggatCCCTTATGTGCTTGGCCTTAG	70.7	72.7	698
	9331_Zika_PF_6R	SEQ ID NO: 85 taactcgagTCTTCAGCCTCCATGTG	70.4	76.9	
7	9332_Zika_PF_7F	SEQ ID NO: 86 ttaggatccAATGCCCACTCAAACATAGA	71.9	75	716
	9333_Zika_PF_7R	SEQ ID NO: 87 taactcgagTCATTCTCTTCTTCAGCCCTT	71	74	
8	9334_Zika_PF_8F	SEQ ID NO: 88 ttaggatccAAGGGTGATCGAGGAAT	70.9	75.2	703
	9335_Zika_PF_8R	SEQ ID NO: 89 taactcgagTTCCTTCAGAGAGAGGAGC	71.9	73.4	
9	9336_Zika_PF_9F	SEQ ID NO: 90 ttaggatccTCTTTTGCAAACCTGCGATC	71.9	75	699
	9337_Zika_PF_9R	SEQ ID NO: 91 taactcgagTCCAGCTGCAAAGGGTAT	71	74.9	
10	9338_Zika_PF_10F	SEQ ID NO: 92 ttaggatccGTGTGGACATGTACATTGA	71.4	75.8	706
	9339_Zika_PF_10R	SEQ ID NO: 93 taactcgagCCCATTGCCATAAAGTC	70.4	75.8	

Primer Pair	Oligoname	Primer sequence (5'-3') restriction sites (lower case)	T _m (gene-specific)	T _m (entire primer)	Amplicon size [bp]
11	9340_Zika_PF_11F	SEQ ID NO: 94 ttaggatccTCATACTGTGGTCCATGGA	71.6	78.1	692
	9341_Zika_PF_11R	SEQ ID NO: 95 taactcgagGCCCATCTCAACCC TTG	74	78	
12	9342_Zika_PF_12F	SEQ ID NO: 96 ttaggatccTAGAGGGCTTCCAGTGC	70.9	74	707
	9343_Zika_PF_12R	SEQ ID NO: 97 taactcgagAGATACTCATCTCCAGGTTTGTGTTG	70.2	72.2	
13	9344_Zika_PF_13F	SEQ ID NO: 98 ttaggatccGAAAACAAAACATCAAGAGTG	70.6	75.4	726
	9345_Zika_PF_13R	SEQ ID NO: 99 taactcgagGAATCTCTCTGTCATGTGTCCT	71.9	75.6	
14	9346_Zika_PF_14F	SEQ ID NO: 100 ttaggatccTTGATGGCAGCACCAAC	73.1	75.6	715
	9347_Zika_PF_14R	SEQ ID NO: 101 ttaggatccGTTGTTGATCTGTGTGAAT	70.8	77.9	
15	9348_Zika_PF_15F	SEQ ID NO: 102 taactcgagCAGGTCAATGTCCATTG	71.9	75.4	719
	9349_Zika_PF_15R	SEQ ID NO: 103 ttaggatccTGTGTGTTCTTATTGCTGGT	73.9	77.2	
16	9350_Zika_PF_16F	SEQ ID NO: 104 taactcgaGTGATCAGRGCCCCAGC	72.3	75.4	703
	9351_Zika_PF_16R	SEQ ID NO: 105 ttaggatccTGCTGCCCAGAAGAGAA	72	76.3	
17	9352_Zika_PF_17F	SEQ ID NO: 106 taactcgaGCACCAACAYGGGTCTT	73.6	76	705
	9353_Zika_PF_17R	SEQ ID NO: 107 ttaggatccCTCAAGGACGGTGTGGC	72	75.5	
18	9354_Zika_PF_18F	SEQ ID NO: 108 taactcgagCAATGATCTTCATGTTGGG	71.7	75.8	699
	9355_Zika_PF_18R	SEQ ID NO: 109 ttaggatccTATGGGGGAGGACTGGT	71	74.1	
19	9356_Zika_PF_19F	SEQ ID NO: 110 taactcGAGCCCAGAACCCTGGATC	73.3	75.5	711
	9357_Zika_PF_19R	SEQ ID NO: 111 ttaggatccCAGACCCCCAAGAAGGC	71.3	76.9	
20	9358_Zika_PF_20F	SEQ ID NO: 112 taactcgagCCCCTTTGGTCTTGTTCT	71.7	75	706
	9359_Zika_PF_20R	SEQ ID NO: 113 ttaggatccAGGAAGGATGTATGCAGATG	71.9	73.9	
21	9360_Zika_PF_21F	SEQ ID NO: 114 taactcgagACATTTGCGCATATGATTTTG	70.4	75.7	709
	9361_Zika_PF_21R	SEQ ID NO: 115 ttaggatccAGGAAGGACACACAAGAGT	71.8	75	
22	9362_Zika_PF_22F	SEQ ID NO: 116 taactcgagACAGGCTGCACAGCTTT	70	79.1	581
	9363_Zika_PF_22R	SEQ ID NO: 117 ttaggatccTCTCTCATAGGGCACAGAC	74.8	81.1	

SEQUENCES

- 5 SEQ ID NO: 1
A typical form of protamine
PRRRSSSRP VRRRRRPRVS RRRRRRGGR RR

Provided below are examples of nucleic acid sequences of the genomes of Zika viruses that may be used in the methods, compositions, and/or vaccines described herein.

SEQ ID NO: 2

5 KU321639.1 Zika virus strain ZikaSPH2015, Brazil, complete genome
GTTGTTACTGTTGCTGACTCAGACTGCGACAGTTCGAGTTTGAAGCGAAAGCTAGCAACAGTATCAACAGGTTTTATTTGG
ATTTGGAAACGAGAGTTTCTGGTCATGAAAAACCCAAAAAGAAATCCGGAGGATTCCGGATTGTCAATATGCTAAAACG
CGGAGTAGCCCGTGTGAGCCCTTTGGGGGCTTGAAGAGGCTGCCAGCCGACTTCTGCTGGGTCTATGGGCCATCAGG
10 ATGGTCTTGGCAATTCTAGCCTTTTGAAGATTACCGCAATCAAGCCATCACTGGGTCTCATCAATAGATGGGGTTCAGTG
GGGAAAAAAGAGGCTATGGAATAATAAAGAAGTTCAAGAAAGATCTGGCTGCCATGCTGAGAATAATCAATGCTAGGA
AGGAGAAGAAGAGACGGGGCGCAGATACTAGTGTGGAATTGTTGGCCTCCTGCTGACCACAGCTATGGCAGCGGAGG
TCACTAGACGTGGGAGTGCATACTATGTACTTGGACAGAAACGATGCTGGGGAGGCCATATCTTTTCCAACCACATTG
GGGATGAATAAGTGTTATATACAGATCATGGATCTTGGACACATGTGTGATGCCACCATGAGCTATGAATGCCCTATGCT
GGATGAGGGGGTGAACCATGACGTCGATTGTTGGTGCAACACGACGTCACCTTGGGTTGTGTACGGAACCTGCCAT
15 CACAAAAAAGGTGAAGCACGGAGATCTAGAAGAGCTGTGACGCTCCCTCCATTCCACTAGGAAGCTGCAAACGCGGT
CGCAAACCTGGTTGGAATCAAGAGAATACACAAAGCACTTGATTAGAGTCGAAAATTGGATATTCAGGAACCTTGGCTTC
GCGTTAGCAGCAGCTGCCATCGCTTGGCTTTTGGGAAGCTCAACGAGCCAAAAAGTCATATACTTGGTCATGATACTGCT
GATTGCCCCGGCATACAGCATCAGGTGCATAGGAGTCAGCAATAGGGACTTTGTGGAAGGTATGTCAGGTGGGACTTGG
GTTGATATTGCTTGGAAACATGGAGGTTGTGTACCGTAATGGCACAGGACAAACCGACTGTCGACATAGAGCTGGTTAC
20 AACAACAGTCAGCAACATGGCGGAGGTAAGATCCTACTGCTATGAGGCATCAATATCAGACATGGCTTCGGACAGCCGCT
GCCCCAACAAAGGTGAAGCCTACCTTGACAAGCAATCAGACACTCAATATGTCTGCAAAAGAACGTTAGTGACAGAGGC
TGGGGAAATGGATGTGGACTTTTGGCAAAGGGAGTCTGGTGACATGCGCTAAGTTTGCATGCTCCAAGAAAAATGACCG
GGAAGAGCATCCAGCCAGAGAATCTGGAGTACCGGATAATGCTGTGACGTTTATGGCTCCAGCACAGTGGGATGATCGT
TAATGACACAGGACATGAACTGATGAGAATAGAGCGAAGGTTGAGATAACGCCCAATTCACCAAGAGCCGAAGCCACC
25 CTGGGGGGTTTTGGAAGCCTAGGACTTGATTGTGAACCGAGGACAGGCCTTGACTTTTCAAGTTTGTATTACTTGACTATG
AATAACAAGCACTGGTTGGTTTACAAGGAGTGGTTCCACGACATTCATTACCTTGGCACGCTGGGGCAGACACCGGAAC
TCCACACTGGAACAACAAGAAGCACTGGTAGAGTTCAAGGACGCACATGCCAAAAGGCAAACTGTCGTGGTTCTAGGG
AGTCAAGAAGGAGCAGTTACACGCGCCCTTGTGGAGCTCTGGAGGCTGAGATGGATGGTGCAAAGGGGAAGGCTGTCTT
CTGGCCACTTGAAATGTCGCCTGAAATGGATAAACTTAGATTGAAGGGCGTGTCTACTCTTGTGTACCGCAGCGTTCA
30 CATTACCAAGATCCCGGCTGAAACACTGCACGGGACAGTCACAGTGGAGGTACAGTACGCAGGGACAGATGGACCTTG
CAAGGTTCCAGCTCAGATGGCGGTGGACATGCAAACCTTGACCCCAAGTTGGGAGGTTGATAACCGCTAACCCCGTAATCA
CTGAAAGCACTGAGAACTCTAAGATGATGCTGGAACCTTGATCCACCATTTGGGGACTCTTACATTGTCATAGGAGTCGGG
GAGAAGAAGATCACCCACCACTGGCACAGGAGTGGCAGCACCATTTGAAAAAGCATTGTAAGCCACTGTGAGAGGTGCCA
AGAGAATGGCAGTCTTGGGAGACACAGCCTGGGACTTTGGATCAGTTGGAGGCGCTCTCAACTATTGGGCAAGGGCAT
35 CCATCAAATTTTTGGAGCAGCTTTCAAATCATTGTTTGGAGGAATGCTCTGTTTCTACAAATTCTCATTGGAACGTTGCTG
ATGTGGTTGGGTCTGAACACAAAGAATGGATCTATTTCCCTTATGTGCTTGGCCTTAGGGGGAGTGTTGATCTTCTTATCC
ACAGCCGTCTCTGCTGATGTGGGTGCTCGGTGGACTTCTCAAAGAAGGAGACGAGATGCGGTACAGGGGTGTTCTGCT
ATAACGACGTTGAAGCCTGGAGGGACAGGTACAAGTACCATCTGACTCCCCCGTAGATTGGCAGCAGCAGTCAAGCA
AGCCTGGGAAGATGGTATCTGCGGGATCTCCTCTGTTTCAAGAATGGAAAACATCATGTGGAGATCAGTAGAAGGGGAG
40 CTCAACGCAATCCTGGAAGAGAATGGAGTTCAACTGACGGTCGTTGTGGGATCTGTAAAAAACCCCATGTGGAGAGGTC
CACAGAGATTGCCCGTGCCTGTGAACGAGCTGCCCCACGGCTGGAAGGCTTGGGGGAAATCGCACTTCGTGAGAGCAGC
AAAGACAAATAACAGCTTTGTCGTGGATGGTGACACACTGAAGGAATGCCCACTCAAACATAGAGCATGGAACAGCTTTC
TTGTGGAGGATCATGGGTTTCGGGGTATTTCACTAGTGTCTGGCTCAAGGTTAGAGAAGATTATTCATTAGAGTGTGAT
CCAGCCGTTATTGGAACAGCTGTTAAGGGAAAGGAGGCTGTACACAGTATGCTAGGCTACTGGATTGAGAGTGAGAAGA
45 ATGACACATGGAGGCTGAAGAGGGGCCATCTGATCGAGATGAAAACATGTGAATGGCCAAAGTCCACACATTGTGGAC
AGATGGAATAGAAGAGAGTGTATGATCATACCAAGTCTTAGCTGGGCCACTCAGCCATCACAATACCAGAGAGGGCT
ACAGGACCCAAATGAAAGGGCCATGGCACAGTGAAGAGCTTGAATTCGTTTTGAGGAATGCCAGGCACTAAGGTCCA
CGTGGAGGAAACATGTGGAACAAGAGGACCATCTCTGAGATCAACCACTGCAAGCGGAAGGGTGATCGAGGAATGGTG
CTGCAGGGAGTGCACAATGCCCCACTGTGTTCCGGGCTAAAGATGGCTGTTGGTATGGAATGGAGATAAGGCCCAGG
50 AAAGAACCAGAAAGCAACTTAGTAAGGTCAATGGTGACTGCAGGATCAACTGATCACATGGATCACTTCTCCCTTGGAGT
GCTTGTGATTCTGCTCATGGTGCAGGAAGGGCTGAAGAAGAGAATGACCACAAAGATCATCATAAGCACATCAATGGCA
GTGCTGGTAGCTATGATCCTGGGAGGATTTTCAATGAGTGACCTGGCTAAGCTTGCAATTTTGTGGGTGCCACCTTCGC

GGAAATGAACACTGGAGGAGATGTAGCTCATCTGGCGCTGATAGCGGCATTCAAAGTCAGACCAGCGTTGCTGGTATCTT
TCATCTTCAGAGCTAATTGGACACCCCGTGAAAGCATGCTGCTGGCCTTGGCCTCGTGTCTTTGCAAACGCGATCTCCG
CCTTGGAAAGGCGACCTGATGGTTCTCATCAATGGTTTTGCTTTGGCCTGGTTGGCAATACGAGCGATGGTTGTTCCACGCA
CTGATAACATCACCTTGGCAATCCTGGCTGCTCTGACACCACTGGCCCCGGGGCACACTGCTTGTGGCGTGGAGAGCAGGC
5 CTTGCTACTTGCGGGGGGTTTATGCTCCTCTCTCTGAAGGGAAAAGGCAGTGTGAAGAAGAACTTACCATTTGTCATGGC
CCTGGGACTAACCGCTGTGAGGCTGGTCGACCCCATCAACGTGGTGGGGCTGCTGTTGCTCACAAGGAGTGGGAAGCGG
AGCTGGCCCCCTAGCGAAGTACTCACAGCTGTTGGCCTGATATGCGCATTGGCTGGAGGGTTCGCCAAGGCAGATATAGA
GATGGCTGGGCCCATGGCCGCGGTGCTGCTGCTAATTGTGAGTTACGTGGTCTCAGGAAAGAGTGTGGACATGTACATTG
AAAGAGCAGGTGACATCACATGGGAAAAAGATGCGGAAGTCACTGGAACAGTCCCCGGCTCGATGTGGCGCTAGATG
10 AGAGTGGTGATTTCTCCCTGGTGGAGGATGACGGTCCCCCATGAGAGAGATCATACTCAAGGTGGTCTGATGACCATC
TGTGGCATGAACCAATAGCCATACCCTTTGCAGCTGGAGCGTGGTACGTATACGTGAAGACTGGAAAAAGGAGTGGTG
CTCTATGGGATGTGCTGCTCCCAAGGAAGTAAAAAGGGGGAGACCACAGATGGAGTGTACAGAGTAATGACTCGTAG
ACTGCTAGGTTCAACACAAGTTGGAGTGGGAGTTATGCAAGAGGGGGTCTTTCACACTATGTGGCACGTCACAAAAGGA
TCCGCGCTGAGAAGCGGTGAAGGGAGACTTGATCCATACTGGGGAGATGTCAAGCAGGATCTGGTGTCTACTGTGGTC
15 CATGGAAGCTAGATGCCGCTGGGACGGGCACAGCGAGGTGCAGCTCTTGGCCGTGCCCCCGGAGAGAGAGCGGAGGA
ACATCCAGACTCTGCCCGGAATATTTAAGACAAAGGATGGGGACATTGGAGCGGTTGCGCTGGATTACCCAGCAGGAAC
TTCAGGATCTCAATCCTAGACAAGTGTGGGAGAGTGATAGGACTTTATGGCAATGGGGTCTGTATCAAAAATGGGAGT
TATGTTAGTGCCATCACCAAGGGAGGAGGGAGGAAGAGACTCCTGTTGAGTGCTTCGAGCCTTCGATGCTGAAGAAGA
AGCAGCTAACTGTCTTAGACTTGCATCCTGGAGCTGGGAAAACCAGGAGAGTTCTTCTGAAATAGTCCGTGAAGCCATA
20 AAAACAAGACTCCGTACTGTGATCTTAGCTCCAACCAGGGTGTGCTGCTGAAATGGAGGAAGCCCTTAGAGGGCTTCC
AGTGCGTTATATGACAACAGCAGTCAATGTACCCACTCTGGAACAGAAATCGTCGACTTAATGTGCCATGCCACCTTCAC
TTCACGTCTACTACAGCCAATCAGAGTCCCCAACTATAATCTGTATATTATGGATGAGGCCACTTCACAGATCCCTCAAGT
ATAGCAGCAAGAGGATACATTTCAACAAGGGTTGAGATGGGCGAGGCGGCTGCCATCTTCATGACCGCCACGCCACCAG
GAACCCGTGACGCATTTCCGGACTCCAACCTACCAATTATGGACACCGAAGTGAAGTCCCAGAGAGAGCCTGGAGCTCA
25 GGCTTTGATTGGGTGACGGATTATTCTGGAAAAACAGTTTGGTTTGTTCGAAGCGTGAGGAACGGCAATGAGATCGCAGC
TTGTCTGACAAAAGGCTGGAAAACGGGTGATACAGCTCAGCAGAAAGACTTTTGAGACAGAGTTCCAGAAAACAAAACATC
AAGAGTGGGACTTTGTCGTGACAACCTGACATTTAGAGATGGGCGCCAACCTTAAAGCTGACCGTGTATAGATTCCAGG
AGATGCCTAAAGCCGGTCATACTTGATGGCGAGAGAGTCATTCTGGCTGGACCCATGCCTGTACACATGCCAGCGCTGC
CCAGAGGAGGGGGCGCATAGGCAGGAATCCCAACAAACCTGGAGATGAGTATCTGTATGGAGGTGGGTGCGCAGAGAC
30 TGACGAAGACCATGCACACTGGCTTGAAGCAAGAATGCTCCTTGACAATATTTACCTCCAAGATGGCCTCATAGCCTCGCT
CTATCGACCTGAGGCCGACAAAGTAGCAGCCATTGAGGGAGAGTTCAAGCTTAGGACGGAGCAAAGGAAGACCTTTGTG
GAACTCATGAAAAGAGGAGATCTTCTGTTTGGCTGGCCTATCAGGTTGCATCTGCCGGAATAACCTACACAGATAGAAG
ATGGTGCTTTGATGGCACGACCAACAACACCATAATGGAAGACAGTGTGCCGGCAGAGGTGTGGACCAGACACGGAGA
GAAAAGAGTGCTCAAACCGAGGTGGATGGACGCCAGAGTTTGTTCAGATCATGCGGCCCTGAAGTCATTCAAGGAGTTT
35 GCCGCTGGGAAAAGAGGAGCGGCTTTTGGAGTGATGGAAGCCCTGGGAACACTGCCAGGACACATGACAGAGAGATT
CAGGAAGCCATTGACAACCTCGCTGTGCTCATGCGGGCAGAGACTGGAAGCAGGCCTTACAAAGCCGCGCGGCCCAAT
TGCCGGAGACCCTAGAGACCATTATGCTTTTGGGGTGTGTTGGAACAGTCTCGCTGGGAATCTTTTTCGTCTTGATGAGG
AACAAGGGCATAGGGAAGATGGGCTTTGGAATGGTGACTCTTGGGGCCAGCGCATGGCTCATGTGGCTCTCGGAAATTG
AGCCAGCCAGAATTGCATGTGTCTCATTGTTGTGTTCTATTGCTGGTGGTGTCTATACCTGAGCCAGAAAAGCAAAGAT
40 CTCCCAGGACAACCAATGGCAATCATCATCATGGTAGCAGTAGGTCTTCTGGGCTTGATTACCGCCAATGAACTCGGAT
GGTTGGAGAGAACAAAGAGTGACCTAAGCCATCTAATGGGAAGGAGAGAGAGGGGGCAACCATGGGATTCTCAATGG
ACATTGACCTGCGGCCAGCCTCAGCTTGGGCCATCTATGCTGCCTTGACAACCTTTCATTACCCAGCCGTCACATGCAGT
GACCACTTCATACAACAACCTACTCCTTAATGGCGATGGCCACGCAAGCTGGAGTGTGTTTGGTATGGGCAAAGGGATGC
CATTCTACGCATGGGACTTTGGAGTCCCGCTGCTAATGATAGGTTGCTACTCACAATTAACGCCCCTGACCCTAATAGTGG
45 CCATCATTTTGTGCTGGCGCACTACATGTACTTGATCCCAGGGCTGCAGGCAGCAGCTGCGCGTGTGCCCCAGAAGAGA
ACGGCAGCTGGCATCATGAAGAACCCTGTTGTGGATGGAATAGTGGTGACTGACATTGACACAATGACAATTGACCCCCA
AGTGGAGAAAAAGATGGGACAGGTGCTACTCATGGCAGTAGCCGTCTCCAGCGCCATACTGTGCGGACCGCCTGGGGG
TGGGGGGAGGTGGGGCCCTGATCACAGCCGCAACTTCACTTTGTGGGAAGGCTCTCCGAACAAGTACTGGAACCTCTC
TACAGCCACTTCACTGTGTAACATTTTTAGGGGAAGTTACTTGGCTGGAGCTTCTAATCTACACAGTAACAAGAAACGC
50 TGGCTTGGTCAAGAGACGTGGGGGTGGAACAGGAGAGACCCTGGGAGAGAAATGGAAGGCCCGCTTGAACCAGATGTC
GGCCCTGGAGTTCTACTCTACAAAAGTCAGGCATCACCGAGGTGTGCAGAGAAGAGGCCCGCGCCCTCAAGGAC
GGTGTGGCAACGGGAGGCCATGCTGTGTCCGAGGAAGTGCAAAGCTGAGATGGTTGGTGGAGCGGGGATACCTGCAG
CCCTATGGAAAGGTCATTGATCTTGGATGTGGCAGAGGGGGCTGGAGTTACTACGCCGCCACCATCCGCAAAGTTCAAGA
AGTGAAAGGATACAAAAAGGAGGCCCTGGTCATGAAGAACCCGTGTTGGTGCAAAGCTATGGGTGGAACATAGTCCGT

CTTAAGAGTGGGGTGGACGTCTTTCATATGGCGGCTGAGCCGTGTGACACGTTGCTGTGTGACATAGGTGAGTCATCATC
TAGTCCTGAAGTGGAAAGAAGCACGGACGCTCAGAGTCCTCTCCATGGTGGGGGATTGGCTTGAAAAAGACCAGGAGCC
TTTTGTATAAAAGTGTTGTGCCATACACCAGCACTATGATGGAAACCTGGAGCGACTGCAGCGTAGGTATGGGGGAG
5 GACTGGTCAGAGTGCCACTCTCCCGCACTCTACACATGAGATGTACTGGGTCTCTGGAGCGAAAAAGCAACACCATAAAA
AGTGTGTCCACCACGAGCCAGCTCCTCTTGGGGCGCATGGACGGGCCTAGGAGGCCAGTGAAATATGAGGAGGATGTGA
ATCTCGGCTCTGGCACGCGGGCTGTGGTAAGCTGCGTGAAGCTCCCAACATGAAGATCATTGGTAACCGCATTGAAAGG
ATCCGCAGTGAGCACGCGGAAACGTGGTTCTTTGACGAGAACCACCCATATAGGACATGGGCTTACCATGGAAGCTATGA
GGCCCCACACAAGGGTCAGCGTCCTCTCTAATAAACGGGGTGTGAGGCTCCTGTCAAACCTGGGATGTGGTGACTG
10 GAGTCACAGGAATAGCCATGACCGACACCACACCGTATGGTCAGCAAAGAGTTTTCAAGGAAAAAGTGGACACTAGGGT
GCCAGACCCCCAAGAAGTACTCGTCAGGTTATGAGCATGGTCTCTTCTGGTTGTGGAAAGAGCTAGGCAAAACAAAA
GGCCACGAGTCTGTACCAAGAAGAGTTCATCAACAAGTTTCGTAGCAATGCAGCATTAGGGGCAATATTTGAAGAGGA
AAAAGAGTGGAAAGTGCAGTGGAAAGCTGTGAACGATCCAAGTTCTGGGCTAGTGGACAAGGAAAGAGAGCACCA
CCTGAGAGGAGAGTGCCAGAGTTGTGTACAACATGATGGGAAAAAGAGAAAAGAAACAAGGGGAATTTGAAAGGC
CAAGGGCAGCCGCGCCATCTGGTATATGTGGCTAGGGGCTAGATTCTAGAGTTCGAAGCCCTTGGATTCTTGAACGAGG
15 ATCACTGGATGGGGAGAGAGAACTCAGGAGGTGGTGTGAAGGGCTGGGATTACAAAGACTCGGATATGTCCTAGAAG
AGATGAGTCGCATACCAGGAGGAAGGATGTATGCAGATGACACTGCTGGCTGGGACACCCGCATCAGCAGGTTTGATCT
GGAGAATGAAGCTCTAATCAACAACCAATGGAGAAAGGGCACAGGGCCTTGGCATTGGCCATAATCAAGTACACATAC
CAAAACAAAGTGGTAAAGGTCCTTAGACCAGCTGAAAAAGGGAAAACAGTTATGGACATTATTCGAGACAAGACCAAA
GGGGGAGCGGACAAGTTGTCACTTACGCTCTTAACACATTTACCAACCTAGTGGTGCAACTCATTGGAATATGGAGGCT
20 GAGGAAGTCTAGAGATGCAAGACTTGTGGCTGCTGCGGAGGTGAGAGAAAGTGACCAACTGGTGCAGAGCAACGGA
TGGGATAGGCTCAAACGAATGGCAGTCAGTGGAGATGATTGCGTTGTGAAGCCAATTGATGATAGGTTTGCACATGCCCT
CAGGTTCTTGAATGATATGGGAAAAGTTAGGAAGGACACACAAGAGTGGAAACCTCACTGGATGGGACAACTGGGAA
GAAGTTCGTTTTGCTCCCACTTCAACAAGCTCCATCTCAAGGACGGGAGGTCCATTGTGGTTCCCTGCCGCCACCA
GATGAAGTATTGGCCGGGCGCGTCTCTCCAGGGGCGGGATGGAGCATCCGGGAGACTGCTTGCCTAGCAAAATCAT
25 ATGCGCAAATGTGGCAGCTCCTTTATTTCCACAGAAGGGACCTCCGACTGATGGCCAATGCCATTTGTTTCATCTGTGCCAG
TTGACTGGGTTCCAAGTGGGAGAACTACCTGGTCAATCCATGGAAAGGGAGAATGGATGACCACTGAAGACATGCTTGT
GGTGTGGAACAGAGTGTGGATTGAGGAGAACGACCACATGGAAGACAAGACCCAGTTACGAAATGGACAGACATTTCC
TATTTGGGAAAAAGGGAAGACTTGTGGTGTGGATCTCTCATAGGGCACAGACCGCGCACCACTGGGCTGAGAACATTA
AAAACACAGTCAACATGGTGCAGGATCATAGGTGATGAAGAAAAGTACATGGACTACCTATCCACCAAGTTTCGCTAC
30 TTGGGTGAAGAAGGTCTACACCTGGAGTGCTGTAAGCACCAATCTTAATGTTGTAGGCCTGCTAGTCAGCCACAGCTT
GGGGAAGCTGTGCAGCCTGTGACCCCCCAGGAGAAGCTGGGAAACCAAGCCTATAGTCAGGCCGAGAAGCCATGG
CACGGAAGAAGCCATGCTGCCTGTGAGCCCCCTCAGAGGACACTGAGTCAAAAAACCCACGCGCTTGGAGGCGCAGGAT
GGGAAAAAGAAGGTGGCGACCTTCCCCACCTTCAATCTGGGGCCTGAACTGGAGATCAGCTGTGGATCTCCAGAAGAGG
GACTAGTGGTTAGAGGAGA

SEQ ID NO: 3

KU497555.1 Zika virus isolate Brazil-ZKV2015, Brazil, complete genome

CCAATCTGTGAATCAGACTGCGACAGTTCGAGTTTGAAGCGAAAGCTAGCAACAGTATCAACAGGTTTTATTTTGGATTTG
GAAACGAGAGTTTTCTGGTCATGAAAAACCCAAAAAGAAATCCGGAGGATTCCGGATTGTCAATATGCTAAAAACGCGGA
40 GTAGCCCGTGTGAGCCCCCTTGGGGGCTTGAAGAGGCTGCCAGCCGACTTCTGCTGGGTCATGGGCCCATCAGGATGG
TCTTGGCGATTCTAGCCTTTTTGAGATTACGGAATCAAGCCATCACTGGGTCTCATCAATAGATGGGGTTCAAGTGGGGA
AAAAAGAGGCTATGGAAATAATAAAGAAAGTTCAAGAAAGATCTGGCTGCCATGCTGAGAATAATCAATGCCAGGAAGGA
GAAGAAGAGACGAGGCGCAGATACTAGTGTGGAATCGTTGGCCTCCTGCTGACCACAGCTATGGCAGCGGAGGTCACT
AGACGTGGGAGTGCATACTATATGTACTTGGACAGAAACGATGCTGGGGAGGCCATATCTTTTCAACCACATTGGGGAT
45 GAATAAGTGTATATACAGATCATGGATCTTGGACACATGTGTGATGCCACCATGAGCTATGAATGCCCTATGCTGGATG
AGGGGGTGGAAACAGATGACGTCGATTGTTGGTGAACACGACGTCAACTTGGGTTGTGTACGGAACCTGCCATCACAA
AAAAGGTGAAGCACGAGATCTAGAAGAGCTGTGACGCTCCCCCTCCATTCCACTAGGAAGCTGCAACGCGGTGCGAA
ACCTGGTTGGAATCAAGAGAATACACAAAGCACTTGATTAGAGTCGAAAATTGGATATTGAGGAACCTGGCTTCGCTT
50 AGCAGCAGCTGCCATCGCTTGGCTTTTGGGAAGCTCAACGAGCCAAAAAGTCATATACTTGGTCATGATACTGCTGATTGC
CCCGGCATACAGCATCAGGTGCATAGGAGTCAGCAATAGGGACTTTGTGGAAGGTATGTCAGGTGGGACTTGGGTTGAT
GTTGTCTTGGAAATGGGGGTTGTGTACCGTAATGGCACAGGACAAACCGACTGTCGACATAGAGCTGGTTACAACAAC
AGTCAGCAACATGGCGGAGGTAAGATCCTACTGCTATGAGGCATCAATATCAGACATGGCTTCGGACAGCCGCTGCCCAA
CACAAGGTGAAGCCTACCTTGACAAGCAATCAGACACTCAATATGTCTGCAAAAGAACGTTAGTGGACAGAGGCTGGGG
AAATGGATGTGGACTTTTTGGCAAAGGGAGCCTGGTGACATGCGCTAAGTTTGCATGCTCCAAGAAAATGACCGGGAAG

AGCATCCAGCCAGAGAATCTGGAGTACCGGATAATGCTGTCAAGTTCATGGCTCCCAGCACAGTGGGATGATCGTTAATGA
CACAGGACATGAACTGATGAGAATAGAGCGAAGGTTGAGATAACGCCCAATTACCAAGAGCCGAAGCCACCCTGGGG
GGTTTTGGAAGCTTAGGACTTGATTGTGAACCGAGGACAGGCCCTTGACTTTTTCAGATTTGTATTACTTGAATAAC
AAGCACTGGTTGGTTCACAAGGAGTGGTTCCACGACATTCCATTACCTTGGCACGCTGGGGCAGACACCGGAACTCCACA
5 CTGGAACAACAAAGAAGCACTGGTAGAGTTCAAGGACGCACATGCCAAAAGGCAAACTGTCGTGGTTCTAGGGACTCAA
GAAGGAGCAGTTACACGGCCCTTGCTGGAGCTCTGGAGGCTGAGATGGATGGTGCAAAGGGAAGGCTGTCCTCTGGCC
ACTTGAAATGTCGCTGAAAATGGATAAACTTAGATTGAAGGGCGTGTCACTCTTGTGTACCGCAGCGTTCACATTCA
CCAAGATCCCGGCTGAAACACTGCACGGGACAGTCACAGTGGAGGTACAGTACGCAGGGACAGATGGACCTTGCAAGGT
10 TCCAGCTCAGATGGCGGTGGACATGCAAACTCTGACCCCAAGTTGGGAGGTTGATAACCGCTAACCCCGTAATCACTGAAA
GCACTGAGAACTCTAAGATGATGCTGGAACCTTGATCCACCATTGGGGACTCTTACATTGTCATAGGAGTCGGGGAGAAG
AAGATCACCCACCACTGGCACAGGAGTGGCAGCACCATTGAAAAAGCATTTGAAGCCACTGTGAGAGGTGCCAAGAGAA
TGGCAGTCTTGGGAGACACAGCCTGGGACTTTGGATCAGTTGGAGGCGCTCTCAACTATTGGGCAAGGGCATCCATCAA
ATTTTTGGAGCAGCTTTCAAATCATTGTTGGAGGAATGCTCTGGTTCTCAAAATTCTATTGGAACGTTGCTGATGTGGT
15 TGGGTCTGAACACAAAGAATGGATCTATTTCCCTTATGTGCTTGGCCTTAGGGGGAGTGTGATCTTCTTATCCACAGCCG
TCTCTGCTGATGTGGGGTGTCTGGTGGACTTCTCAAAGAAGGAGACGAGATGTGGTACAGGGGTGTTCTGCTATAACGA
CGTTGAAGCCTGGAGGGACAGGTACAAGTACCATCTGACTCTCCCGTAGATTGGCAGCAGCAGTCAAGCAAGCCTGG
GAAGATGGTATCTCGGGATCTCTCTGTTTCAAGAATGGAAAACATCATGTGGAGATCAGTAGAAGGGGAGCTTAACG
CAATCCTGGAAGAGAATGGAGTTCAACTGACGGTCTGTTGGGATCTGTAAAAAACCCCATGTGGAGAGGTCCACAGAG
20 ATTGCCGTGCTGTGAACGAGCTGCCCCACGGCTGGAAGGCTTGGGGGAAATCGTACTTCGTCAGAGCAGCAAAGACA
AATAACAGCTTTGCTGTGGATGGTGACACACTGAAGGAATGCCCACTCAAACATAGAGCATGGAACAGCTTTCTGTGGA
GGATCATGGGTTCCGGGTATTTCACTAGTGTCTGGCTCAAGGTTAGAGAAGATTATTCATTAGAGTGTGATCCAGCCG
TTATTGGAACAGCTGTTAAGGGAAAGGAGGCTGTACACAGTGTCTAGGCTACTGGATTGAGAGTGAGAAGAATGACAC
ATGGAGGCTGAAGAGGGCCCATCTGATCGAGATGAAAACATGTGAATGGCCAAAGTCCCACACATTGTGGACAGATGGA
25 ATAGAAGAGAGTGATCTGATCATACCCAAGTCTTAGCTGGGCCACTCAGCCATCACAATACCAGAGAGGGCTACAGGAC
CCAAATGAAAGGGCCATGGCACAGTGAAGAGCTTGAAATTCGGTTTGAGGAATGCCAGGCACTAAGGTCCACGTGGAG
GAAACATGTGGAACAAGAGGACCATCTCTGAGATCAACCACTGCAAGCGGAAGGGTGATCGAGGAATGGTGTCTGCAGG
GAGTGCACAATGCCCCCACTGTCGTTCCGGGCTAAAGATGGCTGTTGGTATGGAATGGAGATAAGGCCCAGGAAAGAAC
CAGAAAGCAACTTAGTAAGGTCAATGGTGAAGTGCAGGATCAACTGATCAGATGGATCACTTCTCCCTGGAGTGCTTGTG
ATTCTGCTCATGGTGCAGGAAGGGCTGAAGAAGAGAATGACCACAAAGATCATATAAGCACATCAATGGCAGTGCTGG
30 TAGCTATGATCCTGGGAGGATTTTCAATGAGTGACCTGGCTAAGCTTGCAATTTTGATGGGTGCCACCTTCGCGGAAATG
AACACTGGAGGAGATGTAGCTCATCTGGCGCTGATAGCGGCATTCAAAGTCAGACCAGCGTTGCTGGTATCTTTCATCTTC
AGAGCTAATTGGACACCCCGTGAAGCATGCTGCTGGCCTTGGCCTCGTGTGTTTTGCAAACTGCGATCTCCGCCTTGAA
GGCGACCTGATGGTTCTCATCAATGGTTTTGCTTGGCCTGGTTGGCAATACGAGCGATGGTTGTTCCACGCACTGACAAC
ATCACCTTGGCAATCCTGGCTGCTGACACCACTGGCCCGGGGCACACTGCTTGTGGCGTGGAGAGCAGGCCCTGCTAC
35 TTGCGGGGGGTTTATGCTCCTCTCTGAAGGGAAAAGGCAGTGTGAAGAAGAACTTACCATTGTGATGGCCCTGGGAC
TAACCGCTGTGAGGCTGGTGCACCCCATCAACGTGGTGGGACTGCTGTTGCTCACAAGGAGTGGGAAGCGGAGCTGGCC
CCCTAGCGAAGTACTCACAGCTGTTGGCCTGATATGCGCATTGGCTGGAGGGTTCGCCAAGGCAGATATAGAGATGGCT
GGGCCCATGGCCGCGGTCTGCTAATTGTCAAGTTACGTGGTCTCAGGAAAGAGTGTGGACATGTACATTGAAAGAG
CAGGTGACATCACATGGGAAAAAGATGCGGAAGTCACTGGAACAGTCCCCGGCTCGATGTGGCGCTAGATGAGAGTG
40 GTGACTTCTCCCTGGTGGAGGATGACGGTCCCCCATGAGAGAGATCATACTCAAGGTGGTCTGATGACCATCTGTGGC
ATGAACCCAATAGCCATACCCTTTGCAGCTGGAGCGTGGTACGTATACGTGAAGACTGGAAAAAGGAGTGGTGTCTATG
GGATGTGCTGCTCCCAAGGAAGTAAAAAAGGGGGAGACCACAGATGGAGTGTACAGAGTAATGACTCGTAGACTGCTA
GGTTCAACACAAGTTGGAGTGGGAGTTATGCAAGAGGGGGTCTTTCACACTATGTGGCACGTACAAAAAGGATCCGCGC
TGAGAAGCGGTGAAGGGAGACTTGATCCATACTGGGAGATGTCAAGCAGGATCTGGTGTCTACTGTGGTCCATGGAA
45 GCTAGATGCCGCTGGGACGGGCACAGCGAGGTGCAGCTCTTGGCCGTGCCCCCGGAGAGAGAGCGAGGAACATCCA
GACTCTGCCCGGAATATTTAAGACAAAGGATGGGGACATTGGAGCGGTTGCGCTGGATTACCCAGCAGGAACTTCAGGA
TCTCCAATCCTAGACAAGTGTGGGAGAGTGATAGGACTTTATGGCAATGGGGTCGTGATAAAAAATGGGAGTTATGTTA
GTGCCATCACCAAGGGAGGAGGGAGGAAGAGACTCCTGTTGAGTGCTTCGAGCCTTCGATGCTGAAGAAGAAGCAGCT
AAGTGTCTTAGACTTGATCTCTGGAGCTGGGAAAACCAGGAGAGTTCTTCTGAAATAGTCCGTGAAGCCATAAAAAACA
50 GACTCCGTACTGTGATCTTAGCTCCAACAGGGTGTGCTGCTGAAATGGAGGAAGCCCTTAGAGGGCTTCCAGTGCGT
TATATGACAACAGCAGTCAATGTACCCCACTCTGGAACAGAAATCGTCGACTTAATGTCCATGCCACCTTCACTTACGT
CTACTACAGCCAATCAGAGTCCCCAACTATAATCTGTATATTATGGATGAGGCCCACTTCACAGATCCCTCAAGCATAGCA
GCAAGAGGATACATTTCAACAAGGGTTGAGATGGGCGAGGCGGCTGCCATCTTCATGACCGCCACGCCACCAGGAACCC
GTGACGCATTTCCGGACTCCAACCTACCAATTATGGACACCGAAGTGGAAGTCCCAGAGAGAGCCTGGAGCTCAGGCTTT

GATTGGGTGACGGATCATTCTGGAAAAACAGTTTGGTTTGTTCAGCGTGAGGAACGGCAATGAGATCGCAGCTTGTCT
 GACAAAGGCTGGAAAAACGGGTATACAGCTCAGCAGAAAGACTTTTGAGACAGAGTTCCAGAAAAACAAACATCAAGAG
 TGGGACTTTGTCTGTGACAACTGACATTTAGAGATGGGCGCAACTTTAAAGCTGACCGTGTATAGATTCCAGGAGATG
 CCTAAAGCCGGTCATACTTGATGGCGAGAGAGTCACTTCTGGCTGGACCCATGCCTGTCACACATGCCAGCGCTGCCCAGA
 5 GGAGGGGGCGCATAGGCAGGAATCCCAACAACTGGAGATGAGTACCTGTATGGAGGTGGGTGCGCAGAGACTGACG
 AAGACCATGCACACTGGCTTGAAGCAAGAATGCTCCTTGACAATATTTACCTCCAAGATGGCCTCATAGCCTCGCTCTATC
 GACCTGAGGCCGACAAAGTAGCAGCCATTGAGGGAGAGTTCAAGCTTAGGACGGAGCAAAGGAAGACCTTTGTGGAAC
 TCATGAAAAGAGGAGATCTTCTGTTTGGCTGGCCTATCAGGTTGCATCTGCCGGAATAACCTACACAGATAGAAGATGG
 TGCTTTGATGGCACGACCAACAACACCATAATGGAAGACAGTGTGCCGGCAGAGGTGTGGACCAGACACGGAGAGAAAA
 10 AGAGTGCTCAAACCGAGGTGGATGGACGCCAGAGTTTGTTCAGATCATGCGGCCCTGAAGTCATTCAAGGAGTTTGCCG
 TGGGAAAAGAGGAGCGGCTTTTGGAGTGATGGAAGCCCTGGGAACACTGCCAGGACACATGACAGAGAGATTCCAGGA
 AGCCATTGACAACCTCGCTGTGCTCATGCGGGCAGAGACTGGAAGCAGGCCTTACAAAGCCGCGGCGGCCCAATTGCCG
 GAGACCCTAGAGACCATTATGCTTTTGGGGTTGCTGGGAACAGTCTCGCTGGGAATCTTTTCGTCTTGATGAGGAACAA
 GGGCATAGGGAAGATGGGCTTTGGAATGGTGAAGTCTTGGGGCCAGCGCATGGCTCATGTGGCTCTCGGAAATTGAGCCA
 15 GCCAGAATTGCATGTGCTCCTATTGTTGTGTTCTATTGCTGGTGGTGTCTACCTGAGCCAGAAAAAGCAAAGATCTCCC
 CAGGACAACCAATGGCAATCATCATCATGGTAGCAGTAGGTCTTCTGGGCTTGATTACCGCCAATGAAGTCGGATGGTT
 GGAGAGAACAAGAGTGACCTAAGCCATCTAATGGGAAGGAGAGAGGAGGGGGCAACCATAGGATTCTCAATGGACAT
 TGACCTGCGGCCAGCCTCAGCTTGGGCCATCTATGCTGCCTTGACAACCTTTCATTACCCAGCCGTCACATGCAGTGAC
 CACTTCATACAACAATACTCCTAATGGCGATGGCCACGCAAGCTGGAGTGTTGTTTGGTATGGGCAAAGGGATGCCAT
 20 TCTACGCATGGGACTTTGGAGTCCCGTGCTAATGATAGGTTGCTACTCACAATTAACACCCCTGACCCTAATAGTGGCCA
 TCATTTTGTCTGTGGCGCACTACATGTACTTGATCCAGGGCTGCAGGCAGCAGCTGCGCGTGCTGCCCAGAAGAGAACG
 GCAGCTGGCATCATGAAGAACCCTGTTGTGGATGGAATAGTGGTGAAGTGAACATGACAATTGACCCCAAGT
 GGAGAAAAAGATGGGACAGGTGCTACTCATAGCAGTAGCCGTCTCCAGCGCCATACTGTCGCGGACCGCCTGGGGGTGG
 GGGGAGGCTGGGGCCCTGATCACAGCCGCAACTTCCACTTTGTGGGAAGGCTCTCCGAACAAGTACTGGAAGTCTCTAC
 25 AGCCACTTCACTGTGTAACATTTTTAGGGGAAGTTACTTGGCTGGAGCTTCTCTAATCTACACAGTAACAAGAAACGCTGG
 CTTGGTCAAGAGACGTGGGGGTGGAACAGGAGAGACCTGGGAGAGAAATGGAAGGCCCGCTGAACCATGTCGGC
 CCTGGAGTTCTACTCTACAAAAAGTCAGGCATCACCGAGGTGTGCAGAGAAGAGGCCCGCCGCGCCCTCAAGGACGGT
 GTGGCAACGGGAGGCCATGCTGTGTCCGAGGAAGTGCAAAGCTGAGATGGTTGGTGGAGCGGGGATACCTGCAGCCC
 30 TATGGAAGGTCAATTGATCTTGATGTGGCAGAGGGGGCTGGAGTTACTACGCCGCCACCATCCGCAAAGTTCAAGAAG
 TGAAAGGATACAAAAAGGAGGCCCTGGTCATGAAGAACCCTGTTGGTGCAAAGCTATGGGTGGAACATAGTCCGTCT
 TAAGAGTGGGGTGACGTCTTTCATATGGCGGCTGAGCCGTGTGACACGTTGCTGTGTGACATAGGTGAGTCATCATCTA
 GTCCTGAAGTGAAGAAGCACGGACGCTCAGAGTCTCTCCATGGTGGGGGATTGGCTTGAAAAAGACCAGGAGCCTT
 TTGCATAAAAGTGTGTGCCATACACCAGCACTATGATGGAACCCTGGAGCGACTGCAGCGTAGGTATGGGGGAGGA
 35 CTGGTCAGAGTGCCACTCTCCCGCAACTCTACACATGAGATGTAAGTGGTCTCTGGAGCGAAAAAGCAACACCATAAAAG
 TGTGTCCACCACGAGCCAGCTCCTCTTGGGGCGCATGGACGGGCCTAGGAGGCCAGTGAAATATGAGGAGGATGTGAAT
 CTCGGCTCTGGCACGCGGGCTGTGGTAAGCTGCGCTGAAGTCCCAACATGAAGATCATTGGTAACCGCATTGAAAGGAT
 CCGCAGTGAGCACGCGGAAACGTGGTTCTTTGACGAAAAACCCCATATAGGACATGGGCTTACCATGGAAGCTATGTG
 GCCCCACACAAGGCTCAGCGTCTCTCTAATAAACGGGGTTGTGAGGCTCTGTCAAACCTGGGATGTGGTGACTGG
 40 AGTCACAGGAATAGCCATGACCGACACCACACCGTATGGTCAGCAAAGAGTTTTCAAGGAAAAAGTGGACACTAGGGTG
 CCAGACCCCCAAGAAGGCACTCGTCAGGTTATGAGCATGGTCTCTCTCTGTTGTGGAAAGAGCTAGGCAAACACAAACG
 ACCACGAGTCTGTACCAAAGAAGAGTTTCATCAACAAGGTTCTGAGCAATGCAGCATTAGGGGCAATATTTGAAGAGGAA
 AAAGAGTGGAAGACTGCAGTGGAAGCTGTGAACGATCCAAGGTTCTGGGCTCTAGTGGAACAAGGAAAGAGAGCACCAC
 CTGAGAGGAGAGTGCCAGAGTTGTGTGTACAACATGATGGGAAAAAGAGAAAAAGAAACAAGGGGAATTTGAAAGGCC
 45 AAGGGCAGCCGCGCCATCTGGTATATGTGGCTAGGGGCTAGATTTCTAGAGTTGAAAGCCCTTGGATTCTTGAACGAGGA
 TCACTGGATGGGGAGAGAGAACTCAGGAGGTGGTGTGAAGGGCTGGGATTACAAAGACTCGGATATGTCCTAGAAGA
 GATGAGTCGCATACCAGGAGGAAGGATGTATGCAGATGACACTGCTGGCTGGGACACCCGCATCAGCAGGTTTGATCTG
 GAGAATGAAGCTCTAATACCAACCAATGGAGAAAGGGCACAGGGCCTTGGCATTGGCCATAATCAAGTACACATACC
 50 AAAACAAAGTGGTAAAGTCTTAGACCAGCTGAAAAAGGGAAAAACAGTTATGGACATTATTCGAGACAAGACCAAAG
 GGGGAGCGGACAAGTTGTCACTTACGCTCTTAACACATTTACCAACCTAGTGGTGCAACTATTGGAATATGGAGGCTG
 AGGAAGTTCTAGAGATGCAAGACTTGTGGCTGCTGCGGAGGTGAGAGAAAGTGACCAACTGGTTGCAGAGCAACGGAT
 GGGATAGGCTCAAACGAATGGCAGTCAGTGAGATGATTGCGTTGTGAAGCCAATTGATGATAGGTTGCACATGCCCTC
 AGGTTCTTGAATGATATGGGAAAAGTTAGGAAGGACACACAAGAGTGGAACCCTCAACTGGATGGGACAACTGGGAA
 GAAGTTCGTTTTGCTCCACCACTTCAACAAGTCCATCTCAAGGACGGGAGGTCCATTGTGGTTCCCTGCCGCCACCA
 GATGAAGTATTGGCCGGGGCGCTCTCCAGGGGCGGGATGGAGCATCCGGGAGACTGCTTGCCTAGCAAAATCAT

ATGCGCAAATGTGGCAGCTCCTTTATTTCCACAGAAGGGACCTCCGACTGATGGCCAATGCCATTTGTTTCATCTGTGCCAG
TTGACTGGGTTCCAACCTGGGAGAACTACCTGGTCAATCCATGGAAAGGGAGAATGGATGACCACTGAAGACATGCTTGT
GGTGTGGAACAGAGTGTGGATTGAGGAGAACGACCACATGGAAGACAAGACCCCAAGTTACGAAATGGACAGACATTTCCC
TATTTGGGAAAAAGGGAAGACTTGTGGTGTGGATCTCTCATAGGGCACAGACCGCGCACCACTGGGCTGAGAACATTA
5 AAAATACAGTCAACATGGTGGCAGGATCATAGGTGATGAAGAAAAGTACATGGACTACCTATCCACCCAAGTTTCGCTAC
TTGGGTGAAGAAGGGTCTACACCTGGAGTGCTGTGAGCACCAATCTTAATGTTGTCAGGCCTGCTAGTCAGCCACAGCTT
GGGAAAAGCTGTGCAGCCTGTGACCCCTCCAGGAGAAGCTGGGTAACCAAGCCTATAGTCAGGCCGAGAACGCCATGGC
ACGGAAGAAGCCATGCTGCCTGTGAGCCCTCAGAGGACACTGAGTCAAAAAACCCACGCGCTTGGAGGCGCAGGATG
GGAAAAGAAGGTGGCGACCTTCCCCACCTTCAATCTGGGGCCTGAACTGGAGATCAGCTGTGGATCTCCAGAAGAGGG
10 ACTAGTGGTTAGAGGAGACCCCCGAAAACGAAAACAGCATATTGACGCTGGGAAAGACCAGAGACTCCATGAGTTT
CCACCACGCTGGCCGCCAGGCACAGATCGCCGAATAGCGGCGGCCGGTGTGGGGAAATCCA

SEQ ID NO: 4

KU501215.1 Zika virus strain PRVABC59, Puerto Rico, complete genome

5 GTTGTGATCTGTGTAATCAGACTGCGACAGTTTCGAGTTTGAAGCGAAAGCTAGCAACAGTATCAACAGGTTTTATTTTG
GATTTGGAACGAGAGTTTCTGGTCATGAAAAACCAAAAAAGAAATCCGGAGGATTCGGATTGTCAATATGCTAAAC
GCGGAGTAGCCCGTGTGAGCCCTTTGGGGCTTGAAGAGGCTGCCAGCCGACTTCTGCTGGGTCATGGGCCATCAG
GATGGTCTTGGCGATTCTAGCCTTTTTGAGATTACGGCAATCAAGCCATCACTGGGTCTCATCAATAGATGGGGTTCAGT
GGGGAAAAAGAGGCTATGGAACAATAAAGAAGTTCAAGAAAGATCTGGCTGCCATGCTGAGAATAATCAATGCTAGG
20 AAGGAGAAGAAGAGACGAGGCGCAGATACTAGTGTGGAATTGTTGGCCTCCTGCTGACCACAGCTATGGCAGCGGAG
GTCACTAGACGTGGGAGTGCATACTATATGTAATTGGACAGAAACGATGCTGGGGAGGCCATATCTTTTCAACCACATT
GGGGATGAATAAGTGTATATACAGATCATGGATCTTGGACACATGTGTGATGCCACCATGAGCTATGAATGCCCTATGC
TGGATGAGGGGGTGAACCAGATGACGTCGATTGTTGGTGCAACACGACGTCAACTTGGGTTGTGTACGGAACCTGCCA
TCACAAAAAGGTGAAGCACGGAGATCTAGAAGAGCTGTGACGCTCCCTCCATTCCACCAGGAAGCTGCAACGCGG
25 TCGCAACCTGGTTGAATCAAGAGAATACACAAAGCACTTGATTAGAGTCGAAAATTGGATATTCAGGAACCCTGGCTT
CGCGTTAGCAGCAGCTGCCATCGCTTGGCTTTTGGGAAGCTCAACGAGCCAAAAAGTCATATACTTGGTCATGATACTGCT
GATTGCCCGGCATACAGCATCAGGTGCATAGGAGTCAGCAATAGGGACTTTGTGGAAGGTATGTCAGGTGGGACTTGG
GTTGATGTTGCTTGAACATGGAGGTTGTGTACCGTAATGGCACAGGACAAACCGACTGTCGACATAGAGCTGGTTAC
AACAACAGTCAGCAACATGGCGGAGGTAAGATCCTACTGCTATGAGGCATCAATATCAGACATGGCTTCTGACAGCCGCT
30 GCCCAACACAAGGTGAAGCCTACCTTGACAAGCAATCAGACACTCAATATGTCTGCAAAAGAACGTTAGTGACAGAGGC
TGGGGAAATGGATGTGGACTTTTTGGCAAAGGGAGCCTGGTGACATGCGCTAAGTTTGCATGCTCCAAGAAAATGACCG
GGAAGAGCATCCAGCCAGAGAATCTGGAGTACCGGATAATGCTGTGAGTTTCATGGCTCCCAGCACAGTGGGATGATCGT
TAATGACACAGGACATGAACTGATGAGAATAGAGCGAAAGTTGAGATAACGCCCAATTACCGAGAGCCGAAGCCACC
CTGGGGGGTTTTGGAAGCCTAGGACTTGATTGTGAACCGAGGACAGGCCCTTGACTTTTTCAGATTTGTATTACTTGA
35 AATAACAAGCACTGGTTGGTTTACAAGGAGTGGTTCCACGACATTCCATTACCTTGGCAGCTGGGGCAGACACCGGAAC
TCCACACTGGAACAACAAAGAAGCACTGGTAGAGTTCAAGGACGCACATGCCAAAAGGCAAACTGTCGTGGTTCTAGGG
AGTCAAGAAGGAGCAGTTACACGCGCCTTGTGGAGCTCTGGAGGCTGAGATGGATGGTGAAAGGGAAGGCTGTCT
CTGGCCACTTGAAATGTCGCTGAAAATGGATAAACTTAGATTGAAGGGCGTGTCTACTCTTGTGACTGCAGCGTTCA
CATTACCAAGATCCCGGCTGAAACACTGCACGGGACAGTCACAGTGGAGGTACAGTACGAGGGACAGATGGACCTTG
40 CAAGGTTCCAGCTCAGATGGCGGTGGACATGCAAACTCTGACCCAGTTGGGAGGTTGATAACCGCTAACCCGTAATCA
CTGAAAGCACTGAGAACTCTAAGATGATGCTGGAACCTTGATCCACCATTTGGGGACTCTTACATTGTCATAGGAGTCGGG
GAGAAGAAGATCACCCACCACTGGCACAGGAGTGGCAGCACCATTGAAAAAGCATTGGAAGCCACTGTGAGAGGTGCCA
AGAGAATGGCAGTCTTGGGAGACACAGCCTGGGACTTTGGATCAGTTGGAGGCGCTCTCAACTCATTGGGCAAGGGCAT
CCATCAAAATTTTGGAGCAGCTTCAAATCATTGTTTGGAGGAATGTCTGGTTCTCACAAATCTCATTGGAACGTTGCTG
45 ATGTGGTTGGGTCTGAACACAAAGAATGGATCTATTTCCCTTATGTGCTTGGCCTTAGGGGGAGTGTTGATCTTCTATCC
ACAGCCGCTCTGCTGATGTGGGGTGTCTCGTGGACTTCTCAAAGAAGGAGACGAGATGCGGTACAGGGGTGTTCTGCT
ATAACGACGTTGAAGCCTGGAGGGACAGGTACAAGTACCATCTGACTCCCCCGTAGATTGGCAGCAGCAGTCAAGCA
AGCCTGGGAAGATGGTATCTGCGGGATCTCCTCTGTTTCAAGAATGAAAAACATCATGTGGAGATCAGTAGAAGGGGAG
CTCAACGCAATCCTGGAAGAGAATGGAGTTCAACTGACGGTCGTTGTGGGATCTGTAAAAAACCCATGTGGAGAGGTC
50 CACAGAGATTGCCCGTGCCTGTGAACGAGCTGCCCCACGGCTGGAAGGCTTGGGGGAAATCGTATTTCTCAGAGCAGC
AAAGACAAATAACAGCTTTGTCTGGATGGTGACACACTGAAGGAATGCCACTCAAACATAGAGCATGGAACAGCTTTC
TTGTGGAGGATCATGGGTTCCGGGTATTTCACTAGTGTCTGGCTCAAGGTTAGAGAAGATTATTCATTAGAGTGTGAT
CCAGCCGTTATTGGAACAGCTGTTAAGGGAAAGGAGGCTGTACACAGTGATCTAGGCTACTGGATTGAGAGTGAGAAGA
ATGACACATGGAGGCTGAAGAGGGCCCATCTGATCGAGATGAAAACATGTGAATGGCCAAAGTCCCACACATTGTGGAC

AGATGGAATAGAAGAGAGTGATCTGATCATACCCAAGTCTTTAGCTGGGCCACTCAGCCATCACAATACCAGAGAGGGCT
 ACAGGACCCAAATGAAAGGGCCATGGCACAGTGAAGAGCTTGAATTCGGTTTGAGGAATGCCAGGCACTAAGGTCCA
 CGTGGAGGAAACATGTGGAACAAGAGGACCATCTCTGAGATCAACCACTGCAAGCGGAAGGGTGATCGAGGAATGGTG
 CTGCAGGGAGTGCACAATGCCCCACTGTCTGTTCCGGGCTAAAGATGGCTGTTGGTATGGAATGGAGATAAGGCCCAGG
 5 AAAGAACCAGAAAGCAACTTAGTAAGGTCAATGGTGAAGTGCAGGATCAACTGATCAGATGGACCACTTCTCCCTTGGAGT
 GCTTGTGATCCTGCTCATGGTGCAGGAAGGGCTGAAGAAGAGAATGACCACAAAGATCATCATAAGCACATCAATGGCA
 GTGCTGGTAGCTATGATCCTGGGAGGATTTTCAATGAGTGACCTGGCTAAGCTTGCAATTTTGATGGGTGCCACCTTCGC
 GGAAATGAACACTGGAGGAGATGTAGCTCATCTGGCGCTGATAGCGGCATTCAAAGTCAGACCAGCGTTGCTGGTATCTT
 10 TCATCTTCAGAGCTAATTGGACACCCCGTAAAGCATGCTGCTGGCCTTGGCCTCGTGTCTTTGCAAACCTGCGATCTCCG
 CCTTGGAAAGGCGACCTGATGGTTCTCATCAATGGTTTTGCTTTGGCCTGGTTGGCAATACGAGCGATGGTTGTTCCACGCA
 CTGATAACATCACCTTGGCAATCCTGGCTGCTGACACCACTGGCCCGGGGCACACTGCTTGTGGCGTGGAGAGCAGGC
 CTTGCTACTTGGGGGGGTTTATGCTCCTCTCTCTGAAGGGAAAAGGCAGTGTGAAGAAGAACTTACCATTGTGCATGGC
 CCTGGGACTAACCGCTGTGAGGCTGGTCGACCCCATCAACGTGGTGGGACTGCTGTTGCTCACAAGGAGTGGGAAGCGG
 AGCTGGCCCCCTAGCGAAGTACTCACAGCTGTTGGCCTGATATGCGCATTGGCTGGAGGGTTCGCCAAGGCAGATATAGA
 15 GATGGCTGGGCCCATGGCCGCGGTGCTGCTAATTGTCAGTTACGTGGTCTCAGGAAAGAGTGTGGACATGTACATTG
 AAAGAGCAGGTGACATCACATGGGAAAAAGATGCGGAAGTCACTGGAAACAGTCCCCGGCTCGATGTGGCGCTAGATG
 AGAGTGGTGATTTTCTCCCTGGTGGAGGATGACGGTCCCCCATGAGAGAGATCATACTCAAGGTGGTCTGATGACCATC
 TGTGGCATGAACCAATAGCCATACCTTTGCAGCTGGAGCGTGGTACGTATACGTGAAGACTGGAAAAAGGAGTGGTG
 CTCTATGGGATGTGCTGCTCCCAAGGAAGTAAAAAGGGGGAGACCACAGATGGAGTGTACAGAGTAATGACTCGTAG
 20 ACTGCTAGGTTCAACACAAGTTGGAGTGGGAGTTATGCAAGAGGGGGTCTTTCACACTATGTGGCACGTCACAAAAGGA
 TCCGCGCTGAGAAGCGGTGAAGGGAGACTTGATCCATACTGGGAGATGTCAAGCAGGATCTGGTGTACTACTGTGGTC
 CATGGAAGCTAGATGCCGCTGGGATGGGCACAGCGAGGTGCAGCTCTTGGCCGTGCCCCCGGAGAGAGAGCGAGGA
 ACATCCAGACTCTGCCGGAATATTTAAGACAAAGGATGGGGACATTGGAGCGGTTGCGCTGGATTACCCAGCAGGAAC
 TTCAGGATCTCCAATCCTAGACAAGTGTGGGAGAGTGATAGGACTTTATGGCAATGGGGTCTGTATCAAAAACGGGAGT
 25 TATGTTAGTGCCATCACCAAGGGAGGAGGGAGGAAGAGACTCCTGTTGAGTGCTTCGAGCCCTCGATGCTGAAGAAGA
 AGCAGCTAACTGTCTTAGACTTGCATCCTGGAGCTGGGAAAACAGGAGAGTCTTCTGAAATAGTCCGTGAAGCCATA
 AAAACAAGACTCCGTACTGTGATCTTAGCTCCAACCAGGGTGTGCTGCTGAAATGGAGGAGGCCCTTAGAGGGCTTCC
 AGTGCGTTATATGACAACAGCAGTCAATGTACCCACTCTGGAACAGAAATCGTCGACTTAATGTGCCATGCCACCTTCAC
 TTCAGCTACTACAGCCAATCAGAGTCCCCAACTATAATCTGTATATTATGGATGAGGCCCACTTCACAGATCCCTCAAGT
 30 ATAGCAGCAAGAGGATACATTTCAACAAGGGTTGAGATGGGCGAGGCGGCTGCCATCTTCATGACCGCCACGCCACCAG
 GAACCCGTGACGCATTTCCGGACTCCAACCTACCAATTATGGACACCGAAGTGAAGTCCAGAGAGAGCCTGGAGCTCA
 GGCTTTGATTGGGTGACGGATCATTCTGGAAAAACAGTTTGGTTTGTTCGAAGCGTGAGGAACGGCAATGAGATCGCAGC
 TTGTCTGACAAAAGGCTGGAAAACGGGTGCATACAGCTCAGCAGAAAAGACTTTTGAGACAGAGTTCCAGAAAACAAAACATC
 AAGAGTGGGACTTTGTCTGTGACAACCTGACATTTAGAGATGGGCGCCAACCTTAAAGCTGACCGTGTATAGATTCCAGG
 35 AGATGCCTAAAGCCGGTCATACTTGATGGCGAGAGAGTCACTTGGCTGGACCCATGCCTGTACACATGCCAGCGCTGC
 CCAGAGGAGGGGGCGCATAGGCAGGAATCCCAACAAACCTGGAGATGAGTATCTGTATGGAGGTGGGTGCGCAGAGAC
 TGACGAAGACCATGCACACTGGCTTGAAGCAAGAATGCTCCTTGACAATATTTACCTCCAAGATGGCCTCATAGCCTCGCT
 CTATCGACCTGAGGCCGACAAAAGTAGCAGCCATTGAGGGAGAGTTCAAGCTTAGGACGGAGCAAAGGAAGACCTTTGTG
 GAACTCATGAAAAGAGGAGATCTTCTGTTTGGCTGGCCTATCAGGTTGCATCTGCCGGAATAACCTACACAGATAGAAG
 40 ATGGTGCTTTGATGGCACGACCAACAACACCATAATGGAAGACAGTGTGCCGGCAGAGGTGTGGACCAGACACGGAGA
 GAAAAGAGTGCTCAAACCGAGGTGGATGGACGCCAGAGTTTGTTCAGATCATGCGGCCCTGAAGTCATTCAAGGAGTTT
 GCCGCTGGGAAAAGAGGAGCGGCTTTTGGAGTGATGGAAGCCCTGGGAACACTGCCAGGACATGACAGAGAGATTTC
 CAGGAAGCCATTGACAACCTCGCTGTGCTCATGCGGGCAGAGACTGGAAGCAGGCCTTACAAAGCCGCGCGGCCCAAT
 TGCCGGAGACCTAGAGACCATAATGCTTTTGGGGTGTCTGGGAACAGTCTCGCTGGGAATCTTCTCGTCTTGATGAGG
 45 AACAAGGGCATAGGGAAGATGGGCTTTGGAATGGTGAAGTCTTGGGGCCAGCGCATGGCTCATGTGGCTCTCGGAAATTG
 AGCCAGCCAGAATTGCATGTGTCTCATTGTTGTGTTCTATTGCTGGTGGTGCTCATACCTGAGCCAGAAAAGCAAAGAT
 CTCCCCAGGACAACCAATGGCAATCATCATGTTAGCAGTAGGTTCTTGGGCTTGATTACCGCCAATGAACTCGGAT
 GGTTGGAGAGAAACAAAGAGTGACCTAAGCCATCTAATGGGAAGGAGAGAGAGGGGGCAACCATAGGATTCTCAATGG
 ACATTGACCTGCGGCCAGCCTCAGCTTGGGCCATCTATGCTGCCTTGACAACCTTCAATACCCAGCCGTCCAACATGCAGT
 50 GACCACCTCATACAACAACTACTCCTTAATGGCGATGGCCACGCAAGCTGGAGTGTTGTTTGGCATGGGCAAAGGGATGC
 CATTCTACGCATGGGACTTTGGAGTCCCGCTGCTAATGATAGGTTGCTACTCACAATTAACACCCCTGACCCTAATAGTGG
 CCATCATTTTGTCTGTGGCGCACTACATGTACTTGATCCCAGGGCTGCAGGCAGCAGCTGCGCGTGTGCCCAGAAGAGA
 ACGGCAGCTGGCATCATGAAGAACCCTGTTGTGGATGGAATAGTGGTGACTGACATTGACACAATGACAATTGACCCCCA
 AGTGGAGAAAAAGATGGGACAGGTGCTACTCATAGCAGTAGCCGTCTCCAGCGCCATACTGTCGCGGACCGCCTGGGGG

TGGGGGGAGGCTGGGGCTCTGATCACAGCCGCAACTTCCACTTTGTGGGAAGGCTCTCCGAACAAGTACTGGAACCTCT
 TACAGCCACTTCACTGTGTAACATTTTTAGGGGAAGTTACTTGGCTGGAGCTTCTAATCTACACAGTAACAAGAAACGC
 TGGCTTGGTCAAGAGACGTGGGGGTGGAACAGGAGAGACCTGGGAGAGAAATGGAAGGCCCGCTTGAACCAGATGTC
 5 GGCCCTGGAGTTCTACTCTACAAAAAGTCAGGCATCACCGAGGTGTGCAGAGAAGAGGCCCGCCGCTCAAGGAC
 GGTGTGGCAACGGGAGGCCATGCTGTGTCCCGAGGAAGTGAAAGCTGAGATGGTTGGTGGAGCGGGGATACCTGCAG
 CCCTATGGAAAGGTCAATTGATCTTGGATGTGGCAGAGGGGGCTGGAGTTACTACGTCGCCACCATCCGCAAAGTTCAAGA
 AGTGAAAGGATACACAAAAGGAGGCCCTGGTCATGAAGAACCCGTGTTGGTGCAAAGCTATGGGTGGAACATAGTCCGT
 CTTAAGAGTGGGGTGGACGTCTTTCATATGGCGGCTGAGCCGTGTGACACGTTGCTGTGTGACATAGGTGAGTCATCATC
 10 TAGTCCTGAAGTGGAAGAAGCACGGACGCTCAGAGTCCTCTCCATGGTGGGGGATTGGCTTGAAAAAGACCAGGAGCC
 TTTTGTATAAAAGTGTTGTGCCATACACCAGCACTATGATGGAAACCTGGAGCGACTGCAGCGTAGGTATGGGGGAG
 GACTGGTCAGAGTGCCACTCTCCCGCAACTCTACACATGAGATGTAAGTGGTCTCTGGAGCGAAAAGCAACACCATAAAA
 AGTGTGTCCACCACGAGCCAGCTCCTCTTGGGCGCATGGACGGGCCTAGGAGGCCAGTGAAATATGAGGAGGATGTGA
 ATCTCGGCTCTGGCAGCGGGCTGTGGTAAGCTGCGTGAAGCTCCCAACATGAAGATCATTGGTAACCGCATTGAAAGG
 ATCCGCAGTGAGCACGCGGAAACGTGGTTCTTTCAGCAGAACCAACCATATAGGACATGGGCTTACCATGGAAGCTATGA
 15 GGCCCCCACACAAGGGTCAGCGTCCTCTAATAAACGGGGTGTGAGGCTCCTGTCAAACCTGGGATGTGGTGACTG
 GAGTCACAGGAATAGCCATGACCGACACCACACCGTATGGTCAGCAAAGAGTTTTCAAGGAAAAAGTGGAACACTAGGGT
 GCCAGACCCCCAAGAAGGCACTCGTCAGGTTATGAGCATGGTCTCTTCTGGTTGTGGAAGAGCTAGGCAACACAAAC
 GGCCACGAGTCTGCACCAAGAAGAGTTCATCAACAAGGTTCTGAGCAATGCAGCATTAGGGGCAATATTTGAAGAGGA
 AAAAGAGTGGAAGACTGCAGTGGAAGCTGTGAACGATCCAAGGTTCTGGGCTAGTGGACAAGGAAAGAGAGCACCA
 20 CCTGAGAGGAGAGTGCCAGAGCTGTGTGTACAACATGATGGGAAAAAGAGAAAAGAAACAAGGGGAATTTGAAAGGC
 CAAGGGCAGCCGCGCCATCTGGTATATGTGGCTAGGGGCTAGATTTCTAGAGTTCGAAGCCCTTGGATTCTTGAACGAGG
 ATCACTGGATGGGGAGAGAGAACTCAGGAGGTGGTGTGAAGGGCTGGGATTACAAAGACTCGGATATGTCCTAGAAG
 AGATGAGTCGTATACCAGGAGGAAGGATGTATGCAGATGACACTGCTGGCTGGGACACCCGCATTAGCAGGTTTGATCT
 GGAGAATGAAGCTCTAATCACCAACCAATGGAGAAAGGGCACAGGGCCTTGGCATTGGCCATAATCAAGTACACATAC
 25 CAAAACAAAGTGGTAAAGGTCTTAGACCAGCTGAAAAAGGAAAAACAGTTATGGACATTATTTGAGACAAGACCAAA
 GGGGGAGCGGACAAGTTGTCACTTACGCTCTTAACACATTTACCAACCTAGTGGTGCAACTCATTGGAATATGGAGGCT
 GAGGAAGTTCTAGAGATGCAAGACTTGTGGCTGCTGCGGAGGTGAGAGAAAGTGACCAACTGGTTGCAGAGCAACGGA
 TGGGATAGGCTCAAACGAATGGCAGTCAGTGAGATGATTGCGTTGTGAAGCCAATTGATGATAGGTTTGACATGCCCT
 CAGGTTCTTGAATGATATGGGAAAAGTTAGGAAGGACACACAAGAGTGGAACCCTCAACTGGATGGGACAACTGGGAA
 30 GAAGTTCGTTTTGCTCCCACTTCAACAAGCTCCATCTCAAGGACGGGAGGTCCATTGTGGTTCCCTGCCGCCACCA
 GATGAACTGATTGGCCGGGGCCGCTCTCTCAGGGGCGGGATGGAGCATCCGGGAGACTGCTTGCCTAGCAAAATCAT
 ATGCGCAAATGTGGCAGCTCCTTTATTTCCACAGAAGGGACCTCCGACTGATGGCCAATGCCATTTGTTTCATCTGTGCCAG
 TTGACTGGGTTCCAAGTGGGAGAACTACCTGGTCAATCCATGGAAAGGGAGAATGGATGACCACTGAAGACATGCTTGT
 GGTGTGGAACAGAGTGTGGATTGAGGAGAACGACCACATGGAAGACAAGACCCAGTTACGAAATGGACAGACATTCCC
 35 TATTTGGGAAAAAGGGAAGACTTGTGGTGTGGATCTCTCATAGGGCACAGACCGCGCACCACTGGGCTGAGAACATTA
 AAAACACAGTCAACATGGTGCGCAGGATCATAGGTGATGAAGAAAAGTACATGGACTACCTATCCACCCAAGTTGCTAC
 TTGGGTGAAGAAGGGTCTACACCTGGAGTGCTGTAAGCACCAATCTTAATGTTGTGAGGCCTGCTAGTCAGCCACAGCTT
 GGGGAAAGCTGTGCAGCCTGTGACCCCCCAGGAGAAGCTGGGAAACCAAGCCTATAGTCAGGCCGAGAAGCCATGG
 CACGGAAGAAGCCATGCTGCCTGTGAGCCCCCTCAGAGGACACTGAGTCAAAAAACCCACGCGCTTGGAGGCGCAGGAT
 40 GGGAAAAAGAGGTGGCGACCTTCCCCACCTTCAATCTGGGGCCTGAAGTGGAGATCAGCTGTGGATCTCCAGAAGAGG
 GACTAGTGGTTAGAGGA

SEQ ID NO: 5

KU509998.1 Zika virus strain Haiti/1225/2014, Haiti, complete genome

45 GTTGTACTGTTGCTGACTCAGACTGCGACAGTTCGAGTTTGAAGCGAAAGCTAGCAACAGTATCAACAGGTTTTATTTGG
 ATTTGGAAACGAGAGTTTCTGGTCATGAAAAACCAAAAAAGAAATCCGGAGGATTCCGGATTGTCAATATGCTAAAACG
 CGGAGTAGCCCGTGTGAGCCCTTTGGGGGCTTGAAGAGGCTGCCAGCCGGACTTCTGCTGGGTGATGGGCCCATCAGG
 ATGGTCTTGGCAATTCTAGCCTTTTGGAGTTACGCGCAATCAAGCCATCACTGGGTCTCATCAATAGATGGGGTTCAGTG
 GGGAAAAAGAGGCTATGGAAATAATAAAGAAGTTCAAGAAAGATCTGGCTGCCATGCTGAGAATAATCAATGCTAGGA
 50 AGGAGAAGAAGAGACGAGGCGCAGATACTAGTGTGGAATTGTTGGCCTCTGCTGACCACAGCTATGGCAGCGGAGG
 TCACTAGACGTGGGAGTGCATACTATATGTAAGTGGACAGAAACGATGCTGGGGAGGCCATATCTTTTCAACCACATTG
 GGGATGAATAAGTGTTATATACAGATCATGGATCTTGGACACATGTGTGATGCCACCATGAGCTATGAATGCCCTATGCT
 GGATGAGGGGGTGGAACCAGATGACGTGATTGTTGGTGCAACACGACGTCAACTTGGGTTGTGTACGGAACCTGCCAT
 CACAAAAAGGTGAAGCACGGAGATCTAGAAGAGCTGTGACGCTCCCTCCCTCCATTCCACTAGGAAGCTGCAACGCGGT

CGCAAACCTGGTTGGAATCAAGAGAATACACAAAGCACTTGATTAGAGTCGAAAATTGGATATTCAGGAACCTGGCTTC
GCGTTAGCAGCAGCTGCCATCGCTTGGCTTTTGGGAAGCTCAACGAGCCAAAAAGTCATATACTTGGTCATGATACTGCT
GATTGCCCCGGCATACAGCATCAGGTGCATAGGAGTCAGCAATAGGGACTTTGTGGAAGGTATGTCAGGTGGGACTTGG
5 GTTGATGTTGCTTGAACATGGAGGTTGTGTACCGTAATGGCACAGGACAAACCGACTGTCGACATAGAGCTGGTTAC
AACAAACAGTCAGCAACATGGCGGAGGTAAGATCCTACTGCTATGAGGCATCAATATCAGACATGGCTTCGGACAGCCGCT
GCCCAACACAAGGTGAAGCCTACCTTGACAAGCAATCAGACACTCAATATGTCTGCAAAAGAACGTTAGTGACAGAGGC
TGGGGAAATGGATGTGGACTTTTTGGCAAAGGGAGTCTGGTGACATGCGCTAAGTTTGCATGCTCCAAGAAAATGACCG
GGAAGAGCATCCAGCCAGAGAATCTGGAGTACCGGATAATGCTGTGAGTTTATGGCTCCCAGCACAGTGGGATGATCGT
10 TAATGACACAGGACATGAACTGATGAGAATAGAGCGAAGGTTGAGATAACGCCCAATTCACCAAGAGCCGAAGCCACC
CTGGGGGGTTTTGGAAGCCTAGGACTTGATTGTGAACCGAGGACAGGCCTTGACTTTTCAGATTTGTATTACTTGACTATG
AATAACAAGCACTGGTTGGTTTCAAGGAGTGGTTCCACGACATTCCATTACCTTGGCACGCTGGGGCAGACACCGGAAC
TCCACACTGGAACAACAAAGAAGCACTGGTAGAGTTCAAGGACGCACATGCCAAAAGGCCAACTGTCGTGGTTCTAGGG
AGTCAAGAAGGAGCAGTTTACACGCGCCTTGCTGGAGCTCTGGAGGCTGAGATGGATGGTGAAAGGGAAGGCTGTCCT
CTGGCCACTTGAAATGTCGCTGAAAATGGATAAACTTAGATTGAAGGGCGTGTACTACTCTTGTGTACCGCAGCGTTCA
15 CATTACCAAGATCCCGGCTGAAACACTGCACGGGACAGTCACAGTGGAGGTACAGTACGACGGGACAGATGGACCTTG
CAAGGTTCCAGCTCAGATGGCGGTGGACATGCAAACTCTGACCCCAAGTTGGGAGGTTGATAACCGCTAACCCCGTAATCA
CTGAAAGCACTGAGAACTCTAAGATGATGCTGGAACCTTGATCCACCATTGGGGACTTTACATTGTATAGGAGTCGGG
GAGAAGAAGATCACCCACCACTGGCACAGGAGTGGCAGCACCATTTGAAAAGCATTGAAGCCACTGTGAGAGGTGCCA
AGAGAATGGCAGTCTTGGGAGACACAGCCTGGGACTTTGGATCAGTTGGAGGCGCTCTCAACTATTGGGCAAGGGCAT
20 CCATCAAATTTTTGGAGCAGCTTTCAAATCATTGTTGGAGGAATGTCCTGGTTCTCACAATTTCTATTGGAACGTTGCTG
ATGTGGTTGGGTCTGAACACAAAGAATGGATCTATTTCCCTTATGTGCTTGGCCTTAGGGGGAGTGTTGATCTTCTATCC
ACAGCCGTCTCTGCTGATGTGGGTGCTCGGTGGACTTCTCAAAGAAGGAGACGAGATGCGGTACAGGGGTGTTCTGCT
ATAACGACGTTGAAGCCTGGAGGGACAGGTACAAGTACCATCCTGACTCCCCCGTAGATTGGCAGCAGCAGTCAAGCA
AGCCTGGGAAGATGGTATCTGCGGGATCTCCTCTGTTTCAAGAATGGAAAACATCATGTGGAGATCAGTAGAAGGGGAG
25 CTCAACGCAATCCTGGAAGAGAATGGAGTTCAACTGACGGTCGTTGTGGGATCTGTAAAAACCCCATGTGGAGAGGTC
CACAGAGATTGCCCGTGCCTGTGAACGAGCTGCCCCACGGCTGGAAGGCTTGGGGGAAATCGCACTTCGTGAGAGCAGC
AAAGACAAATAACAGCTTTGTCGTGGATGGTGACACACTGAAGGAATGCCCACTCAAACATAGAGCATGGAACAGCTTTC
TTGTGGAGGATCATGGGTTGCGGGTATTTCACTAGTGTCTGGCTCAAGGTTAGAGAAGATTATTCATTAGAGTGTGAT
CCAGCCGTTATTGGAACAGCTGTTAAGGGAAAGGAGGCTGTACACAGTATAGGCTACTGGATTGAGAGTGAGAAGA
30 ATGACACATGGAGGCTGAAGAGGGGCCATCTGATCGAGATGAAAACATGTGAATGGCCAAAGTCCACACATTGTGGAC
AGATGGAATAGAAGAGAGTGTATCTGATCATACCAAGTCTTTAGCTGGGCCACTCAGCCATCACAATACCAGAGAGGGCT
ACAGGACCCAAATGAAAGGGCCATGGCACAGTGAAGAGCTTGAAATTCGGTTTGGAGGAATGCCAGGCACTAAGGTCCA
CGTGGAGGAAACATGTGGAACAAGAGGACCATCTCTGAGATCAACCACTGCAAGCGGAAGGGTGATCGAGGAATGGTG
CTGCAGGGAGTGCACAATGCCCCACTGTGTTCCGGGCTAAAGATGGCTGTTGGTATGGAATGGAGATAAGGCCAGG
35 AAAGAACCAGAAAGCAACTTAGTAAGGTCAATGGTGACTGCAGGATCAACTGATCACATGGATCACTTCTCCCTTGGAGT
GCTTGTGATTCTGCTCATGGTGCAGGAAGGGCTGAAGAAGAGAATGACCACAAAGATCATATAAGCACATCAATGGCA
GTGCTGGTAGCTATGATCCTGGGAGGATTTTCAATGAGTGACCTGGCTAAGCTTGCAATTTTGTGGGTGCCACCTTCGC
GGAATGAACACTGGAGGAGATGTAGCTCATCTGGCGCTGATAGCGGCATTCAAAGTCAGACCAGCGTTGCTGGTATCTT
TCATCTTCAGAGCTAATTGGACACCCCGTGAAGCATGCTGCTGGCCTTGGCCTCGTGTCTTTGCAAACTGCGATCTCCG
40 CTTGGAAGGCGACCTGATGGTTCTCATCAATGGTTTTGCTTTGGCCTGGTTGGCAATACGAGCGATGGTTGTTCCACGCA
CTGATAACATCACCTTGGCAATCTGGCTGCTCTGACACCACTGGCCCGGGGCACACTGCTTGTGGCTGGAGAGCAGGC
CTTGCTACTTGCGGGGGGTTTATGCTCCTCTCTCTGAAGGAAAAAGGCAGTGTGAAGAAGAAGTACCATTGTGATGGC
CCTGGGACTAACCGCTGTGAGGCTGGTGCACCCCATCAACGTGGTGGGGCTGCTGTTGCTCACAAGGAGTGGGAAGCGG
AGCTGGCCCCCTAGCGAAGTACTCACAGCTGTTGGCCTGATATGCGCATTGGCTGGAGGGTTCGCCAAGGCAGATATAGA
45 GATGGCTGGGCCCATGGCCGCGTCTGCTAATTGTGAGTTACGTGGTCTCAGGAAAGAGTGTGGACATGTACATTG
AAAGAGCAGGTGACATCACATGGGAAAAAGATGCGGAAGTCACTGGAAACAGTCCCCGGCTCGATGTGGCGCTAGATG
AGAGTGGTGATTTCTCCCTGGTGGAGGATGACGGTCCCCCATGAGAGAGATCATACTCAAGGTGGTCTGATGACCATC
TGTGGCATGAACCAATAGCCATACCTTTGCAGCTGGAGCGTGGTACGTATACGTGAAGACTGGAAAAAGGAGTGGTG
CTCTATGGGATGTGCTGCTCCCAAGGAAGTAAAAAGGGGGAGACCACAGATGGAGTGTACAGAGTAATGACTCGTAG
50 ACTGCTAGGTTCAACACAAGTTGGAGTGGGAGTTATGCAAGAGGGGGTCTTTCACACTATGTGGCACGTACAAAAAGGA
TCCGCGCTGAGAAGCGGTGAAGGGAGACTTGATCCATACTGGGGAGATGTCAAGCAGGATCTGGTGTACTACTGTGGTC
CATGGAAGCTAGATGCCCGCTGGGACGGGCACAGCGAGGTGCAGCTCTTGGCCGTGCCCCCGGAGAGAGAGCGAGGA
ACATCCAGACTCTGCCCGGAATATTTAAGACAAAGGATGGGGACATTGGAGCGGTTGCGCTGGATTACCCAGCAGGAAC
TTCAGGATCTCAATCCTAGACAAGTGTGGGAGAGTGATAGGACTTTATGGCAATGGGGTCGTGATCAAAAATGGGAGT

TATGTTAGTGCCATCACCCAAGGGAGGAGGGAGGAAGAGACTCCTGTTGAGTGCTTCGAGCCTTCGATGCTGAAGAAGA
AGCAGCTAACTGTCTTAGACTTGATCCTGGAGCTGGGAAAACAGGAGAGTTCTTCTGAAATAGTCCGTGAAGCCATA
AAAAACAAGACTCCGTACTGTGATCTTAGCTCCAACCAGGGTTGTCGCTGCTGAAATGGAGGAAGCCCTTAGAGGGCTTCC
5 AGTGCGTTATATGACAACAGCAGTCAATGTACCCACTCTGGAACAGAAATCGTCGACTTAATGTGCCATGCCACCTTCAC
TTCACGTCTACTACAGCCAATCAGAGTCCCCAACTATAATCTGTATATTATGGATGAGGCCCACTTCACAGATCCCTCAAGT
ATAGCAGCAAGAGGATACATTTCAACAAGGGTTGAGATGGGCGAGGCGGCTGCCATCTTCATGACCGCCACGCCACCAG
GAACCCGTGACGCATTTCCGGACTCCAACCTACCAATTATGGACACCGAAGTGGAAGTCCCAGAGAGAGCCTGGAGCTCA
GGCTTTGATTGGGTGACGGATTATTCTGAAAAACAGTTTGGTTTGTTCGAAGCGTGAGGAACGGCAATGAGATCGCAGC
10 TTGTCTGACAAAAGGCTGGAAAACGGGTCATACAGCTCAGCAGAAAGACTTTTGAGACAGAGTTCCAGAAAACAAAACATC
AAGAGTGGGACTTTGTCTGACAACTGACATTTAGAGATGGGCGCCAACCTTAAAGCTGACCGTGTACATAGATTCCAGG
AGATGCCTAAAGCCGGTCATACTTGATGGCGAGAGAGTCATTCTGGCTGGACCCATGCCTGTACACATGCCAGCGCTGC
CCAGAGGAGGGGGCGCATAGGCAGGAATCCCAACAAACCTGGAGATGAGTATCTGTATGGAGGTGGGTGCGCAGAGAC
TGACGAAGACCATGCACACTGGCTTGAAGCAAGAATGCTCCTTGACAATATTTACCTCAAGATGGCCTCATAGCCTCGCT
15 CTATCGACCTGAGGCCGACAAAGTAGCAGCCATTGAGGGAGAGTTCAAGCTTAGGACGGAGCAAAGGAAGACCTTTGTG
GAACTCATGAAAAGAGGAGATCTTCTGTTTGGCTGGCCTATCAGGTTGCATCTGCCGGAATAACCTACACAGATAGAAG
ATGGTGCTTTGATGGCAGCAACAACACCATAATGGAAGACAGTGTGCCGGCAGAGGTGTGGACCAGACACGGAGA
GAAAAGAGTGCTCAAACCGAGGTGGATGGACGCCAGAGTTTGTTCAGATCATGCGGCCCTGAAGTCATTCAAGGAGTTT
GCCGCTGGGAAAAGAGGAGCGGCTTTTGGAGTGATGGAAGCCCTGGGAACACTGCCAGGACACATGACAGAGAGATT
20 CAGGAAGCCATTGACAACCTCGCTGTGCTCATGCGGCGAGAGACTGGAAGCAGGCCTTACAAAGCCGCGGCGGCCCAAT
TGCCGGAGACCCTAGAGACCATTATGCTTTTGGGGTTGCTGGGAACAGTCTCGCTGGGAATCTTTTCTGTTGATGAGG
AACAAGGGCATAGGGAAGATGGGCTTTGGAATGGTGACTCTTGGGGCCAGCGCATGGCTCATGTGGCTCTCGGAAATTG
AGCCAGCCAGAATTGCATGTGTCTCATTGTTGTGTTCTATTGCTGGTGGTGCTCATACCTGAGCCAGAAAAGCAAAGAT
CTCCCCAGGACAACCAATGGCAATCATCATCATGGTAGCAGTAGGTCTTCTGGGCTTGATTACCGCCAATGAACTCGGAT
25 GGTTGGAGAGAAACAAAGAGTGACCTAAGCCATCTAATGGGAAGGAGAGAGGAGGGGGCAACCATGGGATTCTCAATGG
ACATTGACCTGCGGCCAGCCTCAGCTTGGGCCATCTATGCTGCCTTGACAACCTTTCATTACCCAGCCGTCCAACATGCAGT
GACCACTTCATACAACAACTACTCCTTAATGGCGATGGCCACGCAAGCTGGAGTGTTGTTTGGTATGGGCAAAGGGATGC
CATTCTACGCATGGGACTTTGGAGTCCCGCTGCTAATGATAGTTGCTACTCACAATTAACGCCCTGACCCTAATAGTGG
CCATCATTTTGTCTGTGGCGCACTACATGTACTTGATCCCAGGGCTGCAGGCAGCAGCTGCGCGTGCTGCCAGAAAGAGA
ACGGCAGCTGGCATCATGAAGAACCCTGTTGTGGATGGAATAGTGGTGACTGACATTGACACAATGACAATTGACCCCCA
30 AGTGGAGAAAAAGATGGGACAGGTGCTACTCATGGCAGTAGCCGTCTCCAGCGCCATACTGTCGCGGACCGCCTGGGGG
TGGGGGGAGGCTGGGGCCCTGATCACAGCCGCAACTTCCACTTTGTGGGAAGGCTCTCCGAACAAGTACTGGAACCTCTC
TACAGCCACTTCACTGTGTAACATTTTTAGGGGAAGTTACTTGGCTGGAGCTTCTAATCTACACAGTAACAAGAAACGC
TGGCTTGGTCAAGAGACGTGGGGGTGGAACAGGAGAGACCCTGGGAGAGAAATGGAAGGCCCGCTTGAACCAGATGTC
GGCCCTGGAGTTCTACTCTACAAAAAGTCAGGCATACCGAGGTGTGCAGAGAAGAGGCCCGCCGCGCCCTCAAGGAC
35 GGTGTGGCAACGGGAGGCCATGCTGTGTCCCGAGGAAGTGCAAAGCTGAGATGGTTGGTGGAGCGGGGATACCTGCAG
CCCTATGGAAGGTCAATTGATCTTGGATGTGGCAGAGGGGGCTGGAGTTACTACGCCGCCACCATCCGCAAAGTTCAAGA
AGTGAAAGGATACACAAAAGGAGGCCCTGGTCATGAAGAACCCTGTTGGTGCAAAGCTATGGGTGGAACATAGTCCGT
CTTAAGAGTGGGGTGGACGTCTTTCATATGGCGGCTGAGCCGTGTGACACGTTGCTGTGTGACATAGGTGAGTCATCATC
TAGTCCTGAAGTGGAAGAAGCACGGACGCTCAGAGTCTCTCCATGGTGGGGGATTGGCTTGAAAAAGACCAGGAGCC
40 TTTTGTATAAAAGTGTTGTGCCATACACCAGCACTATGATGGAACCCCTGGAGCGACTGCAGCGTAGGTATGGGGGAG
GACTGGTCAGAGTGCCACTCTCCGCAACTCTACACATGAGATGTACTGGGTCTCTGGAGCGAAAAAGCAACACCATAAAA
AGTGTGTCCACCACGAGCCAGCTCCTCTTGGGGCGCATGGACGGGCTAGGAGGCCAGTGAAATATGAGGAGGATGTGA
ATCTCGGCTCTGGCACGCGGGCTGTGGTAAGCTGCGCTGAAGCTCCCAACATGAAGATCATTGGTAACCGCATTGAAAGG
ATCCGAGTGAGCACGCGGAAACGTGGTTCTTTGACGAGAACCACCATATAGGACATGGGCTTACCATGGAAGCTATGA
45 GGCCCCACACAAGGGTCAGCGTCCTCTAATAAACGGGGTTGTCAGGCTCCTGTCAAACCTGGGATGTGGTGACTG
GAGTCACAGGAATAGCCATGACCGACACCACACCGTATGGTCAGCAAAGAGTTTTCAAGGAAAAAGTGGAACACTAGGGT
GCCAGACCCCCAAGAAGGCACTCGTCAGGTTATGAGCATGGTCTCTCCTGTTGTGGAAAGAGCTAGGCAAACACAAAC
GGCCACGAGTCTGTACCAAGAAGAGTTCATCAACAAGGTTCTGTAGCAATGCAGCATTAGGGGCAATATTTGAAGAGGA
AAAAGAGTGGAAGACTGCAGTGGAAGCTGTGAACGATCCAAGGTTCTGGGCTCTAGTGGACAAGGAAAGAGAGCACA
50 CCTGAGAGGAGAGTGCCAGAGTTGTGTGTACAACATGATGGGAAAAAGAGAAAAGAAACAAGGGGAATTTGGAAGGC
CAAGGGCAGCCGCGCCATCTGGTATATGTGGCTAGGGGCTAGATTTCTAGAGTTCGAAGCCCTTGGATTCTTGAACGAGG
ATCACTGGATGGGGAGAGAGAACTCAGGAGGTGGTGTGAAGGGCTGGGATTACAAAGACTCGGATATGTCCTAGAAG
AGATGAGTCGCATACCAGGAGGAAGGATGTATGCAGATGACACTGCTGGCTGGGACACCCGCATCAGCAGGTTTGATCT
GGAGAATGAAGCTCTAATCACCAACCAATGGAGAAAGGGCAGGGCCTTGGCATTGGCCATAATCAAGTACACATAC

CAAAACAAAGTGGTAAAGGTCCTTAGACCAGCTGAAAAAGGGAAGACAGTTATGGACATTATTTGAGACAAGACCAAA
GGGGGAGCGGACAAGTTGTCACTTACGCTCTTAACACATTTACCAACCTAGTGGTGCAACTCATTGGAATATGGAGGCT
GAGGAAGTTCTAGAGATGCAAGACTTGTGGCTGCTGCGGAGGTGAGAGAAAGTGACCAACTGGTTGCAGAGCAACGGA
TGGGATAGGCTCAAACGAATGGCAGTCACTGGAGATGATTGCGTTGTGAAGCCAATTGATGATAGGTTTGACATGCCCT
5 CAGGTTCTTGAATGATATGGGAAAAGTTAGGAAGGACACACAAGAGTGGAACCCCTCACTGGATGGGACAACCTGGGAA
GAAGTTCCGTTTTGCTCCACCACTTCAACAAGCTCCATCTCAAGGACGGGAGGTCCATTGTGGTTCCCTGCCGCCACCAA
GATGAAGTGAATGGCCGGGCGCGTCTCTCCAGGGGCGGGATGGAGCATCCGGGAGACTGCTTGCCTAGCAAAATCAT
ATGCGCAAATGTGGCAGCTCCTTTATTTCCACAGAAGGGACCTCCGACTGATGGCCAATGCCATTTGTTTCATCTGTGCCAG
TTGACTGGGTTCCAACCTGGGAGAACTACCTGGTCAATCCATGGAAAGGGAGAATGGATGACCACTGAAGACATGCTTGT
10 GGTGTGGAACAGAGTGTGGATTGAGGAGAACGACCACATGGAAGACAAGACCCCACTTACGAAATGGACAGACATTCCC
TATTTGGGAAAAAGGGAAGACTTGTGGTGTGGATCTCTCATAGGGCAGACCCGCGCACCACCTGGGCTGAGAACATTA
AAAACACAGTCAACATGGTGCAGGATCATAGGTGATGAAGAAAAGTACATGGACTACCTATCCACCCAAGTTCGCTAC
TTGGGTGAAGAAGGGTCTACACCTGGAGTGTGTAAGCACCAATCTTAATGTTGTGAGGCTGCTAGTCAGCCACAGCTT
GGGAAAAGCTGTGCAGCCTGTGACCCCCCAGGAGAAGCTGGGAAACCAAGCCTATAGTCAGGCCGAGAACGCCATGG
15 CACGGAAGAAGCCATGCTGCCTGTGAGCCCCTCAGAGGACACTGAGTCAAAAAACCCACGCGCTTGAGGCGCAGGAT
GGGAAAAGAAGGTGGCGACCTTCCCCACCTTCAATCTGGGCTGAACTGGAGATCAGCTGTGGATCTCCAGAAGAGG
GACTAGTGGTTAGAGGAGA

SEQ ID NO: 6

KU527068.1 Zika virus strain Natal RGN, Brazil: Rio Grande do Norte, Natal, complete genome

AGTTGTTGATCTGTGTGAATCAGACTGCGACAGTTCGAGTTTGAAGCGAAAGCTAGCAACAGTATCAACAGTTTTATTTT
GGATTTGAAACGAGAGTTTCTGGTCATGAAAAACCCAAAAAGAAATCCGGAGGATTCCGGATTGTCAATATGCTAAAA
CGCGGAGTAGCCCGTGTGAGCCCCCTTGGGGGCTTGAAGAGGCTGCCAGCCGACTTCTGCTGGGTCTATGGGCCATCA
GGATGGTCTTGGAATTCTAGCCTTTTGAAGATTACCGCAATCAAGCCATCACTGGGTCTCATCAATAGATGGGGTTGAG
25 TGGGGAAAAAGAGGCTATGGAATAATAAAGAAAGTTCAAGAAAGATCTGGCTGCCATGCTGAGAATAATCAATGCTAG
GAAGGAGAAGAAGAGACGAGGCGCAGATACTAGTGTGGAATTGTTGGCCTCTGCTGACCACAGCTATGGCAGCGGA
GGTCACTAGACGTGGGAGTGCATACTATATGTAAGTGGACAGAAACGATGCTGGGGAGGCCATATCTTTTCCAACCAT
TGGGGATGAATAAGTGTATATACAGATCATGGATCTTGACACATGTGTGATGCCACCATGAGCTATGAATGCCCTATG
CTGGATGAGGGGTGGAACAGATGACGTCGATTGTTGGTGAACACGACGTCAACTTGGGTTGTGACGGAACCTGCC
30 ATCAGAAAAAGGTGAAGCACGGAGATCTAGAAGAGCTGTGACGCTCCCCTCCATTCCACTAGGAAGCTGCAACGCG
GTCGCAACCTGGTTGGAATCAAGAGAATACACAAAGCACTTGATTAGAGTCGAAAATTGGATATTCAGGAACCTGGCT
TCGCGTTAGCAGCAGCTGCCATCGCTTGGCTTTTGGGAAGCTCAACGAGCCAAAAAGTCATATACTTGGTCATGATACTGC
TGATTGCCCGGCATACAGCATCAGGTGCATAGGAGTCAGCAATAGGGACTTTGTGGAAGGTATGTCAGGTGGGACTTG
GGTTGATGTTGTCTTGAACATGGAGGTTGTGTACCGTAATGGCACAGGACAAACCGACTGTCGACATAGAGCTGGTTA
35 CAACAACAGTCAGCAACATGGCGGAGGTAAGATCCTACTGCTATGAGGCATCAATATCAGACATGGCTTCGGACAGCCGC
TGCCCAACACAAGGTGAAGCCTACCTTGACAAGCAATCAGACACTCAATATGTCTGCAAAAGAAGCTTAGTGGACAGAGG
CTGGGGAAATGGATGTGGACTTTTGGCAAAGGGAGCCTGGTGACATGCGCTAAGTTTGCATGCTCCAAGAAAATGACC
GGGAAGAGCATCCAGCCAGAGAATCTGGAGTACCGGATAATGCTGTGAGTTTATGGCTCCAGCACAGTGGGATGATCG
TTAATGACACAGGACATGAAACTGATGAGAATAGAGCGAAGGTTGAGATAACGCCCAATTACCAAGAGCCGAAGCCAC
40 CCTGGGGGGTTTTGGAAGCCTAGGACTTGATTGTGAACCGAGGACAGGCCTTGACTTTTCAATTTGATTACTTGACTAT
GAATAACAAGCACTGGTTGGTCCACAAGGAGTGGTTCCACGACATTCCATTACCTTGGCAGCTGGGGCAGACACCGGAA
CTCCACACTGGAACAACAAGAAGCACTGGTAGAGTTCAAGGACGCACATGCCAAAAGGCCAACTGTCGTGGTTCTAGG
GAGTCAAGAAGGAGCAGTTCACACGGCCCTTGTGGAGCTCTGGAGGCTGAGATGGATGGTGCAAAGGGAAGGCTGTC
CTCTGGCCACTTGAAATGTCGCCTGAAAATGGATAAACTTAGATTGAAGGGCGTGTACTACTCCTTGTGTACCGCAGCGTT
45 CACATTCACCAAGATCCCGGCTGAAACACTGCACGGGACAGTCACAGTGGAGGTACAGTACGCAGGGACAGATGGACCT
TGCAAGGTTCCAGCTCAGATGGCGGTGGACATGCAAACTCTGACCCCACTTGGGAGGTTGATAACCGCTAACCCGTAAT
CACTGAAAGCACTGAGAACTCTAAGATGATGCTGGAACCTTGATCCACCATTTGGGACTCTTACATTGTCATAGGAGTCG
GGGAGAAGAAGATCACCCCACTGGCACAGGAGTGGCAGCACCATTGGAAAAGCATTGGAAGCCACTGTGAGAGGTG
CCAAGAGAATGGCAGTCTTGGGAGACACAGCCTGGGACTTTGGATCAGTTGGAGGCGCTCTCAACTCATTGGGCAAGGG
50 CATCCATCAAAATTTTGGAGCAGCTTTCAAATCATTGTTTGGAGGAATGTCCTGGTTCTCAAAATCCTCATTGGAACGTTG
CTGATGTGGTTGGGTCTGAACACAAAGAATGGATCTATTTCCCTTATGTGCTTGGCCTTAGGGGGAGTGTTGATCTTTA
TCCACAGCCGTCTGTGATGTGGGGTGTCTGGTGGACTTCTCAAAGAAGGAGACGAGATGCGGTACAGGGGTGTTCCG
TCTATAACGACGTTGAAGCCTGGAGGGACAGGTACAAGTACCATCCTGACTCCCCCGTAGATTGGCAGCAGCAGTCAAG
CAAGCCTGGGAAGATGGTATCTGCGGGATCTCCTGTGTTCAAGAATGGAGAACATCATGTGGAGATCAGTAGAAGGGG

AGCTCAACGCAATCTTGGAAGAGAATGGAGTTCAACTGACGGTCGTTGTGGGATCTGTAAAAAACCCCATGTGGAGAGG
TCCACAGAGATTGCCCCGTGCCTGTGAACGAGCTGCCCCACGGCTGGAAGGCTTGGGGGAAATCGTACTTCGTAGAGCA
GCAAAGACAAATAACAGCTTTGTCGTGGATGGTGACACACTGAAGGAATGCCACTCGAACATAGAGCATGGAACAGCT
TTCTTGTGGAGGATCATGGGTTCCGGGTATTTCACTAGTGTCTGGCTCAAGGTTAGAGAAGATTATTCATTAGAGTGT
5 GATCCAGCCGTTATTGGAACAGCTGTTAAGGGGAAGGAGGCTGTACACAGTGATCTAGGCTACTGGATTGAGAGTGAGA
AGAATGACACATGGAGGCTGAAGAGGGCCCATCTAATCGAGATGAAAACATGTGAATGGCCAAAGTCCCACATTGTG
GGCAGATGGAATAGAAGAGAGTGATCTGATCATTCCCAAGTCTTTAGCTGGGCCACTCAGCCATACAATACCAGAGAGG
GCTACAGGACCCAAATGAAAGGGCCATGGCACAGTGAAGAGCTTGAAATTCGGTTTGAGGAATGCCGGGCGCTAAGGT
10 CCACGTGGAGGAAACATGTGGAACAAGAGGACCATCTCTGAGATCAACCACTGCAAGCGGAAGGGTGATCGAGGAATG
GTGCTGCAGGGAGTGACAATGCCCCACTGTCGTTCCGGGCTAAAGATGGCTGTTGGTATGGAATGGAGATAAGGCCC
AGGAAAGAACCAGAAAGCAACTTAGTAAGGTGAGTGGTGACTGCAGGATCAACTGATCACATGGATCACTTCTCCCTTGG
AGTGCTTGTGATTCTGCTCATGGTGACGGAAGGGCTGAAGAAGAGAATGACCACAAAGATCATCATAAGCACATCAATG
GCAGTGCTGGTAGCTATGATCCTGGGAGGATTTTCAATGAGTGACCTGGCTAAGCTTGCAATTTTGATGGGCGCCACCTT
CGCGGAAATGAACACTGGAGGAGATGTAGCTCATCTGGCGCTGATAGCGGCATTCAAAGTCAGACCAGCGTTGCTGGTA
15 TCTTTCATCTTCAGAGCTAATTGGACACCCCGTGAAGCATGCTGCTGGCCTTGGCCTCGTGTCTTTGCAAAGTGCATCT
CCGCTTGGAAAGGCGACCTGATGGTTCTCATCAATGGTTTGGCTTGGCCTGGTTGGCAATACGAGCGATGGTTGTCCAC
GCACTGATAACATCACCTTGGCAATCCTGGCTGCTGACACCACTGGCCGGGCGACACTGCTTGTGGCGTGGAGAGCA
GGCCTTGTACTTGCAGGGGGTTTATGCTCCTCTCTGAAGGGAAAAGGCAGTGTGAAGAAGAACTTACCATTGTGCAT
GGCCTGGGACTAACCGCTGTGAGGCTGGTCGACCCCATCAACGTGGTGGGACTGCTGTTGCTCACAAGGAGTGGGAAG
20 CGGAGCTGGCCCCCTAGCGAAGTACTCACAGCTGTTGGCCTGATATGCGCATTGGCTGGAGGGTTCGCAAGGCAGATAT
AGAGATGGCTGGGCCCATGGCCGCGTCCGCTGCTAATTGTCAGTTACGTGGTCTCAGGAAAGAGTGTGGACATGTAC
ATTGAAAGAGCAGGTGACATCACATGGGAAAAGATGCGGAAGTCACTGGAAACAGTCCCCGGCTCGATGTGGCGCTAG
ATGAGAGTGGTGATTTCTCCCTGGTGGAGGATGACGGTCCCCCATGAGAGAGATCATACTCAAGGTGGTCTGATGACC
ATCTGTGGCATGAACCAATAGCCATACCCTTTCAGCTGGAGCGTGGTACGTATACGTGAAGACTGGAAAAAGGAGTG
25 GTGCTCTATGGGATGTGCTGCTCCCAAGGAAGTAAAAAGGGGGAGACCACAGATGGAGTGTACAGAGTAATGACTCG
TAGACTGCTAGGTTCAACACAAGTTGGAGTGGGAGTTATGCAAGAGGGGGTCTTTCACACTATGTGGCACGTCACAAAA
GGATCCGCGCTGAGAAGCGGTGAAGGGAGACTTGATCCATACTGGGGAGATGTCAAGCAGGATCTGGTGTACTACTGTG
GTCCATGGAAGCTAGATGCCGCTGGGACGGGCACAGCGAGGTGCAGCTCTGGCCGTGCCCGGAGAGAGAGCGA
GGAACATCCAGACTCTGCCGGAATATTTAAGACAAAGGATGGGGACATTGGAGCGGTTGCGCTGGATTACCCAGCAGG
30 AACTTCAGGATCTCCAATCTAGACAAGTGTGGGAGAGTGATAGGACTTTATGGCAATGGGGTCTGATCAAAAAATGGG
AGTTATGTTAGTGCCATCACCAAGGGAGGAGGGAGGAAGAGACTCCTGTTGAGTGCTTCGAGCCTTCGATGCTGAAGA
AGAAGCAGCTAACTGTCTTAGACTTGATCCTGGAGCTGGGAAAACCAGGAGAGTTCTTCTGAAATAGTCCGTGAAGCC
ATAAAAAACAAGACTCCGTAAGTGTGATCTTAGCTCCAACCAAGGTTGTGCTGCTGAAATGGAGGAAGCCCTTAGAGGGCT
TCCAGTGCGTTATATGACAACAGCAGTCAATGTCAACCACTCTGGAACAGAAATCGTCGACTTAATGTGCCATGCCACCTT
35 CACTTCAGTCTACTACAGCCAATCAGAGTCCCCAACTATAATCTGTATATTATGGATGAGGCCCCACTTCACAGATCCCTCA
AGTATAGCAGCAAGAGGATACATTTCAACAAGGGTTGAGATGGGCGAGGCGGCTGCCATCTTCATGACCGCCACGCCAC
CAGGAACCCGTGACGCATTTCCGGACTCCAACCTACCAATTATGGACACCGAAGTGAAGTCCCAGAGAGAGCCTGGAG
CTCAGGCTTTGATTGGGTGACGGATCATTCTGGAACCAAGTGGTTGTTGTTCCAAGCGTGAGGAACCGCAATGAGATCG
CAGCTTGTCTGACAAAGGCTGGAAAACGGGTGATACAGCTCAGCAGAAAGACTTTTGAGACAGAGTTCCAGAAAACAAA
40 ACATCAAGAGTGGGACTTTGTCGTGACAAGTACATTTAGAGATGGGCGCCAACCTTAAAGCTGACCGTGTATAGATT
CCAGGAGATGCCTAAAGCCGTCATACCTGATGGCGAGAGAGTCAATTTGGCTGGACCCATGCCTGTACACATGCCAGC
GCTGCCAGAGGAGGGGGCGCATAGGCAGGAATCCCAACAACTGGAGATGAGTATCTGTATGGAGGTGGGTGCGCA
GAGACTGACGAAGACCATGCACACTGGCTTGAAGCAAGAATGCTCCTTGACAATATTTACCTCCAAGATGGCCTCATAGC
CTCGCTCTATCGACCTGAGGCCGACAAAGTAGCAGCCATTGAGGGAGAGTTCAAGCTTAGGACGGAGCAAAGGAAGACC
45 TTTGTGGAACATGAAAAGAGGAGATCTTCTGTTGGCTGGCCTATCAGGTTGCATCTGCCGGAATAACCTACACAGAT
AGAAGATGGTGCTTTGATGGCACGACCAACAACACCATAATGGAAGACAGTGTGCCGCGAGAGGTGTGGACCAGACAC
GGAGAGAAAAAGAGTGCTCAAACCGAGGTGGATGGACGCCAGAGTTTGTTCAGATCATGCGGCCCTGAAGTCATTCAAGG
AGTTTGCCGTGGGAAAAGAGGAGCGGCTTTGGAGTGATGGAAGCCCTGGGAACACTGCCAGGACACATGACAGAGA
GATTCCAGGAAGCCATTGACAACCTCGCTGTGCTCATGCGGGCAGAGACTGGAAGCAGGCCTTACAAAGCCGCGCGGC
50 CCAATTGCCGGAGACCCTAGAGACCATTATGCTTTTGGGTTGCTGGGAACAGTCTCGCTGGGAATCTTTTTCGTTGAT
GAGGAACAAGGGCATAGGGAAGATGGGCTTGGGAATGGTGACTCTTGGGGCCAGCGCATGGCTCATGTGGCTCTCGGA
AATTGAGCCAGCCAGAATTGCATGTGTCTCATTGTTGTTCCTATTGCTGGTGGTGTCTACCTGAGCCAGAAAAGCA
AAGATCTCCCCAGGACAACCAATGGCAATCATCATGTTAGCAGTAGGTCTTCTGGGCTTGATTACCGCAATGAACT
CGGATGGTTGGAGAGAACAAAGAGTGACCTAAGCCATCTAATGGGAAGGAGAGAGGAGGGAGCAACCATAGGATTCTC

AATGGACATTGACCTGCGGCCAGCCTCAGCTTGGGCCATCTATGCTGCCTTGACAACTTTCATTACCCAGCCGTCCAACA
TGCAGTGACCACTTCATACAACAACTACTCCTTAATGGCGATGGCCACGCAAGCTGGAGTGTGTTTGGTATGGGCAAAG
GGATGCCATTCTACGCATGGGACTTTGGAGTCCCGCTGCTAATGATAGTTGCTACTACAATTAACACCCCTGACCCTAA
TAGTGGCCATCATTTTGTCTGTGGCGCACTACATGTACTTGATCCCAGGGCTGCAGGCAGCAGCTGCGCGTGCTGCCAG
5 AAGAGAACCGGCAGCTGGCATCATGAAGAACCCTGTTGTGGATGGAATAGTGGTGACTGACATTGACACAATGACAATTG
ACCCCAAGTGGAGAAAAAGATGGGACAGGTGCTACTCATAGCAGTAGCAGTCTCCAGCGCCATACTGTGCGGGACCGC
CTGGGGGTGGGGGGAGGCTGGGGCCCTGATCACAGCCGCAACTTCCACTTTGTGGGAAGGCTCTCCGAACAAGTACTGG
AACTCCTCTACAGCCACTTCACTGTGTAACATTTTTAGGGGAAGTACTTGGCTGGAGCTTCTCTAATCTACATAGTAACAA
10 GAAACGCTGGCTTGGTCAAGAGACGTGGGGGTGGAACAGGAGAGACCCTGGGAGAGAAATGGAAGGCCCGCTTGAAC
CAGATGTGCGGCCCTGGAGTTCTACTCTACAAAAAGTCAGGCATACCGAGGTGTGCAGAGAAGAGGCCCGCCGCGCCC
TCAAGGATGGTGTGGCAACGGGAGGCCATGCTGTGTCCGAGGAAGTGCAAAGCTGAGATGGTTGGTGGAGCGGGGAT
ACCTGCAGCCCTATGGAAAGGTCATTGATCTTGATGTGGCAGAGGGGGCTGGAGTTACTACGCCGCCACCATCCGCAA
GTTCAAGAAGTGAAGGATACACAAAAGGAGGCCCTGGTCATGAAGAACCCTGTTGGTGCAAAGCTATGGTGGAAC
15 ATAGTCCGTCTTAAGAGTGGGGTGGACGTCTTTCATATGGCGGCTGAGCCGTGTGACACGTTGCTGTGTGACATAGGTGA
GTCATCATCTAGTCTGAAGTGAAGAAGCACGGACGCTCAGAGTCTCTCCATGGTGGGGGATTGGCTTAAAAAAGA
CCAGGAGCCTTTGTATAAAAGTGTGTGCCATACACCAGCACTATGATGGAAACCCTGGAGCGACTGCAGCGTAGGTA
TGGGGGAGGACTGGTCAGAGTGCCACTCTCCCGCAACTACACATGAGATGTACTGGGTCTCTGGAGCGAAAAGCAAC
ACCATAAAAAGTGTGTCCACCACGAGCCAGTCTCTTGGGGCGCATGGACGGCCTAGGAGGCCAGTGAAATATGAGG
AGGATGTGAATCTCGGCTCTGGCACGCGGGCTGTGGTAAGCTGCGCTGAAGCTCCCAACATGAAGATCATTGGTAACCGC
20 ATTGAAGGATCCGCAGTGAGCACGCGGAAACGTGGTCTTTGACGAGAACCACCCATATAGGACATGGGCTTACCATG
GAAGCTATGAGGCCCCACACAAGGGTCAGCGTCTCTCTAATAAACGGGGTTGTCAGGCTCTGTCAAAACCCTGGGAT
GTGGTGACTGGAGTCACAGGAATAGCCATGACCGACACCACCCGATGGTCAGCAAAGAGTTTTCAAGGAAAAAGTGG
ACACTAGGGTGCCAGACCCCAAGAAGGCACTCGTCAGTTATGAGCATGGTCTCTTCTGGTTGTGAAAAGAGCTAGGC
AAACACAAACGGCCACGAGTCTGTACCAAGAAGAGTTCATCAACAAGGTTCTAGCAATGCAGCATTAGGGGCAATATT
25 TGAAGAGGAAAAAGAGTGAAGACTGCAGTGAAGCTGTGAACGATCCAAGGTTCTGGGCTCTAGTGGACAAGGAAAG
AGAGCACCACTGAGAGGAGAGTGCCAGAGTTGTGTGTACAACATGATGGGAAAAAGAGAAAAAGAAAGGGGAATT
TGGAAAGGCCAAGGGCAGCCGCGCCATCTGGTATATGTGGCTAGGGGCTAGATTTCTAGAGTTCGAAGCCCTTGATTCT
TGAACGAGGATCACTGGATGGGGAGAGAGAACTCAGGAGGTGGTGTGAAGGGCTGGGATTACAAAGACTCGGATATG
TCCTAGAAGAGATGAGTCGCATACCAGGAGGAAGGATGTATGCAGATGACACTGCTGGCTGGGACACCCGCATCAGCAG
30 GTTCGATCTGGAGAATGAAGCTCTAATCACCAACCAAATGGAGAAAGGGCATAGGGCCTTGGCATTGGCCATAATCAAGT
ACACATACCAAAACAAAGTGGTAAAGGTCCTTAGACCAGCTGAAAAAGGGAAAAACAGTTATGGACATTATTTTCGAGACAA
GACCAAGGGGGAGCGGACAAGTTGTCACTTACGCTCTTAACACATTTACCAACCTAGTGGTGCAACTCATTGGAATAT
GGAGGCTGAGGAAGTTCTAGAGATGCAAGACTTGTGGCTGCTGCGGAGGTGAGAGAAAGTGACCAACTGGTTGCAGAG
CAACGGATGGGATAGGCTCAAACGAATGGCAGTCAGTGGAGATGATTGCGTTGTGAAGCCAATTGATGATAGGTTTGCA
35 CATGCCCTCAGGTTCTTGAATGATATGGGAAAAAGTTAGGAAGGACACACAAGAGTGGAAACCCTCAACTGGATGGGACA
ACTGGGAAGAAGTTCCGTTTTGCTCCACCACTTCAACAAGCTCCATCTCAAGGACGGGAGGTCCATTGTGGTTCCCTGCC
GCCACCAAGATGAAGTATTGGCCGGGCGCGCTCTCCAGGGGCGGGATGGAGCATCCGGGAGACTGCTTGCCTAGC
AAAATCATATGCGCAAATGTGGCAGCTCCTTTATTTCCACAGAAGGGACCTCCGACTGATGGCCAATGCCATTTGTTTCATC
TGTGCCAGTTGACTGGGTTCCAAGTGGGAGAACTACCTGGTCAATCCATGGAAAGGAGAAATGGATGACCACTGAAGAC
40 ATGCTTGTGGTGTGGAACAGAGTGTGGATTGAGGAGAACGACCACATGGAAGACAAGACCCAGTTACGAAATGGACA
GACATTCCCTATTTGGGAAAAAGGGAAGACTTGTGGTGTGGATCTCTCATAGGGCACAGACCCGCGCACCACCTGGGCTGA
GAACATTAAAAACACAGTCAACATGGTGCAGGATCATAGGTGATGAAGAAAAAGTACATGGACTACCTATCCACCCAAG
TTCGCTACTTGGGTGAAGAAGGGTCTACACCTGGAGTGCTGTAAGCACCAATCTAATGTTGTGAGGCCTGCTAGTCAGC
CACAGCTTGGGGAAAGCTGTGCAGCCTGTGACCCCCCAGGAGAAGCTGGGAAACCAAGCCTATAGTCAGGCCGAGAAC
45 GCCATGGCACGGAAGAAGCCATGCTGCCTGTGAGCCCCCAGAGGACACTGAGTCAAAAAACCCCATGCGCTTGGAGGC
GCAGGATGGGAAAAAGGTGGCGACCTTCCCCACCTTCAATCTGGGGCCTGAACTGGAGATCAGCTGTGGATCTCCA
GAAGAGGGACTAGTGGTTAGAGGAGACCCCCGAAAAACGCAAAACAGCATATTGACGCTGGGAAAGACCAGAGACTC
CATGAGTTTCCACCACGCTGGCCGCCAGGCACAGATCGCCGAATAGCGGCGGCCGGTGTGGGGAATCCATGGGTCTT

SEQ ID NO: 7

KU681081.3 Zika virus isolate Zika virus/H.sapiens-tc/THA/2014/SV0127- 14, Thailand, complete genome

AGTTGTTGATCTGTGTGAATCAGACTGCGACAGTTCGAGTTTGAAGCGAAAGCTAGCAACAGTATCAACAGGTTTTATTTT
GGATTTGGAAACGAGAGTTTCTGGTCATGAAAAACCCAAAAAGAAATCCGGAGGATTCCGGATTGTCAATATGCTAAAA
CGCGGAGTAGCCCGTGTGAGCCCTTTGGGGGCTTGAAGAGGCTGCCAGCCGGAAGTCTGCTGGGTGATGGGCCATCA

GGATGGTCTTGGCGATTCTAGCCTTTTGGAGATTCACGGCAATCAAGCCATCACTGGGTCTCATCAATAGATGGGGTTCAG
 TGGGAAAAAAGAGGCTATGGAATAATAAAGAAGTTCAAGAAAGATCTGGCTGCCATGCTGAGAATAATCAATGCTAG
 GAAGGAGAAGAAGAGACGAGGCACAGATACTAGTGTGCGAATTGTTGGCCTCTGCTGACCACAGCTATGGCAGCGGA
 5 GGTCACTAGACGTGGGAGTGCATACTATATGTACTTGACAGAAGCGATGCTGGGGAGGCCATATCTTTTCCAACCACAC
 TGGGGATGAATAAGTGTTATATACAGATCATGGATCTTGACACATGTGTGATGCCACCATGAGCTATGAATGCCCTATG
 CTGGATGAGGGGGTAGAACCAGATGACGTCGATTGTTGGTGCAACACGACGTCAACTGGGTTGTGTACGGAACCTGCC
 ATCACAAAAAAGGTGAAGCACGGAGATCCAGAAGAGCTGTGACGCTCCCTCCCTCCACTAGGAAGCTGCAAAACGCG
 GTCGCAGACCTGGTTGGAATCAAGAGAATACACAAAGCACTTGATTAGAGTCGAAAATTGGATATTCAGGAACCTGGCT
 10 TCGCGTTAGCAGCAGCTGCCATCGCTTGGCTTTTGGGAAGCTCAACGAGCCAAAAAGTCATATACTTGGTCATGATACTGC
 TGATTGCCCCGGCATAACAGCATCAGGTGCATAGGAGTCAGTAATAGGGACTTTGTGGAAGGTATGTCAGGTGGGACTTG
 GGTTGATGTTGTCTTGAACATGGAGGTTGTGTACCGTAATGGCACAGGACAAACCGACTGTGACATAGAGCTGGTTA
 CAACAACAGTCAGCAACATGGCGGAGGTAAGATCCTACTGCTATGAGGCATCAATATCGGACATGGCTTCGGACAGCCG
 CTGCCCCAACACAAGGTGAAGCCTACCTTGACAAGCAATCAGACACTCAATATGTCTGCAAAAGAAGCTTAGTGACAGAG
 GCTGGGGAAATGGATGTGGACTTTTGGCAAAGGGAGCCTGGTGACATGCGCTAAGTTTGCATGCTCCAAGAAAATGAC
 15 CGGGAAGAGCATCCAGCCAGAGAATCTGGAGTACCGGATAATGCTGTCAGTTTCATGGCTCCAGCACAGTGGGATGATC
 GTTAATGACACAGGACATGAACTGATGAGAATAGAGCGAAGGTTGAGATAACGCCCAATTCACCAAGAGCCGAAGCCA
 CCCTGGGGGGTTTGAAGCCTAGGACTTGATTGTGAACCGAGGACAGGCCTTGACTTTTCAGATTTGTATTACTTGACTA
 TGAACAACAAGCACTGGTTGGTTCACAAGGAGTGGTTCACGACATTCCATTACCTTGGCACACTGGGGCAGACACCGGA
 ACTCCACACTGGAACAACAAGAAGCACTGGTAGAGTTCAAGGACGCACATGCCAAAAGGCCAACTGTCGTGGTTCTAG
 20 GGAGTCAAGAAGGAGCAGTTCACACGGCCCTGCTGGAGCTCTGGAGGCTGAGATGGATGGTGAAAGGGAAGGCTGT
 CCTCTGGCCACTTGAAATGTCGCCTGAAAATGGATAAACTTAGATTGAAGGGCGTGTACTACTCTTGTGTACCGCAGCGT
 TCACATTACCAAGATCCCGCTGAAACACTGCACGGGACAGTCACAGTGGAGGTACAGTACGAGGGACAGATGGACC
 TTGCAAGGTTCCAGCTCAGATGGCGGTGGACATGCAAACTTGACCCAGTTGGGAGGTTGATAACCGCTAACCCGTAA
 TCACTGAAGGCACTGAGAATCTAAGATGATGCTGGAACCTGATCCACCATTGGGGACTTTACATTGTCATAGGAGTCG
 25 GGGAGAAGAAGATCACCCACACTGGCACAGGAGTGGCAGCACCATTGGAAAAGCATTGGAAGCCACTGTGAGAGGTG
 CCAAGAGAATGGCAGTCTTGGGAGACACAGCCTGGGACTTTGGATCAGTTGGAGGCGTTCTTAAGTCAATGGGCAAGGG
 CATCCATCAAATTTTGGAGCAGCTTCAAATCATTGTTTGGAGGAATGTCCTGGTTCTCACAATTTCTATTGGAACGTTG
 CTGATGTGGTTGGGTCTGAATACAAAGAATGGATCTATTTCCCTATGTGCTTGGCCTTAGGGGGAGTGTTGATCTTCTTA
 TCCACAGCCGTCTCCGCTGATGTGGGGTGTCTGGTGGACTTCTCAAAGAAGGAAACGAGATGCGGTACAGGGGTGTTG
 30 TCTATAACGACGTTGAAGCCTGGAGGGACAGGTACAAGTACCATCCTGACTCCCTCGTAGATTGGCAGCAGTAGTCAAG
 CAAGCCTGGGAAGATGGTATCTGTGGGATCTCCTCTGTTTCAAGAAATGGAACATCATGTGGAGATCAGTAGAAGGGG
 AGCTCAACGCAATCCTGGAAGAGAATGGAGTTCAACTGACGGTCGTTGTGGGATCTGTAAAAAACCCCATGTGGAGAGG
 TCCACAGAGATTGCCCCGTGCTGTGAACGAGCTGCCCCACGGCTGGAAGGCTTGGGGGAAATCGTACTTCTGTCAGAGCA
 GCAAAGACAAATAACAGCTTTGTCTGGATGGTGACACACTGAAGGAATGCCCACTCAAACATAGAGCATGGAACAGCTT
 35 TCTTGTGGAGGATCATGGGTTTCGGGGTATTTACACTAGTGTCTGGCTCAAGGTTAGAGAAGATTATTACTAGAGTGTG
 ATCCAGCCGTCAATTGGAACAGCTGTTAAGGGAAAGGAGGCTGTACACAGTATCTAGGCTACTGGATTGAGAGTGAGAA
 GAACGACACATGGAGGCTGAGGAGGGCCACCTGATCGAGATGAAAACATGTGAATGGCCAAAAGTCCACACATTGTGG
 ACAGATGGAATAGAAGAGAGTGATCTGATCATACCAAGTCTTAGCTGGGCCACTCAGCCATCACAACACCAGAGAGG
 GCTACAGGACCCAAATGAAAGGGCCATGGCACAGTGAAGAGCTTGAAATTCGGTTTGAAGGAATGCCAGGCACTAAGGT
 40 CCACGTGGAGGAAACATGTGGAACAAGAGGACCATCTCTGAGATCAACCACTGCAAGCGGAAGGGTGATCGAGGAATG
 GTGCTGCAGGGAGTGACAATGCCCCACTGTCGTTCCGGGCTAAAGATGGCTGTTGGTATGGAATGGAGATAAGGCC
 AGGAAAGAACCAGAAAGTAAGTAAAGTCAATGGTGACTGCAGGATCAACTGATCAGATGATCACTTTTCCCTTGG
 AGTGCTTGTGATTCTGCTCATGGTGACGGAAGGGCTGAAGAAGAGAATGACCACAAAGATCATCATAAGCACATCAATG
 GCAGTGCTGGTAGCTATGATCCTGGGAGGATTTTCAATGAGTGATCTGGCTAAGCTTGCAATTTTGTGGGTGCCACCTT
 45 GCGGAAATGAACACTGGAGGAGATGTAGCTCATCTGGCGCTGGTAGCGGCATTCAAAGTCAGACCAGCGTTGCTGGTAT
 CTTTCATCTTCAGAGCTAATTGGACACCCCTGAAAGCATGCTGCTGGCCTTGGCCTCGTGTCTTTGCAAACTGCGATCTC
 CGCCTTGAAGGCGACCTGATGGTTCTCATCAATGGTTTTGCTTTGGCCTGGTTGGCAATACGAGCGATGGTTGTTCCACG
 CACTGACAATATCACTTGGCAATCCTGGCTGCTGACACCACTGGCCGGGGCACACTGCTTGCGGTGGAGAGCAG
 GCCTTGCTACTTGCGGGGGGTTTCATGCTCCTCTCTGAAGGGGAAAGGCAGTGTGAAGAAGAACTTACCATTTGTCATG
 50 GCCCTGGGACTAACCGCTGTGAGGCTGGTCGACCCCATCAACGTGGTGGGACTGCTGTTGCTCACAAGGAGTGGGAAGC
 GGAGCTGGCCCCCTAGCGAAGTACTCACAGCTGTTGGCCTGATATGCGCATTGGCTGGAGGGTTCGCCAAGGCAGATAT
 AGAGATGGCTGGGCCCATGGCCGCGTGGTCTGCTAATTGTGAGTTACGTGGTCTCAGGAAAGAGTGTGGACATGTAC
 ATTGAAAGAGCAGGTGACATCAGTGGGAAAAAGATGCGGAAGTTACTGAAACAGTCCCCGGCTCGATGTGGCACTAG
 ATGAGAGTGGTGATTCTCCCTGGTGGAGGATGACGGTCCCCCATGAGAGAGATCATACTCAAAGTGGTCTGATGACC

ATCTGTGGCATGAACCCAATAGCCATACCCTTTGCAGCTGGAGCGTGGTACGTATACGTGAAAACTGGAAAAAGGAGTG
 GTGCTCTATGGGATGTGCTGCTCCCAAGGAAGTAAAAAAGGGGGAGACCACAGATGGAGTGTACAGAGTAATGACTCG
 TAGACTGCTAGGTTCAACACAAGTTGGAGTGGGAGTTATGCAAGAGGGGGTCTTTCACACTATGTGGCATGTCACAAAAG
 5 GATCCGCGCTGAGAAGCGGTGAAGGGAGACTTGATCCATACTGGGGAGATGTCAAGCAGGATCTGGTGTCTACTGTGG
 TCCATGGAAGCTAGATGCCGCTGGGACGGGCACAGCGAGGTGCAGCTCTTGGCCGTGCCCCCGGAGAGAGAGCGAG
 GAACATCCAGACTCTGCCCCGAATATTTAAGACAAAGGATGGGGACATTGGAGCGGTTGCGCTGGACTATCCAGCAGGA
 ACTTCAGGATCTCCAATCCTAGACAAGTGTGGGAGAGTGATAGGACTCTATGGCAATGGGGTCGTGATCAAGAATGGGA
 GTTATGTCAGTGCCATCACCAAGGGAGGAGGGAGGAAGAGACTCCTGTTGAGTGCTTCGAGCCTTCGATGCTGAAGAA
 10 GAAGCAGCTAACTGTCTTAGACTTGCATCCTGGAGCTGGGAAAACCAGGAGAGTTCTTCTGAAATAGTCCGTGAAGCCA
 TAAAAACGAGACTCCGTAAGTGTGATCTTAGCTCCAACCAGGGTTGTCGCTGCTGAAATGGAGGAAGCCCTTAGAGGGCTT
 CCAGTGCGTTATATGACAACAGCAGTCAATGTCACCCATTCTGGGACAGAAATCGTTGACTTAATGTGCCATGCCACCTTC
 ACTTCAGTCTACTACAGCCAATCAGAGTCCCCAACTATAATCTGTATATTATGGATGAGGCCCACTTCACAGATCCCTCAA
 GTATAGCAGCAAGAGGATACATTTCAACAAGGGTTGAGATGGGCGAGGCAGCTGCCATCTTCATGACCGCCACGCCACC
 15 AGGAACCCGTGACGCATTCCCGGACTCCAACCTACCAATTATGGACACCGAAGTGGAAGTCCAGAGAGAGCCTGGAGC
 TCAGGCTTTGATTGGGTGACGGATCATTCTGAAAAACAGTTTGGTTTGTCCCAAGCGTGAGGAACGGCAATGAGATCGC
 AGCTTGTCTGACAAAGGCTGGAAAACGGGTCTACAGCTCAGCAGAAAGACTTTTGAGACAGAGTTCAGAAAAACAAAA
 CATCAAGAGTGGGACTTCGTGCGTGAACACTGACATTTAGAGATGGGCGCAACTTTAAAGCTGACCGTGCATAGATTC
 CAGGAGATGCCTAAAGCCGGTCATACTTGATGGCGAGAGAGTCATTCTGGCTGGACCCATGCCTGTCACACATGCCAGCG
 20 CTGCCCAGAGGAGGGGGCGCATAGGCAGGAATCCCAACAACTGGAGATGAGTATCTGTATGGAGGTGGGTGCGCAG
 AGACTGATGAAGACCATGCACACTGGCTTGAAGCAAGAATGCTCCTTGACAATATTTACCTCCAAGATGGCCTCATAGCCT
 CGCTCTATCGACCTGAGGCCGACAAAGTAGCAGCCATTGAGGGAGAGTTCAAGCTTAGGACGGAGCAAGGAAGACCTT
 TGTGGAACCTCATGAAAAGAGGAGATCTTCTGTTTGGCTGGCCTATCAGGTTGCATCTGCCGAATAACCTACACAGATA
 GAAGATGGTGCTTTGATGGCATGACCAACAACACCATAATGGAAGACAGTGTGCCGGCAGAGGTGTGGACCAGACAG
 25 GAGAGAAAAAGAGTGCTCAAACCGAGGTGGATGGACGCCAGAGTTTGTTCAGATCATGCGGCCCTGAAGTCATTCAAGGA
 GTTTGCCGCTGGGAAAAGAGGAGCGGCTTTTGGAGTGATGGAAGCCCTGGGAACACTGCCAGGACACATGACGGAGAG
 ATTCCAGGAAGCCATTGACAACCTCGCTGTGCTCATGCGGGCAGAGACTGGAAGCAGGCCTTACAAAGCCGCGCGGCC
 CAATTGCCGGAGACCTAGAGACCATTATGCTTTTGGGGTGGTGGGAACAGTCTCGCTGGGAATCTTTTTCGTTCTGATG
 CGGAACAAGGGCATAGGGAAGATGGGCTTTGGAATGGTGACTCTTGGGGCCAGCGCATGGCTCATGTGGCTCTCGGAAA
 30 TTGAGCCAGCCAGAATTGCATGCGTCTCATTGTTGTGTTCTATTGCTGGTGGTGCTCATACCTGAGCCAGAAAAGCAAA
 GATCCCCCAGGACAACCAAATGGCAATCATCATGTTAGCAGTAGGTCTTCTGGGCTTGATTACCGCAATGAACTCG
 GATGGTTGGAGAGAACAAGAGTGACCTAAGCCATCTAATGGGAAGGAGAGAGGAGGGGGCAACCATAGGATTCTCAA
 TGGACATTGACCTGCGGCCAGCCTCGGCCTGGGCCATCTATGCTGCCCTGACAACCTTCATTACCCAGCCGTCCAACATG
 CAGTGACCACTTCATACAACAACTACTCCTTAATGGCGATGGCCACGCAAGCTGGAGTGTGTTTGGTATGGGCAAAGGG
 35 ATGCCATTCTACGCATGGGACTTTGGAGTCCCGCTGCTAATGATAGGTTGCTACTCACAATTAACACCCCTGACCCTAATA
 GTGGCTATCATTTTGTCTGCTGGCGCACTACATGTACTTGATCCCAGGGCTGCAGGCAGCAGCTGCGCGTGCTGCCAGAA
 GAGAACGGCAGCTGGCATCATGAAGAACCCTGTTGTGGATGGAATAGTGGTGACTGACATTGACACAATGACTATTGAC
 CCCCAGTGGAGAAAAAGATGGGACAGGTGCTACTCATAGCAGTAGCCGTCTCCAGCGCCATACTGTGCGGGACCGCT
 GGGGGTGGGGGAAGCTGGGGCCCTGATCACAGCTGCAACTTCCACTTTGTGGGAAGGCTCTCCGAACAAGTACTGGAA
 CTCCTCTACAGCCACTTCACTGTGCAACATTTTTAGGGGAAGTTACTTGGCTGGAGCTTCTCTAATCTACACAGTAACAAGA
 40 AACGCTGGCTTGGTCAAGAGACGTGGGGGTGGAACAGGAGAGACCCTGGGAGAGAAATGGAAGGCCCGCTTGAACCA
 GATGTCGGCCCTGGAGTTCTACTCCTACAAAAAGTCAGGCATCACCGAGGTGTGCAGAGAAGAGGCCCGCGCGCCCTC
 AAGGACGGTGTGGCAACGGGAGGCCATGCTGTGTCCGAGGAAGTGCAAGCTGAGATGGTTGGTGGAGCGGGGATAC
 CTGCAGCCCTATGGAAGGTCATTGATCTTGGATGTGGCAGAGGGGGCTGGAGTTACTACGCCGCCACCATCCGCAAGT
 45 TCAAGAAGTGAAAGGATACACAAAAGGAGGCCCTGGTCATGAAGAACCCTGTTGGTGCAAAGCTATGGGTGGAACATA
 GTCCGTCTTAAGAGTGGGGTGGACGTCTTTCATATGGCGGCTGAGCCGTGTGACACGTTGCTGTGTGACATAGGTGAGTC
 ATCATCTAGTCCTGAAGTGGAAGAAGCACGGACGCTCAGAGTCCTCTCCATGGTGGGGGATTGGCTTAAAAAAGACCA
 GGAGCCTTTTGTGTAAGAGTGTGTGCCCATACACCAGCACTATGATGGAAACCCTGGAGCGACTGCAGCGTAGGTATGG
 GGGAGGACTGGTCAGAGTGCCACTCTCCGCAACTCTACACATGAGATGTACTGGGTCTCTGGAGCGAAAAGCAACACC
 50 ATAAAAAGTGTGTCCACCACGAGCCAGCTCCTTTGGGGCGCATGGACGGGGCCAGGAGGCCAGTGAAATATGAGGAG
 GATGTGAATCTCGGCTCTGGCACGCGGGCTGTGGTAAGCTGCGCTGAAGCTCCCAACATGAAGATCATTGGTAACCGCAT
 TGAAAGGATCCGCAGTGAGCACGCGGAAACGTGGTCTTTGACGAGAACCACCCATATAGGACATGGGCTTACCATGGA
 AGCTATGAGGCCCTACACAAGGGTCAGCGTCTCTCTAATAAACGGGGTTGTCAGGCTCTGTCAAAACCCTGGGATGT
 GGTGACTGGAGTCACAGGAATAGCCATGACCGACACCACCCGATGGTCAGCAAAGAGTTTTCAAGGAAAAAGTGGAC
 ACCAGGGTGCCAGACCCCAAGAAGGCACTCGTCAGGTTATGAGCATGGTCTCTTCTGTTGTGGAAGAGCTAGGCA

AACACAAACGGCCACGAGTCTGTACCAAAGAAGAGTTCATCAACAAGGTTCTGTAGCAATGCAGCATTAGGGGCAATATTT
GAAGAGGAAAAAGAGTGGAAAGACCGCAGTGGAAAGCTGTGAACGATCCAAGGTTCTGGGCTCTAGTGGACAAGGAAAGA
GAGCACCACCTGAGAGGAGAGTGGCAGAGCTGTGTGTACAACATGATGGGAAAAAGAGAAAAAGAAACAAGGGGAATTT
GGAAAGGCCAAGGGCAGCCGCGCCATCTGGTATATGTGGCTAGGGGCTAGATTTCTAGAGTTGGAAGCCCTTGGATTCTT
5 AAATGAGGATCACTGGATGGGGAGAGAGAACTCAGGAGGTGGTGTGAAGGGCTGGGATTACAAAGACTCGGATATGT
CCTAGAAGAGATGAGTCGCATACCAGGAGGAAGGATGTATGCAGATGACACTGCTGGCTGGGACACCCGCATCAGCAG
GTTTGATCTGGAGAATGAAGCTTTAATCACCAACCAAATGGAGAAAGGGCACAGGGCCTTAGCATTGGCCATAATCAAGT
ACACATACCAAAACAAAGTGGTAAAGGTCTTAGACCAGCTGAAAAAGGGAAGACAGTTATGGACATTATTTCAAGACAA
10 GACCAAAGGGGGAGCGGACAAGTTGTCACTTACGCTCTTAACACATTTACCAACCTAGTGGTGAACCTATTTCGGAATAT
GGAGGCTGAGGAAGTTCTAGAGATGCAAGACTTGTGGCTGCTGCGGAGGTGAGAGAAAGTGACCAACTGGTTGCAGAG
CAACGGATGGGATAGGCTCAAACGAATGGCAGTCAGTGGAGATGATTGCGTTGTGAAGCCAATTGATGATAGGTTTGCA
CATGCCCTCAGGTTCTTGAATGATATGGGAAAAGTTAGGAAGGACACACAAGAGTGGAAACCCTCAACTGGATGGGACA
ACTGGGAAGAAGTTCCGTTTTGTTCCACCACTTCAACAAGCTCCATCTCAAGGACGGGAGGTCCATTGTGGTTCCCTGCC
15 GCCACCAAGATGAACTGATTGGCCGGGCCCCGTGTCTCCAGGGGCGGGATGGAGCATCCGGGAGACTGCTTGCCTAGC
AAAGTCATATGCGCAAATGTGGCAGCTCCTTATTTCCACAGAAGGGACCTCCGACTGATGGCCAATGCCATCTGTTTCATC
TGTGCCAGTTGACTGGGTTCCAAGTGGGAGAACTACCTGGTCAATCCATGGAAAGGGAGAATGGATGACCACTGAAGAC
ATGCTTGTGGTGTGGAACAGAGTGTGGATTGAGGAGAACGACCACATGGAAGACAAGACCCCAAGTTACGAAATGGACA
GACATTCCTATCTGGGAAAAAGGGAAGACTTGTGGTGTGGATCTCTCATAGGGCACAGACCGCGCACCACCTGGGCTG
20 AGAACATTAAAAACACAGTCAACATGGTGCAGGATCATAGGTGATGAAGAAAAGTACATGGACTACCTATCCACCCAA
GTTTCGCTACTTGGGTGAAGAAGGGTCTACACCTGGAGTGCTATAAGCACCAATCTTAGTGTGTCAGGCCTGCTAGTCAG
CCACAGCTTGGGGAAGCTGTGCAGCCTGTGACCCCCCAGGAGAGGCTGGGAAACCAAGCCCATAGTCAGGCCGAGAA
CGCCATGGCACGGAAGAAGCCATGCTGCCTGTGAGCCCCCTCAGAGGACACTGAGTCAAAAAACCCACGCGCTTGGAGG
CGCAGGATGGGAAAAGAAGGTGGCGACCTTCCCCACCCTTCAATCTGGGGCCTGAACTGGAGATCAGCTGTGGATCTCC
25 AGAAGAGGGACTAGTGGTTAGAGGAGACCCCCGAAAAACGAAAACAGCATATTGACGCTGGGAAAGACCAGAGACT
CCATGAGTTTCCACCACGCTGGCCGCCAGGCACAGATCGCCGAATAGCGGCGGCCGGTGTGGGGAAATCCATGGGTCT

SEQ ID NO: 8

KU681082.3 Zika virus isolate Zika virus/H.sapiens-tc/PHL/2012/CPC-0740, Philippines, complete genome

AGTTGTTGATCTGTGTGAATCAGACTGCGACAGTTCGAGTTTGAAGCGAAAGCTAGCAACAGTATCAACAGTTTTATTTT
30 GGATTTGAAACGAGAGTTTCTGGTCATGAAAAACCAAAAAAGAAATCCGAGGATTCCGGATTGTCAATATGCTAAAA
CGCGGAGTAGCCCGTGTGAGCCCCCTTGGGGGCTTGAAGAGGCTGCCAGCCGACTTCTGCTGGGCCATGGGCCCATCA
GGATGGTCTTGGCGATACTAGCCTTTTGTGATTACGGCAATCAAGCCATCACTGGGTCTCATCAATAGATGGGGTTCA
GTGGGGAAAAAAGAGGCTATGGAATAATAAAGAAGTTCAAGAAAGATCTGGCTGCCATGCTGAGAATAATCAATGCTA
GGAAGGAGAAGAAGAGACGAGGCGCAGATACTAGCGTCGGAATTGTTGGCCTCCTCTGACCACAGCCATGGCAGTAG
35 AGGTCACTAGACGTGGGAGTGCATACTATATGTACTTGGACAGAAGCGATGCTGGGGAGGCCATATCTTTTCAACCACA
CTGGGGATGAATAAGTGTACATACAAATCATGGATCTTGGACACATGTGTGATGCCACCATGAGCTATGAATGCCCTAT
GTTGGATGAGGGGGTAGAACCAGATGACGTCGATTGCTGGTGCAACACGACATCAACTTGGGTTGTGTATGGAACCTGC
CACCACAAAAAAGGTGAAGCACGGAGATCTAGAAGAGCTGTGACGCTCCCTCCATTCCACTAGGAAGCTGCAACGC
GGTCGCAGACCTGGTTGGAATCAAGAGAATACACAAAGCACCTGATTAGAGTTGAAAATTGGATATTAGGAACCTGG
40 CTTTCGCTTAGCAGCAGCTGTCATCGCTTGGCTTTTGGGAAGTTCAACGAGCCAAAAAGTCATATATCTGGTCATGATACT
GCTGATTGCCCCGCGATACAGCATCAGGTGCATAGGAGTACGAAATAGGGACTTTGTGGAAGGTATGTGAGGTGGGACT
TGGGTTGATGTTCTTGAACATGGAGGTTGTGTTACCGTAATGGCACAGGACAAACCGACTGTGCACATAGAGCTGGT
TACAACAACAGTCAGCAACATGGCGGAGGTAAGATCCTACTGCTATGAGGCATCAATATCGGATATGGCTTCGGACAGCC
GCTGCCAACACAAGGTGAGGCCTACCTTGACAAGCAGTCAGACACTCAATATGTCTGCAAAAGAACGTTAGTGGACAGA
45 GGCTGGGGAAATGGATGTGGACTTTTTGGCAAAGGGAGCCTGGTGACATGCGCTAAGTTTGCATGCTCCAAGAAAATGA
CCGGGAAGAGCATCCAGCCAGAGAATCTGGAGTACCGGATAATGCTGTGTCAGTTTCATGGCTCCAGCACAGTGGGATGAT
CGTTAATGACACAGGACATGAACTGATGAGAATAGAGCGAAGGTTGAGATAACGCCCAATTCACCAAGAGCCGAAGCC
ACCCTGGGGGGTTTTGGGAGCCTAGGACTTGATTGTGAACCGAGGACAGGCCTTGACTTTTTCAGATTTGATTACCTGACT
ATGAATAACAAGCACTGGTTGGTTCAAGGAGTGGTTCCACGACATTCCATTACCTTGGCATGCTGGGGCAGACACTGG
50 AACTCCACATTGGAACAACAAAGAAGCACTGGTAGAGTTCAAGGACGCACATGCAAAAAGGCCAACTGTCGTGGTTCTA
GGGAGTCAAGAAGGAGCAGTTCACACGGCCCTTGTGGAGCTCTGGAGGCTGAGATGGATGGAGCCAAGGGAAGGCTG
TCCTCTGGCCACTTGAAATGTCGCCTGAAAATGGATAAATCTAGATTGAAGGGCGTGTCTACTCCTGTGCACTGCAGCG
TTCATTACCAAGATCCCGCTGAAACACTGCACGGGACAGTCACAGTGGAGGTACGTACGAGGGACAGATGGAC
CTTGCAAGGTTCCAGCTCAGATGGCGGTGGATATGCAAACTTGACCCAGTTGGGAGGTTGATAACCGCTAACCTGTA

ATCACTGAAAGCACCGAGAACTCTAAGATGATGCTGGAACCTTGATCCACCATTGGGGACTCTTACATTGTCATAGGAGTC
 GGGGAGAAGAAGATCACCCATCACTGGCACAGGAGTGGCAGCACCATTGAAAAAGCATTGAAGCCACTGTGAGAGGT
 GCCAAGAGAATGGCAGTCTTGGGAGACACAGCCTGGGACTTTGGATCAGTTGGGGGTGCTCTCAACTATTGGGCAAGG
 GCATCCATCAAAATTTTGGAGCAGCTTCAAATCATTGTTGCGAGGAATGTCTGGTTCTCACAAATTTCTATTGGAACGTT
 5 GCTGGTGTGGTTGGGTCTGAATACAAAGAATGGATCTATTTCCCTTACGTGCTTGGCCTTAGGGGGAGTGTTGATCTTCTT
 ATCCACAGCCGTTTCTGCTGATGTGGGGTGTCTCGGTGGACTTCTCAAAGAAGGAAACGAGATGCGGTACAGGGGTGTTT
 GTCTATAACGACGTTGAAGCCTGGAGGGACAGGTACAAGTACCATCCTGACTCCCCTCGTAGATTGGCAGCAGCAGTCAA
 GCAAGCCTGGGAAGATGGGATCTGTGGGATCTCTGTCTCAAGAATGGAAAACATCATGTGGAGATCAGTAGAAGGG
 10 GAGCTCAACGCAATCTGGAAGAGAATGGAGTTCAACTGACGTCGTTGTGGGATCTGTAAAAAACCCCATGTGGAGAG
 GTCCACAGAGATTGCCCGTGCCTGTGAACGAGCTGCCCCACGGCTGGAAGGCTTGGGGGAAATCGTACTTCGTACAGAGC
 AGCAAAGACAAATAACAGCTTTGTCTGGATGGTGACACACTGAAGGAATGCCCACTCAAACATAGAGCATGGAACAGC
 TTTCTTGTGGAGGATCATGGGTTTGGGGTATTTCACTAGTGTCTGGCTCAAGGTTAGAGAAGATTATTCATTAGAGTGT
 GATCCAGCCGTCATTGGAACAGCTGCTAAGGGAAAGGAGGCTGTGCACAGCGATCTAGGCTACTGGATTGAGAGTGAGA
 AGAACGACACATGGAGGCTGAAGAGGGCCACCTGATCGAGATGAAAACATGTGAATGGCCAAAGTCCCACACATTGTG
 15 GACAGATGGAGTAGAAGAAAGTGATCTGATCATACCCAAGTCTTGTAGCTGGGCCACTCAGCCATCACAAACACCAGAGAG
 GGCTACAGGACTCAAATGAAAGGGCCATGGCACAGTGAAGAGCTTGAATTCGGTTTGGGAATGCCAGGCACTAAGG
 TCCACGTGGAGGAAACATGTGGGACAAGAGGACCATCCCTGAGATCAACCACTGCAAGCGGAAGGGTGATCGAGGAAT
 GGTGCTGCAGGGAATGCACAATGCCCCACTGTCTTCCGAGCTAAAGATGGCTGTTGGTATGGAATGGAGATAAGGCC
 CAGGAAAGAACCAGAAAGTAAGTGTAGTAAAGGCAATGGTGACTGCAGGATCAACTGATCAGATGGATCACTTCTCTTGT
 20 GAGTGCTTGTGATTTTGTCTATGGTGCAGGAAGGGCTGAAGAAGAGAATGACCACAAAGATCATATAAGCACATCAAT
 GGCAGTGCTGGTAGCCATGATCCTGGGAGGATTTTCAATGAGTGACCTGGCTAAGCTTGCAATTTTGTGGGTGCCACCT
 TCGCGGAAATGAACACTGGAGGAGATGTAGCTCATTTGGCGCTGATAGCGGCATTCAAAGTCAGACCTGCGTTGCTGGTA
 TCTTTCATCTTCAGAGCTAATTGGACACCCCGTGAGAGCATGCTGCTGGCCTTGGCCTCGTGTCTTCTGCAAACCTGCGATCT
 CCGCCTTGGGAAGGCGACCTGATGGTTCTCATCAATGGTTTTGCTTTGGCCTGGTTGGCAATACGAGCGATGGTTGTTCCAC
 25 GCACTGACAACATCACCTTGGAATCTGGCTGCTCTGACACCACTGGCCCGGGGCACACTGCTTGTGGCGTGGAGAGCA
 GGCCTTGTACTTGGCGGGGGTTTGTGCTCTCTCTGAAGGGGAAAGGCAGTGTGAAGAAGAACCTACCATTTGTCTAT
 GGCCTTGGGACTAAGTGTGTGAGGCTGGTGCACCCCATCAACGTGGTGGGACTGCTGTTGCTCACAAGGAGTGGGAAG
 CGGAGCTGGCCCCCTAGTGAAGTACTCACAGCTGTTGGCCTGATATGCGCATTGGCTGGAGGGTTCGCCAAGGCGGATA
 TAGAGATGGCTGGGCCCATGGCCGCGTCTGCTAATTGTGAGTTACGTGGTCTCAGGAAAGAGTGTGGACATGTA
 30 CATTGAAAGAGCAGGTGACATCACATGGGAAAAAGATGCGGAAATCACTGGAAACAGTCCCCGGCTCGATGTGGCACTA
 GATGAGAGTGGTGATTTCTCCCTAGTGGAGGATGATGGTCCACCCATGAGAGAGATCATACTCAAAGTGGTCTGATGAC
 CATCTGCGGCATGAACCCAATAGCCATACCCTTTGCAGCTGGAGCGTGGTACGTGTATGTGAAGACTGGAAAAAGGAGT
 GGTGCTCTATGGGATGTGCCTGCTCCCAAGGAAGTAAAAAAGGGGGAGACCACAGATGGAGTGACAGAGTAATGACTC
 GTAGACTGCTTGGTTCAACACAAGTTGGAGTGGGAGTCATGCAAGAGGGGGTCTTCCACACTATGTGGCACGTACAAAA
 35 AGGATCCGCGCTGAGAAGCGGTGAAGGGAGACTTGATCCATACTGGGGAGATGTCAAGCAGGATCTGGTGTCTACTGT
 GGTCCGTGGAAGCTAGACGCCGCTGGGACGGGCACAGCGAGGTGCAGCTCTTGGCCGTGCCCCCGGAGAGAGAGCG
 AGGAACATCCAGACTCTGCCCGGAACATTTAAGACAAAGGATGGGGACATTGGAGCAGTTGCGCTGGACTACCCAGCAG
 GAACCTCAGGATCTCAATCCTAGACAAGTGTGGGAGAGTGATAGGACTCTATGGTAATGGGGTCTGTATAAAAAATGG
 GAGTTATGTTAGTGCCATCACCAAGGGAGGAGGGAGGAAGAGACTCCTGTTGAGTGCTTCGAGCCTTCGATGCTGAAG
 40 AAGAAGCAGCTAACTGTCTTAGACCTGCATCCTGGAGCCGGGAAAAACCAGGAGAGTTCTTCTGAAATAGTCCGTGAAGC
 CATAAAAACAAGACTCCGTACTGTGATCTTAGCTCCAACCAAGGTCGTCGCTGCTGAAATGGAGGAAGCCCTTAGAGGGC
 TTCCAGTTCGTTATATGACAACAGCAGTCAATGTACCCATTCTGGGACAGAAATCGTTGACTTAATGTGCCATGCTACCTT
 CACTTCACGCCTACTACAACCAATCAGAGTCCCCAACTATAATTTGTATATTATGGATGAGGCCCACTTCACAGATCCCTCA
 AGTATAGCAGCAAGAGGATACATTTCAACAAGGGTTGAGATGGGCGAGGCGGCTGCCATCTTCATGACCGCCACGCCAC
 45 CAGGAACCCGTGACGCATTCCCGGACTCCAACCTACCAATTATGGACACCGAGGTGGAAGTCCAGAGAGAGCCTGGAG
 CACAGGCTTTGATTGGGTGACGGATCATTCTGGGAAAAACAGTCTGGTTTGTTCGAAGCGTGAGGAACGGCAATGAGATC
 GCAGCTTGTCTGACAAAGGCTGGAAAACGGGTCTACAGCTCAGCAGAAAGACTTTTGAGACAGAGTTCCAGAAAACGA
 AAAATCAAGAGTGGGACTTCGTCTGTGACAACCGACATTTAGAGATGGGCGCAACTTTAAAGCTGACCGTGTCTAGAT
 50 TCCAGGAGATGCTTAAAGCCGGTCATACTTGATGGCGAGAGAGTCAATTTGGCTGGACCCATGCCTGTACACATGCCAG
 CGCTGCTCAGAGGAGGGGGCGCATAGGCAGGAATCCCAACAACTGGAGATGAGTATCTGTATGGAGGTGGGTGCGC
 AGAGACTGATGAAGATCACGCACACTGGCTTGAAGCAAGAATGCTTCTGACAACATTTACCTCCAAGATGGCCTCATAG
 CTTGCTCTATCGACCTGAGGCCGACAAAGTAGCAGCTATTGAGGGAGAGTTCAAGCTTAGGACGGAGCAAAGGAAGAC
 CTTTGTGGAACATCATGAAAAGAGGAGATCTCCGGTTTGGTTGGCTATCAGGTTGCATCTGCCGGAATAACCTACACAG
 ATAGAAGATGGTGCTTTGATGGCATGACCAACAACACCATAATGGAAGACAGTGTGCCGGCAGAGGTGTGGACCAGATA

CGGAGAGAAAAAGAGTGCTCAAACCGAGGTGGATGGACGCCAGAGTTTGTTGAGATCATGCGGCCCTGAAGTCATTCAA
GAGTTTGCCGCTGGGAAAAGAGGAGCGGCCTTTGGAGTGATAGAAGCCCTGGGAACACTGCCAGGACACATGACAGAG
AGATTCCAGGAAGCCATTGACAACCTCGCTGTGCTCATGCGGGCAGAGACTGGAAGCAGGCCTTACAAAGCCGCGGCGG
5 CCCAATTGCCGGAGACCCTAGAGACCATTATGCTTTTGGGGTTGCTGGGAACAGTCTCGCTGGGAATCTTTTCGTCTTGA
TGCGGAACAAGGGCATGGGGAAGATGGGCTTTGGAATGGTGACTCTTGGGGCCAGCGCATGGCTTATGTGGCTCTCGGA
AATTGAGCCAGCCAGAATTGCATGTGTCCTCATTGTCGTGTTCTATTGCTGGTGGTGTCTACACCTGAGCCAGAAAAGCA
AAGATCTCCTCAGGACAACCAAATGGCAATCATCATCATGGTAGCAGTGGGTCTTCTGGGCTTGATTACCGCCAATGAACT
CGGATGGTTGGAGAGAACAAAAAGTGACCTAAGCCATCTAATGGGAAGGAGAGAGGAGGGGGCAACCACAGGATTCTC
10 AATGGACATTGACCTGCGGCCAGCCTCAGCTTGGGCTATCTATGCTGCTCTGACAACTTTCATACCCAGCCGTCCAACA
TGCGGTGACCACTTCATACAACAACTACTCCTTAATGGCGATGGCCACGCAAGCTGGGGTGTGTTTGGTATGGGCAAAG
GGATGCCATTCTACGCATGGGACTTTGGAGTCCCGCTGCTAATGATGGGTTGCTACTCACAATTAACACCTCTGACCCTAA
TAGTGGCCATCATTTTGTCTGTGGCGCACTACATGTACTTGATCCCAGGGCTGCAGGCAGCAGCTGCGCGGGCTGCCAG
AAGAGAACGGCAGCTGGCATCATGAAGAACCCTGTTGTGGATGGAATAGTGGTGTACTGACATTGACACAATGACAATTG
ACCCCAAGTGAAAAAAGATGGGGCAGGTGCTACTCATAGCAGTAGCCGTCTCCAGCGCCATACTGTGCGGACC GC
15 CTGGGGGTGGGGGGAGGCTGGGGCCCTGATCACAGCTGCAACTTCCACCTTGTGGGAAGGCTCTCCGAACAAGTACTGG
AACTCCTCCACAGCCACTTCACTGTGTAACATTTTTAGGGGAAGTTACTTGGCTGGAGCTTCTCTAATCTACACAGTAACAA
GAAACGCTGGCTTGGTCAAGAGACGTGGGGGTGGAACGGGAGAGACCCTGGGAGAGAAATGGAAGGCCCGCTGAAC
CAGATGTCGGCCCTGGAGTTCTACTCTACAAAAAGTCAGGCATCACCGAGGTGTGCAGAGAAGAGGCCCGCCGTGCCCT
CAAGGACGGTGTGGCAACAGGAGGCCATGTGTGTCCCAGGAAGTGCAAAGCTTAGATGGCTGGTGGAGAGAGGATA
20 CCTGCAGCCCTATGAAAGGTCAATTGATCTTGGATGTGGCAGAGGGGGCTGGAGTTACTATGCCGCCACCATCCGCAAAG
TTCAGGAAGTGAAGGATACACAAAAGGAGGCCCTGGTCATGAAGAACCCTGTTGGTGCAAAGCTATGGGTGGAACAT
AGTCCGTCTTAAGAGTGGGGTGGACGTCTTTCACATGGCGGCTGAGCCGTGTGACACTTTGCTGTGTGATATAGGTGAGT
CATCATCTAGTCCTGAAGTGAAGAAGCACGGACGCTCAGAGTCTCTCCATGGTGGGGGATTGGCTTGAAAAAAGACC
AGGAGCCTTTTGTATAAAGTGTGTGCCATACACCAGCACTATGATGGAACCCCTGGAGCGACTGCAGCGTAGGTATG
25 GGGGAGGACTGGTCAGGGTGCCACTCTCCGCAACTCTACACATGAGATGTACTGGGTCTCTGGAGCGAAAAGCAACAC
CATAAAAAGTGTGTCCACCACGAGCCAGCTCCTCTTGGGGCGCATGGACGGGCCAGGAGGCCAGTGAAATATGAGGAG
GATGTGAATCTCGGCTCTGGCACGCGGGCTGTGGTAAGTGTGCGCTGAAGCTCCCAACATGAAGATCATTGGTAACCGCAT
TGAGAGGATCCGCAGTGAGCACGCGGAAACGTGGTTCTTTGACGAGAACCACCCATATAGGACATGGGCTTACCATGGA
AGCTATGAGGCCCTACACAAGGGTCAGCGTCTCTCTAATAAACGGGGTTGTCAGGCTCTGTCAAAACCCTGGGATGT
30 GGTGACTGGAGTCACAGGAATAGCCATGACTGACACCACACCGTATGGTCAGCAAAGAGTTTTCAAGGAAAAAGTGGAC
ACTAGGGTGCCAGACCCCAAGAAGGCACTCGTCAGGTTATGAGCATGGTCTCTTCTGGTTATGGAAGGAGCTAGGCAA
ACACAAACGGCCACGAGTCTGTACCAAGAAGAGTTCATCAACAAGGTTCTAGCAATGCAGCATTAGGGGCAATATTTG
AAGAGGAAAAAGAGTGAAGACTGCAGTGGAAGCTGTGAATGATCCAAGGTTCTGGGCTCTAGTGGAACAAGGAAAGAG
AGCATCACCTGAGAGGAGAGTGTGAGAGCTGTGTGTACAACATGATGGGAAAAAGAGAAAAAGAAACAAGGGGAATTTG
35 GAAAGGCCAAGGGCAGCCGCGCCATCTGGTATATGTGGCTAGGGGCTAGATTCTAGAGTTCGAAGCCCTTGATTCTTG
AATGAGGATCATTGGATGGGGAGAGAGAATTACAGGAGGTGGTGTGAAAGGACTGGGATTACAAAGACTCGGATATGTC
CTAGAAGAGATGAGTCGCATACCAGGAGGAAGGATGTATGCAGATGATACTGCTGGCTGGGACACCCGCATCAGCAGGT
TTGATCTGGAGAATGAAGCTCTAATCACCAACCAAATGGAGAAAGGGCACAGGGCCTTGGCATTGGCCATAATCAAGTAC
ACATACCAAAACAAAGTGGTAAAGGTCTTAGACCAGCTGAAAAAGGGGAAGACAGTTATGGACATTATTTCAAGACAAG
40 ACCAAAGGGGGAGCGGACAAGTTGTCACTTACGCTCTTAATACATTACCAACCTGGTGGTGCAGCTCATTGGAATATG
GAGGCTGAGGAAGTTCTAGAGATGCAAGACTTGTGGCTGCTGCGGAGGCCAGAGAAAAGTGACCAACTGGTTGCAAAGC
AACGGATGGGATAGGCTCAAAAGAATGGCAGTCAGTGGAGATGATTGCGTTGTGAAACCAATTGATGATAGGTTTGCAC
ATGCCCTCAGGTTCTTGAATGATATGGGAAAAAGTTAGGAAGGACACACAAGAGTGGAAACCCTCAACTGGATGGGACAA
CTGGGAAGAAGTTCCGTTTTGCTCCCACTTCAACAACTCCATCTTAAGGACGGGAGGTCCATTGTGGTTCCCTGCCG
45 CCACCAAGATGAACTGATTGGCCGAGCCCGCATCACCAGGGGCGGGATGGAGCATCCGGGAGACTGCTTGCCCTAGCA
AAATCATATGCGCAAATGTGGCAGCTCCTTATTTCCACAGAAGGGACCTCCGACTGATGGCCAATGCCATTTGTTTCATCT
GTGCCAGTTGATTGGGTTCCAACCTGGGAGAACTACCTGGTCAATCCATGGAAGGGGAGAATGGATGACCACTGAAGACA
TGCTTGTGGTATGGAACAGAGTGTGGATTGAGGAAAACGACCACATGGAAGACAAGACCCCACTTACAAAATGGACAGA
50 CATTCCCTATTTGGGAAAAAGAGAAGACTTGTGGTGTGGATCTCTCATAGGGCACAGACCGCGTACTACCTGGGCTGAGA
ACATCAAAAATACAGTCAACATGATGCGCAGGATCATAGGTGATGAAGAAAAGTACATGGACTACCTATCCACCCAGGTT
CGCTACTTGGGTGAAGAAGGGTCCACACCTGGAGTGCTGAAGCAACCAATCTTAGTGTTGTCAGGCTGCTAGTCAGCCA
CAGCTTGGGGAAAGCTGTGCAGCCTGTGACCCCCCAGGAGAAAGCTGGGAAACCAAGCCTATAGTCAGGCCGAGAACGC
CATGGCACGGAAGAAGCCATGTGCTGTGAGCCCCCAGAGGACACTGAGTCAAAAAACCCACGCGCTTGGAGGCGC
AGGATGGGAAAAAGAGGTGGCGACCTTCCCCACCTTCAATCTGGGGCTGAACTGGAGATCAGCTGTGGATCTCCAGA

AGAGGGACTAGTGGTTAGAGGAGACCCCCGAAAAACGCAAAACAGCATATTGACGCTGGGAAAGACCAGAGACTCCA
TGAGTTTCCACCACGCTGGCCGCCAGGCACAGATCGCCGAATAGCGGCGGCCGGTGTGGGGAATCCATGGGTCT

SEQ ID NO: 9

KU707826.1 Zika virus isolate SSABR1, Brazil, complete genome

5 GACAGTTCGAGTTTGAAGCGAAAGCTAGCAACAGTATCAACAGTTTTATTTGGATTGGAAACGAGAGTTTCTGGTCAT
GAAAAACCCAAAAAGAAATCCGGAGGATTCCGGATTGTCAATATGCTAAAACGCGGAGTAGCCCGTGTGAGCCCTTT
GGGGGCTTGAAGAGGCTGCCAGCCGACTTCTGCTGGGTCATGGGCCCATCAGGATGGTCTTGCGATTCTAGCCTTTTT
10 GAGATTCACGGCAATCAAGCCATCACTGGGTCTCATCAATAGATGGGGTTCAGTGGGAAAAAGAGGCTATGGAATA
ATAAAGAAGTTCAAGAAAGATCTGGCTGCCATGCTGAGAATAATCAATGCTAGGAAGGAGAAGAAGAGACGAGGCGCA
GATACTAGTGTGGAATTGTTGGCCTCTGCTGACCACAGCTATGGCAGCGGAGGTCACTAGACGTGGGAGTGCATACTA
TATGTACTTGGACAGAAACGATGCTGGGGAGGCCATATCTTTTCAACCACATTGGGGATGAATAAGTGTATATACAGA
TCATGGATCTTGGACACATGTGTGATGCCACCATGAGCTATGAATGCCCTATGCTGGATGAGGGGGTGAACACGATGAC
15 GTCGATTGTTGGTGCAACACGACGTCAACTTGGGTTGTGTACGGAACCTGCCATCAGAAAAAGGTGAAGCACGGAGAT
CTAGAAGAGCTGTGACGCTCCCTCCCTCCATTCCACTAGGAAGCTGCAACGCGGTCGAAACCTGGTTGGAATCAAGAGAA
TACACAAAGCACTTGATTAGAGTCGAAAATTGGATATTCAGGAACCTGGCTTCGCGTTAGCAGCAGCTGCCATCGCTTG
GCTTTTGGGAAGCTCAACGAGCCAAAAAGTCATATACTTGGTCATGATACTGCTGATTGCCCCGGCATACAGCATCAGGT
GCATAGGAGTCAGCAATAGGGACTTTGTGGAAGGTATGTCAGGTGGGACCTGGGTTGATGTTGCTTGAACATGGAGG
20 TTGTGTCACCGTAATGGCACAGGACAAACCGACTGTCGACATAGAGCTGGTTACAACAACAGTCAGCAACATGGCGGAG
GTAAGATCCTACTGCTATGAGGCATCAATATCAGACATGGCTTCGGACAGCCGCTGCCAACACAAGGTGAAGCCTACCT
TGACAAGCAATCAGACACTCAATATGTCTGCAAAAGAACGTTAGTGGACAGAGGCTGGGGAATGGATGTGGACTTTTT
GGCAAAGGGAGCCTGGTGACATGCGCTAAGTTTGCATGCTCCAAGAAAATGACCGGGAAGAGCATCCAGCCAGAGAATC
TGGAGTACCGGATAATGCTGTCAGTTCATGGCTCCAGCACAGTGGGATGATTGTTAATGACACAGGACATGAAACTGAT
25 GAGAATAGAGCGAAAGTTGAGATAACGCCCAATTCACCAAGAGCCGAAGCCACCCTGGGGGGTTTTGGAAGCCTAGGAC
TTGATTGTGAACCGAGGACAGGCCTTGACTTTTTCAGATTTGTATTACTTGACTATGAATAACAAGCACTGGTTGGTTCACA
AGGAGTGGTTCACGACATTCCATTACCTTGGCAGCTGGGGCAGACACCGGAACCTCCACTGGAACAACAAAGAACG
ACTGGTAGAGTTCAAGGACGCACATGCCAAAAGGCAAACTGTCGTGGTCTAGGGAGTCAAGAAGGAGCAGTTCACACG
GCCCTTGCTGGAGCTCTGGAGGCTGAGATGGATGGTGCAAAGGGAAGGCTGTCCTTGGCCACTTGAAATGTCGCTGA
AAATGGATAAACTTAGATTGAAGGGCGTGTCACTCCTTGTGTACTGCAGCGTTCACATTACCAAGATCCCGGCTGAAA
30 CACTGCACGGGACAGTCACAGTGGAGGTACGTACGAGGGACAGATGGACCTTGCAAGGTTCCAGCTCAGATGGCGGT
GGACATGCAAACTTGACCCAGTTGGGAGGTTGATAACCGCTAACCCCGTAATCACTGAAAGCACTGAGAACTCTAAGA
TGATGCTGGAACCTGATCCACCATTTGGGGACTCTTACATTGTATAGGAGTCGGGGAGAAGAAGATCACCCACCACTGG
CACAGGAGTGGCAGCACCATTTGAAAAAGCATTTGAAGCCACTGTGAGAGGTGCCAAGAGAATGGCAGTCTTGGGAGAC
ACAGCCTGGGACTTTGGATCAGTTGGAGGCGCTCTCAACTATTGGGCAAGGGCATCCATCAAATTTTTGGAGCAGCTTT
35 CAAATCATTTGTTGGAGGAATGTCCTGGTTCTCAGAAATTTCTATTGGAACGTTGCTGATGTGGTTGGGTCTGAACACAAA
GAATGGATCTATTTCCCTTATGTGCTTGGCCTTAGGGGGAGTGTTGATCTTCTATCCACAGCCGCTCTGCTGATGTGGG
GTGCTCGGTGGACTTCTCAAAGAAGGAGACGAGATGCGGTACAGGGGTGTTCTGTCTATAACGACGTTGAAGCCTGGAGG
GACAGGTACAAGTACCATCTGACTCCCCCGTAGATTGGCAGCAGCAGTCAAGCAAGCCTGGGAAGATGGTATCTGCG
GGATCTCCTCTGTTTCAAGAATGAAAAACATCATGTGGAGATCAGTAGAAGGGGAGCTCAACGCAATCCTGGAAGAGAA
40 TGGAGTTCAACTGACGTCGTTGTGGGATCTGTAAAAAACCCCATGTGGAGAGGTCCACAGAGATTGCCCGTGCCTGTGA
ACGAGCTGCCCCACGCTGGAAGGCTTGGGGGAAATCGTACTTCGTGAGAGCAGCAAGACAAATAACAGCTTTGTGCT
GGATGGTGACACACTGAAGGAATGCCCACTCAAACATAGAGCATGGAACAGCTTTCTGTGGAGGATCATGGGTTTCGGG
GTATTTCACTAGTGTCTGGCTCAAGGTTAGAGAAGATTATTCATTAGAGTGTGATCCAGCCGTTATTGGAACAGCTGTT
AAGGGAAAGGAGGCTGTACACAGTGATCTAGGCTACTGGATTGAGAGTGAGAAGAATGACACATGGAGGCTGAAGAGG
45 GCCCATCTGATCGAGATGAAAACATGTGAATGGCCAAAGTCCCACACATTGTGGACAGATGGAATAGAAGAGAGTGATC
TGATCATACCAAGTCTTTAGCTGGGCCACTCAGCCATCAATAACAGAGAGGGCTACAGGACCCAAATGAAAGGGCCA
TGGCAGAGTGAAGAGCTTGAATTCGTTTGAAGGAATGCCAGGCACTAAGGTCCACGTGGAGGAAACATGTGGAACAA
GAGGACCATCTCTGAGATCAACCACTGCAAGCGGAAGGGTGATCGAGGAATGGTGCTGCAGGGAGTGCAATGCCCCC
ACTGTCGTTCCGGGCTAAAGATGGCTGTTGGTATGGAATGGAGATAAGGCCAGGAAAGAACCAGAAAGCAACTTAGTA
50 AGGTCAATGGTGACTGCAGGATCAACTGATCAGATGGACCACTTCTCCCTTGGAGTGCTTGTGATTCTGCTCATGGTGCAG
GAAGGGCTGAAGAAGAGAATGACCACAAAGATCATATAAGCACATCAATGGCAGTGCTGGTAGCTATGATCCTGGGAG
GATTTTCAATGAGTGACCTGGCTAAGCTTGAATTTGATGGGTGCCACCTTCGCGGAAATGAACACTGGAGGAGATGTA
GCTCATCTGGCGCTGATAGCGGCATTCAAAGTCAGACCAGCGTTGCTGGTATCTTTTCATCTTCAGAGCTAATTGGACCCC
CGTGAAAGCATGCTGCTGGCCTTGGCCTCGTGTCTTTGCAAACTGCGATCTCCGCTTGAAGGGCAGCTGATGGTTCTC

ATCAATGGTTTTGCTTTGGCCTGGTTGGCAATACGAGCGATGGTTGTTCCACGCACTGATAACATCACCTTGGCAATCCTG
GCTGCTCTGACACCACTGGCCCCGGGGCACACTGCTTGTGGCGTGGAGAGCAGGCCTTGCTACTTGCGGGGGGTTTATGCT
CCTCTCTCTGAAGGGAAAAAGGCAGTGTGAAGAAGAACTTACCATTGTGTCATGGCCCTGGGACTAACCCTGTGAGGCTGG
TCGACCCCATCAACGTGGTGGGACTGCTGTTGCTCACAAGGAGTGGGAAGCGGAGCTGGCCCCCTAGCGAAGTACTCAC
5 AGCTGTTGGCCTGATATGCGCATTGGCTGGAGGGTTCGCCAAGGCAGATATAGAGATGGCTGGGCCATGGCCGCGGTC
GGTCTGCTAATTGTGCTGATTACGTGGTCTCAGGAAAGAGTGTGGACATGTACATTGAAAGAGCAGGTGACATCACATGGG
AAAAAGATGCGGAAGTCACTGGAAACAGTCCCCGGCTCGATGTGGCGCTAGATGAGAGTGGTGATTCTCCCTGGTGGGA
GGATGACGGTCCCCCATGAGAGAGATCATACTCAAGGTGGTCTGATGACCATCTGTGGCATGAACCCAATAGCCATAC
10 CCTTTCAGCTGGAGCGTGGTACGTATACGTGAAGACTGGAAAAAGGAGTGGTGCTCTATGGGATGTGCTGCTCCCAA
GGAAGTAAAAAAGGGGGAGACCACAGATGGAGTGTACAGAGTAATGACTCGTAGACTGCTAGGTTCAACACAAGTTGG
AGTGGGAGTTATGCAAGAGGGGGTCTTTCACACTATGTGGCACGTCAAAAAGGATCCGCGCTGAGAAGCGGTGAAGG
GAGACTTGATCCATACTGGGGAGATGTCAAGCAGGATCTGGTGTACACTGTGGTCCATGGAAGCTAGATGCCGCTGG
GACGGGCACAGCGAGGTGCAGCTCTTGGCCGTGCCCCCGGAGAGAGAGCGAGGAACATCCAGACTCTGCCCGGAATAT
TTAAGACAAAGGATGGGGACATTGGAGCGTTGCGCTGATTACCCAGCAGGAACCTCAGGATCTCCAATCTAGACAA
15 GTGTGGGAGAGTGATAGGACTTTATGGCAATGGGGTCTGATCAAAAATGGGAGTTATGTTAGTGCCATCACCCAAGGG
AGGAGGGAGGAAGAGACTCCTGTTGAGTGTTCGAGCCTTCGATGCTGAAGAAGAAGCAGCTAACTGTCTTAGACTTGC
ATCCTGGAGCTGGGAAAACAGGAGAGTTCTTCTGAAATAGTCCGTGAAGCCATAAAAAACAAGACTCCGTACTGTGATC
TTAGCTCCAACAGGGTTGTCGCTGCTGAAATGGAGGAGGCCCTTAGAGGGCTTCCAGTGCGTTATATGACAACAGCAGT
CAATGTCACCCACTCTGGAACAGAAATCGTCGACTTAATGTGCCATGCCACCTTCACTTCACGTCTACTACAGCCAATCAGA
20 GTCCCAACTATAATCTGTATATTATGGATGAGGCCCACTTCACAGATCCCTCAAGTATAGCAGCAAGAGGATACATTTCA
ACAAGGGTTGAGATGGGCGAGGCGGCTGCCATCTTCATGACCGCCACGCCACCAGGAACCCGTGACGCATTTCCGGACT
CCAACCTACCAATTATGGACACCGAAGTGGAAGTCCAGAGAGAGCCTGGAGCTCAGGCTTTGATTGGGTGACGGATCA
TTCTGGAAAAACAGTTTGGTTTGTTCGAAGCGTGAGGAACGGCAATGAGATCGCAGCTTGTCTGACAAAGGCTGGAAAAAC
GGGTCATACAGCTCAGCAGAAAAGACTTTTGAGACAGAGTTCCAGAAAAACAAACATCAAGAGTGGGACTTTGTCGTGAC
25 AACTGACATTTAGAGATGGGCGCCAACCTTAAAGCTGACCGTGTGATAGATTCCAGGAGATGCCTAAAGCCGGTCATAC
TTGATGGCGAGAGAGTCACTTGGCTGGACCATGCTGTGACACATGCCAGCGCTGCCAGAGGAGGGGGGCGCATAGG
CAGGAATCCCAACAAACCTGGAGATGAGTATCTGTATGGAGGTGGGTGCGCAGAGACTGACGAAGACCATGCACACTGG
CTTGAAGCAAGAATGCTCCTTGACAATATTTACCTCCAAGATGGCCTCATAGCCTCGCTCTATCGACCTGAGGCCGACAAA
GTAGCAGCCATTGAGGGAGAGTTCAAGCTTAGGACGAGCAAAAGGAAGACCTTTGTGGAACCTATGAAAAGAGGAGAT
30 CTTCTGTTTGGCTGGCCTATCAGGTTGCATCTGCCGAATAACCTACACAGATAGAAGATGGTGCTTTGATGGCACGACC
AACAAACACATAATGGAAGACAGTGTGCCGGCAGAGGTGTGGACCAGACACGGAGAGAAAAAGTGTCAAACCGAGG
TGGATGGACGCCAGAGTTTGTTCAGATCATGCGGCCCTGAAGTCATTCAAGGAGTTTGGCGTGGGAAAAGAGGAGCGG
CTTTTGGAGTGATGGAAGCCCTGGGAACACTGCCAGGACACATGACAGAGAGATTCCAGGAAGCCATTGACAACCTCGC
TGTGCTCATGCGGGCAGAGACTGGAAGCAGGCCTTACAAAGCCGCGGCGGCCCAATTGCCGAGACCTTAGAGACCATT
35 ATGCTTTTGGGGTTGCTGGGAACAGTCTCGTGGAATCTTCTCTGCTTGTGATGAGGAACAAGGGCATAGGGAAGATGG
GCTTTGGAATGGTGACTCTTGGGGCCAGCGCATGGCTCATGTGGCTCTCGGAAATTGAGCCAGCCAGAATTGCATGTGTC
CTCATTGTTGTGTTTCTATTGCTGGTGGTGCTCATACCTGAGCCAGAAAAGCAAAGATCTCCCCAGGACAACCAAATGGCA
ATCATCATCATGGTAGCAGTAGGTCTTCTGGGCTTGATTACCGCCAATGAACTCGGATGGTTGGAGAGAACAAGAGTGGA
CCTAAGCCATCTAATGGGAAGGAGAGAGGAGGGGGCAACCATAGGATTCTCAATGGACATTGACCTGCGGCCAGCCTCA
40 GCTTGGGCCATCTATGCTGCCTTGACAACCTTTCATTACCCAGCCGTCCAACATGCAGTGACCACTTCATACAACAACACTACT
CCTTAATGGCGATGGCCACGCAAGCTGGAGTGTGTTTGGTATGGGCAAAGGGATGCCATTCTACGCATGGGACTTTGGA
GTCCCGCTGCTAATGATAGGTTGCTACTCACAATTAACACCCCTGACCCTAATAGTGCCATCATTTTGTCTGTGGCGCACT
ACATGTACTTGATCCCAGGGCTGCAGGCAGCAGCTGCGCGTGCTGCCAGAGAAGAGAACGGCAGCTGGCATCATGAAGAA
CCCTGTTGTGGATGGAATAGTGGTGACTGACATTGACACAATGACAATTGACCCCAAGTGGAGAAAAAGATGGGACAG
45 GTGCTACTCATAGCAGTAGCCGTCTCAGCGCCATACTGTGCGGACCGCCTGGGGGTGGGGGGAGGCTGGGGCCCTGA
TCACAGCCGCAACTTCACTTTGTGGGAAGGCTCTCCGAACAAGTACTGGAACCTCTACAGCCACTTCACTGTGTAACA
TTTTTAGGGGAAGTTACTTGGCTGGAGCTTCTCTAATCTACACAGTAACAAGAAACGCTGGCTTGGTCAAGAGACGTGGG
GGTGGAACAGGAGAGACCCTGGGAGAGAAATGGAAGGCCCGCTTGAACCAGATGTCGGCCCTGGAGTTCTACTCCTACA
AAAAGTCAGGCATCACCGAGGTGTGCAGAGAAGAGGCCCGCCGCGCCCTCAAGGACGGTGTGGCAACGGGAGGCCATG
50 CTGTGTCCCGAGGAAGTGCAAGCTGAGATGGTTGGTGGAGCGGGGATACCTGCAGCCCTATGGAAAGGTCATTGATCT
TGGATGTGGCAGAGGGGGCTGGAGTTACTACGCCGCCACCATCCGCAAGTTCAAGAAGTGAAGGATACACAAAAGG
AGGCCCTGGTTCATGAAGAACCCGTGTTGGTGCAAAGCTATGGGTGGAACATAGTCCGTCTTAAGAGTGGGGTGGACGTC
TTTCATATGGCGGCTGAGCCGTGTGACACGTTGCTGTGTGACATAGGTGAGTCATCATCTAGTCTGAAGTGAAGAAGC
ACGGACGCTCAGAGTCTCTCATGGTGGGGGATTGGCTTGAAAAAGACCAGGAGCCTTTGTATAAAGGTGTTGTGCC

CATACACCAGCACTATGATGGAAACCCTGGAGCGACTGCAGCGTAGGTATGGGGGAGGACTGGTCAGAGTGCCACTCTC
 CCGCAACTCTACACATGAGATGTATTGGGTCTCTGGAGCGAAAAGCAACACCATAAAAAAGTGTGTCCACCACGAGCCAGC
 TCCTCTTGGGGCGCATGGACGGGCCTAGGAGGCCAGTGAAATATGAGGAGGATGTGAATCTCGGCTCTGGCACGCGGGC
 TGTGGTAAGCTGCGCTGAAGCTCCCAACATGAAGATCATTGGTAACCGCATTGAAAGGATCCGCAGTGAGCACGCGGAA
 5 ACGTGGTTCTTTGACGAGAACCACCCATATAGGACATGGGCTTACCATGGAAGCTATGAGGCCCCACACAAGGGTCAGC
 GTCCTCTCTAATAAACGGGGTTGTGAGGCTCCTGTCAAAACCCTGGGATGTGGTGACTGGAGTCACAGGAATAGCCATGA
 CCGACACCACACCGTATGGTCAGCAAAGAGTTTTCAAGGAAAAAGTGACACTAGGGTGCCAGACCCCAAGAAGGCAC
 TCGTCAGGTTATGAGCATGGTCTCTTCTGGTTGTGGAAAGAGCTAGGCAAACACAAACGGCCACGAGTCTGTACCAAAG
 AAGAGTTCATCAACAAGTTCTGATGCAATGCAGCATTAGGGGCAATATTTGAAGAGGAAAAAGAGTGGAAGACTGCAGT
 10 GGAAGCTGTGAACGATCCAAGTTCTGGGCTCTAGTGGATAAGGAAAAGAGAGACCCACCTGAGAGGAGAGTGCCAGAG
 TTGTGTGTACAACATGATGGGAAAAAGAGAAAAAGAAACAAGGGGAATTTGAAAGGCCAAGGGCAGCCGCGCCATCTG
 GTATATGTGGCTAGGGGCTAGATTTCTAGAGTTCGAAGCCCTTGGATTCTTGAACGAGGATCACTGGATGGGGAGAGAG
 AACTCAGGAGGTGGTGTGAAGGGCTGGGATTACAAAGACTCGGATATGTCCTAGAAGAGATGAGTCGTATACCAGGAG
 GAAGGATGTATGCAGATGACACTGCTGGCTGGGACACCCGCATCAGCAGGTTTGATCTGGAGAATGAAGCTCTAATCACC
 15 AACCAATGGAAAAAGGGCACAGGGCCTTGGCATTGGCCATAATCAAGTACACATACCAAAACAAAGTGGTAAAGGTCC
 TTAGACCAGCTGAAAAAGGGAAAAAGTTATGGACATTATTTGAGACAAGACCAAGGGGGAGCGGACAAGTTGTCAC
 TTACGCTCTTAACACATTTACCAACCTAGTGGTGCAACTCATTGGAATATGGAGGCTGAGGAAGTTCTAGAGATGCAAG
 ACTTGTGGCTGCTGCGGAGGTGAGAGAAAGTGACCAACTGGTTGCAGAGCAACGGATGGGATAGGCTCAAACGAATGG
 CAGTCAGTGGAGATGATTGCGTTGTGAAGCCAATTGATGATAGGTTTGCACATGCCCTCAGGTTCTTGAATGATATGGGA
 20 AAAGTTAGGAAGGACACACAAGAGTGGAAACCCTCAACTGGATGGGACAACTGGGAAGAAGTTCCGTTTTGCTCCCACC
 ACTTCAACAAGCTCCATCTCAAGGACGGGAGGTCCATTGTGGTTCCCTGCCGCCACCAAGATGAAGTATTGGCCGGGCC
 CGCGTCTCTCCAGGGGCGGGATGGAGCATCCGGGAGACTGCTGCCTAGCAAAATCATATGCGCAAATGTGGCAGCTCCT
 TTATTTCCACAGAAGGGACCTCCGACTGATGGCCAATGCCATTTGTTTCATCTGTGCCAGTTGACTGGGTTCCAAGTGGGAG
 AACTACCTGGTCAATCCATGGAAGGGGAGAATGGATGACCACTGAAGACATGCTTGTGGTGTGGAACAGAGTGTGGATT
 25 GAGGAGAACGACCACATGGAAGACAAGACCCAGTTACGAAATGGACAGACATCCCCTATTTGGGAAAAAGGGAAGACT
 TGTGGTGTGGATCTCTCATAGGGCACAGACCGCGCACCACCTGGGCTGAGAACATTAACACAGTCAACATGGTGCAGC
 AGGATCATAGGTGATGAAGAAAAGTACATGGACTACCTATCCACCAAGTTCGCTACTTGGGTGAAGAAGGGTCTACACC
 TGGAGTGTGTAAGCACCAGTCTTAATGTTGTGAGGCCTGCTAGTCAGCCACAGCTTGGGGAAAGCTGTGCAGCCTGTGA
 CCCCCCAGGAGAAGCTGGGAAACCAAGCCTATAGTCAGGCCGAGAACGCCATGGCACGGAAGAAGCCATGCTGCCTGT
 30 GAGCCCTCAGAGGACACTGAGTCAAAAAACCCACGCGCTTGGAGGCGCAGGATGGGAAAAAGAAGGTGGCGACCTTC
 CCCACCCTCAATCTGGGGCCTGAACTGGAGATCAGCTGTGGATCTCCAGAAGAGGGACTAGTGGTTAGAGGAG

SEQ ID NO: 10

KU744693.1 Zika virus isolate VE_Ganxian, China, complete genome

GTTGTACTGTTGCTGACTCAGACTGCGACAGTTTCAGTTTGAAGCGAAAAGCTAGCAACAGTATCAACAGGTTTTATTTGG
 35 ATTTGGAACGAGAGTTTCTGGTCATGAAAAACCCAAAAAGAAATCCGGAGGATTCCGGATTGTCAATATGCTAAAACG
 CGGAGTAGCCCGTGTGAGCCCTTTGGGGGCTTGAAGAGGCTGCCAGCCGACTTCTGCTGGGTGATGGGCCCATCAGG
 ATGGTCTTGGCAATTCTAGCCTTTTGAAGATTACCGCAATCAAGCCATCACTGGGTCTCATCAATAGATGGGGTTCAGTG
 GGGAAAAAGATGCTATGGAATAATAAAGAAGTTCAAGAAAGATCTGGCTGCCATGCTGAGAATAATCAATGCTAGGA
 40 AGGAGAAGAAGAGACGAGGCGCAGATACTAGTGTGGAATTTGTTGGCTCCTGCTGACCACAGCTATGGCAGCGGAGG
 TCACTAGACGTGGGAGTGCATACTATGTACTTGGACAGAAACGATGCTGGGGAGGCCATATCTTTTCCAACCACATTG
 GGGATGAATAAGTGTATATACAGATCATGGATCTTGGACACATGTGTGATGCCACCATGAGCTATGAATGCCCTATGCT
 GGATGAGGGGGTGGAACCAGATGACGTCGATTGTTGGTGCAACACGACGTCAACTTGGGTTGTGTACGGAACCTGCCAT
 CAAAAAAAGGTGAAGCACGGAGATCTAGAAGAGCTGTGACGCTCCCTTCCATTCCACTAGGAAGCTGCAACGCGGT
 45 CGCAACCTGGTTGGAATCAAGAGAATACACAAAGCACTTGATTAGAGTCGAAAATTGGATATTCAGGAACCTGGCTTC
 GCGTTAGCAGCAGCTGCCATCGCTTGGCTTTTGGGAAGCTCAACGAGCCAAAAAGTCATATACTTGGTCATGATACTGCT
 GATTGCCCCGGCATACAGCATCAGGTGCATAGGAGTCAGCAATAGGGACTTTGTGGAAGGTATGTCAGGTGGGACTTGG
 GTTGATGTTGCTTGAACATGGAGGTTGTGCACCGCAATGGCACAGGACAAACCGACTGTCGACATAGAGCTGGTTAC
 AACAACAGTCAGCAACATGGCGGAGGTAAGATCCTACTGCTATGAGGCATCAATATCAGACATGGCTTCGGACAGCCGCT
 50 GCCCAACACAAGGTGAAGCTACCTTGACAAGCAATCAGACACTCAATATGTTTGCAAAAGAAGCTTAGTGACAGAGGC
 TGGGGAAATGGATGTGGACTTTTGGCAAAGGGAGTCTGGTGACATGCGCTAAGTTTGCATGCTCCAAGAAAATGACCG
 GGAAGAGCATCCAGCCAGAGAATCTGGAGTACCGGATAATGCTGTGAGTTTATGGCTCCAGCACAGTGGGATGCTCGTT
 AATGACACAGGACATGAACTGATGAGAATAGAGCGAAGGTTGAGATAACGCCCAATTACCAAGAGCCGAAGCCACCC
 TGGGGGGTTTTGGAAGCCTAGGACTTGATTGTGAACCGAGGACAGGCCTTGACTTTTCAAGTTTGTATTACTTGACTATGA

ATAACAAGCACTGGTTGGCTCACAAGGAGTGGTTCCACGACATTCCATTACCTTGGCACGCTGGGGCAGCCACCGGAACT
CCACACTGGAACAACAAAGCACTGGTAGAGTTCAAGGACGCACATGCCAAAAGGCAAACCTGTCGTGGTTCTAGGGA
GTCAAGAAGGAGCAGTTCACACGGCCCTTGCTGGAGCTCTGGAGGCTGAGATGGATGGTGCAAAGGGAAGGCTGTCCTC
TGGCCACTTGAAATGTCGCCTGAAAATGGATAAACTTAGATTGAAGGGCGTGTCTACTCCTTGTGTACCGCAGCGTTTAC
5 ATTCACCAAGATCCCGGTGAAACAGTGGACGGGACAGTACAGTGGAGGGACAGTACGGAGGGACAGATGGACCTTG
CAAGGTTCCAGCTCAGATGGCGGTGGACATGCAGACTCTGACCCCAAGTTGGGAGGTTGATAACCGCTAACCCGTAATCA
CTGAAAGCACTGAGAACTCTAAGATGATGCTGGAACCTTGATCCACCATTGGGGACTCTTACATTGTCATAGGAGTCGGG
GAGAAGAAGATCACCCACCACTGGCACAGGAGTGGCAGCACCATTGAAAAAGCATTGAAGCCACTGTGAGAGGTGCCA
AGAGAATGGCAGTCTTGGGAGACACAGCCTGGGACTTTGGATCAGTTGGAGGCGCTCTCAACTCATTGGGCAAGGGCAT
10 CCATCAAATTATTGGAGCAGCTTTCAAATCATTGTTGGAGGAATGTCCTGGTTCTCAGAAATCTCATTGGGACGTTGCTG
ATGTGGTTGGGTCTGAACACAAAGAATGGATCTATTTCCCTTATGTGCTTGGCCTTAGGGGGAGTGTTGATCTTCTTATCC
ACAGCCGTCTCAGGTGGTGTGGGGTCTCGGTGGACTTCTCAAAGAAGGAGACGAGATGCGGTACAGGGGTGTTCTGTCT
ATAACGATGTTGAAGCCTGGAGGGACAGGTACAAGTACCATCTGACTCCCCCGTAGATTGGCAGCAGCAGTCAAGCA
AGCCTGGGAAGATGGTATCTGCGGGATCTCCTCTGTTTCAAGAATGAAAAACATCATGTGGAGATCAGTAGAAGGGGAG
15 CTCAACGCAATCCTGGAAGAGAATGGAGTTCAACTGACGGTCGTTGTGGGATCTGTAAAAAACCCCATGTGGAGAGGTC
CACAGAGATTGCCCGTGCCTGTGAACGAGCTGCCCCAGGCTGGAAGGCTTGGGGGAAATCGTACTTCGTAGAGCAGC
AAAGACAAATAACAGCTTTGTCGTGGATGGTGACACACTGAAGGAATGCCACTCAAACATAGAGCATGGAACAGCTTTC
TTGTGGAGGATCATGGGTTCGGGGTATTTCACTAGTGTCTGGCTCAAGGTTAGAGAAGACTATTGGTTAGAGTGTGAT
CCAGCCGTTATTGGAACAGCTGTTAAGGGAAAGGAGGCTGTACACAGTGATCTAGGCTACTGGATTGAGAGTGAGAAGA
20 ATGACACATGGTGGCTGAAGAGGGCCCATCTGATCGAGATGAAAACATGTGAATGGCCAAAGTCCACACATTGTGGAC
AGATGGAATAGAAGAGAGTGATCTGATCATACCAAGTCTTAGCTGGGCCACTCAGCCATCACAATGCCAGAGAGGGCT
ACAGGACCCAAATGAAAGGGCCATGGCACAGTGAAGAGCTTGAATTCGGTTTGAAGGAATGCCAGGCACTAAGGTCCA
CGTGGAGGAAACATGTGGAACAAGAGGACCATCTCTGAGATCAACCACTGCAAGCGGAAGGGTGATCGAGGAATGGTG
CTCCAGGGAGTGCACAATGCCCCACTGTCCTTCCAGGCTAAAGATGGCTGTTGGTATGGAATGGAGATAAGGCCAGG
25 AAAGAACCAGAAAGCAACTTAGTAAGGTCAATGGTGACTGCAGGATCAACTGATCACATGGATCACTTCTCCCTTGGAGT
GCTTGTGATTCTGCTCATGGTGCAGGAAGGGCTGAAGAAGAGAATGACCACAAAGATCATCATAAGCACATCAATGGCA
GTGCTGGTAGCTATGATCCTGGGAGGATTTTCAATGAGTGACCTGGCTAAGCTTGCAATTTTGATGGGTGCCACCTTCGC
GGAAATGAACACTGGAGGAGATGTAGCTCATCTGGCGCTGATAGCGGCATTCAAAGTCAGACCAGCGTTGCTGGTATCTT
TCATCTTCAGAGCTAATTGGACACCCCGTGAAGCATGCTGCTGGCCTTGGCCTCGTGTCTTTGCAAACTGCGATCTCCG
30 CCTTGAAGGCGACCTGATGGTTCTCATCAATGGTTTTGCTTGGCCTGGTTGGCAATACGAGCGATGGTTGTTCCACGCA
CTGATAACATCACCTTAGCAATCCTGGCTGCTCTGACACCACTGGCCCCGGGGCACACTGCTTGTGGCGTGGAGAGCAGGC
CTTGCTACTTGCGGGGGGTTTATGCTCCTCTCTGAAGGGAAAAAGGCAGTGTGAAGAAGAACTTACCATTGTGATGGC
CCTGGGACTAACCGCTGTGAGGCTGGTCGACCCCATCAACGTGGTGGGACTGCTGTTGCTCACAAGGAGTGGGAAGCGG
AGCTGGCCCCCTAGCGAAGTACTCACAGCTGTTGGCCTGATATGCGCATTGGCTGGAGGGTTCGCCAAGGCAGATATAGA
35 GATGGCTGGGCCCATGGCCGCGGTGCGTCTGCTAATTGTCAGTTACGTGGTCTCAGGAAAGAGTGTGGACATGTACATTG
AAAGAGCAGGTGACATCACATGGGAAAAAGATGCGGAAGTCACTGGAACAGTCCCCGGCTCGATGTGGCGCTAGATG
AGAGTGGTGATTTCTCCCTGGTGGAGGATGACGGTCCCCCATGAGAGAGATCATACTCAAGGTGGTCTGATGACCATC
TGTGGCATGAACCAATAGCCATACCTTTGCGAGCTGGAGCGTGGTACGTATACGTGAAGACTGGAAAAAGGAGTGGTG
CTCTATGGGATGTGCTGCTCCCAAGGAAGTAAAAAGGGGGAGACCACAGATGGAGTGTACAGAGTAATGACTCGCAG
40 ACTGCTAGGTTCAACACAAGTTGGAGTGGGAGTTATGCAAGAGGGGGTCTTTCACACTATGTGGCACGTCACAAAAGGA
TCCGCGCTGAGAAGCGGTGAAGGGAGACTTGATCCATACTGGGAGATGTCAAGCAGGATCTGGTGTCTATGTGGTC
CATGGAAGCTAGATGCCGCTGGGACGGGCACAGCGAGGTGCAGCTCTTGGCCGTGCCCCCGGAGAGAGAGCGAGGA
ACATCCAGACTCTGCCGGAATATTTAAGACAAAGGATGGGGACATTGGAGCGGTTGCACTGGATTACCCAGCAGGAAC
TTCAGGATCTCCAATCTAGACAAGTGTGGGAGAGTGATAGGACTTTATGGCAATGGGGTCTGATCAAAAATGGGAGT
45 TATGTTAGTGCCATCACCAAGGGAGGAGGAGGAAGAGACTCCTGTTGAGTGCTTCGAGCCTTCGATGCTGAAGAAGA
AGCAGCTAACTGTCTTAGACTTGCATCCTGGAGCTGGGAAAAACCAGGAGAGTTCCTTCTGAAATAGTCCGTGAAGCCATA
AAAACAAGACTCCGTACTGTGATCTTGGCTCCAACCAGGGTGTGCTGCTGAAATGGAGGAGGCCCTTAGAGGGCTTCC
AGTGCGTTATATGACAACAGCAGTCAATGTACCCACTCTGGAACAGAAATCGTCGACTTAATGTGCCATGCCACCTTCAC
TTCACGTCTACTACAGCCAATTAGAGTCCCCAACTATAATCTGTATATTATGGATGAGGCCCACTTACAGATCCCTCAAGT
50 ATAGCAGCAAGAGGATACATTTCAACAAGGGTTGAGATGGGCGAGGCGGCTGCCATCTTCATGACCGCCACGCCACCAG
GAACCCGTGACGCATTTCCGGACTCCAACACCAATTATGGACACCGAAGTGAAGTCCAGAGAGAGCCTGGAGCTCA
GGCTTTGATTGGGTGACGGAGTATTCTGGAAAAACAGTTTGGTTTGTCCACGCGTGAGGAACGGCAATGAGATCGCAG
CTTGTCTGACAAAGGCTGGAAAAACGGGTCTACAGCTCAGCAGAAAGACTTTTGAGACAGAGTTCAGAAAAACAAACAT
CAAGAGTGGGACTTTGTCGTGACAACCTGACATTTAGAGATGGGCGCCAACCTTAAAGCTGACCGTGTCTAGATTCCAG

GAGATGCCTAAAGCCGGTCATACTTGGTGGCGAGAGAGTCATTCTGGCTGGACCCATGCCTGTCACACATGCCAGCGCTG
CCCAGAGGAGGGGGCGCATAGGCAGGAATCCCAACAAACCTGGAGATGAGTATCTGTATGGAGGTGGGTGCGCAGAGA
CTGACGAAGACCATGCACACTGGCTTGAAGCAAGAATGCTCCTTGACAATATTTACCTCCAAGATGGCCTCATAGCCTCGC
TCTATCGACCTGAGGCCGACAAAGTAGCAGCCATTGAGGGAGAGTTCAAGCTTAGGACGGAGCAAAGGAAGACCTTTGT
5 GGAAGTTCATGAAAAGAGGAGATCTTCTGTTTGGCTGGCCTATCAGGTTGCATCTGCCGGAATAACCTACACAGATAGAA
GATGGTGCTTTGATGGCACGACCAACAACACCATAATGGAAGACAGTGTGCCGGCAGAGGTGTGGACCAGACACGGAG
AGAAAAGAGTGCTCAAACCGAGGTGGATGGACGCCAGAGTTTGTTCAGATCATGCGGCCCTGAAAGTCAATCAAGGAGTT
TGCCGCTGGGAAAAGAGGAGCGGCTTTTGGAGTGATGGAAGCCCTGGGAACACTGCCAGGACACATGACAGAGAGATT
10 CCAGGAAGCCATTGACAACCTCGCTGTGCTCATGCGGGCAGAGACTGGAAGCAGGCCTTACAAAGCCGCGGCGGCCCAA
TTGCCGGAGACCCTAGAGACCATTATGCTTTTGGGGTTGCTGGGAACAGTCTCGCTGGGAATCTTTTTCGTCTTGATGAGG
AACAAGGGCATAGGGAAGATGGGCTTTGGAATGGTGACTCTTGGGGCCAGCGCATGGCTCATGTGGCTCTCGGAAATTG
AGCCAGCCAGAATTGCATGTGTCCTCATTGTTGTGTTCTATTGCTGGTGGTGCTCATACCTGAGCCAGAAAAGCAAAGAT
CTCCCCAGGACAACCAATGGCCATCATCATCATGGTAGCAGTAGGCTTCTGGGCTTGATTACCGCCAATGAACTCGGAT
GGTTGGAGAGAAACAAAGAGTGACCTAAGCCATCTAATGGGAAGGAGAGAGGAGGGGGCAACCATGGGATTCTCAATGG
15 ACATTGACCTGCGGCCAGCCTCAGCTTGGGCCATCTATCCTGCCTTGACATCTTTCATTACCCAGCCGTCCAACATGCAGT
GACCACTTCATAACAACACTACTCCTTAATGGCGATGGCCACGCAAGCTGGAGTGTTGTTTGGTATGGGCAAAGGGATGC
CATTCTACGCATGGGACTTTGGAGTCCCGCTGCTAATGATAGTTGCTACTCACAATTAACGCCCTGACCCTAATAGTGG
CCATCATTTTGTCTGTGGCGCACTACATGTACTTGATCCCAGGGCTGCAGGCAGCAGCTGCGCGTGCTGCCAGAAGAGA
ACGGCAGCTGGCATCATGAAGAACCCTGTTGTGGAGGGAATAGTGGTGACTGACATTGACACAATGACAATTGACCCCC
20 AAGTGGAGAAAAAGATGGGACAGGTGCTACTCATGGCAGTAGCCGTCTCCAGCGCCATACTGTCGAGGACCGCCTGGGG
GTGGGGGGGAGGCTGGGGCCCTGATCACAGCCGCAACTTCCACTTTGTGGGAAGGCTCTCCGAACAAGTACTGGAAGTCC
TCTACAGCCACCTCACTGTGTAACATTTTAGGGGAAGTTACTTGGCTGGAGCTTCTCTAATCTACACAGTAACAAGAAAC
GCTGGCTTGGTCAAGAGACGTGGGGGTGGAACAGGAGAGACCCTGGGAGAGAAATGGAAGGCCCGCTTGAACCAGAT
GTCGGCCCTGGAGTTCTACTCTACAAAAAGTCAGGCATCACCGAGGTGTGCAGAGAAGAGGCCCGCCGCGCCCTCAAG
25 GACGGTGTGGCAACGGGAGGCCATGCTGTGTCCCAGGAAGTGCAAAGCTGAGATGGTTGGTGGAGCGGGGATACCTG
CAGCCCTATGGAAAGGTCATTGATCTTGATGTGGCAGAGGGGGCTGGAGTTACTACGCCGCCACCATCCGCAAAGTTCA
AGAAGTGAAAGGATACACAAAAGGAGGCCCTGGTCATGAAGAACCCTGTTGGTGCAAAGCTATGGGTGGAACATAGT
CCGTCTTAAGAGTGGGGTGGACGTCTTTCATATGGCGGTGAGCCGTGTGACACGTTGCTGTGTGACATAGGTGAGTCAT
CATCTAGTCTGAAGTGGAAGAAGCACGACGCTCAGAGTCTCTCATGGTGGGGGATTGGCTTAAAAAAGACCAGG
30 AGCCTTTTGTATAAAAGTGTTGTGCCCATACACCAGCACTATGATGGAACCCTGGAGCGACTGCAGCGTAGGTATGGGG
GAGGACTGGTCAGAGTGCCACTCTCCGCAACTCTACACATGAGATGTAAGTGGTCTTGGAGCGAAAAGCAACACCATA
AAAAAGTGTGTCCACCACGAGCCAGCTCCTTGGGGCGCATGGACGGGCCTAGGAGGCCAGTGAAATATGAGGAGGAT
GTGAATCTCGGCTCTGGCACGCGGGCTGTGGTAAGCTGCGCTGAAGCTCCCAACATGAAGATCATTGGTAACCGCATTGA
AAGGATCCGCGCTGAGAAAGCGGAAACGTGGTTCTTTGACGAGAACCACCCATATAGGACATGGGCTTACCATGGAAGC
35 TATGATGCCGCCACACAAGGGTCAGCGTCTCTCTAATAAACGGGGTGTGAGGCTCCTGTCAAAACCCTGGGATGTGGT
GACTGGAGTCACAGGAATAGCCATGACCGACACCACACCGTATGGTCAGCAAAGAGTTTTCAAGGAAAAAGTGGACACT
AGGGTGCCAGACCCCCAAGAAGGCACTCGTCAGGTTATGAGCATGGTCTCTTCTGTTGTGGAAGAGCTAGGCAAAC
ACAAACGGCCACGAGTCTGTACCAAGAAGAGTTCATCAACAAGGTTCTAGCAATGCAGCATTAGGGGCAATATTTGAA
GAGGAAAAAGAGTGGAAAGTGCAGTGGAAGCTGTGAACGATCCAAGGTTCTGGGCTCTAGTGGACAAGGAAAGAGAG
40 CACCACCTGAGAGGAGAGTGCCAGAGTTGTGTGTACATCACAATGGGAAAAAGAGAAAAAGAAACAAGGGGAATTTGGA
AAGGCCAAGGGCAGCCGCGCCATCTGGTATATGTGGCTAGGGGCTAGATTTCTAGAGTTCGAAGCCCTTGGATTCTTGAA
CGAGGATCACTGGATGGGGAGAGAGAAGTCAAGAGGTGGTGTGAAGGGCTGGGATTACAAAGACTCGGATATGTCCT
AGAAGAGATGAGTCGCATACCAGGAGGAAGGATGTATGCAGATGACACTGCTGGCTGGGACACCCGCATCAGCAGGTTT
GATCTGGAGAATGAAGCTAATCACCAACCAATGGAGAAAGGGCACAGGGCCTTGGCATTGGCCATAATCAAGTACA
45 CATACCAAAACAAAGTGGTAAAGGTCCTTAGACCAGCTGAAAAAGGGAAGACAGTTATGGACATTATTTTCGAGACAAGA
CCAAAGGGGGAGCGGACAAGTTGTCACTTACGCTCTCAACACATTTACCAACCTAGTGGTGCAACTCATTGGAATATGG
AGGCTGAGGAAGTTCTAGAGATGCAAGACTTGTGGCTGCTGCGGAGGTGAGAGAAAGTGACCAACTGGTTGCAGAGCA
ACGGATGGGATAGGCTCAAACGAATGGCGGTGAGTGAGATGATTGCGTTGTGAAACCAATTGATGATAGGTTTGCACA
TGCCCTCAGGTTCTTGAATGATATGGGAAAAAGTTAGGAAGGACACACAAGAGTGGAAACCCTCAACTGGATGGGACAAC
50 TGGGAAGAAGTTCCCTTCTGCTCCACCACTTCAACAAGCTCCATCTCAAGGACGGGAGGTCCATTGTGGTTCCCTGCCGC
CACCAGATGAACTGATTGGCCGGGCGCGTCTCTCCAGGGGCGGGATGGAGCATCCGGGAGACTGCTTGCCTAGCAA
AATCATATGCGCAAATGTGGCAGCTCCTTTATTTCCACAGAAGGGACCTCCGACTGATGGCCAATGCCATTTGTTTCATCTG
TGCCAGTTGACTGGGTTCCAAGTGGGAGAACTACCTGGTCAATCCATGGAAAAGGAGAAATGGATGACCACTGAAGACAT
GCTTGTGGCGTGGAACAGAGTGTGGATTGAGGAGAACGACCACATGGAAGACAAGACCCAGTCACGAAATGGACAGA

CATTCCCTATTTGGGAAAAAGGGAAGACTTGTGGTGTGGATCTCTCATAGGGCACAGACCGCGCACCACCTGGGCTGAGA
ACATTAACAAACACAGTCAACATGGTGCAGGATCATAGGTGATGAAGAAAAGTACATGGACTACCTATCCACCCAAGTT
CGCTACTTGGGTGAAGAAAGGTCTACACCTGGAGTGCTGAAGCACCAATCTTAATGTTGTCAGGCCTGCTAGTCAGCCA
CAGCTTGGGGAAAGCTGTGCAGCCTGTGACCCCCCAGGAGAAGCTGGGAAACCAAGCCTATAGTCAGGCCGAGAACGC
5 CATGGCACGGAAGAAGCCATGCTGCCTGTGAGCCCCCTCAGAGGACACTGAGTCAAAAAACCCACGCGCTTGAGGGCGC
AGGATGGGAAAAGAAGGTGGCGACCTTCCCCACCTTCAATCTGGGGCCTGAACTGGAGATCAGCTGTGGATCTCCAGA
AGAGGGACTAGTGGTTAGAGGAGA

SEQ ID NO: 11

10 LC002520.1 Zika virus genomic RNA, strain: MR766-NIID, Uganda, complete genome
AGTTGTTGATCTGTGTGAGTCAGACTGCGACAGTTCGAGTCTGAAGCGAGAGCTAACACAGTATCAACAGGTTTAATTT
GGATTTGAAACGAGAGTTTCTGGTCATGAAAAACCCAAAGAAGAAATCCGGAGGATTCCGGATTGTCAATATGCTAAA
ACGCGGAGTAGCCCGTGTAAACCCCTTGGGAGGTTTGAAGAGTTGCCAGCCGACTTCTGCTGGGTCATGGACCCATCA
GAATGGTTTTGGCGATACTAGCCTTTTGTGATTACAGCAATCAAGCCATCACTGGGCCTTATCAACAGATGGGGTCCG
15 TGGGAAAAAAGAGGCTATGGAATAATAAAGAAAGTTCAAGAAAGATCTTGCTGCCATGTTGAGAATAATCAATGCTAG
GAAAGAGAGGAAGAGACGTGGCGCAGACACCAGCATCGGAATCATTGGCCTCTGCTGACTACAGCCATGGCAGCAGA
GATCACTAGACGCGGGAGTGCATACTACATGTACTTGGATAGGAGCGATGCCGGAAGGCCATTTGTTTTGCTACCAT
TGGGAGTGAACAAGTGCCACGTACAGATCATGGACCTCGGGCACATGTGTGACGCCACCATGAGTTATGAGTGCCCTATG
CTGGATGAGGGAGTGGAACCAGATGATGTCGATTGCTGGTGCAACACGACATCAACTGGGTTGTGTACGGAACCTGTC
20 ATCACAAAAAGGTGAGGCACGGCGATCTAGAAGAGCCGTGACGCTCCCTTCTCACTCTACAAGGAAGTTGCAACGCG
GTCGCAGACCTGGTTAGAATCAAGAGAATACACGAAGCACTTGATCAAGGTTGAAAAGTGGATATTCAGGAACCCCGGG
TTTGCCTAGTGCCGTTGCCATTGCTGGCTTTTGGGAAGCTCGACGAGCCAAAAAGTCATATACTTGGTCATGATACTG
CTGATTGCCCCGGCATAACAGTATCAGGTGCATTGGAGTCAGCAATAGAGACTTCGTGGAGGGCATGTCAGGTGGGACCT
GGGTTGATGTTGCTTGAACATGGAGGCTGCGTTACCGTGATGGCACAGGACAAGCCAACAGTTGACATAGAGTTGGT
25 CACGACGACGGTTAGTAACATGGCCGAGGTAAGATCCTATTGCTACGAGGCATCGATATCGGACATGGCTTCGGACAGTC
GTTGCCAACACAAGGTGAAGCCTACCTTGACAAGCAATCAGACACTCAATATGTCTGCAAAAAGAACATTAGTGGACAGA
GGTTGGGGAAACGTTTGTGGACTTTTGGCAAAGGGAGCTTGGTGACATGTGCAAGTTTACGTGTTCTAAGAAGATGA
CCGGAAGAGCATTCAACCGGAAAATCTGGAGTATCGGATAATGCTATCAGTGCATGGCTCCAGCATAGCGGGATGAC
TGTCATGATATAGGATATGAACTGACGAAAATAGAGCGAAAAGTCGAGGTTACGCCTAATTACCAAGAGCGGAAGCA
30 ACCTTGGGAGGCTTTGGAAGCTTAGGACTTGACTGTGAACCAAGGACAGGCCTTGACTTTTTCAGATCTGTATTACCTGACC
ATGAACAATAAGCATTGGTTGGTGACAAAGAGTGGTTTCATGACATCCCATTGCCTTGGCATGCTGGGGCAGACACTGG
AACTCCACACTGGAACAACAAAGAGGCATTGGTAGAATTCAAGGATGCCACGCCAAGAGGCAAACCGTCGTCGTTCTG
GGGAGCCAGGAAGGAGCCGTTACACGGCTCTCGCTGGAGCTCTAGAGGCTGAGATGGATGGTGCAAAGGGAAAGCTG
TTCTCTGGCCATTTGAAATGCCGCCTAAAAATGGACAAGCTTAGATTGAAGGGCGTGTCATATTCCTGTGCACTGCGGCA
35 TTCACATTACCAAGGTCCCAGCTGAAACACTGCATGGAACAGTCACAGTGGAGGTGCAATATGCAGGGACAGATGGAC
CCTGCAAGATCCAGTCCAGATGGCGGTGGACATGCAGACCCTGACCCCAAGTTGGAAGGCTGATAACCGCCAACCCCGTG
ATTACTGAAAGCACTGAGAACTCAAAGATGATGTTGGAGCTTGACCCACCATTTGGGGATTCTTACATTGTATAGGAGTT
GGGGACAAGAAAATCACCCACCACTGGCATAGGAGTGGTAGCACCATCGGAAAAGGCATTTGAGGCCACTGTGAGAGGC
GCCAAGAGAATGGCAGTCTGGGGGATACAGCCTGGGACTTCGGATCAGTCGGGGGTGTGTTCAACTACTGGGTAAGG
40 GCATTACCAAGATTTTGGAGCAGCCTTCAAATCACTGTTTGGAGGAATGTCCTGGTTCTACAGATCCTCATAGGCACGC
TGCTAGTGTGGTTAGGTTTGAACACAAAGAATGGATCTATCTCCCTCACATGCTTGGCCCTGGGGGGAGTGATGATCTTCC
TCTCCACGGCTGTTTCTGCTGACGTGGGGTGCTCAGTGGACTTCTCAAAAAGGAAACGAGATGTGGCACGGGGGATTTC
ATCTATAATGATGTTGAAGCCTGGAGGGACCGGTACAAGTACCATCCTGACTCCCCCGCAGATTGGCAGCAGCAGTCAA
GCAGGCCTGGGAAGAGGGGATCTGTGGGATCTCATCCGTTTCAAGAATGGAACATCATGTGGAATCAGTAGAAGGG
45 GAGCTCAATGCTATCCTAGAGGAGAATGGAGTTCAACTGACAGTTGTTGTGGGATCTGTAAAAAACCCCATGTGGAGAG
GTCCACAAAGATTGCCAGTGCTGTGAATGAGCTGCCCCATGGCTGGAAAGCCTGGGGGAAATCGTATTTTGTAGGGCG
GCAAAGACCAACAACAGTTTTTGTGTCGACGGTGACACACTGAAGGAATGTCGCTTGGAGCAGAGCATGGAATAGTTT
TCTTGTGGAGGATCACGGGTTTGGAGTCTCCACACCAAGTGTCTGGCTTAAGGTCAGAGAAGATTACTCATTAGAATGTG
ACCCAGCCGTCATAGGAACAGCTGTTAAGGGAAGGGAGGCCGCGCACAGTGATCTGGGCTATTGGATTGAAAGTGAAAA
50 GAATGACACATGGAGGCTGAAGAGGGCCACCTGATTGAGATGAAAACATGTGAATGGCCAAAGTCTCACACATTGTGG
ACAGATGGAGTAGAAGAAAGTGATCTTATCATACCAAGTCTTTAGCTGGTCCACTCAGCCACCACAACACCAGAGAGGG
TTACAGAACCAAGTGAAAGGGCCATGGCACAGTGAAGAGCTTGAAATCCGTTTGGAGGAATGTCCAGGCACCAAGGTT
TACGTGGAGGAGACATGCGGAAGTACAGGACCATCTCTGAGATCAACTACTGCAAGTGGAAGGGTCATTGAGGAATGGT
GCTGTAGGGAATGCACAATGCCCCACTATCGTTTCGAGCAAAAGACGGCTGCTGGTATGGAATGGAGATAAGGCCAG

GAAAGAACCAGAGAGCAACTTAGTGAGGTCAATGGTGACAGCGGGGTCAACCGATCATATGGACCACTTCTCTTGGAG
GTGCTTGTGATTCTACTCATGGTGCAGGAGGGGTTGAAGAAGAGAATGACCACAAAGATCATCATGAGCACATCAATGG
CAGTGCTGGTAGTCATGATCTTGGGAGGATTTTCAATGAGTGACCTGGCCAAGCTTGTGATCCTGATGGGTGCTACTTTCG
CAGAAATGAACACTGGAGGAGATGTAGCTCACTTGGCATTGGTAGCGGCATTTAAAGTCAGACCAGCCTTGCTGGTCTCC
5 TTCATTTTAGAGCCAATTGGACACCCCGTGAGAGCATGCTGCTAGCCCTGGCTTCGTGCTTCTGCAAACTGCGATCTCT
GCTCTTGAAGGTGACTTGATGGTCCTCATTAAATGGATTTGCTTTGGCCTGGTTGGCAATTCGAGCAATGGCCGTGCCACGC
ACTGACAACATCGCTCTACCAATCTTGGCTGCTCTAACACCACTAGCTCGAGGCACACTGCTCGTGGCATGGAGAGCGGG
CCTGGCTACTTGTGGAGGGATCATGCTCCTCTCCCTGAAAGGGAAAGGTAGTGTGAAGAAGAACCTGCCATTTGTCATGG
10 CCCTGGGATTGACAGCTGTGAGGGTAGTAGACCCTATTAATGTGGTAGGACTACTGTTACTACAAGGAGTGGAAGCG
GAGCTGGCCCCCTAGTGAAGTTCTCACAGCCGTTGGCCTGATATGTGCACTGGCCGGAGGGGTTGCCAAGGCAGACATTG
AGATGGCTGGACCCATGGCTGCAGTAGGCTTGCTAATTGTGAGCTATGTGGTCTCGGGAAGAGTGTGGACATGTACATT
GAAAGAGCAGGTGACATCACATGGGAAAAGGACGCGGAAGTCACTGGAAACAGTCCTCGGCTTGACGTGGCACTGGAT
GAGAGTGGTGATTTCTCCTTGGTAGAGGAAGATGGTCCACCCATGAGAGAGATCATACTTAAGGTGGTCTGATGGCCAT
CTGTGGCATGAACCAATAGCTATACCTTTTGTGTCAGGAGCGTGGTATGTGTATGTGAAGACTGGGAAAAGGAGTGGC
15 GCCCTCTGGGACGTGCTGCTCCCAAAGAAGTGAAGAAAAGGAGAGACCACAGATGGAGTGTACAGAGTGATGACTCGCA
GACTGCTAGGTTCAACACAGGTTGGAGTGGGAGTCATGCAAGAGGGAGTCTCCACACCATGTGGCACGTTACAAAAGG
AGCCGCACTGAGGAGCGGTGAGGGAAGACTTGATCCATACTGGGGGGATGTCAAGCAGGACTTGGTGTCTACTGTGG
GCCTTGAAGTTGGATGCAGCTTGGGATGGACTCAGCGAGGTACAGCTTTTGGCCGTACCTCCCGGAGAGAGGGCCAGA
AACATTACAGCCCTGCCTGGAATATTCAAGACAAAGGACGGGGACATCGGAGCAGTTGCTCTGGACTACCTCGCAGGGA
20 CCTCAGGATCTCCGATCTAGACAAATGTGGAAGAGTGATAGGACTCTATGGCAATGGGGTTGTGATCAAGAATGGAAG
CTATGTTAGTGCTATAACCCAGGGAAGAGGGAGGAGGAGACTCCGTTGAATGTTTCGAACCTCGATGCTGAAGAAG
AAGCAGCTAACTGTCTTGGATCTGCATCCAGGAGCCGGAACCAAGGAGAGTCTTCTGAAATAGTCCGTGAAGCCAT
AAAAAAGAGACTCCGGACAGTGATCTTGGCACCACTAGGGTTGTGCTGCTGAGATGGAGGAGGCCTTGAGAGGACTT
CCGGTGCGTTACATGACAACAGCAGTCAACGTACCCATTCTGGGACAGAAATCGTTGATTGATGTGCCATGCCACTTTC
25 ACTTCACGTTACTACAACCCATCAGAGTCCCTAATTACAATCTCTACATCATGGATGAAGCCCACTTCACAGACCCCTCAA
GTATAGCTGCAAGAGGATATATATCAACAAGGGTTGAAATGGGCGAGGCGGCTGCCATTTTTATGACTGCCACACCACCA
GGAACCCGTGATGCGTTTCTGACTCTAACTACCAATCATGGACACAGAAGTGAAGTCCCAGAGAGAGCCTGGAGCTC
AGGCTTTGATTGGGTGACAGACCACTTCTGGGAAAACAGTTTGGTTCTTCAAGCGTGAGAAACGGAATGAAATCGCA
GCCTGTCTGACAAAGGCTGGAAAGCGGGTCATACAGCTCAGCAGGAAGACTTTTGAGACAGAATTTAGAAAAACAAAA
30 ATCAAGAGTGGGACTTTGTACATAACAACTGACATCTCAGAGATGGGCGCCAACCTCAAGGCTGACCGGGTCATAGACTCT
AGGAGATGCCTAAACAGTCATACCTTGATGGTGAGAGAGTCATCTTGGCTGGGCCATGCCTGTACGCATGCTAGTGC
TGCTCAGAGGAGAGGACGTATAGGCAGGAACCTAACAAACCTGGAGATGAGTACATGTATGGAGGTGGGTGTGCAGA
GACTGATGAAGGCCATGCACACTGGCTTGAAGCAAGAATGCTTCTTGACAACATCTACCTCCAGGATGGCCTCATAGCCTC
GCTCTATCGGCTGAGGCCGATAAGGTAGCCGCCATTGAGGGAGAGTTTAAAGCTGAGGACAGAGCAAAGGAAGACCTTC
35 GTGGAACCTCATGAAGAGAGGAGACCTTCCCGTCTGGCTAGCCTATCAGGTTGCATCTGCCGGAATAACTTACACAGACAG
AAGATGGTGCTTTGATGGCACAACCAACAACACCATAATGGAAGACAGCGTACCAGCAGAGGTGTGGACAAAGTATGGA
GAGAAGAGAGTGCTCAAACCGAGATGGATGGATGCTAGGGTCTGTTAGACCATGCGGCCCTGAAGTCGTTCAAAGAAT
TCGCCGCTGGAAGAGAGGAGCGGCTTTGGGAGTAATGAGAGCCCTGGGAACACTGCCAGGACACATGACAGAGAGGT
TTCAGGAAGCCATTGACAACCTCGCCGTGCTCATGCGAGCAGAGACTGGAAGCAGGCCTTATAAGGCAGCGGCAGCCCA
40 ACTGCCGAGACCCATAGAGACCATTATGCTCTTAGGTTTGTGTTGGAACAGTTTCACTGGGGATCTTCTTCGTCTTGATGCG
GAATAAGGGCATCGGGAAGATGGGCTTTGGAATGGTAACCTTGGGGCCAGTGCATGGCTCATGTGGCTTTGGAAT
GAACCAGCCAGAATTGCATGTGTCTCATTGTTGTGTTTTATTACTGGTGGTGTCTATACCCGAGCCAGAGAAGCAAAGA
TCTCCCAAGATAACCAGATGGCAATTATCATCATGGTGGCAGTGGGCCTTCTAGGTTTGATAACTGCAAACGAACTTGGA
TGGCTGGAAAGAACAAAAAATGACATAGCTCATCTAATGGGAAGGAGAGAAGAAGGAGCAACCATGGGATTCTCAATG
45 GACATTGATCTGCGGCCAGCCTCCGCCTGGGCTATCTATGCCGATTGACAACCTCATCACCCAGCTGTCCAACATGCG
GTAACCACTTCATACAACAACTACTCCTTAATGGCGATGGCCACACAAGCTGGAGTGTGTTTGGCATGGGCAAAGGGAT
GCCATTTTATGCATGGGACCTTGGAGTCCCGCTGCTAATGATGGGTTGCTATTACAATTAACACCCCTGACTCTGATAGT
AGCTATCATTCTGCTTGTGGCGCACTACATGTACTTGATCCCAGGCCTACAAGCGGCAGCAGCGCGTGTGCCAGAAAA
GGACAGCAGCTGGCATCATGAAGAATCCCGTTGTGGATGGAATAGTGGTAAGTACATTGACACAATGACAATAGACCC
50 CCAGGTGGAGAAGAAGATGGGACAAGTGTTACTCATAGCAGTAGCCATCTCCAGTGTGTGCTGCTGCGGACCGCCTGG
GGATGGGGGGAGGCTGGAGCTCTGATCACAGCAGCGACCTCCACCTTGTGGGAAGGCTCTCAAACAAATACTGGAAC
CCTCTACAGCCACCTCACTGTGCAACATCTTCAAGGAAGCTATCTGGCAGGAGCTTCCCTTATCTATACAGTGACGAGAA
ACGCTGGCCTGGTTAAGAGACGTGGAGGTGGGACGGGAGAGACTCTGGGAGAGAAGTGGAAAGCTCGTCTGAATCAGA
TGTCGGCCCTGGAGTTCTACTCTATAAAAAAGTCAGGTATCACTGAAGTGTGTAGAGAGGAGGCTCGCCGTGCCCTCAAG

GATGGAGTGGCCACAGGAGGACATGCCGTATCCCGGGGAAGTGCAAAGCTCAGATGGTTGGTGGAGAGAGGATATCTG
CAGCCCTATGGGAAGGTTGTTGACCTCGGATGTGGCAGAGGGGGCTGGAGCTATTATGCCGCCACCATCCGCAAAGTGC
AGGAGGTGAGAGGATACACAAAGGGAGGTCCCGGTCTATGAAGAACCCATGCTGGTGCAAAGCTATGGGTGGAACATAG
TTCGTCTCAAGAGTGGAGTGGACGTCTTCCACATGGCGGCTGAGCCGTGTGACACTCTGCTGTGTGACATAGGTGAGTCA
5 TCATCTAGTCTGAAGTGAAGAGACACGAACACTCAGAGTGCTCTCTATGGTGGGGGACTGGCTTGAAAAAGACCAG
GGGCTTCTGTATAAAGGTGCTGTGCCATACACCAGCACTATGATGGAAACCATGGAGCGACTGCAACGTAGGCATGG
GGGAGGATTAGTCAGAGTGCCATTGTCTCGCAACTCCACACATGAGATGTACTGGGTCTCTGGGGCAAAGAGCAACATCA
TAAAAAGTGTGTCCACCACAAGTCAGCTCCTCTGGGACGCATGGATGGCCCCAGGAGGCCAGTGAAATATGAGGAGGA
TGTGAACCTCGGCTCGGGTACACGAGCTGTGGCAAGCTGTGCTGAGGCTCCTAACATGAAAATCATCGGCAGGCGCATTG
10 AGAGAATCCGCAATGAACATGCAGAAACATGGTTTCTTGATGAAAACCAACCCATACAGGACATGGGCCTACCATGGGAGC
TACGAAGCCCCACGCAAGGATCAGCGTCTTCCCTCGTGAACGGGGTTGTTAGACTCCTGTCAAAGCCTTGGGACGTGGT
GACTGGAGTTACAGGAATAGCCATGACTGACACCACCCATACGGCCAACAAAGAGTCTTCAAAGAAAAAGTGGACACC
AGGGTGCCAGATCCCCAAGAAGGCACTCGCCAGGTAATGAACATAGTCTTCTCTGGCTGTGGAAGGAGCTGGGGAAAC
GCAAGCGGCCACGCGTCTGCACCAAGAAGAGTTTATCAACAAGGTGCGCAGCAATGCAGCACTGGGAGCAATATTTGA
15 AGAGGAAAAAGAATGGAAGACGGCTGTGGAAGCTGTGAATGATCCAAGGTTTTGGGCCCTAGTGGATAGGGAGAGAGA
ACACCACCTGAGAGGAGAGTGTACAGCTGTGTGTACAACATGATGGGAAAAAGAGAAAAAGAAGCAAGGAGAGTTCGG
GAAAGCAAAGGTAGCCGCGCCATCTGGTACATGTGGTTGGGAGCCAGATTCTTGGAGTTGAAGCCCTTGGATTCTTGA
ACGAGGACCATTGGATGGGAAGAGAAAACTCAGGAGGTGGAGTCGAAGGGTTAGGATTGCAAAGACTTGGATACATTC
TAGAAGAAATGAATCGGGCACCAGGAGGAAAGATGTACGAGATGACACTGCTGGCTGGGACACCCGCATTAGTAAGTT
20 TGATCTGGAGAATGAAGCTCTGATTACCAACCAATGGAGGAAGGGCACAGAACTCTGGCGTTGGCCGTGATTAAATAC
ACATACCAAAACAAAGTGGTGAAGGTTCTCAGACCAGCTGAAGGAGGAAAAACAGTTATGGACATCATTTCAAGACAAG
ACCAGAGAGGGAGTGGACAAGTTGTCACTTATGCTCTCAACACATTCACCAACTTGGTGGTGCAGCTTATCCGGAACATG
GAAGCTGAGGAAGTGTTAGAGATGCAAGACTTATGGTTGTTGAGGAAGCCAGAGAAAGTGACCAGATGGTTGCAGAGC
AATGGATGGGATAGACTCAAACGAATGGCGGTCAGTGGAGATGACTGCGTTGTGAAGCCAATCGATGATAGGTTTGCAC
25 ATGCCCTCAGTTCTTGAATGACATGGGAAAAAGTTAGGAAAGACACACAGGAGTGGAAACCTCGACTGGATGGAGCAA
TTGGGAAGAAGTCCCGTTCTGCTCCCACTTCAACAAGCTGTACCTCAAGGATGGGAGATCCATTGTGGTCCCTTGCCG
CCACCAAGATGAACTGATTGGCCGAGCTCGCGTCTACCAGGGGACAGGATGGAGCATCCGGGAGACTGCCTGTCTTGCA
AAATCATATGCGCAGATGTGGCAGCTCCTTATTTCCACAGAAGAGACCTTCGACTGATGGCTAATGCCATTTGCTCGCT
GTGCCAGTTGACTGGGTACCAACTGGGAGAACCACCTGGTCAATCCATGGAAAGGGAGAATGGATGACCACTGAGGACA
30 TGCTCATGGTGTGGAATAGAGTGTGGATTGAGGAGAACGACCATATGGAGGACAAGACTCCTGTAACAAAATGGACAGA
CATTCCCTATCTAGGAAAAAGGGAGGACTTATGGTGTGGATCCCTTATAGGGCACAGACCCCGCACCCTTGGGCTGAAA
ACATCAAAGACACAGTCAACATGGTGGCAGGATCATAGGTGATGAAGAAAAAGTACATGGACTATCTATCCACCCAAGTC
CGCTACTTGGGTGAGGAAGGGTCCACACCCGGAGTGTGTAAGCACCAATTTAGTGTTGTCAGGCCTGCTAGTCAGCCA
CAGTTTGGGGAAAGCTGTGCAGCTGTAACCCCCCAGGAGAAGCTGGGAAACCAAGCTCATAGTCAGGCCGAGAACGC
35 CATGGCACGGAAGAAGCCATGTGCTGTGAGCCCTCAGAGGACACTGAGTCAAAAAACCCACGCGCTTGGAAAGCGC
AGGATGGGAAAAAGAAGGTGGCGACCTTCCCCACCTTCAATCTGGGGCTGAACTGGAGACTAGCTGTGAATCTCCAGC
AGAGGGACTAGTGTTAGAGGAGACCCCGGAAAAACGCAAAACAGCATATTGACGCTGGGAAAGACCAGAGACTCCA
TGAGTTTCCACCACGCTGGCCGCCAGGCACAGATCGCCGAACAGCGGCGGCCGGTGTGGGGAAATCCATGTTTTCT

40 SEQ ID NO: 12

AY632535.2 NC_012532.1 Zika virus strain MR 766, Uganda, complete genome

AGTTGTTGATCTGTGTGAGTCAGACTGCGACAGTTCGAGTCTGAAGCGAGAGCTAACACAGTATCAACAGGTTTAAATTT
GGATTTGGAAACGAGAGTTTCTGGTCATGAAAAACCCAAAGAAGAAATCCGGAGGATCCGGATTGTCAATATGCTAAA
45 ACGCGGAGTAGCCCGTGTAAACCCCTTGGGAGGTTTGAGAGAGTTGCCAGCCGACTTCTGCTGGGTATGGACCCATCA
GAATGGTTTTGGCGATACTAGCCTTTTTGAGATTACAGCAATCAAGCCATCACTGGGCCTTATCAACAGATGGGGTTCCG
TGGGGAAAAAGAGGCTATGGAATAATAAAGAAAGTTCAAGAAAGATCTTGCTGCCATGTTGAGAATAATCAATGCTAG
GAAAGAGAGGAAGAGACGTGGCGCAGACACCAGCATCGGAATCATTGGCCTCTGCTGACTACAGCCATGGCAGCAGA
GATCACTAGACGCGGGAGTGCATACTACATGTACTTGATAGGAGCGATGCCGGGAAGGCCATTTGTTTTGCTACCAT
TGGGAGTGAACAAGTGCCACGTACAGATCATGGACCTCGGGCAGATGTGTGACGCCACCATGAGTTATGAGTGCCCTATG
50 CTGGATGAGGGAGTGAACACAGATGATGTCGATTGCTGGTGCAACACGACATCAACTTGGGTTGTGTACGGAACCTGTC
ATCACAAAAAGGTGAGGCACGGCGATCTAGAAGAGCCGTGACGCTCCCTTCTCACTCTACAAGGAAGTTGCAACGCG
GTCGCAGACCTGGTTAGAATCAAGAGAATACACGAAGCACTTGATCAAGGTTGAAAAGTGGATATTCAGGAACCCCGGG
TTTGCGCTAGTGCCGTTGCCATTGCTGGCTTTTGGGAAGCTCGACGAGCCAAAAAGTCATATACTTGGTCATGATACTG
CTGATTGCCCCGGCATACAGTATCAGGTGCATTGGAGTCAGCAATAGAGACTTCGTGGAGGGCATGTCAGGTGGGACCT

GGGTTGATGTTGCTTGGAAACATGGAGGCTGCGTTACCGTGATGGCACAGGACAAGCCAACAGTCGACATAGAGTTGGT
 CACGACGACGGTTAGTAACATGGCCGAGGTAAGATCCTATTGCTACGAGGCATCGATATCGGACATGGCTTCGGACAGTC
 GTTGCCCAACACAAGGTGAAGCCTACCTTGACAAGCAATCAGACACTCAATATGTCTGCAAAAGAACATTAGTGGACAGA
 5 GGTGGGGGAAACGGTTGTGGACTTTTTGGCAAAGGGAGCTTGGTGACATGTGCAAGTTTACGTGTTCTAAGAAGATGA
 CCGGGAAGAGCATTCAACCGGAAAAATCTGGAGTATCGGATAATGCTATCAGTGATGGCTCCAGCATAGCGGGATGAT
 TGGATATGAAACTGACGAAGATAGAGCGAAAGTCGAGGTTACGCCTAATTCACCAAGAGCGGAAGCAACCTTGGGAGGC
 TTTGGAAGCTTAGGACTTGACTGTGAACCAAGGACAGGCCTTGACTTTTCAGATCTGTATTACCTGACCATGAACAATAAG
 CATTGGTTGGTGACAAAGAGTGGTTTCATGACATCCATTGCCTTGGCATGCTGGGGCAGACACCGGAACTCCACACTG
 10 GAACAACAAAGAGGCATTGGTAGAATTCAAGGATGCCACGCCAAGAGGCAAAACCGTCGTCGTTCTGGGGAGCCAGGAA
 GGAGCCGTTACACGGCTCTCGCTGGAGCTCTAGAGGCTGAGATGGATGGTGCAAAGGGAAGGCTGTTCTCTGGCCATT
 TGAAATGCCGCCTAAAAATGGACAAGCTTAGATTGAAGGGCGTGTATATTCCTTGTGCACTGCGGCATTACATTACCA
 AGGTCCCAGCTGAAACACTGCATGGAACAGTCACAGTGGAGGTGAGTATGCAGGGACAGATGGACCCTGCAAGATCCC
 AGTCCAGATGGCGGTGGACATGCAGACCCTGACCCAGTTGGAAGGCTGATAACCGCCAACCCCGTGATTACTGAAAGC
 ACTGAGAACTCAAAGATGATGTTGGAGCTTGACCCACCATTTGGGGATTCTTACATTGTCATAGGAGTTGGGGACAAGAA
 15 AATCACCCACCACTGGCATAGGAGTGGTAGCACCATCGGAAAGGCATTTGAGGCCACTGTGAGAGGCGCCAAGAGAATG
 GCAGTCTGGGGGATACAGCCTGGGACTTCGGATCAGTCGGGGGTGTGTTCAACTCACTGGGTAAGGGCATTACCAGA
 TTTTGGAGCAGCCTTCAAATCACTGTTTGGAGGAATGTCCTGGTTCTCACAGATCCTCATAGGCACGCTGCTAGTGTGGT
 TAGGTTTGAACACAAAGAATGGATCTATCTCCCTCACATGCTTGGCCCTGGGGGGAGTGATGATCTTCTCTCCACGGCTG
 TTTCTGCTGACGTGGGGTGCTCAGTGGACTTCTCAAAAAGGAAACGAGATGTGGCACGGGGGTATTCTCTATAATGAT
 20 GTTGAAGCCTGGAGGGACCGGTACAAGTACCATCTGACTCCCCCGCAGATTGGCAGCAGCAGTCAAGCAGGCCTGGG
 AAGAGGGGATCTGTGGGATCTCATCGTTTCAAGAATGGAACATCATGTGGAAATCAGTAGAAGGGGAGCTCAATGC
 TATCCTAGAGGAGAATGGAGTTCAACTGACAGTTGTTGTGGGATCTGTAAAAAACCCCATGTGGAGAGGTCCACAAAGAT
 TGCCAGTGCCTGTGAATGAGCTGCCCCATGGCTGGAAAGCCTGGGGGAAATCGATTTTGTAGGGCGGCAAGACCAA
 CAACAGTTTTGTGTCGACGGTGACACACTGAAGGAATGTCCGCTTGAGCACAGAGCATGGAATAGTTTTCTGTGGAGG
 25 ATCAGGGTTTGGAGTCTTCCACACCACTGTCTGGCTTAAGGTGAGAGAAGATTACTATTAGAATGTGACCCAGCCGTCA
 TAGGAACAGCTGTTAAGGGAAGGGAGGCCGCGCACAGTGTCTGGGCTATTGGATTGAAAGTGAAAAGAATGACACAT
 GGAGGCTGAAGAGGGCCACCTGATTGAGATGAAAAATGTGAATGGCCAAAGTCTCACACATTGTGGACAGATGGAGT
 AGAAGAAAGTGATCTTATCATACCAAGTCTTTAGCTGGTCCACTCAGCCACCACAACACCAGAGAGGGTTACAGAACCC
 AAGTGAAAGGGCCATGGCAGTGAAGAGCTTGAATCCGTTTGAGGAATGTCCAGGCACCAAGGTTTACGTGGAGG
 30 AGACATGCGAACTAGAGGACCATCTCTGAGATCAACTACTGCAAGTGAAGGGTCATTGAGGAATGGTGCTGTAGGGA
 ATGCACAATGCCCCCACTATCGTTTCGAGCAAAAGACGGCTGCTGGTATGGAATGGAGATAAGGCCAGGAAAGAACCA
 GAGAGCAACTTAGTGAGGTCAATGGTGACAGCGGGGTCAACCGATCATATGGACCACTTCTCTTGGAGTGCTTGTGAT
 TCTACTCATGGTGACAGGAGGGGTTGAAGAAGAGAATGACCACAAAGATCATCATGAGCACATCAATGGCAGTGCTGGTA
 GTCATGATCTTGGGAGGATTTTCAATGAGTGACCTGGCCAAGCTTGTGATCCTGATGGGTGCTACTTTCGCAGAAATGAA
 35 CACTGGAGGAGATGTAGCTCACTTGGCATTGGTAGCGGCATTTAAAGTCAGACCAGCCTTGCTGGTCTCCTTCATTTTCAG
 AGCCAATTGGACACCCCGTGAGAGCATGCTGCTAGCCCTGGCTTCTGTCTTCTGCAAACTGCGATCTCTGCTCTGAAGG
 TGACTTGATGGTCTCATTAAATGGATTGCTTTGGCCTGGTTGGCAATTCGAGCAATGGCCGTGCCACGCACTGACAACAT
 CGCTCTACCAATCTTGGCTGCTCTAACACCACTAGCTCGAGGCACACTGCTCGTGGCATGGAGAGCGGGCCTGGCTACTT
 GTGGAGGGATCATGCTCCTCTCCCTGAAAGGGAAAGGTAGTGTGAAGAAAGAACCTGCCATTTGTATGGCCCTGGGATT
 40 GACAGCTGTGAGGGTAGTAGACCTATTAATGTGGTAGGACTACTGTTACTACAAGGAGTGGGAAGCGGAGCTGGCCC
 CCTAGTGAAGTTCTCACAGCCGTTGGCCTGATATGTGCACTGGCCGAGGGTTTGCCAAGGCAGACATTGAGATGGCTG
 GACCCATGGCTGCAGTAGGCTTGCTAATTGTGAGTATGTGGTCTCGGGAAAGAGTGTGGACATGTACATTGAAAGAGCA
 GGTGACATCACATGGGAAAAGGACGCGGAAGTCACTGGAACAGTCTCGGCTTGACGTGGCACTGGATGAGAGTGGT
 GACTTCTCCTTGGTAGAGGAAGATGGTCCACCCATGAGAGAGATCATACTCAAGGTGGTCTGATGGCCATCTGTGGCAT
 45 GAACCAATAGCTATACCTTTTGTGTCAGGAGCGTGGTATGTGTATGTGAAGACTGGGAAAAGGAGTGGCGCCCTCTGG
 GACGTGCCTGCTCCCAAAGAAAGTGAAGAAAGGAGAGACCACAGATGGAGTGTACAGAGTGATGACTCGCAGACTGCTA
 GGTTCAACACAGTTGGAGTGGGAGTCATGCAAGAGGGAGTCTTCCACACCATGTGGCACGTTACAAAAGGAGCCGCAC
 TGAGGAGCGGTGAGGGAAGACTTGATCCATACTGGGGGATGTCAAGCAGGACTTGGTGTACATACTGTGGCCCTTGGA
 GTTGGATGCAGCTTGGATGGACTCAGCGAGGTACAGCTTTGGCCGTACCTCCCGGAGAGAGGGCCAGAAACATTGAG
 50 ACCCTGCCTGGAATATTCAAGACAAAGGACGGGGACATCGGAGCAGTTGCTCTGGACTACCCTGCAGGGACCTCAGGAT
 CTCCGATCCTAGACAAATGTGGAAGAGTGATAGGACTCTATGGCAATGGGGTTGTGATCAAGAATGGAAGCTATGTTAGT
 GCTATAACCCAGGGAAAGAGGGAGGAGGAGACTCCGGTTGAATGTTTCGAACCCTCGATGCTGAAGAAGAAGCAGCTA
 ACTGTCTTGGATCTGCATCCAGGAGCCGGAACCAAGGAGAGTCTTCTCTGAAATAGTCCGTGAAGCCATAAAAAAGAG
 ACTCCGGACAGTGATCTTGGCACCAACTAGGGTTGTGCTGCTGAGATGGAGGAGGCCTTGAGAGGACTTCCGGTGCGT

TACATGACAACAGCAGTCAACGTCACCCATTCTGGGACAGAAATCGTTGATTTGATGTGCCATGCCACTTTCACCTTCACGC
TTACTACAACCCATCAGAGTCCCTAATTACAATCTCAACATCATGGATGAAGCCCACTTCACAGACCCCTCAAGTATAGCTG
CAAGAGGATACATATCAACAAGGGTTGAAATGGGCGAGGCGGCTGCCATTTTTATGACTGCCACACCACCAGGAACCCGT
GATGCGTTTTCTGACTCTAACTACCAATCATGGACACAGAAGTGGAAGTCCCAGAGAGAGCCTGGAGCTCAGGCTTTGA
5 TTGGGTGACAGACCATTCTGGGAAAACAGTTTGGTTCGTTCCAAGCGTGAGAAAACGAAATGAAATCGCAGCCTGTCTGA
CAAAGGCTGGAAAGCGGGTCATACAGCTCAGCAGGAAGACTTTTGAGACAGAATTTAGAAAAACAAAAATCAAGAGTG
GGACTTTGTCTATAACAACCTGACATCTCAGAGATGGGCGCAACTTCAAGGCTGACCGGGTCATAGACTCTAGGAGATGCC
TAAACACAGTCATACTTGATGGTGAGAGAGTCATCTTGGCTGGGCCCATGCCTGTCACGCATGCTAGTGCTGCTCAGAGG
AGAGGACGTATAGGCAGGAACCTAACAAACCTGGAGATGAGTACATGTATGGAGGTGGGTGTGCAGAGACTGATGAA
10 GGCCATGCACACTGGCTTGAAGCAAGAATGCTTCTGACAACATCTACCTCCAGGATGGCCTCATAGCCTCGCTCTATCGG
CCTGAGGCCGATAAGGTAGCCGCCATTGAGGGAGAGTTTAAAGTGAGGACAGAGCAAAGGAAAGACCTTCGTGGAACCTC
ATGAAGAGAGGAGACCTTCCCCTGCTAGCCTATCAGGTTGCATCTGCCGGAATAACTTACACAGACAGAAGATGGTG
CTTTGATGGCACAACCAACAACACCATAATGGAAGACAGTGTAACAGCAGAGGTTTGGACAAAGTATGGAGAGAAGAGA
GTGCTCAAACCGAGATGGATGGATGCTAGGGTCTGTTGACACCATGCGGCCCTGAAGTCGTTCAAAGAATTCGCCGCTGG
15 AAAAGAGAGGAGCGCTTTGGGAGTAATGGAGGCCCTGGGAACACTGCCAGGACACATGACAGAGAGGTTTCAGGAAGC
CATTGACAACCTCGCCGTGCTCATGCGAGCAGAGACTGGAAGCAGGCCTTATAAGGCAGCGCGCAGCCCAACTGCCGGAG
ACCCTAGAGACCATTATGCTCTTAGGTTTGTGGAACAGTTTCACTGGGGATCTTCTCGTCTTGATGCGGAATAAGGGC
ATCGGGAAGATGGGCTTTGGAATGGTAACCTTGGGGCCAGTGCATGGCTCATGTGGCTTTCGGAATTGAACCAGCCA
GAATTGCATGTGCTCTATTGTTGTGTTTTATTACTGGTGGTGCTCATACCCGAGCCAGAGAAGCAAAGATCTCCCAAG
20 ATAACCAGATGGCAATTATCATCATGGTGGCAGTGCGCCTTCTAGGTTTGATAACTGCAAACGAACTTGGATGGCTGGAA
AGAACAAAAATGACATAGCTCATCTAATGGGAAGGAGAGAAGAAGGAGCAACCATGGGATTCTCAATGGACATTGATC
TGCGGCCAGCCTCCGCTGGGCTATCTATGCCGATTGACAACCTCATACCCAGCTGTCCAACATGCGGTAACCACTT
CATACAACAACCTACTCCTTAATGGCGATGGCCACACAAGCTGGAGTGCTGTTGGCATGGGCAAAGGGATGCCATTTATG
CATGGGGACCTTGGAGTCCCCTGCTAATGATGGGTTGCTATTACAATTAACACCCCTGACTCTGATAGTAGCTATCATT
25 CTGCTTGTGGCGCACTACATGTACTTGATCCAGGCCTACAAGCGGCAGCAGCGCTGCTGCCAGAAAAGGACAGCAG
CTGGCATCATGAAGAATCCCGTTGTGGATGGAATAGTGGTAAGTACATTGACACAATGACAATAGACCCCAAGGTGGA
GAAGAAGATGGGACAAGTGTTACTCATAGCAGTAGCCATCTCCAGTGCTGTGCTGCTGCGGACCGCCTGGGGATGGGGG
GAGGCTGGAGCTCTGATCACAGCAGCGACCTCCACCTTGTGGGAAGGCTCTCCAAACAAATACTGGAACCTCTACAGC
CACCTCACTGTGCAACATCTTCAGAGGAAGCTATCTGGCAGGAGCTTCCCTTATCTATACAGTGACGAGAAAACGCTGGCCT
30 GGTTAAGAGACGTGGAGGTGGGACGGGAGAGACTCTGGGAGAGAAGTGGAAGCTCGTCTGAATCAGATGTCGGCCCT
GGAGTTTACTCTTATAAAAAGTCAGGTATCACTGAAGTGTGTAGAGAGGAGGCTCGCCGTGCCCTCAAGGATGGAGTG
GCCACAGGAGGACATGCCGTATCCCGGGGAAGTGCAAAGATCAGATGGTTGGAGGAGAGAGGATATCTGCAGCCCTAT
GGGAAGGTTGTTGACCTCGGATGTGGCAGAGGGGGCTGGAGCTATTATGCCGCCACCATCCGCAAAGTGCAGGAGGTG
AGAGGATACACAAAGGGAGGTCCCGGTATGAAGAACCATGCTGGTGCAAAGCTATGGGTGGAACATAGTTCGTCTCA
35 AGAGTGAGTGAGCTCTCCACATGGCGGCTGAGCCGTGTGACACTCTGCTGTGTGACATAGGTGAGTCATCATCTAGT
CCTGAAGTGGAAGAGACACGAACACTCAGAGTGCTCTCTATGGTGGGGGACTGGCTTGAAAAAGACCAGGGGCCCTCT
GTATAAAGGTGCTGTGCCATACACCAGCACTATGATGGAACCATGGAGCGACTGCAACGTAGGCATGGGGGAGGATT
AGTCAGAGTGCCATTGTGTGCAACTCCACACATGAGATGTACTGGGTCTCTGGGGCAAAGAGCAACATCATAAAAAGTG
TGTCCACCACAAGTCAGCTCCTCCTGGGACGCATGGATGGCCCCAGGAGGCCAGTGAAATATGAGGAGGATGTGAACCT
40 CGGCTCGGGTACACGAGCTGTGGCAAGCTGTGCTGAGGCTCCTAACATGAAAATCATCGCAGGCGCATTGAGAGAATC
CGCAATGAACATGCAGAAAACATGGTTTCTTGATGAAAACCAACCATACAGGACATGGGCCTACCATGGGAGCTACGAAGC
CCCCACGCAAGGATCAGCGTCTTCCCTCGTGAACGGGGTTGTTAGACTCCTGTCAAAGCCTTGGGACGTGGTGACTGGAG
TTACAGGAATAGCCATGACTGACACCACACCATAACGGCCAACAAAGAGTCTTCAAAGAAAAAGTGGAACACAGGGTGCC
AGATCCCCAAGAAGGCACTCGCCAGGTAATGAACATAGTCTTCTTCTGGCTGTGGAAGGAGCTGGGGAAACGCAAGCGG
45 CCACGCGTCTGCACCAAGAAGAGTTTATCAACAAGGTGCGCAGCAATGCAGCACTGGGAGCAATATTTGAAGAGGAAA
AAGAATGGAAGACGGCTGTGGAAGCTGTGAATGATCCAAGTTTTGGGCCCTAGTGGATAGGGAGAGAGAACACCACC
TGAGAGGAGAGTGTCACAGCTGTGTGTACAACATGATGGGAAAAAGAGAAAAGCAAGGAGAGTTTCGGGAAAGCA
AAAGGTAGCCGCGCCATCTGGTACATGTGTTGGGAGCCAGATTCTTGGAGTTTGAAGCCCTTGGATTCTTGAACGAGGA
CCATTGGATGGGAAGAGAAAACTCAGGAGGTGGAGTGAAGGGTTAGGATTGCAAAGACTTGGATACATTCTAGAAGA
50 AATGAATCGGGCACCAGGAGGAAAGATGTACGCAGATGACACTGCTGGCTGGGACACCCGCATTAGTAAGTTTGATCTG
GAGAATGAAGCTCTGATTACCAACCAATGGAGGAAGGGCACAGAACTCTGGCGTTGGCCGTGATTAAATACACATACC
AAAACAAAGTGGTGAAGTTCTCAGACCAGCTGAAGGAGGAAAAACAGTTATGGACATCATTTCAAGACAAGACCAGAG
AGGGAGTGGACAAGTTGTCATTATGCTCTCAACACATTACCAACTTGGTGGTGCAGCTTATCCGGAACATGGAAGCTG
AGGAAGTGTTAGAGATGCAAGACTTATGGTTGTTGAGGAAGCCAGAGAAAAGTGACCAGATGGTTGCAGAGCAATGGAT

GGGATAGACTCAAACGAATGGCGGTCTAGTGGAGATGACTGCGTTGTGAAGCCAATCGATGATAGGTTTGACATGCCCT
CAGGTTCTTGAATGACATGGGAAAAGTTAGGAAAGACACACAGGAGTGGAAACCTCGACTGGATGGAGCAATTGGGA
AGAAGTCCCCTTCTGCTCCCACCACTTCAACAAGCTGTACCTCAAGGATGGGAGATCCATTGTGGTCCCTTGCCGCCACCA
AGATGAACTGATTGGCCGAGCTCGCGTCTACCAAGGGGAGGATGGAGCATCCGGGAGACTGCCTGTCTTGCAAAATCA
5 TATGCGCAGATGTGGCAGCTCCTTTATTTCCACAGAAGAGACCTTCGACTGATGGCTAATGCCATTTGCTCGGCTGTGCCA
GTTGACTGGGTACCAACTGGGAGAACCACCTGGTCAATCCATGGAAAGGGAGAATGGATGACCACTGAGGACATGCTCA
TGGTGTGGAATAGAGTGTGGATTGAGGAGAACGACCATATGGAGGACAAGACTCCTGTAACAAAATGGACAGACATTCC
CTATCTAGGAAAAAGGGAGGACTTATGGTGTGGATCCCTTATAGGGCACAGACCCCGACCACTTGGGCTGAAAAATCA
AAGACACAGTCAACATGGTGCAGGATCATAGGTGATGAAGAAAAGTACATGGACTATCTATCCACCCAAGTCCGCTAC
10 TTGGGTGAGGAAGGGTCCACACCCGAGTGTTGTAAGCACCAATTTAGTGTGTCAGGCCTGCTAGTCAGCCACAGTTT
GGGAAAAGCTGTGCAGCCTGTAACCCCCCAGGAGAAGCTGGGAAACCAAGCTCATAGTCAGGCCGAGAACGCCATGG
CACGGAAGAAGCCATGCTGCCTGTGAGCCCCTCAGAGGACACTGAGTCAAAAAACCCACGCGCTTGGAAGCGCAGGAT
GGGAAAAGAAGGTGGCGACCTTCCCCACCTTCAATCTGGGGCCTGAACTGGAGACTAGCTGTGAATCTCCAGCAGAGG
GACTAGTGGTTAGAGGAGACCCCCGAAAACGAAAACAGCATATTGACGTGGGAAAGACCAGAGACTCCATGAGTTT
15 CCACCACGCTGGCCGCCAGGCACAGATCGCCGAATTCGGCGGCCGGTGTGGGGAAATCCATGGTTTCT

SEQ ID NO: 13

KJ776791.1, Zika virus strain H/PF/2013 polyprotein gene, complete cds

AGTATCAACAGGTTTTATTTTGGATTGGAAACGAGAGTTTCTGGTCATGAAAAACCCAAAAAAGAAATCCGGAGGATTC
20 CGGATTGTCAATATGCTAAAACGCGGAGTAGCCCGTGTGAGCCCCTTTGGGGGCTTGAAGAGGCTGCCAGCCGACTTCT
GCTGGGTCTAGGGCCATCAGGATGGTCTTGGCGATTCTAGCCTTTTTGAGATTACGGCAATCAAGCCATCACTGGGTCT
CATCAATAGATGGGGTTCAGTGGGGAAAAAAGAGGCTATGGAATAATAAAGAAGTTCAAGAAAGATCTGGTGCCATG
CTGAGAATAATCAATGCTAGGAAGGAGAAGAAGAGACGAGGCGCAGATACTAGTGTGCGAATTGTTGGCCTCCTGCTGA
CCACAGCTATGGCAGCGGAGGTCACTAGACGTGGGAGTGCATACTATATGTACTTGGACAGAAACGACGCTGGGGAGGC
25 CATATCTTTTCAACCACATTGGGGATGAATAAGTGTATATACAGATCATGGATCTTGGACACATGTGTGATGCCACCAT
GAGCTATGAATGCCCTATGCTGGATGAGGGGTGGAACCAGATGACGTCGATTGTTGGTGAACACGACGTCAACTTGG
GTTGTGTACGGAACCTGCCATCAGAAAAAGGTGAAGCACGGAGATCTAGAAGAGCTGTGACGCTCCCTCCATTCCAC
TAGGAAGCTGCAACGCGGTGCGAAACCTGGTTGGAATCAAGAGAATACAGAAAGCACTTGATTAGAGTCGAAAATTGG
ATATTCAGGAACCTGGCTTCGCGTTAGCAGCAGCTGCCATCGCTTGGCTTTTGGGAAGCTCAACGAGCCAAAAAGTCAT
30 ATACTTGGTCATGATACTGCTGATTGCCCCGGCATAACAGCATCAGGTGCATAGGAGTCAGCAATAGGGACTTTGTGGAAG
GTATGTCAGGTGGGACTTGGGTTGATGTTGTCTTGAACATGGAGGTTGTGTACCCTAATGGCACAGGACAAACCGACT
GTCGACATAGAGCTGGTTACAACAACAGTCAGCAACATGGCGGAGGTAAGATCCTACTGCTATGAGGCATCAATATCGG
ACATGGCTTCGGACAGCCGCTGCCAACACAAGGTGAAGCCTACCTTGACAAGCAATCAGACACTCAATATGTCTGCAAA
AGAACGTTAGTGGACAGAGGCTGGGGAAATGGATGTGGACTTTTTGGCAAAGGGAGCCTGGTGACATGCGCTAAGTTTG
35 CATGCTCCAAGAAAATGACCGGGAAGAGCATCCAGCCAGAGAATCTGGAGTACCGGATAATGCTGTCAGTTTATGGTCC
CAGCACAGTGGGATGATCGTTAATGACACAGGACATGAACTGATGAGAATAGAGCGAAGGTTGAGATAACGCCCAATT
CACCAAGAGCCGAAGCCACCTGGGGGTTTTGGAAGCCTAGGACTTGATTGTGAACCGAGGACAGGCCTTGACTTTTCA
GATTTGTATTACTTGACTATGAATAACAAGCACTGGTTGGTTACAAGGAGTGGTTCCACGACATTCCATTACCTTGGCAC
GCTGGGGCAGACACCGGAACCTCCACTGGAACAACAAGAAGCACTGGTAGAGTTCAAGGACGCACATGCCAAAAGG
40 CAACTGTCGTGGTTCTAGGGAGTCAAGAAGGAGCAGTTACACCGCCCTTGCTGGAGCTCTGGAGGCTGAGATGGATG
GTGCAAAGGGAAGGCTGTCTCTGGCCACTGAAATGTCGCTGAAAATGGATAAACTTAGATTGAAGGGCGTGTACATAC
TCCTTGTGTACCGCAGCGTTACATTACCAAGATCCCGGCTGAAACACTGCACGGGACAGTCACAGTGGAGGTACAGTA
CGCAGGGACAGATGGACCTTGCAAGGTTCCAGCTCAGATGGCGGTGGACATGCAAACTCTGACCCAGTTGGGAGGTTG
ATAACCGCTAACCCGTAATCACTGAAAGCACTGAGAACTCTAAGATGATGCTGGAACCTGATCCACCATTTGGGGACTCT
45 TACATTGTCATAGGAGTCGGGGAGAAGAAGATCACCCACCACTGGCACAGGAGTGGCAGCACCATTGGAAAAGCATTG
AAGCCACTGTGAGAGGTGCCAAGAGAATGGCAGTCTTGGGAGACACAGCCTGGGACTTTGGATCAGTTGGAGGCGCTCT
CAACTCATTGGGCAAGGGCATCCATCAAATTTTGGAGCAGCTTCAAATCATTGTTTGGAGGAATGTCTGGTTCTCACA
AATTCTCATTGGAACGTTGCTGATGTGGTTGGGTCTGAACACAAAGAATGGATCTATTTCCCTTATGTGCTTGGCCTTAGG
GGGAGTGTTGATCTTCTATCCACAGCTGTCTCTGCTGATGTGGGTGCTCGGTGGACTCTCAAAGAAGGAGACGAGAT
50 GCGGTACAGGGGTGTTCTGTATAACGACGTTGAGCCTGGAGGGACAGGTACAAGTACCATCCTGACTCCCCCGTAGA
TTGGCAGCAGCAGTCAAGCAAGCCTGGGAAGATGGTATCTGTGGGATCTCCTCTGTTTCAAGAATGGAAAACATCATGTG
GAGATCAGTAGAAGGGGAGCTCAACGCAATCCTGGAAGAGAATGGAGTTCACTGACGGTCTGTGTGGGATCTGTAAAA
AACCCATGTGGAGAGGTCCACAGAGATTGCCCGTGCCTGTGAACGAGCTGCCCCACGGCTGGAAGGCTTGGGGGAAAT
CGTACTTCGTGAGAGCAGCAAGACAAATAACAGCTTTGTCGTGGATGGTGACACACTGAAGGAATGCCCACTCAAACAT

AGAGCATGGAACAGCTTTCTTGTGGAGGATCATGGGTTCGGGGTATTTCACTAGTGTCTGGCTCAAGGTTAGAGAAGA
 TTATTCATTAGAGTGTGATCCAGCCGTTATTGGAACAGCTGTTAAGGGAAAGGAGGCTGTACACAGTGTATAGGCTACT
 GGATTGAGAGTGAGAAGAATGACACATGGAGGCTGAAGAGGGCCCATCTGATCGAGATGAAAACATGTGAATGGCCAA
 AGTCCACACATTGTGGACAGATGGAATAGAAGAGAGTGTCTGATCATACCCAAGTCTTTAGCTGGGCCACTCAGCCAT
 5 CACAATACCAGAGAGGGGCTACAGGACCCAAATGAAAGGGCCATGGCACAGTGAAGAGCTTGAAATTCGGTTTGAGGAAT
 GCCCAGGCACTAAGGTCCACGTGGAGGAAACATGTGGAACAAGAGGACCATCTCTGAGATCAACCACTGCAAGCGGAAG
 GGTGATCGAGGAATGGTGTGTCAGGGAGTGCACAATGCCCCACTGTCGTTCCGGGCTAAAGATGGCTGTTGGTATGGA
 ATGGAGATAAGGCCCAGGAAAGAACCAGAAAGTAACCTAGTAAGGTCAATGGTGACTGCAGGATCAACTGATCACATGG
 ATCACTTCTCCCTTGGAGTGCTTGTGATTCTGCTCATGGTGCAGGAAGGGCTGAAGAAGAGAATGACCACAAAGATCATC
 10 ATAAGCACATCGATGGCAGTGCTGGTAGCTATGATCCTGGGAGGATTTTCAATGAGTGACCTGGCTAAGCTTGCAATTTT
 GATGGGTGCCACCTTCGCGGAAATGAACACTGGAGGAGATGTAGCTCATCTGGCGCTGATAGCGGCATTCAAAGTCAGA
 CCAGCGTTGCTGGTATCTTTTCATCTTCAGAGCTAATTGGACACCCCGTAAAGCATGCTGCTGGCCTTGGCCTCGTGTCTTT
 TGCAAACGCGATCTCCGCTTGAAGGGCGACCTGATGGTTCTCATCAATGGTTTTGCTTTGGCCTGGTTGGCAATACGAG
 CGATGGTTGTTCCACGCACTGATAACATCACCTTGGCAATCCTGGCTGCTGACACCACTGGCCCGGGCACACTGCTTG
 15 TGGCGTGGAGAGCAGGCCTTGCTACTTGCAGGGGGTTTATGCTCCTCTCTGAAGGGAAAGGCAGTGTGAAGAAGAA
 CTTACCATTGTGTCATGGCCCTGGGACTAACCGCTGTGAGGCTGGTGCAGCCCATCAACGTGGTGGGACTGCTGTTGCTCAC
 AAGGAGTGGGAAGCGGAGCTGGCCCCCTAGCGAAGTACTCACAGCTGTTGGCCTGATATGCGCATTGGCTGGAGGGTTC
 GCCAAGGCAGATATAGAGATGGCTGGGCCCATGGCCGCGGTGGTCTGCTAATTGTCAGTTACGTGGTCTCAGGAAAGA
 GTGTGGACATGTACATTGAAAGAGCAGGTGACATCACATGGGAAAAAGATGCGGAAGTCACTGGAAACAGTCCCCGGCT
 20 CGATGTGGCGCTAGATGAGAGTGGTGATTTCTCCCTGGTGGAGGATGACGGTCCCCCATGAGAGAGATCATACTCAAG
 GTGGTCTGATGACCATCTGTGGCATGAACCAATAGCCATACCCTTTCAGCTGGAGCGTGGTACGTATACGTGAAGAC
 TGGAAAAAGGAGTGGTGCTCTATGGGATGTGCTGCTCCCAAGGAAGTAAAAAGGGGGAGACCACAGATGGAGTGTA
 CAGAGTAATGACTCGTAGACTGCTAGGTTCAACACAAGTTGGAGTGGGAGTTATGCAAGAGGGGGTCTTTCACACTATGT
 GGCACGTCAAAAAGGATCCGCGCTGAGAAGCGGTGAAGGGAGACTTGATCCATACTGGGGAGATGTCAAGCAGGATC
 25 TGGTGTCTACTGTGGTCCATGGAAGCTAGATGCCGCTGGGACGGGCACAGCGAGGTGCAGCTCTTGGCCGTGCCCCC
 CGGAGAGAGAGCGAGGAACATCCAGACTCTGCCCAGGAATATTTAAGACAAAGGATGGGGACATTGGAGCGGTTGCGCT
 GGATTACCCAGCAGGAACCTCAGGATCTCAATCCTAGACAAGTGTGGGAGAGTGATAGGACTTTATGGCAATGGGGTC
 GTGATCAAAAATGGGAGTTATGTTAGTGCCATCACCAAGGGAGGAGGGAGGAAGAGACTCCTGTTGAGTGCTTCGAGC
 CTTGATGCTGAAGAAGAAGCAGCTAACTGTCTTAGACTTGATCCTGGAGCTGGGAAAACAGGAGAGTTCTTCTGAA
 30 ATAGTCCGTGAAGCCATAAAAAACAAGACTCCGTACTGTGATCTTAGCTCCAACCAGGGTTGTCGCTGCTGAAATGGAGGA
 AGCCCTTAGAGGGCTTCCAGTGCGTTATATGACAACAGCAGTCAATGTCACCCACTCTGGAACAGAAATCGTCGACTTAAT
 GTGCCATGCCACCTTCACTTCACGTCTACTACAGCCAATCAGAGTCCCCAACTATAATCTGTATATTATGGATGAGGCCAC
 TTCACAGATCCCTCAAGTATAGCAGCAAGAGGATACATTTCAACAAGGGTTGAGATGGGCGAGGCGGCTGCCATCTTCAT
 GACCGCCACGCCACCAGGAACCCGTGACGCATTTCCGGACTCCAACCTACCAATTATGGACACCGAAGTGGAAGTCCAG
 35 AGAGAGCCTGGAGCTCAGGCTTTGATTGGGTGACGGATCATTCTGAAAAACAGTTTGTTTTGTTTCAAGCGTGAGGAAC
 GGCAATGAGATCGCAGCTTGCTGACAAAGGCTGGAAAACGGGTATACAGCTCAGCAGAAAGACTTTTGAGACAGAGT
 TCCAGAAAACAAAACATCAAGAGTGGGACTTTGTGCTGACAACCTGACATTTTCAAGAGATGGGCGCAACTTTAAAGCTGAC
 CGTGTCTAGATTCCAGGAGATGCCTAAAGCCGGTCTACTTGATGGCGAGAGAGTCACTTGGCTGGACCATGCCTGT
 CACACATGCCAGCGCTGCCAGAGGAGGGGGCGCATAGGCAGGAATCCCAACAAACCTGGAGATGAGTATCTGTATGGA
 40 GGTGGGTGCGCAGAGACTGACGAAGACCATGCACACTGGCTTGAAGCAAGAATGCTCCTTGACAATATTTACCTCCAAGA
 TGGCCTCATAGCCTCGCTCTATCGACCTGAGGCCGACAAAGTAGCAGCCATTGAGGGAGAGTTCAAGCTTAGGACGGAG
 CAAAGGAAGACCTTTGTGAACTCATGAAAAGAGGAGATCTTCTGTTTGGCTGGCCTATCAGGTTGCATCTGCCGAAT
 AACCTACACAGATAGAAGATGGTGCTTTGATGGCACGACCAACAACACCATAATGGAAGACAGTGTGCCGGCAGAGGTG
 TGGACCAGACACGGAGAGAAAAAGAGTGCTCAAACCGAGGTGGATGGACGCCAGAGTTTGTTCAGATCATGCGGCCCTGA
 45 AGTCATTCAAGGAGTTTGCCGCTGGGAAAAGAGGAGCGGCTTTTGGAGTGATGGAAGCCCTGGGAACACTGCCAGGACA
 CATGACAGAGAGATTCCAGGAAGCCATTGACAACCTCGCTGTGCTCATGCGGGCAGAGACTGGAAGCAGGCCTTACAAA
 GCCGCGGCGGCCCAATTGCCGGAGACCCTAGAGACCATTATGCTTTTGGGGTTGCTGGGAACAGTCTCGCTGGGAATCTT
 TTTGCTTGTGATGAGGAACAAGGGCATAGGGAAGATGGGCTTTGGAATGGTGACTCTTGGGGCCAGCGCATGGCTCATG
 50 TGGCTCTCGGAAATTGAGCCAGCCAGAATTGCATGTGTCTCATTGTTGTGTTCTATTGCTGGTGGTGCTCATACCTGAG
 CCAGAAAAGCAAAGATCTCCCCAGGACAACCAATGGCAATCATCATGAGTGGTAGCAGTAGGTCTTCTGGGCTTGATTAC
 CGCCAATGAACTCGGATGGTTGGAGAGAACAAAGAGTGACCTAAGCCATCTAATGGGAAGGAGAGAGGAGGGGGCAAC
 CATAGGATTCTAATGGACATTGACCTGCGGCCAGCCTCAGCTTGGGCCATCTATGCTGCCTTGACAACCTTTCATTACCCCA
 GCCGTCCAACATGCAGTGACCACTTCATACAACAACCTACTCCTAATGGCGATGGCCACGCAAGCTGGAGTGTTGTTTGGT
 ATGGGCAAGGGATGCCATTCTACGCATGGGACTTTGGAGTCCCGCTGCTAATGATAGGTTGCTACTACAATTAACACC

CCTGACCCTAATAGTGGCCATCATTTTGTCTGCTGGCGCACTACATGTACTTGATCCCAGGGCTGCAGGCAGCAGCTGCGC
 GTGCTGCCCAGAAGAGAACGGCAGCTGGCATCATGAAGAACCCTGTTGTGGATGGAATAGTGGTGACTIONGACATTGACAC
 AATGACAATTGACCCCAAGTGGAGAAAAAGATGGGACAGGTGCTACTCATAGCAGTAGCCGTCTCCAGCGCCATACTGT
 CGCGGACCGCTGGGGGTGGGGGGAGGCTGGGGCCCTGATCAGCGGCAACTTCCACTTTGTGGGAAGGCTCTCCGA
 5 ACAAGTACTGGAACCTCTACAGCCACTTCACTGTGAACATTTTATAGGGGAAGTTACTTGGCTGGAGCTTCTCTAATCTA
 CACAGTAACAAGAAACGCTGGCTTGGTCAAGAGACGTGGGGGTGGAACAGGAGAGACCCTGGGAGAGAAATGGAAGG
 CCCGCTTGAACCAGATGTCGGCCCTGGAGTTCTACTCTACAAAAAGTCAGGCATCACCGAGGTGTGCAGAGAAGAGGCC
 CGCCGCGCCCTCAAGGACGCTGTGGCAACGGGAGGCCATGCTGTGTCCCGAGGAAGTGCAAAGCTGAGATGGTTGGTG
 10 GAGCGGGGATACCTGCAGCCCTATGGAAAGGTCATTGATCTTGGATGTGGCAGAGGGGGCTGGAGTTACTACGCCGCCA
 CCATCCGCAAAGTTCAAGAAGTGAAAGGATACACAAAAGGAGGCCCTGGTCATGAAGAACCCTGTTGGTGCAAAGCTA
 TGGGTGGAACATAGTCCGTCTTAAGAGTGGGGTGGACGTCTTTCATATGGCGGCTGAGCCGTGTGACACGTTGCTGTGTG
 ACATAGGTGAGTCATCATCTAGTCCTGAAGTGAAGAAGCACGGACGCTCAGAGTCCTCTCCATGGTGGGGGATTGGCTT
 GAAAAAGAGACCAGGAGCCTTTTGTATAAAAGTGTGTGCCCATACACCAGCACTATGATGGAAACCCTGGAGCGACTGCA
 GCGTAGGTATGGGGGAGGACTGGTCAGAGTGCCACTCTCCGCAACTCTACACATGAGATGTACTGGGTCTCTGGAGCG
 15 AAAAGCAACACCATAAAAAAGTGTGTCCACCAGAGCCAGCTCCTCTTGGGGCGCATGGACGGGCCAGGAGGCCAGTGA
 AATATGAGGAGGATGTGAATCTCGGCTCTGGCACGCGGGCTGTGGTAAGCTGCGCTGAAGCTCCCAACATGAAGATCAT
 TGGTAACCGCATTGAAAGGATCCGCAGTGAGCACGCGGAAACGTGTTCTTTGACGAGAACCACCCATATAGGACATGG
 GCTTACCATGGAAGCTATGAGGCCCCACACAAGGGTCAGCGTCCTCTAATAAACGGGGTTGTCAGGCTCCTGTCAAA
 ACCCTGGGATGTGGTGACTGGAGTCACAGGAATAGCCATGACCACACCACACCGTATGGTCAGCAAAGAGTTTTCAAG
 20 GAAAAAGTGGACACTAGGGTGCCAGACCCCAAGAAGGCACTCGTCAGGTTATGAGCATGGTCTCTTCTGGTTGTGGA
 AAGAGCTAGGCAAACACAACGGCCACGAGTCTGTACCAAAGAAGAGTTCATCAACAAGTTCGTAGCAATGCAGCATT
 AGGGGCAATATTTGAAGAGGAAAAAGAGTGAAGACTGCAGTGAAGCTGTGAACGATCCAAGTTCTGGGCTCTAGT
 GGACAAGGAAAGAGAGCACCACCTGAGAGGAGAGTGCCAGAGTTGTGTGTACAACATGATGGGAAAAAGAGAAAAAGA
 AACAAGGGGAATTTGAAAGGCCAAGGGCAGCCGCGCCATCTGGTATATGTGGCTAGGGGCTAGATTTCTAGAGTTCGA
 25 AGCCCTTGGATTCTTGAACGAGGATCACTGGATGGGGAGAGAGAACTCAGGAGGTGGTGTGAAGGGCTGGGATTACA
 AAGACTCGGATATGTCCTAGAAGAGATGAGTCGCATACCAGGAGGAAGGATGTATGCAGATGACACTGCTGGCTGGGAC
 ACCCGCATCAGCAGTTTGATCTGGAGAATGAAGCTCTAATCACCACCAAATGGAGAAAGGGCACAGGGCCTTGGCAT
 TGGCCATAATCAAGTACACATACCAAAACAAAGTGGTAAAGGTCCTTAGACCAGCTGAAAAAGGGAAGACAGTTATGGA
 CATTATTTGAGACAAGACCAAAGGGGGAGCGGACAAGTTGCACTTACGCTCTTAACACATTTACCAACCTAGTGGTGC
 30 AACTCATTCGGAATATGGAGGCTGAGGAAGTTCTAGAGATGCAAGACTTGTGGCTGCTGCGGAGGTGAGAGAAAGTGA
 CAACTGGTTGCAGAGCAACGGATGGGATAGGCTCAAACGAATGGCAGTCAGTGGAGATGATTGCGTTGTGAAGCCAATT
 GATGATAGGTTTGCACATGCCCTCAGGTTCTTGAATGATATGGGAAAAAGTTAGGAAGGACACACAAGAGTGGAAACCCT
 CAACTGGATGGGACAACCTGGGAAGAAGTTCCGTTTTGCTCCCACTTCAACAAGCTCCATCTCAAGGACGGGAGGTCC
 ATTGTGGTTCCCTGCCGCCACCAAGATGAACTGATTGGCCGGGCGCGTCTCTCCAGGGGCGGGATGGAGCATCCGGG
 35 AGACTGCTTGCCTAGCAAAATCATATGCGCAAATGTGGCAGCTCCTTTATTTCCACAGAAGGGACCTCCGACTGATGGCCA
 ATGCCATTTGTTTCATCTGTGCCAGTTGACTGGGTTCCAAGTGGGAGAACTACCTGGTCAATCCATGGAAAGGGAGAATGG
 ATGACCACTGAAGACATGCTTGTGGTGTGGAACAGAGTGTGGATTGAGGAGAACGACCACATGGAAGACAAGACCCCA
 GTTACGAAATGGACAGACATTCCCTATTTGGGAAAAAGGGAAGACTTGTGGTGTGGATCTCTCATAGGGCACAGACCGC
 GCACCACCTGGGCTGAGAACATTAAAAACACAGTCAACATGGTGCGCAGGATCATAGGTGATGAAGAAAAGTACATGGA
 40 CTACCTATCCACCAAGTTCGCTACTTGGGTGAAGAAGGGTCTACACCTGGAGTGCTGTAAAGCAACATCTTAGTGTTGTC
 AGGCCTGCTAGTCAGCCACAGCTTGGGGAAAGCTGTGCAGCTGTGACCCCCCAGGAGAAGCTGGGAAACCAAGCCTA
 TAGTCAGGCCGAGAACGCCATGGCACGGAAGAAGCCATGCTGCCTGTGAGCCCCTCAGAGGACACTGAGTCAAAAAACC
 CCACGCGCTTGGAGGCGCAGGATGGGAAAAAGGTGGCGACCTTCCCCACCTTCAATCTGGGGCCTGAAGTGGAGAT
 45 CAGCTGTGGATCTCAGAAGAGGGACTAGTGGTTAGAGGAG

In some embodiments, the Zika virus has a RNA genome corresponding to the DNA
 sequence provided by the nucleic acid sequence of any one of SEQ ID NOs: 2-13 or 72. In
 some embodiments, the Zika virus has a variant genome that is at least 80%, 81%, 82%, 83%,
 50 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%,
 99.5%, 99.6%, 99.7%, 99.8% or 99.9% identical to any one of SEQ ID NOs: 2-13 or 72.

Provided below are amino acid sequences of the E-proteins of Zika strains that may be used in the methods, compositions, and/or vaccines described herein.

5 SEQ ID NO: 14

isol-ARB15076.AHF49784.1.Central_African_Republic/291-788 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD RGVNGCGLFGKGS LVTCAKFTCSKKMTGKSIQ PENLEYRIMLSVHGSQHSGMIVNDENRAKVEVT
10 PNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIP LPHWAGADTGTPHWNNKEALVEFKDAHAK
RQTVVVLGSQEGAVHTALAGALEAEMDGAKGR LFSGHLKCR LKMDKLR LKGVSYSLCTAAFTFTKVPAETLHGT VTVVEVQYAG
TDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPPFGDSYIVIGVGDKKITHHWHRS GSTIGKA FEATVRG
AKRMAVLGDTAWDFGSVGGVFNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGGVMIFLSTA
VSA

15 SEQ ID NO: 15

isol-IbH_30656.AEN75265.1.Nigeria/291-788 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD RGVNGCGLFGKGS LVTCAKFTCSKKMTGKSIQ PENLEYRIMLSVHGSQHSGMIVNDENRAKVEVT
20 PNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIP LPHWAGADTGTPHWNNKEALVEFKDAHAK
RQTVVVLGSQEGAVHTALAGALEAEMDGAKGR LFSGHLKCR LKMDKLR LKGVSYSLCTAAFTFTKVPAETLHGT VTVVEVQYAG
RDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPPFGDSYIVIGVGDKKITHHWHRS GSIIIGKA FEATVRG
AKRMAVLGDTAWDFGSVGGVFNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGGVMIFLSTA
VSA

25 SEQ ID NO: 16

ArB1362.AHL43500.1.-/291-794 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD RGVNGCGLFGKGS LVTCAKFTCSKKMTGKSIQ PENLEYRIMLSVHGSQHSGMIVNDXXXXXXXXNR
AEVEVTPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIP LPHWAGADTGTPHWNNKEALVEF
30 KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGR LFSGHLKCR LKMDKLR LKGVSYSLCTAAFTFTKVPAETLHGT VTV
EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPPFGDSYIVIGVGDKKITHHWHRS GSTIGKAF
EATVRGAKRMAVLGDTAWDFGSVGGVFNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGGV
MIFLSTAVSA

35 SEQ ID NO: 17

ArD128000.AHL43502.1.-/291-794 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD RGVNGCGLFGKGS LVTCAKFTCSKKMTGKSIQ PENLEYRIMLSVHGSQHSGMXXXXXGHETDEN
RAKVEVTPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHRLVRKEWFHDIP LPHWAGADTGTPHWNNKEALVEF
40 KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGR LFSGHLKCR LKMDKLR LKGVSYSLCTAAFTFTKVPAETLHGT VTV
EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPPFGDSYIVIGVGDKKITHHWHLKKGS SIGKAF
EATVRGAKRMAVLGDTAWDFGSVGGVFNSLGKGVHQIFGA AFKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGG
VMIFLSTAVSA

45 SEQ ID NO: 18

ArD158095.AHL43505.1.-/291-794 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD RGVNGCGLFGKGS LVTCAKFTCSKKMTGKSIQ PENLEYRIMLSVHGSQHSGMIVNDIGHETDENR
AKVEVTPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIP LPHWAGADTGTPHWNNKEALVEF
50 KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGR LFSGHLKCR LKMDKLR LKGVSYSLCTAAFTFTKVPAETLHGT VTV
EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPPFGDSYIVIGVGDKKITHHWHRS GSTIGKAF

EATVRGAKRMAVLGDTAWDFGSGGVFNSLGKGIHQIFGAAFKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGGV
MIFLSTAVSA

SEQ ID NO: 19

5 ArD158084.AHL43504.1.-/291-794 Flavivirus envelope glycoprotein E.
IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD R G W G N G C G L F G K G S L V T C A K F T C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D I G H E T D E N R
AKVEVTPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MNNKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
10 KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGR LFSGHLKCR LKMDKRLKGVSYSLCTAAFTFTKVP AETLHGT VTV
EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDP PFGDSYIVIGVGDKKITHHWHRS GSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGVFNSLGKGIHQIFGAAFKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGGV
MIFLSTAVSA

SEQ ID NO: 20

15 isol-ARB13565.AHF49783.1.Central_African_Republic/291-794 Flavivirus envelope glycoprotein E.
IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD R G W G N G C G L F G K G S L V T C A K F T C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D I G H E T D E N R
AKVEVTPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MNNKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGR LFSGHLKCR LKMDKRLKGVSYSLCTAAFTFTKVP AETLHGT VTV
20 EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDP PFGDSYIVIGVGDKKITHHWHRS GSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGVFNSLGKGVHQIFGAAFKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGG
VMIFLSTAVSA

SEQ ID NO: 21

25 isol-ARB7701.AHF49785.1.Central_African_Republic/291-794 Flavivirus envelope glycoprotein E.
IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD R G W G N G C G L F G K G S L V T C A K F T C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D I G H E T D E N R
AKVEVTPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MNNKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGR LFSGHLKCR LKMDKRLKGVSYSLCTAAFTFTKVP AETLHGT VTV
30 EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDP PFGDSYIVIGVGDKKITHHWHRS GSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGVFNSLGKGVHQIFGAAFKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGG
VMIFLSTAVSA

SEQ ID NO: 22

35 isol-ArD_41519.AEN75266.1.Senegal/291-794 Flavivirus envelope glycoprotein E.
IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD R G W G N G C G L F G K G S L V T C A K F T C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D I G H E T D E N R
RAKVEVTPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MNNKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVE
FKDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGR LFSGHLKCR LKMDKRLKGVSYSLCTAAFTFTKVP AETLHGT VTV
40 VEVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDP PFGDSYIVIGVGDKKITHHWHRS GSTIGKA
FEATVRGAKRMAVLGDTAWDFGSGGVFNSLGKGIHQIFGAAFKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGG
VMIFLSTAVSA

SEQ ID NO: 23

45 MR766-NIID.BAP47441.1.Uganda/291-794 Flavivirus envelope glycoprotein E.
IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD R G W G N G C G L F G K G S L V T C A K F T C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D I G H E T D E N R
AKVEVTPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MNNKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGR LFSGHLKCR LKMDKRLKGVSYSLCTAAFTFTKVP AETLHGT VTV
50 EVQYAGTDGPCKIPVQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDP PFGDSYIVIGVGDKKITHHWHRS GSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGVFNSLGKGIHQIFGAAFKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGGV
MIFLSTAVSA

SEQ ID NO: 24

LC002520.1/326-829 Zika virus genomic RNA, strain: MR766-NIID, Uganda, Flavivirus envelope glycoprotein E.
 IRCIGVSNRDFVEGMSGGTWVDVVLEHGGCVTVMAQDKPTVDIELVTTTTSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
 DKQSDTQYVCKRTLVDGRWGNGCGLFGKGS�VTCAKFTCSKKMTGKSIQPENLEYRIMLSVHGSQHSGMTVNDIGYETDENR
 AKVEVTPNSPRAEATLGGFGLDCEPRTGLDFSDLYLTMNNKHVLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
 5 KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAAGKLFSGHLKCRKMDKRLKGVSYSLCTAAFTFTKVPAPETLHGTVT
 EVQYAGTDGPCKIPVQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFPGDSYIVIGVGDKKITHHWHRSSTIGKAF
 EATVRGAKRMAVLGDTAWDFGSVGGVFNSLKGKIHQIFGAAFKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGGV
 MIFLSTAVSA

10 SEQ ID NO: 25

isol-MR_766.AEN75263.1.Uganda/291-794 Flavivirus envelope glycoprotein E.

IRCIGVSNRDFVEGMSGGTWVDVVLEHGGCVTVMAQDKPTVDIELVTTTTSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
 DKQSDTQYVCKRTLVDGRWGNGCGLFGKGS�VTCAKFTCSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIVNDIGYETDENR
 AKVEVTPNSPRAEATLGGFGLDCEPRTGLDFSDLYLTMNNKHVLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
 15 KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAAGKLFSGHLKCRKMDKRLKGVSYSLCTAAFTFTKVPAPETLHGTVT
 EVQYAGTDGPCKIPVQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFPGDSYIVIGVGDKKITHHWHRSSTIGKAF
 EATVRGAKRMAVLGDTAWDFGSVGGVFNSLKGKIHQIFGAAFKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGGV
 MIFLSTAVSA

20 SEQ ID NO: 26

ArD7117.AHL43501.1.-/291-794 Flavivirus envelope glycoprotein E.

IRCIGVSNRDFVEGMSGGTWVDVVLEHGGCVTVMAQDKPTVDIELVTTTTSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
 DKQSDTQYVCKRTLVDGRWGNGCGLFGKGS�VTCAKFTCSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIVNDIGHETDENR
 AKVEVTPNSPRAEATLGGFGLDCEPRTGLDFSDLYLTMNNKHVLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
 25 KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAAGKLFSGHLKCRKMDKRLKGVSYSLCTAVCTAAKVPAPETLHGTVT
 VEVQYAGTDGPCKIPVQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFPGDSYIVIGVGDKKITHHWHRSSTIGKAF
 FEATVRGAKRMAVLGDTAWDFGSVGGVFNSLKGKIHQIFGAAFKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGGV
 VMIFLSTAVSA

30 SEQ ID NO: 27

AY632535.2/326-825 NC_012532.1 Zika virus strain MR 766, Uganda, Flavivirus envelope glycoprotein E.

IRCIGVSNRDFVEGMSGGTWVDVVLEHGGCVTVMAQDKPTVDIELVTTTTSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
 DKQSDTQYVCKRTLVDGRWGNGCGLFGKGS�VTCAKFTCSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIGYETDEDRAKVE
 VTPNSPRAEATLGGFGLDCEPRTGLDFSDLYLTMNNKHVLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEFKDAH
 35 AKRQTVVVLGSQEGAVHTALAGALEAEMDGAAGKLFSGHLKCRKMDKRLKGVSYSLCTAAFTFTKVPAPETLHGTVTVEVQY
 AGTDGPCKIPVQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFPGDSYIVIGVGDKKITHHWHRSSTIGKAF
 FEATVRGAKRMAVLGDTAWDFGSVGGVFNSLKGKIHQIFGAAFKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGGV
 MIFLSTAVSA

40 SEQ ID NO: 28

MR_766.AAV34151.1.Uganda/291-790 Flavivirus envelope glycoprotein E. |Q32ZE1|Q32ZE1_9FL

IRCIGVSNRDFVEGMSGGTWVDVVLEHGGCVTVMAQDKPTVDIELVTTTTSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
 DKQSDTQYVCKRTLVDGRWGNGCGLFGKGS�VTCAKFTCSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIGYETDEDRAKVE
 VTPNSPRAEATLGGFGLDCEPRTGLDFSDLYLTMNNKHVLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEFKDAH
 45 AKRQTVVVLGSQEGAVHTALAGALEAEMDGAAGKLFSGHLKCRKMDKRLKGVSYSLCTAAFTFTKVPAPETLHGTVTVEVQY
 AGTDGPCKIPVQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFPGDSYIVIGVGDKKITHHWHRSSTIGKAF
 FEATVRGAKRMAVLGDTAWDFGSVGGVFNSLKGKIHQIFGAAFKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGGV
 MIFLSTAVSA

50 SEQ ID NO: 29

MR_766.YP_009227198.1.Uganda/1-500 envelope protein E [Zika virus]

IRCIGVSNRDFVEGMSGGTWVDVVLEHGGCVTVMAQDKPTVDIELVTTTTSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
 DKQSDTQYVCKRTLVDGRWGNGCGLFGKGS�VTCAKFTCSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIGYETDEDRAKVE
 VTPNSPRAEATLGGFGLDCEPRTGLDFSDLYLTMNNKHVLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEFKDAH

AKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGRFLSGHLKCRKMDKRLKGVSYSLCTAAFTFTKIPAETLHGTVTVEVQY
AGTDGPCKIPVQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFPGDSYIVIGVGDKKITHHWHRSGSTIGKAFEATV
RGAKRMAVLGDTAWDFGSGVGFNSLKGKIHQIFGAAFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLTCLALGGVMIFL
STAVSA

5

SEQ ID NO: 30

KU681081.3/308-811 Zika virus isolate Zika virus/H.sapiens-tc/THA/2014/SV0127- 14, Thailand, Flavivirus
envelope glycoprotein E.

10 IRCIGVSNRDFVEGMSGGTWVDVVLHGGCVTVMAQDKPTVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVDGRWGNGCGLFGKGSVLTCAKFACSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIVNDTGHETDEN
RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLTMNNKHVHKEWFHDIPLPWHAGADTGTTPHWNKEALVEF
KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGRLLSGHLKCRKMDKRLKGVSYSLCTAAFTFTKIPAETLHGTVTV
EVQYAGTDGPCKVPAQMAVDMQTLTPVGRITANPVITEGTENSKMMLELDPFPGDSYIVIGVGEEKITHHWHRSGSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGVGVNSLKGKIHQIFGAAFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
15 VLIFLSTAVSA

SEQ ID NO: 31

isol-Zika_virus%H.sapiens-tc%THA%2014%SV0127-_14.AMD61710.1.Thailand/291-794 Flavivirus envelope
glycoprotein E.

20 IRCIGVSNRDFVEGMSGGTWVDVVLHGGCVTVMAQDKPTVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVDGRWGNGCGLFGKGSVLTCAKFACSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIVNDTGHETDEN
RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLTMNNKHVHKEWFHDIPLPWHAGADTGTTPHWNKEALVEF
KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGRLLSGHLKCRKMDKRLKGVSYSLCTAAFTFTKIPAETLHGTVTV
EVQYAGTDGPCKVPAQMAVDMQTLTPVGRITANPVITEGTENSKMMLELDPFPGDSYIVIGVGEEKITHHWHRSGSTIGKAF
25 EATVRGAKRMAVLGDTAWDFGSGVGVNSLKGKIHQIFGAAFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

SEQ ID NO: 32

CK-ISL_2014.AIC06934.1.Cook_Islands/1-504 Flavivirus envelope glycoprotein E. (Fragment) OS=Zika virus
GN=E PE=4 SV=1

30 IRCIGVSNRDFVEGMSGGTWVDVVLHGGCVTVMAQDKPTVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVDGRWGNGCGLFGKGSVLTCAKFACSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIVNDTGHETDEN
RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLTMNNKHVHKEWFHDIPLPWHAGADTGTTPHWNKEALVEF
KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGRLLSGHLKCRKMDKRLKGVSYSLCTAAFTFTKIPAETLHGTVTV
35 EVQYAGTDGPCKVPAQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFPGDSYIVIGVGEEKITHHWHRSGSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGALNSLKGKIHQIFGAAFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

SEQ ID NO: 33

Natal_RGN.AMB18850.1.Brazil:_Rio_Grande_do_Norte,_Natal/291-794 Flavivirus envelope glycoprotein E.]

40 IRCIGVSNRDFVEGMSGGTWVDVVLHGGCVTVMAQDKPTVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVDGRWGNGCGLFGKGSVLTCAKFACSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIVNDTGHETDEN
RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLTMNNKHVHKEWFHDIPLPWHAGADTGTTPHWNKEALVEF
KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGRLLSGHLKCRKMDKRLKGVSYSLCTAAFTFTKIPAETLHGTVTV
45 EVQYAGTDGPCKVPAQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFPGDSYIVIGVGEEKITHHWHRSGSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGALNSLKGKIHQIFGAAFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

SEQ ID NO: 34

isol-Si323.AMC37200.1.Colombia/1-504 Flavivirus envelope glycoprotein E.

50 IRCIGVSNRDFVEGMSGGTWVDVVLHGGCVTVMAQDKPTVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVDGRWGNGCGLFGKGSVLTCAKFACSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIVNDTGHETDEN
RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLTMNNKHVHKEWFHDIPLPWHAGADTGTTPHWNKEALVEF
KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGRLLSGHLKCRKMDKRLKGVSYSLCTAAFTFTKIPAETLHGTVTV

EVQYAGTDGPCKVPAQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFPGDSYIVIGVGEKKITHHWHRSSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIFGAAFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

5 SEQ ID NO: 35

KU707826.1/317-820 Zika virus isolate SSABR1, Brazil, Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDVLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD R G W G N G C G L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D T G H E T D E N
RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLTMMNNKHVLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
10 KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGRLSSGHLKCRKMDKRLKGVSYSLCTAAFTFTKIPAETLHGTDTV
EVQYAGTDGPCKVPAQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFPGDSYIVIGVGEKKITHHWHRSSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIFGAAFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

15 SEQ ID NO: 36

KU509998.1/326-829 Zika virus strain Haiti/1225/2014, Haiti, Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDVLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD R G W G N G C G L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D T G H E T D E N
RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLTMMNNKHVLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
20 KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGRLSSGHLKCRKMDKRLKGVSYSLCTAAFTFTKIPAETLHGTDTV
EVQYAGTDGPCKVPAQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFPGDSYIVIGVGEKKITHHWHRSSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIFGAAFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

25 SEQ ID NO: 37

isol-GDZ16001.AML82110.1.China/291-794 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDVLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD R G W G N G C G L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D T G H E T D E N
RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLTMMNNKHVLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
30 KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGRLSSGHLKCRKMDKRLKGVSYSLCTAAFTFTKIPAETLHGTDTV
EVQYAGTDGPCKVPAQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFPGDSYIVIGVGEKKITHHWHRSSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIFGAAFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

35 SEQ ID NO: 38

BeH819015.AMA12085.1.Brazil/291-794 Flavivirus envelope glycoprotein E.]

IRCI GVS NRDFVEGMSGGTWVDVLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD R G W G N G C G L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D T G H E T D E N
RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLTMMNNKHVLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
40 KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGRLSSGHLKCRKMDKRLKGVSYSLCTAAFTFTKIPAETLHGTDTV
EVQYAGTDGPCKVPAQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFPGDSYIVIGVGEKKITHHWHRSSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIFGAAFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

45 SEQ ID NO: 39

MRS_OPY_Martinique_PaRi_2015.AMC33116.1.Martinique/291-794 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDVLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD R G W G N G C G L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D T G H E T D E N
RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLTMMNNKHVLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
50 KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGRLSSGHLKCRKMDKRLKGVSYSLCTAAFTFTKIPAETLHGTDTV
EVQYAGTDGPCKVPAQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFPGDSYIVIGVGEKKITHHWHRSSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIFGAAFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

SEQ ID NO: 40

KU501215.1/308-811 Zika virus strain PRVABC59, Puerto Rico, Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDVVLEHGGCVTVMAQDKPTVDIELVTTT VSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD R G W G N G C L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D T G H E T D E N
5 RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
KDAHAKRQT V V V L G S Q E G A V H T A L A G A L E A E M D G A K G R L S S G H L K C R L K M D K L R L K G V S Y S L C T A A F T F T K I P A E T L H G T V T V
EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPFPGDSYIVIGVGEKKITHHWHRSGSTIGKAF
EATVRGAKRMAVLGDTAWDFGSVGGALNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

SEQ ID NO: 41

Haiti%1225%2014.AMB37295.1.Haiti/291-794 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDVVLEHGGCVTVMAQDKPTVDIELVTTT VSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD R G W G N G C L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D T G H E T D E N
15 RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
KDAHAKRQT V V V L G S Q E G A V H T A L A G A L E A E M D G A K G R L S S G H L K C R L K M D K L R L K G V S Y S L C T A A F T F T K I P A E T L H G T V T V
EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPFPGDSYIVIGVGEKKITHHWHRSGSTIGKAF
EATVRGAKRMAVLGDTAWDFGSVGGALNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

SEQ ID NO: 42

KU527068.1/308-811 Zika virus strain Natal RGN, Brazil: Rio Grande do Norte, Natal, Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDVVLEHGGCVTVMAQDKPTVDIELVTTT VSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD R G W G N G C L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D T G H E T D E N
25 RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
KDAHAKRQT V V V L G S Q E G A V H T A L A G A L E A E M D G A K G R L S S G H L K C R L K M D K L R L K G V S Y S L C T A A F T F T K I P A E T L H G T V T V
EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPFPGDSYIVIGVGEKKITHHWHRSGSTIGKAF
EATVRGAKRMAVLGDTAWDFGSVGGALNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
30 VLIFLSTAVSA

SEQ ID NO: 43

isol-Z1106027.ALX35662.1.Suriname/5-508 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDVVLEHGGCVTVMAQDKPTVDIELVTTT VSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD R G W G N G C L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D T G H E T D E N
35 RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
KDAHAKRQT V V V L G S Q E G A V H T A L A G A L E A E M D G A K G R L S S G H L K C R L K M D K L R L K G V S Y S L C T A A F T F T K I P A E T L H G T V T V
EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPFPGDSYIVIGVGEKKITHHWHRSGSTIGKAF
EATVRGAKRMAVLGDTAWDFGSVGGALNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
40 VLIFLSTAVSA

SEQ ID NO: 44

isol-FLR.AMM39804.1.Colombia: _Barranquilla/291-794 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDVVLEHGGCVTVMAQDKPTVDIELVTTT VSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD R G W G N G C L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D T G H E T D E N
45 RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
KDAHAKRQT V V V L G S Q E G A V H T A L A G A L E A E M D G A K G R L S S G H L K C R L K M D K L R L K G V S Y S L C T A A F T F T K I P A E T L H G T V T V
EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPFPGDSYIVIGVGEKKITHHWHRSGSTIGKAF
EATVRGAKRMAVLGDTAWDFGSVGGALNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
50 VLIFLSTAVSA

SEQ ID NO: 45

PLCal_ZV_isol-From_Vero_E6_cells.AHL37808.1.Canada/254-757 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD RGVNGGCGLFGKGS LVTCAKFACSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIVNDTGHETDEN
RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
KDAHAKRQT VVVLGSQEGAVHTALAGALEAEMDGAKRLSSGHLKCR LKMDKLR LKGVSYSLCTAAFTFTKIPAE TLHGTVTV
5 EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPPFGDSYIVIGVGEKKITHHWHRS GSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

SEQ ID NO: 46

10 BeH818995.AMA12084.1.Brazil/291-794 Flavivirus envelope glycoprotein E. [Zika virus].

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD RGVNGGCGLFGKGS LVTCAKFACSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIVNDTGHETDEN
RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
KDAHAKRQT VVVLGSQEGAVHTALAGALEAEMDGAKRLSSGHLKCR LKMDKLR LKGVSYSLCTAAFTFTKIPAE TLHGTVTV
15 EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPPFGDSYIVIGVGEKKITHHWHRS GSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

SEQ ID NO: 47

20 H/PF/2013.AHZ13508.1.French_Polynesia/291-794 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD RGVNGGCGLFGKGS LVTCAKFACSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIVNDTGHETDEN
RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
KDAHAKRQT VVVLGSQEGAVHTALAGALEAEMDGAKRLSSGHLKCR LKMDKLR LKGVSYSLCTAAFTFTKIPAE TLHGTVTV
25 EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPPFGDSYIVIGVGEKKITHHWHRS GSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

SEQ ID NO: 48

30 PRVABC59.AMC13911.1.Puerto_Rico/291-794 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD RGVNGGCGLFGKGS LVTCAKFACSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIVNDTGHETDEN
RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
KDAHAKRQT VVVLGSQEGAVHTALAGALEAEMDGAKRLSSGHLKCR LKMDKLR LKGVSYSLCTAAFTFTKIPAE TLHGTVTV
35 EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPPFGDSYIVIGVGEKKITHHWHRS GSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

SEQ ID NO: 49

40 KU321639.1/326-829 Zika virus strain ZikaSPH2015, Brazil, Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD RGVNGGCGLFGKGS LVTCAKFACSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIVNDTGHETDEN
RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
KDAHAKRQT VVVLGSQEGAVHTALAGALEAEMDGAKRLSSGHLKCR LKMDKLR LKGVSYSLCTAAFTFTKIPAE TLHGTVTV
45 EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPPFGDSYIVIGVGEKKITHHWHRS GSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

SEQ ID NO: 50

50 ZikaSPH2015.ALU33341.1.Brazil/291-794 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD RGVNGGCGLFGKGS LVTCAKFACSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIVNDTGHETDEN
RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
KDAHAKRQT VVVLGSQEGAVHTALAGALEAEMDGAKRLSSGHLKCR LKMDKLR LKGVSYSLCTAAFTFTKIPAE TLHGTVTV

EVQYAGTDGPCKVPAQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFPGDSYIVIGVGEKKITHHWHRSSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIFGAAFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

5 SEQ ID NO: 51

103344.AMC13912.1.Guatemala/291-794 polyprotein [Zika virus]. 103344.AMC13912.1.Guatemala Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEIRSYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD RGVNGCGLFGKGS LVTCAKFACSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIVNDTGHETDEN
10 RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGRLSSGHLKRLKMDKRLRLKGVSYSLCTAAFTFTKIPAE TLHGTVTV
EVQYAGTDGPCKVPAQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFPGDSYIVIGVGEKKITHHWHRSSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIFGAAFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

15 SEQ ID NO: 52

isol-Brazil-ZKV2015.AMD16557.1.Brazil/291-794 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD RGVNGCGLFGKGS LVTCAKFACSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIVNDTGHETDEN
20 RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
KDAHAKRQTVVVLGTQEGAVHTALAGALEAEMDGAKGRLSSGHLKRLKMDKRLRLKGVSYSLCTAAFTFTKIPAE TLHGTVTV
EVQYAGTDGPCKVPAQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFPGDSYIVIGVGEKKITHHWHRSSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIFGAAFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

25 SEQ ID NO: 53

KU497555.1/308-811 Zika virus isolate Brazil-ZKV2015, Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD RGVNGCGLFGKGS LVTCAKFACSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIVNDTGHETDEN
30 RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
KDAHAKRQTVVVLGTQEGAVHTALAGALEAEMDGAKGRLSSGHLKRLKMDKRLRLKGVSYSLCTAAFTFTKIPAE TLHGTVTV
EVQYAGTDGPCKVPAQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFPGDSYIVIGVGEKKITHHWHRSSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIFGAAFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

35 SEQ ID NO: 54

isol-ZJ03.AMM39806.1.China/291-794 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD RGVNGCGLFGKGS LVTCAKFACSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIVNDTGHETDEN
40 RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGRLSSGHLKRLKMDKRLRLKGVSYSLCTAAFTFTKIPAE TLHGTVTV
EVQYAGTDGPCKVPAQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFPGDSYIVIGVGEKKITHHWHRSSTIGKAF
EATVRGARRMAVLGDTAWDFGSGGALNSLGKGIHQIFGAAFKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

45 SEQ ID NO: 55

isol-FSS13025.AFD30972.1.Cambodia/291-794 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVD RGVNGCGLFGKGS LVTCAKFACSKKMTGKSIQPENLEYRIMLSVHGSQHSGMIVNDTGHETDEN
50 RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGRLSSGHLKRLKMDKRLRLKGVSYSLCTAAFTFTKIPAE TLHGTVTV
EVQYAGTDGPCKVPAQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFPGDSYIVIGVGEKKITHHWHRSSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIFGAAFKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLMCLALGG
VLIFLSTAVSA

SEQ ID NO: 56

isol-Z1106032.ALX35660.1.Suriname/291-794 Flavivirus envelope glycoprotein E. [Zika virus]

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
 5 DKQSDTQYVCKRTLVD R G W G N G C L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D T G H E T D E N
 RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
 KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGA KGR LSSGHLKCR LKMDKLR LKGVSYSLCTAAFTFTKIPAE TLHGTVTV
 EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPPFGDSYIVIGVGEKKITHHWHRS GSTIGKAF
 10 EATVRGAKRMAVLGDTAWDFG SVGGALNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLMWLGLN AKNGSISLMCLALGG
 VLIFLSTAVSA

SEQ ID NO: 57

isol-Z1106033.ALX35659.1.Suriname/291-794 Flavivirus envelope glycoprotein E. [Zika virus]

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
 15 DKQSDTQYVCKRTLVD R G W G N G C L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D T G H E T D E N
 RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
 KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGA KGR LSSGHLKCR LKMDKLR LKGVSYSLCTAAFTFTKIPAE TLHGTVTV
 EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPPFGDSYIVIGVGEKKITHHWHRS GSTIGKAF
 20 EATVRGAKRMAVLGDTAWDFG SVGGALNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLMWLGLN AKNGSISLMCLALGG
 VLIFLSTAVSA

SEQ ID NO: 58

isol-BeH828305.AMK49165.1.Brazil/291-794 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
 25 DKQSDTQYVCKRTLVD R G W G N G C L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D T G H E T D E N
 RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
 KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGA KGR LSSGHLKCR LKMDKLR LKGVSYSLCTAAFTFTKIPAE TLHGTVTV
 EVQYAGTDGPCKVPAQMAVDTQTLPVGR LITANPVITESTENSKMMLELDPPFGDSYIVIGVGEKKITHHWHRS GSTIGKA FE
 30 ATVRGAKRMAVLGDTAWDFG SVGGALNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLMWLGLN TKNGSISLMCLALGGV
 LIFLSTAVSA

SEQ ID NO: 59

isol-GD01.AMK79468.1.China/291-794 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
 35 DKQSDTQYVCKRTLVD R G W G N G C L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D T G H E T D E N
 RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
 KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGA KGR LSSGHLKCR LKMDKLR LKGVSYSLCTAAFTFTKIPAE TLHGTVTV
 EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPPFGDSYIVIGVGEKKITHHWHRS GSTIGKAF
 40 EATVRGAKRMAVLGDTAWDFG SVGGALNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLMWLGLN TKNGSISLMCLALGG
 VLIFLSTAVSA

SEQ ID NO: 60

isol-Z1106031.ALX35661.1.Suriname/291-794 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDV VLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVR SYCYEASISDMASDSRCPTQGEAYL
 45 DKQSDTQYVCKRTLVD R G W G N G C L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D T G H E T D E N
 RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLT MN NKHWLVHKEWFHDIPLPWHAGADTGTPHWNNKEALVEF
 KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGA KGR LSSGHLKCR LKMDKLR LKGVSYSLCTAAFTFTKIPAE TLHGTVTV
 EVQYAGTDGPCKVLAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPPFGDSYIVIGVGEKKITHHWHRS GSTIGKAF
 50 EATVRGAKRMAVLGDTAWDFG SVGGALNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLMWLGLN TKNGSISLMCLALGG
 VLIFLSTAVSA

SEQ ID NO: 61

ACD75819.1.Micronesia/291-794 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDVVLEHGGCVTVMAQDKPAVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
 DKQSDTQYVCKRTLVD R G W G N G C G L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D T G H E T D E N
 R A K V E I T P N S P R A E A T L G G F G S L G L D C E P R T G L D F S D L Y L T M N N K H W L V H K E W F H D I P L P W H A G A D T G T P H W N N K E A L V E F
 K D A H A K R Q T V V V L G S Q E G A V H T A L A G A L E A E M D G A K G R L S S G H L K C R L K M D K L R L K G V S Y S L C T A A F T F T K I P A E T L H G T V T V
 5 EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPPFGDSYIVIGVGEKKITHHWHRSGSTIGKAF
 EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGGV
 LIFLSTAVSA

SEQ ID NO: 62

10 KU681082.3/308-811 Zika virus isolate Zika virus/H.sapiens-tc/PHL/2012/CPC-0740, Philippines, Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDVVLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
 DKQSDTQYVCKRTLVD R G W G N G C G L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D T G H E T D E N
 R A K V E I T P N S P R A E A T L G G F G S L G L D C E P R T G L D F S D L Y L T M N N K H W L V H K E W F H D I P L P W H A G A D T G T P H W N N K E A L V E F
 15 K D A H A K R Q T V V V L G S Q E G A V H T A L A G A L E A E M D G A K G R L S S G H L K C R L K M D K L R L K G V S Y S L C T A A F T F T K I P A E T L H G T V T V
 EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPPFGDSYIVIGVGEKKITHHWHRSGSTIGKAF
 EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGGV
 LIFLSTAVSA

20 SEQ ID NO: 63

isol-Zika_virus% H.sapiens-tc% PHL% 2012% CPC-0740.AMD61711.1.Philippines/291-794 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDVVLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
 DKQSDTQYVCKRTLVD R G W G N G C G L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D T G H E T D E N
 25 R A K V E I T P N S P R A E A T L G G F G S L G L D C E P R T G L D F S D L Y L T M N N K H W L V H K E W F H D I P L P W H A G A D T G T P H W N N K E A L V E F
 K D A H A K R Q T V V V L G S Q E G A V H T A L A G A L E A E M D G A K G R L S S G H L K C R L K M D K L R L K G V S Y S L C T A A F T F T K I P A E T L H G T V T V
 EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPPFGDSYIVIGVGEKKITHHWHRSGSTIGKAF
 EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGGV
 LIFLSTAVSA

30 SEQ ID NO: 64

isol-BeH823339.AMK49164.2.Brazil/291-794 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDVVLEHGGCVTVMAQDKPTVDIELVSTTVSNMAEVRSYCYEATISDIASDSRCPTQGEAYLD
 KQSDTQYVCKRTLVD R G W G N G C G L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D T G H E T D E N R
 35 A K V E I T P N S P R A E A T L G G F G S L G L D C E P R T G L D F S D L Y L T M N N K H W L V H K E W F H D I P L P W H A G A D T G T P H W N N K E A L V E F K
 D A H A K R Q T A V V L G S Q E G A V H T A L A G A L E A E M D G A K G R L S S G H L K C R L K M D K L R L K G V S Y S L C T A A F T F T K I P A E T L H G T V T V E
 V Q Y A G T D G P C K V P A Q M A V D M Q T L T P V G R L I T A N P V I T E S T E N S K M M L E L D P P F G D S Y I V I G V G E K K I T H H W H R S G S T I G K A F E
 A T V R G A K R M A V L G D T A W D F G S V G G A L N S L G K G I H Q I F G A A F K S L F G G M S W F S Q I L I G T L L M W L G L N T K N G S I S L M C L A L G G V
 LIFLSTAVSA

40 SEQ ID NO: 65

isol-P6-740.AEN75264.1.Malaysia/291-794 Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDVVLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
 DKQSDTQYVCKRTLVD R G W G N G C G L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M I V N D X G H E T D E N
 45 R A K V E I T P N S P R A E A T L G G F G S L G L D C E P R T G L D F S D L Y L T M N N K H W L V H K E W F H D I P L P W H A G A D T G T P H W N N K E A L V E F
 K D A H A K R Q T V V V L G S Q E G A V H T A L A G A L E A E M D G A K G R L S S G H L K C R L K M D K L R L K G V S Y S L C T A A F T F T K I P A E T L H G T V T V
 EVQYAGTDGPCKVPAQMAVDMQTLTPVGR LITANPVITESTENSKMMLELDPPFGDSYIVIGVGD K K I T H H W X R S G S T I G K A F
 EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIFGA AFKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGGV
 LIFLSTAVSA

50 SEQ ID NO: 66

KU744693.1/326-829 Zika virus isolate VE_Ganxian, China, Flavivirus envelope glycoprotein E.

IRCI GVS NRDFVEGMSGGTWVDVVLEHGGCVTAMAQDKPTVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
 DKQSDTQYVCKRTLVD R G W G N G C G L F G K G S L V T C A K F A C S K K M T G K S I Q P E N L E Y R I M L S V H G S Q H S G M L V N D T G H E T D E N

RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLTMNNKHWLAHKEWFHDIPLPWHAGAATGTPHWNNKEALVEF
KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGRLSSGHLKRLKMDKRLKGVSYSLCTAAFTFTKIPAETVDGTVTV
EGQYGGTDGPCKVPAQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFGDSYIVIGVGEKKITHHWHRSGSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIIGAFAKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSG

SEQ ID NO: 67

isol-VE_Ganxian.AMK79469.1.China/291-794 Flavivirus envelope glycoprotein E.

IRCIQVSNRDFVEGMSGGTWVDVLEHGGCVTAMAQDKPTVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVDGRWGNGCGIFGKGSVLTCAKFAKSKMTGKSIQPENLEYRIMLSVHGSQHSGLMIVNDTGHETDEN
RAKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLTMNNKHWLAHKEWFHDIPLPWHAGAATGTPHWNNKEALVEF
KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGRLSSGHLKRLKMDKRLKGVSYSLCTAAFTFTKIPAETVDGTVTV
EGQYGGTDGPCKVPAQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFGDSYIVIGVGEKKITHHWHRSGSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGALNSLGKGIHQIIGAFAKSLFGGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGG
VLIFLSTAVSG

SEQ ID NO: 68

ArD157995.AHL43503.1.-/291-794 Flavivirus envelope glycoprotein E.

ISCIGVSNRDLVEGMSGGTWVDVLEHGGCVTEMAQDKPTVDIELVTMTVSNMAEVRSYCYEASISDMASASRCPTQGEPSL
DKQSDTQSVCKRTLVDGRWGNGCGIFGKGSVLTCSKFTCKKMPGKSIQPENLEYRIMLPVHGSQHSGLMIVNDIGHETDENR
AKVEITPNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLTMNNKHWLVHKEWFHDIPLPWHAGADTGTTPHWNNKEALVEF
KDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKGRLSSGHLKRLKMDKRLKGVSYSLCTAAFTFTKIPAETLHGTDTV
EVQSAGTDGPCKVPAQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFGDSYIVIGVGDKKITHHWHRSGSTIGKAF
EATVRGAKRMAVLGDTAWDFGSGGVFNSLGKGIHQIFGAFAKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGGV
MIFLSTAVSA

SEQ ID NO: 69

MR_766.ABI54475.1.Uganda/291-788 Flavivirus envelope glycoprotein E.

IRCIQVSNRDFVEGMSGGTWVDVLEHGGCVTVMAQDKPTVDIELVTTTVSNMAEVRSYCYEASISDMASDSRCPTQGEAYL
DKQSDTQYVCKRTLVDGRWGNGCGIFGKGSVLTCAKFTCSKMTGKSIQPENLEYRIMLSVHGSQHSGLMIVNDENRAKVEIT
PNSPRAEATLGGFGSLGLDCEPRTGLDFSDLYLTMNNKHWLVHKEWFHDIPLPWHAGADTGTTPHWNNKEALVEFKDAHAK
RQTVVVLGSQEGAVHTALAGALEAEMDGAKGRLSSGHLKRLKMDKRLKGVSYSLCTAAFTFTKIPAETLHGTDTVVEVQYAG
TDGPCKVPAQMAVDMQTLTPVGRITANPVITESTENSKMMLELDPFGDSYIVIGVGDKKITHHWHRSGSTIGKAFAEATVRG
AKRMAVLGDTAWDFGSGGVFNSLGKGIHQIFGAFAKSLFGGMSWFSQILIGTLLVWLGLNTKNGSISLTCLALGGVMIFLSTA
VSA

SEQ ID NO: 70

5'-(dIdC)₁₃-3'

dIdC dIdC dIdC dIdC dIdC dIdC dIdC dIdC dIdC dIdC dIdC dIdC dIdC

SEQ ID NO: 71

KLK peptide

KLKLLLLLKLK

SEQ ID NO: 72

ZIKV Sequence H/PF/2013 as sequenced

CAGACTGCGACAGTTCGAGTTTGAAGCGAAAGCTAGCAACAGTATCAACAGGTTTTATTTTGGATTGGAAACGAGAGTT
TCTGGTCATGAAAAACCAAAAAAGAAATCCGGAGGATTCCGGATTGTCAATATGCTAAAACGCGGAGTAGCCCGTGTG
AGCCCCCTTGGGGGCTTGAAGAGGCTGCCAGCCGACTTCTGCTGGGTATGGGCCCATCAGGATGGTCTTGCCGATTCT
AGCCTTTTGAAGATTACGGCAATCAAGCCATCACTGGGTCTCATCAATAGATGGGGTTCAGTGGGGAAAAAAGAGGCTA
TGGAATAATAAAGAAGTTCAAGAAAGATCTGGCTGCCATGCTGAGAATAATCAATGCTAGGAAGGAGAAGAAGAGAC
GAGGCGCAGATACTAGTGTGCGAATTGTTGGCCTCCTGCTGACCACAGCTATGGCAGCGGAGGTCACTAGACGTGGGAG
TGCATACTATATGACTTGGACAGAAACGACGCTGGGGAGGCCATATCTTTCCAACCACATTGGGGATGAATAAGTGT
ATATACAGATCATGGATCTTGGACACATGTGTGATGCCACCATGAGCTATGAATGCCCTATGCTGGATGAGGGGGTGGAA

CCAGATGACGTCGATTGTTGGTGCAACACGACGTCAACTTGGGTTGTGTACGGAACCTGCCATCACAAAAAGGTGAAGC
ACGGAGATCTAGAAGAGCTGTGACGCTCCCCTCCCATCTAGGAGCTGCAAACGCGGTGCGAAACCTGGTTGGAAT
CAAGAGAATACACAAAGCACTTGATTAGAGTCGAAAAATTGGATATTAGGAACCTGGCTTCGCGTTAGCAGCAGCTGCC
5 ATCGCTTGGCTTTTGGGAAGCTCAACGAGCCAAAAAGTCATATACTTGGTCATGATACTGCTGATTGCCCGGCATACAGC
ATCAGGTGCATAGGAGTCAGCAATAGGGACTTTGTGGAAGGTATGTCAGGTGGGACTTGGGTTGATGTTGCTTGGAAC
ATGGAGGTTGTGTACCGTAATGGCACAGGACAAACCGACTGTGACATAGAGCTGGTTACAACAACAGTCAGCAACAT
GGCGGAGGTAAGATCCTACTGCTATGAGGCATCAATATCGGACATGGCTTCGGACAGCCGCTGCCCAACACAAGGTGAA
GCCTACCTTGACAAGCAATCAGACACTCAATATGTCTGCAAAAAGAACGTTAGTGACAGAGGCTGGGGAAATGGATGTG
10 GACTTTTTGGCAAAGGGAGCCTGGTGACATGCGCTAAGTTTGCATGCTCCAAGAAAATGACCGGGAAGAGCATCCAGCC
AGAGAATCTGGAGTACCGGATAATGCTGTCAGTTCATGGCTCCAGCACAGTGGGATGATCGTTAATGACACAGGACATG
AACTGATGAGAATAGAGCGAAGGTTGAGATAACGCCCAATTACCAAGAGCCGAAGCCACCCTGGGGGTTTTGGAAG
CCTAGGACTTGATTGTGAACCGAGGACAGGCCCTTGACTTTTTCAGATTTGTATTACTTGACTATGAATAACAAGCACTGGTT
GGTTCACAAGGAGTGGTTCCACGACATTCCATTACCTTGGCACGCTGGGGCAGACACCGGAACTCCACTGGAACAACA
15 AAGAAGCACTGGTAGAGTTCAAGGACGCACATGCCAAAAGGCAAACTGTCGTGGTTCTAGGGAGTCAAGAAGGAGCAG
TTCACACGGCCCTTGCTGGAGCTCTGGAGGCTGAGATGGATGGTGCAAAGGGAAGGCTGTCCTCTGCCACTTGAAATG
TCGCTGAAAATGGATAAACTTAGATTGAAGGGCGTGCATACTCCTTGTGTACCGCAGCGTTCACATTACCAAGATCCC
GGCTGAAACACTGCACGGGACAGTCACAGTGGAGGTACAGTACGAGGGACAGATGGACCTTGCAAGGTTCCAGCTCAG
ATGGCGGTGGACATGCAAACTTGACCCAGTTGGGAGGTTGATAACCGCTAACCCGTAATCACTGAAAGCACTGAGAA
CTCTAAGATGATGCTGGAACCTTGATCCACCATTGGGGACTTTACATTGTCATAGGAGTGGGGAGAAGAAGATCACCC
20 ACCACTGGCACAGGAGTGGCAGCACCATTGAAAAGCATTGGAAGCCACTGTGAGAGGTGCAAGAGAATGGCAGTCTT
GGGAGACACAGCCTGGGACTTTGGATCAGTTGGAGGCGCTCTCAACTCATTGGGCAAGGGCATCCATCAAATTTTGGAG
CAGCTTCAAATCATTGTTTGGAGGAATGTCCTGGTTCTCACAATTTCTCATTGGAACGTTGCTGATGTGGTTGGGTCTGA
ACACAAAGAATGGATCTATTTCCCTTATGTGCTTGGCCTTAGGGGGAGTGTGATCTTCTTATCCACAGCTGTCTCTGCTGA
TGTGGGGTGCTCGGTGGACTTCTCAAAGAAGGAGACGAGATGCGGTACAGGGGTGTTCTGCTATAACGACGTTGAAGCC
25 TGGAGGGACAGGTACAAGTACCATCTGACTCCCCCGTAGATTGGCAGCAGCAGTCAAGCAAGCCTGGGAAGATGGTA
TCTGTGGGATCTCTCTGTTTCAAGAATGGAACATCATGTGGAGATCAGTAGAAGGGGAGCTCAACGCAATCTGGAA
GAGAATGGAGTTCAACTGACGGTCTGTGGGATCTGTAAAAAACCCATGTGGAGAGGTCCACAGAGATTGCCCGTGC
CTGTGAACGAGCTGCCCCACGGCTGGAAGGCTTGGGGGAAATCGTACTTCTGTCAGAGCAGCAAAGACAAATAACAGCTT
TGTCGTGGATGGTGACACACTGAAGGAATGCCCACTCAACATAGAGCATGGAACAGCTTTCTGTGGAGGATCATGGGT
30 TCGGGGTATTTCACTAGTGTCTGGCTCAAGGTTAGAGAAGATTATTCATTAGAGTGTGATCCAGCCGTTATTGGAACAG
CTGTTAAGGGAAAGGAGGCTGTACACAGTGATCTAGGCTACTGGATTGAGAGTGAGAAGAATGACACATGGAGGCTGA
AGAGGGCCCATCTGATCGAGATGAAAACATGTGAATGGCCAAAGTCCACACATTGTGGACAGATGGAATAGAAGAGAG
TGATCTGATCATACCAAGTCTTAGCTGGGCCACTCAGCCATCACAATACCAGAGAGGGGTACAGGACCCAAATGAAAG
GGCCATGGCACAGTGAAGAGCTTGAAATTCGGTTTGGAGGAATGCCAGGCACTAAGGTCCACGTGGAGGAAACATGTGG
35 AACAAGAGGACCATCTCTGAGATCAACCACTGCAAGCGGAAGGGTGATCGAGGAATGGTGCTGCAGGGAGTGCACAAT
GCCCCCACTGTCGTTCCGGGCTAAAGATGGCTGTTGGTATGGAATGGAGATAAGGCCAGGAAAGAACAGAAAGTAAC
TTAGTAAGGTCAATGGTGACTGCAGGATCAACTGATCACATGGATCACTTCTCCCTTGGAGTGCTTGTGATTCTGCTCATG
GTGCGAGGAAGGGCTGAAGAAGAGAATGACCACAAAGATCATCATAAGCACATCGATGGCAGTGCTGGTAGCTATGATCC
TGGGAGGATTTTCAATGAGTGACCTGGCTAAGCTTGCAATTTTGTGAGGTGCCACCTTCGCGGAAATGAACACTGGAGGA
40 GATGTAGCTCATCTGGCGCTGATAGCGGCATTCAAAGTCAGACCAGCGTTGCTGGTATCTTTCATCTCAGAGCTAATTGG
ACACCCCGTGAAAGCATGCTGCTGGCCTTGGCCTCGTGTCTTTGCAAACGCGATCTCCGCTTGGAAAGGCGACCTGATG
GTTCTCATCAATGGTTTTGCTTTGGCCTGGTTGGCAATACGAGCGATGGTTGTTCCACGCACTGATAACATCACCTTGGCA
ATCCTGGCTGCTCTGACCACTGGCCGGGGCACACTGCTTGTGGCGTGGAGAGCAGGCCTTGCTACTTGGGGGGGTT
TATGCTCCTCTCTGAAAGGGAAAAGGCAAGTGTGAAGAAGAACTTACCATTGTGTCATGGCCCTGGGACTAACCCTGTGA
45 GGCTGGTCGACCCCATCAACGTGGTGGGACTGCTGTTGCTCACAAGGAGTGGGAAGCGGAGCTGGCCCCCTAGCGAAGT
ACTCACAGCTGTTGGCCTGATATGCGCATTGGCTGGAGGGTTCGCAAGGCAGATATAGAGATGGCTGGGCCCATGGCC
GCGGTGCGTCTGCTAATTGTGAGTTACGTGGTCTCAGGAAAGAGTGTGGACATGTACATTGAAAGAGCAGGTGACATCAC
ATGGGAAAAAGATGCGGAAGTCACTGGAAACAGTCCCCGGCTCGATGTGGCGCTAGATGAGAGTGGTGATTCTCCCTG
GTGGAGGATGACGGTCCCCCATGAGAGAGATCATACTCAAGGTGGTCTGATGACCATCTGTGGCATGAACCAATAGC
50 CATACCTTTGACGCTGGAGCGTGGTACGTATACGTGAAGACTGGAAAAAGGAGTGGTGCTCTATGGGATGTGCTGCTC
CCAAGGAAGTAAAAAAGGGGGAGACCAGATGGAGTGTACAGAGTAATGACTCGTAGACTGCTAGGTTCAACACAAGT
TGGAGTGGGAGTTATGCAAGAGGGGGTCTTTCACACTATGTGGCACGTACAAAAGGATCCGCGCTGAGAAGCGGTGAA
GGGAGACTTGATCCATACTGGGGAGATGTCAAGCAGGATCTGGTGTACTGTGGTCCATGGAAGCTAGATGCCGCT
GGGACGGGCACAGCGAGGTGCAGCTCTTGGCCGTGCCCCGGAGAGAGAGCGAGGAACATCCAGACTTGCCCCGAA

TATTTAAGACAAAGGATGGGGACATTGGAGCGGTTGCGCTGGATTACCCAGCAGGAACCTCAGGATCTCCAATCCTAGAC
AAGTGTGGGAGAGTGATAGGACTTTATGGCAATGGGGTCGTGATCAAAAATGGGAGTTATGTTAGTGCCATCACCCAAG
GGAGGAGGGAGGAAGAGACTCCTGTTGAGTGCTCGAGCCTTCGATGCTGAAGAAGAAGCAGCTAACTGTCTTAGACTT
GCATCCTGGAGCTGGGAAAACAGGAGAGTTCTTCTGAAATAGTCCGTGAAGCCATAAAAAACAAGACTCCGTAAGTGTGA
5 TCTTAGCTCCAACCAGGGTTGTCGCTGCTGAAATGGAGGAAGCCCTTAGAGGGCTTCCAGTGCGTTATATGACAACAGCA
GTCAATGTCACCCACTCTGGAACAGAAATCGTCGACTTAATGTGCCATGCCACCTTCACTTCACGTCTACTACAGCCAATCA
GAGTCCCCAACTATAATCTGTATATTATGGATGAGGCCCACTTCACAGATCCCTCAAGTATAGCAGCAAGAGGATACATTT
CAACAAGGGTTGAGATGGGCGAGGCGGCTGCCATCTTCATGACCGCCACGCCACCAGGAACCCGTGACGCATTTCCGGA
CTCCAACCTACCAATTATGGACACCGAAGTGGAAGTCCCAGAGAGAGCCTGGAGCTCAGGCTTTGATTGGGTGACGGATC
10 ATTCTGGAAAAACAGTTTGGTTTGTCCAAGCGTGAGGAACGGCAATGAGATCGCAGCTTGTCTGACAAAAGGCTGGAAA
ACGGGTCTACAGCTCAGCAGAAAGACTTTTGAGACAGAGTTCCAGAAAACAAAACATCAAGAGTGGGACTTTGTCGTG
ACAACTGACATTTAGAGATGGGCGCCAACCTTAAAGCTGACCGTGTATAGATTCCAGGAGATGCCTAAAGCCGGTCAT
ACTTGATGGCGAGAGAGTCACTTCTGGCTGGACCATGCCTGTACACATGCCAGCGCTGCCAGAGGAGGGGGGCGCATA
GGCAGGAATCCCAACAACTGGAGATGAGTATCTGTATGGAGGTGGGTGCGCAGAGACTGACGAAGACCATGCACACT
15 GGCTTGAAGCAAGAATGCTCCTTGACAATATTTACCTCCAAGATGGCCTCATAGCCTCGCTCTATCGACCTGAGGCCGACA
AAGTAGCAGCCATTGAGGGAGAGTTCAAGCTTAGGACGGAGCAAAGGAAGACCTTTGTGGAACCTATGAAAAGAGGAG
ATCTTCTGTTTGGCTGGCCTATCAGGTTGCATCTGCCGGAATAACCTACACAGATAGAAGATGGTGTCTTGATGGCACGA
CCAACAACACCATAATGGAAGACAGTGTGCCGGCAGAGGTGTGGACCAGACACGGAGAGAAAAAGAGTGCTCAAACCGA
GGTGGATGGACGCCAGAGTTTGTTCAGATCATGCGGCCCTGAAGTCATTCAAGGAGTTTGGCGTGGGAAAAGAGGAGC
20 GGCTTTTGGAGTGATGGAAGCCCTGGGAACACTGCCAGGACACATGACAGAGAGATTCCAGGAAGCCATTGACAACCTC
GCTGTGCTCATGCGGGCAGAGACTGGAAGCAGGCCTTACAAAGCCGCGGCGGCCCAATTGCCGGAGACCCTAGAGACCA
TTATGCTTTTGGGGTTGCTGGGAACAGTCTCGCTGGGAATCTTTTCGTCTTGATGAGGAACAAGGGCATAGGGAAGATG
GGCTTTGGAATGGTGAATCTTGGGGCCAGCGCATGGCTCATGTGGCTCTCGGAAATTGAGCCAGCCAGAATTGCATGTGT
CCTCATTGTTGTGTTCTATTGCTGGTGGTGCTCATACCTGAGCCAGAAAAAGCAAAGATCTCCCCAGGACAACCAAATGGC
25 AATCATCATCATGGTAGCAGTAGGTCTTCTGGGCTTGATTACCGCCAATGAACTCGGATGGTTGGAGAGAACAAGAGTG
ACCTAAGCCATCTAATGGGAAGGAGAGAGGAGGGGGCAACCATAGGATTCTCAATGGACATTGACCTGCGGCCAGCCTC
AGCTTGGGCCATCTATGCTGCCTTGACAACCTTTCAATACCCAGCCGTCCAACATGCAGTGACCACTTCATACAACAACTAC
TCCTTAATGGCGATGGCCACGCAAGCTGGAGTGTGTTTGGTATGGGCAAAGGGATGCCATTCTACGCATGGGACTTTGG
AGTCCCGCTGCTAATGATAGGTTGCTACTCACAATTAACCCCTGACCCTAATAGTGGCCATCATTTTGTCTGTGGCGCAC
30 TACATGTACTTGATCCAGGGCTGCAGGCAGCAGCTGCGCGTGTGCCAGAAAGAGAACGGCAGCTGGCATCATGAAGA
ACCCTGTTGTGGATGGAATAGTGGTGAATGACATTGACACAATGACAATTGACCCCCAAGTGGAGAAAAAGATGGGACA
GGTGTACTCATAGCAGTAGCCGTCTCCAGCGCCATACTGTCGCGGACCGCCTGGGGGTGGGGGGAGGCTGGGGCCCTG
ATCACAGCGGCAACTTCCACTTTGTGGGAAGGCTCTCCGAACAAGTACTGGAACCTCTACAGCCACTTCACTGTGTAAC
ATTTTTAGGGGAAGTTACTTGGCTGGAGCTTCTCTAATCTACACAGTAACAAGAAACGCTGGCTTGGTCAAGAGACGTGG
35 GGGTGGAAACAGGAGAGACCCTGGGAGAGAAATGGAAGGCCCGCTTGAACCAGATGTCGGCCCTGGAGTTCTACTCTAC
AAAAAGTCAGGCATCACCGAGGTGTGCAGAGAAGAGGGCCCGCGGCCCTCAAGGACGGTGTGGCAACGGGAGGCCAT
GCTGTGTCCGAGGAAGTGCAAAGCTGAGATGGTTGGTGGAGCGGGGATACCTGCAGCCCTATGGAAGGTCATTGATC
TTGGATGTGGCAGAGGGGGCTGGAGTTACTACGCCGCCACCATCCGCAAAGTTCAAGAAGTGAAAGGATACACAAAAGG
AGGCCCTGGTCATGAAGAACCCTATGTTGGTGCAAAGCTATGGGTGGAACATAGTCCGTCTTAAGAGTGGGGTGGACGTC
40 TTTTCATATGGCGCTGAGCCGTGTGACACGTTGCTGTGTGACATAGGTGAGTCATCATCTAGTCTGAAGTGGAGAAGC
ACGGACGCTCAGAGTCTCTCATGGTGGGGGATTGGCTTGAAAAAAGACCAGGAGCCTTTGTATAAAAGTGTGTGCC
CATACACCAGCACTATGATGGAACCCCTGGAGCGACTGCAGCGTAGGTATGGGGGAGGACTGGTCAGAGTGCCACTCTC
CCGCAACTCTACACATGAGATGTAAGTGGTCTCTGGAGCGAAAAGCAACACCATAAAAAAGTGTGTCCACCACGAGCCAGC
TCCTCTTGGGGCGCATGGACGGGCCCAGGAGGCCAGTGAATATGAGGAGGATGTGAATCTCGGCTCTGGCACGCGGG
45 CTGTGGTAAGCTGCGCTGAAGCTCCCAACATGAAGATCATTGGTAACCGCATTGAAAGGATCCGCAGTGAGCACGCGGA
AACGTGGTTCTTTGACGAGAACCACCATATAGGACATGGGCTTACCATGGAAGCTATGAGGCCCCACACAAGGGTCAG
CGTCTCTCTAATAAACGGGGTTGTGAGGCTCCTGTCAAAACCCTGGGATGTGGTGAAGTCAAGGATCAGAGGAATAGCCATG
ACCGACACCACACCGTATGGTCAGCAAAGAGTTTCAAGGAAAAAGTGGACACTAGGGTGCCAGACCCCAAGAAGGCA
CTCGTCAGGTTATGAGCATGGTCTCTTCTGGTTGTGGAAGAGCTAGGCAAAACACAACGGCCACGAGTCTGTACCAA
50 GAAGAGTTCATCAACAAGGTTCTGATCAATGCAGCATTAGGGGCAATATTTGAAGAGGAAAAAGAGTGGAAGACTGCAG
TGGAAGCTGTGAACGATCCAAGGTTCTGGGCTCTAGTGGACAAGGAAAGAGAGCACCACCTGAGAGGAGAGTGCCAGA
GTTGTGTGTACAACATGATGGGAAAAAGAGAAAAAGAAACAAGGGGAATTTGGAAGGCCAAGGGCAGCCGCGCCATCT
GGTATATGTGGCTAGGGGCTAGATTTCTAGAGTTCAAGCCCTTGGATTCTTGAACGAGGATCACTGGATGGGGAGAGA
GAACTCAGGAGGTGGTGTGAAGGGCTGGGATTACAAAGACTCGGATATGTCCTAGAAGAGATGAGTCGCATACCAGGA

GGAAGGATGTATGCAGATGACACTGCTGGCTGGGACACCCGCATCAGCAGGTTTGATCTGGAGAATGAAGCTCTAATCA
 CCAACCAATGGAGAAAGGGCACAGGGCCTTGGCATTGGCCATAATCAAGTACACATACCAAAAAAGAGTGGTAAAGGT
 CCTTAGACCAAGCTGAAAAAGGGAAGACAGTTATGGACATTATTTGAGACAAGACCAAGGGGGAGCGGACAAGTTGTC
 ACTTACGCTCTTAACACATTTACCAACCTAGTGGTGCAACTATTCGGAATATGGAGGCTGAGGAAGTTCTAGAGATGCAA
 5 GACTTGTGGCTGCTGCGGAGGTGAGAGAAAGTGACCAACTGGTTGCAGAGCAACGGATGGGATAGGCTCAAACGAATG
 GCAGTCAGTGGAGATGATTGCGTTGTGAAGCCAATTGATGATAGGTTTGACATGCCCTCAGGTTCTTGAATGATATGGG
 AAAAGTTAGGAAGGACACACAAGAGTGGAACCCCTCACTGGATGGGACAACCTGGGAAGAAAGTTCCGTTTTGCTCCAC
 CACTTCAACAAGCTCCATCTCAAGGACGGGAGGTCCATTGTGGTCCCTGCCGCCACCAAGATGAAGTATTGGCCGGGC
 CCGCGTCTCTCCAGGGGCGGGATGGAGCATCCGGGAGACTGCTTGCTAGCAAAATCATATGCGCAAATGTGGCAGCTC
 10 CTTTATTTCCACAGAAGGGACCTCCGACTGATGGCCAATGCCATTTGTTTATCTGTGCCAGTTGACTGGGTTCCAAGTGGG
 AGAACTACCTGGTCAATCCATGGAAAGGGAGAATGGATGACCACTGAAGACATGCTTGTGGTGTGGAACAGAGTGTGGA
 TTGAGGAGAACGACCACATGGAAGACAAGACCCAGTTACGAAATGGACAGACATTCCCTATTTGGGAAAAAGGGAAGA
 CTTGTGGTGTGGATCTCTCATAGGGCACAGACCGCGCACCACCTGGGCTGAGAACATTAACACAGTCAACATGGTGC
 GCAGGATCATAGGTGATGAAGAAAAGTACATGGACTACCTATCCACCAAGTTCGCTACTTGGGTGAAGAAGGGTCTACA
 15 CCTGGAGTGTGTAAGCACCAATCTTAGTGTGTGAGGCCTGCTAGTCAGCCACAGCTTGGGGAAAGCTGTGCAGCCTGT
 GACCCCCCAGGAGAAGCTGGGAAACCAAGCCTATAGTCAGGCCGAGAACGCCATGGCACGGAAGAAGCCATGCTGCCT
 GTGAGCCCCTCAGAGGACACTGAGTCAAAAAACCCACGCGCTTGAGGGCGCAGGATGGGAAAAGAAGGTGGCGACCT
 TCCCCACCCTTCAATCTGGGGCCTGAAGTGGAGATCAGCTGTGGATCTCCAGAAGAGGGACTAGTGGTTAGAGGAGACCC
 CCCGGAACCGCAAACAGCATATTGACGCTGGGAAAGACCAGAGACTCCATGAGTTTCCACCACGCTGGCCGCCAGGC
 20 ACAGATCGCCGAATAGCGGCGGCCGGTGTGGGG

SEQ ID NO: 73

AH213508.1, Zika virus polyprotein from Polynesian outbreak (H/PF/2013)

MKNPKKSGGFRIVNMLKRGVARVSPFGLKRLPAGLLGHGPIRMVLAILAFLRFTAIKPSLGLINRWGSGVKKKEAMEIHKFKK
 25 DLAAMLRIINARKEKKRRGADTSVGIVGLLLTAMAAEVTRGSAYMYLDRNDAGEAISFPTTLGMNKCQIYIMDLGHMCD
 TMSYECPLMDEGVPEDDVDCWCNTTSTWVVYGTCHHKKGEARRSRRAVTLPSHSTRKLQTRSQTWLESREYTKHLIRVENWI
 FRNPGFALAAAAIAWLLGSSTSQKVIYLVILLIAPAYSIRCIGVSNRDFVEGMSGGTWVDVLEHGGCVTVMAQDKPTVDIEL
 VTTTNSMAEVRSYCYEASISDMASDSRCPTQGEAYLDKQSDTQYVCKRTLVDRGWNGCGFLGKGLVTCFAKFSKMTG
 KSIQPENLEYRIMLSVHGSQHSQMIVNDTGHTDENRAKVEITPNSPRAEATLGGFGLDCEPRTGLDFSDLYLTMNNKH
 30 WLHVHKEWFHDIPLPHAGADTGTPHWNKEALVEFKDAHAKRQTVVVLGSQEGAVHTALAGALEAEMDGAKRLSSGHLK
 CRLKMDKRLKGVSYSLCTAAFTKIPAETLHGTVTVEVQYAGTDGPCKVPAQMAVDMQTLTPVGRITANPVITESTENSKM
 MLELDPPFGDSYIVIGVGEKKITHHWRSGSTIGKAFAEATVRGAKRMAVLGDTAWDFGSGVGGALNSLGKIHQIFGAFAKSLF
 GGMSWFSQILIGTLLMWLGLNTKNGSISLMCLALGGVLIFLSTAVSADVGCSVDFSKKETRCGTGVFYNDVEAWDRYKYHP
 DSPRRLAAAVKQAWEDGICGISSVRMENIMWRSVEGELNAILENGVQLTVVVGSVKNPMWRGPQRLPVPVNLPHGWK
 35 AWGKSYFVRAAKTNNFSVVDGDTLKECPLKHRAWNSFLVEDHGFVFTSVWLKVREDYSLECDPAVIGTAVKGKEAVHSDL
 GYWIESEKNDTWRLKRAHLIEMKTCEWPKSHTLWTDGIEESDLIPKSLAGPLSHHNTREGYRTQMKGPWHSEELEIRFEPCG
 TKVHVEETCGTRGPSRLSTASGRVIEEWCCRECTMPPLSFRAKDGWCYGMIEIRPRKESNLVRSMTAGSTDHMDHFSLG
 VLVILLMVQEGLKRMTTKIIISTMAVLVAMILGGFMSDLAKLAILMGATFAEMNTGGDVAHLALIAAFKVRPALLVSIFRA
 NWTPRESMILLALASCLLQTAISALEGDLMLVINGFALAWLAIRAMVVPRTDNITLAILAALPLARGTLVAVWRAGLATCGGFM
 40 LLSLKGGKSVKKNLPFVMAALGLTAVRLVDPINVVGLLLTRSGKRSWPPSEVLTAVGLICALAGGFAKADIEMAGPMAAVGLLIV
 SYVVSGLSVDMYIERAGDITWEKDAEVTGNSPRLDVALDESDFSLVEDDGPMPREIILKVVLMTCGMNPIAIPFAAGAWVYV
 VKTGKRSGLWDVPAPKEVKKGETTDGVYRVMTRRLGSTQVGVGMQEGVFHTMWHVTKGSALRSGEGRDPYWGDKV
 QDLVSYCGPWKLDAAWDGHSEVQLLAVPPGERARNIQTLPGIFKTKDGDIGAVALDYPAGTSGSPILDKCGRVIGLYGNGVVIK
 NGSYVSAITQGRREEETPVECFEPSMLKKKQLTVLDLHPGAGKTRRVLPVIREAIAKTRLRVILAPTRVAAEMEEALRGLPVRY
 45 MTTAVNVTHSGTEIVDLMCHATFTSRLLQPIRVPNYNYIMDEAHFTDPSSIAARGYISTRVEMGEAAAFMTATPPGTRDAFP
 DSNSPIMDTEVEVPERAWSSGFDWVTDHSGKTVWFVPSVRNGNEIAACLTAKGRVQLSRKTFETEFQKTKHWEWDFVVT
 DISEMGANFKADRVIDSRCLKPILDGERVILAGPMPVTHASAAQRRGRIGRNPKNPGDEYLYGGGCAETDEDHAWHLEAR
 MLLDNIYLDGLIASLYRPEADKVAIEGEFKLRTQKTFVELMKRGDLPVWLAYQVASAGITYTDRRWCFDGTNTTIMEDS
 VPAEVWTRHGEKRVLKPRWMDARVCSHAAKLSKFEFAAGKRGAAFGVMEALGTLPGHMTERFQEAIDNLAVLMRAETGS
 50 RPYKAAAQLPETLETIMLLGLLGTSLGIFVLMRNKGIGKMGFGMVTLGASAWLMWLSEIEPARIACVLIVFLLVLIPEPE
 KQRSPQDNQMAIIMVAVGLLGLITANELGWLERTKSDLSHLMGRREEGATIGFSMDIDLRPASAWAIYAALTTFITPAVQH
 TTSYNNYSMLMAMATQAGVLFGMGKMPFYAWDFGVPLLMIGCYSQTLPLTLIVAILLVAHYMYLIPGLQAAAAARAAQKRTAA
 GIMKNPVVDGIVVTDIDTMTIDPQVEKKMGQVLLIAVAVSSAISRATWGWGEAGALITAATSTLWEGSPNKYWNSSSTATSLC
 NIFRGSYLAGASLIYVTRNAGLVKRRGGGTGETLGEKWKARLNQMSALEFYSYKSGITEVCREARRALKDGVATGGHAVSR

5 GSAKLRLWVERGYLQPYGKVIDLGCGRGGWSYAAATIRKVQEVKGYTKGGPGHEEPMLVQSYGWNIVRLKSGVDVFHMAAE
PCDTLLCDIGESSSSPEVEEARTLRVLSMVGDWLEKRPAGFCIKVLCPYTSTMMETLERLQRRYGGGLVRVPLSRNSTHEMYWV
SGAKSNTIKSVSTTSQLLGRMDGPRRPVKYEEDVNLGSGTRAVVSCAEAPNMKIIGNRIERIRSEHAETWFFDENHPYRTWAY
HGSYEAPTQGSASSLINGVVRLLSKPWDVVTGVTGIAMTDTTPYQQRVFKEKVDTRVPDPQEGTRQVMSMVSSWLWKELG
10 KHKRPRVCTKEEFINKVRSNAALGAIFEEKEWKTAVEAVNDPRFWALVDKEREHHLRGECQSCVYNMMGKREKKQGEFGKA
KGSRAIWYMWLGARFLEFEALGFLNEDHWMGRENSGGGVEGLGLQRLGYVLEEMSRIPEGGRMYADDTAGWDTRISRFDLE
NEALITNQMEKGHRALALAIKYTYQNKVVKVLPAEKGKTVMDIISRQDQRGSGQVVTYALNTFTNLVVQLIRNMEAEEVLEM
QDLWLLRRSEKVTNWLQSNGWDRMKRMVSGDDCVVKPIDDRFAHALRFLNDMGKVRKDTQEWKPSTGWDNWEVPFC
15 SHHFNKLHLKGRSIVVPCRHQDELIGRARVSPGAGWSIRETACLAKSYAQMWQLLYFHRRDLRLMANAICSSVPVDWVPTG
RTTWSIHGKGEWMTTEDMLVVWNRVWIEENDHMEDKTPVTKWTDIPYLGKREDLWCGSLIGHRPRTTWAENIKNTVNMV
RRIIGDEEKYMDYLSTQVRYLGEEGSTPGVL

SEQ ID NO: 74

9320_Zika_PF_1F

15 ttaggatccGTTGTTGATCTGTGTGAAT

SEQ ID NO: 75

9321_Zika_PF_1R

20 taactcgagCGTACACAACCCAAGTT

SEQ ID NO: 76

9322_Zika_PF_2F

ttaggatccTCACTAGACGTGGGAGTG

25 SEQ ID NO: 77

9323_Zika_PF_2R

taactcgagAAGCCATGTCYGATATTGAT

SEQ ID NO: 78

30 9324_Zika_PF_3F

ttaggatccGCATACAGCATCAGGTG

SEQ ID NO: 79

9325_Zika_PF_3R

35 taactcgagTGTGGAGTTCCGGTGTCT

SEQ ID NO: 80

9326_Zika_PF_4F

40 ttaggatccGAATAGAGCGAARGTTGAGATA

SEQ ID NO: 81

9327_Zika_PF_4R

taactcgAGTGGTGGGTGATCTTCTTCT

45 SEQ ID NO: 82

9328_Zika_PF_5F

ttaggatccCAGTCACAGTGGAGGTACAGTAC

SEQ ID NO: 83

50 9329_Zika_PF_5R

taactcgagCRCAGATACCATCTTCCC

SEQ ID NO: 84

9330_Zika_PF_6F

ttaggatCCCTTATGTGCTTGGCCTTAG

SEQ ID NO: 85

9331_Zika_PF_6R

5 taactcgagTCTTCAGCCTCCATGTG

SEQ ID NO: 86

9332_Zika_PF_7F

10 ttaggatccAATGCCCCACTCAAACATAGA

SEQ ID NO: 87

9333_Zika_PF_7R

taactcgagTCATTCTCTTCTTCAGCCCTT

SEQ ID NO: 88

9334_Zika_PF_8F

15 ttaggatccAAGGGTGATCGAGGAAT

SEQ ID NO: 89

9335_Zika_PF_8R

20 taactcgagTTCCTTCAGAGAGAGGAGC

SEQ ID NO: 90

9336_Zika_PF_9F

25 ttaggatccTCTTTTGCAAAGTGGCGATC

SEQ ID NO: 91

9337_Zika_PF_9R

30 taactcgagTCCAGCTGCAAAGGGTAT

SEQ ID NO: 92

9338_Zika_PF_10F

ttaggatccGTGTGGACATGTACATTGA

SEQ ID NO: 93

9339_Zika_PF_10R

35 taactcgagCCCATTGCCATAAAGTC

SEQ ID NO: 94

9340_Zika_PF_11F

40 ttaggatccTCATACTGTGGTCCATGGA

SEQ ID NO: 95

9341_Zika_PF_11R

45 taactcgagGCCCATCTCAACCCTTG

SEQ ID NO: 96

9342_Zika_PF_12F

50 ttaggatccTAGAGGGCTTCCAGTGC

SEQ ID NO: 97

9343_Zika_PF_12R

taactcgAGATACTCATCTCCAGGTTTGTG

SEQ ID NO: 98
9344_Zika_PF_13F
ttaggatccGAAAACAAAACATCAAGAGTG

5 SEQ ID NO: 99
9345_Zika_PF_13R
taactcgagGAATCTCTCTGTCATGTGTCCT

10 SEQ ID NO: 100
9346_Zika_PF_14F
ttaggatccTTGATGGCACGACCAAC

15 SEQ ID NO: 101
9347_Zika_PF_14R
ttaggatccGTTGTTGATCTGTGTGAAT

20 SEQ ID NO: 102
9348_Zika_PF_15F
taactcgagCAGGTCAATGTCCATTG

SEQ ID NO: 103
9349_Zika_PF_15R
ttaggatccTGTGTGTTCTATTGCTGGT

25 SEQ ID NO: 104
9350_Zika_PF_16F
taactcgaGTGATCAGRGCCCCAGC

30 SEQ ID NO: 105
9351_Zika_PF_16R
ttaggatccTGCTGCCCAGAAGAGAA

35 SEQ ID NO: 106
9352_Zika_PF_17F
taactcgaGCACCAACAYGGGTCTT

40 SEQ ID NO: 107
9353_Zika_PF_17R
ttaggatcCTCAAGGACGGTGTGGC

SEQ ID NO: 108
9354_Zika_PF_18F
taactcgagCAATGATCTTCATGTTGGG

45 SEQ ID NO: 109
9355_Zika_PF_18R
ttaggatccTATGGGGGAGGACTGGT

50 SEQ ID NO: 110
9356_Zika_PF_19F
taactcGAGCCCAGAACCTTGATC

SEQ ID NO: 111
9357_Zika_PF_19R

ttaggatcCAGACCCCAAGAAGGC

SEQ ID NO: 112

9358_Zika_PF_20F

5 taactcgagCCCCTTTGGTCTTGTCT

SEQ ID NO: 113

9359_Zika_PF_20R

10 ttaggatccAGGAAGGATGTATGCAGATG

SEQ ID NO: 114

9360_Zika_PF_21F

taactcgagACATTTGCGCATATGATTTTG

SEQ ID NO: 115

9361_Zika_PF_21R

15 ttaggatccAGGAAGGACACACAAGAGT

SEQ ID NO: 116

9362_Zika_PF_22F

20 taactcgagACAGGCTGCACAGCTTT

SEQ ID NO: 117

9363_Zika_PF_22R

25 ttaggatccTCTCTCATAGGGCACAGAC

In some embodiments, the Zika virus has polyprotein, including an envelope (E) protein, with an amino acid sequence provided by any one of SEQ ID NOs: 14-69 or 72. In some embodiments, the polyprotein or E protein sequence is at least 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5%, 99.6%, 99.7%, 99.8% or 99.9% identical to any one of SEQ ID NOs: 2-69 or 72.

The terms "identical" or percent "identity" in the context of two or more nucleic acids or amino acid sequences refer to two or more sequences or subsequences that are the same. Two sequences are "substantially identical" if two sequences have a specified percentage of amino acid residues or nucleotides that are the same (*e.g.*, at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identity) over a specified region or over the entire sequence, when compared and aligned for maximum correspondence over a comparison window, or designated region as measured using one of the following sequence comparison algorithms or by manual alignment and visual inspection. Optionally, the identity exists over a region that is at least about 50 nucleotides (or 10 amino acids) in length, or more preferably over a region that is 100 to 500 or 1000 or more nucleotides (or 20, 50, 200 or more amino acids) in length. In some embodiments, the identity exists over the length of a protein, such as the E protein.

For sequence comparison, typically one sequence acts as a reference sequence, to which test sequences are compared. Methods of alignment of sequences for comparison are well known in the art. See, *e.g.*, by the local homology algorithm of Smith and Waterman (1970) Adv. Appl. Math. 2:482c, by the homology alignment algorithm of Needleman and Wunsch, J. Mol. Biol. 48:443, 1970, by the search for similarity method of Pearson and Lipman. Proc. Natl. Acad. Sci. USA 85:2444, 1988, by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, Jalview and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group, 575 Science Dr., Madison, WI), by multi sequence alignment implementation using *e.g.* CLUSTALW (Larkin et al., (2007). Bioinformatics, 23, 2947-2948.) or MAFFT (Katoh & Toh 2008 Briefings in Bioinformatics 9:286-298), or by manual alignment and visual inspection (see. *e.g.*, Brent et al., Current Protocols in Molecular Biology, John Wiley & Sons, Inc. (Ringbom ed., 2003)). Two examples of algorithms that are suitable for determining percent sequence identity and sequence similarity are the BLAST and BLAST 2.0 algorithms, which are described in Altschul et al., Nuc. Acids Res. 25:3389-3402, 1997 and Altschul et al., J. Mol. Biol. 215:403-410, 1990, respectively.

EXAMPLES

20 Example 1: Production of a Zika drug substance suitable for application as a vaccine in humans and animals

Materials and Methods:

For the production of ZikaV the JEV process platform (Srivastava et al., Vaccine 19 (2001) 4557-4565; US 6,309,650B1) was used as a basis. Small changes of certain process steps were adapted to ZikaV properties and to improve purity. A short summary of the process steps is outlined below (see also Figure 9A and B). Briefly, the unexpected and novel purification properties of protamine sulphate (PS) were evaluated in purification processes for Zika Virus. As shown in Figure 10, non-infectious virus particle aggregates, HCP and other LMW impurities were removed by PS precipitation as shown by removal of aggregate shoulder in SEC-HPLC and no loss of infectious virus titer by PS treatment. Further optimization of the Zika purification protocol is provided below.

Upstream:

- Roller Bottle based Vero cell expansion (25x850cm² CellBind):

- 5% CO₂, 35°C, MEM+2mM L-Glutamine + 10% FBS
- Infection with ZikaV research Master Seed Bank (rMSB) at MOI 0.01
- Virus Production without serum
- 5% CO₂, 35°C, MEM+2mM L-Glutamine
- 5 • Multiple harvests (days 2, 3, 5 and 7) with re-feed
- Sterile filtration of harvests and storage at 2-8°C until further processing

Downstream:

- Pooling of harvests and concentration by ultrafiltration (100kDa)
- Stabilization of concentrated harvest (Tris/10% sucrose) for storage if required (-80°C)
- 10 • Removal of hcDNA by Protamine Sulphate (2 mg/mL)
- Sucrose Gradient Purification (optimized three layered gradient)
- Formaldehyde Inactivation (0.02%, 22°C, 10 days), neutralization with Na-metabisulfite
- Dilution to DS antigen target content and formulation with Aluminium hydroxide (0.5mg Al/mL)

15

Zika Virus Strain H/PF/2013 was originally isolated from a 51-year-old woman (accession number KJ776791.1, also SEQ ID NO: 13 herein) from French Polynesia. A sample was obtained from the European Virus Archive (EVA; Ref-SKU: 001v-EVA1545). Based on this material, a research master seed bank (rMSB) was prepared on Vero cells as the cell substrate and the genomic sequence was checked by sequencing. Because the genomic sequence at the 5' and 3' flanking sequences of Zika virus strain H/PF/2013 was unknown, primers for sequencing were designed in those regions based on other Zika virus strains whereas the internal primers were designed from the published sequence (SEQ ID NOs: 74 to 117, see also Table A). The sequence obtained from the rMSB by use of these primers is provided by SEQ ID NO: 72. There was 100% overlap of the sequence with the published sequence of Zika Virus Strain H/PF/2013 (SEQ ID NO: 13). However, we sequenced additional regions 5' (an additional 40 bp) and 3' (an additional 160 bp) represented in SEQ ID NO: 72. In a preferred embodiment, the Zika virus of the invention comprises SEQ ID NO: 72. The genomic RNA is somewhat longer than the sequence according to SEQ ID NO: 72 (perhaps an additional 200 bp). Additionally, a Zika virus adapted to a host cell such as e.g. Vero cells may be expected to contain one or more mutations. For these reasons, the Zika virus of the current invention comprises the sequence of SEQ ID NO: 72 or, preferably, a sequence with at least 95%, 96%, 97%, 98%, or at least 99% sequence identity to the sequence provided by SEQ ID NO: 72. Furthermore, because the viral genome is likely to contain even further flanking regions to SEQ ID NO: 72; in one embodiment, the Zika virus of the invention contains the sequence of SEQ ID NO: 72 and optionally further comprises extensions at the 5' and/or 3' ends of at least 10, at least 20, at least 30, at least 40, at least 50, at least

35

60, at least 70, at least 80, at least 90, at least 100, at least 110, at least 120 or at least 130 nucleotides. In a preferred embodiment, the Zika virus comprises at least the coding sequence for the entire polyprotein of Zika Virus Strain H/PF/2013 of the invention i.e. the amino acid sequence of SEQ ID NO: 73 or a polyprotein with at least 95%, 96%, 97%, 98%, or at least 99% sequence identity to the sequence provided by SEQ ID NO: 73. Furthermore, the Zika virus comprises at least the coding sequence for the E-protein of Zika Virus Strain H/PF/2013 of the invention SEQ ID NO: 47 or an E-protein thereof with at least 95%, 96%, 97%, 98%, or at least 99% sequence identity to the sequence provided by SEQ ID NO: 47.

10 *Virus growth on Vero Cells*

Vero cells were grown in Eagle's minimal essential medium (EMEM) containing 10% fetal bovine serum (FBS). Roller bottle cultures of Vero cell monolayers were infected with Zika Virus Strain H/PF/2013 at a multiplicity of infection (moi) of 0.01 plaque forming units (pfu) per cell. After 2 hours of virus adsorption, the cultures were washed 3 times with PBS and fed with EMEM without FBS and incubated at +35°C with 5% CO₂. Infected Vero cell cultures were incubated until the virus titer reaches a desired level.

The culture medium was harvested at days 2, 3, 5 and 7 and were pooled from those harvest days and then centrifuged in a standard centrifuge. The supernatants were then filtered. Virus culture supernatants were concentrated by TFF ultrafiltration to remove cell culture media components and to reduce batch volume.

Evaluation of harvest Procedure

The current JEV harvest process has scheduled harvests on days 3, 5, 7 and 9 post infection. To mimic the JEV process roller bottles were infected with ZIKV bank P4-FBS at an MOI of 0.01 in infection medium (MEM with 2% FBS + 2mM L-glutamine) for 2 hours. After removing the inoculum the cells were washed twice with PBS and 200 mL production medium (MEM+ 2mM L-glutamine) was added.

After taking a sample on day 2 the first virus harvest was conducted on day 3 after infection. At this point significantly higher CPE could be observed compared to cells where virus was removed on day 2. Plaque assay analysis showed that the viral titers on day 2 were in the same range as for the standard harvesting schedule. However, starting with the day 3 harvest, the observed titers were significantly lower correlating with the increased CPE observed compared to the standard harvest schedule. On day 5 post infection no more living cells could be observed at all and the experiment was terminated with a final day 5 harvest.

Table 3: The calculated titers per plaque assay are summarized in the list below.

	Log 10 PFU/mL
sample day2	7.02
harvest day 3	6.66
harvest day 5	6.26

This finding led to an optimized harvest schedule to better control of CPE and allow additional harvest day 5 and 7, see Figure 15. For both harvest days the optimized ZikaV protocol yield significant higher virus titers compared to the modified protocol showing that the time of the first harvest is crucial for production yields. Additionally first harvesting at day 3 results in maximum 2 harvest points whereas first harvesting at day 2 allows for 4 harvest points further increasing the yield gain.

Downstream Purification of Zika virus

The purification process was carried out at room temperature (18-22°C) unless stated otherwise. Virus purification started with concentration of filtered combined harvest using 100 kDa cut-off TFF ultrafiltration modules to remove cell culture media components and reduce batch volume. After concentration, the pooled filtered harvest material was adjusted to a final concentration of 25 mM Tris pH 7.5 and 10% sucrose (w/w) using stock solution of both components (see Figure 11 for SEC-HPLC of different harvests prior to PS treatment). This allowed for freezing the concentrated harvest at <-65°C if required.

Host cell DNA and protein reduction as well reduction of non-infectious virus aggregates in the concentrated material was achieved by precipitation with protamine sulphate (2 mg/mL) followed by sucrose density centrifugation (2-8°C) as final polishing step (see Figure 20 for SEC-HPLC of different harvests post PS treatment). The purification process was designed to be completed within 2 working days with SGC starting on end of day 1 followed by fractionation and SDS-PAGE analysis on day 2. The sucrose gradient fractions were stored at 2-8 °C during the SDS-PAGE analysis (Silver staining) to identify the pure fractions containing ZikaV (see Figure 21). After pooling the relevant fractions, the pool was diluted and inactivated by Formalin. After pooling the relevant fractions of sucrose gradient centrifugation, the pool was diluted 1:3 in PBS and inactivated by Formalin (0.02% v/v, 200ppm). Fractions were subjected to analysis by SDS-PAGE.

Effect of PS treatment on virus recovery

Samples of individual 30x concentrated harvests days 2, 3, 5 and 7 were analysed before (Figure 11) and after PS (Figure 12) treatment by SEC-HPLC and plaque assay. SEC-HPLC was used for determination of relative total ZikaV content (active + inactive) expressed as peak area, whereas the rel. ZikaV peak purity is given as relative content of virus monomer population to total virus peak.

Plaque assay states the content of total active virus particles in each sample. Experimental results are summarized in Table 4. The virus peak recovery by SEC-HPLC was only between 12 to 36% with peak purity after PS treatment in the range of >90% (no virus aggregates detected). The recovery of active virus particles by plaque assay was all > 100% (130-700%, range within the variability of the assay) showing that no active virus particles were lost during PS treatment. These results show that during PS treatment only non-infective (immature and/or aggregated virus) particles were removed.

Table 4: ZikaV recovery by SEC-HPLC and plaque assay before and after PS treatment.

SEC-HPLC

	Peak area mAU*min			
Harvest day	30x conc	30x + PS	SEC Recovery (%)	rel. virus monomer content after PS (%)
Day 2	101.36	18.63	18	89%
Day 3	144.51	17.48	12	90%
Day 5	19.97	5.92	30	96%
Day 7	68.80	24.43	36	99%

Plaque Assay

	PFU/mL		
Harvest day	30x conc	30x + PS	Plaque Recovery (%)
Day 2	3E+08	5E+08	179
Day 3	2E+08	4E+08	193
Day 5	1E+08	9E+08	700
Day 7	3E+08	4E+08	132

Sucrose gradient centrifugation

The PS treated harvest was split in two parts and loaded on two centrifuge bottles. Sucrose density gradient centrifugation (SGC) was used for final concentration and polishing of the ZikaV material. The ZikaV PS treated concentrated harvest was loaded on top of a solution consisting of three layers of sucrose with different densities. The three sucrose layers were selected based on a preliminary study which showed the formation of a linear sucrose gradient and complete separation of the virus particles from residual contaminants as demonstrated for ChikV (Fig. 15D). The optimal volumes of

the sucrose solutions were determined empirically. The volumes of individual layers for a centrifugation in 100 mL bottle scale are shown in Table 5.

Table 5: Individual layers/volumes for a centrifugation in bottle.

Solution	Volume (mL)
PS treated harvest in 10% sucrose (L)	40
15% sucrose (J)	15
35% sucrose (I)	15
50% sucrose (H)	20
Total volume	90

5

The sucrose gradient bottles were prepared by stratifying the individual sucrose layers. A plastic tube was attached to peristaltic pump tubing. The plastic tube was mounted on a laboratory stand using a clamp and placed into the centrifuge bottle. The nozzle of the plastic tube was touching the bottom of the bottle. Using a peristaltic pump the ZikaV material and the sucrose solutions were pumped into the cylinder. A measuring cylinder was used as feed vessel. The first solution pumped was the ZikaV material as it represented the solution of lowest density (10 % sucrose (w/w)). After the ZikaV material the sucrose solutions were pumped in ascending order starting with the 15 % (w/w) solution J, followed by 35 % sucrose solution I and finishing with the highest density sucrose solution H (50 % (w/w)). The described setup is shown in Figure 14. After all sucrose solutions were transferred the plastic tubing was carefully removed in order not to disturb the layers.

15

Prior to centrifugation the centrifuge was pre-cooled to 4°C. The prepared SG bottles were carefully transferred into the pre-cooled rotor. (Note: Sudden movement of the bottles during transfer to the rotor must be avoided in order not to disturb the sucrose layers.) The bottles were centrifuged at ~11.000 RCF max at 4 °C for at least 20 hours, no brake/deceleration activated. In case a different centrifuge system with a different rotor is used the necessary speed and centrifugation times need to be calculated based on the k-factor in order to achieve comparable centrifugation efficiency.

20

Harvesting of the sucrose gradient was done manually using a peristaltic pump. A plastic tube attached to peristaltic pump tubing was used for harvesting the sucrose gradient. The bottle containing the gradient was mounted onto a laboratory stand in a tilted position (~12°) using a clamp. The plastic tubing was then placed into the bottle touching the bottom edge of the bottle and was fastened in

25

position using a clamp. This resulted in a small gap of 1-2 mm between the tubing inlet and the bottom of the bottle (see Figure 14).

Using a peristaltic pump set to a flow rate of 30 mL per minute the gradient was harvested and manually split into 2 mL fractions. A total number of 32 fractions per bottle were harvested (~ 64 mL) and the remaining volume was discarded. The fractions were immediately tested by SDS-PAGE / silver stain to identify the virus containing fractions with sufficient high purity. Representative SDS-PAGE is shown in Figure 14. Fraction 10-14 were pooled and further processed.

The purified viral solution was inactivated by incubation with 0.02% formaldehyde over a period of ten days in a 22°C controlled-temperature incubator. The formaldehyde is neutralized by addition of sodium metabisulphite on the tenth day.

The sucrose gradient pool (~17mL after sampling) was further diluted 3-fold with PBS to a final volume of 51 mL in a PETG container. A volume of 1% formaldehyde (10,000 ppm) solution equivalent to 1/50 of the final volume of the pre-formaldehyde pool was added to this pool resulting in an effective concentration of 200 ppm. The formaldehyde-treated solution was mixed on a magnetic stirrer for 10 minutes. After sampling, the formaldehyde-treated viral solution was placed within a cooled incubator at 22°C ± 2°C. On Day 5 post addition of formaldehyde, the formaldehyde-treated viral solution was filtered through a 0.2 µm filter and then placed in the incubator at 22°C ± 2°C again. On Day 10, after removing the 10-Day inactivation final sample, a volume of 1 % (of the weight of the final formaldehyde-treated viral solution) of 200 mM-sodium metabisulphite solution (2mM final concentration) was aseptically transferred into the PETG container containing the formaldehyde-treated viral solution. After mixing for 5 minutes on a magnetic stirrer, the neutralized inactivated viral solution is held at room temperature (20 to 25°C) for a minimum of 30 minutes. After sampling, the neutralized inactivated viral solution is stored at 5°C ± 3°C until further processing.

Inactivation by formaldehyde

Critical parameters for this step are final formalin concentration, temperature, mixing and transfer into a new container. A preliminary acceptance criterion for maximum pfu/mL (determined by plaque assay) has been set on the diluted pool pre formaldehyde treatment.

The quality of the neutralized inactivated viral solution was monitored by the following parameters: Plaque assay on Day 10, SEC-HPLC, SDS-PAGE/Western Blot.

Interestingly, SEC-HPLC analysis of samples taken during the inactivation period followed by neutralization with bisulfite showed more or less constant peak area throughout the inactivation period. This is in contrast to JEV where losses of viral particles up to 60% are observed using the process disclosed by Srivastava et al. Vaccine 19 (2001) 4557-4565. In a scale-down model the viral losses were even much higher due to surface/area ratio at smaller scale and high losses due to unspecific adsorption. Differences of the ZikaV inactivation experiment and JEV inactivation were noticed as follows:

A) Much higher purity of ZikaV SGP pool with regard to residual PS ($<2\mu\text{g/mL}$) compared to JEV. The 3-fold ZikaV inactivated sample contained therefore $<<1\mu\text{g/mL}$ of residual PS. Commercial JEV SGP pool contains on average $\sim 120\mu\text{g/mL}$ (up to $152\mu\text{g/mL}$ possible). The average dilution to inactivation solution of ~ 14 -fold results in a residual PS content up to $\sim 11\mu\text{g/mL}$. It may be that higher amount of residual PS could cause virus precipitation due to cross-linking / reaction with formalin.

B) ZikaV inactivation sample contained $\sim 10\%$ sucrose (3-fold dilution of SGP pool containing ~ 30 - 35% sucrose). Sucrose might have stabilizing effect of viral ZikaV particles during treatment with formalin.

Dilution to DS and Formulation with Aluminium hydroxide (DP)

For preparation of ZikaV drug substance used in mouse potency assay an antigen content (expressed as total viral particles or SEC peak area) of 5 times higher compared to Ixiaro was targeted. The basis for determination of antigen content was SEC-HPLC. Briefly, a Superose 6 10/300 Increase column (GE Healthcare) equilibrated with PBS + 250 mM NaCl, pH 7.4 at 1 ml/min and 25°C , was used to detect ZikaV at 214 nm detection wavelength in harvest samples and throughout the downstream process. In the current JEV process the antigen content in NIV is determined by a specific ELISA. A good correlation was observed between antigen content determined by ELISA and SEC-HPLC. On average, the antigen content in commercial NIV samples is in the range of 33 AU/mL corresponding to $\sim 5.2\text{mAU}$ JEV peak area, see Figure 21.

ZikaV NIV day10 (Zika peak $\sim 36\text{ mAU}$, analysed on Waters HPLC/Superose6 Increase column) was diluted with PBS to a target of 6.3 ($\sim 5.7\text{x}$ dilution). Aluminium hydroxide was added to a final concentration of 0.5 mg/mL Aluminium (1/20 v/v Alum 2% stock solution added) to prepare ZikaV Drug Product (DP). The DP was gently mixed for 5 min. An aliquot of the DP was removed, Alum sedimented by centrifugation and the clear supernatant analysed by SEC-HPLC. No ZikaV peak was detected in the supernatant indicating complete adsorption (estimated as $>95\%$) of viral particles on the mineral adjuvant. Formulated ZikaV DP was stored at 2 - 8°C .

The impurity profile of the inactivated Zika virus DS is comparable to the profile of JEV DS with the exception of a lower PS content (Table 6).

5 **Table 6:** Determination of impurity profile in Zika and JEV DS samples:

	Specification (JEV DS)	JEV	Zika
HCP (ng/mL)	<100 LOQ 12 ng/mL	<LOQ	<LOQ
DNA (pg/mL)	<200 LOQ 40 pg/mL	<40	<40
Aggregates by SEC-MALLS (%)	Not specified, part of characterization LOQ 5%	<LOQ	<LOQ
PS (µg/mL)	Specification only at SGP pool to demonstrate consistent process performance (19-152 µg/mL), *PS content in DS calculated based on PS content in SGP pool (~100 µg/mL) and average dilution factor (~28x) to DS; LOQ 2 µg/mL	~4*	<<LOQ

*Typical PS impurity in a JEV sample produced in accordance with protocol disclosed in Srivastava et al. Vaccine 19 (2001) 4557-4565.

SEC-MALLS Results

- 10 A representative SEC-HPLC elution profile of ZikaV NIV at 214 nm detection wave length is shown in Figure 16. Note that BSA (50 µg/mL) was added to the sample to minimize losses in HPLC glass vial due to unspecific surface adsorption. ZikaV monomer content was estimated as ~98% with a multimer content of ~2%.
- 15 SEC-MALLS analysis (Figure 17) of the sample confirmed the radius R_z of the monomer ZikaV population peak 1 as 21.6 nm and ~49 nm for the multimer peak 2. Cumulative particle size distribution showed that 89% of all viral particles are within a radius range between 18 to 25nm (Figure 18).
- 20 Results confirm purity and homogeneity of ZikaV NIV.

Viral titer by plaque assay

Table 7: Active ZikaV pfus were quantified by plaque assay throughout the process.

Sample	Pfu/mL
Harvest day 2 (filtered)	6.4×10^7
Harvest day 3 (filtered)	1.0×10^8

Harvest day 5 (filtered)	1.5×10^8
Harvest day 7 (filtered)	1.1×10^8
PS treated harvest 300x concentrate (=SGP load)	9.0×10^8
SGP pool	8.9×10^8
Inactivation start (SGP pool 1:3 diluted)	3.4×10^8
Inactivation day 5	<LOD
Inactivation day 10	<LOD

Comparison of PS and Benzonase on process performance

A direct comparison of DNA removal method of concentrated ZikaV harvest pool was done. One aliquot was treated with PS (2 mg/mL, 15min at room temperature), the other aliquot was treated with Benzonase (50 U/mL, 2 mM MgCl₂, 4h RT, 48h 2-8°C). Both samples were further purified by sucrose gradient as described in this report. Interestingly, the Benzonase treated samples did not yield any pure fractions after sucrose gradient centrifugation of the treated ZikaV harvest. In those fractions where the specific virus bands were detected, a high amount of host cell protein was detected throughout the collected fractions. The PS treated material resulted in pure ZikaV containing fractions as expected. This finding may suggest that PS is not only effective for DNA removal by precipitation; in addition it improves the recovery of virus particles in the gradient by disrupting interaction of DNA (fragments) and virus particles. Benzonase treatment does not remove DNA, it only results in its fragmentation. Residual DNA fragments might still interact with virus particles and residual HCPs resulting in cross-contamination and co-purification in the sucrose gradient. Pooled SGP fractions were also analysed by SEC-HPLC. Although a large peak was detected, SDS-PAGE confirmed that this sample was highly contaminated with HCPs. A large peak might be detected at UV214 and 280nm after SEC-HPLC analysis due to possible interaction of HCPs with large virus particles, changing the UV absorbance.

Immunogenicity of Vero grown Zika virus

Immunization of mice

Prior to immunization, groups of ten 6-week-old female CD1 mice were bled via vena facialis and pre-immune sera were prepared. One intraperitoneal immunizations of 200 µL were administered. A dose titration (12 µg, 3 µg, 1 µg, 0.33 µg, 0.11 µg, 0.037 µg and 0.012 µg, equivalent to the protein amount in IXIARO) of inactivated Zika virus formulated with aluminium hydroxide (Al(OH)₃) at a final concentration of 0.7%. Three weeks after immunization, blood was collected and immune sera were prepared. All animal experiments were conducted in accordance with Austrian law (BGB1 Nr. 501/1989) and approved by "Magistratsabteilung 58".

Plaque reduction neutralization test (PRNT)

Twelve well plates were used for PRNT. Each well was seeded with 1 mL medium containing 4×10^5 Vero cells and incubated 35°C with 5% CO₂ overnight. Pools of heat inactivated sera from each dose group were tested in triplicate. The target viruses (H/PF/2013 (SEQ ID NO: 13) or MR766 (SEQ ID NO: 11)) were diluted to 100 pfu/165 µL. Equal volumes of target virus and serum dilution were incubated at 35°C with 5% CO₂ for 1 hour. The cell culture medium was aspirated from the Vero cells and 330 µL of the mixture target virus/serum dilution were added to each well and the plates were rocked back and forth 5 times before incubating for 2 hours at 35°C with 5% CO₂. To each well 1 mL of a 2% methylcellulose solution containing EMEM and nutrients was added, the plates were then incubated for 5 days at 35°C with 5% CO₂ before staining the cells for 1 hour with crystal violet/5% formaldehyde and subsequently washed 3 times with deionized water. The plates were air dried and the numbers of plaques in each well were manually counted.

Results

Neutralization was observed with serum pools from mice immunized with inactivated Zika virus vaccine (H/PF/2013) down to 37 ng (dosing equivalent to the amount protein in IXIARO®) against Zika viruses of both the Asian (H/PF/2013) and African (MR766) lineages (Figures 19 and 20, respectively). Complete inhibition was seen at the 1:20 serum dilution with an immunization dose down to 110 ng (dosing equivalent to the amount protein in IXIARO®). The neutralization of both the Asian (H/PF/2013) and African (MR766) lineages of the Zika virus was equivalent, which indicates high cross-neutralization between different Zika virus strains of the inactivated Zika virus vaccine (H/PF/2013).

Another neutralization assay was performed using the microneutralization assay as described by Larocca, et al. (2016, Nature doi:10.1038/nature18952). It was found that the inactivated Zika virus of the current invention had an MN50 (microneutralization) titer of 90 at 1 µg of inactivated purified virus.

Further methods: The immunogenicity of inactivated Zika virus preparations is assessed using a mouse model of Zika infection. Groups of adult mice are immunized subcutaneously (s.c.) with 500, 50, or 5 ng of inactivated Zika virus with adjuvant (e.g. aluminium hydroxide with or without IC31®), or without adjuvant. An additional group of mice receive PBS as a negative control. Each group is administered the indicated inoculum at t=0 and in some cases also at three to four weeks later (t=3/4).

Beginning approximately three weeks after administration of the last immunization, serum samples

are obtained from each of the mice at regular intervals. The serum samples are tested for the presence of neutralizing antibodies using PRNT.

The *in vivo* protective efficacy of the inactivated Zika virus preparations is also assessed using a mouse model of Zika infection, *i.e.* IFN-alpha/beta receptor knock-out mice (A129) (see *e.g.* Dowall et al., 4. March 2016, <http://dx.doi.org/10.1101/042358>) or blocking of the IFN-alpha/beta receptor by administration of anti-IFN-alpha/beta receptor monoclonal antibodies to C57BL/6 or BALB/c mice (see *e.g.* Pinto et al., 7. December 2011, DOI: 10.1371/journal.ppat.1002407). For protection assays, groups of 10 three- to eight-weeks-old A129, C57BL/6 or BALB/c mice are inoculated subcutaneously in the hindquarters with inactivated Zika virus with adjuvant (aluminium hydroxide) or without adjuvant at t=0. Age-matched controls are inoculated with PBS or non-specific antigens in alum. Mice are optionally boosted with a second administration of the indicated inoculation three to four weeks later. The mice are then challenged subcutaneously at three to eight weeks post immunization by inoculation with a deadly dose of live Zika virus. One day prior to challenge of C57BL/6 and BALB/c mice, they are passively administered (intraperitoneally) anti-IFN-alpha/beta receptor monoclonal antibodies. Challenged mice are monitored daily for morbidity and mortality for up to twenty-one days. Another alternative is to challenge intracranially adult vaccinated/non-vaccinated adult mice and observe protection.

It is expected that the Zika virus produced by the process of the invention will provide very similar functional read-outs in *in vitro*, *in vivo* and finally human trials as the currently licensed JEV vaccine in the EU and US and elsewhere, IXIARO®. The dosage may alter but due to the very similar impurity profile and almost identical manufacture, a very similar efficacy and safety result will be expected as was determined for the currently licensed JEV vaccine (licensed in the EU and US and elsewhere).

Discussion & Conclusion

The existing manufacturing platform for production of inactivated JEV vaccine IXIARO® was used as a basis for a manufacturing feasibility study of inactivated ZikaV vaccine candidate (Asian strain H/PF/2013). The virus was produced on Vero cells cultivated in roller bottles. The virus was purified by PS treatment followed by an optimized sucrose gradient. Inactivation was done by formalin treatment (0.02 %, 10 days at 22 °C). For exploratory immunization studies in mice, a DP formulated with Alum was prepared with an estimated 5-fold higher virus particle content compared to IXIARO®, the commercial JEV Vaccine. The impurity profile of the DS met all criteria as defined in the specification for IXIARO®, the commercial JEV vaccine. The neutralization of both the Asian

(H/PF/2013) and African (MR766) lineages of the Zika virus was equivalent, which indicates high cross-neutralization between different Zika virus strains of the inactivated Zika virus vaccine (H/PF/2013).

5 The in vivo data regarding immunogenicity of the inactivated Zika virus vaccine of the current invention indicates that the virus is surprisingly potently immunogenic and also highly cross-protective (very similar immunogenicity in African and Asian strains). Data indicate that immunogenicity was higher than the recently reported inactivated Zika virus vaccine candidate (Larocca, et. al, 2016, supra.). Inactivated viruses are among the safest vaccines and especially
10 preferred for deliver to populations where safety is especially concerning, such as pregnant women, children and immunocompromised individuals, which makes the herein disclosed inactivated Zika virus particularly suitable. Obtaining a high titer of inactivated virus is a challenge in the field. The herein disclosed process for purifying inactivated Zika virus results in not only a high yield, but also a very pure drug substance.

15 Further more detailed aspects of the invention:

A1. A Zika virus vaccine comprising an inactivated Zika virus particle, wherein the Zika virus particle is able to seroconvert a subject that is administered the Zika virus vaccine with at least a 70%
20 probability.

A2. The Zika virus vaccine of A1, wherein the Zika virus particle is able to seroconvert the subject that is administered the Zika virus vaccine with at least a 80%, 85%, 90%, or 95% probability.

25 A3. The vaccine of A1 or A2, wherein the Zika virus particle has a RNA genome corresponding to the DNA sequence provided by any one of the nucleic acid sequences of SEQ ID NOs: 2-13 or 72, or a variant nucleic acid sequence that is at least 88% identical to any one of SEQ ID NOs: 2-13 or 72 and able to pack a virulent Zika virus.

30 A4. The vaccine of any one of A1-A3, wherein the Zika virus particle has an E protein selected from the amino acid sequences provided by any one of SEQ ID NOs: 14-69, or a variant amino acid sequence that is at least 95% identical to any one of SEQ ID NOs: 14-69 and able to pack a virulent Zika virus.

A5. The vaccine of any one of A1-A4, wherein the Zika virus is inactivated by chemical inactivation, thermal inactivation, pH inactivation, or UV inactivation.

5 A6. The vaccine of A5, wherein the chemical inactivation comprises contacting the Zika virus with a chemical inactivation agent to completely inactivate the Zika virus as measured by plaque assay.

A7. The vaccine of A6, wherein the chemical inactivation comprises contacting the Zika virus with formaldehyde.

10 A8. The vaccine of A7, wherein the formaldehyde inactivation comprises contacting the Zika virus with formaldehyde for between 2-10 days.

15 A9. The vaccine of any one of A5-A8, wherein the chemical activation is performed at about +4°C or about +22°C.

A10. The vaccine of any one of A1-A9, further comprising an adjuvant.

20 A11. The vaccine of A10, wherein the adjuvant is an aluminum salt adjuvant.

A12. The vaccine of A11, wherein the aluminum salt adjuvant is aluminium hydroxide or aluminium phosphate salt.

25 A13. The vaccine of any one of A10-A12, wherein the vaccine comprises or further comprises an adjuvant comprising a peptide and a deoxyinosine-containing immunostimulatory oligodeoxynucleic acid molecule (I-ODN).

A14. The vaccine of A13, wherein the peptide comprises the sequence KLKL5KLK (SEQ ID NO: 71) and the I-ODN comprises oligo-d(IC)13 (SEQ ID NO: 70).

30 A15. The vaccine of any one of A1-A14, further comprising one or more pharmaceutically acceptable excipient.

A16. The vaccine of any one of A1-A15, wherein the vaccine contains protamine sulphate or fragments or break-down products of PS at amounts too low to detect by HPLC, i.e., below 1 µg/mL, especially below 100 ng/mL.

5 A17. The vaccine of A16, wherein said protamine sulphate or fragments or break-down products of PS can be detected by mass spectroscopy or another sensitive method.

B1. A kit comprising a Zika virus vaccine of any one of A1-A15.

10

B2. The kit of B1, further comprising a second vaccine.

B3. The kit of B2, wherein the second vaccine is a West Nile virus vaccine, a Japanese Encephalitis virus vaccine, a Yellow Fever virus vaccine, a Dengue virus vaccine or a Chikungunya virus vaccine.

15

C1. A method, comprising administering a first dose of a therapeutically effective amount of the Zika virus vaccine of any one of A1-A15 to a subject in need thereof.

20

C2. The method of C1, further comprising administering a second dose of a therapeutically effective amount of the Zika virus vaccine.

C3. The method of C1 or C2, wherein the second dose of the Zika virus vaccine is administered about 7 days after the first dose of the Zika virus vaccine.

25

C4. The method of C1 or C2, wherein the second dose of the Zika virus vaccine is administered about 14 days after the first dose of the Zika virus vaccine.

C5. The method of C1 or C2, wherein the second dose of the Zika virus vaccine is administered about 28 days after the first dose of the Zika virus vaccine.

30

C6. The method of any one of C1-C5, wherein the administering results in production of Zika virus neutralizing antibodies.

35

D1. A method of producing a Zika virus vaccine, comprising
(i) passaging a Zika virus on Vero cells, thereby producing a culture supernatant comprising the Zika virus;

5 (ii) harvesting the culture medium of (i);
(iii) precipitating the harvested culture medium of (ii), thereby producing a Zika virus supernatant; and

(iv) optimally inactivating the Zika virus in the Zika virus supernatant of (iii) thereby producing an inactivated Zika virus.

10 D2. The method of D1, further comprising concentrating the culture medium of (ii) prior to step (iii).

D3. The method of D1 or D2, wherein the precipitating of (iii) comprises contacting the culture
15 medium of (ii) with protamine sulfate or benzoate.

D4. The method of any one of D1-D3, further comprising (v) dialyzing the inactivated Zika virus of (iv), thereby producing a dialyzed Zika virus.

20 D5. The method of D4, further comprising (vi) filtering the dialyzed Zika virus of (v).

D6. The method of any one of D1-D5, wherein the inactivating is by chemical inactivation, thermal inactivation, pH inactivation, or UV inactivation.

25 D7. The method of D6, wherein the chemical inactivation comprises contacting the Zika virus with a chemical inactivation agent for at least 4 days.

D8. The method of D6 or D7, wherein the chemical inactivation agent comprises formaldehyde.

30 D9. The method of any one of D6-D8, wherein the chemical activation is performed at about +4°C or about +22°C.

D10. The method of D8 or D9, further comprising neutralizing the formaldehyde.

35 D11. The method of D10, wherein the neutralizing is performed with sodium metabisulfite.

E1. The use of the optimally inactivated Zika virus vaccine of any one of A1-A15 for the treatment and/or prevention of a Zika virus infection.

5

E2. The use of E1, wherein the inactivated Zika virus vaccine is administered in a first dose of a therapeutically effective amount to a subject in need thereof.

E3. The use of E2, wherein the inactivated Zika virus vaccine is administered in a second dose of a therapeutically effective amount to the subject.

10

E4. The use of E3, wherein the second dose of the inactivated Zika virus vaccine is administered about 7 days after the first dose of the Zika virus vaccine.

E5. The use of E3, wherein the second dose of the Zika virus vaccine is administered about 14 days after the first dose of the Zika virus vaccine.

15

E6. The use of E3, wherein the second dose of the Zika virus vaccine is administered about 28 days after the first dose of the Zika virus vaccine.

20

E7. The use of any one of E1-E6, wherein the vaccine administration results in production of Zika virus neutralizing antibodies.

F1. A pharmaceutical composition for use in the treatment or prevention of a Zika virus infection, wherein said pharmaceutical composition comprises the optimally inactivated Zika virus vaccine of any one of A1-A15.

25

F2. The pharmaceutical composition of F1, wherein the inactivated Zika virus vaccine is administered in a first dose of a therapeutically effective amount to a subject in need thereof.

30

F3. The use of F2, wherein the inactivated Zika virus vaccine is administered in a second dose of a therapeutically effective amount to the subject.

F4. The use of F3, wherein the second dose of the inactivated Zika virus vaccine is administered about 7 days after the first dose of the Zika virus vaccine.

F5. The use of F3, wherein the second dose of the Zika virus vaccine is administered about 14 days after the first dose of the Zika virus vaccine.

F6. The use of F3, wherein the second dose of the Zika virus vaccine is administered about 28 days after the first dose of the Zika virus vaccine.

F7. The use of any one of F1-F6, wherein the vaccine administration results in production of Zika virus neutralizing antibodies.

G1. Use of an optimized sucrose gradient centrifugation for removal of protamine sulphate from purified infectious Zika virus particles.

G2. The use according to G1, wherein said optimized sucrose gradient centrifugation comprises a virus comprising fraction in a 10% +/- 1% (w/w) sucrose solution and three further layers of sucrose solutions with different densities, i.e. a first sucrose solution with 15% +/- 1% (w/w) sucrose, a second sucrose solution with 35% +/- 1% (w/w) sucrose, and a third sucrose solution with a 50% +/- 1% (w/w) sucrose.

G3. A process of purification of infectious Zika virus particles, comprising the steps of:

- a) providing a crude harvest (a) comprising virus particles and impurities, wherein the impurities are generated from growing said virus particles on a cell substrate;
- b) reducing impurities from the crude harvest (a) by precipitation with an agent comprising protamine, preferably a protamine salt, more preferably a protamine sulphate, even more preferably a recombinant protamine sulphate, to obtain a virus preparation (b);
- c) further purifying the virus preparation (b) by an optimized sucrose density gradient centrifugation, wherein the optimized sucrose gradient is provided such that the protamine can be completely or almost completely separated from the virus fraction; and wherein the protamine concentration is reduced by this step to the extent that the protamine concentration in the final drug substance is below 1 µg/ml, preferably below 0.5 µg/mL, more preferably below 0.1 µg/mL, most preferably below 0.05 µg/mL.

G4. The process of G3, wherein said optimized sucrose density gradient centrifugation comprises a virus comprising fraction in a 10% +/- 1% (w/w) sucrose solution and three layers of sucrose with different densities, i.e. a first sucrose solution with 15% +/- 1% (w/w) sucrose, a second sucrose solution with 35% +/- 1% (w/w) sucrose, and a third sucrose solution with a 50% +/- 1% (w/w) sucrose.

G5. The process of any one of G3 to G4, additionally comprising a further purification step of: (d) a solid-phase matrix packed in a column comprising a ligand-activated core and an inactive shell comprising pores, wherein the molecular weight cut off of the pores excludes the virus particles from entering the ligand-activated core, and wherein a molecule smaller than the molecular weight cutoff of the pores can enter the ligand-activated core and collecting the virus particles.

G6. The process of any of G3 to G5, wherein the residual host cell DNA content of the Zika virus preparation (c) is less than 10 ng/mL and the residual host cell protein content of the final virus preparation (c) is less than 100 ng/mL.

G7. The process of any of G3 to G6, wherein said crude harvest (a) comprising Zika virus particles and impurities is subjected to one or more pre-purification step(s) prior to step (b).

G8. The process of G7, wherein the one or more pre-purification step(s) comprises

- a) filtration using a filter having a pore size equal to or less than 0.2 μm ; and/or
- b) digestion of host cell genomic DNA by enzymatic treatment; and/or
- c) ultra/diafiltration using a hollow fiber membrane having a pore size equal to or greater than 300 kDa, preferably equal to or greater than 100 kDa.

G9. The process of any one of G3 to G8, wherein the concentration of protamine sulphate is 0.5 to 3 mg/ml, more preferably 1 to 2 mg/ml, more preferably 1.2 to 1.8 mg/ml, more preferably 1.4 to 1.6 mg/ml, most preferably 1.6 mg/ml or 2 mg/ml.

G10. The process of any one of G3 to G9, wherein the enrichment of infectious Zika virus particles in the virus preparation (c) or any final virus preparation relative to total virus products in the crude harvest (a) is in the range from at least 50% to 95%, preferably at least 80%.

G11. The process of any one of G7 to G10, wherein the one or more pre-purification step(s) prior to step (b) of any of G8 to G11 is performed using a filter having a pore size equal to or less than 1 μm , preferably 0.2 μm .

5 G12. The process of any one of G3 to G11, wherein the residual impurity of the Zika virus preparation (c) is less than 10%.

G13. The process of any one of G3 to G12, wherein the Zika virus is propagated in a cell line selected from the group consisting of an EB66 cell line, a Vero cell line, a Vero- α His cell line, a HeLa
10 cell line, a HeLa-S3 cell line, a 293 cell line, a PC12 cell line, a CHO cell line, a 3T3 cell line, a PerC6 cell line, a MDSK cell line, a chicken embryonic fibroblast cell line, a duck cell line, and a diploid avian cell line.

G14. The process of G13, wherein said cell line is a Vero cell line.
15

G15. The process of any one of G3 to G14, wherein said infectious Zika virus particle is an infectious virus particle that is a live virus, a live attenuated virus, a chimeric virus, a modified live virus, or a recombinant live virus.

20 G16. The process of any one of G3 to G15, wherein said Zika virus is preferably a strain of the Asian lineage.

G17. The process of any one of G3 to G16, wherein said process resulting in final virus preparation (c) or (d) is followed by an inactivation step, wherein the virus is inactivated preferably by
25 formaldehyde.

G18. Use of the process according to any one of G3 to G17 for manufacturing a composition for immunization against a virus infection.

30 G19. The use according to G18, wherein said virus infection is an infection caused by a Zika virus.

Q1. A process of purification of infectious Zika virus particles, comprising the steps of:

(a) providing a crude harvest (a) comprising Zika virus particles and impurities, wherein the impurities are generated from growing said virus particles on a cell substrate;

(b) reducing impurities from the crude harvest (a) by precipitation with an agent comprising protamine, preferably a protamine salt, more preferably a protamine sulphate, even more preferably a recombinant protamine sulphate, to obtain a virus preparation (b);

(c) further purifying the virus preparation (b) by an optimized sucrose density gradient centrifugation, wherein the optimized sucrose gradient is provided such that the protamine can be completely or almost completely separated from the virus fraction; and wherein the protamine concentration is reduced by this step to the extent that the protamine concentration in the final drug substance is below 1 µg/ml, preferably below 0.5 µg/mL, more preferably below 0.1 µg/mL, most preferably below 0.05µg/mL.

Q2. The process of Q2, wherein the virus particles are from Zika virus.

Q3. The process of Q1 or Q2, additionally comprising the step of:

(d) a solid-phase matrix packed in a column comprising a ligand-activated core and an inactive shell comprising pores, wherein the molecular weight cut off of the pores excludes the virus particles from entering the ligand-activated core, and wherein a molecule smaller than the molecular weight cutoff of the pores can enter the ligand-activated core and collecting the virus particles.

Q4. The process of any of Q1 to 3, wherein the residual host cell DNA of the virus preparation (c) is less than 10 ng/mL and the residual host cell protein of the final virus preparation (c) is less than 100 ng/mL.

Q5. The process of any of Q1 to 4, wherein the crude harvest (a) comprising virus particles and impurities is subjected to one or more pre-purification step(s) prior to step (b).

Q6. The process of Q5, wherein the one or more pre-purification step(s) comprises

(a) filtration using a filter having a pore size equal to or less than 0.2 µm; and/or

(b) digestion of host cell genomic DNA by enzymatic treatment; and/or

(c) ultra/diafiltration using a hollow fiber membrane having a pore size equal to or greater than 300 kDa, preferably equal to or greater than 100 kDa.

Q7. The process of any one of Q1 to 6, wherein the concentration of protamine sulphate is 0.5 to 3 mg/ml, more preferably 1 to 2 mg/ml, more preferably 1.2 to 1.8 mg/ml, more preferably 1.4 to 1.6 mg/ml, most preferably 1.6 mg/ml or 2 mg/ml.

Q8. The process of any one of Q1 to 7, wherein the enrichment of infectious virus particles in the virus preparation (c) or any final virus preparation relative to total virus products in the crude harvest (a) is in the range from at least 50% to 95%, preferably at least 80%.

5 Q9. The process of any one of Q5 to 8, wherein the one or more pre-purification step(s) prior to step (b) of any of Q5 to 8 is performed using a filter having a pore size equal to or less than 1 μm , preferably 0.2 μm .

10 Q10. The process of any one of Q1 to 9, wherein the residual impurity of the virus preparation (c) is less than 10%.

Q11. The process of any one of Q1 to 10, wherein the virus is propagated in a cell line selected from the group consisting of an EB66 cell line, a Vero cell line, a Vero- α His cell line, a HeLa cell line, a HeLa-S3 cell line, a 293 cell line, a PC12 cell line, a CHO cell line, a 3T3 cell line, a PerC6
15 cell line, a MDSK cell line, a chicken embryonic fibroblast cell line, a duck cell line, and a diploid avian cell line.

Q12. The process of Q11, wherein said cell line is a Vero cell line.

20 Q13. The process of any one of Q1 to 12, wherein the infectious virus particles is an infectious Zika virus particle that is a live virus, an attenuated live virus, a chimeric virus, a modified live virus, or a recombinant live virus.

25 Q14. The process of any one of Q1 to 13, wherein the Zika virus is a Zika virus strain of the Asian lineage or an immunogenic variant thereof.

Q15. The process of any one of Q1 to 14, wherein said process resulting in final virus preparation (c) or (d) is followed by an inactivation step, wherein the virus is inactivated preferably by formaldehyde.

30

Q16. Use of the process according to any one of Q1 to 15 for manufacturing a composition for immunization against a virus infection.

35 Q17. The use according to Q16, wherein the composition for immunization against a virus infection is an infection caused by Zika virus.

Q18. A composition comprising the virus particles obtainable or obtained by the process of any one of Q1 to 17 for treating and/or preventing an infection, such as e.g. a Zika virus infection.

5 Q19. A Zika virus vaccine comprising an inactivated Zika virus particle grown on vero cells, wherein the Zika virus particle is able to seroconvert a subject that is administered the Zika virus vaccine with at least a 70% probability and comprises minor amounts of protamine sulphate, preferably below the detection limit.

10 Q20. The Zika virus vaccine of Q19, wherein the Zika virus particle is able to seroconvert the subject that is administered the Zika virus vaccine with at least a 80%, 85%, 90%, or 95% probability, preferably a 80% probability.

15 Q21. The vaccine of Q19 or 20, wherein the Zika virus particle has a RNA genome corresponding to the DNA sequence provided by any one of the nucleic acid sequences of SEQ ID NOs: 2-13, or a variant nucleic acid sequence that is at least 88% identical to any one of SEQ ID NOs: 2-13 and able to pack a virulent Zika virus.

20 Q22. The vaccine of any one of Q19, 20 and 21, wherein the Zika virus particle has an E protein selected from the amino acid sequences provided by any one of SEQ ID NOs: 14-69 or 72, or a variant amino acid sequence that is at least 95% identical to any one of SEQ ID NOs: 14-69 or 72 and able to pack a virulent Zika virus.

25 Q23. The vaccine of any one of Q19, 20 to 22, wherein the Zika virus obtained by culturing on Vero cells is purified by protamine sulfate precipitation and sucrose gradient centrifugation.

Q24. The vaccine of Q23, wherein the sucrose gradient centrifugation is an optimized sucrose gradient centrifugation.

30 Q25. The vaccine of Q24, wherein the optimized sucrose gradient centrifugation comprises a virus comprising fraction in a 10% (w/w) sucrose solution and three layers of sucrose with different densities, i.e. a first sucrose solution with 15% (w/w) sucrose solution, a second sucrose solution with 35% (w/w) sucrose solution, and a third sucrose solution with a 50% (w/w) sucrose solution.

Q26. The vaccine of any one of Q19, 20 to 25, wherein the Zika virus is inactivated by chemical inactivation, thermal inactivation, pH inactivation, or UV inactivation.

Q27. The vaccine of Q26, wherein the chemical inactivation comprises contacting the Zika virus with a chemical inactivation agent for longer than is required to completely inactivate the Zika virus as measured by plaque assay.

Q28. The vaccine of Q27, wherein the chemical inactivation comprises contacting the Zika virus with formaldehyde.

Q29. The vaccine of Q28, wherein the formaldehyde inactivation comprises contacting the Zika virus with formaldehyde for between 2-10 days.

Q30. The vaccine of any one of Q27-29, wherein the chemical activation is performed at about +4°C or about +22°C.

Q31. The vaccine of any one of Q19 to 30, further comprising an adjuvant.

Q32. The vaccine of Q31, wherein the adjuvant is an aluminum salt adjuvant.

Q33. The vaccine of Q32, wherein the aluminum salt adjuvant is aluminium hydroxide or aluminium phosphate salt.

Q34. The vaccine of Q32, wherein the aluminum salt adjuvant is aluminium hydroxide with less than 1.25ppb Cu based on the final pharmaceutical composition comprising the Zika virus, preferably the inactivated Zika virus.

Q35. The vaccine of any one of Q19 to 34, further comprising one or more pharmaceutically acceptable excipient.

R1. Use of protamine, preferably a protamine salt, to separate infectious and non-infectious Zika virus particles, host cell proteins and/or undefined low molecular weight materials.

R2. A process of purification of infectious Zika virus particles, comprising the steps of:

(a) providing a crude harvest (a) comprising Zika virus particles and impurities, wherein the impurities are generated from growing said virus particles on a cell substrate;

(b) reducing impurities from the crude harvest (a) by precipitation with an agent comprising protamine, preferably a protamine salt, more preferably a protamine sulphate, even more preferably a recombinant protamine sulphate, to obtain a virus preparation (b), wherein the enrichment of infectious virus particles in the virus preparation (b) relative to total virus products in the crude harvest (a) is in the range from at least 50% to 95%, preferably at least 80%.

R3. The use of R1 or the process of R2, wherein the virus particles are from Zika virus.

R4. A process of purification of infectious Zika virus particles, comprising the steps of:

(a) providing a crude harvest (a) comprising Zika virus particles and impurities, wherein the impurities are generated from growing said virus particles on a cell substrate;

(b) reducing impurities from the crude harvest (a) by precipitation with an agent comprising protamine, preferably a protamine salt, more preferably a protamine sulphate, even more preferably a recombinant protamine sulphate, to obtain a virus preparation (b);

(c) further purifying the virus preparation (b) by one or more size exclusion methods such as (i) a sucrose density gradient centrifugation, (ii) a solid-phase matrix packed in a column comprising a ligand-activated core and an inactive shell comprising pores, wherein the molecular weight cut off of the pores excludes the virus particles from entering the ligand-activated core, and wherein a molecule smaller than the molecular weight cutoff of the pores can enter the ligand-activated core and collecting the virus particles, and/or (iii) size exclusion chromatography to obtain a virus preparation (c) comprising the infectious virus particles, wherein the residual host cell DNA of the virus preparation (c) is less than 100 ng/mL and the residual host cell protein and the residual aggregates of infectious virus particles of the final virus preparation (c) is less than 1 µg/mL.

R5. The process of R4, wherein the residual host cell DNA of the virus preparation (c) is less than 10 ng/mL and the residual host cell protein of the final virus preparation (c) is less than 100 ng/mL.

R6. The process of any of R2 to 5, wherein the crude harvest (a) comprising virus particles and impurities is subjected to one or more pre-purification step(s) prior to step (b).

R7. The process of R6, wherein the one or more pre-purification step(s) comprises

(a) filtration using a filter having a pore size equal to or less than 0.2 µm; and/or

- (b) digestion of host cell genomic DNA by enzymatic treatment; and/or
- (c) ultra/diafiltration using a hollow fiber membrane having a pore size equal to or greater than 300 kDa, preferably equal to or greater than 100 kDa.

5 R8. The process of any one of R2 to 7, wherein the concentration of protamine sulphate is 0.5 to 3 mg/ml, more preferably 1 to 2 mg/ml, more preferably 1.2 to 1.8 mg/ml, more preferably 1.4 to 1.6 mg/ml, most preferably 1.6 mg/ml.

R9. The process of any one of R2 to 8, wherein the enrichment of infectious virus particles in the virus preparation (c) or any final virus preparation relative to total virus products in the crude harvest (a) is in the range from at least 50% to 95%, preferably at least 80%.

10 R10. The process of any one of R6 to 9, wherein the one or more pre-purification step(s) prior to step (b) of any of R6 to 9 is performed using a filter having a pore size equal to or less than 1 μm , preferably 0.2 μm .

R11. The process of any one of R2 to 10, wherein the residual impurity of the virus preparation (c) is less than 10%.

15 R12. The process of any one of R2 to 11, wherein the virus is propagated in a cell line selected from the group consisting of an EB66 cell line, a Vero cell line, a Vero- α His cell line, a HeLa cell line, a HeLa-S3 cell line, a 293 cell line, a PC12 cell line, a CHO cell line, a 3T3 cell line, a PerC6 cell line, a MDSK cell line, a chicken embryonic fibroblast cell line, a duck cell line, and a diploid avian cell line.

20 R13. The process of R12, wherein said cell line is a Vero cell line.

R14. The process of any one of R2 to 13, wherein the Zika virus is a live virus, an attenuated live virus, a chimeric virus, a modified live virus, or a recombinant live virus.

R15. The process of any one of R2 to 14, wherein the Zika virus is a Zika virus strain of the Asian lineage or an immunogenic variant thereof.

25 R16. The process of any one of R2 to 15, wherein said process resulting in final virus preparation (c) is followed by an inactivation step, wherein the virus is inactivated preferably by formaldehyde.

R17. Use of the process according to any one of R1 to 16 for manufacturing a composition for immunization against a virus infection.

R18. The use according to R17, wherein the composition for immunization against a virus infection is an infection caused by a Zika virus.

R19. A composition comprising the virus particles obtainable or obtained by the process of any one of R2 to 16 for treating and/or preventing an infection.

CLAIMS

What is claimed is:

- 5 1. A Zika virus vaccine comprising an inactivated Zika virus particle, wherein said Zika virus vaccine is able to confer seroprotection on at least 70% of subjects that are administered the Zika virus vaccine.
2. The Zika virus vaccine of claim 1, wherein the Zika virus particle is able to confer
10 seroprotection on at least 75%, 80%, 90%, 95%, 96%, 97%, 98%, or at least 99% of vaccinated subjects that are administered the Zika virus vaccine, preferably on at least 80% of subjects.
3. The vaccine of claim 1 or 2, wherein the Zika virus particle has a RNA genome corresponding to the DNA sequence provided by any one of the nucleic acid sequences of SEQ ID NOs: 2-13
15 or 72, or a variant nucleic acid sequence that is at least 88% identical to any one of SEQ ID NOs: 2-13 or 72 and able to pack a virulent Zika virus.
4. The vaccine of any one of claims 1 to 3, wherein the Zika virus particle has an E protein selected from the amino acid sequences provided by any one of SEQ ID NOs: 14-69, or a
20 variant amino acid sequence that is at least 95% identical to any one of SEQ ID NOs: 14-69 and able to pack a virulent Zika virus.
5. The vaccine of any one of claims 1 to 4, wherein the Zika virus is inactivated by chemical inactivation, thermal inactivation, pH inactivation, or UV inactivation.
25
6. The vaccine of claim 5, wherein the chemical inactivation comprises contacting the Zika virus with a chemical inactivation agent for longer than is required to completely inactivate the Zika virus as measured by plaque assay.
- 30 7. The vaccine of claim 6, wherein the chemical inactivation comprises contacting the Zika virus with formaldehyde.
8. The vaccine of claim 7, wherein the formaldehyde inactivation comprises contacting the Zika virus with formaldehyde for between 2-10 days.
35

9. The vaccine of any one of claims 5 to 8, wherein the chemical activation is performed at about +4°C or about +22°C.
10. The vaccine of any one of claims 1 to 9, further comprising an adjuvant.
11. The vaccine of claim 10, wherein the adjuvant is an aluminum salt adjuvant.
12. The vaccine of claim 11, wherein the aluminum salt adjuvant is aluminium hydroxide or aluminium phosphate salt.
13. The vaccine of any one of claims 10 to 12, wherein the vaccine comprises or further comprises an adjuvant comprising a peptide and a deoxyinosine-containing immunostimulatory oligodeoxynucleic acid molecule (I-ODN).
14. The vaccine of claim 13, wherein the peptide comprises the sequence KLKL5KLK (SEQ ID NO: 71) and the I-ODN comprises oligo-d(IC)13 (SEQ ID NO: 70).
15. The vaccine of any one of claims 1 to 14, further comprising one or more pharmaceutically acceptable excipients.
16. The vaccine of any one of claims 1 to 15, wherein the vaccine contains protamine sulphate or fragments or break-down products of PS at amounts too low to detect by HPLC, i.e., below 1 µg/mL, especially below 100 ng/mL.
17. The vaccine of claim 16, wherein said protamine sulphate or fragments or break-down products of PS can be detected by mass spectroscopy or another sensitive method.

1/23




Figure 1

2/23




Figure 2

		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
DVV 1.NC 001477.1	0	100.0	70.1	73.0	67.8	60.5	60.4	60.5	60.5	60.7	55.8	60.6	60.3	60.6	58.0	57.9	57.9	58.0	62.3	62.3	62.3	61.3
DVV 16681.NC 001474.2	1	70.1	100.0	70.8	68.6	60.5	60.5	60.5	60.6	60.7	54.9	60.9	60.3	60.4	58.3	58.3	58.3	58.3	62.7	62.8	62.8	62.2
DVV 3.NC 001475.2	2	73.0	70.8	100.0	68.9	60.2	60.1	60.1	60.1	60.1	55.8	60.3	60.0	60.1	57.5	57.6	57.5	57.5	62.6	62.7	62.7	62.5
DVV 4.NC 002640.1	3	67.8	68.6	68.9	100.0	60.5	60.6	60.6	60.6	60.4	55.4	60.8	60.3	60.5	58.0	57.9	57.9	57.9	62.1	62.0	62.0	62.1
JEV SA14-14-2.AF315119.1	4	60.5	60.5	60.2	60.5	100.0	99.8	99.4	99.5	98.1	56.5	70.6	70.3	70.3	57.9	58.0	58.0	58.0	61.9	61.8	61.8	61.4
JEV SA14-14-2.D90195.1	5	60.4	60.5	60.1	60.6	99.8	100.0	99.4	99.5	98.2	56.6	70.6	70.4	70.3	57.9	58.0	57.9	58.0	61.9	61.8	61.8	61.5
JEV SA14.D90194.1	6	60.5	60.5	60.1	60.6	99.4	99.4	100.0	99.8	98.6	56.6	70.8	70.5	70.4	58.0	58.0	58.0	58.0	61.9	61.8	61.8	61.6
JEV virus.M55506.1	7	60.5	60.6	60.1	60.6	99.5	99.5	99.8	100.0	98.6	56.7	70.8	70.4	70.3	58.0	58.1	58.0	58.1	61.9	61.8	61.8	61.6
JEV virus.NC 001437.1	8	60.7	60.7	60.1	60.4	98.1	98.2	98.6	98.6	100.0	56.6	70.6	70.5	70.6	58.3	58.3	58.4	58.3	62.1	62.0	62.0	61.7
TEV virus.NC 001672.1	9	55.8	54.9	55.8	55.4	56.5	56.6	56.6	56.7	56.6	100.0	56.2	56.7	56.6	56.9	57.0	57.0	57.0	56.6	56.7	56.7	56.7
WNV 956.NC 001563.2	10	60.6	60.9	60.3	60.8	70.8	70.6	70.8	70.8	70.8	56.2	100.0	79.6	79.6	58.1	58.0	58.1	58.2	62.4	62.3	62.3	62.2
WNV Chin-01.AY490240.2	11	60.3	60.3	60.0	60.3	70.3	70.4	70.5	70.4	70.5	56.7	79.6	100.0	95.3	58.2	58.2	58.2	58.2	62.0	62.1	62.1	62.7
WNV NY99 isol-385-99.NC 009942.1	12	60.6	60.4	60.1	60.5	70.3	70.3	70.4	70.3	70.6	56.6	79.6	95.3	100.0	57.8	57.8	57.8	57.8	62.0	62.0	62.0	62.4
YFV 17D vaccine strain.NC 002031.1	13	58.0	58.3	57.5	58.0	57.9	57.9	58.0	58.0	58.3	56.9	58.1	58.2	57.8	100.0	99.4	99.9	99.9	58.5	58.5	58.5	58.2
YFV ASIB.AY640589.1	14	57.9	58.3	57.6	57.9	58.0	58.0	58.0	58.1	58.3	57.0	58.0	58.2	57.8	99.4	100.0	99.4	99.4	58.4	58.4	58.4	58.1
YFV Pasteur 17D-204.X15062.1	15	57.9	58.3	57.5	57.9	58.0	57.9	58.0	58.0	58.4	57.0	58.1	58.2	57.8	99.9	99.4	100.0	99.9	58.4	58.4	58.4	58.2
YFV vaccine strain 17D-213.U17067.1	16	58.0	58.3	57.5	57.9	58.0	58.0	58.0	58.1	58.3	57.0	58.2	58.2	57.8	99.9	99.4	99.9	100.0	58.4	58.4	58.4	58.1
ZVV MR766-NIID.LC002520.1	17	62.3	62.7	62.6	62.1	61.9	61.9	61.9	61.9	62.1	56.6	62.4	62.0	62.0	58.5	58.4	58.4	58.4	100.0	99.7	99.7	88.9
ZVV MR 766.AY632535.2	18	62.3	62.8	62.7	62.0	61.8	61.8	61.8	61.8	62.0	56.7	62.3	62.1	62.0	58.5	58.4	58.4	58.4	99.7	100.0	100.0	88.8
ZVV MR 766.NC 012532.1	19	62.3	62.8	62.7	62.0	61.8	61.8	61.8	61.8	62.0	56.7	62.3	62.1	62.0	58.5	58.4	58.4	58.4	99.7	100.0	100.0	88.8
ZVV ZikaSPH2015.KU321639.1	20	61.3	62.2	62.5	62.1	61.4	61.5	61.6	61.6	61.7	56.7	62.2	62.7	62.4	58.2	58.1	58.2	58.1	88.9	88.8	88.8	100.0

 % Identity and higher
 % Identity and higher
 % Identity and higher

Figure 3

4/23




Figure 4

5/23




Figure 5

		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
DVV 1.NC 001477.1	0	100.0	88.7	77.4	63.8	49.7	49.7	50.1	49.9	50.5	38.3	51.5	50.5	50.9	43.0	43.8	43.0	43.2	57.3	57.9	58.4	58.4	57.1
DVV 16681.NC 001474.2	1	88.7	100.0	88.7	64.0	46.7	46.7	47.1	46.9	47.5	38.9	48.4	47.6	47.6	43.6	44.4	43.6	43.6	53.6	53.8	54.2	54.2	53.8
DVV 3.NC 001475.2	2	77.4	88.7	100.0	62.8	48.0	48.0	48.2	48.2	48.6	38.2	46.8	46.7	46.3	41.6	42.2	41.6	41.7	57.3	57.7	58.2	58.2	57.1
DVV 4.NC 002640.1	3	63.8	64.0	62.8	100.0	47.5	47.5	47.7	47.5	48.1	39.7	49.6	49.6	49.8	40.0	40.6	40.0	40.0	55.8	56.4	56.4	56.4	55.8
JEV SA14-14-2.AF315119.1	4	49.7	46.7	48.0	47.5	100.0	99.8	98.0	98.6	97.8	39.6	76.1	76.6	76.7	43.1	42.9	43.1	43.1	54.0	54.8	54.8	54.8	54.0
JEV SA14-14-2.D90195.1	5	49.7	46.7	48.0	47.5	99.8	100.0	98.2	98.8	98.0	39.8	76.3	76.7	76.9	43.1	42.9	43.1	43.1	54.0	54.8	54.8	54.8	54.0
JEV SA14.D90194.1	6	50.1	47.1	48.2	47.7	98.0	98.2	100.0	99.4	99.4	40.0	77.5	77.8	78.0	43.3	43.3	43.3	43.3	54.4	55.4	55.2	55.2	54.4
JEV virus.M55506.1	7	49.9	46.9	48.2	47.5	98.6	98.8	99.4	100.0	99.2	40.0	77.3	77.6	77.8	43.3	43.3	43.3	43.3	54.2	55.2	55.0	55.0	54.2
JEV virus.NC 001437.1	8	50.5	47.5	48.6	48.1	97.8	98.0	99.4	99.2	100.0	40.4	78.0	78.4	78.6	43.5	43.5	43.5	43.5	54.8	55.4	55.2	55.2	54.8
TEV virus.NC 001672.1	9	38.3	38.9	38.2	39.7	39.6	39.8	40.0	40.0	40.4	100.0	41.3	41.6	41.0	42.3	41.9	42.3	42.3	39.9	39.9	39.6	39.6	39.9
WNV 956.NC 001563.2	10	51.5	48.4	46.8	49.6	76.1	76.3	77.5	77.3	78.0	41.3	100.0	94.6	94.0	43.8	43.6	43.8	43.8	55.0	55.0	54.8	54.8	55.0
WNV Chin-01.AY490240.2	11	50.5	47.6	46.7	49.6	76.5	76.7	77.8	77.6	78.4	41.6	94.6	100.0	98.8	43.9	43.5	43.9	43.9	54.4	54.2	54.0	54.0	54.4
WNV NY99 isol-385-99.NC 009942.1	12	50.9	47.6	45.3	49.8	76.7	76.9	78.0	77.8	78.6	41.0	94.0	98.8	100.0	43.9	43.5	43.9	43.9	54.0	53.8	53.8	53.8	54.0
YFV 17D vaccine strain.NC 002031.1	13	43.0	43.6	41.6	40.0	43.1	43.1	43.3	43.3	43.5	42.3	43.8	43.9	43.9	100.0	97.6	100.0	99.8	42.0	43.4	43.5	43.5	42.0
YFV ASIB.AY640589.1	14	43.8	44.4	42.2	40.6	42.9	42.9	43.3	43.3	43.5	41.9	43.6	43.5	43.5	97.6	100.0	97.6	97.4	42.4	43.8	43.9	43.9	42.4
YFV isol-Pasteur 17D-204.X15062.1	15	43.0	43.6	41.6	40.0	43.1	43.1	43.3	43.3	43.5	42.3	43.8	43.9	43.9	100.0	97.6	100.0	99.8	42.0	43.4	43.5	43.5	42.0
YFV vaccine strain 17D-213.U17067.1	16	43.2	43.6	41.7	40.0	43.1	43.1	43.3	43.3	43.5	42.3	43.8	43.9	43.9	99.8	97.4	99.8	100.0	42.0	43.4	43.5	43.5	42.0
ZVVBeH818995.KU365777.1	17	57.3	53.8	57.3	55.8	54.0	54.0	54.4	54.2	54.8	39.9	55.0	54.4	54.0	42.0	42.4	42.0	42.0	100.0	96.8	96.4	96.4	99.8
ZVV MR766-NIID.LC002520.1	18	57.9	53.8	57.7	56.4	54.8	54.8	55.4	55.2	55.4	39.9	55.0	54.2	53.8	43.4	43.8	43.4	43.4	96.8	100.0	98.8	98.8	96.6
ZVV MR 766.AY632535.2	19	58.4	54.2	58.2	56.4	54.8	54.8	55.2	55.0	55.2	39.6	54.8	54.0	53.8	43.5	43.9	43.5	43.5	96.4	98.8	100.0	100.0	96.2
ZVV MR 766.NC 012532.1	20	58.4	54.2	58.2	56.4	54.8	54.8	55.2	55.0	55.2	39.6	54.8	54.0	53.8	43.5	43.9	43.5	43.5	96.4	98.8	100.0	100.0	96.2
ZVV ZikaSPH2015.KU321639.1	21	57.1	53.8	57.1	55.8	54.0	54.0	54.4	54.2	54.8	39.9	55.0	54.4	54.0	42.0	42.4	42.0	42.0	99.8	96.6	96.2	96.2	100.0

6/23




Figure 6

SUBSTITUTE SHEET (RULE 26)

YFV_ASBI.AY640589.1/292-784
YFV_17D_vaccine_strain_NC_002031.1/292-784
YFV_vaccine_strain_17D-213.U17067.1/292-784
YFV_isol-Pasteur_17D-204.X15062.1/292-784
IEV_SA14.D90194.1/307-806
IEV_virus_NC_001437.1/307-806
IEV_virus.M55506.1/307-806
IEV_SA14-14-2.AF315119.1/307-806
IEV_SA14-14-2.D90195.1/307-806
DVV_1_NC_001477.1/294-788
DVV_16681_NC_001474.2/287-781
DVV_4_NC_002640.1/313-807
DVV_3_NC_001475.2/294-786
TEV_virus_NC_001672.1/292-787
WNV_956_NC_001563.2/306-802
WNV_NY99_isol-385-99_NC_009942.1/306-806
WNV_Chin-01.AY490240.2/306-806
ZVV_MRT66-NIID.LC002520.1/326-829
ZVV_ZikaSPH2015.KU321639.1/326-829
ZVV_MR_766_NC_012532.1/326-825
ZVV_MR_766.AY632535.2/326-825
ZVV_BeH818995.KU365777.1/308-811

YFV_ASBI.AY640589.1/292-784
YFV_17D_vaccine_strain_NC_002031.1/292-784
YFV_vaccine_strain_17D-213.U17067.1/292-784
YFV_isol-Pasteur_17D-204.X15062.1/292-784
IEV_SA14.D90194.1/307-806
IEV_virus_NC_001437.1/307-806
IEV_virus.M55506.1/307-806
IEV_SA14-14-2.AF315119.1/307-806
IEV_SA14-14-2.D90195.1/307-806
DVV_1_NC_001477.1/294-788
DVV_16681_NC_001474.2/287-781
DVV_4_NC_002640.1/313-807
DVV_3_NC_001475.2/294-786
TEV_virus_NC_001672.1/292-787
WNV_956_NC_001563.2/306-802
WNV_NY99_isol-385-99_NC_009942.1/306-806
WNV_Chin-01.AY490240.2/306-806
ZVV_MRT66-NIID.LC002520.1/326-829
ZVV_ZikaSPH2015.KU321639.1/326-829
ZVV_MR_766_NC_012532.1/326-825
ZVV_MR_766.AY632535.2/326-825
ZVV_BeH818995.KU365777.1/308-811

	10	20	30	40	50	60	70	80	90	100	110																																																																																		
292 AH	IGITDRDIE	VHGTW	SATLEQDK	EV	VMAPD	PSL	ISLETVAIDGP	EAKV	Y	N	VLTHVKINDK	ST	EAHLAEENEGD	NA	KRTYS	RGWNG	GGL	PKGS	IVAA	AKFT	411																																																																								
292 AH	IGITDRDIE	VHGTW	SATLEQDK	EV	VMAPD	PSL	ISLETVAIDRP	EV	KV	Y	N	VLTHVKINDK	ST	EAHLAEENEGD	NA	KRTYS	RGWNG	GGL	PKGS	IVAA	AKFT	411																																																																							
292 AH	IGITDRDIE	VHGTW	SATLEQDK	EV	VMAPD	PSL	ISLETVAIDRP	EV	KV	Y	N	VLTHVKINDK	ST	EAHLAEENEGD	NA	KRTYS	RGWNG	GGL	PKGS	IVAA	AKFT	411																																																																							
292 AH	IGITDRDIE	VHGTW	SATLEQDK	EV	VMAPD	PSL	ISLETVAIDRP	EV	KV	Y	N	VLTHVKINDK	ST	EAHLAEENEGD	NA	KRTYS	RGWNG	GGL	PKGS	IVAA	AKFT	411																																																																							
307 FN	LGMGNAD	IE	ASATW	DLV	EGDS	LI	MAND	TLVRMINIEASQL	EV	SY	YH	SVTDISTVAR	PTT	EAHNEKRADSS	YV	KQGF	T	RGWNG	GGL	PKGS	IVAA	AKFS	426																																																																						
307 FN	LGMGNAD	IE	ASATW	DLV	EGDS	LI	MAND	TLVRMINIEASQL	EV	SY	YH	SVTDISTVAR	PTT	EAHNEKRADSS	YV	KQGF	T	RGWNG	GGL	PKGS	IVAA	AKFS	426																																																																						
307 FN	LGMGNAD	IE	ASATW	DLV	EGDS	LI	MAND	TLVRMINIEASQL	EV	SY	YH	SVTDISTVAR	PTT	EAHNEKRADSS	YV	KQGF	T	RGWNG	GGL	PKGS	IVAA	AKFS	426																																																																						
307 FN	LGMGNAD	IE	ASATW	DLV	EGDS	LI	MAND	TLVRMINIEASQL	EV	SY	YH	SVTDISTVAR	PTT	EAHNEKRADSS	YV	KQGF	T	RGWNG	GGL	PKGS	IVAA	AKFS	426																																																																						
307 FN	LGMGNAD	IE	ASATW	DLV	EGDS	LI	MAND	TLVRMINIEASQL	EV	SY	YH	SVTDISTVAR	PTT	EAHNEKRADSS	YV	KQGF	T	RGWNG	GGL	PKGS	IVAA	AKFS	426																																																																						
294 MR	VGIGNAD	VE	LSATW	DVVE	HGG	VI	TMAKD	TLIELLKTEVTNP	VL	KL	IE	KISNTTDSR	PTQ	EAATLVEEQD	TN	FV	RR	TV	RGWNG	GGL	PKGS	IVAA	AKFK	413																																																																					
287 MR	IGMSNAD	VER	VS	GSW	DIV	HGS	VI	TMAKN	TLFELIKTEAKQP	TL	KY	IE	KLNTTTSR	PTQ	EP	SLNEEQD	KRFV	KH	SMV	RGWNG	GGL	PKGS	IVAA	AKFR	406																																																																				
313 MR	VGIGNAD	VE	LSATW	DVVE	HGG	VI	TMAKD	TLIELLKTEVTNP	VL	KL	IE	KISNTTDSR	PTQ	EAATLVEEQD	TN	FV	RR	TV	RGWNG	GGL	PKGS	IVAA	AKFK	413																																																																					
294 MR	VGIGNAD	VE	LSATW	DVVE	HGG	VI	TMAKD	TLIELLKTEVTNP	VL	KL	IE	KISNTTDSR	PTQ	EAATLVEEQD	TN	FV	RR	TV	RGWNG	GGL	PKGS	IVAA	AKFK	413																																																																					
292 SR	THLEND	VE	TSATW	DVVE	HGG	VI	TMAKD	TLIELLKTEVTNP	VL	KL	IE	KISNTTDSR	PTQ	EAATLVEEQD	TN	FV	RR	TV	RGWNG	GGL	PKGS	IVAA	AKFK	413																																																																					
306 FN	LGMGNAD	IE	ASATW	DLV	EGDS	LI	MAND	TLVRMINIEASQL	EV	SY	YH	SVTDISTVAR	PTT	EAHNEKRADSS	YV	KQGF	T	RGWNG	GGL	PKGS	IVAA	AKFS	426																																																																						
306 FN	LGMGNAD	IE	ASATW	DLV	EGDS	LI	MAND	TLVRMINIEASQL	EV	SY	YH	SVTDISTVAR	PTT	EAHNEKRADSS	YV	KQGF	T	RGWNG	GGL	PKGS	IVAA	AKFS	426																																																																						
306 FN	LGMGNAD	IE	ASATW	DLV	EGDS	LI	MAND	TLVRMINIEASQL	EV	SY	YH	SVTDISTVAR	PTT	EAHNEKRADSS	YV	KQGF	T	RGWNG	GGL	PKGS	IVAA	AKFS	426																																																																						
306 FN	LGMGNAD	IE	ASATW	DLV	EGDS	LI	MAND	TLVRMINIEASQL	EV	SY	YH	SVTDISTVAR	PTT	EAHNEKRADSS	YV	KQGF	T	RGWNG	GGL	PKGS	IVAA	AKFS	426																																																																						
326 IR	IGVSNAD	VE	MSATW	DVVE	HGG	VI	TMAKD	TLIELLKTEVTNP	VL	KL	IE	KISNTTDSR	PTQ	EAATLVEEQD	TN	FV	RR	TV	RGWNG	GGL	PKGS	IVAA	AKFK	413																																																																					
326 IR	IGVSNAD	VE	MSATW	DVVE	HGG	VI	TMAKD	TLIELLKTEVTNP	VL	KL	IE	KISNTTDSR	PTQ	EAATLVEEQD	TN	FV	RR	TV	RGWNG	GGL	PKGS	IVAA	AKFK	413																																																																					
326 IR	IGVSNAD	VE	MSATW	DVVE	HGG	VI	TMAKD	TLIELLKTEVTNP	VL	KL	IE	KISNTTDSR	PTQ	EAATLVEEQD	TN	FV	RR	TV	RGWNG	GGL	PKGS	IVAA	AKFK	413																																																																					
326 IR	IGVSNAD	VE	MSATW	DVVE	HGG	VI	TMAKD	TLIELLKTEVTNP	VL	KL	IE	KISNTTDSR	PTQ	EAATLVEEQD	TN	FV	RR	TV	RGWNG	GGL	PKGS	IVAA	AKFK	413																																																																					
308 IR	IGVSNAD	VE	MSATW	DVVE	HGG	VI	TMAKD	TLIELLKTEVTNP	VL	KL	IE	KISNTTDSR	PTQ	EAATLVEEQD	TN	FV	RR	TV	RGWNG	GGL	PKGS	IVAA	AKFK	413																																																																					
	130	140	150	160	170	180	190	200	210	220	230																																																																																		
412	AKS	MSL	FEVD	QTKIO	VIRAQL	VS	AKOE	-----	NWNTD	IKTL	KFDAL	SGSQEAEFTGY	KATLE	QVQ	TA	VD	FGNSY	IA	EMEK	-----	ESWI	MDRO	AAQ	LT	QSGSGG	514																																																																			
412	AKS	MSL	FEVD	QTKIO	VIRAQL	VS	AKOE	-----	NWNTD	IKTL	KFDAL	SGSQEAEFTGY	KATLE	QVQ	TA	VD	FGNSY	IA	EMET	-----	ESWI	MDRO	AAQ	LT	QSGSGG	514																																																																			
412	AKS	MSL	FEVD	QTKIO	VIRAQL	VS	AKOE	-----	NWNTD	IKTL	KFDAL	SGSQEAEFTGY	KATLE	QVQ	TA	VD	FGNSY	IA	EMET	-----	ESWI	MDRO	AAQ	LT	QSGSGG	514																																																																			
412	AKS	MSL	FEVD	QTKIO	VIRAQL	VS	AKOE	-----	NWNTD	IKTL	KFDAL	SGSQEAEFTGY	KATLE	QVQ	TA	VD	FGNSY	IA	EMET	-----	ESWI	MDRO	AAQ	LT	QSGSGG	514																																																																			
427	TSKA	IGRT	IOPENIK	EVG	IFV	-----	TTTSEN	HGHYSAQV	GA	SQA	AKFTV	TPNAPS	ITL	KL	GDY	EV	TD	EP	RS	LN	TE	AF	YV	MT	VGS	-----	KSFL	HRE	FH	LA	TSP	SS	537																																																												
427	TSKA	IGRT	IOPENIK	EVG	IFV	-----	TTTSEN	HGHYSAQV	GA	SQA	AKFTV	TPNAPS	ITL	KL	GDY	EV	TD	EP	RS	LN	TE	AF	YV	MT	VGS	-----	KSFL	HRE	FH	LA	TSP	SS	537																																																												
427	TSKA	IGRT	IOPENIK	EVG	IFV	-----	TTTSEN	HGHYSAQV	GA	SQA	AKFTV	TPNAPS	ITL	KL	GDY	EV	TD	EP	RS	LN	TE	AF	YV	MT	VGS	-----	KSFL	HRE	FH	LA	TSP	SS	537																																																												
427	TSKA	IGRT	IOPENIK	EVG	IFV	-----	TTTSEN	HGHYSAQV	GA	SQA	AKFTV	TPNAPS	ITL	KL	GDY	EV	TD	EP	RS	LN	TE	AF	YV	MT	VGS	-----	KSFL	HRE	FH	LA	TSP	SS	537																																																												
427	TSKA	IGRT	IOPENIK	EVG	IFV	-----	TTTSEN	HGHYSAQV	GA	SQA	AKFTV	TPNAPS	ITL	KL	GDY	EV	TD	EP	RS	LN	TE	AF	YV	MT	VGS	-----	KSFL	HRE	FH	LA	TSP	SS	537																																																												
414	VT	KG	LGK	IVQ	YENLK	SV	IVT	-----	VD	Q	HQ	-----	VG	NET	EHG	TT	AT	IT	PQ	APT	S	I	Q	L	T	O	Y	-----	KSFL	HRE	FH	LA	TSP	SS	519																																																										
407	KK	N	MEG	KV	Q	ENLE	T	IV	ITP	-----	SG	KE	-----	VG	ND	T	SG	H	KE	I	K	I	P	O	S	S	I	-----	KSFL	HRE	FH	LA	TSP	SS	512																																																										
433	SG	K	I	T	GN	L	ENLE	T	IV	ITP	-----	SG	KE	-----	VG	ND	T	SG	H	KE	I	K	I	P	O	S	S	I	-----	KSFL	HRE	FH	LA	TSP	SS	512																																																									
414	LE	P	I	E	G	K	V	Q	YENLK	SV	IVT	-----	VD	Q	HQ	-----	VG	NET	EHG	TT	AT	IT	PQ	APT	S	I	Q	L	T	O	Y	-----	KSFL	HRE	FH	LA	TSP	SS	512																																																						
412	EA	KK	K	A	T	G	H	Y	Y	D	A	N	K	I	V	T	K	Y	E	P	T	-----	DY	-----	AA	N	E	T	H	S	G	R	K	T	A	S	F	T	-----	KSFL	HRE	FH	LA	TSP	SS	512																																															
426	TT	K	A	T	G	W	I	Q	E	N	K	I	V	T	K	Y	E	P	T	-----	DY	-----	AA	N	E	T	H	S	G	R	K	T	A	S	F	T	-----	KSFL	HRE	FH	LA	TSP	SS	512																																																	
426	ST	K	A	I	G	R	T	I	L	K	E	N	I	K	I	V	T	K	Y	E	P	T	-----	DY	-----	AA	N	E	T	H	S	G	R	K	T	A	S	F	T	-----	KSFL	HRE	FH	LA	TSP	SS	512																																														
426	ST	K	A	I	G	R	T	I	L	K	E	N	I	K	I	V	T	K	Y	E	P	T	-----	DY	-----	AA	N	E	T	H	S	G	R	K	T	A	S	F	T	-----	KSFL	HRE	FH	LA	TSP	SS	512																																														
446	SK	K	M	T	G	K	S	I	O	P	E	N	L	E	R	I	M	L	S	V	-----	SG	H	S	G	M	I	V	N	D	T	G	H	E	T	D	E	N	R	A	K	V	E	I	T	P	N	S	P	R	A	E	A	T	L	G	G	F	-----	SL	G	D	EP	RT	LD	F	S	D	L	Y	L	T	M	N	-----	KH	W	L	H	K	E	F	H	I	P	-----	H	A	G	A	D	T	556
446	SK	K	M	T	G	K	S	I	O	P	E	N	L	E	R	I	M	L	S	V	-----	SG	H	S	G	M	I	V	N	D	T	G	H	E	T	D	E	N	R	A	K	V	E	I	T	P	N	S	P	R	A	E	A	T	L	G	G	F	-----	SL	G	D	EP	RT	LD	F	S	D	L	Y	L	T	M	N	-----	KH	W	L	H	K	E	F	H	I	P	-----	H	A	G	A	D	T	556
446	SK	K	M	T	G	K	S	I	O	P	E	N	L	E	R	I	M	L	S	V	-----	SG	H	S	G	M	I	V	N	D	T	G	H	E	T	D	E	N	R	A	K	V	E	I	T	P	N	S	P	R	A	E	A	T	L	G	G	F	-----	SL	G	D	EP	RT	LD	F	S	D	L	Y	L	T	M	N	-----	KH	W	L	H	K	E	F	H	I	P	-----	H	A	G	A	D	T	552
446	SK	K	M	T	G	K	S	I	O	P	E	N	L	E	R	I	M	L	S	V	-----	SG	H	S	G	M	I	V	N	D	T	G	H	E	T	D	E	N	R	A	K	V	E	I	T	P	N	S	P	R	A	E	A	T	L	G	G	F	-----	SL	G	D	EP	RT	LD	F	S	D	L	Y	L	T	M	N	-----	KH	W	L	H	K	E	F	H	I	P	-----	H	A	G	A	D	T	552
428	SK	K	M	T	G	K	S	I	O	P	E	N	L	E	R	I	M	L	S	V	-----	SG	H	S	G	M	I	V	N	D	T	G	H	E	T	D	E	N	R	A	K	V	E	I	T	P	N	S	P	R	A	E	A	T	L	G	G	F	-----	SL	G	D	EP	RT	LD	F	S	D	L	Y	L	T	M	N	-----	KH	W	L	H	K	E	F	H	I	P	-----	H	A	G	A	D	T	538

7/23

Figure 7 (Part 1 of 3)

YFV_ASBLAY640589.1/292-784	515	---	V	REMH	H	L	V	E	E	P	P	A	T	I	R	L	A	G	N	E	S	L	K	T	A	M	R	V	T	K	D	N	D	N	N	L	Y	K	H	G	V	S	R	V	K	L	S	A	T	L	K	G	T	S	K	I	G	T	D	-	K	M	F	V	K	N	P	T	D	G	G	V	V	M	Q	V	K	V	S	-	K	G	A	P	R	I	V	I	V	A	D	629					
YFV_17D_vaccine_strain.NC_002031.1/292-784	515	---	V	REMH	H	L	V	E	E	P	P	A	T	I	R	L	A	G	N	E	S	L	K	T	A	M	R	V	T	K	D	N	D	N	N	L	Y	K	H	G	V	S	R	V	K	L	S	A	T	L	K	G	T	S	K	I	G	T	D	-	K	M	F	V	K	N	P	T	D	G	G	V	V	M	Q	V	K	V	S	-	K	G	A	P	R	I	V	I	V	A	D	629					
YFV_vaccine_strain_17D-213.U17067.1/292-784	515	---	V	REMH	H	L	V	E	E	P	P	A	T	I	R	L	A	G	N	E	S	L	K	T	A	M	R	V	T	K	D	N	D	N	N	L	Y	K	H	G	V	S	R	V	K	L	S	A	T	L	K	G	T	S	K	I	G	T	D	-	K	M	F	V	K	N	P	T	D	G	G	V	V	M	Q	V	K	V	S	-	K	G	A	P	R	I	V	I	V	A	D	629					
YFV_isol-Pasteur_17D-204.X15062.1/292-784	515	---	V	REMH	H	L	V	E	E	P	P	A	T	I	R	L	A	G	N	E	S	L	K	T	A	M	R	V	T	K	D	N	D	N	N	L	Y	K	H	G	V	S	R	V	K	L	S	A	T	L	K	G	T	S	K	I	G	T	D	-	K	M	F	V	K	N	P	T	D	G	G	V	V	M	Q	V	K	V	S	-	K	G	A	P	R	I	V	I	V	A	D	629					
IEV_virus.NC_001437.1/307-806	538	---	A	R	N	R	E	L	M	E	E	A	T	K	Q	S	V	A	L	G	S	E	G	L	H	A	A	I	V	V	E	Y	S	S	---	V	K	L	T	S	L	K	R	L	K	M	D	K	A	L	G	T	T	G	M	T	E	-	K	S	F	A	K	N	P	V	D	T	G	G	V	V	I	E	L	S	Y	S	G	S	D	G	P	E	K	I	V	S	V	A	649						
IEV_virus.M55506.1/307-806	538	---	A	R	N	R	E	L	M	E	E	A	T	K	Q	S	V	A	L	G	S	E	G	L	H	A	A	I	V	V	E	Y	S	S	---	V	K	L	T	S	L	K	R	L	K	M	D	K	A	L	G	T	T	G	M	T	E	-	K	S	F	A	K	N	P	V	D	T	G	G	V	V	I	E	L	S	Y	S	G	S	D	G	P	E	K	I	V	S	V	A	649						
IEV_SA14-14-2.AF315119.1/307-806	538	---	A	R	N	R	E	L	M	E	E	A	T	K	Q	S	V	A	L	G	S	E	G	L	H	A	A	I	V	V	E	Y	S	S	---	V	M	L	T	S	L	K	R	L	K	M	D	K	A	L	G	T	T	G	M	T	E	-	K	S	F	A	K	N	P	V	D	T	G	G	V	V	I	E	L	S	Y	S	G	S	D	G	P	E	K	I	V	S	V	A	649						
IEV_SA14-14-2.D90195.1/307-806	538	---	A	R	N	R	E	L	M	E	E	A	T	K	Q	S	V	A	L	G	S	E	G	L	H	A	A	I	V	V	E	Y	S	S	---	V	M	L	T	S	L	K	R	L	K	M	D	K	A	L	G	T	T	G	M	T	E	-	K	S	F	A	K	N	P	V	D	T	G	G	V	V	I	E	L	S	Y	S	G	S	D	G	P	E	K	I	V	S	V	A	649						
DVV_1.NC_001477.1/294-788	520	S	Q	E	T	N	R	O	D	L	V	T	K	T	A	K	Q	E	V	V	L	S	E	G	A	M	H	T	A	G	A	T	E	I	Q	T	S	G	T	---	T	I	F	A	L	K	R	L	K	M	D	K	A	L	G	T	T	G	M	T	E	-	K	S	F	A	K	N	P	V	D	T	G	G	V	V	I	E	L	S	Y	S	G	S	D	G	P	E	K	I	V	S	V	A	649		
DVV_16681.NC_001474.2/287-781	513	Q	G	S	N	I	Q	K	E	L	V	T	K	N	P	K	K	Q	D	V	V	L	S	E	G	A	M	H	T	A	G	A	T	E	I	Q	T	S	G	T	---	L	I	F	T	A	L	K	R	L	K	M	D	K	A	L	G	T	T	G	M	T	E	-	K	S	F	A	K	N	P	V	D	T	G	G	V	V	I	E	L	S	Y	S	G	S	D	G	P	E	K	I	V	S	V	A	649
DVV_4.NC_002640.1/313-807	539	S	E	V	H	N	Y	K	E	R	M	V	T	K	V	P	K	R	Q	D	T	V	L	S	E	G	A	M	H	S	A	G	A	T	E	V	D	S	G	D	G	---	H	M	F	A	L	K	R	L	K	M	D	K	A	L	G	T	T	G	M	T	E	-	K	S	F	A	K	N	P	V	D	T	G	G	V	V	I	E	L	S	Y	S	G	S	D	G	P	E	K	I	V	S	V	A	649
DVV_3.NC_001475.2/294-786	518	E	T	P	T	N	R	K	E	L	V	T	K	N	A	K	Q	E	V	V	L	S	E	G	A	M	H	T	A	G	A	T	E	I	Q	T	S	G	T	---	S	I	F	A	L	K	R	L	K	M	D	K	A	L	G	T	T	G	M	T	E	-	K	S	F	A	K	N	P	V	D	T	G	G	V	V	I	E	L	S	Y	S	G	S	D	G	P	E	K	I	V	S	V	A	649		
TEV_virus.NC_001672.1/292-787	525	---	N	N	N	A	E	R	L	V	E	G	A	P	V	K	M	D	I	N	G	D	T	G	V	L	L	K	A	G	A	P	V	A	H	I	E	G	T	---	Y	H	K	S	G	V	T	E	V	G	L	E	K	K	M	L	T	T	M	D	K	T	T	W	K	R	A	P	T	D	S	G	D	V	V	M	E	T	F	S	G	T	-	K	P	R	I	V	R	A	V	A	637				
WNV_956.NC_001563.2/306-802	533	---	T	R	N	R	E	L	M	E	E	E	P	T	K	Q	S	V	A	L	G	S	E	G	A	L	H	O	A	A	I	P	V	E	F	S	S	N	T	---	V	K	L	T	S	L	K	R	V	K	M	E	K	Q	L	G	T	T	G	V	S	K	-	A	K	F	A	R	T	P	A	D	T	G	G	V	V	L	E	L	Q	T	G	T	D	G	P	E	K	I	V	S	V	A	649		
WNV_NY99_isol-385-99.NC_009942.1/306-806	537	---	V	R	N	R	E	L	M	E	E	E	P	T	K	Q	S	V	A	L	G	S	E	G	A	L	H	O	A	A	I	P	V	E	F	S	S	N	T	---	V	K	L	T	S	L	K	R	V	K	M	E	K	Q	L	G	T	T	G	V	S	K	-	A	K	F	L	G	T	P	A	D	T	G	G	V	V	L	E	L	Q	T	G	T	D	G	P	E	K	I	V	S	V	A	649		
WNV_Chin-01.AY490240.2/306-806	537	---	V	R	N	R	E	L	M	E	E	E	P	T	K	Q	S	V	A	L	G	S	E	G	A	L	H	O	A	A	I	P	V	E	F	S	S	N	T	---	V	K	L	T	S	L	K	R	V	K	M	E	K	Q	L	G	T	T	G	V	S	K	-	A	K	F	L	G	T	P	A	D	T	G	G	V	V	L	E	L	Q	T	G	T	D	G	P	E	K	I	V	S	V	A	649		
ZVV_MR766-NIID.LC002520.1/326-829	557	G	T	P	H	N	N	K	E	A	L	V	E	K	D	A	K	R	O	T	V	V	L	S	E	G	A	V	H	T	A	A	L	E	A	E	M	D	G	A	K	---	G	R	L	S	S	L	K	R	L	K	M	D	K	R	L	V	S	S	L	T	A	-	A	T	F	T	K	I	P	A	E	T	L	G	V	T	V	E	Q	Y	A	G	T	D	G	P	E	K	I	V	Q	M	A	V	672
ZVV_ZikaSPH2015.KU321639.1/326-829	557	G	T	P	H	N	N	K	E	A	L	V	E	K	D	A	K	R	O	T	V	V	L	S	E	G	A	V	H	T	A	A	L	E	A	E	M	D	G	A	K	---	G	R	L	S	S	L	K	R	L	K	M	D	K	R	L	V	S	S	L	T	A	-	A	T	F	T	K	I	P	A	E	T	L	G	V	T	V	E	Q	Y	A	G	T	D	G	P	E	K	I	V	Q	M	A	V	672
ZVV_MR_766.NC_012532.1/326-825	553	G	T	P	H	N	N	K	E	A	L	V	E	K	D	A	K	R	O	T	V	V	L	S	E	G	A	V	H	T	A	A	L	E	A	E	M	D	G	A	K	---	G	R	L	S	S	L	K	R	L	K	M	D	K	R	L	V	S	S	L	T	A	-	A	T	F	T	K	I	P	A	E	T	L	G	V	T	V	E	Q	Y	A	G	T	D	G	P	E	K	I	V	Q	M	A	V	668
ZVV_MR_766.AY632535.2/326-825	553	G	T	P	H	N	N	K	E	A	L	V	E	K	D	A	K	R	O	T	V	V	L	S	E	G	A	V	H	T	A	A	L	E	A	E	M	D	G	A	K	---	G	R	L	S	S	L	K	R	L	K	M	D	K	R	L	V	S	S	L	T	A	-	A	T	F	T	K	I	P	A	E	T	L	G	V	T	V	E	Q	Y	A	G	T	D	G	P	E	K	I	V	Q	M	A	V	668
ZVV_BeH818995.KU365777.1/308-811	539	G	T	P	H	N	N	K	E	A	L	V	E	K	D	A	K	R	O	T	V	V	L	S	E	G	A	V	H	T	A	A	L	E	A	E	M	D	G	A	K	---	G	R	L	S	S	L	K	R	L	K	M	D	K	R	L	V	S	S	L	T	A	-	A	T	F	T	K	I	P	A	E	T	L	G	V	T	V	E	Q	Y	A	G	T	D	G	P	E	K	I	V	Q	M	A	V	654

YFV_ASBLAY640589.1/292-784	630	D	L	T	A	A	I	N	K	I	V	T	V	I	A	S	-	T	N	D	E	V	L	I	V	N	P	F	F	D	S	Y	I	V	T	G	D	S	R	L	T	Y	O	H	K	E	S	S	I	K	L	T	O	M	K	E	R	L	A	V	M	D	T	A	N	D	S	A	G	F	F	T	V	E	K	I	T	V	F	S	A	F	O	G	L	G	L	N	I	T	K	V	I	747
YFV_17D_vaccine_strain.NC_002031.1/292-784	630	D	L	T	A	A	I	N	K	I	V	T	V	I	A	S	-	T	N	D	E	V	L	I	V	N	P	F	F	D	S	Y	I	V	T	G	D	S	R	L	T	Y	O	H	K	E	S	S	I	K	L	T	O	M	K	E	R	L	A	V	M	D	T	A	N	D	S	A	G	F	F	T	V	E	K	I	T	V	F	S	A	F	O	G	L	G	L	N	I	T	K	V	I	747
YFV_vaccine_strain_17D-213.U17067.1/292-784	630	D	L	T	A	A	I	N	K	I	V	T	V	I	A	S	-	T	N	D	E	V	L	I	V	N	P	F	F	D	S	Y	I	V	T	G	D	S	R	L	T	Y	O	H	K	E	S	S	I	K	L	T	O	M	K	E	R	L	A	V	M	D	T	A	N	D	S	A	G	F	F	T	V	E																				

YFV_ASIBI.AY640589.1/292-784
 YFV_17D_vaccine_strain.NC_002031.1/292-784
 YFV_vaccine_strain_17D-213.U17067.1/292-784
 YFV_isol-Pasteur_17D-204.X15062.1/292-784
 IEV_SA14.D90194.1/307-806
 IEV_virus.NC_001437.1/307-806
 IEV_virus.M55506.1/307-806
 IEV_SA14-14-2.AF315119.1/307-806
 IEV_SA14-14-2.D90195.1/307-806
 DVV_1.NC_001477.1/294-788
 DVV_16681.NC_001474.2/287-781
 DVV_4.NC_002640.1/313-807
 DVV_3.NC_001475.2/294-786
 TEV_virus.NC_001672.1/292-787
 WNV_956.NC_001563.2/306-802
 WNV_NY99_isol-385-99.NC_009942.1/306-806
 WNV_Chin-01.AY490240.2/306-806
 ZVV_MR766-NIID.LC002520.1/326-829
 ZVV_ZikaSPH2015.KU321639.1/326-829
 ZVV_MR_766.NC_012532.1/326-825
 ZVV_MR_766.AY632535.2/326-825
 ZVV_BeH818995.KU365777.1/308-811

		490	500	510																															
748	MGAVL	I	WVG	I	TRNMTMSMSMILVGVIMMFLSLGVGA																														
748	MGAVL	I	WVG	I	TRNMTMSMSMILVGVIMMFLSLGVGA																														
748	MGAVL	I	WVG	I	TRNMTMSMSMILVGVIMMFLSLGVGA																														
748	MGAVL	I	WVG	I	TRNMTMSMSMILVGVIMMFLSLGVGA																														
770	MGALL	L	W	MGV	NARDSIALAFLATGGVLVFLATNVHA																														
770	MGALL	L	W	MGV	NARDSIALAFLATGGVLVFLATNVHA																														
770	MGALL	L	W	MGV	NARDSIALAFLATGGVLVFLATNVHA																														
770	MGALL	L	W	MGV	NARDSIALAFLATGGVLVFLATNVHA																														
770	MGALL	L	W	MGV	NARDSIALAFLATGGVLVFLATNVHA																														
752	I	G	I	L	L	TW	L	G	L	N	S	R	S	T	S	L	S	M	T	C	I	A	V	G	M	V	T	L	Y	L	G	V	M	Q	
745	I	G	V	I	I	T	W	I	G	M	N	S	R	S	T	S	L	S	V	T	L	V	L	V	G	I	M	T	L	Y	L	G	V	M	Q
771	I	G	F	L	V	L	W	I	G	T	N	S	R	N	T	S	M	A	M	T	C	I	A	V	G	G	I	T	L	F	L	G	F	T	
750	I	G	V	L	L	T	W	I	G	L	N	S	K	N	T	S	M	S	F	S	C	I	A	I	G	I	I	T	L	Y	L	G	A	V	
751	L	G	V	A	L	A	W	L	G	L	M	R	N	P	T	M	S	M	S	F	L	L	A	G	L	V	L	A	M	T	L	G	V	A	
766	L	G	A	L	L	L	W	M	G	I	N	A	R	D	R	S	I	A	M	T	F	L	A	V	G	G	V	L	L	F	L	S	V	N	
770	L	G	A	L	L	L	W	M	G	I	N	A	R	D	R	S	I	A	L	T	F	L	A	V	G	G	V	L	L	F	L	S	V	N	
770	L	G	A	L	L	L	W	M	G	I	N	A	R	D	R	S	I	A	L	T	F	L	A	I	G	G	V	L	L	F	L	S	V	N	
793	I	G	T	L	L	V	W	L	G	L	N	T	K	N	G	S	I	S	L	T	C	L	A	L	G	G	V	M	I	F	L	S	T	A	
793	I	G	T	L	L	M	W	L	G	L	N	T	K	N	G	S	I	S	L	M	C	L	A	L	G	G	V	L	I	F	L	S	T	A	
789	I	G	T	L	L	V	W	L	G	L	N	T	K	N	G	S	I	S	L	T	C	L	A	L	G	G	V	M	I	F	L	S	T	A	
789	I	G	T	L	L	V	W	L	G	L	N	T	K	N	G	S	I	S	L	T	C	L	A	L	G	G	V	M	I	F	L	S	T	A	
775	I	G	T	L	L	M	W	L	G	L	N	T	K	N	G	S	I	S	L	M	C	L	A	L	G	G	V	L	I	F	L	S	T	A	

9/25

Figure 7 (Part 3 of 3)

10/23




Figure 8

11/23




Figure 9A




Figure 9B

12/23






Figure 10




- + Similar virus concentration in harvests Day 2, Day3, Day 7; lower virus concentration in harvest Day 5
- + Day 2 and Day 3 harvests contained more HCP than Days 5/7 (correlates with observed CPE)
- + Minor amount of virus multimers observed

Figure 11



- + PS removes virus aggregates and partially host cell proteins (HCP)
- + Infectious virus titer is not affected by PS treatment
- + Strong cytopathic effect (CPE) on day 3, drop in productivity
- + Remaining cells seem to recover well and increase in Zika productivity

Figure 12







Figure 13



Pooled fractions F10-F14
(10mL total volume per bottle)

Figure 14

Lane	Sample
1	Molecular weight Marker
2	JEV Sucrose Gradient Pool (Reference)
3	Zika Harvest pool (day 2,3,5,7)
4	Zika Harvest pool (day 2,3,5,7)concentrated 300x
5	Zika Harvest pool (day 2,3,5,7)concentrated 300x + Protamine sulfate
6	Ultrafiltration Permeate
7	SGC Bottle 1, Fraction 4
8	SGC Bottle 1, Fraction 5
9	SGC Bottle 1, Fraction 6
10	SGC Bottle 1, Fraction 7
11	SGC Bottle 1, Fraction 8
12	SGC Bottle 1, Fraction 9
13	SGC Bottle 1, Fraction 10
14	SGC Bottle 1, Fraction 11
15	SGC Bottle 1, Fraction 12
16	SGC Bottle 1, Fraction 13
17	SGC Bottle 1, Fraction 14
18	SGC Bottle 1, Fraction 15
19	SGC Bottle 1, Fraction 16
20	SGC Bottle 1, Fraction 17
21	SGC Bottle 1, Fraction 18
22	SGC Bottle 1, Fraction 19
23	SGC Bottle 1, Fraction 20
24	SGC Bottle 1, Fraction 21
25	SGC Bottle 1, Fraction 22
26	SGC Bottle 1, Fraction 23

16/23

Comparison of harvest schedules




Figure 15




Figure 16.




Figure 17

20/23






Figure 18



	12 µg	3.0 µg	1.0 µg	0.33 µg	0.11 µg	0.037 µg
EC50	1371	807.6	380.7	456.1	179.9	142.0

Figure 19

21/23



	12 μg	3.0 μg	1.0 μg	0.33 μg	0.11 μg	0.037 μg
EC50	1029	819.1	556.9	477.3	158.1	118.0

Figure 20

22/23




Figure 21

INTERNATIONAL SEARCH REPORT

International application No
PCT/EP2016/082664

A. CLASSIFICATION OF SUBJECT MATTER
INV. A61K39/12 C07K14/005
ADD.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
A61K C12N C07K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-Internal, BIOSIS, CHEM ABS Data, EMBASE, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	B. D. COX ET AL: "Predicting Zika virus structural biology: Challenges and opportunities for intervention", ANTIVIRAL CHEMISTRY & CHEMOTHERAPY., vol. 24, no. 3-4, 1 August 2015 (2015-08-01), pages 118-126, XP055328128, GB ISSN: 0956-3202, DOI: 10.1177/2040206616653873 the whole document ----- -/--	1-17



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

22 March 2017

Date of mailing of the international search report

10/04/2017

Name and mailing address of the ISA/

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040,
Fax: (+31-70) 340-3016

Authorized officer

Lewis, Birgit

INTERNATIONAL SEARCH REPORT

International application No
PCT/EP2016/082664

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	SRIVASTAVA A K ET AL: "A purified inactivated Japanese encephalitis virus vaccine made in vero cells", VACCINE, vol. 19, no. 31, 14 August 2001 (2001-08-14), pages 4557-4565, XP027321987, ISSN: 0264-410X [retrieved on 2001-08-14] cited in the application the whole document	1-17
Y	----- US 8 765 148 B2 (WIZEL BENJAMIN [AT] ET AL) 1 July 2014 (2014-07-01) cited in the application column 1	13,14
X,P	----- WO 2016/145149 A1 (THE US SECRETARY OF THE ARMY ON BEHALF OF THE WALTER REED ARMY INST OF) 15 September 2016 (2016-09-15) page 5, lines 8-17 paragraphs [0037] - [0040] paragraph [0048] claims 1-19	1-12,15
E	----- WO 2017/009873 A1 (BHARAT BIOTECH INT LTD) 19 January 2017 (2017-01-19) examples 1, 2,3,5-7	1-12,15
A	----- US 6 309 650 B1 (KIM HYUN SU ET AL) 30 October 2001 (2001-10-30) cited in the application examples 3-5; tables 5,6	1-17
X,P	----- CN 105 749 268 A (SINOVAC RES & DEV CO LTD) 13 July 2016 (2016-07-13) the whole document	1-8, 10-12,15
X,P	----- RAFAEL A. LAROCCA ET AL: "Vaccine protection against Zika virus from Brazil", NATURE, vol. 536, no. 7617, 28 June 2016 (2016-06-28), pages 474-478, XP055314483, United Kingdom ISSN: 0028-0836, DOI: 10.1038/nature18952 cited in the application abstract page 475, right-hand column, last paragraph - page 476, left-hand column, paragraph 1	1-12, 15-17

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/EP2016/082664

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 8765148	B2	01-07-2014	EP 2536427 A1 26-12-2012
			US 2012308618 A1 06-12-2012
			US 2015216967 A1 06-08-2015
			WO 2011101465 A1 25-08-2011

WO 2016145149	A1	15-09-2016	NONE

WO 2017009873	A1	19-01-2017	US 2017014502 A1 19-01-2017
			WO 2017009873 A1 19-01-2017

US 6309650	B1	30-10-2001	AU 748730 B2 13-06-2002
			CA 2301000 A1 11-03-1999
			CN 1272879 A 08-11-2000
			DE 69837211 T2 06-12-2007
			DE 122009000037 I1 05-11-2009
			DK 1025209 T3 25-06-2007
			DK 1604685 T3 18-06-2012
			EP 1025209 A1 09-08-2000
			EP 1604685 A2 14-12-2005
			ES 2281929 T3 01-10-2007
			ES 2382946 T3 14-06-2012
			JP 4161017 B2 08-10-2008
			JP 2001514844 A 18-09-2001
			MY 129773 A 30-04-2007
			NL 300391 I1 03-08-2009
			NZ 503522 A 29-06-2001
			US 6309650 B1 30-10-2001
			WO 9911762 A1 11-03-1999

CN 105749268	A	13-07-2016	NONE
