

UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

ROOFR INC.,
Petitioner

v.

PICTOMETRY INTERNATIONAL CORP.,
Patent Owner

IPR2023-00437
Patent 8,170,840

PETITION FOR *INTER PARTES* REVIEW

[CORRECTED]

TABLE OF CONTENTS

	<u>Page</u>
PETITION FOR <i>INTER PARTES</i> REVIEW	1
I. INTRODUCTION.....	1
II. LEVEL OF SKILL IN THE ART.....	2
III. CLAIM CONSTRUCTION.....	2
IV. OVERVIEW OF THE '840 PATENT.....	2
V. PROSECUTION OF THE '840 PATENT	4
VI. PRIORITY DATE OF THE '840 PATENT.....	5
VII. PRIOR ART.....	5
A. Kennedy	5
B. Pershing-789	9
C. Bailey.....	10
D. Pictometry.....	15
VIII. DISCRETIONARY FACTORS	17
A. The Prior Art Was Not Considered During Prosecution.....	17
B. The <i>General Plastic</i> Factors Weigh In Favor Of Institution.....	20
C. Institution Should Not Be Denied Under <i>Fintiv</i>	22
IX. GROUND 1: KENNEDY AND BAILEY RENDER OBVIOUS CLAIMS 1-25 AND 28 OF THE '840 PATENT.....	25
A. Motivation To Combine.....	25
B. Claim 1.....	26
C. Claim 2: The method of claim 1 wherein the pitch determination marker is adjustable to specify pitch of a planar roof section.....	36
D. Claim 3: The method of claim 1 further comprising: transmitting roof measurement information based on the modified model of the roof, the roof measurement information including a measure of the pitch of the one planar roof section.....	37

E.	Claim 4: The method of claim 1 wherein modifying the model of the roof includes associating the indicated pitch with a portion of the model of the roof that corresponds to the one planar roof section of the roof of the building.	39
F.	Claim 5: The method of claim 1 further comprising: displaying a wireframe rendering of the modified model superimposed on the aerial image of the building.....	40
G.	Claim 6: The method of claim 5 wherein displaying the wireframe rendering occurs in response to the receiving of the indicated pitch.	42
H.	Claim 7: The method of claim 1 wherein the pitch determination marker includes an adjustable protractor tool having a member that is adjustable to indicate an angle.....	43
I.	Claim 8: The method of claim 1 wherein the pitch determination marker includes an envelope tool having two surfaces that are adjustable to indicate an angle.	44
J.	Claim 9: The method of claim 1 wherein modifying the model of the roof includes modifying a three-dimensional model of the roof.....	47
K.	Claim 10.....	48
L.	Claim 11: The computing system of claim 10 wherein the roof estimation module is further configured to transmit a roof estimate report based on the provided roof measurement information.....	49
M.	Claim 12: The computing system of claim 10 wherein the pitch determination marker includes at least one of an adjustable protractor tool and an envelope tool.	49
N.	Claim 13: The computing system of claim 10 wherein the roof estimation module includes an interactive roof modeling user interface.....	50
O.	Claim 14: The computing system of claim 10 wherein the roof estimation module is further configured to display the pitch determination marker as part of an interactive user interface.	50

P.	Claim 15: The computing system of claim 10 wherein the model of the roof is a three-dimensional model of the roof.	50
Q.	Claim 16.....	50
R.	Claim 17: The non-transitory computer-readable storage medium of claim 16 wherein the pitch determination marker is adjustable to specify pitch of a planar roof section.	51
S.	Claim 18: The non-transitory computer-readable storage medium of claim 16 wherein the method further comprises: generating a roof estimate report based on the modified model of the roof; and transmitting the generated roof estimate report.	51
T.	Claim 19: The non-transitory computer-readable storage medium of claim 18 wherein the transmitted roof estimate report includes a line drawing of the roof of the house labeled with a measure of the pitch of the planar roof section.....	51
U.	Claim 20: The non-transitory computer-readable storage medium of claim 16 wherein the method further comprises: determining roof measurement information based on the modified model of the roof, the roof measurement information including a measure of the pitch of the planar roof section; and transmitting the determined roof measurement information.....	52
V.	Claim 21: The non-transitory computer-readable storage medium of claim 16 wherein modifying the model of the roof includes modifying a model of the roof by associating the indicated pitch with a portion of the model of the roof that corresponds to planar roof section of the roof of the building.....	52
W.	Claim 22: The non-transitory computer-readable storage medium of claim 16 wherein the method further comprises: displaying a wireframe rendering of the modified model superimposed on the aerial image of the building.	52

X.	Claim 23: The non-transitory computer-readable storage medium of claim 16 wherein the method further comprises: registering, based on operator indicated features, multiple aerial images to a reference grid corresponding to the model.....	52
Y.	Claim 24: The non-transitory computer-readable storage medium of claim 23 wherein registering multiple images includes: displaying a marker operable to specify a point on the aerial image; receiving, via the marker, an indication of a point on the aerial image; and registering, based on the received indication of the point, the aerial image to the reference grid.	54
Z.	Claim 25: The non-transitory computer-readable storage medium of claim 24 wherein registering the aerial image to the reference grid includes determining a transformation between the aerial image and the reference grid.....	54
AA.	Claim 28: The non-transitory computer-readable storage medium of claim 16 wherein modifying the model of the roof includes modifying a three-dimensional model of the roof.	55
X.	GROUND 2: KENNEDY, BAILEY AND PICTOMETRY RENDER OBVIOUS CLAIMS 1-25 AND 28 OF THE '840 PATENT.....	55
A.	Motivation To Combine.....	55
B.	Pictometry Renders Obvious “wherein the pitch determination marker is <i>overlaid</i> on the aerial image of the building having the roof” (Claims 1, 10, 16).....	58
XI.	GROUND 3: PERSHING-789 AND KENNEDY RENDER OBVIOUS CLAIMS 1-25 AND 28 OF THE '840 PATENT.....	59
A.	Motivation to Combine	59
B.	Claim 1.....	61
C.	Claim 2: The method of claim 1 wherein the pitch determination marker is adjustable to specify pitch of a planar roof section.....	69

D.	Claim 3: The method of claim 1 further comprising: transmitting roof measurement information based on the modified model of the roof, the roof measurement information including a measure of the pitch of the one planar roof section.....	70
E.	Claim 4: The method of claim 1 wherein modifying the model of the roof includes associating the indicated pitch with a portion of the model of the roof that corresponds to the one planar roof section of the roof of the building.	70
F.	Claim 5: The method of claim 1 further comprising: displaying a wireframe rendering of the modified model superimposed on the aerial image of the building.....	71
G.	Claim 6: The method of claim 5 wherein displaying the wireframe rendering occurs in response to the receiving of the indicated pitch.	72
H.	Claim 7: The method of claim 1 wherein the pitch determination marker includes an adjustable protractor tool having a member that is adjustable to indicate an angle.....	72
I.	Claim 8: The method of claim 1 wherein the pitch determination marker includes an envelope tool having two surfaces that are adjustable to indicate an angle.	73
J.	Claim 9: The method of claim 1 wherein modifying the model of the roof includes modifying a three-dimensional model of the roof.....	73
K.	Claim 10.....	73
L.	Claim 11: The computing system of claim 10 wherein the roof estimation module is further configured to transmit a roof estimate report based on the provided roof measurement information.....	74
M.	Claim 12: The computing system of claim 10 wherein the roof estimation module is further configured to transmit a roof estimate report based on the provided roof measurement information.....	74

N.	Claim 13: The computing system of claim 10 wherein the roof estimation module includes an interactive roof modeling user interface.....	75
O.	Claim 14: The computing system of claim 10 wherein the roof estimation module is further configured to display the pitch determination marker as part of an interactive user interface.	75
P.	Claim 15: The computing system of claim 10 wherein the model of the roof is a three-dimensional model of the roof.	75
Q.	Claim 16.....	75
R.	Claim 17: The non-transitory computer-readable storage medium of claim 16 wherein the pitch determination marker is adjustable to specify pitch of a planar roof section.	76
S.	Claim 18: The non-transitory computer-readable storage medium of claim 16 wherein the method further comprises: generating a roof estimate report based on the modified model of the roof; and transmitting the generated roof estimate report.	76
T.	Claim 19: The non-transitory computer-readable storage medium of claim 18 wherein the transmitted roof estimate report includes a line drawing of the roof of the house labeled with a measure of the pitch of the planar roof section.....	76
U.	Claim 20: The non-transitory computer-readable storage medium of claim 16 wherein the method further comprises: determining roof measurement information based on the modified model of the roof, the roof measurement information including a measure of the pitch of the planar roof section; and transmitting the determined roof measurement information.....	77
V.	Claim 21: The non-transitory computer-readable storage medium of claim 16 wherein modifying the model of the roof includes modifying a model of the roof by associating the indicated pitch with a portion of the	

	model of the roof that corresponds to planar roof section of the roof of the building.....	77
W.	Claim 22: The non-transitory computer-readable storage medium of claim 16 wherein the method further comprises: displaying a wireframe rendering of the modified model superimposed on the aerial image of the building.	77
X.	Claim 23: The non-transitory computer-readable storage medium of claim 16 wherein the method further comprises: registering, based on operator indicated features, multiple aerial images to a reference grid corresponding to the model.....	77
Y.	Claim 24: The non-transitory computer-readable storage medium of claim 23 wherein registering multiple images includes: displaying a marker operable to specify a point on the aerial image; receiving, via the marker, an indication of a point on the aerial image; and registering, based on the received indication of the point, the aerial image to the reference grid.	78
Z.	Claim 25: The non-transitory computer-readable storage medium of claim 24 wherein registering the aerial image to the reference grid includes determining a transformation between the aerial image and the reference grid.....	78
AA.	Claim 28: The non-transitory computer-readable storage medium of claim 16 wherein modifying the model of the roof includes modifying a three-dimensional model of the roof.	78
XII.	GROUND 4: PERSHING-789, KENNEDY AND PICTOMETRY RENDER OBVIOUS CLAIMS 1-25 AND 28 OF THE '840 PATENT	79
A.	Motivation To Combine.....	79
B.	Pictometry Renders Obvious “wherein the pitch determination marker is <i>overlaid</i> on the aerial image of the building having the roof” (Claims 1, 10, 16).....	82

XIII. SECONDARY CONSIDERATIONS DO NOT SUPPORT A FINDING OF NON-OBVIOUSNESS.....	82
XIV. MANDATORY DISCLOSURES.....	83
A. Real Party in Interest	83
B. Related Matters.....	83
C. Lead and Back-Up Counsel (37 C.F.R. § 42.8(b)(3)) and Service Information (37 C.F.R. § 42.8(b)(3)-(4)).....	83
D. Payment of Fees (37 C.F.R. § 42.15(a)).....	84
XV. CONCLUSION	84

LIST OF EXHIBITS

Exhibit	Description
Ex. 1001	U.S. Patent No. 8,170,840 (“’840 patent”)
Ex. 1002	File History of the ’840 patent
Ex. 1003	Expert Declaration of Anthony Cummings
Ex. 1004	U.S. Pat. Pub. No. 2008/0262789 A1 (“Pershing-789”)
Ex. 1005	INTENTIONALLY OMITTED
Ex. 1006	INTENTIONALLY OMITTED
Ex. 1007	INTENTIONALLY OMITTED
Ex. 1008	<i>Pictometry: aerial photography on steroids</i> , LET Staff, Law Enforcement Technology (July 2002) (“Pictometry”)
Ex. 1009	U.S. Pat. Pub. No. 2009/0304227 A1 (“Kennedy”)
Ex. 1010	<i>Roofer: Steep Roofing Inventory Procedures And Inspection And Distress Manual For Asphalt Shingle Roofs</i> , David M. Bailey, U.S. Army Corps of Engineers, CERL Tech. Rept. (December 1999) (“Bailey”)
Ex. 1011	INTENTIONALLY OMITTED
Ex. 1012	Declaration of Sylvia Hall-Ellis

GROUND OF CHALLENGE (37 C.F.R. § 42.204(b)(2))

No.	Ground for Challenge
1	Kennedy And Bailey Render Obvious Claims 1-25 And 28 Of The '840 Patent
2	Kennedy, Bailey And Pictometry Render Obvious Claims 1-25 And 28 Of The '840 Patent
3	Pershing-789 And Kennedy Render Obvious Claims 1-25 And 28 Of The '840 Patent
4	Pershing-789, Kennedy And Pictometry Render Obvious Claims 1-25 And 28 Of The '840 Patent

LIST OF CHALLENGED CLAIMS

Claim
Claim 1a: A computer-implemented method for generating a roof estimate report, the method comprising:
Claim 1b: displaying an aerial image of a building having a roof comprising a plurality of planar roof sections that each have a corresponding pitch;
Claim 1c: displaying a pitch determination marker operable to indicate pitch of a planar roof section, wherein the pitch determination marker is overlaid on the aerial image of the building having the roof;
Claim 1d: receiving, based on the displayed pitch determination marker, an indication of the pitch of one of the plurality of planar roof sections of the roof of the building; and
Claim 1e: modifying a model of the roof based on the received indication of the pitch of the one planar roof section.
Claim 2: The method of claim 1 wherein the pitch determination marker is adjustable to specify pitch of a planar roof section.
Claim 3: The method of claim 1 further comprising: transmitting roof measurement information based on the modified model of the roof, the roof measurement information including a measure of the pitch of the one planar roof section.
Claim 4: The method of claim 1 wherein modifying the model of the roof includes associating the indicated pitch with a portion of the model of the roof that corresponds to the one planar roof section of the roof of the building.
Claim 5: The method of claim 1 further comprising: displaying a wireframe rendering of the modified model superimposed on the aerial image of the building.
Claim 6: The method of claim 5 wherein displaying the wireframe rendering occurs in response to the receiving of the indicated pitch.
Claim 7: The method of claim 1 wherein the pitch determination marker includes an adjustable protractor tool having a member that is adjustable to indicate an angle.

Claim
Claim 8: The method of claim 1 wherein the pitch determination marker includes an envelope tool having two surfaces that are adjustable to indicate an angle.
Claim 9: The method of claim 1 wherein modifying the model of the roof includes modifying a three-dimensional model of the roof.
Claim 10a: A computing system for generating a roof estimate report, the computing system comprising: a memory;
Claim 10b: a roof estimation module that is stored on the memory and that is configured, when executed, to: display an aerial image of a building having a roof comprising a plurality of planar roof sections that each have a corresponding pitch;
Claim 10c: display a pitch determination marker operable to indicate pitch of a planar roof section, wherein the pitch determination marker is overlaid on the aerial image of the building having the roof;
Claim 10d: receive, based on the displayed pitch determination marker, an indication of the pitch of one of the plurality of planar roof sections of the roof of the building;
Claim 10e: modify a model of the roof based on the received indication of the pitch of the one planar roof section; and
Claim 10f: provide roof measurement information based on the model of the roof, the roof measurement information including a measure of the pitch of the one planar roof section.
Claim 11: The computing system of claim 10 wherein the roof estimation module is further configured to transmit a roof estimate report based on the provided roof measurement information.
Claim 12: The computing system of claim 10 wherein the pitch determination marker includes at least one of an adjustable protractor tool and an envelope tool.
Claim 13: The computing system of claim 10 wherein the roof estimation module includes an interactive roof modeling user interface.
Claim 14: The computing system of claim 10 wherein the roof estimation module is further configured to display the pitch determination marker as part of an interactive user interface.

Claim
Claim 15: The computing system of claim 10 wherein the model of the roof is a three-dimensional model of the roof.
Claim 16a: A non-transitory computer-readable storage medium whose contents enable a computing system to generate a roof estimate report for a building having a roof, by performing a method comprising:
Claim 16b: displaying an aerial image of a building having a roof comprising a planar roof section that has a corresponding pitch;
Claim 16c: displaying a pitch determination marker operable to indicate pitch of the planar roof section, wherein the pitch determination marker is overlaid on the aerial image of the building having the roof;
Claim 16d: receiving, based on the displayed pitch determination marker, an indication of the pitch of the planar roof section; and
Claim 16e: modifying a model of the roof based on the received indication of the pitch of the planar roof section.
Claim 17: The non-transitory computer-readable storage medium of claim 16 wherein the pitch determination marker is adjustable to specify pitch of a planar roof section.
Claim 18: The non-transitory computer-readable storage medium of claim 16 wherein the method further comprises: generating a roof estimate report based on the modified model of the roof; and transmitting the generated roof estimate report.
Claim 19: The non-transitory computer-readable storage medium of claim 18 wherein the transmitted roof estimate report includes a line drawing of the roof of the house labeled with a measure of the pitch of the planar roof section.
Claim 20: The non-transitory computer-readable storage medium of claim 16 wherein the method further comprises: determining roof measurement information based on the modified model of the roof, the roof measurement information including a measure of the pitch of the planar roof section; and transmitting the determined roof measurement information.
Claim 21: The non-transitory computer-readable storage medium of claim 16 wherein modifying the model of the roof includes modifying a model of the roof by associating the indicated pitch with a portion of the model

Claim
of the roof that corresponds to planar roof section of the roof of the building.
Claim 22: The non-transitory computer-readable storage medium of claim 16 wherein the method further comprises: displaying a wireframe rendering of the modified model superimposed on the aerial image of the building.
Claim 23: The non-transitory computer-readable storage medium of claim 16 wherein the method further comprises: registering, based on operator indicated features, multiple aerial images to a reference grid corresponding to the model.
Claim 24: The non-transitory computer-readable storage medium of claim 23 wherein registering multiple images includes: displaying a marker operable to specify a point on the aerial image; receiving, via the marker, an indication of a point on the aerial image; and registering, based on the received indication of the point, the aerial image to the reference grid.
Claim 25: The non-transitory computer-readable storage medium of claim 24 wherein registering the aerial image to the reference grid includes determining a transformation between the aerial image and the reference grid.
Claim 28: The non-transitory computer-readable storage medium of claim 16 wherein modifying the model of the roof includes modifying a three-dimensional model of the roof.

I. INTRODUCTION

For many decades, roofers used age-old measurement techniques to generate estimates for roof repair and replacement. These techniques include estimated dimensions such as length, roof area and roof pitch, which allow roofers to approximate the size of a roof and, consequently, the amount of materials needed for a given project. The '840 patent claims nothing more than applying these well-known measurement techniques to aerial images of roofs stored on a computer, rather than sending workers to take measurements by hand.

But even the computer automation recited in the '840 patent claims is not new. The prior art disclosed such automation before the '840 invention. For example, Kennedy, filed February 1, 2008, expressly discloses generating roofing estimates using such aerial imagery. As described below, the prior art expressly teaches each and every element recited in the challenged claims. This includes the claimed “pitch determination marker” that is “overlaid on the aerial image” of a roof that the examiner could not find in the prior art. Accordingly, as described in detail below, the challenged claims of the '840 patent should be found unpatentable.

II. LEVEL OF SKILL IN THE ART

A person of ordinary skill in the art at the time of the alleged invention would have bachelor's degree in architecture or an equivalent with at least five years of experience performing roof estimation. This level of skill is approximate, and more experience would compensate for less formal education, and vice versa. Ex. 1003 at ¶¶ 1-7.

III. CLAIM CONSTRUCTION

Petitioner submits that express interpretations of the Challenged Claims are not necessary. Petitioner takes no position in this petition as to whether the claims are indefinite, and no statements herein should be interpreted to mean that the terms are definite. Ex. 1003 at ¶ 15.

IV. OVERVIEW OF THE '840 PATENT

The '840 patent is generally directed towards a user interface for roof estimation. Ex. 1003 at ¶ 16-18; Ex. 1001 at Abstract. The challenged claims generally recite: (1) displaying an aerial image of a building; (2) displaying a “pitch determination marker”; (3) receiving an indication of the pitch from the “pitch determination marker”; and (4) modifying a model of the roof based on the pitch. Ex. 1001 at claim 1.

The specification of the '840 patent includes exemplary flow charts describing the alleged invention. For example, Figure 10 shows a general flow diagram of the process recited in the claims:




Fig. 10

Ex. 1001 at Fig. 10. Figure 5B, for example, shows the pitch being measured with a “pitch determination marker 510”:




Fig. 5B

Ex. 1001 at Fig. 5B.

V. PROSECUTION OF THE '840 PATENT

The application that led to the '840 patent was filed on May 15, 2009. On August 26, 2011, the Examiner issued a Non-Final rejection based on double-patenting, and finding that the recited claims were unpatentable under § 101. Ex. 1002 at 387-393. The Examiner further found that the claims were anticipated by Pershing (2008/0262789 A1) (referred to in the Grounds below as “Pershing-789”). *Id.*

In response, applicant amended the claims to recite a “non-transitory computer readable medium” to overcome the § 101 rejection. Ex. 1002 at 85-89. Applicant further amended the claims to recite a “pitch determination marker” that is “overlaid on the aerial image” of the roof to overcome Pershing. *Id.*

On February 16, 2012, the Examiner allowed the claims, stating that the prior art failed to show the claimed “pitch determination maker” “overlaid” on the aerial image as recited in the claims. *Id.* at 46-47; Ex. 1003 at ¶¶ 19-21.

VI. PRIORITY DATE OF THE '840 PATENT


The '840 patent claims priority to a provisional application filed on October 31, 2008. All of the references relied upon in the petition Grounds qualify as prior art if October 31, 2008 is considered the priority date for the '840 patent. Ex. 1003 at ¶ 22.

VII. PRIOR ART

A. Kennedy

U.S. Pat. Pub. No. 2009/0304227 A1 (“Kennedy”) is a U.S. Patent Publication published on December 10, 2009 claiming priority to provisional applications filed February 1, 2008 and April 22, 2008. Accordingly, Kennedy qualifies as prior art to the '840 patent under at least pre-AIA §

102(e). Kennedy teaches a computer implemented method for generating a roof estimate. Kennedy teaches a “roof estimating software program.” Ex. 1009 at Abstract. Kennedy teaches displaying an aerial image of a building having a roof comprising a plurality of planar roof sections that each have a corresponding pitch. Kennedy teaches that some embodiments of the system “include a sizing tool for determining the size, geometry, and pitch of the roof sections of a building being displayed.” Ex. 1009 at Abstract. This is shown, for example, in Figure 36:




Id. at Fig. 36. Kennedy discloses a sizing subsystem with a “sizing tool” that can be used to determine pitch:

In one embodiment of the invention, a graphical user interface (best illustrated in FIGS. 8-9) cooperates with sizing subsystem

500 of system 100 to implement a sizing tool enabling user 107 to **determine surface dimensions and pitch of a surface, for example a roof 191 of a house appearing in the retrieved image 153**. Thus there is no need to physically visit the installation site to make measurements and perform sizing calculations.

Id. at [0058] (emphasis added).

In one embodiment, Kennedy's "sizing subsystem" includes an **"interactive measuring tool...for use in sizing surfaces such as roof of house 600 in Fig. 6."** *Id.* at [0105] (emphasis added). The sizing tool is shown, for example, in Figure 11:



Id. at Fig. 11 (annotated). Kennedy explains that its measuring tool is “rotatable and scalable by a user 507 to align at least two sides of the tool an image [sic] of an object to be measured, for example a roof surface to be measured.” *Id.* at [0105]. Kennedy further explains that “an orientation of measuring tool with respect to axes 670 [the x/y/z axis] is determined.” *Id.* at [0108].

Kennedy makes clear that the sizing tool is “superimposed” over an aerial image. *Id.* at [0110] (“To size surface 1215 user 507 superimposes sizing tool, in this example tool 1117 (illustrated in Fig. 11) of at least a portion of image 1215...in some embodiments, information defining an orientation of shape 1215 with respect to a reference axis 1211 is generated by comparing orientation of adjusted tool 1107 to reference axis 1211.”).

Kennedy discloses that the measuring tool can be used to determine the pitch of a roof. *Id.* at [0116] (“...measuring tool 1107 [can be] used to measure displacement of a ridge of roof 650 from base 635. The displacement information is used by modeling unit 591 (Fig. 5) to determine ***pitch of roof*** 600.”) (emphasis added); Ex. 1003 at ¶¶ 23-26.

B. Pershing-789

U.S. Pat. Pub. No. 2008/0262789 A1 (“Pershing-789”) is a U.S. Patent Publication published on October 23, 2008. Accordingly, Pershing-789 qualifies as prior art to the ’840 patent under pre-AIA § 102(a). Pershing-789 discloses a “system that allows the remote measurement of the size, geometry, pitch and orientation of the roof...and then uses the information to provide an estimate to repair or replace the roof, or to install equipment thereon.” Ex. 1004 at Abstract, [0003].

Pershing-789 discloses receiving first location data, such as an address (Ex. 1004 at [0011]), and displaying an aerial image of the address in question to enable roof measurement:

The software program 50 is linked to ***an aerial image file database 52 that contains aerial images files 54*** of various building 92 in a region. The aerial image files 54 may be taken any available means, such as an aircraft, balloon, a satellite, etc. ***As shown in FIG. 3, the image files 54*** typically include at least one a top plan view 65 and a perspective view 66 of the building 92.

Id. at [0022] (emphasis added). Pershing-789 discloses, after taking measurements of the roof in question, generating a report: “From these determinations, the overall shape, slopes and square footage of the roof

sections are determined and a **report** is produced.” Ex. 1004 at [0012] (emphasis added). An exemplary report is shown in Figure 5C:




FIG. 5C

Ex. 1004 at Fig. 5C; *id.* at [0038]; Ex. 1003 at ¶¶ 27-29.

C. Bailey

Roofer: Steep Roofing Inventory Procedures And Inspection And Distress Manual For Asphalt Shingle Roofs, David M. Bailey, U.S. Army

Corps of Engineers, CERL Tech. Rept. (December 1999) (“Bailey”) is a printed publication published December 1999. Accordingly, Bailey qualifies as prior art to the ’840 patent under pre-AIA § 102(b).

Bailey is a printed publication. As set forth in the accompanying declaration of Dr. Hall-Ellis, Bailey qualifies as a printed publication because it was published in December 1999 and publicly available on or shortly after July 24, 2000. Specifically, Petitioner’s librarian expert, Dr. Hall-Ellis, verified that Bailey was available first by confirming its availability at the U.S. Army Corps of Engineers headquarters Library—her research confirmed Bailey was made part of the OCLC bibliographic database on July 24, 2000. Dr. Hall-Ellis also verified that Bailey was available by at least January 29, 2001 at the University of Wisconsin – Madison Libraries. Ex. 1012 at ¶ 67. Dr. Hall-Ellis further confirmed Bailey’s availability by downloading Bailey’s corresponding MARC records. Ex. 1012 at ¶¶ 67-71. Moreover, a publication of the U.S. Army Corps of Engineers, Bailey is inherently reliable and trustworthy. *See, e.g., Ericsson Inc. v. Intellectual Ventures I LLC*, IPR 2014-00527, Paper 41 at 11-12 (PTAB May 18, 2015) (“[a]llowing IPR petitioners to rely on” publication dates from well-known sources “serves the interests of justice”).

Bailey is also authentic. As noted above, Dr. Hall-Ellis obtained a copy from the University of Wisconsin—this is the **same** copy relied upon in this petition. Dr. Ellis confirmed the authenticity of this reference by comparing the attached copy to the version she obtained from the University of Wisconsin. Ex. 1012 at ¶ 66. Dr. Hall-Ellis found Ex. 1010 to be complete, with no pages missing, the text on each page flowing seamlessly and “no visible alternations” creating “no suspicion about its authenticity.” Additionally, pursuant to FRE § 901(b)(8), Ex. 1010 qualifies as an “ancient document,” and is, for this additional reason, authentic.

Bailey discloses steep roofing inventory procedures and inspection techniques. Bailey generally teaches methods for collecting data about a roof, including the “***predominant slope***” of the roof:


Section 33 - Slope. The ***predominant slope*** of the roof section. The roof plan will ***generally indicate the slope*** (e.g., 4 in. in 12). If the slope is not noted on the roof plan, the section drawings may indicate the slope. If such information is not available, field measurement will be required (use the method in Appendix B).

Ex. 1010 at 17 (emphasis added); *see also id.* at 15 (showing a “primary” slope at entry line 33).

Bailey explains that “slope” and “pitch” are equivalents, both describing the “degree of incline” of a roof. Ex. 1006 at 134 (“The degree of

incline a roof possess is usually expressed as its ‘*pitch*’ or ‘*slope*.’”) (emphasis added).

Bailey explains that pitch uses the entire span of the roof (*i.e.*, the entire length of the base of the roof) to express this incline, and slope uses the run of the roof (*i.e.*, half the length of the base of the roof), but, as shown in Figure 14 of Bailey, both pitch and slope represent the ***same thing***—the degree of incline of the roof:



Id. at Fig. 14 (annotated), 134-35.

As Bailey further explains, pitch and slope are interchangeable for purposes of area calculations: “Whether a particular roof incline is expressed in pitch or slope, ***the results of area calculations will be the same.***” *Id.* at 134 (emphasis added).

Bailey explains that finding the “predominant slope [*i.e.*, pitch]” for a “roof section” means any roofing area of 10,000 square feet or less—for example, Bailey teaches that “all exposed roof areas on the building shown in Figure 2 would comprise ***one roof section***” (*id.*):




Figure 2. Example of a building roof comprising a roof section.

Id. at Fig. 2 (annotated). Thus, Bailey teaches finding the “predominant slope [pitch]” for, *e.g.*, an entire residential roof, like that shown in Figure 2. Ex. 1003 at ¶¶ 30-36.

D. Pictometry

Pictometry: aerial photography on steroids, LET Staff, Law Enforcement Technology (July 2002) (“Pictometry”) is a printed publication published on July 2002. Accordingly, Pictometry qualifies as prior art to the ’840 patent under pre-AIA § 102(b). Ex. 1003 at ¶ 31.

Pictometry is a printed publication. As set forth in the accompanying declaration of Dr. Hall-Ellis, Pictometry qualifies as a printed publication because it was published in July 2002 and publicly available on or shortly after July 18, 2002 at the University of Wisconsin – Madison Libraries. Specifically, Dr. Hall-Ellis personally obtained a copy of Pictometry from the University of Wisconsin, examined its date stamp and further verified through its MARC records that it was available no later than July 18, 2002. Ex. 1012 at ¶¶ 59-65. As a publication of the journal titled *Law Enforcement Technology* from the University of Wisconsin – Madison Libraries, Pictometry is inherently reliable and trustworthy. Indeed, Pictometry was made available on the U.S. Department of Justice, Office of Justice Programs (OJP) website. See, e.g., *Ericsson Inc. v. Intellectual Ventures I LLC*, IPR 2014-00527, Paper 41 at 11-12 (PTAB May 18, 2015) (“[a]llowing IPR

petitioners to rely on” publication dates from well-known sources “serves the interests of justice”).

Pictometry is also authentic. As noted above, Dr. Hall-Ellis obtained a copy from the University of Wisconsin—this is the **same** copy relied upon in this petition. Dr. Hall-Ellis confirmed the authenticity of this reference by comparing the attached copy to the version she obtained from the University of Wisconsin. Dr. Hall-Ellis confirmed that Pictometry is complete, with no pages missing and no alterations. Ex. 1012 at ¶ 56. It is also located in a place “a copy of this journal would likely be.” *Id.*

Pictometry discloses a program that allows users to annotate aerial photographs. *See, generally* Ex. 1008. Pictometry teaches that a variety of aerial photographs can be taken, and that users can “zoom, measur[e]...and annotate[e]” these images. *Id.* at 115. Pictometry teaches a “distance tool” which allows a user to measure things contained within the image. *Id.* at 116. Pictometry specifically teaches drawing lines around a “parcel” to learn the square footage and area of a region. *Id.* Pictometry’s tool can also be used for “measuring angles.” *Id.* at 116; Ex. 1003 at ¶ 37.

VIII. DISCRETIONARY FACTORS

As discussed in detail below, the Board should not exercise its discretion to deny this IPR petition.

A. The Prior Art Was Not Considered During Prosecution

The Board uses a two-part framework to analyze denial under § 325(d). *Advanced Bionics, LLC v. MED-EL Elektromedizinische Geräte GmbH*, IPR2019-01469, Paper 6 at 7 (PTAB Feb. 13, 2020) (precedential). For the first prong, the Board considers the prosecution of the patent, and any post-issuance proceedings. *Id.* at 7-8. As to the second prong, the Board provides examples of “material errors,” including whether the office overlooked a specific teaching of the relevant prior art or an error of law, such as misconstruing a claim term. *Id.* at n. 9. If the first prong is not met, the Board does not need to address the second prong. *Godbersen-Smith Constr. Co. v. Guntert & Zimmerman Const. Div., Inc.*, IPR2021-00050, Paper 24 at 21 (PTAB May 7, 2021).

The first prong is not met here. The only prior art cited in this petition that was substantively considered during prosecution is Pershing-789. The Examiner rejected all of the challenged claims as anticipated by Pershing-789 during prosecution. Ex. 1002 at 389. Applicant argued that Pershing-789

failed to disclose a “pitch determination marker” that was “overlaid” on the aerial image, but did **not** dispute Examiner’s findings that Pershing-789 disclosed all of the other claim limitations. *Id.* at 85-88. Examiner ultimately agreed with Patent Owner and allowed the claims. *Id.* at 41. Thus, the patentability of the challenged claims focused on Pershing-789’s alleged lack of the claimed “pitch determination marker.”

This petition does **not** rely on Pershing-789 to show the “pitch determination marker” the examiner found lacking. Rather, the Petition relies on the disclosures of Kennedy and Pictometry for this limitation. Neither Kennedy nor Pictometry was substantively¹ addressed by the Examiner.

¹ While Kennedy is listed on the face of the ’840 patent and was noted as pertinent prior art, it was not substantively discussed or cited as the basis for a rejection. This does not implicate § 325(d)—indeed, the Board has routinely held that denial is not warranted based on the mere citation of a reference without any substantive analysis, even where a reference was believed to be considered by an Examiner. *See, e.g., Digital Check Corp. d/b/a ST Imaging v. E-Imagedata Corp.*, IPR2017-00178, Paper 6 at 12-13 (PTAB April 25, 2017) (instituting where: “The evidence supports Patent Owner’s assertion

Accordingly, Section 325(d) concerns are not implicated here, at least because this petition addresses new arguments based on prior art not addressed during prosecution. *Advanced Bionics, LLC v. MED-EL Elektromedizinische Geräte GmbH*, Paper 6 at 7 (PTAB Feb. 13, 2020) (considering whether the same or substantially the same art previously was presented to the Office or whether the same or substantially the same arguments previously were presented to the Office.); *Becton, Dickinson & Co. v. B. Braun Melsungen AG*, IPR2017-01586, Paper 8 at 28 (PTAB Dec. 15, 2017) (informative) (finding that a cited reference was cumulative when the same base reference was substantively evaluated during prosecution). As such § 325(d) does not counsel in favor of a discretionary denial. Therefore, the Board does not have to address the second prong of the analysis.

that [the prior art references] were cited in an IDS and the Examiner considered both references. But there is no indication in the record that the Examiner rejected any claims based on either reference or that the Examiner or applicant substantively discussed either reference during prosecution[.]”).

B. The General Plastic Factors Weigh In Favor Of Institution

Factor 1: whether the same petitioner previously filed a petition directed to the same claims of the same patent. This is the first post-grant proceeding brought against the '840 patent by Roofr, thus, Factor 1 weighs in favor of institution.

Factor 2: whether at the time of filing of the first petition the petitioner knew of the prior art asserted in the second petition or should have known of it. This factor does not apply because Roofr did not file a previous petition. While a petition was previously brought against the '840 patent by Xactware Solutions, Inc. in 2016 (see IPR2016-00586), Roofr was not a party to that proceeding. Roofr also does not rely on any prior art relied upon in the Xactware grounds. Thus, Factor 2 weighs in favor of institution.

Factor 3: whether at the time of filing of the second petition the petitioner already received the patent owner's preliminary response to the first petition or received the Board's decision on whether to institute review in the first petition. This factor does not apply because Roofr did not file a previous petition. Further, Roofr relies on different art than Xactware and, thus, the PTAB's institution decision in the Xactware proceeding is irrelevant.

Factor 4: the length of time that elapsed between the time the petitioner learned of the prior art asserted in the second petition and the filing of the second petition. This factor does not apply because Roofr did not file a previous petition. Further, the length of time between Xactware's petition and Roofr's petition is irrelevant at least because Roofr had no reason to file an IPR petition until it was sued by Patent Owner. Roofr's IPR petition is timely filed before the statutory bar date and, thus, there is also no delay. Accordingly, Factor 4 weighs in favor of institution.

Factor 5: whether the petitioner provides adequate explanation for the time elapsed between the filings of multiple petitions directed to the same claims of the same patent. For the same reasons discussed with respect to Factor 4, Factor 5 is also irrelevant. In any case, Xactware did not address claims 3, 5-7, 19-20 or 22-25 in its 2016 petition which are challenged in Roofr's petition. See IPR2016-00586, Paper 1 at 3. Accordingly, Factor 5 weighs in favor of institution.

Factor 6: the finite resources of the Board. This petition is not a follow-on and is timely and, thus, does not waste the finite resources of the Board. Accordingly, this factor weighs in favor of institution.

Factor 7: the requirement that the Board issue a final determination within 1 year. The filing of this petition will in no way adversely impact the PTAB’s 1 year deadline to issue a Final Written Decision. Accordingly, Factor 7 weighs in favor of institution.

For the foregoing reasons, the *General Plastic* factors weigh in favor of institution. Indeed, this is not the type of serial attack on a patent that the *General Plastics* factors are designed to prevent. *General Plastic Industrial Co., Ltd. v. Canon Kabushiki Kaisha*, Case IPR2016-01357 at 8-11 (Paper 19) (Precedential) (setting forth seven factors directed towards “follow-on” petitions).

C. Institution Should Not Be Denied Under *Fintiv*

Discretionary denial under § 314 is analyzed under the *Fintiv* factors, and those factors weigh in favor of institution. *Apple Inc. v. Fintiv, Inc.*, IPR2020-00019, Paper 11 (PTAB Mar. 20, 2020) (precedential).

1. Sotera Stipulation

Petitioner stipulates that, if this IPR proceeding is instituted, Petitioner will not pursue in the in the district court litigation any grounds it brought **or**

could have brought here.² See 35 U.S.C. § 315(e)(2). This waiver eliminates any overlap in invalidity grounds between the district court litigation and an IPR instituted based on this Petition, and thus mitigates any concerns of duplicative efforts or prejudice to Patent Owner. See *Sotera Wireless, Inc. v. Masimo Corp.*, IPR2020-01019, Paper 12 (PTAB Dec. 1, 2020) (precedential). As noted by the Director, “the PTAB will not discretionarily deny institution in view of parallel district court litigation where a petition presents a stipulation not to pursue in a parallel proceeding the same grounds or any grounds that could have reasonably been raised before the PTAB.” *USPTO Interim Procedure for Discretionary Denials in AIA Post-Grant Proceeding with Parallel District Court Litigation*, at 3 (June 21, 2022).

2. A FWD Will Issue Before Any Trial

A schedule has not yet been issued in the corresponding district court litigation. No trial date has been set. This petition is being filed on January

² This stipulation is not intended, and should not be construed, to limit Petitioner’s ability to assert invalidity of the asserted claims of the ’840 patent in the district court litigation on any other ground (e.g., invalidity under §§ 101, 112), regardless of whether *inter partes* review is instituted.

3, 2022. Thus, the approximate date of the PTAB hearing would be June 2024, whereas the trial date for the district court case (which has not been set) will likely not be until 2025. Accordingly, the PTAB trial will pre-date the district court trial, perhaps by many months.

Even if the trial occurs shortly before the PTAB hearing, the PTAB has held that such close proximity of a district court trial date weighs in favor of institution. *See, e.g., MediaTek Inc. et al. v. Nippon Telegraph and Telephone Corp.*, IPR2020-01607, Paper 12 at 14 (PTAB April 2, 2021).

3. The Merits of the Petition Support Institution

As discussed in more detail below, the prior art teaches every element of the challenged claims. Accordingly, the challenged claims should be held unpatentable. The merits of the petition weigh strongly in favor of institution. Likewise, as noted by the Director, “the PTAB will not rely on the *Fintiv* factors to discretionarily deny institution . . . where a petition presents compelling evidence of unpatentability.” *USPTO Interim Procedure for Discretionary Denials*, at 2.

IX. GROUND 1: KENNEDY AND BAILEY RENDER OBVIOUS CLAIMS 1-25 AND 28 OF THE '840 PATENT

A. Motivation To Combine

A POSITA would have been motivated to incorporate Bailey's teachings of generating a report into the system of Kennedy. A POSITA would have been motivated to generate a report based on the teachings of Bailey, which teaches using a report to record the same type of roof data Kennedy's system collects for, *e.g.*, repair assessment. Generating a digitized report would be beneficial because it would allow Kennedy to securely store customer records, and prevent them from getting lost, deleted or damaged. Generating a report would further allow Kennedy to transmit a digital report to customers via email. Likewise, a POSITA looking at Bailey's reports which also include roof images would readily understand the benefits of including Kennedy's aerial images and annotations in a digital report, which would result in a helpful visual to both customers and roofers.

A POSITA would likewise be motivated to combine the teachings of Bailey and Kennedy because they are both in the ***same field of endeavor*** as the '840 patent, roof estimation. Ex. 1001 at Abstract; Ex. 1009 at Abstract; Ex. 1010 at 1, 17, 134. As discussed below, both Kennedy and Bailey use ***similar techniques to solve the same problems*** as the '840 patent—indeed,

Kennedy discloses nearly all of the limitations of the '840 claims, and Bailey discloses generating a report as required by the claims. A POSITA would have had a ***reasonable expectation of success*** applying Bailey's teaching of generating a report into Kennedy's system at least because Kennedy already teaches collecting and storing roofing data. Ex. 1003 at ¶¶ 38-39.

B. Claim 1

1. Claim 1a: A computer-implemented method for generating a roof estimate report, the method comprising:

Kennedy teaches a computer-implemented method for generating a roof estimate report. Kennedy teaches a "roof estimating software program." Ex. 1009 at Abstract. Kennedy expressly teaches preparing a "quote" for customers. Ex. 1009 at ¶¶ 164, 169, 179-80, Figs. 24, 36. Kennedy broadly teaches that "In one embodiment of the invention ***a quote for the displayed system is provided in association with the image of the system.***" *Id.* at ¶ 169 (emphasis added). A POSITA would readily understand that such a quote would be a roof estimate ***report***.

In any case, as discussed above, a POSITA would be motivated to use Kennedy's roof estimation software to generate a report for a customer based on the teachings of Bailey. Bailey is directed at providing instructions for

collecting “roofing inventory” in connection with maintenance and repairs.

Ex. 1010 at 1. Bailey expressly teaches that, once roofing data (such as pitch and length) are calculated, that data should be included in a report—examples are shown in Figures 4 and 10 below:

ROOF SECTION IDENTIFICATION WORKSHEET		AGENCY/INST.: <i>Example</i>	
DATE: <u>Jul/ 1999</u>	BLDG. NO.: <u>1253</u>	SECTION ID: <u>A</u>	AREA: <u>2813</u> SF
OCCUPANCY:	YEAR ORIG. CONST.: _____	YEAR LAST REPLACED: _____	
10 GENERAL			
11 TYPE (check all):			
☒ GABLE	☐ GAMBREL	☐ DOME	
☒ HIP	☐ SHED	☐ BARREL	
		☐ OTHER	
12 PERIMETER (check all):			
PARAPET _____ LF	FIREWALL _____ LF	RIDGE <u>69</u> LF	
ROOF EDGE <u>234</u> LF	HIP <u>116</u> LF	OTHER _____ LF	
ADJACENT WALL _____ LF	VALLEY <u>70</u> LF		
13 ACCESS (check one):			
INTERNAL LADDER	EXTERNAL LADDER	☐ PENTHOUSE	
☐ Permanent	☐ Permanent	☐ ACCESSED FROM ADJ.	
☐ Temporary	☒ Temporary	☐ SECTION (Sec.ID _____)	
		☐ OTHER	
20 STRUCTURAL FRAME			
21 TYPE (check one):			
STEEL	CONCRETE	SPECIAL	
☐ Beams, Girders, Cols.	☐ Beams	☐ Dome	
☐ Long Sp Deck, Beams	☐ Flat Slab	☐ Space Frame	
☐ Trusses	WOOD	☐ OTHER	
☐ Bar Joists with Beams & Cols.	☒ Laminated Beams	☐ UNKNOWN	
☐ Bar Joists with Bearing Walls	☐ Trusses		
☐ Bar Joists with Combination	☐ Joists		
	☐ Panels		
30 ROOF DECK			
31 STRUCTURAL DECK (check one):			
NONCOMBUSTIBLE		COMBUSTIBLE	
☐ STEEL	☐ CONCRETE, LWT. PRECAST	☐ WOOD BOARDS	
☐ CONCRETE, STD	☐ CEMENT FIBER	☒ PLYWOOD	
☐ Precast	☐ Bulb-Tees	☐ WOOD FIBER	
☐ Cast-in-Place	☐ Clipped	☐ OTHER	
☐ GYPSUM, PRECAST		☐ UNKNOWN	

Figure 4. Completed Roof Section Identification Worksheet.

Ex. 1010 at Fig. 4 (Part 1).

32 ATTACHMENT SURFACE (if applicable):		
☐ WOOD FIBER	☐ WOOD BOARDS	☐ METAL PURLINS
☐ PLYWOOD	☐ WOOD BATTENS	☐ OTHER
		☐ UNKNOWN
33 SLOPE (primary): <u>4</u> IN 12		
34 DRAINAGE (check all):		
☐ INTERIOR DRAINS	☐ SCUPPERS	☐ OVERFLOW SCUPPERS
☐ INTERIOR GUTTERS	☐ ADJACENT ROOF SECTIONS	☐ ROOF EDGE
☒ GUTTERS & DOWNSPOUTS	☐ SCUPPERS W/LEADER & DOWNSPOUTS	☐ OTHER
40 UNDERLAYMENT		
41 TYPE (check all):		
☐ FULLY-ADHERED ICE & WATER MAT	☒ ASPHALT SATURATED SHEET	☐ UNKNOWN
	☐ OTHER	☐ NONE
50 ROOF COVERING		
51 TYPE (check one):		
☒ ASPHALT SHINGLE	SYNTHETIC ROOFING	METAL PANEL
☐ Three-Tab	☐ Plastic	CONCRETE TILE
☐ Multi-Tab	☐ Wood Fiber	☐ Pan and Cover
☐ Strip (no cutout)	☐ Metal Shingles	☐ S-Shaped
☐ Laminated	☐ Fiber Cement	☐ Flat
☐ Lock-Down	☐ WOOD SHAKES	CLAY TILE
☐ Foil-Faced	☐ WOOD SHINGLES	☐ Pan and Cover
☐ ASPHALT ROLLED	☐ SLATE	☐ S-Shaped
		☐ Flat
		☐ OTHER
52 SHINGLE REINFORCEMENT (for Asphalt Shingle only) (check one):		
☐ ORGANIC	☒ FIBROUS GLASS	☐ OTHER
		☐ UNKNOWN

Figure 4 (continued). Completed Roof Section Identification Worksheet.

Ex. 1010 at Fig. 4 (Part 2).

ROOF INSPECTION WORKSHEET

AGENCY/INSTALLATION:

EXAMPLE

BUILDING 1253
 SECTION A

PERIMETER FLASHING 489
 OTHER FLASHINGS 38

DATE 7/2/99
 NAME Jones

SF -STEP FLASHING	MA -METAL APRON	AD -AGE DET.	EF -EXPOSED FAST.
MC -METAL CAP	FP -FLASHED PENET.	HS -HOLE/MISSING	ST -STAINS/FUNGUS
EM -EDGE METAL	RV -RIDGE/HIP VENT	SHINGLE	DV -DEBRIS & VEG.
VF -VALLEY FLASHING	PP -PITCH PAN	TB -UNSEALED TABS	PA -PATCHING
RH -RIDGE/H SHINGLE	IG -INT. GUTTER	LR -LUMPS/RIDGES	EQ -EQUIP. SUPPORTS

#	ID	DISTRESS	SEVERITY	DEFECT	QUANTITY
1	EM	m	1	10	
2	RH	m	3	1	
3	VF	L	2	25	
4	RH	H	4	1	
5	VF	L	2	21	
6	VF	L	2	15	
7	SF	m	4	12	
8	MA	m	2	2	
9	MA	m	2	2	
10	RH	m	4	1	
11	ST	L	1	20	
12	DV	m	3	16	
13	HS	m	1	6	
14	DV	m	1	9	
15	PA	m	1	8	
16	VF	m	5	6	
17	AD	L	2	150	

NORTH

SCALE: _____

Figure 10. Completed Roof Inspection Worksheet.

Ex. 1010 at Fig. 10; Ex. 1003 at ¶¶ 40-41.


2. **Claim 1b: displaying an aerial image of a building having a roof comprising a plurality of planar roof sections that each have a corresponding pitch;**

Kennedy teaches displaying an aerial image of a building having a roof comprising a plurality of planar roof sections that each have a corresponding pitch. Kennedy teaches that:

An aerial image file database contains a plurality of aerial images of roofs of buildings in a selected region. A roof estimating software program receives location information of a building in the selected region and then presents the ***aerial image files showing roof sections of building*** located at the location information.

Ex. 1009 at Abstract (emphasis added); *see also id.* at ¶¶ 59-67.

Kennedy further teaches that some embodiments of the system “include a sizing tool for determining the size, geometry, and ***pitch of the roof sections of a building being displayed.***” Ex. 1009 at Abstract. This is shown, for example, in Figure 36:



Id. at Fig. 36. Kennedy discloses:

In one embodiment of the invention, a graphical user interface (best illustrated in FIGS. 8-9) cooperates with sizing subsystem 500 of system 100 to implement a sizing tool enabling user 107 to **determine surface dimensions and pitch of a surface, for example a roof 191 of a house appearing in the retrieved image 153**. Thus there is no need to physically visit the installation site to make measurements and perform sizing calculations.

Id. at [0058]; Ex. 1003 at ¶¶ 42-43.

3. **Claim 1c: displaying a pitch determination marker operable to indicate pitch of a planar roof section, wherein the pitch determination marker is overlaid on the aerial image of the building having the roof;**


Kennedy discloses “displaying a pitch determination marker operable to indicate pitch of a planar roof section, wherein the pitch determination marker is overlaid on the aerial image of the building having the roof.” In

particular, Kennedy discloses a sizing subsystem with a “sizing tool” that can be used to determine pitch:

In one embodiment of the invention, a graphical user interface (best illustrated in FIGS. 8-9) cooperates with sizing subsystem 500 of system 100 to implement a sizing tool enabling user 107 to ***determine surface dimensions and pitch of a surface, for example a roof 191 of a house appearing in the retrieved image 153.*** Thus there is no need to physically visit the installation site to make measurements and perform sizing calculations.

Id. at [0058], [0065]-[0067]. In one embodiment, Kennedy’s “sizing subsystem” includes an “interactive measuring tool for use in sizing surfaces such as roof of house 600 in Fig. 6. *Id.* at [0105]; *see also id.* at [0082]-[0122] (describing embodiments of the sizing subsystem). The sizing tool is shown, for example, in Figure 11—this sizing tool (also called a “measuring tool”) is the claimed “pitch determination marker”:

FIG. 11



Id. at Fig. 11 (annotated). Kennedy explains that its measuring tool is “rotatable and scalable by a user 507 to align at least two sides of the tool an image [sic] of an object to be measured, for example a roof surface to be measured.” *Id.* at [0105]. Kennedy further explains that “an orientation of measuring tool with respect to axes 670 [the x/y/z axis] is determined.” *Id.* at [0108].

Kennedy makes clear that the sizing tool is “superimposed” over an aerial image. *Id.* at [0110] (“To size surface 1215 user 507 superimposes

sizing tool, in this example tool 1117 (illustrated in Fig. 11) of at least a portion of image 1215...in some embodiments, information defining an orientation of shape 1215 with respect to a reference axis 1211 is generated by comparing orientation of adjusted tool 1107 to reference axis 1211.”).

Kennedy discloses that the measuring tool can be used to determine the pitch of a roof. *Id.* at [0116] (“...measuring tool 1107 [can be] used to measure displacement of a ridge of roof 650 from base 635. The displacement information is used by modeling unit 591 (Fig. 5) to determine ***pitch of roof*** 600.”). Kennedy’s sizing/measuring tool is the claimed “pitch determination marker.” Ex. 1003 at ¶¶ 44-47.

4. Claim 1d: receiving, based on the displayed pitch determination marker, an indication of the pitch of one of the plurality of planar roof sections of the roof of the building; and

As discussed with respect to claim 1c, Kennedy teaches receiving an indication of the pitch of one of a plurality of planar roof sections of the roof of a building based on the displayed pitch determination marker (“measuring tool”). *See* claim 1c; Ex. 1009 at [0116] (“...measuring tool 1107 [can be] used to measure displacement of a ridge of roof 650 from base 635. The displacement information is used by modeling unit 591 (Fig. 5) to determine ***pitch of roof*** 600.”). Ex. 1003 at ¶ 48.

5. **Claim 1e: modifying a model of the roof based on the received indication of the pitch of the one planar roof section.**


Kennedy teaches that its system models a roof based on, inter *alia*, the indication of pitch of the one planar roof section. Ex. 1009 at [0118] (“Returning now to FIG. 5, 3D transformer/translation module 596 uses the ***displacement information to generate a 3D model of roof*** 600.”) (emphasis added). Kennedy further teaches that the system “tracks changes in the geometry of measuring tool 1107 in relation to the real world dimensions.” *Id.* at [0119]. Kennedy’s teachings of generating a model using the measuring tool, including tracking “changes” of the measuring tool discloses the claimed “modifying” of the model. Ex. 1003 at ¶ 49.

C. **Claim 2: The method of claim 1 wherein the pitch determination marker is adjustable to specify pitch of a planar roof section.**


As discussed with respect to claim 1, Kennedy’s pitch determination marker is adjustable to specify pitch of a planar roof section. *See also id.* at [0105] (“The measuring tool is ***rotatable and scalable*** by user 507[.]”) (emphasis added); *see also* claim 1e; Ex. 1003 at ¶ 50.

D. Claim 3: The method of claim 1 further comprising: transmitting roof measurement information based on the modified model of the roof, the roof measurement information including a measure of the pitch of the one planar roof section.

Kennedy teaches transmitting roof measurement information based on the modified model of the roof, the roof measurement information including a measure of the pitch of the one planar roof section. Ex. 1003 at ¶¶ 51-53. For example, Kennedy teaches that its system transmits information to a user, including pitch information:



Ex. 1009 at Fig. 1. (annotated). As shown in Fig. 36, the information transmitted to the user's display include "pitch" information:



Id. at Fig. 36 (annotated), [0186] (“The model 31100 is rotatable and translatable by the user operating model interface controls (example illustrated in Fig. 36).”), [0189] (“Fig. 36 is an image providing perspective view of the roof image of Fig. 35[.]”), [0188] (“Fig. 35 illustrates a top plan view of a roof to be sized as the roof appears in an image obtained from a geographical information service.”); *see also* claims 1e, 2.

E. Claim 4: The method of claim 1 wherein modifying the model of the roof includes associating the indicated pitch with a portion of the model of the roof that corresponds to the one planar roof section of the roof of the building.

As discussed above with respect to claims 1 and 2, Kennedy’s sizing tool teaches modifying a model of the roof, including associating the indicated pitch with a portion of the model of the roof that corresponds to the one planar

roof section of the roof of the building that a user is measuring. Ex. 1003 at ¶ 54.

F. Claim 5: The method of claim 1 further comprising: displaying a wireframe rendering of the modified model superimposed on the aerial image of the building.

Kennedy discloses the claimed “wireframe rendering.” In particular, the ’840 patent discloses that a “wireframe” rendering superimposed on an aerial image may be generated when an “operator uses the drawing tool 610 to trace or outline planar sections of the roof 407, leading to the generation of wire frame 611.” Ex. 1001 at 14:13-15. The ’840 patent shows this wireframe image in Figure 6B:

'840 Patent:




Fig. 6B

Ex. 1001 at Fig. 6B (annotated). Thus, the claimed “wireframe” image can be an outline of roof sections superimposed on an aerial image, for example, using a drawing tool.

As discussed above, Kennedy expressly discloses a “sizing tool” that is superimposed on an aerial image to determine “surface dimensions” of a roof:

In one embodiment of the invention, a graphical user interface (best illustrated in FIGS. 8-9) cooperates with sizing subsystem 500 of system 100 to implement a sizing tool enabling user 107 to ***determine surface dimensions*** and pitch ***of a surface, for example a roof*** 191 of a house ***appearing in the retrieved image***

153. Thus there is no need to physically visit the installation site to make measurements and perform sizing calculations.

Id. at [0058]; *see also id.* at [0110] (“To size surface 1215 user 507 superimposes sizing tool, in this example tool 1117 (illustrated in Fig. 11) of at least a portion of image 1215...in some embodiments, information defining an orientation of shape 1215 with respect to a reference axis 1211 is generated by comparing orientation of adjusted tool 1107 to reference axis 1211.”); *see* claim 1.

Kennedy’s disclosure of using a sizing/measuring tool to draw a perimeter around the perimeter of roofing sections shown in an aerial image is the claimed “wireframe rendering.” Ex. 1003 at ¶¶ 55-59.


G. Claim 6: The method of claim 5 wherein displaying the wireframe rendering occurs in response to the receiving of the indicated pitch.

As discussed with respect to claim 5, Kennedy teaches displaying a wireframe image based on a user using its “sizing tool” to “determine surface dimensions **and pitch**” of a roof. *Id.* at [0058] (emphasis added). For the same reasons, Kennedy renders obvious “wherein displaying the wireframe rendering occurs in response to the receiving of the indicated pitch.” Indeed, the wireframe drawing is made as part of the pitch measurement and, thus, occurs in response to receiving the indicated pitch. Ex. 1003 at ¶ 60.

H. Claim 7: The method of claim 1 wherein the pitch determination marker includes an adjustable protractor tool having a member that is adjustable to indicate an angle.

Kennedy's pitch determination marker may act as a digital "adjustable protractor tool" because it can be rotated and scaled indicate an angle. See claim 1. This is shown, for example, by measuring tool 1117:

FIG. 11



Id. at Fig. 11 (annotated). Kennedy explains that “user 507 superimposes sizing tool, in this example tool 1117 (illustrated in Fig. 11) over at least a portion of image 1215...[u]ser 507 adjusts the dimensions of at least one of the tools sides...***manipulation of tool 1117 [is possible] in three dimensions***, x, z, and z [sic], with respect to axis 1311.” *Id.* at [0111]-[0113] (emphasis added). The displacement information of the tool is used by transformer/translation module 596 to generate the three-dimensional model of the roof being measured. *Id.* at [0117]-[0118]. Kennedy teaches that this transformer/translation module 596 is coupled with a “pitch calculator” that may determine pitch. *Id.* at [0097]-[0098]. Accordingly Kennedy’s tool 1117 acts as an adjustable protractor tool having a member that is adjustable to indicate an angle. Ex. 1003 at ¶¶ 61-62.

I. Claim 8: The method of claim 1 wherein the pitch determination marker includes an envelope tool having two surfaces that are adjustable to indicate an angle.

The ’840 patent discloses an “envelope tool” as including a measuring tool with two surfaces, like that shown in Figure 5C:

840 Patent





Fig. 5C

Ex. 1001 at Fig. 5C (annotated).

Kennedy includes at least two examples of the claimed “envelope tool.” Ex. 1003 at ¶¶ 63-67. First, as discussed with respect to claim 7, Kennedy teaches a “digital protractor tool.” This is also a disclosure of the digital “envelope” tool because it also uses two adjustable planes to make a measurement. The planes used by tool 1117 in Kennedy are depicted as thin, but the claims do not require a minimum size of the envelope tool. Likewise, Kennedy’s disclosures do not restrict the size of the planes used in tool 1117.

Kennedy's sizing tool 1107 is a second example of a digital "envelope" tool. In particular, sizing tool 1107 is shown as a flat plane in Figure 11 of Kennedy:



Id. at Fig. 11 (annotated).

But Kennedy explains that its sizing tool 1107 can be manipulated in ***three dimensions for alignment*** with a roof:

FIG. 15 illustrates an embodiment of ***measuring tool 1107 of FIG. 11 in 3 dimensions for alignment*** with roof image 600 in viewport 1300 illustrated in FIG. 13. A ridge line is indicated in FIG. 15 at 641.

Id. at [0114]. This disclosure would encompass **folding** sizing tool 1107 over the peak of a roof to conform it with the roof's shape, resulting in the "envelope tool" recited in the challenged claims. For example, the tool could be folded over the roof shown in Figure 15:




FIG. 15

Id. at Fig. 15 (annotated). Thus, tool 1107 is another example of an "envelope" tool disclosed by Kennedy.

J. Claim 9: The method of claim 1 wherein modifying the model of the roof includes modifying a three-dimensional model of the roof.

As discussed with respect to claims 1 and 2, modifying the model of the roof includes modifying a three-dimensional model of the roof. *Id.* at

[0091] (“Modeling unit 591 develops a description of the ***three dimensional roof shape*** based on two dimensional descriptions received from user system 506.”) (emphasis added), [0104] (“In one embodiment of the invention described above, a translator unit 596 comprises a commercially available ***3D modeling software package such as AutoCad™***.”) (emphasis added); Ex. 1003 at ¶ 68.

K. Claim 10

1. Claim 10a: computing system for generating a roof estimate report, the computing system comprising: a memory;

As discussed with respect to claim 1, Kennedy and Bailey render obvious a system for generating a roof estimate report. See claim 1. Kennedy expressly discloses a memory. Ex. 1009 at Abstract, [0051] (“For example, one of ordinary skill in the art will recognize upon reading this specification, that commercially available processors, ***memory modules***, input/output reports and other commercially available hardware components are suitable for use in constructing embodiments of system 100.”); Ex. 1003 at ¶ 69.

2. Claim 10b: a roof estimation module that is stored on the memory and that is configured, when executed, to: display an aerial image of a building having a roof comprising a plurality of planar roof sections that each have a corresponding pitch;

See claim 1b; Ex. 1003 at ¶ 70.

3. **Claim 10c: display a pitch determination marker operable to indicate pitch of a planar roof section, wherein the pitch determination marker is overlaid on the aerial image of the building having the roof;**

See claim 1c; Ex. 1003 at ¶ 71.

4. **Claim 10d: receive, based on the displayed pitch determination marker, an indication of the pitch of one of the plurality of planar roof sections of the roof of the building;**

See claim 1d; Ex. 1003 at ¶ 72.

5. **Claim 10e: modify a model of the roof based on the received indication of the pitch of the one planar roof section; and**

See claim 1e; Ex. 1003 at ¶ 73.

6. **Claim 10f: provide roof measurement information based on the model of the roof, the roof measurement information including a measure of the pitch of the one planar roof section.**

See claims 1, 3; Ex. 1003 at ¶ 74.

- L. **Claim 11: The computing system of claim 10 wherein the roof estimation module is further configured to transmit a roof estimate report based on the provided roof measurement information.**

See claim 3; Ex. 1003 at ¶ 75.

- M. **Claim 12: The computing system of claim 10 wherein the pitch determination marker includes at least one of an adjustable protractor tool and an envelope tool.**

See claims 7, 8; Ex. 1003 at ¶ 76.

- N. Claim 13: The computing system of claim 10 wherein the roof estimation module includes an interactive roof modeling user interface.**

See claims 1, 9; Ex. 1003 at ¶ 77.

- O. Claim 14: The computing system of claim 10 wherein the roof estimation module is further configured to display the pitch determination marker as part of an interactive user interface.**

See claims 1, 2; Ex. 1003 at ¶ 78.

- P. Claim 15: The computing system of claim 10 wherein the model of the roof is a three-dimensional model of the roof.**

See claim 1, 9; Ex. 1003 at ¶ 79.

Q. Claim 16

- 1. Claim 16a: A non-transitory computer-readable storage medium whose contents enable a computing system to generate a roof estimate report for a building having a roof, by performing a method comprising:**

See claims 1, 4, 10; Ex. 1003 at ¶ 80.

- 2. Claim 16b: displaying an aerial image of a building having a roof comprising a planar roof section that has a corresponding pitch;**

See claims 1, 4; Ex. 1003 at ¶ 81.

- 3. Claim 16c: displaying a pitch determination marker operable to indicate pitch of the planar roof section, wherein the pitch determination marker is overlaid on the aerial image of the building having the roof;**

See claim 1; Ex. 1003 at ¶ 82.

- 4. Claim 16d: receiving, based on the displayed pitch determination marker, an indication of the pitch of the planar roof section; and**

See claims 1, 2; Ex. 1003 at ¶ 83.

- 5. Claim 16e: modifying a model of the roof based on the received indication of the pitch of the planar roof section.**

See claim 1, 4; Ex. 1003 at ¶ 84.

- R. Claim 17: The non-transitory computer-readable storage medium of claim 16 wherein the pitch determination marker is adjustable to specify pitch of a planar roof section.**

See claim 2; Ex. 1003 at ¶ 85.

- S. Claim 18: The non-transitory computer-readable storage medium of claim 16 wherein the method further comprises: generating a roof estimate report based on the modified model of the roof; and transmitting the generated roof estimate report.**

See claims 1, 3; Ex. 1003 at ¶ 86.

- T. Claim 19: The non-transitory computer-readable storage medium of claim 18 wherein the transmitted roof estimate report includes a line drawing of the roof of the house labeled with a measure of the pitch of the planar roof section.**

See claim 1, 3; Ex. 1003 at ¶ 87.

- U. Claim 20: The non-transitory computer-readable storage medium of claim 16 wherein the method further comprises: determining roof measurement information based on the modified model of the roof, the roof measurement information including a measure of the pitch of the planar roof section; and transmitting the determined roof measurement information.**

See claim 1, 3; Ex. 1003 at ¶ 88.

- V. Claim 21: The non-transitory computer-readable storage medium of claim 16 wherein modifying the model of the roof includes modifying a model of the roof by associating the indicated pitch with a portion of the model of the roof that corresponds to planar roof section of the roof of the building.**

See claim 1; Ex. 1003 at ¶ 89.

- W. Claim 22: The non-transitory computer-readable storage medium of claim 16 wherein the method further comprises: displaying a wireframe rendering of the modified model superimposed on the aerial image of the building.**

See claim 5; Ex. 1003 at ¶ 90.

- X. Claim 23: The non-transitory computer-readable storage medium of claim 16 wherein the method further comprises: registering, based on operator indicated features, multiple aerial images to a reference grid corresponding to the model.**

The '840 patent teaches that a “reference grid” is the “coordinate system for a 3D model of the roof” and that by “registering multiple images to the reference grid, an operator may indicate a roof feature on an image...which may be translated from the coordinate system of the image to

the coordinate system of the reference grid, for purposes of including the indicate feature in the 3D model.” Ex. 1001 at 9:63-10:4.

As discussed with respect to claim 1, Kennedy discloses such a “reference grid” coordinate system. *See* claim 1. Indeed, Kennedy teaches using multiple images to generate 3D models: “One embodiment of the invention employs as GIS service (for example Google Earth) to obtain images to locate and view properties. In some embodiments of the invention, only one image is retrieved from a source of images. In other embodiments relying on **3-dimensional models, more than one image is retrieved** from a source of images.” Ex. 1009 at [0080] (emphasis added).

Kennedy also discloses that its modeling unit maps measurements taken by Kennedy’s sizing tool onto 3D space: “Modeling unit 591 develops a description of the three dimensional roof shape based on two dimensional descriptions received from user system 506. In some embodiments of the invention, modeling unit 591 also receives image metadata for the image in viewport 1000.”. *Id.* at [0091].

Kennedy teaches that it uses a “reference axis” to map points defining a measured shape:

Image transform module 596 generates **a transform, or map**, for points on a user measured surface. The transform maps points

defining the surface shape in one orientation with respect to a **reference axis** to corresponding points defining the surface shape in any other orientation with respect to the reference axis. Once a transform is generated, points defining a surface shape in, e.g., a perspective view are translatable to corresponding points comprising a side elevation model description of the shape.

Id. at [0093]. This is the claimed “registering, based on operator indicated features, multiple aerial images to a reference grid corresponding to the model.” Ex. 1003 at ¶¶ 91-95.

Y. Claim 24: The non-transitory computer-readable storage medium of claim 23 wherein registering multiple images includes: displaying a marker operable to specify a point on the aerial image; receiving, via the marker, an indication of a point on the aerial image; and registering, based on the received indication of the point, the aerial image to the reference grid.

See claims 1, 23; Ex. 1003 at ¶ 96.

Z. Claim 25: The non-transitory computer-readable storage medium of claim 24 wherein registering the aerial image to the reference grid includes determining a transformation between the aerial image and the reference grid.

See claims 1, 23. Kennedy expressly teaches that its modeling subsystem uses a “transform, or map, for points on a user measured surface” and generates the model using a “reference axis.” *Id.* at [0093]; Ex. 1003 at ¶ 97.

AA. Claim 28: The non-transitory computer-readable storage medium of claim 16 wherein modifying the model of the roof includes modifying a three-dimensional model of the roof.

See claims 1-3; Ex. 1003 at ¶ 98.

X. GROUND 2: KENNEDY, BAILEY AND PICTOMETRY RENDER OBVIOUS CLAIMS 1-25 AND 28 OF THE '840 PATENT

As discussed in Ground 1, Kennedy expressly teaches the claimed “pitch determination marker” recited in the claims. But to the extent Patent Owner argues Kennedy is missing this limitation, or that Kennedy was substantively considered by the Examiner already during prosecution (it was not), the claimed “pitch determination marker” is also taught by Pictometry. Ex. 1003 at ¶ 99.

A. Motivation To Combine

A POSITA would have been motivated to incorporate Pictometry’s teachings of a pitch determination marker into Kennedy. Ex. 1003 at ¶¶ 100-105. Indeed, Kennedy already teaches using a “sizing tool” that can measure pitch that is overlayed on an aerial image. Pictometry broadly teaches annotating an image to measure “angles”—this teaching would motivate a POSITA to use Pictometry’s annotation tool (another example of a “pitch determination marker”) to determine the pitch of a roof being analyzed by Kennedy.

Further, Pictometry teaches that the annotation feature is an “**indispensable** tool.” Ex. 1008 at 115 (emphasis added). A POSITA would, thus, have been motivated to utilize Pictometry’s indispensable annotation feature in similar systems, like Kennedy.

Likewise, Pictometry expressly discloses that its annotation tool can be used to “analyze any house [or] building.” *Id.* at 114. A POSITA reading Pictometry would have been motivated to use Pictometry’s annotation tool in Kennedy’s system to analyze the roof of a house or building.

A POSITA would have also been motivated to use Pictometry’s annotation tool in Kennedy’s system because doing so would allow roofers and customers to see the house being analyzed. This would **promote accuracy**, since users could confirm that the correct house was being measured.

Likewise, a POSITA would be motivated to use Pictometry’s annotation tool because it would provide roofers and customers **greater flexibility** related to which aspects of the home to measure. Showing annotations on an aerial image, as taught by Pictometry, would also improve **precision** because users could ensure that the measurements were properly aligned with the building.

Petitioner has already explained why a POSITA would have been motivated to combine the teachings of Kennedy and Bailey. A POSITA would be further motivated to incorporate Pictometry's annotation feature for similar reasons. Like Kennedy and Bailey, Pictometry is in the ***same field of endeavor*** as the '840 patent, roof estimation. Pictometry is broadly directed towards accurate measurements of structure, including buildings, in aerial images. Ex. 1008 at 114. Further, Kennedy, Bailey, Pictometry and the '840 patent all use ***similar techniques to solve the same problems***. As discussed above, Kennedy teaches nearly all of the claimed elements, and Pictometry also teaches the "pitch determination marker" of the '840 patent. A POSITA would also have a ***reasonable expectation of success*** in including the teachings of Pictometry in Kennedy's system. Pictometry's itself discloses that its annotation feature can be used in a system for measuring attributes of buildings. Ex. 1008 at 114. For the foregoing reasons, a POSITA would be motivated to use Pictometry's teachings of annotations to improve Kennedy's system.

B. Pictometry Renders Obvious “wherein the pitch determination marker is *overlaid* on the aerial image of the building having the roof” (Claims 1, 10, 16)

The examiner issued the claims because he found that none of the prior art showed that the “pitch determination marker” was “overlaid on the aerial image.” See, Section V, *supra*. As discussed in Ground 1, Kennedy discloses this limitation. Ex. 1003 at ¶¶ 106-108.

To the extent that Patent Owner argues this limitation is missing from Kennedy, or that the Examiner found Kennedy lacking, Pictometry also expressly discloses overlaying pitch determination markers on aerial images. For example, Pictometry discloses a program that allows users to annotate aerial photographs. See, *generally* Ex. 1008. Pictometry teaches that a variety of aerial photographs can be taken, and that users can “zoom, measur[e]...and annotate[e]” these images. *Id.* at 115. Pictometry teaches a “distance tool” which allows a user to measure things contained within the image. *Id.* at 116. Pictometry’s tool can also be used for “measuring *angles*.” *Id.* at 116 (emphasis added). Thus, Pictometry’s measuring tool can be used as a “pitch determination” marker that is overlaid on an aerial image.

Accordingly, Pictometry provides a second example of overlaying a pitch determination marker on a roof—the sole limitation the Examiner believed was missing from the prior art.

XI. GROUND 3: PERSHING-789 AND KENNEDY RENDER OBVIOUS CLAIMS 1-25 AND 28 OF THE '840 PATENT

As discussed above, Patent Owner did not contest that Pershing-789 teaches every claim limitation of the '840 patent except for the “pitch determination marker.” The “pitch determination marker” limitation is taught by Kennedy and Pictometry. See Grounds 1 and 2. For the reasons discussed in the Grounds below, a POSITA would have been motivated to include Kennedy’s pitch determination marker in Pershing-789’s system. Ex. 1003 at ¶ 109.

A. Motivation to Combine

A POSITA would have been motivated to use Kennedy’s pitch determination marker in Pershing-789 for a variety of reasons. Ex. 1003 at ¶¶ 110-11. As discussed below, Pershing-789 is directed towards generating roof estimates and employs a user interface that allows various roof attributes, including pitch, to be measured. A POSITA considering Pershing-789 would be motivated to use Kennedy’s “pitch determination marker” in Pershing-789’s system because it would further Pershing-789’s goal of allowing users

to employ interactive tools to measure roof attributes. Kennedy's pitch determination marker would promote accuracy by allowing a user to precisely align the tool when taking pitch measurements. Using Kennedy's pitch determination marker would also give real time feedback to users seeking to determine pitch values, which would provide an added convenience. Kennedy's pitch determination marker would also enhance user experience by offering a user more control in the measuring process. Kennedy's pitch determination marker would also allow a user to confirm that Pershing-789's system was accurately associating measured pitch values with appropriate roof sections by providing a visual confirmation of segments being measured.

Further, a POSITA would have been motivated to combine Kennedy and Pershing-789 because they are in the *same field of endeavor* as the '840 patent, roof estimation. Ex. 1001 at Abstract; Ex. 1009 at Abstract; Ex. 1004 at Abstract. Likewise, as discussed throughout this petition, both Kennedy and Pershing-789 use *similar techniques to solve the same problems* as the '840 patent—indeed, both Kennedy and Pershing-789 disclose the majority of the challenged claim limitations. See Grounds 1 and 3. Finally, a POSITA would have a *reasonable expectation of success* in making the proposed combination—as described below, Pershing-789 already permits user to

measure roof attributes using an interface, and Kennedy teaches its pitch determination marker can be deployed in this same environment. See claim 1d, *infra*. Accordingly, a POSITA would be motivated to use Kennedy's pitch determination marker in Pershing-789's system.

B. Claim 1

1. Claim 1a: A computer-implemented method for generating a roof estimate report, the method comprising:

Pershing-789 discloses a process. In particular, Pershing-789 discloses a “system that allows the remote measurement of the size, geometry, pitch and orientation of the roof...and then uses the information to provide an estimate to repair or replace the roof, or to install equipment thereon.” Ex. 1004 at Abstract; *see also id.* At [0003] (describing “systems and **methods** for estimating construction projects”) (emphasis added).

Pershing-789 discloses, after taking measurements of the roof in question, generating a report: “From these determinations, the overall shape, slopes and square footage of the roof sections are determined and a **report** is produced.” Ex. 1004 at [0012] (emphasis added). An exemplary report is shown in Figure 5C:




FIG. 5C

Ex. 1004 at Fig. 5C; *id.* at [0038]; Ex. 1003 at ¶¶ 112-13.

2. **Claim 1b: displaying an aerial image of a building having a roof comprising a plurality of planar roof sections that each have a corresponding pitch;**

Pershing-789 displaying an aerial image of a building having a roof comprising a plurality of planar roof sections that each have a corresponding pitch by displaying an image of the input location:

During use, the physical address or location information of the building is inputted into the program which then **presents aerial images of roof sections on the building at the specific address location.**

Ex. 1004 at [0011] (emphasis added).

For example, a first image corresponding to the first location data is shown in Figure 3:




FIG. 3

Ex. 1004 at Fig. 3. Pershing-789 explains that this hand-sketch drawing in Figure 3 is meant to represent **actual aerial images of a building** stored in its system's database:

The software program 50 is linked to **an aerial image file database 52 that contains aerial images files 54** of various building92 in a region. The aerial image files 54 may be taken

any available means, such as an aircraft, balloon, a satellite, etc. **As shown in FIG. 3, the image files** 54 typically include at least one a top plan view 65 and a perspective view 66 of the building 92.

Id. at [0022] (emphasis added). Accordingly, Pershing-789 discloses displaying an actual aerial photo of a building. Pershing-789's disclosure that actual aerial images are used in Figure 3A is consistent with its disclosure that the same aerial images of customer roofs are included in its report, such as the exemplary reports shown in Figures 5A-B:




FIG. 5A





FIG. 5B

Id. at Figs. 5A-B.

Further, as shown in Figure 3 (and Figures 5A-B), Pershing-789's image includes a roof structure of a building as part of its “***top plan view***” of the building. *Id.*

Pershing-789 further teaches showing “pitch” dimensions in its outline drawing, for example, in Figure 5D:




106

FIG. 5D

Ex. 1004 at Fig. 5D (annotated). Pershing-789 explains that, “FIG. 5D is an illustration of the fourth page 106 of the report showing the *pitch angle* of each roof section along with a compass indicator.” *Id.* at [0028] (emphasis added); Ex. 1003 at ¶¶ 114-20.

3. Claim 1c: displaying a pitch determination marker operable to indicate pitch of a planar roof section, wherein the pitch determination marker is overlaid on the aerial image of the building having the roof;

Pershing-789 and Kennedy render obvious displaying a pitch determination marker operable to indicate pitch of a planar roof section, wherein the pitch determination marker is overlaid on the aerial image of the building having the roof. Pershing-789 discloses “*image analysis and calibration is then performed* either manually or *via a software* program that *determines* the geometry, the slopes, the *pitch angles*, and the outside dimensions of the roof sections.” Ex. 1004 at [0011] (emphasis added). Pershing-789 further teaches overlaying pitch data on an aerial image of a roof:



Ex. 1004 at Fig. 5D (annotated). Pershing-789 explains that, “FIG. 5D is an illustration of the fourth page 106 of the report showing the ***pitch angle*** of each roof section along with a compass indicator.” *Id.* at [0028] (emphasis added). Pershing-789 does not restrict how its pitch is calculated.

As discussed with respect to Ground 1, Kennedy teaches a “pitch determination marker” that is “overlaid” over the aerial image as required by the claims. *See* Ground 1 at claim 1, *supra*. It would have been obvious to

use Kennedy’s “pitch determination marker” in Kennedy’s system for the reasons discussed above in Section A. Ex. 1003 at ¶¶ 121-23.

4. Claim 1d: receiving, based on the displayed pitch determination marker, an indication of the pitch of one of the plurality of planar roof sections of the roof of the building; and

As discussed with respect to claim 1c, Pershing-789 and Kennedy disclose receiving, based on the displayed pitch determination marker, an indication of the pitch of one of the plurality of planar roof sections of the roof of the building. Ex. 1003 at ¶ 124.

5. Claim 1e: modifying a model of the roof based on the received indication of the pitch of the one planar roof section.

As discussed above, Pershing-789 teaches collecting pitch data for planar roof sections. Further, Pershing-789 teaches that its system can “build a 3D model” based on the data collected. Ex. 1004 at [0029]-[0038]; Ex. 1003 at ¶ 125.

C. Claim 2: The method of claim 1 wherein the pitch determination marker is adjustable to specify pitch of a planar roof section.

As discussed with respect to claim 1, Pershing-789 broadly discloses calculating a pitch value and displaying it on an aerial image. See claim 1.

Thus, the Kennedy-Pershing-789 pitch determination marker is “adjustable to specify pitch of a planar roof section.” Ex. 1003 at ¶ 126.

D. Claim 3: The method of claim 1 further comprising: transmitting roof measurement information based on the modified model of the roof, the roof measurement information including a measure of the pitch of the one planar roof section.

As discussed with respect to claim 1, Pershing-789 teaches building a model based on collected roof measurement information. *See* claim 1. Pershing-789 expressly teaches that its 3D model may be modified: “Once the reconstruction of the building is complete, the results are viewed for completeness and correctness. If necessary, a user of the service’s software will make corrections to the reconstructed model.” *Id.* at [0036].

Pershing-789 teaches that the 3D model is used to generate a report. *Id.* at [0037]. The report can be transmitted, *e.g.*, to a roof company. *Id.* at [0026]-[0027], [0037]; Ex. 1003 at ¶¶ 127-28.

E. Claim 4: The method of claim 1 wherein modifying the model of the roof includes associating the indicated pitch with a portion of the model of the roof that corresponds to the one planar roof section of the roof of the building.

As discussed with respect to claim 3, Pershing-789 permits users to make corrections to the model of the roof. *See* claim 3. This broad disclosure would include correcting pitch data (*see* claim 1) displayed on the model.

Thus, Pershing-789 teaches modifying the model of the roof includes associating the indicated pitch with a portion of the model of the roof that corresponds to the one planar roof section of the roof of the building. Ex. 1003 at ¶ 129.

F. Claim 5: The method of claim 1 further comprising: displaying a wireframe rendering of the modified model superimposed on the aerial image of the building.

As discussed above, Pershing-789 teaches including outline drawings *on the aerial image itself* using Pershing-789's calibration module:

Like the software program 50 loaded into the roof contractor's computer 72 in the previous embodiment the software program 50' is also able to *retrieve aerial images of houses* from a database 52' containing aerial images files 54' of houses located in the region served by the roof company 70. An optional *calibration module 56' may be provided which enables the entity 105 to determine the angles and linear dimensions of various roof sections on the house 92.*

Ex. 1004 at [0025]. Pershing-789 teaches that, for example, the calibration module may calculate the physical length of features *in an aerial photo* using “distance in pixels between two points” that is “converted into physical length”:

Once the images of the roof section of the building are obtained, at least one of the images needs to be calibrated. During calibration, *the distance in pixels between two points on the image is converted into a physical length.* This calibration information is *typically presented as a scale marker on the*

image itself, or as additional information supplied by the image database provider along with the requested image.

Id. at [0032]. This “scale marker” depicting “physical length” between pixels renders obvious a wire frame rendering that is super-imposed on the aerial image. Indeed, a user of Pershing-789 would apply the same scale marker to the perimeter of the roof as part of its area estimation process, which would result in the same wire frame image disclosed in the ’840 patent. Ex. 1003 at ¶¶ 130-32.

G. Claim 6: The method of claim 5 wherein displaying the wireframe rendering occurs in response to the receiving of the indicated pitch.

As discussed with respect to claims 1 and 5, Pershing-789 discloses displaying a wireframe rendering, including the received indicated pitch. Ex. 1003 at ¶ 133.

H. Claim 7: The method of claim 1 wherein the pitch determination marker includes an adjustable protractor tool having a member that is adjustable to indicate an angle.

Kennedy discloses this limitation for the same reasons discussed with respect to Ground 1. Ex. 1003 at ¶ 134.

- I. Claim 8: The method of claim 1 wherein the pitch determination marker includes an envelope tool having two surfaces that are adjustable to indicate an angle.**

Kennedy discloses this limitation for the same reasons discussed with respect to Ground 1. Ex. 1003 at ¶ 135.

- J. Claim 9: The method of claim 1 wherein modifying the model of the roof includes modifying a three-dimensional model of the roof.**

As discussed with respect to claims 1-3, Pershing-789 discloses modifying the model of the roof including modifying a three-dimensional model of the roof. Ex. 1003 at ¶ 136.

K. Claim 10

- 1. Claim 10a: computing system for generating a roof estimate report, the computing system comprising: a memory;**

See claim 1a. Pershing-789 expressly teaches using a “working memory.” Ex. 1004 at [0012]; Ex. 1003 at ¶ 137.

- 2. Claim 10b: a roof estimation module that is stored on the memory and that is configured, when executed, to: display an aerial image of a building having a roof comprising a plurality of planar roof sections that each have a corresponding pitch;**

See claim 1b; Ex. 1003 at ¶ 138.

- 3. Claim 10c: display a pitch determination marker operable to indicate pitch of a planar roof section,**

wherein the pitch determination marker is overlaid on the aerial image of the building having the roof;

See claim 1c; Ex. 1003 at ¶ 139.

- 4. Claim 10d: receive, based on the displayed pitch determination marker, an indication of the pitch of one of the plurality of planar roof sections of the roof of the building;**

See claim 1d; Ex. 1003 at ¶ 140.

- 5. Claim 10e: modify a model of the roof based on the received indication of the pitch of the one planar roof section; and**

See claim 1e; Ex. 1003 at ¶ 141.

- 6. Claim 10f: provide roof measurement information based on the model of the roof, the roof measurement information including a measure of the pitch of the one planar roof section.**

See claims 1, 3; Ex. 1003 at ¶ 142.

- L. Claim 11: The computing system of claim 10 wherein the roof estimation module is further configured to transmit a roof estimate report based on the provided roof measurement information.**

See claim 3; Ex. 1003 at ¶ 143.

- M. Claim 12: The computing system of claim 10 wherein the roof estimation module is further configured to transmit a roof estimate report based on the provided roof measurement information.**

See claims 7, 8; Ex. 1003 at ¶ 144.

- N. Claim 13: The computing system of claim 10 wherein the roof estimation module includes an interactive roof modeling user interface.**

See claims 1, 9; Ex. 1003 at ¶ 145.

- O. Claim 14: The computing system of claim 10 wherein the roof estimation module is further configured to display the pitch determination marker as part of an interactive user interface.**

See claims 1, 2; Ex. 1003 at ¶ 146.

- P. Claim 15: The computing system of claim 10 wherein the model of the roof is a three-dimensional model of the roof.**

See claim 1, 9; Ex. 1003 at ¶ 147.

Q. Claim 16

- 1. Claim 16a: A non-transitory computer-readable storage medium whose contents enable a computing system to generate a roof estimate report for a building having a roof, by performing a method comprising:**

See claims 1, 4, 10; Ex. 1003 at ¶ 148.

- 2. Claim 16b: displaying an aerial image of a building having a roof comprising a planar roof section that has a corresponding pitch;**

See claims 1, 4; Ex. 1003 at ¶ 149.

- 3. Claim 16c: displaying a pitch determination marker operable to indicate pitch of the planar roof section, wherein the pitch determination marker is overlaid on the aerial image of the building having the roof;**

See claim 1; Ex. 1003 at ¶ 150.

- 4. Claim 16d: receiving, based on the displayed pitch determination marker, an indication of the pitch of the planar roof section; and**

See claim 2; Ex. 1003 at ¶ 151.

- 5. Claim 16e: modifying a model of the roof based on the received indication of the pitch of the planar roof section.**

See claim 1, 4; Ex. 1003 at ¶ 152.

- R. Claim 17: The non-transitory computer-readable storage medium of claim 16 wherein the pitch determination marker is adjustable to specify pitch of a planar roof section.**

See claim 2; Ex. 1003 at ¶ 153.

- S. Claim 18: The non-transitory computer-readable storage medium of claim 16 wherein the method further comprises: generating a roof estimate report based on the modified model of the roof; and transmitting the generated roof estimate report.**

See claim 1, 3; Ex. 1003 at ¶ 154.

- T. Claim 19: The non-transitory computer-readable storage medium of claim 18 wherein the transmitted roof estimate report includes a line drawing of the roof of the house labeled with a measure of the pitch of the planar roof section.**

See claim 1, 3; Ex. 1003 at ¶ 155.

- U. Claim 20: The non-transitory computer-readable storage medium of claim 16 wherein the method further comprises: determining roof measurement information based on the modified model of the roof, the roof measurement information including a measure of the pitch of the planar roof section; and transmitting the determined roof measurement information.**

See claim 1, 3; Ex. 1003 at ¶ 156.

- V. Claim 21: The non-transitory computer-readable storage medium of claim 16 wherein modifying the model of the roof includes modifying a model of the roof by associating the indicated pitch with a portion of the model of the roof that corresponds to planar roof section of the roof of the building.**

See claim 1; Ex. 1003 at ¶ 157.

- W. Claim 22: The non-transitory computer-readable storage medium of claim 16 wherein the method further comprises: displaying a wireframe rendering of the modified model superimposed on the aerial image of the building.**

See claim 5; Ex. 1003 at ¶ 158.

- X. Claim 23: The non-transitory computer-readable storage medium of claim 16 wherein the method further comprises: registering, based on operator indicated features, multiple aerial images to a reference grid corresponding to the model.**

Pershing-789 teaches that a plurality of images can be used to create a 3D model by “triangulating” points of interest. Ex. 1004 at [0034]-[0037]. Thus, Pershing-789 teaches registering, based on operator indicated features, multiple aerial images to a reference grid corresponding to the model. Indeed,

otherwise a 3-D model could not be built from the points of interest across multiple images. Ex. 1003 at ¶ 159.

- Y. Claim 24: The non-transitory computer-readable storage medium of claim 23 wherein registering multiple images includes: displaying a marker operable to specify a point on the aerial image; receiving, via the marker, an indication of a point on the aerial image; and registering, based on the received indication of the point, the aerial image to the reference grid.**

See claims 1, 23; Ex. 1003 at ¶ 160.

- Z. Claim 25: The non-transitory computer-readable storage medium of claim 24 wherein registering the aerial image to the reference grid includes determining a transformation between the aerial image and the reference grid.**

As discussed with respect to claim 23, Pershing-789 includes determining a transformation between the aerial image and the reference grid, namely, by “building” a 3D model based on “triangulating” points of interest across multiple images. Ex. 1004 at [0034]-[0037]. This is a disclosure of a transformation between an aerial image and the reference grid—otherwise, a 3-D model could not be built from the points of interest across multiple images. Ex. 1003 at ¶ 161

- AA. Claim 28: The non-transitory computer-readable storage medium of claim 16 wherein modifying the model of the roof includes modifying a three-dimensional model of the roof.**

See claims 1, 3; Ex. 1003 at ¶ 162.

**XII. GROUND 4: PERSHING-789, KENNEDY AND PICTOMETRY
RENDER OBVIOUS CLAIMS 1-25 AND 28 OF THE '840
PATENT**

As discussed in Ground 3, Kennedy expressly teaches the claimed “pitch determination marker” recited in the claims. But to the extent Patent Owner argues Kennedy is missing this limitation, or that Kennedy was substantively considered by the Examiner already during prosecution (it was not), the claimed “pitch determination marker” is also taught by Pictometry. Ex. 1003 at ¶ 163.

A. Motivation To Combine

A POSITA would have been motivated to incorporate Pictometry’s teachings of a pitch determination marker into Pershing-789. As discussed above, Pershing-789 is directed towards generating roof estimates and employs a user interface that allows various roof attributes, including pitch, to be measured. A POSITA considering Pershing-789 would be motivated to use Pictometry’s “pitch determination marker” in Pershing-789’s system because it would further Pershing-789’s goal of allowing users to employ interactive tools to measure roof attributes. Pictometry’s pitch determination marker would promote accuracy by allowing a user to precisely align the tool when taking pitch measurements. Using Pictometry’s pitch determination

marker would also give real time feedback to users seeking to determine pitch values, which would provide an added convenience. Pictometry's pitch determination marker would also enhance user experience by offering a user more control in the measuring process. Pictometry's pitch determination marker would also allow a user to confirm that Pershing-789's system was accurately associating measured pitch values with appropriate roof sections by providing a visual confirmation of segments being measured.

Further, Pictometry teaches that the annotation feature is an “**indispensable** tool.” Ex. 1008 at 115 (emphasis added). A POSITA would, thus, have been motivated to utilize Pictometry's indispensable annotation feature in similar systems, like Pershing-789.

Likewise, Pictometry expressly discloses that its annotation tool can be used to “analyze any house [or] building.” *Id.* at 114. A POSITA reading Pictometry would have been motivated to use Pictometry's annotation tool in Pershing-789's system to analyze the roof of a house or building.

Likewise, a POSITA would be motivated to use Pictometry's annotation tool because it would provide roofers and customers **greater flexibility** related to which aspects of the home to measure. Showing annotations on an aerial image, as taught by Pictometry, would also improve

precision because users could ensure that the measurements were properly aligned with the building.

Petitioner has already explained why a POSITA would have been motivated to combine the teachings of Pershing-789 and Kennedy. A POSITA would be further motivated to incorporate Pictometry's annotation feature for similar reasons. Like Pershing-789 and Kennedy, Pictometry is in the **same field of endeavor** as the '840 patent, roof estimation. Pictometry is broadly directed towards accurate measurements of structure, including buildings, in aerial images. Ex. 1008 at 114. Further, Pershing-789, Kennedy, Pictometry and the '840 patent all use **similar techniques to solve the same problems**. As discussed above, Pershing-789 and Kennedy teach nearly all of the claimed elements, and Pictometry also teaches the "pitch determination marker" of the '840 patent. A POSITA would also have a **reasonable expectation of success** in including the teachings of Pictometry in Pershing-789's system. Pictometry's itself discloses that its annotation feature can be used in a system for measuring attributes of buildings. Ex. 1008 at 114. For the foregoing reasons, a POSITA would be motivated to use Pictometry's teachings of annotations to improve Pershing-789's system. Ex. 1003 at ¶¶ 164-68.

B. Pictometry Renders Obvious “wherein the pitch determination marker is *overlaid* on the aerial image of the building having the roof” (Claims 1, 10, 16)

The examiner issued the claims because he found that none of the prior art showed that the “pitch determination marker” was “overlaid on the aerial image.” See, Section V, *supra*. As discussed in Ground 1, Kennedy discloses this limitation. But to the extent that Patent Owner argues this limitation is missing from Kennedy, or that the Examiner found Kennedy lacking, Pictometry also expressly discloses overlaying pitch determination markers on aerial images for the same reasons discussed with respect to Ground 2. Ex. 1003 at ¶ 169.

XIII. SECONDARY CONSIDERATIONS DO NOT SUPPORT A FINDING OF NON-OBVIOUSNESS

At this stage of these proceedings, Petitioners have no burden to identify and rebut secondary considerations. Rather, Patent Owner must first present a *prima facie* case for such consideration, which Petitioners should then have the chance to rebut. *Sega of Am., Inc. v. Uniloc USA, Inc.*, IPR2015-01453, at *10 (Mar. 10, 2015). For that reason, the Board typically rejects arguments against institution based on objective indicia, so that the Petitioners can have a fair opportunity to address any secondary indicia evidence on

reply. *Petroleum Geo-Services Inc. v. WesternGeco LLC*, IPR2015-01478, at
*22 (Mar. 17, 2015); Ex. 1003, ¶ 119.

· · ·
· · ·

XII. MANDATORY DISCLOSURES

Pursuant 37 C.F.R. § 42.8(a)(1), the following mandatory notices are provided as part of this Petition.

A. Real Party in Interest

Pursuant to 37 C.F.R. § 42.8(b)(1), Petitioner certifies ROOFR INC. is the real party-in-interest.

B. Related Matters

Petitioner is not aware of any other related matters before the Patent Office with respect to the '840 patent.

The '840 patent has been asserted by Patent Owner in *Pictometry Int'l Corp.v. Roofr Inc.*, No. 1:21-cv-01852-RGA (D. Del.) against Petitioner.

C. Lead and Back-Up Counsel (37 C.F.R. § 42.8(b)(3)) and Service Information (37 C.F.R. § 42.8(b)(3)-(4))

Petitioner provides the following counsel and service information. Pursuant to 37 C.F.R. § 42.10(b), a Power of Attorney accompanies this Petition. Petitioner agrees to accept electronic service at the email addresses below.

LEAD COUNSEL	BACK-UP COUNSEL
James M. Glass (Reg. No. 46729) jimglass@quinnemanuel.com	Sean Gloth (Reg. No. 75,316) seangloth@quinnemanuel.com
<u>Postal and Hand Delivery Address:</u>	<u>Postal and Hand Delivery Address:</u>

QUINN EMANUEL URQUHART & SULLIVAN, LLP 51 Madison Ave, 22 nd Floor New York, New York 10010 Tel: (212) 849-7000 Fax: (212) 849-7100	QUINN EMANUEL URQUHART & SULLIVAN, LLP 51 Madison Ave, 22 nd Floor New York, New York 10010 Tel: (212) 849-7000 Fax: (212) 849-7100
---	---

D. Payment of Fees (37 C.F.R. § 42.15(a))

The undersigned authorizes the Office to charge the fee required for this Petition for *Inter Partes* Review to Deposit Account No. 50-5708. Any additional fees that might be due are also authorized.

E. Grounds for Standing (37 C.F.R. § 42.104(a))

Petitioner respectfully requests *inter partes* review (“IPR”) of Claims 1-25 and 28 (“Challenged Claims”) of the ’840 patent (Ex. 1001), which is indicated as assigned to PICTOMETRY INTERNATIONAL CORP. (“Patent Owner” or “Pictometry”).

Petitioner certifies that the ’840 Patent is available for *inter partes* review and Petitioner is not barred or estopped from requesting review of the Challenged Claims on the grounds identified in this Petition.

Date: January 3, 2023

By: /s/ Jim Glass
James M. Glass (Reg. No. 46,729)
Sean T. Gloth (Reg. No. 75,316)

IPR2023-00436
Patent 9,183,538

Petition

QUINN EMANUEL URQUHART &
SULLIVAN LLP
51 Madison Avenue, 22nd Floor
New York, NY 10010
Email: jimglass@quinnemanuel.com;
seangloth@quinnemanuel.com
Phone: 212-849-7142
Fax: 212-849-7100

Counsel for Petitioner

CERTIFICATE OF LENGTH(37 C.F.R. §§ 42.24(D))

The undersigned hereby certifies that, according to the word-processing system used to prepare the foregoing document, this document has 13,038 words and thus complies with the applicable word limit.

Date: January 3, 2023

By: /s/ Sean Gloth

Sean T. Gloth

QUINN EMANUEL URQUHART &
SULLIVAN LLP

51 Madison Avenue, 22nd Floor

New York, NY 10010

Email: seangloth@quinnemanuel.com

Phone: 212-849-7142

Fax: 212-849-7100

Counsel for Petitioner

CERTIFICATE OF SERVICE (37 C.F.R. §§ 42.6(E), 42.105(A))

The undersigned hereby certifies that on February 9, 2023 a copy of this corrected petition and supporting exhibits were served on counsel of record at the mailing address below via Priority Mail Express mail, and a courtesy copy was served via email on litigation counsel at the email addresses below:

DUNLAP CODDING, P.C.
c/o Charles Krukiel
PO BOX 16370
OKLAHOMA CITY, OK 73113
UNITED STATES
405-607-8600
ckrukiel@dunlapcoddng.com

kkeller@shawkeller.com
kieran.kieckhefer@shearman.com
matt.berkowitz@shearman.com

Date: February 9, 2023

By: /s/ Sean Gloth

Sean T. Gloth
QUINN EMANUEL URQUHART &
SULLIVAN LLP
51 Madison Avenue, 22nd Floor
New York, NY 10010
Email: jimglass@quinnemanuel.com
Phone: 212-849-7142
Fax: 212-849-7100

Counsel for Petitioner