PTO/AIA/15 (03-13)
Approved for use through 01/31/2014. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995 no persons are required to respond to a collection of information unless it displays a valid OMB control number

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.	P22914USC11
First Named Inventor	Fletcher R. Rothkopf
Title	WEARABLE ELECTRONIC DEVICE
Express Mail Label No.	n/a

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

1. ☐ **Fee Transmittal Form** (PTO/SB/17 or equivalent)
2. ☐ **Applicant asserts small entity status.** See 37 CFR 1.27
3. ☐ **Applicant certifies micro entity status.** See 37 CFR 1.29. Applicant must attach form PTO/SB/15A or B or equivalent.
4. ☑ **Specification** [*Total Pages* 96] Both the claims and abstract must start on a new page. *(See MPEP § 608.01(a) for information on the preferred arrangement)*
5. ☑ **Drawing(s)** (35 U.S.C. 113) [*Total Sheets* 26]
6. **Inventor's Oath or Declaration** [*Total Pages* 4] *(including substitute statements under 37 CFR 1.64 and assignments serving as an oath or declaration under 37 CFR 1.63(e))*
   a. ☐ Newly executed (original or copy)
   b. ☑ A copy from a prior application (37 CFR 1.63(d))
7. ☑ **Application Data Sheet** ** See note below.* See 37 CFR 1.76 (PTO/AIA/14 or equivalent)
8. **CD-ROM or CD-R** in duplicate, large table, or Computer Program (*Appendix*)
   ☐ Landscape Table on CD
9. **Nucleotide and/or Amino Acid Sequence Submission** (*if applicable, items a. – c. are required*)
   a. ☐ Computer Readable Form (CRF)
   b. ☐ Specification Sequence Listing on:
      i. ☐ CD-ROM or CD-R (2 copies); or
      ii. ☐ Paper
   c. ☐ Statements verifying identity of above copies

ADDRESS TO:

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

ACCOMPANYING APPLICATION PAPERS

10. ☐ **Assignment Papers** (cover sheet & document(s))
    Name of Assignee _____
11. ☐ **37 CFR 3.73(c) Statement** (*when there is an assignee*) ☑ **Power of Attorney**
12. ☐ **English Translation Document** (*if applicable*)
13. ☐ **Information Disclosure Statement** (PTO/SB/08 or PTO-1449)
    ☐ Copies of citations attached
14. ☐ **Preliminary Amendment**
15. ☐ **Return Receipt Postcard** (*MPEP § 503*) (*Should be specifically itemized*)
16. ☐ **Certified Copy of Priority Document(s)** (*if foreign priority is claimed*)
17. ☐ **Nonpublication Request** Under 35 U.S.C. 122(b)(2)(B)(i). Applicant must attach form PTO/SB/35 or equivalent.
18. ☑ **Other:** Certification and Request for Prioritized Examination

***Note**: (1) Benefit claims under 37 CFR 1.78 and foreign priority claims under 1.55 **must** be included in an Application Data Sheet (ADS).
(2) For applications filed under 35 U.S.C. 111, the application must contain an ADS specifying the applicant if the applicant is an assignee, person to whom the inventor is under an obligation to assign, or person who otherwise shows sufficient proprietary interest in the matter. See 37 CFR 1.46(b).

19. CORRESPONDENCE ADDRESS

☑ The address associated with Customer Number: 62579 **OR** ☐ Correspondence address below

Name					
Address					
City		State		Zip Code	
Country		Telephone		Email	

Signature	/Peter J. Nagle/	Date	December 5, 2022
Name (Print/Type)	Peter J. Nagle	Registration No. (Attorney/Agent)	70,361

This collection of information is required by 37 CFR 1.53(b). The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

APPLE 2013
Masimo v. Apple
IPR2023-00634

PTO/AIA/14 (02-18)
Approved for use through 11/30/2020. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76	Attorney Docket Number	P22914USC11
	Application Number	
Title of Invention	WEARABLE ELECTRONIC DEVICE	

The application data sheet is part of the provisional or nonprovisional application for which it is being submitted. The following form contains the bibliographic data arranged in a format specified by the United States Patent and Trademark Office as outlined in 37 CFR 1.76.
This document may be completed electronically and submitted to the Office in electronic format using the Electronic Filing System (EFS) or the document may be printed and included in a paper filed application.

Secrecy Order 37 CFR 5.2:

☐ Portions or all of the application associated with this Application Data Sheet may fall under a Secrecy Order pursuant to 37 CFR 5.2 (Paper filers only. Applications that fall under Secrecy Order may not be filed electronically.)

Inventor Information:

Inventor 1 Remove

Legal Name

Prefix	Given Name	Middle Name	Family Name	Suffix
	Fletcher	R.	Rothkopf	

Residence Information (Select One) ◉ US Residency ○ Non US Residency ○ Active US Military Service

City	Los Altos	State/Province	CA	Country of Residence	US

Mailing Address of Inventor:

Address 1	One Apple Park Way
Address 2	

City	Cupertino	State/Province	CA
Postal Code	95014	Country	US

Inventor 2 Remove

Legal Name

Prefix	Given Name	Middle Name	Family Name	Suffix
	Jonathan		Ive	

Residence Information (Select One) ◉ US Residency ○ Non US Residency ○ Active US Military Service

City	San Francisco	State/Province	CA	Country of Residence	US

Mailing Address of Inventor:

Address 1	2808 Broadway Street
Address 2	

City	San Francisco	State/Province	CA
Postal Code	94115	Country	US

Inventor 3 Remove

Legal Name

Prefix	Given Name	Middle Name	Family Name	Suffix
	Julian		Hoenig	

Residence Information (Select One) ◉ US Residency ○ Non US Residency ○ Active US Military Service

PTO/AIA/14 (02-18)
Approved for use through 11/30/2020. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76	Attorney Docket Number	P22914USC11
	Application Number	
Title of Invention	WEARABLE ELECTRONIC DEVICE	

City	San Francisco	State/Province	CA	Country of Residence	US

Mailing Address of Inventor:

Address 1	610 Elizabeth Street		
Address 2			
City	San Francisco	State/Province	CA
Postal Code	94114	Country	US

Inventor 4 Remove

Legal Name

Prefix	Given Name	Middle Name	Family Name	Suffix
	Rico		Zorkendorfer	

Residence Information (Select One) (•) US Residency ( ) Non US Residency ( ) Active US Military Service

City	San Francisco	State/Province	CA	Country of Residence	US

Mailing Address of Inventor:

Address 1	3928 17th Street		
Address 2			
City	San Francisco	State/Province	CA
Postal Code	94114	Country	US

All Inventors Must Be Listed - Additional Inventor Information blocks may be generated within this form by selecting the **Add** button. Add

Correspondence Information:

Enter either Customer Number or complete the Correspondence Information section below.
For further information see 37 CFR 1.33(a).

☐ **An Address is being provided for the correspondence Information of this application.**

Customer Number	62579		
Email Address		Add Email	Remove Email

Application Information:

Title of the Invention	WEARABLE ELECTRONIC DEVICE		
Attorney Docket Number	P22914USC11	Small Entity Status Claimed	☐
Application Type	Nonprovisional		
Subject Matter	Utility		
Total Number of Drawing Sheets (if any)	26	Suggested Figure for Publication (if any)	6

PTO/AIA/14 (02-18)
Approved for use through 11/30/2020. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76	Attorney Docket Number	P22914USC11
	Application Number	
Title of Invention	WEARABLE ELECTRONIC DEVICE	

Filing By Reference:

Only complete this section when filing an application by reference under 35 U.S.C. 111(c) and 37 CFR 1.57(a). Do not complete this section if application papers including a specification and any drawings are being filed. Any domestic benefit or foreign priority information must be provided in the appropriate section(s) below (i.e., "Domestic Benefit/National Stage Information" and "Foreign Priority Information").

For the purposes of a filing date under 37 CFR 1.53(b), the description and any drawings of the present application are replaced by this reference to the previously filed application, subject to conditions and requirements of 37 CFR 1.57(a).

Application number of the previously filed application	Filing date (YYYY-MM-DD)	Intellectual Property Authority or Country

Publication Information:

☐ Request Early Publication (Fee required at time of Request 37 CFR 1.219)

☐ **Request Not to Publish.** I hereby request that the attached application not be published under 35 U.S.C. 122(b) and certify that the invention disclosed in the attached application **has not and will not** be the subject of an application filed in another country, or under a multilateral international agreement, that requires publication at eighteen months after filing.

Representative Information:

Representative information should be provided for all practitioners having a power of attorney in the application. Providing this information in the Application Data Sheet does not constitute a power of attorney in the application (see 37 CFR 1.32). Either enter Customer Number or complete the Representative Name section below. If both sections are completed the customer Number will be used for the Representative Information during processing.

Please Select One:	◉ Customer Number	○ US Patent Practitioner	○ Limited Recognition (37 CFR 11.9)
Customer Number	62579		

Domestic Benefit/National Stage Information:

This section allows for the applicant to either claim benefit under 35 U.S.C. 119(e), 120, 121, 365(c), or 386(c) or indicate National Stage entry from a PCT application. Providing benefit claim information in the Application Data Sheet constitutes the specific reference required by 35 U.S.C. 119(e) or 120, and 37 CFR 1.78.
When referring to the current application, please leave the "Application Number" field blank.

Prior Application Status	Pending		Remove
Application Number	Continuity Type	Prior Application Number	Filing or 371(c) Date (YYYY-MM-DD)
	Continuation of	17951973	2022-09-23

Application Data Sheet 37 CFR 1.76	Attorney Docket Number	P22914USC11
	Application Number	
Title of Invention	WEARABLE ELECTRONIC DEVICE	

Prior Application Status	Patented			Remove	
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	Patent Number	Issue Date (YYYY-MM-DD)
17951973	Continuation of	17672653	2022-02-15	11474483	2022-10-18
Prior Application Status	Pending			Remove	
Application Number	Continuity Type		Prior Application Number	Filing or 371(c) Date (YYYY-MM-DD)	
17672653	Continuation of		17188966	2021-03-01	
Prior Application Status	Patented			Remove	
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	Patent Number	Issue Date (YYYY-MM-DD)
17188966	Continuation of	16826130	2020-03-20	10942491	2021-03-09
Prior Application Status	Patented			Remove	
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	Patent Number	Issue Date (YYYY-MM-DD)
16826130	Continuation of	14842617	2015-09-01	10599101	2020-03-24
Prior Application Status	Expired			Remove	
Application Number	Continuity Type		Prior Application Number	Filing or 371(c) Date (YYYY-MM-DD)	
14842617	Claims benefit of provisional		62044974	2014-09-02	
Prior Application Status	Patented			Remove	
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	Patent Number	Issue Date (YYYY-MM-DD)
16826130	Continuation of	15261917	2016-09-10	10627783	2020-04-21
Prior Application Status	Patented			Remove	
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	Patent Number	Issue Date (YYYY-MM-DD)
15261917	Continuation of	14842617	2015-09-01	10599101	2020-03-24
Prior Application Status	Expired			Remove	
Application Number	Continuity Type		Prior Application Number	Filing or 371(c) Date (YYYY-MM-DD)	
14842617	Claims benefit of provisional		62044974	2014-09-02	
Prior Application Status	Patented			Remove	
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	Patent Number	Issue Date (YYYY-MM-DD)
16826130	Continuation of	15261914	2016-09-10	10613485	2020-04-07
Prior Application Status	Patented			Remove	
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	Patent Number	Issue Date (YYYY-MM-DD)
15261914	Continuation of	14842617	2015-09-01	10599101	2020-03-24

Application Data Sheet 37 CFR 1.76	Attorney Docket Number	P22914USC11
	Application Number	
Title of Invention	WEARABLE ELECTRONIC DEVICE	

Prior Application Status	Expired				Remove
Application Number	Continuity Type		Prior Application Number		Filing or 371(c) Date (YYYY-MM-DD)
14842617	Claims benefit of provisional		62044974		2014-09-02
Prior Application Status	Patented				Remove
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	Patent Number	Issue Date (YYYY-MM-DD)
16826130	Continuation of	15261912	2016-09-10	10620591	2020-04-14
Prior Application Status	Patented				Remove
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	Patent Number	Issue Date (YYYY-MM-DD)
15261912	Continuation of	14842617	2015-09-01	10599101	2020-03-24
Prior Application Status	Expired				Remove
Application Number	Continuity Type		Prior Application Number		Filing or 371(c) Date (YYYY-MM-DD)
14842617	Claims benefit of provisional		62044974		2014-09-02
Prior Application Status	Pending				Remove
Application Number	Continuity Type		Prior Application Number		Filing or 371(c) Date (YYYY-MM-DD)
17672653	Continuation of		17188995		2021-03-01
Prior Application Status	Patented				Remove
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	Patent Number	Issue Date (YYYY-MM-DD)
17188995	Continuation of	16826130	2020-03-20	10942491	2021-03-09
Prior Application Status	Patented				Remove
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	Patent Number	Issue Date (YYYY-MM-DD)
16826130	Continuation of	14842617	2015-09-01	10599101	2020-03-24
Prior Application Status	Expired				Remove
Application Number	Continuity Type		Prior Application Number		Filing or 371(c) Date (YYYY-MM-DD)
14842617	Claims benefit of provisional		62044974		2014-09-02
Prior Application Status	Patented				Remove
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	Patent Number	Issue Date (YYYY-MM-DD)
16826130	Continuation of	15261917	2016-09-10	10627783	2020-04-21
Prior Application Status	Patented				Remove
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	Patent Number	Issue Date (YYYY-MM-DD)
15261917	Continuation of	14842617	2015-09-01	10599101	2020-03-24

Application Data Sheet 37 CFR 1.76	Attorney Docket Number	P22914USC11
	Application Number	
Title of Invention	WEARABLE ELECTRONIC DEVICE	

Prior Application Status	Expired				Remove
Application Number	Continuity Type		Prior Application Number		Filing or 371(c) Date (YYYY-MM-DD)
14842617	Claims benefit of provisional		62044974		2014-09-02
Prior Application Status	Patented				Remove
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	Patent Number	Issue Date (YYYY-MM-DD)
16826130	Continuation of	15261914	2016-09-10	10613485	2020-04-07
Prior Application Status	Patented				Remove
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	Patent Number	Issue Date (YYYY-MM-DD)
15261914	Continuation of	14842617	2015-09-01	10599101	2020-03-24
Prior Application Status	Expired				Remove
Application Number	Continuity Type		Prior Application Number		Filing or 371(c) Date (YYYY-MM-DD)
14842617	Claims benefit of provisional		62044974		2014-09-02
Prior Application Status	Patented				Remove
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	Patent Number	Issue Date (YYYY-MM-DD)
16826130	Continuation of	15261912	2016-09-10	10620591	2020-04-14
Prior Application Status	Patented				Remove
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	Patent Number	Issue Date (YYYY-MM-DD)
15261912	Continuation of	14842617	2015-09-01	10599101	2020-03-24
Prior Application Status	Expired				Remove
Application Number	Continuity Type		Prior Application Number		Filing or 371(c) Date (YYYY-MM-DD)
14842617	Claims benefit of provisional		62044974		2014-09-02
Prior Application Status	Pending				Remove
Application Number	Continuity Type		Prior Application Number		Filing or 371(c) Date (YYYY-MM-DD)
	Continuation of		17188966		2021-03-01
Prior Application Status	Pending				Remove
Application Number	Continuity Type		Prior Application Number		Filing or 371(c) Date (YYYY-MM-DD)
	Continuation of		17188995		2021-03-01

Application Data Sheet 37 CFR 1.76	Attorney Docket Number	P22914USC11
	Application Number	
Title of Invention	WEARABLE ELECTRONIC DEVICE	

Prior Application Status	Pending		Remove
Application Number	Continuity Type	Prior Application Number	Filing or 371(c) Date (YYYY-MM-DD)
	Continuation of	17899498	2022-08-30
Additional Domestic Benefit/National Stage Data may be generated within this form by selecting the **Add** button.			

Foreign Priority Information:

This section allows for the applicant to claim priority to a foreign application. Providing this information in the application data sheet constitutes the claim for priority as required by 35 U.S.C. 119(b) and 37 CFR 1.55. When priority is claimed to a foreign application that is eligible for retrieval under the priority document exchange program (PDX)[i] the information will be used by the Office to automatically attempt retrieval pursuant to 37 CFR 1.55(i)(1) and (2). Under the PDX program, applicant bears the ultimate responsibility for ensuring that a copy of the foreign application is received by the Office from the participating foreign intellectual property office, or a certified copy of the foreign priority application is filed, within the time period specified in 37 CFR 1.55(g)(1).

			Remove
Application Number	Country[i]	Filing Date (YYYY-MM-DD)	Access Code[i] (if applicable)
Additional Foreign Priority Data may be generated within this form by selecting the **Add** button.			

Statement under 37 CFR 1.55 or 1.78 for AIA (First Inventor to File) Transition Applications

☐ This application (1) claims priority to or the benefit of an application filed before March 16, 2013 and (2) also contains, or contained at any time, a claim to a claimed invention that has an effective filing date on or after March 16, 2013.
NOTE: By providing this statement under 37 CFR 1.55 or 1.78, this application, with a filing date on or after March 16, 2013, will be examined under the first inventor to file provisions of the AIA.

PTO/AIA/14 (02-18)
Approved for use through 11/30/2020. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76	Attorney Docket Number	P22914USC11
	Application Number	
Title of Invention	WEARABLE ELECTRONIC DEVICE	

Authorization or Opt-Out of Authorization to Permit Access:

When this Application Data Sheet is properly signed and filed with the application, applicant has provided written authority to permit a participating foreign intellectual property (IP) office access to the instant application-as-filed (see paragraph A in subsection 1 below) and the European Patent Office (EPO) access to any search results from the instant application (see paragraph B in subsection 1 below).

Should applicant choose not to provide an authorization identified in subsection 1 below, applicant **must opt-out** of the authorization by checking the corresponding box A or B or both in subsection 2 below.

NOTE: This section of the Application Data Sheet is **ONLY** reviewed and processed with the **INITIAL** filing of an application. After the initial filing of an application, an Application Data Sheet cannot be used to provide or rescind authorization for access by a foreign IP office(s). Instead, Form PTO/SB/39 or PTO/SB/69 must be used as appropriate.

1. Authorization to Permit Access by a Foreign Intellectual Property Office(s)

A. Priority Document Exchange (PDX) - Unless box A in subsection 2 (opt-out of authorization) is checked, the undersigned hereby **grants the USPTO authority** to provide the European Patent Office (EPO), the Japan Patent Office (JPO), the Korean Intellectual Property Office (KIPO), the State Intellectual Property Office of the People's Republic of China (SIPO), the World Intellectual Property Organization (WIPO), and any other foreign intellectual property office participating with the USPTO in a bilateral or multilateral priority document exchange agreement in which a foreign application claiming priority to the instant patent application is filed, access to: (1) the instant patent application-as-filed and its related bibliographic data, (2) any foreign or domestic application to which priority or benefit is claimed by the instant application and its related bibliographic data, and (3) the date of filing of this Authorization. See 37 CFR 1.14(h)(1).

B. Search Results from U.S. Application to EPO - Unless box B in subsection 2 (opt-out of authorization) is checked, the undersigned hereby **grants the USPTO authority** to provide the EPO access to the bibliographic data and search results from the instant patent application when a European patent application claiming priority to the instant patent application is filed. See 37 CFR 1.14(h)(2).

The applicant is reminded that the EPO's Rule 141(1) EPC (European Patent Convention) requires applicants to submit a copy of search results from the instant application without delay in a European patent application that claims priority to the instant application.

2. Opt-Out of Authorizations to Permit Access by a Foreign Intellectual Property Office(s)

☐ A. Applicant **DOES NOT** authorize the USPTO to permit a participating foreign IP office access to the instant application-as-filed. If this box is checked, the USPTO will not be providing a participating foreign IP office with any documents and information identified in subsection 1A above.

☐ B. Applicant **DOES NOT** authorize the USPTO to transmit to the EPO any search results from the instant patent application. If this box is checked, the USPTO will not be providing the EPO with search results from the instant application.

NOTE: Once the application has published or is otherwise publicly available, the USPTO may provide access to the application in accordance with 37 CFR 1.14.

PTO/AIA/14 (02-18)
Approved for use through 11/30/2020. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76	Attorney Docket Number	P22914USC11
	Application Number	
Title of Invention	WEARABLE ELECTRONIC DEVICE	

Applicant Information:

Providing assignment information in this section does not substitute for compliance with any requirement of part 3 of Title 37 of CFR to have an assignment recorded by the Office.

Applicant 1

If the applicant is the inventor (or the remaining joint inventor or inventors under 37 CFR 1.45), this section should not be completed. The information to be provided in this section is the name and address of the legal representative who is the applicant under 37 CFR 1.43; or the name and address of the assignee, person to whom the inventor is under an obligation to assign the invention, or person who otherwise shows sufficient proprietary interest in the matter who is the applicant under 37 CFR 1.46. If the applicant is an applicant under 37 CFR 1.46 (assignee, person to whom the inventor is obligated to assign, or person who otherwise shows sufficient proprietary interest) together with one or more joint inventors, then the joint inventor or inventors who are also the applicant should be identified in this section.

Clear

(•) Assignee	( ) Legal Representative under 35 U.S.C. 117	( ) Joint Inventor
( ) Person to whom the inventor is obligated to assign.	( ) Person who shows sufficient proprietary interest	

If applicant is the legal representative, indicate the authority to file the patent application, the inventor is:

Name of the Deceased or Legally Incapacitated Inventor:

If the Applicant is an Organization check here. [x]

Organization Name	Apple Inc.		
Mailing Address Information For Applicant:			
Address 1	One Apple Park Way		
Address 2			
City	Cupertino	**State/Province**	CA
Country	US	Postal Code	95014
Phone Number		Fax Number	
Email Address			

Additional Applicant Data may be generated within this form by selecting the Add button.

Assignee Information including Non-Applicant Assignee Information:

Providing assignment information in this section does not substitute for compliance with any requirement of part 3 of Title 37 of CFR to have an assignment recorded by the Office.

PTO/AIA/14 (02-18)
Approved for use through 11/30/2020. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76	Attorney Docket Number	P22914USC11
	Application Number	
Title of Invention	WEARABLE ELECTRONIC DEVICE	

Assignee 1

Complete this section if assignee information, including non-applicant assignee information, is desired to be included on the patent application publication. An assignee-applicant identified in the "Applicant Information" section will appear on the patent application publication as an applicant. For an assignee-applicant, complete this section only if identification as an assignee is also desired on the patent application publication.

If the Assignee or Non-Applicant Assignee is an Organization check here. ☐

Prefix	**Given Name**	Middle Name	**Family Name**	Suffix

Mailing Address Information For Assignee including Non-Applicant Assignee:

Address 1			
Address 2			
City		**State/Province**	
Country		Postal Code	
Phone Number		Fax Number	
Email Address			

Additional Assignee or Non-Applicant Assignee Data may be generated within this form by selecting the Add button.

Signature:

NOTE: This Application Data Sheet must be signed in accordance with 37 CFR 1.33(b). **However, if this Application Data Sheet is submitted with the INITIAL filing of the application and either box A or B is not checked in subsection 2 of the "Authorization or Opt-Out of Authorization to Permit Access" section, then this form must also be signed in accordance with 37 CFR 1.14(c).**

This Application Data Sheet **must** be signed by a patent practitioner if one or more of the applicants is a **juristic entity** (e.g., corporation or association). If the applicant is two or more joint inventors, this form must be signed by a patent practitioner, **all** joint inventors who are the applicant, or one or more joint inventor-applicants who have been given power of attorney (e.g., see USPTO Form PTO/AIA/81) on behalf of **all** joint inventor-applicants.

See 37 CFR 1.4(d) for the manner of making signatures and certifications.

Signature	/Peter J. Nagle/			Date (YYYY-MM-DD)	2022-12-05
First Name	Peter J.	Last Name	Nagle	Registration Number	70361

Additional Signature may be generated within this form by selecting the Add button.

PTO/AIA/14 (02-18)
Approved for use through 11/30/2020. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76	Attorney Docket Number	P22914USC11
	Application Number	
Title of Invention	WEARABLE ELECTRONIC DEVICE	

This collection of information is required by 37 CFR 1.76. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 23 minutes to complete, including gathering, preparing, and submitting the completed application data sheet form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

Privacy Act Statement

The Privacy Act of 1974 (P.L. 93-579) requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

1 The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C. 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether the Freedom of Information Act requires disclosure of these records.

2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.

3 A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.

4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).

5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent CooperationTreaty.

6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).

7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.

8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspections or an issued patent.

9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

WEARABLE ELECTRONIC DEVICE

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] This application is a continuation patent application of U.S. Patent Application No. 17/951,973, which is a continuation patent application of U.S. Patent Application No. 17/672,653, filed February 15, 2022, and titled "Wearable Electronic Device," now U.S. Patent No. 11,474,483, issued October 18, 2022, which is a continuation patent application of U.S. Patent Application No. 17/188,966, filed March 1, 2021, and titled "Wearable Electronic Device," which is a continuation patent application of U.S. Patent Application No. 16/826,130, filed March 20, 2020, and titled "Wearable Electronic Device," now U.S. Patent No. 10,942,491, issued March 9, 2021, which is a continuation patent application of U.S. Patent Application No. 14/842,617, filed September 1, 2015, and titled "Wearable Electronic Device," now U.S. Patent No. 10,599,101, issued March 24, 2020, which is a nonprovisional patent application of and claims the benefit of U.S. Provisional Patent Application No. 62/044,974, filed September 2, 2014, the disclosures of which are hereby incorporated herein by reference in their entireties. U.S. Patent Application No. 16/826,130, filed March 20, 2020, and titled "Wearable Electronic Device," now U.S. Patent No. 10,942,491, issued March 9, 2021 is also a continuation patent application of U.S. Patent Application No. 15/261,917, filed September 10, 2016, and titled "Wearable Electronic Device," now U.S. Patent No. 10,627,783, issued April 21, 2020, which is a continuation application of U.S. Patent Application No. 14/842,617, filed September 1, 2015, and titled "Wearable Electronic Device," now U.S. Patent No. 10,599,101, issued March 24, 2020, which is a nonprovisional patent application of and claims the benefit of U.S. Provisional Patent Application No. 62/044,974, filed September 2, 2014, the disclosures of which are hereby incorporated herein by reference in their entireties. U.S. Patent Application No. 16/826,130, filed March 20, 2020, and titled "Wearable Electronic Device," now U.S. Patent No. 10,942,491, issued March 9, 2021 is also a continuation patent application of U.S. Patent Application No. 15/261,914, filed September 10, 2016, and titled "Wearable Electronic Device," now U.S. Patent No. 10,613,485, issued April 7, 2020, which is a continuation patent application of U.S. Patent Application No. 14/842,617, filed September 1, 2015, and titled "Wearable Electronic Device," now U.S. Patent No. 10,599,101, issued March 24, 2020, which is a nonprovisional patent application of and claims the benefit of U.S. Provisional Patent Application No. 62/044,974,

filed September 2, 2014, the disclosures of which are hereby incorporated herein by reference in their entireties. U.S. Patent Application No. 16/826,130, filed March 20, 2020, and titled "Wearable Electronic Device," now U.S. Patent No. 10,942,491, issued March 9, 2021 is also a continuation patent application of U.S. Patent Application No. 15/261,912, filed September 10, 2016, and titled "Wearable Electronic Device," now U.S. Patent No. 10,620,591, issued April 14, 2020, which is a continuation patent application of U.S. Patent Application No. 14/842,617, filed September 1, 2015, and titled "Wearable Electronic Device," now U.S. Patent No. 10,599,101, issued March 24, 2020, which is a nonprovisional patent application of and claims the benefit of U.S. Provisional Patent Application No. 62/044,974, filed September 2, 2014, the disclosures of which are hereby incorporated herein by reference in their entireties.

[0002] U.S. Patent Application No. 17/672,653, filed February 15, 2022, and titled "Wearable Electronic Device," is also a continuation patent application of U.S. Patent Application No. 17/188,995, filed March 1, 2021, and titled "Wearable Electronic Device," which is a continuation patent application of U.S. Patent Application No. 16/826,130, filed March 20, 2020, and titled "Wearable Electronic Device," now U.S. Patent No. 10,942,491, issued March 9, 2021, which is a continuation patent application of U.S. Patent Application No. 14/842,617, filed September 1, 2015, and titled "Wearable Electronic Device," now U.S. Patent No. 10,599,101, issued March 24, 2020, which is a nonprovisional patent application of and claims the benefit of U.S. Provisional Patent Application No. 62/044,974, filed September 2, 2014, the disclosures of which are hereby incorporated herein by reference in their entireties. U.S. Patent Application No. 16/826,130, filed March 20, 2020, and titled "Wearable Electronic Device," now U.S. Patent No. 10,942,491, issued March 9, 2021 is also a continuation patent application of U.S. Patent Application No. 15/261,917, filed September 10, 2016, and titled "Wearable Electronic Device," now U.S. Patent No. 10,627,783, issued April 21, 2020, which is a continuation application of U.S. Patent Application No. 14/842,617, filed September 1, 2015, and titled "Wearable Electronic Device," now U.S. Patent No. 10,599,101, issued March 24, 2020, which is a nonprovisional patent application of and claims the benefit of U.S. Provisional Patent Application No. 62/044,974, filed September 2, 2014, the disclosures of which are hereby incorporated herein by reference in their entireties. U.S. Patent Application No. 16/826,130, filed March 20, 2020, and titled "Wearable Electronic Device," now U.S. Patent No. 10,942,491, issued March 9, 2021 is also a continuation patent application of U.S. Patent Application No.

15/261,914, filed September 10, 2016, and titled "Wearable Electronic Device," now U.S. Patent No. 10,613,485, issued April 7, 2020, which is a continuation patent application of U.S. Patent Application No. 14/842,617, filed September 1, 2015, and titled "Wearable Electronic Device," now U.S. Patent No. 10,599,101, issued March 24, 2020, which is a nonprovisional patent application of and claims the benefit of U.S. Provisional Patent Application No. 62/044,974, filed September 2, 2014, the disclosures of which are hereby incorporated herein by reference in their entireties. U.S. Patent Application No. 16/826,130, filed March 20, 2020, and titled "Wearable Electronic Device," now U.S. Patent No. 10,942,491, issued March 9, 2021 is also a continuation patent application of U.S. Patent Application No. 15/261,912, filed September 10, 2016, and titled "Wearable Electronic Device," now U.S. Patent No. 10,620,591, issued April 14, 2020, which is a continuation patent application of U.S. Patent Application No. 14/842,617, filed September 1, 2015, and titled "Wearable Electronic Device," now U.S. Patent No. 10,599,101, issued March 24, 2020, which is a nonprovisional patent application of and claims the benefit of U.S. Provisional Patent Application No. 62/044,974, filed September 2, 2014, the disclosures of which are hereby incorporated herein by reference in their entireties.

[0003] This application is also a continuation patent application of U.S. Patent Application No. 17/188,966, filed March 1, 2021, and titled "Wearable Electronic Device."

[0004] This application is also a continuation patent application of U.S. Patent Application No. 17/188,995, filed March 1, 2021, and titled "Wearable Electronic Device."

[0005] This application is also a continuation patent application of U.S. Patent Application No. 17/899,498, filed August 30, 2022, and titled "Wearable Electronic Device."

FIELD

[0006] The following disclosure generally relates to an electronic device, and more specifically to a wearable electronic device having a range of features, including touch input, force input, an interchangeable attachment system, health monitoring functionality, wireless power charging, wireless authentication and transaction functionality, and other features and functionality.

BACKGROUND

[0007] Portable electronic devices have become increasingly popular, and the features and functionality provided by portable electronic devices continue to expand to meet the needs and expectations of many consumers. However, some traditional portable electronic devices, particularly wearable electronic devices, may have relatively limited functionality or are only able to perform a specialized set of functions or tasks. For example, some traditional electronic wristwatches may be configured to perform a relatively limited set of functions, including displaying time, date, and performing basic timing functions. The embodiments described herein are directed to a wearable electronic device that provides a wide range of functionality, as compared to some traditional wearable electronic devices.

SUMMARY

[0008] The embodiments included herein are directed to a consumer product, which may include a portable or wearable electronic device that is configured to provide an expansive feature set integrated or incorporated into a compact form factor. In some aspects of the present disclosure, a consumer product may integrate or combine multiple subsystems into a single device to provide a wide range of functionality, including biometric sensing, touch-based user input, near-field communications, and other desirable features. In some aspects, multiple subsystems are integrated into the relatively compact space of a wrist-worn device.

[0009] Some example embodiments are directed to wearable electronic device having a housing that includes a flat bottom portion, a top portion defining a cavity, and a curved side portion that extends from the bottom portion to the top portion. A band may be attached to the housing and configured to secure the wearable electronic device to a user. A display may be at least partially disposed within the cavity and may have a viewable area. The device may also include a cover disposed above the display and including a flat middle portion larger than the viewable area of the display, a curved edge portion surrounding the flat middle portion and coinciding with the curved side portion along a perimeter of the cavity to form a continuous contoured surface.

[0010] In some embodiments, the continuous contoured surface is tangent with the flat bottom portion of the housing at a first end of the contour. The continuous contoured surface may also be tangent with the flat middle portion of the cover at a second end of the contour. In some embodiments, the continuous contoured surface has a constant radius.

[0011] In some embodiments, the cavity has a rectangular shape. The curved edge portion of the housing may have four sides that surround the cavity, each side is orthogonal to two adjacent sides. Each side may be connected to an adjacent side by a rounded corner. In some embodiments, the rounded corners have a curvature that corresponds to a curvature of the continuous contoured surface formed by the curved edge portion of the cover and the curved side portion of the housing.

[0012] Some embodiments include a crown module that is positioned at least partially within an aperture formed within the curved side portion of the housing. The crown module may include

an outer surface configured to receive a rotary user input. The crown module may be offset with respect to a centerline of the housing between the top portion and the flat bottom portion. The offset may be toward the top portion of the housing. The crown module may include a dial having a portion that is higher than an interface between the cover and the housing.

[0013] In some example embodiments, a port is formed in the curved side portion of the housing. An acoustic module may be disposed within the housing and configured to produce an audio output through the port. The acoustic module may include an acoustic element and an acoustic cavity that acoustically couples the acoustic element to the port. The port may include an orifice that is offset with respect to the acoustic cavity to prevent the direct ingress of liquid into the acoustic module.

[0014] In some embodiments, the device includes a gasket positioned between the housing and the cover. The housing may also include a ledge formed along a perimeter of the cavity. The gasket may be positioned along the ledge that is formed along the perimeter of the cavity. The gasket, the cover, and the housing may be configured to cooperate to form a substantially water-proof seal.

[0015] In some example embodiments, the device includes a biosensor module that is disposed in an opening formed in the flat bottom portion of the housing. The biosensor module may include a chassis positioned in the opening of the housing and defining an array of windows. An array of light sources may be attached to the chassis and configured to emit light into the user through the array of windows. The biosensor module may also include an optically transparent rear cover disposed over the chassis and over the array of windows and operative to pass light emitted from the array of light sources into the user. In some embodiments, the rear cover has a convex outer contour.

[0016] Some example embodiments are directed to an electronic device having a housing comprising a bottom portion defining an opening and a band attached to the housing and configured to secure the electronic device to a user. A biosensor module may be disposed within the opening of the housing. A rear cover may be disposed over the biosensor module and may include an edge protruding outwardly from the bottom portion of the housing and an outer surface having a convex curved contour. In some embodiments, the outer surface of the rear

cover defines one or more windows that provide operational access to one or more optical components of the biosensor module. The one or more windows may have a curvature that matches the convex curved contour of the outer surface.

[0017] In some embodiments, the biosensor module includes an array of light sources that are configured to emit light into a body of the user. The biosensor module may also include a photodetector configured to receive light produced by a light source of the array of light sources that is reflected from the body and produce a sensor signal. In some cases, the biosensor module is removably coupled to the housing.

[0018] In some embodiments, the device also includes a processing unit configured to compute a health metric associated with the user based on the sensor signal. The device may also include a display disposed within the housing and configured to display the health metric.

[0019] Some example embodiments are directed to a wearable electronic device, having a housing including a top portion, a cavity formed within the top portion, and a curved side portion that surrounds the cavity. The device may also include a transparent cover disposed over the cavity of the housing and may include a flat middle portion at a center of the transparent cover, a curved outer portion that emanates from and surrounds the flat middle portion and extends outwardly to an edge of the transparent cover, and a mask positioned relative to an internal surface of the transparent cover. The mask may have an outer boundary located proximate to the edge of the transparent cover and an inner boundary located within the curved outer portion of the transparent cover.

[0020] In some embodiments, the device includes a display disposed below the transparent cover. A perimeter portion of a viewable area of the display may be disposed below the mask. The device may also include an antenna having a shape that corresponds to a shape of the cavity formed within the housing. The antenna may be disposed in a groove formed in the internal surface of the transparent cover. The groove may be formed between the outer boundary and the inner boundary of the mask. In some embodiments, the cover is formed from a sapphire material. The antenna may be configured to facilitate wireless communication between the wearable electronic device and an external device.

[0021] Some example embodiments are directed to an electronic device having a housing including a first end, a second end opposite the first end, a first side extending between the first and second ends, and a second side opposite to the first side and extending between the first and second ends. The first end may define a first groove extending between the first and second sides and may be configured to receive a first lug portion of a first band. The second end may define a second groove extending between the first and second sides and may be configured to receive a second lug portion of a second band. The first and second grooves may have an inwardly curved concave shape with an undercut feature that retains the first and second lug portions. In some embodiments, the first groove extends through a solid portion of the housing to form a continuous interior shape.

[0022] In some embodiments, the device includes a display at least partially disposed within a cavity of the housing. A cover may be disposed above the display and at least a portion of the first groove is disposed below the cover. The first and second grooves may be formed at an angle with respect to a centerline of the housing. The first and second grooves may be angled upward toward a top of the housing and inward toward the center of the housing. The first and second grooves may cross the centerline of the housing.

[0023] Some example embodiments are directed to a wearable electronic device including a housing and a band attached to the housing and configured to secure the wearable electronic device to a user. A crown may be disposed relative to the housing and configured to receive a rotational input. An encoder may be operatively coupled to the crown and configured to produce an encoder output that corresponds to the rotational input. A speaker module may be disposed within the housing and configured to produce an audio output that corresponds to the encoder output. A haptic device may be disposed within the housing and configured to produce a haptic output that corresponds to the encoder output. In some embodiments, the haptic output is synchronized with the audio output. The crown may be further configured to translate along an axis and actuate a tactile switch.

[0024] In some embodiments, the device also includes a display element within the housing. The device may be configured to display a list of items on the display element and scroll the list of items in response to the encoder output. The device may also be configured to synchronize

the audio and haptic outputs with the scrolling of the list of items. In some embodiments, the crown is further configured to translate along an axis and actuate a tactile switch. The crown may be operative to select an item of the list of items when the tactile switch is actuated.

[0025] Some example embodiments are directed to a wearable electronic device having a housing that includes a bottom portion and an aperture formed in the bottom portion. A band may be attached to the housing and configured to secure the wearable electronic device to a user. A biosensor module may be disposed in the aperture of the housing. The biosensor module may include an array of light sources configured to emit light into a body of the user, and a photodetector configured to receive light produced by a light source of the array of light sources that is reflected from the body and produce a sensor signal. The device may also include a processing unit that is configured to compute a health metric associated with the user based on the sensor signal. A display may be disposed within the housing and configured to display the health metric.

[0026] In some embodiments, the array of light sources and the photodetector are configured to function as multiple photoplethysmography (PPG) sensors. Each PPG sensor may be configured to be used to compute a separate health metric. In some embodiments, a first light source of the array of light sources includes a green LED adapted to detect blood perfusion in the body. A second light source of the array of light sources may include an infrared LED adapted to detect water content of the body. The health metric may include one or more of: a heart rate, a respiration rate, a blood oxygenation level, and a blood volume estimate.

[0027] In some embodiments, the device also includes at least one pair of electrodes disposed on an exterior surface of the housing. The at least one pair of electrodes may be configured to produce a signal when the at least one pair of electrodes is in contact with the body. In some case, the signal is used to compute an additional health metric that includes one or more of: a heart function, a body fat estimate, and a body fat estimate.

[0028] Some example embodiments are directed to a wearable electronic device including a housing and a band attached to the housing and configured to secure the wearable electronic device to a user. The device may also include an array of light emitting diodes (LEDs) disposed within the housing, the array of LEDs being configured to emit light. A photodetector may be

disposed within the housing and configured to receive light produced by an LED of the array of LEDs that is reflected from a body of the user and produce a first sensor signal in response to the received light. The device may also include at least one pair of electrodes disposed on an exterior surface of the wearable electronic device. The electrodes may be configured to produce a second sensor signal when the electrodes are in contact with a respective portion of the body. The device may also include a processing unit that is configured to compute one or more health metrics based on the first and second sensor signals. The device may also include a display disposed at least partially within the housing and configured to display the one or more health metrics.

[0029] Some example embodiments are directed to a wearable electronic device including a housing and a band attached to the housing and configured to secure the wearable electronic device to a user. A cover may be disposed relative to the housing and a display may be attached to a lower surface of the cover. A force sensor may be positioned between the cover and the housing and attaching the cover to the housing. The force sensor may be configured to detect the force of a touch on the cover. The force sensor may also form a barrier to prevent ingress of liquid into the wearable electronic device. In some embodiments, an antenna may be disposed relative to the cover and external from the housing. The antenna may be configured to facilitate wireless communication with an external device.

[0030] In some example embodiments, a wearable electronic device may include a housing and a band attached to the housing and configured to secure the wearable electronic device to a user. A display element may be positioned within the housing and a rechargeable battery may be disposed within the housing and operatively coupled to the display element. The device may also include a receive coil within the housing configured to inductively couple with an external transmit coil. A power conditioning circuit may be configured to recharge the rechargeable battery using power received by the receive coil. The power conditioning circuit may be configured to provide power to the display element. The device may also include a first alignment magnet positioned within the receive coil and configured to align the device with respect to a second alignment magnet positioned within the external transmit coil.

[0031] Some example embodiments are directed to a wearable electronic device that includes a housing and a band attached to the housing and configured to secure the wearable electronic device to a user. A cover may be positioned relative to the housing and a display may be disposed within the housing and below the cover. A force sensor may be disposed within the housing and configured to detect a force of a touch on the cover. A touch sensor may be disposed between the display and the cover. The touch sensor may be configured to detect a location of the touch on the cover. In some embodiments, the force sensor is disposed along a perimeter of the display. The device may also include a processing unit and memory disposed within the housing. The processing unit may be configured to interpret a touch gesture on a surface of the cover using a force output from the force sensor and a touch output from the touch sensor.

BRIEF DESCRIPTION OF THE DRAWINGS

[0032] The disclosure will be readily understood by the following detailed description in conjunction with the accompanying drawings, wherein like reference numerals designate like structural elements.

[0033] FIG. 1 depicts an example wearable electronic device having a device body and band.

[0034] FIG. 2 depicts an example schematic diagram of a wearable electronic device.

[0035] FIG. 3 depicts an example functional diagram for a wearable electronic device.

[0036] FIG. 4 depicts an example wearable electronic device as part of a system of devices.

[0037] FIG. 5 depicts a system of interchangeable components for a wearable device.

[0038] FIG. 6 depicts an example wearable electronic device having a device body and band.

[0039] FIG. 7 depicts an exploded view of components of an example wearable electronic device.

[0040] FIG. 8 depicts an example housing for a wearable electronic device.

[0041] FIG. 9 depicts an example force sensor configured to use a capacitive measurement.

[0042] FIGs. 10A-B depict plan views of example force sensors.

[0043] FIG. 11 depicts an example force sensor configured to use a resistive measurement.

[0044] FIG. 12 depicts an example pixelated force sensor configured to use a resistive measurement.

[0045] FIGs. 13A-B depict example force sensor structures.

[0046] FIGs. 14A-C depict an example touch sensor based on mutual capacitance.

[0047] FIGs. 15A-B depict an example touch sensor based on self capacitance.

[0048] FIG. 16 depicts an example device having biosensors.

[0049] FIG. 17 depicts an example device having wireless communications with an external device.

[0050] FIG. 18 depicts an example electronic device and example dock of an inductive charging system.

[0051] FIG. 19 depicts a block diagram of an example inductive charging system.

[0052] FIG. 20 depicts an example acoustic module.

[0053] FIGs. 21A-B depict an example cover and antenna.

[0054] FIGs. 22A-B depict an example haptic module.

[0055] FIG. 23 depicts an example device having a crown module with an encoder.

[0056] FIGs. 24A-B depict an example device having a crown module with a tactile switch.

[0057] FIGs. 25A-C depict an example receiving feature for a band.

[0058] FIG. 26 depicts example elements of a display.

DETAILED DESCRIPTION

[0059] Provided herein are descriptions and examples of a consumer product, which may include a portable electronic device, a wearable electronic device, or other type of device. By way of example and not by way of limitation, the consumer product may be an electronic device, a mechanical device, or an electromechanical device. Specific example devices include mobile phones, personal digital assistants, music players, timekeeping devices, health monitoring devices, tablet computers, laptop computers, glasses (electronic or otherwise), portable storage devices, and the like.

[0060] In one particular embodiment, the consumer product is a portable and, more specifically, a wearable consumer product. A wearable consumer product is one that can be worn by or otherwise secured to a user. For example, the consumer product may be a wearable electronic device including, but not limited to, a wearable computer, a wearable watch, a wearable communication device, a wearable media player, a wearable health monitoring device, and the like. A wearable consumer product may be worn by a user in a variety of ways. In some examples, the consumer product is a wrist-worn product and may include a band that can be wrapped around a user's wrist to secure the consumer product to the user's body. The device may include one or more other types of attachments including, for example, an armband, lanyard, waistband, chest strap, and the like.

[0061] Some aspects of the disclosure are directed to a wearable electronic device having improved functionality and/or versatility as compared to some traditional wearable devices. For example, some aspects of the disclosure are directed to a consumer product, such as a portable electronic device, having an expansive feature set integrated or incorporated into a compact form factor. In some aspects of the present disclosure, a consumer product may integrate or combine multiple subsystems into a single device to provide a wide range of functionality, including biometric sensing, touch-based user input, near-field communications, and other desirable features. In some aspects, multiple subsystems are integrated into the relatively compact space of a wrist-worn device. Some aspects of the following disclosure are directed to the integration of a variety of subsystems or modules to provide functionality that may not be possible using some traditional device platforms. In some cases, the configuration and/or functionality

provided by the various subsystems may be configurable by the end user, the manufacturer, and/or a vendor of the device. Example subsystems or modules of a consumer product and their respective functions are described below with respect to FIGs. 2 and 3.

[0062] Some aspects of the disclosure are directed to a consumer product that is configured to communicate wirelessly with any of a number of other devices, such as a mobile phone, computer, tablet computing devices, personal media players, televisions, networked home appliances, networked home controls, electronic systems in vehicles, and so on. Through wireless communication with other devices, the consumer product may transmit and/or receive various notifications, messages, or other information between devices. The wireless communication may also facilitate the relay of alerts or other device outputs to notify the user of an event or action. In some aspects, the consumer product may communicate wirelessly with any of a number of electronic accessories, including headset devices, portable speaker devices, portable microphone devices, display screens, and so on. An example communication system is described below with respect to FIG. 4 and with respect to other examples provided herein.

[0063] In some aspects, the consumer product may include a system of interchangeable components used to attach or secure the consumer product to the user. The system of interchangeable components may include a set of interchangeable bands or attachment devices that are configured to connect or attach to a receiving feature on the body of the product. The receiving feature may be standardized within the system of interchangeable components and allow multiple types of bands or attachment devices to be used with the same housing or body. The system of interchangeable components may also allow for an interchange between different bodies, which may include different types of electronic devices or other consumer products. Each body of the different devices or products may have a similar receiving feature that is standardized within the system of interchangeable components. An example system of interchangeable components is described below with respect to FIG. 5 and with respect to other examples provided herein.

[0064] Some aspects of the present disclosure are directed to a consumer product that includes a body that includes a case or housing used to protect as well as support the internal components of the product in their assembled position. The housing may enclose and support various

components, including, for example, integrated circuits, subsystems, modules, and other internal components of the device. In some aspects, the housing forms a water-resistant or water-proof barrier and also provides structural rigidity necessary to protect internal components. The housing may be formed as a single piece, which may enhance the structural rigidity, water impermeability, and manufacturability of the housing. An example housing and example internal components for a consumer product are provided below with respect to FIGs. 6-8 and with respect to other examples provided herein.

[0065] In some aspects, the consumer product includes a force sensor that is configured to detect and measure the magnitude of a force or pressure on a surface of the product. In some implementations, the force sensor includes a capacitive-based sensor that is configured to estimate the force based on a deflection or movement between capacitive plates that is caused by and correlates to the amount of force caused by a touch. In some implementations, the force sensor is a resistance- or charge-based sensor that is configured to estimate the force based on the deflection of a sheet or film that is positioned relative to the touch-sensitive surface of the product. In some implementations, the output from the force sensor is combined with the output from a touch sensor, which may be self-capacitive or mutually capacitive, or a combination of the two. Example force and touch sensors are described below with respect to FIGs. 9-15B and with respect to other examples provided herein.

[0066] In some aspects, the consumer product includes one or more biosensors. The biosensors may include optical and/or electronic biometric sensors that may be used to compute one or more health metrics. Example health metrics include, without limitation, a heart rate, a respiration rate, blood oxygenation level, a blood volume estimate, blood pressure, or a combination thereof. In some embodiments, the biosensors include an electrical sensor that may be used to measure electrocardiographic (ECG) characteristics, galvanic skin resistance, and other electrical properties of the user's body. An example consumer product having multiple biosensors is described below with respect to FIG. 16 and with respect to other examples herein.

[0067] In some aspects, the consumer product is configured to perform wireless communication with an external device. In some implementations, the wireless communication may include a Near Field Communication (NFC) interface. The NFC interface may be used to identify the

device and initiate a secure data connection, which may be used to authorize transactions, purchases, or conduct other forms of e-commerce. An example consumer product having wireless communications with an external device is described in more detail below with respect to FIG. 17 and with respect to other examples herein.

[0068] In some aspects, the consumer product is configured to recharge an internal battery using a wireless charging system. In some implementations, the consumer product includes one or more receiving inductive coils that are configured to cooperate with one or more transmitting inductive coils that are located in a charging dock or other external device. The wireless charging system may allow the transfer of power and/or wireless communications with the consumer product without the use of an external port or terminal connection. An example consumer product having wireless charging capabilities is described in more detail below with respect to FIGs. 18-19 and with respect to other examples herein.

[0069] In some aspects, the consumer product includes one or more acoustic modules that are configured to function as a speaker and/or a microphone for the product. The speaker and/or microphone may include features that enhance the water/liquid resistance or impermeability of the consumer product. The consumer product may also include a haptic module or actuator that is configured to produce a haptic output that may be perceived by the user. In some implementations, the output of an acoustic module, such as a speaker, and the haptic module may be used to provide feedback or an alert to the user. In some cases, an acoustic module and the haptic module provide feedback to the user and may be coordinated with a user input, such as user-interface selecting, user-interface scrolling, or other user input command. An example acoustic module is described below with respect to FIG. 20 and an example haptic module is described below with respect to FIGs. 22A-B.

[0070] In some aspects, the consumer product includes a dial or crown that is coupled to an encoder or other rotary sensor for detecting a rotary input. In some implementations, the output from the optical encoder is used to drive an aspect of a user interface or control other functionality of the product. Additionally, the dial or crown may include a tactile switch that can be actuated by pressing inward on the dial or crown. An example consumer product having a

crown is described below with respect to FIGs. 23-24B and with respect to other examples herein.

[0071] The description that follows includes sample devices, components, modules, systems, methods, and apparatuses that embody various elements of the present disclosure. However, it should be understood that various elements of the described disclosure may be combined and/or practiced in a variety of forms in addition to those described herein. In particular, the modules and components are described in a particular combination with respect to some examples provided below. However other combinations are possible, which may be achieved by adding, removing, and/or re-arranging modules to obtain a device or system having the desired characteristics.

[0072] FIG. 1 depicts a wearable consumer product 10. For example, the consumer product 10 may be a wearable electronic device. In one example, the consumer product 10 may be a wearable multifunctional electronic device including multiple functionalities such as time keeping, health monitoring, sports monitoring, medical monitoring, communications, navigation, computing operations, and/or the like. The functionalities may include but are not limited to: keeping time; monitoring a user's physiological signals and providing health-related information based on those signals; communicating (in a wired or wireless fashion) with other electronic devices or services, which may be different types of devices having different functionalities; providing alerts to a user, which may include audio, haptic, visual and/or other sensory output, any or all of which may be synchronized with one another; visually depicting data on a display; gathering data form one or more sensors that may be used to initiate, control, or modify operations of the device; determining a location of a touch on a surface of the device and/or an amount of force exerted on the device, and using either or both as input; accepting voice input to control one or more functions; accepting tactile input to control one or more functions; capturing and transmiting images; and so on. These and other functions and features will be described in more detail herein.

[0073] The wearable consumer product 10 can take a variety of forms. In one example, the consumer product 10 may be a wrist-worn electronic device. The device may include a variety of types of form factors including, wristbands, armbands, bracelets, jewelry, and/or the like.

[0074] In the illustrated embodiment, the consumer product 10 includes a device body 11. The device body 11 may include a housing that carries, encloses and supports both externally and internally various components (including, for example. integrated circuit chips and other circuitry) to provide computing and functional operations for the consumer product 10. The components may be disposed on the outside of the housing, partially within the housing, through the housing, completely inside the housing, and the like. The housing may, for example, include a cavity for retaining components internally, holes or windows for providing access to internal components, and various features for attaching other components. The housing may also be configured to form a water-resistant or water-proof enclosure for the body 11. For example, the housing may be formed from as a single unitary body and the openings in the unitary body may be configured to cooperate with other components to form a water-resistant or water-proof barrier.

[0075] Examples of components that may be contained in the device body 11 include processing units, memory, display, sensors, biosensors, speakers, microphones, haptic actuators, batteries, and so on. In some cases, the device body 11 may take on a small form factor. In cases such as these, the components may be packaged and/or in order to provide the most functionality in the smallest space. The components may also be configured to take up a minimal amount of space, which may facilitate the device body 11 having a small form factor. Additionally, the integration and assembly of the various components may be configured to enhance the reliability of the consumer product 10.

[0076] The construction of the housing of the device body 11 may be widely varied. For example, housing may be formed from a variety of materials including plastic, rubber, wood, silicone, glass, ceramics, fiber composites, metal or metal alloys, (e.g., stainless steel, aluminum), precious metals (e.g., gold, silver), or other suitable materials, or a combination of these materials.

[0077] Also in the illustrated embodiment, the wearable electronic device includes a band 12 or strap or other means for attaching to a user. The band 12 may, for example, be configured to attach to the body and provide a loop for securing to the wrist of the user. The band 12 may be integral with the housing or it may be a separate part. If integral, the band 12 may be a

continuation of the housing. In some cases, the integral band may be formed from the same material as the housing. If the band 12 is separate, the band may be fixed or releasably coupled to the housing. In both cases, the band 12 may be formed from similar or different materials as the housing. In most cases, the band 12 is formed from a flexible material such that it can conform to a user's body. Furthermore, the band 12 itself may be a single integral part or it may include attachment ends that provide an open and closed configuration. The attachment ends may, for example, be manifested as a clasp or other similar attachment mechanism or device. This particular configuration allows a user to open the band 12 for placement on the arm and close the band 12 in order to secure the band and body to the arm. The band 12 may be widely varied. By way of example, they may be formed from rubber, silicone, leather, metal, mesh, links and/or the like.

[0078] FIG. 2 depicts an example schematic diagram of a wearable electronic device. By way of example, device 100 of FIG. 2 may correspond to the consumer product 10 shown in FIG. 1. To the extent that multiple functionalities, operations, and structures are disclosed as being part of, incorporated into, or performed by device 100, it should be understood that various embodiments may omit any or all such described functionalities, operations, and structures. Thus, different embodiments of the device 100 may have some, none, or all of the various capabilities, apparatuses, physical features, modes, and operating parameters discussed herein.

[0079] As shown in FIG. 2, the device 100 includes one or more processing units 102 that are configured to access a memory 104 having instructions stored thereon. The instructions or computer programs may be configured to perform one or more of the operations or functions described with respect to the device 100. For example, the instructions may be configured to control or coordinate the operation of a display 120, one or more input/output components 106, one or more communication channels 108, one or more sensors 110, a speaker 122, a microphone 124 and/or one or more haptic feedback devices 112.

[0080] The processing units 102 of FIG. 2 may be implemented as any electronic device capable of processing, receiving, or transmitting data or instructions. For example, the processing units 102 may include one or more of: a microprocessor, a central processing unit (CPU), an application-specific integrated circuit (ASIC), a digital signal processor (DSP), or combinations

of such devices. As described herein, the term "processor" is meant to encompass a single processor or processing unit, multiple processors, multiple processing units, or other suitably configured computing element or elements.

[0081] The memory 104 can store electronic data that can be used by the device 100. For example, a memory can store electrical data or content such as, for example, audio and video files, documents and applications, device settings and user preferences, timing and control signals or data for the various modules, data structures or databases, and so on. The memory 104 can be configured as any type of memory. By way of example only, the memory can be implemented as random access memory, read-only memory, Flash memory, removable memory, or other types of storage elements, or combinations of such devices.

[0082] In the schematic diagram of FIG. 2, the one or more input components 106 are represented as a single item within the schematic diagram. However, input components 106 may represent a number of different input components, including buttons, switches, and dials for accepting user input, and so on. More specifically, the input components 106 may correspond to the buttons, dials, crowns or other devices for receiving input. Generally, the input components 106 are configured to translate a user-provided input into a signal or instructions that may be accessed using instructions executed on the processing units 102. In the present example, the input components 106 may include the hardware configured to receive the user input (e.g., button, switch, crown, and encoder) which is operatively coupled to circuitry and firmware used to generate signals or data that are able to be accessed using processor instructions. Each input component 106 may include specialized circuitry for generating signals or data and, additionally or alternatively, circuitry and firmware for generating signals or data may be shared between multiple input components 106. In some cases, the input components 106 produce user-provided feedback for application-specific input that corresponds to a prompt or user interface object presented on display 120. For example, the crown (item 642 of FIG. 6) may be used to receive rotational input from the user, which may be translated into an instruction to scroll a list or object presented on the display 120. The input components 106 may also produce user input for system-level operations. For example the input components 106 may be configured to interact directly with hardware or firmware being executed on the device 100 for system-level

operations, including, without limitation, power on, power off, sleep, awake, and do-not-disturb operations.

[0083] As shown in FIG. 2, the device 100 may also include one or more acoustic elements, including a speaker 122 and a microphone 124. The speaker 122 may include drive electronics or circuitry and may be configured to produce an audible sound or acoustic signal in response to a command or input. Similarly, the microphone 124 may also include drive electronics or circuitry and is configured to receive an audible sound or acoustic signal in response to a command or input. The speaker 122 and the microphone 124 may be acoustically coupled to respective ports or openings in the housing that allow acoustic energy to pass, but may prevent the ingress of liquid and other debris. As shown in FIG. 2, the speaker 122 and microphone 124 are also operatively coupled to the processing units 102, which may control the operation of the speaker 122 and microphone 124. In some cases, the processing units 102 are configured to operate the speaker 122 to produce an acoustic output that corresponds to an application or system-level operation being performed on the device 100. In some cases, the speaker 122 is operatively coupled to other modules, including, for example, input components 106, such as a crown or button. In some implementations, the device 100 is configured to produce an audible output that corresponds to the operation of the crown or buttons using the speaker 122. The microphone 124 may be configured to produce an output or signal in response to an acoustic stimulus. For example, the microphone 124 may be operatively coupled to the memory 104 and may be configured to record audio input, including human speech, music, or other sounds. In some cases, the microphone 124 may be configured to receive voice signals, which may be interpreted as voice commands by the processing units 102.

[0084] The one or more communication channels 108 may include one or more wireless interface(s) that are adapted to provide communication between the processing unit(s) 102 and an external device. In general, the one or more communication channels 108 may be configured to transmit and receive data and/or signals that may be interpreted by instructions executed on the processing units 102. In some cases, the external device is part of an external communication network that is configured to exchange data with wireless devices. Generally, the wireless interface may include, without limitation, radio frequency, optical, acoustic, and/or magnetic signals and may be configured to operate over a wireless interface or protocol. Example wireless

interfaces include radio frequency cellular interfaces, fiber optic interfaces, acoustic interfaces, Bluetooth interfaces, infrared interfaces, USB interfaces, Wi-Fi interfaces, TCP/IP interfaces, network communications interfaces, or any conventional communication interfaces.

[0085] In some implementations, the one or more communications channels 108 may include a dedicated wireless communication channel between the device 100 and another user device, such as a mobile phone, tablet, computer, or the like. In some cases, output, including audio sounds or visual display elements, are transmitted directly to the other user device for output to the user. For example, an audible alert or visual warning may be transmitted to a user's mobile phone for output on that device. Similarly, the one or more communications channels 108 may be configured to receive user input provided on another user device. In one example, the user may control one or more operations on the device 100 using a user interface on an external mobile phone, table, computer, or the like.

[0086] Additionally, as described in more detail below with respect to FIG. 17, the communications channels 108 may include a Near Field Communication (NFC) interface. The NFC interface may be used to identify the device and initiate a secure data connection, which may be used to authorize transactions, purchases, or conduct other forms of e-commerce.

[0087] As shown in FIG. 2, the device 100 also includes one or more sensors 110 represented as a single item within the schematic diagram. However, the sensors 110 may represent a number of different sensors, including devices and components that are configured to detect environmental conditions and/or other aspects of the operating environment. Example sensors 110 include an ambient light sensor (ALS), proximity sensor, temperature sensor, barometric pressure sensor, moisture sensor, and the like. Thus, the sensors 110 may also be used to compute an ambient temperature, air pressure, and/or water ingress into the device. In some embodiments, the sensors 110 may include one or more motion sensors for detecting movement and acceleration of the device 100. The one or more motion sensors may include one or more of the following: an accelerometer, a gyroscope, a tilt sensor, or other type of inertial measurement device.

[0088] The device 100 also includes one or more biosensors 118 and may include optical and/or electronic biometric sensors that may be used to compute one or more health metrics. As

described in more detail below with respect to FIG. 16, one or more of the biosensors 118 may include a light source and a photodetector to form a photoplethysmography (PPG) sensor. The optical (e.g., PPG) sensor or sensors may be used to compute various health metrics including, without limitation, a heart rate, a respiration rate, blood oxygenation level, a blood volume estimate, blood pressure, or a combination thereof. One or more of the biosensors 118 may also be configured to perform an electrical measurement using one or more electrodes. The electrical sensor(s) may be used to measure electrocardiographic (ECG) characteristics, galvanic skin resistance, and other electrical properties of the user's body. Additionally or alternatively, one or more of the biosensors 118 may be configured to measure body temperature, exposure to UV radiation, and other health-related information.

[0089] The device 100 may also include one or more haptic devices 112. The haptic device 112 may include one or more of a variety of haptic technologies such as, but not necessarily limited to, rotational haptic devices, linear actuators, piezoelectric devices, vibration elements, and so on. In general, the haptic device 112 may be configured to provide punctuated and distinct feedback to a user of the device. More particularly, the haptic device 112 may be adapted to produce a knock or tap sensation and/or a vibration sensation. As shown in FIG. 2, the haptic device 112 may be operatively coupled to the processing unit 102 and memory 104. In some embodiments, the haptic device 112 may be directly controlled by the processing unit 102. In some embodiments, the haptic device 112 may be controlled, at least in part, by the operation of an input component 106, including, for example, a button, dial, crown, or the like. The operation of the haptic device 112 may also be paired or linked to the operation of one or more other output devices, including, for example, the display 120 or the speaker 122.

[0090] As shown in FIG. 2, the device 100 may include a battery 114 that is used to store and provide power to the other components of the device 100. The battery 114 may be a rechargeable power supply that is configured to provide power to the device 100 while it is being worn by the user. The device 100 may also be configured to recharge the battery 114 using a wireless charging system. Accordingly, in some cases, the device may include a wireless power module 116 that may be configured to receive power from an external device or dock. The wireless power module 116 may be configured to deliver power to components of the device, including the battery 114. The wireless power module 116 and an external charging station or

dock may also be configured to transmit data between the device and a base or host device. In some cases, the wireless power module 116 may interface with the wireless charging station or dock to provide an authentication routine that is able to identify specific hardware, firmware, or software on the device in order to facilitate device maintenance or product updates. A more detailed description of an example wireless charging station is provided below with respect to FIGs. 18-19.

[0091] The device 100 may include a variety of other components, including for example, a camera or camera modules. The camera may be configured to capture an image of a scene or subject located within a field of view of the camera. The image may be stored in a digital file in accordance with any one of a number of digital formats. In some embodiments, the device 100 includes a camera, which includes an image sensor formed from a charge-coupled device (CCD) and/or a complementary metal–oxide–semiconductor (CMOS) device. The camera may also include one or more optical components disposed relative to the image sensor, including, for example, a lens, an filter, a shutter, and so on.

[0092] FIG. 3 depicts functional elements of the device 100, in accordance with some embodiments. In particular, FIG. 3 depicts the inputs that may be received and outputs that may be produced on an example device 100. By way of example, the device 100 may correspond to the devices shown in FIGs. 1 and 2. As shown in FIG. 3, the device 100 may include a force input 302 that may be produced using a force sensor that is configured to detect and measure the magnitude of a force of a touch on a surface of the device. The force input 302 may include a non-binary output that is generated in response to a touch. For example, the force input 302 may include a range of values or analog value that corresponds to the amount of force exerted on a surface of the device. Additionally or alternatively, the force input 302 may include binary (e.g., on, off) output in response to the force of a touch. The force input 302 may be used to control various aspects of the device. For example, the force input 302 may be used to control an aspect, such as a cursor or item selection on a user interface presented on the display of the device. The force input 302 may also be used to control the audio output 308, haptic output 312, and other functionality of the device. The force input 302 may also be used to distinguish between different types of input from the user. For example, a light touch from the user may be interpreted as a scroll command and used to index or scroll through a list of items on the display.

A harder touch from the user may be interpreted as a selection or confirmation of an item on the display. In some embodiments, the force input 302 is used to distinguish an intentional touch from the user from an incidental or accidental touch that may be ignored.

[0093] As shown in FIG. 3, the device 100 may also include a touch input 306 that may be produced using a touch sensor that is configured to detect and measure the location of a touch on a surface of the device. In some implementations, the touch sensor is a capacitive-based touch sensor that is disposed relative to the display or display stack of the device. The touch sensor may be a separate non-integrated sensor relative to the force sensor. In alternative embodiments, the touch sensor may also be physically and/or logically integrated with the force sensor to produce a combined output. The touch input 306 may be used to control various aspects of the device. For example, the touch input 306 may be used to control an aspect of the user interface presented on the display of the device. The touch input 306 may also be used to control the audio output 308, haptic output 312, and other functionality of the device.

[0094] In some cases, the logical integration of the force input 302 and the touch input 306 enhances the versatility or adaptability of device 100 by enabling a more sophisticated user interface than is currently available on some traditional wearable devices. In particular, the force input 302 and the touch input 306 may be combined to interpret a wider range of gestures and input commands than may be possible using, for example, only a touch input. For example, the force input 302 may provide a magnitude of a force of a touch, which may be used to distinguish between two touch input commands that have a similar location or gesture path. An improved touch interface using both force input 302 and touch input 306 may be particularly advantageous when interpreting touch commands on a relatively small area surface, such as a display screen or cover glass of a wearable electronic device.

[0095] As shown in FIG. 3, the device 100 may also include a button/dial input 310 that may be produced using an input device that is configured to receive input from the user. As described previously, the device 100 may include one or more buttons disposed on or near an external surface of the housing and are configured to receive input from a user. The device may also include a dial or crown that is configured to accept rotational input from the user. As described

in more detail below with respect to FIGs. 24A-B, the dial or crown may also include a push feature that is adapted to accept input from the user.

[0096] The device 100 may also accept audio input 314 using a microphone or other acoustic sensing device. The audio input 314 may be adapted to accept input from the user, including voice commands and other audio signal input. The audio input 314 may also be adapted to detect and measure ambient audio conditions that may be used to adjust the volume of the audio output 308 or operation of the haptic output 312. The audio input 314 may also be used to record an audio stream or voice message in accordance with an audio recording application or software program.

[0097] As shown in FIG. 3, the device 100 may include a display output 304 in accordance with some embodiments. The display output 304 includes visual or graphical output that may be produced using the display element of the device. In some embodiments, the display output 304 includes a graphical user interface produced using an operating system or software application executed on one or more processing units of the device. In one example, the display output 304 includes a graphical depiction that resembles a watch face or other timekeeping device. In other examples, the display output 304 includes a graphical interface for an e-mail, text messaging, or other communication-oriented program. The display output 304 may also present visual information that corresponds to one of the other functional aspects of the device 100. For example, the display output 304 may include information that corresponds to the biosensor input 320, sensor input 318, force input 302, touch input 306, and others.

[0098] As shown in FIG. 3 the device 100 may include an audio output 308 that may be produced with a speaker or acoustic module. The audio output 308 may include sounds or audio signals that are associated with the operation of the device. For example, the audio output 308 may correspond to the operation of an input device to provide audio feedback to the user. For example the audio output 308 may correspond to an input received in the form of a force input 302, touch input 306, and/or button/dial input 310. In some cases, the audio output 308 may also include a portion of an auditory alert that may be produced alone or combined with a haptic output 312 and/or display output 304 of the device 100.

[0099] The device 100 may also include a sensor input 318 produced using one or more sensors that may be configured to monitor and detect various environmental conditions. For example, the sensor input 318 may include signals or data produced using an ambient light sensor, proximity sensor, temperature sensor, barometric pressure sensor, or other sensor for monitoring environmental conditions surrounding or near the device. In general, the sensor input 318 may be used to adapt the functionality of the device 100 to conform to the one or more environmental conditions. For example, the brightness of the display output 304, the volume of the audio output 308, and/or the operation of the input to the device 100 may be based on the sensor input 318.

[0100] In some embodiments, the sensor input 318 includes input produced by one or more motion sensors. The motion sensors may include one or more of the following: an accelerometer, a gyroscope, a tilt sensor, or other type of inertial measurement device. A sensor input 318 produced using one or more motion sensors may be used to monitor and detect changes in motion of the device 100. Changes in linear and angular motion may be used to determine or estimate an orientation of the device relative to a known location or fixed datum. The sensor input 318 produced from the one or more motion sensors may also be used to track the movement of the user. The movement of the user may be used to facilitate navigation or map-guided functionality of the device. Additionally, input related to the gross movement of the user can be used as a pedometer or activity meter, which may be stored and tracked over time to determine health metrics or other health-related information. Additionally, in some embodiments, sensor input 318 from the one or more motion sensors may be used to identify motion gestures. For example, the motion sensors can be used to detect an arm raise or the position of a user's body (within a predetermined confidence level of certainty).

[0101] The device 100 may also include a biosensor input 320 produced using one or more biosensors or biosensor modules that are configured to monitor physiological and/or health conditions of a user. As discussed above with respect to FIG. 2, the device may include one or more optical sensors for measuring heart rate, blood pressure, oxygen saturation, or a combination thereof. The device may also include one or more sensors having electrical contacts that are disposed to contact the user's body. The sensors may be configured to measure electrocardiographic (ECG) characteristics, galvanic skin resistance, and other electrical

properties of the user's body. Additionally or alternatively, sensors may be configured to measure body temperature, exposure to UV radiation, and other health related information. The biosensor input 320 may be combined with other aspects of the device to provide heath-monitoring functionality. For example, the biosensor input 320 may be used to compute data that is presented using the display output 304. The operation of the biosensor input 320 may also be controlled using the force input 302, touch input 306, or other user input 310 to provide an interactive health monitoring function or application.

[0102] As shown in FIG. 3, the device may include a haptic output 312 that may be produced using one or more haptic devices that are configured to provide haptic feedback to the user. In particular, the haptic output 312 may be produced using one or more electromechanical subassemblies that are configured to induce motion or vibration in the device, which may be perceived or sensed by the user. In some cases, the haptic actuator or device is tuned to operate based on a resonance or near resonance with respect to the device, which may enhance haptic output. In some cases, the haptic actuator or device is configured to operate based on a resonance or near resonance with respect to some components of the device, such as the band or clasp of the device.

[0103] In some embodiments, the haptic output 312 may correspond to the operation of one or more other modules or subsystems. For example, the haptic output 312 may include a vibration or haptic feedback that corresponds to an audio alert or visual alert or signal produced by the acoustic module or display, respectively. Additionally or alternatively, the haptic output 312 may be operated in conjunction with an input from the user. The haptic output 312 may include haptic or force feedback that confirms that the user input was or is being received. By way of example, a haptic output 312 may include a click or vibration when the crown of the device is turned or a button is depressed. The haptic output 312 may also be coordinated with other functionality of the device including, for example, message transmission operations, power management operations, force sensor operations, biosensor operations, to provide a notification, to provide an alert, and others.

[0104] As shown in FIG. 3, the device 100 may also include communications input/output (I/O) 316, which may facilitate communication with an external device or system. The

communications I/O 316 may be produced using one or more wireless interfaces, including radio frequency cellular interfaces, fiber optic interfaces, acoustic interfaces, Bluetooth interfaces, Near Field Communication interfaces, infrared interfaces, USB interfaces, Wi-Fi interfaces, TCP/IP interfaces, network communications interfaces, or any conventional communication interfaces. In some cases, the communications I/O 316 may include signals and data received from an external device that has been paired or is otherwise in electronic communication with the device 100. The external data included in the communications I/O 316 may include, for example, message data associated with an electronic communication, notification data associated with an event, and/or data related to audio or visual content. The communications I/O 316 may also include an authorization or identification of external devices in communication with the device 100 or users associated with one or more external devices. Similarly, the communications I/O 316 may be used to output various forms of data or signals to one or more devices or systems that are external to the device 100. For example, the communications I/O 316 may include data or computations that are produced using the biosensor input 320 and/or the sensor input 318.

[0105] FIG. 4 depicts an example wearable electronic device 100 as part of a system of devices. By way of example, the wearable electronic device 100 of FIG. 4 may correspond to the devices shown in any of the previous figures. Generally, the wearable electronic device 100 may communicate wirelessly with any of a number of other devices, such as mobile phone 420, computer 430, tablet computing devices, personal media players, televisions, networked home appliances, networked home controls, electronic systems in vehicles, and so on. Additionally, the wearable electronic device 100 may communicate wirelessly with any of a number of electronic accessories, including headset devices, portable speaker devices, portable microphone devices, display screens, and so on. Communication may be through a wired or wireless connection, including any technology mentioned herein.

[0106] In some embodiments the wearable electronic device 100 may accept a variety of bands, straps, or other retention mechanisms (collectively, "bands"). These bands may be removably connected to the electronic device by a feature formed into the band or band assembly that is accepted in a recess or other aperture within the device and locks thereto. An example band interface is described in more detail below with respect to FIGs. 25A-C.

[0107] In general, a user may change combinations of bands and electronic devices, thereby permitting mixing and matching of the two categories. It should be appreciated that devices having other forms and/or functions may include similar recesses and may releasably mate with a lug and/or band incorporating a lug. In this fashion, a system of bands and devices may be envisioned, each of which is compatible with another. A single band may be used to connect to devices, as one further example; in such embodiments the band may include electrical interconnections that permit the two devices to transmit signals to one another and thereby interact with one another.

[0108] Insofar as the electronic device 100 may connect either physically or through a data communication link with other computing devices, the combination of devices and bands may be thought of as an ecosystem having multiple parts that interact with one another, may intelligently communicate with one another, may share functionality and/or may substitute for one another in terms of operations, output, input and the like. Examples of devices existing in such an ecosystem follow, but are illustrative rather that limiting.

[0109] As one example, a number of electronic devices 100, 420, 430 may each have identical or similar attachment structures that permit them to share a band or connector. A user may thus change the interconnected band and device(s) with respect to one another, permitting a number of different physical connections between different ecosystem components. In some embodiments, a band that serves to retain an electronic device only may be swapped for bands having additional functionalities, such as transmitting data between devices connected to the band, adding functionality to a connected device that the device lacks, providing additional power to a connected device, and so on. Further, different bands may look different, so that the appearance of the electronic device(s) in combination with a band(s) may change by changing the band(s) and/or device(s) with respect to one another.

[0110] As another example, electronic devices 100, 420, 430 may communicate with one another as part of the overall ecosystem. Data may be passed from one device 420 to another 100. This may be useful if the user 410 is wearing one electronic device 100 but is not near another device 430 that wishes to notify the user or interact with the user in some fashion. Continuing the example, the computer 430 may transmit a reminder or message to the wearable device 100 to

gain the user's attention. As another example, the computer 430 (or any other electronic device in the ecosystem) may transmit a state of an application or even the device itself to the wearable device 100. Thus, for example, if an application operating on the computer needs the user's attention, it may be gained through an alert issued by the wearable device.

[0111] Data communication between devices in an ecosystem may also permit the devices to share functionality. As one non-limiting example, electronic devices may share sensor data with one another to permit one device access to data it normally would not have, from a sensor it does not physically incorporate. Thus, any given device 100, 420, 430 may draw on the abilities of other devices in the ecosystem to provide an enhanced and relatively seamless experience for a user 410.

[0112] FIG. 5 depicts a system 500 of interchangeable components for a wearable device. By way of example, one or more of the devices of FIG. 5 may correspond to the devices shown in any of the previous figures. FIG. 5 depicts a system 500 including a variety of interchangeable components, including multiple device bodies 515, 525, 535 that are configured to connect via a standard interface to any one of a number of different bands 551a-b, 552a-b, 553a-b, 554a-b, and 555a-b. In addition, each of the three devices may be configured to connect via a standard interface to another type of non-band component, such as a lug 556a-b, non-band component, or other device.

[0113] As shown in FIG. 5, the system 500 may include a body or device that is adapted to attach to one or more bands, straps, or other similar component that may be used to attach the device to the body of a user. In some embodiments, the device may be interchangeable or interchanged to provide a different set of functions or features. In some embodiments, the bands or attachment components may be interchangeable or interchanged to provide desired functionality or features.

[0114] In the example depicted in FIG. 5, each of the devices includes at least one receiving feature 504 that is configured to interconnect with a corresponding feature 502 that is attached to or integrally formed with the end of each of the bands or other mating parts. In some embodiments, receiving feature 504 includes a channel or groove that is formed in one end of the device body. The mating feature 502 of a respective band or component may be configured to

slidably engage with the receiving feature 504 of a respective device body to attach the band or component. An example receiving feature is described in more detail below with respect to FIGs. 25A-C. In some embodiments, the receiving feature 504 and the mating feature 502 are standardized in the system 500 and, thus, any of the bands (551a-b, 552a-b, 553a-b, 554a-b, and 555a-b) can be interchangeably used with any of the device bodies 515, 525, 535.

[0115] With respect to FIG. 5, each of the bands may be formed from a different material or using a different construction. In the present example, bands 551a-b may be formed from a textile material that may be constructed from a pattern of thread or fiber material. The textile material may include a variety of materials, including natural fibers, synthetic fibers, metallic fibers, and so on. The bands 552a-b may be formed from a woven material and may be constructed from an array of warp fibers or threads interwoven with one or more weft fibers or threads. Similarly, the warp and weft fibers may include a variety of materials, including natural fibers, synthetic fibers, metallic fibers, and so on. The bands 553a-b may be formed from leather material 553a-b. In one example, the bands 553a-b are formed from a sheet or strip of cowhide; however, the bands 553a-b may also be formed from one of any number of types of animal hide. The leather material 553a-b may also include a synthetic leather material, such as vinyl or plastic. The bands 554a-b may be formed from a metallic mesh or link construction. For example the bands 554a-b may be formed from a Milanese mesh or other similar type of construction. The bands 555a-b may be formed from a silicone or other elastomer material.

[0116] In some cases, the band is a composite construction including various materials, which may be selected based on the end use or application. In some embodiments, a first band strap, or a first portion of the first band strap, may be made up of a first material and a second band strap, or a second portion of the second band strap, may be made from a second, different material. The band may also be made up of a plurality of links and, as such, the band may be resizable by, for example, adding or removing links. Example bands and band constructions are provided below in Section 12.

[0117] In the system 500, an interchangeable band may allow for individual customization of the device or to better adapt the device for a range of uses or applications. In some instances, the type of band that is selected and installed can facilitate a particular user activity. For example,

band 551a-b may be formed from a textile material and include a durable clasp that may be particularly well suited for exercise or outdoor activities. Alternatively, as discussed above the band 554a-b may be formed from a metallic material and include a thin or low-profile clasp that may be well suited for more formal or fashion-focused activities.

[0118] In some embodiments, the band may be coupled to a separate component having the mating feature 502. The band may be coupled using pins, holes, adhesives, screws, and so on. In yet other embodiments, the band may be co-molded or overmolded with at least a portion of the component having the mating feature 502. In some embodiments, the band is coupled to the component via a pin that allows the straps to rotate with respect to the component. The pin may be formed integrally with or disposed in a loop formed in the end of the band.

[0119] In the example system 500, each of the bands is shown as having a generic band clasp. However, the type of band clasp that is used may vary between embodiments. On example band clasp may include a first band strap having a buckle or tang assembly which is configured to interface with a second band strap having a series of apertures or holes formed with the strap. Additionally or alternatively, the bands may include a magnetic clasp having one or more magnetic elements on a first band strap that is configured to mate to one or more magnetic or ferromagnetic elements on a second band strap.

[0120] As shown in FIG. 5, the system may include multiple device bodies 515, 525, 535 that may vary in size, shape, and composition. The device body 515, 525, 535 may include one or more of the embodiments described herein and may include, but is not limited to a wearable computer, a wearable watch, a wearable communication device, a wearable media player, a wearable health monitoring device, and/or the like. In particular, the device body may correspond to the device body described with respect to device body 610 of device 100 (shown in FIG. 6).

1. Example Wearable Electronic Device

[0121] FIG. 6 depicts an example wearable electronic device, which may include various aspects of the device(s) described above. In some embodiments, multiple modules or subsystems are physically and operationally integrated together to provide particular functionality or device

features. In particular, the interaction between the subsystems, or the subsystems themselves, may be configurable by the user, manufacturer, or vendor to adapt the device to produce certain functionality. Some example combinations and interactions between the various modules and subsystems are expressly provided in the present description. However, the combinations and interactions provided herein are merely illustrative in nature and are not intended to be limiting on the scope of the disclosure.

[0122] FIG. 6 depicts an example configuration of a wearable electronic device 100. In particular, FIG. 6 depicts an electronic wearable device 100 including a device body 610 that may be configured to be attached to the wrist of a user using a band assembly 620. This configuration may also be referred to herein as a wearable device, a device, an electronic wristwatch, or an electronic watch. While these terms may be used with respect to certain embodiments, the functionality provided by the example electronic wearable device 100 may be substantially greater than or vary with respect to many traditional electronic watches or timekeeping devices.

[0123] In the present example, the exterior surface of the device body 610 is defined, in part, by the exterior surface of the housing 601 and the exterior surface of the cover 609. In the example depicted in FIG. 6, the device body 610 is substantially rectangular with round or curved side portions. The outer surfaces of the cover 609 and the housing 601 coincide at a joint interface and cooperate to form a continuous contoured surface. The continuous contoured surface may have a constant radius and may be tangent to a flat middle portion of the cover 609 and/or a flat bottom portion of the housing 601. In some embodiments, the cover 609 has substantially the same shape as a flat bottom portion and at least a portion of the curved side portions of the housing 601. A more complete description of the geometry of the cover 609 and the housing 601 is provided below with respect to FIGs. 7 and 8.

[0124] In the example of FIG. 6, the device 100 includes a display (item 120 of FIG. 2) that is disposed at least partially within an opening or cavity defined within a top portion of the housing 601 of the device body 610. The display may be formed from a liquid crystal display (LCD), organic light emitting diode (OLED) display, organic electroluminescence (OEL) display, or other type of display device. The display may be used to present visual information to the user

and may be operated in accordance with one or more display modes or the software applications being executed on the device 100. By way of example, the display may be configured to present the current time and date similar to a traditional watch or timepiece. The display may also present a variety of other visual information that may correspond to or be produced using one of the other modules in the device 100. For example, the display may be configured to display one of a variety of notification messages, which may be generated based on data received from the one or more sensors, the wireless communication system, or other subsystem of the device 100. The display may also be configured to present visual information or data that is based on the output of one or more sensor outputs. The display may also provide status or information related to a wireless charging process or battery power. The display may also present visual output or information related to media being produced using a speaker or acoustic module of the device 100. Accordingly, a variety of other types of visual output or information may be presented using the display.

[0125] In the current example, the display includes or is integrated with a cover 609 that helps to protect the display from physical impact or scratches. In the field of wearable devices, the cover 609 may also be referred to generically as a crystal or cover glass, regardless of the material that is used to form the cover 609. In some cases, the cover 609 is formed from a sheet or block of sapphire material. Sapphire may provide superior optical and surface hardness properties as compared to other materials. In some cases, the sapphire material has a hardness of approximately 9 on the Mohs scale. In alternative embodiments, the cover 609 is formed from a glass, polycarbonate, or other optically transparent material. The cover 609 may also be coated with one or more optical or mechanical enhancing materials or surface treatments. For example, interior and/or exterior surfaces of the cover 609 may be coated with an anti-reflective (AR), oleophobic or other coating to enhance the visible or functional properties of the display. Additionally, in some cases, the cover 609 may be configured to cooperate with an antenna used to facilitate wireless communication with an external device. FIGs. 21A-B, described in more detail below, provide one example embodiment of a cover configured to cooperate with an antenna.

[0126] In the example depicted in FIG. 6, the cover 609 is formed from a transparent material and, when assembled has an external surface and an internal surface. The cover 609 is disposed

above the display and encloses a cavity or opening formed in the top portion of the housing 601. In some embodiments, the external surface of the cover 609 cooperates with the external surface of the housing to form a substantially continuous external peripheral surface of the electronic device. As shown in FIG. 6, the external surface of the cover 609 has a flat middle portion at the center of the cover, which extends outwardly. The cover 609 also includes a curved edge portion that emanates from and surrounds the flat middle portion and extends outwardly to an edge at the side of the cover 609. In some embodiments, the cover 609 also includes an opaque mask disposed relative to the internal surface of the transparent cover. The opaque mask may correspond to or otherwise define the viewable area of the display 120. The mask may have an outer boundary that is located proximate the edge of the side of the cover 609 and has an inner boundary located within the curved edge portion of the cover 609.

[0127] As shown in FIG. 6, the cover 609 is disposed relative to a top portion of the housing 601. The housing 601 includes a top portion defining an opening, which is surrounded by a curved side portion. In the present example, the curved edge portion of the cover 609 coincides with the curved side portion of the housing 601 to form a continuous external surface of the electronic device 100. In some instances, the cover 609 may have a contour that follows or otherwise corresponds to a similar contour of the housing 601 to form a substantially continuous surface at the interface between the two components. As shown in FIG. 6, the cover 609 protrudes above the housing 601.

[0128] In some instances, the cover 609 is disposed relative to a touch sensor (item 702 of FIG. 7). In some embodiments, the touch sensor may be integrated with the display or other element of the device 100. The touch sensor may be formed from one or more capacitive sensor electrodes or nodes that are configured to detect the presence and/or location of an object or the user's finger that is touching or nearly touching the surface of the display. In some cases, the touch sensor includes an array of sensing nodes formed in accordance with a mutual capacitance sensing scheme.

[0129] In one example, the touch sensor may include an array of mutual capacitance touch nodes that can be formed by a two-layer electrode structure separated by a dielectric material. One layer of electrodes may comprise a plurality of drive lines and another layer of electrodes may

comprise a plurality of sense lines, and where the drive lines and the sense lines cross, mutual capacitive sense nodes are formed (also referred to as coupling capacitance). In some implementations, the drive lines and sense lines may cross over each other in different planes separated from one another by a dielectric. Alternatively, in other embodiments the drive lines and sense lines can be formed substantially on a single layer. An example touch sensor and touch-sensing node are described in more detail below with respect to FIGs. 14A-C and 15A-B.

[0130] Alternatively or additionally, the touch sensor may include one or more self-capacitive nodes or electrodes that are configured to detect a discharge of electrical current or charge when an object, such as a user's finger, contacts or nearly contacts a surface of the housing 601 or other surface of the device 100. Other types of electronically sensing nodes, including resistive, inductive, or the like, may also be integrated into a surface of the device 100.

[0131] In some embodiments, the device 100 may also include a force sensor (item 705 of FIG. 7). The force sensor may be disposed relative to the display 120 or integrated with other elements of the device 100. In some cases, the force sensor includes one or more force sensing structures or force-sensing nodes for detecting and measuring the magnitude of a force or pressure due to a touch on a surface of the device 100. The force sensor may be formed from or implement one or more types of sensor configurations. For example, capacitive and/or strain based sensor configurations may be used alone or in combination to detect and measure the magnitude of a force or pressure due to a touch. As described in more detail below, a capacitive force sensor may be configured to detect the magnitude of a touch based on the displacement of a surface or element on the device. Additionally or alternatively, a strain-based force sensor may be configured to detect the magnitude of a touch based on the deflection. Example force sensor and force-sensing modules are described in more detail below with respect to FIGs. 9-12.

[0132] As shown in FIG. 6, the device 100 also includes device body 610 including a housing 601 that upon which may be mounted or integrated with various components of the device 100. The housing 601 serves to surround at a peripheral region as well as support the internal components of the product in their assembled position. In some embodiments, the housing 601 may enclose and support internally various components (including for example integrated circuit chips and other circuitry) to provide computing and functional operations for the device 100.

The housing 601 may also help define the shape or form of the device. That is, the contour of the housing 601 may embody the outward physical appearance of the device. As such, it may include various ornamental and mechanical features that improve the aesthetical appearance and tactile feel of the device. For example, the housing 601 may include a contoured surface that includes rectilinear contours, curvilinear contours, or combinations thereof. The housing 601 may also include various surface features, including textures, patterns, decorative elements, and so on.

[0133] In the present example, the housing 601 is formed from a single piece, which may also be referred to as single-body, unitary, or uni-body design or construction. By utilizing a single-body construction, the structural integrity of the device may be improved as compared to a multi-piece construction. For example, a single body may be more easily sealed from contaminants as compared to a multi-piece enclosure. Additionally, a single-body enclosure may be more rigid due, in part, to the absence of joints or seams. The rigidity of the housing 601 may be further enhanced by increasing the material thickness in areas where mechanical stress may be greatest, while also maintaining or thinning other areas where mechanical stress may be lower or reduced. Variations in the thickness of the housing 601 may be possible by machining or casting the housing 601 as a single piece. Additionally, a single-body housing 601 may include one or more features for mounting or integrating the internal components of the device 100, which may facilitate manufacturing and/or assembly of the device 100.

[0134] An example housing 601 is described in more detail below with respect to FIG. 8. The housing 601 may be formed from a variety of materials, including, without limitation plastic, glass, ceramics, fiber composites, metal (e.g., stainless steel, aluminum, magnesium), other suitable materials, or a combination of these materials. Further, the housing 601 may include a surface treatment or coating, which may be formed from a variety of materials, including, without limitation aluminum, steel, gold, silver and other metals, metal alloys, ceramics, wood, plastics, glasses, and the like.

[0135] As discussed above, the display, the touch sensor, and force sensor may be disposed within the housing 601. In this example, one or more buttons 644 and a crown 642 used to receive user input may also be disposed within or relative to the housing 601. Other types of

user input, including for example, one or more dials, slides, or similar user input devices or mechanisms may also be disposed within or relative to the housing 601. As described in more detail with respect to FIGs. 7 and 8, the housing 601 may include various features for attaching and mounting the subassemblies and modules of the device 100. In particular, the housing 601 may have one or more openings for receiving the cover 609, the display, the force sensor, or other components. The housing 601 may also include one or more holes or openings for receiving the button 644 and crown 642 that are located around the perimeter of the device 100. In some embodiments, the housing 601 also includes internal features, such as bosses and threaded portions, that can be used to attach modules or components within the housing 601.

[0136] The device 100 may also include an ambient light sensor (ALS) that is configured to detect and measure changes in ambient lighting conditions. The ALS may include a photodiode and one or more optical elements or lenses for collecting light. An ALS may be located on an external facing surface that is less likely to be blocked when the device is worn or in use. The ALS may be used to adjust settings, including screen brightness and other visual output depending on the overall lighting conditions.

[0137] The housing 601 may also include one or more motion-sensing elements or devices for detecting motion of the device 100. For example, the device 100 may include one or more accelerometers that are configured to sense acceleration or changes in motion. Additionally or alternatively, the device 100 may include one or more gyroscopic sensors that are configured to detect changes in direction. In some cases, the one or more gyroscopic sensors may include a spinning mass that can be used to detect changes in angular velocity. Multiple motion-sensing elements may be used to detect motion along multiple directions or axes. The motion sensors may also be used to identify motion gestures. For example, the motion sensors can be used to detect an arm raise or the position of a user's body (within a predetermined confidence level of certainty). The one or more motion-sensing elements may be used to determine an orientation of the device relative to a known or fixed datum. For example, the device may include a compass and/or global positioning system (GPS) that can be used to identify an absolute position. The one or more motion sensing elements may then measure deviation or movement with respect to the absolute position to track movement of the device or the user wearing the device. In some implementations, the one or more motion-sensing elements are used to detect gross movement of

the device or user. The gross movement may be used as a pedometer or activity meter, which may be tracked over time and used to calculate a health metric or other health-related information.

[0138] Described in more detail with respect to FIG. 8, the housing 601 may also include one or more openings or orifices coupled to an acoustic module or speaker 122, which may include a speaker and/or a microphone subassembly. Although the housing 601 may include one or more openings or orifices, the housing 601 may still be substantially waterproof/water resistant and may be substantially impermeable to liquids. For example, the opening or orifice in the housing or enclosure may include a membrane or mesh that is substantially impermeable to liquid ingress. Additionally or alternatively, the geometry of the opening or orifice and other internal features of the housing 601 may be configured to reduce or impede the ingress of liquid or moisture into the device 100. In one example, the opening is formed from one or more orifices that are offset with respect to an internal acoustic chamber or cavity, which may prevent a direct path from the outside of the housing 601 into the acoustic module.

[0139] As shown in FIG. 6, the device 100 includes a device body 610 that may be attached to a user's wrist using a band 620. In the present example, the band 620 include a first band strap 621 attached to a first receiving feature 623 and a second band strap 622 attached to a second receiving feature 624. In some embodiments, the first and second band straps 621, 622 include a lug feature that is configured to attach to the first and second receiving features 623, 624, respectively. As shown in FIG. 6, the free ends of the band straps 621, 622 are connected with a clasp 625.

[0140] The band straps 621, 622 are formed from a flexible or compliant material that may be specially configured for a particular application. The band straps 621, 622 may be formed from a variety of materials, including, for example, leather, woven textiles, or metallic mesh materials. The material and construction of the band straps 621, 622 may depend on the application. For example, the band straps 621, 622 may be formed from a woven textile material configured for exposure to impact and moisture typically associated with outdoor activities. In another example, the band straps 621, 622 may be formed from a metallic mesh material that may be

configured to have a fine finish and construction that may be more appropriate for professional or social activities.

[0141] Similarly, the clasp 625 of the band 620 may be configured for a particular application or to work with a particular style of band. For example, if the band straps 621, 622 are formed from a metallic mesh material, the clasp 625 may include a magnetic clasp mechanism. In the present example, the device 100 is configured to be attached to the wrist of a user. However, in alternative embodiments, the device may be configured to be attached to the arm, leg or other body part of the user.

[0142] The housing 601 includes one or more features for attaching the band straps 621, 622. In the present example, the housing 601 includes a first receiving feature 623 and a second receiving feature 624 for attaching the first band strap 621 and the second band strap 622, respectively. In this example, the band straps 621, 622 include a lug portion that is adapted to mechanically engage with the receiving features 623, 624. A more detailed description of the receiving features and lugs is provided below with respect to FIGs. 25A-C. As shown in FIG. 6, the first 623 and second receiving features 624 may be integrally formed into the housing 601. In alternative embodiments, the receiving features may be formed from separate parts and may be attached to the housing 601 during manufacturing. In some embodiments, the receiving features 623, 624 may be configured to release the band straps 621, 622 from the device body 610 (e.g., the housing 601). For example, one or both of the receiving features 623, 624 may include a button or slide, which may be actuated by the user to release a corresponding band strap 621 and 622. One advantage of a releasable lug is that the user can swap between a variety of bands that may be specially configured for a particular use scenario. For example, some bands may be specially configured for sport or athletic activities and other bands may be configured for more formal or professional activities.

[0143] The device 100 may also include a rear cover 608 located on the rear-facing surface of the housing 601 of the device body 610. The rear cover 608 may improve the strength and/or scratch resistance of the surface of the device 100. For example, in some embodiments, the rear cover 608 may be formed from a sapphire sheet, zirconia, or alumina material having superior scratch resistance and surface finish qualities. In some cases, the sapphire material has a

hardness greater than 6 on the Mohs scale. In some cases, the sapphire material has a hardness of approximately 9 on the Mohs scale. Due to the superior strength of the sapphire material, a cover glass formed from a sapphire sheet may be very thin. For example, the thickness of a sapphire cover sheet may be less 300 microns thick. In some cases, the thickness of a sapphire cover sheet may be less than 100 microns thick. In some cases, the thickness of a sapphire cover sheet may be less than 50 microns thick. In some embodiments, the rear cover 608 is contoured in shape. For example, the rear cover 608 may have a convex curved surface.

[0144] FIG. 7 depicts an example exploded view of various modules and subassemblies of the device 100. As shown in FIG. 7, multiple components are configured to be disposed within and/or attached to the housing 601. The exploded view provided in FIG. 7 depicts one example arrangement of the components of the device 100. However, in other embodiments, arrangement, placement, and/or grouping of the subassemblies and the components of the subassemblies may vary.

[0145] In the present example, a main cavity of the housing 601 houses an electronics subassembly 720 and the battery 114 of the device. The electronics subassembly 720 includes one or more electrical circuit assemblies for coupling the various electrical components of the device 100 to each other and to power supplied by the battery 114. The electronics subassembly 720 may also include structural elements or components that provide structural rigidity for the electronics subassembly 720 and/or structural mounting or support for other components disposed within the housing 601. As shown in FIG. 7, within the cavity of the housing 601, the speaker 122, the crown module 642, and the battery 114 are all disposed above the electronics subassembly 720. In the present embodiment the top surface of the speaker 122, the crown module 642, and the battery 114 have a substantially similar height. In some embodiments, the speaker 122, the crown module 642, and the battery 114, when assembled in the housing 601, define an area for the display 120 within the cavity. Thus, as shown in FIG. 7, the display 120 may overlay the speaker 122, the crown module 642, and the battery 114, which overlay the electronics subassembly 720.

[0146] As shown in FIG. 7, the cover 609 is configured to fit within a corresponding recess formed within the housing 601. In particular, the cover 609 includes a vertical portion having a

height that corresponds to the depth of the recess formed within the housing 601. In this example, the device 100 includes a force sensor 705 disposed between the housing 601 and a cover subassembly 704. As described in more detail below with respect to FIGs. 9 and 10A-B, the force sensor 705 may be configured to detect a force placed on a surface of the cover 609 by detecting a relative deflection between the cover 609 (or cover subassembly 704) and the housing 601. In the present example, the force sensor 705 also forms a gasket or seal between the cover subassembly 704 and the housing 601. In some implementations, the seal is a water-proof or water-resistant seal that helps to prevent water or liquid ingress into the internal cavity of the housing 601. The force sensor 705 may also be used to join the cover subassembly 704 to the housing 601 using an adhesive or film.

[0147] In some embodiments, the cover subassembly 704 includes the cover 609 which is disposed above the touch sensor 702 and display 120. In the present example, the touch sensor 702 and the display 120 are attached to each other by an optically clear adhesive layer (OCA). Similarly, an OCA layer is used to attach the touch sensor 702 to the cover 609. Other adhesives or bonding techniques may be used to attach the display 120 and the touch sensor 702 to the cover 609. In some embodiments, the touch sensor 702 is integrated into the display 120 and the display 120 (and integrated touch sensor 702) are attached to the cover 609.

[0148] As shown in FIG. 7, the speaker 122 is also disposed within the cavity of the housing 601. The speaker 122 is adapted to mechanically and acoustically interface with a port formed in the side of the housing 601. In some embodiments, the port is configured to prevent a direct path for water or liquid into an acoustic chamber or cavity of the speaker 122. In some embodiments, the device 100 also includes a microphone that is similarly coupled to another port formed in the side of the housing 601. A more detailed description of the speaker 122 and microphone is provided below with respect to the acoustic module of FIG. 20.

[0149] In the present example, the haptic device 112 is also disposed within the cavity of the housing 601 proximate to the speaker 122. In some embodiments, the haptic device 112 is rigidly mounted to a portion of the housing 601. A rigid mounting between the housing 601 and the haptic device 112 may facilitate the transmission of vibrations or other energy produced by the haptic device 112 to the user. In the present example, the haptic device 112 includes a

moving mass that is configured to oscillate or translate in a direction that is substantially parallel with a rear face of the housing 601. In some implementations, this orientation facilitates the perception of a haptic output produced by the haptic device 112 by a user wearing the device 100. While this configuration is provided as one example, in other implementations, the haptic device 112 may be placed in a different orientation or may be configured to produce a haptic response using a rotating mass or other type of moving mass.

[0150] As shown in FIG. 7, the device also includes an antenna subassembly 722. In this example, a portion of the antenna subassembly 722 is disposed within the housing 601 and a portion of the antenna subassembly 722 is disposed within the cover assembly. In some implementations, a portion of the antenna subassembly 722 is disposed relative to a feature formed within the cover 609. An example embodiment is described in more detail below with respect to FIGs. 21A-B.

[0151] In the example depicted in FIG. 7, the device 100 also includes a crown module 642 which is disposed in an aperture or hole in the housing 601. When installed, a portion of the crown module 642 is located outside of the housing 601 and a portion of the crown module 642 is disposed within the housing 601. The crown module 642 may be configured to mechanically and/or electrically cooperate with the electronics subassembly 720. A more detailed description of an example crown module is provided below with respect to FIGs. 23 and 24A-B. The housing 601 also includes a button 644, which is disposed in an opening of the housing 601 and may be configured to mechanically and/or electrically cooperate with the electronics subassembly 720.

[0152] In the example depicted in FIG. 7, a biosensor module 710 is disposed in an opening formed in the rear surface of the housing 601. In some embodiments, the biosensor module 710 includes the rear cover 608 and may also include a chassis or plate that facilitates attachment of the biosensor module 710 to the housing 601. The chassis or plate or the cover sheet 608 may also include features or elements that facilitate a watertight seal between the biosensor module 710 and the housing 601. For example, the rear cover 608 may include a shelf or flange that may be used to form a seal between the biosensor module 710 and the housing 601. As described in more detail below with respect to FIG. 16, the biosensor module 710 may include one or more

light sources, one or more photodetectors, and one or more electrodes or conductive elements that are configured to detect and measure a physiological condition or property of the user.

[0153] In some embodiments, the rear cover 608 has an edge that protrudes outwardly from the back surface of the housing 601. The rear cover 608 may also have a convex curved area located between the edges of the rear cover 608. The convex curved area of the rear cover 608 may include one or more windows or apertures that provide operational access to one or more internal components located within the housing 601. In some embodiments, the windows have a curvature that matches the curvature of the convex curved area of the rear cover.

2. Example Housing

[0154] As described above, a wearable electronic device may include a device body that includes a housing or enclosure shell. As previously described, the housing may function as a chassis that physically integrates the various components of the device. The housing may also form a protective shell or housing for the components and function as a barrier against moisture or debris. In the present examples, the housing is formed as a uni-body, unitary, or single body or component. A single-body construction may be advantageous by providing mounting features directly into the housing, which may reduce space, reduce part count, and increase structural rigidity as compared to some alternative configurations. Additionally, a single-body construction may improve the housing's ability to prevent the ingress of moisture or debris by reducing or eliminating seams or joints between external components.

[0155] FIG. 8 depicts an example housing 601 in accordance with some embodiments. In the present example, the housing 601 is formed as a single body or component. As shown in FIG. 8, the housing 601 is formed as a single part or body. The housing 601 may be formed, for example, by machining or shaping a solid or cast blank having the approximate shape of the housing 601. In some implementations, the housing 601 may be configured to provide structural integrity for potentially delicate internal components and also withstand a reasonable impact.

[0156] In the present embodiment, the housing 601 is formed as a uni-body, unitary, or single-body construction having a flat bottom portion 801 and a top portion including flange 812. The top portion defines an internal cavity 805, which is surrounded by four sides 802a-d that are

integrally formed with the bottom portion 801. The internal cavity 805 can also be described as being defined by the top portion, the four sides 802a-d and the bottom portion 801. In this example, the internal cavity 805 has a rectangular (square) shape, although the specific shape may vary with different implementations. In the present example, the four sides 802a-d define a curved side portion of the housing 601 that extends from the bottom portion 801 to the top portion of the housing 601. Each side 802a-d is orthogonal to an adjacent side and each side 802a-d is connected to an adjacent side by a rounded corner. For example, side 802a is orthogonal to two adjacent sides 802b and 802d and is connected to those sides by respective rounded corners. The shape or contour of the rounded corners may correspond to the curvature of the curved portion of the housing 601. Specifically, the curvature of the rounded corners may match or correspond to the curvature of the continuous external surface formed by the housing 601 and the cover 609, as described above with respect to FIG. 6.

[0157] The sides 802a-d may vary in thickness in order to provide the structural rigidity for the device. In general, areas of high stress may have an increased material thickness as compared to areas of low stress, which may have a reduced material thickness. In particular, portions of the sides 802a-d near the bottom portion 801 may have an increased thickness as compared to portions of the sides 802a-d located further away from the bottom portion 801. This configuration may improve the structural rigidity and overall stiffness of the housing 601.

[0158] As shown in FIG. 8, one or more mounting features may be formed directly into the housing 601, which may reduce the number of parts and also enhance the structural integrity of the device. As shown in FIG. 8, receiving features 623, 624 may be formed as channels or openings that are configured to receive an end of a band (e.g., a lug) having a mating feature. As described above with respect to FIG. 5, the receiving features 623, 624 may be standardized and configured to work with a system of interchangeable components. Forming the receiving features 623, 624 directly into the housing 601 may reduce parts and also facilitate structural rigidity of the device.

[0159] In the example depicted in FIG. 8, the housing 601 can be described as having two ends (a first end and a second end opposite the first end), and a first side and a second side opposite the first side, the sides being continuous with the ends. In this example, the first and second ends

and the first and second sides having an outwardly curved three-dimensional shape. In this example, the receiving feature 623 is formed from a first groove situated in the first end. Similarly, the receiving feature 624 is formed from a second groove situated in the second end. In the present example the grooves have openings at the interface of the first and second sides and first and second ends. As shown in FIG. 8 the groove also has an inwardly curved concave three-dimensional shape with an undercut feature. For example, the middle portion of the groove of receiving features 623, 624 may have a width that is greater than the opening of the receiving features 623, 624. In some embodiments, the upper portion of the housing overhangs the lower portion of the housing at the groove opening. In the example depicted in FIG. 8, the groove is cut into a solid portion of the housing such that the groove forms a continuous interior shape.

[0160] The geometry of the receiving features may be located with respect to other features or components of the device. In the example depicted in FIG. 8, at least a portion of the groove of the receiving features 623, 624 may be disposed underneath the cover (item 609 of FIGs. 6-7). With respect to FIG. 6, the groove of the receiving features 623, 624 is located underneath the opening for the cover, which is defined by the sealing ledge 810 and flange 812 formed in the upper portion of the housing 601. In some embodiments, the length of the groove extends further than the width of the opening configured to receive the cover (and thus the cover, when assembled). In some embodiments, the grooves are formed at an angle relative to the centerline of the housing. In some cases, the angle is approximately 5 degrees. In some embodiments, the groove is located underneath the centerline of the housing 601. In some embodiments, the groove is angled upward toward the top of the housing 601 and inward toward the center of the housing 601. The groove 601 may angle upward and cross the centerline of the housing. In some cases, the groove crosses the vertical centerline of the housing 601.

[0161] In the present embodiment, the housing 601 also includes an aperture 821 formed into the side 802c of the housing 601 for attaching a crown or crown module (item 642 of FIGs. 6-7). In some embodiments, the aperture 821 for the crown is offset upwardly from the centerline of the housing 601. In some embodiments, the aperture 821 for the crown is positioned such that an upper portion of a crown (when installed) is higher than the interface of cover 609 and housing 601. With respect to FIG. 6, the interface may correspond to the upper edge of the flange 812.

[0162] The housing 601 also includes an opening 822 formed into the side 802c of the housing 601 for attaching the button (item 644 of FIGs. 6-7). In some embodiments, the aperture 821 for the crown and the opening 822 for the button are disposed with the length defined by a flat part of the cover. In some embodiments, the aperture 821 for the crown is disposed above the centerline of the housing 601 and the opening 822 for the button is disposed below the centerline of the housing 601. In some embodiments, the aperture 821 for the crown and the opening 822 for the button are disposed on a curved surface of the housing 601. The housing 601 may also include various other internal features, including threaded features and bosses, for attaching other internal components of the device.

[0163] In some cases, the housing 601 may be formed as a single-piece or integral enclosure shell to enhance the structural rigidity and/or liquid-sealing properties of the device. As described above with respect to FIGs. 6 and 7, the housing 601 may be integrated with a cover (e.g., crystal) and other external components to provide a substantially sealed housing. In the present embodiment, the housing 601, includes a sealing ledge 810 formed around the perimeter of the main cavity 805 formed within the housing 601. In some embodiments, the sealing ledge 810 (and thus the cover when installed) is located in the center of the housing 601. The sealing ledge 810 may be defined by a substantially flat portion 811 that is adapted to form a seal between the housing 601 and another component (e.g., the force sensor 705 or cover 609 of FIGs. 6-7). The sealing ledge 810 may be formed at a depth that is substantially similar or corresponds to the thickness of the mating cover.

[0164] As shown in FIG. 8, the sealing ledge 810 may also include flange 812 that protrudes from the flat portion and forms a continuous surface with the side walls 802a-d. In some cases, the flange 812 is configured to cooperate with the cover (item 609 of FIGs. 6-7) to form a substantially continuous surface. In some implementations, the sides 802a-d and the cover or crystal are configured to cooperate or mechanically interface to improve the strength and the water sealing properties of the device.

[0165] As also shown in FIG. 8, an opening or aperture 815 may be formed in the bottom portion 801 of the housing 601. In some embodiments, the opening or aperture 815 is located at the center of the housing 601. As described above with respect to FIG. 7, the aperture 815 may be

used to integrate a sensor array or other module used to collect measurements that may be used to compute a health metric or other health-related information. The present embodiment may be advantageous by integrating multiple components in a single opening 815, which may facilitate a water-proof or water-resistant property of the device. Additionally, by integrating a sensor array into a module that attaches via the opening 815, same housing 601 may be used with a variety of sensing configurations or arrays. For example, the number or sensors or components may be increased or decreased without modifying the housing 601. This may allow for flexibility in the product development and may facilitate upgrades as new sensing configurations are available.

[0166] As previously discussed above with respect to FIGs. 6-7, the housing 601 may also be configured to serve as a protective housing for one or more acoustic elements, such as a microphone or speaker. Additionally, in some embodiments, the housing 601 may also be configured to inhibit the ingress of foreign particulate or moisture. In particular, the housing 601 may include a speaker port having orifices 831, 832 that are configured to transmit acoustic signals but also prevent the ingress of liquid or other foreign particulate. In the present example, the speaker port includes orifices 831, 832 that are offset with respect to an acoustic chamber or cavity to prevent the direct ingress of liquid into the speaker subassembly or acoustic module. In the present example, a shielding or umbrella portion of the housing, which is substantially free of openings, is formed between the orifices 831, 832, which helps to prevent the direct ingress of liquid. Similarly, the housing 601 includes a microphone port having orifices 833, 834 that are offset from a corresponding acoustic chamber or cavity to prevent the direct ingress of liquid into the microphone subassembly or acoustic module.

[0167] In the example depicted in FIG. 8, the orifices 831, 832 of the speaker port are located on one side of the aperture 821 for the crown and the orifices 833, 834 for the microphone are located on the other side of the aperture 821. Both the orifices 831, 832 of the speaker port and the orifices 833, 834 for the microphone are located on a curved portion of the housing 601.

3. Example Force Sensor and Touch Sensor

[0168] As discussed previously, a wearable electronic device may include one or more sensors for detecting the location and force of a touch. For the purposes of the following description of the force sensor and touch sensor, the described device 100 is one example of that shown and

discussed above with respect to FIGs. 2-7. However, certain features of the device 100 including the external surface geometry, may be simplified or vary with respect to aspects of the device 100 discussed above.

[0169] In some embodiments, a force sensor and a touch sensor may be disposed relative to the display of a wearable electronic device for to form a touch-sensitive surface. The following description is provided with respect to individual force and touch sensors that may be used to determine the force and location of a touch, respectively. However, in some embodiments, a single integrated sensor may be used to detect both the force and location of a touch on the device.

[0170] In one embodiment, an output from a force sensor may be combined with a touch sensor to provide both location and force of a single touch or of multiple touches on the surface of a device. In an alternative embodiment, a hybrid or integrated force and touch sensor may be used to sense both touch force and location of a single touch or of multiple touches. In either embodiment, by sensing both the force and location of a touch, multiple types of user input may be generated and interpreted. In one example, a first touch may be correlated with a first force and a first touch location or gesture. Based on the magnitude of the force, the first touch may be interpreted as a first type of input or command. A second touch may be sensed as having a second, different force and a similar location or gesture as the first touch. Based in part on the magnitude of the second force, the second touch may be interpreted as a second type of input or command. Thus, a force sensor (alone or in combination with another touch sensor) may be used to produce different responses or outputs depending on the force of the touch.

[0171] The one or more force sensors may be formed from or may be implemented as one or more types of sensor configurations. For example, capacitive and/or strain based sensor configurations may be used alone or in combination to detect and measure the magnitude of a touch. As described in more detail below, a capacitive force sensor may be configured to detect the magnitude of a touch based on the displacement of a surface or element on the device. Additionally or alternatively, a strain-based force sensor may be configured to detect the magnitude of a touch based on a deflection of the surface, such as the cover glass.

[0172] By way of example, the force sensor may include a capacitive force sensor, which may be formed from one or more capacitive plates or conductive electrodes that are separated by a compressible element or other compliant member. As a force is applied to a surface of the device, the compressible element may deflect resulting in a predictable change in the capacitance between the plates or electrodes. In some implementations, a capacitive force sensor may be formed from transparent materials and disposed over the display. In other implementations, a capacitive force sensor may be formed from non-transparent materials and disposed beneath or around the perimeter of a display.

[0173] FIG. 9 depicts a detail cross-sectional view of a portion of a force sensor 900 that may be arranged around the perimeter of a display 120. As shown in FIG. 9, a force-sensing structure 901 of the force sensor 900 may be disposed beneath the cover 609 and along the side of an edge or the perimeter of the display 120. In this example, the force sensor 900 is configured to detect and measure the force of a touch on the surface 911 of the cover 609. In the present embodiment, a first capacitive plate 902 is fixed with respect to the cover 609. A second, lower capacitive plate 904 is fixed with respect to the housing 601 and may be disposed on a shelf or mounting surface located along the perimeter of the device. The first capacitive plate 902 and the second capacitive plate 904 are separated by a compressible element 906.

[0174] In the configuration depicted in FIG. 9, a touch on the surface 911 of the device may cause a force to be transmitted through the cover 609 of the device and to the force sensor 900. In some cases, the force causes the compressible element 906 to compress, thereby bringing the first capacitive plate 902 and the second capacitive plate 904 closer together. The change in distance between the first and second capacitive plates 902, 904 may result in a change of capacitance, which may be detected and measured. For example, in some cases, a force-sensing circuit may measure this change in capacitance and output a signal that corresponds to the measurement. A processor, integrated circuit or other electronic element may correlate the circuit output to an estimate of the force of the touch. Although the term "plate" may be used to describe certain elements, such as the capacitive plates or conductive electrodes, it should be appreciated that the elements need not be rigid but may instead be flexible (as in the case of a trace or flex).

[0175] FIG. 10A depicts an example configuration of the force sensor 1000 having four individual force-sensing structures 1001a-d arranged around the perimeter of a display in a device. For the sake of clarity, the crystal, display, and other elements of the device are omitted from the depiction of FIG. 10A. Each of the force-sensing structures 1001a-d may be formed from a pair of capacitive plates separated by a compressible element. Additionally, each force-sensing structure 1001a-d may be separated by a small gap at or near the corners of the opening in the housing 601. In the example depicted in FIG. 10A, the four individual force-sensing structures 1001a-d may each be operatively coupled to force-sensing circuitry that is configured to detect a change in the capacitance of each force-sensing structure 1001a-d. Using the example arrangement depicted in FIG. 10A, the approximate location of the touch may be determined by comparing the relative change in capacitance of each force-sensing structure 1001a-d. For example, a change in capacitance of structure 1001b that is larger as compared to a change in capacitance of structure 1001d may indicate that the touch is closer to structure 1001b. In some embodiments, the degree of the difference in the change in capacitance may be used to provide a more accurate location estimate.

[0176] While the configuration shown in FIG. 10A depicts the force-sensing structures as individual elements separated by a small gap, in some embodiments, the force-sensing structure may be formed as a single continuous piece. FIG. 10B depicts a force sensor 1050 formed as a single force-sensing structure 1051 formed as a continuous part along the perimeter of the display. Similar to the example described above, the force-sensing structure 1051 may be operatively coupled to force sensing circuitry that is configured to detect a change in the capacitance of one or more capacitive elements of the force-sensing structure 1051. While the force-sensing structure 1051 is formed as a continuous structure, there may be multiple sensing elements (e.g., capacitive plates) that are disposed within the structure at different locations, and which may be configured to detect deflection or compression of the structure over a portion of entire area of the force-sensing structure 1051. In some embodiments, the force-sensing structure 1051 may also function as a seal or gasket to prevent ingress of moisture or other foreign contaminants into the main cavity of the housing. Additionally, the force-sensing structure 1051 may be integrated with one or more sealing or adhesive layers that also function as a barrier for foreign contaminants.

[0177] As mentioned previously, the force sensor may additionally or alternatively include a strain-based sensing configuration. The strain-based sensing configuration may include, for example, a charge-based or resistive sensor configuration. FIG. 11 depicts a cross-sectional view of a device having an example force sensor 1100 that uses one or more force-sensitive films to detect and measure the force of a touch on a surface 1111 of the cover 609. In this example, the force sensitive film 1102 and 1104 are formed from a transparent material and are disposed relative to a viewable portion of the display 120. As shown in FIG. 11, the force sensor 1100 includes a first force-sensitive film 1102 and a second force-sensitive film 1104 that are separated by one or more intermediate layers 1106. The force-sensitive films 1102, 1104 may be configured to produce different electrical outputs in response to a strain or deflection of the cover 609. In some cases, the intermediate layer 1106 is compressible to allow the first force-sensitive film 1102 to deflect with respect to the second force-sensitive film 1104. In other cases, the intermediate layer 1106 may not be compressible and the first force-sensitive film 1102 deflects in a predictable manner with respect to the second force-sensitive film 1104. While FIG. 11 depicts an example force sensor 1100 having two force-sensitive films, alternative embodiments may include only a single force-sensitive film or, alternatively, include more than two force-sensitive films.

[0178] In general, a transparent force-sensitive film may include a compliant material that exhibits an electrical property that is variable in response to deformation or deflection of the film. The transparent force-sensitive film may be formed from a piezoelectric, piezo-resistive, resistive, or other strain-sensitive materials. Transparent resistive films can be formed by coating a substrate with a transparent conductive material. Potential transparent conductive materials include, for example, polyethyleneioxythiophene (PEDOT), indium tin oxide (ITO), carbon nanotubes, graphene, silver nanowire, other metallic nanowires, and the like. Potential substrate materials include, for example, glass or transparent polymers like polyethylene terephthalate (PET) or cyclo-olefin polymer (COP). Typically, when a piezo-resistive or resistive film is strained, the resistance of the film changes as a function of the strain. The resistance can be measured with an electrical circuit. In this way, a transparent piezo-resistive or resistive film can be used in a similar fashion as a strain gauge.

[0179] If transparency is not required, then other film materials may be used, including, for example, Constantan and Karma alloys for the conductive film and a polyimide may be used as a substrate. Nontransparent applications include force sensing on track pads or the back of display elements. In general, transparent and non-transparent force-sensitive films may be referred to herein as "force-sensitive films" or simply "films."

[0180] In some embodiments, the force-sensitive film is patterned into an array of lines, pixels, or other geometric elements herein referred to as film elements. The regions of the force-sensitive film or the film elements may also be connected to sense circuitry using electrically conductive traces or electrodes. FIG. 12 depicts a cross-sectional view a device having a strain-based force sensor 1200 formed from one or more strain pixel elements 1202 and 1204 separated by intermediate layer 1206. Each of the pixel elements 1202, 1204 may be separated by a gap 1210. In the present example, each pixel element 1202, 1204 may exhibit a measurable change in an electrical property in response to a force being applied to the device. By way of example, as a force is applied to a surface 1211 on the cover 609, one or more of the pixel elements 1202, 1204 is deflected or deformed. Sense circuitry, which is in electrical communication with the one or more pixel elements 1202, 1204, may be configured to detect and measure the change in the electrical property of the film due to the deflection. Based on the measured electrical property of the pixel elements 1202, 1204, an estimated amount of force can be computed. In some cases, the estimated force may represent the magnitude of a touch on the surface 1211 of the device, and be used as an input to a graphical user interface or other element of the device. Additionally, in some embodiments, the relative strain of the individual pixel elements may be compared to estimate a location of the touch. While FIG. 12 depicts an example force sensor 1200 having two layers of pixel elements, alternative embodiments may include only a single layer of pixel elements or, alternatively, include more than two layers of pixel elements.

[0181] The pixel elements 1202, 1204 may be specifically configured to detect strain along one or more directions. In some cases, each pixel element 1202, 1204 includes an array of traces generally oriented along one direction. This configuration may be referred to as a piezo-resistive or resistive strain gauge configuration. In general, in this configuration the force-sensitive-film is a material whose resistance changes in response to strain. The change in resistance may be due to a change in the geometry resulting from the applied strain. For example, an increase in length

combined with decrease in cross-sectional area may occur in accordance with Poisson's effect. The change in resistance may also be due to a change in the inherent resistivity of the material due to the applied strain. For example, the applied strain may make it easier or harder for electrons to transition through the material. The overall effect is for the total resistance to change with strain due to the applied force.

[0182] Further, in a piezo-resistive or resistive strain gauge configuration, each pixel may be formed from a pattern of the force-sensitive-film, aligned to respond to strain along a particular axis. For example, if strain along an x-axis is to be measured, the pixel should have a majority of its trace length aligned with the x-axis. By way of example, FIG. 13A depicts a pixel element 1302 having traces that are generally oriented along the x-axis and may be configured to produce a strain response that is substantially isolated to strain in the x-direction. Similarly, FIG. 13B depicts a pixel element 1304 having traces that are generally oriented along the y-axis and may be configured to produce a strain response that is substantially isolated to strain in the y-direction.

[0183] In some embodiments, the force-sensitive film may be formed from a solid sheet of material and is in electrical communication with a pattern of electrodes disposed on one or more surfaces of the force-sensitive film. The electrodes may be used, for example, to electrically connect a region of the solid sheet of material to sense circuitry. This configuration may be referred to as a piezo-strain configuration. In this configuration, the force-sensitive film may generate a charge when strained. The force-sensitive film may also generate different amounts of charge depending on the degree of the strain. In some cases, the overall total charge is a superposition of the charge generated due to strain along various axes.

[0184] As mentioned previously, a force sensor may be combined with a touch sensor that is configured to detect and measure the location of a touch on the surface of the device. FIG. 14A depicts a simplified schematic representation of an example mutual capacitance touch sensor. As shown in FIG. 14A, a touch sensor 1430 may be formed by an array of nodes 1402 formed at the intersection of an array of drive lines 1404 and sense lines 1406. In this example, stray capacitance C_{stray} may be present at each node 1402 (although FIG. 14A depicts only one C_{stray} for one column for purposes of simplifying the figure). In the example of FIG. 14A, AC stimuli

V_{stim} 1414, V_{stim} 1415 and V_{stim} 1417 can be at different frequencies and phases. Each stimulation signal on a row can cause a charge $Q_{sig}=C_{sig}\times V_{stim}$ to be injected into the columns through the mutual capacitance present at the affected nodes 1402. A change in the injected charge (Q_{sig_sense}) can be detected when a finger, palm or other object is present at one or more of the affected nodes 1402. V_{stim} signals 1414, 1415 and 1417 can include one or more bursts of sine waves. Note that although FIG. 14A illustrates rows 1404 and columns 1406 as being substantially perpendicular, they need not be aligned, as described above. Each column 1406 may be operatively coupled to a receive channel of a charge-monitoring circuit.

[0185] FIG. 14B depicts a side view of an exemplary node in a steady-state (no touch) condition according to examples of the disclosure. In FIG. 14B, electric field lines 1408 between a column 1406 and a row 1404 separated by dielectric 1410 is shown at node 1402.

[0186] FIG. 14C depicts a side view of an exemplary pixel in a dynamic (touch) condition. An object such as finger 1412 can be placed near node 1402. Finger 1412 can be a low-impedance object at signal frequencies, and can have an AC capacitance C_{finger} from the column trace 1406 to the body. The body can have a self-capacitance to ground C_{body} of about 200 pF, where C_{body} can be much larger than C_{finger}. If finger 1412 blocks some electric field lines 1408 between row and column electrodes (those fringing fields that exit the dielectric 1410 and pass through the air above the row electrode), those electric field lines can be shunted to ground through the capacitance path inherent in the finger and the body, and as a result, the steady state signal capacitance C_{sig} can be reduced by DC_{sig}. In other words, the combined body and finger capacitance can act to reduce C_{sig} by an amount DC_{sig} (which can also be referred to herein as C_{sig_sense}), and can act as a shunt or dynamic return path to ground, blocking some of the electric field lines as resulting in a reduced net signal capacitance. The signal capacitance at the pixel becomes C_{sig}-DC_{sig}, where DC_{sig} represents the dynamic (touch) component. Note that C_{sig}-DC_{sig} may always be nonzero due to the inability of a finger, palm or other object to block all electric fields, especially those electric fields that remain entirely within the dielectric material. In addition, it should be understood that as finger 1412 is pushed harder or more completely onto the touch sensor, finger 1412 can tend to flatten, blocking more and more of the electric fields lines 1408, and thus DC_{sig} may be variable and representative of how completely finger 1412 is pushing down on the panel (i.e., a range from "no-touch" to "full-touch").

[0187] Additionally or alternatively, the touch sensor may be formed from an array of self-capacitive pixels or electrodes. FIG. 15A depicts an example touch sensor circuit corresponding to a self-capacitance touch pixel electrode and sensing circuit. Touch sensor circuit 1509 can have a touch pixel electrode 1502 with an inherent self-capacitance to ground associated with it, and also an additional self-capacitance to ground that can be formed when an object, such as finger 1512, is in proximity to or touching the touch pixel electrode 1502. The total self-capacitance to ground of touch pixel electrode 1502 can be illustrated as capacitance 1504. Touch pixel electrode 1502 can be coupled to sensing circuit 1514. Sensing circuit 1514 can include an operational amplifier 1508, feedback resistor 1516, feedback capacitor 1510 and an input voltage source 1506, although other configurations can be employed. For example, feedback resistor 1516 can be replaced by a switch capacitor resistor. Touch pixel electrode 1502 can be coupled to the inverting input of operational amplifier 1508. An AC input voltage source 1506 can be coupled to the non-inverting input of operational amplifier 1508. Touch sensor circuit 1509 can be configured to sense changes in the total self-capacitance 1504 of touch pixel electrode 1502 induced by finger 1512 either touching or in proximity to the touch sensor panel. Output 1520 can be used by a processor to determine a presence of a proximity or touch event, or the output can be inputted into a discreet logic network to determine the presence of a touch or proximity event.

[0188] FIG. 15B depicts an example self-capacitance touch sensor 1530. Touch sensor 1530 can include a plurality of touch pixel electrodes 1502 disposed on a surface and coupled to sense channels in a touch controller, can be driven by stimulation signals from the sense channels through drive/sense interface 1525, and can be sensed by the sense channels through the drive/sense interface 1525 as well. After touch controller has determined an amount of touch detected at each touch pixel electrode 1502, the pattern of touch pixels in the touch screen panel at which touch occurred can be thought of as an "image" of touch (e.g., a pattern of fingers touching the touch screen). The arrangement of the touch pixel electrodes 1502 in FIG. 15B is provided as one example; however, the arrangement and/or the geometry of the touch pixel electrodes may vary depending on the embodiment.

[0189] As previously mentioned, a force sensor may be implemented alone or in combination with another type of touch sensor to sense both touch force and touch location, which may

enable more sophisticated user touch input than using touch location alone. For example, a user may manipulate a computer-generated object on a display using a first type of interaction using a relatively light touch force at a given touch location. The user may also interact with the object using a second type of interaction by using a relatively heavy or sharper touch force at the given location. As one specific example, a user may manipulate or move a computer-generated object, such as a window, using a relatively light touch force. Additionally or alternatively, the user may also select or invoke a command associated with the window using a relatively heavy or sharper touch force. In some cases, multiple types of interactions may be associated with multiple amounts of touch force.

[0190] Additionally, it may be advantageous for the user to be able to provide an analog input using a varying amount of force. A variable, non-binary input may be useful for selecting within a range of input values. The amount of force may, in some cases, be used to accelerate a scrolling operation, a zooming operation, or other graphical user interface operation. It may also be advantageous to use the touch force in a multi-touch sensing environment. In one example, the force of a touch may be used to interpret a complex user input performed using multiple touches, each touch having a different magnitude or degree of force. As a specific but non-limiting example, touch and force may be used in a multi-touch application that allows the user to play a varying tone or simple musical instrument using the surface of the device. In such a housing, the force of each touch may be used to interpret a user's interaction with the buttons or keys of a virtual instrument. Similarly, the force of multiple touches can be used to interpret a user's multiple touches in a game application that may accept multiple non-binary inputs at different locations.

4. Sensor or Biosensor Module

[0191] As described above with respect to FIG. 2, a wearable electronic device may include one or more sensors that can be used to calculate a health metric or other health-related information. For the purposes of the following description of the biosensor module, the described device 100 is one example of that shown and discussed above with respect to FIGs. 2-7. However, certain features of the device 100 including the external surface geometry, may be simplified or vary with respect to aspects of the device 100 discussed above.

[0192] In some embodiments, a wearable electronic device may function as a wearable health assistant that provides health-related information (whether real-time or not) to the user, authorized third parties, and/or an associated monitoring device. The wearable health assistant may be configured to provide health-related information or data such as, but not limited to, heart rate data, blood pressure data, temperature data, blood oxygen saturation level data, diet/nutrition information, medical reminders, health-related tips or information, or other health-related data. The associated monitoring device may be, for example, a tablet computing device, phone, personal digital assistant, computer, and the like.

[0193] In accordance with some embodiments, the electronic device can be configured in the form of a wearable electronic device that is configured or configurable to provide a wide range of functionality. As described above with respect to FIG. 2, the wearable electronic device 100 may include a processing units 102 coupled with or in communication with a memory 104, one or more communications channels 108, output devices such as a display 120 and speaker 122, one or more input components 106, and other modules or components. An example wearable electronic device 100 may be configured to provide or calculate information regarding time, health information, biostatistics, and/or status to externally connected or communicating devices and/or software executing on such devices. The device 100 may also be configured to send and receive messages, video, operating commands, and other communications.

[0194] With reference to FIG. 16, an example device 100 may include various sensors for measuring and collecting data that may be used to calculate a health metric or other health-related information. As one example, the wearable communication device can include an array of light sources 1611-1613 and a detector 1614 that are configured to function as an optical sensor or sensors. In one example, an optical sensor or sensors may implemented as a pairing of one or more light sources 1611-1613 and the detector 1614. In one example implementation, the detector 1614 is configured to collect light and convert the collected light into an electrical sensor signal that corresponds to the amount of light incident on a surface of the detector 1614. In one embodiment, the detector may be a photodetector, such as a photodiode. In other embodiments, the detector 1614 may include a phototube, photosensor, or other light-sensitive device.

[0195] In some cases, the one or more optical sensors may operate as a photoplethysmography (PPG) sensor or sensors. In some instances, a PPG sensor is configured to measure light and produce a sensor signal that can be used to estimate changes in the volume of a part of a user's body. In general, as light from the one or more light sources passes through the user's skin and into the underlying tissue, some light is reflected, some is scattered, and some light is absorbed, depending on what the light encounters. The light that is received by the detector 1614 may be used to generate a sensor signal, which may be used to estimate or compute a health metric or other physiological phenomena.

[0196] The light sources may operate at the same light wavelength range, or the light sources can operate at different light wavelength ranges. As one example, with two light sources, one light source may transmit light in the visible wavelength range while the other light source can emit light in the infrared wavelength range. In some cases, a modulation pattern or sequence may be used to turn the light sources on and off and sample or sense the reflected light. With reference to FIG. 16, the first light source 1611 may include, for example, a green LED, which may be adapted for detecting blood perfusion in the body of the wearer. The second light source 1612 may include, for example, an infrared LED, which may be adapted to detect changes in water content or other properties of the body. The third 1613 light source may be a similar type or different types of LED element, depending on the sensing configuration.

[0197] The optical (e.g., PPG) sensor or sensors may be used to compute various health metrics, including, without limitation, a heart rate, a respiration rate, blood oxygenation level, a blood volume estimate, blood pressure, or a combination thereof. In some instances, blood may absorb light more than surrounding tissue, so less reflected light will be sensed by the detector of the PPG sensor when more blood is present. The user's blood volume increases and decreases with each heartbeat. Thus, in some cases, a PPG sensor may be configured to detect changes in blood volume based on the reflected light, and one or more physiological parameters of the user may be determined by analyzing the reflected light. Example physiological parameters include, but are not limited to, heart rate, respiration rate, blood hydration, oxygen saturation, blood pressure, perfusion, and others.

[0198] While FIG. 16 depicts one example embodiment, the number of light sources and/or detectors may vary in different embodiments. For example, another embodiment may use more than one detector. Another embodiment may also use fewer or more light sources than are depicted in the example of FIG. 16. In particular, in the example depicted in FIG. 16, the detector 1614 is shared between multiple light sources 1611-1613. In one alternative embodiment, two detectors may be paired with two corresponding light sources to form two optical sensors. The two sensors (light source/detector pairs) may be operated in tandem and used to improve the reliability of the sensing operation. For example, output of the two detectors may be used to detect a pulse wave of fluid (e.g., blood) as it passes beneath the respective detectors. Having two sensor readings taken at different locations along the pulse wave may allow the device to compensate for noise created by, for example, movement of the user, stray light, and other effects.

[0199] In some implementation, one or more of the light sources 1611-1613 and the detector 1614 may also be used for optical data transfer with a base or other device. For example, the detector 1614 may be configured to detect light produced by an external mating device, which may be interpreted or translated into a digital signal. Similarly, one or more of the light sources 1611-1613 may be configured to transmit light that may be interpreted or translated into a digital signal by an external device.

[0200] Returning to FIG. 16, the device 100 may also include one or more electrodes to measure electrical properties of the user's body. In this example, a first electrode 1601 and second electrode 1602 are disposed on the rear face of the device 100. The first 1601 and second 1602 electrodes may be configured to make contact with the skin of the user's wrist when the device is being worn. As shown in FIG. 16, a third electrode 1603 and fourth electrode 1604 may be disposed along a periphery of the device body 610. In the configuration of FIG. 16, the third 1603 and fourth 1604 electrodes are configured to come into contact with the skin of the user's other hand (that is not wearing the device 100). For example, the third 1603 and fourth 1604 electrodes may be contacted when the user pinches the device 100 between two digits (e.g., a forefinger and thumb).

[0201] FIG. 16 depicts one example arrangement of electrodes. However, in other embodiments, one or more of the electrodes may be placed in locations that are different than the configuration of FIG. 16. For example, one or more electrodes may be placed on a top surface or other surface of the device 100. Additionally, fewer electrodes or more electrodes may be used to contact the user's skin, depending on the configuration.

[0202] Using the electrodes of the device, various electrical measurements may be taken, which may be used to compute a health metric or other health-related information. By way of example, the electrodes may be used to detect electrical activity of the user's body. In some cases, the electrodes may be configured to detect electrical activity produced by the heart of the user to measure heart function or produce an electrocardiograph (ECG). As another example, the electrodes of the device may be used to detect and measure conductance of the body. In some cases, the measured conductance may be used to compute a galvanic skin response (GSR), which may be indicative of the user's emotional state or other physiological condition. By way of further example, the electrodes may also be configured to measure other health characteristics, including, for example, a body fat estimate, body or blood hydration, and blood pressure.

[0203] In some embodiments, the optical sensors and electrodes discussed above with respect to FIG. 16 may be operatively coupled to sensing circuitry and the processing units 102 to define a health monitoring system. In this capacity, the processing units 102 may be any suitable type of processing device. In one embodiment, the processing units 102 include a digital signal processor. The processing units 102 may receive signals from the optical sensor(s) and/or electrodes and process the signals to correlate the signal values with a physiological parameter of the user. As one example, the processing units 102 can apply one or more demodulation operations to the signals received from the optical sensor. Additionally, the processing units 102 may control the modulation (i.e., turning on and off) of the light sources according to a given modulation pattern or sequence. The processing units 102 may also be used to calculate one or more biometrics or other heath related information.

[0204] In some implementations, the wearable electronic device may also receive sensor data or output from an external device. For example, an external mobile device having a global positioning system (GPS) may relay location information to the wearable device, which may be

used to calibrate an activity metric, such as a pedometer or distance calculator. Similarly, sensor output of the wearable electronic device may be transmitted to an external device to compute health-related information. For example, output from an accelerometer in the wearable electronic device may be used determine a body position or gesture, which may be relayed to an external device and used to compute health-related information, such as activity level.

[0205] In some embodiments, some or all of the biosensors may be integrated into a module that is separate from and attached to the housing 601 of the device 100. As described above with respect to FIG. 6, in some embodiments, the biosensors are disposed relative to or attached to a rear cover 608 that is formed from an optically transparent material and is configured to be positioned with the opening of the housing 601. In some embodiments, the rear cover 608 is disposed completely within the area of the cover so that the two components completely overlap when viewed from above. In some embodiments, the rear cover 608 has an edge that protrudes outwardly from the back surface of the housing 601. In some embodiments, an edge of the rear cover 608 extends past a flat portion of the back surface of the housing 601. The rear cover 608 may also have a convex, curved outer contour. The rear cover 608 may have a convex shape that is located within the center and surrounded by the edges of the rear cover 608. The convex curved area of the rear cover 608 may include one or more windows or apertures that provide operational access to one or more internal components located within the housing. For example, the rear cover 608 may include an array of windows, each window including an aperture or opening for a respective light source 1611-1613 and/or the detector 1614. In some embodiments, the windows have a curvature that matches the curvature of the convex curved area of the rear cover 608. In some embodiments, rear cover 608 includes a chamfered edge and a curved bottom surface, the windows being disposed within the curved surface. In some embodiments, two openings of the rear cover 608 are located along a first axis (e.g., an x-axis) and two openings are located along a second axis (e.g., a y-axis) that is transverse to the first axis.

5. Example Wireless Communications with External Devices

[0206] A wearable electronic device may include a functionality for performing wireless communications with an external device. For the purposes of the following description, the described device 100 is one example of that shown and discussed above with respect to FIGs.

2-7. However, certain features of the device 100, including the external surface geometry, may be simplified or vary with respect to aspects of the device 100 discussed above.

[0207] In some embodiments, the wireless communications are performed in accordance with a Near Field Communications (NFC) protocol. The communication may include an identification protocol and a secured data connection that can be used to identify the user, authorize activity, perform transactions, or conduct other aspects of electronic commerce.

[0208] FIG. 17 depicts an example system 1700 including a device 100 that is located proximate to a station 1710. The station 1710 may include a variety of devices, including, without limitation, a payment kiosk, a vending machine, a security access point, a terminal device, or other similar device. In some cases, the station 1710 is incorporated into a larger system or device. For example, the station 1710 may be incorporated into a security gate of a building or a payment center for a vending system.

[0209] As shown in FIG. 17, the device 100 is a wearable electronic device that may be placed proximate to the station 1710. In this example, a second device 1720 is carried by a user, and may also be placed proximate to the station 1710. In some embodiments, the device 100 and/or the second device 1720 includes a radio-frequency identification (RFID) system that is configured to enable one-way or two-way radio-frequency (RF) communications with the station 1710. The one- or two-way communication may include an identification of the device 100 and the station 1710 to initiate a secured data connection between the two devices. The secured data connection may be used to authorize a transaction between the user and an entity that is associated with the station 1710.

[0210] In some embodiments, the user may initiate a communication with the station 1710 by placing the device 100 near an active region on the station 1710. In some implementations, the station 1710 is configured to automatically detect the presence of the device 100 and initiate an identification process or routine. The RFID system of the device may include a unique identifier or signature that may be used to authenticate the identity of the user. As previously mentioned, the identification process or routine may be used to establish a secure data connection between the device 100 and the station 1710. The secure data connection may be used to authorize a purchase or download of data to or from the device 100. In some cases, the secure data

connection may be used to authorize the transfer of funds from a credit card or financial institution in exchange for a product that is associated with the station 1710. Other transactions or forms of electronic commerce may also be performed using the wireless communication between the device 100 and the station 1710.

6. Example Wireless Power System

[0211] As discussed above, a wearable electronic device may include an internal battery that is rechargeable using an external power source. For the purposes of the following description, the described device 100 is one example of that shown and discussed above with respect to FIGs. 2-7. However, certain features of the device 100, including the external surface geometry, may be simplified or vary with respect to aspects of the device 100 discussed above.

[0212] One challenge associated with small devices is that it may be difficult to incorporate an electrical port for coupling the device to an external power source. Because wearable electronic devices have limited space for an external connector, it may be advantageous to electrically couple to a device without a cable or external connector. In at least some embodiments, the wearable electronic device described herein may be configured to operate as a receiver in a wireless power transfer system.

[0213] A wireless power transfer system, one example of which is an inductive power transfer system, typically includes a power-transmitting structure to transmit power and a power-receiving structure to receive power. In some examples, a power-receiving electronic device includes or otherwise incorporates an inductive power-receiving element configured to receive wireless power and/or charge one or more internal batteries. Similarly, a charging device may include or otherwise incorporate an indicative power-transmitting element configured to wirelessly transmit power to the power-receiving electronic device. The charging device may be configured as a base or dock on which the power-receiving electronic device rests or to which it physically connects in some embodiments. In other embodiments, the charging device may be proximate the electronic device but not necessarily touching or physically coupled.

[0214] In many examples, the battery-powered electronic device may be positioned on an external surface of the power-transmitting device, otherwise referred to as a dock. In these

systems, an electromagnetic coil within the dock (e.g., transmit coil) may produce a time-varying electromagnetic flux to induce a current within an electromagnetic coil within the electronic device (e.g., receive coil). In many examples, the transmit coil may transmit power at a selected frequency or band of frequencies. In one example the transmit frequency is substantially fixed, although this is not required. For example, the transmit frequency may be adjusted to improve inductive power transfer efficiency for particular operational conditions. More particularly, a high transmit frequency may be selected if more power is required by the electronic device and a low transmit frequency may be selected if less power is required by the electronic device. In other examples, a transmit coil may produce a static electromagnetic field and may physically move, shift, or otherwise change its position to produce a spatially-varying electromagnetic flux to induce a current within the receive coil.

[0215] The electronic device may use the received current to replenish the charge of a rechargeable battery or to provide power to operating components associated with the electronic device. Thus, when the electronic device is positioned on the dock, the dock may wirelessly transmit power at a particular frequency via the transmit coil to the receive coil of the electronic device.

[0216] A transmit coil and receive coil may be disposed respectively within housings of the dock and electronic device so as to align along a mutual axis when the electronic device is placed on the dock. If misaligned, the power transfer efficiency between the transmit coil and the receive coil may decrease as misalignment increases. Accordingly, in many examples, the wireless power transfer system may include one or more alignment assistance features to effect alignment of the transmit and receive coils along the mutual axis.

[0217] FIG. 18 depicts a front perspective view of an example wireless power transfer system 1800 in an unmated configuration. The illustrated embodiment shows an inductive power transmitter dock 1802 that is configured to couple to and wirelessly transmit power to an inductive power receiver accessory, in this case device 100. The wireless power transfer system 1800 may include one or more alignment assistance features to effect alignment of the device 100 with the dock 1802 along a mutual axis. For example, the housings of the dock 1802 and the device 100 may assist with alignment. In one implementation, a portion of the housing of the

device 100 may engage and/or interlock with a portion of the housing of the dock 1802 in order to effect the desired alignment. In some embodiments, a bottom portion of the device 100 may be substantially convex and a top surface of the dock 1802 may be substantially concave. In other examples, the interfacing surfaces of the dock 1802 and the device 100 may be substantially flat, or may include one or more additional housing features to assist with effecting mutual alignment.

[0218] In some embodiments, one or more actuators in the dock 1802 and/or device 100 can be used to align the transmitter and receiver devices. In yet another example, alignment assistance features, such as protrusions and corresponding indentations in the housings of the transmitter and receiver devices, may be used to align the transmitter and receiver devices. The design or configuration of the interface surfaces, one or more alignment assistance mechanisms, and one or more alignment features can be used individually or in various combinations thereof.

[0219] Alignment assistance can also be provided with one or more magnetic field sources. For example, a permanent magnet within the dock 1802 may attract a permanent magnet within the device 100. In another example, a permanent magnet within the device 100 may be attracted by a magnetic field produced by the dock 1802. In further examples, multiple alignment assistance features may cooperate to effect alignment of the transmit and receive coils. Power transfer efficiency may also decrease if the power consumption of the electronic device changes (e.g., the electronic device transitions from a trickle charge mode to constant current charge mode) during wireless power transfer.

[0220] As discussed previously with respect to FIG. 2, the device 100 may include a processor coupled with or in communication with a memory, one or more communication interfaces, output devices such as displays and speakers, and one or more input devices such as buttons, dials, microphones, or touch-based interfaces. The communication interface(s) can provide electronic communications between the communications device and any external communication network, device or platform, such as, but not limited to, wireless interfaces, Bluetooth interfaces, Near Field Communication interfaces, infrared interfaces, USB interfaces, Wi-Fi interfaces, TCP/IP interfaces, network communications interfaces, or any conventional communication interfaces. The device 100 may provide information regarding time, health, statuses or

externally connected or communicating devices and/or software executing on such devices, messages, video, operating commands, and so forth (and may receive any of the foregoing from an external device), in addition to communications.

[0221] In the example depicted in FIG. 18, the dock 1802 may be connected to an external power source, such as an alternating current power outlet, by power cord 1808. In other embodiments, the dock 1802 may be battery operated. In still further examples, the dock 1802 may include a power cord 1808 in addition to an internal or external battery. Similarly, although the embodiment is shown with the power cord 1808 coupled to the housing of the dock 1802, the power cord 1808 may be connected by any suitable means. For example, the power cord 1808 may be removable and may include a connector that is sized to fit within an aperture or receptacle opened within the housing of the dock 1802.

[0222] Although the device 100 is shown in FIG. 18 as larger than the dock 1802, the depicted scale may not be representative of all embodiments. For example, in some embodiments the dock 1802 may be larger than the device 100. In still further embodiments the two may be substantially the same size and shape. In other embodiments, the dock 1802 and device 100 may take separate shapes.

[0223] FIG. 19 depicts a simplified block diagram of relevant aspects of the device 100 and dock 1802. It may be appreciated that certain components of both the dock 1802 and device 100 are omitted from the figure for clarity. Likewise, the positions of the elements that are shown are meant to be illustrative rather than necessarily portraying a particular size, shape, scale, position, orientation, or relation to one another, although some embodiments may have elements with one or more of such factors as illustrated.

[0224] As described previously with respect to FIG. 2, the device 100 may include one or more electronic components located within the housing 601. For clarity, some of the components and modules described or depicted in various embodiments are omitted from the depiction of FIG. 19. As shown in FIG. 19, the device 100 may include an internal battery 114 that may be used to provide power to the various internal components of the device 100. As described previously, the internal battery 114 may be rechargeable by an external power supply. In the present

example, the internal battery 114 is operably connected to a receive coil 1869 via power conditioning circuit 1810.

[0225] In the present example, the device 100 includes a receive coil 1869 having one or more windings for inductively coupling with a transmit coil 1832 of the dock 1802. The receive coil 1869 may receive power wirelessly from the dock 1802 and may pass the received power to a battery 114 within the device 100 via power conditioning circuit 1810. The power conditioning circuit 1810 may be configured to convert the alternating current received by the receive coil 1869 into direct current power for use by other components of the device. In one example, the processing units 102 may direct the power, via one or more routing circuits, to perform or coordinate one or more functions of the device 100 typically powered by the battery 114.

[0226] As shown in FIG. 19, the dock 1802 includes a transmit coil 1832 having one or more windings. The transmit coil 1832 may transmit power to the device 100 via electromagnetic induction or magnetic resonance. In many embodiments, the transmit coil 1832 may be shielded with a shield element that may be disposed or formed around portions of the transmit coil 1832. Similarly, the receive coil 1869 may also include a shield element that may be disposed or formed around a portion of the receive coil 1869.

[0227] As shown in FIG. 19, the dock 1802 also includes a processor 1834 that may be used to control the operation of or coordinate one or more functions of the dock 1802. In some embodiments, the dock 1802 may also include one or more sensors 1836 to determine whether the device 100 is present and ready to receive transmitted power from the dock 1802. For example, the dock 1802 may include an optical sensor, such as an infrared proximity sensor. When the device 100 is placed on the dock 1802, the infrared proximity sensor may produce a signal that the processor 1834 uses to determine the presence of the device 100. The processor 1834 may, optionally, use another method or structure to verify the presence of the electronic device via sensor 1836. Examples of different sensors that may be suitable to detect or verify the presence of device 100 may include a mass sensor, a mechanical interlock, switch, button or the like, a Hall effect sensor, or other electronic sensor. Continuing the example, after the optical sensor reports that the device 100 may be present, the processor 1834 may activate a communication channel to attempt to communicate with the device 100.

[0228] As illustrated in FIG. 19, a bottom surface of the housing of the device 100 may partially contact a top surface of the dock housing. In some implementations, the interfacing surfaces of the device 100 and the dock 1802 may be formed with complementary geometries. For example, as depicted in FIG. 19, the bottom surface of the device 100 is convex and the top surface of the dock 1802 is concave, following the same curvature as the bottom surface of the device 100. In this manner, the complementary geometries may facilitate alignment of the electronic device and dock for efficient wireless power transfer.

[0229] In some embodiments, the dock 1802 and device 100 may include other alignment assistance features. For example the device 100 may include an alignment magnet 1838 which is positioned and oriented to attract a corresponding alignment magnet 1840 within the dock 1802. In some cases, when the device 100 is positioned proximate the dock 1802, the alignment magnets 1838, 1840 may be mutually attracted, thereby affecting alignment of the portable electronic device 100 and the dock 1802 along a mutual axis. In other examples, the dock 1802 may include a ferromagnetic material in place of the alignment magnet 1840. In these examples, the alignment magnet 1838 may be attracted to the ferromagnetic material. In still further cases, the receive coil 1869 or transmit coil 1832 may produce a static magnetic field that either attracts or repels either or both of the alignment magnets 1838, 1840.

[0230] As shown in FIG. 19, the alignment magnets 1838, 1840 may be positioned within a respective coil 1869, 1832. When the alignment magnets 1838, 1840 are drawn together, the coils 1869, 1832 may be placed into alignment. Additionally, the complementary geometries of the device 100 and the dock 1802 may further facilitate alignment when the alignment magnets 1838, 1840 are drawn together.

7. Example Acoustic Module

[0231] As described above, the device may include one or more devices for transmitting and receiving acoustic energy. For the purposes of the following description of the acoustic module, the described device 100 is one example of that shown and discussed above with respect to FIGs. 2-7. However, certain features of the device 100, including the external surface geometry, may be simplified or vary with respect to aspects of the device 100 discussed above. As previously discussed, in some embodiments, the device may include a speaker for transmitting acoustic

energy and/or a microphone for receiving acoustic energy. For the purposes of the following description, a speaker device and a microphone are referred to generically as an acoustic module, which may be configured to transmit and/or receive acoustic energy depending on the particular implementation.

[0232] FIG. 20 depicts a simplified schematic cross-sectional view of a first embodiment of a device having an acoustic module 2006. The representation depicted in FIG. 20 is not drawn to scale and may omit some elements for clarity. The acoustic module 2006 may represent either a portion of a speaker and/or microphone device described above with respect to the electronic device 100 of FIG. 2.

[0233] As shown in FIG. 20, an acoustic port 2020 may be formed in the housing 601 of the electronic device. In the present example, the acoustic port 2020 includes first and second orifices 2031, 2032 that are formed in the housing 601 and acoustically couple the acoustic cavity 2011 of the acoustic module 2006 to the external environment (external to the electronic device). In the present embodiment, the first and second orifices 2031, 2032 are offset with respect to the opening of the acoustic cavity 2011. This configuration may help reduce the direct ingress of liquid 2001 into acoustic cavity 2011 of the acoustic module 2006 Also, as shown in FIG. 20 a shield 2021 or umbrella structure that is formed between the orifices 2031, 2032 blocks the direct ingress of liquid 2001 into the acoustic cavity 2011. As shown in FIG. 20, the acoustic module 2006 also includes a screen element 2015 disposed at one end of the acoustic cavity 2011, which may also prevent the ingress of liquid or other foreign debris into the acoustic cavity 2011. The acoustic module 2006 also includes a seal 2016 disposed between the housing 601 and the connector element 2012 of the module, which may also be configured to prevent the ingress of water into the device and/or module.

[0234] In the present example depicted in FIG. 20, the acoustic module 2006 may correspond to the speaker 122 described with respect to some embodiments. As shown in FIG. 20, the acoustic module 2006 includes various components for producing and transmitting sound, including a diaphragm 2010, a voice coil 2009, a center magnet 2008, and side magnets/coils 2007. These components may cooperate to form a speaker acoustic element. In one implementation, the diaphragm 2010 is configured to produce sound waves or an acoustic signal in response to a

stimulus signal in the center magnet 2008. For example, a modulated stimulus signal in the center magnet 2008 causes movement of the voice coil 2009, which is coupled to the diaphragm 2010. Movement of the diaphragm 2010 creates the sound waves, which propagate through the acoustic cavity 2011 of acoustic module 2006 and eventually out the acoustic port 2020 to a region external to the device. In some cases, the acoustic cavity 2011 functions as an acoustical resonator having a shape and size that is configured to amplify and/or dampen sound waves produced by movement of the diaphragm 2010.

[0235] As shown in FIG. 20, the acoustic module 2006 also includes a yoke 2014, support 2013, connector element 2012, and a cavity wall 2017. These elements provide the physical support of the speaker elements. Additionally, the connector element 2012 and the cavity wall 2017 together form at least part of the acoustic cavity 2011. The specific structural configuration of FIG. 20 is not intended to be limiting. For example, in alternative embodiments, the acoustic cavity may be formed from additional components or may be formed from a single component.

[0236] The acoustic module 2006 depicted in FIG. 20 is provided as one example of a type of speaker acoustic module. In other alternative implementations, the acoustic module may include different acoustic elements for producing and transmitting sound, including, for example, a vibrating membrane, piezoelectric transducer, vibrating ribbon, or the like. Additionally, in other alternative implementations, the acoustic module may be a microphone acoustic module having one or more elements for converting acoustic energy into an electrical impulse. For example, the acoustic module may alternatively include a piezoelectric microphone acoustic element for producing a charge in response to acoustic energy or sound.

[0237] As previously mentioned, because the acoustic port 2020 connects the acoustic module 2006 to the external environment, there is a possibility that liquid may accumulate or infiltrate the interior of the module. In some cases, the screen element 2015 or other protective features may not prevent all liquid from entering the acoustic cavity 2011 of the module. For example, if the device is subjected to a liquid under pressure or a directed stream of liquid, some liquid ingress may occur. Additionally, naturally occurring moisture in the air may condense and accumulate over time resulting in the presence of liquid within the module. Thus, in some implementations, the acoustic module 2006 may include one or more elements configured to

expel water or liquid that accumulates in, for example, the acoustic cavity 2011 of the module. The liquid expulsion process may include modifying the charge on a portion of the wall of the acoustic cavity 2011 to change the surface energy of the wall and/or producing an acoustic pulse using the diaphragm 2010 to help expel liquid from the acoustic cavity 2011. In some embodiments, the screen 2015 may also have hydrophilic or hydrophobic properties that may facilitate removal of liquid held within the acoustic cavity 2011.

8. Example Antenna and Cover

[0238] As previously described, a wearable electronic device may be configured to communicate wirelessly with various external devices and communication networks. For the purposes of the following description, the described device 100 is one example of that shown and discussed above with respect to FIGs. 2-7. However, certain features of the device 100, including the external surface geometry, may be simplified or vary with respect to aspects of the device 100 discussed above.

[0239] In some embodiments, as previously discussed with respect to FIG. 2, the device may include one or more communication channels that are configured to transmit and receive data and/or signals over a wireless communications network or interface. Example wireless interfaces include radio frequency cellular interfaces, Bluetooth interfaces, Wi-Fi interfaces, or any other known communication interface.

[0240] In some implementations an antenna may be disposed with respect to the cover (e.g., crystal) of a device to facilitate wireless communications with an external device or communication network. In some cases, it may be advantageous to integrate an antenna into the cover to improve the transmission and reception of wireless signals from the device. In particular, the cover of the device may have dielectric properties that facilitate the transmission of radio frequency signals while also protecting the antenna from physical damage or interference. Additionally, if the antenna is integrated into a perimeter portion of the cover, the visual appearance or clarity of the cover may be minimized. Furthermore, the embodiments described below with respect to FIGs. 21A-B may be used to integrate an antenna external to the housing, without increasing the thickness of the device body.

[0241] FIG. 21A depicts a perspective exploded view of a cover 2100 and an antenna assembly 2130. The cover 2100 depicted in FIG. 21A is viewed from an inner surface 2124 that is configured to attach to or interface with the opening of the housing (described above with respect to FIG. 1). As shown in FIG. 21A, a groove 2128 may be formed within the inner surface 2124. In this example, the groove 2128 is formed around the periphery of the cover 2100. As mentioned previously, this may be advantageous in minimizing the visual impact of having the antenna assembly 2130 located within the cover 2100.

[0242] As shown in FIG. 21A the antenna assembly 2130 includes an antenna ring 2134 and a terminal 2140 which may interface with an electrical connector 2150. In the present embodiment, the groove 2128 formed in the surface of the cover 2100 may be configured to accept the antenna ring 2134. In particular, the groove 2128 may receive the entire antenna ring 2134 without a portion of the antenna ring 2134 protruding past the inner surface 2124, when the antenna ring 2134 is installed. In some cases, the groove 2128 is formed to be a clearance or near clearance fit with the diameter of the antenna ring 2134. Thus, in some cases, the antenna ring 2134 may substantially fill the groove 2128 when the ring is installed. In some cases, the groove 2128 may be configured to retain the antenna ring 2134 due to a slight interference fit or due to a feature formed within either the cover 2100 and/or the antenna assembly 2130. In the present embodiment, the antenna assembly 2130 may be installed in the cover 2100 and then connected to other electronics via the terminal 2140 and the connector 2150, which may protrude into an opening in the case or housing.

[0243] FIG. 21B depicts a cross-sectional view of the cover and antenna at the connection point. In particular, FIG. 21B depicts a detail cross-sectional view of the cover 2100 installed within the housing 601 at a region near the terminal 2140. In this example, the cover 2100 is attached to a shelf of the housing 601 via a compressible element 2122. The compressible element 2122 may provide a seal against water or other contaminates and also provide compliance between the cover 2100 and the housing 601. The compressible element 2122 may be formed from a nitrile or silicone rubber and may also include an adhesive or other bonding agent.

[0244] As shown in FIG. 21B, the antenna ring 2134 is disposed entirely within the groove 2128. In this case, the antenna ring 2134 does not protrude past the inner surface 2124. The antenna

ring 2134 is electrically connected to the terminal 2140, which protrudes into an opening in the housing 601. As shown in FIG. 21B, the terminal 2140 includes conductive pads 2142 for electrically connecting to the antenna ring 2134. In this example, spring clips 2152 are configured to mechanically and electrically connect to the conductive pads 2142 on the terminal 2140. One advantage to the configuration depicted in FIG. 21B is that the antenna assembly 2130 may be installed in the cover 2100 before the cover 2100 is installed in the housing 601. The terminal 2140 and connector 2150 facilitate a blind connection that may assist electrical connection as the cover 2100 is installed. Additionally, the configuration depicted in FIG. 21B may allow for some movement between the cover 2100 and the housing 601 without disturbing the electrical connection with the antenna ring 2134.

9. Example Haptic Module

[0245] As described above, the device may include one or more haptic modules for providing haptic feedback to the user. The embodiments described herein may relate to or take the form of durable and thin haptic feedback elements suitable to provide a perceivable single pulse haptic feedback. In general, a haptic device may be configured to produce a mechanical movement or vibration that may be transmitted through the housing and/or other component of the device. In some cases, the movement or vibration may be transmitted to the skin of the user and perceived as a stimulus or haptic feedback by the user. In some implementations, the haptic feedback may be coupled to one or more device outputs to alert the user of an event or activity. For example, a haptic output may be produced in combination with an audio output produced by the speaker, and/or a visual output produced using the display.

[0246] The space constraints associated with a small wrist-worn device may present unique challenges to integrating a haptic mechanism into wearable electronics. In particular, a haptic mechanism may use a moving mass used to create the movement or vibration of the haptic output. The larger the mass that is moved, the easier it may be to create a perceivable stimulus using the haptic mechanism. However, a large moving mass and the supporting mechanism may be difficult to integrate into the compact space of, for example, the housing of a wearable electronic wristwatch.

[0247] Thus, the haptic module implemented in some embodiments may be configured to maximize the mechanical energy that is produced in a very compact form factor. FIGs. 22A-B depict one example haptic mechanism that may be particularly well suited for use in a wearable electronic device. While the embodiment described with respect to FIGs. 22A-B is provided as one example, the haptic module is not limited to this particular configuration.

[0248] FIG. 22A depicts a three-quarters perspective view of a haptic device 112, with a top, front and left sidewall of the housing 2220 removed to expose internal components. FIG. 22B depicts a cross-sectional perspective view of the haptic device 112 cut in half to expose the internal components. In this example, a coil 2200 is used to induce movement of a frame 2260, which houses a central magnet array 2210. As shown in FIGs. 22A-B, the movement of the frame 2260 is guided by a shaft 2250 that is fixed with respect to a housing 2220.

[0249] In the present example, the coil 2200 may be energized by transmitting a current (e.g., from the battery) along a length of a wire that forms the coil 2200. A direction of the current along the wire of the coil 2200 determines a direction of a magnetic field that emanates from the coil 2200. In turn, the direction of the magnetic field determines a direction of movement of the frame 2260 housing the central magnet array 2210. One or more springs may bias the frame 2260 towards the middle region of the travel. In this example, the frame 2260 and central magnet array 2210, through operation of the coil 2200, function as a moving mass, which generates a tap or vibration. The output of the haptic device 112, created by the moving mass of the frame 2260 and central magnet array 2210, may be perceived as a haptic feedback or stimulus to the user wearing the device.

[0250] For example, when the coil 2200 is energized, the coil 2200 may generate a magnetic field. The opposing polarities of the magnets in the magnet array 2210 generates a radial magnetic field that interacts with the magnetic field of the coil 2200. The Lorentz force resulting from the interaction of the magnetic fields causes the frame 2260 to move along the shaft 2250 in a first direction. Reversing current flow through the coil 2200 reverses the Lorentz force. As a result, the magnetic field or force on the central magnet array 2210 is also reversed and the frame 2260 may move in a second direction. Thus, frame 2260 may move in both directions along the shaft 2250, depending on the direction of current flow through the coil 2200.

[0251] As shown in FIG. 22A, the coil 2200 encircles the central magnet array 2210, which is disposed near the center of the frame 2260. As previously described, the coil 2200 may be energized by transmitting a current along the length of the wire forming the coil 2200, and the direction of the current flow determines the direction of the magnetic flux emanating from the coil 2200 in response to the current. Passing an alternating current through the coil 2200 may cause the central magnet array 2210 (and frame 2260) to move back and forth along a shaft 2250. In order to prevent the central magnet array 2210 from being attracted to the shaft 2250, which could increase friction between the two and thereby increase the force necessary to move the central magnet array 2210 and frame 2260, the shaft 2250 may be formed from a non-ferrous material such as tungsten, titanium, stainless steel, or the like.

[0252] As depicted in FIGs. 22A-B, the coil 2200 is positioned within a frame 2260 that holds the central magnet array 2210, but is not affixed to the coil 2200. Rather, an air gap separates the coil 2200 from the central magnet array 2210 and the frame 2260 is free to move with respect to the coil 2200, which is generally stationary. Further, the frame 2260 generally moves with the central magnet array 2210. As illustrated in FIGs. 22A-B, the frame 2260 may have an aperture formed therein of sufficient size to contain the coil 2200. Even when the frame and central magnet array are maximally displaced within the housing 2220 (e.g., to one end or the other of the shaft 2250), the coil 2200 does not contact any portion of the frame 2260. It should be appreciated that the coil 2200 remains stationary in the housing 2220 while the frame 2260 and central magnet array 2210 move, although in other embodiments the coil 2200 may move instead of, or in addition to, the frame and/or central magnet array. However, by keeping the coil 2200 stationary, it may be easier to provide interconnections for the coil, such as between the coil and the flex, and therefore reduce the complexity of manufacture.

[0253] As shown in FIGs. 22A-B, the central magnet array 2210 may be formed from at least two magnets 2211, 2212 of opposing polarities. A center interface 2270 may be formed from a ferrous or non-ferrous material, depending on the embodiment. A ferrous material for the center interface 2270 may enhance the overall magnetic field generated by the central magnet array 2210, while a non-ferrous material may provide at least a portion of a return path for magnetic flux and thus assist in localizing the flux within the housing 2220. In some embodiments, the magnets 2211, 2212 are formed from neodymium while the frame is tungsten. This combination

may provide a strong magnetic field and a dense mass, thereby yielding a high weight per volume structure that may be used as the moving part of the haptic device 112.

10. Example Crown Module

[0254] As described above, the device may include a crown that may be used to accept user input to the device. For the purposes of the following description, the described device 100 is one example of that shown and discussed above with respect to FIGs. 2-7. However, certain features of the device 100, including the external surface geometry, may be simplified or vary with respect to aspects of the device 100 discussed above.

[0255] In some embodiments, a crown may be used to accept rotary input from the user, which may be used to control aspects of the device. The crown may be knurled or otherwise textured to improve grip with the user's finger and/or thumb. In some embodiments, a crown may be turned by the user to scroll a display or select from a range of values. In other embodiments, the crown may be rotated to move a cursor or other type of selection mechanism from a first displayed location to a second displayed location in order to select an icon or move the selection mechanism between various icons that are output on the display. In a time keeping application, the crown may also be used to adjust the position of watch hands or index digits displayed on the display of the device. The crown may also be used to control the volume of a speaker, the brightness of the display screen, or control other hardware settings.

[0256] In some embodiments, the crown may also be configured to accept linear, as well as rotary, input. For example, the crown may be configured to translate along an axis when pressed or pulled by the user. In some cases, the linear actuation may be used as additional user input. The actuation may provide a binary output (actuated/not actuated) or may also provide a non-binary output that corresponds to the amount of translation along the axis of motion. In some instances, the linear input to the crown may be combined with the rotary input to control an aspect of the device.

[0257] The embodiments described herein may be used for at least a portion of the crown module integrated into a wearable electronic device. The embodiments are provided as examples and may not include all of the components or elements used in a particular implementation.

Additionally, the crown module is not intended to be limited to the specific examples described below and may vary in some aspects depending on the implementation.

[0258] In some embodiments, an optical encoder may be used to detect the rotational motion of the crown. More specifically, the example provided below with respect to FIG. 23 may use an optical encoder to detect rotational movement, rotational direction and/or rotational speed of a component of the electronic device. Once the rotational movement, rotational direction and/or rotational speed have been determined, this information may be used to output or change information and images that are presented on a display or user interface of the electronic device.

[0259] Integrating an optical encoder into the space constraints of a typical wearable electronic device may be particularly challenging. Specifically, some traditional encoder configurations may be too large or delicate for use in a portable electronic device. The optical encoder described below may provide certain advantages over some traditional encoder configurations and may be particularly well suited for use with a crown module of a wearable electronic device.

[0260] As shown in the example embodiment of FIG. 23, the optical encoder of the present disclosure includes a light source 2370, a photodiode array 2380, and a shaft 2360. However, unlike typical optical encoders, the optical encoder of the present disclosure utilizes an encoding pattern disposed directly on the shaft 2360. For example, the encoding pattern includes a number of light and dark markings or stripes that are axially disposed along the shaft 2360. Each stripe or combination of stripes on the shaft 2360 may be used to identify a position of the shaft 2360. For example, as light is emitted from the light source 2370 and reflected off of the shaft 2360 into the photodiode array 2380, a position, rotation, rotation direction and rotation speed of the shaft 2360 may be determined. Once the rotation direction and speed are determined, this information may be used to output or change information or images that are presented on the display or user interface of the electronic device.

[0261] In other embodiments, the shape or form of the shaft of the encoder may be used to determine a position, rotation, rotation direction and rotation speed of the shaft. For example, the shaft may be fluted or have a number of channels that cause the light to be reflected in a number of different directions. Accordingly, a diffractive pattern may be used to determine the rotation, rotation direction and rotation speed of the shaft.

[0262] FIG. 23 illustrates a simplified depiction of the device 100 and crown module 642 in accordance with some embodiments. As shown in FIG. 23, the crown module 642 may be integrated with the housing 601 of the device 100 and may be formed from a dial 2340 disposed at the end of a shaft 2360. In the present embodiment, the crown module 642 also forms part of the optical encoder. As discussed above, the crown module 642 includes an optical encoder that includes a shaft 2360, a light source 2370, and a photodiode array 2380. Although a photodiode array is specifically mentioned, embodiments disclosed herein may use various types of sensors that are arranged in various configurations for detecting the movement described herein. For example, the movement of the shaft 2360 may be detected by an image sensor, a light sensor such as a CMOS light sensor or imager, a photovoltaic cell or system, photo resistive component, a laser scanner and the like.

[0263] The optical encoder may produce an encoder output that is used to determine positional data of the crown module 642. In particular, the optical encoder may produce an output that is used to detect that movement of the dial 2340 including the direction of the movement, speed of the movement and so on. The movement may be rotational movement, translational movement, angular movement, and so on. The optical encoder may also be used to detect the degree of the change of rotation of the dial 2340 and/or the angle of rotation of the dial 2340 as well as the speed and the direction of the rotation of the dial 2340.

[0264] The signals or output of the optical encoder may be used to control various aspects of other components or modules of the device. For example, continuing with the time keeping application example discussed above, the dial 2340 may be rotated in a clockwise manner in order to advance the displayed time forward. In one implementation, the optical encoder may be used to detect the rotational movement of the dial 2340, the direction of the movement, and the speed at which the dial 2340 is being rotated. Using the output from the optical encoder, the displayed hands of a time keeping application may rotate or otherwise move in accordance with the user-provided rotational input.

[0265] Referring back to FIG. 23, the crown module 642 may be formed from dial 2340 that is coupled to the shaft 2360. In some cases, the shaft 2360 and dial 2340 may be formed as a single piece. As the shaft 2360 is coupled to, or is otherwise a part of the dial 2340, as the dial 2340

rotates or moves in a particular direction and at a particular speed, the shaft 2360 also rotates or moves in the same direction and with the same speed.

[0266] As shown in FIG. 23, the shaft 2360 of the optical encoder includes an encoding pattern 2365. As discussed above, the encoding pattern 2365 may be used to determine positional information about the shaft 2360 including rotational movement, angular displacement and movement speed. As shown in FIG. 23, the encoding pattern 2365 may include a plurality of light and dark stripes.

[0267] Although light stripes and dark stripes are specifically mentioned and shown, the encoding pattern 2365 may consist of various types of stripes having various shades or colors that provide surface contrasts. For example, the encoding pattern 2365 may include a stripe or marking that has a high reflective surface and another stripe that has a low reflective surface regardless of the color or shading of the stripes or markings. In another embodiment, a first stripe of the encoding pattern 2365 may cause specular reflection while a second stripe of the encoding pattern 2365 may cause diffuse reflection. When the reflected light is received by the photodiode array 2380, a determination may be made as to the position and movement of the shaft such as described below. In embodiments where a holographic or diffractive pattern is used, the light from the light source 2370 may diffract from the shaft 2360. Based on the diffracted light, the photodiode array 2380 may determine the position, movement and direction of movement of the shaft 2360.

[0268] In some embodiments, the stripes of the encoding pattern 2365 extend axially along the shaft 2360. The stripes may extend along the entire length of the shaft 2360 or partially along a length of the shaft 2360. In addition, the encoding pattern 2365 may also be disposed around the entire circumference of the shaft 2360. In other embodiments, the encoding pattern 2365 may include a radial component. In yet other embodiments, the encoding pattern 2365 may have both a radial component and an axial component.

[0269] In some embodiments, the crown module may also include a tactile switch for accepting translational input from the user. FIGs. 24A-B depict another example of a crown module 642a having a tactile switch assembly 2410. As shown in FIG. 24A, the tactile switch assembly 2410

may include a dial 2448 (or button), a coupling 2418, a shear plate 2456, and a tactile switch 2414.

[0270] In the embodiment depicted in FIGs. 24A-B, the dial 2448 is translatable and/or rotatable relative to the housing. The ability of the dial 2448 to translate and rotate relative to the housing allows a user to provide a rotational force and/or translating force to the tactile switch assembly. In particular, the dial 2448 of the present example may be operably coupled to or form part of an optical encoder, in accordance with the example described above with respect to FIG. 23.

[0271] In the present example, the dial 2448 includes an outer surface 2432 that is configured to receive a rotary or rotational user input and a stem 2450 that extends from an interior surface 2434 of the dial 2448. The stem 2450 may define a coupling aperture that extends longitudinally along a length or a portion of a length of the stem 2450. In the depicted example, the stem 2450 may be hollow or partially hollow.

[0272] In the example depicted in FIGs. 24A-B, the coupling 2418 may be a linkage, such as a shaft, that couples the dial 2448 to the tactile switch 2414. The coupling 2418 may be integrally formed with the dial 2448 or may be a separate component operably connected thereto. For example, the stem 2450 of the dial 2448 may form the coupling member that is integrally formed with the dial 2448. The coupling 2418 may be made of a conductive material, such as one or more metals or metal alloys. Due to the conductive characteristics, the coupling 2418 may further act to electrically couple the dial 2448 to the tactile switch 2414 and shear plate 2456. In the example depicted in FIGs. 24A-B, the shear plate 2456 is positioned between the coupling 2418 and the tactile switch 2414. In some embodiments, the shear plate 2456 may prevent or reduce shearing forces from the coupling from being transmitted to the tactile switch. The shear plate 2456 also allows transfer of linear force input from the dial 2448 to the switch 2414.

[0273] The configuration depicted in FIGs. 24A-B may be used to accept both rotational and translational input from the user. For example, if a user provides a rotational force to the dial 2448, the coupling 2418 and dial 2448 may rotate in the direction of the force. The coupling 2418 may be attached to or integrated with one or more sensors that are configured to detect rotational movement. For example the coupling 2418 may be integrated with an optical encoder, similar to the example described above with respect to FIG. 23. Additionally, if a user provides

a translational force to the dial 2448, the force may be transmitted through the dial 2448 and coupling 2418 to actuate the switch 2414. In some cases, the switch 2414 includes a metal dome switch that is configured to provide a tactile feedback when actuated. In some cases, the actuation of a dome switch may be perceived by the user as a click or release as the switch 2414 is actuated. Once the force has been removed from the dial 2448, the dome switch resiliently returns to its original position, providing a biasing force against the coupling 2418 to return both the dial 2448 and the coupling 2418 to their original positions. In some embodiments, the tactile switch 2414 may include a separate biasing element, such as a spring, that exerts a force (either directly or indirectly via the shear plate) against the coupling. FIG. 24A depicts the tactile switch assembly 2410 when there is no force applied (un-actuated). FIG. 24B depicts the tactile switch assembly 2410 when there is a translational force applied to the dial 2448 (actuated).

11. Example Band Attachment Mechanism

[0274] For the purposes of the following description, the described device 100 is one example of that shown and discussed above with respect to FIGs. 2-7. However, certain features of the device 100, including the external surface geometry, may be simplified or vary with respect to aspects of the device 100 discussed above.

[0275] As described above, a wearable electronic device may include a band that is attached to a device body having one or more receiving features. In particular, the housing may include or form a receiving feature that facilitates an interchange or replacement of different bands that are used to secure the device to the wrist of the user. By replacing or interchanging bands the device may be adapted for multiple uses ranging from sporting activities to professional or social activities.

[0276] In some embodiments, the receiving features are configured to be operated without the use of special tools or fixtures. For example, the bands may be interchanged by hand or with the help of a simple tool, such as a pointed object. Additionally or alternatively, a tool or other component, such as a component of the device to which the attachment system is coupled, may be configured to actuate a button or other component of the attachment system to secure and/or release the band from the device. In one embodiment, the lug portion of a band may be configured to be inserted into an opening or channel portion of the receiving feature. Once the

lug of the band has been inserted into the opening, the lug may slide within the opening of the device until the band is secured or otherwise coupled to the device. The coupling between the band and the receiving feature may provide a secure attachment of the band to the housing or device body. Just as the band is configured to slide into the channel of the receiving feature, the lug may also slide out of the channel of the receiving feature allowing the band to be detached from the device body.

[0277] In one embodiment, the receiving feature includes a locking mechanism, which may be integrated with portions of either the band or the receiving feature. In one example, as the band is inserted into a receiving feature of the device, the locking mechanism interfaces with a portion of the receiving feature to lock or otherwise secure the band within the receiving feature. The locking mechanism may also be configured to interface with a releasing mechanism associated with the receiving feature. For example, a releasing mechanism may be configured to disengage or release the locking mechanism. In some implementations. actuation of the releasing mechanism causes the locking mechanism to be released and allows the band to be removed by sliding within the receiving feature.

[0278] FIG. 25A depicts a receiving feature and band assembly as viewed from the bottom of the device body. As shown in FIG. 25A, a receiving feature 623a includes an opening or channel 2501 that is formed into the body or housing of the device. The channel 2501 is configured to receive the lug 2510 attached to an end of the band strap 621a. The receiving feature 623a may also include a locking mechanism 2530 that is configured to maintain the band strap 621a within the channel 2501 once it has been installed. As discussed above, the locking mechanism 2530 may be releasable by the user, which may facilitate band replacement. In this example, the locking mechanism 2530 includes a spring-loaded retaining mechanism that engages the lug 2510 to retain the lug 2510 in the channel 2501 and maintain the attachment of the band strap 621a to the device. As shown in FIG. 25A, the locking mechanism 2530 also includes a button located on the bottom of the housing that may be depressed by the user to release the locking mechanism and allow the lug 2510 and the band strap 621a to be removed from the channel 2501. In the present example, the button of the locking mechanism 2530 is located on a curved portion of the case or housing. In some embodiments, the button of the locking mechanism 2530 is located along the centerline of the case or housing.

[0279] In some embodiments, the opening or channel 2501 of the receiving feature 623a includes a port or connector for receiving a mating electrical component. In some embodiments, the connector or port is covered by a label or sticker so that the inside surface of the opening or channel 2501 appears continuous. The connector or port may be located along the vertical centerline of the case or housing.

[0280] FIG. 25B depicts an example exploded view of the receiving feature 623a and the lug 2510 of the band strap 621a. As shown in FIG. 25B, the band strap 621a may be formed from a separate part and attached to lug 2510 via a pivot or other type of joint. In other embodiments, the band strap 621a may have an end feature that is integrally formed as part of the band strap 621a. As also shown in FIG. 25B, the lug 2510 may be attached to the receiving feature 623a by aligning the axis of the lug 2510 with the axis of the channel 2501 and then sliding the lug 2510 into the channel 2501.

[0281] FIG. 25C depicts an example assembly sequence of the lug 2510 being inserted into the channel 2501 of the receiving feature 623a. As shown in FIG. 25C, the lug 2510 may be positioned along the side of the receiving feature 623a having the lug 2510 approximately aligned with the channel 2501 of the receiving feature 623a. The lug 2510 (and band strap 621a) may then be inserted into the channel 2501 of the receiving feature 623a by sliding the lug 2510 along the length of the channel 2501. Once the lug 2510 is approximately centered in the channel 2501 of the receiving feature 623a, the locking mechanism 2530 or other securing feature may engage, thereby retaining the lug 2510 (and band strap 621a) within the channel 2501. As previously discussed, the lug 2510 (and band strap 621a) may be removed from the receiving feature 623a by depressing the button of the locking mechanism 2530, which may disengage the lock and allow movement of the lug 2510 within the channel 2501.

[0282] The example described above is provided with respect to one example embodiment. The geometry of the end of the band strap and/or the geometry of the channel may vary depending on the implementation. Additionally, the engagement mechanism may vary depending on the design of the band strap and the device body. The geometry or layout of the features may vary and remain within the scope of the present disclosure. Additionally, while the examples provided above are described with respect to attaching a band strap to a device body, the

receiving feature (623a) may be used to attach a variety of other parts to the device body. For example a lanyard, cable, or other accessory may be attached to the device body using the receiving feature and other similar features.

12. Example Bands

[0283] As described above, a wearable electronic device may include a band that is used to secure the device to the wrist of a user. In some embodiments, the band may be formed from two band straps that are attached to the housing of the device body. The band straps may be secured around the wrist of a user by a clasp or latching mechanism. As also described above, the device may be configured to facilitate replacement of the band. This feature may allow the use of a variety of types of bands, which may adapt the device for multiple uses ranging from sporting activities to professional or social activities.

[0284] In some cases, the band may be formed from a woven textile material. In one example, the band is formed from a woven material that includes one or more strands or threads formed from a natural or synthetic material. The woven material may be formed, for example, from a plurality of warp threads that are woven around one or more weft threads. More specifically, the woven material may include a plurality of warp threads disposed along the length of the band, and at least one weft thread positioned perpendicular to, and coupled to, woven or interlaced between the plurality of warp threads. In some cases, the plurality of warp threads may run the entire length of the woven portion of the band strap. Additionally, in some cases, the at least one weft thread may include a single thread that may be continuously woven between the plurality of warp threads or, alternatively, may include a plurality of threads that may be woven between the plurality of warp threads. A weft thread that is woven between a plurality of warp threads may form consecutive cross-layers with respect to the plurality warp threads in order to form the band.

[0285] In some cases, one or more of the strands or threads may be a metallic or conductive material. This may improve the strength of the band and may also facilitate coupling with magnetic elements, such as a metallic clasp. In some cases, other elements may be woven into the band, including, for example, product identifying elements, decorative elements, or functional components.

[0286] In other embodiments, the band may be formed from a metallic mesh material. In one example, the metallic mesh is formed from an array of links that are interlocked to form a sheet of fabric. Some or all of the links in the mesh may be formed from a ferromagnetic material, which may facilitate magnetic engagement with a magnetic clasp. In some cases, each link of the mesh is formed from a section of metallic filament that is bent or formed into a closed shape. Each closed shape may be interlocked with one or more adjacent links to form a portion of the sheet or fabric. In some cases, a metallic filament is formed around a series of rods or pins that are disposed at a regular spacing within the mesh. In some cases, one or more strands or filaments that may be formed from a ferromagnetic material are woven or integrated with the links of the mesh.

[0287] In other examples, the band may be formed from a sheet of material. For example, the band may be formed from a synthetic leather, leather, or other animal hide. Additionally or alternatively, the band may be formed from a polymer material, an elastomer material, or other type of plastic or synthetic. In some cases, the band is formed from a silicone sheet material.

[0288] The clasp that is used to attach the free ends of the band straps may vary depending on the material that is used and the construction of the band. For example, as mentioned above, a metallic mesh material may use a metallic clasp to join the ends of the band. Additionally, a leather band may be integrated with magnetic and/or ferromagnetic components and may include a magnetic clasp. In some embodiments, the free ends of the band straps are secured using a buckle or tang on a first band strap that is configured to interface with a hole or aperture in a second band strap. A variety of other clasp configurations may also be used.

13. Example Display

[0289] For the purposes of the following description, the described device 100 is one example of that shown and discussed above with respect to FIGs. 2-7. However, certain features of the device 100, including the external surface geometry, may be simplified or vary with respect to aspects of the device 100 discussed above. As described above, the device includes a display disposed within the housing or enclosure. The device may be formed from a liquid crystal display (LCD), organic light emitting diode (OLED) display, organic electroluminescence (OEL) display, or other type of display device. The display may be used to present visual information

to the user, including, for example, a graphical user interface, notifications, health statistics, and the like. In some cases, the display may be configured to present the current time and date similar to a traditional watch or timepiece.

[0290] In some embodiments, the display is formed from an organic light emitting diode (OLED) display element. An active region of the display may include an array of light-emitting display pixels 2604 such as array 2602, shown in FIG. 26. Pixels 2604 may be arranged in rows and columns in array 2602 and may be controlled using a pattern of control lines. Each pixel may include a light-emitting element such as organic light-emitting diode 2612 and associated control circuitry 2610. Control circuitry 2610 may be coupled to the data lines 2606 and gate lines 2608 so that control signals may be received from driver circuitry, which may be implemented as an integrated circuit. Although described as an OLED display, certain embodiments may implement other display technology, such as LCD displays and the like.

[0291] To the extent that multiple functionalities, operations, and structures are disclosed as being part of, incorporated into, or performed by device 100, it should be understood that various embodiments may omit any or all such described functionalities, operations, and structures. Thus, different embodiments of the device 100 may have some, none, or all of the various capabilities, apparatuses, physical features, modes, and operating parameters discussed herein

[0292] Although the disclosure above is described in terms of various exemplary embodiments and implementations, it should be understood that the various features, aspects and functionality described in one or more of the individual embodiments are not limited in their applicability to the particular embodiment with which they are described, but instead can be applied, alone or in various combinations, to one or more of the other embodiments of the invention, whether or not such embodiments are described and whether or not such features are presented as being a part of a described embodiment. Thus, the breadth and scope of the present invention should not be limited by any of the above-described exemplary embodiments but instead defined by the claims herein presented.

CLAIMS

We claim:

1. A wearable electronic device, comprising:

a housing comprising:

a flat bottom portion;

a top portion defining a cavity; and

a curved side portion that extends from the bottom portion to the top portion;

a band attached to the housing and configured to secure the wearable electronic device to a user;

a display at least partially disposed within the cavity and having a viewable area; and

a cover disposed above the display and comprising:

a flat middle portion larger than the viewable area of the display; and

a curved edge portion surrounding the flat middle portion and coinciding with the curved side portion along a perimeter of the cavity to form a continuous contoured surface.

2. The wearable electronic device of claim 1, wherein:

the continuous contoured surface is tangent with the flat bottom portion of the housing at a first end of the contour; and

the continuous contoured surface is tangent with the flat middle portion of the cover at a second end of the contour.

3. The wearable electronic device of claim 2, wherein the continuous contoured surface has a constant radius.

4. The wearable electronic device of claim 1, wherein

the cavity has a rectangular shape;

the curved edge portion of the housing has four sides that surround the cavity;

each side is orthogonal to two adjacent sides; and

each side is connected to an adjacent side by a rounded corner.

5. The wearable electronic device of claim 4, wherein:

the rounded corners have a curvature that corresponds to a curvature of the continuous contoured surface formed by the curved edge portion of the cover and the curved side portion of the housing.

6. The wearable electronic device of claim 1, further comprising:

a crown module positioned at least partially within an aperture formed within the curved side portion of the housing; wherein:

the crown module comprises an outer surface configured to receive a rotary user input.

7. The wearable electronic device of claim 6, wherein:

the crown module is offset with respect to a centerline of the housing between the top portion and the flat bottom portion; and

the offset is toward the top portion of the housing; and

the crown module includes a dial having a portion that is higher than an interface between the cover and the housing.

8. The wearable electronic device of claim 1, further comprising:

a port formed in the curved side portion of the housing;

an acoustic module disposed within the housing and configured to produce an audio output through the port, the acoustic module comprising:

an acoustic element; and

an acoustic cavity that acoustically couples the acoustic element to the port; wherein:

the port includes an orifice that is offset with respect to the acoustic cavity to prevent the direct ingress of liquid into the acoustic module.

9. The wearable electronic device of claim 1, further comprising:

a gasket positioned between the housing and the cover; and

a ledge formed along a perimeter of the cavity, wherein:

the gasket is positioned along the ledge that is formed along the perimeter of the cavity; and

the gasket, the cover, and the housing are configured to cooperate to form a substantially water-proof seal.

10. The wearable electronic device of claim 1, further comprising:

a biosensor module disposed in an opening formed in the flat bottom portion of the housing, the biosensor module comprising:

a chassis positioned in the opening of the housing and defining an array of windows;

an array of light sources attached to the chassis and configured to emit light into the user through the array of windows; and

an optically transparent rear cover disposed over the chassis and over the array of windows and operative to pass light emitted from the array of light sources into the user.

11. The wearable electronic device of claim 10, wherein the rear cover has a convex outer contour.

12. An electronic device, comprising:

a housing comprising a bottom portion defining an opening;

a band attached to the housing and configured to secure the electronic device to a user;

a biosensor module disposed within the opening;

a rear cover disposed over the biosensor module and comprising

an edge protruding outwardly from the bottom portion of the housing; and

an outer surface having a convex curved contour.

13. The electronic device of claim 12, wherein:

the outer surface of the rear cover defines one or more windows that provide operational access to one or more optical components of the biosensor module; and

the one or more windows have a curvature that matches the convex curved contour of the outer surface.

14. The electronic device of claim 12, wherein the biosensor module comprises:

an array of light sources configured to emit light into a body of the user; and

a photodetector configured to receive light produced by a light source of the array of light sources that is reflected from the body and produce a sensor signal.

15. The electronic device of claim 14, further comprising:

a processing unit configured to compute a health metric associated with the user based on the sensor signal; and

a display disposed within the housing and configured to display the health metric

16. The electronic device of claim 12, wherein the biosensor module is removably coupled to the housing.

17. A wearable electronic device, comprising:

a housing comprising:

a top portion;

a cavity formed within the top portion; and

a curved side portion that surrounds the cavity; and

a transparent cover disposed over the cavity of the housing and comprising:

a flat middle portion at a center of the transparent cover;

a curved outer portion that emanates from and surrounds the flat middle portion and extends outwardly to an edge of the transparent cover; and

a mask positioned relative to an internal surface of the transparent cover, wherein the mask has an outer boundary located proximate to the edge of the transparent cover and an inner boundary located within the curved outer portion of the transparent cover.

18. The wearable electronic device of claim 17, further comprising:

a display disposed below the transparent cover, wherein a perimeter portion of a viewable area of the display is disposed below the mask.

19. The wearable electronic device of claim 17, wherein the device further comprises:

an antenna having a shape that corresponds to a shape of the cavity formed within the housing, wherein:

the antenna is disposed in a groove formed in the internal surface of the transparent cover; and

the groove is formed between the outer boundary and the inner boundary of the mask.

20. The wearable electronic device of claim 19, wherein:

the cover is formed from a sapphire material; and

the antenna is configured to facilitate wireless communication between the wearable electronic device and an external device.

ABSTRACT

A consumer product that is a portable and, in some cases, a wearable electronic device. The wearable electronic device may have functionalities including: keeping time; monitoring a user's physiological signals and providing health-related information based on those signals; communicating with other electronic devices or services; visually depicting data on a display; gather data form one or more sensors that may be used to initiate, control, or modify operations of the device; determine a location of a touch on a surface of the device and/or an amount of force exerted on the device, and use either or both as input.




FIG. 1



100
PROCESSING UNITS
102
MEMORY
104
INPUT COMPONENTS
106
COMMUNICATIONS CHANNELS
108
SENSORS
110
HAPTIC DEVICE
112
BATTERY
114
WIRELESS POWER
116
BIO SENSORS
118
DISPLAY
120
SPEAKER
122
MICROPHONE
124

FIG. 2



100
INPUT
OUTPUT
302
FORCE INPUT
304
DISPLAY OUTPUT
306
TOUCH INPUT
308
AUDIO OUTPUT
310
BUTTON/DIAL INPUT
312
HAPTIC OUTPUT
314
AUDIO INPUT
316
COMMUNICATIONS I/O
318
SENSOR INPUT
320
BIOSENSOR INPUT

FIG. 3




FIG. 4

5/26



500
551a
502
552a
502
553a
502
554a
502
555a
502
502
556a
551b
502
552b
502
553b
502
554b
502
555b
502
502
556b
515
504
504
525
504
504
535
504
504

FIG. 5




FIG. 6

7/26




FIG. 7

8/26



601
805
802b
832
831
810
811
815
801
802a
812
834
833
624
821
802c
822
802d
623

FIG. 8




FIG. 9




FIG. 10A




FIG. 10B




FIG. 11




FIG. 12




FIG. 13A




FIG. 13B




FIG. 14A




FIG. 14B




FIG. 14C




FIG. 15A




FIG. 15B




FIG. 16




FIG. 17




FIG. 18



100
104
102
601
MEMORY
PROCESSOR
1810
COND
BATTERY
114
1838
1869
COIL
MAGNET
COIL
1869
1832
1802
COIL
MAGNET
COIL
1832
PROCESSOR
SENSE
1834
1840
1836

FIG. 19

20/26



2006
601
2012
2016
2011
2017
2010
2031
2013
2020
2001
2015
2009
2021
2007
2008
2007
2001
2012
2014
2032

FIG. 20




FIG. 21A




FIG. 21B




FIG. 22A




FIG. 22B




FIG. 23




FIG. 24A




FIG. 24B




FIG. 25A




FIG. 25B




FIG. 25C




FIG. 26

PTO/AIA/01 (08-12)
Approved for use through 11/30/2020. OMB 0651-0032
U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

DECLARATION (37 CFR 1.63) FOR UTILITY OR DESIGN APPLICATION USING AN APPLICATION DATA SHEET (37 CFR 1.76)

Title of Invention	WEARABLE ELECTRONIC DEVICE P22914US1

As the below named inventor, I hereby declare that:

This declaration is directed to:

- ☐ The attached application, or
- ☒ United States application or PCT international application number 14/842,617 filed on September 1, 2015.

The above-identified application was made or authorized to be made by me.

I believe that I am the original inventor or an original joint inventor of a claimed invention in the application.

I hereby acknowledge that any willful false statement made in this declaration is punishable under 18 U.S.C. 1001 by fine or imprisonment of not more than five (5) years, or both.

WARNING:

Petitioner/applicant is cautioned to avoid submitting personal information in documents filed in a patent application that may contribute to identity theft. Personal information such as social security numbers, bank account numbers, or credit card numbers (other than a check or credit card authorization form PTO-2038 submitted for payment purposes) is never required by the USPTO to support a petition or an application. If this type of personal information is included in documents submitted to the USPTO, petitioners/applicants should consider redacting such personal information from the documents before submitting them to the USPTO. Petitioner/applicant is advised that the record of a patent application is available to the public after publication of the application (unless a non-publication request in compliance with 37 CFR 1.213(a) is made in the application) or issuance of a patent. Furthermore, the record from an abandoned application may also be available to the public if the application is referenced in a published application or an issued patent (see 37 CFR 1.14). Checks and credit card authorization forms PTO-2038 submitted for payment purposes are not retained in the application file and therefore are not publicly available.

LEGAL NAME OF INVENTOR

Inventor: Fletcher R. Rothkopf Date (Optional):

Signature:

Note: An application data sheet (PTO/SB/14 or equivalent), including naming the entire inventive entity, must accompany this form or must have been previously filed. Use an additional PTO/AIA/01 form for each additional inventor.

This collection of information is required by 35 U.S.C. 115 and 37 CFR 1.63. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 1 minute to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

PTO/AIA/01 (08-12)
Approved for use through 11/30/2020. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

DECLARATION (37 CFR 1.63) FOR UTILITY OR DESIGN APPLICATION USING AN APPLICATION DATA SHEET (37 CFR 1.76)

Title of Invention	WEARABLE ELECTRONIC DEVICE P22914US1

As the below named inventor, I hereby declare that:

This declaration is directed to:

- ☐ The attached application, or
- ■ United States application or PCT international application number 14/842,617 filed on September 1, 2015.

The above-identified application was made or authorized to be made by me.

I believe that I am the original inventor or an original joint inventor of a claimed invention in the application.

I hereby acknowledge that any willful false statement made in this declaration is punishable under 18 U.S.C. 1001 by fine or imprisonment of not more than five (5) years, or both.

WARNING:

Petitioner/applicant is cautioned to avoid submitting personal information in documents filed in a patent application that may contribute to identity theft. Personal information such as social security numbers, bank account numbers, or credit card numbers (other than a check or credit card authorization form PTO-2038 submitted for payment purposes) is never required by the USPTO to support a petition or an application. If this type of personal information is included in documents submitted to the USPTO, petitioners/applicants should consider redacting such personal information from the documents before submitting them to the USPTO. Petitioner/applicant is advised that the record of a patent application is available to the public after publication of the application (unless a non-publication request in compliance with 37 CFR 1.213(a) is made in the application) or issuance of a patent. Furthermore, the record from an abandoned application may also be available to the public if the application is referenced in a published application or an issued patent (see 37 CFR 1.14). Checks and credit card authorization forms PTO-2038 submitted for payment purposes are not retained in the application file and therefore are not publicly available.

LEGAL NAME OF INVENTOR

Inventor: Jonathan Ive Date (Optional): 01/05/2020

Signature: J. Ive

Note: An application data sheet (PTO/SB/14 or equivalent), including naming the entire inventive entity, must accompany this form or must have been previously filed. Use an additional PTO/AIA/01 form for each additional inventor.

This collection of information is required by 35 U.S.C. 115 and 37 CFR 1.63. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 1 minute to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

PTO/AIA/01 (06-12)
Approved for use through 11/30/2020. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

DECLARATION (37 CFR 1.63) FOR UTILITY OR DESIGN APPLICATION USING AN APPLICATION DATA SHEET (37 CFR 1.76)

Title of Invention	WEARABLE ELECTRONIC DEVICE P22914US1

As the below named inventor, I hereby declare that:

This declaration is directed to:

☐ The attached application, or

☒ United States application or PCT international application number 14/842,617

filed on September 1, 2015.

The above-identified application was made or authorized to be made by me.

I believe that I am the original inventor or an original joint inventor of a claimed invention in the application.

I hereby acknowledge that any willful false statement made in this declaration is punishable under 18 U.S.C. 1001 by fine or imprisonment of not more than five (5) years, or both.

WARNING:

Petitioner/applicant is cautioned to avoid submitting personal information in documents filed in a patent application that may contribute to identity theft. Personal information such as social security numbers, bank account numbers, or credit card numbers (other than a check or credit card authorization form PTO-2038 submitted for payment purposes) is never required by the USPTO to support a petition or an application. If this type of personal information is included in documents submitted to the USPTO, petitioners/applicants should consider redacting such personal information from the documents before submitting them to the USPTO. Petitioner/applicant is advised that the record of a patent application is available to the public after publication of the application (unless a non-publication request in compliance with 37 CFR 1.213(a) is made in the application) or issuance of a patent. Furthermore, the record from an abandoned application may also be available to the public if the application is referenced in a published application or an issued patent (see 37 CFR 1.14). Checks and credit card authorization forms PTO-2038 submitted for payment purposes are not retained in the application file and therefore are not publicly available.

LEGAL NAME OF INVENTOR

Inventor: Julian Hoenig Date (Optional): _____

Signature: _____

Note: An application data sheet (PTO/SB/14 or equivalent), including naming the entire inventive entity, must accompany this form or must have been previously filed. Use an additional PTO/AIA/01 form for each additional inventor.

This collection of information is required by 35 U.S.C. 115 and 37 CFR 1.63. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 1 minute to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

PTO/AIA/01 (08-13)
Approved for use through 11/30/2020. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

DECLARATION (37 CFR 1.63) FOR UTILITY OR DESIGN APPLICATION USING AN APPLICATION DATA SHEET (37 CFR 1.76)

Title of Invention	WEARABLE ELECTRONIC DEVICE P22914US1

As the below named inventor, I hereby declare that:

This declaration is directed to:

☐ The attached application, or

☒ United States application or PCT international application number 14/842,617

filed on September 1, 2015.

The above-identified application was made or authorized to be made by me.

I believe that I am the original inventor or an original joint inventor of a claimed invention in the application.

I hereby acknowledge that any willful false statement made in this declaration is punishable under 18 U.S.C. 1001 by fine or imprisonment of not more than five (5) years, or both.

WARNING:

Petitioner/applicant is cautioned to avoid submitting personal information in documents filed in a patent application that may contribute to identity theft. Personal information such as social security numbers, bank account numbers, or credit card numbers (other than a check or credit card authorization form PTO-2038 submitted for payment purposes) is never required by the USPTO to support a petition or an application. If this type of personal information is included in documents submitted to the USPTO, petitioners/applicants should consider redacting such personal information from the documents before submitting them to the USPTO. Petitioner/applicant is advised that the record of a patent application is available to the public after publication of the application (unless a non-publication request in compliance with 37 CFR 1.213(a) is made in the application) or issuance of a patent. Furthermore, the record from an abandoned application may also be available to the public if the application is referenced in a published application or an issued patent (see 37 CFR 1.14). Checks and credit card authorization forms PTO-2038 submitted for payment purposes are not retained in the application file and therefore are not publicly available.

LEGAL NAME OF INVENTOR

Inventor: Rico Zorkendorfer Date (Optional): _____

Signature: _____

Note: An application data sheet (PTO/SB/14 or equivalent), including naming the entire inventive entity, must accompany this form or must have been previously filed. Use an additional PTO/AIA/01 form for each additional inventor.

This collection of information is required by 35 U.S.C. 115 and 37 CFR 1.63. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 1 minute to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2

Doc Code: TRACK1.REQ
Document Description: TrackOne Request

PTO/AIA/424 (04-14)

CERTIFICATION AND REQUEST FOR PRIORITIZED EXAMINATION UNDER 37 CFR 1.102(e) (Page 1 of 1)

First Named Inventor:	Fletcher R. Rothkopf	Nonprovisional Application Number (if known):	
Title of Invention:	WEARABLE ELECTRONIC DEVICE		

APPLICANT HEREBY CERTIFIES THE FOLLOWING AND REQUESTS PRIORITIZED EXAMINATION FOR THE ABOVE-IDENTIFIED APPLICATION.

1. The processing fee set forth in 37 CFR 1.17(i)(1) and the prioritized examination fee set forth in 37 CFR 1.17(c) have been filed with the request. The publication fee requirement is met because that fee, set forth in 37 CFR 1.18(d), is currently $0. The basic filing fee, search fee, and examination fee are filed with the request or have been already been paid. I understand that any required excess claims fees or application size fee must be paid for the application.

2. I understand that the application may not contain, or be amended to contain, more than four independent claims, more than thirty total claims, or any multiple dependent claims, and that any request for an extension of time will cause an outstanding Track I request to be dismissed.

3. The applicable box is checked below:

I. ☑ Original Application (Track One) - Prioritized Examination under § 1.102(e)(1)

i. (a) The application is an original nonprovisional utility application filed under 35 U.S.C. 111(a). This certification and request is being filed with the utility application via EFS-Web.

---OR---

(b) The application is an original nonprovisional plant application filed under 35 U.S.C. 111(a). This certification and request is being filed with the plant application in paper.

ii. An executed inventor's oath or declaration under 37 CFR 1.63 or 37 CFR 1.64 for each inventor, **or** the application data sheet meeting the conditions specified in 37 CFR 1.53(f)(3)(i) is filed with the application.

II. ☐ Request for Continued Examination - Prioritized Examination under § 1.102(e)(2)

i. A request for continued examination has been filed with, or prior to, this form.
ii. If the application is a utility application, this certification and request is being filed via EFS-Web.
iii. The application is an original nonprovisional utility application filed under 35 U.S.C. 111(a), or is a national stage entry under 35 U.S.C. 371.
iv. This certification and request is being filed prior to the mailing of a first Office action responsive to the request for continued examination.
v. No prior request for continued examination has been granted prioritized examination status under 37 CFR 1.102(e)(2).

Signature /Peter J. Nagle/	Date December 5, 2022
Name (Print/Typed) Peter J. Nagle	Practitioner Registration Number 70,361

Note: *This form must be signed in accordance with 37 CFR 1.33. See 37 CFR 1.4(d) for signature requirements and certifications. Submit multiple forms if more than one signature is required.**

☐ *Total of _____ forms are submitted.

Doc Code: PA..
Document Description: Power of Attorney

PTO/AIA/82B (07-13)
Approved for use through 03/31/2021. OMB 0651-0035
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

POWER OF ATTORNEY BY APPLICANT

I hereby revoke all previous powers of attorney given in the application identified in either the attached transmittal letter or the boxes below.

Application Number	Filing Date

(Note: The boxes above may be left blank if information is provided on form PTO/AIA/82A.)

☑ I hereby appoint the Patent Practitioner(s) associated with the following Customer Number as my/our attorney(s) or agent(s), and to transact all business in the United States Patent and Trademark Office connected therewith for the application referenced in the attached transmittal letter (form PTO/AIA/82A) or identified above: 62579

OR

☐ I hereby appoint Practitioner(s) named in the attached list (form PTO/AIA/82C) as my/our attorney(s) or agent(s), and to transact all business in the United States Patent and Trademark Office connected therewith for the patent application referenced in the attached transmittal letter (form PTO/AIA/82A) or identified above. (Note: Complete form PTO/AIA/82C.)

Please recognize or change the correspondence address for the application identified in the attached transmittal letter or the boxes above to:

☑ The address associated with the above-mentioned Customer Number

OR

☐ The address associated with Customer Number:

OR

☐ Firm or Individual Name					
Address					
City		State		Zip	
Country					
Telephone		Email			

I am the Applicant (if the Applicant is a juristic entity, list the Applicant name in the box):

Apple Inc.

☐ Inventor or Joint Inventor (title not required below)
☐ Legal Representative of a Deceased or Legally Incapacitated Inventor (title not required below)
☑ Assignee or Person to Whom the Inventor is Under an Obligation to Assign (provide signer's title if applicant is a juristic entity)
☐ Person Who Otherwise Shows Sufficient Proprietary Interest (e.g., a petition under 37 CFR 1.46(b)(2) was granted in the application or is concurrently being filed with this document) (provide signer's title if applicant is a juristic entity)

SIGNATURE of Applicant for Patent

The undersigned (whose title is supplied below) is authorized to act on behalf of the applicant (e.g., where the applicant is a juristic entity).

Signature		Date (Optional)	April 20, 2021
Name	Jeffrey L. Myers, Assistant Secretary and Chief IP Counsel of Apple Inc.		
Title	Assistant Secretary and Chief IP Counsel		

NOTE: Signature - This form must be signed by the applicant in accordance with 37 CFR 1.33. See 37 CFR 1.4 for signature requirements and certifications. If more than one applicant, use multiple forms.

☐ Total of forms are submitted.

This collection of information is required by 37 CFR 1.131, 1.32, and 1.33. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 3 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Doc Code: PA..
Document Description: Power of Attorney

PTO/AIA/82A (07-13)
Approved for use through 01/31/2018. OMB 0651-0035
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TRANSMITTAL FOR POWER OF ATTORNEY TO ONE OR MORE REGISTERED PRACTITIONERS

NOTE: This form is to be submitted with the Power of Attorney by Applicant form (PTO/AIA/82B) to identify the application to which the Power of Attorney is directed, in accordance with 37 CFR 1.5, unless the application number and filing date are identified in the Power of Attorney by Applicant form. If neither form PTO/AIA/82A nor form PTO/AIA82B identifies the application to which the Power of Attorney is directed, the Power of Attorney will not be recognized in the application.

Application Number	Not Yet Assigned
Filing Date	Herewith
First Named Inventor	Fletcher R. Rothkopf
Title	WEARABLE ELECTRONIC DEVICE
Art Unit	Not Yet Assigned
Examiner Name	Not Yet Assigned
Attorney Docket Number	P22914USC11

SIGNATURE of Applicant or Patent Practitioner

Signature	/Peter J. Nagle/	Date (Optional)	December 5, 2022
Name	Peter J. Nagle	Registration Number	70,361
Title (if Applicant is a juristic entity)			
Applicant Name (if Applicant is a juristic entity)	Apple Inc.		

NOTE: This form must be signed in accordance with 37 CFR 1.33. See 37 CFR 1.4(d) for signature requirements and certifications. If more than one applicant, use multiple forms.

☑ *Total of 1 forms are submitted.

This collection of information is required by 37 CFR 1.131, 1.32, and 1.33. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 3 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Electronic Patent Application Fee Transmittal	
Application Number:	
Filing Date:	
Title of Invention:	WEARABLE ELECTRONIC DEVICE
First Named Inventor/Applicant Name:	Fletcher R. Rothkopf
Filer:	Peter James Nagle/Stephanie Klepp
Attorney Docket Number:	P22914USC11
Filed as Large Entity	
Filing Fees for **Track I Prioritized Examination - Nonprovisional Application under 35 USC 111(a)**	

Description	Fee Code	Quantity	Amount	Sub-Total in USD($)
Basic Filing:				
UTILITY APPLICATION FILING	1011	1	320	320
UTILITY SEARCH FEE	1111	1	700	700
UTILITY EXAMINATION FEE	1311	1	800	800
REQUEST FOR PRIORITIZED EXAMINATION	1817	1	4200	4200
Pages:				
Claims:				
Miscellaneous-Filing:				

Description	Fee Code	Quantity	Amount	Sub-Total in USD($)
PUBL. FEE- EARLY, VOLUNTARY, OR NORMAL	1504	1	0	0
PROCESSING FEE, EXCEPT PROV. APPLS.	1830	1	140	140
Petition:				
Patent-Appeals-and-Interference:				
Post-Allowance-and-Post-Issuance:				
Extension-of-Time:				
Miscellaneous:				
		Total in USD ($)		**6160**

Electronic Acknowledgement Receipt	
EFS ID:	47147111
Application Number:	18075253
International Application Number:	
Confirmation Number:	7929
Title of Invention:	WEARABLE ELECTRONIC DEVICE
First Named Inventor/Applicant Name:	Fletcher R. Rothkopf
Customer Number:	62579
Filer:	Peter James Nagle/Stephanie Klepp
Filer Authorized By:	Peter James Nagle
Attorney Docket Number:	P22914USC11
Receipt Date:	05-DEC-2022
Filing Date:	
Time Stamp:	19:00:28
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	yes
Payment Type	CARD
Payment was successfully received in RAM	$6160
RAM confirmation Number	E2022B5J01101252
Deposit Account	
Authorized User	
The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows:	

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1	Transmittal of New Application	P22914USC11_Transmittal.pdf	215712 cfb2a202ffbe99d36b6522613b5d613232ccc252	no	1
Warnings:					
Information:					
2	Application Data Sheet	P22914USC11_ADS.pdf	254444 6809c7c140760f8411c9800f0c5b6ae1649ce262	no	12
Warnings:					
Information:					
This is not an USPTO supplied ADS fillable form					
3		P22914USC11_Application.pdf	417210 59d5854886175e627444e10191d4290a2228d109	yes	96

Multipart Description/PDF files in .zip description

Document Description	Start	End
Specification	1	90
Claims	91	95
Abstract	96	96

Warnings:					
Information:					
4	Drawings-only black and white line drawings	P22914USC11_Drawings.pdf	504392 d0f895ffc2af43e2cf3814c42274fcab9dc7681e	no	26
Warnings:					
Information:					

5	Oath or Declaration filed	P22914USC11_Declarations.pdf	519654 0ad62e0f55ef6c8ea78a99f60b82895a20c85b8c	no	4
Warnings:					
Information:					
6	Track One Request	P22914USC11_TrackOne.pdf	96622 e3de260cd904e38850d495d0e2f412fe392d24ea	no	1
Warnings:					
Information:					
7	Power of Attorney	P22914USC11_PoA.pdf	102329 d806dd23af8c55c069cba6fa5c967f1c8bd07fa7	no	1
Warnings:					
Information:					
8	Power of Attorney	P22914USC11_PoA_Transmittal.pdf	107691 49c722681cb1f9851f7d0c48d1a2a9688db1faa0	no	1
Warnings:					
Information:					
9	Fee Worksheet (SB06)	fee-info.pdf	51106 59a7fcd060574744a79c34ddfd3caeef7ff324a0	no	2
Warnings:					
Information:					
		Total Files Size (in bytes):	2269160		

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Inventor(s):	Fletcher R. Rothkopf et al.		
App. No.:	18/075,253	Con. No.:	7929
Filed:	December 5, 2022	Art Unit:	Not Yet Assigned
Title:	WEARABLE ELECTRONIC DEVICE	Examiner:	Not Yet Assigned

PRELIMINARY AMENDMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Commissioner:

Please amend the above-identified application as follows:

Amendments to the Claims begin on page 2 of this paper.

Remarks begin on page 10 of this paper.

Amendments to the Claims:

1. – 20. (Cancelled)

21. (New) A wearable electronic device comprising:

a housing defining a first opening and a second opening;

a band attached to the housing;

a cover subassembly positioned at least partially in the first opening and comprising:

a front cover defining at least a portion of a front exterior surface of the wearable electronic device; and

a touch-sensitive display positioned below the front cover;

a rear cover defining at least a portion of a rear exterior surface of the wearable electronic device;

a light source configured to emit light;

a detector configured to receive a reflected portion of the emitted light;

a first rear-facing electrode;

a second rear-facing electrode; and

a charging coil positioned within the housing and configured to receive wireless power through the rear cover.

22. (New) The wearable electronic device of claim 21, further comprising a third electrode positioned at an exterior surface of the wearable electronic device.

23. (New) The wearable electronic device of claim 22, wherein the third electrode is positioned along a top portion of the wearable electronic device.

24. (New) The wearable electronic device of claim 23, wherein the wearable electronic device further comprises a processing unit operably coupled to the first rear-facing electrode, the second rear-facing electrode, and the third electrode and configured to determine a physiological parameter based at least in part on electrical signals received at the first rear-facing electrode, the second rear-facing electrode, and the third electrode.

25. (New) The wearable electronic device of claim 24, wherein:

the physiological parameter is a first physiological parameter; and

the processing unit is further configured to determine a second physiological parameter based at least in part on the reflected portion of the emitted light.

26. (New) The wearable electronic device of claim 21, further comprising a magnetic material at least partially within the housing and configured to magnetically attach the wearable electronic device to a charging dock.

27. (New) The wearable electronic device of claim 21, wherein the rear cover includes:

a first window to transmit the light from the light source; and

a second window to receive the reflected portion of the emitted light.

28. (New) The wearable electronic device of claim 21, wherein the light source is configured to emit green light.

29. (New) The wearable electronic device of claim 21, wherein:

the rear cover defines a first portion of the rear exterior surface of the wearable electronic device; and

the housing comprises:

a top portion defining at least a portion of a side surface of the wearable electronic device; and

a bottom portion defining a second portion of the rear exterior surface of the wearable electronic device.

30. (New) The wearable electronic device of claim 21, wherein:

the light source is a first light source; and

the wearable electronic device further comprises a second light source.

31. (New) The wearable electronic device of claim 30, wherein:

the first light source is configured to emit light having a first wavelength range; and

the second light source is configured to emit light having a second wavelength range different from the first wavelength range.

32. (New) A wearable electronic device comprising:

a housing;

a band attached to the housing and configured to secure the wearable electronic device to a user;

a front cover defining at least a portion of a front exterior surface of the wearable electronic device;

a display positioned below the front cover;

a touch sensor configured to detect a touch input applied to the front cover;

a rear cover positioned at least partially in an opening along a rear of the housing and configured to face a wrist of a user;

an optical sensing system configured to detect a first physiological parameter of the user;

an electrical sensing system configured to detect a second physiological parameter of the user and comprising:

a first electrode configured to contact the wrist of the user; and

a second electrode configured to contact the wrist of the user; and

a charging coil positioned within the housing and configured to receive wireless power through the rear cover.

33. (New) The wearable electronic device of claim 32, wherein the rear cover comprises an optically transparent material.

34. (New) The wearable electronic device of claim 32, wherein the rear cover defines:

a first window configured to pass light emitted by a light source within the wearable electronic device; and

a second window configured to pass light reflected from the wrist of the user.

35. (New) The wearable electronic device of claim 32, further comprising a third electrode configured to contact the user, wherein the electrical sensing system detects the second physiological parameter using the first electrode, the second electrode, and the third electrode.

36. (New) The wearable electronic device of claim 35, wherein:

the first physiological parameter is at least one of a heart rate or a blood oxygenation level; and

the second physiological parameter is an electrocardiograph.

37. (New) The wearable electronic device of claim 32, wherein the rear cover defines a convex exterior surface.

38. (New) The wearable electronic device of claim 37, wherein the convex exterior surface is configured to mate with a concave surface of a wireless charging accessory.

39. (New) The wearable electronic device of claim 32, wherein the optical sensing system comprises:

a first light emitter configured to emit first light having a first wavelength range toward the wrist of the user;

a second light emitter configured to emit second light having a second wavelength range different from the first wavelength range toward the wrist of the user; and

a detector configured to detect a reflected portion of at least the first light.

40. (New) The wearable electronic device of claim 39, wherein:

the detector is a first detector; and

the optical sensing system further comprises a second detector configured to detect a reflected portion of at least the second light.

41. (New) An electronic watch comprising:

a housing comprising:

a top portion defining at least a portion of a side surface of the housing; and

a bottom portion defining at least a portion of a rear surface of the housing;

a front cover defining at least a portion of a front surface of the electronic watch;

a rear cover positioned at least partially in an opening defined in the bottom portion of the housing and defining a convex outer contour;

an optical sensing system configured to receive light reflected from a wrist of a user;

a first electrode configured to contact the wrist of the user;

a second electrode configured to contact the wrist of the user;

a charging coil configured to receive wireless power through the rear cover; and

a processing unit configured to determine a first physiological parameter based at least in part on the light reflected from the wrist of the user and to determine a second physiological parameter based at least in part on electrical measurements at the first electrode and the second electrode.

42. (New) The electronic watch of claim 41, further comprising a touch-sensitive display positioned below the front cover and configured to display information associated with the first physiological parameter and the second physiological parameter.

43. (New) The electronic watch of claim 41, wherein the optical sensing system is configured to operate as a photoplethysmography (PPG) sensor.

44. (New) The electronic watch of claim 41, wherein the opening is a circular opening.

45. (New) The electronic watch of claim 44, wherein the rear cover is a disk having a diameter that is larger than a diameter of the circular opening.

46. (New) The electronic watch of claim 41, wherein the top portion of the housing and the bottom portion of the housing are portions of a unibody structure.

47. (New) The electronic watch of claim 41, wherein:

the optical sensing system comprises:

a light emitter configured to emit light toward the wrist of the user; and

a light detector configured to receive the light reflected from the wrist of the user; and

the light reflected from the wrist of the user is a portion of the light emitted by the light emitter.

48. (New) The electronic watch of claim 47, wherein:

the light emitter is a first light emitter; and

the optical sensing system further comprises a second light emitter.

49. (New) The electronic watch of claim 48, wherein:

the light detector is a first light detector; and

the optical sensing system further comprises a second light detector.

REMARKS

This preliminary amendment cancels claims 1-20 without prejudice or disclaimer of the subject matter therein and adds new claims 21-49. No new matter is added.

This Amendment is submitted with the required fee under 37 CFR § 1.16(i) of $800.00 for the 8 claims in excess of 20. The requisite fee is being paid by credit card with this filing. The Assignee believes no additional fees or petitions are due with this filing. However, should any such fees or petitions be required, please consider this a request therefor and authorization to charge Deposit Account No. 504621 as necessary.

If the Examiner should require any additional information or amendment, please contact the undersigned attorney.

Dated: December 6, 2022

Respectfully submitted,

/Peter J. Nagle/

Peter J. Nagle, Registration No. 70,361
Attorney for Assignee
USPTO Customer No. 62579

Brownstein Hyatt Farber Schreck, LLP
410 Seventeenth Street
Suite 2200
Denver, Colorado 80202
Phone: (303) 223-1100
Fax: (303) 223-1111

Docket No. P22914USC11

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:		
Fletcher R. Rothkopf	Examiner:	Not Yet Assigned
Application No. 18/075,253	Art Unit:	Not Yet Assigned
Filed: December 5, 2022	Confirmation No.	7929
For: WEARABLE ELECTRONIC DEVICE		

INFORMATION DISCLOSURE STATEMENT TRANSMITTAL

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

The Examiner is requested to consider the references noted on the enclosed Form PTO/SB/08A and B during examination of the above-identified patent application. These references are submitted for the Examiner's consideration and are submitted pursuant to the duty of disclosure under 37 C.F.R. § 1.56. In submitting these references, no representation is made or implied that the references are or are not material to the examination of the application. The Examiner is requested to review the cited references and is encouraged to make his or her own determination of materiality of the references cited.

Pursuant to the requirements of 37 C.F.R. § 1.98(a)(2)(ii), only copies of the foreign references and non-patent literature documents are provided. Copies of the U.S. patent and U.S. patent application publication references are not provided, unless required by the Office.

Pursuant to 37 C.F.R. § 1.98(d), copies of all foreign and non-patent literature references cited on the attached Form PTO/SB/08A and B were previously furnished to or cited by the Patent Office in parent Application No. 17/951,973, filed September 23, 2022, pending.

☒ In accordance with **37 CFR 1.97(b),** the information disclosure statement is being filed:

☐ (1) within three months of the filing date of a national application other than a continued prosecution application under §1.53(b);

☐ (2) within three months of the date of the national stage as set forth in §1.491 in an international application;

☒ (3) before the mailing of a first Office Action on the merits; or

☐ (4) before the mailing of a first Office Action after the filing of a request for continued examination under §1.114.

STATEMENT OF RELATEDNESS UNDER M.P.E.P. § 2001.06(b)

In satisfaction of the duty of disclosure under 37 C.F.R. § 1.56, and as required by M.P.E.P §2001.06(b), the Examiner is requested to consider the pending application(s) listed below which are owned by the Assignee of the present application. The pending application(s) may include subject matter similar to that of the present application.

- U.S. Patent Application Serial No. 16/179,870; filed 11/02/2018, now abandoned;
- U.S. Patent Application Serial No. 16/801,450; filed 02/26/2020, now abandoned;
- U.S. Patent Application Serial No. 17/377,482; filed 07/16/2021, pending;
- U.S. Patent Application Serial No. 17/840,222; filed 06/14/2022, pending;
- U.S. Patent Application Serial No. 17/899,498; filed 08/31/2022, pending;
- U.S. Patent Application Serial No. 17/951,020; filed 09/22/2022, pending;
- U.S. Patent Application Serial No. 17/951,973; filed 09/23/2022, pending;
- U.S. Patent Application Serial No. 18/074,358; filed 12/02/2022, pending;

FEE AUTHORIZATION

☐ The required fee specified in 37 C.F.R. § 1.17(p), is being paid concurrently herewith by credit card authorization through the USPTO Electronic Filing System;

☐ The Director is hereby authorized any fee deficiency or credit any overpayment, to Deposit Account No. 50-4621; **or**

☒ No fee is believed due. However, the Director is hereby authorized to charge any deficiency or credit any overpayment to Deposit Account No. 50-4621.

If the Examiner has any questions, please contact the undersigned attorney.

Dated: December 6, 2022.

Respectfully submitted,

/Peter J. Nagle/
Peter J. Nagle, Registration No. 70,361
Attorney for Assignee
USPTO Customer No. 62579

Brownstein Hyatt Farber Schreck, LLP
410 Seventeenth Street
Suite 2200
Denver, Colorado 80202
Phone: (303) 223-1100
Fax: (303) 223-1111

PTO/SB/08A (08-03) U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Substitute for Form 1449A/PTO **INFORMATION DISCLOSURE STATEMENT BY APPLICANT** *(Use as many sheets as necessary)*	**APPLICATION NO.:** 18/075,253	**FILING DATE:** December 5, 2022
	INVENTOR(S): Fletcher R. Rothkopf	**ART UNIT:** Not Yet Assigned
	EXAMINER NAME: Not Yet Assigned	**ATTY. DOCKET NO.:** P22914USC11

U.S. PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A1.	2,288,215	06/1942	Taubert et al.	
	A2.	2,237,860	04/1941	Bolle	
	A3.	2,497,935	02/1950	Feurer	
	A4.	2,771,734	11/1956	Morf	
	A5.	2,788,236	04/1957	Kafowi	
	A6.	2,797,592	07/1957	Marrapese	
	A7.	3,040,514	06/1962	Dinstman	
	A8.	3,056,030	09/1962	Kelchner	
	A9.	3,130,539	04/1964	Davis	
	A10.	3,355,873	12/1967	Morf	
	A11.	3,362,154	01/1968	Perret	
	A12.	3,410,247	11/1968	Dronberger	
	A13.	3,495,398	02/1970	Widmer et al.	
	A14.	3,577,876	05/1971	Spadini	
	A15.	3,621,649	11/1971	Vulcan et al.	
	A16.	3,662,618	05/1972	Kroll et al.	
	A17.	3,733,803	05/1973	Hiraga	
	A18.	3,937,002	02/1976	Van Haften	
	A19.	4,007,347	02/1977	Haber	
	A20.	4,031,341	06/1977	Wuthrich et al.	
	A21.	4,037,068	07/1977	Gaynor	
	A22.	4,051,665	10/1977	Arn	
	A23.	4,077,200	03/1978	Schneider	
	A24.	4,133,404	01/1979	Griffin	
	A25.	4,170,104	10/1979	Yamagata	
	A26.	4,258,096	03/1981	LaMarche	
	A27.	4,274,152	06/1981	Ikegami	
	A28.	4,287,400	09/1981	Kitik	
	A29.	4,289,400	09/1981	Kubola et al.	
	A30.	4,311,026	01/1982	Ochoa	
	A31.	4,311,990	01/1982	Burke	
	A32.	4,324,956	04/1982	Sakakino et al.	
	A33.	4,345,119	08/1982	Latasiewicz	
	A34.	4,364,674	12/1982	Tesch	
	A35.	4,379,642	04/1983	Meyrat	
	A36.	4,395,134	07/1983	Luce	
	A37.	4,396,298	08/1983	Ripley	

U.S. PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A38.	4,417,824	11/1983	Paterson et al.	
	A39.	4,448,199	05/1984	Schmid	
	A40.	4,520,306	05/1985	Kirby	
	A41.	4,581,509	04/1986	Sanford et al.	
	A42.	4,600,316	07/1986	Besson	
	A43.	4,617,461	10/1986	Subbarao et al.	
	A44.	4,634,861	01/1987	Ching et al.	
	A45.	4,641,026	02/1987	Garcia, Jr.	
	A46.	4,670,737	06/1987	Rilling	
	A47.	4,766,642	08/1988	Gaffney et al.	
	A48.	4,783,772	11/1988	Umemoto et al.	
	A49.	4,884,073	11/1989	Souloumiac	
	A50.	4,914,831	04/1990	Kanezashi et al.	
	A51.	4,922,070	05/1990	Dorkinski	
	A52.	4,931,794	06/1990	Haag	
	A53.	4,952,799	08/1990	Loewen	
	A54.	4,980,685	12/1990	Souloumiac et al.	
	A55.	4,987,299	01/1991	Kobayashi et al.	
	A56.	5,034,602	07/1991	Garcia et al.	
	A57.	5,177,355	01/1993	Branan	
	A58.	5,214,278	05/1993	Banda	
	A59.	5,258,592	11/1993	Nishikawa et al.	
	A60.	5,288,993	02/1994	Bidiville et al.	
	A61.	5,347,123	09/1994	Jackson et al.	
	A62.	5,383,166	01/1995	Gallay	
	A63.	5,471,054	11/1995	Watanabe	
	A64.	5,477,508	12/1995	Will	
	A65.	5,509,174	04/1996	Worrell	
	A66.	5,559,761	09/1996	Frenkel et al.	
	A67.	5,572,314	11/1996	Hyman et al.	
	A68.	5,583,560	12/1996	Florin et al.	
	A69.	5,631,881	05/1997	Pessey et al.	
	A70.	5,726,645	03/1998	Kamon et al.	
	A71.	5,738,104	04/1998	Lo	
	A72.	5,748,111	05/1998	Bates	
	A73.	5,825,353	10/1998	Will	
	A74.	5,841,050	11/1998	Clift et al.	
	A75.	5,847,335	12/1998	Sugahara et al.	
	A76.	5,867,082	02/1999	Van Zeeland	
	A77.	5,943,233	08/1999	Ebina	
	A78.	5,953,001	09/1999	Challener et al.	
	A79.	5,960,366	09/1999	Duwaer et al.	
	A80.	5,963,332	10/1999	Feldman et al.	
	A81.	5,999,168	12/1999	Rosenberg et al.	
	A82.	6,069,567	05/2000	Zawilski	
	A83.	6,128,006	10/2000	Rosenberg et al.	

U.S. PATENT DOCUMENTS					
EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A84.	6,134,189	10/2000	Carrard	
	A85.	6,154,201	11/2000	Levin et al.	
	A86.	6,175,679	01/2001	Veligdan et al.	
	A87.	6,203,190	03/2001	Stotz	
	A88.	6,241,684	06/2001	Amano	
	A89.	6,246,050	06/2001	Tullis et al.	
	A90.	6,252,825	06/2001	Perotto	
	A91.	6,304,247	10/2001	Black	
	A92.	6,355,891	03/2002	Ikunami	
	A93.	6,361,502	03/2002	Puolakanaho et al.	
	A94.	6,377,239	04/2002	Isikawa	
	A95.	6,392,640	05/2002	Will	
	A96.	6,396,006	05/2002	Yokoji et al.	
	A97.	6,422,740	07/2002	Leuenberger	
	A98.	6,477,117	11/2002	Narayanaswami et al.	
	A99.	6,502,982	01/2003	Bach et al.	
	A100.	6,525,278	02/2003	Villain et al.	
	A101.	6,556,222	04/2003	Narayanaswami	
	A102.	6,575,618	06/2003	Inoue et al.	
	A103.	6,587,400	07/2003	Line	
	A104.	6,636,197	10/2003	Goldenberg et al.	
	A105.	6,646,635	11/2003	Pogatetz et al.	
	A106.	6,661,438	11/2003	Shiraishi et al.	
	A107.	6,672,758	01/2004	Ehrsam et al.	
	A108.	6,794,992	09/2004	Rogers	
	A109.	6,809,275	10/2004	Cheng et al.	
	A110.	6,834,430	12/2004	Worrell	
	A111.	6,846,998	01/2005	Hasumi et al.	
	A112.	6,882,596	04/2005	Guanter	
	A113.	6,888,076	05/2005	Hetherington	
	A114.	6,896,403	05/2005	Gau	
	A115.	6,909,378	06/2005	Lambrechts et al.	
	A116.	6,914,551	07/2005	Vidal	
	A117.	6,950,695	09/2005	Chen	
	A118.	6,963,039	11/2005	Weng et al.	
	A119.	6,961,099	11/2005	Takano et al.	
	A120.	6,967,903	11/2005	Guanter	
	A121.	6,977,868	12/2005	Brewer et al.	
	A122.	6,982,930	01/2006	Hung	
	A123.	6,985,107	01/2006	Anson	
	A124.	6,987,568	01/2006	Dana	
	A125.	6,998,553	02/2006	Hisamune et al.	
	A126.	7,009,915	03/2006	Brewer et al.	
	A127.	7,016,263	03/2006	Gueissaz et al.	
	A128.	7,021,442	04/2006	Borgerson	
	A129.	7,031,228	04/2006	Born et al.	

U.S. PATENT DOCUMENTS					
EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A130.	7,034,237	04/2006	Ferri et al.	
	A131.	7,081,905	07/2006	Raghunath et al.	
	A132.	7,102,626	09/2006	Denny III	
	A133.	7,111,365	09/2006	Howie, Jr.	
	A134.	7,113,450	09/2006	Plancon et al.	
	A135.	7,119,289	10/2006	Lacroix	
	A136.	7,135,673	11/2006	Saint Clair	
	A137.	7,167,083	01/2007	Giles	
	A138.	7,187,359	03/2007	Numata	
	A139.	7,244,927	07/2007	Huynh	
	A140.	7,255,473	08/2007	Hiranuma et al.	
	A141.	7,265,336	09/2007	Hataguchi et al.	
	A142.	7,274,303	09/2007	Dresti et al.	
	A143.	7,285,738	10/2007	Lavigne et al.	
	A144.	7,286,063	10/2007	Gauthey	
	A145.	7,292,741	11/2007	Ishiyama et al.	
	A146.	7,358,481	04/2008	Yeoh et al.	
	A147.	7,369,308	05/2008	Tsuruta et al.	
	A148.	7,371,745	05/2008	Ebright et al.	
	A149.	7,385,874	06/2008	Vuilleumier	
	A150.	7,404,667	07/2008	Born et al.	
	A151.	7,465,917	12/2008	Chin et al.	
	A152.	7,468,036	12/2008	Rulkov et al.	
	A153.	7,506,269	03/2009	Lang et al.	
	A154.	7,520,664	04/2009	Wai	
	A155.	7,528,824	05/2009	Kong	
	A156.	7,545,367	06/2009	Sunda et al.	
	A157.	7,591,582	09/2009	Hiranuma et al.	
	A158.	7,593,755	09/2009	Colando et al.	
	A159.	7,605,846	10/2009	Watanabe	
	A160.	7,634,263	12/2009	Louch et al.	
	A161.	7,646,677	01/2010	Nakamura	
	A162.	7,655,874	02/2010	Akieda	
	A163.	7,682,070	03/2010	Burton	
	A164.	7,708,457	05/2010	Girardin	
	A165.	7,710,456	05/2010	Koshiba et al.	
	A166.	7,732,724	06/2010	Otani et al.	
	A167.	7,761,246	07/2010	Matsui	
	A168.	7,763,819	07/2010	Ieda et al.	
	A169.	7,778,115	08/2010	Ruchonnet	
	A170.	7,781,726	08/2010	Matsui et al.	
	A171.	7,772,507	08/2010	Orr	
	A172.	7,791,587	09/2010	Kosugi	
	A173.	7,791,588	09/2010	Tierling et al.	
	A174.	7,791,597	09/2010	Silverstein et al.	
	A175.	RE41,637	09/2010	O'Hara et al.	

U.S. PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A176.	7,822,469	10/2010	Lo	
	A177.	7,858,583	12/2010	Schmidt et al.	
	A178.	7,856,255	12/2010	Tsuchiya et al.	
	A179.	7,865,324	01/2011	Lindberg	
	A180.	7,894,957	02/2011	Carlson	
	A181.	7,946,758	05/2011	Mooring	
	A182.	8,063,892	11/2011	Shahoian et al.	
	A183.	8,138,488	03/2012	Grot	
	A184.	8,143,981	03/2012	Washizu et al.	
	A185.	8,167,126	05/2012	Stiehl	
	A186.	8,169,402	05/2012	Shahoian et al.	
	A187.	8,188,989	05/2012	Levin et al.	
	A188.	8,195,313	06/2012	Fadell et al.	
	A189.	8,229,535	07/2012	Mensinger et al.	
	A190.	8,248,815	08/2012	Yang et al.	
	A191.	8,263,886	09/2012	Lin et al.	
	A192.	8,263,889	09/2012	Takahashi et al.	
	A193.	8,275,327	09/2012	Yi et al.	
	A194.	8,294,670	10/2012	Griffin et al.	
	A195.	8,312,495	11/2012	Vanderhoff	
	A196.	8,318,340	11/2012	Stimits	
	A197.	8,368,677	02/2013	Yamamoto	
	A198.	8,371,745	02/2013	Manni	
	A199.	8,373,661	02/2013	Lan et al.	
	A200.	8,405,618	03/2013	Colgate	
	A201.	8,432,368	04/2013	Momeyer et al.	
	A202.	8,410,971	04/2013	Friedlander	
	A203.	8,446,713	05/2013	Lai	
	A204.	8,439,559	05/2013	Luk et al.	
	A205.	8,441,450	05/2013	Degner et al.	
	A206.	8,456,430	06/2013	Oliver et al.	
	A207.	8,493,190	07/2013	Periquet et al.	
	A208.	8,477,118	07/2013	Lan et al.	
	A209.	8,508,511	08/2013	Tanaka et al.	
	A210.	8,525,777	09/2013	Stavely et al.	
	A211.	8,562,489	10/2013	Burton et al.	
	A212.	8,568,313	10/2013	Sadhu	
	A213.	8,576,044	11/2013	Chapman	
	A214.	8,593,598	11/2013	Chen et al.	
	A215.	8,607,662	12/2013	Huang	
	A216.	8,614,881	12/2013	Yoo	
	A217.	8,666,682	03/2014	LaVigne et al.	
	A218.	8,677,285	03/2014	Tsern et al.	
	A219.	8,704,787	04/2014	Yamamoto	
	A220.	8,711,093	04/2014	Ong et al.	
	A221.	8,717,151	05/2014	Forutanpour et al.	

U.S. PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A222.	8,730,167	05/2014	Ming et al.	
	A223.	8,724,087	05/2014	Van De Kerkhof et al.	
	A224.	8,743,088	06/2014	Watanabe	
	A225.	8,783,944	07/2014	Doi	
	A226.	8,797,153	08/2014	Vanhelle et al.	
	A227.	8,804,993	08/2014	Shukla et al.	
	A228.	8,816,962	08/2014	Obermeyer et al.	
	A229.	8,824,245	09/2014	Lau et al.	
	A230.	8,847,741	09/2014	Birnbaum et al.	
	A231.	8,851,372	10/2014	Zhou	
	A232.	8,859,971	10/2014	Weber	
	A233.	8,860,674	10/2014	Lee et al.	
	A234.	8,863,219	10/2014	Brown et al.	
	A235.	8,878,657	11/2014	Periquet et al.	
	A236.	8,885,856	11/2014	Sacha	
	A237.	8,895,911	11/2014	Takahashi	
	A238.	D717,679	11/2014	Anderssen	
	A239.	8,905,631	12/2014	Sakurazawa et al.	
	A240.	8,908,477	12/2014	Peters	
	A241.	8,920,022	12/2014	Ishida et al.	
	A242.	8,922,399	12/2014	Bajaj et al.	
	A243.	8,928,452	01/2015	Kim et al.	
	A244.	8,948,832	02/2015	Hong et al.	
	A245.	8,954,135	02/2015	Yuen et al.	
	A246.	8,975,543	03/2015	Hakemeyer	
	A247.	8,994,827	03/2015	Mistry et al.	
	A248.	9,001,625	04/2015	Essery et al.	
	A249.	9,024,733	05/2015	Wouters	
	A250.	9,028,134	05/2015	Koshoji et al.	
	A251.	9,030,446	05/2015	Mistry et al.	
	A252.	9,034,666	05/2015	Vaganov et al.	
	A253.	9,039,614	05/2015	Yuen et al.	
	A254.	9,041,663	05/2015	Westerman	
	A255.	9,042,971	05/2015	Brumback et al.	
	A256.	9,049,998	06/2015	Brumback et al.	
	A257.	9,052,696	06/2015	Breuillot et al.	
	A258.	9,086,717	07/2015	Meerovitsch	
	A259.	9,086,738	07/2015	Leung et al.	
	A260.	9,091,309	07/2015	Battlogg	
	A261.	9,100,493	08/2015	Zhou	
	A262.	9,101,184	08/2015	Wilson	
	A263.	9,105,413	08/2015	Hiranuma et al.	
	A264.	9,123,483	09/2015	Ferri et al.	
	A265.	9,134,807	09/2015	Shaw et al.	
	A266.	9,141,087	09/2015	Brown et al.	
	A267.	9,176,577	11/2015	Jangaard et al.	

U.S. PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A268.	9,176,598	11/2015	Sweetser et al.	
	A269.	9,202,372	12/2015	Reams et al.	
	A270.	9,213,409	12/2015	Redelsheimer et al.	
	A271.	9,223,296	12/2015	Yang et al.	
	A272.	9,241,635	01/2016	Yuen et al.	
	A273.	9,244,438	01/2016	Hoover et al.	
	A274.	9,256,209	02/2016	Yang et al.	
	A275.	9,277,156	03/2016	Bennett et al.	
	A276.	9,350,850	05/2016	Pope et al.	
	A277.	9,367,146	06/2016	Piot	
	A278.	9,386,932	07/2016	Chatterjee et al.	
	A279.	9,426,275	08/2016	Eim et al.	
	A280.	9,430,042	08/2016	Levin	
	A281.	9,437,357	09/2016	Furuki et al.	
	A282.	9,449,770	09/2016	Sanford et al.	
	A283.	9,501,044	11/2016	Jackson et al.	
	A284.	9,520,100	12/2016	Houjou et al.	
	A285.	9,532,723	01/2017	Kim	
	A286.	9,542,016	01/2017	Armstrong-Muntner	
	A287.	9,545,541	01/2017	Aragones et al.	
	A288.	9,552,023	01/2017	Joo et al.	
	A289.	9,599,964	03/2017	Gracia	
	A290.	9,600,071	03/2017	Rothkopf	
	A291.	9,607,505	03/2017	Rothkopf et al.	
	A292.	9,620,312	04/2017	Ely et al.	
	A293.	9,627,163	04/2017	Ely	
	A294.	9,632,318	04/2017	Goto et al.	
	A295.	9,632,537	04/2017	Memering	
	A296.	9,638,587	05/2017	Marquas et al.	
	A297.	9,651,922	05/2017	Hysek et al.	
	A298.	9,659,482	05/2017	Yang et al.	
	A299.	9,680,831	06/2017	Jooste et al.	
	A300.	9,709,956	07/2017	Ely et al.	
	A301.	9,753,436	09/2017	Ely et al.	
	A302.	9,800,717	10/2017	Ma et al.	
	A303.	D800,172	10/2017	Akana	
	A304.	9,836,025	12/2017	Ely et al.	
	A305.	9,873,711	01/2018	Hoover et al.	
	A306.	9,874,945	01/2018	Fukumoto	
	A307.	9,886,006	02/2018	Ely et al.	
	A308.	9,891,590	02/2018	Shim et al.	
	A309.	9,891,651	02/2018	Jackson et al.	
	A310.	9,891,667	02/2018	Jung et al.	
	A311.	9,898,032	02/2018	Hafez et al.	
	A312.	9,913,591	03/2018	Lapetina et al.	
	A313.	9,921,548	03/2018	Mitani	

U.S. PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A314.	9,927,902	03/2018	Burr et al.	
	A315.	9,946,297	04/2018	Nazzaro et al.	
	A316.	9,952,558	04/2018	Ely	
	A317.	9,952,682	04/2018	Zhang et al.	
	A318.	9,939,923	04/2018	Sharma	
	A319.	9,971,305	05/2018	Ely et al.	
	A320.	9,971,405	05/2018	Holenarsipur et al.	
	A321.	9,971,407	05/2018	Holenarsipur et al.	
	A322.	9,979,426	05/2018	Na et al.	
	A323.	10,002,731	06/2018	Wang et al.	
	A324.	10,001,817	06/2018	Zambetti et al.	
	A325.	10,012,550	07/2018	Yang	
	A326.	10,018,966	07/2018	Ely et al.	
	A327.	10,019,097	07/2018	Ely et al.	
	A328.	10,025,399	07/2018	Fleck et al.	
	A329.	10,037,006	07/2018	Ely	
	A330.	10,037,081	07/2018	Grant	
	A331.	10,041,813	08/2018	Ferri et al.	
	A332.	10,048,802	08/2018	Shedletsky	
	A333.	10,055,030	08/2018	Stringer et al.	
	A334.	10,057,470	08/2018	Kim et al.	
	A335.	10,061,399	08/2018	Bushnell et al.	
	A336.	10,061,404	08/2018	Chung et al.	
	A337.	10,066,970	09/2018	Gowreesunker et al.	
	A338.	10,092,203	10/2018	Mirov	
	A339.	10,095,394	10/2018	Howard et al.	
	A340.	10,108,016	10/2018	Bosveld	
	A341.	10,114,342	10/2018	Kim et al.	
	A342.	10,114,450	10/2018	Eguchi	
	A343.	10,175,652	01/2019	Ely et al.	
	A344.	10,145,711	12/2018	Boonsom et al.	
	A345.	10,145,712	12/2018	Ruh et al.	
	A346.	10,187,364	01/2019	Sarkar et al.	
	A347.	10,190,891	01/2019	Rothkopf et al.	
	A348.	10,194,271	01/2019	Aminzade	
	A349.	10,203,662	02/2019	Lin et al.	
	A350.	10,209,148	02/2019	Lyon et al.	
	A351.	10,216,147	02/2019	Ely et al.	
	A352.	10,222,755	03/2019	Coakley et al.	
	A353.	10,222,756	03/2019	Ely et al.	
	A354.	10,222,909	03/2019	Shedletsky et al.	
	A355.	10,234,828	03/2019	Ely et al.	
	A356.	10,241,593	03/2019	Chen	
	A357.	10,290,440	05/2019	Teplitxky et al.	
	A358.	10,296,125	05/2019	Ely et al.	
	A359.	10,331,081	06/2019	Ely et al.	

U.S. PATENT DOCUMENTS					
EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A360.	10,331,082	06/2019	Ely et al.	
	A361.	10,332,111	06/2019	Mokhasi et al.	
	A362.	10,353,487	07/2019	Chung et al.	
	A363.	10,379,629	08/2019	Bushnell et al.	
	A364.	10,386,940	08/2019	Kim	
	A365.	10,401,961	09/2019	Cruz-Hernandez et al.	
	A366.	10,429,959	10/2019	Battlogg	
	A367.	10,444,862	10/2019	Shediwy et al.	
	A368.	10,444,941	10/2019	Sanford	
	A369.	10,447,748	10/2019	Bendahan et al.	
	A370.	10,474,194	11/2019	Ell et al.	
	A371.	10,503,258	12/2019	Holenarsipur et al.	
	A372.	10,503,388	12/2019	Zambetti et al.	
	A373.	10,509,486	12/2019	Bushnell et al.	
	A374.	10,520,768	12/2019	Kubota et al.	
	A375.	10,524,671	01/2020	Lamego	
	A376.	10,534,320	01/2020	Ferri et al.	
	A377.	10,534,900	01/2020	Cheong et al.	
	A378.	10,545,657	01/2020	Zambetti et al.	
	A379.	10,551,798	02/2020	Bushnell et al.	
	A380.	10,561,035	2/2020	Fleck et al.	
	A381.	10,572,053	02/2020	Ely et al.	
	A382.	10,579,090	03/2020	Jackson et al.	
	A383.	10,593,617	03/2020	Ashikaga et al.	
	A384.	10,599,101	03/2020	Rothkopf et al.	
	A385.	10,610,157	04/2020	Pandya et al.	
	A386.	10,613,485	04/2020	Rothkopf et al.	
	A387.	10,613,685	04/2020	Shedletsky	
	A388.	10,620,591	04/2020	Rothkopf et al.	
	A389.	10,627,783	04/2020	Rothkopf et al.	
	A390.	10,655,988	05/2020	Boonsom et al.	
	A391.	10,664,074	05/2020	Moussette et al.	
	A392.	10,685,626	06/2020	Kim et al.	
	A393.	10,732,571	08/2020	Ely et al.	
	A394.	10,747,467	08/2022	Dzeryn et al.	
	A395.	10,765,019	09/2020	Werner	
	A396.	10,782,925	09/2020	Suh et al.	
	A397.	10,845,764	11/2020	Ely et al.	
	A398.	10,852,700	12/2020	Abramov	
	A399.	10,852,855	12/2020	Niu	
	A400.	10,871,385	12/2020	Kok	
	A401.	10,884,549	01/2021	Shedletsky et al.	
	A402.	10,936,071	03/2021	Pandya et al.	
	A403.	10,942,491	03/2021	Rothkopf	
	A404.	10,955,937	03/2021	Bushnell et al.	
	A405.	10,948,880	03/2021	Ely et al.	

U.S. PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A406.	10,962,930	03/2021	Ely et al.	
	A407.	10,962,935	03/2021	Ely et al.	
	A408.	10,987,054	04/2021	Pandya et al.	
	A409.	11,000,193	05/2021	Tal et al.	
	A410.	11,002,572	05/2021	Boonsom et al.	
	A411.	11,029,831	06/2021	Block et al.	
	A412.	11,036,318	06/2021	Bokma et al.	
	A413.	11,148,292	10/2021	Bryner et al.	
	A414.	11,163,362	11/2021	Tan et al.	
	A415.	11,181,863	11/2021	Ely et al.	
	A416.	11,194,298	12/2021	Roach et al.	
	A417.	11,194,299	12/2021	Taylor et al.	
	A418.	11,221,590	01/2022	Rothkopf et al.	
	A419.	11,347,351	06/2022	Shedletsky et al.	
	A420.	11,347,189	05/2022	Herrera et al.	
	A421.	11,360,440	06/2022	Perkins et al.	
	A422.	11,385,599	07/2022	Ely et al.	
	A423.	11,429,256	08/2022	Ham	
	A424.	11,432,766	09/2022	Pandya et al.	
	A425.	11,451,084	09/2022	Park	
	A426.	11,474,483	10/2022	Fletcher R. Rothkopf	
	A427.	11,513,613	11/2022	Tyler S. Bushnell et al.	

U.S. PUBLICATION DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PUBLICATION NUMBER Number – Kind Code[2] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Inventor(s) of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	B1.	2002/0101457	08/2002	Lang	
	B2.	2003/0174590	09/2003	Arikawa et al.	
	B3.	2004/0047244	03/2004	Iino et al.	
	B4.	2004/0082414	04/2004	Knox	
	B5.	2004/0130971	07/2004	Ecoffet et al.	
	B6.	2004/0264301	12/2004	Howard et al.	
	B7.	2005/0075558	04/2005	Vecerina et al.	
	B8.	2005/088417	04/2005	Mulligan	
	B9.	2006/0250377	11/2006	Zadesky et al.	
	B10.	2007/0013775	01/2007	Shin	
	B11.	2007/0050054	03/2007	Guruparan et al.	
	B12.	2007/0182708	08/2007	Poupyrev et al.	
	B13.	2007/0211042	09/2007	Kim et al.	
	B14.	2007/0222756	09/2007	Wu et al.	
	B15.	2007/0229671	10/2007	Takeshita et al.	
	B16.	2007/0247421	10/2007	Orsley et al.	
	B17.	2008/0130914	06/2008	Cho	

U.S. PUBLICATION DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PUBLICATION NUMBER Number – Kind Code[2] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Inventor(s) of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	B18.	2009/0051649	02/2009	Rondel	
	B19.	2009/0073119	03/2009	Le et al.	
	B20.	2009/0146975	06/2009	Chang	
	B21.	2009/0152452	06/2009	Lee et al.	
	B22.	2009/0217207	08/2009	Kagermeier et al.	
	B23.	2009/0122656	05/2009	Bonnet et al.	
	B24.	2009/0285443	11/2009	Camp et al.	
	B25.	2009/0312051	12/2009	Hansson et al.	
	B26.	2009/0312655	12/2009	Lo	
	B27.	2010/0033430	02/2010	Kakutani et al.	
	B28.	2010/0053468	03/2010	Havrill	
	B29.	2010/0081375	04/2010	Rosenblatt et al.	
	B30.	2010/0149099	06/2010	Elias	
	B31.	2011/0007468	01/2011	Burton et al.	
	B32.	2011/0090148	04/2011	Li et al.	
	B33.	2011/0158057	06/2011	Brewer et al.	
	B34.	2011/0242064	10/2011	Ono et al.	
	B35.	2011/0270358	11/2011	Davis et al.	
	B36.	2012/0067711	03/2012	Yang	
	B37.	2012/0068857	03/2012	Rothkopf et al.	
	B38.	2012/0075082	03/2012	Rothkopf et al.	
	B39.	2012/0112859	05/2012	Park et al.	
	B40.	2012/0113044	05/2012	Strazisar et al.	
	B41.	2012/0206248	08/2012	Biggs	
	B42.	2012/0272784	11/2012	Bailey et al.	
	B43.	2013/0037396	02/2013	Yu	
	B44.	2013/0087443	04/2013	Kikuchi	
	B45.	2013/0191220	07/2013	Dent et al.	
	B46.	20130235704	09/2013	Grinberg	
	B47.	2013/0261405	10/2013	Lee et al.	
	B48.	2013/0335196	12/2013	Zhang et al.	
	B49.	2014/0009397	01/2014	Gillespie	
	B50.	2014/0045547	02/2014	Singamsetty et al.	
	B51.	2014/0071098	03/2014	You	
	B52.	2014/0073486	03/2014	Ahmed et al.	
	B53.	2014/0132516	05/2014	Tsai et al.	
	B54.	2014/0197936	07/2014	Biggs et al.	
	B55.	2014/0368442	12/2014	Vahtola	
	B56.	2014/0375579	12/2014	Fujiwara	
	B57.	2015/0049059	02/2015	Zadesky et al.	
	B58.	2015/0098309	04/2015	Adams et al.	
	B59.	2015/0124415	05/2015	Goyal et al.	
	B60.	2015/0186609	07/2015	Utter II	
	B61.	2015/0293592	10/2015	Cheong	
	B62.	2015/0320346	11/2015	Chen	
	B63.	2015/0366098	12/2015	Lapetina et al.	

U.S. PUBLICATION DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PUBLICATION NUMBER Number – Kind Code[2] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Inventor(s) of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	B64.	2016/0018846	01/2016	Zenoff	
	B65.	2016/0147432	05/2016	Shi et al.	
	B66.	2016/0170624	06/2016	Zambetti et al.	
	B67.	20160241688	08/2016	Vossoughi	
	B68.	2016/0320583	11/2016	Hall, Jr.	
	B69.	2016/0327911	11/2016	Eim et al.	
	B70.	2016/0338642	11/2016	Parara et al.	
	B71.	2017/0027461	02/2017	Shin et al.	
	B72.	2017/0031449	02/2017	Karsten et al.	
	B73.	2017/0069443	03/2017	Wang et al.	
	B74.	2017/0069444	03/2017	Wang et al.	
	B75.	2017/0216668	08/2017	Burton et al.	
	B76.	2017/0216519	08/2017	Vouillamoz	
	B77.	2018/0059624	03/2015	James	
	B78.	2018/0225701	08/2018	Han	
	B79.	2019/0056700	02/2019	Matsuno	
	B80.	2019/0072911	03/2019	Ely et al.	
	B81.	2019/0278232	09/2019	Ely et al.	
	B82.	2020/0041962	02/2020	Beyhs	
	B83.	2020/0064779	02/2020	Pandya et al.	
	B84.	2020/0159172	05/2020	Bushnell et al.	
	B85.	2021/0181682	06/2021	Ely et al.	
	B86.	2021/0181691	06/2021	Rothkopf et al.	
	B87.	2021/0181692	06/2021	Rothkopf et al.	
	B88.	2021/0255590	08/2021	Ely et al.	
	B89.	2021/0303081	09/2021	Kuboyama et al.	
	B90.	2021/0373501	12/2021	Pandya et al.	
	B91.	2021/0405594	12/2021	Holenarsipur et al.	
	B92.	2022/0043397	02/2022	Ely et al.	
	B93.	2022/0043402	02/2022	Roach et al.	
	B94.	2022/0075328	03/2022	Taylor	
	B95.	2022/0261111	08/2022	Shedletsky et al.	
	B96.	2022/0299944	09/2022	Colin M. Ely	
	B97.	2022/0326660	10/2022	Ryan C. Perkins	

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	DOCUMENT NUMBER Country Code[3] – Number[4] – Kind Code[5] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T[6]
	C1.	CH1888928	01/1937	Kinkhorst et al.		

* EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

[1] Applicant's unique citation number (optional). [2] See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. [3] Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). [4] For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. [5] Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. [6] Applicant is to place a check mark here if English language Translation is attached.

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	DOCUMENT NUMBER Country Code[3] – Number[4] – Kind Code[5] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T[6]
	C2.	CN1302740	09/2001	Sneibang Deutsche Holding AG		
	C3.	CN1445627	10/2003	Seiko Epson Corp.		
	C4.	CN1504843	06/2004	KS22 SA		
	C5.	CN1601408	03/2005	Asulab SA		
	C6.	CN1624427	06/2005	Agilent Technologies Inc.		
	C7.	CN1792295	06/2006	Li		
	C8.	CN1825224	08/2006	Seiko Instruments Inc.		
	C9.	CN101035148	09/2007	Samsung Elecronics Co. Ltd.		
	C10.	CN101201587	06/2008	Swatch Group Research & Development Ltd.		
	C11.	CN201081979	07/2008	Tao		
	C12.	CN101404928	04/2009	Konin Philips Electronics NV		
	C13.	CN201262741	06/2009	Apple Inc.		
	C14.	CN101750958	06/2010	Casio Computer Co. Ltd.		
	C15.	CN201638168	11/2010	Sunrex Technology Corp.		
	C16.	CN101923314	12/2010	Casio Computer Co. Ltd.		
	C17.	CN102067070	05/2011	Nokia Corp.		
	C18.	CN102216959	10/2011	Apple Inc.		
	C19.	CN202008579	10/2011	Shenzhen Fiyta Holdings Ltd.		
	C20.	CN102590925	07/2012	Huawei Device Co., Ltd.		
	C21.	CN102741772	10/2012	ITT Mfg. Enterprises Inc.		
	C22.	CN102890443	01/2013	Casio Computer Co. Ltd.		
	C23.	CN202710937	01/2013	Lianggui		
	C24.	CN103177891	06/2013	Swatch Group Research & Development Ltd.		
	C25.	CN103191557	07/2013	Nike International Ltd.		
	C26.	CN103253067	08/2013	Omega SA		
	C27.	CN103645804	03/2014	Samsung Electronics R&D Center		
	C28.	CN203564224	04/2014	Adsmart Technology Corp.		
	C29.	CN203630524	06/2014	Senzhen Boshihao Jewelry Co., Ltd.		
	C30.	CN103852090	06/2014	Dr. Johannes Heidenhain GmbH		
	C31.	CN203693601	07/2014	Gao		
	C32.	CN203705837	07/2014	Huang		
	C33.	CN103956006	07/2014	Jinling Institute of Technology		
	C34.	CN203732900	07/2014	Qu		
	C35.	CN103995456	08/2014	Seiko Instruments Inc.		

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	DOCUMENT NUMBER Country Code[3] – Number[4] – Kind Code[5] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T[6]
	C36.	CN104020660	09/2014	Janus (Dongguan) Precision Components Co., Ltd.		
	C37.	CN203941395	11/2014	Janus (Dongguan) Precision Components Co., Ltd.		
	C38.	CN104777987	04/2015	Shenzhen Oppo. Comm. Software Co. Ltd.		
	C39.	CN104685794	06/2015	Apple Inc.		
	C40.	CN204479929	07/2015	Huizhou TCL Mobile Comm. Co. Ltd.		
	C41.	CN104880937	09/2015	Xiaojun		
	C42.	CN204496177	07/2015	Lianping Yaowen Electronics Co. Ltd.		
	C43.	CN104898406	09/2015	Lenovo Beijing Co., Ltd.		
	C44.	CN204650147	09/2015	Huizhou TCL Mobile Comm. Co. Ltd.		
	C45.	CN105022947	11/2015	Guangdong Oppo Mobile Telecommunications		
	C46.	CN105096979	11/2015	Guangdong Oppo Mobile Telecommunications		
	C47.	CN105339871	02/2016	Apple Inc.		
	C48.	CN105547146	05/2016	The Swatch Group Research and Development Ltd.		
	C49.	CN105556433	05/2016	Apple Inc.		
	C50.	CN105683876	06/2016	Apple Inc.		
	C51.	CN105760067	07/2016	Guangzhou UCWEB Computer Tech Co Ltd		
	C52.	CN105955519	09/2016	Apple Inc.		
	C53.	CN205645648	10/2016	Yu		
	C54.	CN205721636	11/2016	Apple Inc.		
	C55.	CN205750744	11/2016	Apple Inc.		
	C56.	CN106125968	11/2022	LG Electronics Inc.		
	C57.	CN106236051	12/2016	Shenzhen Qianhai Leadcent Intelligent Techn. Co. Ltd.		
	C58.	CN106557218	04/2017	Apple Inc.		
	C59.	CN206147524	05/2017	Apple Inc.		
	C60.	CN206209589	05/2017	Apple Inc.		
	C61.	CN107111342	08/2017	Samsung Electronics Co. Ltd.		
	C62.	CN107122088	09/2017	Truly Opto-Electronics Ltd.		
	C63.	CN107966895	04/2018	Apple Inc.		
	C64.	CN209560397	10/2019	Apple Inc.		
	C65.	CN209625187	11/2019	Apple Inc.		
	C66.	DE3706194	09/1988	Fraunhofer Ges Forschung		

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	DOCUMENT NUMBER Country Code[3] – Number[4] – Kind Code[5] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T[6]
	C67.	DE102016215087	03/2017	Apple Inc.		
	C68.	DE102008023651	11/2009	Conducta Endress & Hauser		
	C69.	EP0165548	12/1985	Casio Computer Co. Ltd.		
	C70.	EP0556155	08/1993	Rolex Montres		
	C71.	EP1345095	09/2003	Seiko Epson Corp.		
	C72.	EP1519452	03/2005	Asulab SA		
	C73.	EP1669724	06/2006	Mitutoyo Corp.		
	C74.	EP1832969	09/2007	Samsung Electronics Co. Ltd.		
	C75.	EP2375295	10/2011	LG Electronics Inc.		
	C76.	EP2579186	04/2013	ETA SA Manufacture Horlogere Suisse		
	C77.	EP2720129	04/2014	Blackberry Ltd.		
	C78.	EP2884239	06/2015	The Swatch Group Research and Development Ltd.		
	C79.	FR2030093	10/1970	Omega Brandt & Freres SA		
	C80.	FR2801402	05/2001	Moransais		
	C81.	GB2433211	06/2007	Saj Muzaffar		
	C82.	JPS52151058	12/1977	Citizen Watch Co. Ltd.		
	C83.	JPS52164551	12/1977	Seiko Instruments Inc.		
	C84.	JPS53093067	08/1978	Seiko Denshi Kogyo KK		
	C85.	JPS54087779	06/1979	Citizen Watch Co. Ltd.		
	C86.	JPS5708582	01/1982	Tokyo Shibaura Electric Co.		
	C87.	JPS5734457	02/1982	Nippon Electric Co.		
	C88.	JPS60103936	06/1985	Seiko Instr. & Electronics		
	C89.	JPS60103937	06/1985	Seiko Instr. & Electronics		
	C90.	JPH02285214	11/1990	Canon KK		
	C91.	JPH04093719	03/1992	Ricoh Co. Ltd.		
	C92.	JPH04157319	05/1992	Ricoh Co. Ltd.		
	C93.	JPH05203465	08/1993	Omron Corp.		
	C94.	JPH05312595	11/1993	Ricoh Co. Ltd.		
	C95.	JPH06347293	12/1994	Canon Inc.		
	C96.	JPH06050927	12/1994	Omron Corp.		
	C97.	JPH06331761	12/1994	ETA SA Fab Ebauches		
	C98.	JPH07116141	05/1995	Casio Computer Co. Ltd.		
	C99.	JPH0914941	01/1997	Tsubakimoto Chain Co.		
	C100.	JPH10161811	06/1998	Casio Computer Co. Ltd.		
	C101.	JPH11121210	04/1999	Alps Electric Co. Ltd.		
	C102.	JPH11191508	07/1999	Hitachi Denshi Ltd.		
	C103.	JP2000258559	09/2000	Citizen Watch Co. Ltd.		

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	DOCUMENT NUMBER Country Code[3] – Number[4] – Kind Code[5] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T[6]
	C104.	JP2000316824	11/2000	Casio Computer Co. Ltd.		
	C105.	JP2000337892	12/2000	Honda Motor Co. Ltd.		
	C106.	JP2001084934	03/2001	Jeol Ltd.		
	C107.	JP2001167651	06/2001	Seiko Instruments Inc.		
	C108.	JP2001202178	07/2001	Seiko Epson Corp.		
	C109.	JP2001215288	08/2001	Seiko Instruments Inc.		
	C110.	JP2001524206	11/2001	Eta SA Fabriques d'Ebauches		
	C111.	JP2002071480	03/2002	Tokai Rika Co. Ltd.		
	C112.	JP2002165768	06/2002	Casio Computer Co. Ltd.		
	C113.	JP2003050668	02/2003	Shimadzu Corp.		
	C114.	JP2003151410	05/2003	Alps Electric Co. Ltd.		
	C115.	JP2003331693	11/2003	Nidec Copal Corp.		
	C116.	JP2004028979	11/2004	Asulab SA		
	C117.	JP2004184396	07/2004	Seiko Epson Corp.		
	C118.	JP2005017011	01/2005	Seiko Epson Corp.		
	C119.	JP2005063200	03/2005	Sony Corp.		
	C120.	JP2005099023	04/2005	Asulab SA		
	C121.	JP2005108630	04/2005	Seiko Epson Corp.		
	C122.	JP2006101505	04/2006	Microsoft Corp.		
	C123.	JP2006164275	06/2006	Microsoft Corp.		
	C124.	JP3852854	12/2006	Saito Shigeru Kenchiku Kenkyusho KK		
	C125.	JP2007101380	04/2007	Seiko Instruments Inc.		
	C126.	JP2007149620	06/2007	Stanley Electric Co. Ltd.		
	C127.	JP2007248176	09/2007	Mitsubishi Electric Corp.		
	C128.	JP2007311153	11/2007	Matushita Electric Ind. Co. Ltd.		
	C129.	JP2008053980	03/2008	NEC Corp.		
	C130.	JP2008122124	05/2008	Seiko Epson Corp.		
	C131.	JP2008122377	05/2008	Swatch Group Research & Development Ltd.		
	C132.	JP2008170436	07/2008	Avago Tech. ECBU IP (Singapore) PTE Ltd.		
	C133.	JP2008235226	10/2008	Yamaha Corp.		
	C134.	JP2009009382	01/2009	Ricoh Co. Ltd.		
	C135.	JP2009070657	04/2009	Hitachi Kokusai Denki Engineering KK		
	C136.	JP2009519737	05/2009	Konin-Klijke Philips Electronics NV		
	C137.	JP2009540399	11/2009	Immersion Corporation		
	C138.	JP2010032545	02/2010	Mitutoyo Corp.		
	C139.	JP2010515153	05/2010	Immersion Corporation		
	C140.	JP2010165001	07/2010	Panasonic Corp.		
	C141.	JP2010186572	08/2010	Toto Ltd.		
	C142.	JP2010243344	10/2010	Seiko Epson Corp.		
	C143.	JP2010244797	10/2010	Panasonic Corp.		

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	DOCUMENT NUMBER Country Code[3] – Number[4] – Kind Code[5] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T[6]
	C144.	JP2011021929	02/2011	Seiko Epson Corp.		
	C145.	JP2011165468	08/2011	Casio Computer Co. Ltd.		
	C146.	JP2011221659	11/2011	Tokai Rika Co. Ltd.		
	C147.	JP2012053801	03/2012	Denso Corp.		
	C148.	JP2013057516	03/2013	Casio Computer Co. Ltd.		
	C149.	JP2013079961	05/2013	Peters et al.		
	C150.	JP2013524189	06/2013	Comme Le Temp SA		
	C151.	JP3190075	04/2014	Coremate Technical Co., Ltd.		
	C152.	JP5477393	04/2014	Hitachi Metals, Ltd.		
	C153.	JP2014512556	05/2014	Apple Inc.		
	C154.	JP2014112222	06/2014	Samsung Electronics Co. Ltd.		
	C155.	JP2014174031	09/2014	Citizens Holdings Corp. Ltd.		
	C156.	JP2018510451	04/2018	Apple Inc.		
	C157.	KR20010030477	04/2001	Snap-On Deutschland Holding GmbH		
	C158.	KR200278568	03/2002	Park		
	C159.	KR20070011685	01/2007	Samsung Electronics Co., Ltd.		
	C160.	KR20070014247	02/2007	Postec Electronics Co. Ltd.		
	C161.	KR100754674	09/2007	Samsung Electronics Co., Ltd.		
	C162.	KR20080028935	04/2008	SSD Company Limited		
	C163.	KR20080045397	05/2008	Shinchang Electric Corp., Ltd.		
	C164.	KR2020100007563	07/2010	Lee		
	C165.	KR20110011393	02/2011	LG Electronics Inc.		
	C166.	KR20110012784	02/2011	Bionet Co., Ltd.		
	C167.	KR20110103761	09/2011	LG Electronics Inc.		
	C168.	KR20110113368	10/2011	LG Electronics Inc.		
	C169.	KR20130036038	04/2013	Nat. Univ. Hanbat Industry		
	C170.	KR20130131873	12/2013	Lee		
	C171.	KR20140051391	04/2014	Schaffer		
	C172.	KR20140064689	05/2014	Samsung Electronics Co. Ltd.		
	C173.	KR20140104388	08/2014	Fairchild Semiconductor Corporation		
	C174.	KR20160017070	02/2016	Apple Inc.		
	C175.	KR20160048967	05/2016	Apple Inc.		
	C176.	KR20170106395	09/2017	Apple Inc.		
	C177.	NL1040225	11/2014	Janssen Prec. Engineering		
	C178.	RO129033	11/2013	Universitatea Transilvania din Brasov		
	C179.	TW200633681	10/2006	Feng Chia University		

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	DOCUMENT NUMBER Country Code[3] – Number[4] – Kind Code[5] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T[6]
	C180.	WO2001/022038	03/2001	Delphi Technologies, Inc.		
	C181.	WO2001/069567	09/2001	Harris		
	C182.	WO2003/032538	04/2003	Immersion Corporation		
	C183.	WO2010/058376	05/2010	Dori Technologies Ltd.		
	C184.	WO2012/083380	06/2012	Clipsal Australia Pty. Ltd.		
	C185.	WO2012/094805	07/2012	Zhao		
	C186.	WO2014/018118	01/2014	Apple Inc.		
	C187.	WO2014/200766	12/2014	Bodhi Technology Ventures LLC		
	C188.	WO2015/147756	10/2015	Heptagon Micro Optics Pte., Ltd.		
	C189.	WO2016080669	05/2016	Lee		
	C190.	WO2016/104922	06/2016	Korea Electronics Technology		
	C191.	WO2016/155761	10/2016	Saronikos Trading and Services Unipessoal LDA		
	C192.	WO2016196171	12/2016	Apple Inc.		
	C193.	WO2016208835	12/2016	LG Electronics Inc.		
	C194.	WO2017/013278	01/2017	Betancourt		
	C195.	WO2020173085	09/2020	Guangdong Lemovt Intelligent Co. Ltd.		

OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	Include name of Author, title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), volume-issue number(s), publisher, page(s) and date.	T[6]
	D1.	Author Unknown, "Desirable Android Wear smartwatch from LG," Gulf News, Dubai, 3 pages, January 30, 2015.	
	D2.	Author Unknown, "Fossil Q ups smartwatch game with handsome design and build," Business Mirror, Makati City, Philippines, 3 pages, December 20, 2016.	
	D3.	Author Unknown, "How Vesag Helps Kids Women and Visitors," http://www.sooperarticles.com/health-fitness-articles/children-health-articles/how-vesag-helps-kids-women-visitors-218542.html, 2 pages, at least as early as May 20, 2015.	
	D4.	Author Unknown, "mHealth," http://mhealth.vesag.com/?m=201012, 7 pages, December 23, 2010.	
	D5.	Author Unknown, "mHealth Summit 2010," http://www.virtualpressoffice.com/eventsSubmenu.do?page=exhibitorPage&showId=1551&companyId=5394, 5 pages, November 18, 2010.	
	D6.	Author Unknown, "MyKronoz ZeTime: World's Most Funded Hybrid Smartwatch Raised over $3M on Kickstarter, Running until April 27th," Business Wire, New York, New York, 3 pages, April 21, 2017.	
	D7.	Author Unknown, "RedEye mini Plug-in Universal Remote Adapter for iPhone, iPod touch and iPad," Amazon.com, 4 pages, date unknown.	

1.

OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS			
	D8.	Author Unknown, "Re iPhone Universal Remote Control - Infrared Remote Control Accessory for iPhone and iPod touch," http://www.amazon.com/iPhone-Universal-Remote-Control-Accessory/dp/tech-data/B0038Z4…, 2 pages, at least as early as July 15, 2010.	
	D9.	Author Unknown, "Vesag Wrist Watch for Dementia Care from VYZIN," http://vyasa-kaaranam-ketkadey.blogspot.com/2011/03/vesag-wrist-watch-for-dementia-care.html, 2 pages, March 31, 2011.	
	D10.	Author Unknown, "Vyzin Electronics Private Limited launches "Vesag Watch," http://www.virtualpressoffice.com/showJointPage.do?page=jp&showId=1544, 5 pages, January 6, 2011.	
	D11.	Author Unknown, "Vyzin Unveiled Personal Emergency Response System (PERS) with Remote Health Monitoring That Can Be Used for Entire Family," http://www.24-7pressrelease.com/press-release/vyzin-unveiled-personal-emergency-response-system-pers-with-remote-health-monitoring-that-can-be-used-for-entire-family-219317.php, 2 pages, June 17, 2011.	
	D12.	Author Unknown, "DeskThorityNet, Optical Switch Keyboards," http://deskthority.net/keyboards-f2/optical-switch-keyboards-t1474.html, 22 pages, July 11, 2015.	
	D13.	Epstein et al., "Economical, High-Performance Optical Encoders," Hewlett-Packard Journal, pp. 99-106, October 1988. [text only version]	
	D14.	GreyB, "Google Watch: Convert your arm into a keyboard," http://www.whatafuture.com/2014/02/28/google-smartwatch/#sthash.Yk35cDXK.dpbs, 3 pages, February 28, 2014.	
	D15.	IBM, "Additional Functionality Added to Cell Phone via "Learning" Function Button," www.ip.com, 2 pages, February 21, 2007.	
	D16.	Kim, Joseph, "2010 mHealth Summit Emerges as Major One-Stop U.S. Venue for Mobile Health," http://www.medicineandtechnology.com/2010/08/2010-mhealth-summit-emerges-as-major.html, 3 pages, August 26, 2010.	
	D17.	Krishnan et al., "A Miniature Surface Mount Reflective Optical Shaft Encoder," Hewlett-Packard Journal, Article 8, pp. 1-6, December 1996.	
	D18.	Narayanaswami et al., "Challenges and considerations for the design and production of a purpose-optimized body-worn wrist-watch computer," Defense, Security, and Cockpit Displays, 2004.	
	D19.	M.T. Raghunath et al., User Interfaces for Applications on a Wrist Watch, Personal and Ubiquitous Computing, Vol. 6, No. 1, 2002, Springer.	
	D20.	Rick, "How VESAG Helps Health Conscious Citizens," http://sensetekgroup.com/2010/11/29/wireless-health-monitoring-system/, 2 pages, November 29, 2010.	
	D21.	Sadhu, Rajendra, "How VESAG Helps People Who Want to 'Be There'?," http://ezinearticles.com/?How-Vesag-Helps-People-Who-Want-to-Be-There?&id-5423873, 1 page, November 22, 2010.	
	D22.	Sadhu, Rajendra, "Mobile Innovation Helps Dementia and Alzheimer's Patients," http://www.itnewsafrica.com/2010/11/mobile-innovation-helps-dementia-andalzheimer%E2%80%99s-patients/, 3 pages, November 22, 2010.	
	D23.	Sherr, Sol, "Input Devices," page 55, March 1988.	
	D24.	Tran et al., "Universal Programmable Remote Control/Telephone," www.ip.com, 2 pages, May 1, 1992.	

EXAMINER	DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Electronic Patent Application Fee Transmittal

Application Number:	18075253
Filing Date:	
Title of Invention:	WEARABLE ELECTRONIC DEVICE
First Named Inventor/Applicant Name:	Fletcher R. Rothkopf
Filer:	Peter James Nagle/Sonya Domingo
Attorney Docket Number:	P22914USC11

Filed as Large Entity

Filing Fees for Utility under 35 USC 111(a)

Description	Fee Code	Quantity	Amount	Sub-Total in USD($)
Basic Filing:				
Pages:				
Claims:				
CLAIMS IN EXCESS OF 20	1202	8	100	800
Miscellaneous-Filing:				
Petition:				
Patent-Appeals-and-Interference:				
Post-Allowance-and-Post-Issuance:				

Description	Fee Code	Quantity	Amount	Sub-Total in USD($)
Extension-of-Time:				
Miscellaneous:				
			Total in USD ($)	**800**

Electronic Acknowledgement Receipt	
EFS ID:	47156579
Application Number:	18075253
International Application Number:	
Confirmation Number:	7929
Title of Invention:	WEARABLE ELECTRONIC DEVICE
First Named Inventor/Applicant Name:	Fletcher R. Rothkopf
Customer Number:	62579
Filer:	Peter James Nagle/Sonya Domingo
Filer Authorized By:	Peter James Nagle
Attorney Docket Number:	P22914USC11
Receipt Date:	06-DEC-2022
Filing Date:	
Time Stamp:	19:59:26
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	yes
Payment Type	CARD
Payment was successfully received in RAM	$800
RAM confirmation Number	E2022B6J59500569
Deposit Account	
Authorized User	
The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows:	

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1		P22914USC11_Preliminary_Amendment.pdf	39427 ec665521f27e6803cdaf97345292f2858a832195	yes	10
	Multipart Description/PDF files in .zip description				
	Document Description		**Start**	**End**	
	Preliminary Amendment		1	1	
	Claims		2	9	
	Applicant Arguments/Remarks Made in an Amendment		10	10	
Warnings:					
Information:					
2	Transmittal Letter	P22914USC11_IDS_Transmittal.pdf	25648 b1c2a83e4435ba093e51091f18de7b70f42505ef	no	3
Warnings:					
Information:					
3	Information Disclosure Statement (IDS) Form (SB08)	P22914USC11_PTO-SB-08.pdf	188483 e4440253856a3708b86c9382bddab643e42a9fcc	no	19
Warnings:					
Information:					
This is not an USPTO supplied IDS fillable form					
4	Foreign Reference	CN102741772A.pdf	963496 1b27f9e8d4e5381de5ed8db40306c1c70fca0c17	no	14
Warnings:					
Information:					

5	Foreign Reference	CN106125968A.pdf	2652186 8d13b2a48cf42a20a2baecc6b0bcddb52a4cfe78	no	54
Warnings:					
Information:					
6	Foreign Reference	CN209625187.pdf	1460478 0274a9f5a163fd549b6b44346cbed47a1e102997	no	26
Warnings:					
Information:					
7	Fee Worksheet (SB06)	fee-info.pdf	38157 eac0133920959a97afff1c36975a38d8a86c8085	no	2
Warnings:					
Information:					
		Total Files Size (in bytes):	5367875		

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

<u>New Applications Under 35 U.S.C. 111</u>
If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.
<u>National Stage of an International Application under 35 U.S.C. 371</u>
If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.
<u>New International Application Filed with the USPTO as a Receiving Office</u>
If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.



United States Patent and Trademark Office

Office of the Chief Financial Officer

Document Code:WFEE

User :Mercedes Claros-Blanco

Sale Accounting Date:12/19/2022

Sale Item Reference Number	Effective Date
18075253	12/06/2022

Document Number	Fee Code	Fee Code Description	Amount Paid	Payment Method
I2022BID05242573	1202	CLAIMS IN EXCESS OF 20	$100.00	Deposit Account

PATENT APPLICATION FEE DETERMINATION RECORD

Substitute for Form PTO-875

Application or Docket Number: 18/075,253

APPLICATION AS FILED - PART I

FOR	(Column 1) NUMBER FILED	(Column 2) NUMBER EXTRA	SMALL ENTITY RATE($)	SMALL ENTITY FEE($)	OR	OTHER THAN SMALL ENTITY RATE($)	OTHER THAN SMALL ENTITY FEE($)
BASIC FEE (37 CFR 1.16(a), (b), or (c))	N/A	N/A	N/A			N/A	320
SEARCH FEE (37 CFR 1.16(k), (i), or (m))	N/A	N/A	N/A			N/A	700
EXAMINATION FEE (37 CFR 1.16(o), (p), or (q))	N/A	N/A	N/A			N/A	800
TOTAL CLAIMS (37 CFR 1.16(i))	29 minus 20 =	* 9			OR	x 100 =	900
INDEPENDENT CLAIMS (37 CFR 1.16(h))	3 minus 3 =	*				x =	0
APPLICATION SIZE FEE (37 CFR 1.16(s))	If the specification and drawings exceed 100 sheets of paper, the application size fee due is $310 ($155 for small entity) for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).						0
MULTIPLE DEPENDENT CLAIM PRESENT (37 CFR 1.16(j))							0
* If the difference in column 1 is less than zero, enter "0" in column 2.			TOTAL			TOTAL	1820

APPLICATION AS AMENDED - PART II

AMENDMENT A

	(Column 1) CLAIMS REMAINING AFTER AMENDMENT		(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR	(Column 3) PRESENT EXTRA	SMALL ENTITY RATE($)	SMALL ENTITY ADDITIONAL FEE($)	OR	OTHER THAN SMALL ENTITY RATE($)	OTHER THAN SMALL ENTITY ADDITIONAL FEE($)
Total (37 CFR 1.16(i))	*	Minus	**	=	x =		OR	x =	
Independent (37 CFR 1.16(h))	*	Minus	***	=	x =		OR	x =	
Application Size Fee (37 CFR 1.16(s))									
FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j))							OR		
					TOTAL ADD'L FEE		OR	TOTAL ADD'L FEE	

AMENDMENT B

	(Column 1) CLAIMS REMAINING AFTER AMENDMENT		(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR	(Column 3) PRESENT EXTRA	RATE($)	ADDITIONAL FEE($)	OR	RATE($)	ADDITIONAL FEE($)
Total (37 CFR 1.16(i))	*	Minus	**	=	x =		OR	x =	
Independent (37 CFR 1.16(h))	*	Minus	***	=	x =		OR	x =	
Application Size Fee (37 CFR 1.16(s))									
FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j))							OR		
					TOTAL ADD'L FEE		OR	TOTAL ADD'L FEE	

* If the entry in column 1 is less than the entry in column 2, write "0" in column 3.
** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 20, enter "20".
*** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 3, enter "3".
The "Highest Number Previously Paid For" (Total or Independent) is the highest found in the appropriate box in column 1.

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NUMBER	FILING or 371(c) DATE	GRP ART UNIT	FIL FEE REC'D	ATTY.DOCKET.NO	TOT CLAIMS	IND CLAIMS
18/075,253	12/05/2022		2720	P22914USC11	29	3

CONFIRMATION NO. 7929

FILING RECEIPT



62579
APPLE INC./BROWNSTEIN
c/o Brownstein Hyatt Farber Schreck, LLP
410 Seventeenth Street
Suite 2200
Denver, CO 80202

Date Mailed: 12/21/2022

Receipt is acknowledged of this non-provisional utility patent application. The application will be taken up for examination in due course. Applicant will be notified as to the results of the examination. Any correspondence concerning the application must include the following identification information: the U.S. APPLICATION NUMBER, FILING DATE, NAME OF FIRST INVENTOR, and TITLE OF INVENTION. Fees transmitted by check or draft are subject to collection.

Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please submit a written request for a corrected Filing Receipt, including a properly marked-up ADS showing the changes with strike-through for deletions and underlining for additions. If you received a "Notice to File Missing Parts" or other Notice requiring a response for this application, please submit any request for correction to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections provided that the request is grantable.

Inventor(s)

Fletcher R. Rothkopf, Los Altos, CA;
Jonathan Ive, San Francisco, CA;
Julian Hoenig, San Francisco, CA;
Rico Zorkendorfer, San Francisco, CA;

Applicant(s)

Apple Inc., Cupertino, CA;

Power of Attorney: The patent practitioners associated with Customer Number 62579

Domestic Priority data as claimed by applicant

This application is a CON of 17/951,973 09/23/2022
which is a CON of 17/672,653 02/15/2022 PAT 11,474,483
which is a CON of 17/188,966 03/01/2021
which is a CON of 16/826,130 03/20/2020 PAT 10,942,491
which is a CON of 14/842,617 09/01/2015 PAT 10,599,101
which claims benefit of 62/044,974 09/02/2014
and said 16/826,130 03/20/2020 is a CON of 15/261,917 09/10/2016 PAT 10,627,783
which is a CON of 14/842,617 09/01/2015 PAT 10,599,101
which claims benefit of 62/044,974 09/02/2014
and said 16/826,130 03/20/2020 is a CON of 15/261,914 09/10/2016 PAT 10,613,485
which is a CON of 14/842,617 09/01/2015 PAT 10,599,101
which claims benefit of 62/044,974 09/02/2014
and said 16/826,130 03/20/2020 is a CON of 15/261,912 09/10/2016 PAT 10,620,591

which is a CON of 14/842,617 09/01/2015 PAT 10,599,101
which claims benefit of 62/044,974 09/02/2014
and said 17/672,653 02/15/2022 is a CON of 17/188,995 03/01/2021
which is a CON of 16/826,130 03/20/2020 PAT 10,942,491
which is a CON of 14/842,617 09/01/2015 PAT 10,599,101
which claims benefit of 62/044,974 09/02/2014
and said 16/826,130 03/20/2020 is a CON of 15/261,917 09/10/2016 PAT 10,627,783
which is a CON of 14/842,617 09/01/2015 PAT 10,599,101
which claims benefit of 62/044,974 09/02/2014
and said 16/826,130 03/20/2020 is a CON of 15/261,914 09/10/2016 PAT 10,613,485
which is a CON of 14/842,617 09/01/2015 PAT 10,599,101
which claims benefit of 62/044,974 09/02/2014
and said 16/826,130 03/20/2020 is a CON of 15/261,912 09/10/2016 PAT 10,620,591
which is a CON of 14/842,617 09/01/2015 PAT 10,599,101
which claims benefit of 62/044,974 09/02/2014
This application is a CON of 17/188,966 03/01/2021
and is a CON of 17/188,995 03/01/2021
and is a CON of 17/899,498 08/30/2022

Foreign Applications for which priority is claimed (You may be eligible to benefit from the **Patent Prosecution Highway** program at the USPTO. Please see http://www.uspto.gov for more information.) - None.
Foreign application information must be provided in an Application Data Sheet in order to constitute a claim to foreign priority. See 37 CFR 1.55 and 1.76.

Permission to Access Application via Priority Document Exchange: Yes

Permission to Access Search Results: Yes

Applicant may provide or rescind an authorization for access using Form PTO/SB/39 or Form PTO/SB/69 as appropriate.

If Required, Foreign Filing License Granted: 12/19/2022
The country code and number of your priority application, to be used for filing abroad under the Paris Convention, is **US 18/075,253**
Projected Publication Date: 03/30/2023
Non-Publication Request: No
Early Publication Request: No
Title

WEARABLE ELECTRONIC DEVICE

Preliminary Class

Statement under 37 CFR 1.55 or 1.78 for AIA (First Inventor to File) Transition Applications: No

PROTECTING YOUR INVENTION OUTSIDE THE UNITED STATES

Since the rights granted by a U.S. patent extend only throughout the territory of the United States and have no effect in a foreign country, an inventor who wishes patent protection in another country must apply for a patent in a specific country or in regional patent offices. Applicants may wish to consider the filing of an international application under the Patent Cooperation Treaty (PCT). An international (PCT) application generally has the same

effect as a regular national patent application in each PCT-member country. The PCT process **simplifies** the filing of patent applications on the same invention in member countries, but **does not result** in a grant of "an international patent" and does not eliminate the need of applicants to file additional documents and fees in countries where patent protection is desired.

Almost every country has its own patent law, and a person desiring a patent in a particular country must make an application for patent in that country in accordance with its particular laws. Since the laws of many countries differ in various respects from the patent law of the United States, applicants are advised to seek guidance from specific foreign countries to ensure that patent rights are not lost prematurely.

Applicants also are advised that in the case of inventions made in the United States, the Director of the USPTO must issue a license before applicants can apply for a patent in a foreign country. The filing of a U.S. patent application serves as a request for a foreign filing license. The application's filing receipt contains further information and guidance as to the status of applicant's license for foreign filing.

Applicants may wish to consult the USPTO booklet, "General Information Concerning Patents" (specifically, the section entitled "Treaties and Foreign Patents") for more information on timeframes and deadlines for filing foreign patent applications. The guide is available either by contacting the USPTO Contact Center at 800-786-9199, or it can be viewed on the USPTO website at http://www.uspto.gov/web/offices/pac/doc/general/index.html.

For information on preventing theft of your intellectual property (patents, trademarks and copyrights), you may wish to consult the U.S. Government website, http://www.stopfakes.gov. Part of a Department of Commerce initiative, this website includes self-help "toolkits" giving innovators guidance on how to protect intellectual property in specific countries such as China, Korea and Mexico. For questions regarding patent enforcement issues, applicants may call the U.S. Government hotline at 1-866-999-HALT (1-866-999-4258).

LICENSE FOR FOREIGN FILING UNDER

Title 35, United States Code, Section 184

Title 37, Code of Federal Regulations, 5.11 & 5.15

GRANTED

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with

respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Bureau of Industry and Security, Department of Commerce (15 CFR parts 730-774); the Office of Foreign AssetsControl, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

NOT GRANTED

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).

SelectUSA

The United States represents the largest, most dynamic marketplace in the world and is an unparalleled location for business investment, innovation, and commercialization of new technologies. The U.S. offers tremendous resources and advantages for those who invest and manufacture goods here. Through SelectUSA, our nation works to promote and facilitate business investment. SelectUSA provides information assistance to the international investor community; serves as an ombudsman for existing and potential investors; advocates on behalf of U.S. cities, states, and regions competing for global investment; and counsels U.S. economic development organizations on investment attraction best practices. To learn more about why the United States is the best country in the world to develop technology, manufacture products, deliver services, and grow your business, visit http://www.SelectUSA.gov or call +1-202-482-6800.

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
18/075,253	12/05/2022	Fletcher R. Rothkopf	P22914USC11	7929

62579 7590 01/26/2023

APPLE INC./BROWNSTEIN
c/o Brownstein Hyatt Farber Schreck, LLP
410 Seventeenth Street
Suite 2200
Denver, CO 80202

EXAMINER	
CENTRAL, DOCKET	

ART UNIT	PAPER NUMBER
OPAP	

NOTIFICATION DATE	DELIVERY MODE
01/26/2023	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@bhfs.com

Decision Granting Request for Prioritized Examination (Track I)	**Application No.** 18/075,253	**Applicant(s)** Rothkopf et al.	
	Examiner FIKIRTE A GEREMEW	**Art Unit** OMBL	**AIA (FITF) Status** Yes

1. THE REQUEST FILED 05 December 2022 IS **GRANTED** .

   The above-identified application has met the requirements for prioritized examination
   - A. ☑ for an original nonprovisional application (Track I).
   - B. ☐ for an application undergoing continued examination (RCE).

2. **The above-identified application will undergo prioritized examination**. The application will be accorded special status throughout its entire course of prosecution until one of the following occurs:
   - A. filing a **petition for extension of time** to extend the time period for filing a reply;
   - B. filing an **amendment to amend the application to contain more than four independent claims, more than thirty total claims** , or a multiple dependent claim;
   - C. filing a **request for continued examination** ;
   - D. filing a notice of appeal;
   - E. filing a request for suspension of action;
   - F. mailing of a notice of allowance;
   - G. mailing of a final Office action;
   - H. completion of examination as defined in 37 CFR 41.102; or
   - I. abandonment of the application.

Telephone inquiries with regard to this decision should be directed to FIKIRTE GEREMEW at (703) 756-1930. In his/her absence, calls may be directed to Petition Help Desk at (571) 272-3282.

/FIKIRTE A GEREMEW/ PROGRAM SUPPORT ASSISTANT, OMBL	

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
18/075,253	12/05/2022	Fletcher R. Rothkopf	P22914USC11	7929

62579 7590 02/16/2023

APPLE INC./BROWNSTEIN
c/o Brownstein Hyatt Farber Schreck, LLP
410 Seventeenth Street
Suite 2200
Denver, CO 80202

EXAMINER	
GEDEON, BRIAN T	

ART UNIT	PAPER NUMBER
3792	

NOTIFICATION DATE	DELIVERY MODE
02/16/2023	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@bhfs.com

Office Action Summary	Application No. 18/075,253	Applicant(s) Rothkopf et al.	
	Examiner BRIAN T GEDEON	Art Unit 3792	AIA (FITF) Status Yes

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTHS FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☑ Responsive to communication(s) filed on 6 December 2022.

☐ A declaration(s)/affidavit(s) under **37 CFR 1.130(b)** was/were filed on _____.

2a)☐ This action is **FINAL.** 2b) ☑ This action is non-final.

3)☐ An election was made by the applicant in response to a restriction requirement set forth during the interview on _____; the restriction requirement and election have been incorporated into this action.

4)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims*

5) ☑ Claim(s) 21-49 is/are pending in the application.

5a) Of the above claim(s) _____ is/are withdrawn from consideration.

6) ☐ Claim(s) _____ is/are allowed.

7) ☑ Claim(s) 21-49 is/are rejected.

8) ☐ Claim(s) _____ is/are objected to.

9) ☐ Claim(s) _____ are subject to restriction and/or election requirement

* If any claims have been determined allowable, you may be eligible to benefit from the **Patent Prosecution Highway** program at a participating intellectual property office for the corresponding application. For more information, please see http://www.uspto.gov/patents/init_events/pph/index.jsp or send an inquiry to **PPHfeedback@uspto.gov.**

Application Papers

10)☐ The specification is objected to by the Examiner.

11)☑ The drawing(s) filed on 5 December 2022 is/are: a)☑ accepted or b)☐ objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

Certified copies:

a)☐ All b)☐ Some** c)☐ None of the:

1.☐ Certified copies of the priority documents have been received.

2.☐ Certified copies of the priority documents have been received in Application No. _____.

3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

** See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☐ Notice of References Cited (PTO-892)

2) ☑ Information Disclosure Statement(s) (PTO/SB/08a and/or PTO/SB/08b) Paper No(s)/Mail Date _____.

3) ☐ Interview Summary (PTO-413) Paper No(s)/Mail Date _____.

4) ☐ Other: _____.

DETAILED ACTION

Notice of Pre-AIA or AIA Status

1. The present application, filed on or after March 16, 2013, is being examined under the first inventor to file provisions of the AIA.

Priority

2. This application is a continuation of US Application nos. 17/899,498 filed 30 August 2022 and 17/951,973, filed 23 September 2022, which are continuations of US Application no. 17/672,653, now US Patent no. 11,474,483, filed 15 February 2022 which is an application is a continuation of US Application nos. 17/188,966 and 17/188,995 both filed 1 March 2021, both are continuations of US Application no. 16/826,130, now US Patent no. 10,942,491 filed 20 March 2020, which is a continuation of US Application nos. 15/261, 914 now US Patent no. 10,613,485, 15/261,912, now US Patent no. 10,620,591, and 15/261,917 now US Patent no. 10,627,783 filed 10 September 2016, which are continuations of US Application no. 14/842,617, now US Patent no. 10,599,101 filed 1 September 2015, which claims the benefit of domestic priority of US Provisional Application no. 62/044,974 filed 2 September 2014.

Information Disclosure Statement

3. The information disclosure statement filed 6 December 2022 has been considered.

Response to Amendment

4. The preliminary amendment filed 6 December 2022 has been acknowledged. Claims 21-49 are pending, wherein claims 21-49 are new.

Double Patenting

5. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on nonstatutory double patenting provided the reference application or patent either is shown to be commonly owned with the examined application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement. See MPEP § 717.02 for applications subject to examination under the first inventor to file

provisions of the AIA as explained in MPEP § 2159. See MPEP § 2146 *et seq.* for applications not subject to examination under the first inventor to file provisions of the AIA. A terminal disclaimer must be signed in compliance with 37 CFR 1.321(b).

The USPTO Internet website contains terminal disclaimer forms which may be used. Please visit www.uspto.gov/patent/patents-forms. The filing date of the application in which the form is filed determines what form (e.g., PTO/SB/25, PTO/SB/26, PTO/AIA/25, or PTO/AIA/26) should be used. A web-based eTerminal Disclaimer may be filled out completely online using web-screens. An eTerminal Disclaimer that meets all requirements is auto-processed and approved immediately upon submission. For more information about eTerminal Disclaimers, refer to www.uspto.gov/patents/process/file/efs/guidance/eTD-info-I.jsp.

6. Claims 2-49 are rejected on the ground of nonstatutory double patenting as being unpatentable over claims 1-30 of U.S. Patent No. 11,567,457. Although the claims at issue are not identical, they are not patentably distinct from each other because the '457 patent recites each and every limitation of the present invention suggesting that the present invention is an obvious variation.

In regard to present claim 21, 32, and 41, claims 1, 2, 13, and 23 of the '457 patent recite variations on the same invention with different arrangement of features as presently claimed. For instance, each of claims 1, 13, and 23 recite that the wearable device incorporates a housing (claim 23 of the '457 limits the housing to have a first opening and a second opening). Claim 2 of the '457 patent, dependent on claim 1, recites that the housing is associated with a band to couple the wearable device to a user. The band is not recited by either of intervening claims 13 or 23, but is considered

an obvious feature and necessarily present in view of claims 1 and 2 for facilitating wear ability by a user. Claim 1 recites that wearable device includes a front cover configured as claimed and a second cover configured as claimed and are considered to constitute the cover assembly as claimed for covering the front and rear first and second openings of the housing (claims 13 and 23 of the '457 rely on the rear cover only, but a front cover is considered necessarily present in these embodiments to protect the contents inside the housing). Claims 1, 13 and 23 of the '457 recite a display positioned within the housing, wherein claims 13 and 23 further limit the display to a touch sensitive display. Claims 1, 13, and 23 incorporate a biosensor module that includes an optical sensor, wherein claims 3, 6, 7, 8, 13 and 23 recite that the optical sensor includes both a light source emitter for emitting light and a light detector for receiving reflected portions of emitted light each for sensing photophlethysmography based physiological information. Each of claims 1, 13, and 23 of the '457 recite a first rear facing electrode and a second rear facing electrode along the rear portion of the watch to couple to a user's skin and collected electrocardiograph information. Last, each of claims 1, 13, and 23 of the '457 recite the feature of a wireless charging coil positioned within the housing aligned with the rear opening and configured to receive wireless power through the rear cover. The claimed invention is considered to comprise an obvious variation of the elements recited in the '457 patent wherein the variation is achieved through the rearrangement of limitations of the wearable device disclosed therein.

Further in regard to present claim 41, the '457 patent also recites a feature for a side surface of the housing, and is a surface on which a third electrode may be located. This recitation can be found in claims 1, 13, 21, and 23 of the '457. Additionally, claims

2, 3, 22, 28, and 29 of the '457 in reference to claims 1, 13, and 23, teach the functionality of the claimed processing unit for determining a first physiological signal (e.g., PPG) from the light reflected and a second physiological signal (e.g., ECG) from the first, second, and third electrodes. Claims 1, 18, 20, and 23 of the '457 recite that the rear cover has a convex outer contour.

With respect to the dependent claims of the present invention, the depending claims of the '457 recite limitations that substantially overlap limitations of the present invention.

Allowable Subject Matter

7. Claims 21-49 would be allowable should applicant's reply either comply with or specifically traverse the requirements of the double patenting rejection set forth above.

Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to BRIAN T GEDEON whose telephone number is (571)272-3447. The examiner can normally be reached M-F 8:00 am to 5:30 PM ET.

Examiner interviews are available via telephone, in-person, and video conferencing using a USPTO supplied web-based collaboration tool. To schedule an interview, applicant is encouraged to use the USPTO Automated Interview Request (AIR) at http://www.uspto.gov/interviewpractice.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl H Layno can be reached on 571-272-4949. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of published or unpublished applications may be obtained from Patent Center. Unpublished application information in Patent Center is available to registered users. To file and manage patent submissions in Patent Center, visit: https://patentcenter.uspto.gov. Visit https://www.uspto.gov/patents/apply/patent-center for more information about Patent Center and https://www.uspto.gov/patents/docx for information about filing in DOCX format. For additional questions, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/BRIAN T GEDEON/
Primary Examiner, Art Unit 3792
10 February 2023

Search Notes	Application/Control No.	Applicant(s)/Patent Under Reexamination
	18/075,253	Rothkopf et al.
	Examiner	Art Unit
	BRIAN T GEDEON	3792

CPC - Searched*		
Symbol	Date	Examiner

CPC Combination Sets - Searched*		
Symbol	Date	Examiner

US Classification - Searched*			
Class	Subclass	Date	Examiner

* See search history printout included with this form or the SEARCH NOTES box below to determine the scope of the search.

Search Notes		
Search Notes	Date	Examiner
Detailed SEARCH history attached.	02/10/2023	BTG
Inventor name search.	02/10/2023	BTG

Interference Search			
US Class/CPC Symbol	US Subclass/CPC Group	Date	Examiner
	USPG-Pub, US PAT claim text search.	02/10/2023	BTG

PE2E SEARCH - Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	British Equivalents	Time Stamp
L1	12	(US-4914831-$ | US-6587400-$ | US-6846998-$ | US-7034237-$ | US-7255473-$ | US-7506269-$ | US-8456430-$ | US-8816962-$ | US-9034666-$ | US-9176577-$ | US-9632318-$ | US-9800717-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:07 AM
L2	42	(US-0018026-$ | US-0024683-$ | US-0061863-$ | US-0062623-$ | US-0103985-$ | US-0104902-$ | US-0253487-$ | US-0269715-$ | US-0285404-$ | US-0306446-$ | US-0331869-$ | US-0335196-$ | US-0347289-$ | US-0357465-$ | US-20130335196-$ | US-20140347289-$ | US-20160062623-$ | US-20160103985-$ | US-20160253487-$ | US-20160306446-$ | US-20170061863-$ | US-20170104902-$ | US-20170269715-$ | US-20170285404-$ | US-20170331869-$ | US-20170357465-$ | US-20180018026-$ | US-20180024683-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:07 AM
L3	3	"9836025".pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:07 AM
L4	9	(US-4395134-$ | US-4634861-$ | US-4987299-$ | US-5631881-$ | US-5825353-$ | US-6392640-$ | US-6896403-$ | US-7102626-$ | US-9430042-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:08 AM

L5	12	(US-0069713-$ | US-0109861-$ | US-0248986-$ | US-0307414-$ | US-20160069713-$ | US-20160109861-$ | US-20170248986-$ | US-20170307414-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:08 AM
L6	22	(US-2288215-$ | US-2788236-$ | US-2797592-$ | US-3410247-$ | US-4311026-$ | US-4766642-$ | US-5509174-$ | US-6502982-$ | US-6834430-$ | US-7111365-$ | US-7285738-$ | US-7371745-$ | US-7591582-$ | US-8607662-$ | US-8783944-$ | US-8905631-$ | US-9052696-$ | US-9244438-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:09 AM
L7	12	(US-0116306-$ | US-0122656-$ | US-0130971-$ | US-0272784-$ | US-20040130971-$ | US-20090122656-$ | US-20120272784-$ | US-20160116306-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:09 AM
L8	0	"201700192391".pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:10 AM
L9	0	(201600327911|20170045958).PN.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:10 AM
L10	1	"20170192391".pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:10 AM
L11	3	(20160327911|20170045958).PN.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:10 AM
L12	4	(8188989|9947741).PN.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:11 AM
L13	244	(US-0003655-$ | US-0010751-$ | US-0013775-$ | US-0033430-$ | US-0037396-$ | US-0050054-$ | US-	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:11 AM

		0051649-$ | US- 0053468-$ | US- 0054813-$ | US- 0058375-$ | US- 0061636-$ | US- 0067711-$ | US- 0068857-$ | US- 0069443-$ | US- 0069444-$ | US- 0069447-$ | US- 0071050-$ | US- 0071098-$ | US- 0073119-$ | US- 0075082-$ | US- 0075558-$ | US- 0081375-$ | US- 0082414-$ | US- 0087443-$ | US- 0090148-$ | US- 0098016-$ | US- 0112859-$ | US- 0113044-$ | US- 0130914-$ | US- 0132516-$ | US- 0146975-$ | US- 0149099-$ | US- 0152452-$ | US- 0168178-$ | US- 0174590-$ | US- 0197936-$ | US- 0206248-$ | US- 0211042-$ | US- 0217207-$ | US- 0221460-$ | US- 0222756-$ | US- 0227217-$ | US- 0229671-$ | US- 0247421-$ | US- 0250377-$ | US- 0258784-$ | US- 0259301-$ | US- 0285443-$ | US- 0306437-$ | US- 0312051-$ | US- 0313703-$ | US- 0327630-$ | US- 0340318-$ | US- 0341031-$ | US- 0378070-$ | US- 0378071-$ | US- 0378072-$ | US- 15483374-$ | US- 2237860-$ | US- 2497935-$ | US- 2771734-$ | US- 20030174590-$ | US- 20040082414-$ | US- 20050075558-$ | US-					

		20060250377-$ | US- 20070013775-$ | US- 20070050054-$ | US- 20070211042-$ | US- 20070222756-$ | US- 20070229671-$ | US- 20070247421-$ | US- 20080130914-$ | US- 20090051649-$ | US- 20090073119-$ | US- 20090146975-$ | US- 20090152452-$ | US- 20090217207-$ | US- 20090285443-$ | US- 20090312051-$ | US- 20100033430-$ | US- 20100053468-$ | US- 20100081375-$ | US- 20100149099-$ | US- 20110090148-$ | US- 20120067711-$ | US- 20120068857-$ | US- 20120075082-$ | US- 20120112859-$ | US- 20120113044-$ | US- 20120206248-$ | US- 20130037396-$ | US- 20130087443-$ | US- 20140071050-$ | US- 20140071098-$ | US- 20140132516-$ | US- 20140197936-$ | US- 20140327630-$ | US- 20140340318-$ | US- 20150221460-$ | US- 20150227217-$ | US- 20150341031-$ | US- 20160054813-$ | US- 20160058375-$ | US- 20160061636-$ | US- 20160098016-$ | US- 20160168178-$ | US- 20160258784-$ | US- 20160259301-$ | US- 20160306437-$ | US- 20160313703-$ | US- 20160378070-$ | US- 20160378071-$ | US- 20160378072-$ | US- 20170003655-$ | US- 20170010751-$ | US- 20170069443-$ | US- 20170069444-$ | US- 20170069447-$ | US- 3040514-$ | US- 3056030-$ | US- 3130539-$ | US- 3495398-$ | US-					

		3621649-$ | US- 4007347-$ | US- 4031341-$ | US- 4037068-$ | US- 4077200-$ | US- 4133404-$ | US- 4170104-$ | US- 4258096-$ | US- 4287400-$ | US- 4289400-$ | US- 4311990-$ | US- 4324956-$ | US- 4345119-$ | US- 4364674-$ | US- 4379642-$ | US- 4417824-$ | US- 4581509-$ | US- 4600316-$ | US- 4617461-$ | US- 4641026-$ | US- 4670737-$ | US- 4783772-$ | US- 4884073-$ | US- 4922070-$ | US- 4931794-$ | US- 4952799-$ | US- 4980685-$ | US- 5034602-$ | US- 5214278-$ | US- 5258592-$ | US- 5288993-$ | US- 5347123-$ | US- 5383166-$ | US- 5471054-$ | US- 5572314-$ | US- 5583560-$ | US- 5726645-$ | US- 5748111-$ | US- 5841050-$ | US- 5847335-$ | US- 5867082-$ | US- 5943233-$ | US- 5953001-$ | US- 5963332-$ | US- 5423873-$ | US- 6069567-$ | US- 6134189-$ | US- 6154201-$ | US- 6175679-$ | US- 6246050-$ | US- 6252825-$ | US- 6304247-$ | US- 6355891-$ | US- 6422740-$ | US- 6477117-$ | US- 6525278-$ | US- 6556222-$ | US- 6646635-$).DID.					

L14	99	(US-6661438-$ | US-6672758-$ | US-6794992-$ | US-6809275-$ | US-6888076-$ | US-6909378-$ | US-6914551-$ | US-6961099-$ | US-6963039-$ | US-6985107-$ | US-6987568-$ | US-6998553-$ | US-7016263-$ | US-7081905-$ | US-7119289-$ | US-7135673-$ | US-7167083-$ | US-7244927-$ | US-7265336-$ | US-7274303-$ | US-7292741-$ | US-7358481-$ | US-7369308-$ | US-7404667-$ | US-7465917-$ | US-7520664-$ | US-7528824-$ | US-7545367-$ | US-7593755-$ | US-7605846-$ | US-7634263-$ | US-7646677-$ | US-7710456-$ | US-7761246-$ | US-7763819-$ | US-7772507-$ | US-7778115-$ | US-7781726-$ | US-7791597-$ | US-7856255-$ | US-7858583-$ | US-7865324-$ | US-8063892-$ | US-8138488-$ | US-8167126-$ | US-8169402-$ | US-8195313-$ | US-8248815-$ | US-8263886-$ | US-8263889-$ | US-8312495-$ | US-8368677-$ | US-8371745-$ | US-8373661-$ | US-8410971-$ | US-8432368-$ | US-8439559-$ | US-8441450-$ | US-	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:11 AM

		8446713-$ | US-8477118-$ | US-8493190-$ | US-8525777-$ | US-8568313-$ | US-8576044-$ | US-8593598-$ | US-8614881-$ | US-8666682-$ | US-8704787-$ | US-8711093-$ | US-8724087-$ | US-8730167-$ | US-8743088-$ | US-8824245-$ | US-8859971-$ | US-8860674-$ | US-8863219-$ | US-8878657-$ | US-8885856-$ | US-8895911-$ | US-8920022-$ | US-8922399-$ | US-8928452-$ | US-8994827-$ | US-9024733-$ | US-9041663-$ | US-9086738-$ | US-9105413-$ | US-9123483-$ | US-9176598-$ | US-9202372-$ | US-9213409-$ | US-9223296-$ | US-9277156-$ | US-9350850-$ | US-9449770-$ | US-9607505-$ | US-9620312-$ | US-9627163-$ | US-RE41637-$ | US-X6-$).DID.					
L15	7	(3355873|20110007468|20120177237).PN.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:12 AM
L16	0	rothkoph-fletcher-r.in.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:23 AM
L17	253	((("Rothkopf") near3 ("Fletcher") near3 ("R"))).INV.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/30 09:23 AM
L18	850	biosensor AND ((wrist NEAR watch) OR wristwatch)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:24 AM
L19	4	L17 AND L18	(US-PGPUB; USPAT; USOCR; FPRS; EPO;	OR	ON	ON	2018/05/30 09:24 AM

			JPO)				
L20	1954995	curve	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:29 AM
L21	244	L18 AND L20	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:29 AM
L22	8927	smartwatch	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 10:23 AM
L23	89438	biosensor	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 10:23 AM
L24	218	L22 AND L23	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 10:23 AM
L25	21	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$).did.	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 10:35 AM
L26	36	("20030176815" | "20050228297" | "20060252999" | "20070049461" | "20070167844" | "20080039731" | "20090216132" | "20100081951" | "20100106029" | "20100292589" | "20110003665" | "20110152637" | "20120244995" | "20130296723" | "20130338460" | "20140073969" | "20140107493" | "20140167973" | "20140249398" |	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/30 10:37 AM

		"20140257533" | "20140257534" | "20140257535" | "20140274159" | "20140278139" | "20140354527" | "20150374310" | "4830017" | "4893631" | "4987898" | "5243992" | "5617867" | "6371920" | "6443906" | "6475153" | "6723054" | "7539532").PN. OR ("9848825").URPN.					
L27	16	("20010008074" | "20040020856" | "20040152957" | "20070279852" | "20120293323" | "20130222271" | "20140207264" | "20140275852" | "20140378777" | "20150026647" | "20150371516" | "6619835" | "6736759" | "6832109" | "8988349" | "9288836").PN. OR ("9737212").URPN.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/30 10:39 AM
L28	49	("20020055117" | "20030165954" | "20030175993" | "20060057707" | "20080022089" | "20080038738" | "20080266546" | "20130146659" | "20130231711" | "20130234850" | "20130346168" | "20140139422" | "20140139486" | "20140139637" | "20140143737" | "20140180595" | "20140239065" | "20140275850" | "20140275852" | "20140275854" | "20140276244" | "20140316305" | "20140366123" | "20150073907" | "20150186609" | "20150196200" | "20150238150" | "20150366518" |	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/30 10:41 AM

		"20150371215" | "20160036811" | "20160037346" | "20160125600" | "20160162873" | "20160239624" | "20160286210" | "20160328282" | "20160374588" | "20160379205" | "20170011210" | "20170011223" | "20170018150" | "20170031449" | "20170039358" | "20170071483" | "8784271" | "9100493" | "9299238").PN. OR ("9704154").URPN.					
L29	13	("20020167488" | "20040030753" | "20050195805" | "20050272408" | "20060036642" | "20110080289" | "20110234414" | "20120052922" | "20120218101" | "20130002441" | "20130325922" | "20150279168" | "8744113").PN. OR ("9622214").URPN.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/30 10:55 AM
L30	17	("20030099459" | "4736196" | "5537102" | "5883576" | "5936530" | "6158884" | "6255951" | "6350055" | "6396403" | "6431455" | "7133843").PN. OR ("7474592").URPN.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/30 10:57 AM
L31	45	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 12:03 PM

		US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$).did.					
L32	1	"15261912"	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 12:09 PM
L33	33545	(smartwatch) OR (smart NEAR watch)	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 12:28 PM
L34	223931	apple	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 12:28 PM
L35	8043	L33 AND L34	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 12:28 PM
L36	2386928	curve$4	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 12:29 PM
L37	1219	L35 AND L36	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 12:29 PM
L38	1756218	rectangular	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 12:29 PM
L39	345	L37 AND L38	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 12:29 PM
L40	18177	((("Apple") near3 ("Inc"))).AS,AANM.	(USPAT)	OR	ON	ON	2018/05/30 02:59 PM
L41	33545	(smartwatch) OR (smart NEAR watch)	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 02:59 PM
L42	407	L40 AND L41	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 02:59 PM
L43	279935	crown	(US-PGPUB; USPAT; USOCR; FPRS; EPO;	OR	ON	ON	2018/05/30 03:02 PM

			JPO)				
L44	18	L42 AND L43	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:02 PM
L45	120000	(heart NEAR rate)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:03 PM
L46	39	L42 AND L45	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:03 PM
L47	482	"iwatch"	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:09 PM
L48	23	L40 AND L47	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:09 PM
L49	1	"15261912"	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:12 PM
L50	248238	(photosensor OR photodetector)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:21 PM
L51	16	L42 AND L50	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:21 PM
L52	155606	sapphire	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:23 PM
L53	16	L42 AND L52	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:23 PM
L54	58538	(transparent NEAr cover)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:59 PM
L55	3	L42 AND L54	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:59 PM
L56	6820268	cover	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 04:00 PM
L57	81	L41 AND L54	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 04:00 PM
L58	42	("20030197648" | "20050156908" | "20060196849" | "20060273304" | "20080164578" | "20090104409" | "20090124062" | "20100231466" | "20110019123" | "20110072856" |	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/30 04:04 PM

		"20110223840" | "20120118228" | "20120135177" | "20120299841" | "20130002583" | "20130071601" | "20130140965" | "20130188366" | "20130236699" | "20140178647" | "20150085429" | "20150085432" | "20160058375" | "20160064800" | "20160378069" | "20160378070" | "20160378071" | "3740944" | "3911670" | "4561783" | "5369267" | "5545277" | "6206563" | "6406769" | "6677906" | "7712954" | "8596860" | "8721917" | "8824140" | "9271395" | "9288294" | "9369553").PN. OR ("9977464").URPN.					
L59	850	biosensor AND ((wrist NEAR watch) OR wristwatch)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 04:08 PM
L60	719	L AND L59	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/30 04:08 PM
L61	0	L40 AND L59	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/30 04:08 PM
L62	58057	((wrist NEAR watch) OR wristwatch)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 04:08 PM
L63	967	L40 AND L62	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 04:09 PM
L64	48	L45 AND L63	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 04:09 PM
L65	68	L52 AND L63	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 04:14 PM
L66	5183	L45 AND L62	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 04:17 PM
L67	221	L52 AND L66	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 04:18 PM
L68	72	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/31 09:38 AM

		US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-					

		D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$).did.					
L69	40	("20100193972" | "20110186324" | "20110210825" | "20110222248" | "20110241949" | "20120028679" | "20120133597" | "20120223865" | "20130044074" | "20130052947" | "20130078917" | "20130140965" | "20130229362" | "20130234910" | "20130300618" | "20130321216" | "20140080411" | "20140112511" | "20140132462" | "20140133074" | "20140170975" | "20140209691" | "20140213178" | "20140218250" | "20140226291" | "20140232609" | "20150035709" | "20150207913" | "20150311960" | "20150351292" | "5768217" | "6825751" | "7233291" | "7506436" | "7815820" | "8502739" | "8679393" | "8766858" | "8780581" | "8803745").PN. OR ("9680205").URPN.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/31 09:53 AM
L70	3	(9242085|20080033504|9011355).pn.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/31 09:54 AM
L71	37	("1313644" | "1692079" | "1817475" | "20040025984" | "20070125816" | "20080060224" | "20080086911" | "20120102691" |	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/31 11:05 AM

		"20140070042" | "20140094728" | "20150135410" | "20160255944" | "20160272458" | "20160345653" | "20160345661" | "3890801" | "4941236" | "5485848" | "6301754" | "6799887" | "7562640" | "7618384" | "7690220" | "7752774" | "8147417" | "8370998" | "8522456" | "8769844" | "9044372" | "9129503" | "9144273" | "9204690" | "9307804" | "9365387").PN. OR ("9781984").URPN.					
L72	4437806	(contour$4 OR round$4 OR curve$4)	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/31 12:08 PM
L73	58102	((wrist NEAR watch) OR wristwatch)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/31 12:08 PM
L74	15419	L72 AND L73	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/31 12:08 PM
L75	66	watchface	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/31 12:08 PM
L76	26	("2225474" | "3469391" | "4034552" | "4167850" | "4194355" | "4417821" | "4506992").PN. OR ("4903253").URPN.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/31 12:12 PM
L77	69	("20100061191" | "3640065" | "4903253" | "5265009" | "5386933" | "6655831" | "6712501" | "6970157" | "7004469" | "7106197" | "7708457" | "8647268" | "8766805" | "9060683" | "9551608" | "D287471" | "D439172" | "D496589" | "D513195" | "D528018" | "D528439" | "D528928" | "D558227" | "D563434" | "D569389" | "D572266" | "D574735" | "D578922" | "D584170" | "D586823" | "D589375" | "D596610" | "D616417" | "D637094" | "D637918" | "D650706" | "D651216" | "D666503" | "D681483" |	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/31 12:12 PM

		"D699701" | "D712870" | "D728624" | "D737156" | "D737157" | "D737158" | "D737159" | "D741726" | "D744356" | "D745421" | "D746707" | "D746868" | "D747288" | "D751070" | "D752044" | "D756357" | "D756824" | "D757819" | "D758363" | "D759011" | "D759725" | "D765655" | "D766752" | "D771035" | "D771504" | "D777163" | "D782537" | "D784326" | "D790517").PN. OR ("D798905").URPN.					
L78	0	akana-joan.in.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/31 12:19 PM
L79	717	akana-jody.in.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/31 12:19 PM
L80	406132	((wrist NEAR watch) OR wristwatch OR watch)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/31 12:26 PM
L81	18177	((("Apple") near3 ("Inc"))).AS,AANM.	(USPAT)	OR	ON	ON	2018/05/31 12:26 PM
L82	2430	L81 AND L80	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/31 12:26 PM
L83	124655	rectangular AND orthogonal AND (contour$4 OR round$4 OR curve$4 OR curvature)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/31 12:27 PM
L84	71	L82 AND L83	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/31 12:27 PM
L85	76	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/31 12:42 PM

		US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-					

		7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$).did.					
L86	78	ely-colin-m.in.	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/31 12:43 PM
L87	52	de-jong-erik-g.in.	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/31 12:46 PM
L88	75	memering-dale-n.in..in.	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/31 12:48 PM
L89	75	memering-dale-n.in.	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/31 12:48 PM
L90	4	mylvaganam-jeffrey-c.in.	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/31 12:51 PM
L91	3	("20120169465"|"20120245439"|"20130231574").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/31 01:00 PM
L92	1	"20150186609".pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/31 01:54 PM
L93	908170	convex	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/31 02:15 PM
L94	9	L85 AND L93	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/31 02:15 PM
L95	1304822	mask	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/31 02:18 PM
L96	14	L85 AND L95	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/31 02:19 PM
L97	8	(20150186609|20140275852|20140107493|20130023669|4903253).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 08:01 AM
L98	3	"14145856"	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 09:52 AM
L99	1	"14073550"	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 09:55 AM
L100	17	("20110121449"|"20130072765"|"20140121471"|"20140334083"|"20150065840"|"3515798"|"6500367"|"8591411").PN.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 09:58 AM
L101	77	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or	(US-PGPUB; USPAT)	OR	ON	ON	2018/06/01 02:39 PM

		US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-					

		9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$).did.					
L102	280007	crown	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 02:39 PM
L103	6	L101 AND L102	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 02:39 PM
L104	740594	acoustic	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 02:40 PM
L105	21	L101 AND L104	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 02:40 PM
L106	2738169	gasket OR seal	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 02:42 PM
L107	0	L101 AND LL6	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 02:42 PM
L108	16	L101 AND L106	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 02:42 PM
L109	1304822	mask	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 03:06 PM
L110	14	L101 AND L109	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 03:06 PM
L111	33714	(smartwatch) OR (smart NEAR watch)	(US-PGPUB; USPAT)	OR	ON	ON	2018/06/01 04:33 PM
L112	2738169	gasket OR seal	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 04:33 PM
L113	2278	L111 AND L112	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 04:33 PM
L114	180804	ledge	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 04:33 PM

L115	73	L113 AND L114	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 04:34 PM
L116	77	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-	(US-PGPUB; USPAT)	OR	ON	ON	2018/06/01 04:36 PM

		D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$).did.					
L117	461759	gasket	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 04:36 PM
L118	5	L116 AND L117	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 04:36 PM
L119	6	(15261914|15261917|15627321|15870718|15879223|14842617)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/04 04:46 PM
L120	77	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or	(US-PGPUB; USPAT)	OR	ON	ON	2018/06/04 06:22 PM

		US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$).did.					
L121	132091	sapphire	(US-PGPUB; USPAT)	OR	ON	ON	2018/06/04 07:38 PM
L122	9	L120 AND L121	(US-PGPUB; USPAT)	OR	ON	ON	2018/06/04 07:39 PM

L123	77	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-	(US-PGPUB; USPAT)	OR	ON	ON	2018/06/07 03:23 PM

		D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$).did.					
L124	77772	crown AND (rotary OR rotation)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 03:23 PM
L125	5	L123 AND L124	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 03:24 PM
L126	33999	(smartwatch) OR (smart NEAR watch)	(US-PGPUB; USPAT)	OR	ON	ON	2018/06/07 03:24 PM
L127	162	L126 AND L124	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 03:24 PM
L128	406910	(watch OR wristwatch OR (wrist NEAR watch))	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 03:32 PM
L129	3396	L124 AND L128	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 03:32 PM
L130	2	"20150124415".pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 03:36 PM
L131	1	"15261912"	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 03:52 PM
L132	14	(speaker SAME (recess OR aperture) SAME fluid SAME (intrusion OR ingress))	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 04:03 PM
L133	299	(waterproof NEAR port)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 04:04 PM
L134	0	L126 AND L133	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 04:04 PM
L135	25	L128 AND L133	(US-PGPUB; USPAT;	OR	ON	ON	2018/06/07

			USOCR; FPRS; EPO; JPO)				04:04 PM
L136	319	(waterproof SAME (audio OR acoustic) SAME port)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 04:09 PM
L137	8	L126 AND L136	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 04:09 PM
L138	56	L128 AND L136	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 04:09 PM
L139	81	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-	(US-PGPUB; USPAT)	OR	ON	ON	2018/06/07 04:49 PM

		9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$ or US-3577876-$ or US-9300344-$ or US-9615476-$ or US-9625944-$).did.					
L140	1	"8229535".pn.	(US-PGPUB; USPAT)	OR	ON	ON	2018/06/07 04:50 PM
L141	39	("0012016"|"0012017"|"0022016"|"0032012"|"0032017"|"0042018"|"0052010"|"0052011"|"0052015"|"0052018"|"0062008"|"0062010"|"0062017"|"0072015"|"0072016"|"0082013"|"0082015"|"0082016"|"0092016"|"0102017"|"0112014"|"0112016"|"0122005"|"20040264301"|"20110242064"|"20130261405"|"20150098309"|"20160018846"|"20160320583"|"20170011210"|"20170031449"|"20170139489"|"20170216668"|"20170238138"|"20170251561	(US-PGPUB; USPAT)	OR	ON	ON	2018/12/11 05:21 PM

		"|"20170301314"|"20180136613"|"20180136686"|"4396298").PN.					
L142	1267679	(translation$4)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/11 05:22 PM
L143	4	L141 AND L142	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/11 05:24 PM
L144	10	("0062016"|"10001817"|"20130191220"|"20160147432"|"20160170598"|"20160170608"|"6396006"|"8294670"|"9552023"|"9659482").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2018/12/11 05:28 PM
L145	2	("20110158057"|"9141087").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2018/12/11 05:28 PM
L146	4	("20180239306"|"20180246469"|"20180299834"|"9971405").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2018/12/11 05:28 PM
L147	5	("20040047244"|"20150366098"|"20180307363"|"5960366"|"9520100").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2018/12/11 05:29 PM
L148	22	(US-2288215-$ | US-2788236-$ | US-2797592-$ | US-3410247-$ | US-4311026-$ | US-4766642-$ | US-5509174-$ | US-6502982-$ | US-6834430-$ | US-7111365-$ | US-7285738-$ | US-7371745-$ | US-7591582-$ | US-8607662-$ | US-8783944-$ | US-8905631-$ | US-9052696-$ | US-9244438-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/11 06:07 PM
L149	2	L142 AND L148	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/11 06:07 PM
L150	4	"15178089"	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/11 06:18 PM
L151	22	(US-2288215-$ | US-2788236-$ | US-2797592-$ | US-3410247-$ | US-4311026-$ | US-4766642-$ | US-5509174-$ | US-	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/12 07:10 AM

		6502982-$ | US-6834430-$ | US-7111365-$ | US-7285738-$ | US-7371745-$ | US-7591582-$ | US-8607662-$ | US-8783944-$ | US-8905631-$ | US-9052696-$ | US-9244438-$).DID.					
L152	25	(US-4396298-$ | US-6977868-$ | US-7385874-$ | US-7708457-$ | US-7732724-$ | US-7946758-$ | US-8143981-$ | US-8508511-$ | US-9028134-$ | US-9086717-$ | US-9101184-$ | US-9241635-$ | US-9256209-$ | US-9386932-$ | US-9426275-$ | US-9437357-$ | US-9501044-$ | US-9532723-$ | US-9545541-$ | US-9599964-$ | US-9680831-$ | US-9946297-$ | US-9971305-$ | US-D717679-$ | US-D800172-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/12 07:19 AM
L155	13	(9836025|9709956|9620312).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/12 09:13 AM
L156	4	"14842617"	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/12 09:14 AM
L157	49919	crown SAME ((rotary OR rotation OR rotat$4) OR (translat$4 OR translatable))	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/12 09:20 AM
L158	3	L155 AND L157	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/12 09:20 AM
L159	15	"14455375"	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/12 09:22 AM
L160	1	"15261914"	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/12 09:30 AM

L161	1	"8954135".pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/01/08 09:51 AM
L162	12	(US-10092203-$ | US-5999168-$ | US-6241684-$ | US-6361502-$ | US-6982930-$ | US-7113450-$ | US-7468036-$ | US-7791588-$ | US-9039614-$ | US-9042971-$ | US-9898032-$ | US-9979426-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/02/15 09:35 AM
L163	2846978	wireless	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/02/15 09:38 AM
L164	9	L162 AND L163	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/02/15 09:38 AM
L165	25	(US-0049059-$ | US-0196517-$ | US-0235491-$ | US-0270358-$ | US-0320346-$ | US-0338642-$ | US-0368442-$ | US-0375579-$ | US-20110270358-$ | US-20140368442-$ | US-20140375579-$ | US-20150049059-$ | US-20150320346-$ | US-20150338642-$ | US-20160338642-$ | US-20180196517-$ | US-20180235491-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/02/15 09:44 AM
L166	3	(US-3362154-$ | US-9001625-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/02/15 09:45 AM
L167	21	(US-0017846-$ | US-0027461-$ | US-0073486-$ | US-0329368-$ | US-0335891-$ | US-0341342-$ | US-0364815-$ | US-20140073486-$ | US-20170027461-$ | US-20180329368-$ | US-20180335891-$ | US-20180341342-$ | US-20180364815-$ | US-20190017846-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/02/15 09:46 AM
L168	88408	haptic	(US-PGPUB; USPAT;	OR	ON	ON	2019/02/15

			USOCR; FPRS; EPO; JPO)				09:55 AM
L169	5	L165 AND L168	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/02/15 09:55 AM
L170	0	L166 AND L168	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/02/15 09:56 AM
L171	6	L162 AND L168	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/02/15 09:56 AM
L172	9	(7822469|8908477|20170216519).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/05/06 10:15 AM
L173	9	(10209148|10114342|8677285|20130235704|20160241688).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/05/23 10:39 AM
L174	993	haptic AND crown	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/05/23 10:40 AM
L175	0	L173 AND L174	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/05/23 10:40 AM
L176	81	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-	(US-PGPUB; USPAT)	OR	ON	ON	2019/05/23 10:49 AM

		9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$ or US-3577876-$ or US-9300344-$ or US-9615476-$ or US-9625944-$).did.					
L177	18	L176 AND Haptic	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/05/23 10:50 AM
L178	2	("7021442"|"7894957").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2019/07/29 08:05 AM
L179	2	("7021442"|"7894957").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2019/07/29 08:11 AM

L180	2	("7021442"|"7894957").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2019/07/29 08:11 AM
L181	25	(3733803|4520306|6377239|6882596|6967903|7286063|7655874|8975543|9836025|10331082|20080088417|20170090599|20190163324).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/07/29 08:13 AM
L182	3	"9627163".pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/07/29 08:20 AM
L183	3	"9627163".pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/08/13 07:07 PM
L184	15	("10331082"|"20050088417"|"20170090599"|"20190163324"|"3733803"|"4520306"|"6377239"|"6882596"|"6967903"|"7021442"|"7286063"|"7655874"|"7894957"|"8975543"|"9836025").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2019/08/13 08:09 PM
L185	5	(7021442|7894957).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/08/13 08:11 PM
L186	4	("20190250754"|"20190294117"|"20190302902"|"5177355").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2019/11/24 05:25 PM
L187	3	(5477508|8275327).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/02/28 01:14 PM
L188	4	(10613485|10620591|10627783|10599101).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/05/01 01:23 PM
L189	83	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/01 01:38 PM

		US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$ or US-					

		3577876-$ or US-9300344-$ or US-9615476-$ or US-9625944-$ or US-9627163-$).did. or (US-7286063-$).did.					
L190	278	("10001817"|"10018966"|"10019097"|"10037006"|"10048802"|"10061399"|"10092203"|"10114342"|"10145711"|"10175652"|"10209148"|"10216147"|"10222756"|"10222909"|"10234828"|"10296125"|"10331081"|"10331082"|"10379629"|"10509486"|"2237860"|"2288215"|"2497935"|"2771734"|"2788236"|"2797592"|"3040514"|"3056030"|"3130539"|"3355873"|"3362154"|"3410247"|"3495398"|"3577876"|"3621649"|"3662618"|"3733803"|"4007347"|"4031341"|"4037068"|"4077200"|"4133404"|"4170104"|"4258096"|"4287400"|"4289400"|"4311026"|"4311990"|"4324956"|"4345119"|"4364674"|"4379642"|"4395134"|"4396298"|"4417824"|"4520306"|"4581509"|"4600316"|"4617461"|"4634861"|"4641026"|"4670737"|"4766642"|"4783772"|"4884073"|"4914831"|"4922070"|"4931794"|"4952799"|"4980685"|"4987299"|"5034602"|"5177355"|"5214278"|"5258592"|"5288993"|"5347123"|"5383166"|"5471054"|"5477508"|"5509174"|"5572314"|"5583560"|"5631881"|"5726645"|"5748111"|"5825353"|"5841050"|"5847335"|"5867082"|"5943233"|"5953001"|"5960366"|"5963332"|"5999168"|"6069567"|"6134189"|"6154201"|"6175679"|"6241684"|"6246050"|"6252825"|"6304247"|"6355891"|"6361502"|"6377239"|"6392640"|"6396006"|"6	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/01 02:00 PM

		422740"|"6477117"|"65 02982"|"6525278"|"655 6222"|"6575618"|"6587 400"|"6646635"|"66614 38"|"6672758"|"679499 2"|"6809275"|"6834430" |"6846998"|"6882596"|" 6888076"|"6896403"|"6 909378"|"6914551"|"69 61099"|"6963039"|"696 7903"|"6977868"|"6982 930"|"6985107"|"69875 68"|"6998553"|"701626 3"|"7021442"|"7034237" |"7081905"|"7102626"|" 7111365"|"7113450"|"7 119289"|"7135673"|"71 67083"|"7244927"|"725 5473"|"7265336"|"7274 303"|"7285738"|"72860 63"|"7292741"|"735848 1"|"7369308"|"7371745" |"7385874"|"7404667"|" 7465917"|"7468036"|"7 506269"|"7520664"|"75 28824"|"7545367"|"759 1582"|"7593755"|"7605 846"|"7634263"|"76466 77"|"7655874"|"768207 0"|"7708457"|"7710456" |"7732724"|"7761246"|" 7763819"|"7772507"|"7 778115"|"7781726"|"77 91588"|"7791597"|"782 2469"|"7856255"|"7858 583"|"7865324"|"78949 57"|"7946758"|"806389 2"|"8138488"|"8143981" |"8167126"|"8169402"|" 8188989"|"8195313"|"8 229535"|"8248815"|"82 63886"|"8263889"|"827 5327"|"8294670"|"8312 495"|"8368677"|"83717 45"|"8373661"|"841097 1"|"8432368"|"8439559" |"8441450"|"8446713"|" 8456430"|"8477118"|"8 493190"|"8508511"|"85 25777"|"8562489"|"856 8313"|"8576044"|"8593 598"|"8607662"|"86148 81"|"8666682"|"867728 5"|"8704787"|"8711093" |"8724087"|"8730167"|" 8743088"|"8783944"|"8 804993"|"8816962"|"88 24245"|"8847741"|"885					

		9971"|"8860674"|"8863219"|"8878657"|"8885856"|"8895911"|"8905631"|"8908477"|"8920022"|"8922399"|"8928452"|"8954135"|"8975543"|"8994827"|"9001625"|"9024733"|"9028134"|"9030446"|"9034666"|"9039614"|"9041663"|"9042971"|"9052696"|"9086717"|"9086738"|"9101184"|"9105413"|"9123483"|"9141087"|"9176577"|"9176598"|"9202372"|"9213409"|"9223296"|"9241635"|"9244438"|"9256209"|"9277156"|"9350850"|"9386932"|"9426275"|"9430042"|"9437357"|"9449770"|"9501044"|"9520100"|"9532723").PN.					
L191	33	("9542016"|"9545541"|"9552023"|"9599964"|"9607505"|"9620312"|"9627163"|"9632318"|"9638587"|"9651922"|"9659482"|"9680831"|"9709956"|"9753436"|"9800717"|"9836025"|"9873711"|"9874945"|"9886006"|"9891590"|"9891651"|"9898032"|"9927902"|"9939923"|"9946297"|"9952558"|"9952682"|"9971305"|"9971405"|"9979426"|"D717679"|"D800172"|"RE41637").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/01 02:00 PM
L192	4	(20150186609|20140107493|D647107|7474592).pn.	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/01 02:11 PM
L193	18	("20030099459" | "4736196" | "5537102" | "5883576" | "5936530" | "6158884" | "6255951" | "6350055" | "6396403" | "6431455" | "7133843").PN. OR ("7474592").URPN.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2020/05/01 02:37 PM
L194	83	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/06 04:20 PM

		US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-					

		9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$ or US-3577876-$ or US-9300344-$ or US-9615476-$ or US-9625944-$ or US-9627163-$).did. or (US-7286063-$).did.					
L195	112037	("ECG" OR "EKG" OR electrocardiogra$4)	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/06 04:43 PM
L196	23	L194 AND L195	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/06 04:43 PM
L197	278	("10001817"|"10018966"|"10019097"|"10037006"|"10048802"|"10061399"|"10092203"|"10114342"|"10145711"|"10175652"|"10209148"|"10216147"|"10222756"|"10222909"|"10234828"|"10296125"|"10331081"|"10331082"|"10379629"|"10509486"|"2237860"|"2288215"|"2497935"|"2771734"|"2788236"|"2797592"|"3040514"|"3056030"|"3130539"|"3355873"|"3362154"|"3410247"|"3495398"|"3577876"|"3621649"|"3662618"|"3733803"|"4007347"|"4031341"|"4037068"|"4077200"|"4133404"|"4170104"|"4258096"|"4287400"|"4289400"|"4311026"|"4311990"|"4324956"|"4345119"|"4364674"|"4379642"|"4395134"|"4396298"|"4417824"|"4520306"|"4581509"|"4600316"|"4617461"|"4634861"|"4641026"|"4670737"|"4766642"|"4783772"|"4884073"|"4914831"|"4922070"|"4931794"|"4952799"|"4980685"	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/06 04:57 PM

		|"4987299"|"5034602"|"5177355"|"5214278"|"5258592"|"5288993"|"5347123"|"5383166"|"5471054"|"5477508"|"5509174"|"5572314"|"5583560"|"5631881"|"5726645"|"5748111"|"5825353"|"5841050"|"5847335"|"5867082"|"5943233"|"5953001"|"5960366"|"5963332"|"5999168"|"6069567"|"6134189"|"6154201"|"6175679"|"6241684"|"6246050"|"6252825"|"6304247"|"6355891"|"6361502"|"6377239"|"6392640"|"6396006"|"6422740"|"6477117"|"6502982"|"6525278"|"6556222"|"6575618"|"6587400"|"6646635"|"6661438"|"6672758"|"6794992"|"6809275"|"6834430"|"6846998"|"6882596"|"6888076"|"6896403"|"6909378"|"6914551"|"6961099"|"6963039"|"6967903"|"6977868"|"6982930"|"6985107"|"6987568"|"6998553"|"7016263"|"7021442"|"7034237"|"7081905"|"7102626"|"7111365"|"7113450"|"7119289"|"7135673"|"7167083"|"7244927"|"7255473"|"7265336"|"7274303"|"7285738"|"7286063"|"7292741"|"7358481"|"7369308"|"7371745"|"7385874"|"7404667"|"7465917"|"7468036"|"7506269"|"7520664"|"7528824"|"7545367"|"7591582"|"7593755"|"7605846"|"7634263"|"7646677"|"7655874"|"7682070"|"7708457"|"7710456"|"7732724"|"7761246"|"7763819"|"7772507"|"7778115"|"7781726"|"7791588"|"7791597"|"7822469"|"7856255"|"7858583"|"7865324"|"7894957"|"7946758"|"8063892"|"8138488"|"8143981"|"8167126"|"8169402"|"8188989"|"8195313"|"8					

		229535"|"8248815"|"82 63886"|"8263889"|"827 5327"|"8294670"|"8312 495"|"8368677"|"83717 45"|"8373661"|"841097 1"|"8432368"|"8439559" |"8441450"|"8446713"|" 8456430"|"8477118"|"8 493190"|"8508511"|"85 25777"|"8562489"|"856 8313"|"8576044"|"8593 598"|"8607662"|"86148 81"|"8666682"|"867728 5"|"8704787"|"8711093" |"8724087"|"8730167"|" 8743088"|"8783944"|"8 804993"|"8816962"|"88 24245"|"8847741"|"885 9971"|"8860674"|"8863 219"|"8878657"|"88858 56"|"8895911"|"890563 1"|"8908477"|"8920022" |"8922399"|"8928452"|" 8954135"|"8975543"|"8 994827"|"9001625"|"90 24733"|"9028134"|"903 0446"|"9034666"|"9039 614"|"9041663"|"90429 71"|"9052696"|"908671 7"|"9086738"|"9101184" |"9105413"|"9123483"|" 9141087"|"9176577"|"9 176598"|"9202372"|"92 13409"|"9223296"|"924 1635"|"9244438"|"9256 209"|"9277156"|"93508 50"|"9386932"|"942627 5"|"9430042"|"9437357" |"9449770"|"9501044"|" 9520100"|"9532723").P N.					
L198	13	L195 AND L197	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/06 04:57 PM
L199	33	("9542016"|"9545541"|" 9552023"|"9599964"|"9 607505"|"9620312"|"96 27163"|"9632318"|"963 8587"|"9651922"|"9659 482"|"9680831"|"97099 56"|"9753436"|"980071 7"|"9836025"|"9873711" |"9874945"|"9886006"|" 9891590"|"9891651"|"9 898032"|"9927902"|"99 39923"|"9946297"|"995 2558"|"9952682"|"9971 305"|"9971405"|"99794	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/06 05:04 PM

		26"|"D717679"|"D800172"|"RE41637").PN.					
L200	7	L199 AND L195	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/06 05:04 PM
L201	83	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 10:45 AM

		9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$ or US-3577876-$ or US-9300344-$ or US-9615476-$ or US-9625944-$ or US-9627163-$).did. or (US-7286063-$).did.					
L202	4081	(((wrist NEAR watch) OR (wristwatch)) AND ("ECG" OR "EKG" OR electrocardiogra$4))	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/05/08 10:46 AM
L203	4144877	electrode	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/05/08 10:47 AM
L204	2474	L202 AND L203	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/05/08 10:47 AM
L205	939	(((wrist NEAR watch) OR (wristwatch)) SAME ("ECG" OR "EKG" OR electrocardiogra$4))	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/05/08 10:48 AM
L206	760	L204 AND L205	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/05/08 10:48 AM
L207	84	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 10:56 AM

		US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-					

		D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$ or US-3577876-$ or US-9300344-$ or US-9615476-$ or US-9625944-$ or US-9627163-$).did. or (US-7286063-$ or US-4448199-$).did.					
L208	919589	dielectric OR ceraminc	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 11:06 AM
L209	1700627	dielectric OR ceramic	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 11:06 AM
L210	20	L207 AND L209	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 11:06 AM
L211	0	"16826130"	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 11:11 AM
L212	1	"10613485".pn.	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 11:11 AM
L213	1178366	coil	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 11:25 AM
L214	15	L207 AND L213	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 11:27 AM
L215	126	(wireless SAME recharg$4 SAME (coil OR antenna) SAME magnet)	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 12:42 PM
L216	70511	(((wrist NEAR watch) OR (wristwatch)))	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/05/08 12:42 PM
L217	24	L216 AND L215	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/05/08 12:42 PM
L218	28998	wireless NEAR charg$4	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 01:18 PM
L219	83	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 01:19 PM

		US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-					

		9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$ or US-3577876-$ or US-9300344-$ or US-9615476-$ or US-9625944-$ or US-9627163-$).did. or (US-7286063-$).did.					
L220	5	L218 AND L219	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 01:19 PM
L221	278	("10001817"|"10018966"|"10019097"|"10037006"|"10048802"|"10061399"|"10092203"|"10114342"|"10145711"|"10175652"|"10209148"|"10216147"|"10222756"|"10222909"|"10234828"|"10296125"|"10331081"|"10331082"|"10379629"|"10509486"|"2237860"|"2288215"|"2497935"|"2771734"|"2788236"|"2797592"|"3040514"|"3056030"|"3130539"|"3355873"|"3362154"|"3410247"|"3495398"|"3577876"|"3621649"|"3662618"|"3733803"|"4007347"|"4031341"|"4037068"|"4077200"|"4133404"|"4170104"|"4258096"|"4287400"|"4289400"|"4311026"|"4311990"|"4324956"|"4345119"|"4364674"|"4379642"|"4395134"|"4396298"|"4417824"|"4520306"|"4581509"|"4600316"|"4617461"|"4634861"|"4641026"|"4670737"|"4766642"|"4783772"|"4884073"|"4914831"|"4922070"|"4931794"|"4952799"|"4980685"|"4987299"|"5034602"|"5177355"|"5214278"|"5258592"|"5288993"|"5347123"|"5383166"|"547	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 01:22 PM

		1054"|"5477508"|"5509 174"|"5572314"|"55835 60"|"5631881"|"572664 5"|"5748111"|"5825353" |"5841050"|"5847335"|" 5867082"|"5943233"|"5 953001"|"5960366"|"59 63332"|"5999168"|"606 9567"|"6134189"|"6154 201"|"6175679"|"62416 84"|"6246050"|"625282 5"|"6304247"|"6355891" |"6361502"|"6377239"|" 6392640"|"6396006"|"6 422740"|"6477117"|"65 02982"|"6525278"|"655 6222"|"6575618"|"6587 400"|"6646635"|"66614 38"|"6672758"|"679499 2"|"6809275"|"6834430" |"6846998"|"6882596"|" 6888076"|"6896403"|"6 909378"|"6914551"|"69 61099"|"6963039"|"696 7903"|"6977868"|"6982 930"|"6985107"|"69875 68"|"6998553"|"701626 3"|"7021442"|"7034237" |"7081905"|"7102626"|" 7111365"|"7113450"|"7 119289"|"7135673"|"71 67083"|"7244927"|"725 5473"|"7265336"|"7274 303"|"7285738"|"72860 63"|"7292741"|"735848 1"|"7369308"|"7371745" |"7385874"|"7404667"|" 7465917"|"7468036"|"7 506269"|"7520664"|"75 28824"|"7545367"|"759 1582"|"7593755"|"7605 846"|"7634263"|"76466 77"|"7655874"|"768207 0"|"7708457"|"7710456" |"7732724"|"7761246"|" 7763819"|"7772507"|"7 778115"|"7781726"|"77 91588"|"7791597"|"782 2469"|"7856255"|"7858 583"|"7865324"|"78949 57"|"7946758"|"806389 2"|"8138488"|"8143981" |"8167126"|"8169402"|" 8188989"|"8195313"|"8 229535"|"8248815"|"82 63886"|"8263889"|"827 5327"|"8294670"|"8312 495"|"8368677"|"83717					

		45"|"8373661"|"8410971"|"8432368"|"8439559"|"8441450"|"8446713"|"8456430"|"8477118"|"8493190"|"8508511"|"8525777"|"8562489"|"8568313"|"8576044"|"8593598"|"8607662"|"8614881"|"8666682"|"8677285"|"8704787"|"8711093"|"8724087"|"8730167"|"8743088"|"8783944"|"8804993"|"8816962"|"8824245"|"8847741"|"8859971"|"8860674"|"8863219"|"8878657"|"8885856"|"8895911"|"8905631"|"8908477"|"8920022"|"8922399"|"8928452"|"8954135"|"8975543"|"8994827"|"9001625"|"9024733"|"9028134"|"9030446"|"9034666"|"9039614"|"9041663"|"9042971"|"9052696"|"9086717"|"9086738"|"9101184"|"9105413"|"9123483"|"9141087"|"9176577"|"9176598"|"9202372"|"9213409"|"9223296"|"9241635"|"9244438"|"9256209"|"9277156"|"9350850"|"9386932"|"9426275"|"9430042"|"9437357"|"9449770"|"9501044"|"9520100"|"9532723").PN.					
L222	6	L218 AND L221	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 01:22 PM
L223	33	("9542016"|"9545541"|"9552023"|"9599964"|"9607505"|"9620312"|"9627163"|"9632318"|"9638587"|"9651922"|"9659482"|"9680831"|"9709956"|"9753436"|"9800717"|"9836025"|"9873711"|"9874945"|"9886006"|"9891590"|"9891651"|"9898032"|"9927902"|"9939923"|"9946297"|"9952558"|"9952682"|"9971305"|"9971405"|"9979426"|"D717679"|"D800172"|"RE41637").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 01:23 PM
L224	4	L218 AND L223	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 01:23 PM

L225	33	("9542016"|"9545541"|"9552023"|"9599964"|"9607505"|"9620312"|"9627163"|"9632318"|"9638587"|"9651922"|"9659482"|"9680831"|"9709956"|"9753436"|"9800717"|"9836025"|"9873711"|"9874945"|"9886006"|"9891590"|"9891651"|"9898032"|"9927902"|"9939923"|"9946297"|"9952558"|"9952682"|"9971305"|"9971405"|"9979426"|"D717679"|"D800172"|"RE41637").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 01:24 PM
L226	4	L218 AND L225	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 01:24 PM
L227	5	L218 AND L201	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 01:24 PM
L228	16	("0052020"|"10012550"|"10241593"|"10353487"|"10551798"|"20070182708"|"20140009397"|"20140045547"|"20200041962"|"20200073339"|"20200110473"|"6128006"|"6203190"|"6636197"|"8318340"|"8797153").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2020/10/22 02:58 PM
L229	216	(coil SAME (recharg$4 OR charg$4) SAME cover SAME dielectric)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/10/22 03:03 PM
L230	0	L228 AND L229	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/10/22 03:03 PM
L231	27643	(coil AND (recharg$4 OR charg$4) AND cover AND dielectric)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/10/22 03:06 PM
L232	1	L228 AND L231	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/10/22 03:06 PM
L233	58	(watch AND housing AND cover AND (touch NEAr display) AND dielectric AND optical AND coil AND wireless AND (heart NEAR rate) AND (electrocardiog$4 OR "ECG" OR "EKG"))	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/10/22 03:16 PM
L235	358	((("Rothkopf") near3 ("Fletcher") near3 ("R"))).INV.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2020/10/29 09:55 AM
L236	527578	watch	(US-PGPUB; USPAT; USOCR; FPRS; EPO;	OR	ON	ON	2020/10/29 09:56 AM

			JPO)				
L237	127	L235 AND L236	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/10/29 09:56 AM
L238	1031	Watch AND band AND (wireless SAME coil SAME inductive)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/10/29 10:35 AM
L239	1459613	dielectric	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/10/29 10:35 AM
L240	308	L238 AND L239	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/10/29 10:36 AM
L241	293	(housing AND watch AND (band OR strap) AND cover AND dielectric AND coil AND charg$4 AND surface AND electrode AND (heart NEAr rate))	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/10/29 01:39 PM
L243	2	(9134807|10474194).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/01/13 01:19 PM
L244	275	("0000005"|"0000055"|"0000072"|"0000073"|"0000078"|"0000555"|"0000726"|"0000728"|"0000786"|"0022019"|"0022020"|"0032019"|"0032020"|"0042020"|"0052019"|"0052020"|"0052585"|"0062019"|"0072019"|"0078949"|"0079467"|"0082019"|"0082020"|"0112019"|"0122019"|"10001817"|"10012550"|"10018966"|"10019097"|"10037006"|"10048802"|"10061399"|"10092203"|"10114342"|"10145711"|"10175652"|"20030174590"|"20040047244"|"20040082414"|"20040130971"|"20040264301"|"20050075558"|"20050088417"|"20060250377"|"2237860"|"2288215"|"2497935"|"2771734"|"2788236"|"2797592"|"3040514"|"3056030"|"3130539"|"3355873"|"3362154"|"3410247"|"3495398"|"3577876"|"3621649"|"3662618"|"3733803"|"4007347"|"4031341"|"4037068"|"4077200"|"41	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 11:05 AM

		33404"|"4170104"|"425 8096"|"4287400"|"4289 400"|"4311026"|"43119 90"|"4324956"|"434511 9"|"4364674"|"4379642" |"4395134"|"4396298"|" 4417824"|"4448199"|"4 520306"|"4581509"|"46 00316"|"4617461"|"463 4861"|"4641026"|"4670 737"|"4766642"|"47837 72"|"4884073"|"491483 1"|"4922070"|"4931794" |"4952799"|"4980685"|" 4987299"|"5034602"|"5 177355"|"5214278"|"52 88993"|"5631881"|"584 1050"|"5847335"|"5867 082"|"5943233"|"59530 01"|"5960366"|"596333 2"|"5999168"|"6069567" |"6128006"|"6134189"|" 6154201"|"6175679"|"6 203190"|"6241684"|"62 46050"|"6252825"|"630 4247"|"6355891"|"6361 502"|"6377239"|"63926 40"|"6396006"|"642274 0"|"6477117"|"6502982" |"6525278"|"6556222"|" 6575618"|"6587400"|"6 636197"|"6646635"|"66 61438"|"6672758"|"679 4992"|"6809275"|"6834 430"|"6846998"|"68825 96"|"6888076"|"689640 3"|"6909378"|"6914551" |"6961099"|"6963039"|" 6967903"|"6977868"|"6 982930"|"6985107"|"69 87568"|"6998553"|"701 6263"|"7021442"|"7031 228"|"7034237"|"70819 05"|"7102626"|"711136 5"|"7113450"|"7119289" |"7135673"|"7167083"|" 7244927"|"7274303"|"7 286063"|"7292741"|"73 69308"|"7371745"|"738 5874"|"7404667"|"7465 917"|"7468036"|"75062 69"|"7520664"|"752882 4"|"7545367"|"7591582" |"7593755"|"7605846"|" 7634263"|"7646677"|"7 655874"|"7682070"|"77 08457"|"7710456"|"773 2724"|"7761246"|"7763					

		819"|"7772507"|"77781 15"|"7781726"|"779158 8"|"7791597"|"7822469" |"8063892"|"8138488"|" 8143981"|"8167126"|"8 169402"|"8188989"|"81 95313"|"8229535"|"824 8815"|"8263886"|"8263 889"|"8275327"|"82946 70"|"8312495"|"831834 0"|"8368677"|"8371745" |"8373661"|"8410971"|" 8432368"|"8439559"|"8 441450"|"8446713"|"84 56430"|"8477118"|"849 3190"|"8508511"|"8525 777"|"8562489"|"85683 13"|"8576044"|"859359 8"|"8607662"|"8614881" |"8666682"|"8677285"|" 8704787"|"8711093"|"8 724087"|"8730167"|"87 43088"|"8783944"|"879 7153"|"8804993"|"8816 962"|"8824245"|"88477 41"|"8859971"|"886067 4"|"8863219"|"8878657" |"8885856"|"8895911"|" 8905631"|"8908477"|"8 920022"|"8922399"|"89 28452"|"8948832"|"895 4135"|"8975543"|"8994 827"|"9001625"|"90247 33"|"9028134"|"903044 6"|"9034666"|"9039614" |"9041663"|"9042971"|" 9049998"|"9052696"|"9 086717"|"9086738"|"91 00493"|"9101184"|"910 5413"|"9123483"|"9134 807"|"9141087").PN.					
L245	52	("9176577"|"9176598"|" 9202372"|"9213409"|"9 223296"|"9241635"|"92 44438"|"9256209"|"927 7156"|"9350850"|"9386 932"|"9426275"|"94300 42"|"9437357"|"944977 0"|"9501044"|"9520100" |"9532723"|"9542016"|" 9545541"|"9552023"|"9 599964"|"9607505"|"96 20312"|"9627163"|"963 2318"|"9638587"|"9651 922"|"9659482"|"96808 31"|"9709956"|"975343 6"|"9800717"|"9836025" |"9873711"|"9874945"|	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 11:05 AM

		9886006"|"9891590"|"9891651"|"9898032"|"9927902"|"9939923"|"9946297"|"9952558"|"9952682"|"9971305"|"9971405"|"9971407"|"9979426"|"D717679"|"D800172"|"RE41637").PN.					
L246	341583	crown	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 11:06 AM
L247	16	L245 AND L246	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 11:06 AM
L248	86	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$ or US-20150351690-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 11:09 AM

		7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$ or US-3577876-$ or US-9300344-$ or US-9615476-$ or US-9625944-$ or US-9627163-$).did. or (US-7286063-$ or US-4448199-$ or US-5738104-$).did.					
L249	9	L246 AND L248	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 11:09 AM
L250	4	(10942491|10613485|10620591|10599101).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 11:14 AM
L251	49	L244 AND L246	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 11:20 AM
L252	6361313	sensor	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 12:06 PM

L253	23	L251 AND L252	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 12:06 PM
L254	403796	(tactile OR haptic)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 12:44 PM
L255	30	L245 AND L254	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 12:44 PM
L256	63	L244 AND L254	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 12:51 PM
L259	6581094	optical	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 02:50 PM
L260	92	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$ or US-20150351690-$ or US-20030174590-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 02:50 PM

		8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$ or US-3577876-$ or US-9300344-$ or US-9615476-$ or US-9625944-$ or US-9627163-$).did. or (US-7286063-$ or US-4448199-$ or US-5738104-$ or US-8908477-$ or US-7034237-$ or US-6882596-$ or US-9971405-$ or US-9651922-$).did.					
L261	59	L259 AND L260	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 02:50 PM
L262	4	(20140275852|4448199).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO;	OR	ON	ON	2021/05/04 03:01 PM

			JPO)				
L263	92	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$ or US-20150351690-$ or US-20030174590-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:02 PM

		D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$ or US-3577876-$ or US-9300344-$ or US-9615476-$ or US-9625944-$ or US-9627163-$).did. or (US-7286063-$ or US-4448199-$ or US-5738104-$ or US-8908477-$ or US-7034237-$ or US-6882596-$ or US-9971405-$ or US-9651922-$).did.					
L264	176	ely-colin-m.in.	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:13 PM
L265	2438	((touch OR force) NEAr sensor) AND crown AND sensor	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:23 PM
L266	275	("0000005"|"0000055"|"0000072"|"0000073"|"0000078"|"0000555"|"0000726"|"0000728"|"0000786"|"0022019"|"0022020"|"0032019"|"0032020"|"0042020"|"0052019"|"0052020"|"0052585"|"0062019"|"0072019"|"0078949"|"0079467"|"0082019"|"0082020"|"0112019"|"0122019"|"10001817"|"10012550"|"10018966"|"10019097"|"10037006"|"10048802"|"10061399"|"10092203"|	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:23 PM

		"10114342"|"10145711" |"10175652"|"20030174 590"|"20040047244"|"2 0040082414"|"2004013 0971"|"20040264301"|" 20050075558"|"200500 88417"|"20060250377"| "2237860"|"2288215"|"2 497935"|"2771734"|"27 88236"|"2797592"|"304 0514"|"3056030"|"3130 539"|"3355873"|"33621 54"|"3410247"|"349539 8"|"3577876"|"3621649" |"3662618"|"3733803"|" 4007347"|"4031341"|"4 037068"|"4077200"|"41 33404"|"4170104"|"425 8096"|"4287400"|"4289 400"|"4311026"|"43119 90"|"4324956"|"434511 9"|"4364674"|"4379642" |"4395134"|"4396298"|" 4417824"|"4448199"|"4 520306"|"4581509"|"46 00316"|"4617461"|"463 4861"|"4641026"|"4670 737"|"4766642"|"47837 72"|"4884073"|"491483 1"|"4922070"|"4931794" |"4952799"|"4980685"|" 4987299"|"5034602"|"5 177355"|"5214278"|"52 88993"|"5631881"|"584 1050"|"5847335"|"5867 082"|"5943233"|"59530 01"|"5960366"|"596333 2"|"5999168"|"6069567" |"6128006"|"6134189"|" 6154201"|"6175679"|"6 203190"|"6241684"|"62 46050"|"6252825"|"630 4247"|"6355891"|"6361 502"|"6377239"|"63926 40"|"6396006"|"642274 0"|"6477117"|"6502982" |"6525278"|"6556222"|" 6575618"|"6587400"|"6 636197"|"6646635"|"66 61438"|"6672758"|"679 4992"|"6809275"|"6834 430"|"6846998"|"68825 96"|"6888076"|"689640 3"|"6909378"|"6914551" |"6961099"|"6963039"|" 6967903"|"6977868"|"6 982930"|"6985107"|"69 87568"|"6998553"|"701					

		6263"|"7021442"|"7031 228"|"7034237"|"70819 05"|"7102626"|"711136 5"|"7113450"|"7119289" |"7135673"|"7167083"|" 7244927"|"7274303"|"7 286063"|"7292741"|"73 69308"|"7371745"|"738 5874"|"7404667"|"7465 917"|"7468036"|"75062 69"|"7520664"|"752882 4"|"7545367"|"7591582" |"7593755"|"7605846"|" 7634263"|"7646677"|"7 655874"|"7682070"|"77 08457"|"7710456"|"773 2724"|"7761246"|"7763 819"|"7772507"|"77781 15"|"7781726"|"779158 8"|"7791597"|"7822469" |"8063892"|"8138488"|" 8143981"|"8167126"|"8 169402"|"8188989"|"81 95313"|"8229535"|"824 8815"|"8263886"|"8263 889"|"8275327"|"82946 70"|"8312495"|"831834 0"|"8368677"|"8371745" |"8373661"|"8410971"|" 8432368"|"8439559"|"8 441450"|"8446713"|"84 56430"|"8477118"|"849 3190"|"8508511"|"8525 777"|"8562489"|"85683 13"|"8576044"|"859359 8"|"8607662"|"8614881" |"8666682"|"8677285"|" 8704787"|"8711093"|"8 724087"|"8730167"|"87 43088"|"8783944"|"879 7153"|"8804993"|"8816 962"|"8824245"|"88477 41"|"8859971"|"886067 4"|"8863219"|"8878657" |"8885856"|"8895911"|" 8905631"|"8908477"|"8 920022"|"8922399"|"89 28452"|"8948832"|"895 4135"|"8975543"|"8994 827"|"9001625"|"90247 33"|"9028134"|"903044 6"|"9034666"|"9039614" |"9041663"|"9042971"|" 9049998"|"9052696"|"9 086717"|"9086738"|"91 00493"|"9101184"|"910 5413"|"9123483"|"9134 807"|"9141087").PN.					

L267	5	L265 AND L266	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:23 PM
L268	52	("9176577"|"9176598"|"9202372"|"9213409"|"9223296"|"9241635"|"9244438"|"9256209"|"9277156"|"9350850"|"9386932"|"9426275"|"9430042"|"9437357"|"9449770"|"9501044"|"9520100"|"9532723"|"9542016"|"9545541"|"9552023"|"9599964"|"9607505"|"9620312"|"9627163"|"9632318"|"9638587"|"9651922"|"9659482"|"9680831"|"9709956"|"9753436"|"9800717"|"9836025"|"9873711"|"9874945"|"9886006"|"9891590"|"9891651"|"9898032"|"9927902"|"9939923"|"9946297"|"9952558"|"9952682"|"9971305"|"9971405"|"9979426"|"D717679"|"D800172"|"RE41637").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:24 PM
L269	11	L265 AND L268	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:24 PM
L270	1038	(((touch OR force) NEAr sensor) WITH (screen OR display)) AND crown AND sensor	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:41 PM
L271	412793	watch	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:41 PM
L272	744	L270 AND L271	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:42 PM
L273	82705	(biosensor)	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:42 PM
L274	33	L272 AND L273	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:42 PM
L275	25	(10942491|10613485|11620591|10627783|10599101).pn.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2022/11/09 10:10 AM
L276	5	(10942491|10613485|11620591|10627783|10599101).pn.	(USPAT)	OR	ON	ON	2022/11/09 10:12 AM
L277	5	(10942491|10613485|10620591|10627783|10599101).pn.	(USPAT)	OR	ON	ON	2022/11/09 10:31 AM

L278	1	"11474483".pn.	(USPAT)	OR	ON	ON	2022/11/09 11:03 AM
L279	250	("0000002" OR "0012021" OR "0012022" OR "0032020" OR "0032021" OR "0042020" OR "0042021" OR "0052020" OR "0052021" OR "0062021" OR "0062022" OR "0072022" OR "0082020" OR "0102022" OR "0112020" OR "0112021" OR "0122020" OR "0122021" OR "10001817" OR "10012550" OR "10018966" OR "10019097" OR "10037006" OR "10037081" OR "10048802" OR "10061399" OR "10066970" OR "10092203" OR "10108016" OR "10114342" OR "10145711" OR "10175652" OR "10190891" OR "10203662" OR "10209148" OR "10216147" OR "10222755" OR "10222756" OR "10222909" OR "10234828" OR "10241593" OR "10296125" OR "10331081" OR "10331082" OR "10332111" OR "10353487" OR "10379629" OR "10386940" OR "10401961" OR "10429959" OR "10474194" OR "10503258" OR "10509486" OR "10524671" OR "10534320" OR "10534900" OR	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 01:49 PM

		"10551798" OR "10572053" OR "10579090" OR "10593617" OR "20020101457" OR "20030174590" OR "20040047244" OR "20040082414" OR "20040130971" OR "20040264301" OR "20050075558" OR "20050088417" OR "20060250377" OR "20070013775" OR "20070050054" OR "20070182708" OR "20070211042" OR "20070222756" OR "20070229671" OR "20070247421" OR "20080130914" OR "20090051649" OR "20090073119" OR "20090122656" OR "20090146975" OR "20090152452" OR "20090217207" OR "20090285443" OR "20090312051" OR "20090312655" OR "20100033430" OR "20100053468" OR "20100081375" OR "20100149099" OR "20110007468" OR "20110090148" OR "20110158057" OR "20110242064" OR "20110270358" OR "20120067711" OR "20120068857" OR "20120075082" OR "20120112859" OR "20120113044" OR "20120206248" OR "20120272784" OR "20130037396" OR "20130087443" OR "20130191220" OR "20130235704" OR "20130261405" OR "20130335196" OR "20140009397" OR "20140045547" OR "20140071098" OR "20140073486" OR "20140132516" OR "20140197936" OR					

		"20140340318" OR "20140347289" OR "20140368442" OR "20140375579" OR "20150049059" OR "20150098309" OR "20150124415" OR "20150186609" OR "20150221460" OR "20150293592" OR "20150320346" OR "20150338642" OR "20150341031" OR "20150366098" OR "20160018846" OR "20160054813" OR "20160058375" OR "20160061636" OR "20160062623" OR "20160069713" OR "20160109861" OR "20160116306" OR "20160147432" OR "20160170598" OR "20160170608" OR "20160170624" OR "20160241688" OR "20160253487" OR "20160306446" OR "20160320583" OR "20160327911" OR "20160338642" OR "20160378069" OR "20160378070" OR "20160378071" OR "20170011210" OR "20170027461" OR "20170031449" OR "20170045958" OR "20170061863" OR "20170069443" OR "20170069444" OR "20170069447" OR "20170090572" OR "20170090599" OR "20170104902" OR "20170139489" OR "20170216519" OR "20170216668" OR "20170238138" OR "20170251561" OR "20170269715" OR "20170285404" OR "20170301314" OR "20170307414" OR "20170331869" OR "20170357465" OR "20180018026" OR					

		"20180059624" OR "20180136686" OR "20180196517" OR "20180225701" OR "20180235491" OR "20180337551" OR "20180364815" OR "20190017846" OR "20190072911" OR "20190072912" OR "20190088583" OR "20190278232" OR "20190317454" OR "20190391539" OR "20200041962" OR "20200064774" OR "20200064779" OR "20200073339" OR "20200110473" OR "20200159172" OR "20200233380" OR "20200233529" OR "20200271483" OR "20200326659" OR "20210055696" OR "20210096688" OR "20210181682" OR "20210181688" OR "20210181690" OR "20210181691" OR "20210181692" OR "20210181865" OR "20210255590" OR "20210373501" OR "20210405594" OR "2237860" OR "2288215" OR "2497935" OR "2771734" OR "2788236" OR "2797592" OR "3040514" OR "3056030" OR "3130539" OR "3355873" OR "3362154" OR "3410247" OR "3495398" OR "3577876" OR "3621649" OR "3662618" OR "3733803" OR "4007347" OR "4031341" OR "4037068" OR "4077200" OR "4133404" OR "4170104" OR					

		"4258096" OR "4274152" OR "4287400" OR "4289400" OR "4311026" OR "4311990" OR "4324956" OR "4345119" OR "4364674" OR "4379642" OR "4395134" OR "4396298" OR "4417824" OR "4448199" OR "4520306" OR "4581509" OR "4600316" OR "4617461" OR "4634861" OR "4641026").pn.					
L280	250	("4670737" OR "4766642" OR "4783772" OR "4884073" OR "4914831" OR "4922070" OR "4931794" OR "4952799" OR "4980685" OR "4987299" OR "5034602" OR "5177355" OR "5214278" OR "5258592" OR "5288993" OR "5347123" OR "5383166" OR "5471054" OR "5477508" OR "5509174" OR "5559761" OR "5572314" OR "5583560" OR "5631881" OR "5726645" OR "5738104" OR "5748111" OR "5825353" OR "5841050" OR "5847335" OR "5867082" OR "5943233" OR "5953001" OR "5960366" OR "5963332" OR "5999168" OR "6069567" OR "6128006" OR	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 01:49 PM

		"6134189" OR "6154201" OR "6175679" OR "6203190" OR "6241684" OR "6246050" OR "6252825" OR "6304247" OR "6355891" OR "6361502" OR "6377239" OR "6392640" OR "6396006" OR "6422740" OR "6477117" OR "6502982" OR "6525278" OR "6556222" OR "6575618" OR "6587400" OR "6636197" OR "6646635" OR "6661438" OR "6672758" OR "6794992" OR "6809275" OR "6834430" OR "6846998" OR "6882596" OR "6888076" OR "6896403" OR "6909378" OR "6914551" OR "6950695" OR "6961099" OR "6963039" OR "6967903" OR "6977868" OR "6982930" OR "6985107" OR "6987568" OR "6998553" OR "7016263" OR "7021442" OR "7031228" OR "7034237" OR "7081905" OR "7102626" OR "7111365" OR "7113450" OR "7119289" OR "7135673" OR "7167083" OR "7187359" OR "7244927" OR "7255473" OR "7265336" OR "7274303" OR					

		"7285738" OR "7286063" OR "7292741" OR "7358481" OR "7369308" OR "7371745" OR "7385874" OR "7404667" OR "7465917" OR "7468036" OR "7506269" OR "7520664" OR "7528824" OR "7545367" OR "7591582" OR "7593755" OR "7605846" OR "7634263" OR "7646677" OR "7655874" OR "7682070" OR "7708457" OR "7710456" OR "7732724" OR "7761246" OR "7763819" OR "7772507" OR "7778115" OR "7781726" OR "7791587" OR "7791588" OR "7791597" OR "7822469" OR "7856255" OR "7858583" OR "7865324" OR "7894957" OR "7946758" OR "8063892" OR "8138488" OR "8143981" OR "8167126" OR "8169402" OR "8188989" OR "8195313" OR "8229535" OR "8248815" OR "8263886" OR "8263889" OR "8275327" OR "8294670" OR "8312495" OR "8318340" OR "8368677" OR "8371745" OR "8373661" OR "8405618" OR "8410971" OR					

		"8432368" OR "8439559" OR "8441450" OR "8446713" OR "8456430" OR "8477118" OR "8493190" OR "8508511" OR "8525777" OR "8562489" OR "8568313" OR "8576044" OR "8593598" OR "8607662" OR "8614881" OR "8666682" OR "8677285" OR "8704787" OR "8711093" OR "8717151" OR "8724087" OR "8730167" OR "8743088" OR "8783944" OR "8797153" OR "8804993" OR "8816962" OR "8824245" OR "8847741" OR "8851372" OR "8859971" OR "8860674" OR "8863219" OR "8878657" OR "8885856" OR "8895911" OR "8905631" OR "8908477" OR "8920022" OR "8922399" OR "8928452" OR "8948832" OR "8954135" OR "8975543" OR "8994827" OR "9001625" OR "9024733" OR "9028134" OR "9030446" OR "9034666" OR "9039614" OR "9041663" OR "9042971" OR "9049998" OR "9052696" OR "9086717" OR "9086738" OR "9091309" OR					

		"9100493" OR "9101184" OR "9105413" OR "9123483" OR "9134807" OR "9141087" OR "9176577" OR "9176598" OR "9202372" OR "9213409" OR "9223296" OR "9241635" OR "9244438" OR "9256209" OR "9277156" OR "9350850" OR "9367146" OR "9386932" OR "9426275" OR "9430042" OR "9437357" OR "9449770" OR "9501044" OR "9520100" OR "9532723" OR "9542016" OR "9545541" OR "9552023" OR "9599964" OR "9600071" OR "9607505" OR "9620312" OR "9627163" OR "9632318" OR "9632537" OR "9638587" OR "9651922" OR "9659482").pn.					
L281	24	("9680831" OR "9709956" OR "9753436" OR "9800717" OR "9836025" OR "9873711" OR "9874945" OR "9886006" OR "9891590" OR "9891651" OR "9898032" OR "9913591" OR "9927902" OR "9939923" OR "9946297" OR "9952558" OR "9952682" OR "9971305" OR "9971405" OR "9971407" OR	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 01:49 PM

		"9979426" OR "D717679" OR "D800172" OR "RE41637").pn.					
L282	1339759	coil	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 02:20 PM
L283	57	L280 AND L282	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 02:20 PM
L284	47	L279 AND L282	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:06 PM
L285	1098	wristwatch AND (coil SAME wireless)	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:16 PM
L286	1209770	antenna	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:16 PM
L287	884	L285 AND L286	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:16 PM
L288	969891	charging	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:19 PM
L289	649	L287 AND L288	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:20 PM
L290	10893332	@ad<="20140902"	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:22 PM
L291	137	L289 AND L290	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:22 PM
L292	6	(coil SAME (optical NEAR (window OR cover)) SAME wireless SAME charg$4)	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:42 PM
L293	1369	(coil SAME ((window OR cover)) SAME wireless SAME charg$4)	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:43 PM
L294	36905	wristwatch	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:44 PM
L295	51	L293 AND L294	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:44 PM
L296	424	((("Rothkopf") near3 ("Fletcher") near3 ("R"))).INV.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2022/12/14 03:55 PM
L297	424	((("Rothkopf") near3 ("Fletcher") near3 ("R"))).INV.	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:55 PM
L298	6	(11474483|10942491|10613485|10620591|10627783|10599101).pn.	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 04:05 PM
L299	1209770	antenna	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 04:25 PM
L300	282172	antenna.clm.	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 04:25 PM
L301	1	L298 AND L300	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 04:25 PM

L302	35	L297 AND L300	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 04:33 PM
L303	207	ely-colin-m.in.	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 04:37 PM
L304	14	L300 AND L303	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 04:38 PM
L305	6	L298 AND coil	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/17 11:00 AM
L306	4	L298 AND coil.clm.	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/17 11:00 AM
L307	102	((US-9507459-B2 OR US-9680205-B2 OR US-9591913-B2 OR US-9791833-B1 OR US-8596860-B2 OR US-9288294-B2 OR US-D790517-S OR US-9547425-B2 OR US-7654732-B2 OR US-D768634-S OR US-9459781-B2 OR US-D758363-S OR US-D758219-S OR US-D752044-S OR US-D741726-S OR US-D737159-S OR US-D728624-S OR US-D727198-S OR US-9575591-B2 OR US-9781984-B2 OR US-9627163-B2 OR US-7932893-B1 OR US-9651922-B2 OR US-9971405-B2 OR US-6882596-B2 OR US-7034237-B2 OR US-8908477-B2 OR US-5738104-A OR US-4448199-A OR US-7286063-B2 OR US-9625944-B2 OR US-9615476-B2 OR US-9300344-B2 OR US-3577876-A OR US-D647107-S OR US-D578922-S OR US-8766805-B2 OR US-4903253-A OR US-7682070-B2 OR US-8630633-B1 OR US-5722397-A OR US-6694158-B2 OR US-7474592-B2 OR US-7674231-B2 OR US-8527038-B2 OR US-8617069-B2 OR US-	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/02/06 11:20 AM

		8727977-B2 OR US-8738118-B2 OR US-9622214-B2 OR US-9629120-B2 OR US-9704154-B2 OR US-9737212-B2 OR US-9737221-B2 OR US-9848825-B2 OR US-6158884-A OR US-6255951-B1 OR US-6350055-B1 OR US-6431455-B1 OR US-9091715-B2 OR US-9423418-B2 OR US-9288836-B1 OR US-6443906-B1 OR US-9386932-B2 OR US-9141087-B2 OR US-9049998-B2 OR US-8948832-B2 OR US-7385874-B2 OR US-11527824-B2 OR US-6825751-B1 OR US-11526034-B1).did. AND USPT.dbnm.) OR ((US-20090124062-A1 OR US-20130236699-A1 OR US-20150085429-A1 OR US-20160064800-A1 OR US-20030174590-A1 OR US-20150351690-A1 OR US-20160064804-A1 OR US-20150124415-A1 OR US-20140107493-A1 OR US-20140278139-A1 OR US-20160091965-A1 OR US-20160198996-A1 OR US-20160367987-A1 OR US-20110003665-A1 OR US-20150313542-A1 OR US-20160274726-A1 OR US-20140366123-A1 OR US-20160313703-A1 OR US-20030175993-A1 OR US-20130234850-A1 OR US-20140139486-A1 OR US-20140276244-A1 OR US-20160350514-A1 OR US-20150186609-A1 OR US-20160379205-A1 OR					

		US-20170011210-A1 OR US-20170039358-A1 OR US-20170071483-A1 OR US-20140275852-A1 OR US-20140378777-A1 OR US-20150026647-A1 OR US-20100292599-A1).did. AND PGPB.dbnm.)					
L308	139	("20070255122"|"20070219419"|"20090018418"|"20080046286"|"8709488"|"20100076321"|"20110028803"|"8137698"|"8795251"|"8808268"|"20030232370"|"20110028803"|"20070219419"|"20100049010"|"8481082"|"8323188"|"20060258920"|"20100222657"|"20130330116"|"20140200423"|"7214190"|"20060205564"|"20070027367"|"20140379273"|"20100010571"|"7844314"|"20100222657"|"20070231393"|"8668935"|"8932636"|"20040122297"|"20130267791"|"20050054907"|"20040122297"|"20060165805"|"20120232918"|"6454707"|"8801690"|"20100049010"|"7214190"|"20100072994"|"6707360"|"20070073558"|"9017729"|"20090118605").PN.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/02/06 11:29 AM
L309	250	("0000002" OR "10001817" OR "10002731" OR "10012550" OR "10018966" OR "10019097" OR "10025399" OR "10037006" OR "10037081" OR "10041813" OR "10048802" OR "10055030" OR "10057470" OR "10061399" OR "10061404" OR "10066970" OR "10092203" OR "10095394" OR	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/06 11:32 AM

		"10108016" OR "10114342" OR "10114450" OR "10145711" OR "10145712" OR "10175652" OR "10187364" OR "10190891" OR "10194271" OR "10203662" OR "10209148" OR "10216147" OR "10222755" OR "10222756" OR "10222909" OR "10234828" OR "10241593" OR "10290440" OR "10296125" OR "10331081" OR "10331082" OR "10332111" OR "10353487" OR "10379629" OR "10386940" OR "10401961" OR "10429959" OR "10444862" OR "10444941" OR "10447748" OR "10474194" OR "10503258" OR "10503388" OR "10509486" OR "10520768" OR "10524671" OR "10534320" OR "10534900" OR "10545657" OR "10551798" OR "10561035" OR "10572053" OR "10579090" OR "10593617" OR "10599101" OR "10610157" OR "10613485" OR "10613685" OR "10620591" OR "10627783" OR "10655988" OR "10664074" OR "10685626" OR "10732571" OR "10747467" OR "10765019" OR "10782925" OR "10845764" OR					

		"10852700" OR "10852855" OR "10871385" OR "10884549" OR "10936071" OR "10942491" OR "10948880" OR "10955937" OR "10962930" OR "10962935" OR "10987054" OR "11000193" OR "11002572" OR "11029831" OR "11036318" OR "11148292" OR "11163362" OR "11181863" OR "11194298" OR "11194299" OR "11221590" OR "11347189" OR "11347351" OR "11360440" OR "11385599" OR "11429256" OR "11432766" OR "11451084" OR "11474483" OR "11513613" OR "20020101457" OR "20030174590" OR "20040047244" OR "20040082414" OR "20040130971" OR "20040264301" OR "20050075558" OR "20050088417" OR "20060250377" OR "20070013775" OR "20070050054" OR "20070182708" OR "20070211042" OR "20070222756" OR "20070229671" OR "20070247421" OR "20080130914" OR "20090051649" OR "20090073119" OR "20090122656" OR "20090146975" OR "20090152452" OR "20090217207" OR "20090285443" OR "20090312051" OR "20090312655" OR "20100033430" OR "20100053468" OR					

		"20100081375" OR "20100149099" OR "20110007468" OR "20110090148" OR "20110158057" OR "20110242064" OR "20110270358" OR "20120067711" OR "20120068857" OR "20120075082" OR "20120112859" OR "20120113044" OR "20120206248" OR "20120272784" OR "20130037396" OR "20130087443" OR "20130191220" OR "20130235704" OR "20130261405" OR "20130335196" OR "20140009397" OR "20140045547" OR "20140071098" OR "20140073486" OR "20140132516" OR "20140197936" OR "20140368442" OR "20140375579" OR "20150049059" OR "20150098309" OR "20150124415" OR "20150186609" OR "20150293592" OR "20150320346" OR "20150366098" OR "20160018846" OR "20160147432" OR "20160170624" OR "20160241688" OR "20160320583" OR "20160327911" OR "20160338642" OR "20170027461" OR "20170031449" OR "20170069443" OR "20170069444" OR "20170216519" OR "20170216668" OR "20180059624" OR "20180225701" OR "20190056700" OR "20190072911" OR "20190278232" OR "20200041962" OR "20200064779" OR "20200159172" OR "20210181682" OR "20210181691" OR					

		"20210181692" OR "20210255590" OR "20210303081" OR "20210373501" OR "20210405594" OR "20220043397" OR "20220043402" OR "20220075328" OR "20220261111" OR "20220299944" OR "20220326660" OR "2237860" OR "2288215" OR "2497935" OR "2771734" OR "2788236" OR "2797592" OR "3040514" OR "3056030" OR "3130539" OR "3355873" OR "3362154" OR "3410247" OR "3495398" OR "3577876" OR "3621649" OR "3662618" OR "3733803" OR "3937002" OR "4007347" OR "4031341" OR "4037068" OR "4051665" OR "4077200" OR "4133404" OR "4170104" OR "4258096" OR "4274152" OR "4287400" OR "4289400" OR "4311026" OR "4311990" OR "4324956" OR "4345119" OR "4364674" OR "4379642" OR "4395134" OR "4396298" OR "4417824" OR "4448199" OR "4520306" OR "4581509" OR "4600316" OR "4617461" OR "4634861" OR "4641026" OR "4670737" OR "4766642").pn.					

L310	250	("4783772" OR "4884073" OR "4914831" OR "4922070" OR "4931794" OR "4952799" OR "4980685" OR "4987299" OR "5034602" OR "5177355" OR "5214278" OR "5258592" OR "5288993" OR "5347123" OR "5383166" OR "5471054" OR "5477508" OR "5509174" OR "5559761" OR "5572314" OR "5583560" OR "5631881" OR "5726645" OR "5738104" OR "5748111" OR "5825353" OR "5841050" OR "5847335" OR "5867082" OR "5943233" OR "5953001" OR "5960366" OR "5963332" OR "5999168" OR "6069567" OR "6128006" OR "6134189" OR "6154201" OR "6175679" OR "6203190" OR "6241684" OR "6246050" OR "6252825" OR "6304247" OR "6355891" OR "6361502" OR "6377239" OR "6392640" OR "6396006" OR "6422740" OR "6477117" OR "6502982" OR "6525278" OR "6556222" OR "6575618" OR "6587400" OR "6636197" OR "6646635" OR	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/06 11:32 AM

		"6661438" OR "6672758" OR "6794992" OR "6809275" OR "6834430" OR "6846998" OR "6882596" OR "6888076" OR "6896403" OR "6909378" OR "6914551" OR "6950695" OR "6961099" OR "6963039" OR "6967903" OR "6977868" OR "6982930" OR "6985107" OR "6987568" OR "6998553" OR "7009915" OR "7016263" OR "7021442" OR "7031228" OR "7034237" OR "7081905" OR "7102626" OR "7111365" OR "7113450" OR "7119289" OR "7135673" OR "7167083" OR "7187359" OR "7244927" OR "7255473" OR "7265336" OR "7274303" OR "7285738" OR "7286063" OR "7292741" OR "7358481" OR "7369308" OR "7371745" OR "7385874" OR "7404667" OR "7465917" OR "7468036" OR "7506269" OR "7520664" OR "7528824" OR "7545367" OR "7591582" OR "7593755" OR "7605846" OR "7634263" OR "7646677" OR "7655874" OR "7682070" OR					

		"7708457" OR "7710456" OR "7732724" OR "7761246" OR "7763819" OR "7772507" OR "7778115" OR "7781726" OR "7791587" OR "7791588" OR "7791597" OR "7822469" OR "7856255" OR "7858583" OR "7865324" OR "7894957" OR "7946758" OR "8063892" OR "8138488" OR "8143981" OR "8167126" OR "8169402" OR "8188989" OR "8195313" OR "8229535" OR "8248815" OR "8263886" OR "8263889" OR "8275327" OR "8294670" OR "8312495" OR "8318340" OR "8368677" OR "8371745" OR "8373661" OR "8405618" OR "8410971" OR "8432368" OR "8439559" OR "8441450" OR "8446713" OR "8456430" OR "8477118" OR "8493190" OR "8508511" OR "8525777" OR "8562489" OR "8568313" OR "8576044" OR "8593598" OR "8607662" OR "8614881" OR "8666682" OR "8677285" OR "8704787" OR "8711093" OR "8717151" OR "8724087" OR					

		"8730167" OR "8743088" OR "8783944" OR "8797153" OR "8804993" OR "8816962" OR "8824245" OR "8847741" OR "8851372" OR "8859971" OR "8860674" OR "8863219" OR "8878657" OR "8885856" OR "8895911" OR "8905631" OR "8908477" OR "8920022" OR "8922399" OR "8928452" OR "8948832" OR "8954135" OR "8975543" OR "8994827" OR "9001625" OR "9024733" OR "9028134" OR "9030446" OR "9034666" OR "9039614" OR "9041663" OR "9042971" OR "9049998" OR "9052696" OR "9086717" OR "9086738" OR "9091309" OR "9100493" OR "9101184" OR "9105413" OR "9123483" OR "9134807" OR "9141087" OR "9176577" OR "9176598" OR "9202372" OR "9213409" OR "9223296" OR "9241635" OR "9244438" OR "9256209" OR "9277156" OR "9350850" OR "9367146" OR "9386932" OR "9426275" OR "9430042" OR "9437357" OR					

		"9449770" OR "9501044" OR "9520100" OR "9532723" OR "9542016" OR "9545541" OR "9552023" OR "9599964" OR "9600071" OR "9607505" OR "9620312" OR "9627163" OR "9632318" OR "9632537" OR "9638587" OR "9651922" OR "9659482" OR "9680831").pn.					
L311	25	("9709956" OR "9753436" OR "9800717" OR "9836025" OR "9873711" OR "9874945" OR "9886006" OR "9891590" OR "9891651" OR "9891667" OR "9898032" OR "9913591" OR "9921548" OR "9927902" OR "9939923" OR "9946297" OR "9952558" OR "9952682" OR "9971305" OR "9971405" OR "9971407" OR "9979426" OR "D717679" OR "D800172" OR "RE41637").pn.	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/06 11:32 AM
L312	10893500	@ad<="20140902"	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/06 11:33 AM
L313	0	L309 AND L310	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/06 11:33 AM
L314	103	L309 AND L312	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/06 11:34 AM
L315	240	L310 AND L312	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/06 11:41 AM
L316	0	"18075253"	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/06 11:59 AM
L317	1	"17951973"	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/06 12:02 PM

L318	6	"20150366098"	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/02/09 10:24 AM
L319	2	"20150366098".pn.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/02/09 10:31 AM
L320	250	("0000002" OR "10001817" OR "10002731" OR "10012550" OR "10018966" OR "10019097" OR "10025399" OR "10037006" OR "10037081" OR "10041813" OR "10048802" OR "10055030" OR "10057470" OR "10061399" OR "10061404" OR "10066970" OR "10092203" OR "10095394" OR "10108016" OR "10114342" OR "10114450" OR "10145711" OR "10145712" OR "10175652" OR "10187364" OR "10190891" OR "10194271" OR "10203662" OR "10209148" OR "10216147" OR "10222755" OR "10222756" OR "10222909" OR "10234828" OR "10241593" OR "10290440" OR "10296125" OR "10331081" OR "10331082" OR "10332111" OR "10353487" OR	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/09 10:44 AM

		"10379629" OR "10386940" OR "10401961" OR "10429959" OR "10444862" OR "10444941" OR "10447748" OR "10474194" OR "10503258" OR "10503388" OR "10509486" OR "10520768" OR "10524671" OR "10534320" OR "10534900" OR "10545657" OR "10551798" OR "10561035" OR "10572053" OR "10579090" OR "10593617" OR "10599101" OR "10610157" OR "10613485" OR "10613685" OR "10620591" OR "10627783" OR "10655988" OR "10664074" OR "10685626" OR "10732571" OR "10747467" OR "10765019" OR "10782925" OR "10845764" OR "10852700" OR "10852855" OR "10871385" OR "10884549" OR "10936071" OR "10942491" OR "10948880" OR "10955937" OR "10962930" OR "10962935" OR "10987054" OR "11000193" OR "11002572" OR "11029831" OR "11036318" OR "11148292" OR "11163362" OR "11181863" OR "11194298" OR "11194299" OR "11221590" OR "11347189" OR "11347351" OR					

		"11360440" OR "11385599" OR "11429256" OR "11432766" OR "11451084" OR "11474483" OR "11513613" OR "20020101457" OR "20030174590" OR "20040047244" OR "20040082414" OR "20040130971" OR "20040264301" OR "20050075558" OR "20050088417" OR "20060250377" OR "20070013775" OR "20070050054" OR "20070182708" OR "20070211042" OR "20070222756" OR "20070229671" OR "20070247421" OR "20080130914" OR "20090051649" OR "20090073119" OR "20090122656" OR "20090146975" OR "20090152452" OR "20090217207" OR "20090285443" OR "20090312051" OR "20090312655" OR "20100033430" OR "20100053468" OR "20100081375" OR "20100149099" OR "20110007468" OR "20110090148" OR "20110158057" OR "20110242064" OR "20110270358" OR "20120067711" OR "20120068857" OR "20120075082" OR "20120112859" OR "20120113044" OR "20120206248" OR "20120272784" OR "20130037396" OR "20130087443" OR "20130191220" OR "20130235704" OR "20130261405" OR "20130335196" OR "20140009397" OR "20140045547" OR "20140071098" OR					

		"20140073486" OR "20140132516" OR "20140197936" OR "20140368442" OR "20140375579" OR "20150049059" OR "20150098309" OR "20150124415" OR "20150186609" OR "20150293592" OR "20150320346" OR "20150366098" OR "20160018846" OR "20160147432" OR "20160170624" OR "20160241688" OR "20160320583" OR "20160327911" OR "20160338642" OR "20170027461" OR "20170031449" OR "20170069443" OR "20170069444" OR "20170216519" OR "20170216668" OR "20180059624" OR "20180225701" OR "20190056700" OR "20190072911" OR "20190278232" OR "20200041962" OR "20200064779" OR "20200159172" OR "20210181682" OR "20210181691" OR "20210181692" OR "20210255590" OR "20210303081" OR "20210373501" OR "20210405594" OR "20220043397" OR "20220043402" OR "20220075328" OR "20220261111" OR "20220299944" OR "20220326660" OR "2237860" OR "2288215" OR "2497935" OR "2771734" OR "2788236" OR "2797592" OR "3040514" OR "3056030" OR "3130539" OR "3355873" OR "3362154" OR "3410247" OR					

		"3495398" OR "3577876" OR "3621649" OR "3662618" OR "3733803" OR "3937002" OR "4007347" OR "4031341" OR "4037068" OR "4051665" OR "4077200" OR "4133404" OR "4170104" OR "4258096" OR "4274152" OR "4287400" OR "4289400" OR "4311026" OR "4311990" OR "4324956" OR "4345119" OR "4364674" OR "4379642" OR "4395134" OR "4396298" OR "4417824" OR "4448199" OR "4520306" OR "4581509" OR "4600316" OR "4617461" OR "4634861" OR "4641026" OR "4670737" OR "4766642").pn.					
L321	250	("4783772" OR "4884073" OR "4914831" OR "4922070" OR "4931794" OR "4952799" OR "4980685" OR "4987299" OR "5034602" OR "5177355" OR "5214278" OR "5258592" OR "5288993" OR "5347123" OR "5383166" OR "5471054" OR "5477508" OR "5509174" OR "5559761" OR "5572314" OR "5583560" OR "5631881" OR "5726645" OR	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/09 10:44 AM

		"5738104" OR "5748111" OR "5825353" OR "5841050" OR "5847335" OR "5867082" OR "5943233" OR "5953001" OR "5960366" OR "5963332" OR "5999168" OR "6069567" OR "6128006" OR "6134189" OR "6154201" OR "6175679" OR "6203190" OR "6241684" OR "6246050" OR "6252825" OR "6304247" OR "6355891" OR "6361502" OR "6377239" OR "6392640" OR "6396006" OR "6422740" OR "6477117" OR "6502982" OR "6525278" OR "6556222" OR "6575618" OR "6587400" OR "6636197" OR "6646635" OR "6661438" OR "6672758" OR "6794992" OR "6809275" OR "6834430" OR "6846998" OR "6882596" OR "6888076" OR "6896403" OR "6909378" OR "6914551" OR "6950695" OR "6961099" OR "6963039" OR "6967903" OR "6977868" OR "6982930" OR "6985107" OR "6987568" OR "6998553" OR "7009915" OR "7016263" OR "7021442" OR					

		"7031228" OR "7034237" OR "7081905" OR "7102626" OR "7111365" OR "7113450" OR "7119289" OR "7135673" OR "7167083" OR "7187359" OR "7244927" OR "7255473" OR "7265336" OR "7274303" OR "7285738" OR "7286063" OR "7292741" OR "7358481" OR "7369308" OR "7371745" OR "7385874" OR "7404667" OR "7465917" OR "7468036" OR "7506269" OR "7520664" OR "7528824" OR "7545367" OR "7591582" OR "7593755" OR "7605846" OR "7634263" OR "7646677" OR "7655874" OR "7682070" OR "7708457" OR "7710456" OR "7732724" OR "7761246" OR "7763819" OR "7772507" OR "7778115" OR "7781726" OR "7791587" OR "7791588" OR "7791597" OR "7822469" OR "7856255" OR "7858583" OR "7865324" OR "7894957" OR "7946758" OR "8063892" OR "8138488" OR "8143981" OR "8167126" OR "8169402" OR "8188989" OR					

		"8195313" OR "8229535" OR "8248815" OR "8263886" OR "8263889" OR "8275327" OR "8294670" OR "8312495" OR "8318340" OR "8368677" OR "8371745" OR "8373661" OR "8405618" OR "8410971" OR "8432368" OR "8439559" OR "8441450" OR "8446713" OR "8456430" OR "8477118" OR "8493190" OR "8508511" OR "8525777" OR "8562489" OR "8568313" OR "8576044" OR "8593598" OR "8607662" OR "8614881" OR "8666682" OR "8677285" OR "8704787" OR "8711093" OR "8717151" OR "8724087" OR "8730167" OR "8743088" OR "8783944" OR "8797153" OR "8804993" OR "8816962" OR "8824245" OR "8847741" OR "8851372" OR "8859971" OR "8860674" OR "8863219" OR "8878657" OR "8885856" OR "8895911" OR "8905631" OR "8908477" OR "8920022" OR "8922399" OR "8928452" OR "8948832" OR "8954135" OR "8975543" OR					

		"8994827" OR "9001625" OR "9024733" OR "9028134" OR "9030446" OR "9034666" OR "9039614" OR "9041663" OR "9042971" OR "9049998" OR "9052696" OR "9086717" OR "9086738" OR "9091309" OR "9100493" OR "9101184" OR "9105413" OR "9123483" OR "9134807" OR "9141087" OR "9176577" OR "9176598" OR "9202372" OR "9213409" OR "9223296" OR "9241635" OR "9244438" OR "9256209" OR "9277156" OR "9350850" OR "9367146" OR "9386932" OR "9426275" OR "9430042" OR "9437357" OR "9449770" OR "9501044" OR "9520100" OR "9532723" OR "9542016" OR "9545541" OR "9552023" OR "9599964" OR "9600071" OR "9607505" OR "9620312" OR "9627163" OR "9632318" OR "9632537" OR "9638587" OR "9651922" OR "9659482" OR "9680831").pn.					
L322	25	("9709956" OR "9753436" OR "9800717" OR "9836025" OR "9873711" OR	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/09 10:44 AM

		"9874945" OR "9886006" OR "9891590" OR "9891651" OR "9891667" OR "9898032" OR "9913591" OR "9921548" OR "9927902" OR "9939923" OR "9946297" OR "9952558" OR "9952682" OR "9971305" OR "9971405" OR "9971407" OR "9979426" OR "D717679" OR "D800172" OR "RE41637").pn.					
L323	7	(11567457|11474483|10942491|10613485|10620591|10627783|10599101).pn.	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/09 10:47 AM
L324	1	"17951973"	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/09 11:00 AM
L325	5	(11567457|11474483|10942491).pn.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/02/10 02:19 PM
L326	3	(11567457|11474483|10942491).pn.	(USPAT)	OR	ON	ON	2023/02/10 02:20 PM

PE2E SEARCH - Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	British Equivalents	Time Stamp
N153	0	(wearable AND housing AND band AND display AND (touch NEAR sensor) AND crown AND (rotatable OR rotational OR rotat$4) AND switch AND haptic).clm.	(US-PGPUB; USPAT)	OR	ON	ON	2018/12/12 07:07 AM
N154	0	(wearable AND housing AND band AND display AND (touch NEAR sensor) AND crown AND (rotatable OR rotational OR rotat$4) AND switch AND	(US-PGPUB; USPAT)	OR	ON	ON	2018/12/12 07:08 AM

		vibrat$4).clm.					
N234	0	(watch AND housing AND cover AND (touch NEAr display) AND dielectric AND optical AND coil AND wireless AND (heart NEAR rate) AND (electrocardiog$4 OR "ECG" OR "EKG")).clm.	(US-PGPUB; USPAT)	OR	ON	ON	2020/10/22 03:24 PM
N242	1	(housing AND watch AND (band OR strap) AND cover AND dielectric AND coil AND charg$4 AND surface AND electrode AND (heart NEAr rate)).clm.	(US-PGPUB; USPAT)	OR	ON	ON	2020/10/29 01:39 PM

PTO/SB/08A (08-03) U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Substitute for Form 1449A/PTO **INFORMATION DISCLOSURE STATEMENT BY APPLICANT** *(Use as many sheets as necessary)*	**APPLICATION NO.:** 18/075,253	**FILING DATE:** December 5, 2022
	INVENTOR(S): Fletcher R. Rothkopf	**ART UNIT:** Not Yet Assigned
	EXAMINER NAME: Not Yet Assigned	**ATTY. DOCKET NO.:** P22914USC11

U.S. PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A1.	2,288,215	06/1942	Taubert et al.	
	A2.	2,237,860	04/1941	Bolle	
	A3.	2,497,935	02/1950	Feurer	
	A4.	2,771,734	11/1956	Morf	
	A5.	2,788,236	04/1957	Kafowi	
	A6.	2,797,592	07/1957	Marrapese	
	A7.	3,040,514	06/1962	Dinstman	
	A8.	3,056,030	09/1962	Kelchner	
	A9.	3,130,539	04/1964	Davis	
	A10.	3,355,873	12/1967	Morf	
	A11.	3,362,154	01/1968	Perret	
	A12.	3,410,247	11/1968	Dronberger	
	A13.	3,495,398	02/1970	Widmer et al.	
	A14.	3,577,876	05/1971	Spadini	
	A15.	3,621,649	11/1971	Vulcan et al.	
	A16.	3,662,618	05/1972	Kroll et al.	
	A17.	3,733,803	05/1973	Hiraga	
	A18.	3,937,002	02/1976	Van Haften	
	A19.	4,007,347	02/1977	Haber	
	A20.	4,031,341	06/1977	Wuthrich et al.	
	A21.	4,037,068	07/1977	Gaynor	
	A22.	4,051,665	10/1977	Arn	
	A23.	4,077,200	03/1978	Schneider	
	A24.	4,133,404	01/1979	Griffin	
	A25.	4,170,104	10/1979	Yamagata	
	A26.	4,258,096	03/1981	LaMarche	
	A27.	4,274,152	06/1981	Ikegami	
	A28.	4,287,400	09/1981	Kitik	
	A29.	4,289,400	09/1981	Kubola et al.	
	A30.	4,311,026	01/1982	Ochoa	
	A31.	4,311,990	01/1982	Burke	
	A32.	4,324,956	04/1982	Sakakino et al.	
	A33.	4,345,119	08/1982	Latasiewicz	
	A34.	4,364,674	12/1982	Tesch	
	A35.	4,379,642	04/1983	Meyrat	
	A36.	4,395,134	07/1983	Luce	
	A37.	4,396,298	08/1983	Ripley	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

U.S. PATENT DOCUMENTS					
EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A38.	4,417,824	11/1983	Paterson et al.	
	A39.	4,448,199	05/1984	Schmid	
	A40.	4,520,306	05/1985	Kirby	
	A41.	4,581,509	04/1986	Sanford et al.	
	A42.	4,600,316	07/1986	Besson	
	A43.	4,617,461	10/1986	Subbarao et al.	
	A44.	4,634,861	01/1987	Ching et al.	
	A45.	4,641,026	02/1987	Garcia, Jr.	
	A46.	4,670,737	06/1987	Rilling	
	A47.	4,766,642	08/1988	Gaffney et al.	
	A48.	4,783,772	11/1988	Umemoto et al.	
	A49.	4,884,073	11/1989	Souloumiac	
	A50.	4,914,831	04/1990	Kanezashi et al.	
	A51.	4,922,070	05/1990	Dorkinski	
	A52.	4,931,794	06/1990	Haag	
	A53.	4,952,799	08/1990	Loewen	
	A54.	4,980,685	12/1990	Souloumiac et al.	
	A55.	4,987,299	01/1991	Kobayashi et al.	
	A56.	5,034,602	07/1991	Garcia et al.	
	A57.	5,177,355	01/1993	Branan	
	A58.	5,214,278	05/1993	Banda	
	A59.	5,258,592	11/1993	Nishikawa et al.	
	A60.	5,288,993	02/1994	Bidiville et al.	
	A61.	5,347,123	09/1994	Jackson et al.	
	A62.	5,383,166	01/1995	Gallay	
	A63.	5,471,054	11/1995	Watanabe	
	A64.	5,477,508	12/1995	Will	
	A65.	5,509,174	04/1996	Worrell	
	A66.	5,559,761	09/1996	Frenkel et al.	
	A67.	5,572,314	11/1996	Hyman et al.	
	A68.	5,583,560	12/1996	Florin et al.	
	A69.	5,631,881	05/1997	Pessey et al.	
	A70.	5,726,645	03/1998	Kamon et al.	
	A71.	5,738,104	04/1998	Lo	
	A72.	5,748,111	05/1998	Bates	
	A73.	5,825,353	10/1998	Will	
	A74.	5,841,050	11/1998	Clift et al.	
	A75.	5,847,335	12/1998	Sugahara et al.	
	A76.	5,867,082	02/1999	Van Zeeland	
	A77.	5,943,233	08/1999	Ebina	
	A78.	5,953,001	09/1999	Challener et al.	
	A79.	5,960,366	09/1999	Duwaer et al.	
	A80.	5,963,332	10/1999	Feldman et al.	
	A81.	5,999,168	12/1999	Rosenberg et al.	
	A82.	6,069,567	05/2000	Zawilski	
	A83.	6,128,006	10/2000	Rosenberg et al.	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

U.S. PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A84.	6,134,189	10/2000	Carrard	
	A85.	6,154,201	11/2000	Levin et al.	
	A86.	6,175,679	01/2001	Veligdan et al.	
	A87.	6,203,190	03/2001	Stotz	
	A88.	6,241,684	06/2001	Amano	
	A89.	6,246,050	06/2001	Tullis et al.	
	A90.	6,252,825	06/2001	Perotto	
	A91.	6,304,247	10/2001	Black	
	A92.	6,355,891	03/2002	Ikunami	
	A93.	6,361,502	03/2002	Puolakanaho et al.	
	A94.	6,377,239	04/2002	Isikawa	
	A95.	6,392,640	05/2002	Will	
	A96.	6,396,006	05/2002	Yokoji et al.	
	A97.	6,422,740	07/2002	Leuenberger	
	A98.	6,477,117	11/2002	Narayanaswami et al.	
	A99.	6,502,982	01/2003	Bach et al.	
	A100.	6,525,278	02/2003	Villain et al.	
	A101.	6,556,222	04/2003	Narayanaswami	
	A102.	6,575,618	06/2003	Inoue et al.	
	A103.	6,587,400	07/2003	Line	
	A104.	6,636,197	10/2003	Goldenberg et al.	
	A105.	6,646,635	11/2003	Pogatetz et al.	
	A106.	6,661,438	11/2003	Shiraishi et al.	
	A107.	6,672,758	01/2004	Ehrsam et al.	
	A108.	6,794,992	09/2004	Rogers	
	A109.	6,809,275	10/2004	Cheng et al.	
	A110.	6,834,430	12/2004	Worrell	
	A111.	6,846,998	01/2005	Hasumi et al.	
	A112.	6,882,596	04/2005	Guanter	
	A113.	6,888,076	05/2005	Hetherington	
	A114.	6,896,403	05/2005	Gau	
	A115.	6,909,378	06/2005	Lambrechts et al.	
	A116.	6,914,551	07/2005	Vidal	
	A117.	6,950,695	09/2005	Chen	
	A118.	6,963,039	11/2005	Weng et al.	
	A119.	6,961,099	11/2005	Takano et al.	
	A120.	6,967,903	11/2005	Guanter	
	A121.	6,977,868	12/2005	Brewer et al.	
	A122.	6,982,930	01/2006	Hung	
	A123.	6,985,107	01/2006	Anson	
	A124.	6,987,568	01/2006	Dana	
	A125.	6,998,553	02/2006	Hisamune et al.	
	A126.	7,009,915	03/2006	Brewer et al.	
	A127.	7,016,263	03/2006	Gueissaz et al.	
	A128.	7,021,442	04/2006	Borgerson	
	A129.	7,031,228	04/2006	Born et al.	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

U.S. PATENT DOCUMENTS					
EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A130.	7,034,237	04/2006	Ferri et al.	
	A131.	7,081,905	07/2006	Raghunath et al.	
	A132.	7,102,626	09/2006	Denny III	
	A133.	7,111,365	09/2006	Howie, Jr.	
	A134.	7,113,450	09/2006	Plancon et al.	
	A135.	7,119,289	10/2006	Lacroix	
	A136.	7,135,673	11/2006	Saint Clair	
	A137.	7,167,083	01/2007	Giles	
	A138.	7,187,359	03/2007	Numata	
	A139.	7,244,927	07/2007	Huynh	
	A140.	7,255,473	08/2007	Hiranuma et al.	
	A141.	7,265,336	09/2007	Hataguchi et al.	
	A142.	7,274,303	09/2007	Dresti et al.	
	A143.	7,285,738	10/2007	Lavigne et al.	
	A144.	7,286,063	10/2007	Gauthey	
	A145.	7,292,741	11/2007	Ishiyama et al.	
	A146.	7,358,481	04/2008	Yeoh et al.	
	A147.	7,369,308	05/2008	Tsuruta et al.	
	A148.	7,371,745	05/2008	Ebright et al.	
	A149.	7,385,874	06/2008	Vuilleumier	
	A150.	7,404,667	07/2008	Born et al.	
	A151.	7,465,917	12/2008	Chin et al.	
	A152.	7,468,036	12/2008	Rulkov et al.	
	A153.	7,506,269	03/2009	Lang et al.	
	A154.	7,520,664	04/2009	Wai	
	A155.	7,528,824	05/2009	Kong	
	A156.	7,545,367	06/2009	Sunda et al.	
	A157.	7,591,582	09/2009	Hiranuma et al.	
	A158.	7,593,755	09/2009	Colando et al.	
	A159.	7,605,846	10/2009	Watanabe	
	A160.	7,634,263	12/2009	Louch et al.	
	A161.	7,646,677	01/2010	Nakamura	
	A162.	7,655,874	02/2010	Akieda	
	A163.	7,682,070	03/2010	Burton	
	A164.	7,708,457	05/2010	Girardin	
	A165.	7,710,456	05/2010	Koshiba et al.	
	A166.	7,732,724	06/2010	Otani et al.	
	A167.	7,761,246	07/2010	Matsui	
	A168.	7,763,819	07/2010	Ieda et al.	
	A169.	7,778,115	08/2010	Ruchonnet	
	A170.	7,781,726	08/2010	Matsui et al.	
	A171.	7,772,507	08/2010	Orr	
	A172.	7,791,587	09/2010	Kosugi	
	A173.	7,791,588	09/2010	Tierling et al.	
	A174.	7,791,597	09/2010	Silverstein et al.	
	A175.	RE41,637	09/2010	O'Hara et al.	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

U.S. PATENT DOCUMENTS					
EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A176.	7,822,469	10/2010	Lo	
	A177.	7,858,583	12/2010	Schmidt et al.	
	A178.	7,856,255	12/2010	Tsuchiya et al.	
	A179.	7,865,324	01/2011	Lindberg	
	A180.	7,894,957	02/2011	Carlson	
	A181.	7,946,758	05/2011	Mooring	
	A182.	8,063,892	11/2011	Shahoian et al.	
	A183.	8,138,488	03/2012	Grot	
	A184.	8,143,981	03/2012	Washizu et al.	
	A185.	8,167,126	05/2012	Stiehl	
	A186.	8,169,402	05/2012	Shahoian et al.	
	A187.	8,188,989	05/2012	Levin et al.	
	A188.	8,195,313	06/2012	Fadell et al.	
	A189.	8,229,535	07/2012	Mensinger et al.	
	A190.	8,248,815	08/2012	Yang et al.	
	A191.	8,263,886	09/2012	Lin et al.	
	A192.	8,263,889	09/2012	Takahashi et al.	
	A193.	8,275,327	09/2012	Yi et al.	
	A194.	8,294,670	10/2012	Griffin et al.	
	A195.	8,312,495	11/2012	Vanderhoff	
	A196.	8,318,340	11/2012	Stimits	
	A197.	8,368,677	02/2013	Yamamoto	
	A198.	8,371,745	02/2013	Manni	
	A199.	8,373,661	02/2013	Lan et al.	
	A200.	8,405,618	03/2013	Colgate	
	A201.	8,432,368	04/2013	Momeyer et al.	
	A202.	8,410,971	04/2013	Friedlander	
	A203.	8,446,713	05/2013	Lai	
	A204.	8,439,559	05/2013	Luk et al.	
	A205.	8,441,450	05/2013	Degner et al.	
	A206.	8,456,430	06/2013	Oliver et al.	
	A207.	8,493,190	07/2013	Periquet et al.	
	A208.	8,477,118	07/2013	Lan et al.	
	A209.	8,508,511	08/2013	Tanaka et al.	
	A210.	8,525,777	09/2013	Stavely et al.	
	A211.	8,562,489	10/2013	Burton et al.	
	A212.	8,568,313	10/2013	Sadhu	
	A213.	8,576,044	11/2013	Chapman	
	A214.	8,593,598	11/2013	Chen et al.	
	A215.	8,607,662	12/2013	Huang	
	A216.	8,614,881	12/2013	Yoo	
	A217.	8,666,682	03/2014	LaVigne et al.	
	A218.	8,677,285	03/2014	Tsern et al.	
	A219.	8,704,787	04/2014	Yamamoto	
	A220.	8,711,093	04/2014	Ong et al.	
	A221.	8,717,151	05/2014	Forutanpour et al.	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

U.S. PATENT DOCUMENTS					
EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A222.	8,730,167	05/2014	Ming et al.	
	A223.	8,724,087	05/2014	Van De Kerkhof et al.	
	A224.	8,743,088	06/2014	Watanabe	
	A225.	8,783,944	07/2014	Doi	
	A226.	8,797,153	08/2014	Vanhelle et al.	
	A227.	8,804,993	08/2014	Shukla et al.	
	A228.	8,816,962	08/2014	Obermeyer et al.	
	A229.	8,824,245	09/2014	Lau et al.	
	A230.	8,847,741	09/2014	Birnbaum et al.	
	A231.	8,851,372	10/2014	Zhou	
	A232.	8,859,971	10/2014	Weber	
	A233.	8,860,674	10/2014	Lee et al.	
	A234.	8,863,219	10/2014	Brown et al.	
	A235.	8,878,657	11/2014	Periquet et al.	
	A236.	8,885,856	11/2014	Sacha	
	A237.	8,895,911	11/2014	Takahashi	
	A238.	D717,679	11/2014	Anderssen	
	A239.	8,905,631	12/2014	Sakurazawa et al.	
	A240.	8,908,477	12/2014	Peters	
	A241.	8,920,022	12/2014	Ishida et al.	
	A242.	8,922,399	12/2014	Bajaj et al.	
	A243.	8,928,452	01/2015	Kim et al.	
	A244.	8,948,832	02/2015	Hong et al.	
	A245.	8,954,135	02/2015	Yuen et al.	
	A246.	8,975,543	03/2015	Hakemeyer	
	A247.	8,994,827	03/2015	Mistry et al.	
	A248.	9,001,625	04/2015	Essery et al.	
	A249.	9,024,733	05/2015	Wouters	
	A250.	9,028,134	05/2015	Koshoji et al.	
	A251.	9,030,446	05/2015	Mistry et al.	
	A252.	9,034,666	05/2015	Vaganov et al.	
	A253.	9,039,614	05/2015	Yuen et al.	
	A254.	9,041,663	05/2015	Westerman	
	A255.	9,042,971	05/2015	Brumback et al.	
	A256.	9,049,998	06/2015	Brumback et al.	
	A257.	9,052,696	06/2015	Breuillot et al.	
	A258.	9,086,717	07/2015	Meerovitsch	
	A259.	9,086,738	07/2015	Leung et al.	
	A260.	9,091,309	07/2015	Battlogg	
	A261.	9,100,493	08/2015	Zhou	
	A262.	9,101,184	08/2015	Wilson	
	A263.	9,105,413	08/2015	Hiranuma et al.	
	A264.	9,123,483	09/2015	Ferri et al.	
	A265.	9,134,807	09/2015	Shaw et al.	
	A266.	9,141,087	09/2015	Brown et al.	
	A267.	9,176,577	11/2015	Jangaard et al.	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

U.S. PATENT DOCUMENTS					
EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A268.	9,176,598	11/2015	Sweetser et al.	
	A269.	9,202,372	12/2015	Reams et al.	
	A270.	9,213,409	12/2015	Redelsheimer et al.	
	A271.	9,223,296	12/2015	Yang et al.	
	A272.	9,241,635	01/2016	Yuen et al.	
	A273.	9,244,438	01/2016	Hoover et al.	
	A274.	9,256,209	02/2016	Yang et al.	
	A275.	9,277,156	03/2016	Bennett et al.	
	A276.	9,350,850	05/2016	Pope et al.	
	A277.	9,367,146	06/2016	Piot	
	A278.	9,386,932	07/2016	Chatterjee et al.	
	A279.	9,426,275	08/2016	Eim et al.	
	A280.	9,430,042	08/2016	Levin	
	A281.	9,437,357	09/2016	Furuki et al.	
	A282.	9,449,770	09/2016	Sanford et al.	
	A283.	9,501,044	11/2016	Jackson et al.	
	A284.	9,520,100	12/2016	Houjou et al.	
	A285.	9,532,723	01/2017	Kim	
	A286.	9,542,016	01/2017	Armstrong-Muntner	
	A287.	9,545,541	01/2017	Aragones et al.	
	A288.	9,552,023	01/2017	Joo et al.	
	A289.	9,599,964	03/2017	Gracia	
	A290.	9,600,071	03/2017	Rothkopf	
	A291.	9,607,505	03/2017	Rothkopf et al.	
	A292.	9,620,312	04/2017	Ely et al.	
	A293.	9,627,163	04/2017	Ely	
	A294.	9,632,318	04/2017	Goto et al.	
	A295.	9,632,537	04/2017	Memering	
	A296.	9,638,587	05/2017	Marquas et al.	
	A297.	9,651,922	05/2017	Hysek et al.	
	A298.	9,659,482	05/2017	Yang et al.	
	A299.	9,680,831	06/2017	Jooste et al.	
	A300.	9,709,956	07/2017	Ely et al.	
	A301.	9,753,436	09/2017	Ely et al.	
	A302.	9,800,717	10/2017	Ma et al.	
	A303.	D800,172	10/2017	Akana	
	A304.	9,836,025	12/2017	Ely et al.	
	A305.	9,873,711	01/2018	Hoover et al.	
	A306.	9,874,945	01/2018	Fukumoto	
	A307.	9,886,006	02/2018	Ely et al.	
	A308.	9,891,590	02/2018	Shim et al.	
	A309.	9,891,651	02/2018	Jackson et al.	
	A310.	9,891,667	02/2018	Jung et al.	
	A311.	9,898,032	02/2018	Hafez et al.	
	A312.	9,913,591	03/2018	Lapetina et al.	
	A313.	9,921,548	03/2018	Mitani	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

U.S. PATENT DOCUMENTS					
EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A314.	9,927,902	03/2018	Burr et al.	
	A315.	9,946,297	04/2018	Nazzaro et al.	
	A316.	9,952,558	04/2018	Ely	
	A317.	9,952,682	04/2018	Zhang et al.	
	A318.	9,939,923	04/2018	Sharma	
	A319.	9,971,305	05/2018	Ely et al.	
	A320.	9,971,405	05/2018	Holenarsipur et al.	
	A321.	9,971,407	05/2018	Holenarsipur et al.	
	A322.	9,979,426	05/2018	Na et al.	
	A323.	10,002,731	06/2018	Wang et al.	
	A324.	10,001,817	06/2018	Zambetti et al.	
	A325.	10,012,550	07/2018	Yang	
	A326.	10,018,966	07/2018	Ely et al.	
	A327.	10,019,097	07/2018	Ely et al.	
	A328.	10,025,399	07/2018	Fleck et al.	
	A329.	10,037,006	07/2018	Ely	
	A330.	10,037,081	07/2018	Grant	
	A331.	10,041,813	08/2018	Ferri et al.	
	A332.	10,048,802	08/2018	Shedletsky	
	A333.	10,055,030	08/2018	Stringer et al.	
	A334.	10,057,470	08/2018	Kim et al.	
	A335.	10,061,399	08/2018	Bushnell et al.	
	A336.	10,061,404	08/2018	Chung et al.	
	A337.	10,066,970	09/2018	Gowreesunker et al.	
	A338.	10,092,203	10/2018	Mirov	
	A339.	10,095,394	10/2018	Howard et al.	
	A340.	10,108,016	10/2018	Bosveld	
	A341.	10,114,342	10/2018	Kim et al.	
	A342.	10,114,450	10/2018	Eguchi	
	A343.	10,175,652	01/2019	Ely et al.	
	A344.	10,145,711	12/2018	Boonsom et al.	
	A345.	10,145,712	12/2018	Ruh et al.	
	A346.	10,187,364	01/2019	Sarkar et al.	
	A347.	10,190,891	01/2019	Rothkopf et al.	
	A348.	10,194,271	01/2019	Aminzade	
	A349.	10,203,662	02/2019	Lin et al.	
	A350.	10,209,148	02/2019	Lyon et al.	
	A351.	10,216,147	02/2019	Ely et al.	
	A352.	10,222,755	03/2019	Coakley et al.	
	A353.	10,222,756	03/2019	Ely et al.	
	A354.	10,222,909	03/2019	Shedletsky et al.	
	A355.	10,234,828	03/2019	Ely et al.	
	A356.	10,241,593	03/2019	Chen	
	A357.	10,290,440	05/2019	Teplitxky et al.	
	A358.	10,296,125	05/2019	Ely et al.	
	A359.	10,331,081	06/2019	Ely et al.	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

U.S. PATENT DOCUMENTS					
EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A360.	10,331,082	06/2019	Ely et al.	
	A361.	10,332,111	06/2019	Mokhasi et al.	
	A362.	10,353,487	07/2019	Chung et al.	
	A363.	10,379,629	08/2019	Bushnell et al.	
	A364.	10,386,940	08/2019	Kim	
	A365.	10,401,961	09/2019	Cruz-Hernandez et al.	
	A366.	10,429,959	10/2019	Battlogg	
	A367.	10,444,862	10/2019	Shediwy et al.	
	A368.	10,444,941	10/2019	Sanford	
	A369.	10,447,748	10/2019	Bendahan et al.	
	A370.	10,474,194	11/2019	Ell et al.	
	A371.	10,503,258	12/2019	Holenarsipur et al.	
	A372.	10,503,388	12/2019	Zambetti et al.	
	A373.	10,509,486	12/2019	Bushnell et al.	
	A374.	10,520,768	12/2019	Kubota et al.	
	A375.	10,524,671	01/2020	Lamego	
	A376.	10,534,320	01/2020	Ferri et al.	
	A377.	10,534,900	01/2020	Cheong et al.	
	A378.	10,545,657	01/2020	Zambetti et al.	
	A379.	10,551,798	02/2020	Bushnell et al.	
	A380.	10,561,035	2/2020	Fleck et al.	
	A381.	10,572,053	02/2020	Ely et al.	
	A382.	10,579,090	03/2020	Jackson et al.	
	A383.	10,593,617	03/2020	Ashikaga et al.	
	A384.	10,599,101	03/2020	Rothkopf et al.	
	A385.	10,610,157	04/2020	Pandya et al.	
	A386.	10,613,485	04/2020	Rothkopf et al.	
	A387.	10,613,685	04/2020	Shedletsky	
	A388.	10,620,591	04/2020	Rothkopf et al.	
	A389.	10,627,783	04/2020	Rothkopf et al.	
	A390.	10,655,988	05/2020	Boonsom et al.	
	A391.	10,664,074	05/2020	Moussette et al.	
	A392.	10,685,626	06/2020	Kim et al.	
	A393.	10,732,571	08/2020	Ely et al.	
	A394.	10,747,467	08/2022	Dzeryn et al.	
	A395.	10,765,019	09/2020	Werner	
	A396.	10,782,925	09/2020	Suh et al.	
	A397.	10,845,764	11/2020	Ely et al.	
	A398.	10,852,700	12/2020	Abramov	
	A399.	10,852,855	12/2020	Niu	
	A400.	10,871,385	12/2020	Kok	
	A401.	10,884,549	01/2021	Shedletsky et al.	
	A402.	10,936,071	03/2021	Pandya et al.	
	A403.	10,942,491	03/2021	Rothkopf	
	A404.	10,955,937	03/2021	Bushnell et al.	
	A405.	10,948,880	03/2021	Ely et al.	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

U.S. PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A406.	10,962,930	03/2021	Ely et al.	
	A407.	10,962,935	03/2021	Ely et al.	
	A408.	10,987,054	04/2021	Pandya et al.	
	A409.	11,000,193	05/2021	Tal et al.	
	A410.	11,002,572	05/2021	Boonsom et al.	
	A411.	11,029,831	06/2021	Block et al.	
	A412.	11,036,318	06/2021	Bokma et al.	
	A413.	11,148,292	10/2021	Bryner et al.	
	A414.	11,163,362	11/2021	Tan et al.	
	A415.	11,181,863	11/2021	Ely et al.	
	A416.	11,194,298	12/2021	Roach et al.	
	A417.	11,194,299	12/2021	Taylor et al.	
	A418.	11,221,590	01/2022	Rothkopf et al.	
	A419.	11,347,351	06/2022	Shedletsky et al.	
	A420.	11,347,189	05/2022	Herrera et al.	
	A421.	11,360,440	06/2022	Perkins et al.	
	A422.	11,385,599	07/2022	Ely et al.	
	A423.	11,429,256	08/2022	Ham	
	A424.	11,432,766	09/2022	Pandya et al.	
	A425.	11,451,084	09/2022	Park	
	A426.	11,474,483	10/2022	Fletcher R. Rothkopf	
	A427.	11,513,613	11/2022	Tyler S. Bushnell et al.	

U.S. PUBLICATION DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PUBLICATION NUMBER Number – Kind Code[2] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Inventor(s) of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	B1.	2002/0101457	08/2002	Lang	
	B2.	2003/0174590	09/2003	Arikawa et al.	
	B3.	2004/0047244	03/2004	Iino et al.	
	B4.	2004/0082414	04/2004	Knox	
	B5.	2004/0130971	07/2004	Ecoffet et al.	
	B6.	2004/0264301	12/2004	Howard et al.	
	B7.	2005/0075558	04/2005	Vecerina et al.	
	B8.	2005/088417	04/2005	Mulligan	
	B9.	2006/0250377	11/2006	Zadesky et al.	
	B10.	2007/0013775	01/2007	Shin	
	B11.	2007/0050054	03/2007	Guruparan et al.	
	B12.	2007/0182708	08/2007	Poupyrev et al.	
	B13.	2007/0211042	09/2007	Kim et al.	
	B14.	2007/0222756	09/2007	Wu et al.	
	B15.	2007/0229671	10/2007	Takeshita et al.	
	B16.	2007/0247421	10/2007	Orsley et al.	
	B17.	2008/0130914	06/2008	Cho	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

U.S. PUBLICATION DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PUBLICATION NUMBER Number – Kind Code[2] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Inventor(s) of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	B18.	2009/0051649	02/2009	Rondel	
	B19.	2009/0073119	03/2009	Le et al.	
	B20.	2009/0146975	06/2009	Chang	
	B21.	2009/0152452	06/2009	Lee et al.	
	B22.	2009/0217207	08/2009	Kagermeier et al.	
	B23.	2009/0122656	05/2009	Bonnet et al.	
	B24.	2009/0285443	11/2009	Camp et al.	
	B25.	2009/0312051	12/2009	Hansson et al.	
	B26.	2009/0312655	12/2009	Lo	
	B27.	2010/0033430	02/2010	Kakutani et al.	
	B28.	2010/0053468	03/2010	Havrill	
	B29.	2010/0081375	04/2010	Rosenblatt et al.	
	B30.	2010/0149099	06/2010	Elias	
	B31.	2011/0007468	01/2011	Burton et al.	
	B32.	2011/0090148	04/2011	Li et al.	
	B33.	2011/0158057	06/2011	Brewer et al.	
	B34.	2011/0242064	10/2011	Ono et al.	
	B35.	2011/0270358	11/2011	Davis et al.	
	B36.	2012/0067711	03/2012	Yang	
	B37.	2012/0068857	03/2012	Rothkopf et al.	
	B38.	2012/0075082	03/2012	Rothkopf et al.	
	B39.	2012/0112859	05/2012	Park et al.	
	B40.	2012/0113044	05/2012	Strazisar et al.	
	B41.	2012/0206248	08/2012	Biggs	
	B42.	2012/0272784	11/2012	Bailey et al.	
	B43.	2013/0037396	02/2013	Yu	
	B44.	2013/0087443	04/2013	Kikuchi	
	B45.	2013/0191220	07/2013	Dent et al.	
	B46.	20130235704	09/2013	Grinberg	
	B47.	2013/0261405	10/2013	Lee et al.	
	B48.	2013/0335196	12/2013	Zhang et al.	
	B49.	2014/0009397	01/2014	Gillespie	
	B50.	2014/0045547	02/2014	Singamsetty et al.	
	B51.	2014/0071098	03/2014	You	
	B52.	2014/0073486	03/2014	Ahmed et al.	
	B53.	2014/0132516	05/2014	Tsai et al.	
	B54.	2014/0197936	07/2014	Biggs et al.	
	B55.	2014/0368442	12/2014	Vahtola	
	B56.	2014/0375579	12/2014	Fujiwara	
	B57.	2015/0049059	02/2015	Zadesky et al.	
	B58.	2015/0098309	04/2015	Adams et al.	
	B59.	2015/0124415	05/2015	Goyal et al.	
	B60.	2015/0186609	07/2015	Utter II	
	B61.	2015/0293592	10/2015	Cheong	
	B62.	2015/0320346	11/2015	Chen	
	B63.	2015/0366098	12/2015	Lapetina et al.	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

U.S. PUBLICATION DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PUBLICATION NUMBER Number – Kind Code[2] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Inventor(s) of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	B64.	2016/0018846	01/2016	Zenoff	
	B65.	2016/0147432	05/2016	Shi et al.	
	B66.	2016/0170624	06/2016	Zambetti et al.	
	B67.	20160241688	08/2016	Vossoughi	
	B68.	2016/0320583	11/2016	Hall, Jr.	
	B69.	2016/0327911	11/2016	Eim et al.	
	B70.	2016/0338642	11/2016	Parara et al.	
	B71.	2017/0027461	02/2017	Shin et al.	
	B72.	2017/0031449	02/2017	Karsten et al.	
	B73.	2017/0069443	03/2017	Wang et al.	
	B74.	2017/0069444	03/2017	Wang et al.	
	B75.	2017/0216668	08/2017	Burton et al.	
	B76.	2017/0216519	08/2017	Vouillamoz	
	B77.	2018/0059624	03/2015	James	
	B78.	2018/0225701	08/2018	Han	
	B79.	2019/0056700	02/2019	Matsuno	
	B80.	2019/0072911	03/2019	Ely et al.	
	B81.	2019/0278232	09/2019	Ely et al.	
	B82.	2020/0041962	02/2020	Beyhs	
	B83.	2020/0064779	02/2020	Pandya et al.	
	B84.	2020/0159172	05/2020	Bushnell et al.	
	B85.	2021/0181682	06/2021	Ely et al.	
	B86.	2021/0181691	06/2021	Rothkopf et al.	
	B87.	2021/0181692	06/2021	Rothkopf et al.	
	B88.	2021/0255590	08/2021	Ely et al.	
	B89.	2021/0303081	09/2021	Kuboyama et al.	
	B90.	2021/0373501	12/2021	Pandya et al.	
	B91.	2021/0405594	12/2021	Holenarsipur et al.	
	B92.	2022/0043397	02/2022	Ely et al.	
	B93.	2022/0043402	02/2022	Roach et al.	
	B94.	2022/0075328	03/2022	Taylor	
	B95.	2022/0261111	08/2022	Shedletsky et al.	
	B96.	2022/0299944	09/2022	Colin M. Ely	
	B97.	2022/0326660	10/2022	Ryan C. Perkins	

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	DOCUMENT NUMBER Country Code[3] – Number[4] – Kind Code[5] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T[6]
	C1.	CH1888928	01/1937	Kinkhorst et al.		

* EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

[1] Applicant's unique citation number (optional). [2] See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. [3] Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). [4] For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. [5] Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. [6] Applicant is to place a check mark here if English language Translation is attached.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	DOCUMENT NUMBER Country Code[3] – Number[4] – Kind Code[5] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T[6]
	C2.	CN1302740	09/2001	Sneibang Deutsche Holding AG		
	C3.	CN1445627	10/2003	Seiko Epson Corp.		
	C4.	CN1504843	06/2004	KS22 SA		
	C5.	CN1601408	03/2005	Asulab SA		
	C6.	CN1624427	06/2005	Agilent Technologies Inc.		
	C7.	CN1792295	06/2006	Li		
	C8.	CN1825224	08/2006	Seiko Instruments Inc.		
	C9.	CN101035148	09/2007	Samsung Elecronics Co. Ltd.		
	C10.	CN101201587	06/2008	Swatch Group Research & Development Ltd.		
	C11.	CN201081979	07/2008	Tao		
	C12.	CN101404928	04/2009	Konin Philips Electronics NV		
	C13.	CN201262741	06/2009	Apple Inc.		
	C14.	CN101750958	06/2010	Casio Computer Co. Ltd.		
	C15.	CN201638168	11/2010	Sunrex Technology Corp.		
	C16.	CN101923314	12/2010	Casio Computer Co. Ltd.		
	C17.	CN102067070	05/2011	Nokia Corp.		
	C18.	CN102216959	10/2011	Apple Inc.		
	C19.	CN202008579	10/2011	Shenzhen Fiyta Holdings Ltd.		
	C20.	CN102590925	07/2012	Huawei Device Co., Ltd.		
	C21.	CN102741772	10/2012	ITT Mfg. Enterprises Inc.		
	C22.	CN102890443	01/2013	Casio Computer Co. Ltd.		
	C23.	CN202710937	01/2013	Lianggui		
	C24.	CN103177891	06/2013	Swatch Group Research & Development Ltd.		
	C25.	CN103191557	07/2013	Nike International Ltd.		
	C26.	CN103253067	08/2013	Omega SA		
	C27.	CN103645804	03/2014	Samsung Electronics R&D Center		
	C28.	CN203564224	04/2014	Adsmart Technology Corp.		
	C29.	CN203630524	06/2014	Senzhen Boshihao Jewelry Co., Ltd.		
	C30.	CN103852090	06/2014	Dr. Johannes Heidenhain GmbH		
	C31.	CN203693601	07/2014	Gao		
	C32.	CN203705837	07/2014	Huang		
	C33.	CN103956006	07/2014	Jinling Institute of Technology		
	C34.	CN203732900	07/2014	Qu		
	C35.	CN103995456	08/2014	Seiko Instruments Inc.		

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	DOCUMENT NUMBER Country Code[3] – Number[4] – Kind Code[5] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T[6]
	C36.	CN104020660	09/2014	Janus (Dongguan) Precision Components Co., Ltd.		
	C37.	CN203941395	11/2014	Janus (Dongguan) Precision Components Co., Ltd.		
	C38.	CN104777987	04/2015	Shenzhen Oppo. Comm. Software Co. Ltd.		
	C39.	CN104685794	06/2015	Apple Inc.		
	C40.	CN204479929	07/2015	Huizhou TCL Mobile Comm. Co. Ltd.		
	C41.	CN104880937	09/2015	Xiaojun		
	C42.	CN204496177	07/2015	Lianping Yaowen Electronics Co. Ltd.		
	C43.	CN104898406	09/2015	Lenovo Beijing Co., Ltd.		
	C44.	CN204650147	09/2015	Huizhou TCL Mobile Comm. Co. Ltd.		
	C45.	CN105022947	11/2015	Guangdong Oppo Mobile Telecommunications		
	C46.	CN105096979	11/2015	Guangdong Oppo Mobile Telecommunications		
	C47.	CN105339871	02/2016	Apple Inc.		
	C48.	CN105547146	05/2016	The Swatch Group Research and Development Ltd.		
	C49.	CN105556433	05/2016	Apple Inc.		
	C50.	CN105683876	06/2016	Apple Inc.		
	C51.	CN105760067	07/2016	Guangzhou UCWEB Computer Tech Co Ltd		
	C52.	CN105955519	09/2016	Apple Inc.		
	C53.	CN205645648	10/2016	Yu		
	C54.	CN205721636	11/2016	Apple Inc.		
	C55.	CN205750744	11/2016	Apple Inc.		
	C56.	CN106125968	11/2022	LG Electronics Inc.		
	C57.	CN106236051	12/2016	Shenzhen Qianhai Leadcent Intelligent Techn. Co. Ltd.		
	C58.	CN106557218	04/2017	Apple Inc.		
	C59.	CN206147524	05/2017	Apple Inc.		
	C60.	CN206209589	05/2017	Apple Inc.		
	C61.	CN107111342	08/2017	Samsung Electronics Co. Ltd.		
	C62.	CN107122088	09/2017	Truly Opto-Electronics Ltd.		
	C63.	CN107966895	04/2018	Apple Inc.		
	C64.	CN209560397	10/2019	Apple Inc.		
	C65.	CN209625187	11/2019	Apple Inc.		
	C66.	DE3706194	09/1988	Fraunhofer Ges Forschung		

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	DOCUMENT NUMBER Country Code[3] – Number[4] – Kind Code[5] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T[6]
	C67.	DE102016215087	03/2017	Apple Inc.		
	C68.	DE102008023651	11/2009	Conducta Endress & Hauser		
	C69.	EP0165548	12/1985	Casio Computer Co. Ltd.		
	C70.	EP0556155	08/1993	Rolex Montres		
	C71.	EP1345095	09/2003	Seiko Epson Corp.		
	C72.	EP1519452	03/2005	Asulab SA		
	C73.	EP1669724	06/2006	Mitutoyo Corp.		
	C74.	EP1832969	09/2007	Samsung Electronics Co. Ltd.		
	C75.	EP2375295	10/2011	LG Electronics Inc.		
	C76.	EP2579186	04/2013	ETA SA Manufacture Horlogere Suisse		
	C77.	EP2720129	04/2014	Blackberry Ltd.		
	C78.	EP2884239	06/2015	The Swatch Group Research and Development Ltd.		
	C79.	FR2030093	10/1970	Omega Brandt & Freres SA		
	C80.	FR2801402	05/2001	Moransais		
	C81.	GB2433211	06/2007	Saj Muzaffar		
	C82.	JPS52151058	12/1977	Citizen Watch Co. Ltd.		
	C83.	JPS52164551	12/1977	Seiko Instruments Inc.		
	C84.	JPS53093067	08/1978	Seiko Denshi Kogyo KK		
	C85.	JPS54087779	06/1979	Citizen Watch Co. Ltd.		
	C86.	JPS5708582	01/1982	Tokyo Shibaura Electric Co.		
	C87.	JPS5734457	02/1982	Nippon Electric Co.		
	C88.	JPS60103936	06/1985	Seiko Instr. & Electronics		
	C89.	JPS60103937	06/1985	Seiko Instr. & Electronics		
	C90.	JPH02285214	11/1990	Canon KK		
	C91.	JPH04093719	03/1992	Ricoh Co. Ltd.		
	C92.	JPH04157319	05/1992	Ricoh Co. Ltd.		
	C93.	JPH05203465	08/1993	Omron Corp.		
	C94.	JPH05312595	11/1993	Ricoh Co. Ltd.		
	C95.	JPH06347293	12/1994	Canon Inc.		
	C96.	JPH06050927	12/1994	Omron Corp.		
	C97.	JPH06331761	12/1994	ETA SA Fab Ebauches		
	C98.	JPH07116141	05/1995	Casio Computer Co. Ltd.		
	C99.	JPH0914941	01/1997	Tsubakimoto Chain Co.		
	C100.	JPH10161811	06/1998	Casio Computer Co. Ltd.		
	C101.	JPH11121210	04/1999	Alps Electric Co. Ltd.		
	C102.	JPH11191508	07/1999	Hitachi Denshi Ltd.		
	C103.	JP2000258559	09/2000	Citizen Watch Co. Ltd.		

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	DOCUMENT NUMBER Country Code[3] – Number[4] – Kind Code[5] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T[6]
	C104.	JP2000316824	11/2000	Casio Computer Co. Ltd.		
	C105.	JP2000337892	12/2000	Honda Motor Co. Ltd.		
	C106.	JP2001084934	03/2001	Jeol Ltd.		
	C107.	JP2001167651	06/2001	Seiko Instruments Inc.		
	C108.	JP2001202178	07/2001	Seiko Epson Corp.		
	C109.	JP2001215288	08/2001	Seiko Instruments Inc.		
	C110.	JP2001524206	11/2001	Eta SA Fabriques d'Ebauches		
	C111.	JP2002071480	03/2002	Tokai Rika Co. Ltd.		
	C112.	JP2002165768	06/2002	Casio Computer Co. Ltd.		
	C113.	JP2003050668	02/2003	Shimadzu Corp.		
	C114.	JP2003151410	05/2003	Alps Electric Co. Ltd.		
	C115.	JP2003331693	11/2003	Nidec Copal Corp.		
	C116.	JP2004028979	11/2004	Asulab SA		
	C117.	JP2004184396	07/2004	Seiko Epson Corp.		
	C118.	JP2005017011	01/2005	Seiko Epson Corp.		
	C119.	JP2005063200	03/2005	Sony Corp.		
	C120.	JP2005099023	04/2005	Asulab SA		
	C121.	JP2005108630	04/2005	Seiko Epson Corp.		
	C122.	JP2006101505	04/2006	Microsoft Corp.		
	C123.	JP2006164275	06/2006	Microsoft Corp.		
	C124.	JP3852854	12/2006	Saito Shigeru Kenchiku Kenkyusho KK		
	C125.	JP2007101380	04/2007	Seiko Instruments Inc.		
	C126.	JP2007149620	06/2007	Stanley Electric Co. Ltd.		
	C127.	JP2007248176	09/2007	Mitsubishi Electric Corp.		
	C128.	JP2007311153	11/2007	Matushita Electric Ind. Co. Ltd.		
	C129.	JP2008053980	03/2008	NEC Corp.		
	C130.	JP2008122124	05/2008	Seiko Epson Corp.		
	C131.	JP2008122377	05/2008	Swatch Group Research & Development Ltd.		
	C132.	JP2008170436	07/2008	Avago Tech. ECBU IP (Singapore) PTE Ltd.		
	C133.	JP2008235226	10/2008	Yamaha Corp.		
	C134.	JP2009009382	01/2009	Ricoh Co. Ltd.		
	C135.	JP2009070657	04/2009	Hitachi Kokusai Denki Engineering KK		
	C136.	JP2009519737	05/2009	Konin-Klijke Philips Electronics NV		
	C137.	JP2009540399	11/2009	Immersion Corporation		
	C138.	JP2010032545	02/2010	Mitutoyo Corp.		
	C139.	JP2010515153	05/2010	Immersion Corporation		
	C140.	JP2010165001	07/2010	Panasonic Corp.		
	C141.	JP2010186572	08/2010	Toto Ltd.		
	C142.	JP2010243344	10/2010	Seiko Epson Corp.		
	C143.	JP2010244797	10/2010	Panasonic Corp.		

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	DOCUMENT NUMBER Country Code[3] – Number[4] – Kind Code[5] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T[6]
	C144.	JP2011021929	02/2011	Seiko Epson Corp.		
	C145.	JP2011165468	08/2011	Casio Computer Co. Ltd.		
	C146.	JP2011221659	11/2011	Tokai Rika Co. Ltd.		
	C147.	JP2012053801	03/2012	Denso Corp.		
	C148.	JP2013057516	03/2013	Casio Computer Co. Ltd.		
	C149.	JP2013079961	05/2013	Peters et al.		
	C150.	JP2013524189	06/2013	Comme Le Temp SA		
	C151.	JP3190075	04/2014	Coremate Technical Co., Ltd.		
	C152.	JP5477393	04/2014	Hitachi Metals, Ltd.		
	C153.	JP2014512556	05/2014	Apple Inc.		
	C154.	JP2014112222	06/2014	Samsung Electronics Co. Ltd.		
	C155.	JP2014174031	09/2014	Citizens Holdings Corp. Ltd.		
	C156.	JP2018510451	04/2018	Apple Inc.		
	C157.	KR20010030477	04/2001	Snap-On Deutschland Holding GmbH		
	C158.	KR200278568	03/2002	Park		
	C159.	KR20070011685	01/2007	Samsung Electronics Co., Ltd.		
	C160.	KR20070014247	02/2007	Postec Electronics Co. Ltd.		
	C161.	KR100754674	09/2007	Samsung Electronics Co., Ltd.		
	C162.	KR20080028935	04/2008	SSD Company Limited		
	C163.	KR20080045397	05/2008	Shinchang Electric Corp., Ltd.		
	C164.	KR2020100007563	07/2010	Lee		
	C165.	KR20110011393	02/2011	LG Electronics Inc.		
	C166.	KR20110012784	02/2011	Bionet Co., Ltd.		
	C167.	KR20110103761	09/2011	LG Electronics Inc.		
	C168.	KR20110113368	10/2011	LG Electronics Inc.		
	C169.	KR20130036038	04/2013	Nat. Univ. Hanbat Industry		
	C170.	KR20130131873	12/2013	Lee		
	C171.	KR20140051391	04/2014	Schaffer		
	C172.	KR20140064689	05/2014	Samsung Electronics Co. Ltd.		
	C173.	KR20140104388	08/2014	Fairchild Semiconductor Corporation		
	C174.	KR20160017070	02/2016	Apple Inc.		
	C175.	KR20160048967	05/2016	Apple Inc.		
	C176.	KR20170106395	09/2017	Apple Inc.		
	C177.	NL1040225	11/2014	Janssen Prec. Engineering		
	C178.	RO129033	11/2013	Universitatea Transilvania din Brasov		
	C179.	TW200633681	10/2006	Feng Chia University		

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	DOCUMENT NUMBER Country Code[3] – Number[4] – Kind Code[5] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T[6]
	C180.	WO2001/022038	03/2001	Delphi Technologies, Inc.		
	C181.	WO2001/069567	09/2001	Harris		
	C182.	WO2003/032538	04/2003	Immersion Corporation		
	C183.	WO2010/058376	05/2010	Dori Technologies Ltd.		
	C184.	WO2012/083380	06/2012	Clipsal Australia Pty. Ltd.		
	C185.	WO2012/094805	07/2012	Zhao		
	C186.	WO2014/018118	01/2014	Apple Inc.		
	C187.	WO2014/200766	12/2014	Bodhi Technology Ventures LLC		
	C188.	WO2015/147756	10/2015	Heptagon Micro Optics Pte., Ltd.		
	C189.	WO2016080669	05/2016	Lee		
	C190.	WO2016/104922	06/2016	Korea Electronics Technology		
	C191.	WO2016/155761	10/2016	Saronikos Trading and Services Unipessoal LDA		
	C192.	WO2016196171	12/2016	Apple Inc.		
	C193.	WO2016208835	12/2016	LG Electronics Inc.		
	C194.	WO2017/013278	01/2017	Betancourt		
	C195.	WO2020173085	09/2020	Guangdong Lemovt Intelligent Co. Ltd.		

OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	Include name of Author, title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), volume-issue number(s), publisher, page(s) and date.	T[6]
	D1.	Author Unknown, "Desirable Android Wear smartwatch from LG," Gulf News, Dubai, 3 pages, January 30, 2015.	
	D2.	Author Unknown, "Fossil Q ups smartwatch game with handsome design and build," Business Mirror, Makati City, Philippines, 3 pages, December 20, 2016.	
	D3.	Author Unknown, "How Vesag Helps Kids Women and Visitors," http://www.sooperarticles.com/health-fitness-articles/children-health-articles/how-vesag-helps-kids-women-visitors-218542.html, 2 pages, at least as early as May 20, 2015.	
	D4.	Author Unknown, "mHealth," http://mhealth.vesag.com/?m=201012, 7 pages, December 23, 2010.	
	D5.	Author Unknown, "mHealth Summit 2010," http://www.virtualpressoffice.com/eventsSubmenu.do?page=exhibitorPage&showId=1551&companyId=5394, 5 pages, November 18, 2010.	
	D6.	Author Unknown, "MyKronoz ZeTime: World's Most Funded Hybrid Smartwatch Raised over $3M on Kickstarter, Running until April 27th," Business Wire, New York, New York, 3 pages, April 21, 2017.	
	D7.	Author Unknown, "RedEye mini Plug-in Universal Remote Adapter for iPhone, iPod touch and iPad," Amazon.com, 4 pages, date unknown.	

1. ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS			
	D8.	Author Unknown, "Re iPhone Universal Remote Control - Infrared Remote Control Accessory for iPhone and iPod touch," http://www.amazon.com/iPhone-Universal-Remote-Control-Accessory/dp/tech-data/B0038Z4..., 2 pages, at least as early as July 15, 2010.	
	D9.	Author Unknown, "Vesag Wrist Watch for Dementia Care from VYZIN," http://vyasa-kaaranam-ketkadey.blogspot.com/2011/03/vesag-wrist-watch-for-dementia-care.html, 2 pages, March 31, 2011.	
	D10.	Author Unknown, "Vyzin Electronics Private Limited launches "Vesag Watch," http://www.virtualpressoffice.com/showJointPage.do?page=jp&showId=1544, 5 pages, January 6, 2011.	
	D11.	Author Unknown, "Vyzin Unveiled Personal Emergency Response System (PERS) with Remote Health Monitoring That Can Be Used for Entire Family," http://www.24-7pressrelease.com/press-release/vyzin-unveiled-personal-emergency-response-system-pers-with-remote-health-monitoring-that-can-be-used-for-entire-family-219317.php, 2 pages, June 17, 2011.	
	D12.	Author Unknown, "DeskThorityNet, Optical Switch Keyboards," http://deskthority.net/keyboards-f2/optical-switch-keyboards-t1474.html, 22 pages, July 11, 2015.	
	D13.	Epstein et al., "Economical, High-Performance Optical Encoders," Hewlett-Packard Journal, pp. 99-106, October 1988. [text only version]	
	D14.	GreyB, "Google Watch: Convert your arm into a keyboard," http://www.whatafuture.com/2014/02/28/google-smartwatch/#sthash.Yk35cDXK.dpbs, 3 pages, February 28, 2014.	
	D15.	IBM, "Additional Functionality Added to Cell Phone via "Learning" Function Button," www.ip.com, 2 pages, February 21, 2007.	
	D16.	Kim, Joseph, "2010 mHealth Summit Emerges as Major One-Stop U.S. Venue for Mobile Health," http://www.medicineandtechnology.com/2010/08/2010-mhealth-summit-emerges-as-major.html, 3 pages, August 26, 2010.	
	D17.	Krishnan et al., "A Miniature Surface Mount Reflective Optical Shaft Encoder," Hewlett-Packard Journal, Article 8, pp. 1-6, December 1996.	
	D18.	Narayanaswami et al., "Challenges and considerations for the design and production of a purpose-optimized body-worn wrist-watch computer," Defense, Security, and Cockpit Displays, 2004.	
	D19.	M.T. Raghunath et al., User Interfaces for Applications on a Wrist Watch, Personal and Ubiquitous Computing, Vol. 6, No. 1, 2002, Springer.	
	D20.	Rick, "How VESAG Helps Health Conscious Citizens," http://sensetekgroup.com/2010/11/29/wireless-health-monitoring-system/, 2 pages, November 29, 2010.	
	D21.	Sadhu, Rajendra, "How VESAG Helps People Who Want to 'Be There'?," http://ezinearticles.com/?How-Vesag-Helps-People-Who-Want-to-Be-There?&id-5423873, 1 page, November 22, 2010.	
	D22.	Sadhu, Rajendra, "Mobile Innovation Helps Dementia and Alzheimer's Patients," http://www.itnewsafrica.com/2010/11/mobile-innovation-helps-dementia-andalzheimer%E2%80%99s-patients/, 3 pages, November 22, 2010.	
	D23.	Sherr, Sol, "Input Devices," page 55, March 1988.	
	D24.	Tran et al., "Universal Programmable Remote Control/Telephone," www.ip.com, 2 pages, May 1, 1992.	

EXAMINER	DATE CONSIDERED
/BRIAN T GEDEON/	02/09/2023

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

Bibliographic Data

Application No: 18/075,253

Foreign Priority claimed: ○ Yes ◉ No

35 USC 119 (a-d) conditions met: ☐ Yes ☐ No ☐ Met After Allowance

Verified and Acknowledged: /BRIAN T GEDEON/ (Examiner's Signature) (Initials)

Title: WEARABLE ELECTRONIC DEVICE

FILING or 371(c) DATE	CLASS	GROUP ART UNIT	ATTORNEY DOCKET NO.
12/05/2022	368	3792	P22914USC11
RULE			

APPLICANTS

Apple Inc., Cupertino, CA, UNITED STATES

INVENTORS

Fletcher R. Rothkopf, Los Altos, CA, UNITED STATES

Jonathan Ive, San Francisco, CA, UNITED STATES

Julian Hoenig, San Francisco, CA, UNITED STATES

Rico Zorkendorfer, San Francisco, CA, UNITED STATES

CONTINUING DATA

This application is a CON of 17951973 09/23/2022

This application is a CON of 17899498 08/30/2022 PAT 11567457

17951973 is a CON of 17672653 02/15/2022 PAT 11474483

This application is a CON of 17188966 03/01/2021

17672653 is a CON of 17188966 03/01/2021

This application is a CON of 17188995 03/01/2021

17672653 is a CON of 17188995 03/01/2021

17188966 is a CON of 16826130 03/20/2020 PAT 10942491

17188995 is a CON of 16826130 03/20/2020 PAT 10942491

16826130 is a CON of 15261917 09/10/2016 PAT 10627783

16826130 is a CON of 15261912 09/10/2016 PAT 10620591

16826130 is a CON of 15261914 09/10/2016 PAT 10613485

15261914 is a CON of 14842617 09/01/2015 PAT 10599101

15261912 is a CON of 14842617 09/01/2015 PAT 10599101

16826130 is a CON of 14842617 09/01/2015 PAT 10599101

15261917 is a CON of 14842617 09/01/2015 PAT 10599101

14842617 has PRO of 62044974 09/02/2014

FOREIGN APPLICATIONS

IF REQUIRED, FOREIGN LICENSE GRANTED**

12/19/2022

STATE OR COUNTRY

UNITED STATES

ADDRESS

APPLE INC./BROWNSTEIN
c/o Brownstein Hyatt Farber Schreck, LLP
410 Seventeenth Street
Suite 2200
Denver, CO 80202
UNITED STATES

FILING FEE RECEIVED

$6,160

UNITED STATES PATENT AND TRADEMARK OFFICE
COMMISSIONER FOR PATENTS
P.O.BOX 1450
ALEXANDRIA VA 22313-1451

PRESORTED
FIRST-CLASS MAIL
U.S. POSTAGE PAID
POSTEDIGITAL
NNNNN

APPLE INC./BROWNSTEIN
c/o Brownstein Hyatt Farber Schreck, LLP
410 Seventeenth Street
Suite 2200
Denver, CO 80202

Courtesy Reminder for
Application Serial No: 18/075,253

Attorney Docket No: P22914USC11
Customer Number: 62579
Date of Electronic Notification: 02/23/2023

This is a courtesy reminder that new correspondence is available for this application. If you have not done so already, please review the correspondence. The official date of notification of the outgoing correspondence will be indicated on the form PTOL-90 accompanying the correspondence.

An email notification regarding the correspondence was sent to the following email address(es) associated with your customer number:
patentdocket@bhfs.com

To view your correspondence online or update your email addresses, please visit us anytime at **https://ppair-my.uspto.gov/pair/PrivatePair.**
If you have any questions, please email the Electronic Business Center (EBC) at EBC@uspto.gov or call 1-866-217-9197.

PTO/SB/06 (09-11)
Approved for use through 1/31/2014. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PATENT APPLICATION FEE DETERMINATION RECORD Substitute for Form PTO-875	Application or Docket Number 18/075,253	Filing Date 12/05/2022	☐ To be Mailed

ENTITY: ☑ LARGE ☐ SMALL ☐ MICRO

APPLICATION AS FILED - PART I

FOR	(Column 1) NUMBER FILED	(Column 2) NUMBER EXTRA		RATE ($)	FEE ($)
☐ BASIC FEE (37 CFR 1.16(a), (b), or (c))	N/A	N/A		N/A	
☐ SEARCH FEE (37 CFR 1.16(k), (i), or (m))	N/A	N/A		N/A	
☐ EXAMINATION FEE (37 CFR 1.16(o), (p), or (q))	N/A	N/A		N/A	
TOTAL CLAIMS (37 CFR 1.16(i))	minus 20 =	*		x $100 =	
INDEPENDENT CLAIMS (37 CFR 1.16(h))	minus 3 =	*		x $480 =	
☐ APPLICATION SIZE FEE (37 CFR 1.16(s))	If the specification and drawings exceed 100 sheets of paper, the application size fee due is $310 ($155 for small entity) for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).				
☐ MULTIPLE DEPENDENT CLAIM PRESENT (37 CFR 1.16(j))					
* If the difference in column 1 is less than zero, enter "0" in column 2.				TOTAL	

APPLICATION AS AMENDED - PART II

		(Column 1)		(Column 2)	(Column 3)			
AMENDMENT	03/29/2023	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA		RATE ($)	ADDITIONAL FEE ($)
	Total (37 CFR 1.16(i))	* 29	Minus	** 29	= 0		x $100 =	0
	Independent (37 CFR 1.16(h))	* 3	Minus	*** 3	= 0		x $480 =	0
	☐ Application Size Fee (37 CFR 1.16(s))							
	☐ FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j))							
							TOTAL ADD'L FEE	0

		(Column 1)		(Column 2)	(Column 3)			
AMENDMENT		CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA		RATE ($)	ADDITIONAL FEE ($)
	Total (37 CFR 1.16(i))	*	Minus	**	=		x $0 =	
	Independent (37 CFR 1.16(h))	*	Minus	***	=		x $0 =	
	☐ Application Size Fee (37 CFR 1.16(s))							
	☐ FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j))							
							TOTAL ADD'L FEE	

* If the entry in column 1 is less than the entry in column 2, write "0" in column 3.	SPE
** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 20, enter "20".	/KARA E CRESTWELL/
*** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 3, enter "3".	
The "Highest Number Previously Paid For" (Total or Independent) is the highest number found in the appropriate box in column 1.	

This collection of information is required by 37 CFR 1.16. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Inventor(s):	Fletcher R. Rothkopf et al.		
App. No.:	18/075,253	Conf. No.:	7929
Filed:	December 5, 2022	Art Unit:	3792
Title:	WEARABLE ELECTRONIC DEVICE	Examiner:	Brian T Gedeon

AMENDMENT AND RESPONSE TO OFFICE ACTION

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Office action dated February 16, 2023, please consider the following remarks and amend the above-identified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Remarks begin on page 3 of this paper.

Amendments to the Specification:

Please replace paragraphs [0110] and [0160] with the following paragraphs, marked to show changes:

[0110] As another example, electronic devices 100, 420, 430 may communicate with one another as part of the overall ecosystem. Data may be passed from one device 420 to another device 100. This may be useful if the user 410 is wearing one electronic device 100 but is not near another device 430 that wishes to notify the user or interact with the user in some fashion. Continuing the example, the computer 430 may transmit a reminder or message to the wearable device 100 to gain the user's attention. As another example, the computer 430 (or any other electronic device in the ecosystem) may transmit a state of an application or even the device itself to the wearable device 100. Thus, for example, if an application operating on the computer needs the user's attention, it may be gained through an alert issued by the wearable device.

[0160] The geometry of the receiving features may be located with respect to other features or components of the device. In the example depicted in FIG. 8, at least a portion of the groove of the receiving features 623, 624 may be disposed underneath the cover (item 609 of FIGs. 6-7). With respect to FIG. 6, the groove of the receiving features 623, 624 is located underneath the opening for the cover, which is defined by the sealing ledge 810 and flange 812 formed in the upper portion of the housing 601. In some embodiments, the length of the groove extends further than the width of the opening configured to receive the cover (and thus the cover, when assembled). In some embodiments, the grooves are formed at an angle relative to the centerline of the housing. In some cases, the angle is approximately 5 degrees. In some embodiments, the groove is located underneath the centerline of the housing 601. In some embodiments, the groove is angled upward toward the top of the housing 601 and inward toward the center of the housing 601. The groove [[601]] may angle upward and cross the centerline of the housing. In some cases, the groove crosses the vertical centerline of the housing 601.

REMARKS

This paper is submitted in response to the Office action mailed on February 16, 2023 This paper amends paragraphs 106 and 156 of the specification to correct minor typographical errors. No claims are amended.

After entry of this Amendment and Response, claims 21-49 will be pending.

I. Priority

The Priority section in the Office action appears to recite the priority claim differently than what was included with the application as filed and what is shown in the filing receipt mailed on December 21, 2022. For consistency and completeness, the priority claim that was included in the as-filed Application Data Sheet and specification (and which is reflected in the Filing Receipt mailed on December 21, 2022) is provided below:

> [0001] This application is a continuation patent application of U.S. Patent Application No. 17/951,973, which is a continuation patent application of U.S. Patent Application No. 17/672,653, filed February 15, 2022, and titled "Wearable Electronic Device," now U.S. Patent No. 11,474,483, issued October 18, 2022, which is a continuation patent application of U.S. Patent Application No. 17/188,966, filed March 1, 2021, and titled "Wearable Electronic Device," which is a continuation patent application of U.S. Patent Application No. 16/826,130, filed March 20, 2020, and titled "Wearable Electronic Device," now U.S. Patent No. 10,942,491, issued March 9, 2021, which is a continuation patent application of U.S. Patent Application No. 14/842,617, filed September 1, 2015, and titled "Wearable Electronic Device," now U.S. Patent No. 10,599,101, issued March 24, 2020, which is a nonprovisional patent application of and claims the benefit of U.S. Provisional Patent Application No. 62/044,974, filed September 2, 2014, the disclosures of which are hereby incorporated herein by reference in their entireties. U.S. Patent Application No. 16/826,130, filed March 20, 2020, and titled "Wearable Electronic Device," now U.S. Patent No. 10,942,491, issued March 9, 2021 is also a continuation patent application of U.S. Patent Application No. 15/261,917, filed September 10, 2016, and titled "Wearable Electronic Device," now U.S. Patent No. 10,627,783, issued April 21, 2020, which is a continuation application of U.S. Patent Application No. 14/842,617, filed September 1, 2015, and titled "Wearable Electronic Device," now U.S. Patent No. 10,599,101, issued March 24, 2020, which is a nonprovisional patent application of and claims the benefit of U.S. Provisional Patent Application No. 62/044,974, filed September 2, 2014, the disclosures of which are hereby incorporated herein by reference

in their entireties. U.S. Patent Application No. 16/826,130, filed March 20, 2020, and titled "Wearable Electronic Device," now U.S. Patent No. 10,942,491, issued March 9, 2021 is also a continuation patent application of U.S. Patent Application No. 15/261,914, filed September 10, 2016, and titled "Wearable Electronic Device," now U.S. Patent No. 10,613,485, issued April 7, 2020, which is a continuation patent application of U.S. Patent Application No. 14/842,617, filed September 1, 2015, and titled "Wearable Electronic Device," now U.S. Patent No. 10,599,101, issued March 24, 2020, which is a nonprovisional patent application of and claims the benefit of U.S. Provisional Patent Application No. 62/044,974, filed September 2, 2014, the disclosures of which are hereby incorporated herein by reference in their entireties. U.S. Patent Application No. 16/826,130, filed March 20, 2020, and titled "Wearable Electronic Device," now U.S. Patent No. 10,942,491, issued March 9, 2021 is also a continuation patent application of U.S. Patent Application No. 15/261,912, filed September 10, 2016, and titled "Wearable Electronic Device," now U.S. Patent No. 10,620,591, issued April 14, 2020, which is a continuation patent application of U.S. Patent Application No. 14/842,617, filed September 1, 2015, and titled "Wearable Electronic Device," now U.S. Patent No. 10,599,101, issued March 24, 2020, which is a nonprovisional patent application of and claims the benefit of U.S. Provisional Patent Application No. 62/044,974, filed September 2, 2014, the disclosures of which are hereby incorporated herein by reference in their entireties.

[0002] U.S. Patent Application No. 17/672,653, filed February 15, 2022, and titled "Wearable Electronic Device," is also a continuation patent application of U.S. Patent Application No. 17/188,995, filed March 1, 2021, and titled "Wearable Electronic Device," which is a continuation patent application of U.S. Patent Application No. 16/826,130, filed March 20, 2020, and titled "Wearable Electronic Device," now U.S. Patent No. 10,942,491, issued March 9, 2021, which is a continuation patent application of U.S. Patent Application No. 14/842,617, filed September 1, 2015, and titled "Wearable Electronic Device," now U.S. Patent No. 10,599,101, issued March 24, 2020, which is a nonprovisional patent application of and claims the benefit of U.S. Provisional Patent Application No. 62/044,974, filed September 2, 2014, the disclosures of which are hereby incorporated herein by reference in their entireties. U.S. Patent Application No. 16/826,130, filed March 20, 2020, and titled "Wearable Electronic Device," now U.S. Patent No. 10,942,491, issued March 9, 2021 is also a continuation patent application of U.S. Patent Application No. 15/261,917, filed September 10, 2016, and titled "Wearable Electronic Device," now U.S. Patent No. 10,627,783, issued April 21, 2020, which is a continuation application of U.S. Patent Application No. 14/842,617, filed September 1, 2015, and titled "Wearable Electronic Device," now U.S. Patent No. 10,599,101,

issued March 24, 2020, which is a nonprovisional patent application of and claims the benefit of U.S. Provisional Patent Application No. 62/044,974, filed September 2, 2014, the disclosures of which are hereby incorporated herein by reference in their entireties. U.S. Patent Application No. 16/826,130, filed March 20, 2020, and titled "Wearable Electronic Device," now U.S. Patent No. 10,942,491, issued March 9, 2021 is also a continuation patent application of U.S. Patent Application No. 15/261,914, filed September 10, 2016, and titled "Wearable Electronic Device," now U.S. Patent No. 10,613,485, issued April 7, 2020, which is a continuation patent application of U.S. Patent Application No. 14/842,617, filed September 1, 2015, and titled "Wearable Electronic Device," now U.S. Patent No. 10,599,101, issued March 24, 2020, which is a nonprovisional patent application of and claims the benefit of U.S. Provisional Patent Application No. 62/044,974, filed September 2, 2014, the disclosures of which are hereby incorporated herein by reference in their entireties. U.S. Patent Application No. 16/826,130, filed March 20, 2020, and titled "Wearable Electronic Device," now U.S. Patent No. 10,942,491, issued March 9, 2021 is also a continuation patent application of U.S. Patent Application No. 15/261,912, filed September 10, 2016, and titled "Wearable Electronic Device," now U.S. Patent No. 10,620,591, issued April 14, 2020, which is a continuation patent application of U.S. Patent Application No. 14/842,617, filed September 1, 2015, and titled "Wearable Electronic Device," now U.S. Patent No. 10,599,101, issued March 24, 2020, which is a nonprovisional patent application of and claims the benefit of U.S. Provisional Patent Application No. 62/044,974, filed September 2, 2014, the disclosures of which are hereby incorporated herein by reference in their entireties.

[0003] This application is also a continuation patent application of U.S. Patent Application No. 17/188,966, filed March 1, 2021, and titled "Wearable Electronic Device."

[0004] This application is also a continuation patent application of U.S. Patent Application No. 17/188,995, filed March 1, 2021, and titled "Wearable Electronic Device."

[0005] This application is also a continuation patent application of U.S. Patent Application No. 17/899,498, filed August 30, 2022, and titled "Wearable Electronic Device."

II. Double Patenting

The Examiner has provisionally rejected claims 21-49 on the ground of nonstatutory double patenting as being unpatentable over claims 1-30 of U.S. Patent No. 11,567,457. Without acquiescing to the propriety of the rejection, the Assignee herewith files a Terminal Disclaimer and submits that the nonstatutory double patenting rejection is rendered moot.

III. Allowable Subject Matter

The Assignee thanks the Examiner for indicating that claims 21-49 would be allowable should applicant's reply comply with or specifically traverse the requirements of the double patenting rejection. As stated above the Assignee herewith files a Terminal Disclaimer, which Assignee submits places the claims in condition for allowance.

IV. Conclusion

The Assignee thanks the Examiner for the thorough review of the application. The Assignee respectfully submits the present application is in condition for allowance and respectfully requests the issuance of a Notice of Allowability as soon as practicable.

Submitted with this response is the required Terminal Disclaimer fee. The Assignee believes no further fees or petitions are required. However, should any such fees or petitions be required, please consider this a request therefor and authorization to charge Deposit Account No. 504621 as necessary.

If the Examiner should require any additional information or amendment, please contact the undersigned attorney.

Dated: March 29, 2023.

Respectfully submitted,

/Peter J. Nagle/

Peter J. Nagle, Registration No. 70,361
Attorney for Assignee
USPTO Customer No. 62579

Brownstein Hyatt Farber Schreck, LLP
410 Seventeenth Street
Suite 2200
Denver, Colorado 80202
Phone: 303-223-1100
Fax: 303-223-1111

Electronic Acknowledgement Receipt	
EFS ID:	47760371
Application Number:	18075253
International Application Number:	
Confirmation Number:	7929
Title of Invention:	WEARABLE ELECTRONIC DEVICE
First Named Inventor/Applicant Name:	Fletcher R. Rothkopf
Customer Number:	62579
Filer:	Peter James Nagle/Sonya Domingo
Filer Authorized By:	Peter James Nagle
Attorney Docket Number:	P22914USC11
Receipt Date:	29-MAR-2023
Filing Date:	05-DEC-2022
Time Stamp:	14:11:54
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	no

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1		P22914USC11_Amendment_and_Response.pdf	37791 9a07ec202057520fe4b34a8d942c739c47e0fe50	yes	7

	Multipart Description/PDF files in .zip description		
	Document Description	**Start**	**End**
	Amendment/Request for Reconsideration-After Non-Final Rejection	1	1
	Specification	2	2
	Applicant Arguments/Remarks Made in an Amendment	3	7
Warnings:			
Information:			
	Total Files Size (in bytes):	37791	

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111
If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.
National Stage of an International Application under 35 U.S.C. 371
If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.
New International Application Filed with the USPTO as a Receiving Office
If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

Doc Code: DIST.E.FILE **Document Description: Electronic Terminal Disclaimer - Filed**	PTO/SB/26 U.S. Patent and Trademark Office Department of Commerce

Electronic Petition Request	**TERMINAL DISCLAIMER TO OBVIATE A DOUBLE PATENTING REJECTION OVER A "PRIOR" PATENT**
Application Number	18075253
Filing Date	05-Dec-2022
First Named Inventor	Fletcher Rothkopf
Attorney Docket Number	P22914USC11
Title of Invention	WEARABLE ELECTRONIC DEVICE

☒ Filing of terminal disclaimer does not obviate requirement for response under 37 CFR 1.111 to outstanding Office Action

☒ This electronic Terminal Disclaimer is not being used for a Joint Research Agreement.

Owner	Percent Interest
Apple Inc.	100%

The owner(s) with percent interest listed above in the instant application hereby disclaims, except as provided below, the terminal part of the statutory term of any patent granted on the instant application which would extend beyond the expiration date of the full statutory term of prior patent number(s)

11567457

as the term of said prior patent is presently shortened by any terminal disclaimer. The owner hereby agrees that any patent so granted on the instant application shall be enforceable only for and during such period that it and the prior patent are commonly owned. This agreement runs with any patent granted on the instant application and is binding upon the grantee, its successors or assigns.

In making the above disclaimer, the owner does not disclaim the terminal part of the term of any patent granted on the instant application that would extend to the expiration date of the full statutory term of the prior patent, "as the term of said prior patent is presently shortened by any terminal disclaimer," in the event that said prior patent later:
- expires for failure to pay a maintenance fee;
- is held unenforceable;
- is found invalid by a court of competent jurisdiction;
- is statutorily disclaimed in whole or terminally disclaimed under 37 CFR 1.321;
- has all claims canceled by a reexamination certificate;
- is reissued; or
- is in any manner terminated prior to the expiration of its full statutory term as presently shortened by any terminal disclaimer.

◉ Terminal disclaimer fee under 37 CFR 1.20(d) is included with Electronic Terminal Disclaimer request.

○ I certify, in accordance with 37 CFR 1.4(d)(4), that the terminal disclaimer fee under 37 CFR 1.20(d) required for this terminal disclaimer has already been paid in the above-identified application.	
Applicant claims the following fee status: ○ Small Entity ○ Micro Entity ◉ Regular Undiscounted I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.	
THIS PORTION MUST BE COMPLETED BY THE SIGNATORY OR SIGNATORIES I certify, in accordance with 37 CFR 1.4(d)(4) that I am: ◉ An attorney or agent registered to practice before the Patent and Trademark Office who is of record in this application Registration Number 70361 ○ A sole inventor ○ A joint inventor; I certify that I am authorized to sign this submission on behalf of all of the inventors as evidenced by the power of attorney in the application ○ A joint inventor; all of whom are signing this request	
Signature	/Peter J. Nagle/
Name	Peter J. Nagle

*Statement under 37 CFR 3.73(b) is required if terminal disclaimer is signed by the assignee (owner).
Form PTO/SB/96 may be used for making this certification. See MPEP § 324.

Electronic Patent Application Fee Transmittal

Application Number:	18075253
Filing Date:	05-Dec-2022
Title of Invention:	WEARABLE ELECTRONIC DEVICE
First Named Inventor/Applicant Name:	Fletcher R. Rothkopf
Filer:	Peter James Nagle/Sonya Domingo
Attorney Docket Number:	P22914USC11

Filed as Large Entity

Filing Fees for Utility under 35 USC 111(a)

Description	Fee Code	Quantity	Amount	Sub-Total in USD($)
Basic Filing:				
STATUTORY OR TERMINAL DISCLAIMER	1814	1	170	170
Pages:				
Claims:				
Miscellaneous-Filing:				
Petition:				
Patent-Appeals-and-Interference:				
Post-Allowance-and-Post-Issuance:				

Description	Fee Code	Quantity	Amount	Sub-Total in USD($)
Extension-of-Time:				
Miscellaneous:				
			Total in USD ($)	**170**

Doc Code: DISQ.E.FILE
Document Description: Electronic Terminal Disclaimer – Approved

Application No.: 18075253

Filing Date: 05-Dec-2022

Applicant/Patent under Reexamination: Rothkopf

Electronic Terminal Disclaimer filed on March 29, 2023

☒ APPROVED

This patent is subject to a terminal disclaimer

☐ DISAPPROVED

Approved/Disapproved by: Electronic Terminal Disclaimer automatically approved by EFS-Web

U.S. Patent and Trademark Office

Electronic Acknowledgement Receipt	
EFS ID:	47758482
Application Number:	18075253
International Application Number:	
Confirmation Number:	7929
Title of Invention:	WEARABLE ELECTRONIC DEVICE
First Named Inventor/Applicant Name:	Fletcher R. Rothkopf
Customer Number:	62579
Filer:	Peter James Nagle/Sonya Domingo
Filer Authorized By:	Peter James Nagle
Attorney Docket Number:	P22914USC11
Receipt Date:	29-MAR-2023
Filing Date:	05-DEC-2022
Time Stamp:	14:14:33
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	yes
Payment Type	CARD
Payment was successfully received in RAM	$170
RAM confirmation Number	E20233SE14296607
Deposit Account	
Authorized User	
The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows:	

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1	Terminal Disclaimer-Filed (Electronic)	eTerminal-Disclaimer.pdf	41268 a4014e88c0a78f64fcd89ca647989e33569af901	no	2
Warnings:					
Information:					
2	Fee Worksheet (SB06)	fee-info.pdf	38090 70688e77f68493009d6d0b7105e1bcd90dde7611	no	2
Warnings:					
Information:					
		Total Files Size (in bytes):	79358		

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111
If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.
National Stage of an International Application under 35 U.S.C. 371
If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.
New International Application Filed with the USPTO as a Receiving Office
If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

PTO/SB/08A (08-03) U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Substitute for Form 1449A/PTO **INFORMATION DISCLOSURE STATEMENT BY APPLICANT** *(Use as many sheets as necessary)*	**APPLICATION NO.:** 18/075,253	**FILING DATE:** December 5, 2022
	INVENTOR(S): Fletcher Rothkopf et al.	**ART UNIT:** 3792
	EXAMINER NAME: Brian T Gedeon	**ATTY. DOCKET NO.:** P22914USC11

U.S. PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A1.	4,129,124	12/12/1978	Thalmann	
	A2.	4,163,447	8/7/1979	Orr	
	A3.	4,224,948	9/30/1980	Cramer et al.	
	A4.	4,248,244	2/3/1981	Charnitski et al.	
	A5.	4,375,219	3/1/1983	Schmid	
	A6.	5,613,008	05/31/1994	Suga et al.	
	A7.	6,075,755	06/13/2000	Zarchan	
	A8.	6,091,530	06/18/2000	Duckworth	
	A9.	6,265,789	7/24/2001	Honda et al.	
	A10.	9,277,880	3/8/2016	Poeze et al.	
	A11.	10,231,629	3/19/2019	Pei et al.	
	A12.	10,060,788	8/28/2018	Fei	

U.S. PUBLICATION DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PUBLICATION NUMBER Number – Kind Code[2] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Inventor(s) of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	B1.	2001/0056243	12/27/2001	Ohsaki et al.	
	B2.	2005/0116820	6/5/2005	Goldreich	
	B3.	2007/0276270	11/29/2007	Tran	
	B4.	2008/0208009	8/28/2008	Shklarski	
	B5.	2012/0221254	8/30/2012	Kateraas et al.	
	B6.	2014/0135594	5/15/2014	Yuen et al.	
	B7.	2015/0214749	7/30/2015	Park et al.	
	B8.	2015/0355604	12/10/2015	Fraser et al.	
	B9.	2016/0073914	3/17/2016	Lapetina et al.	
	B10.	2016/0228064	8/11/2016	Jung et al.	

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	DOCUMENT NUMBER Country Code[3] – Number[4] – Kind Code[5] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T[6]
	C1.	WO1982/00088	1/21/1982	Prime Microelectronic Instruments, Inc.		
	C2.	WO2005/092182	10/6/2005	Seiko Instr Inc		
	C3.	WO2012/140559	10/18/2012	Medic4All		
	C4.	WO2015/116111	8/6/2015	Hewlett-Packard Development Co, L.P.		
	C5.	WO2015/150199	10/8/2015	Koninklijke Philips N.V.		
	C6.	WO2017/165532	9/28/2017	Neumitra Inc		
	C7.	JP2005270543	10/6/2005	Seiko Instr Inc		

OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	Include name of Author, title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), volume-issue number(s), publisher, page(s) and date.	T[6]
	D1.	ALDINGER, F. and Weberruβ, V.A., "An Introduction to Structures, Properties, Technologies, Methods" (2010) In: Advanced Ceramics and Future Materials 17 pages	
	D2.	BERBARI, E.J., "Principles of Electrocardiology" (2015) In: The Biomedical Engineering Handbook -4th Edition (Eds: J.D. Bronzin & D.R. Peterson) 5 pages	
	D3.	CANFIELD, D., "Drying and Curing Inks and Coatings on Glass" (March 16, 2013) Glass Magazine 5 pages	
	D4.	DOREMUS, R.H., "Structure, Properties, and Processing" (2008) In: Ceramic and Glass Materials (Eds: J.F. Shackelford & R.H. Doremus) 33 pages	
	D5.	KINGERY, W.D., "Introduction to Ceramics" (1960) Eds: John Wiley & Sons, Inc. 23 pages	
	D6.	FRANCIS, J., "ECG monitoring leads and special leads" (2016) Indian Pacing and Electrophysiology Journal 16:92-95.	
	D7.	LOEHMAN, R.E., "Surfaces, Interfaces, Thin Films" (1993) In: Characterization of Ceramics, Materials Characterization Series (Eds: R.E. Loehman, J.E. Fitzpatrick) 13 pages	
	D8.	MENDELSON, Y. et al., "A Wearable Reflectance Pulse Oximeter for Remote Physiological Monitoring" (Aug 30-Sept 3, 2006) Proceedings of the 28th IEEE, EMBS Annual International Conference New York City 4 pages	
	D9.	MENDELSON, Y., "Wearable Wireless Pulse Oximetry for Physiological Monitoring" (Aug 4, 2008) Presentation - PPL Workshop 34 pages	
	D10.	MEZIANE, N. et al. "Dry Electrodes for Electrocardiography" (2013) Physiol. Meas. 34:R47-R69.	
	D11.	SHI, F., "Progress in Modern Ceramics" (2012) In: Ceramic Materials (Ed: Feng Shi) 6 pages	
	D12.	Declaration of R. James Duckworth, Ph.D, Filed February 27, 2023 in Case No. IPR2023-00634, 187 Pages	
	D13.	Defendant Masimo Corporation's Answer To Complaint and Counterclaims, dated December 12, 2022, Filed in District Court Case 1:22-cv-01378-MN, Masimo Corporation and Sound United, LLC vs. Apple Inc., 904 pages	
	D14.	Complaint For Patent Infringement, dated October 20, 2022, Filed in District Court Case 1:22-cv-01378-UNA, Masimo Corporation and Sound United, LLC vs. Apple Inc., 672 pages	

* EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

[1] Applicant's unique citation number (optional). [2] See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. [3] Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). [4] For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. [5] Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. [6] Applicant is to place a check mark here if English language Translation is attached.
1.

OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS			
	D15.	Declaration of Sylvia D. Hall-Ellis, Ph.D., Filed February 27, 2023 in Case No. IPR2023-00634, 40 pages	
	D16.	Declaration of Jamie L. Kringstein In Support Of Plaintiff And Counterclaim-Defendant Apple Inc.'s Motion To Dismiss Masimo Corporation's Counterclaims And Strike Its Inequitable Conduct Affirmative Defense, dated February 21, 2023, Filed in District Court Case 1:22-cv-01378-MN-JLH, *Masimo Corporation and Sound United, LLC vs. Apple Inc.*, 52 pages	
	D17.	Plaintiff And Counterclaim-Defendant Apple Inc.'s Memorandum Of Law In Support Of Its Motion To Dismiss Masimo Corporation's Counterclaims And Strike Its Inequitable Conduct Affirmative Defense, dated February 21, 2023, Filed in District Court Case 1:22-cv-01378-MN, *Masimo Corporation and Sound United, LLC vs. Apple Inc.*, 28 pages	
	D18.	Petition For Inter Partes Review of U.S. Patent No. 10,627,783, Filed February 27, 2023, in Case No. IPR2023-00634, 124 pages	

EXAMINER	**DATE CONSIDERED**

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

PTO/SB/08A (08-03) U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Substitute for Form 1449A/PTO **INFORMATION DISCLOSURE STATEMENT BY APPLICANT** *(Use as many sheets as necessary)*	**APPLICATION NO.:** 18/075,253	**FILING DATE:** December 5, 2022
	INVENTOR(S): Fletcher Rothkopf et al.	**ART UNIT:** 3792
	EXAMINER NAME: Brian T Gedeon	**ATTY. DOCKET NO.:** P22914USC11

U.S. PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A1.	8,810,514	08/2014	Zhao et al.	
	A2.	11,531,306	12/2022	Ely et al.	

U.S. PUBLICATION DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PUBLICATION NUMBER Number – Kind Code[2] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Inventor(s) of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	B1.	2019/0025940	07/2018	Shim et al.	
	B2.	2021/0353226	11/2021	Hiemstra	
	B3.	2023/0013283	01/2023	Antonio F. Herrera	
	B4.	2023/0012897	01/2023	Tyler S. Atura Bushnell	
	B5.	2023/0028554	01/2023	Fletcher R. Rothkopf	
	B6.	2023/0077241	03/01/2023	Pandya et al.	

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	DOCUMENT NUMBER Country Code[3] – Number[4] – Kind Code[5] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T[6]
	C1.	CN103919536	07/2014	FITBIT Inc		
	C2.	CN114220694	03/2022	NOOER SCIENCE AND TECH CO LTD		
	C3.	JP2017219448	12/2017	Casio Computer Co. Ltd.		

EXAMINER	DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

---

* EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

[1] Applicant's unique citation number (optional). [2] See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. [3] Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). [4] For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. [5] Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. [6] Applicant is to place a check mark here if English language Translation is attached.

Electronic Patent Application Fee Transmittal	
Application Number:	18075253
Filing Date:	05-Dec-2022
Title of Invention:	WEARABLE ELECTRONIC DEVICE
First Named Inventor/Applicant Name:	Fletcher R. Rothkopf
Filer:	Peter James Nagle/Sonya Domingo
Attorney Docket Number:	P22914USC11
Filed as Large Entity	
Filing Fees for Utility under 35 USC 111(a)	

Description	Fee Code	Quantity	Amount	Sub-Total in USD($)
Basic Filing:				
Pages:				
Claims:				
Miscellaneous-Filing:				
Petition:				
Patent-Appeals-and-Interference:				
Post-Allowance-and-Post-Issuance:				
Extension-of-Time:				

Description	Fee Code	Quantity	Amount	Sub-Total in USD($)
Miscellaneous:				
SUBMISSION- INFORMATION DISCLOSURE STMT	1806	1	260	260
		Total in USD ($)		**260**

Electronic Acknowledgement Receipt	
EFS ID:	47760745
Application Number:	18075253
International Application Number:	
Confirmation Number:	7929
Title of Invention:	WEARABLE ELECTRONIC DEVICE
First Named Inventor/Applicant Name:	Fletcher R. Rothkopf
Customer Number:	62579
Filer:	Peter James Nagle/Sonya Domingo
Filer Authorized By:	Peter James Nagle
Attorney Docket Number:	P22914USC11
Receipt Date:	29-MAR-2023
Filing Date:	05-DEC-2022
Time Stamp:	14:35:02
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	yes
Payment Type	CARD
Payment was successfully received in RAM	$260
RAM confirmation Number	E20233SE36057877
Deposit Account	
Authorized User	
The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows:	

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1	Transmittal Letter	P22914USC11_IDS_Transmittal.pdf	19959 054f6cf8eb4f61a95c28f0c3024048b30469295a	no	2
Warnings:					
Information:					
2	Information Disclosure Statement (IDS) Form (SB08)	P22914USC11_PTO-SB-08_1.pdf	55706 280a5d0f4f36d0ff6af8ab9fa2151cfee2bb8866	no	3
Warnings:					
Information:					
This is not an USPTO supplied IDS fillable form					
3	Information Disclosure Statement (IDS) Form (SB08)	P22914USC11_PTO-SB-08_2.pdf	31327 f7af0c45ea958c8b44fdab52c643e762c70297a2	no	1
Warnings:					
Information:					
This is not an USPTO supplied IDS fillable form					
4	Foreign Reference	WO1982000088A1.pdf	3744911 f2d19d518b86eb5e9c6d9dadb14da0dfe6d0cd73	no	28
Warnings:					
Information:					
5	Foreign Reference	WO2005092182.pdf	885621 9a6e3bea797cc41a2bd4f38245a86ac56f3ad635	no	32
Warnings:					
Information:					
6	Foreign Reference	WO2012140559.pdf	3227809 18a9b9d24d14e049f22e1c7b70bbd7a972f449dc	no	32

Warnings:					
Information:					
7	Foreign Reference	WO2015116111.pdf	2582628 62468d76883230d15849403a4beb2c2421c08abd	no	21
Warnings:					
Information:					
8	Foreign Reference	WO2015150199.pdf	3683369 ab038f1ad0623711098e184f6e9c97bcdb49d576	no	31
Warnings:					
Information:					
9	Foreign Reference	WO2017165532A1.pdf	9974139 86bb062f223739e0273545edc8dfeef3f15641fd	no	101
Warnings:					
Information:					
10	Foreign Reference	JP2005270543A.pdf	891984 d41c301fbf413de1b6783d53a5e6a9c185ded629	no	30
Warnings:					
Information:					
11	Foreign Reference	CN103919536.pdf	3822739 0a6ab4735dc25f02b6e76ee9cd33ef072102d812	no	62
Warnings:					
Information:					
12	Foreign Reference	CN114220694A_w_Translation.pdf	1366924 5f1234d3fb8881d4323d9b436e9831c844f48a9d	no	35
Warnings:					
Information:					
13	Foreign Reference	JP2017219448A.pdf	1812204 2e5daa3aa51d1378770712c76046627e788604a6	no	18
Warnings:					
Information:					

14	Non Patent Literature	NPL_Aldinger_2010.pdf	24469916 c88f7e4a5a6fc79d40d6602b4d9381e3b597b53b	no	17
Warnings:					
Information:					
15	Non Patent Literature	NPL_Berbari.pdf	6211276 d093987e7255d996fe7dfd4e89f16ca684ec75c2	no	5
Warnings:					
Information:					
16	Non Patent Literature	NPL_Canfield.pdf	717939 e5fc4daf4ff23ebc7a656786f49a1f0772a656a4	no	5
Warnings:					
Information:					
17	Non Patent Literature	NPL_Doremus_2008.pdf	7338532 dfc8d25b60569baed75d932a8da8b5849601c781	no	33
Warnings:					
Information:					
18	Non Patent Literature	NPL_Kingery_1960.pdf	4492677 b0a0a456ecf26b0cecbfa7652fe60ef02dd0fbce	no	23
Warnings:					
Information:					
19	Non Patent Literature	NPL_Francis_2016.pdf	711964 e5388aad88f25b8cec52995f888512192850 09cb	no	4
Warnings:					
Information:					
20	Non Patent Literature	NPL_Loehman_1993.pdf	8036638 ffdd0b5d72f596bd991577089813630e978277b5	no	13
Warnings:					
Information:					

21	Non Patent Literature	NPL_Mendelson_2006.pdf	700906 8ff0a4ec829625056770 36c94a32cd7493cec022	no	4
Warnings:					
Information:					
22	Non Patent Literature	NPL_Mendelson_2008.pdf	4012122 07913dadce5e379f3043abb1f1adc154545 2a2b4	no	34
Warnings:					
Information:					
23	Non Patent Literature	NPL_Meziane_2013.pdf	773020 d03c6620b18df6db163a85f4aa5888719c0 6827e	no	23
Warnings:					
Information:					
24	Non Patent Literature	NPL_Shi_2012.pdf	4241760 5225e7989fd89abee40670ac6502f96095a7 a05b	no	6
Warnings:					
Information:					
25	Non Patent Literature	NPL_Declaration_Duckworth.pdf	10439097 1e433bd69161c4574bb18e00cc7dff5be48 6bbe7	no	187
Warnings:					
Information:					
26	Non Patent Literature	NPL-Answer_to_Complaint_904-pgs_part-1.pdf	12340918 810f7723935e0836bc32e331ebc7af04f168 de0a	no	300
Warnings:					
Information:					
27	Non Patent Literature	NPL-Answer_to_Complaint_904_pgs_part-2.pdf	22261319 b4d6f7e37ac5cb72c44068ec88d115a1899 8322d	no	300
Warnings:					
Information:					

28	Non Patent Literature	NPL-Answer_to_Complaint_904_pgs-part-3.pdf	22725767 cab3aef79674e751de365c6362f4e408222ff000	no	304
Warnings:					
Information:					
29	Non Patent Literature	NPL-Complaint_For_Patent_Infringement_672_pgs-part_1.pdf	14390056 87e402a399d7bc6de9b9e180eb306f2ba9cfccdf	no	200
Warnings:					
Information:					
30	Non Patent Literature	NPL-Complaint_For_Patent_Infringement_672_pgs-part_2.pdf	22990115 2c19fadaeb25f0cd993ddf84147c1b3b18e23737	no	200
Warnings:					
Information:					
31	Non Patent Literature	NPL-Complaint_For_Patent_Infringement_672_pgs-part_3.pdf	19501764 17cea3e7ab0a22da8ea7492a7c80b65bbe0e6f03	no	272
Warnings:					
Information:					
32	Non Patent Literature	NPL_Declaration_Hall-Ellis.pdf	2825812 5bee98ac8a26f5f69980565755 64faabbf27b539	no	40
Warnings:					
Information:					
33	Non Patent Literature	NPL_Declaration_Kringstein_52_pgs.pdf	6359698 687ff29904d4ee2c73a2b6872b2a7eb3b31accf3	no	52
Warnings:					
Information:					
34	Non Patent Literature	NPL-Plantiff_and_Counterclaim_28_pgs.pdf	321245 3c247c3cff0e79187cbc73c76bd856266a7d46a5	no	28
Warnings:					
Information:					

35	Non Patent Literature	NPL-Petition_for_IPR_124_pages.pdf	15600498 87a86aa68085ed41f75f6dddcd003474db455fc1	no	124
Warnings:					
Information:					
36	Fee Worksheet (SB06)	fee-info.pdf	38271 6109f4e53910f4dc3ab8f50a9119040e28ffc2a7	no	2
Warnings:					
Information:					
		Total Files Size (in bytes):	243600630		

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:		
Fletcher R. Rothkopf et al.	Examiner:	Brian T Gedeon
Application No. 18/075,253	Art Unit:	3792
Filed: December 5, 2022	Confirmation No.	7929
For: WEARABLE ELECTRONIC DEVICE		

INFORMATION DISCLOSURE STATEMENT TRANSMITTAL

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

The Examiner is requested to consider the references noted on the enclosed Form PTO/SB/08A and B during examination of the above-identified patent application. These references are submitted for the Examiner's consideration and are submitted pursuant to the duty of disclosure under 37 C.F.R. § 1.56. In submitting these references, no representation is made or implied that the references are or are not material to the examination of the application. The Examiner is requested to review the cited references and is encouraged to make his or her own determination of materiality of the references cited.

Pursuant to the requirements of 37 C.F.R. § 1.98(a)(2)(ii), only copies of the foreign references and non-patent literature documents are provided. Copies of the U.S. patent and U.S. patent application publication references are not provided, unless required by the Office.

In accordance with **37 CFR 1.97(c)**, the information disclosure statement is being filed after the period specified in 37 CFR 1.97(b), but before the mailing date of any of a final action under §1.113, a notice of allowance under §1.311, or an action that otherwise closes prosecution in the application, and is accompanied by the fee set forth in §1.17(p).

STATEMENT OF RELATEDNESS UNDER M.P.E.P. § 2001.06(b)

In satisfaction of the duty of disclosure under 37 C.F.R. § 1.56, and as required by M.P.E.P. §2001.06(b), the Examiner is requested to consider the pending application(s) listed

below which are owned by the Assignee of the present application. The pending application(s) may include subject matter similar to that of the present application.

- U.S. Patent Application Serial No 18/094,930; filed January 9, 2023; pending
- U.S. Patent Application Serial No. 18/106,912; filed February 7, 2023; pending
- U.S. Patent Application Serial No. 18/119,175; filed March 8, 2023; pending

FEE AUTHORIZATION

The required fee specified in 37 C.F.R. § 1.17(p), is being paid concurrently herewith by credit card authorization through the USPTO Electronic Filing System; The Director is hereby authorized any fee deficiency or credit any overpayment, to Deposit Account No. 50-4621.

If the Examiner has any questions, please contact the undersigned attorney.

Dated: March 29, 2023.

Respectfully submitted,

/Peter J. Nagle/
Peter J. Nagle, Registration No. 70,361
Attorney for Assignee
USPTO Customer No. 62579

Brownstein Hyatt Farber Schreck, LLP
410 Seventeenth Street
Suite 2200
Denver, Colorado 80202
Phone: (303) 223-1100
Fax: (303) 223-1111

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NUMBER	FILING OR 371(C) DATE	FIRST NAMED APPLICANT	ATTY. DOCKET NO./TITLE
18/075,253	12/05/2022	Fletcher R. Rothkopf	P22914USC11

CONFIRMATION NO. 7929

62579
APPLE INC./BROWNSTEIN
c/o Brownstein Hyatt Farber Schreck, LLP
410 Seventeenth Street
Suite 2200
Denver, CO 80202

PUBLICATION NOTICE



Title:WEARABLE ELECTRONIC DEVICE

Publication No.US-2023-0097827-A1
Publication Date:03/30/2023

NOTICE OF PUBLICATION OF APPLICATION

The above-identified application will be electronically published as a patent application publication pursuant to 37 CFR 1.211, et seq. The patent application publication number and publication date are set forth above.

The publication may be accessed through the USPTO's publically available Searchable Databases via the Internet at www.uspto.gov. The direct link to access the publication is currently http://www.uspto.gov/patft/.

The publication process established by the Office does not provide for mailing a copy of the publication to applicant. A copy of the publication may be obtained from the Office upon payment of the appropriate fee set forth in 37 CFR 1.19(a)(1). Orders for copies of patent application publications are handled by the USPTO's Public Records Division. The Public Records Division can be reached by telephone at (571) 272-3150 or (800) 972-6382, by facsimile at (571) 273-3250, by mail addressed to the United States Patent and Trademark Office, Public Records Division, Alexandria, VA 22313-1450 or via the Internet.

In addition, information on the status of the application, including the mailing date of Office actions and the dates of receipt of correspondence filed in the Office, may also be accessed via the Internet through the Patent Electronic Business Center at www.uspto.gov using the public side of the Patent Application Information and Retrieval (PAIR) system. The direct link to access this status information is currently https://portal.uspto.gov/pair/PublicPair. Prior to publication, such status information is confidential and may only be obtained by applicant using the private side of PAIR.

Further assistance in electronically accessing the publication, or about PAIR, is available by calling the Patent Electronic Business Center at 1-866-217-9197.

Office of Data Managment, Application Assistance Unit (571) 272-4000, or (571) 272-4200, or 1-888-786-0101

PTO/SB/08A (08-03) U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Substitute for Form 1449A/PTO **INFORMATION DISCLOSURE STATEMENT BY APPLICANT** *(Use as many sheets as necessary)*	**APPLICATION NO.:** 18/075,253	**FILING DATE:** December 5, 2022
	INVENTOR(S): Fletcher Rothkopf et al.	**ART UNIT:** 3792
	EXAMINER NAME: Brian T Gedeon	**ATTY. DOCKET NO.:** P22914USC11

U.S. PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A1.	6,721,540	04/2004	Motomu Hayakawa	

U.S. PUBLICATION DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PUBLICATION NUMBER Number – Kind Code[2] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Inventor(s) of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	DOCUMENT NUMBER Country Code[3] – Number[4] – Kind Code[5] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T[6]

OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	Include name of Author, title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), volume-issue number(s), publisher, page(s) and date.	T[6]

EXAMINER	DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

* EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

[1] Applicant's unique citation number (optional). [2] See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. [3] Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). [4] For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. [5] Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. [6] Applicant is to place a check mark here if English language Translation is attached.
1.

Electronic Patent Application Fee Transmittal	
Application Number:	18075253
Filing Date:	05-Dec-2022
Title of Invention:	WEARABLE ELECTRONIC DEVICE
First Named Inventor/Applicant Name:	Fletcher R. Rothkopf
Filer:	Peter James Nagle/Sonya Domingo
Attorney Docket Number:	P22914USC11
Filed as Large Entity	
Filing Fees for Utility under 35 USC 111(a)	

Description	Fee Code	Quantity	Amount	Sub-Total in USD($)
Basic Filing:				
Pages:				
Claims:				
Miscellaneous-Filing:				
Petition:				
Patent-Appeals-and-Interference:				
Post-Allowance-and-Post-Issuance:				
Extension-of-Time:				

Description	Fee Code	Quantity	Amount	Sub-Total in USD($)
Miscellaneous:				
SUBMISSION- INFORMATION DISCLOSURE STMT	1806	1	260	260
		Total in USD ($)		**260**

Electronic Acknowledgement Receipt	
EFS ID:	47815673
Application Number:	18075253
International Application Number:	
Confirmation Number:	7929
Title of Invention:	WEARABLE ELECTRONIC DEVICE
First Named Inventor/Applicant Name:	Fletcher R. Rothkopf
Customer Number:	62579
Filer:	Peter James Nagle/Sonya Domingo
Filer Authorized By:	Peter James Nagle
Attorney Docket Number:	P22914USC11
Receipt Date:	10-APR-2023
Filing Date:	05-DEC-2022
Time Stamp:	12:55:03
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	yes
Payment Type	CARD
Payment was successfully received in RAM	$260
RAM confirmation Number	E202340C55329663
Deposit Account	
Authorized User	
The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows:	

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1	Transmittal Letter	P22914USC11_IDS_Transmittal.pdf	16630 9c9f679982b3023019eaf781e048b04daf570d0b	no	2
Warnings:					
Information:					
2	Information Disclosure Statement (IDS) Form (SB08)	P22914USC11_PTO-SB-08.pdf	30329 7c7baf75f64463252da2015ac936f4c77ffef0b0	no	1
Warnings:					
Information:					
This is not an USPTO supplied IDS fillable form					
3	Fee Worksheet (SB06)	fee-info.pdf	38271 057b7e9fb5abf4a087b025d74ab1c121db189fc9	no	2
Warnings:					
Information:					
		Total Files Size (in bytes):	85230		

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

Docket No. P22914USC11

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:		
Fletcher R. Rothkopf et al.	Examiner:	Brian T Gedeon
Application No. 18/075,253	Art Unit:	3792
Filed: December 5, 2022	Confirmation No.	7929
For: WEARABLE ELECTRONIC DEVICE		

INFORMATION DISCLOSURE STATEMENT TRANSMITTAL

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

The Examiner is requested to consider the references noted on the enclosed Form PTO/SB/08A and B during examination of the above-identified patent application. These references are submitted for the Examiner's consideration and are submitted pursuant to the duty of disclosure under 37 C.F.R. § 1.56. In submitting these references, no representation is made or implied that the references are or are not material to the examination of the application. The Examiner is requested to review the cited references and is encouraged to make his or her own determination of materiality of the references cited.

Pursuant to the requirements of 37 C.F.R. § 1.98(a)(2)(ii), only copies of the foreign references and non-patent literature documents are provided. Copies of the U.S. patent and U.S. patent application publication references are not provided, unless required by the Office.

In accordance with **37 CFR 1.97(c)**, the information disclosure statement is being filed after the period specified in 37 CFR 1.97(b), but before the mailing date of any of a final action under §1.113, a notice of allowance under §1.311, or an action that otherwise closes prosecution in the application, and is accompanied by the fee set forth in §1.17(p).

FEE AUTHORIZATION

The required fee specified in 37 C.F.R. § 1.17(p), is being paid concurrently herewith by credit card authorization through the USPTO Electronic Filing System; The Director is hereby authorized any fee deficiency or credit any overpayment, to Deposit Account No. 50-4621.

If the Examiner has any questions, please contact the undersigned attorney.

Dated: April 10, 2023

Respectfully submitted,

/Peter J. Nagle/

Peter J. Nagle, Registration No. 70,361
Attorney for Assignee
USPTO Customer No. 62579

Brownstein Hyatt Farber Schreck, LLP
410 Seventeenth Street
Suite 2200
Denver, Colorado 80202
Phone: (303) 223-1100
Fax: (303) 223-1111

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
18/075,253	12/05/2022	Fletcher R. Rothkopf	P22914USC11	7929

62579 7590 04/25/2023

APPLE INC./BROWNSTEIN
c/o Brownstein Hyatt Farber Schreck, LLP
410 Seventeenth Street
Suite 2200
Denver, CO 80202

EXAMINER	
GEDEON, BRIAN T	

ART UNIT	PAPER NUMBER
3792	

NOTIFICATION DATE	DELIVERY MODE
04/25/2023	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@bhfs.com

Office Action Summary	Application No. 18/075,253	Applicant(s) Rothkopf et al.	
	Examiner BRIAN T GEDEON	Art Unit 3792	AIA (FITF) Status Yes

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTHS FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☑ Responsive to communication(s) filed on 29 March 2023.

☐ A declaration(s)/affidavit(s) under **37 CFR 1.130(b)** was/were filed on _____.

2a)☑ This action is **FINAL.** 2b) ☐ This action is non-final.

3)☐ An election was made by the applicant in response to a restriction requirement set forth during the interview on _____; the restriction requirement and election have been incorporated into this action.

4)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims*

5) ☑ Claim(s) 21-49 is/are pending in the application.

5a) Of the above claim(s) _____ is/are withdrawn from consideration.

6) ☐ Claim(s) _____ is/are allowed.

7) ☑ Claim(s) 21-49 is/are rejected.

8) ☐ Claim(s) _____ is/are objected to.

9) ☐ Claim(s) _____ are subject to restriction and/or election requirement

* If any claims have been determined allowable, you may be eligible to benefit from the **Patent Prosecution Highway** program at a participating intellectual property office for the corresponding application. For more information, please see http://www.uspto.gov/patents/init_events/pph/index.jsp or send an inquiry to **PPHfeedback@uspto.gov.**

Application Papers

10)☐ The specification is objected to by the Examiner.

11)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

Certified copies:

a)☐ All b)☐ Some** c)☐ None of the:

1.☐ Certified copies of the priority documents have been received.

2.☐ Certified copies of the priority documents have been received in Application No. _____.

3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

** See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☑ Notice of References Cited (PTO-892)

2) ☑ Information Disclosure Statement(s) (PTO/SB/08a and/or PTO/SB/08b) Paper No(s)/Mail Date _____.

3) ☐ Interview Summary (PTO-413) Paper No(s)/Mail Date _____.

4) ☐ Other: _____.

DETAILED ACTION

Response to Amendment

1. This action is in response to the amendment after non-final filed 29 March 2023. Claims 21-49 are pending.

Double Patenting

2. The terminal disclaimer filed 29 March 2023 has been approved. In view of this, the non-statutory double patenting rejection has been withdrawn.

Information Disclosure Statement

3. The information disclosure statements filed 10 April 2023 and 29 March 2023 (3) have been considered.

4. Upon review, certain references disclosed by Applicant are considered pertinent to the present claim set. The references are deemed read on the present claims, thus the finality of the previous Office action has been withdrawn in view of newly discovered references disclosed by Applicant. A new grounds of rejection has been formulated utilizing Applicant's newly disclosed references to Honda et al. (US Patent no. 6,265,789) and Kotangi et al. (Seiko Instruments Inc. WO 2005/092182).

Claim Rejections - 35 USC § 112

5. The following is a quotation of the first paragraph of 35 U.S.C. 112(a):

> (a) IN GENERAL.—The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same, and shall set forth the best mode contemplated by the inventor or joint inventor of carrying out the invention.

The following is a quotation of the first paragraph of pre-AIA 35 U.S.C. 112:

> The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same, and shall set forth the best mode contemplated by the inventor of carrying out his invention.

6. Claim 45 is rejected under 35 U.S.C. 112(a) or 35 U.S.C. 112 (pre-AIA), first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor or a joint inventor, or for applications subject to pre-AIA 35 U.S.C. 112, the inventor(s), at the time the application was filed, had possession of the claimed invention. The prior art fails to provide any description concerning the shape of the cover being a disk, nor for the relative diameters of the cover with respect to the second opening.

Claim Rejections - 35 USC § 103

7. In the event the determination of the status of the application as subject to AIA 35 U.S.C. 102 and 103 (or as subject to pre-AIA 35 U.S.C. 102 and 103) is incorrect, any correction of the statutory basis for the rejection will not be considered a new ground of rejection if the prior art relied upon, and the rationale supporting the rejection, would be the same under either status.

8. The following is a quotation of 35 U.S.C. 103 which forms the basis for all obviousness rejections set forth in this Office action:

> A patent for a claimed invention may not be obtained, notwithstanding that the claimed invention is not identically disclosed as set forth in section 102, if the differences between the claimed invention and the prior art are such that the claimed invention as a whole would have

been obvious before the effective filing date of the claimed invention to a person having ordinary skill in the art to which the claimed invention pertains. Patentability shall not be negated by the manner in which the invention was made.

9. Claim(s) 21, 26, 27, 29, 32-34, 37, and 38 is/are rejected under 35 U.S.C. 103 as being unpatentable over Honda et al. (US Patent no. 6,265,789 – disclosed by Applicant) in view of Kotangi et al. (Seiko Instruments Inc. WO 2005/092182 – disclosed by Applicant), further in view of Park et al. (US Publication no. 2015/0026647).

In regard to claims 21 and 32, the reference to Honda et al. describes a wearable electronic apparatus that may be embodied as an electronic wrist watch (fig. 1, col 6 lines 4-6). Figure 1 shows that the wearable device includes a housing 201 and band 202 attached to housing 201. Figure 2 (reproduced below) shows that the housing 201





FIG._2

includes a first opening opposite to a second opening (shown annotated), wherein a display 204 is positioned in the first opening (col 6 lines 14-16). The second opening includes a cover glass 211 that forms a portion of the exterior surface 212, and a wireless charging receive coil 210 (i.e., referred to as watch side coil) aligned with the second opening and cover glass 211. The cover glass 211 is configured to pass

wireless power from an external wireless charging device 100 (i.e., figure 2 shows the wearable device mated with a charging station 100) supplied by charging coil 110 of the charging station (col 6 lines 21-49). Additionally, coil 210 is configured to provide wireless transmission of data to and from the wearable device. Lastly, Honda et al. teaches that the wearable electronic wrist watch is configured to detect biological information such as a pulse rate or a heart rate, however, Honda et al. does not describe the structure, operation, nor location of the sensor for detecting biological information with respect to the second opening of the housing (col 6 lines 17-20).

Kotangi et al. also describes a wearable electronic device in the form of a wrist watch. The device of Kotangi et al. is configured to be worn on a user and detect biological information from a biosensor disposed within an opening of the wearable housing and below a cover. Figure 1 of Kotangi et al. shows the wearable device comprising a sensor housing 2 and a band attached to the housing 2. Figure 7 of Kotangi et al. (reproduced below), shows that like Honda et al., the housing includes

[FIG. 7]



an opening 22 located along the rear side of the housing similar the second opening in Honda et al., wherein the opening includes a cover 23 disposed within the opening and forming an exterior surface. Disposed about the opening and below the cover 23 is a biosensor consisting of a light source 5 and light detector 6. The cover is configured to pass optical signals generated by elements 5 and 6 of the biosensor 8 (see para 54 and 55). Located near elements 5 and 6 are first and second rear facing electrodes 7A and 7B. Electrodes detect contact with the user skin to ensure elements 5 and 6 are properly contacted.


Honda et al. and Kotangi et al. are considered to constitute analogous prior art in the same field of endeavor pertaining to wrist wearable devices that include sensors to detect biological information. In view of this and of the disclosed features of each reference, modification of Honda et al. to include a light source 5 and light detector 6 of Kotangi et al. as a biosensor within the housing 201 is considered to have been obvious to one of ordinary skill in the art at the time of the invention since 1. Honda et al. explicitly suggests that a biosensor is incorporated therein and elements 5 and 6 constitute suitable structure for that element of Honda et al., and 2. Kotangi et al. demonstrates that is known in the art for a biosensor to be aligned with an opening and rear cover, and 3. the modification pertains to the substitution of a known element for another to yield predictable results (i.e., elements 5 and 6 of Kotangi et al.. for the biosensor of Honda et al.; elements 5 and 6 known in the art to measure pulse rate and heart rate). The modification would provide structure necessary for acquiring the pulse rate or heart rate obtained by Honda et al., wherein one of ordinary skill in the art is considered to have had a reasonable expectation of success substituting the elements.

Alternatively, it is considered that the rejection may be made in light of Kotangi et al. in view of Honda et al., wherein the modification would pertain to combining the wireless coil of Honda et al. into the housing of Kotangi et al. Such modification is considered to have been obvious to one of ordinary skill in the art at the time of the invention as it would permit wireless data transmission and recharging of the Kotangi et al. device.


Further in regard to claims 21 and 32, Honda et al. in view of Kotangi et al., or alternatively Kotangi et al. in view of Honda et al., is considered to substantially describe the invention as claimed, however neither teach that the display of each respective device is a touch-sensitive display positioned below the front cover. Park et al. analogous to both Honda et al. and Kotangi et al., describes a wearable electronic device in the form of a wrist watch. The device of Park et al. is configured to be worn on a user and detect biological information from a biosensor disposed within an opening of the wearable housing and below a cover. Figures 4A and 4F show that the wearable electronic device comprises a touch sensor with the display and front cover so as to create a touch-sensitive display (para 85-95, 148-149, 162, and 170-171). The touch sensitive display allows for a user to provide input to the device via finger gesture. Modification to include a touch sensitive display is considered to have been obvious to one of ordinary skill in the art at the time of the invention since Park et al. demonstrates that touch displays are well known in the analogous art. The modification is considered to comprise the application of known element to a known device to yield a predictable improvement to the functioning of the device (the touch display could eliminate the buttons of Kotangi et al. for entering input, thus allowing for enlargement of the display).

In regard to claim 26, Honda et al. teaches that power transmission for charging happens through magnetic coupling of coil 210 located within the watch housing and coil 110 of station 100 of figure 2 (col 6 lines 36-39). This coupling is considered to occur through the cover 211.

In regard to claims 27 and 34, figure 5 of Kotangi et al. (below) shows that the light source 5 and photodetector 6 appear to have separate openings/windows within the cover 23 for emitting and receiving light.



In regard to claim 29, figure 2 of Honda et al. shows a picture of the housing with a rear cover 211 defining a rear surface. Additionally, the shape of the top portion is considered to define at least a portion of a side surface of the housing and a bottom portion is considered to define a second portion of the rear exterior surface.



In regard to claim 33, Honda et al. includes rear cover 211 is made from a glass material which is considered to be transparent (col 6 lines 23-25). Additionally, cover glass 23 of Kotangi et al. is considered optically transparent (para 55)

In regard to claims 37 and 38, the external biosensor 8 of Kotangi et al. configured for passing optical signals generated by the biosensor is shown and described to have a protruding convex shape (see figures 5 and 7 element 4 referred to as protruding part, para 54). The convex shape serves a different intended use as claimed, namely that of ensuring intimate contact with the user's wrist. The convex nature of the device to serve a different intended use is considered to comprise a matter of choice in design.

10. Claim(s) 22-25, 35, and 36 is/are rejected under 35 U.S.C. 103 as being unpatentable over Honda et al. (US Patent no. 6,265,789 – disclosed by Applicant) in view of Kotangi et al. (Seiko Instruments Inc. WO 2005/092182 – disclosed by Applicant) and Park et al. (US Publication no. 2015/0026647), further in view of Lo et al. (US Patent no. 5,738,104 – disclosed by Applicant).

In regard to claims 22-25, 35, and 36, Honda et al., Kotangi et al., and Park et al. when viewed in combination are considered to substantially suggest the invention as claimed. Honda et al., and Kotangi et al. suggest the use of a biosensor to detect

health metrics such as heart rate or pulse rate, wherein the biosensor of Kotangi et al. is an optical device comprised of a light source 5 and light detector 6. Kotangi et al. also includes two electrodes 7a,7b adjacent the optical biosensor for sensing electrical signals from a user. However, the electrical signals obtained by the sensors only determine proper contact with the skin for the biosensor to correctly work. They are not used for obtained ECG signals. Park et al., in the wearable device, contemplate obtaining an ECG signal as a physiological signal (para 256), but falls short in enabling the measurement. Lo et al., describes a similar wearable wrist watch electronic device analogous to the cited references in structure, function, and solution to stated problem. The wristwatch obtains heart rate measurements which also includes at least three electrodes for measuring ECG signals (col 5 lines 17-28 and col 7 lines 25-27). The ECG signals are obtained by electrodes 14, 16, and 18, wherein the electrodes are located on the exterior surface of the watch, and at least one electrode (e.g., either 14 or 16) is mounted along the top portion of the watch (col 7 lines 25-42). Lo et al. also includes processing circuitry for determining the ECG signal from the first 14, second 16, and third 18 electrodes. In the least, Lo et al. demonstrates that ECG sensors may be part of a wearable electronic watch. In view of this, it is considered that modification of the devices described by Honda et al., Kotangi et al., and Park et al. to include ECG electrodes in combination with the optical biosensors since the combination is demonstrated by Lo et al. (col 1 line 51 – col 2 line 12), as it is considered known from Lo et al. to incorporate an ECG sensor into a heart rate monitoring watch. Such ECG collection may be implemented via electrodes 7a and 7B of Kotangi et al. This combination is considered to comprise the acquisition of a first physiological signal and

a second physiological signal (i.e., both ECG and optical heart rate). Additionally, Lo et al. teaches that the three electrode arrangement helps eliminate noise (col 7 lines 33-34) thus providing motivation for a third electrode. Further, Lo et al. demonstrates that the location of the ECG electrodes is not critical to the acquisition of the ECG signal.

13. Claim(s) 28, 30, 31, 39, and 40 is/are rejected under 35 U.S.C. 103 as being unpatentable over Honda et al. (US Patent no. 6,265,789 – disclosed by Applicant) in view of Kotangi et al. (Seiko Instruments Inc. WO 2005/092182 – disclosed by Applicant) and Park et al. (US Publication no. 2015/0026647), further in view of Hong et al. (US Publication no. 2014/0275852).

In regard to claims 28, 30, 31, 39, and 40, Honda et al., Kotangi et al., and Park et al. when viewed in combination are considered to substantially suggest the invention as claimed. Honda et al., and Kotangi et al. suggest the use of a biosensor to detect health metrics such as heart rate or pulse rate, wherein the biosensor of Kotangi et al. is an optical device comprised of a light source 5 and light detector 6. The optical sensor of Kotangi et al. is considered to represent what was known about optical biosensor at the time of invention. Hong et al. describes a similar wearable wrist watch electronic device analogous to the cited references in structure, function, and solution to stated problem. Figure 2b illustrates an exemplary embodiment. Figure 3C shows a cross section of a biosensor located therein. The biosensor is considered to comprise a current state of the art equivalent to Kotangi et al. The biosensor of Hong et al. includes a first light source and a second light source (light source LEDS), and a photodetector. This is similarly shown in figure 11D with light source 1 and light source 2. Figure 11D also shows two photodetectors (i.e., light detectors 1 and 2). The use of two light

source enable the device to emit two different wavelengths of light (e.g., red and infrared) which is useful for sensing blood oxygen saturation levels (para 142). Each light detector of figure 11D detects light from each light source. Additionally, the light sources may emit green light which is useful for cool skin or ambient temperatures (para 142 and 143). Therefore it is considered to have been obvious to one of ordinary skill in the art at the time of the invention to modify the light source and light detector of Kotangi et al. to include an additional light source and light detector since Hong et al. shows that it is known in the art to incorporate additional light sources so that both red and infrared light for detecting blood oxygen saturation levels in optical sensors. Additionally, it is considered obvious to one of ordinary skill in the art at the time of the invention to modify the light source of Kotangi et al. to emit green light since Hong et al. teach that green light is known for detecting heart rate in optical sensors.

In regard to claim 28, Hong et al. shows the use of green light (para 142-143).

In regard to claims 30 and 39, figures 11D and 3C of Hong et al. show first and second light sources (para 142). At least one light detector/photodiode is included to detect reflected light.

In regard to claim 31, Hong et al. teaches the use of a first light source to emit red light and a second light source to emit infrared light to detect blood oxygen saturation levels (para 142).

In regard to claim 40, figure 11d shows a first light detector 1 and a second light detector 2.

11. Claim(s) 41, 43-45, and 47 is/are rejected under 35 U.S.C. 103 as being unpatentable over Honda et al. (US Patent no. 6,265,789 – disclosed by Applicant) in view of Kotangi et al. (Seiko Instruments Inc. WO 2005/092182 – disclosed by Applicant), further in view of Lo et al. (US Patent no. 5,738,104 – disclosed by Applicant).

In regard to claim 41, Honda et al. and Kotangi et al. when viewed in combination are considered to substantially suggest the invention as claimed. Honda et al. describes a wearable electronic apparatus that may be embodied as an electronic wrist watch (fig. 1, col 6 lines 4-6). Figure 1 shows that the wearable device includes a housing 201 and band 202 attached to housing 201. Figure 2 (reproduced below) shows that the housing 201





FIG._2

includes a first opening opposite to a second opening (shown annotated), wherein a display 204 is positioned in the first opening (col 6 lines 14-16). The second opening includes a cover glass 211 that forms a portion of the exterior surface 212, and a wireless charging receive coil 210 (i.e., referred to as watch side coil) aligned with the

second opening and cover glass 211. The cover glass 211 is configured to pass wireless power from an external wireless charging device 100 (i.e., figure 2 shows the wearable device mated with a charging station 100) supplied by charging coil 110 of the charging station (col 6 lines 21-49). Additionally, coil 210 is configured to provide wireless transmission of data to and from the wearable device. Figure 2 of Honda et al. also shows a picture of the housing with a rear cover 211 defining a rear surface. Additionally, the shape of the top portion is considered to define at least a portion of a side surface of the housing and a bottom portion is considered to define a second portion of the rear exterior surface. Lastly, Honda et al. teaches that the wearable electronic wrist watch is configured to detect biological information such as a pulse rate or a heart rate, however, Honda et al. does not describe the structure, operation, nor location of the sensor for detecting biological information with respect to the second opening of the housing (col 6 lines 17-20).

Kotangi et al. also describes a wearable electronic device in the form of a wrist watch. The device of Kotangi et al. is configured to be worn on a user and detect biological information from a biosensor disposed within an opening of the wearable housing and below a cover. Figure 1 of Kotangi et al. shows the wearable device comprising a sensor housing 2 and a band attached to the housing 2. Figure 7 of Kotangi et al. (reproduced below), shows that like Honda et al., the housing includes

[FIG. 7]



an opening 22 located along the rear side of the housing similar the second opening in Honda et al., wherein the opening includes a cover 23 disposed within the opening and forming an exterior surface. Disposed about the opening and below the cover 23 is a biosensor consisting of a light source 5 and light detector 6. The cover is configured to pass optical signals generated by elements 5 and 6 of the biosensor 8 (see para 54 and 55). Located near elements 5 and 6 are first and second rear facing electrodes 7A and 7B. Electrodes detect contact with the user skin to ensure elements 5 and 6 are properly contacted.

Honda et al. and Kotangi et al. are considered to constitute analogous prior art in the same field of endeavor pertaining to wrist wearable devices that include sensors to detect biological information. In view of this and of the disclosed features of each reference, modification of Honda et al. to include a light source 5 and light detector 6 of Kotangi et al. as a biosensor within the housing 201 is considered to have been obvious to one of ordinary skill in the art at the time of the invention since 1. Honda et al. explicitly suggests that a biosensor is incorporated therein and elements 5 and 6 constitute suitable structure for that element of Honda et al., and 2. Kotangi et al.

demonstrates that is known in the art for a biosensor to be aligned with an opening and rear cover, and 3. the modification pertains to the substitution of a known element for another to yield predictable results (i.e., elements 5 and 6 of Kotangi et al.. for the biosensor of Honda et al.; elements 5 and 6 known in the art to measure pulse rate and heart rate). The modification would provide structure necessary for acquiring the pulse rate or heart rate obtained by Honda et al., wherein one of ordinary skill in the art is considered to have had a reasonable expectation of success substituting the elements.

Alternatively, it is considered that the rejection may be made in light of Kotangi et al. in view of Honda et al., wherein the modification would pertain to combining the wireless coil of Honda et al. into the housing of Kotangi et al. Such modification is considered to have been obvious to one of ordinary skill in the art at the time of the invention as it would permit wireless data transmission and recharging of the Kotangi et al. device.

Honda et al., and Kotangi et al. suggest the use of a biosensor to detect health metrics such as heart rate or pulse rate, wherein the biosensor of Kotangi et al. is an optical device comprised of a light source 5 and light detector 6. Kotangi et al. also includes two electrodes 7a,7b adjacent the optical biosensor for sensing electrical signals from a user. However, the electrical signals obtained by the sensors only determine proper contact with the skin for the biosensor to correctly work. They are not used for obtained ECG signals. Lo et al., describes a similar wearable wrist watch electronic device analogous to the cited references in structure, function, and solution to stated problem. The wristwatch obtains heart rate measurements which also includes at least three electrodes for measuring ECG signals (col 5 lines 17-28 and col 7 lines

25-27). The ECG signals are obtained by electrodes 14, 16, and 18, wherein the electrodes are located on the exterior surface of the watch, and at least one electrode (e.g., either 14 or 16) is mounted along the top portion of the watch (col 7 lines 25-42). Lo et al. also includes processing circuitry for determining the ECG signal from the first 14, second 16, and third 18 electrodes. In the least, Lo et al. demonstrates that ECG sensors may be part of a wearable electronic watch. In view of this, it is considered that modification of the devices described by Honda et al., Kotangi et al., and Park et al. to include ECG electrodes in combination with the optical biosensors since the combination is demonstrated by Lo et al. (col 1 line 51 – col 2 line 12), as it is considered known from Lo et al. to incorporate an ECG sensor into a heart rate monitoring watch. Such ECG collection may be implemented via electrodes 7a and 7B of Kotangi et al. This combination is considered to comprise the acquisition of a first physiological signal and a second physiological signal (i.e., both ECG and optical heart rate). Additionally, Lo et al. teaches that the three electrode arrangement helps eliminate noise (col 7 lines 33-34) thus providing motivation for a third electrode. Further, Lo et al. demonstrates that the location of the ECG electrodes is not critical to the acquisition of the ECG signal.

In regard to claim 43, the sensors taught and suggested by Honda et al. and Kotangi et al. are considered to be recognized by one of ordinary skill in the art as equivalents to a photoplethysmogram sensor.

In regard to claims 44 and 45, from figure 2 of Honda et al., as best as can be interpreted from this illustration, the cover 211 is a disk with a disk diameter that is greater than the diameter of the second opening. Additionally, the seal formed by the

disk and housing is considered water-tight, wherein seal is considered to have been obvious in order to protect interior electronics and circuits from ingress of sweat and other fluid.




FIG._2

In regard to claim 47, in Kotangi et al. the biosensor include a light source 5 (i.e., configured to emit light toward skin of the user) and a light detector 6 (i.e., configured to receive reflected light from the skin of the user) (para 56 and 65).

12. Claim(s) 42 is/are rejected under 35 U.S.C. 103 as being unpatentable over Honda et al. (US Patent no. 6,265,789 – disclosed by Applicant) in view of Kotangi et al. (Seiko Instruments Inc. WO 2005/092182 – disclosed by Applicant) and Lo et al. (US Patent no. 5,738,104 – disclosed by Applicant), further in view of Park et al. (US Publication no. 2015/0026647).

In regard to claim 42, Honda et al. in view of Kotangi et al., or alternatively Kotangi et al. in view of Honda et al., is considered to substantially describe the invention as claimed, however neither teach that the display of each respective device is a touch-sensitive display positioned below the front cover. Park et al. analogous to both Honda et al. and Kotangi et al., describes a wearable electronic device in the form

of a wrist watch. The device of Park et al. is configured to be worn on a user and detect biological information from a biosensor disposed within an opening of the wearable housing and below a cover. Figures 4A and 4F show that the wearable electronic device comprises a touch sensor with the display and front cover so as to create a touch-sensitive display (para 85-95, 148-149, 162, and 170-171). The touch sensitive display allows for a user to provide input to the device via finger gesture. Modification to include a touch sensitive display is considered to have been obvious to one of ordinary skill in the art at the time of the invention since Park et al. demonstrates that touch displays are well known in the analogous art. The modification is considered to comprise the application of known element to a known device to yield a predictable improvement to the functioning of the device (the touch display could eliminate the buttons of Kotangi et al. for entering input, thus allowing for enlargement of the display).

13. Claim(s) 46, 48, and 49 is/are rejected under 35 U.S.C. 103 as being unpatentable over Honda et al. (US Patent no. 6,265,789 – disclosed by Applicant) in view of Kotangi et al. (Seiko Instruments Inc. WO 2005/092182 – disclosed by Applicant) and Lo et al. (US Patent no. 5,738,104 – disclosed by Applicant), further in view of Hong et al. (US Publication no. 2014/0275852).

In regard to claims 46, 48, and 49, Honda et al., Kotangi et al., and Park et al. when viewed in combination are considered to substantially suggest the invention as claimed. Honda et al., and Kotangi et al. suggest the use of a biosensor to detect health metrics such as heart rate or pulse rate, wherein the biosensor of Kotangi et al. is an optical device comprised of a light source 5 and light detector 6. The optical sensor

of Kotangi et al. is considered to represent what was known about optical biosensor at the time of invention. Hong et al. describes a similar wearable wrist watch electronic device analogous to the cited references in structure, function, and solution to stated problem. Figures 2a and 2b illustrates an exemplary embodiment of the device with a unibody housing. Figure 3C shows a cross section of a biosensor located therein. The biosensor is considered to comprise a current state of the art equivalent to Kotangi et al. The biosensor of Hong et al. includes a first light source and a second light source (light source LEDS), and a photodetector. This is similarly shown in figure 11D with light source 1 and light source 2. Figure 11D also shows two photodetectors (i.e., light detectors 1 and 2). The use of two light source enable the device to emit two different wavelengths of light (e.g., red and infrared) which is useful for sensing blood oxygen saturation levels (para 142). Each light detector of figure 11D detects light from each light source. Additionally, the light sources may emit green light which is useful for cool skin or ambient temperatures (para 142 and 143). Therefore it is considered to have been obvious to one of ordinary skill in the art at the time of the invention to modify the light source and light detector of Kotangi et al. to include an additional light source and light detector since Hong et al. shows that it is known in the art to incorporate additional light sources so that both red and infrared light for detecting blood oxygen saturation levels in optical sensors. Additionally, it is considered obvious to one of ordinary skill in the art at the time of the invention to modify the light source of Kotangi et al. to emit green light since Hong et al. teach that green light is known for detecting heart rate in optical sensors.

In regard to claims 48 and 49, figures 11D and 3C of Hong et al. show first and second light sources (para 142). At least one light detector/photodiode is included to detect reflected light. Hong et al. teaches the use of a first light source to emit red light and a second light source to emit infrared light to detect blood oxygen saturation levels (para 142). Last, figure 11d shows a first light detector 1 and a second light detector 2.

Conclusion

14. Applicant's submission of an information disclosure statement under 37 CFR 1.97(c) with the fee set forth in 37 CFR 1.17(p) on 29 March 2023 prompted the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 609.04(b). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

15. Any inquiry concerning this communication or earlier communications from the examiner should be directed to BRIAN T GEDEON whose telephone number is (571)272-3447. The examiner can normally be reached M-F 8:00 am to 5:30 PM ET.

Examiner interviews are available via telephone, in-person, and video conferencing using a USPTO supplied web-based collaboration tool. To schedule an interview, applicant is encouraged to use the USPTO Automated Interview Request (AIR) at http://www.uspto.gov/interviewpractice.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David E. Hamaoui can be reached on 571-270-5625. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of published or unpublished applications may be obtained from Patent Center. Unpublished application information in Patent Center is available to registered users. To file and manage patent submissions in Patent Center, visit: https://patentcenter.uspto.gov. Visit https://www.uspto.gov/patents/apply/patent-center for more information about Patent Center and https://www.uspto.gov/patents/docx for information about filing in DOCX format. For additional questions, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/BRIAN T GEDEON/
Primary Examiner, Art Unit 3792
20 April 2023

Notice of References Cited	Application/Control No. 18/075,253	Applicant(s)/Patent Under Reexamination Rothkopf et al.	
	Examiner BRIAN T GEDEON	Art Unit 3792	Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	CPC Classification	US Classification
*	A	US-20150026647-A1	01-2015	PARK; Yonghahk	G06F1/3231	715/863
*	B	US-20140275852-A1	09-2014	Hong; Jung Ook	A61B5/0002	600/479
	C					
	D					
	E					
	F					
	G					
	H					
	I					
	J					
	K					
	L					
	M					

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	CPC Classification
	N					
	O					
	P					
	Q					
	R					
	S					
	T					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	
	V	
	W	
	X	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

Search Notes	Application/Control No.	Applicant(s)/Patent Under Reexamination
	18/075,253	Rothkopf et al.
	Examiner	Art Unit
	BRIAN T GEDEON	3792

CPC - Searched*		
Symbol	Date	Examiner

CPC Combination Sets - Searched*		
Symbol	Date	Examiner

US Classification - Searched*			
Class	Subclass	Date	Examiner

* See search history printout included with this form or the SEARCH NOTES box below to determine the scope of the search.

Search Notes		
Search Notes	Date	Examiner
Detailed SEARCH history attached.	02/10/2023	BTG
Inventor name search.	02/10/2023	BTG
Search updated to consider IDS.	04/20/2023	BTG
IPR2023-00634 petition for inter partes review of Applicaiton no. 15/261,917 considered.	04/20/2023	BTG
IPR2023-00734 petition for inter partes review of Applicaiton no. 16/826,130 considered.	04/20/2023	BTG
IPR2023-00807 petition for inter partes review of Applicaiton no. 17/672,653 considered.	04/20/2023	BTG

Search Notes	Application/Control No.	Applicant(s)/Patent Under Reexamination
	18/075,253	Rothkopf et al.
	Examiner	Art Unit
	BRIAN T GEDEON	3792

Interference Search			
US Class/CPC Symbol	US Subclass/CPC Group	Date	Examiner
	USPG-Pub, US PAT claim text search.	02/10/2023	BTG

PTO/SB/08A (08-03) U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Substitute for Form 1449A/PTO **INFORMATION DISCLOSURE STATEMENT BY APPLICANT** *(Use as many sheets as necessary)*	**APPLICATION NO.:** 18/075,253	**FILING DATE:** December 5, 2022
	INVENTOR(S): Fletcher Rothkopf et al.	**ART UNIT:** 3792
	EXAMINER NAME: Brian T Gedeon	**ATTY. DOCKET NO.:** P22914USC11

U.S. PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A1.	4,129,124	12/12/1978	Thalmann	
	A2.	4,163,447	8/7/1979	Orr	
	A3.	4,224,948	9/30/1980	Cramer et al.	
	A4.	4,248,244	2/3/1981	Charnitski et al.	
	A5.	4,375,219	3/1/1983	Schmid	
	A6.	5,613,008	05/31/1994	Suga et al.	
	A7.	6,075,755	06/13/2000	Zarchan	
	A8.	6,091,530	06/18/2000	Duckworth	
	A9.	6,265,789	7/24/2001	Honda et al.	
	A10.	9,277,880	3/8/2016	Poeze et al.	
	A11.	10,231,629	3/19/2019	Pei et al.	
	A12.	10,060,788	8/28/2018	Fei	

U.S. PUBLICATION DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PUBLICATION NUMBER Number – Kind Code[2] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Inventor(s) of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	B1.	2001/0056243	12/27/2001	Ohsaki et al.	
	B2.	2005/0116820	6/5/2005	Goldreich	
	B3.	2007/0276270	11/29/2007	Tran	
	B4.	2008/0208009	8/28/2008	Shklarski	
	B5.	2012/0221254	8/30/2012	Kateraas et al.	
	B6.	2014/0135594	5/15/2014	Yuen et al.	
	B7.	2015/0214749	7/30/2015	Park et al.	
	B8.	2015/0355604	12/10/2015	Fraser et al.	
	B9.	2016/0073914	3/17/2016	Lapetina et al.	
	B10.	2016/0228064	8/11/2016	Jung et al.	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	DOCUMENT NUMBER Country Code[3] – Number[4] – Kind Code[5] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T[6]
	C1.	WO1982/00088	1/21/1982	Prime Microelectronic Instruments, Inc.		
	C2.	WO2005/092182	10/6/2005	Seiko Instr Inc		
	C3.	WO2012/140559	10/18/2012	Medic4All		
	C4.	WO2015/116111	8/6/2015	Hewlett-Packard Development Co, L.P.		
	C5.	WO2015/150199	10/8/2015	Koninklijke Philips N.V.		
	C6.	WO2017/165532	9/28/2017	Neumitra Inc		
	C7.	JP2005270543	10/6/2005	Seiko Instr Inc		

OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	Include name of Author, title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), volume-issue number(s), publisher, page(s) and date.	T[6]
	D1.	ALDINGER, F. and Weberruβ, V.A., "An Introduction to Structures, Properties, Technologies, Methods" (2010) In: Advanced Ceramics and Future Materials 17 pages	
	D2.	BERBARI, E.J., "Principles of Electrocardiology" (2015) In: The Biomedical Engineering Handbook -4th Edition (Eds: J.D. Bronzin & D.R. Peterson) 5 pages	
	D3.	CANFIELD, D., "Drying and Curing Inks and Coatings on Glass" (March 16, 2013) Glass Magazine 5 pages	
	D4.	DOREMUS, R.H., "Structure, Properties, and Processing" (2008) In: Ceramic and Glass Materials (Eds: J.F. Shackelford & R.H. Doremus) 33 pages	
	D5.	KINGERY, W.D., "Introduction to Ceramics" (1960) Eds: John Wiley & Sons, Inc. 23 pages	
	D6.	FRANCIS, J., "ECG monitoring leads and special leads" (2016) Indian Pacing and Electrophysiology Journal 16:92-95.	
	D7.	LOEHMAN, R.E., "Surfaces, Interfaces, Thin Films" (1993) In: Characterization of Ceramics, Materials Characterization Series (Eds: R.E. Loehman, J.E. Fitzpatrick) 13 pages	
	D8.	MENDELSON, Y. et al., "A Wearable Reflectance Pulse Oximeter for Remote Physiological Monitoring" (Aug 30-Sept 3, 2006) Proceedings of the 28th IEEE, EMBS Annual International Conference New York City 4 pages	
	D9.	MENDELSON, Y., "Wearable Wireless Pulse Oximetry for Physiological Monitoring" (Aug 4, 2008) Presentation - PPL Workshop 34 pages	
	D10.	MEZIANE, N. et al. "Dry Electrodes for Electrocardiography" (2013) Physiol. Meas. 34:R47-R69.	
	D11.	SHI, F., "Progress in Modern Ceramics" (2012) In: Ceramic Materials (Ed: Feng Shi) 6 pages	
	D12.	Declaration of R. James Duckworth, Ph.D, Filed February 27, 2023 in Case No. IPR2023-00634, 187 Pages	
	D13.	Defendant Masimo Corporation's Answer To Complaint and Counterclaims, dated December 12, 2022, Filed in District Court Case 1:22-cv-01378-MN, Masimo Corporation and Sound United, LLC vs. Apple Inc., 904 pages	
	D14.	Complaint For Patent Infringement, dated October 20, 2022, Filed in District Court Case 1:22-cv-01378-UNA, Masimo Corporation and Sound United, LLC vs. Apple Inc., 672 pages	

* EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

[1] Applicant's unique citation number (optional). [2] See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. [3] Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). [4] For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. [5] Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. [6] Applicant is to place a check mark here if English language Translation is attached.
1.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS			
	D15.	Declaration of Sylvia D. Hall-Ellis, Ph.D., Filed February 27, 2023 in Case No. IPR2023-00634, 40 pages	
	D16.	Declaration of Jamie L. Kringstein In Support Of Plaintiff And Counterclaim-Defendant Apple Inc.'s Motion To Dismiss Masimo Corporation's Counterclaims And Strike Its Inequitable Conduct Affirmative Defense, dated February 21, 2023, Filed in District Court Case 1:22-cv-01378-MN-JLH, *Masimo Corporation and Sound United, LLC vs. Apple Inc.*, 52 pages	
	D17.	Plaintiff And Counterclaim-Defendant Apple Inc.'s Memorandum Of Law In Support Of Its Motion To Dismiss Masimo Corporation's Counterclaims And Strike Its Inequitable Conduct Affirmative Defense, dated February 21, 2023, Filed in District Court Case 1:22-cv-01378-MN, *Masimo Corporation and Sound United, LLC vs. Apple Inc.*, 28 pages	
	D18.	Petition For Inter Partes Review of U.S. Patent No. 10,627,783, Filed February 27, 2023, in Case No. IPR2023-00634, 124 pages	
EXAMINER /BRIAN T GEDEON/		**DATE CONSIDERED** 04/19/2023	
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.			

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

PTO/SB/08A (08-03) U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Substitute for Form 1449A/PTO **INFORMATION DISCLOSURE STATEMENT BY APPLICANT** *(Use as many sheets as necessary)*	**APPLICATION NO.:** 18/075,253	**FILING DATE:** December 5, 2022
	INVENTOR(S): Fletcher Rothkopf et al.	**ART UNIT:** 3792
	EXAMINER NAME: Brian T Gedeon	**ATTY. DOCKET NO.:** P22914USC11

U.S. PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A1.	6,721,540	04/2004	Motomu Hayakawa	

U.S. PUBLICATION DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PUBLICATION NUMBER Number – Kind Code[2] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Inventor(s) of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	DOCUMENT NUMBER Country Code[3] – Number[4] – Kind Code[5] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T[6]

OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	Include name of Author, title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), volume-issue number(s), publisher, page(s) and date.	T[6]

EXAMINER	DATE CONSIDERED
/BRIAN T GEDEON/	04/19/2023

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

* EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

[1] Applicant's unique citation number (optional). [2] See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. [3] Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). [4] For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. [5] Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. [6] Applicant is to place a check mark here if English language Translation is attached.
1.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

PTO/SB/08A (08-03) U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Substitute for Form 1449A/PTO **INFORMATION DISCLOSURE STATEMENT BY APPLICANT** *(Use as many sheets as necessary)*	**APPLICATION NO.:** 18/075,253	**FILING DATE:** December 5, 2022
	INVENTOR(S): Fletcher Rothkopf et al.	**ART UNIT:** 3792
	EXAMINER NAME: Brian T Gedeon	**ATTY. DOCKET NO.:** P22914USC11

U.S. PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PATENT NUMBER Number – Kind Code[2] (if known)	ISSUE DATE MM-DD-YYYY	Name of Patentee of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A1.	8,810,514	08/2014	Zhao et al.	
	A2.	11,531,306	12/2022	Ely et al.	

U.S. PUBLICATION DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	PUBLICATION NUMBER Number – Kind Code[2] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Inventor(s) of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	B1.	2019/0025940	07/2018	Shim et al.	
	B2.	2021/0353226	11/2021	Hiemstra	
	B3.	2023/0013283	01/2023	Antonio F. Herrera	
	B4.	2023/0012897	01/2023	Tyler S. Atura Bushnell	
	B5.	2023/0028554	01/2023	Fletcher R. Rothkopf	
	B6.	2023/0077241	03/01/2023	Pandya et al.	

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.[1]	DOCUMENT NUMBER Country Code[3] – Number[4] – Kind Code[5] (if known)	PUBLICATION DATE MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T[6]
	C1.	CN103919536	07/2014	FITBIT Inc		
	C2.	CN114220694	03/2022	NOOER SCIENCE AND TECH CO LTD		
	C3.	JP2017219448	12/2017	Casio Computer Co. Ltd.		

EXAMINER /BRIAN T GEDEON/	DATE CONSIDERED 04/19/2023
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

* EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

[1] Applicant's unique citation number (optional). [2] See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. [3] Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). [4] For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. [5] Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. [6] Applicant is to place a check mark here if English language Translation is attached.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

Docket No. P22914USC11

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:		
Fletcher R. Rothkopf et al.	Examiner:	Brian T Gedeon
Application No. 18/075,253	Art Unit:	3792
Filed: December 5, 2022	Confirmation No.	7929
For: WEARABLE ELECTRONIC DEVICE		

INFORMATION DISCLOSURE STATEMENT TRANSMITTAL

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

The Examiner is requested to consider the references noted on the enclosed Form PTO/SB/08A and B during examination of the above-identified patent application. These references are submitted for the Examiner's consideration and are submitted pursuant to the duty of disclosure under 37 C.F.R. § 1.56. In submitting these references, no representation is made or implied that the references are or are not material to the examination of the application. The Examiner is requested to review the cited references and is encouraged to make his or her own determination of materiality of the references cited.

Pursuant to the requirements of 37 C.F.R. § 1.98(a)(2)(ii), only copies of the foreign references and non-patent literature documents are provided. Copies of the U.S. patent and U.S. patent application publication references are not provided, unless required by the Office.

In accordance with **37 CFR 1.97(c)**, the information disclosure statement is being filed after the period specified in 37 CFR 1.97(b), but before the mailing date of any of a final action under §1.113, a notice of allowance under §1.311, or an action that otherwise closes prosecution in the application, and is accompanied by the fee set forth in §1.17(p).

STATEMENT OF RELATEDNESS UNDER M.P.E.P. § 2001.06(b)

In satisfaction of the duty of disclosure under 37 C.F.R. § 1.56, and as required by M.P.E.P. §2001.06(b), the Examiner is requested to consider the pending application(s) listed

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

below which are owned by the Assignee of the present application. The pending application(s) may include subject matter similar to that of the present application.

- U.S. Patent Application Serial No 18/094,930; filed January 9, 2023; pending
- U.S. Patent Application Serial No. 18/106,912; filed February 7, 2023; pending
- U.S. Patent Application Serial No. 18/119,175; filed March 8, 2023; pending

FEE AUTHORIZATION

The required fee specified in 37 C.F.R. § 1.17(p), is being paid concurrently herewith by credit card authorization through the USPTO Electronic Filing System; The Director is hereby authorized any fee deficiency or credit any overpayment, to Deposit Account No. 50-4621.

If the Examiner has any questions, please contact the undersigned attorney.

Dated: March 29, 2023.

Respectfully submitted,

/Peter J. Nagle/
Peter J. Nagle, Registration No. 70,361
Attorney for Assignee
USPTO Customer No. 62579

Brownstein Hyatt Farber Schreck, LLP
410 Seventeenth Street
Suite 2200
Denver, Colorado 80202
Phone: (303) 223-1100
Fax: (303) 223-1111

/BRIAN T GEDEON/ 04/19/2023

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.T.G/

PE2E SEARCH - Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	British Equivalents	Time Stamp
L1	12	(US-4914831-$ | US-6587400-$ | US-6846998-$ | US-7034237-$ | US-7255473-$ | US-7506269-$ | US-8456430-$ | US-8816962-$ | US-9034666-$ | US-9176577-$ | US-9632318-$ | US-9800717-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:07 AM
L2	42	(US-0018026-$ | US-0024683-$ | US-0061863-$ | US-0062623-$ | US-0103985-$ | US-0104902-$ | US-0253487-$ | US-0269715-$ | US-0285404-$ | US-0306446-$ | US-0331869-$ | US-0335196-$ | US-0347289-$ | US-0357465-$ | US-20130335196-$ | US-20140347289-$ | US-20160062623-$ | US-20160103985-$ | US-20160253487-$ | US-20160306446-$ | US-20170061863-$ | US-20170104902-$ | US-20170269715-$ | US-20170285404-$ | US-20170331869-$ | US-20170357465-$ | US-20180018026-$ | US-20180024683-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:07 AM
L3	3	"9836025".pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:07 AM
L4	9	(US-4395134-$ | US-4634861-$ | US-4987299-$ | US-5631881-$ | US-5825353-$ | US-6392640-$ | US-6896403-$ | US-7102626-$ | US-9430042-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:08 AM

L5	12	(US-0069713-$ | US-0109861-$ | US-0248986-$ | US-0307414-$ | US-20160069713-$ | US-20160109861-$ | US-20170248986-$ | US-20170307414-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:08 AM
L6	22	(US-2288215-$ | US-2788236-$ | US-2797592-$ | US-3410247-$ | US-4311026-$ | US-4766642-$ | US-5509174-$ | US-6502982-$ | US-6834430-$ | US-7111365-$ | US-7285738-$ | US-7371745-$ | US-7591582-$ | US-8607662-$ | US-8783944-$ | US-8905631-$ | US-9052696-$ | US-9244438-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:09 AM
L7	12	(US-0116306-$ | US-0122656-$ | US-0130971-$ | US-0272784-$ | US-20040130971-$ | US-20090122656-$ | US-20120272784-$ | US-20160116306-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:09 AM
L8	0	"201700192391".pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:10 AM
L9	0	(201600327911|20170045958).PN.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:10 AM
L10	1	"20170192391".pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:10 AM
L11	3	(20160327911|20170045958).PN.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:10 AM
L12	4	(8188989|9947741).PN.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:11 AM
L13	244	(US-0003655-$ | US-0010751-$ | US-0013775-$ | US-0033430-$ | US-0037396-$ | US-0050054-$ | US-	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:11 AM

		0051649-$ | US- 0053468-$ | US- 0054813-$ | US- 0058375-$ | US- 0061636-$ | US- 0067711-$ | US- 0068857-$ | US- 0069443-$ | US- 0069444-$ | US- 0069447-$ | US- 0071050-$ | US- 0071098-$ | US- 0073119-$ | US- 0075082-$ | US- 0075558-$ | US- 0081375-$ | US- 0082414-$ | US- 0087443-$ | US- 0090148-$ | US- 0098016-$ | US- 0112859-$ | US- 0113044-$ | US- 0130914-$ | US- 0132516-$ | US- 0146975-$ | US- 0149099-$ | US- 0152452-$ | US- 0168178-$ | US- 0174590-$ | US- 0197936-$ | US- 0206248-$ | US- 0211042-$ | US- 0217207-$ | US- 0221460-$ | US- 0222756-$ | US- 0227217-$ | US- 0229671-$ | US- 0247421-$ | US- 0250377-$ | US- 0258784-$ | US- 0259301-$ | US- 0285443-$ | US- 0306437-$ | US- 0312051-$ | US- 0313703-$ | US- 0327630-$ | US- 0340318-$ | US- 0341031-$ | US- 0378070-$ | US- 0378071-$ | US- 0378072-$ | US- 15483374-$ | US- 2237860-$ | US- 2497935-$ | US- 2771734-$ | US- 20030174590-$ | US- 20040082414-$ | US- 20050075558-$ | US-					

		20060250377-$ | US- 20070013775-$ | US- 20070050054-$ | US- 20070211042-$ | US- 20070222756-$ | US- 20070229671-$ | US- 20070247421-$ | US- 20080130914-$ | US- 20090051649-$ | US- 20090073119-$ | US- 20090146975-$ | US- 20090152452-$ | US- 20090217207-$ | US- 20090285443-$ | US- 20090312051-$ | US- 20100033430-$ | US- 20100053468-$ | US- 20100081375-$ | US- 20100149099-$ | US- 20110090148-$ | US- 20120067711-$ | US- 20120068857-$ | US- 20120075082-$ | US- 20120112859-$ | US- 20120113044-$ | US- 20120206248-$ | US- 20130037396-$ | US- 20130087443-$ | US- 20140071050-$ | US- 20140071098-$ | US- 20140132516-$ | US- 20140197936-$ | US- 20140327630-$ | US- 20140340318-$ | US- 20150221460-$ | US- 20150227217-$ | US- 20150341031-$ | US- 20160054813-$ | US- 20160058375-$ | US- 20160061636-$ | US- 20160098016-$ | US- 20160168178-$ | US- 20160258784-$ | US- 20160259301-$ | US- 20160306437-$ | US- 20160313703-$ | US- 20160378070-$ | US- 20160378071-$ | US- 20160378072-$ | US- 20170003655-$ | US- 20170010751-$ | US- 20170069443-$ | US- 20170069444-$ | US- 20170069447-$ | US- 3040514-$ | US- 3056030-$ | US- 3130539-$ | US- 3495398-$ | US-					

		3621649-$ | US- 4007347-$ | US- 4031341-$ | US- 4037068-$ | US- 4077200-$ | US- 4133404-$ | US- 4170104-$ | US- 4258096-$ | US- 4287400-$ | US- 4289400-$ | US- 4311990-$ | US- 4324956-$ | US- 4345119-$ | US- 4364674-$ | US- 4379642-$ | US- 4417824-$ | US- 4581509-$ | US- 4600316-$ | US- 4617461-$ | US- 4641026-$ | US- 4670737-$ | US- 4783772-$ | US- 4884073-$ | US- 4922070-$ | US- 4931794-$ | US- 4952799-$ | US- 4980685-$ | US- 5034602-$ | US- 5214278-$ | US- 5258592-$ | US- 5288993-$ | US- 5347123-$ | US- 5383166-$ | US- 5471054-$ | US- 5572314-$ | US- 5583560-$ | US- 5726645-$ | US- 5748111-$ | US- 5841050-$ | US- 5847335-$ | US- 5867082-$ | US- 5943233-$ | US- 5953001-$ | US- 5963332-$ | US- 5423873-$ | US- 6069567-$ | US- 6134189-$ | US- 6154201-$ | US- 6175679-$ | US- 6246050-$ | US- 6252825-$ | US- 6304247-$ | US- 6355891-$ | US- 6422740-$ | US- 6477117-$ | US- 6525278-$ | US- 6556222-$ | US- 6646635-$).DID.					

L14	99	(US-6661438-$ | US-6672758-$ | US-6794992-$ | US-6809275-$ | US-6888076-$ | US-6909378-$ | US-6914551-$ | US-6961099-$ | US-6963039-$ | US-6985107-$ | US-6987568-$ | US-6998553-$ | US-7016263-$ | US-7081905-$ | US-7119289-$ | US-7135673-$ | US-7167083-$ | US-7244927-$ | US-7265336-$ | US-7274303-$ | US-7292741-$ | US-7358481-$ | US-7369308-$ | US-7404667-$ | US-7465917-$ | US-7520664-$ | US-7528824-$ | US-7545367-$ | US-7593755-$ | US-7605846-$ | US-7634263-$ | US-7646677-$ | US-7710456-$ | US-7761246-$ | US-7763819-$ | US-7772507-$ | US-7778115-$ | US-7781726-$ | US-7791597-$ | US-7856255-$ | US-7858583-$ | US-7865324-$ | US-8063892-$ | US-8138488-$ | US-8167126-$ | US-8169402-$ | US-8195313-$ | US-8248815-$ | US-8263886-$ | US-8263889-$ | US-8312495-$ | US-8368677-$ | US-8371745-$ | US-8373661-$ | US-8410971-$ | US-8432368-$ | US-8439559-$ | US-8441450-$ | US-	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:11 AM

		8446713-$ | US-8477118-$ | US-8493190-$ | US-8525777-$ | US-8568313-$ | US-8576044-$ | US-8593598-$ | US-8614881-$ | US-8666682-$ | US-8704787-$ | US-8711093-$ | US-8724087-$ | US-8730167-$ | US-8743088-$ | US-8824245-$ | US-8859971-$ | US-8860674-$ | US-8863219-$ | US-8878657-$ | US-8885856-$ | US-8895911-$ | US-8920022-$ | US-8922399-$ | US-8928452-$ | US-8994827-$ | US-9024733-$ | US-9041663-$ | US-9086738-$ | US-9105413-$ | US-9123483-$ | US-9176598-$ | US-9202372-$ | US-9213409-$ | US-9223296-$ | US-9277156-$ | US-9350850-$ | US-9449770-$ | US-9607505-$ | US-9620312-$ | US-9627163-$ | US-RE41637-$ | US-X6-$).DID.					
L15	7	(3355873|20110007468|20120177237).PN.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:12 AM
L16	0	rothkoph-fletcher-r.in.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:23 AM
L17	253	((("Rothkopf") near3 ("Fletcher") near3 ("R"))).INV.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/30 09:23 AM
L18	850	biosensor AND ((wrist NEAR watch) OR wristwatch)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:24 AM
L19	4	L17 AND L18	(US-PGPUB; USPAT; USOCR; FPRS; EPO;	OR	ON	ON	2018/05/30 09:24 AM

			JPO)				
L20	1954995	curve	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:29 AM
L21	244	L18 AND L20	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 09:29 AM
L22	8927	smartwatch	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 10:23 AM
L23	89438	biosensor	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 10:23 AM
L24	218	L22 AND L23	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 10:23 AM
L25	21	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$).did.	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 10:35 AM
L26	36	("20030176815" | "20050228297" | "20060252999" | "20070049461" | "20070167844" | "20080039731" | "20090216132" | "20100081951" | "20100106029" | "20100292589" | "20110003665" | "20110152637" | "20120244995" | "20130296723" | "20130338460" | "20140073969" | "20140107493" | "20140167973" | "20140249398" |	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/30 10:37 AM

		"20140257533" | "20140257534" | "20140257535" | "20140274159" | "20140278139" | "20140354527" | "20150374310" | "4830017" | "4893631" | "4987898" | "5243992" | "5617867" | "6371920" | "6443906" | "6475153" | "6723054" | "7539532").PN. OR ("9848825").URPN.					
L27	16	("20010008074" | "20040020856" | "20040152957" | "20070279852" | "20120293323" | "20130222271" | "20140207264" | "20140275852" | "20140378777" | "20150026647" | "20150371516" | "6619835" | "6736759" | "6832109" | "8988349" | "9288836").PN. OR ("9737212").URPN.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/30 10:39 AM
L28	49	("20020055117" | "20030165954" | "20030175993" | "20060057707" | "20080022089" | "20080038738" | "20080266546" | "20130146659" | "20130231711" | "20130234850" | "20130346168" | "20140139422" | "20140139486" | "20140139637" | "20140143737" | "20140180595" | "20140239065" | "20140275850" | "20140275852" | "20140275854" | "20140276244" | "20140316305" | "20140366123" | "20150073907" | "20150186609" | "20150196200" | "20150238150" | "20150366518" |	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/30 10:41 AM

		"20150371215" | "20160036811" | "20160037346" | "20160125600" | "20160162873" | "20160239624" | "20160286210" | "20160328282" | "20160374588" | "20160379205" | "20170011210" | "20170011223" | "20170018150" | "20170031449" | "20170039358" | "20170071483" | "8784271" | "9100493" | "9299238").PN. OR ("9704154").URPN.					
L29	13	("20020167488" | "20040030753" | "20050195805" | "20050272408" | "20060036642" | "20110080289" | "20110234414" | "20120052922" | "20120218101" | "20130002441" | "20130325922" | "20150279168" | "8744113").PN. OR ("9622214").URPN.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/30 10:55 AM
L30	17	("20030099459" | "4736196" | "5537102" | "5883576" | "5936530" | "6158884" | "6255951" | "6350055" | "6396403" | "6431455" | "7133843").PN. OR ("7474592").URPN.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/30 10:57 AM
L31	45	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 12:03 PM

		US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$).did.					
L32	1	"15261912"	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 12:09 PM
L33	33545	(smartwatch) OR (smart NEAR watch)	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 12:28 PM
L34	223931	apple	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 12:28 PM
L35	8043	L33 AND L34	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 12:28 PM
L36	2386928	curve$4	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 12:29 PM
L37	1219	L35 AND L36	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 12:29 PM
L38	1756218	rectangular	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 12:29 PM
L39	345	L37 AND L38	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 12:29 PM
L40	18177	((("Apple") near3 ("Inc"))).AS,AANM.	(USPAT)	OR	ON	ON	2018/05/30 02:59 PM
L41	33545	(smartwatch) OR (smart NEAR watch)	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/30 02:59 PM
L42	407	L40 AND L41	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 02:59 PM
L43	279935	crown	(US-PGPUB; USPAT; USOCR; FPRS; EPO;	OR	ON	ON	2018/05/30 03:02 PM

			JPO)				
L44	18	L42 AND L43	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:02 PM
L45	120000	(heart NEAR rate)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:03 PM
L46	39	L42 AND L45	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:03 PM
L47	482	"iwatch"	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:09 PM
L48	23	L40 AND L47	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:09 PM
L49	1	"15261912"	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:12 PM
L50	248238	(photosensor OR photodetector)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:21 PM
L51	16	L42 AND L50	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:21 PM
L52	155606	sapphire	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:23 PM
L53	16	L42 AND L52	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:23 PM
L54	58538	(transparent NEAr cover)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:59 PM
L55	3	L42 AND L54	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 03:59 PM
L56	6820268	cover	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 04:00 PM
L57	81	L41 AND L54	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 04:00 PM
L58	42	("20030197648" | "20050156908" | "20060196849" | "20060273304" | "20080164578" | "20090104409" | "20090124062" | "20100231466" | "20110019123" | "20110072856" |	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/30 04:04 PM

		"20110223840" | "20120118228" | "20120135177" | "20120299841" | "20130002583" | "20130071601" | "20130140965" | "20130188366" | "20130236699" | "20140178647" | "20150085429" | "20150085432" | "20160058375" | "20160064800" | "20160378069" | "20160378070" | "20160378071" | "3740944" | "3911670" | "4561783" | "5369267" | "5545277" | "6206563" | "6406769" | "6677906" | "7712954" | "8596860" | "8721917" | "8824140" | "9271395" | "9288294" | "9369553").PN. OR ("9977464").URPN.					
L59	850	biosensor AND ((wrist NEAR watch) OR wristwatch)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 04:08 PM
L60	719	L AND L59	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/30 04:08 PM
L61	0	L40 AND L59	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/30 04:08 PM
L62	58057	((wrist NEAR watch) OR wristwatch)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 04:08 PM
L63	967	L40 AND L62	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 04:09 PM
L64	48	L45 AND L63	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 04:09 PM
L65	68	L52 AND L63	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 04:14 PM
L66	5183	L45 AND L62	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 04:17 PM
L67	221	L52 AND L66	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/30 04:18 PM
L68	72	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/31 09:38 AM

		US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-					

		D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$).did.					
L69	40	("20100193972" | "20110186324" | "20110210825" | "20110222248" | "20110241949" | "20120028679" | "20120133597" | "20120223865" | "20130044074" | "20130052947" | "20130078917" | "20130140965" | "20130229362" | "20130234910" | "20130300618" | "20130321216" | "20140080411" | "20140112511" | "20140132462" | "20140133074" | "20140170975" | "20140209691" | "20140213178" | "20140218250" | "20140226291" | "20140232609" | "20150035709" | "20150207913" | "20150311960" | "20150351292" | "5768217" | "6825751" | "7233291" | "7506436" | "7815820" | "8502739" | "8679393" | "8766858" | "8780581" | "8803745").PN. OR ("9680205").URPN.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/31 09:53 AM
L70	3	(9242085|20080033504|9011355).pn.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/31 09:54 AM
L71	37	("1313644" | "1692079" | "1817475" | "20040025984" | "20070125816" | "20080060224" | "20080086911" | "20120102691" |	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/31 11:05 AM

		"20140070042" | "20140094728" | "20150135410" | "20160255944" | "20160272458" | "20160345653" | "20160345661" | "3890801" | "4941236" | "5485848" | "6301754" | "6799887" | "7562640" | "7618384" | "7690220" | "7752774" | "8147417" | "8370998" | "8522456" | "8769844" | "9044372" | "9129503" | "9144273" | "9204690" | "9307804" | "9365387").PN. OR ("9781984").URPN.					
L72	4437806	(contour$4 OR round$4 OR curve$4)	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/31 12:08 PM
L73	58102	((wrist NEAR watch) OR wristwatch)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/31 12:08 PM
L74	15419	L72 AND L73	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/31 12:08 PM
L75	66	watchface	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/31 12:08 PM
L76	26	("2225474" | "3469391" | "4034552" | "4167850" | "4194355" | "4417821" | "4506992").PN. OR ("4903253").URPN.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/31 12:12 PM
L77	69	("20100061191" | "3640065" | "4903253" | "5265009" | "5386933" | "6655831" | "6712501" | "6970157" | "7004469" | "7106197" | "7708457" | "8647268" | "8766805" | "9060683" | "9551608" | "D287471" | "D439172" | "D496589" | "D513195" | "D528018" | "D528439" | "D528928" | "D558227" | "D563434" | "D569389" | "D572266" | "D574735" | "D578922" | "D584170" | "D586823" | "D589375" | "D596610" | "D616417" | "D637094" | "D637918" | "D650706" | "D651216" | "D666503" | "D681483" |	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/31 12:12 PM

		"D699701" | "D712870" | "D728624" | "D737156" | "D737157" | "D737158" | "D737159" | "D741726" | "D744356" | "D745421" | "D746707" | "D746868" | "D747288" | "D751070" | "D752044" | "D756357" | "D756824" | "D757819" | "D758363" | "D759011" | "D759725" | "D765655" | "D766752" | "D771035" | "D771504" | "D777163" | "D782537" | "D784326" | "D790517").PN. OR ("D798905").URPN.					
L78	0	akana-joan.in.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/31 12:19 PM
L79	717	akana-jody.in.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2018/05/31 12:19 PM
L80	406132	((wrist NEAR watch) OR wristwatch OR watch)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/31 12:26 PM
L81	18177	((("Apple") near3 ("Inc"))).AS,AANM.	(USPAT)	OR	ON	ON	2018/05/31 12:26 PM
L82	2430	L81 AND L80	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/31 12:26 PM
L83	124655	rectangular AND orthogonal AND (contour$4 OR round$4 OR curve$4 OR curvature)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/31 12:27 PM
L84	71	L82 AND L83	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/31 12:27 PM
L85	76	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/31 12:42 PM

		US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-					

		7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$).did.					
L86	78	ely-colin-m.in.	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/31 12:43 PM
L87	52	de-jong-erik-g.in.	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/31 12:46 PM
L88	75	memering-dale-n.in..in.	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/31 12:48 PM
L89	75	memering-dale-n.in.	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/31 12:48 PM
L90	4	mylvaganam-jeffrey-c.in.	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/31 12:51 PM
L91	3	("20120169465"|"20120245439"|"20130231574").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2018/05/31 01:00 PM
L92	1	"20150186609".pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/31 01:54 PM
L93	908170	convex	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/31 02:15 PM
L94	9	L85 AND L93	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/31 02:15 PM
L95	1304822	mask	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/31 02:18 PM
L96	14	L85 AND L95	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/05/31 02:19 PM
L97	8	(20150186609|20140275852|20140107493|20130023669|4903253).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 08:01 AM
L98	3	"14145856"	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 09:52 AM
L99	1	"14073550"	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 09:55 AM
L100	17	("20110121449"|"20130072765"|"20140121471"|"20140334083"|"20150065840"|"3515798"|"6500367"|"8591411").PN.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 09:58 AM
L101	77	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or	(US-PGPUB; USPAT)	OR	ON	ON	2018/06/01 02:39 PM

		US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-					

		9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$).did.					
L102	280007	crown	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 02:39 PM
L103	6	L101 AND L102	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 02:39 PM
L104	740594	acoustic	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 02:40 PM
L105	21	L101 AND L104	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 02:40 PM
L106	2738169	gasket OR seal	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 02:42 PM
L107	0	L101 AND LL6	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 02:42 PM
L108	16	L101 AND L106	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 02:42 PM
L109	1304822	mask	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 03:06 PM
L110	14	L101 AND L109	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 03:06 PM
L111	33714	(smartwatch) OR (smart NEAR watch)	(US-PGPUB; USPAT)	OR	ON	ON	2018/06/01 04:33 PM
L112	2738169	gasket OR seal	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 04:33 PM
L113	2278	L111 AND L112	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 04:33 PM
L114	180804	ledge	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 04:33 PM

L115	73	L113 AND L114	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 04:34 PM
L116	77	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-	(US-PGPUB; USPAT)	OR	ON	ON	2018/06/01 04:36 PM

		D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$).did.					
L117	461759	gasket	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 04:36 PM
L118	5	L116 AND L117	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/01 04:36 PM
L119	6	(15261914|15261917|15627321|15870718|15879223|14842617)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/04 04:46 PM
L120	77	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or	(US-PGPUB; USPAT)	OR	ON	ON	2018/06/04 06:22 PM

		US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$).did.					
L121	132091	sapphire	(US-PGPUB; USPAT)	OR	ON	ON	2018/06/04 07:38 PM
L122	9	L120 AND L121	(US-PGPUB; USPAT)	OR	ON	ON	2018/06/04 07:39 PM

L123	77	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-	(US-PGPUB; USPAT)	OR	ON	ON	2018/06/07 03:23 PM

		D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$).did.					
L124	77772	crown AND (rotary OR rotation)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 03:23 PM
L125	5	L123 AND L124	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 03:24 PM
L126	33999	(smartwatch) OR (smart NEAR watch)	(US-PGPUB; USPAT)	OR	ON	ON	2018/06/07 03:24 PM
L127	162	L126 AND L124	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 03:24 PM
L128	406910	(watch OR wristwatch OR (wrist NEAR watch))	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 03:32 PM
L129	3396	L124 AND L128	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 03:32 PM
L130	2	"20150124415".pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 03:36 PM
L131	1	"15261912"	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 03:52 PM
L132	14	(speaker SAME (recess OR aperture) SAME fluid SAME (intrusion OR ingress))	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 04:03 PM
L133	299	(waterproof NEAR port)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 04:04 PM
L134	0	L126 AND L133	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 04:04 PM
L135	25	L128 AND L133	(US-PGPUB; USPAT;	OR	ON	ON	2018/06/07

			USOCR; FPRS; EPO; JPO)				04:04 PM
L136	319	(waterproof SAME (audio OR acoustic) SAME port)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 04:09 PM
L137	8	L126 AND L136	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 04:09 PM
L138	56	L128 AND L136	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/06/07 04:09 PM
L139	81	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-	(US-PGPUB; USPAT)	OR	ON	ON	2018/06/07 04:49 PM

		9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$ or US-3577876-$ or US-9300344-$ or US-9615476-$ or US-9625944-$).did.					
L140	1	"8229535".pn.	(US-PGPUB; USPAT)	OR	ON	ON	2018/06/07 04:50 PM
L141	39	("0012016"|"0012017"|"0022016"|"0032012"|"0032017"|"0042018"|"0052010"|"0052011"|"0052015"|"0052018"|"0062008"|"0062010"|"0062017"|"0072015"|"0072016"|"0082013"|"0082015"|"0082016"|"0092016"|"0102017"|"0112014"|"0112016"|"0122005"|"20040264301"|"20110242064"|"20130261405"|"20150098309"|"20160018846"|"20160320583"|"20170011210"|"20170031449"|"20170139489"|"20170216668"|"20170238138"|"20170251561	(US-PGPUB; USPAT)	OR	ON	ON	2018/12/11 05:21 PM

		"|"20170301314"|"20180136613"|"20180136686"|"4396298").PN.					
L142	1267679	(translation$4)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/11 05:22 PM
L143	4	L141 AND L142	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/11 05:24 PM
L144	10	("0062016"|"10001817"|"20130191220"|"20160147432"|"20160170598"|"20160170608"|"6396006"|"8294670"|"9552023"|"9659482").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2018/12/11 05:28 PM
L145	2	("20110158057"|"9141087").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2018/12/11 05:28 PM
L146	4	("20180239306"|"20180246469"|"20180299834"|"9971405").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2018/12/11 05:28 PM
L147	5	("20040047244"|"20150366098"|"20180307363"|"5960366"|"9520100").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2018/12/11 05:29 PM
L148	22	(US-2288215-$ | US-2788236-$ | US-2797592-$ | US-3410247-$ | US-4311026-$ | US-4766642-$ | US-5509174-$ | US-6502982-$ | US-6834430-$ | US-7111365-$ | US-7285738-$ | US-7371745-$ | US-7591582-$ | US-8607662-$ | US-8783944-$ | US-8905631-$ | US-9052696-$ | US-9244438-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/11 06:07 PM
L149	2	L142 AND L148	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/11 06:07 PM
L150	4	"15178089"	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/11 06:18 PM
L151	22	(US-2288215-$ | US-2788236-$ | US-2797592-$ | US-3410247-$ | US-4311026-$ | US-4766642-$ | US-5509174-$ | US-	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/12 07:10 AM

		6502982-$ | US-6834430-$ | US-7111365-$ | US-7285738-$ | US-7371745-$ | US-7591582-$ | US-8607662-$ | US-8783944-$ | US-8905631-$ | US-9052696-$ | US-9244438-$).DID.					
L152	25	(US-4396298-$ | US-6977868-$ | US-7385874-$ | US-7708457-$ | US-7732724-$ | US-7946758-$ | US-8143981-$ | US-8508511-$ | US-9028134-$ | US-9086717-$ | US-9101184-$ | US-9241635-$ | US-9256209-$ | US-9386932-$ | US-9426275-$ | US-9437357-$ | US-9501044-$ | US-9532723-$ | US-9545541-$ | US-9599964-$ | US-9680831-$ | US-9946297-$ | US-9971305-$ | US-D717679-$ | US-D800172-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/12 07:19 AM
L155	13	(9836025|9709956|9620312).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/12 09:13 AM
L156	4	"14842617"	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/12 09:14 AM
L157	49919	crown SAME ((rotary OR rotation OR rotat$4) OR (translat$4 OR translatable))	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/12 09:20 AM
L158	3	L155 AND L157	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/12 09:20 AM
L159	15	"14455375"	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/12 09:22 AM
L160	1	"15261914"	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2018/12/12 09:30 AM

L161	1	"8954135".pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/01/08 09:51 AM
L162	12	(US-10092203-$ | US-5999168-$ | US-6241684-$ | US-6361502-$ | US-6982930-$ | US-7113450-$ | US-7468036-$ | US-7791588-$ | US-9039614-$ | US-9042971-$ | US-9898032-$ | US-9979426-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/02/15 09:35 AM
L163	2846978	wireless	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/02/15 09:38 AM
L164	9	L162 AND L163	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/02/15 09:38 AM
L165	25	(US-0049059-$ | US-0196517-$ | US-0235491-$ | US-0270358-$ | US-0320346-$ | US-0338642-$ | US-0368442-$ | US-0375579-$ | US-20110270358-$ | US-20140368442-$ | US-20140375579-$ | US-20150049059-$ | US-20150320346-$ | US-20150338642-$ | US-20160338642-$ | US-20180196517-$ | US-20180235491-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/02/15 09:44 AM
L166	3	(US-3362154-$ | US-9001625-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/02/15 09:45 AM
L167	21	(US-0017846-$ | US-0027461-$ | US-0073486-$ | US-0329368-$ | US-0335891-$ | US-0341342-$ | US-0364815-$ | US-20140073486-$ | US-20170027461-$ | US-20180329368-$ | US-20180335891-$ | US-20180341342-$ | US-20180364815-$ | US-20190017846-$).DID.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/02/15 09:46 AM
L168	88408	haptic	(US-PGPUB; USPAT;	OR	ON	ON	2019/02/15

			USOCR; FPRS; EPO; JPO)				09:55 AM
L169	5	L165 AND L168	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/02/15 09:55 AM
L170	0	L166 AND L168	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/02/15 09:56 AM
L171	6	L162 AND L168	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/02/15 09:56 AM
L172	9	(7822469|8908477|20170216519).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/05/06 10:15 AM
L173	9	(10209148|10114342|8677285|20130235704|20160241688).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/05/23 10:39 AM
L174	993	haptic AND crown	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/05/23 10:40 AM
L175	0	L173 AND L174	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/05/23 10:40 AM
L176	81	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-	(US-PGPUB; USPAT)	OR	ON	ON	2019/05/23 10:49 AM

		9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$ or US-3577876-$ or US-9300344-$ or US-9615476-$ or US-9625944-$).did.					
L177	18	L176 AND Haptic	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/05/23 10:50 AM
L178	2	("7021442"|"7894957"). PN.	(US-PGPUB; USPAT)	OR	ON	ON	2019/07/29 08:05 AM
L179	2	("7021442"|"7894957"). PN.	(US-PGPUB; USPAT)	OR	ON	ON	2019/07/29 08:11 AM

L180	2	("7021442"|"7894957").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2019/07/29 08:11 AM
L181	25	(3733803|4520306|6377239|6882596|6967903|7286063|7655874|8975543|9836025|10331082|20080088417|20170090599|20190163324).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/07/29 08:13 AM
L182	3	"9627163".pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/07/29 08:20 AM
L183	3	"9627163".pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/08/13 07:07 PM
L184	15	("10331082"|"20050088417"|"20170090599"|"20190163324"|"3733803"|"4520306"|"6377239"|"6882596"|"6967903"|"7021442"|"7286063"|"7655874"|"7894957"|"8975543"|"9836025").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2019/08/13 08:09 PM
L185	5	(7021442|7894957).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2019/08/13 08:11 PM
L186	4	("20190250754"|"20190294117"|"20190302902"|"5177355").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2019/11/24 05:25 PM
L187	3	(5477508|8275327).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/02/28 01:14 PM
L188	4	(10613485|10620591|10627783|10599101).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/05/01 01:23 PM
L189	83	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/01 01:38 PM

		US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$ or US-					

		3577876-$ or US-9300344-$ or US-9615476-$ or US-9625944-$ or US-9627163-$).did. or (US-7286063-$).did.					
L190	278	("10001817"|"10018966"|"10019097"|"10037006"|"10048802"|"10061399"|"10092203"|"10114342"|"10145711"|"10175652"|"10209148"|"10216147"|"10222756"|"10222909"|"10234828"|"10296125"|"10331081"|"10331082"|"10379629"|"10509486"|"2237860"|"2288215"|"2497935"|"2771734"|"2788236"|"2797592"|"3040514"|"3056030"|"3130539"|"3355873"|"3362154"|"3410247"|"3495398"|"3577876"|"3621649"|"3662618"|"3733803"|"4007347"|"4031341"|"4037068"|"4077200"|"4133404"|"4170104"|"4258096"|"4287400"|"4289400"|"4311026"|"4311990"|"4324956"|"4345119"|"4364674"|"4379642"|"4395134"|"4396298"|"4417824"|"4520306"|"4581509"|"4600316"|"4617461"|"4634861"|"4641026"|"4670737"|"4766642"|"4783772"|"4884073"|"4914831"|"4922070"|"4931794"|"4952799"|"4980685"|"4987299"|"5034602"|"5177355"|"5214278"|"5258592"|"5288993"|"5347123"|"5383166"|"5471054"|"5477508"|"5509174"|"5572314"|"5583560"|"5631881"|"5726645"|"5748111"|"5825353"|"5841050"|"5847335"|"5867082"|"5943233"|"5953001"|"5960366"|"5963332"|"5999168"|"6069567"|"6134189"|"6154201"|"6175679"|"6241684"|"6246050"|"6252825"|"6304247"|"6355891"|"6361502"|"6377239"|"6392640"|"6396006"|"6	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/01 02:00 PM

		422740"|"6477117"|"65 02982"|"6525278"|"655 6222"|"6575618"|"6587 400"|"6646635"|"66614 38"|"6672758"|"679499 2"|"6809275"|"6834430" |"6846998"|"6882596"|" 6888076"|"6896403"|"6 909378"|"6914551"|"69 61099"|"6963039"|"696 7903"|"6977868"|"6982 930"|"6985107"|"69875 68"|"6998553"|"701626 3"|"7021442"|"7034237" |"7081905"|"7102626"|" 7111365"|"7113450"|"7 119289"|"7135673"|"71 67083"|"7244927"|"725 5473"|"7265336"|"7274 303"|"7285738"|"72860 63"|"7292741"|"735848 1"|"7369308"|"7371745" |"7385874"|"7404667"|" 7465917"|"7468036"|"7 506269"|"7520664"|"75 28824"|"7545367"|"759 1582"|"7593755"|"7605 846"|"7634263"|"76466 77"|"7655874"|"768207 0"|"7708457"|"7710456" |"7732724"|"7761246"|" 7763819"|"7772507"|"7 778115"|"7781726"|"77 91588"|"7791597"|"782 2469"|"7856255"|"7858 583"|"7865324"|"78949 57"|"7946758"|"806389 2"|"8138488"|"8143981" |"8167126"|"8169402"|" 8188989"|"8195313"|"8 229535"|"8248815"|"82 63886"|"8263889"|"827 5327"|"8294670"|"8312 495"|"8368677"|"83717 45"|"8373661"|"841097 1"|"8432368"|"8439559" |"8441450"|"8446713"|" 8456430"|"8477118"|"8 493190"|"8508511"|"85 25777"|"8562489"|"856 8313"|"8576044"|"8593 598"|"8607662"|"86148 81"|"8666682"|"867728 5"|"8704787"|"8711093" |"8724087"|"8730167"|" 8743088"|"8783944"|"8 804993"|"8816962"|"88 24245"|"8847741"|"885					

		9971"|"8860674"|"8863219"|"8878657"|"8885856"|"8895911"|"8905631"|"8908477"|"8920022"|"8922399"|"8928452"|"8954135"|"8975543"|"8994827"|"9001625"|"9024733"|"9028134"|"9030446"|"9034666"|"9039614"|"9041663"|"9042971"|"9052696"|"9086717"|"9086738"|"9101184"|"9105413"|"9123483"|"9141087"|"9176577"|"9176598"|"9202372"|"9213409"|"9223296"|"9241635"|"9244438"|"9256209"|"9277156"|"9350850"|"9386932"|"9426275"|"9430042"|"9437357"|"9449770"|"9501044"|"9520100"|"9532723").PN.					
L191	33	("9542016"|"9545541"|"9552023"|"9599964"|"9607505"|"9620312"|"9627163"|"9632318"|"9638587"|"9651922"|"9659482"|"9680831"|"9709956"|"9753436"|"9800717"|"9836025"|"9873711"|"9874945"|"9886006"|"9891590"|"9891651"|"9898032"|"9927902"|"9939923"|"9946297"|"9952558"|"9952682"|"9971305"|"9971405"|"9979426"|"D717679"|"D800172"|"RE41637").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/01 02:00 PM
L192	4	(20150186609|20140107493|D647107|7474592).pn.	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/01 02:11 PM
L193	18	("20030099459" | "4736196" | "5537102" | "5883576" | "5936530" | "6158884" | "6255951" | "6350055" | "6396403" | "6431455" | "7133843").PN. OR ("7474592").URPN.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2020/05/01 02:37 PM
L194	83	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/06 04:20 PM

		US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-					

		9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$ or US-3577876-$ or US-9300344-$ or US-9615476-$ or US-9625944-$ or US-9627163-$).did. or (US-7286063-$).did.					
L195	112037	("ECG" OR "EKG" OR electrocardiogra$4)	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/06 04:43 PM
L196	23	L194 AND L195	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/06 04:43 PM
L197	278	("10001817"|"10018966"|"10019097"|"10037006"|"10048802"|"10061399"|"10092203"|"10114342"|"10145711"|"10175652"|"10209148"|"10216147"|"10222756"|"10222909"|"10234828"|"10296125"|"10331081"|"10331082"|"10379629"|"10509486"|"2237860"|"2288215"|"2497935"|"2771734"|"2788236"|"2797592"|"3040514"|"3056030"|"3130539"|"3355873"|"3362154"|"3410247"|"3495398"|"3577876"|"3621649"|"3662618"|"3733803"|"4007347"|"4031341"|"4037068"|"4077200"|"4133404"|"4170104"|"4258096"|"4287400"|"4289400"|"4311026"|"4311990"|"4324956"|"4345119"|"4364674"|"4379642"|"4395134"|"4396298"|"4417824"|"4520306"|"4581509"|"4600316"|"4617461"|"4634861"|"4641026"|"4670737"|"4766642"|"4783772"|"4884073"|"4914831"|"4922070"|"4931794"|"4952799"|"4980685"	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/06 04:57 PM

		|"4987299"|"5034602"|"5177355"|"5214278"|"5258592"|"5288993"|"5347123"|"5383166"|"5471054"|"5477508"|"5509174"|"5572314"|"5583560"|"5631881"|"5726645"|"5748111"|"5825353"|"5841050"|"5847335"|"5867082"|"5943233"|"5953001"|"5960366"|"5963332"|"5999168"|"6069567"|"6134189"|"6154201"|"6175679"|"6241684"|"6246050"|"6252825"|"6304247"|"6355891"|"6361502"|"6377239"|"6392640"|"6396006"|"6422740"|"6477117"|"6502982"|"6525278"|"6556222"|"6575618"|"6587400"|"6646635"|"6661438"|"6672758"|"6794992"|"6809275"|"6834430"|"6846998"|"6882596"|"6888076"|"6896403"|"6909378"|"6914551"|"6961099"|"6963039"|"6967903"|"6977868"|"6982930"|"6985107"|"6987568"|"6998553"|"7016263"|"7021442"|"7034237"|"7081905"|"7102626"|"7111365"|"7113450"|"7119289"|"7135673"|"7167083"|"7244927"|"7255473"|"7265336"|"7274303"|"7285738"|"7286063"|"7292741"|"7358481"|"7369308"|"7371745"|"7385874"|"7404667"|"7465917"|"7468036"|"7506269"|"7520664"|"7528824"|"7545367"|"7591582"|"7593755"|"7605846"|"7634263"|"7646677"|"7655874"|"7682070"|"7708457"|"7710456"|"7732724"|"7761246"|"7763819"|"7772507"|"7778115"|"7781726"|"7791588"|"7791597"|"7822469"|"7856255"|"7858583"|"7865324"|"7894957"|"7946758"|"8063892"|"8138488"|"8143981"|"8167126"|"8169402"|"8188989"|"8195313"|"8					

		229535"|"8248815"|"82 63886"|"8263889"|"827 5327"|"8294670"|"8312 495"|"8368677"|"83717 45"|"8373661"|"841097 1"|"8432368"|"8439559" |"8441450"|"8446713"|" 8456430"|"8477118"|"8 493190"|"8508511"|"85 25777"|"8562489"|"856 8313"|"8576044"|"8593 598"|"8607662"|"86148 81"|"8666682"|"867728 5"|"8704787"|"8711093" |"8724087"|"8730167"|" 8743088"|"8783944"|"8 804993"|"8816962"|"88 24245"|"8847741"|"885 9971"|"8860674"|"8863 219"|"8878657"|"88858 56"|"8895911"|"890563 1"|"8908477"|"8920022" |"8922399"|"8928452"|" 8954135"|"8975543"|"8 994827"|"9001625"|"90 24733"|"9028134"|"903 0446"|"9034666"|"9039 614"|"9041663"|"90429 71"|"9052696"|"908671 7"|"9086738"|"9101184" |"9105413"|"9123483"|" 9141087"|"9176577"|"9 176598"|"9202372"|"92 13409"|"9223296"|"924 1635"|"9244438"|"9256 209"|"9277156"|"93508 50"|"9386932"|"942627 5"|"9430042"|"9437357" |"9449770"|"9501044"|" 9520100"|"9532723").P N.					
L198	13	L195 AND L197	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/06 04:57 PM
L199	33	("9542016"|"9545541"|" 9552023"|"9599964"|"9 607505"|"9620312"|"96 27163"|"9632318"|"963 8587"|"9651922"|"9659 482"|"9680831"|"97099 56"|"9753436"|"980071 7"|"9836025"|"9873711" |"9874945"|"9886006"|" 9891590"|"9891651"|"9 898032"|"9927902"|"99 39923"|"9946297"|"995 2558"|"9952682"|"9971 305"|"9971405"|"99794	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/06 05:04 PM

		26"|"D717679"|"D800172"|"RE41637").PN.					
L200	7	L199 AND L195	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/06 05:04 PM
L201	83	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 10:45 AM

		9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$ or US-3577876-$ or US-9300344-$ or US-9615476-$ or US-9625944-$ or US-9627163-$).did. or (US-7286063-$).did.					
L202	4081	(((wrist NEAR watch) OR (wristwatch)) AND ("ECG" OR "EKG" OR electrocardiogra$4))	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/05/08 10:46 AM
L203	4144877	electrode	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/05/08 10:47 AM
L204	2474	L202 AND L203	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/05/08 10:47 AM
L205	939	(((wrist NEAR watch) OR (wristwatch)) SAME ("ECG" OR "EKG" OR electrocardiogra$4))	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/05/08 10:48 AM
L206	760	L204 AND L205	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/05/08 10:48 AM
L207	84	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 10:56 AM

		US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-					

		D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$ or US-3577876-$ or US-9300344-$ or US-9615476-$ or US-9625944-$ or US-9627163-$).did. or (US-7286063-$ or US-4448199-$).did.					
L208	919589	dielectric OR ceraminc	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 11:06 AM
L209	1700627	dielectric OR ceramic	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 11:06 AM
L210	20	L207 AND L209	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 11:06 AM
L211	0	"16826130"	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 11:11 AM
L212	1	"10613485".pn.	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 11:11 AM
L213	1178366	coil	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 11:25 AM
L214	15	L207 AND L213	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 11:27 AM
L215	126	(wireless SAME recharg$4 SAME (coil OR antenna) SAME magnet)	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 12:42 PM
L216	70511	(((wrist NEAR watch) OR (wristwatch)))	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/05/08 12:42 PM
L217	24	L216 AND L215	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/05/08 12:42 PM
L218	28998	wireless NEAR charg$4	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 01:18 PM
L219	83	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 01:19 PM

		US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-					

		9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$ or US-3577876-$ or US-9300344-$ or US-9615476-$ or US-9625944-$ or US-9627163-$).did. or (US-7286063-$).did.					
L220	5	L218 AND L219	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 01:19 PM
L221	278	("10001817"|"10018966"|"10019097"|"10037006"|"10048802"|"10061399"|"10092203"|"10114342"|"10145711"|"10175652"|"10209148"|"10216147"|"10222756"|"10222909"|"10234828"|"10296125"|"10331081"|"10331082"|"10379629"|"10509486"|"2237860"|"2288215"|"2497935"|"2771734"|"2788236"|"2797592"|"3040514"|"3056030"|"3130539"|"3355873"|"3362154"|"3410247"|"3495398"|"3577876"|"3621649"|"3662618"|"3733803"|"4007347"|"4031341"|"4037068"|"4077200"|"4133404"|"4170104"|"4258096"|"4287400"|"4289400"|"4311026"|"4311990"|"4324956"|"4345119"|"4364674"|"4379642"|"4395134"|"4396298"|"4417824"|"4520306"|"4581509"|"4600316"|"4617461"|"4634861"|"4641026"|"4670737"|"4766642"|"4783772"|"4884073"|"4914831"|"4922070"|"4931794"|"4952799"|"4980685"|"4987299"|"5034602"|"5177355"|"5214278"|"5258592"|"5288993"|"5347123"|"5383166"|"547	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 01:22 PM

		1054"|"5477508"|"5509 174"|"5572314"|"55835 60"|"5631881"|"572664 5"|"5748111"|"5825353" |"5841050"|"5847335"|" 5867082"|"5943233"|"5 953001"|"5960366"|"59 63332"|"5999168"|"606 9567"|"6134189"|"6154 201"|"6175679"|"62416 84"|"6246050"|"625282 5"|"6304247"|"6355891" |"6361502"|"6377239"|" 6392640"|"6396006"|"6 422740"|"6477117"|"65 02982"|"6525278"|"655 6222"|"6575618"|"6587 400"|"6646635"|"66614 38"|"6672758"|"679499 2"|"6809275"|"6834430" |"6846998"|"6882596"|" 6888076"|"6896403"|"6 909378"|"6914551"|"69 61099"|"6963039"|"696 7903"|"6977868"|"6982 930"|"6985107"|"69875 68"|"6998553"|"701626 3"|"7021442"|"7034237" |"7081905"|"7102626"|" 7111365"|"7113450"|"7 119289"|"7135673"|"71 67083"|"7244927"|"725 5473"|"7265336"|"7274 303"|"7285738"|"72860 63"|"7292741"|"735848 1"|"7369308"|"7371745" |"7385874"|"7404667"|" 7465917"|"7468036"|"7 506269"|"7520664"|"75 28824"|"7545367"|"759 1582"|"7593755"|"7605 846"|"7634263"|"76466 77"|"7655874"|"768207 0"|"7708457"|"7710456" |"7732724"|"7761246"|" 7763819"|"7772507"|"7 778115"|"7781726"|"77 91588"|"7791597"|"782 2469"|"7856255"|"7858 583"|"7865324"|"78949 57"|"7946758"|"806389 2"|"8138488"|"8143981" |"8167126"|"8169402"|" 8188989"|"8195313"|"8 229535"|"8248815"|"82 63886"|"8263889"|"827 5327"|"8294670"|"8312 495"|"8368677"|"83717					

		45"|"8373661"|"8410971"|"8432368"|"8439559"|"8441450"|"8446713"|"8456430"|"8477118"|"8493190"|"8508511"|"8525777"|"8562489"|"8568313"|"8576044"|"8593598"|"8607662"|"8614881"|"8666682"|"8677285"|"8704787"|"8711093"|"8724087"|"8730167"|"8743088"|"8783944"|"8804993"|"8816962"|"8824245"|"8847741"|"8859971"|"8860674"|"8863219"|"8878657"|"8885856"|"8895911"|"8905631"|"8908477"|"8920022"|"8922399"|"8928452"|"8954135"|"8975543"|"8994827"|"9001625"|"9024733"|"9028134"|"9030446"|"9034666"|"9039614"|"9041663"|"9042971"|"9052696"|"9086717"|"9086738"|"9101184"|"9105413"|"9123483"|"9141087"|"9176577"|"9176598"|"9202372"|"9213409"|"9223296"|"9241635"|"9244438"|"9256209"|"9277156"|"9350850"|"9386932"|"9426275"|"9430042"|"9437357"|"9449770"|"9501044"|"9520100"|"9532723").PN.					
L222	6	L218 AND L221	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 01:22 PM
L223	33	("9542016"|"9545541"|"9552023"|"9599964"|"9607505"|"9620312"|"9627163"|"9632318"|"9638587"|"9651922"|"9659482"|"9680831"|"9709956"|"9753436"|"9800717"|"9836025"|"9873711"|"9874945"|"9886006"|"9891590"|"9891651"|"9898032"|"9927902"|"9939923"|"9946297"|"9952558"|"9952682"|"9971305"|"9971405"|"9979426"|"D717679"|"D800172"|"RE41637").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 01:23 PM
L224	4	L218 AND L223	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 01:23 PM

L225	33	("9542016"|"9545541"|"9552023"|"9599964"|"9607505"|"9620312"|"9627163"|"9632318"|"9638587"|"9651922"|"9659482"|"9680831"|"9709956"|"9753436"|"9800717"|"9836025"|"9873711"|"9874945"|"9886006"|"9891590"|"9891651"|"9898032"|"9927902"|"9939923"|"9946297"|"9952558"|"9952682"|"9971305"|"9971405"|"9979426"|"D717679"|"D800172"|"RE41637").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 01:24 PM
L226	4	L218 AND L225	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 01:24 PM
L227	5	L218 AND L201	(US-PGPUB; USPAT)	OR	ON	ON	2020/05/08 01:24 PM
L228	16	("0052020"|"10012550"|"10241593"|"10353487"|"10551798"|"20070182708"|"20140009397"|"20140045547"|"20200041962"|"20200073339"|"20200110473"|"6128006"|"6203190"|"6636197"|"8318340"|"8797153").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2020/10/22 02:58 PM
L229	216	(coil SAME (recharg$4 OR charg$4) SAME cover SAME dielectric)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/10/22 03:03 PM
L230	0	L228 AND L229	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/10/22 03:03 PM
L231	27643	(coil AND (recharg$4 OR charg$4) AND cover AND dielectric)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/10/22 03:06 PM
L232	1	L228 AND L231	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/10/22 03:06 PM
L233	58	(watch AND housing AND cover AND (touch NEAr display) AND dielectric AND optical AND coil AND wireless AND (heart NEAR rate) AND (electrocardiog$4 OR "ECG" OR "EKG"))	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/10/22 03:16 PM
L235	358	((("Rothkopf") near3 ("Fletcher") near3 ("R"))).INV.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2020/10/29 09:55 AM
L236	527578	watch	(US-PGPUB; USPAT; USOCR; FPRS; EPO;	OR	ON	ON	2020/10/29 09:56 AM

			JPO)				
L237	127	L235 AND L236	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/10/29 09:56 AM
L238	1031	Watch AND band AND (wireless SAME coil SAME inductive)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/10/29 10:35 AM
L239	1459613	dielectric	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/10/29 10:35 AM
L240	308	L238 AND L239	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/10/29 10:36 AM
L241	293	(housing AND watch AND (band OR strap) AND cover AND dielectric AND coil AND charg$4 AND surface AND electrode AND (heart NEAr rate))	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2020/10/29 01:39 PM
L243	2	(9134807|10474194).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/01/13 01:19 PM
L244	275	("0000005"|"0000055"|"0000072"|"0000073"|"0000078"|"0000555"|"0000726"|"0000728"|"0000786"|"0022019"|"0022020"|"0032019"|"0032020"|"0042020"|"0052019"|"0052020"|"0052585"|"0062019"|"0072019"|"0078949"|"0079467"|"0082019"|"0082020"|"0112019"|"0122019"|"10001817"|"10012550"|"10018966"|"10019097"|"10037006"|"10048802"|"10061399"|"10092203"|"10114342"|"10145711"|"10175652"|"20030174590"|"20040047244"|"20040082414"|"20040130971"|"20040264301"|"20050075558"|"20050088417"|"20060250377"|"2237860"|"2288215"|"2497935"|"2771734"|"2788236"|"2797592"|"3040514"|"3056030"|"3130539"|"3355873"|"3362154"|"3410247"|"3495398"|"3577876"|"3621649"|"3662618"|"3733803"|"4007347"|"4031341"|"4037068"|"4077200"|"41	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 11:05 AM

		33404"|"4170104"|"425 8096"|"4287400"|"4289 400"|"4311026"|"43119 90"|"4324956"|"434511 9"|"4364674"|"4379642" |"4395134"|"4396298"|" 4417824"|"4448199"|"4 520306"|"4581509"|"46 00316"|"4617461"|"463 4861"|"4641026"|"4670 737"|"4766642"|"47837 72"|"4884073"|"491483 1"|"4922070"|"4931794" |"4952799"|"4980685"|" 4987299"|"5034602"|"5 177355"|"5214278"|"52 88993"|"5631881"|"584 1050"|"5847335"|"5867 082"|"5943233"|"59530 01"|"5960366"|"596333 2"|"5999168"|"6069567" |"6128006"|"6134189"|" 6154201"|"6175679"|"6 203190"|"6241684"|"62 46050"|"6252825"|"630 4247"|"6355891"|"6361 502"|"6377239"|"63926 40"|"6396006"|"642274 0"|"6477117"|"6502982" |"6525278"|"6556222"|" 6575618"|"6587400"|"6 636197"|"6646635"|"66 61438"|"6672758"|"679 4992"|"6809275"|"6834 430"|"6846998"|"68825 96"|"6888076"|"689640 3"|"6909378"|"6914551" |"6961099"|"6963039"|" 6967903"|"6977868"|"6 982930"|"6985107"|"69 87568"|"6998553"|"701 6263"|"7021442"|"7031 228"|"7034237"|"70819 05"|"7102626"|"711136 5"|"7113450"|"7119289" |"7135673"|"7167083"|" 7244927"|"7274303"|"7 286063"|"7292741"|"73 69308"|"7371745"|"738 5874"|"7404667"|"7465 917"|"7468036"|"75062 69"|"7520664"|"752882 4"|"7545367"|"7591582" |"7593755"|"7605846"|" 7634263"|"7646677"|"7 655874"|"7682070"|"77 08457"|"7710456"|"773 2724"|"7761246"|"7763					

		819"|"7772507"|"77781 15"|"7781726"|"779158 8"|"7791597"|"7822469" |"8063892"|"8138488"|" 8143981"|"8167126"|"8 169402"|"8188989"|"81 95313"|"8229535"|"824 8815"|"8263886"|"8263 889"|"8275327"|"82946 70"|"8312495"|"831834 0"|"8368677"|"8371745" |"8373661"|"8410971"|" 8432368"|"8439559"|"8 441450"|"8446713"|"84 56430"|"8477118"|"849 3190"|"8508511"|"8525 777"|"8562489"|"85683 13"|"8576044"|"859359 8"|"8607662"|"8614881" |"8666682"|"8677285"|" 8704787"|"8711093"|"8 724087"|"8730167"|"87 43088"|"8783944"|"879 7153"|"8804993"|"8816 962"|"8824245"|"88477 41"|"8859971"|"886067 4"|"8863219"|"8878657" |"8885856"|"8895911"|" 8905631"|"8908477"|"8 920022"|"8922399"|"89 28452"|"8948832"|"895 4135"|"8975543"|"8994 827"|"9001625"|"90247 33"|"9028134"|"903044 6"|"9034666"|"9039614" |"9041663"|"9042971"|" 9049998"|"9052696"|"9 086717"|"9086738"|"91 00493"|"9101184"|"910 5413"|"9123483"|"9134 807"|"9141087").PN.					
L245	52	("9176577"|"9176598"|" 9202372"|"9213409"|"9 223296"|"9241635"|"92 44438"|"9256209"|"927 7156"|"9350850"|"9386 932"|"9426275"|"94300 42"|"9437357"|"944977 0"|"9501044"|"9520100" |"9532723"|"9542016"|" 9545541"|"9552023"|"9 599964"|"9607505"|"96 20312"|"9627163"|"963 2318"|"9638587"|"9651 922"|"9659482"|"96808 31"|"9709956"|"975343 6"|"9800717"|"9836025" |"9873711"|"9874945"|	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 11:05 AM

		9886006"|"9891590"|"9891651"|"9898032"|"9927902"|"9939923"|"9946297"|"9952558"|"9952682"|"9971305"|"9971405"|"9971407"|"9979426"|"D717679"|"D800172"|"RE41637").PN.					
L246	341583	crown	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 11:06 AM
L247	16	L245 AND L246	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 11:06 AM
L248	86	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$ or US-20150351690-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 11:09 AM

		7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$ or US-3577876-$ or US-9300344-$ or US-9615476-$ or US-9625944-$ or US-9627163-$).did. or (US-7286063-$ or US-4448199-$ or US-5738104-$).did.					
L249	9	L246 AND L248	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 11:09 AM
L250	4	(10942491|10613485|10620591|10599101).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 11:14 AM
L251	49	L244 AND L246	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 11:20 AM
L252	6361313	sensor	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 12:06 PM

L253	23	L251 AND L252	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 12:06 PM
L254	403796	(tactile OR haptic)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 12:44 PM
L255	30	L245 AND L254	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 12:44 PM
L256	63	L244 AND L254	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 12:51 PM
L259	6581094	optical	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 02:50 PM
L260	92	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$ or US-20150351690-$ or US-20030174590-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 02:50 PM

		8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$ or US-3577876-$ or US-9300344-$ or US-9615476-$ or US-9625944-$ or US-9627163-$).did. or (US-7286063-$ or US-4448199-$ or US-5738104-$ or US-8908477-$ or US-7034237-$ or US-6882596-$ or US-9971405-$ or US-9651922-$).did.					
L261	59	L259 AND L260	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO)	OR	ON	ON	2021/05/04 02:50 PM
L262	4	(20140275852|4448199).pn.	(US-PGPUB; USPAT; USOCR; FPRS; EPO;	OR	ON	ON	2021/05/04 03:01 PM

			JPO)				
L263	92	(US-20160350514-$ or US-20160274726-$ or US-20150313542-$ or US-20160367987-$ or US-20160198996-$ or US-20160091965-$ or US-20140278139-$ or US-20140107493-$ or US-20110003665-$ or US-20150026647-$ or US-20140378777-$ or US-20140275852-$ or US-20170071483-$ or US-20170039358-$ or US-20170011210-$ or US-20160379205-$ or US-20150186609-$ or US-20140366123-$ or US-20140276244-$ or US-20140139486-$ or US-20130234850-$ or US-20030175993-$ or US-20160313703-$ or US-20160064804-$ or US-20160064800-$ or US-20150085429-$).did. or (US-20130236699-$ or US-20090124062-$ or US-20150124415-$ or US-20150351690-$ or US-20030174590-$).did. or (US-9848825-$ or US-9737221-$ or US-9737212-$ or US-9704154-$ or US-9629120-$ or US-9622214-$ or US-8738118-$ or US-8727977-$ or US-8630633-$ or US-8617069-$ or US-8527038-$ or US-7674231-$ or US-7474592-$ or US-6694158-$ or US-5722397-$ or US-6443906-$ or US-9288836-$ or US-9423418-$ or US-9091715-$ or US-6431455-$ or US-6350055-$ or US-6255951-$ or US-6158884-$ or US-9781984-$ or US-9575591-$ or US-	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:02 PM

		D727198-$).did. or (US-D728624-$ or US-D737159-$ or US-D741726-$ or US-D752044-$ or US-D758219-$ or US-D758363-$ or US-9459781-$ or US-D768634-$ or US-9507459-$ or US-9547425-$ or US-D790517-$ or US-9288294-$ or US-8596860-$ or US-9791833-$ or US-9591913-$ or US-9680205-$ or US-7654732-$ or US-7682070-$ or US-4903253-$ or US-8766805-$ or US-D578922-$ or US-D647107-$ or US-3577876-$ or US-9300344-$ or US-9615476-$ or US-9625944-$ or US-9627163-$).did. or (US-7286063-$ or US-4448199-$ or US-5738104-$ or US-8908477-$ or US-7034237-$ or US-6882596-$ or US-9971405-$ or US-9651922-$).did.					
L264	176	ely-colin-m.in.	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:13 PM
L265	2438	((touch OR force) NEAr sensor) AND crown AND sensor	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:23 PM
L266	275	("0000005"|"0000055"|"0000072"|"0000073"|"0000078"|"0000555"|"0000726"|"0000728"|"0000786"|"0022019"|"0022020"|"0032019"|"0032020"|"0042020"|"0052019"|"0052020"|"0052585"|"0062019"|"0072019"|"0078949"|"0079467"|"0082019"|"0082020"|"0112019"|"0122019"|"10001817"|"10012550"|"10018966"|"10019097"|"10037006"|"10048802"|"10061399"|"10092203"|	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:23 PM

		"10114342"|"10145711" |"10175652"|"20030174 590"|"20040047244"|"2 0040082414"|"2004013 0971"|"20040264301"|" 20050075558"|"200500 88417"|"20060250377"| "2237860"|"2288215"|"2 497935"|"2771734"|"27 88236"|"2797592"|"304 0514"|"3056030"|"3130 539"|"3355873"|"33621 54"|"3410247"|"349539 8"|"3577876"|"3621649" |"3662618"|"3733803"|" 4007347"|"4031341"|"4 037068"|"4077200"|"41 33404"|"4170104"|"425 8096"|"4287400"|"4289 400"|"4311026"|"43119 90"|"4324956"|"434511 9"|"4364674"|"4379642" |"4395134"|"4396298"|" 4417824"|"4448199"|"4 520306"|"4581509"|"46 00316"|"4617461"|"463 4861"|"4641026"|"4670 737"|"4766642"|"47837 72"|"4884073"|"491483 1"|"4922070"|"4931794" |"4952799"|"4980685"|" 4987299"|"5034602"|"5 177355"|"5214278"|"52 88993"|"5631881"|"584 1050"|"5847335"|"5867 082"|"5943233"|"59530 01"|"5960366"|"596333 2"|"5999168"|"6069567" |"6128006"|"6134189"|" 6154201"|"6175679"|"6 203190"|"6241684"|"62 46050"|"6252825"|"630 4247"|"6355891"|"6361 502"|"6377239"|"63926 40"|"6396006"|"642274 0"|"6477117"|"6502982" |"6525278"|"6556222"|" 6575618"|"6587400"|"6 636197"|"6646635"|"66 61438"|"6672758"|"679 4992"|"6809275"|"6834 430"|"6846998"|"68825 96"|"6888076"|"689640 3"|"6909378"|"6914551" |"6961099"|"6963039"|" 6967903"|"6977868"|"6 982930"|"6985107"|"69 87568"|"6998553"|"701					

		6263"|"7021442"|"7031 228"|"7034237"|"70819 05"|"7102626"|"711136 5"|"7113450"|"7119289" |"7135673"|"7167083"|" 7244927"|"7274303"|"7 286063"|"7292741"|"73 69308"|"7371745"|"738 5874"|"7404667"|"7465 917"|"7468036"|"75062 69"|"7520664"|"752882 4"|"7545367"|"7591582" |"7593755"|"7605846"|" 7634263"|"7646677"|"7 655874"|"7682070"|"77 08457"|"7710456"|"773 2724"|"7761246"|"7763 819"|"7772507"|"77781 15"|"7781726"|"779158 8"|"7791597"|"7822469" |"8063892"|"8138488"|" 8143981"|"8167126"|"8 169402"|"8188989"|"81 95313"|"8229535"|"824 8815"|"8263886"|"8263 889"|"8275327"|"82946 70"|"8312495"|"831834 0"|"8368677"|"8371745" |"8373661"|"8410971"|" 8432368"|"8439559"|"8 441450"|"8446713"|"84 56430"|"8477118"|"849 3190"|"8508511"|"8525 777"|"8562489"|"85683 13"|"8576044"|"859359 8"|"8607662"|"8614881" |"8666682"|"8677285"|" 8704787"|"8711093"|"8 724087"|"8730167"|"87 43088"|"8783944"|"879 7153"|"8804993"|"8816 962"|"8824245"|"88477 41"|"8859971"|"886067 4"|"8863219"|"8878657" |"8885856"|"8895911"|" 8905631"|"8908477"|"8 920022"|"8922399"|"89 28452"|"8948832"|"895 4135"|"8975543"|"8994 827"|"9001625"|"90247 33"|"9028134"|"903044 6"|"9034666"|"9039614" |"9041663"|"9042971"|" 9049998"|"9052696"|"9 086717"|"9086738"|"91 00493"|"9101184"|"910 5413"|"9123483"|"9134 807"|"9141087").PN.					

L267	5	L265 AND L266	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:23 PM
L268	52	("9176577"|"9176598"|"9202372"|"9213409"|"9223296"|"9241635"|"9244438"|"9256209"|"9277156"|"9350850"|"9386932"|"9426275"|"9430042"|"9437357"|"9449770"|"9501044"|"9520100"|"9532723"|"9542016"|"9545541"|"9552023"|"9599964"|"9607505"|"9620312"|"9627163"|"9632318"|"9638587"|"9651922"|"9659482"|"9680831"|"9709956"|"9753436"|"9800717"|"9836025"|"9873711"|"9874945"|"9886006"|"9891590"|"9891651"|"9898032"|"9927902"|"9939923"|"9946297"|"9952558"|"9952682"|"9971305"|"9971405"|"9979426"|"D717679"|"D800172"|"RE41637").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:24 PM
L269	11	L265 AND L268	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:24 PM
L270	1038	(((touch OR force) NEAr sensor) WITH (screen OR display)) AND crown AND sensor	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:41 PM
L271	412793	watch	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:41 PM
L272	744	L270 AND L271	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:42 PM
L273	82705	(biosensor)	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:42 PM
L274	33	L272 AND L273	(US-PGPUB; USPAT)	OR	ON	ON	2021/05/04 03:42 PM
L275	25	(10942491|10613485|11620591|10627783|10599101).pn.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2022/11/09 10:10 AM
L276	5	(10942491|10613485|11620591|10627783|10599101).pn.	(USPAT)	OR	ON	ON	2022/11/09 10:12 AM
L277	5	(10942491|10613485|10620591|10627783|10599101).pn.	(USPAT)	OR	ON	ON	2022/11/09 10:31 AM

L278	1	"11474483".pn.	(USPAT)	OR	ON	ON	2022/11/09 11:03 AM
L279	250	("0000002" OR "0012021" OR "0012022" OR "0032020" OR "0032021" OR "0042020" OR "0042021" OR "0052020" OR "0052021" OR "0062021" OR "0062022" OR "0072022" OR "0082020" OR "0102022" OR "0112020" OR "0112021" OR "0122020" OR "0122021" OR "10001817" OR "10012550" OR "10018966" OR "10019097" OR "10037006" OR "10037081" OR "10048802" OR "10061399" OR "10066970" OR "10092203" OR "10108016" OR "10114342" OR "10145711" OR "10175652" OR "10190891" OR "10203662" OR "10209148" OR "10216147" OR "10222755" OR "10222756" OR "10222909" OR "10234828" OR "10241593" OR "10296125" OR "10331081" OR "10331082" OR "10332111" OR "10353487" OR "10379629" OR "10386940" OR "10401961" OR "10429959" OR "10474194" OR "10503258" OR "10509486" OR "10524671" OR "10534320" OR "10534900" OR	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 01:49 PM

		"10551798" OR "10572053" OR "10579090" OR "10593617" OR "20020101457" OR "20030174590" OR "20040047244" OR "20040082414" OR "20040130971" OR "20040264301" OR "20050075558" OR "20050088417" OR "20060250377" OR "20070013775" OR "20070050054" OR "20070182708" OR "20070211042" OR "20070222756" OR "20070229671" OR "20070247421" OR "20080130914" OR "20090051649" OR "20090073119" OR "20090122656" OR "20090146975" OR "20090152452" OR "20090217207" OR "20090285443" OR "20090312051" OR "20090312655" OR "20100033430" OR "20100053468" OR "20100081375" OR "20100149099" OR "20110007468" OR "20110090148" OR "20110158057" OR "20110242064" OR "20110270358" OR "20120067711" OR "20120068857" OR "20120075082" OR "20120112859" OR "20120113044" OR "20120206248" OR "20120272784" OR "20130037396" OR "20130087443" OR "20130191220" OR "20130235704" OR "20130261405" OR "20130335196" OR "20140009397" OR "20140045547" OR "20140071098" OR "20140073486" OR "20140132516" OR "20140197936" OR					

		"20140340318" OR "20140347289" OR "20140368442" OR "20140375579" OR "20150049059" OR "20150098309" OR "20150124415" OR "20150186609" OR "20150221460" OR "20150293592" OR "20150320346" OR "20150338642" OR "20150341031" OR "20150366098" OR "20160018846" OR "20160054813" OR "20160058375" OR "20160061636" OR "20160062623" OR "20160069713" OR "20160109861" OR "20160116306" OR "20160147432" OR "20160170598" OR "20160170608" OR "20160170624" OR "20160241688" OR "20160253487" OR "20160306446" OR "20160320583" OR "20160327911" OR "20160338642" OR "20160378069" OR "20160378070" OR "20160378071" OR "20170011210" OR "20170027461" OR "20170031449" OR "20170045958" OR "20170061863" OR "20170069443" OR "20170069444" OR "20170069447" OR "20170090572" OR "20170090599" OR "20170104902" OR "20170139489" OR "20170216519" OR "20170216668" OR "20170238138" OR "20170251561" OR "20170269715" OR "20170285404" OR "20170301314" OR "20170307414" OR "20170331869" OR "20170357465" OR "20180018026" OR					

		"20180059624" OR "20180136686" OR "20180196517" OR "20180225701" OR "20180235491" OR "20180337551" OR "20180364815" OR "20190017846" OR "20190072911" OR "20190072912" OR "20190088583" OR "20190278232" OR "20190317454" OR "20190391539" OR "20200041962" OR "20200064774" OR "20200064779" OR "20200073339" OR "20200110473" OR "20200159172" OR "20200233380" OR "20200233529" OR "20200271483" OR "20200326659" OR "20210055696" OR "20210096688" OR "20210181682" OR "20210181688" OR "20210181690" OR "20210181691" OR "20210181692" OR "20210181865" OR "20210255590" OR "20210373501" OR "20210405594" OR "2237860" OR "2288215" OR "2497935" OR "2771734" OR "2788236" OR "2797592" OR "3040514" OR "3056030" OR "3130539" OR "3355873" OR "3362154" OR "3410247" OR "3495398" OR "3577876" OR "3621649" OR "3662618" OR "3733803" OR "4007347" OR "4031341" OR "4037068" OR "4077200" OR "4133404" OR "4170104" OR					

		"4258096" OR "4274152" OR "4287400" OR "4289400" OR "4311026" OR "4311990" OR "4324956" OR "4345119" OR "4364674" OR "4379642" OR "4395134" OR "4396298" OR "4417824" OR "4448199" OR "4520306" OR "4581509" OR "4600316" OR "4617461" OR "4634861" OR "4641026").pn.					
L280	250	("4670737" OR "4766642" OR "4783772" OR "4884073" OR "4914831" OR "4922070" OR "4931794" OR "4952799" OR "4980685" OR "4987299" OR "5034602" OR "5177355" OR "5214278" OR "5258592" OR "5288993" OR "5347123" OR "5383166" OR "5471054" OR "5477508" OR "5509174" OR "5559761" OR "5572314" OR "5583560" OR "5631881" OR "5726645" OR "5738104" OR "5748111" OR "5825353" OR "5841050" OR "5847335" OR "5867082" OR "5943233" OR "5953001" OR "5960366" OR "5963332" OR "5999168" OR "6069567" OR "6128006" OR	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 01:49 PM

		"6134189" OR "6154201" OR "6175679" OR "6203190" OR "6241684" OR "6246050" OR "6252825" OR "6304247" OR "6355891" OR "6361502" OR "6377239" OR "6392640" OR "6396006" OR "6422740" OR "6477117" OR "6502982" OR "6525278" OR "6556222" OR "6575618" OR "6587400" OR "6636197" OR "6646635" OR "6661438" OR "6672758" OR "6794992" OR "6809275" OR "6834430" OR "6846998" OR "6882596" OR "6888076" OR "6896403" OR "6909378" OR "6914551" OR "6950695" OR "6961099" OR "6963039" OR "6967903" OR "6977868" OR "6982930" OR "6985107" OR "6987568" OR "6998553" OR "7016263" OR "7021442" OR "7031228" OR "7034237" OR "7081905" OR "7102626" OR "7111365" OR "7113450" OR "7119289" OR "7135673" OR "7167083" OR "7187359" OR "7244927" OR "7255473" OR "7265336" OR "7274303" OR					

		"7285738" OR "7286063" OR "7292741" OR "7358481" OR "7369308" OR "7371745" OR "7385874" OR "7404667" OR "7465917" OR "7468036" OR "7506269" OR "7520664" OR "7528824" OR "7545367" OR "7591582" OR "7593755" OR "7605846" OR "7634263" OR "7646677" OR "7655874" OR "7682070" OR "7708457" OR "7710456" OR "7732724" OR "7761246" OR "7763819" OR "7772507" OR "7778115" OR "7781726" OR "7791587" OR "7791588" OR "7791597" OR "7822469" OR "7856255" OR "7858583" OR "7865324" OR "7894957" OR "7946758" OR "8063892" OR "8138488" OR "8143981" OR "8167126" OR "8169402" OR "8188989" OR "8195313" OR "8229535" OR "8248815" OR "8263886" OR "8263889" OR "8275327" OR "8294670" OR "8312495" OR "8318340" OR "8368677" OR "8371745" OR "8373661" OR "8405618" OR "8410971" OR					

		"8432368" OR "8439559" OR "8441450" OR "8446713" OR "8456430" OR "8477118" OR "8493190" OR "8508511" OR "8525777" OR "8562489" OR "8568313" OR "8576044" OR "8593598" OR "8607662" OR "8614881" OR "8666682" OR "8677285" OR "8704787" OR "8711093" OR "8717151" OR "8724087" OR "8730167" OR "8743088" OR "8783944" OR "8797153" OR "8804993" OR "8816962" OR "8824245" OR "8847741" OR "8851372" OR "8859971" OR "8860674" OR "8863219" OR "8878657" OR "8885856" OR "8895911" OR "8905631" OR "8908477" OR "8920022" OR "8922399" OR "8928452" OR "8948832" OR "8954135" OR "8975543" OR "8994827" OR "9001625" OR "9024733" OR "9028134" OR "9030446" OR "9034666" OR "9039614" OR "9041663" OR "9042971" OR "9049998" OR "9052696" OR "9086717" OR "9086738" OR "9091309" OR					

		"9100493" OR "9101184" OR "9105413" OR "9123483" OR "9134807" OR "9141087" OR "9176577" OR "9176598" OR "9202372" OR "9213409" OR "9223296" OR "9241635" OR "9244438" OR "9256209" OR "9277156" OR "9350850" OR "9367146" OR "9386932" OR "9426275" OR "9430042" OR "9437357" OR "9449770" OR "9501044" OR "9520100" OR "9532723" OR "9542016" OR "9545541" OR "9552023" OR "9599964" OR "9600071" OR "9607505" OR "9620312" OR "9627163" OR "9632318" OR "9632537" OR "9638587" OR "9651922" OR "9659482").pn.					
L281	24	("9680831" OR "9709956" OR "9753436" OR "9800717" OR "9836025" OR "9873711" OR "9874945" OR "9886006" OR "9891590" OR "9891651" OR "9898032" OR "9913591" OR "9927902" OR "9939923" OR "9946297" OR "9952558" OR "9952682" OR "9971305" OR "9971405" OR "9971407" OR	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 01:49 PM

		"9979426" OR "D717679" OR "D800172" OR "RE41637").pn.					
L282	1339759	coil	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 02:20 PM
L283	57	L280 AND L282	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 02:20 PM
L284	47	L279 AND L282	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:06 PM
L285	1098	wristwatch AND (coil SAME wireless)	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:16 PM
L286	1209770	antenna	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:16 PM
L287	884	L285 AND L286	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:16 PM
L288	969891	charging	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:19 PM
L289	649	L287 AND L288	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:20 PM
L290	10893332	@ad<="20140902"	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:22 PM
L291	137	L289 AND L290	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:22 PM
L292	6	(coil SAME (optical NEAR (window OR cover)) SAME wireless SAME charg$4)	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:42 PM
L293	1369	(coil SAME ((window OR cover)) SAME wireless SAME charg$4)	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:43 PM
L294	36905	wristwatch	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:44 PM
L295	51	L293 AND L294	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:44 PM
L296	424	((("Rothkopf") near3 ("Fletcher") near3 ("R"))).INV.	(US-PGPUB; USPAT; USOCR)	OR	ON	ON	2022/12/14 03:55 PM
L297	424	((("Rothkopf") near3 ("Fletcher") near3 ("R"))).INV.	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 03:55 PM
L298	6	(11474483|10942491|10613485|10620591|10627783|10599101).pn.	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 04:05 PM
L299	1209770	antenna	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 04:25 PM
L300	282172	antenna.clm.	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 04:25 PM
L301	1	L298 AND L300	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 04:25 PM

L302	35	L297 AND L300	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 04:33 PM
L303	207	ely-colin-m.in.	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 04:37 PM
L304	14	L300 AND L303	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/14 04:38 PM
L305	6	L298 AND coil	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/17 11:00 AM
L306	4	L298 AND coil.clm.	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/17 11:00 AM
L307	102	((US-9507459-B2 OR US-9680205-B2 OR US-9591913-B2 OR US-9791833-B1 OR US-8596860-B2 OR US-9288294-B2 OR US-D790517-S OR US-9547425-B2 OR US-7654732-B2 OR US-D768634-S OR US-9459781-B2 OR US-D758363-S OR US-D758219-S OR US-D752044-S OR US-D741726-S OR US-D737159-S OR US-D728624-S OR US-D727198-S OR US-9575591-B2 OR US-9781984-B2 OR US-9627163-B2 OR US-7932893-B1 OR US-9651922-B2 OR US-9971405-B2 OR US-6882596-B2 OR US-7034237-B2 OR US-8908477-B2 OR US-5738104-A OR US-4448199-A OR US-7286063-B2 OR US-9625944-B2 OR US-9615476-B2 OR US-9300344-B2 OR US-3577876-A OR US-D647107-S OR US-D578922-S OR US-8766805-B2 OR US-4903253-A OR US-7682070-B2 OR US-8630633-B1 OR US-5722397-A OR US-6694158-B2 OR US-7474592-B2 OR US-7674231-B2 OR US-8527038-B2 OR US-8617069-B2 OR US-	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/02/06 11:20 AM

		8727977-B2 OR US-8738118-B2 OR US-9622214-B2 OR US-9629120-B2 OR US-9704154-B2 OR US-9737212-B2 OR US-9737221-B2 OR US-9848825-B2 OR US-6158884-A OR US-6255951-B1 OR US-6350055-B1 OR US-6431455-B1 OR US-9091715-B2 OR US-9423418-B2 OR US-9288836-B1 OR US-6443906-B1 OR US-9386932-B2 OR US-9141087-B2 OR US-9049998-B2 OR US-8948832-B2 OR US-7385874-B2 OR US-11527824-B2 OR US-6825751-B1 OR US-11526034-B1).did. AND USPT.dbnm.) OR ((US-20090124062-A1 OR US-20130236699-A1 OR US-20150085429-A1 OR US-20160064800-A1 OR US-20030174590-A1 OR US-20150351690-A1 OR US-20160064804-A1 OR US-20150124415-A1 OR US-20140107493-A1 OR US-20140278139-A1 OR US-20160091965-A1 OR US-20160198996-A1 OR US-20160367987-A1 OR US-20110003665-A1 OR US-20150313542-A1 OR US-20160274726-A1 OR US-20140366123-A1 OR US-20160313703-A1 OR US-20030175993-A1 OR US-20130234850-A1 OR US-20140139486-A1 OR US-20140276244-A1 OR US-20160350514-A1 OR US-20150186609-A1 OR US-20160379205-A1 OR					

		US-20170011210-A1 OR US-20170039358-A1 OR US-20170071483-A1 OR US-20140275852-A1 OR US-20140378777-A1 OR US-20150026647-A1 OR US-20100292599-A1).did. AND PGPB.dbnm.)					
L308	139	("20070255122"|"20070219419"|"20090018418"|"20080046286"|"8709488"|"20100076321"|"20110028803"|"8137698"|"8795251"|"8808268"|"20030232370"|"20110028803"|"20070219419"|"20100049010"|"8481082"|"8323188"|"20060258920"|"20100222657"|"20130330116"|"20140200423"|"7214190"|"20060205564"|"20070027367"|"20140379273"|"20100010571"|"7844314"|"20100222657"|"20070231393"|"8668935"|"8932636"|"20040122297"|"20130267791"|"20050054907"|"20040122297"|"20060165805"|"20120232918"|"6454707"|"8801690"|"20100049010"|"7214190"|"20100072994"|"6707360"|"20070073558"|"9017729"|"20090118605").PN.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/02/06 11:29 AM
L309	250	("0000002" OR "10001817" OR "10002731" OR "10012550" OR "10018966" OR "10019097" OR "10025399" OR "10037006" OR "10037081" OR "10041813" OR "10048802" OR "10055030" OR "10057470" OR "10061399" OR "10061404" OR "10066970" OR "10092203" OR "10095394" OR	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/06 11:32 AM

		"10108016" OR "10114342" OR "10114450" OR "10145711" OR "10145712" OR "10175652" OR "10187364" OR "10190891" OR "10194271" OR "10203662" OR "10209148" OR "10216147" OR "10222755" OR "10222756" OR "10222909" OR "10234828" OR "10241593" OR "10290440" OR "10296125" OR "10331081" OR "10331082" OR "10332111" OR "10353487" OR "10379629" OR "10386940" OR "10401961" OR "10429959" OR "10444862" OR "10444941" OR "10447748" OR "10474194" OR "10503258" OR "10503388" OR "10509486" OR "10520768" OR "10524671" OR "10534320" OR "10534900" OR "10545657" OR "10551798" OR "10561035" OR "10572053" OR "10579090" OR "10593617" OR "10599101" OR "10610157" OR "10613485" OR "10613685" OR "10620591" OR "10627783" OR "10655988" OR "10664074" OR "10685626" OR "10732571" OR "10747467" OR "10765019" OR "10782925" OR "10845764" OR					

		"10852700" OR "10852855" OR "10871385" OR "10884549" OR "10936071" OR "10942491" OR "10948880" OR "10955937" OR "10962930" OR "10962935" OR "10987054" OR "11000193" OR "11002572" OR "11029831" OR "11036318" OR "11148292" OR "11163362" OR "11181863" OR "11194298" OR "11194299" OR "11221590" OR "11347189" OR "11347351" OR "11360440" OR "11385599" OR "11429256" OR "11432766" OR "11451084" OR "11474483" OR "11513613" OR "20020101457" OR "20030174590" OR "20040047244" OR "20040082414" OR "20040130971" OR "20040264301" OR "20050075558" OR "20050088417" OR "20060250377" OR "20070013775" OR "20070050054" OR "20070182708" OR "20070211042" OR "20070222756" OR "20070229671" OR "20070247421" OR "20080130914" OR "20090051649" OR "20090073119" OR "20090122656" OR "20090146975" OR "20090152452" OR "20090217207" OR "20090285443" OR "20090312051" OR "20090312655" OR "20100033430" OR "20100053468" OR					

		"20100081375" OR "20100149099" OR "20110007468" OR "20110090148" OR "20110158057" OR "20110242064" OR "20110270358" OR "20120067711" OR "20120068857" OR "20120075082" OR "20120112859" OR "20120113044" OR "20120206248" OR "20120272784" OR "20130037396" OR "20130087443" OR "20130191220" OR "20130235704" OR "20130261405" OR "20130335196" OR "20140009397" OR "20140045547" OR "20140071098" OR "20140073486" OR "20140132516" OR "20140197936" OR "20140368442" OR "20140375579" OR "20150049059" OR "20150098309" OR "20150124415" OR "20150186609" OR "20150293592" OR "20150320346" OR "20150366098" OR "20160018846" OR "20160147432" OR "20160170624" OR "20160241688" OR "20160320583" OR "20160327911" OR "20160338642" OR "20170027461" OR "20170031449" OR "20170069443" OR "20170069444" OR "20170216519" OR "20170216668" OR "20180059624" OR "20180225701" OR "20190056700" OR "20190072911" OR "20190278232" OR "20200041962" OR "20200064779" OR "20200159172" OR "20210181682" OR "20210181691" OR					

		"20210181692" OR "20210255590" OR "20210303081" OR "20210373501" OR "20210405594" OR "20220043397" OR "20220043402" OR "20220075328" OR "20220261111" OR "20220299944" OR "20220326660" OR "2237860" OR "2288215" OR "2497935" OR "2771734" OR "2788236" OR "2797592" OR "3040514" OR "3056030" OR "3130539" OR "3355873" OR "3362154" OR "3410247" OR "3495398" OR "3577876" OR "3621649" OR "3662618" OR "3733803" OR "3937002" OR "4007347" OR "4031341" OR "4037068" OR "4051665" OR "4077200" OR "4133404" OR "4170104" OR "4258096" OR "4274152" OR "4287400" OR "4289400" OR "4311026" OR "4311990" OR "4324956" OR "4345119" OR "4364674" OR "4379642" OR "4395134" OR "4396298" OR "4417824" OR "4448199" OR "4520306" OR "4581509" OR "4600316" OR "4617461" OR "4634861" OR "4641026" OR "4670737" OR "4766642").pn.					

L310	250	("4783772" OR "4884073" OR "4914831" OR "4922070" OR "4931794" OR "4952799" OR "4980685" OR "4987299" OR "5034602" OR "5177355" OR "5214278" OR "5258592" OR "5288993" OR "5347123" OR "5383166" OR "5471054" OR "5477508" OR "5509174" OR "5559761" OR "5572314" OR "5583560" OR "5631881" OR "5726645" OR "5738104" OR "5748111" OR "5825353" OR "5841050" OR "5847335" OR "5867082" OR "5943233" OR "5953001" OR "5960366" OR "5963332" OR "5999168" OR "6069567" OR "6128006" OR "6134189" OR "6154201" OR "6175679" OR "6203190" OR "6241684" OR "6246050" OR "6252825" OR "6304247" OR "6355891" OR "6361502" OR "6377239" OR "6392640" OR "6396006" OR "6422740" OR "6477117" OR "6502982" OR "6525278" OR "6556222" OR "6575618" OR "6587400" OR "6636197" OR "6646635" OR	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/06 11:32 AM

		"6661438" OR "6672758" OR "6794992" OR "6809275" OR "6834430" OR "6846998" OR "6882596" OR "6888076" OR "6896403" OR "6909378" OR "6914551" OR "6950695" OR "6961099" OR "6963039" OR "6967903" OR "6977868" OR "6982930" OR "6985107" OR "6987568" OR "6998553" OR "7009915" OR "7016263" OR "7021442" OR "7031228" OR "7034237" OR "7081905" OR "7102626" OR "7111365" OR "7113450" OR "7119289" OR "7135673" OR "7167083" OR "7187359" OR "7244927" OR "7255473" OR "7265336" OR "7274303" OR "7285738" OR "7286063" OR "7292741" OR "7358481" OR "7369308" OR "7371745" OR "7385874" OR "7404667" OR "7465917" OR "7468036" OR "7506269" OR "7520664" OR "7528824" OR "7545367" OR "7591582" OR "7593755" OR "7605846" OR "7634263" OR "7646677" OR "7655874" OR "7682070" OR					

		"7708457" OR "7710456" OR "7732724" OR "7761246" OR "7763819" OR "7772507" OR "7778115" OR "7781726" OR "7791587" OR "7791588" OR "7791597" OR "7822469" OR "7856255" OR "7858583" OR "7865324" OR "7894957" OR "7946758" OR "8063892" OR "8138488" OR "8143981" OR "8167126" OR "8169402" OR "8188989" OR "8195313" OR "8229535" OR "8248815" OR "8263886" OR "8263889" OR "8275327" OR "8294670" OR "8312495" OR "8318340" OR "8368677" OR "8371745" OR "8373661" OR "8405618" OR "8410971" OR "8432368" OR "8439559" OR "8441450" OR "8446713" OR "8456430" OR "8477118" OR "8493190" OR "8508511" OR "8525777" OR "8562489" OR "8568313" OR "8576044" OR "8593598" OR "8607662" OR "8614881" OR "8666682" OR "8677285" OR "8704787" OR "8711093" OR "8717151" OR "8724087" OR					

		"8730167" OR "8743088" OR "8783944" OR "8797153" OR "8804993" OR "8816962" OR "8824245" OR "8847741" OR "8851372" OR "8859971" OR "8860674" OR "8863219" OR "8878657" OR "8885856" OR "8895911" OR "8905631" OR "8908477" OR "8920022" OR "8922399" OR "8928452" OR "8948832" OR "8954135" OR "8975543" OR "8994827" OR "9001625" OR "9024733" OR "9028134" OR "9030446" OR "9034666" OR "9039614" OR "9041663" OR "9042971" OR "9049998" OR "9052696" OR "9086717" OR "9086738" OR "9091309" OR "9100493" OR "9101184" OR "9105413" OR "9123483" OR "9134807" OR "9141087" OR "9176577" OR "9176598" OR "9202372" OR "9213409" OR "9223296" OR "9241635" OR "9244438" OR "9256209" OR "9277156" OR "9350850" OR "9367146" OR "9386932" OR "9426275" OR "9430042" OR "9437357" OR					

		"9449770" OR "9501044" OR "9520100" OR "9532723" OR "9542016" OR "9545541" OR "9552023" OR "9599964" OR "9600071" OR "9607505" OR "9620312" OR "9627163" OR "9632318" OR "9632537" OR "9638587" OR "9651922" OR "9659482" OR "9680831").pn.					
L311	25	("9709956" OR "9753436" OR "9800717" OR "9836025" OR "9873711" OR "9874945" OR "9886006" OR "9891590" OR "9891651" OR "9891667" OR "9898032" OR "9913591" OR "9921548" OR "9927902" OR "9939923" OR "9946297" OR "9952558" OR "9952682" OR "9971305" OR "9971405" OR "9971407" OR "9979426" OR "D717679" OR "D800172" OR "RE41637").pn.	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/06 11:32 AM
L312	10893500	@ad<="20140902"	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/06 11:33 AM
L313	0	L309 AND L310	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/06 11:33 AM
L314	103	L309 AND L312	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/06 11:34 AM
L315	240	L310 AND L312	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/06 11:41 AM
L316	0	"18075253"	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/06 11:59 AM
L317	1	"17951973"	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/06 12:02 PM

L318	6	"20150366098"	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/02/09 10:24 AM
L319	2	"20150366098".pn.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/02/09 10:31 AM
L320	250	("0000002" OR "10001817" OR "10002731" OR "10012550" OR "10018966" OR "10019097" OR "10025399" OR "10037006" OR "10037081" OR "10041813" OR "10048802" OR "10055030" OR "10057470" OR "10061399" OR "10061404" OR "10066970" OR "10092203" OR "10095394" OR "10108016" OR "10114342" OR "10114450" OR "10145711" OR "10145712" OR "10175652" OR "10187364" OR "10190891" OR "10194271" OR "10203662" OR "10209148" OR "10216147" OR "10222755" OR "10222756" OR "10222909" OR "10234828" OR "10241593" OR "10290440" OR "10296125" OR "10331081" OR "10331082" OR "10332111" OR "10353487" OR	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/09 10:44 AM

		"10379629" OR "10386940" OR "10401961" OR "10429959" OR "10444862" OR "10444941" OR "10447748" OR "10474194" OR "10503258" OR "10503388" OR "10509486" OR "10520768" OR "10524671" OR "10534320" OR "10534900" OR "10545657" OR "10551798" OR "10561035" OR "10572053" OR "10579090" OR "10593617" OR "10599101" OR "10610157" OR "10613485" OR "10613685" OR "10620591" OR "10627783" OR "10655988" OR "10664074" OR "10685626" OR "10732571" OR "10747467" OR "10765019" OR "10782925" OR "10845764" OR "10852700" OR "10852855" OR "10871385" OR "10884549" OR "10936071" OR "10942491" OR "10948880" OR "10955937" OR "10962930" OR "10962935" OR "10987054" OR "11000193" OR "11002572" OR "11029831" OR "11036318" OR "11148292" OR "11163362" OR "11181863" OR "11194298" OR "11194299" OR "11221590" OR "11347189" OR "11347351" OR					

		"11360440" OR "11385599" OR "11429256" OR "11432766" OR "11451084" OR "11474483" OR "11513613" OR "20020101457" OR "20030174590" OR "20040047244" OR "20040082414" OR "20040130971" OR "20040264301" OR "20050075558" OR "20050088417" OR "20060250377" OR "20070013775" OR "20070050054" OR "20070182708" OR "20070211042" OR "20070222756" OR "20070229671" OR "20070247421" OR "20080130914" OR "20090051649" OR "20090073119" OR "20090122656" OR "20090146975" OR "20090152452" OR "20090217207" OR "20090285443" OR "20090312051" OR "20090312655" OR "20100033430" OR "20100053468" OR "20100081375" OR "20100149099" OR "20110007468" OR "20110090148" OR "20110158057" OR "20110242064" OR "20110270358" OR "20120067711" OR "20120068857" OR "20120075082" OR "20120112859" OR "20120113044" OR "20120206248" OR "20120272784" OR "20130037396" OR "20130087443" OR "20130191220" OR "20130235704" OR "20130261405" OR "20130335196" OR "20140009397" OR "20140045547" OR "20140071098" OR					

		"20140073486" OR "20140132516" OR "20140197936" OR "20140368442" OR "20140375579" OR "20150049059" OR "20150098309" OR "20150124415" OR "20150186609" OR "20150293592" OR "20150320346" OR "20150366098" OR "20160018846" OR "20160147432" OR "20160170624" OR "20160241688" OR "20160320583" OR "20160327911" OR "20160338642" OR "20170027461" OR "20170031449" OR "20170069443" OR "20170069444" OR "20170216519" OR "20170216668" OR "20180059624" OR "20180225701" OR "20190056700" OR "20190072911" OR "20190278232" OR "20200041962" OR "20200064779" OR "20200159172" OR "20210181682" OR "20210181691" OR "20210181692" OR "20210255590" OR "20210303081" OR "20210373501" OR "20210405594" OR "20220043397" OR "20220043402" OR "20220075328" OR "20220261111" OR "20220299944" OR "20220326660" OR "2237860" OR "2288215" OR "2497935" OR "2771734" OR "2788236" OR "2797592" OR "3040514" OR "3056030" OR "3130539" OR "3355873" OR "3362154" OR "3410247" OR					

		"3495398" OR "3577876" OR "3621649" OR "3662618" OR "3733803" OR "3937002" OR "4007347" OR "4031341" OR "4037068" OR "4051665" OR "4077200" OR "4133404" OR "4170104" OR "4258096" OR "4274152" OR "4287400" OR "4289400" OR "4311026" OR "4311990" OR "4324956" OR "4345119" OR "4364674" OR "4379642" OR "4395134" OR "4396298" OR "4417824" OR "4448199" OR "4520306" OR "4581509" OR "4600316" OR "4617461" OR "4634861" OR "4641026" OR "4670737" OR "4766642").pn.					
L321	250	("4783772" OR "4884073" OR "4914831" OR "4922070" OR "4931794" OR "4952799" OR "4980685" OR "4987299" OR "5034602" OR "5177355" OR "5214278" OR "5258592" OR "5288993" OR "5347123" OR "5383166" OR "5471054" OR "5477508" OR "5509174" OR "5559761" OR "5572314" OR "5583560" OR "5631881" OR "5726645" OR	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/09 10:44 AM

		"5738104" OR "5748111" OR "5825353" OR "5841050" OR "5847335" OR "5867082" OR "5943233" OR "5953001" OR "5960366" OR "5963332" OR "5999168" OR "6069567" OR "6128006" OR "6134189" OR "6154201" OR "6175679" OR "6203190" OR "6241684" OR "6246050" OR "6252825" OR "6304247" OR "6355891" OR "6361502" OR "6377239" OR "6392640" OR "6396006" OR "6422740" OR "6477117" OR "6502982" OR "6525278" OR "6556222" OR "6575618" OR "6587400" OR "6636197" OR "6646635" OR "6661438" OR "6672758" OR "6794992" OR "6809275" OR "6834430" OR "6846998" OR "6882596" OR "6888076" OR "6896403" OR "6909378" OR "6914551" OR "6950695" OR "6961099" OR "6963039" OR "6967903" OR "6977868" OR "6982930" OR "6985107" OR "6987568" OR "6998553" OR "7009915" OR "7016263" OR "7021442" OR					

		"7031228" OR "7034237" OR "7081905" OR "7102626" OR "7111365" OR "7113450" OR "7119289" OR "7135673" OR "7167083" OR "7187359" OR "7244927" OR "7255473" OR "7265336" OR "7274303" OR "7285738" OR "7286063" OR "7292741" OR "7358481" OR "7369308" OR "7371745" OR "7385874" OR "7404667" OR "7465917" OR "7468036" OR "7506269" OR "7520664" OR "7528824" OR "7545367" OR "7591582" OR "7593755" OR "7605846" OR "7634263" OR "7646677" OR "7655874" OR "7682070" OR "7708457" OR "7710456" OR "7732724" OR "7761246" OR "7763819" OR "7772507" OR "7778115" OR "7781726" OR "7791587" OR "7791588" OR "7791597" OR "7822469" OR "7856255" OR "7858583" OR "7865324" OR "7894957" OR "7946758" OR "8063892" OR "8138488" OR "8143981" OR "8167126" OR "8169402" OR "8188989" OR					

		"8195313" OR "8229535" OR "8248815" OR "8263886" OR "8263889" OR "8275327" OR "8294670" OR "8312495" OR "8318340" OR "8368677" OR "8371745" OR "8373661" OR "8405618" OR "8410971" OR "8432368" OR "8439559" OR "8441450" OR "8446713" OR "8456430" OR "8477118" OR "8493190" OR "8508511" OR "8525777" OR "8562489" OR "8568313" OR "8576044" OR "8593598" OR "8607662" OR "8614881" OR "8666682" OR "8677285" OR "8704787" OR "8711093" OR "8717151" OR "8724087" OR "8730167" OR "8743088" OR "8783944" OR "8797153" OR "8804993" OR "8816962" OR "8824245" OR "8847741" OR "8851372" OR "8859971" OR "8860674" OR "8863219" OR "8878657" OR "8885856" OR "8895911" OR "8905631" OR "8908477" OR "8920022" OR "8922399" OR "8928452" OR "8948832" OR "8954135" OR "8975543" OR					

		"8994827" OR "9001625" OR "9024733" OR "9028134" OR "9030446" OR "9034666" OR "9039614" OR "9041663" OR "9042971" OR "9049998" OR "9052696" OR "9086717" OR "9086738" OR "9091309" OR "9100493" OR "9101184" OR "9105413" OR "9123483" OR "9134807" OR "9141087" OR "9176577" OR "9176598" OR "9202372" OR "9213409" OR "9223296" OR "9241635" OR "9244438" OR "9256209" OR "9277156" OR "9350850" OR "9367146" OR "9386932" OR "9426275" OR "9430042" OR "9437357" OR "9449770" OR "9501044" OR "9520100" OR "9532723" OR "9542016" OR "9545541" OR "9552023" OR "9599964" OR "9600071" OR "9607505" OR "9620312" OR "9627163" OR "9632318" OR "9632537" OR "9638587" OR "9651922" OR "9659482" OR "9680831").pn.					
L322	25	("9709956" OR "9753436" OR "9800717" OR "9836025" OR "9873711" OR	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/09 10:44 AM

		"9874945" OR "9886006" OR "9891590" OR "9891651" OR "9891667" OR "9898032" OR "9913591" OR "9921548" OR "9927902" OR "9939923" OR "9946297" OR "9952558" OR "9952682" OR "9971305" OR "9971405" OR "9971407" OR "9979426" OR "D717679" OR "D800172" OR "RE41637").pn.					
L323	7	(11567457|11474483|10942491|10613485|10620591|10627783|10599101).pn.	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/09 10:47 AM
L324	1	"17951973"	(US-PGPUB; USPAT)	OR	ON	ON	2023/02/09 11:00 AM
L325	5	(11567457|11474483|10942491).pn.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/02/10 02:19 PM
L326	3	(11567457|11474483|10942491).pn.	(USPAT)	OR	ON	ON	2023/02/10 02:20 PM
L327	1	("6721540").pn.	(US-PGPUB; USPAT)	OR	ON	ON	2023/04/19 11:55 AM
L328	31	("0000002" OR "10060788" OR "10231629" OR "11531306" OR "20010056243" OR "20050116820" OR "20070276270" OR "20080208009" OR "20120221254" OR "20140135594" OR "20150214749" OR "20150355604" OR "20160073914" OR "20160228064" OR "20190025940" OR "20210353226" OR "20230012897" OR "20230013283" OR	(US-PGPUB; USPAT)	OR	ON	ON	2023/04/19 11:57 AM

		"20230028554" OR "20230077241" OR "4129124" OR "4163447" OR "4224948" OR "4248244" OR "4375219" OR "5613008" OR "6075755" OR "6091530" OR "6265789" OR "8810514" OR "9277880").pn.					
L329	104	((US-9507459-B2 OR US-9680205-B2 OR US-9591913-B2 OR US-9791833-B1 OR US-8596860-B2 OR US-9288294-B2 OR US-D790517-S OR US-9547425-B2 OR US-7654732-B2 OR US-D768634-S OR US-9459781-B2 OR US-D758363-S OR US-D758219-S OR US-D752044-S OR US-D741726-S OR US-D737159-S OR US-D728624-S OR US-D727198-S OR US-9575591-B2 OR US-9781984-B2 OR US-9627163-B2 OR US-7932893-B1 OR US-9651922-B2 OR US-9971405-B2 OR US-6882596-B2 OR US-7034237-B2 OR US-8908477-B2 OR US-5738104-A OR US-4448199-A OR US-7286063-B2 OR US-9625944-B2 OR US-9615476-B2 OR US-9300344-B2 OR US-3577876-A OR US-D647107-S OR US-D578922-S OR US-8766805-B2 OR US-4903253-A OR US-7682070-B2 OR US-8630633-B1 OR US-5722397-A OR US-6694158-B2 OR US-7474592-B2 OR US-7674231-B2 OR US-8527038-B2 OR US-	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/04/19 12:56 PM

		8617069-B2 OR US-8727977-B2 OR US-8738118-B2 OR US-9622214-B2 OR US-9629120-B2 OR US-9704154-B2 OR US-9737212-B2 OR US-9737221-B2 OR US-9848825-B2 OR US-6158884-A OR US-6255951-B1 OR US-6350055-B1 OR US-6431455-B1 OR US-9091715-B2 OR US-9423418-B2 OR US-9288836-B1 OR US-6443906-B1 OR US-9386932-B2 OR US-9141087-B2 OR US-9049998-B2 OR US-8948832-B2 OR US-7385874-B2 OR US-11527824-B2 OR US-6825751-B1 OR US-11567457-B2 OR US-11526034-B1).did. AND USPT.dbnm.) OR ((US-20090124062-A1 OR US-20130236699-A1 OR US-20150085429-A1 OR US-20160064800-A1 OR US-20030174590-A1 OR US-20150351690-A1 OR US-20160064804-A1 OR US-20150124415-A1 OR US-20140107493-A1 OR US-20140278139-A1 OR US-20160091965-A1 OR US-20160198996-A1 OR US-20160367987-A1 OR US-20110003665-A1 OR US-20150313542-A1 OR US-20160274726-A1 OR US-20140366123-A1 OR US-20160313703-A1 OR US-20030175993-A1 OR US-20130234850-A1 OR US-20140139486-A1 OR US-20140276244-A1 OR US-20160350514-A1 OR US-20150186609-					

		A1 OR US-20160379205-A1 OR US-20170011210-A1 OR US-20170039358-A1 OR US-20170071483-A1 OR US-20140275852-A1 OR US-20140378777-A1 OR US-20150026647-A1 OR US-20100292599-A1 OR US-20150366098-A1).did. AND PGPB.dbnm.)					
L330	540716	(touch NEAR sensitive)	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/04/19 12:56 PM
L331	34	L329 AND L330	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/04/19 12:56 PM
L332	4	"20140135594".pn.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/04/19 01:02 PM
L333	2	"20140214749".pn.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/04/19 01:41 PM
L334	2	"20150214749".pn.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/04/19 01:42 PM
L335	5	"6265789".pn.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP,	OR	ON	ON	2023/04/19 02:03 PM

			AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)				
L336	5	"5316008".pn.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/04/19 02:26 PM
L337	8014731	green	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/04/19 02:30 PM
L338	22	L337 AND L329	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/04/19 02:30 PM
L339	104	((US-9507459-B2 OR US-9680205-B2 OR US-9591913-B2 OR US-9791833-B1 OR US-8596860-B2 OR US-9288294-B2 OR US-D790517-S OR US-9547425-B2 OR US-7654732-B2 OR US-D768634-S OR US-9459781-B2 OR US-D758363-S OR US-D758219-S OR US-D752044-S OR US-D741726-S OR US-D737159-S OR US-D728624-S OR US-D727198-S OR US-9575591-B2 OR US-9781984-B2 OR US-9627163-B2 OR US-7932893-B1 OR US-9651922-B2 OR US-9971405-B2 OR US-6882596-B2 OR US-7034237-B2 OR US-8908477-B2 OR US-	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/04/20 09:32 AM

		5738104-A OR US-4448199-A OR US-7286063-B2 OR US-9625944-B2 OR US-9615476-B2 OR US-9300344-B2 OR US-3577876-A OR US-D647107-S OR US-D578922-S OR US-8766805-B2 OR US-4903253-A OR US-7682070-B2 OR US-8630633-B1 OR US-5722397-A OR US-6694158-B2 OR US-7474592-B2 OR US-7674231-B2 OR US-8527038-B2 OR US-8617069-B2 OR US-8727977-B2 OR US-8738118-B2 OR US-9622214-B2 OR US-9629120-B2 OR US-9704154-B2 OR US-9737212-B2 OR US-9737221-B2 OR US-9848825-B2 OR US-6158884-A OR US-6255951-B1 OR US-6350055-B1 OR US-6431455-B1 OR US-9091715-B2 OR US-9423418-B2 OR US-9288836-B1 OR US-6443906-B1 OR US-9386932-B2 OR US-9141087-B2 OR US-9049998-B2 OR US-8948832-B2 OR US-7385874-B2 OR US-11527824-B2 OR US-6825751-B1 OR US-11567457-B2 OR US-11526034-B1).did. AND USPT.dbnm.) OR ((US-20090124062-A1 OR US-20130236699-A1 OR US-20150085429-A1 OR US-20160064800-A1 OR US-20030174590-A1 OR US-20150351690-A1 OR US-20160064804-A1 OR US-20150124415-A1 OR US-20140107493-A1 OR US-20140278139-A1 OR					

		US-20160091965-A1 OR US-20160198996-A1 OR US-20160367987-A1 OR US-20110003665-A1 OR US-20150313542-A1 OR US-20160274726-A1 OR US-20140366123-A1 OR US-20160313703-A1 OR US-20030175993-A1 OR US-20130234850-A1 OR US-20140139486-A1 OR US-20140276244-A1 OR US-20160350514-A1 OR US-20150186609-A1 OR US-20160379205-A1 OR US-20170011210-A1 OR US-20170039358-A1 OR US-20170071483-A1 OR US-20140275852-A1 OR US-20140378777-A1 OR US-20150026647-A1 OR US-20100292599-A1 OR US-20150366098-A1).did. AND PGPB.dbnm.)					
L340	503912	("ECG" OR "EKG" OR electrocardiogra$5)	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/04/20 09:32 AM
L341	31	L339 AND L340	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/04/20 09:35 AM
L342	5	"5738104".pn.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/04/20 09:47 AM
L343	5	"5316008".pn.	(US-PGPUB; USPAT;	OR	ON	ON	2023/04/20

			USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)				09:48 AM
L344	4	"20150026647".pn.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/04/20 09:54 AM
L345	2	"20140275852".pn.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/04/20 10:59 AM
L346	2	"18075253"	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, CA, CH, CN, DD, DE, EA, EP, ES, FR, GB, JP, KR, OA, RU, SU, WO); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2023/04/20 11:03 AM

PE2E SEARCH - Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	British Equivalents	Time Stamp
N153	0	(wearable AND housing AND band AND display AND (touch NEAR sensor) AND crown AND (rotatable OR rotational OR rotat$4) AND switch AND haptic).clm.	(US-PGPUB; USPAT)	OR	ON	ON	2018/12/12 07:07 AM
N154	0	(wearable AND housing AND band AND display AND (touch NEAR sensor) AND crown AND (rotatable OR rotational OR rotat$4) AND switch AND vibrat$4).clm.	(US-PGPUB; USPAT)	OR	ON	ON	2018/12/12 07:08 AM
N234	0	(watch AND housing AND cover AND (touch NEAr display) AND dielectric AND optical	(US-PGPUB; USPAT)	OR	ON	ON	2020/10/22 03:24 PM

		AND coil AND wireless AND (heart NEAR rate) AND (electrocardiog$4 OR "ECG" OR "EKG")).clm.					
N242	1	(housing AND watch AND (band OR strap) AND cover AND dielectric AND coil AND charg$4 AND surface AND electrode AND (heart NEAr rate)).clm.	(US-PGPUB; USPAT)	OR	ON	ON	2020/10/29 01:39 PM