




US 20060058088A1

(19) **United States**(12) **Patent Application Publication**
Crawford, III et al.(10) **Pub. No.: US 2006/0058088 A1**(43) **Pub. Date: Mar. 16, 2006**(54) **SYSTEM AND METHOD FOR PROVIDING
AN ELECTRONIC POKER GAME****Publication Classification**(75) Inventors: **James T. Crawford III**, Charlotte, NC
(US); **Gehrig Henderson White**,
Charlotte, NC (US)(51) **Int. Cl.**
A63F 9/24 (2006.01)
(52) **U.S. Cl.** **463/13**

Correspondence Address:

HOWARD & HOWARD ATTORNEYS, P.C.
THE PINEHURST OFFICE CENTER, SUITE
#101
39400 WOODWARD AVENUE
BLOOMFIELD HILLS, MI 48304-5151 (US)(57) **ABSTRACT**

An electronic poker table and method provide an electronic poker game to a plurality of players. The electronic poker table includes a table having a table top with a playing surface, a plurality of electronic player interaction areas located around a periphery of the table top, and a game computer. Each electronic player interaction area provides a player interface for interaction with one of the players. Each player interface has a rabbit button. At least one hand of the electronic poker game is administered using virtual cards. A winner for the at least one hand is determined and a pot is awarded to the winner. The hand includes at least one common card and, after the winner has been determined, a player may view any undealt common cards by actuating the rabbit button.

(73) Assignee: **PokerTek, Inc.**, Matthew, NC (US)(21) Appl. No.: **10/993,505**(22) Filed: **Nov. 19, 2004****Related U.S. Application Data**(60) Provisional application No. 60/610,262, filed on Sep.
16, 2004.




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 11




Figure 12




Figure 13




Figure 9




Figure 10




Figure 14




Figure 15




Figure 16




Figure 17

SYSTEM AND METHOD FOR PROVIDING AN ELECTRONIC POKER GAME

RELATED APPLICATION

[0001] This application claims priority to U.S. Provisional Application No. 60/610,262, filed Sep. 15, 2004.

FIELD OF THE INVENTION

[0002] The present invention related generally to a system and method for providing an electronic poker game.

BACKGROUND OF THE INVENTION

[0003] Gaming is an increasingly popular form of entertainment. Games, particularly, games of chance and skill in which one or more players play and place wagers on the outcome thereof may be played in a variety of ways, including at a casino or other venue or on the Internet. Of the various forms of games which are available for play, many are played with playing cards. Of these, poker is arguably the most popular.

[0004] Traditionally, poker is played at a table with several players wagering paper or coin money on a series of playing cards dealt from a deck of fifty-two cards. This deck is comprised of four suits at thirteen cards per suit. This form of poker requires a human dealer to coordinate the game, including dealing, wagering, folding, etc. . . . One of the problems with traditional poker is that it suffers from the possibility of human/dealer error. In "social" card games, especially poker, the players take turns acting as the dealer, but in licensed commercial gaming establishments, such as casinos, the dealer is typically a non-playing employee. Thus, another problem associated with traditional poker games in this context is the training and retention of dealers.

[0005] One alternative form of gaming, with particular reference to poker, has flourished on the internet. Internet gaming has become quite successful in that it provides many choices for the players. In particular, Internet gaming is fast and convenient, with registration, betting and payouts available from almost any computer with Internet access and with payments typically arranged via a credit card.

[0006] Poker or other card games may also be provided by stand-alone machines similar to slot machines.

[0007] One major drawback of internet and stand-alone type games is the lack of the human element. Many people prefer to play poker against other players, due in part to the drama associated with "live" gaming. Undoubtedly, an elevated level of competition exists when humans compete directly against one another. In gaming establishments, experienced players are trying to hone strategy and read other players' intentions through their movements and style of play to be more competitive.

[0008] Electronic card games, such as electronic poker games, have been provided which allow players to compete against one another, but eliminate the dealer and the physical cards. However, one problem associated with electronic cards is maintaining the confidentiality of each player's cards which are typically displayed on a monitor in close proximity to the player. In general, the prior art deals with this problem by providing some type of shield or other physical barrier. However, these type of devices have several

inherent problems, in that they are easy to defeat by positioning oneself where the player's card are viewable. Additionally, these device are bulky and tend to extend upward from the monitor. This detracts from the overall appearance of the environment and may distract the players.

[0009] In "flop" type poker games, such as Hold'em Poker or Omaha Poker, each player's hand may consist of a number of hole cards unique to the player, and one or more common or community cards which are dealt face up. Players must make a betting decision or fold before one or more of the community cards are exposed.

[0010] If all but one player folds, then the remaining player is the winner of the hand. When this occurs at traditional poker tables with live dealers, the players who have folded occasionally ask the dealer to exposed what one or more of the undealt community cards would have been. This is commonly referred to as "rabbit hunting". This is desirable, from the player's perspective, because it allows them to see if they made the right decision. However, it is generally not allowed on traditional poker tables because it slows down the game.

[0011] The present invention is aimed at one or more of the problems set forth above.

SUMMARY OF THE INVENTION

[0012] In one aspect of the present invention, an electronic poker table provides an electronic poker game to a plurality of players. The electronic poker table includes a table having a table top with a playing surface, a plurality of electronic player interaction areas located around a periphery of the table top, and a game computer. Each electronic player interaction area provides a player interface for interaction with one of the players. Each player interface has a rabbit button. The game computer is coupled to the plurality of electronic player interaction areas for administering at least one hand of the electronic poker game using virtual cards, determining a winner for the at least one hand and awarding a pot to the winner. The game computer deals at least one common card and, after the winner has been determined, allows any player to view any undealt common cards in response to actuation of the rabbit button.

[0013] In another aspect of the present invention, a method provides an electronic poker game on a plurality of electronic player interface areas and a game computer. Each electronic player interaction area provides a player interface for interaction with one of the players. Each player interface includes a rabbit button. The game computer is coupled to the plurality of electronic player interaction areas. The method includes the steps of administering at least one hand of the electronic poker game using virtual cards and determining a winner for the at least one hand and awarding the winner a pot. The at least one hand includes at least one common card. After the winner has been determined, any player may view any undealt common cards by actuating their rabbit button.

[0014] In still another aspect of the present invention, a method provides an electronic poker game on an electronic poker table to a plurality of players. The electronic poker table includes a table, a plurality of electronic player interface areas, and a game computer. The table has a playing surface. The electronic player interaction areas are located

around a periphery of the table top. Each electronic player interaction area provides a player interface for interaction with one of the players. Each player interface includes a rabbit button. The game computer is coupled to the plurality of electronic player interaction areas. The method includes the steps of administering at least one hand of the electronic poker game using virtual cards and determining a winner for the at least one hand and awarding the winner a pot. The at least one hand includes at least one common card. After the winner has been determined, any player may view any undealt common cards by actuating their rabbit button.

BRIEF DESCRIPTION OF THE DRAWINGS

[0015] Other advantages of the present invention will be readily appreciated as the same becomes better understood by reference to the following detailed description when considered in connection with the accompanying drawings wherein:

[0016] **FIG. 1** is a diagrammatic illustration of a system for providing an electronic poker game on one or more electronic poker tables, according to an embodiment of the present invention;

[0017] **FIG. 2** is a simplified diagram of a table top of the electronic poker tables of **FIG. 1**, according to an embodiment of the present invention;

[0018] **FIG. 3** is a simplified diagram of a table top of the electronic poker tables of **FIG. 1**, according to another embodiment of the present invention;

[0019] **FIG. 4** is a block diagram of the system of **FIG. 1**, according to an embodiment of the present invention;

[0020] **FIG. 5** is a second block diagram of the system of **FIG. 1**, including the element of an electronic poker table, according to an embodiment of the present invention;

[0021] **FIG. 6** is a diagrammatic illustration of an electronic poker table, according to an embodiment of the present invention;

[0022] **FIG. 7** is a top view of the electronic poker table of **FIG. 6**;

[0023] **FIG. 8** is a diagrammatic illustration of a module of the electronic poker table of **FIG. 6**, according to an embodiment of the present invention;

[0024] **FIG. 9** is a representation of a first screen shot displayed on an electronic player interaction area of the system of **FIG. 1**, according to an embodiment of the present invention;

[0025] **FIG. 10** is a representation of a second screen shot displayed on an electronic player interaction area of the system of **FIG. 1**, according to an embodiment of the present invention;

[0026] **FIG. 11** is a representation of an electronic player interaction area of the system of **FIG. 1** embodied in a hand-held device;

[0027] **FIG. 12** is a representation of a front side and a back side of an electronic playing card;

[0028] **FIG. 13** is a block diagram of a system for playing electronic poker at an electronic poker table, according to an embodiment of the present invention;

[0029] **FIG. 14** is a representation of an electronic player interaction area with a rabbit button, according to an embodiment of the present invention;

[0030] **FIG. 15** is a top view of the electronic poker table of **FIG. 13**;

[0031] **FIG. 16** is a flow diagram of a method for providing an electronic poker game at an electronic poker table, according to an embodiment of the present invention; and,

[0032] **FIG. 17** is a diagrammatic representation of an undealt community card display area according to an embodiment of the present invention.

DETAILED DESCRIPTION OF INVENTION

[0033] With reference to the drawings and in operation, the present invention relates generally to a system **10** and method for providing, and being related to, electronic poker. With specific reference to **FIG. 1**, the system **10** is designed to be situated in a gaming environment, such as a casino **12**. Typically, such gaming environments **12** are a specialized or designated area within the casino **12**, such as a poker room or poker area **14**, which has been cordoned off by, for example, a railing **16**. While the above refers to one possible implementation or location in which the system **10** may be used, the present invention is not limited to any such location or implementation.

[0034] In the illustrated embodiment, the system **10** utilizes electronic chips and electronic playing cards to provide an automated poker game for play by one or more players. In one aspect of the present invention, a human dealer is not required. The system **10** may handle all dealer functions.

[0035] The system **10** may be used to play any variation or version of poker. However, for the purposes of discussion, the system **10** will be described as adapted for use in implement the version of poker known as, Texas Hold'em.

[0036] In one aspect of the present invention, the system **10** may handle assigning players to a seat, providing electronic chips, accepting wagers, and assigning a pot to the winning player. The system **10** electronically shuffles a set of electronic playing cards and deals the electronic playing cards to the player and any common cards to the table **18**. The system **10** may also handle wagering, folding, calling by the players and may restrict such, based on whose turn it is.

[0037] In another aspect of the present invention, the poker tables **18** in the system **10** are networked and connected to one or more servers (see below). The server may be used to implement and facilitate, player tracking, ticket in ticket out (cashless) wagering, assigning player's to a seat at a particular table, tournament play, table set-up (including turning the tables on and off and modifying table parameters), and progressive jackpots.

[0038] As shown in the illustrated embodiment, the system **10** includes a plurality of electronic poker tables **18**. In the embodiment shown in **FIG. 1**, the system **10** includes ten electronic poker tables **18A-18J**, although the present invention is not limited to a specific number of electronic poker tables.

[0039] A simple representative layout of a table top **20** of the poker tables **18**, according to first and second embodiments of the present invention are shown in **FIGS. 2 and 3**, respectively.

[0040] In the top view of the table top **20** shown in FIG. 2, the table top **20** includes a playing surface **22** and a plurality of electronic player interaction areas **24**. In the illustrated embodiment, the poker tables **18** are able to seat a maximum of ten players at a time, and thus, includes ten electronic player interaction areas **24A-24J**.

[0041] In the top view of the table top **20** shown in FIG. 3 (in which like elements are labeled with the same reference numbers), the table top **20** includes a playing surface **22** and a plurality of electronic player interaction areas (EPIA) **24**. In the illustrated embodiment, the poker tables **18** are able to seat a maximum of ten players at a time, and thus, includes ten electronic player interaction areas **24A-24J**. The table top **10** also includes a central or common display area (CDA) **26**.

[0042] In one embodiment, the individual electronic player interaction areas **24A-24J** are used to convey game information directly to a player assigned to a specific player interaction area **24A-24J** and to implement a player user interface (see below) to effectuate interaction or input from the player. The central or common display area **26** is used to display information to all of the players.

[0043] For example in one embodiment, the system **10** is used to play the version of poker known as Texas Hold'em. In Texas Hold'em, each player is dealt a number of cards, e.g., two cards, face down. These are known as a player's "hole" cards **28**. A number of cards, e.g., three or five, are dealt face-up and displayed in the common display area **26**. These are known as the common cards **30**. A player's hand, thus, consists of the player's hole cards **28** and the common cards **30**. Whichever player's hand makes the highest poker hand is the winner of that round or hand of poker.

[0044] In one aspect of the present invention, the hole cards **28** are displayed face-down on the respective electronic player interaction area **24** and the common cards are displayed in the central display area **26**. The hole cards **28** are displayed at a first predetermined ratio and the common cards **30** are displayed at a second predetermined ratio. The first and second predetermined ratios may be expressed as a ratio of a standard size playing card or a predetermined default size. In one embodiment, the first and second ratios are the same. In another embodiment, the first and second ratios are different. For example, the first and second ratios may be defined such that the common cards **30** are displayed larger than the hole cards **28**.

[0045] With reference to FIGS. 6, 7, and 8 in one embodiment, the electronic player interaction areas **24** are implemented using separate display devices, such as touchscreen displays **32**. Each display **32** may be housed in a removable module **34**.

[0046] The module **34** may incorporate a fully-functional computer. The computer includes a processor capable of running an operating system, such as Windows XP or Windows CE, both available from Microsoft Corporation of Redmond, Wash. In one embodiment, the module **34** includes a card reader **36** for reading a player ID card (not shown).

[0047] In the illustrated embodiment, the modules **34** are mounted into the table top **20**, such that the touchscreen display **32** is parallel to the table top **20**. However, the touchscreen display **32** may be mounted at an angle with

respect to the table top **20**. Alternatively, the modules **34** may be adjustable to provide a adjustable viewing angle of the touchscreen display **32**.

[0048] In one embodiment, the central display area **26** is implemented in a separate display **38**, such as a LCD or plasma monitor or similar device.

[0049] The remainder of the table top may be covered in a material such as felt, or more specifically, green, blue, or red felt. Logos, game information, or other information may be printed on the material.

[0050] In an alternative embodiment, the electronic player interaction areas **24** and the central display area **26** may be implemented in a single display which covers a large portion of the table top. The electronic player interaction areas **24** and the central display area **26** may be set apart from the rest of the table top **20** by virtual borders. The areas of the display around the electronic player interaction areas **24** and the central display area **26** may be used to simulate the table top of a standard poker table, e.g., an image of material, such as green felt, may be displayed. Furthermore, logos, game information, other information, advertisements, announcements, pictures, videos, or other information may be displayed, rotated, cycled, or displayed for a limited period of time on the table top **20**.

[0051] As discussed below, the system **10** and poker tables **18**, although electronic, are designed to convey and retain the overall sense and ambience of a standard poker room with non-electrical poker tables. Each electronic poker table **18** is surrounded by a number of poker chairs **40**. The number of poker chairs **40** being equal to the number of electronic player interaction areas **24** on the electronic poker table **18**.

[0052] With particular reference to FIGS. 6 and 7, in the illustrated embodiment the poker tables **18** have an oval shape and may seat a maximum number of players. For example, the poker tables **18** may be sized to seat a maximum of 2-10 players, although the present invention is not limited to any particular sized poker table. As stated above the table top is covered, in between the electronic player interface area, and the central or common display area if provided, by material, such as green felt, or simulation thereof. The poker table includes two bases **42** to which one or more legs **44** are connected. The legs **44** support the table top. A rail or bumper **46** encircles the outer circumference of the table top **20**.

[0053] With specific reference to FIGS. 4 and 5, as discussed above the system **10** may include one or more electronic poker tables **18**. In one aspect of the present invention, the poker tables **18** are networked together using, e.g., an Ethernet network **48**. One or more server **50** may be used to provide functionality for the system **10**. For example, the server **50** may be used to implement various functions, including, but not limited to:

[0054] data and player tracking,

[0055] cashless wagering,

[0056] defining and modifying table parameters, including, turning the tables **18** on and off, setting the poker game being played at the table **18**, setting wager parameters, etc. . . . ,

[0057] defining and managing jackpots, including the a house percentage, i.e., the rake,

[0058] defining and managing progressive jackpots,

[0059] establishing and managing a queue for players and assigning players to seats and/or specific tables from the queue, and

[0060] establishing and managing tournament play, including assigning player seats, collapsing tables, etc.

[0061] With particular reference to **FIG. 5**, in one embodiment each table **18** includes ten electronic player interface areas **24** which are implemented in a computer based module **34**. Each module **34** operates or runs on an operating system, such as Microsoft Windows XP or Windows CE. Each module **34** is connected to the server **50** through the network **48**. As shown, another computer **52**, such as a personal computer running on Windows XP, may also be connected to the server **50** through the network **48**. The primary function of the PC **52** may be to control and drive the central display area **28**.

[0062] In one embodiment, the server **50** runs the poker games on each of the tables **18**. The primary function of the modules **34** is to run the electronic player interface areas **34**, to display and run a user interface.

[0063] In another embodiment, the poker game or portions of the poker game may be executed or run by the modules **34** and/or the computer **52**.

[0064] In another aspect of the present invention, the system **10** will implement a player-account based cash in/cash out system. The system **10** will create a user account for each player. Once an account is established for the player, the player is issued a Player Card having an associated personal identification number or PIN. Once the player has been issued a Player Card, their account may be funded. The Player Card is used to identify the player at the tables **18**. The player may fund their account by bringing cash to a cage, where the cash is accepted and credited to the player's account. Printed receipts are given to the player and maintained by the casino **12**. To bring electronic chips to the table **18**, the player sits down at a seat, swipes their Player Card and enters their PIN. The system **10** informs the player of their account balance and allows them to convert all or a portion of the account balance to electronic chips to bring to the game.

[0065] From a software perspective, the system **10** may be implemented using six program groups: a table server, a game engine, a table client, a player client, a table manager, and a cage manager. The table server implements the network communication, control and authentication as well as inter-table functions (seat reservations, multi-table tournaments). The game engine is responsible for all game functions, e.g., electronic playing card deck generation, dealing, betting, determining winners and awarding pots. The table client is the graphical control for the central data area **26**. The player client implements the user interface for the electronic player interface areas **24** and the logic for capturing player input and communication the player input to the table client server. The table manager contains the user interface for setting user, network, and game parameters, for starting, pausing, and stopping games, and for monitoring game activity and responding to system or user generated

alerts. The cage manager provides the ability to create and fund player accounts and to create the Player Cards.

[0066] With reference to **FIGS. 9 and 10**, each electronic player interface area **24** implements a player interface **54**. The player interfaces **54** may be implemented on the table top **20** (see above), or in the module **34**. In another embodiment, the player interface **54** may be implemented on a hand-held device **58**, such as a personal data assistant (PDA).

[0067] The player interface **52** may be graphical in nature (as shown in **FIGS. 9 and 10**), or may take other forms, such as a simple textual format. In one embodiment the electronic player interface areas **24** provide the player with the option of choosing between several player interfaces **52**, such as a graphical representational of an electronic poker table **56** or the text interface.

[0068] Returning to **FIGS. 9 and 10**, in one embodiment the player interface **54** includes a graphical representation of a poker table **56**. Each player in the poker game may be represented by a user graphic or icon **62**, which may list their names as well as their chip totals. The pot of the current hand may be represented in the center of the poker table **56** by stack(s) of chips **64** and/or a number **66** representing the value of the current pot. Each player's contribution to the pot may be represented by stack(s) of chips **68** and/or a number **70** adjacent their user graphic **62**.

[0069] The player interface **54** may also includes a series of player option buttons **72** and a series of game buttons **74**. The player option buttons **72** may include, for example, a sit in button **72A**, a leave table button **72B**, and an options button **72C**. Generally, only one of the sit in button **72A** and the leave table button **72B** would be active at any time. The options button **72C** allows the player to access an option menu or screen (not shown) which allow the player to modify certain parameters of the player interface **54**, such as, for example, to choose between different formats of the player interface **54**. The series of game buttons **74** allow the player to signal their game play decisions to the system **10** during the play of the game. The game buttons **74** may include a fold button **74A**, a call button **74B** and a raise button **74C**. These typically would only be active when it is a player's turn in the poker game. In one embodiment, the buttons **72** are implemented on the touch screen display devices **32**. In an alternative embodiment, the buttons **72** are embodied in electromechanical switches or buttons (not shown).

[0070] In one embodiment, the player interface **34** may also include the community cards **30**. Other information which may be displayed on the player interface include, but is not limited to indicator of the player whose turn it is, a total of chips for each player, any cards of the other players which are face-up, and/or messages to the player, such as advertising.

[0071] In another aspect of the present invention, the player interface **54** includes a graphical representation of one or more of electronic playing cards **76** (see **FIG. 12**). Each electronic playing card **76** has a front side **76A** and a back side **76B**. The back side **76B** of each card has an identical pattern or image such that the cards cannot be told apart when viewing the back side **76B**. The electronic playing card **76** is typically one of a set or deck of standard

playing cards. The deck may be a standard deck of 52 cards, each card having a value. The value being two components: the first component being one of a two through ACE and the second component being one of four suits (hearts, diamonds, clubs, spades). The value of each card is indicated on the front side 76A of each playing card 76.

[0072] The image displayed on the back side 76B of the playing cards may be a logo, a random image (chosen from a set of predetermined images), or may be advertising directed at the player. The image may include a video. In one embodiment, the image displayed on the back side 76B of the playing cards may be cycled through a set of predetermined images. The image may be selectable by a user, who may be the player or an employee of the casino.

[0073] In one embodiment, the electronic playing card or cards 76 are a player's hole card(s) in an electronic poker game. However, the electronic playing 76 cards may be used in any sort of electronic card game in which it is desirable to controllably display/hide the player's cards. Thus, while the present invention may be described below in the context of an electronic poker game (and more specifically, with respect to a player's hole cards in a Hold'em style poker game), the present invention is not limited to such a card game.

[0074] In a playing card game with physical cards, in which the player's card are dealt "face-down" and not revealed to any other player, the player may look at their cards, while attempting to keep the cards secret from the other players in several ways. For example, the player may lift the cards close to their bodies, spread them out, and shield them with their hands, so only the player can see the front side of their cards. Or the player may leave the cards face down on the table and lift one side or corner revealing at least a portion of the front side, while shielding the cards with their hands.

[0075] A controller, which is either, the module 34, the personal computer 52, the hand-held device 58, the server 50 or a combination thereof, controls the player interface 54, i.e., controls the information components of the player interface 54 displayed on the electronic player interaction areas 24, detects touches on the touch screen display devices 32 (when utilized) and interprets the touches as trigger or touch events (see below). As discussed below, the controller 24, 52, 58, 50 may control the display or obscuring (hiding) of the player's hole electronic playing card(s) such that the player may controllably display and view the cards, while maintaining them secret from the other players. As if the player was playing with physical playing cards, the player, thus, has the opportunity to shield their cards with their hand or hands prior to them being revealed.

[0076] In one aspect of the present invention, each electronic player interaction area 24 is assigned to a player. Once the player is assigned is to a particular seat at a table 18, the associated EPIA 24 may set as inactive or locked and may indicate the assigned player's name. Once the EPIA 24 is locked, the assigned player must login to the EPIA 24 (see below).

[0077] Once the player log-ins, the EPIA 24 becomes active and the player interface 54 is displayed. Also, since the EPIA 24 is active, the player may enter or sit-in on the game being player at the table 12 or adjust/modify any available options by actuating the options button 72C.

[0078] In one embodiment as discussed above, the EPIAs maybe implemented using a separate or modular computer 34. In one embodiment, the modular computer 34 includes a display 32 which may be a touch-screen display 34. The touch-screen display displays information (text and/or graphics) regarding the play of the game and implements buttons or selectable areas on the EPIA 24 for user input.

[0079] A player may log-in to the system 10 or table 18 through the EPIA 24. In one embodiment, the player may log-in to the system using a player tracking card. The player swipes their player tracking card through the card reader 36. The EPIA 10 may also require entry of a PIN into an attached keypad or keypad implemented on the touchpad display device 34. Alternatively or in addition, the player may log-in using a biometric parameter, such as a fingerprint, sensed by a sensor and a RFID card or chip.

[0080] In one aspect of the present invention, the EPIA 24 includes a sound generation device which is used to generate sounds audible to the player assigned to the EPIA 24. The sound generation device may be implemented as an earpiece or headphones or one or more speakers. Generated sounds may be categorized as system sound or player sounds. System sounds include sounds which are intended or suitable to be heard by everyone, including other players and non-players. Player sounds include sounds which are intended to be heard, but not necessarily only, by the player. Example, system sounds may include sounds imitating the shuffling of cards, the dealing of cards, chips thrown into the pot, sounds related to the winning of the jackpot. Player sounds may include a reminder or indication of a player's turn or if the game is timed, an indication of the time remaining or that time is running out. Player exclusive sounds are sounds that can or should only be heard by the player and may indicate an audible signal indicating the player's hole cards or the highest hand of the player or a winning percentage associated with the player's hand.

[0081] In another aspect of the present invention, the EPIAs 24 may be implemented via a touchscreen display device 32. The devices 32 may be integrated with a computer in a module. Alternatively, the touchscreen devices 32 may be separate devices controlled by separate computers or the computer 52 at the table 18 or the server 50.

[0082] In many gaming environments 12, such as a poker room at a casino, a portion or percentage of each pot goes to the house for running the poker game. This portion of the pot is known as the rake. In one embodiment, the amount of the rake corresponding to the current pot is displayed on each EPIA 24. The rake may be shown as an amount in dollars and may include a graphical representation of virtual chips.

[0083] In one aspect of the present invention, the system 10 utilizes both virtual or electronic chips and virtual playing cards. In one embodiment, the EPIA 24 may include a graphical representation of the chips and/or a dollar amount indicative of the amount of chips each player at the table has remaining. Additionally, the EPIA 24 may include a graphical representation of the chips and/or a dollar amount indicative of the amount of the current pot. The pot may be shown in the middle of a graphical representation of the poker table.

[0084] In one embodiment, each EPIA 24 may also include a graphical representation of the community cards in

the middle of the graphical representation of the poker table. Graphical representations of the other player's card may also be shown (face-down during the current hand and face-up at the end of the hand).

[0085] As discussed above, system **10** may require that the player log-ins to the EPIAs **18** which is open or to which they have been assigned. The log-in may be accomplished in a variety of ways (see above). Once a player's identity has been established, however, the player can access a player account, purchase chips using an account balance. Additionally, information regarding the player's play at the table may be tracked and recorded to the player's account.

[0086] The EPIAs **18** may be provided with an Ear- or head-phone to provide the sounds (see above) or other signals to the player.

[0087] In one aspect of the present invention, the sounds provided by the EPIA **24** (see above), are provided using a simulated voice.

[0088] In one aspect of the present invention, the system may utilize a cashless system, such as Ticket-In Ticket-Out or "TITO" (see below)

[0089] In one embodiment, the system **10** requires that each player has a player account. The player account may have an associated balance which contains a dollar amount based on an amount of money deposited by the player and/or any winnings that they have collected, either through poker or some other game. Once a player has been identified by the EPIA **24**, the player may download a dollar amount and purchase chips to play.

[0090] Alternatively, a ticket (with for example a bar-code), magnetic card, RFID card, or some other media (jointly referred to as a TICKET) may be inserted in the EPIA **24**. The TICKET may have an associated value which is either printed and/or encoded thereon or which is associated with the TICKET in the system **10**.

[0091] Additionally, once the player decides to leave the table **18**, any remaining chips they have, may be instantly converted back into dollars and stored in their player account and/or a new Ticket may be generated.

[0092] In another aspect of the present invention, each EPIA **24** may provide an indication of whose turn it is to act. If it is the player's turn who is assigned to an EPIA **24**, then the EPIA **24** may provide an appropriate signal, such as a icon, either next to their name or anywhere on the EPIA **24**, a sound such as a beep or musical tones, and/or a voice message. If it is a another player's turn, the EPIA **24** may indicate whose turn it is by an icon and/or flashing text, e.g., adjacent the player's turn.

[0093] As discussed above, the EPIA **24** includes a set of player option buttons **72** which allow the player to take an appropriate action, such as wager, fold, or call, during their turn. In one embodiment, the EPIA **24** only activates those buttons **72** which are appropriate, given the rules of the game being played, during the current turn. For example, if the maximum number of raise for a particular game have already been made, then the wager or raise button would be inactive. Additionally, all of the buttons **72** will be inactive when it is not the player's turn.

[0094] As discussed above, each seat or EPIA **24** is assigned to a particular player. The player may be assigned

to a seat off a queue using a queue system or may be assigned by an employee of the casino using the system **10**. However, under certain situations, the player may desire to changes seats or move to another table. For example, if another player or players have left the table leaving fewer players at the table and the player does not like to play at a table with that few of players, the player may request through the EPIA **24** another seat assignment.

[0095] The present invention includes methods for displaying and/or obscuring a player's hole cards (see above). Additionally or separately, the EPIA **24** may be adapted to provide an indication of the winning percentage based on the player's current hand and the community cards. The winning percentage may be shown textually, e.g., 55%, and/or graphically, e.g., a pie-chart or bar chart. The winning percentage may be triggered and shown using the same trigger event associated with the hole cards. Alternatively, a separate trigger event, such as a touch-event on another location on the EPIA **24** may be used to show the winning percentage.

[0096] The present invention includes methods for displaying and/or obscuring a player's hole cards (see above). Additionally or separately, the EPIA **24** may be adapted to provide an indication of the player's current highest hand based on the player's current hand and the community cards. The highest hand may be shown textually, e.g., two-pairs, and/or graphically, pictures of the five cards which make of the highest hand. The highest hand may be triggered and shown using the same trigger event associated with the hole cards. Alternatively, a separate trigger event, such as a touch-event on another location on the EPIA **24** may be used to show the highest hand.

[0097] 1. Utilizing Surface Acoustic Wave touch screen technology

[0098] 2. Utilizing Multi Touch touch screen technology

[0099] 3. Player away feature: Allows a player to press a button to temporarily remove himself from the game. Secure process for returning him to game accounting for missed blinds.

[0100] 4. User customizable views of the game: Allow many views of the game and method to allow user to select preferred view.

[0101] 5. Integrated with speakers

[0102] 6. Method to obscure player pre-selection of one or several bet options: Poker is a sequential game. Situations exist where a player will know what action they want to take prior to it being there turn. Allowing the player to make that decision in advance of their turn in a way that allows players seating close to observe this action would provide an unfair advantage to some players and not others. This feature allows a player to make a pre-selection while observing his hole cards in such a way that other players will not be able to observe that pre-selection.

[0103] 7. Ability to display live and pre-recorded Video

[0104] As discussed above, a poker table **18** may include one or more EPIAs **24**. For example, each poker table may

have 11 seats and accommodate up to 11 players. Each EPIA **24** may have one or more of the features described in IV.

[0105] In one embodiment as discussed above, the EPIAs may be implemented using a separate or modular computer **34**. In one embodiment, the modular computer **34** includes a display **32** which may be a touch-screen display **34**. The touch-screen display displays information (text and/or graphics) regarding the play of the game and implements buttons or selectable areas on the EPIA **24** for user input.

[0106] In one embodiment, the modular computer **34** includes a display **32** which may be a touch-screen display **34**. The touch-screen display displays information (text and/or graphics) regarding the play of the game and implements buttons or selectable areas on the EPIA **24** for user input.

[0107] In one aspect of the present invention, the table **18** includes a table sound generation device which is used to generate sounds audible to the players. The table sound generation device may be implemented one or more speakers mounted to integral with the table **18**. Alternatively, the table sound generation device may include one or more speakers adjacent to or integral with each EPIA **24**. Generally, the sound generation device plays system sounds or player sounds which are suitable for every player to hear.

[0108] For example, system sounds may include sounds imitating the shuffling of cards, the dealing of cards, chips thrown into the pot, sounds related to the winning of the jackpot. Player sounds may include a reminder or indication of a player's turn or if the game is timed, an indication of the time remaining or that time is running out. Generally, player exclusive sounds will not be played through the player sound generation device.

[0109] In one embodiment of the present invention, the poker table **18** includes a central display area **26**. As discussed above, the individual electronic player interaction areas **24A-24J** are used to convey game information directly to a player assigned to a specific player interaction area **24A-24J** and to implement a player user interface to effectuate interaction or input from the player. The central or common display area **26** is used to display information to all of the players.

[0110] The common cards **30** are displayed in the central or common display area **26**.

[0111] In one embodiment, the central display area **26** is implemented in a separate display **38**, such as a LCD or plasma monitor or similar device. The remainder of the table top may be covered in a material such as felt, or more specifically, green, blue, or red felt. Logos, game information, or other information may be printed on the material.

[0112] As discussed above, the common cards **30** are displayed in a larger size than the hole cards **28** are displayed at a first predetermined ratio and the common cards **30** are displayed at a second predetermined ratio. The first and second predetermined ratios may be expressed as a ratio of a standard size playing card or a predetermined default size. In one embodiment, the first and second ratios are the same. In another embodiment, the first and second ratios are different. For example, the first and second ratios may be defined such that the common cards **30** are displayed larger than the hole cards **28**.

[0113] In an alternative embodiment, the electronic player interaction areas **24** and the central display area **26** may be implemented in a single display which covers a large portion of the table top. The electronic player interaction areas **24** and the central display area **26** may be set apart from the rest of the table top **20** by virtual borders. The areas of the display around the electronic player interaction areas **24** and the central display area **26** may be used to simulate the table top of a standard poker table, e.g., an image of material, such as green felt, may be displayed. Furthermore, logos, game information, other information, advertisements, announcements, pictures, videos, or other information may be displayed, rotated, cycled, or displayed for a limited period of time on the table top **20**.

[0114] Typically displays, such as LCD or Plasma monitors are rectangular in form. As shown in Figure, the overlay may be integral with the table top **20** and may include a cut out. The overlay covers the outer edge of the display. Only the portion of the display inside the cut-out is visible. In the illustrated embodiment, the cut out has a shape, such as an oval shape, which is similar to the shape of the table.

[0115] As discussed above, the rake is defined as a portion or percentage of each pot that goes to the house for running the poker game. This portion of the pot is known as the rake. In one embodiment, the amount of the rake corresponding to the current pot is displayed on the central display area **26**. The rake may be shown as an amount in dollars and may include a graphical representation of virtual chips.

[0116] In another aspect of the present invention, the central display area **26** may provide an indication of whose turn it is to act. In one embodiment, the central display area **26** may provide an appropriate signal, such as a icon, e.g., an arrow or other symbol, a sound such as a beep or musical tones, and/or a voice message. This indication of a player's turn may be in addition to the indication on the EPIA **24**.

[0117] During a poker hand, even at a standard poker table with a human dealer, one of the players is designated as the "dealer", for the purposes of the order in which the playing cards are dealt and in which wagers are made. In one aspect of the present invention, the central display area **26** may provide an indication of which player is designated the "dealer" for the current hand. In one embodiment, the central display area **26** may provide an appropriate signal, such as a icon, e.g., an arrow or other symbol. This indication of a player's turn may be in addition to the indication on the EPIA **24**.

[0118] As discussed above, the hole cards **28** are displayed face-down on the respective electronic player interaction area **24** and the common cards are displayed in the central display area **26**. In one aspect, the common cards **30** are displayed at a larger size than the hole card **28**.

[0119] In one embodiment, the hole cards **28** are displayed at a first predetermined ratio and the common cards **30** are displayed at a second predetermined ratio. The first and second predetermined ratios may be expressed as a ratio of a standard size playing card or a predetermined default size. In one embodiment, the first and second ratios are the same. In another embodiment, the first and second ratios are different. For example, the first and second ratios may be defined such that the common cards **30** are displayed larger than the hole cards **28**.

[0120] In one aspect of the present invention, the table **18** provide a poker game, such as Texas Hold'em for the players. In one embodiment, the provided poker game is a timed game, i.e., the player's have a predetermined time period in which to complete each turn. For example, the player's have a set period of 1 minute to complete each turn. Alternatively, the period of time may vary based, e.g., the first turn may have a period of completion of 1 minute, while the second turn may have a shorter or longer period of completion

[0121] In another aspect of the present invention, the central display **38** may be used to display advertising messages. The advertising messages may be from the casino or third parties and may consist of graphics, pictures, animations, video and/or audio. The advertising may be presented at specific location on the central display **38** and may be varied, based on time, i.e., cycled through a set of advertising messages.

[0122] 8. Display and/or animation of blinds on Central Display Area **26**

[0123] 9. Display and/or animation of community cards on Central Display Area **26**

[0124] 10. Display and/or animation of bets placed and player chip stacks on Central Display Area **26**

[0125] 11. Indication of players who have folded and not folded on Central Display Area **26**

[0126] 12. Display and animation of winning hands on Central Display Area **26**

[0127] 13. Central Display Area **26** utilizing transducer sound emitting technology eliminating the need for separate speakers

[0128] 14. Display on Central Display Area **26** of winning hand percentage estimates in situations where all remaining players cards are exposed e.g. remaining players are all in.

[0129] In one aspect of the present invention, the poker tables **18** in the system **10** are networked and connected to one or more servers **50**. The server **50** may be used to implement and facilitate, player tracking, ticket in ticket out (cashless) wagering, assigning player's to a seat at a particular table, tournament play, table set-up (including turning the tables on and off and modifying table parameters), and progressive jackpots. Each table **18** may have one or more EPIAs **24**. The poker tables **18** and the EPIA may have one or more of the features described in VI.A. and VI.B.

[0130] In addition, other devices may be connected to the server **50** for providing additional features and/or functions. For example, a queueing system may be provided (see below). This system may be implemented using a separate computer which implemented this function. The separate computer may also implement other features or functions of the system. It should be noted, however, that in some systems, these additional features or function could be provided, at least in part, by the server(s) **50**.

[0131] In one aspect of the present invention, the server **50** runs the games. In other words, the server **50** electronically "shuffles" the playing cards, deals the cards, controls the players' turns, receives the player's inputs and acts accordingly, tracks, manages, and awards the pot, tracks the rake,

etc. . . . Game data is stored in a database. Each input, wager, play, etc. . . . is stored in the database.

[0132] In one aspect of the present invention, a queueing system assigning player's to seats at a poker table **18** is provided. The queueing system may also implement a waiting list if there are no seats available. In one embodiment, one or more devices, such as a personal, notebook, or tablet computer, handheld computer, or PDA, is accessible by one or more employees of the casino. The device(s) allow the employee(s) to enter a customer's name or player ID or to swipe the player's ID Card. If there is a seat at a table **18** available, the player may be assigned to the seat.

[0133] If there is more than one seat available, in one embodiment the employee, may select one of the seats (with or without input from the player). Alternatively, the device may select the seat using a predetermined set of rules.

[0134] If there are no seats available, the player is placed in a queue, until a seat opens up. In one embodiment, players are taken off of the queue and assigned a seat on a first come, first served basis. However, the system **10** may allow the casino to implement special rules for players to bypass the queue or list. For example, the casino may present vouchers to players under certain conditions, such as a win in a tournament, to be placed at the head of a queue.

[0135] In one aspect of the present invention, the server **50** provides an interface which allows a user, such as an authorized or designated employee of the casino, to set-up a new table **18** or to modify the parameters of an existing table **18**. The interface may be implemented on a server **50** or on another device networked to the server **50**.

[0136] The interface may provide one or more of the following features: ability to turn a table on/off, and ability to change game parameters, such as the permitted wagers, the game being played, the rake, etc. . . .

[0137] In one aspect of the present invention, as stated above the system **10** tracks each transaction, wager, card dealt in a database. The system **10** also tracks the players which are playing at each table **10**. This information is stored in the database, summarized, and may be presented in any numerous forms of reporting formats. Any information regarding the player's, the games, and how each hand is played may be tracked. This available data may also be analyzed for purposes of determining the frequency of poker hands (per hour) for a table or all games in which a particular player or players played or detecting, e.g., collusion between players.

[0138] As discussed above, in one embodiment every player must belong to a player club and have an assigned player ID card to log-in to an EPIA **24** to play poker at a table **18**. Each player has an account in the player tracking club. The player's account in the tracking club tracks the amount of cash or money that the player has available for play at poker. The player's account also tracks the player's play at a poker table **18**, including amounts wagered and amounts won.

[0139] The system **10** allows jackpots, i.e., progressive jackpots, to be generated by and won across multiple hands and/or multiple tables. A progressive jackpot may increase based on the amounts wagered and/or won at the included tables. The progressive jackpot may continue to increase

until won under a set of predetermined conditions. Alternatively, it may be active until only for a predetermined time period. The conditions for winning the jackpot that it is won by one or more players at the end of the time period.

[0140] The system **1** allows a progressive jackpot to be funded in multiple ways. The way in which a progressive jackpot is funded may be funded through a computer program application on the server **50** or other device. For example, the progressive jackpot may be funded by taking a set percentage from every jackpot, every other jackpot, or every nth jackpot.

[0141] The amount of the progressive jackpot may be displayed on the central display **38** and/or a remote display.

[0142] The progressive jackpot may be initiated randomly, under certain defineable conditions, and/or for a specific event, i.e., a marketing event. The progressive jackpot may be a single hand (across multiplied hands), a predetermined number of hands at one table or across multiple hands, for a predetermined time period, etc. . . .

[0143] 15. Progressive, side-bet, Double-Up, Mystery and many other jackpot techniques are well understood in relation to slot machines.

[0144] Methods and systems to apply those techniques in combination with an automated poker table.

[0145] 16. Displaying Gov't Reporting Form in EPIA

[0146] In another aspect of the present invention, after a jackpot is won by a player, one or more government reporting forms may be presented to the player on their EPIA **24**. The form may accept the player's electronic signature (if permissible) or may notify the player of the requirements and direct them to a location where they can fill out the form. The device may be a personal, notebook, or tablet computer, handheld computer, PDA, or other suitable device.

[0147] In one aspect of the present invention, one or more employees of the casino may be assigned to manage a plurality of tables. One of the employees may manage the queuing system (where provided). A device, networked to the server, may be provided which provides various functions to the employees. The device provides a dashboard application which allows the employee to manage various aspect of the tables **18**

[0148] In one aspect of the present invention, the employee may view various data related to the current state of a table, including, but not limited to, the players, the pot, wager information, the common cards, etc. . . .

[0149] The employee, for example, in response to an in-person query or a query made through an EPIA **24**, may view tracked data to look for evidence of collusion between two or more players. For example, the employee may determine if two or more persons at a particular table have a habit of playing at the same time and to determine if there is any pattern discernable in the play which would provide evidence that they are impermissibly working together.

[0150] In one aspect of the present invention, each EPIA **24** may provide a player with buttons which summon or direct specific employees of the casino. For example the player may request a host/hostess to order a drink. Additionally, the player may request that an employee review

something that occurred or is occurring at the table **18**, e.g., possible collusion. This may be done anonymously.

[0151] As described above, the device which allows the players to manage the tables **18**, may also allow the employee to automatically or manually assign players to particular tables and/or seats and/or EPIA **24**.

[0152] In one embodiment, the server **50** controls the advertising on the central display **38**. Advertising may also be provided on the EPIA's **24** and/or a remote display associated with the poker tables **18**. The server **50** may control the content, frequency, and/or the cycling of the advertising.

[0153] In one aspect of the present invention, a player may refrain from playing in one or more hands or get up from a table and not play in one or more hands. Typically, however, if the player decides to play a subsequent hand, than the player owes the current pot a predetermined amount, i.e., the "blind", per hand missed. In one embodiment, if the player decides to sit-out one or more hands, then the system **10** tracks the number of hands missed and automatically deducts an amount equal to the number of hands missed multiplied by the blind once the player decides to play another hand.

[0154] As discussed above, the system **10** records every transaction, card dealt or played, wager, etc. . . . in a database. This allows the system **10** to recover from any error and put the game back into the same state.

[0155] The system **10** facilitates tournament play. In a tournament, a predetermined number of tables **18** having a predetermined number of players are involved. A buy-in, e.g., \$100 is required. Typically, after a player loses all of their money, they are eliminated from the tournament.

[0156] Under predetermined rules, players may register for a tournament and be assigned to seats at a table. During play, under predetermined rules, tables may be broken down and the players distributed to other tables. The system **10** facilitates the tournament by providing one or more of the following features:

[0157] a) Registration

[0158] b) Tracking tournament information

[0159] c) display of tournament information on central display and/or remote display

[0160] d) tournament set-up, e.g., buy-in

[0161] e) Re buy-in

[0162] f) tournament jackpot, cash or entry voucher for entry another tournament (specific tournament or expiration date)

[0163] g) Process for breaking tables

[0164] (1) message that table is breaking

[0165] (2) convey new seat assignment

[0166] (3) determination of breaking order

[0167] (4) display of breaking order

[0168] h) display information on status of other tables and players at other tables

- [0169] i) System to monitor and adjust hands per hour of an individual table during a tournament: During a poker tournament it is important that each table play roughly the same number of hands per hour as all other tables. This can be accomplished by pausing a game and/or slowing a game down with out pausing.
- [0170] j) Multi-site tournaments.
- [0171] k) System for automatically paying players tournament winnings based on tournament pay tables and their final position in the tournament.
- [0172] 17. Automatic posting of blinds and method to turn on and off of automatic posting of blinds/missed blinds.
- [0173] 18. Method for automatically calculating allowed bet amounts in pot-limit and no-limit betting structures.
- [0174] 19. Automatic varying of rake based upon number of players, amount of pot, time of day, type of game and/or other criteria.
- [0175] 20. Ability to offer rake discounts to individual players.
- [0176] 21. Transferring a player from one seat to another at the same table, or to another: Situations exist where are forced to ("must move") or desire to move seats. This feature provides automatic notification and movement of player information from one seat to another.
- [0177] 22. Database and network architecture allowing single and multi-site networking and management of a plurality of automated poker tables.
- [0178] 23. Tracking and reporting of player statistics: Data and method of display over the internet and/or other methods for player to analyze their previous play statistics. In another embodiment date and method of display is utilized to determine player rankings for a given game and/or over a given time period
- [0179] 24. Ability to view available tables and register for live tables and/or tournaments via a remote connection such as the internet or an automated voice response unit.
- [0180] 25. Options adjust speed of play(speed of card shuffling, dealing, discarding, betting, etc etc)
- [0181] 26. Electronically transfer money from an account to the table
- [0182] 27. Electronically transfer money to another
- [0183] 28. Use of "cash card" to bring money to the table.
- [0184] 29. Ability for operator to view details of any and all tables
- [0185] 30. Ability for operator to view details of any and all players

[0186] In one aspect of the present invention, remote or virtual games may be provided by the system 10. The remote or virtual games may be provided on wireless devices and may be played at predetermined locations.

[0187] Virtual games may also be provided through the EPIAs 24. For example, the virtual or remote games may be played by the poker players when it is not their turn. The virtual or remote games may be another poker hand, played against other players, at the table or at other tables, or played against virtual players. Alternatively, the remote or virtual games may be other types of games, including, but not limited to blackjack, keno, slot machines, etc.

[0188] In addition to running other casino games on EPIA 24 or other terminals, system can be run on other gaming devices throughout the casino. For example, a virtual poker game can be run on an existing electronic bingo terminal or an electronic race book terminal.

[0189] With specific reference to FIG. 13, in one aspect of the present invention, the system 10 includes an electronic poker table 18 for providing an electronic poker game to a plurality of players. As discussed above, the electronic poker table 18 may be a stand-alone table, or may be one of a plurality of electronic poker tables 18 located, for example, in a poker room 14 of a casino.

[0190] As discussed above, in one embodiment the electronic poker table 18 includes a table top 20 with a playing surface 22 and a plurality of electronic player interaction areas 24 which are located around a periphery of the table top 20. Each electronic player interaction area 24 includes a player interface 54 for interaction with one of the players.

[0191] With specific reference to FIG. 14, the player interface 54 includes providing a rabbit button 72D whose use is described below.

[0192] A game computer 82 is coupled to the plurality of electronic player interaction areas 24 for administering at least one hand of the electronic poker game using the virtual cards 76. The game computer 82 may be located at or adjacent the electronic poker table 18 or may be the server computer 30 for a plurality of poker tables 18, as discussed above.

[0193] The game computer 82 determines a winner for the at least one hand and awards a pot to the winner. In administering the game, the game computer 82 deals at least one common card and at least one hole, after the winner has been determined, allows any player to view any undealt common cards in response to actuation of the rabbit button 72D.

[0194] In one embodiment, the electronic poker game includes a betting round prior to the dealing of the at least one common card. The number of common cards and the manner or order in which they are dealt and the number and timing of betting rounds are specified by the rules of the game being played.

[0195] Each player has a turn during a betting round. During each player's turn, the game computer 82 provides the player an opportunity to make a wager or fold. If, during a betting round, all remaining players but one fold, then the remaining player is the winner. If this occurs prior to the dealing of any of the common or community cards, they will remain undealt. If at the end of all betting rounds, more than one player remains, then the winner is determined as a function of the highest poker hand comprised of the community cards and each player's hole cards.

[0196] If any particular hand, if any of the community cards remain undealt, then the rabbit button 72D becomes active and/or is displayed.

[0197] The rabbit button 72D is active after the winner has been determined and may remain active for a period of time. The time period the rabbit button 72D remains active 72D may be a set time period, for example 30 or 60 seconds, or may be based on a game event. For example, the rabbit button 72D may be active until the next hand is dealt or until the next hand is over.

[0198] As discussed above, each electronic player interaction area 24 includes a rabbit button 72D. Any one of the players may actuate their respective rabbit button 72D. In one embodiment of the present invention, if one of the players actuates their respective rabbit button 72D, the community cards 88A (see FIG. 17) which were not dealt are displayed in an undealt community card area 84 on the respective electronic player interactive area 24. In another embodiment, if one of the players actuates their respective rabbit button 72, the undealt community cards 88A are displayed in the undealt community card area 84 on all of the electronic player interaction areas.

[0199] The undealt community card display area 84 may take up a relatively small portion of the electronic player interaction area 24, as shown. Alternatively, the undealt community card display area 84 may encompass a relatively substantial portion of the electronic player interaction area 24 (and temporarily overlay the rest or a portion of the rest of the electronic player interaction area 24).

[0200] The undealt community card display area 84 may be displayed (1) while the rabbit button 72D is depressed, (2) for a predetermined amount of time, e.g., 5 seconds, or (3) until the rabbit button 72D is depressed again.

[0201] As discussed above, the electronic poker table 18 may also include central display area 26 located in a central location of the table top 20 for displaying information to the players. In a third embodiment, as shown in FIG. 15, the undealt community cards may also be displayed in a second undealt community card display area 86 of the central display area 26.

[0202] Returning to FIG. 14, upon actuation of the rabbit button 72D by one player, in addition to the undealt community cards 88A, the dealt community cards 88B and/or the player's hole card 88C may also be displayed in the undealt community card area 84. The game computer 82 may also provide an indication 88D of the player's highest hand—if the player had stayed in the hand and the undealt cards 88A had been dealt.

[0203] In one embodiment the undealt community cards 88A (and the dealt community cards 88B and the player's hole cards 88C, if displayed), may be displayed using graphical representations of the cards (as shown), or represented by text, e.g., "Two of Hearts" or "2♥".

[0204] In one embodiment, the electronic poker game is played using virtual cards and real chips. In another embodiment, the electronic poker game is played using virtual cards and virtual chips.

[0205] In a second aspect of the present invention, a method 90 provides an electronic poker game using on a plurality of electronic player interaction areas 24 and a game

computer 18. The method may be utilized on an electronic poker table 18 as described above or on any other system for implementing an electronic poker game, such as an internet based game. In an internet based game, the game computer 82 may be a server running the game and the electronic player interaction areas 24 may be implemented on individual computers connected to server through the internet.

[0206] With particular reference to FIG. 16, in a first step 90A, a hand of the electronic poker game is administered. In a second step 90B, a winner of the hand of the electronic poker game is determined and a pot is awarded to the winner. In a third step 90C, any undealt community cards 88A may be displayed on the electronic player interaction areas 84 of one of the players in response to the player having actuated a respective rabbit button 72D (see above).

[0207] Generally, actuation of the rabbit button 72D by one of the players will cause any undealt common or community cards from a just completed or a previous hand to be displayed. If there were no undealt common cards in the previous hands, actuation of the rabbit button 72D would have no function. In this case, the rabbit button 72 may be hidden or not displayed.

[0208] The game computer 82 administers the electronic poker game. The electronic poker game is a "flop" type poker game, such as Hold'em or Omaha Poker, in which players are forced to make a betting decision prior to one or more community or common cards being dealt. The following description of operation of the game computer 82 in administering the electronic poker game applies to a variation of Hold'em Poker generally known as Texas Hold'em Poker. However, it should be recognized that the present invention is not limited to any specific version of poker.

[0209] At the beginning of each hand of the electronic poker game, a random number generator or RNG (not shown) is used to shuffle a deck of 52 virtual cards and to determine the deck order. One of the players is designated as the dealer. The player on the dealer's left is known as the "Big Blind" and the player on the left of the Big Blind is known as the "Little Blind". At the beginning of the hand, the player known as the Big Blind must post into the pot a predetermined amount, e.g., \$1, \$5, or \$10. This amount is also known as the Big Blind. The player known as the Little Blind must also post into the pot a predetermined amount, typically ½ of the Big Blind. This amount is also known as the Little Blind. Typically, the game computer 82 will automatically deduct the Big Blind and the Little Blind from the respective player's stacks and add them to the pot.

[0210] After the blinds have been added to the pot, the game computer 82 will deal two cards, i.e., the players' hole cards, face down to each player. These cards are displayed face down on each players' electronic player interaction area 24. As described above, each player may controllably view their hole cards.

[0211] After the hole cards are dealt, the game computer 82 administers a betting round. The first betting round starts with the player on the left of the Little Blind. Generally, each player is given an appropriate set of selections in the form of the game buttons 74. In one embodiment, the game buttons 74 are displayed only during the player's turn. Furthermore, only the game buttons 74 which, according to the rules of the poker game being played, are appropriate are displayed.

[0212] After the first betting round, three community cards, i.e., the “flop” are dealt face up by the game computer 82 and displayed. In one embodiment, the community cards are displayed in each electronic player interaction area 24, as shown. If a central display area 26 is used, then the community cards may alternatively or in addition be displayed thereon.

[0213] This is followed by a second betting round. After the second betting round, a fourth community card, i.e. the “turn” is dealt by the game computer 82, followed by a third betting round.

[0214] After the third betting round, the fifth and final community card, i.e., the “river” is dealt face up. This is followed by the fourth and final betting round. If more than one player remains after the final betting round, the player with the highest hand is determined as the winner of the hand.

[0215] If after any of the first through third betting rounds, only one player remains, then the remaining player is automatically determined as the winner. Since one or more of the community cards have not been dealt, the rabbit button 72D on each electronic player interaction area 24 becomes active or is displayed, as described above).

[0216] Obviously, many modifications and variations of the present invention are possible in light of the above teachings. The invention may be practiced otherwise than as specifically described within the scope of the appended claims.

ELEMENT LIST

- | | |
|--|---|
| <p>[0217] 10 system</p> <p>[0218] 12 gaming environment</p> <p>[0219] 14 specialized or designated poker area, such as a poker room</p> <p>[0220] 16 railing</p> <p>[0221] 18 electronic poker tables (18A-18J)</p> <p>[0222] 20 table top</p> <p>[0223] 22 playing surface</p> <p>[0224] 24 electronic player interaction areas (24A-24J)</p> <p>[0225] 26 common or central display area</p> <p>[0226] 28 hole cards</p> <p>[0227] 30 common cards</p> <p>[0228] 32 touch screen display devices</p> <p>[0229] 34 module</p> <p>[0230] 36 card reader</p> <p>[0231] 38 display (central)</p> <p>[0232] 40 poker chairs</p> <p>[0233] 42 table base</p> <p>[0234] 44 legs</p> <p>[0235] 46 rail or bumper</p> <p>[0236] 48 Ethernet network</p> <p>[0237] 50 server</p> | <p>[0238] 52 personal computer</p> <p>[0239] 54 player interface</p> <p>[0240] 56 poker table</p> <p>[0241] 58 hand-held device</p> <p>[0242] 60 earpiece or headphones</p> <p>[0243] 62 user graphic or icon</p> <p>[0244] 64 stacks of chips representing the pot</p> <p>[0245] 66 number representing the pot total</p> <p>[0246] 68 stacks of chips representing the player's contribution to the pot</p> <p>[0247] 70 number representing the player's contribution to the pot</p> <p>[0248] 72 player option buttons</p> <p>[0249] 72A sit in button</p> <p>[0250] 72B leave table button</p> <p>[0251] 72C options button</p> <p>[0252] 74 game buttons</p> <p>[0253] 74A fold button</p> <p>[0254] 74B call button</p> <p>[0255] 74C raise button</p> <p>[0256] 76 electronic playing cards or the player's hole cards</p> <p>[0257] 76A front side</p> <p>[0258] 76B back side</p> <p>[0259] 78 predefined location</p> <p>[0260] 80 graphic or icon indicating predetermined location on touch screen</p> <p>[0261] 82 game computer</p> <p>[0262] 84 undealt community card display area</p> <p>[0263] 86 second undealt community card display area</p> <p>[0264] 88B undealt community cards</p> <p>[0265] 88B dealt community cards</p> <p>[0266] 88C hole cards</p> <p>[0267] 88D highest hand</p> |
|--|---|
1. An electronic poker table for providing an electronic poker game to a plurality of players, comprising:
 - a table having a table top with a playing surface;
 - a plurality of electronic player interaction areas located around a periphery of the table top, each electronic player interaction area providing a player interface for interaction with one of the players, the player interface providing a rabbit button; and
 - a game computer coupled to the plurality of electronic player interaction areas for administering at least one hand of the electronic poker game using virtual cards, determining a winner for the at least one hand and awarding a pot to the winner, the game computer for dealing at least one common card and, after the winner

has been determined, allowing any player to view any undealt common cards in response to actuation of the rabbit button.

2. An electronic poker table, as set forth in claim 1, the electronic poker game having at least one betting round prior to the dealing of the at least one common card, the game computer for providing the players an opportunity to make a wager or fold during the betting round.

3. An electronic poker table, as set forth in claim 2, the gaming computer for determining a remaining player as the winner if all other players fold.

4. An electronic poker table, as set forth in claim 1, the game computer for dealing at least one hole card to each player, each player's poker hand being comprised of their respective at least one hole card and the at least one common card.

5. An electronic poker table, as set forth in claim 1, wherein the game computer administers the electronic poker game using the virtual cards and virtual chips.

6. An electronic poker table, as set forth in claim 1, wherein the electronic poker game is a version of Hold'em Poker.

7. An electronic poker table, as set forth in claim 1, wherein the electronic poker game is a version of Omaha Poker.

8. An electronic poker table, as set forth in claim 1, the game computer, in response to actuation of the rabbit button on one of the player interfaces, displays any undealt common cards on the respective electronic player interaction area.

9. An electronic poker table, as set forth in claim 1, further comprising a central display area located in a central location of the table top for displaying information to the players, wherein the game computer displays the undealt common cards in the central display area.

10. An electronic poker table, as set forth in claim 9, the central display area being implemented in a central display device, the poker table including a central display computer connected to and for driving the central display device, the central display computer being connected to the game computer.

11. An electronic poker table, as set forth in claim 1, wherein the electronic player interaction areas are implemented using separate display devices.

12. An electronic poker table, as set forth in claim 11, wherein the display devices are touchscreen displays.

13. An electronic poker table, as set forth in claim 1, the game computer being either located at the poker table or located remotely.

14. An electronic poker table, as set forth in claim 1, wherein the dealt community cards and/or a player's hole cards are displayed with the undealt community cards.

15. A method for providing an electronic poker game using a plurality of electronic player interface areas and a game computer, each electronic player interaction area providing a player interface for interaction with one of the players, each player interface having a rabbit button, the game computer being coupled to the plurality of electronic player interaction areas, comprising:

administering, by the game computer, at least one hand of the electronic poker game using virtual cards, the at least one hand including at least one common card;

determining a winner for the at least one hand and awarding the winner a pot; and

after the winner has been determined, allowing any player to view any undealt common cards in response to actuation of the rabbit button.

16. A method, as set forth in claim 15, the electronic poker game having at least one betting round prior to the dealing of the at least one common card, the method including the step of providing the players an opportunity to make a wager or fold during the betting round.

17. A method, as set forth in claim 16, including the step of determining a remaining player as the winner if all other players fold.

18. A method, as set forth in claim 15, including the step of dealing at least one hole card to each player, each player's poker hand being comprised of their respective at least one hole card and the at least one common card.

19. A method, as set forth in claim 15, wherein the electronic poker game is administered using the virtual cards and virtual chips.

20. A method, as set forth in claim 15, wherein the electronic poker game is a version of Hold'em Poker.

21. A method, as set forth in claim 15, wherein the electronic poker game is a version of Omaha Poker.

22. A method, as set forth in claim 15, including the step of displaying any undealt common cards on one of the electronic player interaction areas in response to actuation of the rabbit button on the respective player interface.

23. A method, as set forth in claim 15, the step of administering the electronic poker game including the step of administering one or more betting rounds.

24. A method, as set forth in claim 25, the pot consisting of virtual chips, wherein the step of administering one or more betting rounds includes the step of managing the pot.

25. A method, as set forth in claim 24, including the step of allowing the players to purchase virtual chips.

26. A method, as set forth in claim 25, including the step of displaying the virtual cards on the electronic player interface areas.

27. A method, as set forth in claim 15, wherein the electronic poker game is provided over the internet.

28. A method, as set forth in claim 15, wherein the electronic poker game is provided on an electronic poker table.

29. A method for providing an electronic poker game on an electronic poker table to a plurality of players, the electronic poker table having a table, a plurality of electronic player interface areas, and a game computer, the table having a playing surface, the electronic player interaction areas being located around a periphery of the table top, each electronic player interaction area providing a player interface for interaction with one of the players, each player interface having a rabbit button, the game computer being coupled to the plurality of electronic player interaction areas, comprising:

administering, by the game computer, at least one hand of the electronic poker game using virtual cards, the at least one hand including at least one common card;

determining a winner for the at least one hand and awarding the winner a pot; and

after the winner has been determined, allowing any player to view any undealt common cards in response to actuation of the rabbit button.

30. A method, as set forth in claim 27, the electronic poker game having at least one betting round prior to the dealing of the at least one common card, the method including the step of providing the players an opportunity to make a wager or fold during the betting round.

31. A method, as set forth in claim 28, including the step of determining a remaining player as the winner if all other players fold.

32. A method, as set forth in claim 27, including the step of dealing at least one hole card to each player, each player's poker hand being comprised of their respective at least one hole card and the at least one common card.

33. A method, as set forth in claim 27, wherein the electronic poker game is administered using the virtual cards and virtual chips.

34. A method, as set forth in claim 27, wherein the electronic poker game is a version of Hold'em Poker.

35. A method, as set forth in claim 27, wherein the electronic poker game is a version of Omaha Poker.

36. A method, as set forth in claim 27, including the step of displaying any undealt common cards on one of the electronic player interaction areas in response to actuation of the rabbit button on the respective player interface.

37. A method, as set forth in claim 27, the electronic poker table including a central display area located in a central location of the table top for displaying information to the players, wherein the undealt cards are displayed in the central display area.

38. A method, as set forth in claim 27, the step of administering the electronic poker game including the step of administering one or more betting rounds.

39. A method, as set forth in claim 36, the pot consisting of virtual chips, wherein the step of administering one or more betting rounds includes the step of managing the pot.

40. A method, as set forth in claim 36, including the step of allowing the players to purchase virtual chips.

41. A method, as set forth in claim 38, including the step of displaying the virtual cards on the electronic player interface areas and/or the central display area.

* * * * *