



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NUMBER	FILING or 371(c) DATE	GRP ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	TOT CLAIMS	IND CLAIMS
62/137,173	03/23/2015		130	PMOR0162B+		

CONFIRMATION NO. 4946

92045

The Caldwell Firm, LLC
PO Box 59655
Dept. SVIPGP
Dallas, TX 75229

FILING RECEIPT



Date Mailed: 04/06/2015

Receipt is acknowledged of this provisional patent application. It will not be examined for patentability and will become abandoned not later than twelve months after its filing date. Any correspondence concerning the application must include the following identification information: the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. **If an error is noted on this Filing Receipt, please submit a written request for a Filing Receipt Correction. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections**

Inventor(s)

Robert Paul Morris, Raleigh, NC;

Applicant(s)

SITTING MAN, LLC, Raleigh, NC

Power of Attorney:

Thomas Fortenberry--56537

If Required, Foreign Filing License Granted: 04/03/2015

The country code and number of your priority application, to be used for filing abroad under the Paris Convention, is **US 62/137,173**

Projected Publication Date: None, application is not eligible for pre-grant publication

Non-Publication Request: No

Early Publication Request: No

**** SMALL ENTITY ****

Title

METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING A
RESOURCE BASED ON A MEASURE OF A PROCESSING COST

Statement under 37 CFR 1.55 or 1.78 for AIA (First Inventor to File) Transition Applications: No

PROTECTING YOUR INVENTION OUTSIDE THE UNITED STATES

Since the rights granted by a U.S. patent extend only throughout the territory of the United States and have no effect in a foreign country, an inventor who wishes patent protection in another country must apply for a patent

page 1 of 3

in a specific country or in regional patent offices. Applicants may wish to consider the filing of an international application under the Patent Cooperation Treaty (PCT). An international (PCT) application generally has the same effect as a regular national patent application in each PCT-member country. The PCT process **simplifies** the filing of patent applications on the same invention in member countries, but **does not result** in a grant of "an international patent" and does not eliminate the need of applicants to file additional documents and fees in countries where patent protection is desired.

Almost every country has its own patent law, and a person desiring a patent in a particular country must make an application for patent in that country in accordance with its particular laws. Since the laws of many countries differ in various respects from the patent law of the United States, applicants are advised to seek guidance from specific foreign countries to ensure that patent rights are not lost prematurely.

Applicants also are advised that in the case of inventions made in the United States, the Director of the USPTO must issue a license before applicants can apply for a patent in a foreign country. The filing of a U.S. patent application serves as a request for a foreign filing license. The application's filing receipt contains further information and guidance as to the status of applicant's license for foreign filing.

Applicants may wish to consult the USPTO booklet, "General Information Concerning Patents" (specifically, the section entitled "Treaties and Foreign Patents") for more information on timeframes and deadlines for filing foreign patent applications. The guide is available either by contacting the USPTO Contact Center at 800-786-9199, or it can be viewed on the USPTO website at <http://www.uspto.gov/web/offices/pac/doc/general/index.html>.

For information on preventing theft of your intellectual property (patents, trademarks and copyrights), you may wish to consult the U.S. Government website, <http://www.stopfakes.gov>. Part of a Department of Commerce initiative, this website includes self-help "toolkits" giving innovators guidance on how to protect intellectual property in specific countries such as China, Korea and Mexico. For questions regarding patent enforcement issues, applicants may call the U.S. Government hotline at 1-866-999-HALT (1-866-999-4258).

LICENSE FOR FOREIGN FILING UNDER

Title 35, United States Code, Section 184

Title 37, Code of Federal Regulations, 5.11 & 5.15

GRANTED

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Bureau of Industry and Security, Department of Commerce (15 CFR parts 730-774); the Office of Foreign Assets Control, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

NOT GRANTED

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).

SelectUSA

The United States represents the largest, most dynamic marketplace in the world and is an unparalleled location for business investment, innovation, and commercialization of new technologies. The U.S. offers tremendous resources and advantages for those who invest and manufacture goods here. Through SelectUSA, our nation works to promote and facilitate business investment. SelectUSA provides information assistance to the international investor community; serves as an ombudsman for existing and potential investors; advocates on behalf of U.S. cities, states, and regions competing for global investment; and counsels U.S. economic development organizations on investment attraction best practices. To learn more about why the United States is the best country in the world to develop technology, manufacture products, deliver services, and grow your business, visit <http://www.SelectUSA.gov> or call +1-202-482-6800.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76		Attorney Docket Number	PMOR0162B+
		Application Number	
Title of Invention	METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING A RESOURCE BASED ON A MEASURE OF A PROCESSING COST		
The application data sheet is part of the provisional or nonprovisional application for which it is being submitted. The following form contains the bibliographic data arranged in a format specified by the United States Patent and Trademark Office as outlined in 37 CFR 1.76. This document may be completed electronically and submitted to the Office in electronic format using the Electronic Filing System (EFS) or the document may be printed and included in a paper filed application.			

Secrecy Order 37 CFR 5.2

☐ Portions or all of the application associated with this Application Data Sheet may fall under a Secrecy Order pursuant to 37 CFR 5.2 (Paper filers only. Applications that fall under Secrecy Order may not be filed electronically.)
--

Inventor Information:

Inventor 1 Remove				
Legal Name				
Prefix	Given Name	Middle Name	Family Name	Suffix
	Robert	Paul	Morris	
Residence Information (Select One) ☒ US Residency ☐ Non US Residency ☐ Active US Military Service				
City	Raleigh	State/Province	NC	Country of Residence US
Mailing Address of Inventor:				
Address 1		712 Latta Street		
Address 2				
City	Raleigh	State/Province	NC	
Postal Code	27607	Country	US	
All Inventors Must Be Listed - Additional Inventor Information blocks may be generated within this form by selecting the Add button. Add				

Correspondence Information:

Enter either Customer Number or complete the Correspondence Information section below. For further information see 37 CFR 1.33(a).	
☐ An Address is being provided for the correspondence information of this application.	
Customer Number	92045
Email Address	pcaldwell@thecaldwellfirm.com Add Email Remove Email

Application Information:

Title of the Invention	METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING A RESOURCE BASED ON A MEASURE OF A PROCESSING COST		
Attorney Docket Number	PMOR0162B+	Small Entity Status Claimed	☒
Application Type	Provisional		
Subject Matter	Utility		
Total Number of Drawing Sheets (if any)		Suggested Figure for Publication (if any)	

Application Data Sheet 37 CFR 1.76		Attorney Docket Number	PMOR0162B+
		Application Number	
Title of Invention	METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING A RESOURCE BASED ON A MEASURE OF A PROCESSING COST		

Publication Information:

☐	Request Early Publication (Fee required at time of Request 37 CFR 1.219)
☐	Request Not to Publish. I hereby request that the attached application not be published under 35 U.S.C. 122(b) and certify that the invention disclosed in the attached application has not and will not be the subject of an application filed in another country, or under a multilateral international agreement, that requires publication at eighteen months after filing.

Representative Information:

Representative information should be provided for all practitioners having a power of attorney in the application. Providing this information in the Application Data Sheet does not constitute a power of attorney in the application (see 37 CFR 1.32). Either enter Customer Number or complete the Representative Name section below. If both sections are completed the customer Number will be used for the Representative Information during processing.			
Please Select One:			
☒	Customer Number	☐	US Patent Practitioner
☐	Limited Recognition (37 CFR 11.9)		
Customer Number	92045		

Domestic Benefit/National Stage Information:

This section allows for the applicant to either claim benefit under 35 U.S.C. 119(e), 120, 121, or 365(c) or indicate National Stage entry from a PCT application. Providing this information in the application data sheet constitutes the specific reference required by 35 U.S.C. 119(e) or 120, and 37 CFR 1.78.					
Prior Application Status	Pending		Remove		
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)		
	Continuation in part of	14294059	2014-06-02		
Prior Application Status	Patented		Remove		
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	Patent Number	Issue Date (YYYY-MM-DD)
14294059	Continuation of	12857851	2010-08-17	8745418	2014-06-03
Prior Application Status	Pending		Remove		
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)		
	Continuation in part of	13941502	2013-07-14		
Prior Application Status	Patented		Remove		
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	Patent Number	Issue Date (YYYY-MM-DD)
13941502	Continuation of	12789550	2010-05-28	8577958	2013-11-05
Prior Application Status	Pending		Remove		
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)		
	Continuation in part of	13477402	2012-05-22		

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76		Attorney Docket Number		PMOR0162B+	
		Application Number			
Title of Invention	METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING A RESOURCE BASED ON A MEASURE OF A PROCESSING COST				
Prior Application Status		Patented		Remove	
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	Patent Number	Issue Date (YYYY-MM-DD)
13477402	Continuation of	12714454	2010-02-27	8219606	2012-07-10
Additional Domestic Benefit/National Stage Data may be generated within this form by selecting the Add button.					

Foreign Priority Information:

This section allows for the applicant to claim priority to a foreign application. Providing this information in the application data sheet constitutes the claim for priority as required by 35 U.S.C. 119(b) and 37 CFR 1.55(d). When priority is claimed to a foreign application that is eligible for retrieval under the priority document exchange program (PDX)ⁱ the information will be used by the Office to automatically attempt retrieval pursuant to 37 CFR 1.55(h)(1) and (2). Under the PDX program, applicant bears the ultimate responsibility for ensuring that a copy of the foreign application is received by the Office from the participating foreign intellectual property office, or a certified copy of the foreign priority application is filed, within the time period specified in 37 CFR 1.55(g)(1).

[Remove](#)

Application Number	Country ⁱ	Filing Date (YYYY-MM-DD)	Access Code ⁱ (if applicable)

Additional Foreign Priority Data may be generated within this form by selecting the **Add** button.

Statement under 37 CFR 1.55 or 1.78 for AIA (First Inventor to File) Transition Applications

☐ This application (1) claims priority to or the benefit of an application filed before March 16, 2013 and (2) also contains, or contained at any time, a claim to a claimed invention that has an effective filing date on or after March 16, 2013.

Authorization to Permit Access:

☐ Authorization to Permit Access to the Instant Application by the Participating Offices

Application Data Sheet 37 CFR 1.76		Attorney Docket Number	PMOR0162B+
		Application Number	
Title of Invention	METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING A RESOURCE BASED ON A MEASURE OF A PROCESSING COST		

If checked, the undersigned hereby grants the USPTO authority to provide the European Patent Office (EPO), the Japan Patent Office (JPO), the Korean Intellectual Property Office (KIPO), the World Intellectual Property Office (WIPO), and any other intellectual property offices in which a foreign application claiming priority to the instant patent application is filed access to the instant patent application. See 37 CFR 1.14(c) and (h). This box should not be checked if the applicant does not wish the EPO, JPO, KIPO, WIPO, or other intellectual property office in which a foreign application claiming priority to the instant patent application is filed to have access to the instant patent application.

In accordance with 37 CFR 1.14(h)(3), access will be provided to a copy of the instant patent application with respect to: 1) the instant patent application-as-filed; 2) any foreign application to which the instant patent application claims priority under 35 U.S.C. 119(a)-(d) if a copy of the foreign application that satisfies the certified copy requirement of 37 CFR 1.55 has been filed in the instant patent application; and 3) any U.S. application-as-filed from which benefit is sought in the instant patent application.

In accordance with 37 CFR 1.14(c), access may be provided to information concerning the date of filing this Authorization.

Applicant Information:

Providing assignment information in this section does not substitute for compliance with any requirement of part 3 of Title 37 of CFR to have an assignment recorded by the Office.			
Applicant 1			
If the applicant is the inventor (or the remaining joint inventor or inventors under 37 CFR 1.45), this section should not be completed. The information to be provided in this section is the name and address of the legal representative who is the applicant under 37 CFR 1.43; or the name and address of the assignee, person to whom the inventor is under an obligation to assign the invention, or person who otherwise shows sufficient proprietary interest in the matter who is the applicant under 37 CFR 1.46. If the applicant is an applicant under 37 CFR 1.46 (assignee, person to whom the inventor is obligated to assign, or person who otherwise shows sufficient proprietary interest) together with one or more joint inventors, then the joint inventor or inventors who are also the applicant should be identified in this section.			
Clear			
☒ Assignee	☐ Legal Representative under 35 U.S.C. 117	☐ Joint Inventor	
☐ Person to whom the inventor is obligated to assign.		☐ Person who shows sufficient proprietary interest	
If applicant is the legal representative, indicate the authority to file the patent application, the inventor is:			
Name of the Deceased or Legally Incapacitated Inventor :			
If the Applicant is an Organization check here. ☒			
Organization Name	SITTING MAN, LLC		
Mailing Address Information For Applicant:			
Address 1	712 Latta St.		
Address 2			
City	Raleigh	State/Province	NC
Country	US	Postal Code	27607
Phone Number		Fax Number	

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76		Attorney Docket Number	PMOR0162B+
		Application Number	
Title of Invention	METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING A RESOURCE BASED ON A MEASURE OF A PROCESSING COST		
Email Address			
Additional Applicant Data may be generated within this form by selecting the Add button.			

Non-Applicant Assignee Information:

Providing assignment information in this section does not substitute for compliance with any requirement of part 3 of Title 37 of CFR to have an assignment recorded by the Office.

Assignee 1			
Complete this section only if non-applicant assignee information is desired to be included on the patent application publication in accordance with 37 CFR 1.215(b). Do not include in this section an applicant under 37 CFR 1.46 (assignee, person to whom the inventor is obligated to assign, or person who otherwise shows sufficient proprietary interest), as the patent application publication will include the name of the applicant(s).			
If the Assignee is an Organization check here. ☒			
Organization Name	SITTING MAN, LLC		
Mailing Address Information For Non-Applicant Assignee:			
Address 1	712 Latta St.		
Address 2			
City	Raleigh	State/Province	NC
Country	US	Postal Code	27607
Phone Number		Fax Number	
Email Address			
Additional Assignee Data may be generated within this form by selecting the Add button.			

Signature:

NOTE: This form must be signed in accordance with 37 CFR 1.33. See 37 CFR 1.4 for signature requirements and certifications.					
Signature	/Patrick E. Caldwell/			Date (YYYY-MM-DD)	2015-03-23
First Name	Patrick	Last Name	Caldwell	Registration Number	56537
Additional Signature may be generated within this form by selecting the Add button.					

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76		Attorney Docket Number	PMOR0162B+
		Application Number	
Title of Invention	METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING A RESOURCE BASED ON A MEASURE OF A PROCESSING COST		

This collection of information is required by 37 CFR 1.76. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 23 minutes to complete, including gathering, preparing, and submitting the completed application data sheet form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

Privacy Act Statement

The Privacy Act of 1974 (P.L. 93-579) requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

1. The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C. 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether the Freedom of Information Act requires disclosure of these records.
2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspections or an issued patent.
9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

+




Fig. 1

+




Fig. 2




Fig. 3




Fig. 4a




Fig. 4b




Fig. 4c




Fig. 4d




Fig. 5




Fig. 6

METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING
A RESOURCE BASED ON A MEASURE OF A PROCESSING COST

RELATED APPLICATIONS

[0001] This application is a continuation-in-part of, and claims priority to U.S. Patent Application No. 14/294,059, entitled "METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING A RESOURCE BASED ON A MEASURE OF A PROCESSING COST," filed 06-02-2014 which in turn claims priority to U.S. Patent Application No. 12/857,851, entitled "METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING A RESOURCE BASED ON A MEASURE OF A PROCESSING COST," filed 08-17-2010, which are each incorporated herein by reference in their entirety for all purposes.

[0002] Additionally, this application is a continuation-in-part of, and claims priority to U.S. Patent Application No. 13/941,502, entitled "METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR PROCESSING A NON-RETURNABLE COMMAND RESPONSE BASED ON A MARKUP ELEMENT," filed 07-14-2013 which in turn claims priority to U.S. Patent Application No. 12/789,550, entitled "METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR PROCESSING A NON-RETURNABLE COMMAND RESPONSE BASED ON A MARKUP ELEMENT," filed 05-28-2010, which are each incorporated herein by reference in their entirety for all purposes.

[0003] Additionally, this application is a continuation-in-part of, and claims priority to U.S. Patent Application No. 13/477,402, entitled "METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR SHARING INFORMATION FOR DETECTING AN IDLE TCP CONNECTION," filed 05-22-2012 which in turn claims priority to U.S. Patent Application No. 12/714,454, entitled "METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR SHARING INFORMATION FOR DETECTING AN IDLE TCP CONNECTION," filed 02-27-2010, which are each incorporated herein by reference in their entirety for all purposes.

[0004] This application is related to the following which are each incorporated herein by reference in their entirety for all purposes: U.S. Patent Application No. 12/857,847, entitled "METHODS, SYSTEMS, AND PROGRAM PRODUCTS FOR PRESENTING AN INDICATION OF A COST OF PROCESSING A RESOURCE," filed 08-17-2010; U.S. Patent Application No. 12/857,857, entitled "METHODS, SYSTEMS, AND PROGRAM PRODUCTS FOR SELECTING A RESOURCE IN RESPONSE TO A CHANGE IN AVAILABLE ENERGY," filed on 08-17-2010; U.S. Patent Application No. 12/857,836, entitled "METHODS, SYSTEMS, AND PROGRAM PRODUCTS FOR MAINTAINING A RESOURCE BASED ON A COST OF ENERGY," filed 08-17-2010; U.S. Patent No. 8,346,853, entitled "METHODS, SYSTEMS, AND PROGRAM PRODUCTS FOR PROCESSING AN ATTACHED COMMAND RESPONSE," filed 05-27-2010; U.S. Patent Application No. 12/788,373, entitled "METHODS, SYSTEMS, AND PROGRAM PRODUCTS FOR PREVENTING PROCESSING OF AN HTTP

RESPONSE,” filed 05-27-2010; U.S. Patent Application No. 12/789,538, entitled “METHODS, SYSTEMS, AND PROGRAM PRODUCTS FOR PROCESSING AN ATTACHED COMMAND RESPONSE BASED ON A MARKUP ELEMENT,” filed 05-28-2010; U.S. Patent Application No. 12/788,381, entitled “METHODS, SYSTEMS, AND PROGRAM PRODUCTS FOR PROCESSING A COMBINED COMMAND RESPONSE,” filed 05-27-2010; U.S. Patent Application No. 12/789,568, entitled “METHODS, SYSTEMS, AND PROGRAM PRODUCTS FOR PROCESSING A COMBINED COMMAND RESPONSE BASED ON A MARKUP ELEMENT,” filed 05-28-2010; and U.S. Patent Application No. 12/714,063, entitled “METHODS, SYSTEMS, AND PROGRAM PRODUCTS FOR DETECTING AN IDLE TCP CONNECTION,” filed on 02-26-2010.

BACKGROUND

[0005] Many personalization options on computing devices consume energy not required to perform computing tasks. For example, a primary purpose of a desktop background is esthetic. Mouse pointer effects, window effects, document previews, and many other examples exist. Currently, a user can configure a device to automatically turn such features on or off based on whether the device is plugged into an electrical outlet or drawing energy from a battery. Other features, such as the brightness of a display, can be adjusted based on whether a device is plugged in or not. These

configuration options give no consideration to resources being processed by the corresponding features.

[0006] Accordingly, there exists a need for methods, systems, and computer program products for selecting a resource based on a measure of a processing cost.

SUMMARY

[0007] The following presents a simplified summary of the disclosure in order to provide a basic understanding to the reader. This summary is not an extensive overview of the disclosure and it does not identify key/critical elements of the invention or delineate the scope of the invention. Its sole purpose is to present some concepts disclosed herein in a simplified form as a prelude to the more detailed description that is presented later.

[0008] Methods and systems are described for selecting a resource based on a measure of a processing cost. In one aspect, the method includes receiving resource information identifying a first resource and a second resource for processing by a program component. The method further includes determining at least one of a first measure of a specified processing cost for the processing of the first resource and a second measure of the processing cost for the processing of the second resource. The method still further includes selecting one of the first resource and the second resource based on the at least one of the first measure and the second measure. The method still further includes identifying, to the program component, the selected one of the first resource and the second resource for processing.

[0009] Further, a system for selecting a resource based on a measure of a processing cost is described. The system includes a cost advisor component, a cost monitor component, a cost director component, and a cost operations component adapted for operation in an execution environment. The system includes the cost advisor component configured for receiving resource information identifying a first resource and a second resource for processing by a program component. The system further includes the cost monitor component configured for determining at least one of a first measure of a specified processing cost for the processing of the first resource and a second measure of the processing cost for the processing of the second resource. The system still further includes the cost director component configured for selecting one of the first resource and the second resource based on the at least one of the first measure and the second measure. The system still further includes the cost operations component configured for identifying, to the program component, the selected one of the first resource and the second resource for processing.

BRIEF DESCRIPTION OF THE DRAWINGS

[0010] Objects and advantages of the present invention will become apparent to those skilled in the art upon reading this description in conjunction with the accompanying drawings, in which like reference numerals have been used to designate like or analogous elements, and in which:

[0011] Fig. 1 is a block diagram illustrating an exemplary hardware device included in and/or otherwise providing an execution environment in which the subject matter may be implemented;

[0012] Fig. 2 is a flow diagram illustrating a method for selecting a resource based on a measure of a processing cost according to an aspect of the subject matter described herein;

[0013] Fig. 3 is a block diagram illustrating an arrangement of components for selecting a resource based on a measure of a processing cost according to another aspect of the subject matter described herein;

[0014] Fig. 4a is a block diagram illustrating an arrangement of components for selecting a resource based on a measure of a processing cost according to another aspect of the subject matter described herein;

[0015] Fig. 4b is a block diagram illustrating an arrangement of components for selecting a resource based on a measure of a processing cost according to another aspect of the subject matter described herein;

[0016] Fig. 4c is a block diagram illustrating an arrangement of components for selecting a resource based on a measure of a processing cost according to another aspect of the subject matter described herein;

[0017] Fig. 4d is a block diagram illustrating an arrangement of components for selecting a resource based on a measure of a processing cost according to another aspect of the subject matter described herein;

[0018] Fig. 5 is a network diagram illustrating an exemplary system for selecting a resource based on a measure of a processing cost according to another aspect of the subject matter described herein; and

[0019] Fig. 6 is a diagram illustrating a user interface presented via a display according to another aspect of the subject matter described herein.

DETAILED DESCRIPTION

[0020] One or more aspects of the disclosure are described with reference to the drawings, wherein like reference numerals are generally utilized to refer to like elements throughout, and wherein the various structures are not necessarily drawn to scale. In the following description, for purposes of explanation, numerous specific details are set forth in order to provide a thorough understanding of one or more aspects of the disclosure. It may be evident, however, to one skilled in the art, that one or more aspects of the disclosure may be practiced with a lesser degree of these specific details. In other instances, well-known structures and devices are shown in block diagram form in order to facilitate describing one or more aspects of the disclosure.

[0021] An exemplary device included in an execution environment that may be configured according to the subject matter is illustrated in Fig. 1. An execution environment includes an arrangement of hardware and, optionally, software that may be further configured to include an arrangement of components for performing a method of the subject matter described herein. An execution environment includes and/or is otherwise provided by one or more devices. An execution environment may include a

virtual execution environment including software components operating in a host execution environment. Exemplary devices included in or otherwise providing suitable execution environments for configuring according to the subject matter include personal computers, notebook computers, tablet computers, servers, handheld and other mobile devices, multiprocessor devices, distributed devices, consumer electronic devices, routers, communication servers, and/or other network-enabled devices. Those skilled in the art will understand that the components illustrated in Fig. 1 are exemplary and may vary by particular execution environment.

[0022] Fig. 1 illustrates hardware device **100** included in execution environment **102**. Fig. 1 illustrates that execution environment **102** includes instruction-processing unit (IPU) **104**, such as one or more microprocessors; physical IPU memory **106** including storage locations identified by addresses in a physical memory address space of IPU **104**; persistent secondary storage **108**, such as one or more hard drives and/or flash storage media; input device adapter **110**, such as a key or keypad hardware, a keyboard adapter, and/or a mouse adapter; output device adapter **112**, such as a display and/or an audio adapter for presenting information to a user; a network interface component, illustrated by network interface adapter **114**, for communicating via a network such as a LAN and/or WAN; and a communication mechanism that couples elements **104-114**, illustrated as bus **116**. Elements **104-114** may be operatively coupled by various means. Bus **116** may comprise any type of bus architecture, including a memory bus, a peripheral bus, a local bus, and/or a switching fabric.

[0023] IPU **104** is an instruction execution machine, apparatus, or device. Exemplary IPU's include one or more microprocessors, digital signal processors (DSPs), graphics processing units, application-specific integrated circuits (ASICs), and/or field programmable gate arrays (FPGAs). In the description of the subject matter herein, the terms "IPU" and "processor" are used interchangeably. IPU **104** may access machine code instructions and data via one or more memory address spaces in addition to the physical memory address space. A memory address space includes addresses identifying locations in a processor memory. The addresses in a memory address space are included in defining a processor memory. IPU **104** may have more than one processor memory. Thus, IPU **104** may have more than one memory address space. IPU **104** may access a location in a processor memory by processing an address identifying the location. The processed address may be in an operand of a machine code instruction and/or may be identified in a register or other portion of IPU **104**.

[0024] Fig. 1 illustrates virtual IPU memory **118** spanning at least part of physical IPU memory **106** and at least part of persistent secondary storage **108**. Virtual memory addresses in a memory address space may be mapped to physical memory addresses identifying locations in physical IPU memory **106**. An address space for identifying locations in a virtual processor memory is referred to as a virtual memory address space; its addresses are referred to as virtual memory addresses; and its IPU memory is referred to as a virtual IPU memory or virtual memory. The terms "IPU memory" and "processor memory" are used interchangeably herein. Processor memory may refer to physical processor memory, such as IPU memory **106**, and/or may refer to virtual

processor memory, such as virtual IPU memory **118**, depending on the context in which the term is used.

[0025] Physical IPU memory **106** may include various types of memory technologies. Exemplary memory technologies include static random access memory (SRAM) and/or dynamic RAM (DRAM) including variants such as dual data rate synchronous DRAM (DDR SDRAM), error correcting code synchronous DRAM (ECC SDRAM), and/or RAMBUS DRAM (RDRAM). Physical IPU memory **106** may include volatile memory as illustrated in the previous sentence and/or may include nonvolatile memory such as nonvolatile flash RAM (NVRAM) and/or ROM.

[0026] Persistent secondary storage **108** may include one or more flash memory storage devices, one or more hard disk drives, one or more magnetic disk drives, and/or one or more optical disk drives. Persistent secondary storage may include removable media. The drives and their associated computer readable storage media provide volatile and/or nonvolatile storage for computer readable instructions, data structures, program components, and other data for execution environment **102**.

[0027] Execution environment **102** may include software components stored in persistent secondary storage **108**, in remote storage accessible via a network, and/or in a processor memory. Fig. 1 illustrates execution environment **102** including operating system **120**, one or more applications **122**, and other program code and/or data components illustrated by other libraries and subsystems **124**. In an aspect, some or all software components may be stored in locations accessible to IPU **104** in a shared memory address space shared by the software components. The software components

accessed via the shared memory address space are stored in a shared processor memory defined by the shared memory address space. In another aspect, a first software component may be stored in one or more locations accessed by IPU **104** in a first address space and a second software component may be stored in one or more locations accessed by IPU **104** in a second address space. The first software component is stored in a first processor memory defined by the first address space and the second software component is stored in a second processor memory defined by the second address space.

[0028] Software components typically include instructions executed by IPU **104** in a computing context referred to as a “process”. A process may include one or more “threads”. A “thread” includes a sequence of instructions executed by IPU **104** in a computing sub-context of a process. The terms “thread” and “process” may be used interchangeably herein when a process includes only one thread.

[0029] Execution environment **102** may receive user-provided information via one or more input devices illustrated by input device **128**. Input device **128** provides input information to other components in execution environment **102** via input device adapter **110**. Execution environment **102** may include an input device adapter for a keyboard, a touch screen, a microphone, a joystick, a television receiver, a video camera, a still camera, a document scanner, a fax, a phone, a modem, a network interface adapter, and/or a pointing device, to name a few exemplary input devices.

[0030] Input device **128** included in execution environment **102** may be included in device **100** as Fig. 1 illustrates or may be external (not shown) to device **100**. Execution

environment **102** may include one or more internal and/or external input devices. External input devices may be connected to device **100** via corresponding communication interfaces such as a serial port, a parallel port, and/or a universal serial bus (USB) port. Input device adapter **110** receives input and provides a representation to bus **116** to be received by IPU **104**, physical IPU memory **106**, and/or other components included in execution environment **102**.

[0031] Output device **130** in Fig. 1 exemplifies one or more output devices that may be included in and/or may be external to and operatively coupled to device **100**. For example, output device **130** is illustrated connected to bus **116** via output device adapter **112**. Output device **130** may be a display device. Exemplary display devices include liquid crystal displays (LCDs), light emitting diode (LED) displays, and projectors. Output device **130** presents output of execution environment **102** to one or more users. In some embodiments, an input device may also include an output device. Examples include a phone, a joystick, and/or a touch screen. In addition to various types of display devices, exemplary output devices include printers, speakers, tactile output devices such as motion producing devices, and other output devices producing sensory information detectable by a user.

[0032] A device included in or otherwise providing an execution environment may operate in a networked environment communicating with one or more devices via one or more network interface components. The terms “communication interface component” and “network interface component” are used interchangeably. Fig. 1 illustrates network interface adapter (NIA) **114** as a network interface component

included in execution environment **102** to operatively couple device **100** to a network. A network interface component includes a network interface hardware (NIH) component and optionally a software component.

[0033] Exemplary network interface components include network interface controller components, network interface cards, network interface adapters, and line cards. A node may include one or more network interface components to interoperate with a wired network and/or a wireless network. Exemplary wireless networks include a BLUETOOTH network, a wireless 802.11 network, and/or a wireless telephony network (e.g., a cellular, PCS, CDMA, and/or GSM network). Exemplary network interface components for wired networks include Ethernet adapters, Token-ring adapters, FDDI adapters, asynchronous transfer mode (ATM) adapters, and modems of various types. Exemplary wired and/or wireless networks include various types of LANs, WANs, and/or personal area networks (PANs). Exemplary networks also include intranets and internets such as the Internet.

[0034] The terms “network node” and “node” in this document both refer to a device having a network interface component for operatively coupling the device to a network. Further, the terms “device” and “node” used herein refer to one or more devices and nodes, respectively, providing and/or otherwise included in an execution environment unless clearly indicated otherwise.

[0035] The components of a user interface are generically referred to herein as “user interface elements”. More specifically, visual components of a user interface are referred to herein as “visual interface elements”. A visual interface element may be a

visual component of a graphical user interface (GUI). Exemplary visual interface elements include windows, textboxes, sliders, list boxes, drop-down lists, spinners, various types of menus, toolbars, ribbons, combo boxes, tree views, grid views, navigation tabs, scrollbars, labels, tooltips, text in various fonts, balloons, dialog boxes, and various types of button controls including check boxes and radio buttons. An application interface may include one or more of the elements listed. Those skilled in the art will understand that this list is not exhaustive. The terms “visual representation”, “visual component”, and “visual interface element” are used interchangeably in this document. Other types of user interface elements include audio output components referred to as “audio interface elements”, tactile output components referred to as “tactile interface elements”, and the like.

[0036] A “user interface (UI) element handler” component, as the term is used in this document, includes a component configured to send information representing a program entity for presenting a user detectable representation of the program entity by an output device, such as a display. A “program entity” is an object included in and/or otherwise processed by an application or executable. The user detectable representation is presented based on the sent information. The sent information is referred to herein as “presentation information”. Presentation information may include data in one or more formats. Exemplary formats include image formats such as JPEG, video formats such as MP4, markup language data such as HTML and other XML-based markup, and/or instructions such as those defined by various script languages, byte code, and/or machine code. For example, a web page received by a browser from

a remote application provider may include HTML, ECMAScript, and/or byte code for presenting one or more user interface elements included in a user interface of the remote application. Components configured to send information representing one or more program entities for presenting particular types of output by particular types of output devices include visual interface elements, audio interface element handler components, tactile interface element handler components, and the like.

[0037] A representation of a program entity may be stored and/or otherwise maintained in a presentation space. As used in this document, the term “presentation space” refers to a storage region allocated and/or otherwise provided for storing presentation information, which may include audio, visual, tactile, and/or other sensory data for presentation by and/or on an output device. For example, a buffer for storing an image and/or text string may be a presentation space. A presentation space may be physically and/or logically contiguous or non-contiguous. A presentation space may have a virtual as well as a physical representation. A presentation space may include a storage location in processor memory, secondary storage, a memory of an output adapter device, and/or a storage medium of an output device. A screen of a display, for example, is a presentation space.

[0038] As used herein, the term “program” or “executable” refers to any data representation that may be translated into a set of machine code instructions and optionally associated program data. Thus, a program or executable may include an application, a shared or non-shared library, and a system command. Program representations other than machine code include object code, byte code, and source

code. Object code includes a set of instructions and/or data elements that either are prepared for linking prior to loading or are loaded into an execution environment. When in an execution environment, object code may include references resolved by a linker and/or may include one or more unresolved references. The context in which this term is used will make clear that state of the object code when it is relevant. This definition can include machine code and virtual machine code, such as Java™ byte code.

[0039] As used herein, an “addressable entity” is a portion of a program, specifiable in programming language in source code. An addressable entity is addressable in a program component translated for a compatible execution environment from the source code. Examples of addressable entities include variables, constants, functions, subroutines, procedures, modules, methods, classes, objects, code blocks, and labeled instructions. A code block includes one or more instructions in a given scope specified in a programming language. An addressable entity may include a value. In some places in this document “addressable entity” refers to a value of an addressable entity. In these cases, the context will clearly indicate that the value is being referenced.

[0040] Addressable entities may be written in and/or translated to a number of different programming languages and/or representation languages, respectively. An addressable entity may be specified in and/or translated into source code, object code, machine code, byte code, and/or any intermediate languages for processing by an interpreter, compiler, linker, loader, or analogous tool.

[0041] The block diagram in Fig. 3 illustrates an exemplary system for selecting a resource based on a measure of a processing cost according to the method illustrated

in Fig. 2. Fig. 3 illustrates a system, adapted for operation in an execution environment, such as execution environment **102** in Fig. 1, for performing the method illustrated in Fig. 2. The system illustrated includes a cost advisor component **302**, a cost monitor component **304**, a cost director component **306**, and a cost operations component **308**. The execution environment includes an instruction-processing unit, such as IPU **104**, for processing an instruction in at least one of the cost advisor component **302**, the cost monitor component **304**, the cost director component **306**, and the cost operations component **308**. Some or all of the exemplary components illustrated in Fig. 3 may be adapted for performing the method illustrated in Fig. 2 in a number of execution environments. Figs. 4a-d include block diagrams illustrating the components of Fig. 3 and/or analogs of the components of Fig. 3 adapted for operation in various execution environments **401** including or otherwise provided by one or more nodes.

[0042] Fig. 1 illustrates components of an exemplary device that may at least partially provide and/or otherwise be included in an execution environment. The components illustrated in Figs. 4a-d may be included in or otherwise combined with the components of Fig. 1 to create a variety of arrangements of components according to the subject matter described herein.

[0043] Fig. 5 illustrates user node **502** as an exemplary device that in various aspects may be included in and/or otherwise adapted for providing any of execution environments **401** illustrated in Figs. 4a-c each illustrating a different adaptation of the arrangement of components in Fig. 3. As illustrated in Fig. 5, user node **502** is operatively coupled to network **504** via a network interface component, such as network

interface adapter **114**. Alternatively or additionally, an adaptation of an execution environment **401** may include and/or may otherwise be provided by a device that is not operatively coupled to a network. A server device is illustrated by application provider node **506**. Application provider node **506** may be included in and/or otherwise adapted for providing execution environment **401d** illustrated in Fig. 4d. As illustrated in Fig. 5, application provider node **506** is operatively coupled to network **504** via a network interface component included in execution environment **401d**.

[0044] Fig. 4a illustrates execution environment **401a** hosting application **403a** including an adaptation of the arrangement of components in Fig. 3. Fig. 4b illustrates execution environment **401b** hosting browser **403b** including an adaptation of the arrangement of components in Fig. 3 that may operate at least partially in a network application agent **405b** received from a remote application provider, such as network application **403d** in Fig. 4d. Browser **403b** and execution environment **401b** may provide at least part of an execution environment for network application agent **405b** that may be received via a network from a network application operating in a remote execution environment. Fig. 4c illustrates an arrangement of the components in Fig. 3 adapted to operate in a cost management subsystem **407c** of execution environment **401c**. The arrangement in Fig. 4c may mediate communication between applications **403c** and one or more output devices, such as output device **130** in Fig 1.

[0045] Fig. 4d illustrates execution environment **401d** configured to host one or more network applications, such as a web service, illustrated by network application **403d**. Fig. 4d also illustrates network application platform **409d** that may provide services to

one or more network applications. Network application **403d** includes yet another adaptation of the arrangement of components in Fig. 3.

[0046] The various adaptations of the arrangement in Fig. 3 that are described herein are not exhaustive. For example, those skilled in the art will see based on the description herein that arrangements of components for performing the method illustrated in Fig. 2 may be at least partially included in an application and at least partially external to the application. Further, arrangements for performing the method illustrated in Fig. 2 may be distributed across more than one node and/or execution environment. For example, such an arrangement may operate at least partially in browser **403b** in Fig. 4b and at least partially in execution environment **401d** in and/or external to network application **403d**.

[0047] Figs. 4a-d illustrate adaptations of network stacks **411** configured for sending and receiving messages over a network, such as network **504**, via a network interface component. Network application platform **409d** in Fig. 4d provides services to one or more network applications. In various aspects, network application platform **409d** may include and/or interoperate with a web server. Fig. 4d also illustrates network application platform **409d** configured for interoperating with network stack **411d**.

[0048] Network stacks **411** may support the same protocol suite, such as TCP/IP, or may communicate via a network gateway or other protocol translation device and/or service. For example, browser **403b** in Fig. 4b and network application platform **409d** in Fig. 4d may interoperate via their respective network stacks: network stack **411b** and network stack **411d**.

[0049] Figs. 4a-d illustrate applications **403**, respectively, which may communicate via one or more application layer protocols. Figs. 4a-d respectively illustrate application protocol components **413** for communicating via one or more application layer protocols. Exemplary application protocols include hypertext transfer protocol (HTTP) and instant messaging and presence (XMPP-IM) protocol. Matching protocols enabling applications **403** to communicate via network **504** in Fig. 5 are not required, if communication is via a protocol gateway or other translator.

[0050] In Fig. 4b, browser **403b** may receive some or all of network application agent **405b** in one or more messages sent from a network application, such as network application **403d** via network application platform **409d**, a network stack **411**, a network interface component, and optionally an application protocol component **413**. In Fig. 4b, browser **403b** includes content manager component **415b**. Content manager component **415b** may interoperate with one or more of application protocol components **413b** and/or network stack **411b** to receive the message or messages including some or all of network application agent **405b**.

[0051] Network application agent **405b** may include a web page for presenting a user interface for network application **403d**. The web page may include and/or reference data represented in one or more formats including hypertext markup language (HTML) and/or other markup language, ECMAScript or other scripting language, byte code, image data, audio data, and/or machine code.

[0052] In an example, in response to a request received from browser **403b**, controller component **417d**, in Fig. 4d, may invoke model subsystem **419d** to perform request-

specific processing. Model subsystem **419d** may include any number of request handlers (not shown) for dynamically generating data and/or retrieving data from model database **421d** based on the request. Controller component **417d** may further invoke template engine **423d** to identify one or more templates and/or static data elements for generating a user interface for representing a response to the received request. Fig. 4d illustrates template database **425d** including exemplary template **427d**. Fig. 4d illustrates template engine **423d** as a component in view subsystem **429d** configured to return responses to processed requests in a presentation format suitable for a client, such as browser **403b**. View subsystem **429d** may provide the presentation data to controller component **417d** to send to browser **403b** in response to the request received from browser **403b**. Some or all of network application agent **405b** may be sent to browser **403b** via network application platform **409d** as described above.

[0053] While the example describes sending some or all of network application agent **405b** in response to a request, network application **403d** additionally or alternatively may send some or all of a network application agent to browser **403b** via one or more asynchronous messages. In an aspect, an asynchronous message may be sent in response to a change detected by network application **403d**. Publish-subscribe protocols, such as the presence protocol specified by XMPP-IM, are exemplary protocols for sending messages asynchronously.

[0054] The one or more messages including information representing some or all of network application agent **405b** in Fig. 4b may be received by content manager component **415b** via one or more of application protocol component(s) **413b** and

network stack **411b** as described above. In Fig. 4b, browser **403b** includes one or more content handler components **431b** to process received data according to its data type, typically identified by a MIME-type identifier. Exemplary content handler components **431b** include a text/html content handler component for processing HTML documents; an application/xmpp-xml content handler component for processing XMPP streams including presence tuples, instant messages, and publish-subscribe data as defined by various XMPP specifications; one or more video content handler components for processing video streams of various types; and still image data content handler components for processing various images types. Content handler components **431b** process received data and may provide a representation of the processed data to one or more user interface (UI) element handler components **433b**.

[0055] UI element handler components **433** are respectively illustrated in presentation controller components **435** in Fig. 4a, Fig. 4b, and Fig. 4c. A presentation controller component **435** may manage visual, audio, and/or other types of output of its including application **403** as well as receive and route detected user and other inputs to components and extensions of its including application **403**. With respect to Fig. 4b, a UI element handler component **433b** in various aspects may be adapted to operate at least partially in a content handler component **431b** such as a text/html content handler component and/or a script content handler component. Additionally or alternatively, a UI element handler component **433** in an execution environment **401** may operate in and/or as an extension of its including application **403**. For example, a plug-in may provide a virtual machine, for a UI element handler component received as a script

and/or byte code, that may operate as an extension in application **403** and/or external to and interoperating with application **403**.

[0056] Fig. 6 illustrates display presentation space **602** of a display in and/or operatively coupled to user node **502**. Fig. 6 illustrates desktop background **604** that may be a still image and/or a video background. Selection window **606** is illustrated including selectable resource icons **608**. In an aspect, a resource icon may represent image and/or video data. Resource icon **6082b** is illustrated as selected. A selected image file and/or video stream that corresponds to a selected resource icon **608** may be processed in response to user input corresponding to operations illustrated in operation bar **610**. Selection window **606** may be a user interface presented by any of applications **403** illustrated in Figs. 4a-d and/or by network application agent **405b**. For example, selection window **606** may be presented via interoperation of browser **403b**, network application agent **405b**, and/or network application **403d**. A browser window may include a user interface of a network application provided by a remote node, such as a network application **403d** in Fig. 4d.

[0057] Various UI elements of applications **403** described above may be presented by one or more UI element handler components **433** in Figs. 4a-c and/or by one or more template engines **423d** in Fig. 4d. In an aspect, illustrated in Figs. 4a-4c, UI element handler component(s) **433** of one or more applications **403** is/are configured to send representation information representing a visual interface element, such as operation bar **610** in Fig. 6, to a GUI subsystem **437**. A GUI subsystem **437** may instruct a graphics subsystem **439** to draw the visual interface element in a region of display

presentation space **602**, based on presentation information received from a corresponding UI element handler component **433**.

[0058] Input may be received corresponding to a UI element via an input driver **441** illustrated in Figs. 4a-c in various adaptations. For example, a user may move a mouse to move a pointer presented in a display presentation space **602** over an operation user interface element presented in an operation bar **610**. A user may provide an input detected by the mouse. The detected input may be received by a GUI subsystem **437** via an input driver **441** as an operation or command indicator based on the association of the shared location of the pointer and the operation user interface element in display presentation space **602**.

[0059] With reference to Fig. 2, block **202** illustrates that the method includes receiving resource information identifying a first resource and a second resource for processing by a program component. Accordingly, a system for selecting a resource based on a measure of a processing cost includes means for receiving resource information identifying a first resource and a second resource for processing by a program component. For example, as illustrated in Fig. 3, cost advisor component **302** is configured for receiving resource information identifying a first resource and a second resource for processing by a program component. Figs. 4a-d illustrate cost advisor components **402** as adaptations and/or analogs of cost advisor component **302** in Fig. 3. One or more cost advisor components **402** operate in an execution environment **401**.

[0060] In Fig. 4a, cost advisor component **402a** is illustrated as a component of application **403a**. In Fig. 4b, cost advisor component **402b** is illustrated as component of

network application agent **405b** and/or browser **403b**. In Fig. 4c, cost advisor component **402c** is illustrated operating external to one or more applications **403c**. Execution environment **401c** includes cost advisor component **402c** in cost management subsystem **407c**. In Fig. 4d, cost advisor component **402d** is illustrated operating in network application **403d** remote from a display device for presenting received information for updating a visual component. For example, cost advisor component **402d** may operate in remote application provider node **506** while the received information is to be sent to a display device of user node **502** via network **504**.

[0061] Receiving resource information identifying a resource may include receiving an indication to present a representation of the resource to a user via an output device, receiving an indication identifying the resource as an input to a program component in an execution environment for performing an operation that includes processing the resource, detecting an access to the resource for the processing by a program component, detecting an input corresponding to a user interface element including a representation of the resource, sending information to present a representation of the resource to a user via an output device, and/or intercepting a communication for accessing the resource. In response to one or more of these and/or analogous events, a cost advisor component **402** in Fig. 4a-d may receive resource information identifying a resource.

[0062] In an aspect, resource information identifying a second resource may be received. In response to receiving the resource information the first resource may be identified. The second resource may be identified as an alternative to processing the

first resource or as an additional resource to process along with the first resource based on a measure of a processing cost determined for one or both resources.

[0063] Figs. 4a-c illustrate that a cost advisor **402** may interoperate with a user interface component, such as a user interface element handler component **433**. The user interface component may present a representation of a resource for selecting by a user as an input to a program component for performing an operation. For example, a selectable representation of a resource may be presented in an explorer or navigation window, a list box, a spinner, a text input box, a file selection dialog, and/or any other user interface component for selecting an item by a user. The presentation may be via audio output with selection via a voice input device and/or other input device(s). Resource icons **608** in Fig 6 presented, based on received resource information, may illustrate selectable representations of one or more resources. Exemplary resources for processing by a program component include some or all of a data file, an executable file, a database record, a network message, input data, output data, a document, a media stream, a digital image, a communication communicated between at least two communicants, and/or a log.

[0064] In an aspect, a resource icon **608** in Fig. 6 may represent an image and/or a video to be processed by a program component, such as application **403a** in Fig. 4a, for presenting as a background of a display region, such as a desktop or an application background. Cost advisor component **402a** may present a file navigation user interface to receive resource information identifying one or more images and/or videos for processing by an IPU and/or other hardware component(s) included in execution

environment **401a** as an input to application **403a** for performing the operation of presenting a desktop background.

[0065] In Fig. 4c, GUI subsystem **437c** may receive resource information identifying an image and/or video to present in display presentation space **602** as desktop background **604**. GUI subsystem **437c** may interoperate with cost advisor component **402b** to communicate resource information identifying a resource.

[0066] Network application agent **405b** in Fig. 4b and/or network application **403d** in Fig. 4d may receive resource information for presenting and/or otherwise processing by network application agent **405b** and/or browser **403b**. For example, cost advisor component **402b** may be provided with resource information and/or cost advisor component **402d** may be provided with resource information. Cost advisor component **402b** and cost advisor component **402d** may interoperate in an aspect. In another aspect, cost advisor component **402b** and cost advisor component **402d** may operate independently. In still another aspect, one or the other of cost advisor component **402b** and cost advisor component **402d** may not be included in an adaptation of one or the other of execution environment **401b** and execution environment **401d**.

[0067] In various aspects and adaptations of cost advisor **302** in Fig. 3, such as cost advisors **402** in Figs. 4a-d, a cost advisor may be included in accessing and/or otherwise managing a resource. The cost advisor may receive resource information in response to an access to the resource. Resource information may be received through an invocation of a cost advisor **402** as a function, method, subroutine, and the like. The resource information may be received via a notification associated with a subscription to

events associated with the resource and/or a program component for processing the resource. The resource information may be received via an interprocess communication mechanism (IPC) such as a message queue, a pipe, a software interrupt, and/or a hardware interrupt. The resource information may be received via a message received via a network.

[0068] Alternatively or additionally, resource information may be received in response to identifying a program component. A program component may process resources having a particular attribute, such as file type and/or content type. For example, application **403a** in Fig. 4a may include a media player component to process files having file types and/or having content type identifiers that identify the media files including audio data, image data, and associated metadata. Resource information for one or more resources that match attribute information that identifies the resources as inputs for processing by a program component, may be received by cost advisor component **402a** in response to receiving information identifying the media player component (not shown).

[0069] A second resource may be identified based on the first resource. In one aspect, a program component may process resources having a particular attribute, such as file type and/or content type. For example, a drawing program component may process files having file types and/or content type identifiers that identify the files that are computer drawn and/or editable via drawing. Resource information for one or more resources that match attribute information for an identified first resource may be received, in response to and/or otherwise based on identifying the first resource for processing and/or during

processing by a program component. For example, in Fig. 4c application **403c1** may be a graphics editing application. Application **403c1** may access a first resource having a file type and/or other content type identifier indicating that it includes editable graphics content. Cost advisor **402c** may receive information identifying one or more other resources including editable graphics content in response to application **403c1** accessing the first resource.

[0070] Returning to Fig. 2, block **204** illustrates that the method further includes determining at least one of a first measure of a specified processing cost for the processing of the first resource and a second measure of the processing cost for the processing of the second resource. Accordingly, a system for selecting a resource based on a measure of a processing cost includes means for determining at least one of a first measure of a specified processing cost for the processing of the first resource and a second measure of the processing cost for the processing of the second resource. For example, as illustrated in Fig. 3, cost monitor component **304** is configured for determining at least one of a first measure of a specified processing cost for the processing of the first resource and a second measure of the processing cost for the processing of the second resource. Figs. 4a-d illustrate cost monitor components **404** as adaptations and/or analogs of cost monitor component **304** in Fig. 3. One or more cost monitor components **404** operate in an execution environment **401**.

[0071] A metric defines a unit of measure. For example, an “inch” is a unit of measure for measuring length. A “kilowatt-hour” (kWh) is a unit of measurement in a metric for measuring an amount of energy. Instead of or in addition to measuring an amount a

metric may measure a rate. “Kilowatts per hour” (kWh/h) is energy or power metric for measuring a rate of energy used. A “measure” is a result of a particular measuring or measurement process. For example, 3 inches is a measure according to the length metric for inches, and 1000 kWh is a measure of an energy metric identifying an amount of energy. As used herein, a “measure of a processing cost” refers to a result of a measuring process for determining a processing cost according to a specified metric. Measuring may include estimating a measurement.

[0072] A processing cost may be determined and/or expressed by any metric, directly and/or indirectly providing an indication of a processing cost associated with processing a resource in performing a specified operation. A metric for determining a processing cost in terms of electrical power may be determined by monitoring a rate of electrical energy utilized over time period by a hardware component that is included in processing a resource. For example, a flow of electricity to a network interface adapter may be monitored, for resources where processing the resources includes sending and/or receiving data via a network. Some of the data may be included in the resources. The metric may represent the cost, for example, in kilowatt-hours, in kilowatts per hour, in transmission time, in bandwidth utilization, in latency, and/or in monetary units. In Figs. 4a-d, cost monitor component **404** may be invoked to determine and/or otherwise identify a measure of a processing cost for processing a particular resource in performing an operation.

[0073] A metric may be specified for measuring and/or expressing a processing cost in a less direct manner. For example, with respect to energy cost, an energy cost may be

measured by counting occurrences of an energy consuming activity, such as a disk read. From another perspective a metric based on disk reads may be a direct measure of a utilization cost resulting from processing one or more resources stored in a hard-drive.

[0074] Exemplary metrics for measuring processing cost include metrics for energy, monetary metrics, time metrics, kinetic or stored energy metrics, heat metrics, metrics for resistance including mechanical and/or electrical resistance, metrics for measuring various energy and/or power consuming activities, metrics for measuring an environmental cost, health metrics, safety metrics, light metrics, metrics for measuring movement, metrics for measuring mass and/or weight, and/or metrics for measuring an opportunity cost.

[0075] A particular metric for determining a measure of a processing cost for a resource may be selected and/or otherwise identified based on one or more attributes of a resource, an operation that includes processing the resource, a program component for performing some or all of the operation, a hardware component included in processing the resource, a user, an organization, and/or a task; to name a few examples. For example, a metric such as a count of machine code instructions executed by an IPU may be specified and/or determined in performing a specified operation. An IPU based metric may be selected for measuring a cost of processing a resource where no output device is included in processing the resource. For an application or process that presents a user interface via a display component, a metric for measuring heat and/or light generated by the display device may be specified.

[0076] A cost monitor component **404**, in an aspect, may determine a measure of a processing cost based on metadata provided in and/or with one or more of a resource, a program component for performing an operation that includes processing the resource, and a hardware component included in performing an operation that includes processing the resource. A measure of a processing cost may be predetermined and located by cost monitor component **404** in and/or associated with a resource, a program component, and/or a hardware component. Cost monitor component **404** may access a table and/or other structure including predefined values for measures of the processing cost for a particular metric such as a change in temperature of a hardware component in Celsius and/or a time based cost represented in US dollars.

[0077] A cost monitor component **404** may look up and/or may otherwise identify a predefined value based on a type of a resource, a size of a resource, an energy source, a hardware component, and/or a program component for processing the resource. The predefined value may be a measure of a processing cost and/or may be an input for determining a measure of a processing cost expressed according to an identified metric. For example, a predefined value may be multiplied by a measure of time that a resource may be processed by a program component to produce a time based metric such as disk reads per minute.

[0078] In another aspect, a cost monitor component **404** may determine a measure of a processing cost by calculating the measure according to the specified metric and/or may interoperate with a sensor, such as a thermometer, in measuring a cost of processing. Cost monitor component **404** may include and/or otherwise access one or

more measurement components for determining a measure according to one or more metrics.

[0079] In Fig. 4a, cost monitor component **404a** is illustrated operating in application **403a**. Cost monitor component **404a** may determine a measure of a processing cost for resources processed by application **403a**. The resources may include resources provided by application **403a** to other applications, subsystems, and/or components operating in execution environment **401a** and/or in another execution environment included in and/or otherwise provided by one or more devices.

[0080] For example, application **403a** may present selection window **606** in Fig. 6. The resources processed by application **403a** may include data, represented by resource icons **608**, to send to another node. Cost monitor component **404a** may determine a measure of a processing cost for transmitting the data to the other node via a particular physical network media physically coupled to a network adapter in execution environment **401a**. Cost monitor component **404a** may be configured with and/or otherwise may determine a measure based on a count of bytes in the resources and/or in an encoded translation of the resource(s) for transmitting.

[0081] In Fig. 4b, cost monitor component **404b** is illustrated operating at least partially in network application agent **405b**. Some or all of network application agent **405b** may be received by browser **403b**, operating in user node **502** in Fig. 5, from network application **403d** in Fig. 4d operating in application provider node **506** in Fig. 5 as described above. Fig. 4d illustrates cost monitor component **404d** operating in network application **403d**. Cost monitor component **404b** and/or cost monitor component **404d**

may determine a measure of a processing cost for resources processed by network application **403d** and/or network application agent **405b**. Cost monitor component **404b** and/or cost monitor component **404d** may be components in a cost monitor system distributed between network application agent **405b** and network application **403d**. Cost monitor component **404b** and/or cost monitor component **404d** may operate independently. Operating independently may include one of the cost monitor components operating in the absence of the other cost monitor component. Resources may include resources provided by network application agent **405b** to browser **403b** and/or extensions of browser **403b**. The resources may further include resources provided to other nodes in network **504** by network application agent **405b** and/or network application **403d**. Network application agent **405b** may interoperate with browser **403b** to present selection window **606** in Fig. 6 in a browser window or tab (not shown). The resources processed may be represented by resource icons **608**.

[0082] Cost monitor component **404b** and/or cost monitor component **404d** may determine a measure of a processing cost for processing one or more resources where processing the resources includes transmitting the resources via network **504** in Fig. 5. Transmitting resource data may include encoding, decoding, filtering, translating, and/or transforming some or all of the data in a resource in some manner. For example, a resource may be compressed prior to transmitting via network **504**. Cost monitor component **404b** may determine a metric based on a type of physical layer network included in network **504**, may determine a metric based on an encoding, decoding, and/or other transformation, may determine a metric based on a manufacturer and/or

type of network interface component, and/or may determine a metric based on network throughput data and/or other network attributes and/or metadata. The measure may be a cost for transmitting a web document via a network including a modem, a cost for retrieving image data in the web document from a hard drive, a cost for decoding data received via network **504**, and/or a cost for transmitting data over a secure network connection. Cost monitor component **404b** and/or cost monitor component **404d** may be configured with and/or otherwise may identify a predefined measure of a processing cost according to a metric selected by a developer of browser **403b** and/or based on version information for browser **403b**.

[0083] In Fig. 4c, cost monitor component **404c** is illustrated operating in cost management subsystem **407c**. Cost management subsystem **407c** may be a subsystem of execution environment **401c** that provides services to a number of program components operating in execution environment **401c** and/or in another execution environment communicatively coupled to a network **504** in Fig. 5. Cost monitor component **404c** may determine measures of a processing cost(s) for various resources processed by various applications **403c** operating in execution environment **401c**. The resources may include resources provided to and/or otherwise accessible to applications **403c** via various subsystems of execution environment **401c**, such as a file system (not shown) and/or network stack **411c**.

[0084] For example, selection window **606** in Fig. 6 may be presented as a document navigation window presented by execution environment **401c**. “Op1” presented in operation bar **610** may invoke first application **403c1** for processing a currently selected

resource, illustrated as resource icon **6082b**. “Op2” in operation bar **610** may be a user interface control for invoking second application **403c2** for one or more selected resources represented by resource icons **608**. Resources processed by first application **403c1** may include documents having various content types. Cost monitor component **404c** may determine a measure of a processing cost for the documents expressed by a metric based on the format of the respective documents identified by a content type and based on an operation for processing the documents. The operation may be performed by application **403c1** and/or may be performed by one or more other components.

[0085] For example, for a particular device a file system operation may be configured to be an operation for determining a measure of a processing cost for a resource processed by first application **403c1**. In Fig. 4c, cost management subsystem **407c** may determine processing costs for resources, freeing applications **403c** from determining processing costs. Note that, in an aspect, at least some of cost management subsystem **407c** may operate in a node other than the node included in and/or providing execution environment **401c**. For example, some or all of the arrangement of components may be adapted to operate in execution environment **401d**, which includes and/or is otherwise provided by application provider node **506**.

[0086] Cost monitor component **404a** is illustrated operating in application **403a**. Cost monitor component **404a** may determine a measure of a processing cost for resources processed by application **403a**. Application **403a** is a program component and may include one or more program components. The resources may include resources provided by application **403a** to other applications, subsystems, and/or components

operating in execution environment **401a** and/or in another execution environment included in and/or otherwise provided by one or more devices. For example, application **403a** may present selection window **606** in Fig. 6. The resources processed by application **403a** may include images and videos represented by background resource icons **608**. Cost monitor component **404a** may determine a measure of a processing cost for presenting the images and/or videos as desktop backgrounds. For example, cost monitor component **404a** may be configured with and/or otherwise may determine a measure based on a count of display refreshes over a specified period of time for the various resources to determine a measure of a processing cost for presenting the various respective resources.

[0087] Returning to Fig. 2, block **206** illustrates that the method yet further includes selecting one of the first resource and the second resource based on the at least one of the first measure and the second measure. Accordingly, a system for selecting a resource based on a measure of a processing cost includes means for selecting one of the first resource and the second resource based on the at least one of the first measure and the second measure. For example, as illustrated in Fig. 3, cost director component **306** is configured for selecting one of the first resource and the second resource based on the at least one of the first measure and the second measure. Figs. 4a-d illustrate cost director components **406** as adaptations and/or analogs of cost director component **306** in Fig. 3. One or more cost director components **406** operate in an execution environment **401**.

[0088] In an aspect, a resource may be selected and/or otherwise identified based on selection information received in response to a user input detected by an input device and based on a measure of a processing cost. The measure and/or an indication based on the measure may be presented for respective resources for processing by a particular program component. For example, a user may open and/or otherwise initiate operation of an application **403a** in Fig. 4a. Application **403a** may present, in selection window **606** in Fig. 6, a user interface for selecting one or more resources from multiple resources for processing by the application. For example, cost director component **406a** in Fig. 4a may send presentation information to present a cost indication for the one or more resources presented in selection window **606** in Fig. 6, allowing a user to select a resource represented by a particular resource icon **608** from the resources represented by respective resource icons. Selection input from a user identifying a resource represented by the particular icon may be received and/or otherwise selected based on a cost indication presented for the resource. The cost indication is based on a measure of a processing cost for the resource.

[0089] A user input selecting a resource for processing by the application may be detected by a UI element handler **433a** for the selection user interface and/or for the representation of the resource. In an aspect, cost director component **406a** may determine whether to send presentation information to present a cost indication for a resource based on a cost condition, such as an energy condition. For example, cost monitor component **404a** may evaluate a specified energy condition based on a determined measure of a processing cost for a resource. When the energy condition is

met, cost director component **406a** interoperating with cost monitor component **404a** may select one or more resources for processing and send presentation information for presenting the resource in the selection user interface. When the condition is not met, the resource is not selected for presenting. Thus a selectable representation of a resource may be a cost indication based on a measure of a cost of processing. In the aspect, only resources that meet a particular energy condition may be selected. For example, in Fig. 6 normally presented resource icons **608** may be presented as selectable as directed by cost director component **406**. Pattern icons such as icon **608mb** may be presented as non-selectable by cost director component **406**, so that user input corresponding to icon **608mb** is not processed as a selection of the resource as analogous input for normally presented icons is processed as a selection.

[0090] Fig. 6 also illustrates presenting a cost indication based on a measure of a processing cost for a resource. The measure may be determined based on a metric for measuring a particular cost of processing and presented as a numeric indication based on the measure. Cost indications determined for the respective resources are illustrated by resource icons **608** in Fig. 6. For example, the illustrated indications in Fig. 6 are based on a five-point scale providing relative indications of a processing cost for the respective resources. An indication of “5” may be defined as a cost indication for a most expensive resource or resources for processing according the metric. A “1” indication may indicate resources that require the least cost according to the metric as presented according to the five-point scale. The cost indications may change based on an operation selected in operation bar **610**. A resource may be selected for presentation in

a region based on a cost indication. A user may select a resource for processing from the presented resource representations based on the presented cost indications.

[0091] A region of display presentation space **602** may be designated for presenting a resource having a cost that matches a specified cost condition. For example, higher-cost resources may be placed relatively closer to the bottom of a screen than relatively lower-cost resources. A position in a screen may be a cost indication. In another aspect, an orientation of a UI element representing and/or associated with a resource may be defined as a cost indication based on a specified measure according to a particular metric. Variations in other user detectable attributes may be configured as indications for various metrics in other aspects.

[0092] A cost director component **406** may change or otherwise provide for changing a pointing device representation, such as a mouse pointer, when it approaches and/or is in a location of a presented resource, as a cost indication based on a measure according to a particular metric for processing a resource represented by a UI element in the location. For example, different colors of the pointer may be defined as different indications associated with different measures of a processing cost. Alternatively or additionally, a pointer may be deactivated for selecting a resource based on a measure of a processing cost for the resource. In an aspect, a resource may be automatically selected when a cost condition based on a measure of a processing cost is met. Thus automatic selection may be a cost indication.

[0093] In Fig. 4d, cost director component **406d** in network application **403d** may send information via a response to a request and/or via an asynchronous message to a

client, such as browser **403b** and/or network application agent **405b**, to present a user detectable indication of a measure of a processing cost for a resource. One or more resources may be selected for representing. The one or more resources may be selected based on their respective measures and/or corresponding cost indications.

[0094] In another aspect, a user input for selecting a resource may be detected. A warning indication may be presented, in response to receiving the selection, when an energy condition, based on a measure of energy for the resource, is not met. A cost director component **406** may direct a UI element handler component **433** to present a warning when cost monitor component **404** determines that an energy condition is not met for the selected resource, based on a determined measure of a processing cost for the resource. The measure of a processing cost may be based on an energy metric.

[0095] An indication of a measure of a processing cost for a resource may include presenting a representation of the resource in a plurality of representations of resources according to an order of respective measures of processing costs determined for the resources in the plurality.

[0096] Presentation information for presenting a cost indication may be sent in a message via a network to a node operatively coupled to an output device. Cost director component **406d** in Fig. 4d operating in application provider node **506** in Fig. 5 may send presentation information in response to a request from network application agent **405b** in Fig. 4b operating in user node **502**.

[0097] A change in a measure of a processing cost associated with a resource being processed and/or change in a measure of a processing cost of an alternative and/or

additional resource may be detected. In response to one or more detected changes, an alternative and/or an additional resource may be selected for respectively identifying to a program component instead of and/or in addition to the resource currently being processed.

[0098] For example, cost management subsystem **407c** in Fig. 4c may monitor a level of energy in a battery providing energy for a handheld device. Cost management subsystem **407c** may invoke cost monitor component **404c** in response to detecting a battery energy level falling below a specified threshold. Cost monitor component **404c** may recalculate and/or otherwise determine a measure of a processing cost for one or more resources in response to the change in battery state. Cost monitor component **404c** may provide changed measures of a processing cost to cost director component **406c**. Cost director component **406c** may select an alternative and/or an additional resource, depending on the change to cost operations component **408c**, for identifying to the program component.

[0099] In an aspect, an energy condition may be specified. A measure of a processing cost determined for a resource may be determined for evaluating an energy condition to determine whether the energy condition is met. An energy condition may be identified for evaluating and/or may be evaluated based on an energy source, an amount of energy available, an amount of energy available in a battery and/or other energy store, an amount of energy used and/or currently being used for processing another resource, a location of the device, and a time required for restoring an energy store to a specified

state, to name a few examples. A location of a device may be a location with respect to another location for charging or changing energy sources.

[0100] When an energy condition and/or other cost condition is not met for a resource, a cost director component 406 may select one or more alternative resources to a first resource based on one or more respective measures of a processing cost determined by a corresponding cost monitor component 404. One or more representations of the respective one or more alternative resources may be selected for presenting to a user. A user input may be received from the user for selecting an alternative resource. A user input may be received indicating that the first resource is to be provided to the program component for processing. In yet another alternative, a cost director component 406 may automatically select an alternative resource that meets the energy condition and/or other cost condition for processing instead of the first resource. In an additional aspect, the first resource may meet the energy condition and cost director component 406 may select one or more resources from the alternatives to identify to the program component in addition to the first resource. Cost director component 406 may identify the additional resource(s) automatically or may receive input from a user to identify one or more additional resources.

[0101] Also as described above, a resource may be selected automatically, based on a measure of a processing cost for the resource, by a cost director component **406**. Cost operations component **408** may access the resource, transform the resource into a format suitable for processing by the program component, and/or otherwise identify the resource to the program component for processing.

[0102] Returning to Fig. 2, block **208** illustrates that the method yet further includes identifying, to the program component, the selected one of the first resource and the second resource for processing. Accordingly, a system for selecting a resource based on a measure of a processing cost includes means for identifying, to the program component, the selected one of the first resource and the second resource for processing. For example, as illustrated in Fig. 3, cost operations component **308** is configured for identifying, to the program component, the selected one of the first resource and the second resource for processing. Figs. 4a-d illustrate cost operations components **408** as adaptations and/or analogs of cost operations component **308** in Fig. 3. One or more cost operations components **408** operate in an execution environment **401**.

[0103] As described above, resources may be selected, based on a measure of a processing cost, in response to detecting a user input for selecting the resource. Selection information may be received by a UI element handler component **433** for a selectable representation of a resource. The UI element handler component **433** receiving the selection information may provide and/or otherwise identify the resource to cost operations component **408**. Cost operations component **408** may access the resource, transform the resource into a format suitable for processing by the program component, and/or identify the resource to the program component for processing.

[0104] In Fig. 4a, cost operations component **408a** may identify a resource selected based on a measure of a processing cost to any one or more components in application **403a**. In Fig. 4b and in Fig. 4d, cost operations component **408b** and/or cost operations

component **408d** may identify a resource selected based on a measure of a processing cost to any one or more components in browser **403b**, network application agent **405b**, and/or to network application **403d** in Fig. 4d. Cost operations component **408b** and cost operations component **408d** may operate alone without the presence of the other, may operate independently while the other is operating, or may interoperate to identify the selected resource in various aspects. In Fig. 4c, cost operations component **408c** may identify a resource selected based on a measure of a processing cost to any of one or more program components including various applications **403c**. Alternatively or additionally, cost operations component **408c** may identify a resource selected based on a measure of a processing cost to a program component operating in another execution environment including and/or otherwise provided by another node.

[0105] Also as described above, a resource may be identified automatically, in response to being selected. A cost operations component **408** may access the resource, transform the resource into a format suitable for processing by the program component, and/or otherwise identify the resource to the program component for processing.

[0106] A program component may be performing an operation that includes processing a first resource. A second resource selected based on a measure of a processing cost may be identified to the program component to perform the operation instead of the first resource. For example, application **403a** in Fig. 4a operating in a user device, such as user node **502** in Fig. 5, may present a resource as desktop background **604** in Fig. 6. When user node **502** is operating on a battery with an estimated energy available

exceeding a specified time threshold, such as one hour, cost operations component **408a** may select a video resource to present in display presentation space **602** as desktop background **604** based on a measure of a processing cost determined for the video resource. When user node **502** is operating on a battery with an estimated energy available less than a specified time threshold, such as one hour, cost operations component **408a** may select a still image resource to present in display presentation space **602** as desktop background **604** where a measure of a processing cost for the still image meets an energy condition based on the energy available in the battery and the video does not meet the condition.

[0107] In another aspect, a program component may be performing an operation that includes processing a first resource. A second resource selected based on a measure of a processing cost may be identified to the program component to perform the operation in addition to performing the operation including processing the first resource. For example, network application agent **405b** in Fig. 4b operating in user node **502** may upload files to network application **403d** operating in application provider node **506** via network **504**. When network **504** is an intranet in a home or business with no monetary charge based on bandwidth utilization, a measure of processing cost based on a metric for measuring the monetary cost of bandwidth may be zero or near zero for resources to transfer from user node **502** to application provider node **506**. A user may select a first resource for upload. Based on the bandwidth cost, cost operations component **408b** may identify an additional resource to transmit, in parallel with the first resource, from user node **502** to application provider node **506** to transfer. Alternatively or additionally,

cost operations component **408d** may send a matching criterion to identify one or more additional resources to receive in parallel with the first resource from network application agent **405b** operating in browser **403b**.

[0108] As described herein, a resource may be selected based on a measure of a processing cost. At some time after the selection, the resource may be identified to a program component in response to detecting a specified event. A number of resources may be selected based on respective measures of a processing cost. The resources may be associated with a number of respective events. In response to a first event in the number of events, a first resource associated with the first event may be identified to a program component. In Fig. 4c, cost management subsystem **407c** may change permissions, roles, etc. for selected resources based on measures of a processing cost allowing access to and/or otherwise identifying resources that match a current cost condition.

[0109] The method illustrated in Fig. 2 may include additional aspects supported by various adaptations and/or analogs of the arrangement of components in Fig. 3. Receiving resource information identifying a resource may include intercepting a communication for performing an operation, detecting an access for retrieving the resource, reading a message recording at least one of an access to the resource and a request for performing an operation, identifying a mapping identifying the type of the resource and an operation, and/or detecting a change in a program component for performing an operation, a change in the resource, and a change in a hardware component included in processing the resource. A cost advisor component **402** in Figs.

4a-d may be configured to interoperate with various components, to receive resource information, including a file system, a data store, a data storage device, a GUI subsystem **437**, an input driver **441**, a network stack **411**, and an application protocol component **413**, to name a few examples.

[0110] Receiving resource information may include receiving a communication, intercepting a communication, and/or initiating a communication. Receiving the resource information may include detecting an access to at least one of the first resource, the second resource, and the program component. Detecting an access may include detecting an access to at least one of a semaphore, a lock, a data storage location, a component of a input subsystem, a component of a presentation subsystem, a storage subsystem, a component of a networking subsystem, a component of a graphics subsystem, a component of an audio subsystem, a display adapter, a display device, an audio adapter, an audio output device, a tactile presentation subsystem, a tactile output device, an access control component, a serialization component, a synchronization component, a thread, an input device driver, an input device, another application, a code library, a database, a service operating in remote node via a network, text data, image data, audio data, tactile data, a message formatted according to a communication protocol, a service, a presence entity, a subscription, a software component, a hardware component, a transaction, a media stream, a location, a measuring device, data, an instruction, a persistently stored resource, a resource stored in volatile storage, a network resource, a preexisting resource, a dynamically generated

resource which may already exist, a service for generating the resource, a font, an encoding, a format, a mechanical resource, and an optical resource.

[0111] Image data may include a still image, a video, a background image, and/or an image for representing another resource. Audio data may include a song, a voice message, and/or a sound for indicating an event.

[0112] Exemplary hardware components that may be included in processing a resource include an IPU, an output device, a storage device, an input device, a networking component, a bus, a physical processor memory, and/or a switching fabric.

[0113] A metric may be selected based on a resource, an operation, a hardware component, the program component, a user, a group, a role, a task, a time, a location, and/or a device for performing the operation and/or for providing the resource. A metric for measuring a processing cost for a resource may be based on at least one of the resource, an operation included in processing the resource, a hardware component included in performing an operation that includes processing the resource, a user, a group, a role, a task, a time, a location, and hardware for providing and/or otherwise maintaining the resource. For example, a cost monitor component **404** may monitor a rate of energy received by a display device for an image resource presented and/or to be presented by the display device. A cost monitor component **404** may determine a measure of a processing cost according to a metric based on a count of bytes in a file resource for transmitting a resource via a network.

[0114] Various aspects and adaptations of cost monitor component **304** in Fig. 3 may determine a measure of a processing cost for a metric based on a flow of electricity,

stored energy, mechanical resistance, electrical resistance, time, a count of a particular energy related event, money, an environmental impact, a health impact, a change in size, a change in mass and/or weight, a safety impact, heat, light, and/or movement. Correspondingly, various aspects and adaptations of cost monitor component **304** may determine a measure of electrical energy, a measure of stored energy, a measure of mechanical resistance, a measure of electrical resistance, a measure of time, a count of a particular event, a measure of monetary cost, a measure of heat, a measure of light, a measure of distance, a measure of mass, a measure of size, and/or a measure of weight.

[0115] A processing cost may be based on a flow of electricity, stored energy, mechanical resistance, electrical resistance, time, a count of a particular event, money, a size, mass, weight, heat, light, and/or movement. A first measure and a second measure may include a measure of electrical energy, a measure of stored energy, a measure of mechanical resistance, a measure of electrical resistance, a measure of time, a count of a particular event, a measure of monetary cost, a measure of heat, a measure of light, a measure of distance, a measure of mass, a measure of size, and/or a measure of weight. A count may be based on IPU cycles, disk spins, data read operations, data write operations, refreshes of at least a portion of a presentation space, display refreshes, data transmitted via a network, data received via a network, and/or human movement. A measure of human movement may be based on a measure of dispersion of key presses; a pattern and frequency of movement of a tracking device;

and a count of at least one of key presses, squeezes, pushes, pulls, changes between lower case and upper case, and/or a count of numerical digits.

[0116] A measure of a processing cost may be determined based on a previously determined measure of a processing cost. Determining a measure may be based on locating a predefined measure based on at least one of the resource and the program component.

[0117] Determining a measure may include sending a message via a network to a node for determining the measure. A response may be received via the network including and/or otherwise identifying the measure.

[0118] In an aspect, an energy condition may be specified. A measure of a processing cost determined for a resource may be determined for evaluating an energy condition to determine whether the energy condition is met. An energy condition may be identified for evaluating and/or may be evaluated based on an energy source, an amount of energy available, an amount of energy available in a battery and/or other energy store, an amount and/or rate of energy used and/or currently being used for processing another resource, a location of the device, and a time required for restoring an energy store to a specified state, to name a few examples.

[0119] In response to determining whether an energy condition is met for a resource, a representation of the resource presented by an output device may be presented as user selectable or not user selectable. For example, in Fig. 4c when an amount of energy available from a battery in a mobile device falls below a specified threshold, files over a specified size may not be presented or may be presented but not selectable for

attaching to an email by an email application represented by second application **403c2**. In Fig. 4b and in Fig. 4d, one or both of cost monitor component **404b** and cost monitor component **404d** may receive information identifying a monetary cost of transmitting data via a current network access provider. Based on the cost, certain resources may be presented as selectable for certain operations including transmitting data in the resources and may be presented as not selectable for other network operations based on one or more cost conditions associated with the operations, the program components, and/or the resources. A first resource may be selected for presenting as user selectable, and a second resource may be not be presented or may be presented as un-selectable.

[0120] A resource may be selected from a plurality of resources in response to user selection information. For example, a first selectable representation of a first resource and a second selectable representation of a second resource may be presented to a user based on respective measures of a processing cost. Selection information may be received in response to a detected user input identifying a resource to be selected from the plurality.

[0121] A selected resource may be identified to a program component for processing instead of a resource currently being processed by the program component. A selected resource may be identified to a program component for processing in addition to a resource currently being processed by the program component.

[0122] A resource may be identified to a program component by disabling access to other resources and allowing access to the resource identifying the resource to the

program component. A cost operations component **408** in Figs. 4a-d may be configured to enable and/or disable access to resources selected by a corresponding cost director component **406**.

[0123] Identifying a selected resource to a program component may include providing for terminating processing of a resource currently being processed by the program component. Terminating processing of the resource may include terminating processing of the program component. Subsequently, processing of the selected resource by the program component may be initiated. Initiating processing of the selected program component may include initiating and/or restarting operation of the program component. For example, cost operations component **408c** in Fig. 4c may restart application **403c1** identifying a selected resource for processing by restarted application **403c1**.

[0124] In an example, a first resource may include first image data, the second resource may include second image data, and the program component may be configured to present image data in a presentation space of a display allocated for presenting a desktop image. An energy condition may be detected during presentation of the first image data in the presentation space by the program component. The second resource may be selected based on a first measure of a processing cost for the first resource and a second measure of the processing cost for the second resource. The selection may be in response to detecting the condition. In response to the selection, the second resource may be identified to the program component to present the second image data in the presentation space.

[0125] In various aspects of the method illustrated in Fig. 2, at least one of receiving the resource information, determining at least one of the first measure and the second measure, selecting one of the first resource and the second resource, and identifying the selected one of the first resource and the second resource may be performed in response to at least one of detecting a change in a first energy source, receiving energy from a first energy source then receiving energy from a second energy source, detecting that energy is flowing to a first source increasing the amount of energy stored in the first source, and detecting a change in an amount of energy available from a first energy source. For example, cost management subsystem **407c** in Fig. 4c may detect a change in receiving energy from an electrical outlet to receiving energy from a battery in execution environment **401c**. In response to detecting the change, cost director component **406c** may select a resource based on a measure of a processing cost. In response to detecting the change, cost operations component **408c** may identify a selected resource to a program component for processing.

[0126] In various aspects of the method illustrated in Fig. 2, at least one of receiving the resource information, determining at least one of the first measure and the second measure, selecting one of the first resource and the second resource, and identifying the selected one of the first resource and the second resource may be performed in response to a change in at least one of a monetary cost of energy, an organization providing energy, a rate of energy utilization, a utilization time of a first energy source, a user, a geospatial location, heat, light, and a component for at least one of storing, transmitting, and receiving energy. For example, in Fig. 4c, a cost management

subsystem **407c** may receive event information identifying one or more of listed events and/or conditions in directing performance of the method illustrated in Fig. 2 by the arrangement of components illustrated in Fig. 4c.

[0127] In another example, cost director component **406a** in Fig. 4a may detect a change in an amount of energy. In an aspect, energy may be flowing from a first energy source to one or more hardware components. Subsequently, energy may be detected flowing to the first energy source. Cost director component **406a** may select a resource from a plurality of resources based on a measure of a processing cost for one or more of the respective resources in the plurality. Alternatively or additionally, cost operations director component **408a** may identify a selected resource to a program component for processing in response to detecting a change in energy received from an energy source.

[0128] This application is related to the following which are each incorporated herein by reference in their entirety for all purposes: U.S. Patent Application No. 14/294,059, entitled "METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING A RESOURCE BASED ON A MEASURE OF A PROCESSING COST," filed 06-02-2014 which in turn claims priority to U.S. Patent Application No. 12/857,851, entitled "METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING A RESOURCE BASED ON A MEASURE OF A PROCESSING COST," filed 08-17-2010; U.S. Patent Application No. 13/941,502, entitled "METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR PROCESSING A NON-RETURNABLE COMMAND RESPONSE BASED ON A MARKUP ELEMENT," filed 07-

14-2013 which in turn claims priority to U.S. Patent Application No. 12/789,550, entitled "METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR PROCESSING A NON-RETURNABLE COMMAND RESPONSE BASED ON A MARKUP ELEMENT," filed 05-28-2010; U.S. Patent Application No. 13/477,402, entitled "METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR SHARING INFORMATION FOR DETECTING AN IDLE TCP CONNECTION," filed 05-22-2012 which in turn claims priority to U.S. Patent Application No. 12/714,454, entitled "METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR SHARING INFORMATION FOR DETECTING AN IDLE TCP CONNECTION," filed 02-27-2010; U.S. Patent Application No. 12/857,847, entitled "METHODS, SYSTEMS, AND PROGRAM PRODUCTS FOR PRESENTING AN INDICATION OF A COST OF PROCESSING A RESOURCE," filed 08-17-2010; U.S. Patent Application No. 12/857,857, entitled "METHODS, SYSTEMS, AND PROGRAM PRODUCTS FOR SELECTING A RESOURCE IN RESPONSE TO A CHANGE IN AVAILABLE ENERGY," filed on 08-17-2010; U.S. Patent Application No. 12/857,836, entitled "METHODS, SYSTEMS, AND PROGRAM PRODUCTS FOR MAINTAINING A RESOURCE BASED ON A COST OF ENERGY," filed 08-17-2010; U.S. Patent No. 8,346,853, entitled "METHODS, SYSTEMS, AND PROGRAM PRODUCTS FOR PROCESSING AN ATTACHED COMMAND RESPONSE," filed 05-27-2010; U.S. Patent Application No. 12/788,373, entitled "METHODS, SYSTEMS, AND PROGRAM PRODUCTS FOR PREVENTING PROCESSING OF AN HTTP RESPONSE," filed 05-27-2010; U.S. Patent Application No. 12/789,538, entitled "METHODS, SYSTEMS, AND PROGRAM

PRODUCTS FOR PROCESSING AN ATTACHED COMMAND RESPONSE BASED ON A MARKUP ELEMENT,” filed 05-28-2010; U.S. Patent Application No. 12/788,381, entitled “METHODS, SYSTEMS, AND PROGRAM PRODUCTS FOR PROCESSING A COMBINED COMMAND RESPONSE,” filed 05-27-2010; U.S. Patent Application No. 12/789,568, entitled “METHODS, SYSTEMS, AND PROGRAM PRODUCTS FOR PROCESSING A COMBINED COMMAND RESPONSE BASED ON A MARKUP ELEMENT,” filed 05-28-2010; and U.S. Patent Application No. 12/714,063, entitled “METHODS, SYSTEMS, AND PROGRAM PRODUCTS FOR DETECTING AN IDLE TCP CONNECTION,” filed on 02-26-2010. It should be noted that any feature disclosed in the context of any embodiment of this and/or any of the foregoing applications may be incorporated in the context of any embodiment of this and/or any of the foregoing applications.

[0129] To the accomplishment of the foregoing and related ends, the descriptions and annexed drawings set forth certain illustrative aspects and implementations of the disclosure. These are indicative of but a few of the various ways in which one or more aspects of the disclosure may be employed. The other aspects, advantages, and novel features of the disclosure will become apparent from the detailed description included herein when considered in conjunction with the annexed drawings.

[0130] It should be understood that the various components illustrated in the various block diagrams represent logical components that are configured to perform the functionality described herein and may be implemented in software, hardware, or a combination of the two. Moreover, some or all of these logical components may be

combined, some may be omitted altogether, and additional components may be added while still achieving the functionality described herein. Thus, the subject matter described herein may be embodied in many different variations, and all such variations are contemplated to be within the scope of what is claimed.

[0131] To facilitate an understanding of the subject matter described above, many aspects are described in terms of sequences of actions that may be performed by elements of a computer system. For example, it will be recognized that the various actions may be performed by specialized circuits or circuitry (e.g., discrete logic gates interconnected to perform a specialized function), by program instructions being executed by one or more instruction-processing units, or by a combination of both. The description herein of any sequence of actions is not intended to imply that the specific order described for performing that sequence must be followed.

[0132] Moreover, the methods described herein may be embodied in executable instructions stored in a computer readable medium for use by or in connection with an instruction execution machine, system, apparatus, or device, such as a computer-based or processor-containing machine, system, apparatus, or device. As used here, a "computer readable medium" may include one or more of any suitable media for storing the executable instructions of a computer program in one or more of an electronic, magnetic, optical, electromagnetic, and infrared form, such that the instruction execution machine, system, apparatus, or device may read (or fetch) the instructions from the computer readable medium and execute the instructions for carrying out the described methods. A non-exhaustive list of conventional exemplary computer readable media

includes a portable computer diskette; a random access memory (RAM); a read only memory (ROM); an erasable programmable read only memory (EPROM or Flash memory); optical storage devices, including a portable compact disc (CD), a portable digital video disc (DVD), a high definition DVD (HD-DVD.TM.), and a Blu-ray.TM. disc; and the like.

[0133] Thus, the subject matter described herein may be embodied in many different forms, and all such forms are contemplated to be within the scope of what is claimed. It will be understood that various details may be changed without departing from the scope of the claimed subject matter. Furthermore, the foregoing description is for the purpose of illustration only, and not for the purpose of limitation, as the scope of protection sought is defined by the claims as set forth hereinafter together with any equivalents.

[0134] All methods described herein may be performed in any order unless otherwise indicated herein explicitly or by context. The use of the terms "a" and "an" and "the" and similar referents in the context of the foregoing description and in the context of the following claims are to be construed to include the singular and the plural, unless otherwise indicated herein explicitly or clearly contradicted by context. The foregoing description is not to be interpreted as indicating that any non-claimed element is essential to the practice of the subject matter as claimed.

I CLAIM:

1. A method for selecting a resource based on a measure of a processing cost, the method comprising:
 - receiving resource information identifying a first resource and a second resource for processing by a program component;
 - determining at least one of a first measure of a specified processing cost for the processing of the first resource and a second measure of the processing cost for the processing of the second resource;
 - selecting one of the first resource and the second resource based on the at least one of the first measure and the second measure; and
 - identifying, to the program component, the selected one of the first resource and the second resource for processing.
2. The method of claim 1 wherein at least a portion of the resource information is received in response to processing the first resource by the program component.
3. The method of claim 1 wherein the processing cost is measured based on energy received from at least one of a battery and an energy source for charging a battery.
4. The method of claim 1 wherein the at least one of the first measure and the second measure includes at least one of a measure of electrical power, a measure of electrical energy, a measure of stored energy, a measure of mechanical resistance, a

measure of electrical resistance, a measure of time, a count of a particular event, a measure of a monetary cost, a measure of heat, a measure of light, a measure of distance, a measure of mass, a measure of size, and a measure of weight.

5. The method of claim 4 wherein the count is based on at least one of processor cycles, disk spins, data read operations, data write operations, refreshes of at least a portion of a presentation space, display refreshes, data transmitted via a network, data received via a network, and a measure of human movement.

6. The method of claim 1 wherein a metric for measuring the processing cost is determined based on at least one of the first resource, the second resource, an operation, a hardware component, the program component, a user, a group, a role, a task, a time, a location, a device for performing the operation, and a device for providing the resource.

7. The method of claim 1 wherein at least one of the first measure and the second measure is determined in response to a user input for measuring the processing cost.

8. The method of claim 1 wherein determining at least one of the first measure and the second measure is based on a previous determination of a measure of a processing cost.

9. The method of claim 1 wherein determining at least one of the first measure and the second measure is based on locating a predefined measure based on at least one of the first resource, the second resource, and the program component.

10. The method of claim 1 wherein determining at least one of the first measure and the second measure comprises:

 sending a message via a network to a node for determining at least one of the first measure and the second measure; and

 receiving a response via the network identifying at least one of the first measure and the second measure.

11. The method of claim 1 wherein the selecting comprises:

 comparing the first measure and the second measure; and

 selecting one of the first resource and the second resource based on the comparing.

12. The method of claim 1 wherein in the selecting comprises:

 communicating with an output device to present a first selectable representation of the first resource and a second selectable representation of the second resource to a user;

 receiving selection information identifying one of the first resource and the second resource, in response to a detected user input; and

 selecting the identified resource.

13. The method of claim 1 wherein the selected one of the first resource and the second resource is identified to the program component for processing instead the not selected one of the first resource and the second resource currently being processed by the program component.

14. The method of claim 1 wherein the selected one of the first resource and the second resource is identified to the program component for processing in addition to the not selected one of the first resource and the second resource currently being processed by the program component.

15. The method of claim 1 wherein identifying the selected one of the first resource and the second resource to the program component comprises:

disabling access, for the program component, to the not selected one of the first resource and the second resource;

and enabling access, for the program component, to the selected one of the first resource and the second resource.

16. The method of claim 1 wherein identifying the selected one of the first resource and the second resource to the program component comprises:

providing for terminating at least one of the program component and a processing of an unselected one of the first resource and the second resource by the program component; and

subsequently at least one of restarting the program component configured to process the selected one of the first resource and the second resource and starting processing to process the selected one of the first resource and the second resource.

17. The method of claim 1 wherein at least one of receiving the resource information, determining at least one of the first measure and the second measure, selecting the one of first resource and the second resource, and identifying the selected

one of the first resource and the second resource is performed in response to at least one of detecting a change in a first energy source, receiving energy from a first energy source then receiving energy from a second energy source, detecting that energy is flowing to a first source increasing the amount of energy stored in the first source, and detecting a change in an amount of energy available from a first energy source.

18. The method of claim 1 wherein at least one of receiving the resource information, determining at least one of the first measure and the second measure, selecting the one of the first resource and the second resource, and identifying the selected one of the first resource and the second resource is performed in response to a change in at least one of a monetary cost of energy, an organization providing energy, a rate of energy utilization, a utilization time of a first energy source, a user, a geospatial location, heat, light, and a component for at least one of storing, transmitting, and receiving energy.

19. A system for selecting a resource based on a measure of a processing cost, the system comprising:

a cost advisor component, a cost monitor component, a cost director component, and a cost operations component adapted for operation in an execution environment;

the cost advisor component configured for receiving resource information identifying a first resource and a second resource for processing by a program component;

the cost monitor component configured for determining at least one of a first measure of a specified processing cost for the processing of the first resource and a second measure of the processing cost for the processing of the second resource; and

the cost director component configured for selecting one of the first resource and the second resource based on the at least one of the first measure and the second measure; and

the cost operations component configured for identifying, to the program component, the selected one of the first resource and the second resource for processing.

20. A computer-readable medium embodying a computer program, executable by a machine, for selecting a resource based on a measure of a processing cost, the computer program comprising executable instructions for:

receiving resource information identifying a first resource and a second resource for processing by a program component;

determining at least one of a first measure of a specified processing cost for the processing of the first resource and a second measure of the processing cost for the processing of the second resource;

selecting one of the first resource and the second resource based on the at least one of the first measure and the second measure; and

identifying, to the program component, the selected one of the first resource and the second resource for processing.

ABSTRACT

Methods and systems are described for selecting a resource based on a measure of a processing cost. Resource information is received identifying a first resource and a second resource for processing by a program component. One or more of a first measure of a specified processing cost for the processing of the first resource and a second measure of the processing cost for the processing of the second resource is determined. One of the first resource and the second resource is selected based on at least one of the first measure and the second measure. The selected one of the first resource and the second resource is identified to the program component for processing.

Electronic Patent Application Fee Transmittal				
Application Number:				
Filing Date:				
Title of Invention:		METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING A RESOURCE BASED ON A MEASURE OF A PROCESSING COST		
First Named Inventor/Applicant Name:		Robert Paul Morris		
Filer:		Patrick Edgar Caldwell		
Attorney Docket Number:		PMOR0162B+		
Filed as Small Entity				
Filing Fees for Provisional				
Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Basic Filing:				
Provisional Application Filing Fee	2005	1	130	130
Pages:				
Claims:				
Miscellaneous-Filing:				
Petition:				
Patent-Appeals-and-Interference:				
Post-Allowance-and-Post-Issuance:				

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Extension-of-Time:				
Miscellaneous:				
Total in USD (\$)				130

Electronic Acknowledgement Receipt	
EFS ID:	21856000
Application Number:	62137173
International Application Number:	
Confirmation Number:	4946
Title of Invention:	METHODS, SYSTEMS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING A RESOURCE BASED ON A MEASURE OF A PROCESSING COST
First Named Inventor/Applicant Name:	Robert Paul Morris
Customer Number:	92045
Filer:	Patrick Edgar Caldwell
Filer Authorized By:	
Attorney Docket Number:	PMOR0162B+
Receipt Date:	23-MAR-2015
Filing Date:	
Time Stamp:	21:39:52
Application Type:	Provisional

Payment information:

Submitted with Payment	yes
Payment Type	Credit Card
Payment was successfully received in RAM	\$130
RAM confirmation Number	8150
Deposit Account	
Authorized User	
The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows:	

File Listing:					
Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1	Application Data Sheet	PMOR0162Bplus_ADS_vF_23-Mar-2015.pdf	72054	no	7
			81f7beffcd407985650ab09a52dc6b49c8c61024		
Warnings:					
Information:					
This is not an USPTO supplied ADS fillable form					
2	Drawings-only black and white line drawings	PMOR0162Bplus_Figs_vF_23-Mar-2015.pdf	132673	no	9
			7f66c109e9657b79fc9da4aa54a41e7bac5b23d5		
Warnings:					
Information:					
3		PMOR0162Bplus_App_vF_23-Mar-2015.pdf	258653	yes	66
			4011f2ca6617dcad133caf13a39b33108cd8a3b3		
	Multipart Description/PDF files in .zip description				
	Document Description		Start	End	
	Specification		1	59	
	Claims		60	65	
	Abstract		66	66	
Warnings:					
Information:					
4	Fee Worksheet (SB06)	fee-info.pdf	30129	no	2
			c46a29d5c46b76c7d9e2d2e165f5c6bb9d24cce		
Warnings:					
Information:					
Total Files Size (in bytes):			493509		

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.