

UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

BAYER CROPSCIENCE LP, MONSANTO COMPANY, AND
INARI AGRICULTURE, INC.,

Petitioners,

v.

CORTEVA AGRISCIENCE LLC,
Patent Owner.

IPR2023-01038¹
U.S. Patent No. 11,299,745

PATENT OWNER'S SECOND UNOPPOSED MOTION TO SEAL

¹ The Board joined Inari Agriculture, Inc. as a party (Petitioner) to this proceeding via a Motion for Joinder in IPR2024-00181.

I. Introduction

Patent Owner Corteva Agriscience LLC requests that the confidential versions of Petitioners' Reply to Patent Owner's Response ("Reply," Paper 27) and Exhibit 1070 (Dr. Hausinger's Reply Declaration) be sealed under 37 C.F.R. § 42.54. Redacted copies of the Reply and Exhibit 1070 are enclosed as Appendices A and B to this motion. Good cause to seal exists because (i) Petitioners have agreed to publicly file the enclosed redacted versions of the Reply and Exhibit 1070 if the Board grants this motion, and (ii) the redacted portions of the Reply and Exhibit 1070 quote, discuss, and/or refer to confidential information in previously sealed Exhibits 2002 and 2004, which reflect Patent Owner's proprietary protein research information that is not publicly available. The Board previously entered the parties' agreed-upon Protective Order and granted Patent Owner's motion to seal such confidential information in Exhibits 2002 and 2004. *See* Paper 16; Paper 7.

Counsel for Patent Owner asked Petitioners' counsel whether Petitioners consent to this motion to seal documents. In response, counsel for Petitioners stated that Petitioners do not oppose. Petitioners have confirmed that they will publicly file the enclosed redacted versions of the Reply (Appendix A) and Exhibit 1070 (Appendix B) if the Board grants this motion.

II. Governing Rules and PTAB Guidance

Under 35 U.S.C. § 316(a)(1), the default rule is that all papers filed in an *inter partes* review are open and available for access by the public, but a party may file a concurrent motion to seal and the information at issue shall be sealed pending the outcome of the motion.

Similarly, 37 C.F.R. § 42.14 provides:

The record of a proceeding, including documents and things, shall be made available to the public, except as otherwise ordered. A party intending a document or thing to be sealed shall file a motion to seal concurrent with the filing of the document or thing to be sealed. The document or thing shall be provisionally sealed on receipt of the motion and remain so pending the outcome of the decision on the motion.

It is, however, only “confidential information” that is protected from disclosure. 35 U.S.C. § 316(a)(7) (“The Director shall prescribe regulations -- . . . providing for protective orders governing the exchange and submission of confidential information”). In that regard, the *Office Trial Practice Guide*, 77 *Fed. Reg.* 48756, 48760 (Aug. 14, 2012) provides:

The rules aim to strike a balance between the public’s interest in maintaining a complete and understandable file history and the parties’ interest in protecting truly sensitive information.

* * *

Confidential Information: The rules identify confidential information in a manner consistent with Federal Rule of Civil Procedure 26(c)(1)(G), which provides for protective orders for trade secret or other confidential research, development, or commercial information. § 42.54.

III. Identification of Confidential Information

The confidential information consists of Patent Owner’s proprietary protein research information that is not publicly available. This information is contained in the following documents:

- Petitioners’ Reply in pages 23 and 24.
- Exhibit 1070 in pages 52-55.

IV. Good Cause Exists for Sealing the Confidential Information

The Board’s rules identify confidential information in a manner consistent with Federal Rule of Civil Procedure 26(c)(1)(G), which provides for protective orders for trade secret or other confidential research, development, or commercial information. Office Patent Trial Practice Guide, 77 Fed. Reg. 48,756, 48,760 (Aug. 14, 2012) (“The rules identify confidential information in a manner consistent with Federal Rule of Civil Procedure 26(c)(1)(G), which provides for protective orders for trade secret or other confidential research, development, or commercial information.”). Here, the confidential information that Patent Owner seeks to seal pertains to proprietary protein research information that is not publicly available.

The Board has found good cause to seal proprietary scientific research information under similar circumstances and should find the same here. For example, in *Inari Agriculture, Inc. v. Corteva Agriscience LLC*, the Board found good cause to grant motions to seal documents regarding “proprietary protein research information.” PGR2023-00022, Paper 22 at 3-4 (PTAB February 5, 2024); *see also* PGR2023-00022, Paper 29 at 2-3 (PTAB May 9, 2024). Similarly, in *Illumina, Inc. v. Cornell Research Foundation, Inc.*, the Board found good cause to grant a patent owner’s motion to seal a document containing non-public research data. IPR2016-00549, Paper 20 at 4-6 (PTAB May 26, 2017); *see also* IPR2016-00553, Paper 21 at 4-6 (PTAB May 26, 2017); IPR2016-00557, Paper 52 at 4-6 (PTAB May 26, 2017); IPR2016-00559, Paper 21 at 4-6 (PTAB May 26, 2017). The Board also found good cause to seal portions of a declaration and the Patent Owner’s Response that cited such non-public data. IPR2016-00549, Paper 20 at 4-6 (PTAB May 26, 2017). In *Intelligent Bio-Systems, Inc. v. Illumina Cambridge Ltd.*, the Board similarly found good cause to grant a patent owner’s motion to seal copies of documents that contained “proprietary technical and product development information,” as well as declarations and papers discussing that confidential information. IPR2013-00517, Paper 83 at 4-5 (PTAB Jan. 29, 2015).

Here, the confidential information quoted, discussed, and/or referred to in the Reply and Exhibit 1070 is the content from the already sealed Exhibits 2002 and

2004, which is confidential information reflecting Patent Owner's non-public proteins and analyses of them. Appendix A at 23-24; Appendix B at 52-55. Accordingly, there is good cause to grant this second motion to seal.

V. Proposed Protective Order

On January 8, 2024, the Board entered the parties' agreed-upon Protective Order that was attached as Appendix A to the first unopposed Motion to Seal (Paper 7). *See* Paper 16. This previously entered Protective Order will also govern the treatment of the Reply and Exhibit 1070 and the confidential information therein.

VI. Conclusion

For the reasons set forth above, Patent Owner respectfully requests that the Board grant this second unopposed motion to seal. If the Board grants this motion, Petitioners have confirmed that they will publicly file the enclosed redacted versions of the Reply and Exhibit 1070.

Respectfully submitted,

Dated: July 3, 2024

/Pier D. DeRoo/
Pier D. DeRoo
Reg. No. 69,340

Appendix A

UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

BAYER CROPSCIENCE LP, MONSANTO COMPANY, AND INARI
AGRICULTURE, INC.¹

Petitioners,

v.

CORTEVA AGRISCIENCE LLC,

Patent Owner.

Case No. IPR2023-01038
U.S. Patent No. 11,299,745

PETITIONERS' REPLY TO PATENT OWNER'S RESPONSE

¹ The Board joined Inari Agriculture, Inc. as a party (Petitioner) to this proceeding via a Motion for Joinder in IPR2024-00181.

TABLE OF CONTENTS

TABLE OF CONTENTS.....	i
TABLE OF AUTHORITIES	ii
INTRODUCTION	1
ARGUMENT	5
I. GROUND IA-IB	5
A. Corteva Misapplies the Legal Standard	5
B. Common Structural Features.....	8
1. No pre-October 2016 support for the AAD-1 motif, with or without R285.	8
2. No pre-October 2016 support for at least 85% sequence identity to RdpA.....	11
C. Representative Species.....	21
D. Claim 2 Lacks Support.....	24
II. GROUND IIA-IIB.....	25
III. CONCLUSION.....	26

TABLE OF AUTHORITIES

Cases

<i>AbbVie Deutschland GmbH & Co., KG v. Janssen Biotech, Inc.</i> , 759 F.3d 1285 (Fed. Cir. 2014)	12, 18
<i>Ajinomoto Co. v. ITC</i> , 932 F.3d 1342 (Fed. Cir. 2019)	1, 2, 6
<i>Ariad Pharmaceuticals, Inc. v. Eli Lilly & Co.</i> , 598 F.3d 1336 (Fed. Cir. 2010) (en banc)	13
<i>Boehringer Ingelheim Animal Health USA Inc. v. Kansas State University</i> , PGR2022-00021, Paper 13 (PTAB Mar. 22, 2023)	8
<i>Boston Scientific Corp. v. Johnson & Johnson</i> , 647 F.3d 1353 (Fed. Cir. 2011)	2, 3, 8, 13
<i>Ex Parte Campbell</i> , No. 2021-000865, Decision on Appeal (PTAB July 20, 2021)	7
<i>Ex Parte Porro</i> , Appeal No. 2008-0184, 2008 WL 2259960 (BPAI Mar. 11, 2008)	7
<i>Grit Energy Solutions, LLC v. Oren Technologies, LLC</i> , 957 F.3d 1309 (Fed. Cir. 2020)	25
<i>InTouch Technologies, Inc. v. VGo Communications, Inc.</i> , 751 F.3d 1327 (Fed. Cir. 2014)	25
<i>Koninklijke Philips NV v. Google LLC</i> , 948 F.3d 1330 (Fed. Cir. 2020)	25
<i>Lifescan Global Corp. v. Ikeda Food Research, Ltd.</i> , PGR2019-00032, Paper 11 (PTAB Aug. 15, 2019)	7
<i>Novozymes A/S v. DuPont Nutrition Biosciences APS</i> , 723 F.3d 1336 (Fed. Cir. 2013)	16
<i>PureCircle USA Inc. v. SweeGen, Inc.</i> , No. 2022-1946, 2024 WL 20567 (Fed. Cir. Jan. 2, 2024)	6, 18



<i>Rivera v. ITC</i> , 857 F.3d 1315 (Fed. Cir. 2017)	3, 8, 9
<i>Yeda Research & Development Co. v. Abbott GmbH & Co.</i> , 837 F.3d 1341 (Fed. Cir. 2016)	11

INTRODUCTION

As its opening salvo, Patent Owner Corteva Agriscience LLC's ("Corteva") Response declares that Corteva's "groundbreaking invention" was to show that the known protein RdpA could degrade both phenoxy auxin herbicides (including (*R*)-enantiomers) and (*R*)-aryloxyphenoxypropionates ("(*R*)-FOPs"). Paper 22, 1. That, however, is not what Corteva claimed. Rather, Corteva claimed genera covering at least 20⁴⁴ *variants* of RdpA that may or may not have such dual activity. Paper 2, 31. Corteva's Response underscores its inability to address this fundamental gap in its priority claim, rendering the claims unpatentable.

First, Corteva argues that the law only requires disclosure of a "correlation" between structure and function. Paper 22, 44-48 (discussing *Ajinomoto Co. v. ITC*, 932 F.3d 1342 (Fed. Cir. 2019)). But neither Corteva's 2004 and 2005 applications ("2004/2005 Applications," EXS1004-1005), nor the patent specification claiming priority to those documents, discloses *any* correlation between structure and the *claimed* (*R*)-enantioselective activity. Nor do the 2004/2005 Applications or patent identify a single amino acid involved in RdpA's (*R*)-enantioselectivity, even though they emphasize that (*R*)-enantioselectivity is what distinguishes RdpA from other α KG dioxygenases. EX1004, [0017], [0051]; EX1005, [0018], [0074]; EX1003, 4:48-62, 8:19-25. Nor do they disclose the importance of maintaining RdpA's 285 arginine, a residue that Corteva argued during prosecution of the '555 patent was

[REDACTED]

“critical” to RdpA’s activity. EX1008, -452, -455; Paper 12, 36 n.23, 50. Because the claimed (*R*)-enantioselective structure-function relationship was “unknown,” Corteva cannot rely on any purported “correlation” to save its claims. *PureCircle USA Inc. v. SweeGen, Inc.*, No. 2022-1946, 2024 WL 20567, at *4 n.10 (Fed. Cir. Jan. 2, 2024) (nonprecedential) (discussing *Ajinomoto*); see *Bos. Sci. Corp. v. Johnson & Johnson*, 647 F.3d 1353, 1366-67 (Fed. Cir. 2011).

Second, Corteva abandons its 2004 priority date (April 2004) and alleges that the “prior art” Schleinitz 2004 publication (EX1042, dated September 2004) discloses both the AAD-1 motif and a 285 arginine as part of that motif (also referred to as “R285” or “X₂₈₂₋₂₈₄R”). Paper 22, 3-4 (Schleinitz 2004 is “*prior art*”),² 16-17, 39-42, 48-49, 58-59. That is factually incorrect. But the argument also harms Corteva’s own cause. Corteva treats the disclosures of the 2004/2005 Applications (and the as-filed ’555 patent specification) as identical for purposes of whether there is any description of the AAD-1 motif and R285 limitations. Paper 22, 30, 33, 36-38. Thus, by relying on Schleinitz 2004 to supply the AAD-1 limitations (with and without X₂₈₂₋₂₈₄R), *Corteva tacitly admits that they are not disclosed in the 2004 provisional—or, concomitantly, the 2005 application*. That is fatal to Corteva’s position, because prior art cannot be used to supply limitations that are absent from

² Emphasis added unless indicated otherwise.

[REDACTED]

the specification. *Rivera v. ITC*, 857 F.3d 1315, 1322 (Fed. Cir. 2017).

By treating Schleinitz 2004 as prior art, Corteva also reinforces the absence of any (*R*)-enantioselective structure-function “correlation.” Schleinitz 2004 states explicitly that the amino acids responsible for RdpA’s (*R*)-enantioselectivity were unknown: “The basis of the enantiospecificity of the dichlorprop-cleaving enzymes is *not known*.” EX1042, 5362-63. The Institution Decision quoted that very language as undermining Corteva’s position. Paper 12, 49.

Third, Corteva asserts that Tian (EX2019)—which is nowhere cited in the patent—discloses a “universal principle” that if two enzymes have 60% sequence identity, the POSA would expect them to have the same activity 90% of the time. Paper 22, 1-2, 30-32. Corteva’s failure to mention that “principle” in its years of prosecution or Preliminary Response is readily explained: the position is meritless.

As an initial matter, Corteva cannot rely on Tian because the notion that sequence identity alone predicts function is “directly contradict[ed]” by the specification, which provides that the type of substitution matters to variant function. *See Bos. Sci.*, 647 F.3d at 1366.

Also, while Corteva asserts that the specification references Tian’s finding, Paper 22, 2-3, 21, 31, that is incorrect. The specification mentions 60%, but that number is not connected to Tian’s 60% lower limit, as it lists every number between 49%-99%. EX1003, 37:24-42; EX1004, [00116]; EX1005, [00142]. As for the

[REDACTED]

discussion regarding 85-98% being “highly identical,” EX1003, 44:5-30, not only does Tian nowhere specify 85% or 85-98%, but the discussion in the specification on its face concerns generic “ α -ketoglutarate dioxygenase activity” for “[r]esistance to [the achiral compound] 2,4-D”—*i.e.*, not (*R*)-enantioselectivity, *see id.*; EX1005, [00171]; EX1070, ¶¶ 35-36.

Furthermore, Corteva’s reliance on Tian is inapt because Tian describes relationships among *naturally occurring proteins*, which are subject to evolutionary selection; its analysis does not address the artificial variants encompassed by the claims. *See* EX2019, 863-65, 876-77; EX1070, ¶¶ 33-34, 37-41, 45. Recognizing this deficiency, Corteva points to Minshull (EX2025) to try to connect Tian to “protein engineering.” Paper 22, 10. But Minshull—which likewise requires Corteva to abandon any 2004 priority claim—does not help Corteva. Minshull nowhere cites Tian or espouses its 60% threshold. Instead Minshull warns that “[p]rediction of protein function from sequence and structure is a difficult problem, because homologous proteins often have different functions,” and invites trial-and-error experimentation. EX2025, 203.

Rather than focus on Tian, the POSA would credit Saari 1999, which teaches that even a handful of amino acid changes can alter (*R*)-enantioselective activity of α KG dioxygenases. Paper 2, 37; Paper 12, 40; EX1041, 421, 427; EX1070, ¶ 51. That dovetails with Schleinitz 2004, which provides that RdpA’s (*R*)-enantiomer

[REDACTED]

substrate specificity is “likely” “determined by only a few amino acids.” EX1042, 5363; Paper 12, 49. And the fact that those amino acids were “not known” reinforces the unpredictability of ascertaining which RdpA variants exhibit the claimed (*R*)-enantioselectivity. EX1070, ¶¶ 29, 56.

As for Grounds IIA-IIB, Corteva misperceives the evidence supporting obviousness and proposes objective evidence not commensurate with the claims’ vast scope.

ARGUMENT

I. GROUND IA-IB

Corteva does not dispute that, if claims 1-29 are not entitled to pre-October 2016 priority—*i.e.*, if they are not supported by the 2004/2005 Applications—then the Board should find every claim anticipated and obvious based on Corteva ’437, published in November 2005. *See* Paper 2, 41-55; Paper 22, 28-30. Corteva is also in general agreement with Petitioners’ POSA definition, and Dr. Hausinger’s opinions would not change to the extent there are differences. Paper 22, 26; EX1070, ¶ 7; EX1073. Thus, the only issue for Grounds IA-IB is whether the 2004/2005 Applications provide written-description support. They do not.

A. Corteva Misapplies the Legal Standard

Although the Institution Decision rejected Corteva’s arguments regarding *Ajinomoto* and other cases addressing “well-known” structure-function

[REDACTED]

relationships, Paper 12, 52-54, Corteva emphasizes that written description only requires a “reasonable” structure-function “correlation,” not “perfect correspondence,” Paper 22, 44-48. However, this is not a case of less-than-perfect correspondence or a “well-known” structure-function relationship. The 2004/2005 Applications and prior art *identified no correlation whatsoever* between structure and the claimed (*R*)-enantioselective activity. EX1070, ¶¶ 19-27. Indeed, the 2004/2005 Applications and the patent specification assert that activity against (*R*)-FOPs was novel, EX1004, [0017]; EX1005, [0018]; Paper 12, 54 (quoting EX1003, 4:55-58), yet never identify the amino acids correlating to (*R*)-enantioselective activity. As the Institution Decision observed, Schleinitz 2004 confirms that “[t]he basis of the enantiospecificity of the dichlorprop-cleaving enzymes is not known.” EX1042, 5362-63 (disclosing it “likely” “that substrate specificity is determined by only a few amino acids” and “[s]ite-specific mutagenesis studies are needed to reveal the molecular basis of the substrate specificity and stereospecificity of RdpA and SdpA”); Paper 12, 49.

Corteva’s selective discussion of *PureCircle* underscores its misapplication of the law. Corteva quotes *PureCircle* as stating, “*Ajinomoto* stands for the idea that where there are structural features common to a genus, the structure-function correlation does not need to be perfect and some testing—appropriate to the knowledge of a POSA—is allowed.” Paper 22, 46-47. However, Corteva omits the

[REDACTED]

remainder of the sentence, which reads: “*not that an unknown structure-function correlation along with extensive testing can satisfy written description.*” *PureCircle*, 2024 WL 20567, at *4 n.10. Corteva’s omission is telling. Given that the structure-function relationship for the claimed (*R*)-enantioselective activity of RdpA was unknown as of 2004/2005, extensive testing would be needed to ascertain which proteins having the claimed structure also possess the claimed activity. EX1070, ¶¶ 29-30.

While Corteva cites multiple Board decisions, it ignores the Informative decision in *Ex Parte Porro*, where the “at least about 90% identity” limitation lacked support because the “Specification does not provide guidance regarding what structural features are *responsible for* the enzymatic activity.” Appeal No. 2008-0184, 2008 WL 2259960 at *2-3 (BPAI Mar. 11, 2008) (Informative). And the cases cited by Corteva do not aid its cause. In *Ex Parte Campbell*, the 90% lower limit was supported because the specification disclosed an embodiment with even lower (87%) identity—a stark difference from the specification here. See No. 2021-000865, Decision on Appeal, 15 n.3 (PTAB July 20, 2021). In *Lifescan Global Corp. v. Ikeda Food Research, Ltd.*, the specification “identifie[d] a portion of the claimed sequence believed to be critical to its activity.” PGR2019-00032, Paper 11, 32 (PTAB Aug. 15, 2019). The specification here does not disclose what residues are important to (*R*)-enantioselective activity. And *Boehringer Ingelheim Animal*



Health USA Inc. v. Kansas State University is inapposite, as the claims recited no functional limitation. PGR2022-00021, Paper 13, 20 (PTAB Mar. 22, 2023).

B. Common Structural Features.

Corteva’s arguments regarding common structural features fail.³

1. No pre-October 2016 support for the AAD-1 motif, with or without R285.

The 2004/2005 Applications’ disclosures of the prior-art consensus motif (HX(D/E)X₂₃₋₂₆(T/S)X₁₁₄₋₁₈₃HX₁₀₋₁₃R), and the RdpA sequence (SEQ ID NO: 9), do not disclose the claimed AAD-1 motif. Paper 2, 11-14, 24-30; Paper 12, 32-34; EX1070, ¶ 13. At best, an “obviousness” analysis would be required, which is insufficient. *Rivera*, 857 F.3d at 1322; *see* Paper 12, 32-36.

Corteva’s Response abandons any pretense that the 2004/2005 Applications disclose the AAD-1 motif or R285. Instead, Corteva suggests they were known in the art based on Schleinitz 2004. Paper 22, 3-4, 15-18, 39-44, 48-49, 58-60; *id.*, 40 (citing *Bos. Sci.*, 647 F.3d at 1366). That is wrong.

First, Corteva’s reliance on a September 2004 publication, Schleinitz 2004,

³ Corteva argues that the “Petition does not dispute enablement of the full claim scope.” Paper 22, 28 n.3. That is irrelevant. The claims lack pre-October 2016 support; Petitioners had no need to cite non-enablement as an additional basis. As Corteva knows, Petitioners raised non-enablement defenses in the district court.

[REDACTED]

as prior art effectively concedes that Corteva’s April 2004 provisional—and, consequently, the 2005 application, see Paper 2, 11-14—cannot support the AAD-1 motif, with or without R285. Indeed, Schleinitz 2004 is nowhere referenced in the patent specification.

Second, and accordingly, the disclosures Corteva relies upon from Schleinitz 2004 are legally irrelevant. Corteva cites Schleinitz 2004 to supply claim limitations that it concedes are missing from the specification. That forecloses Corteva’s position as a matter of law: “The knowledge of ordinary artisans may be used to inform what is actually in the specification, *but not to teach limitations that are not in the specification*, even if those limitations would be rendered obvious by the disclosure in the specification.” *Rivera*, 857 F.3d at 1322.

Third, even were Corteva’s gap-filling approach legally permissible, Schleinitz 2004 does not disclose the AAD-1 motif, with or without R285. Schleinitz 2004 never discloses any motif that is “new and unique” and generalizable from RdpA to other proteins. EX1042, 5357, 5362-63; EX1070, ¶¶ 8-10, 12-14; see Paper 12, 32-34. Instead, as the Institution Decision observed, Schleinitz 2004 merely “discuss[es] the α KGD consensus motif.” Paper 12, 49. That is demonstrated by its text, which compares the sequences of several α KG dioxygenases with varying substrates and stereospecificities, and identifies the locations of the five amino acids from the “functionally essential” prior-art α KG

[REDACTED]

dioxygenase motif. EX1042, 5357, 5360, 5362-63; EX1070, ¶¶ 13-14, 19. It is also consistent with Dr. Nair's prosecution declaration, which cited Schleinitz 2004 as disclosing the consensus motif, but never suggested it disclosed the claimed AAD-1 motif, with or without R285. EX1008, 590-598, ¶ 6. Indeed, it would have been surprising to the POSA for Schleinitz 2004 to define a new "RdpA motif" while simultaneously noting that the basis for RdpA's (R)-enantioselectivity was unknown. EX1070, ¶ 15. While Corteva suggests Dr. Hausinger's deposition somehow supports its position, Paper 22, 17, he merely testified where the five conserved residues from the consensus motif appear in RdpA and how far apart they are, not that Schleinitz 2004 discloses a new RdpA motif, see EX2016, 22:1-26:14; EX1070, ¶ 27.

Nor does Schleinitz 2004 disclose X₂₈₂₋₂₈₄R. Schleinitz 2004 defines the consensus motif without reference to an additional arginine. EX1042, 5357, 5362. While Corteva points to Figure 2, that does not help Corteva. Figure 2 depicts an alignment of TfdA, TauD, SdpA and RdpA, in which a gray-highlighted arginine residue is present in TfdA, TauD, and (at position 285) RdpA, and a black arrow is located underneath the alignment. EX1042, 5360. Importantly, Corteva ignores the figure caption, which explains: "Black arrows indicate 2,4-D binding residues *in TfdA*." EX1042, 5360. The text does not provide that the black arrows also indicate binding residues in RdpA, even though RdpA is in Figure 2; the most straightforward

[REDACTED]

reading is that R285 had no known role for RdpA in binding to 2,4-D. EX1070, ¶¶ 16-17. And the arginine's involvement in TfdA's (an (S)-enantioselective enzyme) binding to 2,4-D (an achiral substrate) indicates that it *cannot* be responsible for RdpA's (R)-enantioselectivity. EX1042, 5360; EX1070, ¶ 18.

Corteva also asserts that Schleinitz 2004 suggests that spacing somehow determines enantioselectivity. Paper 22, 16-17. That is wrong. Schleinitz 2004 states that the basis for RdpA's enantioselectivity is "not known." EX1042, 5362-63. If anything, Schleinitz 2004 undermines any relationship between spacing and enantioselectivity: it discloses that TfdA and SdpA share (S)-enantioselectivity, yet have different spacings. *Id.*, 5360; EX1070, ¶¶ 23-25. Corteva's position is further undermined by Dr. Hausinger's article (EX1025), which discloses α KG dioxygenases with identical spacings, but different substrates. Paper 22, 43; EX1025, 22, EX1070, ¶ 26.

Finally, in *Yeda Research & Development Co. v. Abbott GmbH & Co.*, it was "undisputed" that the claims encompassed only one protein, for which the specification disclosed a partial sequence and a method for obtaining the remainder. 837 F.3d 1341, 1345 (Fed. Cir. 2016). Here, claim 1 covers at least 20⁴⁴ sequences. EX1054, ¶ 79; Paper 2, 31.

2. No pre-October 2016 support for at least 85% sequence identity to RdpA.

In the Institution Decision, the Board invited Corteva to address whether there

[REDACTED]

was a “universal principle” that “if at least 85% amino acid identity, the POSA would expect the same properties.” Paper 12, 40. In response, Corteva presents an entirely new argument premised on Tian, which according to Corteva “consolidated and built on” various earlier references. Paper 22, 9. Tian performed an analysis regarding percentage sequence identity using proteins from the Swiss-Prot database. EX2019, 865, 876-877. Swiss-Prot contains naturally occurring protein sequences annotated with Enzyme Classification (“EC”) numbers; it does not include artificial variants, much less a vast number of hypothetical variants of known sequences, such as those recited in the claims. EX1070, ¶¶ 33, 37-38; EX1074, 53; EX1075. Tian determined that “above 60% sequence identity is needed to have above 90% accuracy.” EX2019, 876. From that, Corteva asserts the sweeping conclusion that the POSA could predict the function of any enzyme with at least 60% identity, including the artificial sequences recited in the challenged claims. Paper 22, 10, 32-33. Corteva is mistaken.

a. Tian does not make the prediction that Corteva asserts. *Infra* Section I.B.2.c. But, even if it did, such predictions would not provide written description as a matter of law. One cannot receive a patent on a “research plan” for obtaining what is claimed. *AbbVie Deutschland GmbH & Co., KG v. Janssen Biotech, Inc.*, 759 F.3d 1285, 1300 (Fed. Cir. 2014). A patent is not a “hunting license”; it “requires a description of an invention, not an indication of a result that one might

[REDACTED]

achieve if one made that invention.” *Ariad Pharms., Inc. v. Eli Lilly & Co.*, 598 F.3d 1336, 1350, 1353 (Fed. Cir. 2010) (en banc) (citation omitted). A bare prediction that (i) a certain percentage of enzyme sequences above (ii) a certain sequence-identity threshold would have (iii) a given activity is an insufficient “research plan.”

Indeed, Corteva’s expert Dr. Bollinger testified that the patent proposes nothing more than a research plan with an obvious result, explaining that if one “follow[ed] established principles” for “***designing enzyme variants***” that “conserve function,” one would “have reasonably expected” to obtain proteins with dual-activity. EX2015, ¶ 134 (cross-referencing Section V.B.2 (¶¶ 52-59)); *id.*, ¶ 18 (“reasonable expectation” part of obviousness).

b. Tian and the other database references cited by Corteva lie outside “the four corners of the specification,” further undermining Corteva’s position. *Ariad*, 598 F.3d at 1351.

Indeed, the specification “directly contradict[s]” Tian’s purported principle that sequence identity alone predicts function, thereby foreclosing reliance on Tian to support written description. *Bos. Sci.*, 647 F.3d at 1366. While Tian focuses on *sequence identity* as the sole predictor of function, the patent specification provides that the *type of substitution* matters. EX1070, ¶ 30. The specification discloses that “[c]onservative” “substitutions can be tolerated/made to not adversely affect the activity.” EX1003, 38:3-28; *see* EX1004, [00118]; EX1005, [00144]. However, it

[REDACTED]

caveats that “[c]onservative substitutions” are only part of the invention “*so long as* the substitution is not adverse to the biological activity,” thereby requiring extensive experimentation for the POSA to ascertain which variants exhibit the claimed activity. *Id.*; EX1070, ¶¶ 30-32. Moreover, the specification adds, without further explanation, that “non-conservative substitutions” can in “some instances” be made without adversely affecting activity. EX1003, 38:25-28. Even Corteva and Dr. Bollinger recognize that the type of substitution matters. Paper 22, 13; EX2015, ¶ 58. Accordingly, because the claims facially permit both conservative and non-conservative substitutions of any type, sequence identity would not be expected to be sufficient to predict activity—a point reflected in the specification itself. EX1070, ¶¶ 28-31.

While Corteva attempts to link Tian to the specification, that effort fails. Corteva cites the patent’s unsupported statement that “amino acid identity will typically be at least 60%.” Paper 22, 21 (citing EX1003, 37:24-35). But while Tian treats 60% as a lower limit, the specification does not: “at least 60%” appears in a discussion of every whole percentage from 49%-99%, which has no connection to Tian. EX1003, 37:24-42; *see* EX1004, [00116]; EX1005, [00142].

Corteva also relies on statements that “85-98%” sequence identity is “highly identical” and that “only sequences with high homology would be expected to retain similar properties.” Paper 22, 2-3, 21 (citing EX1003, 44:12-24). But Tian does not

[REDACTED]

discuss “85%” as a threshold or “85-98%” as a range, reflecting the absence of any connection. EX1070, ¶¶ 35-36. Moreover, the discussion in question refers to a search for proteins with general “ α -ketoglutarate dioxygenase activity” to “[i]mpart [r]esistance to 2,4-D,” an *achiral* compound, EX1003, 44:5-15; see EX1005, [00171]. As such, the discussion is not directed to (*R*)-enantioselectivity, thereby further disconnecting it from the claims, EX1070, ¶¶ 35-36.

c. Corteva also factually misinterprets Tian.

First, Swiss-Prot—analyzed both in Tian and the Rost 2002 (EX2028) reference focused on by Corteva—contains *naturally occurring proteins*, not artificial variants like those in the claims. *Supra* p. 13. Tian found that, within Swiss-Prot, two naturally occurring proteins needed to have at least 60% sequence identity for there to be a 90% likelihood of sharing an assigned EC number (a proxy for activity). EX2019, 865; EX1070, ¶¶ 33, 37-39, 43. But Tian never suggests the same applies to *artificial variants* like in the challenged claims. EX1070, ¶¶ 39-45. Tian never suggests, and the POSA would not have accepted, the proposition that the function of a synthetic variant can be assumed based on a percentage sequence identity threshold, because that would treat every modification as equivalent, irrespective of which amino acid is involved or what type of change is made. *Id.*

That Tian—as well as the other references relied on by Corteva—investigated naturally occurring proteins is a critical limitation. EX1070, ¶¶ 40-45. As Dr.

[REDACTED]

Hausinger explains, due to natural selection, naturally occurring proteins represent a highly biased and tiny subset of the universe of possible sequences. EX1070, ¶¶ 11, 38-41. That subset is quite different than the at least 20⁴⁴ sequences encompassed by the claims, which have not been subject to natural selection that would filter out inactive variants. *Id.* Dr. Bollinger concurs with this point, testifying that “enzymes that have evolved over time to perform the same function (or similar functions) can span a relatively broad range of sequence space” because “any amino acid changes” that “disturbed the enzyme’s overall structure or replaced amino acids that promoted the reaction would have led to a loss or reduction of the enzyme’s activity, likely with negative consequences for the organism.” EX2015, ¶ 42; *see* EX1070, ¶¶ 38, 50. Thus, neither Tian nor the other references cited by Corteva can be extended to predict the function of artificial variants. EX1070, ¶¶ 44-45.

Dr. Bollinger’s testimony reinforces the flaw in Corteva’s position. He acknowledged that his opinions regarding whether enzymes with 85% identity have the “same function” are premised on whether sequence changes would cause the “enzyme to make a different product.” EX1072, 7:14-9:5. That framing ignores sequence changes yielding no product, *i.e.*, inactive variants. *Id.* However, the law does not grant a patentee a mulligan every time an inactive variant is produced. *See Novozymes A/S v. DuPont Nutrition Biosciences APS*, 723 F.3d 1336, 1350 (Fed. Cir. 2013). And here, given (1) the absence of critical structure-function information

[REDACTED]

in the specification concerning (*R*)-enantioselectivity and R285; and (2) the disclosure that both conservative and non-conservative substitutions may or may not preserve function, *supra* pp. 14-15, Dr. Bollinger’s decision to ignore inactive variants wholly undermines his priority analysis.

Second, apparently recognizing Tian’s inapplicability to the claims, Corteva cites Minshull for the proposition that analysis regarding “[h]omologous sequences” can be applied to “protein engineering.” Paper 22, 10 (citing EX2025, at 202-03). The argument is misplaced. Corteva does not explain why Minshull—an article from April 28, 2005, nowhere cited in the patent—was “well known” by the May 2, 2005 PCT application. Moreover, Minshull never references Tian’s 60% finding. Instead, Minshull teaches that “orthologous protein[]” sequences—*i.e.*, naturally occurring sequences with shared evolutionary ancestry that catalyze the same reaction—are “a potentially rich source of information regarding sequence changes that are acceptable without drastically disrupting protein function.” EX2025, 203; EX1070, ¶¶ 46-47. Minshull observes that one can use such sequences as inputs to artificially generate new sequences, *e.g.*, through DNA shuffling, but as Minshull explains, such artificial sequences must still be screened for activity, thus requiring extensive testing. EX2025, 202-03; EX1070, ¶¶ 47-48. Minshull never proposes that the POSA should assume the artificial variants would have the same activity as the original sequence so long as they stayed above a certain percentage sequence

[REDACTED]

identity. Corteva elides that deficiency, replacing “orthologous proteins” (which connotes that the proteins are naturally occurring) from the above quotation with the generic phrases “related proteins” or “related sequences.” Paper 22, 11, 53 (citing EX2025, 202-03). Minshull therefore reinforces that Corteva’s written description arguments constitute nothing more than a “research plan.” *AbbVie*, 759 F.3d at 1300; *supra* Section I.B.2.a.

Corteva asserts that *AbbVie* and other “antibody” cases are “inapposite.” Paper 22, 47-48. However, the Federal Circuit has applied *AbbVie* in cases involving enzymes, including *PureCircle*, 2024 WL 20567, at *4. Corteva itself cites *AbbVie* for the “standard for common structure.” Paper 22, 44-45.

Third, as the Institution Decision recognized, prior art concerning herbicide-degrading α KG dioxygenases (Saari 1999) showed that sequences with more than 85% identity can have *opposite stereoselectivities*. Paper 12, 40 (citing EX1041, 421, 427 (86% and 95% identity respectively); *see* Paper 2, 37; EX1054, ¶¶ 54, 90-91, 109. That is consistent with Schleinitz 2004, which teaches that only a few (unknown) amino acids are responsible for RdpA’s (*R*)-enantiomer substrate specificity. EX1042, 5362-63. The POSA would not ignore these teachings in favor of Tian, which does not discuss enantioselective α KG dioxygenases. EX1070, ¶¶ 34, 51. Indeed, because Tian limited its analysis to curated sets of proteins with assigned, complete EC numbers, EX2019, 865, 876, it could not have included

[REDACTED]

RdpA or SdpA, as their EC numbers were assigned in 2013, or TfdA, because its EC number is incomplete. EX1070, ¶ 42; EX1076, 11-12; EX1077, 3.

Recognizing that Saari 1999 is inconsistent with its position, Corteva attempts (unsuccessfully) to undermine it. Corteva questions Saari 1999’s data because the study involved “crude cell extracts.” Paper 22, 50. But cell extracts were commonly used when purified proteins were unavailable, and Saari 1999 included additional experiments confirming that the *A. denitrificans* cell extracts contained an herbicide-degrading, (*R*)-enantioselective, α KG dioxygenase. EX1041, 425-427 & Fig. 4; EX1070, ¶¶ 52-54; *see* EX1040, 71-89. Corteva also asserts that “later researchers” “predict[ed] enzymatic function” based on sequence, Paper 22, 50-51, but it fails to identify a single paper rejecting Saari’s findings. Vedler never references Saari, nor does Vedler even hint that predictions based on sequence identity are more reliable than biochemical assays; to the contrary, Vedler reflects the flaw in predicting (*R*)-enantioselectivity based on sequence identity. EX1046; EX1070, ¶ 55. Schleinitz 2004 observes that further research could be done to investigate the *A. denitrificans* enzyme discussed in Saari, but it does not report any findings contradicting Saari’s; rather, Schleinitz 2004 teaches that enantioselectivity depends on a few yet-to-be-identified amino acids, which is consistent with Saari. EX1042, 5362-63; EX1070, ¶ 56.

Moreover, in view of the aforementioned teachings, Corteva’s emphasis on

[REDACTED]

whether RdpA and SdpA only have 30% overall sequence identity is a non-sequitur. *See* Paper 22, 50. The percentage sequence identity between RdpA and SdpA would tend to make it harder, not easier, for the POSA to identify which few amino acids are important to RdpA's (*R*)-enantioselectivity. EX1070, ¶ 57.

Furthermore, as “precedent” for its conclusions, Saari 1999 cites Nakajima, which describes two enzymes with 64% sequence identity that catalyze reactions with opposite stereochemistry. EX1041, 427-428; EX2053, 4876. Tian references Nakajima as an example to which Tian's conclusions are inapplicable. EX2019, 880-881 (identifying “1.1.1.206 (Tropine dehydrogenase)” and “1.1.1.236 (Tropinone reductase)” as “[e]nzyme functions indistinguishable from each other by sequence identity (above 60% global identity)”). Corteva tries to portray Nakajima as a unique exception, *see* Paper 22, 50-51 (citing EX2015, ¶¶ 123-124 (citing in turn EX2053)), but other prior art similarly reported that a small number of amino acid changes could have significant impacts on reaction stereochemistry, EX1079; EX1081. This literature, like Saari 1999 and Schleinitz 2004, underscores for the POSA that Tian's analysis does not hold with respect to stereospecificity. EX1070, ¶¶ 58-61; EX1078.

Fourth, Corteva's arguments regarding a “twilight zone” add nothing. *See* Paper 22, 7-8, 18 (citing EXS2021, 2023-2024). The cited art referred to a “twilight zone” where it became difficult to tell if naturally occurring proteins “evolved from

[REDACTED]

a common precursor,” Paper 22, 7; it does not address artificial sequences. EX1070, ¶ 49.

Finally, Corteva’s criticisms of Dr. Hausinger are unfounded. Corteva questions Dr. Hausinger’s opinions regarding unpredictability, *e.g.* Paper 22, 33, but that is based on Corteva’s erroneous analysis of Tian. Corteva also criticizes Dr. Hausinger’s 20⁴⁴ calculation, but offers no contrary calculation. Understandably so. *PureCircle* held that Dr. Bollinger’s proposal of 9,000 enzymes still resulted in too much testing. 2024 WL 20567, at *3.

C. Representative Species.

The Institution Decision recognized that SEQ ID NOS: 10-11, which vary from RdpA by 1-2 residues, are insufficiently representative. Paper 12, 46-47. Corteva’s Response fails for essentially the same reasons that its arguments regarding common structural features fail: it baselessly assumes the conclusion that the at least 20⁴⁴ sequences covered by the claims are “highly identical.” Paper 22, 56. Nothing in the patent or the prior art supports such a conclusion. Paper 2, 30-31. And while Corteva references the patent’s “twenty-six examples,” Paper 22, 22-23, the Institution Decision recognized those examples still only involve three enzymes, Paper 12, 47 n.27.

Corteva also raises several meritless arguments about post-priority evidence:

1. Corteva misperceives the applicability of post-priority evidence.

[REDACTED]

Written description is judged based on the state of the art as of the priority date. *Amgen Inc. v. Sanofi*, 872 F.3d 1367, 1373-74 (Fed. Cir. 2017). However, a challenger can use post-priority evidence to show lack of written description. *Id.*

2. Petitioners do not assert that three-dimensional structural information is required. See Paper 22, 52-55. Instead, three-dimensional information is a potential way (another being mutagenesis studies) to try to ascertain which residues are responsible for the claimed (*R*)-enantioselectivity—something the named inventors did not do, instead leaving a research project for others to perform. See EX1054, ¶¶ 88-91. While Corteva suggests that such a research project could involve sequence alignments, Paper 22, 53 (citing Minshull regarding orthologous proteins), there was no other prior-art protein with RdpA’s dual activity that could be used for such an alignment, *supra* pp. 6-7; EX1070, ¶¶ 20-22.

3. Corteva suggests that Petitioners’ post-priority work as published in Larue somehow supports the claims, because it references earlier work from Dr. Wright. Paper 22, 57-58 (discussing EX1052). That is wrong. Petitioners’ post-priority work—and the related sequence of events—refute Corteva’s priority claim, as well as Corteva’s copying allegations (*infra* Section II):

- The sequences with 89-91% identity to RdpA that Corteva (via Dr. Bollinger) refers to from Larue (EX2015, ¶ 136) were first published years earlier, in April 2016, in a Bayer/Monsanto application, EX1017;

[REDACTED]

EX1070, ¶¶ 62-63; EX1084.

- Between 2004-2015, Corteva pursued claims with at least *95% identity* to RdpA. Paper 2, 1-2, 11-13; EXS1004-1008. However, in October 2016—six months after Bayer/Monsanto’s application was published—Corteva filed the ’406 application, seeking for the first time claims with at least *85% identity*.

- Internal documents submitted by Corteva show that, [REDACTED]
[REDACTED]
[REDACTED] EX1008,
457-474, [REDACTED]
[REDACTED] *e.g.*, EX2002, 433-444; EX2004. [REDACTED]
[REDACTED] *Id.*; EX1070, ¶¶ 65-68.
[REDACTED]
[REDACTED]
[REDACTED] EX2002, 864-865. [REDACTED]
[REDACTED]
[REDACTED]

- In another document, Corteva [REDACTED]
[REDACTED] EX2004, -580. Likewise, [REDACTED]
[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED] *Id.*

- Corteva ignores that Larue explains that “approximately 4000 enzyme variants” were prepared as part of the research project it discusses. EX1052, 2089; EX1070, ¶ 64. To the extent there is any link between that work and the 2004/2005 Applications, it shows the applications amount to, at best, an insufficient invitation to pursue extensive testing.

D. Claim 2 Lacks Support.

Claim 2 recites an AAD-1 motif that further requires X₂₈₂₋₂₈₄R. Paper 22, 58. However, that claim lacks support for the reasons discussed previously, including because Corteva improperly relies on prior art to supply a limitation [REDACTED] [REDACTED] *Supra* Section I.B; EX2004, -580; Paper 2, 11-14, 24-30, 34.

* * *

In sum, the challenged claims lack pre-October 2016 support, rendering them unpatentable. Moreover, Corteva’s position fails under what it calls the “three main issues for factual development.” Paper 22, 26-28. Contrary to Corteva’s arguments, (1) no “universal principle” exists that artificial variants with at least 85% sequence identity to RdpA would be expected to have the claimed (*R*)-enantioselectivity; (2) the 2004/2005 Applications do not disclose the claimed AAD-1 motif, with or

[REDACTED]

without X₂₈₂₋₂₈₄R; and (3) Saari 1999's disclosures are consistent with Schleinitz 2004 and further undermine Corteva's priority claim.

II. GROUNDS IIA-IIB

Corteva asserts lack of motivation because efforts to transform TfdA were a “commercial failure.” Paper 22, 67-69. However, obviousness does not require commercial feasibility. *Grit Energy Sols., LLC v. Oren Techs., LLC*, 957 F.3d 1309, 1323 (Fed. Cir. 2020). Corteva further contends there was no motivation to confer tolerance to (R)-phenoxy auxins, Paper 22, 68-69, but Saari suggests exactly that, as the Institution Decision recognized, EX1041, 422, 427; Paper 12, 62. As for *InTouch Technologies, Inc. v. VGo Communications, Inc.*, 751 F.3d 1327, 1354 (Fed. Cir. 2014), the “could be” testimony in that case involved a mere possibility, not a proposal.

Corteva also does not contest that a plant successfully transformed to express RdpA would degrade an (R)-FOP. Instead, Corteva argues that various factors could affect enzyme activity or expression. Paper 22, 65-67. While Corteva frames these arguments in terms of “inherency,” they really question whether the POSA could successfully transform plants to express RdpA. However, the patent admits that plant transformation methods were “well known.” Paper 2, 57 (citing EX1003, 39:32-37; *Koninklijke Philips NV v. Google LLC*, 948 F.3d 1330, 1339 (Fed. Cir. 2020)). Those same admissions undermine Corteva's arguments regarding

dependent claims that further require, *e.g.*, herbicide tolerance.

Furthermore, Corteva's objective evidence is nowhere near commensurate with the claims. See Paper 22, 69-72; Paper 2, 64. The specific evidence that Corteva cites also fails, *e.g.*, because it demonstrates that Corteva copied Petitioners, not vice-versa. *Supra* Section I.C.3.

Finally, while Corteva questions the POSA's expectations because (R)-FOPs are larger, Paper 22, 62-63, those arguments further undermine Corteva's priority claim, as the patent provides no explanation regarding how to account for such size differences in preparing RpdA variants with the claimed function. EX1070, ¶ 69.

III. CONCLUSION

Petitioners respectfully request that claims 1-29 be cancelled.

July 2, 2024

/Dov P. Grossman/

Dov. P. Grossman

Reg. No. 72,525

PATENT OWNER'S SECOND UPDATED EXHIBIT LIST

<u>Exhibit No.</u>	<u>Description</u>
EX1001	U.S. Patent No. 10,947,555
EX1002	U.S. Patent No. 11,149,283
EX1003	U.S. Patent No. 11,299,745
EX1004	U.S. Provisional Application No. 60/567052
EX1005	U.S. Application No. 11/587893 and File History
EX1006S	U.S. Application No. 12/951813 and File History
EX1007	U.S. Application No. 14/820893 and File History
EX1008	Certified U.S. Application No. 15/288,406 and File History
EX1009	U.S. Application No. 17/143,824 and File History
EX1010	Certified U.S. Application No. 17/175,966 and File History
EX1011	Certified U.S. Application No. 17/403,476, and File History
EX1012	Accession No. AAS49436.1, submitted Feb. 04, 2004
EX1013	Accession No. AF516751, published Aug. 6, 2002
EX1014	Accession No. AF516752, published Aug. 6, 2002
EX1015	Accession No. AJ628856, published March 3, 2004
EX1016	Accession No. Q8KSC8, published Oct. 1, 2002
EX1017	U.S. Patent Pub. No. 2016/0108422

<u>Exhibit No.</u>	<u>Description</u>
EX1018	C. Bayley et al., <i>Engineering 2,4-D Resistance into Cotton</i> , 83 THEORETICAL & APPLIED GENETICS 645-649 (1992)
EX1019	J.R. Chekan et al., <i>Molecular Basis for Enantioselective Herbicide Degradation Imparted by Aryloxyalkanoate Dioxygenases in Transgenic Plants</i> , 27 PROC. NAT'L ACAD. SCI. 13299-13304 (2019)
EX1020	J.R. Chekan et al., <i>Supplementary Information, Molecular Basis for Enantioselective Herbicide Degradation Imparted by Aryloxyalkanoate Dioxygenases in Transgenic Plants</i> , 27 PROC. NAT'L ACAD. SCI. 13299-13304 (2019)
EX1021	U.S. Patent Pub. No. 2005/107437
EX1022	BIOLOGICALLY ACTIVE NATURAL PRODUCTS: AGROCHEMICALS (H.G. Cutler & S.J. Cutler, eds. 1999)
EX1023	J.M. Elkins, R.P. Hausinger et al., <i>X-ray Crystal Structure of Escherichia coli Taurine/α-Ketoglutarate Dioxygenase Complexed to Ferrous Iron and Substrates</i> , 41 BIOCHEMISTRY 5185-5192 (2002)
EX1024	F. Fukumori & R.P. Hausinger, <i>Alcaligenes Eutrophus JMP134 "2,4-Dichlorophenoxyacetate Monooxygenase" Is an α-Ketoglutarate-Dependent Dioxygenase</i> , 175 J. BACTERIOLOGY 2083-2086 (1993)
EX1025	R. Hausinger, <i>Fe(II)/α-Ketoglutarate-Dependent Hydroxylases and Related Enzymes</i> , 39 CRIT. REV. BIOCHEM. MOLECULAR BIO. 21-68 (2004)
EX1026	S.S.Q. Hee & R.G. Sutherland, I PHENOXYALKANOIC HERBICIDES: CHEMISTRY, ANALYSIS, AND ENVIRONMENTAL POLLUTION (1981)

<u>Exhibit No.</u>	<u>Description</u>
EX1027	D.A. Hogan, R.P. Hausinger et al., <i>Site-Directed Mutagenesis of 2,4-Dichlorophenoxyacetic Acid/α-Ketoglutarate Dioxygenase. Identification of Residues Involved in Metallocenter Formation and Substrate Binding</i> , 275 J. BIO. CHEM. 12400-12409 (2000)
EX1028	J.C. Dunning Hotopp & R.P. Hausinger, <i>Alternative Substrates of 2,4-Dichlorophenoxyacetate/α-Ketoglutarate Dioxygenase</i> , 15 J. MOLECULAR CATALYSIS B: ENZYMATIC 155-162 (2001)
EX1029	J.C. Dunning Hotopp & R.P. Hausinger, <i>Probing the 2,4-Dichlorophenoxyacetate/α-Ketoglutarate Dioxygenase Substrate Binding Site by Site-Directed Mutagenesis and Mechanism-Based Inactivation</i> , 41 BIOCHEMISTRY 9787-9794 (2002)
EX1030	U.S. Patent Pub. No. 2003/0041357
EX1031	H.P.E. Kohler, <i>Sphingomonas herbicodovorans MH: A Versatile Phenoxyalkanoic Acid Herbicide Degradier</i> , 23 J. INDUS. MICROBIO. & BIOTECH. 336-340 (1999)
EX1032	B.R. Lyon et al., <i>Expression of a Bacterial Gene in Transgenic Tobacco Plants Confers Resistance to the Herbicide 2,4-Dichlorophenoxyacetic Acid</i> , 13 PLANT MOLECULAR BIO. 533-540 (1989)
EX1033	B.R. Lyon et al., <i>Cotton Plants Transformed with Bacterial Degradation Gene Are Protected from Accidental Spray Drift Damages by the Herbicide 2,4-Dichlorophenoxyacetic Acid</i> , 2 TRANSGENIC RES. 162-169 (1993)
EX1034	R.H. Müller et al., <i>Physiological and Genetic Characteristics of Two Bacterial Strains Utilizing Phenoxypropionate and Phenoxyacetate Herbicides</i> , 156 MICROBIO. RES. 121-131 (2001)

<u>Exhibit No.</u>	<u>Description</u>
EX1035	T.A. Müller, R.P. Hausinger et al., <i>Structural Basis for the Enantiospecificities of R- and S-Phenoxypropionate/α-Ketoglutarate Dioxygenases</i> , 15 PROTEIN SCI. 1356-1368 (2006)
EX1036	K. Nickel et al., <i>Involvement of Two α-Ketoglutarate-Dependent Dioxygenases in Enantioselective Degradation of (R)- and (S)-Mecoprop by Sphingomonas herbicidovorans MH</i> , 179 J. BACTERIOLOGY 6674-6679 (1997)
EX1037	E. Otoxby & M.A. Hughes, <i>Engineering Herbicide Tolerance into Crops</i> , 8 TIBTECH 61-65 (1990)
EX1038	E.J. Perkins et al., <i>Use of Alcaligenes eutrophus as a Source of Genes for 2,4-D Resistance in Plants</i> , 35 WEED SCI. 12-18 (1987)
EX1039	PRINCIPLES OF WEED SCIENCE (V.S. Rao, ed., 2d ed. 2000)
EX1040	R.E. Saari, <i>Substrate Specificity and Spectroscopic Properties of 2,4-Dichlorophenoxyacetic Acid/α-Ketoglutarate Dioxygenase</i> , Doctoral Thesis, Mich. State Univ. (July 6, 1998)
EX1041	R.E. Saari, R.P. Hausinger et al., <i>Stereospecific Degradation of the Phenoxypropionate Herbicide Dichlorprop</i> , 6 J. MOLECULAR CATALYSIS B: ENZYMATIC 421-428 (1999)
EX1042	K.M. Schleinitz et al., <i>Localization and Characterization of Two Novel Genes Encoding Stereospecific Dioxygenases Catalyzing 2(2,4-Dichlorophenoxy)Propionate Cleavage in Delftia acidovorans MC1</i> , 70 APPLIED & ENVTL. MICROBIO. 5357-5365 (2004)
EX1043	U.S. Patent No. 6,153,401
EX1044	W.R. Streber et al., <i>Analysis, Cloning, And High-Level Expression of 2,4-Dichlorophenoxyacetate Monooxygenase Gene</i>

<u>Exhibit No.</u>	<u>Description</u>
	tfdA of <i>Alcaligenes eutrophus JMP134</i> , 169 J. BACTERIOLOGY 2950-2955 (1987)
EX1045	W.R. Streber & L. Willmitzer, <i>Transgenic Tobacco Plants Expressing a Bacterial Detoxifying Enzyme Are Resistant to 2,4-D</i> , 7 BIOTECHNOLOGY 811-816 (1989)
EX1046	E. Vedler et al., <i>The Completely Sequenced Plasmid pEST4011 Contains a Novel IncP1 Backbone and a Catabolic Transposon Harboring tfd Genes for 2,4-Dichlorophenoxyacetic Acid Degradation</i> , 186 J. BACTERIOLOGY 7161-7174 (2004)
EX1047	A. Westendorf et al., <i>The Two Enantiospecific Dichlorprop/α-Ketoglutarate Dioxygenases from Delftia acidovorans MC1-Protein and Sequence Data of RdpA and SdpA</i> , 157 MICROBIO. RES. 317-322 (2002)
EX1048	A. Westendorf et al., <i>Purification and Characterization of the Enantiospecific Dioxygenases from Delftia acidovorans MC1 Initiating the Degradation of Phenoxypropionate and Phenoxyacetate Herbicides</i> , 23 ACTA BIOTECHNOLOGICA 3-17 (2003)
EX1049	Public Version of Stipulation and Proposed Order for Leave to File First Amended Complaint and to Amend Scheduling Order, <i>Corteva Agriscience LLC v. Monsanto Co.</i> , No. 1:22-cv-1046-GBW (D. Del.), D.I. 66
EX1050	Public Version of First Amended Complaint, <i>Corteva Agriscience LLC v. Monsanto Co.</i> , No. 1:22-cv-1046-GBW (D. Del.), D.I. 68
EX1051	R.F. Krausz et al., <i>Soybean (Glycine max) Tolerance to 2,4-D Ester Applied Preplant</i> , 7 WEED TECH. 906-910 (1993)
EX1052	C.T. Larue et al., <i>Development of Enzymes for Robust Aryloxyphenoxypropionate and Synthetic Auxin Herbicide</i>

<u>Exhibit No.</u>	<u>Description</u>
	<i>Tolerance Traits in Maize and Soybean Crop</i> , 75 PEST MGMT. SCI. 2086-2094 (2019)
EX1053	Admin. Office of the U.S. Courts, United States District Courts—National Judicial Caseload Profile, https://www.uscourts.gov/sites/default/files/data_tables/fcms_na_appprofile0331.2023.pdf (Mar. 31, 2023)
EX1054	Declaration of Dr. Robert P. Hausinger, Ph.D.
EX1055	Curriculum Vitae of Robert P. Hausinger, Ph.D.
EX1056	Joint Claim Construction Chart, <i>Corteva Agriscience LLC v. Monsanto Co.</i> , No. 1:22-cv-1046-GBW (D. Del.), D.I. 82
EX1057	OCLC WorldCat Search
EX1058	OCLC WorldCat Entry for R.E. Saari, Substrate Specificity and Spectroscopic Properties of 2,4-Dichlorophenoxyacetic Acid/ α -Ketoglutarate Dioxygenase, Doctoral Thesis, Mich. State Univ. (July 6, 1998)
EX1059	OCLC FirstSearch Entry for R.E. Saari, Substrate Specificity and Spectroscopic Properties of 2,4-Dichlorophenoxyacetic Acid/ α -Ketoglutarate Dioxygenase, Doctoral Thesis, Mich. State Univ. (July 6, 1998)
EX1060	R.E. Saari, Substrate Specificity and Spectroscopic Properties of 2,4-Dichlorophenoxyacetic Acid/ α -Ketoglutarate Dioxygenase, Doctoral Thesis, Mich. State Univ. (July 6, 1998)
EX1061	Declaration of Alicia Julian

<u>Exhibit No.</u>	<u>Description</u>
EX1062	<i>Finding Dissertations and Theses: Home</i> , MICH. STATE UNIV., https://libguides.lib.msu.edu/dissertations (accessed June 14, 2023)
EX1063- EX1069	Intentionally Omitted
EX1070	Reply Declaration of Robert P. Hausinger (PROTECTIVE ORDER MATERIAL)
EX1071	Intentionally Omitted
EX1072	Deposition Transcript of J. Martin Bollinger (June 21, 2024)
EX1073	Curriculum Vitae of Robert P. Hausinger, Ph.D. (updated)
EX1074	A. Bairoch & R. Apweiler, <i>The SWISS-PROT Protein Sequence Data Bank and Its Supplement TrEMBL in 1999</i> , 27 Nucleic Acids Res. 49-54 (1999)
EX1075	<i>Does UniProt KB Contain All Protein Sequences?</i> , UNIPROT, https://www.uniprot.org/help/uniprotkb_coverage (last updated Apr. 27, 2022)
EX1076	<i>Proposed Changes to the Enzyme List</i> , NOMENCLATURE COMM. OF THE INT’L UNION OF BIOCHEMISTRY & MOLECULAR BIO., https://iubmb.qmul.ac.uk/enzyme/supplements/sup2013/newenz4.html#1141144 (last updated Mar. 1, 2024)
EX1077	P10088 TFDA_CUPPJ, UNIPROT, https://www.uniprot.org/uniprotkb/P10088/entry (last updated Mar. 27, 2024)
EX1078	K. Nakajima et al., <i>Site-directed Mutagenesis of Putative Substrate-binding Residues Reveals a Mechanism Controlling the</i>

<u>Exhibit No.</u>	<u>Description</u>
	<i>Different Stereospecificities of Two Tropinone Reductases</i> , 23 J. BIO. CHEM. 16563-16568 (1999)
EX1079	K. Valmsen et al., <i>Structural and Functional Comparison of 15 S- and 15 R-Specific Cyclooxygenases from the Coral Plexaura Homomalla</i> , 271 EUR. J. BIOCHEM. 3533-3538 (2004)
EX1080	G. Coffa et al., <i>On the Relationships of Substrate Orientation, Hydrogen Abstraction, and Product Stereochemistry in Single and Double Dioxygenations by Soybean Lipoxygenase-1 and Its Ala542Gly Mutant</i> , 280 J. BIO. CHEM. 38756-38766 (2005)
EX1081	Y. Ijima et al., <i>Inversion of Enantioselectivity of Asymmetric Biocatalytic Decarboxylation by Site-Directed Mutagenesis Based on the Reaction Mechanism</i> , 2005 CHEM. COMM. 877-879
EX1082	A. Baerga-Ortiz et al., <i>Directed Mutagenesis Alters the Stereochemistry of Catalysis by Isolated Ketoreductase Domains from the Erythromycin Polyketide Synthase</i> , 13 CHEM. & BIO. 277-285 (2006)
EX1083	M. Weiss et al., <i>The Physiology and Habitat of the Last Universal Common Ancestor</i> , 1 NAT. MICROBIOL. 16116 (2016)
EX1084	Annotated Excerpt of U.S. Patent Publication No. 2016/0108422 (EX1017), Figs. 6A-6E

WORD COUNT CERTIFICATE OF COMPLIANCE

Pursuant to 37 C.F.R. § 42.24(d), I hereby certify that the foregoing Petitioners' Reply to Patent Owner's Response contains 5,583 words as measured by the word processing software used to prepare the document, excluding the parts exempted from the word count by 37 C.F.R. § 42.24(c)(1).

July 2, 2024

/Dov P. Grossman/

Dov. P. Grossman

Reg. No. 72,525

CERTIFICATE OF SERVICE

I hereby certify that on July 2, 2024, I caused the foregoing Petitioners' Reply to Patent Owner's Response, Petitioners' Second Updated Exhibit List, and Exhibits 1070, 1072-1084 to be served on counsel for Patent Owner and Petitioner Inari Agriculture, Inc. via e-mail:

Pier D. DeRoo	pier.deroo@finnegan.com
Michael J. Flibbert	michael.flibbert@finnegan.com
Yieyie Yang	yieyie.yang@finnegan.com
Scott A. McKeown	SMcKeown- PTAB@WolfGreenfield.com
Jonathan B. Roses	JRoses-PTAB@WolfGreenfield.com

July 2, 2024

/Dov P. Grossman/

Dov. P. Grossman
Reg. No. 72,525

Appendix B


UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

BAYER CROPSCIENCE LP, MONSANTO COMPANY, AND
INARI AGRICULTURE, INC.
Petitioners,

v.

CORTEVA AGRISCIENCE LLC,
Patent Owner.

U.S. Patent No. 10,947,555
“Herbicide Resistance Genes”

U.S. Patent No. 11,149,283
“Herbicide Resistance Genes”

U.S. Patent No. 11,299,745
“Herbicide Resistance Genes”

REPLY DECLARATION OF ROBERT P. HAUSINGER, PH.D.

TABLE OF CONTENTS

TABLE OF CONTENTS.....	i
I. INTRODUCTION	1
II. PERSON OF ORDINARY SKILL IN THE ART	2
III. GROUNDS IA-IB	3
A. Neither the 2004/2005 Applications nor the prior art, including Schleinitz 2004, disclosed an “AAD-1 motif,” with or without R285	6
B. Neither the 2004/2005 Applications nor the prior art, including Schleinitz 2004, identified the structural features involved in RdpA’s (<i>R</i>)-enantioselective activity	13
C. The POSA would not agree that an 85% sequence identity threshold would describe a set of artificial variant sequences having the claimed (<i>R</i>)-enantioselective activity	21
D. The POSA would not have extended Tian’s findings to artificial RdpA variants.....	26
E. The prior art showed that herbicide degrading α KG dioxygenases with at least 85% sequence identity can have different enantioselectivities	40
F. The challenged patents do not disclose representative species.....	49
G. Corteva’s internal data.....	52
IV. GROUNDS IIA-IIB.....	56
APPENDIX 1	1



I, Robert P. Hausinger, Ph.D., declare as follows:

I. INTRODUCTION

1. This is my second declaration in connection with Petitions filed by Petitioners Bayer CropScience LP and Monsanto Company (collectively, “Bayer”) for inter partes review (“IPR”) of U.S. Patent No. 10,947,555 (the “555 patent”), U.S. Patent No. 11,149,283 (the “283 patent”), and U.S. Patent No. 11,299,745 (the “745 patent”) (collectively, “the Corteva patents” or “the challenged patents”). Because there are a number of common issues across the three IPR Petitions, I am providing a single reply declaration in connection with all three Petitions.

2. I understand that the Board has instituted trial on each of the Grounds for all three patents. Those Grounds are identified in my first declaration.

3. I have been asked to respond to the opinions that Dr. Bollinger has provided on behalf of the patent owner, Corteva Agrisciences LLC (“Corteva”). I understand that Dr. Bollinger has submitted a separate declaration in each of the three proceedings for the Corteva patents, but that those declarations are largely identical. I will respond to all three of Dr. Bollinger’s declarations here. I also understand that the exhibit number EX2015 and paragraph numbering for all three of Dr. Bollinger’s declarations is the same across the three proceedings. I therefore will provide a single citation and paragraph number for citations to his declarations. I likewise understand that the exhibit numbers for the exhibits that I cite are the same

[REDACTED]

across all three proceedings. When citing to the challenged patents, for convenience I will cite to the '555 patent, unless there is a reason to specifically refer to the '283 or '745 patents.

4. To the extent that I do not address every opinion set forth in one or more of Dr. Bollinger's declarations, I do not mean to suggest that I agree with those opinions. I disagree with Dr. Bollinger's opinions that the claims of the challenged patents are not anticipated or rendered obvious for the reasons stated in my first declaration (EX1054), and I do not repeat all of those reasons in this reply declaration.

5. My compensation has not changed since I submitted my first declaration. My current CV is submitted as EX1073.

6. In undertaking my analyses, I have considered the materials cited in my first declaration, the materials listed in Appendix A to that first declaration, Dr. Bollinger's declarations, the materials cited in Dr. Bollinger's declarations, EX2015, and the materials cited in this declaration and the attached Appendix 1. I have also relied upon my education, training, and experience.

II. PERSON OF ORDINARY SKILL IN THE ART

7. In my first declaration, I provided my opinion regarding the qualifications of the POSA, or hypothetical person to whom the challenged patents are directed. EX1054, ¶ 29. Dr. Bollinger's description of the level of skill in the

[REDACTED]

art is similar to my definition. EX2015, ¶ 75. To the extent there are any differences, I am qualified to offer opinions from the perspective of the POSA regarding the issues I address, and my opinions would not change under Dr. Bollinger’s description. As indicated in my first declaration, I have familiarity with α -ketoglutarate (“ α KG”)-dependent dioxygenases and structure-function relationships in enzymology. EX1054, ¶ 30.

III. GROUNDS IA-IB

8. My first declaration specified that if the claims of the challenged patents are entitled to a priority date no earlier than October 7, 2016—which is the date the patent applicant first mentioned an “AAD-1 motif” in submissions to the Patent Office—then the Corteva ’437 publication, published in November 2005, leads to conclusions of anticipation and obviousness. Dr. Bollinger does not disagree with this notion, but instead focuses on whether the claims of the challenged patents can claim priority to Corteva’s 2004 and 2005 patent applications (“2004/2005 Applications”) (EXS1004-1005). I disagree with Dr. Bollinger, as I discuss in detail in this reply declaration. In my opinion, the claims of the challenged patents are invalid in light of Corteva ’437. That opinion does not change regardless of whether Dr. Bollinger is relying on Corteva’s April 30, 2004 application (EX1004) or Corteva’s May 2, 2005 application (EX1005). Dr. Bollinger does not identify any differences between these applications that matter to the written description analysis,

[REDACTED]

and I am not aware of any.¹ As I discuss elsewhere in this reply declaration, the additional art cited by Dr. Bollinger that is dated between the two filing dates of those two applications (including Schleinitz 2004 (EX1042)) supports my opinions.

9. As explained in more detail in my first declaration, the 2004/2005 Applications did not describe an “AAD-1 motif” or a genus of AAD-1 proteins having that motif. Each of the 2004/2005 Applications, as well as the specification of the ’555 patent when it was filed in October 2016, disclosed the sequence of RdpA (SEQ ID NO: 9) and emphasized that RdpA, unlike other known α KG dioxygenases, was able to degrade the particular set of herbicide substrates required by the claims. EX1054, ¶ 73; EX1001 (’555 Pat.), 4:32-36, 4:39-42, 8:10-17, 17:62-66, 18:10-20, 50:58-67, 51:1-53:13, Figs. 6A-6B, Tbls. 3-4; EX1004 (’052 Provisional Appl.), [0017], [0051], [0059]-[0060], [00168]-[00181], Figs. 6A-6B; Tbls. 3-4; EX1005 (’7893 Appl. & File History), [0018], [0074], [0085]-[0086], [00198]-[00211], Figs. 6A-6B, Tbls. 3-4. However, the applications do not identify which amino acids or structural features were important to RdpA’s (*R*)-enantioselective activity against

¹ I am aware that the 2004 provisional application does not contain the “highly identical (85-98%)” and “similar properties” language that Dr. Bollinger focuses on, and that the language was added to the 2005 application. *Compare* EX1004, [00145], *with* EX1005, [00171]-[00172].

[REDACTED]

phenoxy auxin herbicides and (*R*)-aryloxyphenoxypropionates (“(*R*)-FOPs”). EX1054, ¶¶ 74-75, 87-88. Further investigation would have been required to begin identifying those features, such as the RdpA homology modeling/mutagenesis work we published in Müller 2006 (EX1035), or an RdpA crystal structure analysis, which was not published until 2019.

10. Dr. Bollinger responds that the POSA would have been able to glean additional information from various references, including an article published by Schleinitz et al. in September 2004. EX2015, ¶¶ 113-118. I disagree that the references cited by Dr. Bollinger described for the POSA an “AAD-1 motif” or what characteristics were important to RdpA’s (*R*)-enantioselective activity. The POSA would not have understood the features responsible for RdpA’s unique activity to be the features it shared with TfdA or other α KG dioxygenases that lack that activity. EX1054, ¶ 102.

11. Dr. Bollinger also relies on what he describes as a “general rule” that enzyme sequences above a certain percentage sequence identity would be expected to catalyze the same reactions. EX2015, ¶¶ 40, 109, 123. As support, Dr. Bollinger relies on Tian (EX2019), which he says “built upon” analyses from earlier references. EX2015, ¶¶ 29-38, 40, 100-101. However, these references, which do not discuss RdpA or any other herbicide-degrading α KG dioxygenases, were directed to annotation of naturally occurring protein sequences identified through

[REDACTED]

genome sequencing projects. Because naturally occurring protein sequences are limited to those proteins that have survived natural selection, they represent a small and biased dataset that is not analogous to an artificially generated set of variants having a certain percent sequence identity to a known protein, such as the recombinant amino acid sequences set forth in the claims of the challenged patents. Thus, the POSA would not have assumed that the conclusions of these papers would extend to the set of at least 20⁴⁴ hypothetical artificial recombinant variants of RdpA whose sequences are covered by the claims of the challenged patents. *See* EX1054, ¶¶ 79-80.

A. Neither the 2004/2005 Applications nor the prior art, including Schleinitz 2004, disclosed an “AAD-1 motif,” with or without R285

12. Dr. Bollinger equates the presence of the generic α KG dioxygenase consensus motif in RdpA’s sequence as a description of a new “AAD-1 motif” or “RdpA motif” that is “strongly correlated to its function.” EX2015, ¶ 111. For example, he offers the opinion that “RdpA’s primary amino acid sequence alone was sufficient for a skilled artisan to recognize the RdpA (AAD-1) motif,” because, in his opinion, the POSA would have recognized that RdpA included a generic α KG dioxygenase consensus motif. EX2015, ¶ 113. He also states that the Schleinitz 2004 paper “published that information in 2004, illustrating the exact residues and spacing of the RdpA motif as compared to other Group II α KG-dependent dioxygenases.” EX2015, ¶ 114.



13. As I explained in my first declaration, the '555 patent specification as originally filed in October 2016, the relevant part of which is the same as the 2004/2005 Applications, does not disclose the “AAD-1 motif” of claim 1 (HX₁₁₂D(X)₁₁₄₋₁₃₇T(X)₁₃₉₋₂₆₉H(X)₂₇₁₋₂₈₀R). EX1054, ¶¶ 63-68; EX1004 ('052 Provisional Appl.), [0059]; EX1005 ('7893 Appl. & File History), [0085]; EX1008 ('406 Appl. & File History], [0085]. Instead, they disclose the generic consensus prior art motif and the amino acid sequence for RdpA (SEQ ID NO: 9). *Id.*; EX1004 ('052 Provisional Appl.), SEQ ID NO: 9; EX1005 ('7893 Appl. & File History), SEQ ID NO: 9; EX1008 ('406 Appl. & File History), SEQ ID NO: 9. In that respect, the above statements from Dr. Bollinger ignore the important distinction between observing that RdpA's sequence includes an instance of the generic αKG dioxygenase consensus motif versus describing a new and unique “RdpA motif” or “AAD-1 motif” that is characteristic of proteins like RdpA with (*R*)-enantioselective activity that degrades phenoxy auxin herbicides and (*R*)-FOP herbicides. As I explained in my first declaration, the POSA would not have expected that the variables in the generic αKG-dioxygenase consensus motif, or a derivative of it, would define and describe a genus of proteins with the claimed (*R*)-enantioselective activity. I stated, “[B]ecause most αKG dioxygenases do not have (*R*)-stereospecific activity, the αKG dioxygenase consensus motif would not be expected to capture the characteristics important to that stereospecificity. The POSA would have

[REDACTED]

understood this, and would not have expected the variables in that consensus motif, or a derivative of it, to define and describe a genus of AAD-1 proteins limited to those with the claimed activity.” EX1054, ¶ 102. Although the POSA would have known that the five conserved amino acids in the consensus motif were involved in coordinating the metal center and binding the α -ketoglutarate, and thus are functionally important to α KG dioxygenases generally, the POSA would not have mistaken those residues or the spacing between them for the features that define the set of substrates that a particular α KG dioxygenase such as RdpA will use. I discuss this issue in more detail below. *See* ¶¶ 19-27.

14. The Schleinitz 2004 paper relied on by Dr. Bollinger confirms that observing an instance of the generic consensus motif is not the same thing as defining a new motif. Dr. Bollinger focuses on Figure 2, which depicts the sequences of RdpA, TfdA, TauD, and SdpA, and indicates the locations of the five conserved residues required by the generic consensus motif. EX2015, ¶ 114; EX1042 (Schleinitz 2004 (pp. 5360, 5362)). Schleinitz 2004’s text explains that Figure 2 shows that RdpA and SdpA belong to the α KG dioxygenase family and that they each include the consensus motif. EX1042 (Schleinitz 2004 (p. 5362)). If Dr. Bollinger were correct that the instance of the consensus motif in RdpA’s sequence constitutes a description of a new “motif” characteristic of RdpA-like enzymes, then Schleinitz 2004 would surely have discussed that motif. However, there is nothing



in Schleinitz 2004 that supports that assertion. The generic α KG dioxygenase consensus motif is the only “motif” that is discussed in Schleinitz 2004, which would reflect to the POSA that the authors did not think they had described a new and unique “motif” that is generalizable to other enzymes. EX1042 (Schleinitz 2004 (p. 5362)) (“The functionally important motif HX(D/E)X₂₃₋₂₆(T/S)X₁₁₄₋₁₈₃HX₁₀₋₁₃R/K, which is conserved throughout group II α KG-dependent dioxygenases (18), is present in both RdpA and SdpA.”); EX1042 (Schleinitz 2004 (p. 5357)).

15. The above understanding is reinforced by Schleinitz 2004’s recognition that the basis for RdpA’s (*R*)-enantioselective activity was unknown. Dr. Bollinger describes a “motif” as a pattern shared by “a set of enzymes with the same or similar functions.” EX2015, ¶ 39. It would have been surprising to the POSA if the authors of Schleinitz 2004 had attempted to define a new “motif” characteristic of RdpA-like enzymes based on just one enzyme sequence (RdpA) while at the same time concluding that “the basis of the enantiospecificity of the dichlorprop-cleaving enzymes is not known” and that “studies are needed to reveal the molecular basis of the substrate specificity and stereospecificity of RdpA and SdpA.” EX1042 (Schleinitz 2004 (pp. 5362-5363)). If the authors of Schleinitz 2004 had believed the information in Figure 2, or elsewhere in the prior art, identified a new “motif” shared by RdpA and other enzymes with its same activity, then the POSA would expect that they would have presented that new motif, explained how it was distinct

[REDACTED]

from the generic consensus motif, and explained their reasoning in the article text. The fact that the authors did not do so confirms that the POSA would not have understood Schleinitz 2004 to describe a new RdpA or AAD-1 “motif.” EX1042 (Schleinitz 2004 (pp. 5357, 5362-5363)).

16. For similar reasons, I disagree with Dr. Bollinger’s opinion that the prior art, including Schleinitz 2004,² discloses a motif that includes an additional arginine at R285 or otherwise indicates that R285 (or X₂₈₂₋₂₈₄R, as Corteva uses in claim 2 of each of the challenged patents) is functionally important in RdpA. *See* EX2015, ¶¶ 138-142. The only motif discussed in Schleinitz 2004 is the generic consensus motif, which does not include an additional arginine. EX1042 (Schleinitz 2004 (pp. 5357, 5360, 5362-5363)). In Figure 2, the 285 arginine in RdpA is highlighted gray, while the consensus motif residues are highlighted black. EX1042 (Schleinitz 2004 (p. 5360)). Similarly, neither ’555 patent specification as originally filed nor the 2004/2005 Applications disclose the X₂₈₂₋₂₈₄R limitation. EX1054, ¶ 68. I therefore disagree with Dr. Bollinger’s suggestion that either of the 2004/2005 Applications or Schleinitz 2004 provides a description of the X₂₈₂₋₂₈₄R

² I understand that Corteva is taking the position that Schleinitz 2004 is “prior art.” I further understand that means that Corteva is relying on the 2005 application (EX1005) for its priority claim, as Schleinitz 2004 was published in September 2004.

limitation in claim 2 of each of the challenged patents.

17. I likewise disagree with Dr. Bollinger's assertion that Figure 2 shows that R285 was understood to be functionally significant in RdpA. See EX2015, ¶¶ 141-142. The caption to Figure 2 explains that "Black arrows indicate 2,4-D binding residues in TfdA," which is only one of the four enzymes depicted (RdpA, TauD, TfdA, SdpA):

```

RdpA MHAALSPLSQRFERIAVQPLTGVLGAEITGVDLREPLDDSTWNEILDAPH 50
TauD -----MSLTIQPISPALGAIVSGIDLGAPLDDTGQRAIEQALL 38
TfdA -----MSVVANPLHPLFAAGVEDIDLREALGSTEVREIERLMD 38
SdpA -----MQTTLQITPTGATLGATVTGVHLAT-LDDAGFAALHAAWL 39

RdpA TYQVIYFPGQAITNEQHIAFSRRFGPVDVPVPLKSLIEGYPEVQMIRREAN 100
TauD EHQVLFFERDQSLERPSQARFAAREFGDLHIHPYPSVPEQPEVIVLDTAVT 88
TfdA EKSVLVFRGQPLSQDQQTAFARNFPGPLEGGFIKVNQRPSRFKYAELADIS 88
SdpA QHALLIFPGQHLSNDQQTITFAKREFGAIERIGGGDIVAISNVKADGTVRQH 89

RdpA ESGRV-----IGDDWHTDSTFLDAPPAAVVMRAIDVPEHG 135
TauD DVR-----DNAIWHTDVTFLETPALGAVLAQKQLPPYG 121
TfdA NVSLDGKVAQRDAREVVGNFANQLWHS DSSSFQQPAARYSMLS AVVVPFSG 138
SdpA SPAEWDDMMKVIVG-----NMAWHDSTYMPVMAQGAVFSAEVVPAVG 132

RdpA GDTGFSLMYTAWETLSPTMQATIEGLNVVHSATRVFGSLYQAQNRFRFSNT 185
TauD GDTLWASSTAAYEALSAPLRRLDGLTATHDIGKSPF---RERFGVTEAD 168
TfdA GDTFECDMRAAYDALPRDLQSELEGLRAEHYALNSRF-----LLGD 179
SdpA GRTCFADHRAAYDALDEATRALVHQRSARHSLVYSQS---KLGHVQQAG 178

RdpA SVKVMVDVDAGDRETVHPLVVTTHPGSGRKGLYVNQVYCQRIEGMTDAESKP 235
TauD LARLEEARLKNPPRSHPVVVRTHPTGRKGLFVSDGFTTRINELEPAESDA 218
TfdA TDYSEAQRNAMPPVNWPLVRTHAGSGRKFLFIG-AHASHVEGLPVAEGRM 228
SdpA SAYIGYGMDTTATPLRPLVKVHPETGRPSLLIG-RHAIIPGMDAAESER 227

RdpA LLQFLYEHAATRFDETCRVRWKKDQVLVDNLCMTMRAVVDYAGKFRYLTR 285
TauD LLKFLFAHATRPFTVRWRWQENDVAFWDNRVTCYAVDDYRPPQRRVMHR 268
TfdA LLAELEHATQREFVYRHRWNVGDLVMWDNRCVLRHGRYDISARRELRR 278
SdpA FLEGLVDWACQAPRVHAHQWAGDVVVVDNRCLLBRAEPWDFKLPVVMWH 277

RdpA TTVGGVRPAR----- 295
TauD ATILGDKPF----- 277
TfdA ATTLDADV----- 287
SdpA SRLAGRPETEGAALV 292

```

FIG. 2. Sequence alignment of RdpA and SdpA with other group II α KG-dependent dioxygenases. TfdA, *R. eutropha* 2,4-D/ α KG dioxygenase (accession no. A27082); TauD, *P. aeruginosa* taurine/ α KG dioxygenase (accession no. NP_252624). Conserved Fe(II)- and α KG-binding residues are shaded in black; other conserved regions are shaded in gray. Black arrows indicate 2,4-D binding residues in TfdA; gray arrows indicate residues undergoing posttranslational hydroxylation in TauD or TfdA. Amino acid positions numbers are shown to the right of each line. The alignment was created with CLUSTAL W.



EX1042 (Schleinitz 2004 (p. 5360 & Fig. 2) (highlighting added)). I disagree with Dr. Bollinger that this “strongly indicat[es] a similar function for Arg285 in RdpA.” See EX2015, ¶ 141. If the authors wanted to indicate that the residue performed a particular function in RdpA, they would have identified RdpA in the relevant part of the caption. The authors’ decision to limit the statement in the caption to TfdA would indicate that R285 in RdpA does not necessarily bind to 2,4-D; the most straightforward reading of the caption for the POSA is that there was no known role for R285 in binding to 2,4-D.

18. Dr. Bollinger also relies on Elkins (EX1023) and Hotopp 2002 (EX1029), but those articles do not support his opinions. See EX2015, ¶¶ 140-141. These papers addressed the role of a number of additional residues in two enzymes with activity different from RdpA’s: TauD, which degrades taurine, and TfdA, which degrades 2,4-D but not (*R*)-phenoxy auxins or (*R*)-FOPs (because it is (*S*)-enantioselective). These papers do not indicate to the POSA that the arginine at 285 in RdpA is essential to RdpA’s activity or is part of an RdpA-specific “motif.” Like Schleinitz 2004, the consensus motif discussed in these papers does not include an additional arginine. EX1023 (Elkins (p. 5185)); EX1029 (Hotopp 2002 (p. 9878)). Furthermore, I note that even if the POSA might have hypothesized that RdpA’s R285 could bind 2,4-D, that would not have supported the conclusion that R285 is involved in RdpA’s distinctive (*R*)-enantioselective activity because TfdA has (*S*)-

enantioselectivity and 2,4-D is achiral. *See* EX1054, ¶ 74.

B. Neither the 2004/2005 Applications nor the prior art, including Schleinitz 2004, identified the structural features involved in RdpA's (*R*)-enantioselective activity

19. Neither the '555 patent specification as originally filed in October 2016, nor the 2004/2005 Applications to which it claims priority, ever identify which of RdpA's 295 amino acids are important to the claimed (*R*)-enantioselective activity. *E.g.*, EX1054, ¶¶ 74-75. Dr. Bollinger does not disagree with that opinion. Instead, he focuses on Schleinitz 2004. However, and contrary to Dr. Bollinger's opinion, the POSA would not have mistaken Schleinitz 2004's description of the generic α KG motif residues as "functionally important" to RdpA, *see* EX2015, ¶ 39 (citing Schleinitz 2004 (p. 5357)), as a statement that those residues are "functionally important" to RdpA's ability to act in an (*R*)-stereoselective manner on phenoxy auxin herbicides and (*R*)-FOPs. Although the conserved residues in the consensus motif are involved in the general α KG dioxygenase function (three residues coordinate the metal center, and the other residues interact with the α -ketoglutarate), those residues do not define the set of substrates that a particular α KG dioxygenase such as RdpA will use. As the challenged patents and 2004/2005 Applications emphasize, there is a difference between the (*R*)-enantioselective activity of RdpA, which degrades the herbicide substrates required by the claims, and the activities of other known α KG dioxygenases, including TfdA, which has (*S*)-enantioselective

[REDACTED]

activity. EX1054, ¶ 73; EX1001 ('555 Pat.), 4:32-36, 4:39-42, 8:10-17, 17:62-66, 18:10-20, 50:58-67, 51:1-53:13, Figs. 6A-6B, Tbls. 3-4; *see* EX1004 ('052 Provisional Appl.), [0017], [0051], [0059]-[0060], [00168]-[00181], Figs. 6A-6B; Tbls. 3-4; EX1005 ('7893 Appl. & File History), [0018], [0074], [0085]-[0086], [00198]-[00211], Figs. 6A-6B, Tbls. 3-4. The POSA would not have mistaken Schleinitz 2004's description of the α KG motif residues, which are characteristics that RdpA *shares* with other α KG dioxygenases, to be a description of the characteristics that *distinguish* RdpA from other α KG dioxygenases lacking the claimed (*R*)-enantioselective activity, particularly given Schleinitz 2004's statements that "the basis of the enantiospecificity of the dichlorprop-cleaving enzymes is not known" and that "studies are needed to reveal the molecular basis of the substrate specificity and stereospecificity of RdpA and SdpA." EX1042 (Schleinitz 2004 (pp. 5362-5363)).

20. Dr. Bollinger suggests that the POSA could have relied on sequence alignments of orthologous proteins to identify which amino acids in RdpA's sequence are important to the claimed activity. EX2015, ¶¶ 46-51, 55-56. I disagree. The challenged patents do not include a sequence alignment or suggest that such an alignment indicates the features responsible for RdpA's (*R*)-enantioselective activity. The POSA would have understood from the challenged patents that a sequence alignment would not be of much use because, as noted above,

[REDACTED]

they state that RdpA is the first α KG dioxygenase to be determined to have the claimed dual herbicide-degrading activity. While several bacterial species had RdpA genes, all of those genes encoded the identical amino acid sequence, including the two genes cited by Dr. Bollinger. EX2015, ¶ 71. As I explained in my first declaration, the genes encoding RdpA from *Delftia acidovorans* MC1 (formerly known as *Comomonas acidovorans* MC1) and *Rhodoferax* P230 encode the same amino acid sequence as *Sphingomonas herbicidovorans* RdpA. See EX1054, ¶ 55; EX1001 ('555 Pat.), 31:61-64; EX1042 (Schleinitz 2004 (p. 5362)). Because the amino acid sequences of the known RdpA orthologues with (*R*)-enantioselective activity were the same, the POSA would not expect that comparing them to one another would provide useful information about which residues were important to RdpA's (*R*)-enantioselective activity.

21. The sequence alignments on which Dr. Bollinger relies, Elkins Figure 5 and Schleinitz 2004 Figure 2, do not support Dr. Bollinger's opinions. Elkins Figure 5 does not include RdpA. EX1023 (Elkins (p. 5190 & Fig. 5)). Schleinitz 2004 Figure 2 compared RdpA to other α KG dioxygenases that lack the claimed (*R*)-enantioselective herbicide-degrading activity. EX1042 (Schleinitz 2004 (p. 5360 & Fig. 2)). That alignment identifies certain amino acids shared by RdpA and the other α KG dioxygenases, but, again, the POSA would not have understood the features responsible for RdpA's (*R*)-enantioselective activity to be features shared with other

[REDACTED]

α KG dioxygenases lacking that activity. As recognized in Schleinitz 2004, it was not known which of the many differences between these sequences were responsible for RdpA's (*R*)-enantioselective activity. EX1042 (Schleinitz 2004 (pp. 5362-5363)).

22. Dr. Bollinger's reliance on three-dimensional structural features shared by α KG dioxygenases, such as the jellyroll folds discussed in Elkins, *see* EX2015 ¶ 70, suffers from similar flaws. Elkins does not discuss RdpA's sequence or structure, and a description of structural features common to other α KG dioxygenases is not a description of the structural features that distinguish RdpA from other α KG dioxygenases lacking the claimed (*R*)-enantioselective activity. The challenged patents do not provide any information on RdpA's three-dimensional structure or which aspects of that structure may be important to RdpA's (*R*)-enantioselective activity, and that information was not available in the prior art. The challenged patents note that "[v]arious properties and three-dimensional features of the protein can also be changed without adversely affecting the activity/functionality of the protein," but they fail to provide any further information that would identify the three-dimensional features contemplated by that statement. EX1001 ('555 Pat.), 38:6-8; *see* EX1004 ('052 Provisional Appl.), [00118]; EX1005 ('7893 Appl. & File History), [00144]. In order to understand which of RdpA's structural features were important to that activity, the POSA would have had to undertake a significant



research project, such as the structural model and mutagenesis study we did for *Sphingomonas* RdpA and SdpA, EX1035 (Müller 2006), EX1054, ¶ 88, or the crystal structure of RdpA, which confirmed the importance of several key residues we had identified in Müller 2006, EX1054, ¶ 88, EX1019 (Chekan 2019). Likewise, Dr. Bollinger does not accurately characterize the situation when he suggests that the variant RdpA sequences in the claims would have been expected to have similar three-dimensional structure and therefore would have the same (*R*)-enantioselective activity. *See* EX2015, ¶ 105. The POSA would have understood that enzymes with similar three-dimensional structures can catalyze different reactions. *See, e.g.*, EX2053 (Nakajima 1998 (Abstract, pp. 4876, 4880-4881)) (two enzymes with “overall folding” that is “almost identical” catalyze reactions with opposite stereospecificities); (“Comparison of the two TR structures made clear that opposite reaction stereospecificities can be acquired in enzymes that have a conserved overall folding, by changing the amino acids in the substrate binding site”).

23. Dr. Bollinger also offers the opinion that the POSA would have ascribed functional significance to the distances between the conserved amino acids in the consensus motif because they were believed to “strongly correlate[]” to substrate specificity. EX2015 ¶ 111; *see* EX2015, ¶¶ 66, 69, 74, 115, 149. I disagree that the POSA would have had that understanding.

24. To support his opinion, Dr. Bollinger cites Figure 2 of Schleinitz 2004,



which shows that RdpA, TfdA, SdpA and TauD have the same distances between the first and second conserved residues (one amino acid), and between the fourth and fifth conserved residues (ten amino acids) of the α KG dioxygenase consensus motif. EX2015, ¶¶ 72-74; EX1042 (Schleinitz 2004 (p. 5360 & Fig. 2)). Only the distance between the second and third conserved residues in the consensus motif is different for each enzyme, with RdpA having 131 amino acids.³ As I explained in my first declaration, the POSA would not have understood that the length of this region is responsible for enantioselectivity. EX1054, ¶¶ 98-102.

25. Contrary to Dr. Bollinger's view, Schleinitz 2004 supports my opinion: the authors never suggest a connection between the spacing of the consensus motif depicted in Figure 2 and the activities of RdpA or SdpA on different enantiomers. Instead, they conclude that the basis of RdpA's (*R*)-enantiospecificity is "unknown," that it is "likely that 2,4-D and dichlorprop-cleaving enzymes are structurally very similar and that substrate specificity is determined by only a few amino acids," and

³ Dr. Bollinger states that "RdpA is the only enzyme in the alignment having no gaps, illustrating a difference in its active site motif as compared to other enzyme family members." EX2015, ¶ 74. The POSA would have recognized that the "gaps" in Figure 2 are merely a visual convention permitting the alignment of sequences of different lengths, and would not have considered them functionally significant.



that “[s]ite-specific mutagenesis studies are needed to reveal the molecular basis of the substrate specificity and stereospecificity of RdpA and SdpA.” EX1042 (Schleinitz 2004 (pp. 5362-63)). Figure 2 also shows that SdpA and TfdA, which are both (*S*)-enantioselective enzymes, have different spacings, further supporting my opinion that consensus motif spacing is not determinative of enantioselectivity. EX1042 (Schleinitz 2004 (p. 5360 & Fig. 2)).

26. Dr. Bollinger also relies on a table of selected α KG dioxygenases from my 2004 review article, observing that two of the enzymes listed in the table, TauD and CarC, have different spacing and act on different substrates. EX2015, ¶¶ 66, 69; EX1025 (Hausinger 2004 (Table 1, p. 22)). I disagree with Dr. Bollinger’s interpretation of my review. For example, he fails to mention that Table I includes multiple examples of enzymes having *identical* spacing in the consensus motif, but acting on different substrates. For example, TauD has the same spacing as the enzyme immediately below it, *Pseudomonas putida* AtsK, but TauD acts on taurine (2-aminoethanesulfonate) and AtsK acts on alkyl sulfates. EX1025 (Hausinger 2004 (Table 1, pp. 22, 39)). In addition, Table 1 includes other groups of plant enzymes with identical spacings that were known to catalyze different reactions and use different substrates: *Citrus unshiu* flavonol synthase, *Arabidopsis thaliana* ANS (anthocyanidin synthase), *Cucurbita maxima* gibberellin 7-oxidase, and *Cucurbita maxima* gibberellin 20-oxidase; *Caranthus roseus* desacetoxyvindoline-4-



hydroxylase and *Petunia hybrida* flavanone 3, β -hydroxylase; and *Hyoscyamus niger* hyoscyamine 6,8-hydroxylase and tomato ACC oxidase (an enzyme that is related to the α KG dioxygenases, but does not require α -ketoglutarate). EX1025 (Hausinger 2004 (Table 1, pp. 22, 32-34, 36, 43)). As these examples show, my 2004 review does not support that a particular spacing “strongly correlates” to a unique set of substrates, or that the POSA would have assumed that α KG dioxygenases with identical spacing would have identical function.

27. I understand that Corteva has suggested in briefing to the Board that, at my deposition, I somehow acknowledged that Figure 2 of Schleinitz 2004 discloses the AAD-1 motif. I disagree with that characterization. During my deposition, I was asked to look at Elkins, and then asked about where the consensus motif residues were located in different enzymes in that paper, including TfdA. EX2016, 11:13-18:25. I was then asked to look at Figure 2 of Schleinitz 2004, where I identified in RdpA where the five amino acid residues of the consensus motif were located, as well as what the spacing was between the residues. EX2016, 22:1-26:14. Counsel for Corteva did not ask me whether Figure 2 or any other part of Schleinitz 2004 disclosed any kind of motif derived from RdpA, let alone whether Schleinitz 2004 disclosed the AAD-1 motif identified in the claims of the challenged patents, and I never agreed (and do not agree) that Schleinitz 2004 discloses such a motif.

[REDACTED]

C. The POSA would not agree that an 85% sequence identity threshold would describe a set of artificial variant sequences having the claimed (*R*)-enantioselective activity

28. Dr. Bollinger offers the opinion that the artificial variant sequences in the claims of the challenged patents would be expected to have the claimed function because they have at least 85% sequence identity. EX2015, ¶ 109. He asserts that 85% or more sequence identity “was recognized to be correlated to enzyme function and used for making enzyme variants that maintain function,” and that “[s]killed artisans would therefore have expected AAD-1 enzyme variants to retain their dual herbicide degrading activity when they shared the common structural feature of having at least 85% sequence identity to SEQ ID NO: 9.” EX2015, ¶ 109. He adds that “[a] skilled artisan would have considered the claimed set of AAD-1 enzymes as essentially the same enzyme with the same function based on their high sequence identity (85% or more) to SEQ ID NO: 9 and conserved AAD-1 motif.” EX2015, ¶ 133. I disagree.

29. Contrary to Dr. Bollinger’s opinion, the POSA would not have expected a set of artificial variant sequences to have the same activity as the original sequence simply because they meet a particular sequence identity threshold. The POSA would have recognized that the problem with using a sequence identity threshold in this manner, which Dr. Bollinger does not address, is that it treats each amino acid change as equivalent to, and interchangeable with, any other change. A

[REDACTED]

sequence identity cutoff does not account for which amino acids are changed or how they are changed (for example, if a substitution is conservative or non-conservative, or if an addition or deletion is made). *See* EX1054, ¶¶ 82-86. The POSA would have known that different types of changes at different locations in the sequence can have varied and unpredictable effects. EX1054, ¶ 90. Dr. Bollinger acknowledges this concept, stating, for example, that in his opinion the POSA would prefer to make changes that maintain similar charge or bulkiness. EX2015, ¶ 58. In addition, the POSA would have understood that it was critical to retain the amino acids that are important to RdpA's (*R*)-enantioselective activity. However, the sequence identity threshold does not distinguish those amino acids from the rest. The POSA would not know based on the 2004/2005 Applications or the prior art whether a given variant sequence retained those amino acids, because those amino acids are not identified in the application and were not known in the prior art, nor are they required by the claims to be maintained. EX1042 (Schleinitz 2004 (pp. 5362-5363)). Schleinitz 2004 taught that the (*R*)-enantioselective activity of RdpA was likely due to "only a few amino acids," EX1042 (Schleinitz 2004 (pp. 5362-5363)), which would reinforce for the POSA that one could not predict which of the variants with as many as 44 changes to the sequence (*i.e.*, 85% or more identity) would exhibit the claimed (*R*)-enantioselective activity. For these reasons, the POSA would not have been able to predict that a variant sequence would have the claimed (*R*)-

[REDACTED]

enantioselective activity just because it has at least 85% sequence identity to RdpA. Nor would the POSA have been able to predict that a variant sequence would have the claimed (*R*)-enantioselective activity just because it has at least 85% sequence identity to RdpA and maintained the claimed AAD-1 motif. The POSA would not expect that the set of at least 20⁴⁴ sequences with at least 85% sequence identity to RdpA would have the claimed (*R*)-enantioselective activity, or consider that set to be “essentially the same enzyme,” irrespective of whether the sequences in that set were also required to maintain the claimed AAD-1 motif. *See* EX2015, ¶ 133.

30. Contrary to Dr. Bollinger’s opinion, the challenged patents do not support the proposition that the POSA would have expected that any given variant sequence with at least 85% identity to RdpA would have the claimed (*R*)-enantioselective activity, irrespective of the nature of the changes in the sequence. The challenged patents instead recognize that, as the POSA would have known, the nature of the changes to a given variant matters. For example, the challenged patents state that “[c]onservative substitutions can be tolerated/made to not adversely affect the activity.” EX1001 (’555 Pat.), 38:8-27; *see* EX1004 (’052 Provisional Appl.), [00118]; EX1005 (’7893 Appl. & File History), [00144]. However, the challenged patents further note, “Conservative substitutions whereby an amino acid of one class is replaced with another amino acid of the same type fall within the scope of the subject invention *so long as* the substitution is not adverse to the biological activity

[REDACTED]

of the compound.” *Id.* (emphasis added). In other words, the challenged patents recognize that conservative substitutions can be “adverse to the biological activity,” but they do not specify in which cases that would happen, thereby leaving it up to the POSA to test each artificial variant to evaluate whether there has been an adverse change to the biological activity. *See* EX1054, ¶ 90. Similarly, the challenged patents state that “[i]n some instances, non-conservative substitutions can also be made.” EX1001 (’555 Pat.), 38:28-31; *see* EX1004 (’052 Provisional Appl.), [00119]; EX1005 (’7893 Appl. & File History), [00145]. However, they do not identify the “instances” in which non-conservative substitutions can be made, further reinforcing for the POSA not only the unpredictability of whether sequences that have 85% or greater sequence identity to RdpA would have the claimed (*R*)-enantioselective activity, but also that extensive experimentation would be required to evaluate which artificial variants have the claimed (*R*)-enantioselective activity. As such, the notion that sequence identity alone can predict the function of an artificial variant (discussed in more detail in the context of Dr. Bollinger’s reliance on Tian) is contradicted by the approach taken in the challenged patents, which provide that the type of substitution matters to the function of the variant.

31. Dr. Bollinger asserts that the POSA would have preferred to make certain types of changes when generating variant sequences such as amino acid changes that would maintain charge and steric bulk, and outlines a proposed process

[REDACTED]

for preparing enzyme variants. *See* EX2015, ¶¶ 45, 52-59. Not only does Dr. Bollinger's proposed process describe an extensive research project, but his opinions ignore that the claims of the challenged patents are not limited to variant sequences with certain types of changes. The only limitations the claims place on amino acid substitutions are to retain the five or six amino acids required by the AAD-1 motifs, and to retain at least 85% sequence identity to RdpA (SEQ ID NO: 9). The claims do not require conservative substitutions, or substitutions that maintain charge or bulkiness or other properties. *See* EX1054, ¶ 78. Indeed, as noted above, the challenged patents explain that conservative substitutions may or may not be adverse to activity, and that in some instances non-conservative substitutions are acceptable, but they provide no further guidance as to particular substitutions that will preserve the claimed (*R*)-enantioselective activity of RdpA. EX1001 ('555 Pat.), 38:8-31; *see* EX1004 ('052 Provisional Appl.), [00118], [00119]; EX1005 ('7893 Appl. & File History), [00144], [00145].

32. The POSA's knowledge that the functional properties of an enzyme can be affected by changes as small as a single amino acid is demonstrated by prior art studies using mutagenesis to investigate the function of individual amino acids, such as our work in Hotopp 2002. It is also reflected in the testing performed by Corteva during prosecution of the '555 patent, which indicated that replacing the arginine at position 285 of RdpA eliminated activity against 2,4-D and (*R*)-quizalofop. EX1008

[REDACTED]

(‘406 Appl. & File History), COR-AAD1-00000472-74 (Wright-I Decl. App’x III); EX1054, ¶ 97.

D. The POSA would not have extended Tian’s findings to artificial RdpA variants

33. Dr. Bollinger relies on papers, in particular Tian, which discuss whether naturally occurring gene sequences discovered in genome sequencing projects and added to public databases could be annotated with predicted functions, based on inferences about these sequences’ evolutionary relationships. EX2015, ¶¶ 83, 106, 123 (citing EX2019 (Tian)); *see also* EX2015, ¶¶ 30-35, 100-103 (citing EX2024 (Wilson); EX2026 (Devos); EX2027 (Todd); EX2028 (Rost 2002)). These studies conducted statistical analyses of sets of enzyme sequences that had been deposited in public databases. As an indicator of function, they relied on Enzyme Commission (“EC”) numbers, a system of standardized nomenclature used to identify different biochemical reactions. *See* EX2015, ¶¶ 23, 101. Tian, which Dr. Bollinger states “consolidated and built upon the prior studies by Devos (EX2026), Wilson (EX2024), Todd (EX2027), and Rost (EX2028),” EX2015, ¶ 35, considered whether the percentage sequence identity between two protein sequences in a database could be used to predict whether they had been assigned to the same EC number, determining that “above 60% sequence identity is needed to have above 90% accuracy,” EX2015 ¶ 101; EX2019 (Tian (p. 876)). Dr. Bollinger describes these database analyses as “foundational literature in the field for predicting function

[REDACTED]

based on sequence identity,” EX2015, ¶ 106, and offers the opinion that “Tian, Rost, and other researchers demonstrated that, for enzymes having 85% or more sequence identity, a skilled artisan would have expected conserved function,” EX2015, ¶¶ 106, 109. I disagree. As explained below, the POSA would not have extended the conclusions of Tian regarding naturally occurring protein sequences to artificial RdpA variants as in the claims of the challenged patents.

34. First, the POSA would not have regarded Tian to be particularly informative because it does not address the structure or function of α KG dioxygenases. Even if the POSA had considered Tian or the other database analyses relied on by Dr. Bollinger, the POSA would have regarded them to be far less relevant than the studies we and other groups had published on enantioselective herbicide-degrading α KG dioxygenases, such as Saari 1998, Saari 1999, and Schleinitz 2004.

35. Second, the challenged patents do not cite or discuss Tian or the references it built upon, and would not have suggested to the POSA that they are relevant to RdpA variants. Dr. Bollinger notes that the challenged patents mention 60% sequence identity, EX2015, ¶¶ 83, 99, but nothing in the challenged patents points to Tian as the source of this number. Moreover, 60% is one of many sequence identity values listed, ranging from 49% to 99%, EX1054, ¶ 71; EX1001 (’555 Pat.), 37:36-55; *see* EX1004 (’052 Provisional Appl.), [00116]; EX1005 (’7893 Appl. &

[REDACTED]

File History), [00142]. The fact that the challenged patents include percentage sequence identity values as low as 49% does not comport with Dr. Bollinger's opinion that the challenged patents are somehow referencing Tian, since Tian used 60% sequence identity as the lower limit.

36. Dr. Bollinger also refers to the discussion in the challenged patents of sequences with "85-98%" identity being "highly identical" and that "[t]raditionally only sequences with high homology would be expected to retain similar properties." EX2015, ¶¶ 83 (citing EX1001 ('555 Pat.), 44:26-29; EX1002 ('283 Pat.), 44:5-8; EX1003 ('745 Pat.), 44:20-23), 99 (citing EX1001 ('555 Pat.), 44:17-35; EX1002 ('283 Pat.), 43:63-44:9; EX1003 ('745 Pat.) 44:11-25). He offers the opinion that the discussion is somehow a reference to Tian and the earlier references it built upon. EX2015, ¶¶ 83, 99. I disagree. Tian does not discuss 85% or 85-98% sequence identity or recommend relying on such a threshold or range, which reflects the lack of any connection between Tian and the challenged patents. In addition, the POSA would recognize that the above discussion regarding 85-98% being "highly identical" is made in reference to proteins with generic " α -ketoglutarate dioxygenase activity" and not (*R*)-enantioselective activity in particular. EX1001 ('555 Pat.), 44:17-20; EX1002 ('283 Pat.), 43:63-66; EX1003 ('745 Pat.) 44:11-14); *see* EX1005, [00171]('7893 Appl. & File History), [00171]. That would be reinforced for the POSA by the title of the example (Example 1), which is "Method for

[REDACTED]

Identifying Genes that Impart Resistance to 2,4-D in Plants.” EX1001 (’555 Pat.), 44:10-13; *see* EX1005, -0102 (’7893 Appl. & File History). Specifically, the fact that 2,4-D is an achiral substrate supports the notion that the discussion in the example refers to generic “ α -ketoglutarate dioxygenase activity” and not (*R*)-enantioselective activity. Thus, the references to generic “ α -ketoglutarate dioxygenase activity” and “Genes that Impart Resistance to 2,4-D” would further reinforce the absence of any connection between the above discussion and the claims of the challenged patents, the latter of which require (*R*)-enantioselective activity.

37. Third, Dr. Bollinger’s suggestion that Tian and earlier database analyses represent “foundational literature in the field for predicting function based on sequence identity,” EX2015, ¶ 106, ignores that they focused on a specific context that is not at issue here. As Dr. Bollinger acknowledges, Tian and earlier database analyses addressed the annotation of new protein sequences discovered through genome sequencing. *See* EX2015, ¶ 29 (“By the 2000s, genome sequencing was identifying new genes encoding proteins much faster than researchers could empirically determine the activities of those proteins.”); EX2019 (Tian (pp. 863-864)) (explaining that Tian is directed to genome sequence annotation); EX2019 (Tian (p. 876)). Dr. Bollinger fails to mention that Tian expressly tailors its conclusion to the specific context of “function annotation on genome sequences.” EX2019 (Tian (p. 876)) (“Our results suggest that *for function annotation on*

[REDACTED]

genome sequences, . . . to transfer all four digits of an EC number, above 60% sequence identity is needed to have above 90% accuracy.”) (emphasis added). Consistent with this stated purpose, Tian’s conclusions were based on analyses of naturally occurring protein sequences, not artificial variants that had been generated by making changes to known sequences. The sequences Tian analyzed, for example, were a subset of the database Swiss-Prot. EX2019 (Tian (pp. 865, 876)). Swiss-Prot is a curated database of naturally occurring protein sequences that excludes synthetic or artificial sequences. EX1074 (Bairoch (p. 53)) (“Another category of data which will not be included in SWISS-PROT are synthetic sequences.”); EX1075 (UniProt Website). Rost 2002, which Dr. Bollinger also focuses on, EX2015, ¶¶ 102-103, similarly analyzed a subset of sequences from the Swiss-Prot database, EX2028 (Rost 2002 (p. 605)).

38. This context is important because, as Dr. Bollinger explains, a typical enzyme is a product of evolution over a long time period. EX2015, ¶ 42. At a high level, evolution involves the survival of individual organisms with desirable properties, and the elimination of individual organisms with undesirable properties. The set of naturally occurring protein sequences that have survived to be expressed in organisms today, and would be included in Swiss-Prot, have undergone this process of natural selection. That set does not include all the variant sequences that have not survived, such as those with amino acid changes that led to a loss or

[REDACTED]

reduction of enzyme activity. *See* EX2015, ¶ 42 (“any amino acid changes (mutations) appearing over time that disturbed the enzyme’s overall structure or replaced amino acids that promoted the reaction would have led to a loss or reduction of the enzyme’s activity, likely with negative consequences for the organism that depended on the enzyme”).

39. The claims of the challenged patents, however, are not limited to naturally occurring RdpA proteins. They involve a much larger set of artificial sequences that could be generated by making changes to RdpA’s sequence. As I explained in my first declaration, a rough lower estimate of the number of possible RdpA variants with an AAD-1 motif and any naturally occurring amino acid at 44 positions (just over 85% sequence identity to SEQ ID NO: 9) might be 20⁴⁴. EX1054, ¶ 79. This is a huge set of sequences that has not undergone natural selection or any other process that would eliminate variants with undesirable properties, such as inactive variants. In contrast, Tian’s conclusions were based on a set of just 22,645 naturally occurring enzyme sequences. EX2019 (Tian (pp. 876-877)).

40. The POSA would have realized that it would not make sense to extend Tian’s conclusions, which were based on naturally occurring protein sequences that have survived evolution, to a hypothetical set of artificially generated variants that have not undergone that process. That approach would wrongly extend conclusions

[REDACTED]

from a biased set of amino acid sequences (*i.e.*, ones which had survived evolution) to a larger dataset of proteins that has not been subject to natural selection.

41. Tian and the Rost 2002 paper cited by Dr. Bollinger recognize the dangers of such database bias. The authors attempted to compensate for a different source of bias: the tendency for certain families of enzymes to be overrepresented or underrepresented in sequence data relative to the frequency with which those enzymes occur in nature. EX2028 (Rost 2002 (p. 596)) (“A principal problem of any database analysis is that of bias related to the experimental focus of the groups that deposit their information. . . . If we reduce the bias, we compare one representative of each family against all others.”); EX2019 (Tian (Abstract, pp. 863-864, 871)) (“Thus, SWISSPROT is a biased database dominated by a few functional families”), (“the distribution of enzyme sequences in the SWISSPROT database is biased and different from that in a real genome”). The authors attempted to reduce this source of bias by adjusting their datasets to be more representative of the naturally occurring proteins that they sought to annotate: “If we want to estimate the accuracy in transferring function *in the context of genome annotation*, we have to base our analysis on data sets that have a redundancy similar to that of entire proteomes.” EX2028 (Rost 2002 (pp. 605-606)) (emphasis added); *see* EX2019 (Tian (Abstract, pp. 863, 873)) (“we employ a strategy similar to Rost’s to reduce the database bias; however, we classify enzyme families based not only on sequence

[REDACTED]

similarity, but also on functional similarity”). This does not mean, however, that their results can be further extended to artificial variant sequences (and the authors did not suggest doing so).

42. The POSA would have had additional reservations about extending the conclusions of Tian to variants of RdpA. As Dr. Bollinger emphasizes, Tian relied on sequences with EC classifications, using the EC classification as a proxy for function. EX2015, ¶¶ 30-35. Tian, for example, limited its analysis to a subset of sequences that had been assigned EC numbers, while excluding sequences that lacked EC numbers or that were assigned incomplete or multiple EC numbers. EX2019 (Tian (pp. 865, 876)). Due to this methodology, Tian would have excluded RdpA from its dataset: the EC numbers assigned to RdpA and SdpA were added to the list of EC numbers by amendment in 2013. EX1076, 11-12 (IUBMB Website) (“EC 1.14.11.43 (S)-dichlorprop dioxygenase (2-oxoglutarate) (22 October 2013); EC 1.14.11.44 (R)-dichlorprop dioxygenase (2-oxoglutarate) (22 October 2013)”). Tian’s dataset also would have excluded TfdA, which has not been assigned a complete (four-digit) EC number. EX1077, 3 (UniProtKB P10088 TFDA_CUPPJ) (“EC:1.14.11.-”). Dr. Bollinger has not provided any reason to believe that RdpA or any other herbicide-degrading α KG dioxygenase was considered by Tian or any of the other papers.

43. Finally, Tian did not indicate, and the POSA would not assume, that

[REDACTED]

each protein having the same EC number will degrade an identical set of substrates. As Dr. Bollinger states, a four-digit EC number typically specifies a chemical reaction on a particular substrate. EX2015, ¶ 23. However, the EC number does not specify the details of a particular protein's activity, such as the complete list of substrates it can use. Thus, "there may be considerable variation between two proteins of identical EC numbers." EX2028 (Rost 2002 (p. 605)) ("[T]he full EC number does not describe all the details about a particular function: there may be considerable variation between two proteins of identical EC numbers."). Tian affirmatively excluded "multifunctional" enzymes that had been assigned multiple EC numbers, and the authors did not describe any analysis of the remaining enzymes that could support the assumption that all the proteins assigned to a given EC number use the same set of substrates. That matters here because the claims of the challenged patents require degradative activity on multiple substrates (achiral phenoxy auxins like 2,4-D, (*R*)-phenoxy auxins, and (*R*)-FOPs).

44. As already noted, Tian itself states that its findings are applicable to the annotation of newly discovered genomic sequences, not artificial sequences. EX2019 (Tian (p. 876)) ("Our results suggest that *for function annotation on genome sequences*, . . . to transfer all four digits of an EC number, above 60% sequence identity is needed to have above 90% accuracy.") (emphasis added). Dr. Bollinger does not cite any reference that applies Tian's conclusions (or the

[REDACTED]

conclusions of Tian’s predecessors) to a set of artificial sequence variants.

45. For similar reasons, the other papers cited by Dr. Bollinger do not support the notion that a sequence identity threshold could be used to predict the function of artificial RdpA variants. EX2015, ¶¶ 101-103. Like Tian, those papers addressed the evolutionary relationships between proteins identified through genome sequencing projects, and the challenges of annotating those sequences. *E.g.*, EX2028 (Rost 2002 (p. 605)) (“The differences between the biased and unbiased estimates impact estimates for errors in genome annotations.”); EX2024 (Wilson (p. 245)) (“The sequence-structure and sequence-function relationships described here provide practical information for genome annotation in terms of folds and functions.”); EX2026 (Devos (p. 106)) (“In addition to the practical implications for function annotation, the results presented here can be interpreted in terms of protein evolution.”); EX2027 (Todd (Abstract, p. 1113)) (exploring “the mechanisms for generating functional diversity during evolution” and “[t]he implications of functional diversity within superfamilies for the structural genomics projects”). They considered EC numbers as a proxy for function, relied on information from Swiss-Prot and other databases which were dominated by naturally occurring protein sequences, and in most cases focused on sequences corresponding to known structures or particular protein families. EX2024 (Wilson (Abstract, pp. 233, 242)) (considering “~30,000 pairs of protein domains with known structure and

[REDACTED]

function”); EX2027 (Todd (Abstract, pp. 1113, 1115, 1136-1137)) (considering sequences from “enzyme superfamilies for which structural data are available” and noting that “[o]ur work depends upon both the reliability of annotation in SWISS-PROT, and the accuracy of crystal structure and mutagenesis studies from which catalytic residues and reaction mechanisms are inferred”); EX2028 (Rost 2002 (p. 605)) (relying on sequences from Swiss-Prot); EX2026 (Devos (pp. 99-100) (relying on “7,162 alignments . . . selected” from a protein structure alignment database and EC numbers or functional keywords from Swiss-Prot). As such, these studies are no more generalizable to artificially generated variant sequences than Tian.

46. Dr. Bollinger’s only cited support for the proposition that the POSA would have applied a sequence identity threshold to “new protein variants” is Minshull, an article published around April 2005. EX2015, ¶¶ 52, 107, 109; EX2025 (Minshull 2005). However, I disagree that Minshull suggests that the POSA would have extended the findings of Tian or the articles it builds upon to artificial variants.

47. Minshull does not refer to Tian or otherwise suggest that Tian’s 60% threshold of sequence identity could be used to predict the function of an artificially generated variant sequence. Minshull observes that evolutionarily related proteins (homologues) with similar functions can be useful as inputs (or “donors”) for protein engineering, such as through the use of DNA shuffling. EX2025 (Minshull (pp. 203-

204)). Minshull states that “orthologous protein[]” sequences, naturally occurring sequences with shared evolutionary ancestry that catalyze the same reaction, “are thus a potentially rich source of information regarding sequence changes that are acceptable without drastically disrupting protein function.” EX2025 (Minshull (pp. 202-03)). But Minshull observes that “[p]rediction of protein function from sequence and structure is a difficult problem, because homologous proteins often have different functions.” EX2025 (Minshull (p. 203)) (emphasis added). Minshull further observes that, “[i]n the absence of *reliable* functional assignments,” “the simplest method for identifying potential donors” for a protein engineering research project is to look for sequences “with reasonable amino acid identity.” EX2025 (Minshull (p. 204)) (emphasis added) (citing Todd, discussed above).

48. Minshull’s discussion of evolutionarily related sequences as possible inputs or “donors” for an extensive protein engineering research project would not have suggested to the POSA that one could use a sequence identity threshold to predict the function of artificially generated variant sequences. The passage Dr. Bollinger cites about “orthologous” sequences is discussing naturally occurring proteins, not artificial variants, and Minshull recognizes that, even then, predicting protein function is a “difficult problem.” (Minshull (pp. 202-03)). Minshull recognizes that artificially generated variants (for example, through the use of DNA shuffling) had to be screened for activity. *E.g.*, EX2025 (Minshull (pp. 202-03))

[REDACTED]

("[L]ibraries of 10,000 or more recombinants must typically be screened to identify those with useful improvements. High-throughput screening of protein function itself presents some problems, primary amongst which is the frequent lack of good correlation between a screen that is simple and one that accurately predicts function under application conditions."). Thus, Minshull illustrates that the POSA would not have relied on a sequence identity threshold to predict the activity of artificially generated variants.

49. I note that Dr. Bollinger also cites prior art referring to a "twilight zone" where it is difficult to tell if naturally occurring proteins evolved from a common ancestor based on a comparison of their amino acid sequences. EX2015, ¶ 28 (citing EX2021 (Rost 1999 (p. 85)), EX2023 (Chung (p. 1123))). The cited literature discusses the use of sequence comparisons to illuminate the "evolutionary relatedness of proteins," not to predict the function of artificially generated variants. *See* EX2023 (Chung (p. 1123)) ("The twilight zone is an operationally defined term. It represents a range of sequence identity that sets the boundary of confidence levels for detecting evolutionary relatedness of proteins in sequence alignment analysis."); EX2021 (Rost 1999 (p. 85)) (contrasting a "midnight zone" of proteins "that may have become similar by convergent or divergent evolution" with the "twilight zone" and asking "is the twilight zone defined by a particular feature of evolution?"); EX2024 (Wilson (p. 234)) ("the 'twilight zone,' the region of sequence similarity

[REDACTED]

that does not reliably imply structural homology”).

50. I understand that Corteva has suggested in a brief to the Board that, at my deposition, I indicated I was “not surprised” that enzymes with about 60% sequence identity had the same function, and that this somehow supports the use of a sequence identity threshold to predict variant function. I disagree with that characterization of my testimony. At my deposition, I was asked about a paper I published in 1993 which notes that Fe-protein sequences identified in five species are approximately 60% identical. EX2016, 70:18-72:19; EX2043 (Hausinger 1993 (pp. 13486-13487)). Referring to this paper, counsel for Corteva asked if it was “surprising to you to see that proteins having 60 percent identity had the same function,” and I responded that “I was not surprised that these enzymes had this level of sequence identity.” EX2016, 72:13-72:19. Counsel for Corteva did not ask me why I was not surprised, but the reason is that this particular enzyme family is believed to be very old. The members of the family are distantly related over millions of years of evolution, which has allowed the sequences to diverge while retaining activity. *See* EX1083 (Weiss) (suggesting that a nitrogenase enzyme was present in the last universal common ancestor). Counsel for Corteva did not ask me if I agree that a threshold of 60% sequence identity can be used to predict the function of artificially generated variant sequences, and my opinion is that a threshold cannot be used in this way.

[REDACTED]

E. The prior art showed that herbicide degrading α KG dioxygenases with at least 85% sequence identity can have different enantioselectivities

51. In addition to the issues discussed above, Saari 1998 and Saari 1999 would have caused the POSA not to extend Tian's conclusions to the RdpA variants in the claims of the challenged patents. The Saari references reported that enantioselective herbicide-degrading α KG dioxygenases with sequence identities of at least 85% had different enantioselectivities. EX1041 (Saari 1999 (Abstract, pp. 421, 426-427)); EX1040 (Saari 1998 (Abstract, pp. 71-74, 86-94)); EX1054, ¶¶ 54, 90-91, 109. That is consistent with the discussion in Schleinitz 2004 that while "[t]he basis of the enantiospecificity of the dichlorprop-cleaving enzymes is not known," it is "likely" that "substrate specificity is determined by only a few amino acids." EX1042 (Schleinitz 2004 (pp. 5362-5363)). The POSA would have considered studies of enantioselective herbicide-degrading α KG dioxygenases such as Saari 1998, Saari 1999, and Schleinitz 2004 to be more relevant and informative to the claimed RdpA variants than any "general rule" derived from Tian or the papers it built upon. The POSA would not have ignored this information and simply assumed that a sequence with at least 60% identity to RdpA would have the claimed (*R*)-enantioselective activity, or that a sequence with at least 85% identity to RdpA would have the claimed (*R*)-enantioselective activity, as Dr. Bollinger suggests, irrespective of whether those sequences also maintained the AAD-1 motif set forth



in the claims. *See* EX2015, ¶¶ 109, 123.

52. Dr. Bollinger offers three general criticisms of Saari 1999. First, he states that “Saari 1999 never specifically attributed (*R*)-enantioselective activity to the *A. denitrificans* enzyme sequence that they presented.” EX2015, ¶ 125. Dr. Bollinger is mistaken, because Saari 1999 does attribute the (*R*)-enantioselective activity to the *A. denitrificans* sequence. For example, the Abstract states:

Although the *A. denitrificans* activity exhibited stereospecificity opposite to that of the JMP134 and RASC strains, its cofactor requirements were found to be characteristic of an α -KG-dependent dioxygenase. ***A PCR amplification product from the DNA of this strain was shown to encode an amino acid sequence that was 95% and 86% identical to the corresponding region of TfdA in RASC and JMP134, respectively. Thus, closely related herbicide-degrading gene products appear to be capable of exhibiting opposite stereochemical degradative capabilities.***

EX1041 (Saari 1999 (Abstract, p. 421)) (emphasis added).

53. Second, Dr. Bollinger suggests that Saari’s conclusions are somehow unsupported because “the only functional characterization of the (*R*)-enantioselective activity in *A. denitrificans* involved the use of cell extracts,” as opposed to purified recombinant enzymes. EX2015, ¶ 125. I disagree that the POSA would have discounted our findings on this basis. The POSA would have appreciated that cell extracts are commonly used when purified proteins are not

available. *E.g.*, EX1036 (Nickel 1997); EX1031 (Kohler 1999); EX1001 ('555 Pat.), 22:11-22, 46:8-28. In addition, we employed several different approaches to ensure that the activity we reported was due to an (*R*)-enantioselective herbicide-degrading α KG dioxygenase.

54. As I observed during my deposition, care must be taken when using cell extracts in colorimetric assays, because if other substances are present they could potentially give false readings due to nonspecific activity. EX2016, 41:19-43:12; EX2015, ¶ 127. For this reason, the study reported in Saari did not rely solely on colorimetric assays. We also used high-performance liquid chromatography (“HPLC”) to quantify the substrate (*R*)-dichlorprop as it was degraded. EX1041 (Saari 1999 (pp. 425-427 & Fig. 4)) (“Dichlorprop was quantitated by using chiral HPLC”). We varied the iron and cofactor concentrations to confirm that the *A. denitrificans* herbicide-degrading activity displayed the hallmarks of an α KG dioxygenase, EX1041 (Saari 1999 (p. 426)) (“The *A. denitrificans* activity was dependent on α -KG and ferrous ion, and was rapidly lost (in 2 min) in the absence of ascorbic acid. These cofactor requirements are characteristic of α -KG-dependent dioxygenases”), and we confirmed that the herbicide-degrading activity we observed was selective for the substrate (*R*)-dichlorprop, EX1041 (Saari 1999 (pp. 425-427 & Fig. 4)); *see* EX1040 (Saari 1998 (pp. 71-89)). These techniques served to confirm that we were not seeing nonspecific activity due to other substances in the extract.

[REDACTED]

Dr. Bollinger did not address these aspects of Saari or explain why he thinks the POSA would have considered them deficient. *See* EX2015, ¶ 125. He also does not point to any scientific evidence that would suggest that the (*R*)-enantioselective *A. denitrificans* activity is attributable to a protein encoded by a different amino acid sequence than the protein we identified in Saari, and I am not aware of any such scientific evidence.

55. Third, Dr. Bollinger offers the opinion that his criticisms of Saari find support in Vedler and Schleinitz 2004. EX2015, ¶¶ 128-129. I disagree. As I noted in my first declaration, Vedler provided the full-length sequence of the *A. denitrificans* TfdA-like protein we had identified. EX1054, ¶ 109. Vedler did not perform any functional characterization of that enzyme or offer any findings inconsistent with ours. Instead, Vedler simply made a prediction that the *A. denitrificans* TfdA-like protein would have TfdA-like activity based on its percentage sequence identity compared to that of other TfdA enzymes. EX1046 (Vedler (pp. 7162-7165 & Table 1)). Vedler never cites Saari, much less criticizes Saari's findings, and Vedler never suggests that predictions based on sequence data are more reliable than Saari's biochemical assays. To the contrary, Vedler would have reinforced for the POSA the problem with relying on sequence identity to predict function.

56. Likewise, Schleinitz 2004 did not state that Saari 1999's conclusions



were somehow unreliable or present inconsistent data. As already discussed above, the authors of Schleinitz 2004 reached conclusions about RdpA that are entirely consistent with Saari's conclusions: They agreed that the enantioselectivity of herbicide-degrading α KG dioxygenase enzymes likely depends on a relatively small number of unidentified amino acids in the sequence. See EX1042 (Schleinitz 2004 (pp. 5362-5363)) ("the basis of the enantiospecificity of the dichlorprop-cleaving enzymes is not known"), (it is "likely . . . that substrate specificity is determined by only a few amino acids"), ("studies are needed to reveal the molecular basis of the substrate specificity and stereospecificity of RdpA and SdpA"); EX1041 (Saari 1999 (Abstract, pp. 421, 427)) ("closely related herbicide-degrading gene products appear to be capable of exhibiting opposite stereochemical degradative capabilities"), ("the ability for closely related enzymes to recognize opposite stereoisomers has precedent. . . . closely related enzymes exhibit opposite substrate stereoselectivities due to differences in a few charged residues at the active site"); EX1054, ¶ 91. Thus, rather than undermining Saari 1999 as Dr. Bollinger suggests, Schleinitz 2004 would have reinforced to the POSA that sequence identity cannot be used to predict the (*R*)-enantioselective activity required by the claims of the challenged patents. The POSA would have understood Schleinitz 2004's observation that our findings in Saari were "not supported by *tfdA* expression studies or amino acid sequences of the *R*-dichlorprop cleaving dioxygenase" in context, as recognizing that additional

investigation remained to be done on the *A. denitrificans* enzyme we had discussed in Saari.⁴ EX1042 (Schleinitz 2004 (p. 5362)).

57. I disagree with Dr. Bollinger that because RdpA and SdpA have approximately 30% sequence identity, Saari 1999 “has essentially no bearing on RdpA (AAD-1).” EX2015, ¶ 124. Saari 1999 was one of the few prior art papers reporting (*R*)-enantioselective herbicide-degrading α KG dioxygenase activity. The POSA would have considered the findings in Saari 1999 (and Saari 1998) highly relevant to RdpA, the only other (*R*)-enantioselective herbicide-degrading α KG dioxygenase reported in the prior art. The POSA would have understood from Saari that herbicide-degrading α KG dioxygenases with sequence identities of at least 85% could have opposite stereoselectivity and that reaction stereochemistry depends on relatively few amino acids. EX1041 (Saari 1999 (Abstract, pp. 421, 427)) (“closely related herbicide-degrading gene products appear to be capable of exhibiting opposite stereochemical degradative capabilities”), (“the ability for closely related enzymes to recognize opposite stereoisomers has precedent. . . . closely related enzymes exhibit opposite substrate stereoselectivities due to differences in a few

⁴ The discussion at EX2015, ¶ 129 appears to incorrectly equate *D. acidovorans*, discussed on p. 5357 of Schleinitz 2004, with *A. denitrificans*. They are two different bacterial species.

[REDACTED]

charged residues at the active site”). This information would be relevant to the POSA on the question of whether the challenged patents described the set of (*R*)-enantioselective herbicide-degrading α KG dioxygenase enzymes having at least 85% sequence identity. Because neither the challenged patents nor the 2004/2005 Applications identify any amino acids that were responsible for RdpA’s (*R*)-enantioselective activity, and because the amino acids responsible for such activity were not known in the prior art, *see* EX1042 (Schleinitz 2004 (pp. 5362-5363)), the POSA had no way to know without trial-and-error experimentation whether any given variant with at least 85% identity to RdpA would degrade (*R*)-herbicides, as required by the claims. If anything, the large number of differences between the RdpA and SdpA amino acid sequences would have made it harder, not easier, to identify the amino acids that are important to RdpA’s (*R*)-enantioselective activity. Dr. Bollinger never asserts, and neither the challenged patents nor the prior art could support, that the POSA would have believed that *only* variants with 30% identity to RdpA or less could have (*S*)-enantioselective activity. Saari reported that TfdA-like sequences with much greater percentage sequence identity had opposite enantioselectivity, and Schleinitz 2004 supported that conclusion, stating that the different activities of RdpA and SdpA were “likely” attributable to “a few amino acids.” EX1042 (Schleinitz 2004 (pp. 5362-5363)).

58. Dr. Bollinger’s opinions are further negated by the fact that our findings

in Saari 1998 and Saari 1999 had precedent in the prior art. To illustrate this, we cited work by Nakajima et al., which demonstrates how reaction stereochemistry can depend on only a handful of amino acids. EX1041 (Saari 1999 (pp. 427-428)); EX2053 (Nakajima 1998). Dr. Bollinger acknowledges that the two TR enzymes discussed in Nakajima share 64% sequence identity, but catalyze reactions with opposite stereochemistry. EX2015, ¶ 123. However, Dr. Bollinger suggests that this information is not relevant because 64% is “well below the 85% minimum sequence identity disclosed in” the challenged patents. EX2015, ¶ 123. I disagree with that opinion.

59. First, Nakajima 1998 demonstrates why the POSA would not have relied on the 60% sequence identity threshold discussed in Tian in the way proposed by Dr. Bollinger. Tian itself indicates that even though the TR enzymes discussed in Nakajima have greater than 60% sequence identity, they have different EC numbers and functions. EX2019 (Tian (pp. 880-882 & Table A1)):

<i>Global sequence identity 60–70%</i>				
1.1.1.1 (Alcohol dehydrogenase)	1.1.1.2 (Alcohol dehydrogenase (NADP ⁺))	ADH1_ALLMI	ADH4_RANPE	62
1.1.1.149 (20- α -Hydroxysteroid dehydrogenase)	1.1.1.188 (Prostaglandin-F synthase)	PE2R_RAT	PGF2_BOVIN	67
1.1.1.149 (20- α -Hydroxysteroid dehydrogenase)	1.1.1.50 (3- α -Hydroxysteroid dehydrogenase (B-specific))	PE2R_RAT	DIDH_RAT	67
1.1.1.149 (20- α -Hydroxysteroid dehydrogenase)	1.3.1.20 (<i>trans</i> -1,2-Dihydrobenzene-1,2-diol dehydrogenase)	PE2R_RAT	DBDD_HUMAN	68
1.1.1.188 (Prostaglandin-F synthase)	1.1.1.50 (3- α -Hydroxysteroid dehydrogenase (B-specific))	PGF2_BOVIN	DIDH_RAT	69
1.1.1.206 (Tropine dehydrogenase)	1.1.1.236 (Tropinone reductase)	TRN1_DATST	TRN2_DATST	61
1.1.1.27 (L-lactate dehydrogenase)	1.1.1.37 (Malate dehydrogenase)	LDH_BOTBR	MDH_RHILV	68
1.1.1.50 (3- α -Hydroxysteroid dehydrogenase (B-specific))	1.3.1.20 (<i>trans</i> -1,2-Dihydrobenzene-1,2-diol dehydrogenase)	DIDH_RAT	DBDD_HUMAN	69
1.13.11.31 (Arachidonate 12-lipoxygenase)	1.13.11.33 (Arachidonate 15-lipoxygenase)	LOXE_MOUSE	LOX1_HUMAN	66

Thus, the POSA would have recognized that Tian’s 60% sequence identity threshold

does not apply to these enzymes.⁵

60. Second, Nakajima 1998 does not support the proposition that the difference in the TR enzymes' activities is due to having an overall sequence identity of less than 85%. Based on the x-ray crystal structures of the two TR enzymes and additional structural modeling work, the authors concluded that the TR enzymes' overall structure was almost identical, so the reaction stereochemistry likely depended on less than a dozen amino acids involved in substrate binding. EX2053 (Nakajima 1998 (Abstract, pp. 4876, 4878-4879 & Fig. 3, 4880-4881)). Thus, Nakajima indicates that the difference in activity is due to less than 11 amino acids, which is less than 5% of each TR enzyme's amino acid sequence. EX2053 (Nakajima 1998 (p. 4879 & Fig. 3)); *see* EX1078 (Nakajima 1999 (p. 16563)). In June 1999, around the same time we published Saari 1999, the same research group reported the results of a follow-up study involving site-directed mutagenesis of the TR enzymes. EX1078 (Nakajima 1999). They reported that "[s]ubstitution of five amino acid residues resulted in an almost complete reversal of stereospecificity."

⁵ Tian Table A1 provides a "global identity" of 61% for the TR enzymes, while Nakajima 1998 provides a value of 64%. EX2053 (Nakajima 1998 (Abstract, p. 4876)). As Tian recognizes, sequence identity can be calculated in multiple ways, EX2019 (Tian (p. 865)), but both values exceed the 60% threshold in Tian.

[REDACTED]

EX1078 (Nakajima 1999 (Abstract, p. 4876)). This reinforces the work reported in Nakajima 1998 and demonstrates that variant sequences differing by just 5 amino acids (approximately 2% of each TR enzyme's sequence) can catalyze different reactions.

61. Dr. Bollinger tries to discount this precedent by asserting that the POSA would have viewed Nakajima as a “rare exception[]” to the “general rule.” EX2015, ¶ 123. He does not cite any support for that characterization, and I disagree with his opinion. It was well known in 2004-2005 that stereospecificity can depend on a few amino acids. *E.g.*, EX1079 (Valmsen); EX1081 (Ijima); *see also* EX1082 (Baerga-Ortiz) (published 2006); EX1080 (Coffa) (published September 2005). From such literature, the POSA would have understood that variants with 85% or more sequence identity can catalyze different reactions. Saari 1998 and Saari 1999 demonstrated that this principle applies in the particular context of enantioselective herbicide-degrading α KG dioxygenases, and the discussion in Schleinitz 2004 regarding the amino acids responsible for RdpA's (*R*)-enantioselectivity supports that understanding.

F. The challenged patents do not disclose representative species

62. Dr. Bollinger offers the opinion that the “AAD-1 enzymes” in the challenged patents “would have been considered representative of the AAD-1 enzymes of the claims, which is further confirmed by the consistent conservation of

[REDACTED]

the AAD-1 motif and high (89-90%) sequence identity in Bayer's FT (AAD-1) enzymes." EX2015, ¶¶ 136-137. As I explained in my first declaration, I disagree that the sequences in the challenged patents are representative of the claimed "AAD-1 proteins." EX1054, ¶¶ 81-87. In addition, I disagree with Dr. Bollinger that Bayer/Monsanto's work suggests otherwise.

63. While Dr. Bollinger cites Larue 2019 (EX1052), the six FT sequences he discusses were published several years earlier, on April 21, 2016, in a Bayer/Monsanto patent application. EX1017 ("April 2016 publication"). The April 2016 publication predated Corteva's October 2016 submission of claims to proteins defined by an "AAD-1 motif" and 85% sequence identity. EX1054, ¶¶ 60-62. Figures 6A-6E of the April 2016 publication include the amino acid sequence of RdpA (SEQ ID NO:60) and twenty-two engineered amino acid sequences. EX1017, Figs. 6A-6E, [0020]. As I have indicated in the attached annotated copy of Figures 6A-6E (EX1084), and as shown in the excerpt below, the engineered amino acid sequences in Figs. 6A-6E include the six FT sequences cited by Dr. Bollinger (FT_5, FT_T, FT_R, FT_C, FT_Tv3, and FT_Tv7):

PROTECTIVE ORDER MATERIAL

RdpA	SEQ ID NO:60	MHAALSPISQRFERIAVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
	SEQ ID NO:1	MHAALSPISQRFERIAVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
	SEQ ID NO:4	MHAALSPISQRFERIAVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
	SEQ ID NO:7	MHAALSPISQRFERIAVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
	SEQ ID NO:9	MHAALSPISQRFERIAVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
FT_5	SEQ ID NO:11	MHAALSPISQRFERIAVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
FT_T	SEQ ID NO:14	MHAALTPLTNKYRFIDVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
FT_R	SEQ ID NO:18	MHAALTPLTNKYRFIDVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
	SEQ ID NO:22	MHAALSPISQRFERIAVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
	SEQ ID NO:25	MHAALTPLTNKYRFIDVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
FT_C	SEQ ID NO:28	MHAALTPLTNKYRFIDVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
	SEQ ID NO:31	MHAALSPISQYRFIDVQPLTGVLGAEITGVTLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
	SEQ ID NO:34	MHAALTPLTNKYRFIDVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
	SEQ ID NO:37	MHAALTPLTNKYRFIDVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
	SEQ ID NO:40	MHAALTPLTNKYRFIDVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
	SEQ ID NO:43	MHAALTPLTNKYRFIDVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
	SEQ ID NO:46	MHAALTPLTNKYRFIDVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
FT_Tv3	SEQ ID NO:47	MHAALTPLTNKYRFIDVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
	SEQ ID NO:48	MHAALTPLTNKYRFIDVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
	SEQ ID NO:49	MHAALTPLTNKYRFIDVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
	SEQ ID NO:50	MHAALTPLTNKYRFIDVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
FT_Tv7	SEQ ID NO:51	MHAALTPLTNKYRFIDVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
	SEQ ID NO:52	MHAALTPLTNKYRFIDVQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70
Consensus		MHAALPL.....I-VQPLTGVLGAEITGVDLREPLDSDSTWNEILDAFHITYQVIYFPGQAITNEQHIAF	70

FIG.6A

EX1084; *see* EX1017, Figs. 6A-6E; EX1052 (Larue 2019 (p. 2088)); EX2015, ¶¶ 136-137; EX2061. I have highlighted the residues in the six FT sequences (but not the other sixteen sequences) that differ from the residues in RdpA; these are the same modifications depicted in Dr. Bollinger's sequence alignment (EX2061). EX1084; EX2061.

64. As Dr. Bollinger emphasizes, the Bayer/Monsanto FT enzymes in the April 2016 publication have approximately 89%-90% sequence identity to RdpA, EX2015, ¶¶ 136-137; in contrast, the sequences in the challenged patents are approximately 99% identical to RdpA, EX1054, ¶¶ 82-83 (citing EX1008 ('406

[REDACTED]

Appl. & File History), COR-AAD1-00000471 (Wright-I Decl. App’x II)). As explained in the April 2016 publication and Larue 2019, the Bayer/Monsanto FT enzymes resulted from extensive research performed by Bayer/Monsanto scientists. That work involved mutagenesis, making and testing thousands of amino acid sequences and performing multiple rounds of screening, and generating crystal structures. *See* EX1017, [0065]-[0074], [0081]-[0094]; EX1052 (Larue 2019 (pp. 2087-2092)).

G. Corteva’s internal data

65. In my first declaration, I explained that during the prosecution of the application that issued as the ’555 patent, one of the named inventors, Dr. Terry Wright, submitted two declarations to the Patent Office. EX1054, ¶ 97. Dr. Wright’s first declaration, dated April 10, 2019, included test results for nine “AAD-1 variants,” designated as “Seq 01” through “Seq 09,” with “~94-95%” sequence identity to “AAD-1 (SEQ ID NO: 9).” EX1008 (’406 Appl. & File History), COR-AAD1-00000462-63, COR-AAD1-00000472-74 (Wright-I Decl. ¶¶ 14-15, App’x III); EX1054, ¶ 97. In Seq 01, Seq 02, and Seq 03, the “AAD-1 motif” from claim 2 was “intact.” *Id.* In Seq 04 through Seq 09, the “AAD-1 motif” from claim 2 was modified by substituting one of the required amino acids with a different amino acid (“single aa change to motif residues”). *Id.*

66. The document at pp. 433-44 of EX2002 is [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED] EX2002, pp.

433-44. This document shows that [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED] EX2002, pp. 434. [REDACTED]

[REDACTED] *Id.* [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED] EX2002, p. 434; *see* EX1008, COR-AAD1-00000472-74 (Wright-I Decl. App’x III).

67. The [REDACTED] document indicates that [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

EX2002, pp. 435-437. [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

68. For the reasons explained in my first declaration and above, the POSA would conclude that Corteva’s named inventors did not have possession of the claimed “AAD-1” proteins prior to at least October 7, 2016, even without reviewing Corteva’s internal documents. Nevertheless, Corteva’s internal documents would

[REDACTED]

further reinforce the POSA's conclusion in that regard.

IV. GROUNDS IIA-IIB

69. Dr. Bollinger offers the opinion that “[a]s of 2004-2005, a person of ordinary skill in the art would not have reasonably expected that RdpA could degrade FOP herbicides, which are a unique class of herbicides compared to phenoxy auxins.” EX2015, ¶ 144. In support of that opinion, he notes that “FOPs are significantly larger than phenoxy auxins” and adds that “[t]he additional steric bulk in the FOPs would have led a person of skill in the art to doubt that an enzyme that efficiently degrades a phenoxy auxin would also degrade a FOP.” EX2015, ¶ 145. As discussed in Sections III.A-III.B above, neither the challenged patents nor the prior art identify the amino acids responsible for RdpA's (*R*)-enantioselective activity, and therefore the POSA would have lacked information critical to understanding which RdpA variants with at least 85% identity to RdpA and the claimed “AAD-1 motif” would have the function required by the challenged claims. In addition, the challenged patents fail to explain how the differences in size between phenoxy auxin herbicides and (*R*)-FOPs, which Dr. Bollinger focuses on, are accounted for in preparing such variants in order for a given variant to have the activity required by the challenged claims.

* * *




70. In signing this declaration, I understand that the declaration will be filed as evidence in a contested case before the Patent Trial and Appeal Board of the United States Patent and Trademark Office. I acknowledge that I may be subject to cross-examination in this case and that cross-examination will take place within the United States. If cross-examination is required of me, I will appear for cross-examination within the United States during the time allotted for cross-examination.

71. I declare that all statements made herein of my knowledge are true, and that all statements made on information and belief are believed to be true, and that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code.

Date: July 1, 2024


Robert P. Hausinger, Ph.D.



APPENDIX 1

TABLE OF EXHIBITS

<u>Exhibit No.</u>	<u>Short Citation</u>	<u>Full Citation</u>
EX1001	'555 Pat.	U.S. Patent No. 10,947,555
EX1002	'283 Pat.	U.S. Patent No. 11,149,283
EX1003	'785 Pat.	U.S. Patent No. 11,299,745
EX1004	'052 Provisional Appl.	U.S. Provisional Application No. 60/567052
EX1005	'7893 Appl. & File History	U.S. Application No. 11/587893 and File History
EX1006	'813 Appl. & File History	U.S. Application No. 12/951813 and File History
EX1007	'0893 Appl. & File History	U.S. Application No. 14/820893 and File History
EX1008	'406 Appl. & File History	Certified U.S. Application No. 15/288,406 and File History
EX1009	'824 Appl. & File History	U.S. Application No. 17/143,824 and File History
EX1010	'966 Appl. & File History	Certified U.S. Application No. 17/175,966 and File History
EX1011	'476 Appl. & File History	Certified U.S. Application No. 17/403,476, and File History



<u>Exhibit</u> <u>No.</u>	<u>Short Citation</u>	<u>Full Citation</u>
EX1012		Accession No. AAS49436.1, submitted Feb. 04, 2004
EX1013	Schleinitz	Accession No. AF516751, published Aug. 6, 2002
EX1014		Accession No. AF516752, published Aug. 6, 2002
EX1015		Accession No. AJ628856, published March 3, 2004
EX1016		Accession No. Q8KSC8, published Oct. 1, 2002
EX1017	April 2016 Publication	U.S. Patent Pub. No. 2016/0108422
EX1018	Bayley 1992	C. Bayley et al., <i>Engineering 2,4-D Resistance into Cotton</i> , 83 THEORETICAL & APPLIED GENETICS 645-649 (1992)
EX1019	Chekan 2019	J.R. Chekan et al., <i>Molecular Basis for Enantioselective Herbicide Degradation Imparted by Aryloxyalkanoate Dioxygenases in Transgenic Plants</i> , 27 PROC. NAT'L ACAD. SCI. 13299-13304 (2019)
EX1020	Chekan 2019 Suppl. Info.	J.R. Chekan et al., <i>Supplementary Information, Molecular Basis for Enantioselective Herbicide Degradation Imparted by Aryloxyalkanoate Dioxygenases in Transgenic Plants</i> , 27 PROC. NAT'L ACAD. SCI. 13299-13304 (2019)
EX1021	Corteva '437	U.S. Patent Pub. No. 2005/107437
EX1022	Cutler 1999	BIOLOGICALLY ACTIVE NATURAL PRODUCTS: AGROCHEMICALS (H.G. Cutler & S.J. Cutler, eds. 1999)

<u>Exhibit</u> <u>No.</u>	<u>Short Citation</u>	<u>Full Citation</u>
EX1023	Elkins 2002	J.M. Elkins, R.P. Hausinger et al., <i>X-ray Crystal Structure of Escherichia coli Taurine/α-Ketoglutarate Dioxygenase Complexed to Ferrous Iron and Substrates</i> , 41 BIOCHEMISTRY 5185-5192 (2002)
EX1024	Fukumori & Hausinger 1993	F. Fukumori & R.P. Hausinger, <i>Alcaligenes Eutrophus JMP134 "2,4-Dichlorophenoxyacetate Monooxygenase" Is an α-Ketoglutarate-Dependent Dioxygenase</i> , 175 J. BACTERIOLOGY 2083-2086 (1993)
EX1025	Hausinger 2004	R. Hausinger, <i>Fe(II)/α-Ketoglutarate-Dependent Hydroxylases and Related Enzymes</i> , 39 CRIT. REV. BIOCHEM. MOLECULAR BIO. 21-68 (2004)
EX1026	Hee 1981	S.S.Q. Hee & R.G. Sutherland, <i>I PHENOXYALKANOIC HERBICIDES: CHEMISTRY, ANALYSIS, AND ENVIRONMENTAL POLLUTION</i> (1981)
EX1027	Hogan 2000	D.A. Hogan, R.P. Hausinger et al., <i>Site-Directed Mutagenesis of 2,4-Dichlorophenoxyacetic Acid/α-Ketoglutarate Dioxygenase. Identification of Residues Involved in Metallocenter Formation and Substrate Binding</i> , 275 J. BIO. CHEM. 12400-12409 (2000)
EX1028	Hotopp 2001	J.C. Dunning Hotopp & R.P. Hausinger, <i>Alternative Substrates of 2,4-Dichlorophenoxyacetate/α-Ketoglutarate Dioxygenase</i> , 15 J. MOLECULAR CATALYSIS B: ENZYMATIC 155-162 (2001)
EX1029	Hotopp 2002	J.C. Dunning Hotopp & R.P. Hausinger, <i>Probing the 2,4-Dichlorophenoxyacetate/α-Ketoglutarate Dioxygenase Substrate Binding Site by Site-Directed Mutagenesis and Mechanism-Based Inactivation</i> , 41 BIOCHEMISTRY 9787-9794 (2002)

<u>Exhibit</u> <u>No.</u>	<u>Short Citation</u>	<u>Full Citation</u>
EX1030	Jepson	U.S. Patent Pub. No. 2003/0041357
EX1031	Kohler 1999	H.P.E. Kohler, <i>Sphingomonas herbicodovorans MH: A Versatile Phenoxyalkanoic Acid Herbicide Degradar</i> , 23 J. INDUS. MICROBIO. & BIOTECH. 336-340 (1999)
EX1032	Lyon 1989	B.R. Lyon et al., <i>Expression of a Bacterial Gene in Transgenic Tobacco Plants Confers Resistance to the Herbicide 2,4-Dichlorophenoxyacetic Acid</i> , 13 PLANT MOLECULAR BIO. 533-540 (1989)
EX1033	Lyon 1993	B.R. Lyon et al., <i>Cotton Plants Transformed with Bacterial Degradation Gene Are Protected from Accidental Spray Drift Damages by the Herbicide 2,4-Dichlorophenoxyacetic Acid</i> , 2 TRANSGENIC RES. 162-169 (1993)
EX1034	Müller 2001	R.H. Müller et al., <i>Physiological and Genetic Characteristics of Two Bacterial Strains Utilizing Phenoxypropionate and Phenoxyacetate Herbicides</i> , 156 MICROBIO. RES. 121-131 (2001)
EX1035	Müller 2006	T.A. Müller, R.P. Hausinger et al., <i>Structural Basis for the Enantiospecificities of R- and S-Phenoxypropionate/α-Ketoglutarate Dioxygenases</i> , 15 PROTEIN SCI. 1356-1368 (2006)
EX1036	Nickel 1997	K. Nickel et al., <i>Involvement of Two α-Ketoglutarate-Dependent Dioxygenases in Enantioselective Degradation of (R)- and (S)-Mecoprop by Sphingomonas herbicodovorans MH</i> , 179 J. BACTERIOLOGY 6674-6679 (1997)

<u>Exhibit</u> <u>No.</u>	<u>Short Citation</u>	<u>Full Citation</u>
EX1037	Otoxby 1990	E. Otoxby & M.A. Hughes, <i>Engineering Herbicide Tolerance into Crops</i> , 8 TIBTECH 61-65 (1990)
EX1038	Perkins 1987	E.J. Perkins et al., <i>Use of Alcaligenes eutrophus as a Source of Genes for 2,4-D Resistance in Plants</i> , 35 WEED SCI. 12-18 (1987)
EX1039	Rao 2000	PRINCIPLES OF WEED SCIENCE (V.S. Rao, ed., 2d ed. 2000)
EX1040	Saari 1998	R.E. Saari, Substrate Specificity and Spectroscopic Properties of 2,4-Dichlorophenoxyacetic Acid/ α -Ketoglutarate Dioxygenase, Doctoral Thesis, Mich. State Univ. (July 6, 1998)
EX1041	Saari 1999	R.E. Saari, R.P. Hausinger, et al., <i>Stereospecific Degradation of the Phenoxypropionate Herbicide Dichlorprop</i> , 6 J. MOLECULAR CATALYSIS B: ENZYMATIC 6 421-428 (1999)
EX1042	Schleinitz 2004	K.M. Schleinitz et al., <i>Localization and Characterization of Two Novel Genes Encoding Stereospecific Dioxygenases Catalyzing 2(2,4-Dichlorophenoxy)Propionate Cleavage in Delftia acidovorans MC1</i> , 70 APPLIED & ENVTL. MICROBIO. 5357-5365 (2004)
EX1043	Streber	U.S. Patent No. 6,153,401
EX1044	Streber 1987	W.R. Streber et al., <i>Analysis, Cloning, And High-Level Expression of 2,4-Dichlorophenoxyacetate Monooxygenase Gene tfdA of Alcaligenes eutrophus</i> JMP134, 169 J. BACTERIOLOGY 2950-2955 (1987)
EX1045	Streber 1989	W.R. Streber & L. Willmitzer, <i>Transgenic Tobacco Plants Expressing a Bacterial Detoxifying Enzyme</i>

<u>Exhibit</u> <u>No.</u>	<u>Short Citation</u>	<u>Full Citation</u>
		<i>Are Resistant to 2,4-D</i> , 7 BIOTECHNOLOGY 811-816 (1989)
EX1046	Vedler 2004	E. Vedler et al., <i>The Completely Sequenced Plasmid pEST4011 Contains a Novel IncP1 Backbone and a Catabolic Transposon Harboring tfd Genes for 2,4-Dichlorophenoxyacetic Acid Degradation</i> , 186 J. BACTERIOLOGY 7161-7174 (2004)
EX1047	Westendorf 2002	A. Westendorf et al., <i>The Two Enantiospecific Dichloroprop/α-Ketoglutarate Dioxygenases from Delftia acidovorans MC1-Protein and Sequence Data of RdpA and SdpA</i> , 157 MICROBIO. RES. 317-322 (2002)
EX1048	Westendorf 2003	A. Westendorf et al., <i>Purification and Characterization of the Enantiospecific Dioxygenases from Delftia acidovorans MC1 Initiating the Degradation of Phenoxypropionate and Phenoxyacetate Herbicides</i> , 23 ACTA BIOTECHNOLOGY 3-17 (2003)
EX1050		First Amended Complaint, <i>Corteva Agriscience LLC v. Monsanto Co.</i> , No. 1:22-cv-1046-GBW (D. Del.), D.I. 68, excluding exhibits
EX1051	Krausz 1993	R.F. Krausz et al., <i>Soybean (Glycine max) Tolerance to 2,4-D Ester Applied Preplant</i> , 7 WEED TECH. 906-910 (1993)
EX1052	Larue 2019	C.T. Larue et al., <i>Development of Enzymes for Robust Aryloxyphenoxypropionate and Synthetic Auxin Herbicide Tolerance Traits in Maize and Soybean Crop</i> , 75 PEST MGMT. SCI. 2086-2094 (2019)
EX1055		Curriculum Vitae of Robert P. Hausinger, Ph.D.

<u>Exhibit</u> <u>No.</u>	<u>Short Citation</u>	<u>Full Citation</u>
EX1056		Joint Claim Construction Chart, <i>Corteva Agriscience LLC v. Monsanto Co.</i> , No. 1:22-cv-1046-GBW (D. Del.), D.I. 82
EX1062	MSU Library Website	<i>Finding Dissertations and Theses: Home</i> , MICH. STATE UNIV., https://libguides.lib.msu.edu/dissertations (accessed June 14, 2023)
EX1072		Deposition Transcript of J. Martin Bollinger, Ph.D. (June 21, 2024)
EX1073		Curriculum Vitae of Robert P. Hausinger, Ph.D. (updated)
EX1074	Bairoch	A. Bairoch & R. Apweiler, <i>The SWISS-PROT Protein Sequence Data Bank and Its Supplement TrEMBL in 1999</i> , 27 Nucleic Acids Res. 49-54 (1999)
EX1075	UniProt Website	<i>Does UniProt KB Contain All Protein Sequences?</i> , UNIPROT, https://www.uniprot.org/help/uniprotkb_coverage (last updated Apr. 27, 2022)
EX1076	IUBMB Website	<i>Proposed Changes to the Enzyme List</i> , NOMENCLATURE COMM. OF THE INT’L UNION OF BIOCHEMISTRY & MOLECULAR BIO., https://iubmb.qmul.ac.uk/enzyme/supplements/sup2013/newenz4.html#1141144 (last updated Mar. 1, 2024)
EX1077	UniProtKB P10088 TFDA_CUP PJ	P10088 TFDA_CUPPJ, UNIPROT, https://www.uniprot.org/uniprotkb/P10088/entry (last updated Mar. 27, 2024)
EX1078	Nakajima 1999	K. Nakajima et al., <i>Site-directed Mutagenesis of Putative Substrate-binding Residues Reveals a Mechanism Controlling the Different</i>

<u>Exhibit</u> <u>No.</u>	<u>Short Citation</u>	<u>Full Citation</u>
		<i>Stereospecificities of Two Tropinone Reductases</i> , 23 J. BIO. CHEM. 16563-16568 (1999)
EX1079	Valmsen	K. Valmsen et al., <i>Structural and Functional Comparison of 15 S- and 15 R-Specific Cyclooxygenases from the Coral Plexaura Homomalla</i> , 271 Eur. J. Biochem. 3533-3538 (2004)
EX1080	Coffa	G. Coffa et al., <i>On the Relationships of Substrate Orientation, Hydrogen Abstraction, and Product Stereochemistry in Single and Double Dioxygenations by Soybean Lipoxygenase-1 and Its Ala542Gly Mutant</i> , 280 J. BIO. CHEM. 38756-38766 (2005)
EX1081	Ijima	Y. Ijima et al., <i>Inversion of Enantioselectivity of Asymmetric Biocatalytic Decarboxylation by Site-Directed Mutagenesis based on the Reaction Mechanism</i> , 2005 CHEM. COMM. 877-879
EX1082	Baerga-Ortiz	A. Baerga-Ortiz et al., <i>Directed Mutagenesis Alters the Stereochemistry of Catalysis by Isolated Ketoreductase Domains from the Erythromycin Polyketide Synthase</i> , 13 CHEM. & BIO. 277-285 (2006)
EX1083	Weiss	M. Weiss et al., <i>The Physiology and Habitat of the Last Universal Common Ancestor</i> , 1 NAT. MICROBIOL. 16116 (2016)
EX1084		Annotated Excerpt of U.S. Patent Publication No. 2016/0108422 (EX1017), Figs. 6A-6E
EX2001	Fukumori	F. Fukumori & R.P. Hausinger, <i>Purification and Characterization of 2,4-Dichlorophenoxyacetate/α-Ketoglutarate Dioxygenase</i> , 268 J. Biol. Chem., 24311-24317 (1993)

<u>Exhibit</u> <u>No.</u>	<u>Short Citation</u>	<u>Full Citation</u>
EX2002, pp. 432- 444		Sealed Version of Defendants' Counterclaims to Plaintiff's Second Amended Complaint, <i>Corteva Agriscience LLC v. Monsanto Co.</i> , No. 22-cv-1046-GBW (D. Del.), D.I. 143 (excerpted pages 38 to 65 and accompanying exhibits) (CONFIDENTIAL – FILED UNDER SEAL)
EX2004		"Protein Sequences" (CONFIDENTIAL – FILED UNDER SEAL)
EX2012		GenBank Accession No. MH043112
EX2013		GenBank Accession No. MH043114
EX2014		GenBank Accession No. MH043115
EX2015		Declaration of J. Martin Bollinger (June 21, 2024)
EX2016		Deposition of Transcript of Robert P. Hausinger (Apr. 4, 2024)
EX2018	Robinson	P.K. Robinson, <i>Enzymes: Principles and Biotechnological Applications</i> , 59 ESSAYS BIOCHEM. 1-41 (2015)
EX2019	Tian	W. Tian & J. Skolnick, <i>How Well Is Enzyme Function Conserved as a Function of Pairwise Sequence Identity?</i> , 333 J. MOL. BIOL. 863-882 (2003)
RX2020	Tipton	K. Tipton & S. Boyce, <i>History of the Enzyme Nomenclature System</i> , 16 BIOINFORMATICS 34-40 (2000)

<u>Exhibit</u> <u>No.</u>	<u>Short Citation</u>	<u>Full Citation</u>
EX2021	Rost 1999	B. Rost, <i>Twilight Zone of Protein Sequence Alignments</i> , 12 PROTEIN ENGINEERING 85-94 (1999)
EX2023	Chung	S.Y. Chung & S. Subbiah, <i>A Structural Explanation for the Twilight Zone of Protein Sequence Homology</i> , 4 STRUCTURE 1123-1127 (1996)
EX2024	Wilson	C.A. Wilson et al., <i>Assessing Annotation Transfer for Genomics: Quantifying the Relations Between Protein Sequence, Structure and Function Through Traditional and Probabilistic Scores</i> , 297 J. MOL. BIOL. 233-249 (2000)
EX2025	Minshull	J. Minshull et al., <i>Predicting Enzyme Function from Protein Sequence</i> , 9 CURR. OPIN. CHEM. BIOL. 202-209 (2005)
EX2026	Devos	D. Devos & A. Valencia, <i>Practical Limits of Function Prediction</i> , 41 PROTEINS 98-107 (2000)
EX2027	Todd	A.E. Todd et al., <i>Evolution of Function in Protein Superfamilies, from a Structural Perspective</i> , 307 J. MOL. BIOL. 1113-1143 (2001)
EX2028	Rost 2002	B. Rost, <i>Enzyme Function Less Conserved than Anticipated</i> , 318 J. MOL. BIOL. 595-608 (2002)
EX2029	desJardins	M. desJardins et al., <i>Prediction of Enzyme Classification from Protein Sequence Without the Use of Sequence Similarity</i> , 5 PROC. INT. CONF. INTELL. SYST. MOL. BIOL. 92-99 (1997)
EX2030	Price	M.N. Price & A.P. Arkin, <i>PaperBLAST: Text Mining Papers for Information About Homologs</i> , 2 MSYSTEMS e00039 1-10 (2017)

<u>Exhibit</u> <u>No.</u>	<u>Short Citation</u>	<u>Full Citation</u>
EX2032	Galperin	M.Y. Galperin et al., <i>Analogous Enzymes: Independent Inventions in Enzyme Evolution</i> , 8 GENOME RES. 779-790 (1998)
EX2033	Dym	O. Dym & D. Eisenberg, <i>Sequence-Structure Analysis of FAD-Containing Proteins</i> , 10 PROTEIN SCI. 1712-1728 (2001)
EX2034	Minárik	P. Minárik et al., <i>Malate Dehydrogenases – Structure and Function</i> , 21 GEN. PHYSIOL. BIOPHYS. 257-265 (2002)
EX2035	Chaporro-Riggers	J.F. Chaparro-Riggers et al., <i>Better library Design: Data-Driven Protein Engineering</i> , 2 BIOTECHNOL. J. 180-191 (2007)
EX2037	Wedge	E. Wedge & L.O. Frøholm, <i>Human Antibody Response to a Group B Serotype 2a Meningococcal Vaccine Determined by Immunoblotting</i> , 51 INFECTION & IMMUNITY 571-578 (1986)
EX2038	Chica	R.A. Chica et al., <i>Semi-Rational Approaches to Engineering Enzyme Activity: Combining the Benefits of Directed Evolution and Rational Design</i> , 16 CURR. OPIN. BIOTECHNOL. 378-384 (2005)
EX2040	Altschul	S.F. Altschul et al., <i>Gapped BLAST and PSI-BLAST: A New Generation of Protein Database Search Programs</i> , 25 NUCLEIC ACIDS RES. 3389-3402 (1997)
EX2041	Müller	T. Müller & M. Vingron, <i>Modeling Amino Acid Replacement</i> , 7(6) J. COMPUTATIONAL BIO. 761-776 (2000)
EX2042	Schleinitz Excerpt	“Excerpt of Ex. 1042”

<u>Exhibit</u> <u>No.</u>	<u>Short Citation</u>	<u>Full Citation</u>
EX2043	Hausinger 1983	R.P. Hausinger & J.B. Howard, <i>Thiol Reactivity of the Nitrogenase Fe-Protein from Azotobacter vinelandii</i> , 258 J. BIO. CHEM. 13486-13492 (1983)
EX2044	Ng	P.C. Ng & S. Henikoff, <i>SIFT: Predicting Amino Acid Changes that Affect Protein Function</i> , 31 NUCLEIC ACIDS RES. 3812-3814 (2003)
EX2045		U.S. Patent No. 8,343,747 to Silverstone et al. (issued Jan. 1, 2013)
EX2046	Paine	J.A. Paine et al., <i>Improving the Nutritional Value of Golden Rice Through Increased Pro-Vitamin A Content</i> , 23 NATURE BIOTECH. 482-487 (2005)
EX2047	Llewelyn	M.B. Llewelyn et al., <i>Monoclonal Antibodies in Medicine</i> , 305 BRIT. MED. J. 1269-1272 (1992)
EX2048		GenBank Accession No. MH043108
EX2049		GenBank Accession No. MH043109
EX2050		GenBank Accession No. MH043110
EX2052	Last & Llewellyn	D.I. Last & D.J. Llewellyn, <i>A Detoxification Gene in Transgenic Nicotiana tabacum Confers 2,4-D Tolerance</i> , 47 WEED SCIENCE 401-04 (1999)
EX2053	Nakajima 1998	K. Nakajima et al., <i>Crystal Structures of Two Tropinone Reductases: Different Reaction Stereospecificities in the Same Protein Fold</i> , 95 PROC. NAT'L ACAD. SCI. USA 4876-4881 (1998)

<u>Exhibit</u> <u>No.</u>	<u>Short Citation</u>	<u>Full Citation</u>
EX2055	Duke	D.J. Llewellyn & D.I. Last, <i>Genetic Engineering of Crops for Tolerance to 2,4-D</i> , in HERBICIDE-RESISTANT CROPS 159-174 (S.O. Duke ed. 1996)
EX2056	Herbicide Handbook	Weed Sci. Soc’y of Am., <i>Herbicide Handbook</i> , 111-115, 133-135, 281-283, 453-454 (W.K. Vencill ed., 8th ed. 2002)
EX2057	Dayhoff	M.O. Dayhoff et al., <i>A Model of Evolutionary Change in Proteins</i> , 5 ATLAS OF PROTEIN SEQUENCE & STRUCTURE 345-352 (1978)
EX2058		MERRIAM-WEBSTER’S COLLEGIATE DICTIONARY 994-995 (10th ed. 2001)
EX2059	Larue 2023	C. Larue, <i>Oxygenase Enzymes for Agricultural Biotechnology Applications</i> , 9 AGRICULTURAL BIOCATALYSIS: ENZYMES IN AGRICULTURE AND INDUSTRY 245, 253-265 (2023)
EX2060	Cox	C. Cox, <i>Mecoprop (MCP)</i> , 24 J. PESTICIDE REFORM 10-14 (2004)
EX2061		“Sequence Alignment of Sequences from Exs. 2012-2014 and 2048-2050”

CERTIFICATE OF SERVICE

The undersigned certifies that a copy of the foregoing **Patent Owner's Second Unopposed Motion to Seal** was served electronically via email on July 3, 2024, in its entirety on the following:

Dov P. Grossman
Ben Picozzi
Williams & Connolly LLP
680 Maine Avenue SW
Washington, DC 20024
dgrossman@wc.com
bpicozzi@wc.com

Scott A. McKeown
Jonathan B. Roses
Charles T. Steenburg
Eric J. Rutt
Wolf, Greenfield & Sacks, P.C.
600 Atlantic Avenue
Boston, MA 02210-2206
SMcKeown-PTAB@WolfGreenfield.com
JRoses-PTAB@WolfGreenfield.com
Charles.Steenburg@WolfGreenfield.com
Eric.Rutt@WolfGreenfield.com

Petitioners have consented to service by email.

Dated: July 3, 2024

/William Esper/
William Esper
Legal Assistant and PTAB Coordinator
Finnegan, Henderson, Farabow,
Garrett & Dunner, LLP