

UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

COLLEGE PRODUCTS, INC.

Petitioner,

v.

INTIRION CORPORATION

Patent Owner

Case IPR2023-01041

Patent No. 9,791,206

NOTICE AND SUBMISSION OF REPLACEMENT EXHIBIT

EXHIBIT LIST

Exhibit No.	Description
1001	U.S. Patent No. 9,791,206
1002	Expert Declaration
1003	Prosecution File History, U.S. Patent No. 9,791,206
1004	Original Intirion Complaint Filed on June 8, 2022.
1005	College Products Motion to Dismiss for Improper Venue filed on September 27, 2022.
1006	Order Transferring case to Iowa filed on April 10, 2023.
1007	Email Admitting that Petitioner has Compulsory Counter claims dated May 3, 2022.
1008	U.S. Application No. 14/262,290 (“the ’290 Application”), published as U.S. Publication 2014/0251982.
1009	Exemplary embodiment Claim chart 9 sent by Intirion
1010	Email where Patent Owner construes certain terms
1011	U.S. Application No. 12/317,632 (“the ’632 Application”) published as U.S. Publication U.S. Pub. 2009/0188911 (“Emma”)
1012	“ISDU: Integrated Smoke detector Unit for Commercial Microwave Ovens”, Cory Lloyd <i>et. al</i> , Northeastern University (2007). (“ISDU”) [Replacement Exhibit]
1013	U.S. Patent No. 4,587,393 to Ueda (“Ueda”)
1014	U.S. Patent No. 4,496,817 to Smith (“Smith”)
1015	U.S. Patent No. 8,446,048 to Butt (“Butt”)
1016	Redline Comparison between 290 and Emma
1017	Iowa DJ Complaint
1018	Consolidation Order
1019	Summons return of service, dated June 8, 2022

Today, June 8, 2023, Petitioner College Products, Inc. (“Petitioner”) filed a Petition for Inter Partes Review for U.S. Patent No. 9,791,206, IPR IPR2023-01041 (“Petition”). Exhibit 1012 to the Petition is ISDU: Integrated Smoke detector Unit for Commercial Microwave Ovens”, Cory Lloyd et. al, Northeastern University (2007) (“ISDU”). When that exhibit was filed with the Petition, it was inadvertently filed without its cover page. Petitioner hereby files a replacement of Exhibit 1012 that includes the cover page. Because this replacement Exhibit 1012 is being filed on the same date as the Petition, Petitioner respectfully requests the original Exhibit 1012 be replaced with the replacement Exhibit 1012 attached hereto. Further, because this replacement Exhibit 1012 is being filed on the same date as the Petition, it should not affect the filing date afforded to the Petition.

Dated: June 8, 2023

Respectfully submitted,

/Domingo M. LLagostera/
Domingo M. LLagostera
Reg. No. 70,684
Counsel for Petitioner

CERTIFICATE OF SERVICE

I hereby certify that on this 8th day of June, 2023, a copy of this foregoing Notice and Submission of Replacement Exhibit were served by Federal Express on the following correspondence address of record for patent owner, pursuant to 37 C.F.R. §42.105(a):

WALKER & JOCKE CO., LPA
231 South Broadway Street
Medina, OH 44256

Courtesy copies of these documents were also sent via electronic mail to Patent Owner's litigation counsel listed below:

R. Scott Johnson
Thomas M. Patton
Cara S. Donels
FREDRIKSON & BYRON, P.A.
111 East Grand Avenue, Suite 301
Des Moines, IA 50309-1977
Telephone: (515) 242-8900
Facsimile: (515) 242-8950
rsjohnson@fredlaw.com
tpatton@fredlaw.com
cdonels@fredlaw.com

/Domingo M. LLagostera/
Domingo M. LLagostera
Reg. No. 70,684
Counsel for Petitioner