

PNAS

Proceedings of the National Academy of Sciences
of the United States of America

August 6, 2002 | vol. 99 | no. 16 | pp. 10229–10942 | www.pnas.org



Vasculature remodeling and adipose tissue mass
Protein structure of spider silk
Clogged gutter mechanism for protease inhibitors
Estimating prokaryotic diversity
Appraising the brain's energy budget

AUG 19 2002

Science Library
University of California
Riverside

Novartis Gene Therapies, Inc. et al. v. Genzyme Corporation
IPR2023-01045 (U.S. Patent 10,429,288)
Genzyme Exhibit 2006

PNAS

Proceedings of the National Academy of Sciences of the United States of America

Officers of the Academy

Bruce Alberts
President
James S. Langer
Vice President
R. Stephen Berry
Home Secretary
F. Sherwood Rowland
Foreign Secretary
Ronald L. Graham
Treasurer

Editor-in-Chief
Nicholas R. Cozzarelli

Associate Editor
Jack Halpern

Editorial Board
James P. Allison
Hans C. Andersen
Frederick M. Ausubel
Joseph A. Beavo
May R. Berenbaum
Howard C. Berg
Elwyn R. Berlekamp
Pamela J. Bjorkman
Piet Borst
David Botstein
Maurice B. Burg
Charles R. Cantor
Federico Capasso
Anthony Cerami
Alexandre J. Chorin

Maarten J. Chrispeels
Ralph J. Cicerone
Michael T. Clegg
John M. Coffin
Stanley N. Cohen
James E. Dahlberg
Pietro V. De Camilli
Peter B. Dervan
W. Ford Doolittle
Herman N. Eisen
W. G. Ernst
Anthony S. Fauci
Alan Fersht
Christopher B. Field
Joseph G. Gall
Joseph L. Goldstein
Susan Hanson
Henry C. Harpending
Robert Haselkorn
Peter M. Howey
Tony Hunter
Louis J. Ignarro
L. L. Iversen
Lily Y. Jan
H. Ronald Kaback
Richard V. Kadison
Samuel Karlin
Martin Karplus
Thomas J. Kelly
Robert P. Kirshner
Alexander M. Klibanov
John H. Law
Simon A. Levin
Michael S. Levine
Olli V. Lounasmaa

Anthony P. Mahowald
Philip W. Majerus
Philippa Marrack
Paul C. Martin
Joan Massagué
John J. Mekalanos
Henry Metzger
Barbara J. Meyer
Kiyoshi Mizuuchi
Paul L. Modrich
Peter B. Moore
Newton E. Morton
Jeremy Nathans
Roger A. Nicoll
Eric N. Olson
Peter Palese
Richard D. Palmiter
Michael I. Posner
Stanley B. Prusiner
Charles M. Radding
Marcus E. Raichle
Kenneth N. Raymond
Douglas C. Rees
Jeffrey W. Roberts
R. Michael Roberts
John Ross
Jeremy A. Sabloff
Thomas J. Sargent
Randy Schekman
Matthew P. Scott
Kai L. Simons
William S. Sly
Solomon H. Snyder
Ralph M. Steinman
Charles F. Stevens

Thomas P. Stossel
G. David Tilman
Robert Tjian
Olke C. Uhlenbeck
Inder M. Verma
Peter K. Vogt
Kenneth W. Wachter
Christopher T. Walsh
James C. Wang
Susan R. Wessler

Publisher
Kenneth R. Fulton

Executive Editor
Diane M. Sullenberger

Acting Managing Editor
Bridget C. Coughlin

Managing Editor
John M. Malloy

Editorial Manager
Daniel H. Salsbury

Production Manager
Jennifer L. Fleet

Assistant Production Manager
Barbara A. Bacon

Senior Editorial Coordinator
Shanteika L. Booze

Editorial Coordinators
Timothy Bauer
Michael Campbell

Renita M. Johnson
Kristen M. Lefebvre
Tom Myers
Reggie Wideman

Editorial Assistants
Mimi S. Clark
Leikny V. Johnson
Mike Kolakoski
Donna L. Taylor
Tanya D. Walker
Sarah M. Wassner
Daniel J. Whelan

Financial Manager
Paul R. Leider

Financial Associates
Julia A. Little
Latisha S. Watford

Subscription Manager
Deborah Martin

Financial/Subscription
Assistant
Evelyn A. Gudger

Office Manager
Mary Lou Aquilo

Communications
Specialist
Jill K. Locantore

Advertising Coordinator
David Kasmier

Proceedings of the National Academy of Sciences of the United States of America (ISSN-0027-8424) is published biweekly by the National Academy of Sciences. Correspondence: Proceedings of the National Academy of Sciences, 500 Fifth Street, NW, NAS 340, Washington, DC 20001 USA (via U.S. postal service) or 2101 Constitution Avenue, NW, NAS 340, Washington, DC 20418 USA (via courier or express mail). E-mail: PNAS@nas.edu.

Information for Authors: See pp. xiv-xvi (of this issue) or www.pnas.org.

Copyright: Volumes 99-99, copyright © 1993-2002 by the National Academy of Sciences of the United States of America, all rights reserved; Volumes 1-89, copyright as a collective work only [author(s) retains copyright to individual articles]. Requests for Permission: Address requests to reproduce material published in Volumes 1-89 to the original author(s); send other requests to the PNAS Office by e-mail (PNASPermissions@nas.edu), by fax (1-202-334-2739), or by letter addressed to: PNAS Permissions Editor, 500 Fifth Street, NW, NAS 340, Washington, DC 20001 USA. Please cite the exact material to be reprinted and state specifically where it will be used. Photocopies: The journal is registered with the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923 USA, fax 1-978-750-4470. Authorization to photocopy items for the internal or personal use of specific clients is granted by the National Academy of Sciences provided that the proper fee is paid directly to CCC. Microforms: Contact University Microfilms Inc., P.O. Box 1346, Ann Arbor, MI 48106-1346 USA. This journal is printed on acid-free paper effective with Volume 84, Issue 1.

Advertising: PNAS Advertising Sales, 500 Fifth Street, NW, NAS 340, Washington, DC 20001 USA. Phone 1-202-334-1386, fax 1-202-334-2738, e-mail PNASAds@nas.edu.

Subscriptions: Address correspondence to the PNAS Circulation Office, P.O. Box 631008, Baltimore, MD 21263 USA. For subscription help, e-mail subsnas@nas.edu or visit www.pnas.org. Subscriptions are entered on a calendar-year basis. The 2002 rates for print plus online/online only are as follows—in the U.S.: student/postdoctoral, n.a./\$25; personal, \$225/\$100; institutional, \$1100/n.a.—U.S. by First Class at a surcharge of \$160—elsewhere (institutional includes expedited delivery): student/postdoctoral, n.a./\$25; personal, \$375/\$100; institutional, \$1375/n.a.—elsewhere by expedited delivery at a surcharge of \$300. **Exclusive Agent for Subscribers in Japan:** USACO Corporation, 17-12 Higashi-Azabu, 2-Chome, Minato-ku, Tokyo 106-0044, Japan. Phone 81 3 3505 3256, fax 81 3 3505 6282, e-mail agent@usaco.co.jp. **Change of Address:** Notify the Circulation Office 6 weeks in advance and list the old and new addresses. PNAS is not responsible for nonreceipt of issues because of an improper address, unless a change of address is on file. **Claims:** Requests for replacement copies will not be honored more than 60 days after the issue date for domestic subscribers and not more than 90 days after the issue date for foreign subscribers. Claims will not be honored for more than 2 issues per calendar year for the same subscriber. **Single Copies:** \$35 per issue in the U.S., \$45 elsewhere. **Canadian GST:** Registration Number R-133130880.


Postmaster: Send address changes to PNAS, 500 Fifth Street, NW, NAS 340, Washington, DC 20001 USA. Periodicals postage paid at Washington, DC, and additional mailing offices.

PNAS is available online at www.pnas.org.

PRINTED IN THE USA

From the Cover

- 10730 Vasculature remodeling and adipose tissue mass
- 10266 Protein structure of spider silk
- 10316 Clogged gutter mechanism for protease inhibitors
- 10494 Estimating prokaryotic diversity
- 10765 Appraising the brain's energy budget
- 10771



Cover photograph: Artist's rendering of adipose tissue highlighting the abundant red blood vessels that course between yellow fat cells. The article by Rupnick *et al.* demonstrates that the growth of adipose tissue depends on support from blood vessels. The researchers were able to cause obese mice to lose substantial amounts of weight by causing blood vessels in fat to regress. Image created by Advanced Medical Graphics. See article by Rupnick *et al.* on pages 10730–10735.

CONTENTS

Contents

COMMENTARIES

- 10229 Progress on canalization
Stephen C. Stearns
→ See companion article on page 10528
- 10231 Glycosylation defining cancer malignancy: New wine in an old bottle
Sentiroh Hakomori
→ See companion article on page 10718
- 10234 How many species of prokaryotes are there?
Bess B. Ward
→ See companion article on page 10494
- 10237 Appraising the brain's energy budget
Marcus E. Raichle and Debra A. Gusnard
→ See companion articles on pages 10765 and 10771
- 10240 Nuclear-mediated mitochondrial gene regulation and male fertility in higher plants: Light at the end of the tunnel?
Roger P. Wise and Daryl R. Pring
→ See companion article on page 10887
- 10243 Imprinted gene expression, transplantation medicine, and the "other" human embryonic stem cell
Carmen Sapienza
→ See companion article on page 10599

PHYSICAL SCIENCES

APPLIED MATHEMATICS

- 10246 Numerical operator calculus in higher dimensions
Gregory Beylkin and Martin J. Mohlenkamp

- 10376 Concentration fluctuations in a mesoscopic oscillating chemical reaction system
Hong Qian, Saveez Saffarian, and Elliot L. Elson
- 10506 Supply-demand balance and metabolic scaling
Jayanth R. Banavar, John Damuth, Amos Maritan, and Andrea Rinaldo

APPLIED PHYSICAL SCIENCES

- 10252 Soft, conformable electrical contacts for organic semiconductors: High-resolution plastic circuits by lamination
Yueh-Lin Loo, Takao Someya, Kirk W. Baldwin, Zhenan Bao, Peter Ho, Ananth Dodabalapur, Howard E. Katz, and John A. Rogers
- 10257 Three-dimensional stellarator codes
P. R. Garabedian

CHEMISTRY

- 10260 *De novo* determination of peptide structure with solid-state magic-angle spinning NMR spectroscopy
Chad M. Rienstra, Lisa Tucker-Kellogg, Christopher P. Jaroniec, Morten Hohwy, Bernd Reif, Michael T. McMahon, Bruce Tidor, Tomás Lozano-Pérez, and Robert G. Griffin
- 10266 The molecular structure of spider dragline silk: Folding and orientation of the protein backbone
J. D. van Beek, S. Hess, F. Vollrath, and B. H. Meier

ENGINEERING

- 10807 *In vivo* quantification of localized neuronal activation and inhibition in the rat brain using a dedicated high temporal-resolution β^+ -sensitive microprobe
Frédéric Pain, Laurent Besret, Françoise Vaufray, Marie-Claude Grégoire, Laurent Pinot, Philippe Gervais, Lydie Ploux, Gilles Bloch, Roland Mastroripolito, Philippe Lanèce, and Philippe Hantraye

PHYSICS

- 10272 Strongly enhanced field-dependent single-molecule electroluminescence
Tae-Hee Lee, Jose I. Gonzalez, and Robert M. Dickson

BIOLOGICAL SCIENCES

APPLIED BIOLOGICAL SCIENCES

- 10276 Heterologous desensitization of opioid receptors by chemokines inhibits chemotaxis and enhances the perception of pain
Imre Szabo, Xiao-Hong Chen, Li Xin, Martin W. Adler, O. M. Z. Howard, Joost J. Oppenheim, and Thomas J. Rogers
- 10282 Mutations in the *DNAH11* (axonemal heavy chain dynein type 11) gene cause one form of situs inversus totalis and most likely primary ciliary dyskinesia
Lucia Bartoloni, Jean-Louis Blouin, Yanzhen Pan, Corinne Gehrig, Amit K. Maiti, Nathalie Scamuffa, Colette Rossier, Mark Jorissen, Miguel Armengot, Maggie Meeks, Hannah M. Mitchison, Eddie M. K. Chung, Celia D. Delozier-Blanchet, William J. Craigen, and Stylianos E. Antonarakis
- 10287 Biomaterial adherent macrophage apoptosis is increased by hydrophilic and anionic substrates *in vivo*
William G. Brodbeck, Jasmine Patel, Gabriela Voskerician, Elizabeth Christenson, Matthew S. Shive, Yasuhide Nakayama, Takehisa Matsuda, Nicholas P. Ziats, and James M. Anderson

BIOCHEMISTRY

- 10293 Disruption of PC1/3 expression in mice causes dwarfism and multiple neuroendocrine peptide processing defects
Xiaorong Zhu, An Zhou, Arunangsu Dey, Christina Norrbom, Raymond Carroll, Chunling Zhang, Virginie Laurent, Iris Lindberg, Randi Ugleholdt, Jens J. Holst, and Donald F. Steiner
- 10299 Severe block in processing of proinsulin to insulin accompanied by elevation of des-64,65 proinsulin intermediates in islets of mice lacking prohormone convertase 1/3
Xiaorong Zhu, Lelio Orci, Raymond Carroll, Christina Norrbom, Mariella Ravazzola, and Donald F. Steiner
- 10305 Two sequence motifs from HIF-1 α bind to the DNA-binding site of p53
Lars O. Hansson, Assaf Friedler, Stefan Freund, Stefan Rüdiger, and Alan R. Fersht
- 10310 The structure of a replication initiator unites diverse aspects of nucleic acid metabolism
Ramón Campos-Olivas, John M. Louis, Danielle Clérot, Bruno Gronenborn, and Angela M. Gronenborn
- 10316 A clogged gutter mechanism for protease inhibitors
Evette S. Radisky and Daniel E. Koshland, Jr.
- 10322 Riboflavin is a component of the Na⁺-pumping NADH-quinone oxidoreductase from *Vibrio cholerae*
Blanca Barquera, Weidong Zhou, Joel E. Morgan, and Robert B. Gennis

- 10325 Structure of decay-accelerating factor bound to echovirus 7: A virus-receptor complex
Yongning He, Feng Lin, Paul R. Chipman, Carol M. Bator, Timothy S. Baker, Menachem Shoham, Richard J. Kuhn, M. Edward Medof, and Michael G. Rossmann
- 10330 Absolute requirement of spermidine for growth and cell cycle progression of fission yeast (*Schizosaccharomyces pombe*)
Manas K. Chattopadhyay, Celia White Tabor, and Herbert Tabor
- 10335 Enzyme activity profiles of the secreted and membrane proteome that depict cancer cell invasiveness
Nadim Jessani, Yongsheng Liu, Mark Humphrey, and Benjamin F. Cravatt
- 10341 Nitric oxide is consumed, rather than conserved, by reaction with oxyhemoglobin under physiological conditions
Mahesh S. Joshi, T. Bruce Ferguson, Jr., Tae H. Han, Daniel R. Hydeke, James C. Liao, Tienush Rassaf, Nathan Bryan, Martin Feilisch, and Jack R. Lancaster, Jr.
- 10347 The multidrug transporter, P-glycoprotein, actively mediates cholesterol redistribution in the cell membrane
Alexia Garrigues, Alexandre E. Escargueil, and Stéphane Orlowski
- 10353 Mammalian mediator subunit mMED8 is an Elongin BC-interacting protein that can assemble with Cul2 and Rbx1 to reconstitute a ubiquitin ligase
Christopher S. Brower, Shigeo Sato, Chieri Tomomori-Sato, Takumi Kamura, Armin Pause, Robert Stearman, Richard D. Klausner, Sohail Malik, William S. Lane, Irina Sorokina, Robert G. Roeder, Joan Welky Conway, and Ronald C. Conway
- 10359 Experimental evaluation of topological parameters determining protein-folding rates
Erik J. Miller, Kael F. Fischer, and Susan Marqusee
- 10364 Nitric oxide-induced genotoxicity, mitochondrial damage, and apoptosis in human lymphoblastoid cells expressing wild-type and mutant p53
Chun-Qi Li, Laura J. Trudel, and Gerald N. Wogan

BIOPHYSICS

- 10266 The molecular structure of spider dragline silk: Folding and orientation of the protein backbone
J. D. van Beek, S. Hess, F. Vollrath, and B. H. Meier
- 10370 Structure of the voltage-gated L-type Ca²⁺ channel by electron cryomicroscopy
I. I. Serysheva, S. J. Ludtke, M. R. Baker, W. Chiu, and S. L. Hamilton
- 10376 Concentration fluctuations in a mesoscopic oscillating chemical reaction system
Hong Qian, Saveez Saffarian, and Elliot L. Elson
- 10382 Roles of mutation and recombination in the evolution of protein thermodynamics
Yu Xia and Michael Levitt
- 10388 The search for local native-like nucleation centers in the unfolded state of β -sheet proteins
Gregory V. Nikiforovich and Carl Frieden

- 10394 An atomically detailed study of the folding pathways of protein A with the stochastic difference equation
Avijit Ghosh, Ron Elber, and Harold A. Scheraga
- 10399 On the calculation of absolute macromolecular binding free energies
Hengbin Luo and Kim Sharp
- 10405 The atomic structure of adeno-associated virus (AAV-2), a vector for human gene therapy
Qing Xie, Weishu Bu, Smita Bhatia, Joan Hare, Thayumanasamy Somasundaram, Arezki Azzi, and Michael S. Chapman
- 10411 Smaller is better—but not too small: A physical scale for the design of the mammalian pulmonary acinus
Bernard Sapoval, M. Filoche, and E. R. Weibel
- CELL BIOLOGY**
- 10417 The threshold for polyglutamine-expansion protein aggregation and cellular toxicity is dynamic and influenced by aging in *Caenorhabditis elegans*
James F. Morley, Heather R. Brignull, Jill J. Weyers, and Richard I. Morimoto
- 10423 Peptide blockade of HIF α degradation modulates cellular metabolism and angiogenesis
Carsten Willam, Norma Masson, Ya-Min Tian, S. Aleema Mahmood, Michael I. Wilson, Roy Bicknell, Kai-Uwe Eckardt, Patrick H. Maxwell, Peter J. Ratcliffe, and Christopher W. Pugh
- 10429 Myc and Mad bHLHZ domains possess identical DNA-binding specificities but only partially overlapping functions *in vivo*
Leonard James and Robert N. Eisenman
- 10435 Increasing plant susceptibility to *Agrobacterium* infection by overexpression of the *Arabidopsis* nuclear protein VIP1
Tzvi Tzfira, Manjusha Vaidya, and Vitaly Citovsky
- 10441 C1qR ϕ defines a new human stem cell population with hematopoietic and hepatic potential
Guénahel H. Danet, Jennifer L. Luongo, Gary Butler, Min Min Lu, Andrea J. Tenner, M. Celeste Simon, and Dominique A. Bonnet
- 10446 Dynamic trafficking and delivery of connexons to the plasma membrane and accretion to gap junctions in living cells
Undine Lauf, Ben N. G. Giepmans, Patricia Lopez, Sébastien Braconnot, Shu-Chih Chen, and Matthias M. Falk
- 10452 Mechanisms of polarization of the shape of fibroblasts and epitheliocytes: Separation of the roles of microtubules and Rho-dependent actin-myosin contractility
T. Omelchenko, J. M. Vasiliev, I. M. Gelfand, H. H. Feder, and E. M. Bonder
- DEVELOPMENTAL BIOLOGY**
- 10458 Dissection of the c-Kit signaling pathway in mouse primordial germ cells by retroviral-mediated gene transfer
Maria P. De Miguel, Linzhao Cheng, Eric C. Holland, Mark J. Federspiel, and Peter J. Donovan
- 10464 Neuregulin-1 promotes formation of the murine cardiac conduction system
Stacey Rentschler, Jennifer Zander, Kathleen Meyers, David France, Rebecca Levine, George Porter, Scott A. Rivkees, Gregory E. Morley, and Glenn I. Fishman
- 10470 Neupilin-1 is required for vascular development and is a mediator of VEGF-dependent angiogenesis in zebrafish
Percy Lee, Katsutoshi Goishi, Alan J. Davidson, Robert Mannix, Leonard Zon, and Michael Klagsbrun
- 10476 Sonic hedgehog rescues cranial neural crest from cell death induced by ethanol exposure
Sara C. Ahlgren, Vijaya Thakur, and Marianne Bronner-Fraser
- 10482 Early restriction of peripheral and proximal cell lineages during formation of the lung
Anne-Karina T. Perl, Susan E. Wert, Andras Nagy, Corrinne G. Lobe, and Jeffrey A. Whitsett
- 10488 The essential role of Cited2, a negative regulator for HIF-1 α , in heart development and neurulation
Zhan Yin, Jennifer Haynie, Xiaoming Yang, Baoguang Han, Songsak Kiatchoosakun, Joseph Restivo, Saying Yuan, Nanduri R. Prabhakar, Karl Herrup, Ronald A. Conlon, Brian D. Hoit, Michiko Watanabe, and Yu-Chung Yang
- ECOLOGY**
- 10494 Estimating prokaryotic diversity and its limits
Thomas P. Curtis, William T. Sloan, and Jack W. Scannell
→ See commentary on page 10234
- 10500 A trophic cascade regulates salt marsh primary production
Brian Reed Silliman and Mark D. Bertness
- 10506 Supply–demand balance and metabolic scaling
Jayanth R. Banavar, John Damuth, Amos Maritan, and Andrea Rinaldo
- 10523 Evidence for the control of phytolith formation in *Cucurbita* fruits by the hard rind (*Hr*) genetic locus: Archaeological and ecological implications
Dolores R. Piperno, Irene Holst, Linda Wessel-Beaver, and Thomas C. Andres
- EVOLUTION**
- 10510 Intracellular gene transfer: Reduced hydrophobicity facilitates gene transfer for subunit 2 of cytochrome c oxidase
Daniel O. Daley, Rachel Clifton, and James Whelan
- 10516 The metapopulation genetic algorithm: An efficient solution for the problem of large phylogeny estimation
Alan R. Lemmon and Michel C. Milinkovitch
- 10522 Tracing the LINES of human evolution
Igor Ovchinnikov, Adrienne Rubin, and Gary D. Swergold
- 10528 Waddington's canalization revisited: Developmental stability and evolution
Mark L. Siegal and Aviv Bergman
→ See commentary on page 10229
- 10533 Sympatric speciation by sexual conflict
Sergey Gavrillets and David Waxman

- 10539 A strong signature of balancing selection in the 5' cis-regulatory region of *CCR5***
Michael J. Bamshad, Srinivas Mummidi, Enrique Gonzalez, Seema S. Ahuja, Diane M. Dunn, W. Scott Watkins, Stephen Wooding, Anne C. Stone, Lynn B. Jorde, Robert B. Weiss, and Sunil K. Ahuja
- 10545 A hemocyanin from the *Oncophophora* and the emergence of respiratory proteins**
Kristina Kusche, Hilke Ruhberg, and Thorsten Burmester
- GENETICS**
- 10549 Positional cloning of the gene *LIMBIN* responsible for bovine chondrodysplastic dwarfism**
Haruko Takeda, Marika Takami, Tomoko Oguni, Takehito Tsuji, Kazuhiro Yoneda, Hiroaki Sato, Naoya Ihara, Tomohito Itoh, Srinivas R. Kata, Yuji Mishina, James E. Womack, Yasuo Morimoto, Yoshikazu Sugimoto, and Tetsuo Kunieda
- 10555 Assigning numbers to the arrows: Parameterizing a gene regulation network by using accurate expression kinetics**
Michal Ronen, Revital Rosenberg, Boris I. Shraiman, and Uri Alon
- 10561 Patterned variation in murine MHC promoters**
N. Avrión Mitchison and Jürgen Roes
- 10567 Somatic stem cells and the kinetics of mutagenesis and carcinogenesis**
John Cairns
- 10571 Clusters of transcription-coupled repair in the human genome**
Jordi Surrallés, María J. Ramírez, Ricard Marcos, Adayapalam T. Natarajan, and Leon H. F. Mullenders
- 10575 High-resolution SNP mapping by denaturing HPLC**
Knud Nairz, Hugo Stocker, Benno Schindelhof, and Ernst Hafen
- 10581 A class B scavenger receptor mediates the cellular uptake of carotenoids in *Drosophila***
Cornelia Kiefer, Emerich Sumser, Mathias F. Wernet, and Johannes von Lintig
- 10587 Coordinated patterns of gene expression for substrate and energy metabolism in skeletal muscle of diabetic mice**
Vijay K. Yechoor, Mary-Elizabeth Patti, Robert Saccone, and C. Ronald Kahn
- 10593 Chimeric human CstF-77/*Drosophila* Suppressor of forked proteins rescue suppressor of forked mutant lethality and mRNA 3' end processing in *Drosophila***
Béatrice Benoit, François Juge, Florence Iral, Agnès Audibert, and Martine Simonelig
- 10599 Monoallelic expression and methylation of imprinted genes in human and mouse embryonic germ cell lineages**
Patrick Onyango, Shan Jiang, Hiroshi Uejima, Michael J. Shambloott, John D. Gearhart, Hengmi Cui, and Andrew P. Feinberg
→ See commentary on page 10243
- 10605 Previously uncharacterized genes in the UV- and MMS-induced DNA damage response in yeast**
Denise Hanway, Jodie K. Chin, Gang Xia, Guy Oshiro, Elizabeth A. Winzeler, and Floyd E. Romesberg
- 10611 Global analysis of stress-regulated mRNA turnover by using cDNA arrays**
Jinshui Fan, Xiaoling Yang, Wengong Wang, William H. Wood III, Kevin G. Becker, and Myriam Gorospe
- IMMUNOLOGY**
- 10617 Immunosuppressive effects of tautomycin *in vivo* and *in vitro* via T cell-specific apoptosis induction**
Jae-Hyuck Shim, Heung-Kyu Lee, Eun-Ju Chang, Wook-Jin Chae, Jin-Hwan Han, Duck-Jong Han, Tomohiro Morio, Jung-Jin Yang, Alfred Bothwell, and Sang-Kyou Lee
- 10623 In TH2 cells the *IL4* gene has a series of accessibility states associated with distinctive probabilities of IL-4 production**
Liyang Guo, Jane Hu-Li, Jinfang Zhu, Cynthia J. Watson, Michael J. Difilippantonio, Christophe Pannetier, and William E. Paul
- 10629 Differential presentation of a soluble exogenous tumor antigen, NY-ESO-1, by distinct human dendritic cell populations**
Yasuhiko Nagata, Satoru Ono, Mitsutoshi Matsuo, Sacha Gnajatic, Danila Valmori, Gerd Ritter, Wendy Garrett, Lloyd J. Old, and Ira Mellman
- MEDICAL SCIENCES**
- 10635 A human embryonic hemoglobin inhibits Hb S polymerization *in vitro* and restores a normal phenotype to mouse models of sickle cell disease**
Zhenning He and J. Eric Russell
- 10641 The crystal structure of human CD21: Implications for Epstein-Barr virus and C3d binding**
Andrea E. Prota, David R. Sage, Thilo Stehle, and Joyce D. Fingerhuth
- 10647 Urokinase plasminogen activator receptor: Prognostic biomarker for endometrial cancer**
Sanaz Memarzadeh, Katherine R. Kozak, Lisbeth Chang, Sathima Natarajan, Peter Shintaku, Srinivasa T. Reddy, and Robin Farias-Eisner
- 10653 Targeted mutagenesis of the murine transferrin receptor-2 gene produces hemochromatosis**
Robert E. Fleming, John R. Ahmann, Mary C. Migas, Abdul Waheed, H. Phillip Koeffler, Hiroshi Kawabata, Robert S. Britton, Bruce R. Bacon, and William S. Sly
- 10659 Erythropoietin administration protects retinal neurons from acute ischemia-reperfusion injury**
Anna K. Junk, Antonios Mammis, Sean I. Savitz, Manjeet Singh, Steven Roth, Samit Malhotra, Pearl S. Rosenbaum, Anthony Cerami, Michael Brines, and Daniel M. Rosenbaum
- 10665 Increased expression of urokinase during atherosclerotic lesion development causes arterial constriction and lumen loss, and accelerates lesion growth**
Mårten Falkenberg, Clifford Tom, Mary Beth DeYoung, Shan Wen, Ruth Linnemann, and David A. Dichek
- 10671 Tauroursodeoxycholic acid, a bile acid, is neuroprotective in a transgenic animal model of Huntington's disease**
C. Dirk Keene, Cecilia M. P. Rodrigues, Tacjana Eich, Manik S. Chhabra, Clifford J. Steer, and Walter C. Low

- 10677** *KRIT1*, a gene mutated in cerebral cavernous malformation, encodes a microtubule-associated protein
Murat Gunel, Maxwell S. H. Laurans, Dana Shin, Michael L. DiLuna, Jennifer Voorhees, Keith Choaate, Carol Nelson-Williams, and Richard P. Lifton
- 10683** Lytic replication-associated protein (RAP) encoded by Kaposi sarcoma-associated herpesvirus causes p21^{CIP-1}-mediated G₁ cell cycle arrest through CCAAT/enhancer-binding protein- α
Frederick Y. Wu, Qi-Qun Tang, Honglin Chen, Colette ApRhyas, Christopher Farrell, Jianmeng Chen, Masahiro Fujimuro, M. Daniel Lane, and Gary S. Hayward
- 10689** High diversity and rapid changeover of expressed var genes during the acute phase of *Plasmodium falciparum* infections in human volunteers
Jennifer Peters, Elizabeth Fowler, Michelle Gattton, Nanhua Chen, Allan Saul, and Qin Cheng
- 10695** Altered glycan-dependent signaling induces insulin resistance and hyperleptinemia
Donald A. McClain, William A. Lubas, Robert C. Cooksey, Mark Hazel, Glendon J. Parker, Dona C. Love, and John A. Hanover
- 10700** Clinical resistance to the kinase inhibitor STI-571 in chronic myeloid leukemia by mutation of Tyr-253 in the Abl kinase domain P-loop
Sergei Roumiantsev, Neil P. Shah, Mercedes E. Gorre, John Nicoll, Bradley B. Brasher, Charles L. Sawyers, and Richard A. Van Etten
- 10706** An anti-transferrin receptor-avidin fusion protein exhibits both strong proapoptotic activity and the ability to deliver various molecules into cancer cells
Patrick P. Ng, Jay S. Dela Cruz, David N. Sorour, James M. Stinebaugh, Seung-Uon Shin, Daniel S. Shin, Sherie L. Morrison, and Manuel L. Penicet
- 10712** Increased peripheral expansion of naive CD4⁺ T cells *in vivo* after IL-2 treatment of patients with HIV infection
Ven Natarajan, Richard A. Lempicki, Irini Sereti, Yunden Badralmaa, Joseph W. Adelsberger, Julia A. Metcalf, Darue A. Prieto, Randy Stevens, Michael W. Baseler, Joseph A. Kovacs, and H. Clifford Lane
- 10718** Up-regulation of plasma membrane-associated ganglioside sialidase (Neu3) in human colon cancer and its involvement in apoptosis suppression
Yoichiro Kakugawa, Tadashi Wada, Kazunori Yamaguchi, Hideaki Yamanami, Kiyooki Ouchi, Ikuro Sato, and Taeko Miyagi
→ See commentary on page 10231
- 10724** *NotI* subtraction and *NotI*-specific microarrays to detect copy number and methylation changes in whole genomes
Jingfeng Li, Alexei Protopopov, Fuli Wang, Vera Sentchenko, Valentin Petushkov, Olga Vorontsova, Lev Petrenko, Veronika Zaborovska, Olga Muravenko, Eleonora Braga, Lev Kisselev, Michael I. Lerman, Vladimir Kashuba, George Klein, Ingemar Ernberg, Claes Wahlestedt, and Eugene R. Zaborovsky
- 10730** Adipose tissue mass can be regulated through the vasculature
Maria A. Rupnick, Dipak Panigrahy, Chen-Yu Zhang, Susan M. Dallabrida, Bradford B. Lowell, Robert Langer, and M. Judah Folkman

MICROBIOLOGY

- 10736** Cellular transcriptional profiling in influenza A virus-infected lung epithelial cells: The role of the nonstructural NS1 protein in the evasion of the host innate defense and its potential contribution to pandemic influenza
Gary K. Geiss, Mirella Salvatore, Terrence M. Tumpey, Victoria S. Carter, Xiuyan Wang, Christopher F. Basler, Jeffery K. Taubenberger, Roger E. Bungartner, Peter Palese, Michael G. Katze, and Adolfo Garcia-Sastre
- 10742** A single *Photorhabdus* gene, makes caterpillars floppy (*mcf*), allows *Escherichia coli* to persist within and kill insects
P. J. Daborn, N. Waterfield, C. P. Silva, C. P. Y. Au, S. Sharma, and R. H. French-Constant
- 10748** The total influenza vaccine failure of 1947 revisited: Major intrasubtypic antigenic change can explain failure of vaccine in a post-World War II epidemic
Edwin D. Kilbourne, Catherine Smith, Ian Brett, Barbara A. Pokorny, Bert Johansson, and Nancy Cox
- 10753** Identification of quantitative trait loci controlling acute virulence in *Toxoplasma gondii*
Chunlei Su, Daniel K. Howe, J. P. Dubey, James W. Ajioka, and L. David Sibley
- 10759** Mycobacterial heparin-binding hemagglutinin and laminin-binding protein share antigenic methyllysines that confer resistance to proteolysis
Kevin Pethé, Pablo Bifani, Hervé Drobecq, Christian Sergheraert, Anne-Sophie Debré, Camille Loch, and Franco D. Menozzi

NEUROBIOLOGY

- 10765** Cerebral energetics and spiking frequency: The neurophysiological basis of fMRI
Arien J. Smith, Hal Blumenfeld, Kevin L. Behar, Douglas L. Rothman, Robert G. Shulman, and Fahmeed Hyder
→ See commentary on page 10237
- 10771** Total neuroenergetics support localized brain activity: Implications for the interpretation of fMRI
Fahmeed Hyder, Douglas L. Rothman, and Robert G. Shulman
→ See commentary on page 10237
- 10777** Mistargeting hippocampal axons by expression of a truncated Eph receptor
Yong Yue, Zhi-Yong Chen, Nick W. Gale, Jan Blair-Flynn, Tian-Jing Hu, Xin Yue, Margaret Cooper, David P. Crockett, George D. Yancopoulos, Lino Tessarollo, and Renping Zhou
- 10783** Graded contribution of the G $\beta\gamma$ binding domains to GIRK channel activation
Rona Sadja, Noga Alagem, and Eitan Reuveny
- 10789** Sex differences in the neural basis of emotional memories
Turhan Canli, John E. Desmond, Zuo Zhao, and John D. E. Gabrieli
- 10795** Ephrin-A5 restricts topographically specific arborization in the chick retinotectal projection *in vivo*
Takashi Sakurai, Eric Wong, Uwe Drescher, Hideaki Tanaka, and Daniel G. Jay

- 10801 Effects of aging on central and peripheral mammalian clocks**
Shin Yamazaki, Marty Straume, Hajime Tei, Yoshiyuki Sakaki, Michael Menaker, and Gene D. Block
- 10807 *In vivo* quantification of localized neuronal activation and inhibition in the rat brain using a dedicated high temporal-resolution β^+ -sensitive microprobe**
Frédéric Pain, Laurent Besret, Françoise Vaufray, Marie-Claude Grégoire, Laurent Pinot, Philippe Gervais, Lydie Ploux, Gilles Bloch, Roland Mastrapolito, Philippe Lanèce, and Philippe Hantraye
- 10813 α -Synucleinopathy and selective dopaminergic neuron loss in a rat lentiviral-based model of Parkinson's disease**
C. Lo Bianco, J.-L. Ridet, B. L. Schneider, N. Déglon, and P. Aebischer
- 10819 Brain monoglyceride lipase participating in endocannabinoid inactivation**
T. P. Dinh, D. Carpenter, F. M. Leslie, T. F. Freund, I. Katona, S. L. Sensi, S. Kathuria, and D. Piomelli
- 10825 Reduced fear expression after lesions of the ventral hippocampus**
Kirsten G. Kjelstrup, Frode A. Tuvnes, Hill-Aina Steffenach, Robert Murison, Edvard I. Moser, and May-Britt Moser
- 10831 A unified model of NMDA receptor-dependent bidirectional synaptic plasticity**
Harel Z. Shouval, Mark F. Bear, and Leon N Cooper
- 10837 Prominent neurodegeneration and increased plaque formation in complement-inhibited Alzheimer's mice**
Tony Wyss-Coray, Fengrong Yan, Amy Hsui-Ti Lin, John D. Lambris, Jessy J. Alexander, Richard J. Quigg, and Eliezer Masliah
- 10843 Clusterin promotes amyloid plaque formation and is critical for neuritic toxicity in a mouse model of Alzheimer's disease**
Ronald B. DeMattos, Mark A. O'dell, Maia Parsadanian, Jennie W. Taylor, Judith A. K. Harmony, Kelly R. Bales, Steven M. Paul, Bruce J. Aronow, and David M. Holtzman

PHARMACOLOGY

- 10849 Tetracyclines affect prion infectivity**
Gianluigi Forloni, Selina Iussich, Tazeen Awan, Laura Colombo, Nadia Angeretti, Laura Girola, Ilaria Bertani, Giorgio Poli, Maria Caramelli, Maria Grazia Bruzzone, Laura Farina, Lucia Limido, Giacomina Rossi, Giorgio Giaccone, James W. Ironside, Orso Bugiani, Mario Salmons, and Fabrizio Tagliavini
- 10855 Enhanced microtubule-dependent trafficking and p53 nuclear accumulation by suppression of microtubule dynamics**
Paraskevi Giannakakou, Michel Nakano, Kyriacos C. Nicolaou, Aurora O'Brate, Jian Yu, Mikhail V. Blagosklonny, Urs F. Greber, and Tito Fojo

PHYSIOLOGY

- 10861 Substrate-dependent reversal of anion transport site orientation in the human red blood cell anion-exchange protein, AE1**
Philip A. Knauf, Foon-Yee Law, Tze-Wah Vivian Leung, Austin U. Gehret, and Martha L. Perez

PLANT BIOLOGY

- 10865 Ubiquitin ligase-associated protein SGT1 is required for host and nonhost disease resistance in plants**
Jack R. Peart, Rui Lu, Ari Sadanandom, Isabelle Malcuit, Peter Moffett, David C. Brice, Leif Schauser, Daniel A. W. Jaggard, Shunyuan Xiao, Mark J. Coleman, Max Dow, Jonathan D. G. Jones, Ken Shirasu, and David C. Baulcombe
- 10870 Comprehensive analysis of gene expression in *Nicotiana tabacum* leaves acclimated to oxidative stress**
Eva Vranová, Sopapan Atichartpongkul, Raimundo Villarreal, Marc Van Montagu, Dirk Inzé, and Wim Van Camp
- 10876 Sucrose-mediated transcriptional regulation of sucrose symporter activity in the phloem**
Matthew W. Vaughn, Gregory N. Harrington, and Daniel R. Bush
- 10881 Tissue-specific silencing of a transgene in rice**
A. Klöti, X. He, I. Potrykus, T. Hohn, and J. Fütterer
- 10887 A pentatricopeptide repeat-containing gene restores fertility to cytoplasmic male-sterile plants**
Stéphane Bentolila, Antonio A. Alfonso, and Maureen R. Hanson
→ See commentary on page 10240
- 10893 C-terminal domain phosphatase-like family members (AtCPLs) differentially regulate *Arabidopsis thaliana* abiotic stress signaling, growth, and development**
Hisashi Koiki, Adam W. Barb, Liming Xiong, Fang Li, Michael G. McCully, Byeong-ha Lee, Irina Sokolchik, Jianhua Zhu, Zhizhong Gong, Muppala Reddy, Altanbadral Sharquhu, Yuzuki Manabe, Shuji Yokoi, Jian-Kang Zhu, Ray A. Bressan, and Paul M. Hasegawa
- 10899 Repression of stress-responsive genes by FIERY2, a novel transcriptional regulator in *Arabidopsis***
Liming Xiong, Hojoong Lee, Manabu Ishitani, Yuko Tanaka, Becky Stevenson, Hisashi Koiki, Ray A. Bressan, Paul M. Hasegawa, and Jian-Kang Zhu

POPULATION BIOLOGY

- 10905 Mitochondrial DNA and the origins of the domestic horse**
Thomas Jansen, Peter Forster, Marsha A. Levine, Hardy Oelke, Matthew Hurles, Colin Renfrew, Jürgen Weber, and Klaus Olek

PSYCHOLOGY

- 10911 Amplitude envelope onsets and developmental dyslexia: A new hypothesis**
Usha Goswami, Jennifer Thomson, Ulla Richardson, Rhona Stainthorpe, Diana Hughes, Stuart Rosen, and Sophie K. Scott
- 10917 The role of the parietal cortex in visual feature binding**
Keith M. Shafritz, John C. Gore, and René Marois

SOCIAL SCIENCES

ANTHROPOLOGY

- 10923 Evidence for the control of phytolith formation in *Cucurbita* fruits by the hard rind (*Hr*) genetic locus: Archaeological and ecological implications**
Dolores R. Piperno, Irene Holst, Linda Wessel-Beaver, and Thomas C. Andres

SOCIAL SCIENCES

- 10929 Can patient self-management help explain the SES health gradient?**
Dana P. Goldman and James P. Smith
- 10935 Emergency response to a smallpox attack: The case for mass vaccination**
Edward H. Kaplan, David L. Craft, and Lawrence M. Wein

CORRECTIONS

APPLIED BIOLOGICAL SCIENCES

- 10941 *In vitro* and *in vivo* studies of a VEGF₁₂₁/rGelonin chimeric fusion toxin targeting the neovasculature of solid tumors**
Liesbeth M. Veenendaal, Hangqing Jin, Sophia Ran, Lawrence Cheung, Nora Navone, John W. Marks, Johannes Waltenberger, Philip Thorpe, and Michael G. Rosenblum

BIOCHEMISTRY

- 10941 FRS2 α attenuates FGF receptor signaling by Grb2-mediated recruitment of the ubiquitin ligase Cbl**
Andy Wong, Betty Lamothe, Arnold Lee, Joseph Schlessinger, and Irit Lax

BIOPHYSICS

- 10941 CLOUDS, a protocol for deriving a molecular proton density via NMR**
Alexander Grishaev and Miguel Llinás

xi–xiii Author Index

xiv–xvi Information for Authors

xvii Sizing Worksheet/Submission Checklist Form

xviii Copyright Assignment/Documentation Report Form

xix–xxi Classified Advertisements

The atomic structure of adeno-associated virus (AAV-2), a vector for human gene therapy

Qing Xie^{*†}, Weishu Bu[†], Smita Bhatia[†], Joan Hare[†], Thayumanasamy Somasundaram[†], Arezki Azzi[†], and Michael S. Chapman^{*††}

^{*}Department of Chemistry and Biochemistry, and [†]Institute of Molecular Biophysics, Kasha Laboratory, Florida State University, Tallahassee, FL 32306-4380

Edited by Donald L. D. Caspar, Florida State University, Tallahassee, FL, and approved June 5, 2002 (received for review April 26, 2002)

The structure of the adeno-associated virus (AAV-2) has been determined to 3-Å resolution by x-ray crystallography. AAV is being developed as a vector for gene therapy to treat diseases including hemophilia, cancer, and cystic fibrosis. As in the distantly related autonomous parvoviruses, the capsid protein has a β -barrel fold, but long loops between the β -strands share little structural homology with other parvoviruses, leading to unique surface features. Most prominent are groups of threefold-related peaks, each an intimate association of loops from two neighboring subunits. Mutations affecting cell entry and receptor binding are clustered near the positively charged side of each peak, implicating the region in attachment to the cellular receptor, heparan sulfate proteoglycan. Amino acids involved in antibody binding are in the same general vicinity. The structure will guide rational engineering of vector capsids to tailor cellular targeting and to avoid immediate neutralization by an immune system sensitized by prior exposure to AAV.

Gene therapy is being developed as a treatment for a wide range of diseases for which a genetic cause or an inherited predisposition exists. Gene therapy involves the introduction of new genetic material to correct an abnormality, and one of the biggest challenges remains the development of suitable vectors for the delivery of DNA into targeted cells (1). Along with retroviruses and adenoviruses, recombinantly engineered adeno-associated viruses (rAAV) have emerged as leading candidates (2), in which the therapeutic DNA replaces much of the viral genome and is contained within the protein capsid shell. Each viral vector has its own utility. The advantages of AAV include transduction of nondividing cells and a mild immune reaction (3). Clinical trials with rAAV vectors are underway for treatment of several diseases including cystic fibrosis (4) and hemophilia (5), whereas success in animal models is encouraging development of treatments for high blood pressure (6), Parkinson's disease (7, 8), muscular dystrophy (9, 10), and many other afflictions.

The natural hosts of the wild-type virus are human. Indeed ~80% of the population is seropositive because of natural exposure to AAV (11, 12). However, AAV has not been associated with disease (13). The replication of AAV depends on coinfection by a helper virus, and no pathogenic effects apparently exist beyond those caused by the helper virus. The helper is usually adenovirus (14). Hence the name "adeno-associated virus" and their classification as "dependoviruses," although they share no other relation to adenoviruses. The dependence on a helper virus makes AAV a satellite virus, leading to technical challenges (see below) in this first structure determination of an animal satellite virus. Before replication, the natural life cycle involves latent integration of AAV's DNA into the host's. Wild-type AAV is the only known eukaryotic virus that integrates at a specific site in the human genome (15). Vector constructs have generally not taken advantage of this specificity, because the gene for the replication protein that encodes the site specificity is usually replaced.

Adeno-associated viruses are small single-stranded DNA viruses of the *Dependovirus* genus that constitute one of the four

Parvoviridae family genera (14). The other genera have no requirement for a helper virus, replicating autonomously. Atomic structures have been obtained for several from the *Parvovirus* genus. Canine parvovirus (CPV), feline panleukopenia virus, and minute virus of mouse share 50–97% capsid sequence identity, and similar three-dimensional structures (16–20). The genomic DNA is surrounded by a near-spherical protein shell that comprises 60 capsid protein subunits arranged with $T = 1$ icosahedral symmetry. The subunit has a β -barrel core that is common in viral capsid proteins (21). The structure of an insect parvovirus (*Densivirus*) is also known: the subunit fold is the same, but the loops are a total of ~130 residues shorter and most of the surface features of the capsid are truncated (22). Hitherto, high-resolution structure has not been available for *Dependoviruses* like AAV. The genetic organization is similar to other parvoviruses, but the capsid sequence identities are low (7–22%), less than between the rhino- and entero-subfamilies of picornaviruses (23), which indicates that homology between AAV and other parvoviruses might be limited. Indeed, recent electron microscopy images showed substantial differences in surface topology between AAV-2 and canine parvovirus (24). Although homology modeling has been attempted (see ref. 25, for example), an experimental atomic structure has been a high priority for development of viral gene therapy vectors.

AAV-2 is one of five distinct serotypes. Serotypes 1, 2, and 3 share ~85% capsid sequence identity, with 2 and 3 likely using the same cellular receptor, whereas serotypes 4 and 5 are more distantly related (~55% identity to each other and to AAV-2) and use different receptors (26, 27). The primary receptor for AAV-2 is heparan sulfate proteoglycan, but secondary receptors and alternative primary receptors may also be available (28–31). AAV-2 enters the cell through an endosomal route, is transported to the nucleus by motor proteins, and enters the nucleus, all within seconds (32, 33). Monoclonal antibodies have been used to study capsid assembly and to map sequence determinants of receptor attachment (see ref. 34, for example). Systematic mutagenesis has begun to yield the determinants of various phenotypes (see refs. 25, 35, and 36, for example), providing an emerging wealth of data to be integrated in mapping function to structure.

Materials and Methods

AAV-2 was propagated in cultured human cells that were infected with helper adenovirus. HeLa cells were transfected with the pAV2 clone then infected with adenovirus-2 (37, 38). Production was scaled-up by optimization of the timing of transfection/infection and by switching to suspension culture. AAV was purified by three CsCl-gradient sedimentations by ultracentrifugation for ~24 h in an SW55 swinging-bucket rotor

This paper was submitted directly (Track II) to the PNAS office.

Abbreviations: AAV, adeno-associated virus; CPV, canine parvovirus.

Data deposition: The atomic coordinates have been deposited in the Protein Data Bank, www.rcsb.org (PDB ID code 1LP3).

^{††}To whom reprint requests should be addressed. E-mail: chapman@sb.fsu.edu.

Table 1. Structure determination of AAV-2

Space group	P1	Unit cell	$a = b = 249.7 \text{ \AA}$, $c = 644.8 \text{ \AA}$, $\alpha = 90.0^\circ$, $\beta = 101.2^\circ$, $\gamma = 120.0^\circ$
Data processing (three-fold-expanded in pseudo-R3)		Noncrystallographic averaging	
Observations	747,988	Redundancy	180-fold
Unique reflections	495,356	Correlation coefficients	
Resolution	100–3 Å (shell at 3.5 Å)	$cc(2F_o - F_{\text{map}}), \phi_{\text{map}})^{**}$	0.78
Completeness	56% (43%) (80% to 3.5 Å)	$cc(F_o, F_{\text{map}})^{**}$	0.65
R_{merge}^*	0.156 (0.309)	$R(F_o, F_{\text{map}})^{**}$	0.32
Model			
Amino acids	180 × 519	$R/R_{\text{free}}^{\S}$	0.338/0.342
Missing	1–14 (VP3)	rms deviations from ideal bond lengths/angles	0.02 Å/2.2°

* $R_{\text{merge}} = \sum_i \sum_j |I_{ij} - \langle I_i \rangle| / \sum_i \sum_j I_{ij}$, where I_{ij} is the i th observation of a symmetry equivalent of reflection h .

[†] F_{map} , ϕ_{map} are Fourier terms of the back-transformed final averaged map.

[‡]Correlation between the densities of all noncrystallographic symmetry equivalent points.

[§] R_{free} is not unbiased. Test-set reflections are correlated to working-set reflections mapped to the neighborhood with noncrystallographic symmetry. However, with the high ratio of data to parameters, over-fitting will be negligible.

at 38,000 rpm. Solubility at high concentration/low ionic strength was maintained through the addition of >5% glycerol. Crystallization was by vapor diffusion with AAV at $\approx 8.5 \text{ mg/ml}$ in 25% glycerol, equilibrated against a reservoir also containing 4–5% polyethylene glycol 6000.

Diffraction data were collected at the Cornell High Energy Synchrotron Source F1 beam line. Data from the best two cryo-frozen form II crystals were processed with HKL (39) initially with Laue group R3 with a unit cell of $a = b = c = 648.1 \text{ \AA}$ and $\alpha = \beta = \gamma = 22.2^\circ$ (hexagonal equivalent: $a = b = 250.3 \text{ \AA}$, $c = 1,895.1 \text{ \AA}$). The data set was expanded 3-fold and reindexed to P1 on determination that the exact threefold in the diffraction was the result of a noncrystallographic 3₁ axis between particles exactly along the pseudo-hexagonal axis.

Phases were determined at low resolution by molecular replacement, then extended by noncrystallographic symmetry averaging. Virus orientations were determined by the GLRF self-rotation function, locked according to the icosahedral symmetry (40). At 3-Å resolution, it showed icosahedral threefolds tilted 6° from the noncrystallographic screw axis. Approximate particle positions were found from a native Patterson at 10-Å resolution that showed interparticle vectors caused by the near alignment of icosahedral threefolds with the interparticle noncrystallographic 3₁. Positions were improved by a home-programmed cross-translation function by using the structure of canine parvovirus (16), initially constraining screw symmetry between particle positions. Phases were extended from the average of superposed canine parvovirus and densovirus (22) models by using Rave (41), starting at 15-Å resolution and slowly extending to 3 Å in six-cycle steps of 1/250 Å. Amplitudes and phases for missing observations between 40 and 3.75 Å were filled—i.e., calculated by Fourier transformation of the averaged map. The resolution was then extended from 3.75 to 3.0 Å again, filling the unobserved reflections. The model was built by using O (42) and refined with simulated annealing in real space (43), then conjugate gradients in reciprocal space by using CNS (44).

Results and Discussion

Structure Determination. As a satellite virus, AAV-2 was challenging to produce in the required milligram quantities because of the cytopathic effects of the helper virus on the human cells in which AAV was propagated. The optimized protocol yielded 2–5 mg per preparation of 99% pure AAV-2, as judged by silver-stained SDS/PAGE, internally calibrated according to the known composition of VP1, 2, and 3. Crystallization was intractable until we found that a glycerol cosolvent could increase the

solubility. The high-resolution crystal form eventually obtained presented challenges in data collection and analysis, because the asymmetric unit contained three complete virus particles or 180 proteins, totaling about 12 million daltons, which complicated the determination of viral positions and orientations, a prerequisite of phasing by symmetry averaging. The challenges of complete data collection and averaging led to statistics for the averaged map and final model (Table 1) that are similar to the poorer examples of prior successful viral structure determinations (e.g., refs. 45 and 46). Nevertheless, the dividend of the high-order noncrystallographic redundancy was an electron density map for the protein capsid shell that was of higher quality than usually obtained in protein crystallographic analyses at 3-Å resolution and that was interpretable without ambiguity (Fig. 1a).

Each capsid comprises 60 subunits arranged with $T = 1$ icosahedral symmetry. Parvoviruses actually contain three capsid proteins (VP1–3) in proportions of about 1:1:10, that share overlapping sequence, differing only at their N termini. Electrophoresis showed that all were present in the crystals. VP2 is 137 residues shorter than VP1 and is the product of an alternative start codon, while VP3 is 65 residues shorter than VP2. Although we follow the convention of VP2 numbering for parvoviral structures, it is the 533-residue VP3 that is visualized, along with the corresponding regions of VP1 and VP2 occupying equivalent positions in the capsid, and not the N termini unique to the minority proteins. All except 14 N-terminal residues of VP3 were clearly traceable, and no ambiguity occurred in the alignment of the chemical sequence to the atomic structure.

Subunit Architecture. Although they share only 7–23% sequence identity (20), the AAV structure shows that dependoviruses share the same subunit fold as the autonomously replicating parvoviruses, including insect densoviruses (22) and canine parvovirus (16). The motif, a jelly-roll β -barrel, comprising two antiparallel β -sheets, is common in virus capsids (21). However, in AAV and canine parvovirus long-loop insertions between the strands of the core β -barrel make the domain two to four times larger than in small RNA viruses. The densovirus subunit is 130 residues shorter, and has truncated loops relative to both AAV and canine parvovirus (22). In other ways the structure of AAV is closer to that of mammalian autonomous parvoviruses than insect parvoviruses. The β -barrels are oriented with respect to the icosahedral symmetry axes as they are in canine parvovirus, not rotated as in densovirus.

The long interstrand loops of AAV, which together comprise about 60% of the structure, contain β -ribbons and other addi-




Fig. 1. Structure of the AAV-2 subunit and comparison with related structures. (a) Experimental electron density for AAV-2. Phases for this 3-Å resolution electron density map are independent of the AAV-2 model, having been obtained by symmetry averaging and extension from a CPV model at 15-Å resolution. Density is clear and allows an unambiguous fitting of the chemical sequence throughout VP3. (b) Ribbon drawing of the AAV-2 subunit. The locations of the neighboring symmetry axes are shown. The β -barrel is on the inner surface of the capsid (pink) with strands of the two sheets labeled conventionally as A, B, C, D, E, and F. Loops are labeled according to the flanking strands—e.g., GH loop. Regions where the sequence differs greatest between the AAV serotypes are colored purple (61). (c) Comparison of the backbones of AAV-2 (red) and canine parvovirus (cyan). The loop structure, which is responsible for many of the viral-host interactions differs substantially between AAV-2 and canine parvovirus, is largely absent from insect densoviruses (not shown).

tional elements of secondary structure, about half of which are found in the autonomous viruses like canine parvovirus (Fig. 2). Thus, the loops have quite different structures in the different parvovirus genuses, consistent with the lower sequence identity (<15%) outside the more conserved barrel β -strands. These

loops constitute the surface features of the virus that govern interactions with antibodies and cellular receptors.

Surface Topology and Assembly. The surface of AAV has more distinctive topology than that of autonomous parvoviruses or




Fig. 2. Conservation of sequence and secondary structure. Sequences of AAV-2 and CPV were aligned according to structure, then improved in loop regions according to sequence [Programs STAMP, FLEUP, and ALSCRIPT (62–66)]. Residues that are identical in AAV-2 and CPV are red. Those with an ALSCRIPT similarity score >5 (measured from 0 to 10) are yellow. Secondary structures of AAV-2 and CPV are compared, the core β -barrel highlighted in green, and labeled according to AAV-2 (CPV in parentheses where different). Side chain (outer) surface accessibility was calculated with a 1.5 Å radius probe, and is shown with triangles shaded according to each residue's accessibility: 20 Å² < red < 50 Å² < cyan < 80 Å² < green < 100 Å² < blue.




Fig. 3. Surface topology and electrostatics. (a–c) show grasp (67) surface renderings of AAV-2, canine parvovirus, and the insect densovirus, respectively, drawn to scale, and colored according to distance from the viral center. The view is down a twofold axis (center of the virus) with threefolds left and right of center, fivefolds above and below (see Fig. 4b). (d) shows the electrostatic surface potential of AAV-2 calculated with sncc (68) running from -10 (red) to $+10$ (blue). The putative receptor-binding sites are positively charged patches on the side of each threefold-proximal peak, viewed edge-on (arrowed) or head-on where 3 equivalent patches join at each threefold (circled).

densoviruses (Fig. 3). The most prominent features are “threefold-proximal” peaks clustering around each icosahedral threefold rotation axis. Here, loops from neighboring subunits interact intimately. At the center of each peak is a subloop (VP2 residues 348–379) that is part of the GH loop (between β -strands

G and H) of one subunit. It is sandwiched by two other subloops (293–341 and 440–458) from the GH loop of a threefold symmetric subunit (Fig. 4a). The subloops of the second subunit are therefore folded away from their β -barrel to extend over a neighboring subunit. Somewhat similarly, a more modest inter-




Fig. 4. Interdigitation of subunits: (a) shows a thin equatorial cross-section of AAV-2 (C_2 traces) orthogonal to a twofold near the threefold axes. It emphasizes the elevation of the peaks, each of which comprises loops from two subunits that are colored differently. (b) a rhombic tricontahedron showing the viral orientation for Figs. 3 and 4. The three- and fivefold axes are at vertices joining three and five faces, respectively, and twofolds bisect neighboring threefolds, some of which are labeled. (Axes in parentheses superimpose, at an angle, upon twofolds behind.) The highlighted triangle (used in c) may be repeated sixtyfold with icosahedral symmetry operators to generate the entire capsid. (c) A schematic projection of one of the 60 triangular facets shows the surface amino acids with different subunits separated by purple lines. ROADMAP (69) was used to color as in a topographical map, with blue closest to the virus center, red farthest from the virus center. VP2 numbering is used with a letter prefix denoting the symmetry equivalent subunit.

action occurs between residues 517 and 531 of the HI loop extending over a fivefold-related neighbor to interact with residues 113–115 and 234–236 of the BC and EF loops, respectively. The loop structures that form these interactions between neighboring subunits are unique to AAV (Fig. 1c). Near the threefold axis, the long GH loops are missing in densovirus and have very different structure in canine parvovirus. In canine parvovirus they layer over one another as subunits come together during assembly (17), achieving intimate contacts by very different means.

The loop-to-loop contacts and maturation of the peak structure can only come about after the subunits associate. Assembly cannot be regarded simply as an association between rigid units. Although it is possible that these postencounter rearrangements do not have an impact on the kinetic pathways of assembly, once formed, they would provide a greater thermodynamic barrier to disassembly and therefore stabilize the threefold interactions.

Receptor Attachment and Antigenicity. The primary receptor for AAV-2 on the cell surface is heparan sulfate proteoglycan, but other receptors may also be available as alternates or secondary receptors (28–31). Serotype 3 shares ~85% capsid sequence identity with AAV-2 and likely uses the same cellular receptor, whereas serotypes 4 and 5 (~55% identity) likely use different receptors (26, 27). With the structure, it is possible to map the sites of mutations that affect receptor binding that come from different parts of the primary sequence. Several of these sites come together in the three-dimensional structure, implicating the side of the threefold-proximal peaks in receptor binding (Figs. 3 and 4). Details follow. Of five hep⁺ mutants that are deficient in heparan binding which were prepared by Wu *et al.* (25), two are located within one loop of the threefold-proximal peak: an alanine substitution at 448-RGNR-451, and a hemagglutinin epitope insertion at 454. They are on the side of the peak facing the valley separating this peak from its threefold-related neighbor (Fig. 3). The third mutation, an insertion at H372, is on the floor of the valley. The fourth mutation, an alanine substitution at 424–428 is at the base of the peak, facing the twofold axis. The fifth mutation, an insertion at 385, and the hep⁻ mutation at 382 of Rabinowitz *et al.* (36) are buried underneath the peak and possibly affect binding indirectly through residues 390–395 of the valley floor. Further evidence comes from monoclonal antibody C37-B that inhibits cell attachment (34). Of scanned AAV peptides, it is 356–366 that best inhibits competitively the binding of antibody to virus, implicating residues at the crest of the peak adjacent to the hep⁺ sites (448–451) of a symmetry-related subunit. Insertion mutations that block binding of antibody C37-B are also in the hep⁺ loop (at 436 and 450) (34), suggesting that the epitope and receptor-binding regions overlap. Another mutant of similar phenotype at residue 397 (34) might act indirectly, because, like 436, it is buried at the base of the peak. In summary, regions previously implicated in receptor binding from different parts of the primary structure, come together in the three-dimensional structure, at or near the surface of the threefold-proximal peaks.

Positively charged patches are common in heparin-binding proteins (47) because of the predominance of ionic interactions with the sugar sulfates. Overall, the outside surface is positively charged with a prominent ring of symmetry-related patches in a depression surrounding the fivefold axes (Fig. 3d). Similarity to the rhinoviral canyon, the major group receptor-binding site (48), seems to be coincidental. The AAV depression is wider and more accessible to antibodies, and mutational data (previous paragraph) implicate not this region, but the side of the threefold-proximal spikes, which is the other prominently positively charged region, extending from the valley between peaks to merge at the threefold axis (Fig. 3d). It includes basic residues

R448 and R451 (mentioned above), R347 and R350 which all point into the cleft, whereas K353 points to the valley floor. (K390 and K395 of the valley floor are counterbalanced by acidic residues 391–393). The linear sequences resemble consensus motifs (49): 448–451 as a BTTB motif, and 347–353 as a BXXBXXX motif, where B and T signify basic and turn residues, respectively. The region 347–353 is conserved in the two serotypes that bind heparin sulfate, but has a R350G substitution in AAV-4 and -5 which do not. Residues 448-RGNR-451 on the valley rim are unique to AAV-2, offering a rationale for the 10-fold weaker inhibition of AAV-3 infectivity by heparin compared with AAV-2 (50). The electrostatic receptor interactions with these residues would be more subtle than in many heparin-binding proteins, but stronger than in foot-and-mouth-disease virus, where an additive effect of weak interactions at several symmetry-related sites was proposed (51), an argument that could apply equally to AAV. The separation between sites surrounding a threefold in AAV is 20 Å, consistent with binding neighboring disaccharides (52), whereas the separation between threefolds is ~70 Å, commensurate with the spacing of highly sulfonated regions of the carbohydrate (51).

With regard to mapping the antigenic determinants of AAV, the binding of monoclonal antibody C37-B to the threefold-proximal peaks has already been discussed. Of other antibodies, monoclonal A20 is the best characterized, recognizing a conformational epitope specific to assembled particles (25). Three of four AAV regions implicated in its binding are colocalized on the surface midway between three- and fivefold axes. Residue A129 was implicated by scanning insertional mutagenesis (25) and is adjacent to two other regions implicated in A20 binding: 134–143 and 232–241 (34) (but 34 Å away from a 4th at 429–438). Other antigenic maps, based on polyclonal sera and peptide scanning (12), are less consistent with the structure: some implicated regions are on the outer surface, others not. The picture emerging from the structural interpretation of A20 and C37-B binding is that antigenic sites include, but are not restricted to the protruding threefold-proximal peaks. In fact, probing the structure with an antibody-sized sphere (10-Å radius) and analysis of B-factors, indicate that many parts of the surface are suitably accessible and flexible, two criteria that have previously been used to predict antigenic sites (53, 54).

Prospects for Gene Therapy. The structure, combined with prior phenotypic mappings, provides initial pointers toward the engineering of improved gene therapy vectors (35, 55). It implicates the side of each threefold-proximal peak in cellular receptor binding, and shows that neighboring regions are also accessible to antibody binding. Comparing to picornaviruses, AAV-2 is more like foot-and-mouth-disease virus and minor receptor group rhinoviruses, with overlapping antigenic and receptor-binding sites (51, 56), than major-group rhinoviruses, poliovirus and some coxsackie A and B viruses, where surface topology restricts antibody access to the receptor-binding site (48, 57–60). The structure also provides a framework for rational site-directed mutagenesis, through which the molecular mechanisms of viral-host interactions can be probed. A rational, structure-assisted approach should accelerate the progress in mapping functional sites and modulating function, that has, to date, been attempted through scanning mutagenesis (25, 35, 55). This mapping, in turn, will provide a foundation for the engineering of recombinant AAV for the more efficient delivery of gene therapies to specifically targeted cells.

We thank the laboratory of Ken Berns for hospitality when we were learning to culture AAV. Data were collected at the Cornell High Energy Synchrotron Source. The work was funded by the American Cancer Society (RPG-99-356-01-GMC) and a predoctoral fellowship (to S.B.) from the Florida Division of the American Heart Association.

1. Orkin, S. H. & Motulsky, A. G. (1995) *Report and Recommendations of the Panel to Access the NIH Investment in Research on Gene Therapy* (National Institutes of Health, Bethesda).
2. Pfeiffer, A. & Verma, I. (2001) in *Virology*, eds. Fields, B. N., Knipe, D. M. & Howley, P. M. (Lippincott, Philadelphia), pp. 469–492.
3. Carter, B. J. (2000) in *Parvoviruses: From Molecular Biology to Pathology and Therapeutic Uses*, eds. Faist, S. & Rommelaere, J. (Karger, Basel), pp. 85–106.
4. Flotte, T. R. & Carter, B. J. (1998) *Methods Enzymol.* **292**, 717–732.
5. Kay, M. A., Manno, C. S., Ragni, M. V., Larson, P. J., Couto, L. B., McClelland, A., Glader, B., Chew, A. J., Tai, S. J., Herzog, R. W., et al. (2000) *Nat. Genet.* **24**, 257–261.
6. Phillips, M. (1997) *Hypertension* **29**, 177–187.
7. Mandel, R. J., Rendahl, K. G., Snyder, R. O. & Leff, S. E. (1999) *Exp. Neurol.* **159**, 47–64.
8. Mochizuki, H., Hayakawa, H., Migita, M., Shibata, M., Tanaka, R., Suzuki, A., Shimo-Nakanishi, Y., Urabe, T., Yamada, M., Tamayose, K., et al. (2001) *Proc. Natl. Acad. Sci. USA* **98**, 10918–10923.
9. Greenish, J. P., Su, L. T., Lankford, E. B., Burkman, J. M., Chen, H., Konig, S. K., Mercier, I. M., Desjardins, P. R., Mitchell, M. A., Zheng, X. G., et al. (1999) *Nat. Med.* **5**, 439–443.
10. Wang, B., Li, J. & Xiao, X. (2000) *Proc. Natl. Acad. Sci. USA* **97**, 13714–13719.
11. Erles, K., Sebokova, P. & Schlehofer, J. R. (1999) *J. Med. Virol.* **59**, 406–411.
12. Moskalenko, M., Chen, L., van Roey, M., Donahue, B. A., Snyder, R. O., McArthur, J. G. & Patel, S. D. (2000) *J. Virol.* **74**, 1761–1766.
13. Pattison, J. R. (1990) in *Virology*, eds. Fields, B. N. & Knipe, D. M. (Raven, New York), pp. 1765–1784.
14. Muzyczka, N. & Berns, K. I. (2001) in *Virology*, eds. Fields, B. N., Knipe, D. M. & Howley, P. M. (Lippincott, Philadelphia), pp. 2327–2360.
15. Kotin, R. M., Siniscalco, M., Samulski, R. J., Zhu, X. D., Hunter, L., Laughlin, C. A., McLaughlin, S., Muzyczka, N., Rocchi, M. & Berns, K. I. (1990) *Proc. Natl. Acad. Sci. USA* **87**, 2211–2215.
16. Tsoo, J., Chapman, M. S., Agbandje, M., Keller, W., Smith, K., Wu, H., Luo, M., Smith, T. J., Rossmann, M. G., Compans, R. W., et al. (1991) *Science* **251**, 1456–1464.
17. Xie, Q. & Chapman, M. S. (1996) *J. Mol. Biol.* **264**, 497–520.
18. Agbandje-McKenna, M., Llamas-Saiz, A. L., Wang, F., Tattersall, P. & Rossmann, M. G. (1998) *Structure (London)* **6**, 1369–1381.
19. Agbandje, M., McKenna, R., Rossmann, M. G., Strassheim, M. L. & Parrish, C. R. (1993) *Protein* **16**, 155–171.
20. Chapman, M. S. & Rossmann, M. G. (1993) *Virology* **194**, 491–508.
21. Harrison, S. C. (2001) in *Virology*, eds. Fields, B. N., Knipe, D. M. & Howley, P. M. (Lippincott, Philadelphia), pp. 53–86.
22. Simpson, A. A., Chipman, P. R., Baker, T. S., Tijssen, P. & Rossmann, M. G. (1998) *Structure (London)* **6**, 1355–1367.
23. Chapman, M. S. & Rossmann, M. G. (1993) *Virology* **195**, 745–765.
24. Kroneberg, S., Kleinschmidt, J. G. & Botcher, B. (2001) *EMBO Rep.* **2**, 997–1002.
25. Wu, P., Xiao, W., Conlon, T., Hughes, J., Agbandje-McKenna, M., Ferkol, T., Flotte, T. & Muzyczka, N. (2000) *J. Virol.* **74**, 8635–8647.
26. Davidson, B. L., Stein, C. S., Heth, J. A., Martins, I., Kotin, R. M., Derksen, T. A., Zabner, J., Ghodsi, A. & Chiorini, J. A. (2000) *Proc. Natl. Acad. Sci. USA* **97**, 3428–3432.
27. Rabinowitz, J. E., Rolling, F., Li, C., Conrath, H., Xiao, W., Xiao, X. & Samulski, R. J. (2002) *J. Virol.* **76**, 791–801.
28. Summerford, C. & Samulski, R. J. (1998) *J. Virol.* **72**, 1438–1445.
29. Summerford, C., Bartlett, J. S. & Samulski, R. J. (1999) *Nat. Med.* **5**, 78–82.
30. Qing, K., Mah, C., Hansen, J., Zhou, S., Dwarki, V. & Srivastava, A. (1999) *Nat. Med.* **5**, 71–77.
31. Qiu, J.-M., Mizukami, H. & Brown, N. S. (1999) *Nat. Med.* **5**, 467.
32. Bartlett, J. S., Wilcher, R. & Samulski, R. J. (2000) *J. Virol.* **74**, 2777–2785.
33. Seisenberger, G., Ried, M. U., Endress, T., Buning, H., Hallek, M. & Brauchle, C. (2001) *Science* **294**, 1929–1932.
34. Wobus, C. E., Hogle-Dorr, B., Girod, A., Petersen, G., Hallek, M. & Kleinschmidt, J. A. (2000) *J. Virol.* **74**, 9281–9293.
35. Girod, A., Ried, M., Wobus, C., Lahm, H., Leike, K., Kleinschmidt, J., Deleage, G. & Hallek, M. (1999) *Nat. Med.* **5**, 1052–1056.
36. Rabinowitz, J. E., Xiao, W. & Samulski, R. J. (1999) *Virology* **265**, 274–285.
37. Yakobson, B., Koch, T. & Winocour, E. (1987) *J. Virol.* **61**, 972–981.
38. Laughlin, C. A., Tratschin, J. D., Coon, H. & Carter, B. J. (1983) *Gene* **23**, 65–73.
39. Otwinowski, Z. & Minor, W. (2001) in *International Tables for Crystallography: Crystallography of Biological Molecules*, eds. Rossmann, M. G. & Arnold, E. (International Union of Crystallography, Dordrecht, The Netherlands), Vol. F.
40. Tong, L. & Rossmann, M. G. (1997) *Methods Enzymol.* **276**, 594–611.
41. Jones, T. A. (1998) in *Proceedings of the CCP4 Study Weekend*, eds. Dodson, E., Gower, S. & Wolf, W. (Science and Engineering Research Council, Daresbury Laboratory, Warrington, U.K.), pp. 91–105.
42. Jones, T. A. & Kjeldgaard, M. (1997) *Methods Enzymol.* **277**, 173–208.
43. Korostelev, A., Bertram, R. & Chapman, M. S. (2002) *Acta Crystallogr. D* **58**, 761–767.
44. Brünger, A. T., Adams, P. D., Clore, G. M., Gros, P., Gross-Kunstleve, R. W., Jiang, J.-S., Kurzwski, J., Nilges, M., Pannu, N. S., Read, R. J., et al. (1998) *Acta Crystallogr. D* **54**, 905–921.
45. Llamas-Saiz, A. L., Agbandje-McKenna, M., Wikoff, W. R., Rossmann, M. G., Bratton, J. & Tattersall, P. (1997) *Acta Crystallogr. D* **53**, 93–102.
46. Filman, D. J., Wien, M. W., Cunningham, J. A., Bergelson, J. M. & Hogle, J. M. (1998) *Acta Crystallogr. D* **54**, 1261–1272.
47. Mulloy, B. & Linhardt, R. J. (2001) *Curr. Opin. Struct. Biol.* **11**, 623–628.
48. Olson, N., Kolatkar, P., Oliveira, M. A., Cheng, R. H., Greve, J. M., McClelland, A., Baker, T. S. & Rossmann, M. G. (1993) *Proc. Natl. Acad. Sci. USA* **90**, 507–511.
49. Hileman, R. E., Fromm, J. R., Weiler, J. M. & Linhardt, R. J. (1998) *BioEssays* **20**, 156–167.
50. Handa, A., Muramatsu, S., Qiu, J., Mizukami, H. & Brown, K. E. (2000) *J. Gen. Virol.* **81**, 2077–2084.
51. Fry, E. E., Lea, S. M., Jackson, T., Newman, J. W., Ellard, F. M., Blakemore, W. E., Abu-Ghazaleh, R., Samuel, A., King, A. M. & Stuart, D. I. (1999) *EMBO J.* **18**, 543–554.
52. Margalit, H., Fischer, N. & Ben-Sasson, S. A. (1993) *J. Biol. Chem.* **268**, 19228–19231.
53. Novotny, J., Brucoleri, R. E., Carlson, W. D., Handschumacher, M. & Haber, E. (1987) *Science* **238**, 1584–1586.
54. Tainer, J. A., Getzoff, E. D., Alexander, H., Houghten, R. A., Olson, A. J., Lerner, R. A. & Hendrickson, W. A. (1984) *Nature (London)* **312**, 127–134.
55. Rabinowitz, J. E. & Samulski, R. J. (2000) *Virology* **278**, 301–308.
56. Hewat, E. A., Neumann, E., Conway, J. F., Moser, R., Ronacher, B., Marlovits, T. C. & Blas, D. (2000) *EMBO J.* **19**, 6317–6325.
57. He, Y., Bowman, V. D., Mueller, S., Bator, C. M., Bella, J., Peng, X., Baker, T. S., Wimmer, E., Kuhn, R. J. & Rossmann, M. G. (2000) *Proc. Natl. Acad. Sci. USA* **97**, 79–84.
58. Belnap, D. M., McDermott, B. M., Jr., Filman, D. J., Cheng, N., Trus, B. L., Zuccola, H. J., Racaniello, V. R., Hogle, J. M. & Steven, A. C. (2000) *Proc. Natl. Acad. Sci. USA* **97**, 73–78.
59. Rieder, E., Gorbaleyna, A. E., Xiao, C., He, Y., Baker, T. S., Kuhn, R. J., Rossmann, M. G. & Wimmer, E. (2001) *Dev. Biol.* **105**, 111–122, 149–150.
60. He, Y., Chipman, P. R., Howitt, J., Bator, C. M., Whitt, M. A., Baker, T. S., Kuhn, R. J., Anderson, C. W., Freimuth, P. & Rossmann, M. G. (2001) *Nat. Struct. Biol.* **8**, 874–878.
61. Rutledge, E., Halbert, C. & Russell, D. (1998) *J. Virol.* **72**, 309–319.
62. Russell, R. B. & Barton, G. J. (1992) *Protein* **14**, 309–323.
63. GCG (2001) GCG Wisconsin Package (Accelrys, San Diego).
64. Barton, G. J. (1993) *Protein Eng.* **6**, 37–40.
65. Ruffing, M., Heid, H. & Kleinschmidt, J. A. (1994) *J. Gen. Virol.* **75**, 3385–3392.
66. Parrish, C. R., Aquadro, C. F., Strassheim, M. L., Evermann, J. F., Sgro, J.-Y. & Mohammed, H. O. (1991) *J. Virol.* **65**, 6544–6552.
67. Nicholls, A. (1992) GRASP: Graphical Representation and Analysis of Surface Properties (Columbia Univ. Press, New York).
68. Christopher, J. A. & Baldwin, T. O. (1997) SPOCK (Texas A&M Univ., College Station, TX).
69. Chapman, M. S. (1993) *Protein Sci.* **2**, 459–469.