

UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

GOOGLE LLC,
Petitioner,

v.

BUFFALO PATENTS, LLC,
Patent Owner.

Case No. IPR2023-01386
U.S. Patent No. 6,904,405

Declaration of Shauna L. Wiest Regarding *Waibel*

I, Shauna L. Wiest, state and declare as follows:

I. Introduction

1. I have prepared this Declaration in connection with Google LLC's ("Petitioner") Petition for *Inter Partes* Review of U.S. Patent No. 6,904,405, which I understand is being filed concurrently with this Declaration.

2. I am a senior research analyst with the Research & Information Services team at Finnegan, Henderson, Farabow, Garrett & Dunner, located at 3300 Hillview Avenue, Palo Alto, CA 94304 ("Finnegan").

3. I am over eighteen years of age, and I am competent to make this Declaration. I make this Declaration based on my own personal knowledge and my professional knowledge of library science practices.

4. I earned a Master of Science in Library Science degree from the University of North Carolina at Chapel Hill in 1999, and a Bachelor of Arts in Political Science degree from the University of California at San Diego in 1989. I have worked as a law librarian for over eighteen years. I have been employed in the Research & Information Services Department at Finnegan since 2021. Before that, from 2000-2015, I was employed as a Law Librarian at Stoel Rives LLP, and from 2015-2016, I was employed as a Competitive Intelligence Specialist for Nossaman LLP.

II. Standard Library Practice for Receiving, Cataloging, Shelving, and Making Materials, including Conference Publications, Publicly Available

5. I have knowledge of and experience with standard library practices regarding receiving, cataloging, shelving, and making materials, including conference publications, available to the public. I am fully familiar with and have knowledge of and experience with the Machine-Readable Cataloging (MARC) system, which is an industry-wide standard that libraries use to catalog materials.

6. The MARC system was developed during the 1960s to standardize bibliographic catalog records so that they could be read by computers and shared among libraries. By the mid-1970s, MARC had become the international standard for cataloging bibliographic materials and is still used today. Many libraries provide public access to their MARC records via the Internet and/or their electronic cataloging systems at the library. In a MARC record, each field provides specific information about the cataloged item, including how materials are held and made available to the public.

III. MARC Records

7. The MARC record system uses a specific three-digit numeric code (“field tags”) (from 001-999) to identify each field in a catalog record. For example, MARC field tag 008 provides the six-digit date the item was received

and catalogued (*Date entered on file*). The first six characters of field tag 008 are always in the “**YYMMDD**” format. Descriptions and definitions of all of the character positions of field tag 008 are outlined here:

<https://www.loc.gov/marc/bibliographic/bd008a.html>

8. As is relevant to this Declaration, MARC field tag 245 identifies the title and statement of responsibility for the work. MARC field tag 260 identifies the place of publication, name of publisher, and date of the publication. And MARC field tag 362 provides the dates of publication and/or sequential date(s) of publication designation for the work.

9. Based on standard library practice, when a library receives an item, it generally stamps (and/or labels) the item with the library name, barcode, often with a date that is within a few days or weeks of receipt. Next, the library will catalog the item within a matter of a few days or weeks of receiving it. As a general practice, cataloguing is centralized and performed by a cataloguing department within a library or university setting. In certain circumstances the catalogued item may be subsequently sent to a library location within the library or university setting where it may be stamped and/or labeled after it has been catalogued.

10. Generally, after an item is cataloged, the public may access the item by searching a library catalog, browsing the library shelves, and either

requesting or electronically accessing the item from the library. Standard library practice is to make the item available to the public within a few days or weeks of cataloging it.

IV. Public Availability of *Waibel*

11. This Declaration relates to the dates of receipt and public availability of the following reference: A. Waibel, B. Suhm, Minh Tue Vo and Jie Yang, "*Multimodal interfaces for multimedia information agents*" ("*Waibel*") found within the 1997 IEEE International Conference on Acoustics, Speech, and Signal Processing, Munich, Germany, 1997, pp. 167-170 vol.1 ("1997 IEEE Publication"). I understand *Waibel* has been submitted as Exhibit 1005 in the above-captioned proceeding. That same reference is appended to my Declaration as **Appendix A**.

12. As detailed below, I have reviewed the print reference, public holdings information, and MARC record for the 1997 IEEE Publication containing *Waibel* to determine the date of public availability for this reference.

13. **Appendix A** to this Declaration is a true and accurate copy of the cover, title and verso pages, and table of contents of the 1997 IEEE Publication held by the University of Wisconsin at Madison Library. **Appendix A** also includes the specific pages in the publication comprising "Multimodal interfaces

for multimedia information agents,” *i.e.*, *Waibel*. On the Table of Contents page, there is a handwritten call number TA365 I102 v. 1997 1 and a location indicator stating Wendt,” which corresponds to the University of Wisconsin at Madison, Kurt F. Wendt Library. On the second page of **Appendix A**, there is an affixed barcode and a library date stamp denoting 1997, indicating that the University of Wisconsin at Madison, Kurt F. Wendt Library received the 1997 IEEE Publication in 1997.

14. **Appendix B** to this declaration is a true and accurate copy of the University of Wisconsin at Madison public catalog record for its copy of the 1997 IEEE Publication containing *Waibel*, which was downloaded from <https://search.library.wisc.edu/catalog/999858382602121> on August 22, 2023. The University of Wisconsin at Madison public catalog record sets forth the current public holdings and onsite location information for members of the public seeking a physical copy of the 1997 IEEE Publication containing *Waibel*. The public catalog record indicates that *Waibel* is available by request from the Verona Shelving Facility at the University of Wisconsin at Madison, with one loanable copy available at Call Number TA365 I102, which is the same call number included in **Appendix A**. It is fundamental practice for libraries and librarians to shift and move collections over time to manage growing collections, improve and expand collection development, and to preserve public access and availability to all

collections. This practice includes shifting collections to new (including newly built) library locations, new holdings locations, or to onsite or offsite storage facilities. When materials are moved, the public holdings information of the library catalog, including the MARC record, are updated to ensure public access. This fundamental practice was set forth in “The 5 Laws of Library Science” - a theory developed by S. R. Ranganathan in 1931, which is followed by all librarians today. These laws are: 1. Books Are For Use; 2. Every Reader His/Her Book; 3. Every Book Its Reader; 4. Save The Time Of The Reader; and 5. The Library Is A Growing Organism. Based on my experience as a librarian, the public catalog record (**Appendix B**) references the 1997 IEEE Publication containing *Waibel* (**Appendix A**).

15. **Appendix C** to this Declaration is a true and accurate copy of the University of Wisconsin at Madison MARC record for its holdings of the 1997 IEEE Publication containing *Waibel*, which was downloaded from <https://search.library.wisc.edu/catalog/999858382602121> (*See: Library Staff Details -staff view*) on August 22, 2023. The University of Wisconsin at Madison MARC record field tag 245 identifies the title as “IEEE International Conference on Acoustics, Speech, and Signal Processing” and field tag 260 confirms the place, publisher, and date of publication for the 1997 IEEE Publication containing *Waibel* as \$aLos Alamitos, CA :\$bIEEE Computer Society Press,\$cc1997. MARC

field tag 362 denotes the date of publication for the 1997 IEEE Publication containing *Waibel* as 1997.

16. **Appendix C** confirms the fixed data elements of MARC field tag 008 as 970707d19971997cauar 1 0eng d. As discussed above in paragraph 7, the first six characters “970707” are in typical “YYMMDD” format and indicate that the 1997 IEEE Publication containing *Waibel*, was received by the University of Wisconsin at Madison on July 7, 1997, as a continuing resource that ceased publication in 1997.

17. Based on the information set forth in **Appendices A, B, and C**, the 1997 IEEE Publication containing *Waibel*, was received by the University of Wisconsin at Madison on or around July 7, 1997. Based on standard library practices, the 1997 IEEE Publication containing *Waibel* would have been processed and catalogued by the University of Wisconsin at Madison within a matter of a few days or weeks of July 7, 1997. And, based on my experience as a librarian, the MARC record (**Appendix C**) references the 1997 IEEE Publication containing *Waibel* (**Appendix A**), and the 1997 IEEE Publication containing *Waibel* was cataloged by the University of Wisconsin at Madison within a matter of a few days or weeks of July 7, 1997.

18. Accordingly, *Waibel* would have been made available to the public within a few days or weeks of being checked-in and catalogued. The public could

have accessed *Waibel* by (i) searching the University of Wisconsin at Madison catalog online by, for example, searching by title, author, and/or subject keywords, or (ii) by asking a library staff member and being directed to the Kurt F. Wendt Library or the Verona Shelving Facility and requesting Call Number TA365 I102 within a few days or weeks of July 7, 1997.

V. Conclusion

19. In signing this Declaration, I understand it will be filed as evidence in a contested case before the Patent Trial and Appeal Board of the United States Patent and Trademark Office. I understand I may be subject to cross-examination in this case and that cross-examination will take place within the United States. If cross-examination is required of me, I will appear for cross-examination within the United States during the time allotted for cross-examination.

20. I declare that all statements made herein of my knowledge are true, that all statements made on information and belief are believed to be true, and that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code.

Declaration of Shauna L. Wiest

Executed on September 11, 2023.

A handwritten signature in black ink, appearing to read "Shauna L. Wiest", written over a horizontal blue line.

Shauna L. Wiest

APPENDIX A

1997 IEEE ICASSP

VOL. 1



89059970699



b89059970699a

**KURT F. WENDT LIBRARY
COLLEGE OF ENGINEERING**

UW-MADISON, WI 53706

1997 IEEE

International Conference
on
Acoustics, Speech, and Signal Processing

Volume I

**KURT F. WENDT LIBRARY
COLLEGE OF ENGINEERING**

UW-MADISON, WI 53706



IEEE Computer Society Press

1965-1966 Alameda, California

Washington • Brussels • Tokyo

1997 IEEE International Conference on Acoustics, Speech, and Signal Processing

Volume I of V

*Plenary, Expert Summaries, Special, Audio,
Underwater Acoustics, VLSI*

April 21-24, 1997

Munich, Germany

Sponsored by

The Institute of Electrical and Electronics Engineers
Signal Processing Society

Co-Sponsored by

DPG, GI, ITG, and TUM



IEEE Computer Society Press
Los Alamitos, California

Washington • Brussels • Tokyo

Kurt F. Wendt Library
University of Wisconsin - Madison
215 N. Randall Avenue
Madison, WI 53706-1688



IEEE Computer Society Press
10662 Los Vaqueros Circle
P.O. Box 3014
Los Alamitos, CA 90720-1264

Copyright ©1997 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved.

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries may photocopy beyond the limits of US copyright law, for private use of patrons, those articles in this volume that carry a code at the bottom of the first page, provided that the per-copy fee indicated in the code is paid through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

Other copying, reprint, or republication requests should be addressed to: IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, P.O. Box 1331, Piscataway, NJ 08855-1331.

The papers in this book comprise the proceedings of the meeting mentioned on the cover and title page. They reflect the authors' opinions and, in the interests of timely dissemination, are published as presented and without change. Their inclusion in this publication does not necessarily constitute endorsement by the editors, the IEEE Computer Society Press, or the Institute of Electrical and Electronics Engineers, Inc.

IEEE Computer Society Press Order Number PR07919

ISBN 0-8186-7919-0

ISBN 0-8186-7920-4 (case)

ISBN 0-8186-7921-2 (microfiche)

IEEE Order Plan Catalog Number 97CB36052

Library of Congress Number 96-80328

Additional copies may be ordered from:

IEEE Computer Society Press
Customer Service Center
10662 Los Vaqueros Circle
P.O. Box 3014
Los Alamitos, CA 90720-1314
Tel: +1-714-821-8380
Fax: +1-714-821-4641
Email: cs.books@computer.org

IEEE Service Center
445 Hoes Lane
P.O. Box 1331
Piscataway, NJ 08855-1331
Tel: +1-908-981-1393
Fax: +1-908-981-9667
misc.custserv@computer.org

IEEE Computer Society
13, Avenue de l'Aquilon
B-1200 Brussels
BELGIUM
Tel: +32-2-770-2198
Fax: +32-2-770-8505
euro.ofc@computer.org

IEEE Computer Society
Ooshima Building
2-19-1 Minami-Aoyama
Minato-ku, Tokyo 107
JAPAN
Tel: +81-3-3408-3118
Fax: +81-3-3408-3553
tokyo.ofc@computer.org

Editorial production by Bob Werner

Printed in the United States of America by Sony Electronic Publishing Services



The Institute of Electrical and Electronics Engineers, Inc.

Wano +
TA
365
I102
V. 1997
1

AWC 776 3

Table of Contents

Volume I

Plenary, Expert Summaries, Special, Audio, Underwater Acoustics, VLSI

Conference Committee	xvi
IEEE Signal Processing Society	xvii
ICASSP 1998 in Seattle	xviii
Call for Papers	xix
ICASSP-98 Paper Cover Sheet	xx
IEEE Copyright Form	xxi

Plenary Lectures and Expert Summaries

Space-Time Processing for Wireless Communications	1
<i>A. Paulraj</i>	
Variability of Performance in Video Coding	5
<i>D. Pearson</i>	
Expert Summaries	9
<i>R. Chellapa, R. de Mori, G. Giannakis, H. Musmann, H. Ney, M. Smith, J. Treichler and M. Zoltowski</i>	

Signal Processing for Education

Expanding Team Experiences in DSP Education	11
<i>D. Etter and G. Orsak</i>	
Interactive Classroom for DSP/Communication Courses	15
<i>H. Abut and Y. Öztürk</i>	
Experiences in Teaching DSP First in the ECE Curriculum	19
<i>J. McClellan</i>	
Analog Signal Processing: A Replacement for the Sophomore-Level Circuit Analysis Course	23
<i>D. Munson</i>	
Re-Engineering the Electrical Engineering Curriculum	27
<i>S. Mitra</i>	

New Methods for Design of SP-Algorithms

Structural Subband Decomposition: A New Concept in Digital Signal Processing	31
<i>S. Mitra</i>	
A New Algorithm for the Generalized Eigenvalue Problem	35
<i>K. Hüper and U. Helmke</i>	
A Lattice Structure for Perfect Reconstruction Linear Time Varying Filter Banks with All Pass Analysis Banks	39
<i>S. Dasgupta, C. Schwarz and M. Fu</i>	
Algorithm Design for Structured Systems: Application to Pole Placement	43
<i>S. Paul and J. Nossek</i>	

Actions of Noncompact Groups and Algorithm Design: A Case Study.....	47
<i>K. Diepold and R. Pauli</i>	
Discretization Issues for the Design of Optimal Blind Algorithms	51
<i>R. Kennedy, D. Borah and Z. Ding</i>	
Continuous-Time Envelope-Constrained Filter Design via Laguerre Filters and H(Inf) Optimization Methods	55
<i>Z. Zang, A. Cantoni and K. Teo</i>	
Local Adaptive Algorithms for Information Maximization in Neural Networks, and Application to Source Separation	59
<i>J. Dehaene and N. Twum-Danso</i>	
Quick Aggregation of Markov Chain Functionals via Stochastic Complementation.....	63
<i>K. Dogançay and V. Krishnamurthy</i>	
A Rank Preserving Flow Algorithm for Quadratic Optimization Problems Subject to Quadratic Equality Constraints	67
<i>J. Moore and D. Jiang</i>	
Speech-to-Speech Translation	
Verbmobil: The Combination of Deep and Shallow Processing for Spontaneous Speech Translation.....	71
<i>T. Bub, W. Wahlster and A. Waibel</i>	
Prosodic Processing and its Use in Verbmobil	75
<i>H. Niemann, E. Nöth, A. Kießling, R. Kompe and A. Batliner</i>	
The Language Components in Verbmobil	79
<i>H. Block</i>	
The Karlsruhe-Verbmobil Speech Recognition Engine	83
<i>M. Finke, P. Geutner, H. Hild, T. Kemp, K. Ries and M. Westphal</i>	
An Experiment on Korean-to-English and Korean-to-Japanese Spoken Language Translation	87
<i>J. Yang and J. Park</i>	
Multilingual Person to Person Communication at IRST.....	91
<i>B. Angelini, M. Cettolo, A. Corazza, D. Falavigna and G. Lazzari</i>	
Fast Word-Graph Generation for Spontaneous Conversational Speech Translation	95
<i>T. Shimizu, H. Singer and Y. Sagisaka</i>	
JANUS-III: Speech-to-Speech Translation in Multiple Languages	99
<i>A. Lavie, A. Waibel, L. Levin, M. Finke, D. Gates, M. Gavalda, T. Zeppenfeld and P. Zhan</i>	
State-Transition Cost Functions and an Application to Language Translation	103
<i>H. Alshawi and A. Buchsbaum</i>	
Hybrid Language Processing in the Spoken Language Translator.....	107
<i>M. Rayner and D. Carter</i>	
Finite-State Speech-to-Speech Translation.....	111
<i>E. Vidal</i>	
An Experimental Bidirectional Japanese/English Interpreting Video Phone System Using Internet	115
<i>S. Hiraoka, M. Hoshimi, K. Matsui and J. Junqua</i>	

Advanced Neural Applications

From Neural Networks to Neural Strategies.....	119
<i>C. Goerick, B. Sendhoff and W. von Seelen</i>	
Neural and Traditional Techniques in Diagnostic ECG Classification.....	123
<i>R. Silipo and G. Bortolan</i>	
Unsupervised Learning for Blind Source Separation: An Information-Theoretic Approach	127
<i>D. Obradovic and G. Deco</i>	
Applications of Neural Blind Separation to Signal and Image Processing.....	131
<i>J. Karhunen, A. Hyvärinen, R. Vigário, J. Hurri and E. Oja</i>	
Communications and Neural Networks: Theory and Practice	135
<i>M. Plumbley</i>	
Robust Vector Quantization by Competitive Learning	139
<i>J. Buhmann and T. Hofmann</i>	
Recognizing Faces from a New Viewpoint	143
<i>T. Vetter</i>	
Hybrid Optimization of Feedforward Neural Networks for Handwritten Character Recognition	147
<i>W. Utschick and J. Nossek</i>	
Reading Checks with Multilayer Graph Transformer Networks	151
<i>Y. LeCun, L. Bottou and Y. Bengio</i>	
Neural Networks for Process Control in Steel Manufacturing.....	155
<i>M. Schlang, E. Broese, B. Feldkeller, O. Gramckow, M. Jansen, T. Poppe, C. Schaeffner and G. Soergel</i>	
A Neuro-Dynamic Programming Approach to Admission Control in ATM Networks: The Single Link Case	159
<i>P. Marbach and J. Tsitsiklis</i>	

Signal Processing Technology for Multi-Media Human-Machine Interaction

Issues in Measuring the Benefits of Multimodal Interfaces	163
<i>J. Flanagan and I. Marsic</i>	
Multimodal Interfaces for Multimedia Information Agents	167
<i>A. Waibel, B. Suhm, M. Vo and J. Yang</i>	
Smart Rooms, Desks, and Clothes	171
<i>A. Pentland</i>	
Human Machine Interaction by Voice and Gesture	175
<i>N. Jayant</i>	
Audio-Visual Interaction in Multimedia Communication.....	179
<i>T. Chen and R. Rao</i>	
LIP Motion Modeling and Speech Driven Estimation.....	183
<i>F. Lavagetto, S. Lepsoy, C. Braccini and S. Curinga</i>	
Voice Source Localization for Automatic Camera Pointing System in Videoconferencing.....	187
<i>H. Wang and P. Chu</i>	
Video Interface for Spatiotemporal Interactions Based on Multi-Dimensional Video Computing.....	191
<i>A. Akutsu, Y. Tonomura and H. Hamada</i>	

Indexing and Search of Multimodal Information	195
<i>A. Hauptmann and H. Wactlar</i>	
Acoustic Indexing for Multimedia Retrieval and Browsing	199
<i>S. Young, J. Foote, G. Jones, K. Sparck-Jones and M. Brown</i>	
Broadcast News Transcription.....	203
<i>F. Kubala, H. Jin, L. Nguyen, R. Schwartz and S. Matsoukas</i>	
Image/Speech Processing that Adopts an Artistic Approach Toward Integration of Art and Technology.....	207
<i>R. Nakatsu</i>	
Microphone Array Signal Processing	
Noise Cancelling for Microphone Arrays.....	211
<i>J. Meyer and C. Sydow</i>	
A Microphone Array System for Speech Recognition.....	215
<i>K. Kiyohara, Y. Kaneda, S. Takahashi, H. Nomura and J. Kojima</i>	
Strategies for Combining Acoustic Echo Cancellation and Adaptive Beamforming Microphone Arrays.....	219
<i>W. Kellermann</i>	
A Steerable and Variable First-Order Differential Microphone Array	223
<i>G. Elko and A. Pong</i>	
Microphone Array Based Speech Recognition with Different Talker-Array Positions	227
<i>M. Omologo, M. Matassoni, P. Svaizer and D. Giuliani</i>	
Acoustic Source Location in a Three-Dimensional Space Using Crosspower Spectrum Phase.....	231
<i>P. Svaizer, M. Matassoni and M. Omologo</i>	
Superdirective Microphone Array for a Set-Top Videoconferencing System.....	235
<i>P. Chu</i>	
Simultaneous Echo Cancellation and Car Noise Suppression Employing a Microphone Array	239
<i>M. Dahl, I. Claesson and S. Nordebo</i>	
Analytical Evaluation of a Self-Calibrating Microphone Array.....	243
<i>S. Nordholm and I. Claesson</i>	
Microphone Array Response to Speaker Movements	247
<i>Y. Grenier and S. Affes</i>	
A Digital Processing System for Source Location and Sound Capture by Large Microphone Arrays.....	251
<i>H. Silverman, W. Patterson, J. Flanagan and D. Rabinkin</i>	
DSP for Mobile Communication	
3-D Unitary ESPRIT for Joint 2-D Angle and Carrier Estimation	255
<i>M. Haardt and J. Nossek</i>	
Quality Enhancement of Coded and Corrupted Speeches in GSM Mobile Systems Using Residual Redundancy	259
<i>T. Hindelang, W. Xu and C. Erben</i>	
Pilot Assisted Coherent DS-CDMA Reverse-Link Communications with Optimal Robust Channel Estimation	263
<i>F. Ling</i>	

A New Frequency Estimator Applied to Burst Transmission.....	267
<i>C. Bergogne, M. Bousquet and P. Sehier</i>	
Unified Specification of Control and Data Flow	271
<i>T. Groetker, R. Schoenen and H. Meyr</i>	
Reconfigurable Processing: The Solution to Low-Power Programmable DSP	275
<i>J. Rabaey</i>	
DSP Cores for Mobile Communications: Where Are We Going?	279
<i>G. Fettweis</i>	
DSPs in Mobile Communication in the United States	283
<i>S. Kasturia and C. Warwick</i>	
FRIDGE: An Interactive Code Generation Environment for HW/SW CoDesign	287
<i>M. Willems, V. Bürsgens, T. Grötker and H. Meyr</i>	
Staying Ahead of the Game in Silicon for Digital Mobile Communications	291
<i>R. Subramanian, M. Barberis and H. Dawid</i>	
Echo Cancellation	
Approximation of Optimal Step Size Control for Acoustic Echo Cancellation.....	295
<i>C. Antweiler, J. Grunwald and H. Quack</i>	
Subband Stereo Echo Canceller Using the Projection Algorithm with Fast Convergence to the True Echo Path.....	299
<i>S. Makino, K. Strauss, S. Shimauchi, Y. Haneda and A. Nakagawa</i>	
A Better Understanding and an Improved Solution to the Problems of Stereophonic Acoustic Echo Cancellation	303
<i>J. Benesty, D. Morgan and M. Sondhi</i>	
Comparison of Three Post-Filtering Algorithms for Residual Acoustic Echo Reduction	307
<i>V. Turbin, A. Gilloire and P. Scalart</i>	
Audio Coding & Transducer	
Audio Coding Using Sinusoidal Excitation Representation	311
<i>W. Chang, D. Wang and L. Wang</i>	
Optimum Bit Allocation and Decomposition for High Quality Audio Coding	315
<i>X. Wei, M. Shaw and M. Varley</i>	
The D ₂ Lattice Quantization for a 64 Kbit/S Low-Delay Subband Audio Coder with a 15 Khz Bandwidth.....	319
<i>K. Hay, S. Saoudi and L. Mainard</i>	
An Experimental Audio Codec Based on Warped Linear Prediction of Complex Valued Signals.....	323
<i>A. Härmä, U. Laine and M. Karjalainen</i>	
High Quality Low Complexity Scalable Wavelet Audio Coding	327
<i>W. Dobson, J. Yang, K. Smart and F. Guo</i>	
An Efficient Tonal Component Coding Algorithm for MPEG-2 Audio NBC.....	331
<i>Y. Takamizawa, M. Iwadare and A. Sugiyama</i>	
Spectral Amplitude Warping (SAW) for Noise Spectrum Shaping in Audio Coding.....	335
<i>R. Lefebvre and C. Laflamme</i>	

A Fast Noise-Scaling Algorithm for Uniform Quantization in Audio Coding Schemes	339
<i>C. Serantes, A. Pena and N. Prelicic</i>	
Pyramid Vector Coding for High Quality Audio Compression	343
<i>D. Cadel and G. Parladori</i>	
Subband Audio Coding with Synthesis Filters Minimizing a Perceptual Distortion.....	347
<i>K. Gosse, F. Moreau de Saint-Martin, X. Durot, P. Duhamel and J. Rault</i>	
New Results in Low Bitrate Audio Coding Using a Combined Harmonic-Wavelet Representation.....	351
<i>S. Boland and M. Deriche</i>	
Adaptive Inverse Control of Weakly Nonlinear Systems	355
<i>W. Klippel</i>	
Microphone Array & Active Noise Control	
Broadband Beamforming with Adaptive Postfiltering for Speech Acquisition in Noisy Environments	359
<i>S. Fischer and K. Kammeyer</i>	
Near-Field Beamforming for Microphone Arrays.....	363
<i>J. Ryan and R. Goubran</i>	
A Robust Adaptive Microphone Array with Improved Spatial Selectivity and its Evaluation in a Real Environment.....	367
<i>O. Hoshuyama, A. Sugiyama and A. Hirano</i>	
Tracking Multiple Talkers Using Microphone-Array Measurements	371
<i>D. Sturim, H. Silverman and M. Brandstein</i>	
A Robust Method for Speech Signal Time-Delay Estimation in Reverberant Rooms.....	375
<i>M. Brandstein and H. Silverman</i>	
A Model-Based Approach to Active Noise Cancellation Using Loudspeaker Array	379
<i>J. Gu and S. Yau</i>	
Reverberant Sound Field Analysis Using a Microphone Array	383
<i>W. Täger and Y. Mahieux</i>	
Minimisation of the Maximum Error Signal in Active Control	387
<i>A. Gonzalez, A. Albiol and S. Elliott</i>	
Subband Active Noise Control Algorithm Based on a Delayless Subband Adaptive Filter Architecture	391
<i>J. Yun, D. Youn and Y. Park</i>	
Nonlinear Active Noise Control in a Linear Duct.....	395
<i>P. Strauch and B. Mulgrew</i>	
Fast Exact Filtered-X LMS and LMS Algorithms for Multichannel Active Noise Control.....	399
<i>S. Douglas</i>	
A Novel Frequency Domain Filtered-X LMS Algorithm for Active Noise Reduction.....	403
<i>T. Kosakat, S. Elliott and C. Boucher</i>	

Hearing Aids and Computer Music

Practical Supergain Head Sized Arrays	407
<i>D. Masmoudi, D. Dallet and J. Dom</i>	
A Multichannel Compression Strategy for a Digital Hearing Aid.....	411
<i>T. Schneider and R. Brennan</i>	
Multi-Microphone Sub-Band Adaptive Signal Processing for Improvement of Hearing Aid Performance: Preliminary Results Using Normal Hearing Volunteers	415
<i>P. Shields and D. Campbell</i>	
Environmental Noise Reduction Based on Speech/Non-Speech Identification for Hearing Aids	419
<i>K. Itoh and M. Mizushima</i>	
Blind Separation of Multiple Speakers in a Multipath Environment.....	423
<i>R. Lambert and A. Bell</i>	
A Single-Chip 1,200 Sinusoid Real-Time Generator for Additive Synthesis of Musical Signals.....	427
<i>F. De Bernardinis, R. Roncella, R. Saletti, P. Terreni and G. Bertini</i>	
A Generalized Musical-Tone Generator with Application to Sound Compression and Synthesis	431
<i>C. Drioli and D. Rocchesso</i>	
A Singing Voice Synthesis System Based on Sinusoidal Modeling	435
<i>M. Macon, L. Jensen-Link, J. Oliverio, M. Clements and E. George</i>	
Time-Scale Modification of Audio Signals with Combined Harmonic and Wavelet Representations.....	439
<i>K. Hamdy, A. Tewfik, S. Takagi and T. Chen</i>	
A Waveguide Model for Slapbass Synthesis	443
<i>E. Rank and G. Kubin</i>	
Minimum Perceptual Spectral Distance FIR Filter Design	447
<i>S. Wu and W. Putnam</i>	
A Phase Interpolation Algorithm for Sinusoidal Model Based Music Synthesis	451
<i>X. Qian and Y. Ding</i>	
Analytical Approximations of Fractional Delays: Lagrange Interpolators and Allpass Filters	455
<i>S. Tassart and P. Depalle</i>	
Improved Discrete-Time Modeling of Multi-Dimensional Wave Propagation Using the Interpolated Digital Waveguide Mesh	459
<i>L. Savioja and V. Välimäki</i>	

Matched Field Processing

Generalized Likelihood Ratio Test for Selecting a Geo-Acoustic Environmental Model	463
<i>C. Mecklenbräuker, P. Gerstoft, P. Chung and J. Böhme</i>	
Tuning Genetic Algorithms for Underwater Acoustics Using a priori Statistical Information	467
<i>M. Rendas and G. Bienvenu</i>	
Robust Beamformer Weight Design for Broadband Matched-Field Processing	471
<i>K. Harmanici and J. Krolík</i>	

FASTMAP: A Fast, Approximate Maximum a posteriori Probability Parameter Estimator with Application to Robust Matched-Field Processing	475
<i>B. Harrison, R. Vaccaro and D. Tufts</i>	
Electromagnetic Matched Field Processing for Source Localization	479
<i>D. Gingras, P. Gerstoft, N. Gerr and C. Mecklenbräuker</i>	
Detection, Classification and Localisation	
Power-Law Processors for Detecting Unknown in Signals in Colored Noise	483
<i>I. Kirsteins, S. Mehta and J. Fay</i>	
Multitarget Detection/tracking of Echoes with Known Waveform: Algorithm and Applications	487
<i>V. Rampa and U. Spagnolini</i>	
Detection of Gaussian Bandpass Transients Under Impulsive Noise: A Wavelet Transform Approach	491
<i>F. Garcia and I. Lourtie</i>	
Maximum Likelihood Estimator for Magneto-Acoustic Localisation	495
<i>G. Dassot, R. Blanpain and C. Jauffret</i>	
Barankin Bound for Source Localization in Shallow Water	499
<i>J. Tabrikian and J. Krolik</i>	
Underwater Transient Signal Processing: Marine Mammal Identification, Localization, and Source Signal Deconvolution	503
<i>Z. Michalopoulou</i>	
Numerical Optimization of Non-Adaptive Microphone Arrays	507
<i>A. Goldin</i>	
Joint Direction-of-Arrival and Array Shape Tracking for Multiple Moving Targets	511
<i>J. Goldberg, A. Perez-Neira and M. Lagunas</i>	
Comparison of Probabilistic Least Squares and Probabilistic Multi-Hypothesis Tracking Algorithms for Multi-Sensor Tracking	515
<i>M. Krieg and D. Gray</i>	
Direction Finding with Imperfect Wavefront Coherence: A Matrix Fitting Approach Using Genetic Algorithm	511
<i>A. Gershman, C. Mecklenbräuker and J. Böhme</i>	
Design of an Optimum Wideband Active Sonar Array with Robustness	523
<i>S. Abeysekera and Y. Leung</i>	
Ocean Signal Processing	
Multipath Time-Delay Estimation	527
<i>J. Fuchs</i>	
Fast Maximum Likelihood Estimation with Multiple Signal Initialization	531
<i>R. MacLeod and R. Vaccaro</i>	
An Algorithm for Detecting Closely Spaced Delay/Doppler Components	535
<i>A. Habboosh, R. Vaccaro and S. Kay</i>	
Improvement of TDOA Measurement Using Wavelet Denoising with a Novel Thresholding Technique	539
<i>S. Wu, H. So and P. Ching</i>	
A Short-Time Wiener Filter for Noise Removal in Underwater Acoustic Data	543
<i>C. Therrien, K. Frack and N. Fontes</i>	

Fast Approximate Subspace Tracking (FAST).....	547
<i>D. Tufts, E. Real and J. Cooley</i>	
A Subspace Framework for Fast Parameter Estimation with Known Waveforms.....	551
<i>B. Freburger, D. Tufts and T. Palka</i>	
Terrain Classification in Polarimetric SAR Using Wavelet Packets.....	555
<i>N. Keshava and J. Moura</i>	
Electromagnetic Matched-Field Processing for Target Height Finding with Over-the-Horizon Radar	559
<i>M. Papazoglou and J. Krolik</i>	
Time-Frequency Classification Using a Multiple Hypotheses Test: An Application to the Classification of Humpback Whale Signals.....	563
<i>G. Roberts, A. Zoubir and B. Boashash</i>	
Source Classification Using Pole Method of AR Model	567
<i>J. Huang, J. Zhao and Y. Xie</i>	
The LMMSE Estimate-Based Multiuser Detector: Performance Analyses and Adaptive Implementation.....	571
<i>H. Ge</i>	
Improved Doppler Tracking and Correction for Underwater Acoustic Communications	575
<i>M. Johnson, L. Freitag and M. Stojanovic</i>	
A Blind Multichannel Combiner for Long Range Underwater Communications.....	579
<i>B. Sharif, J. Neasham, D. Thompson, O. Hinton and A. Adams</i>	
DSP Processors	
Very Long Instruction Word Architectures for Digital Signal Processing	583
<i>J. Mellott and F. Taylor</i>	
A Novel 32 Bit RISC Architecture Unifying RISC and DSP.....	587
<i>C. Baumhof, F. Müller, O. Müller and M. Schlett</i>	
A Dual-Issue RISC Processor for Multimedia Signal Processing	591
<i>H. Sato, E. Holmann, T. Yoshida, M. Matsuo and T. Kengaku</i>	
A Processor-Coprocessor Architecture for High End Video Applications	595
<i>E. Maas, D. Herrmann, R. Ernst, P. Rüffer, S. Hasenzahl and M. Seitz</i>	
An MPEG-2 Encoder Architecture Based on a Single-Chip Dedicated LSI with a Control MPU.....	599
<i>Y. Ooi, O. Ohnishi, Y. Yokoyama, Y. Katayama, M. Mizuno, M. Yamashina, H. Takano, N. Hayashi and I. Tamitani</i>	
An Efficient and Reconfigurable VLSI Architecture for Different Block Matching Motion Estimation Algorithms.....	603
<i>X. Zhang and C. Tsui</i>	
An Operation-Saving VLSI Geometry Engine Core	607
<i>K. Karagianni, G. Diamantakos, V. Paliouras and T. Stouraitis</i>	
The FFT Butterfly Operation in 4 Processor Cycles on a 24 Bit Fixed-Point DSP with a Pipelined Multiplier	611
<i>M. Grajcar and B. Sick</i>	
New Unified VLSI Architectures for Computing DFT and Other Transforms.....	615
<i>S. Hsiao and C. Yen</i>	

Half-Rate GSM Vocoder Implementation on a Dual Mac Digital Signal Processor.....	619
<i>M. Prasad, P. D'Arcy, A. Gupta, M. Diamondstein and H. Srinivas</i>	
VLSI Implementation of an Area-Efficient Architecture for the Viterbi Algorithm.....	623
<i>C. Cabrera, M. Boo and J. Bruguera</i>	
DSP Building Blocks & Arithmetic	
Low-Area Dual Basis Divider Over $GF(2^M)$	627
<i>L. Song and K. Parhi</i>	
VLSI Architecture for Datapath Integration of Arithmetic Over $GF(2^M)$ on Digital Signal Processors.....	631
<i>W. Drescher, K. Bachmann and G. Fettweis</i>	
A Fast Direction Sequence Generation Method for CORDIC Processors.....	635
<i>S. Nahm and W. Sung</i>	
A Radix-4 Redundant Cordic Algorithm with Fast On-Line Variable Scale Factor Compensation.....	639
<i>C. Li and S. Chen</i>	
Pipelining of Cordic Based IIR Digital Filters.....	643
<i>J. Ma, K. Parhi and E. Deprettere</i>	
An Asynchronous Implementation of the MAXLIST Algorithm.....	647
<i>C. Myers and H. Zheng</i>	
A Novel Systematic Mapping Approach for Highly Efficient Multiplexed FIR-Filter Architectures.....	651
<i>W. Wilhelm and T. Noll</i>	
Design Automation for DSP	
An Upper Bound of the Throughput of Multirate Multiprocessor Schedules.....	655
<i>R. Schoenen, V. Zivojnovic and H. Meyr</i>	
Minimizing the Number of Operations in DSP Computations.....	659
<i>I. Hong and M. Potkonjak</i>	
BEEHIVE: An Adaptive, Distributed, Embedded Signal Processing Environment.....	663
<i>S. Famorzadeh, V. Madiseti, T. Egolf and T. Nguyen</i>	
On Objective Function Selection in List Scheduling Algorithms for Digital Signal Processing Applications.....	667
<i>J. Jonsson and J. Vasell</i>	
VLSI High Level Synthesis of Fast Exact Least Mean Square Algorithms Based on Fast FIR Filters.....	671
<i>J. Diguët, O. Sentieys, D. Chillet and J. Philippe</i>	
Hierarchical VHDL Libraries for DSP ASIC Design.....	675
<i>J. McCanny, D. Ridge, Y. Hu and J. Hunter</i>	
DSP Quant: Design, Validation, and Applications of DSP Hard Real-Time Benchmark.....	679
<i>C. Lee, D. Kirovski, I. Hong and M. Potkonjak</i>	
Constructing Memory Layouts for Address Generation Units Supporting Offset 2 Access.....	683
<i>B. Wess and M. Gotschlich</i>	

Modulo-Addressing Utilization in Automatic Software Synthesis for Digital Signal Processors.....	687
<i>M. Willems, H. Keding, V. Zivojnovic and H. Meyr</i>	
Cooperative Register Assignment and Code Compaction for Digital Signal Processors with Irregular Datapaths.....	691
<i>W. Kreuzer and B. Wess</i>	
Optimization of Embedded DSP Programs Using Post-Pass Data-Flow Analysis	695
<i>A. Sudarsanam, S. Malik, S. Tjiang and S. Liao</i>	
Code Positioning to Reduce Instruction Cache Misses in Signal Processing Applications on Multimedia RISC Processors.....	699
<i>H. Stolberg, M. Ikekawa and I. Kuroda</i>	
Code Generation by Using Integer-Controlled Dataflow Graph	703
<i>T. Miyazaki and E. Lee</i>	
Fixed-Point C Compiler for TMS320C50 Digital Signal Processor	707
<i>J. Kang and W. Sung</i>	
Author Index	A1

MULTIMODAL INTERFACES FOR MULTIMEDIA INFORMATION AGENTS

Alex Waibel, Bernhard Suhm, Minh Tue Vo and Jie Yang

Interactive Systems Laboratories
Carnegie Mellon University
5000 Forbes Avenue, Pittsburgh PA 15217 (USA)
{waibel,bsuhm,tue,yang+}@cs.cmu.edu

ABSTRACT

When humans communicate they take advantage of a rich spectrum of cues. Some are verbal and acoustic. Some are non-verbal and non-acoustic. Signal processing technology has devoted much attention to the recognition of speech, as a single human communication signal. Most other complementary communication cues, however, remain unexplored and unused in human-computer interaction. In this paper we show that the addition of non-acoustic or non-verbal cues can significantly enhance robustness, flexibility, naturalness and performance of human-computer interaction. We demonstrate computer agents that use speech, gesture, handwriting, pointing, spelling *jointly* for more robust, natural and flexible human-computer interaction in the various tasks of an information worker: information creation, access, manipulation or dissemination.

1. INTRODUCTION

Human-computer interfaces today are limited and inflexible and do not take advantage of the many communication channels humans use to communicate verbal and non-verbal ways. Humans speak, point, gesture, write, fixate, use facial expressions, head-motion, eye-contact, etc. to express ideas, intentions and feelings. To build computer systems that operate more flexibly and robustly, and that are more intuitive to use by anyone, computer interfaces must be able to understand and process this multiplicity of human communication cues. Recently many research projects have been conducted to address this problem (e.g. [1], [2], [3], [4]). The need for more intuitive interfaces becomes all the more pressing as multimedia presentation, that is output, is becoming commonly available.

In this paper we describe information agents that use multimodal interfaces to access, manipulate, create and disseminate information. In particular, we seek effective methods by which human users can easily interact with a computer by speaking, pointing, drawing, spelling, etc. We show how cross-modal cues can be used effectively to recover from errors or miscommunications, since confusions in one modality usually are unambiguous in another. We describe how multiple modalities can cooperate and complement each other in various phases of the preparation of multimedia documents. Moreover, the added flexibility and robustness significantly increases reliability and naturalness, and with it the usability and acceptance of information systems. We present QuickDoc as a prototypical application that combines our multimodal subsystems in a simple, but powerful way.

2. INTERPRETATION OF MULTIMODAL INPUT

2.1. Multimodal Components

Our labs have implemented recognizers and processing modules for various input modalities, most notably speech, pen input, and face tracking. These modality processors constitute the basic components of all our multimodal systems.

Speech

Our speech recognition subsystem is based on the recognition front-end of the JANUS speech translation system [5] which is capable of processing speaker-independent, spontaneous speech. The recognizer can be adapted to any task domain by retraining the language models and possibly tuning the acoustic models if the domain involves special vocabulary. We also have a high-performance, real-time continuous spelling recognizer for large lists of 100,000 or more names.

Gesture

Our approach to pen-based gesture recognition is to decompose pen strokes into sequences of basic shapes such as line, arc, arrow, circle, cross...[6] The same gesture shape may mean different things depending on the surrounding context, hence each gesture component is augmented by *gesture contexts* indicating spatial relationships between the gesture and nearby objects in the user interface.

Handwriting

Our MS-TDNN-based handwriting recognizer [7] is capable of processing writer-independent, continuous (cursive) handwriting at a recognition rate of 94% on a 20,000-word vocabulary. We employ simple heuristics to decide when to invoke handwriting recognition on pen input, e.g., when the gesture recognizer cannot identify the input strokes as basic shapes.

Face Tracking

We base our face-tracking subsystem on face color clustering and motion detection [8]. The face tracker can control a pan-tilt-zoom camera to follow a freely moving person, producing a constant-sized image of the face area in real time. Another software layer built on top of this face tracker can identify the eyes and other face features, build a model of the face, and estimate the gaze direction to track the head pose [9].

2.2. Joint Interpretation

In order to make sense of input from all available sources, we need a multimodal interpreter capable of producing an interpreta-

tion of user intent (e.g., a command to execute in the application interface) from the output of the modality processors.

In our joint interpretation scheme, the user intent is represented by a frame consisting of slots specifying pieces of information such as the action to carry out or the parameters for that action. Recognition output from the modality processors are parsed into partially filled frames that are merged together to produce the combined interpretation as described in [6]. This technique leads to uniform handling of high-level information from all input sources, which is very important for modularity and extensibility. To add another input modality we need only provide a module to convert low-level recognizer output to a partially filled frame to be merged with others. In addition, context information can be retained across input events by merging with previous interpretation frames.

3. MULTIMODAL ERROR CORRECTION

Intensive research over recent years has boosted the performance of speech recognition technology significantly. Nevertheless it is widely believed that recognition performance will remain limited, at least for the foreseeable future. The potential for error with any speech interface will be balanced by the redundant and alternate ability to enter information or queries by spelled, hand-written or typed input. Rather than fighting a particular recognition error the user can therefore quickly circumvent the problem by choosing a different modality. Such alternates not only eliminate user frustration with potentially recurring errors, but also provide an avenue for background learning and adapting.

3.1. Multimodal Interactive Error Repair

Our approach is to have the user collaborate with the system in recovering from interpretation errors [10]. First, errors have to be identified, either initiated by the system, for instance based on some confidence measure, or by the user. If a graphical user interface (GUI) is available, the user can simply highlight erroneous words (the reparandum) in the recognition hypothesis displayed. For error correction, the user provides additional input, choosing among different correction methods: repair by repeating the reparandum by respeaking, spelling out loud, or handwriting; repair by paraphrasing the reparandum; repair by pen gestures (e.g. to delete or insert), in addition to the standard repair by typing or selecting among N-best alternatives.

The rationale for this multimodal approach to error recovery is twofold. First, it exploits the fact that different input modalities are orthogonal: words which are confusable in one modality, can be disambiguated in a different modality (e.g. "road" and "rote" spoken versus spelled). Secondly, recent studies [11] show that switching modality after system misinterpretation alleviates user frustration.

3.2. Error Repair for Multimedia Information Agents

The design of speech user interfaces is constrained by the context of the application, and so is the design of error repair. The application context varies along several dimensions: available modalities (speech only versus GUI), what is repaired (isolated words, phrases, sentences), goal of repair is (get verbatim every word versus get the intended action), dialogue metaphor (command controls versus conversational). For multimedia information agents, we see the following two application contexts as particularly relevant:

- (Mixed initiative) Spoken dialogue, for example in user queries and command control of the application. In this context, a GUI may be available, repair will typically be performed at the level of phrases, the goal of repair is to initiate the intended action (semantic repair), and a conversational dialogue is desirable.
- Dictation, for example to entry in fields, or to dictate reports. In this context, a GUI is very appropriate, repair will occur from isolated word to sentence level, the goal of repair is to get each word correct (verbatim repair).

We have built prototypical speech user interfaces with error repair capabilities for dictation and form filling tasks. In this application context, requiring the user to identify errors by highlighting them is appropriate, since the user naturally focuses on the actual recognition hypothesis. For error correction, we offer to repeat the input (potentially switching to another modality), and pen gestures to indicate where to insert words, or which word to delete. In form filling tasks, knowledge of the current field can provide powerful constraints for recognition by restricting vocabulary and language model accordingly.

3.3. Evaluating Interactive Error Repair

Given a set of error recovery methods feasible with current technology in a given application context, a crucial issue is to predict which methods a user will prefer. Based on the assumption of a rational user [13], we use the time to complete some input, including the time needed to correct errors, as an objective and easily quantifiable measure for the effectiveness of different error recovery methods, and main predictor of user preference. By assuming stochastic independence of the various repair attempts, the expected accuracy after a certain number of repair attempts can be estimated as a geometric series. Given a high level of accuracy sufficient for the application (e.g. 99%), the number of repair attempts can be estimated, and thus the total time required to input including repair [12].

A pilot evaluation on a form filling task [12] suggests that given current technology, repair by spelling and handwriting can be very effective, and significantly better than standard choice from N-best alternatives. Using the context of a repair, e.g. in rescoring N-best lists obtained by decoding repair input, can substantially improve the accuracy of repair. Although results are still preliminary, they show that our multimodal approach to interactive error recovery is very promising.

4. MULTIMODAL INFORMATION AGENTS

The objective for multimodal information agents is to quickly access, create, manipulate, and disseminate multimedia information. A multimodal agent can label multimedia information with appropriate classifications by voice or/and gesture annotations. All annotations are incorporated with original information. The agent will automatically attach hotlinks on the world-wide-web to broaden information sources. The agent then will generate an HTML format report. The agent can search all the information in the report including voice and gesture annotations and voice mails. The agent can repair errors and add more information. Finally, the agent can disseminate the report in electronic form or printed form.

4.1. Information Access

Multimodal information agents can speed up navigation of Information space and queries of a database. A city map, for example, can be queried by a combination of gesture, handwriting and speech. A query such as: "Show me all hospitals in this <circling-gesture> area," or "How far is from here to there <tracing-gesture>?" will access information that would otherwise have to be assembled and combined painstakingly in a series of steps. Multimodal agents will recognize gesture and speech concepts and map them onto a semantic representation. The semantic representation can be filled interchangeably by both gestures and verbal phrases using pattern recognition and chart parsing techniques. The parsing result is then sent to query the database. If interpretation errors occur, the user corrects them using multimodal correction techniques. The whole process is transparent to the user.

Searching multimedia data can be viewed as natural extension of multimodal database queries. For instance, voice annotations or video clips added during user interaction can be interpreted and indexed using multimodal interpretation components, and then accessed using database queries techniques.

4.2. Information Creation

A user often needs to add information to a database or modify existed information. Multimodal agents are also useful in such a process. For example, a doctor needs to mark his/her diagnoses on X-ray, CT, MR images and make comments on the case. He/she can use speech, gesture, and handwriting to do this. Similarly iconic gestures may be used on a touch sensitive display or writing pad, to quickly enter resources or objects in a database, such as a map, in non-verbal ways. Iconic gestures can be defined to represent objects that would be entered in the database. In the same way, handwriting symbols can be used to mark or tag objects on a screen. Multimodal input also need not always be interpreted, but can often be stored for later review. Thus a voice annotation, or a circling gesture can be simply stored to go along with an image for later review and retrieval. The efficiency of multimodal agents for information creation can be illustrated by the following example. The scenario is an image analyst sitting in the front of a computer and classifying various targets. Images can be popped up quickly and in rapid succession and the analyst provides a quick classification. The image and its classification are entered into a database along with the analyst's spoken and gestured annotation. With the human in the loop to make decisions on intelligence relevance, but with the availability of a better (multimodal) interface, to do so quickly, the job of data creation and manipulation can be carried out with greater reliability and efficiency compared to a fully automated system.

4.3. Information Manipulation

Information will not only be requested to viewed, but will also need to be updated. A multimodal multimedia information system can offer new ways to maintain the underlying databases: the user can use speech, gesture, writing, spelling to update database information efficiently. manipulating visual representations on the display rather than having to learn and use a separate database manipulation system. Gestures play an important role in specifying object parameters (e.g. different iconic shapes to represent different object types) and spatial constraints (e.g., location and extent of objects), while speech is useful in specifying parameters not easily expressed visually. For example he/she might circle a bridge on a map and say "this bridge has been destroyed", or might cross out an object without words, etc.

In some situations, the answer for a query cannot be directly obtained from the database and the information from the database has to be future processed. For example, the query "Show me the nearest restaurant" requires not only database access but also other computations.

4.4. Information Dissemination

In addition to information access, creation and manipulation, the product has to be packaged and readied for later viewing. The world wide web can serve as a natural medium to disseminate multimedia information. The multimodal input signals are interpreted and compiled, and an HTML format report is automatically generated on the fly. It is then automatically available for viewing together with the original aligned speech waveform attached to it as hotlinks. Multimodal interaction can also be used to manipulate objects in a report, such as positioning objects on a page appropriately, or attaching appropriate hotlinks.

To quickly generate a multimedia report, speech dictation can be combined with point and click actions to arrange reports on the fly. Such a multimodal report generation would be faster than typing and can generate a hierarchy of facts and notions. The generation thus would consist of some dictation or typing, some multimodal object manipulation ("move this <point> here <point> and link it as an explanation for that <click>") and some handwriting or drawings that are to be attached. The result of these communicative acts will compile into HTML code, that is ready to be transferred. Time savings are possible in several ways: the report generation can be done more efficiently by speech, gesture, or handwriting, and by using references to already existing multimedia stickies, factoids, video footage or explanations, and the recipient of the report can probe and browse a hierarchical multimedia report in a non-linear fashion more efficiently, calling up aspects of the assessment as needed.

4.5. Controlling the Interface

Although the goal of a multimodal interface is to provide as transparent an access to functionality as possible, interaction to control various aspects of the system can't be eliminated.

For example for navigation within visually presented image data, the user typically modifies the view by operations such as zooming and panning. The integration of speech and gesture increases flexibility by allowing different attributes of an operation to be specified in whatever modality is more appropriate for each attribute; for instance, the effect of a spoken "zoom in to this <circle> area" accompanied by a circle drawn around the desired area is much more difficult to achieve using a single input modality.

Additionally, multiple modalities can be used to enhance the reliability. For example, a gaze tracker can be used to detect the user's focus of attention. When the user is looking at a window on a screen, the window will be highlighted. No action is taken unless the user uses a voice command to confirm the selection. The voice commands could be "select this window" or "close window", etc. This can reduce unintended actions caused by the user randomly looking around.

5. THE QUICKDOC APPLICATION

QuickDoc is an example of an application that combines our multimodal subsystems in a simple but powerful way, letting the user perform a repetitive task with speed and convenience. The task is for a doctor to go through a series of images such as X-rays or computer-aided tomography scans, quickly identify an anomalous

area, label the area with the name of a disease or condition, and attach relevant comments. The end product is an HTML report that summarizes the doctor's findings in a compact table listing the annotated images, the corresponding preliminary diagnoses, and automatically generated hotlinks to relevant sites based on the diagnoses.

The QuickDoc user labels each presented image by circling an area on the image (drawing directly on a touch-sensitive screen) and speaking a disease name as well as a percentage representing the confidence level of the diagnosis. The gesture recognizer identifies the circle and generates an area marker on the image, attaching other parts of the gesture as written annotations (a future version may run the handwriting recognizer to turn those into text). The user can issue a spoken command to initiate a voice annotation attachment; the recorded audio file is also run through the speech recognizer to produce an automatic transcription. When all the images have been processed, another spoken command causes the HTML report to be generated. Optionally the collected data can also be edited in a multimodal dictation and repair facility before being processed into HTML.

The generated report contains thumbnails of the annotated images accompanied by disease label, confidence level, location in the image (automatically extracted from the circling gesture), and voice annotation playback icon if applicable. The thumbnail is linked to a more detailed page containing the full-size image and the automatic voice transcription. The name of the disease is looked up in a database and turned into a hotlink to a page listing Web sites relevant to that disease. A keyword search mode allows to search spoken keywords in the text of the report and the automatic voice transcriptions; entries containing hits are then highlighted in the report.

QuickDoc thus embodies multimodal creation, manipulation, dissemination, and access of multimedia information in a simple yet surprisingly useful application.




FIGURE 1: Multimodal information creation in QuickDoc: labeling some area by a circle gesture and speech ("subdural hematoma")

6. CONCLUSIONS

In this paper we have described systems that combine speech, gesture, handwriting, pointing, spelling, and other communication modalities into interfaces that are robust, flexible, and intuitive to use. We described how multimodal error recovery can ease the problem of unreliable automatic interpretation of com-

munication modalities, in particular speech, thus removing a major obstacle in making multimodal interfaces truly usable. We demonstrated how these concepts can be combined for a more user friendly multimedia document production technology.

7. ACKNOWLEDGEMENTS

This research was sponsored by the DARPA under the Department of the Navy, Naval Research Office under grant number N00014-93-1-0806. Views and conclusions contained in this document are those of the authors and should not be interpreted as necessarily representing the official policies or endorsements, either expressed or implied, of the Navy or the U.S. Government.

8. REFERENCES

- [1] H. Ando, Y. Kitahara and N. Hataoka: "Evaluation of Multimodal Interface Using Spoken Language and Pointing Gesture on Interior Design System", *Proc. ICSLP*, 1994, Vol. 2, pp. 567-570.
- [2] T. Nishimoto, N. Shida, T. Kobayashi, K. Shirai: "Multimodal Drawing Tool Using Speech, Mouse and Keyboard", *Proc. ICSLP*, 1994, Vol. 3, pp. 1287-1290.
- [3] J. Wang: "Integration of Eye-gaze, Voice and Manual Response in Multimodal User Interface", *Proc. ICSMC*, 1995, Vol. 5, pp. 3938-42.
- [4] A. Waibel, M.T. Vo, P. Duchnowski, and S. Manke: "Multimodal Interfaces," *Artificial Intelligence Review, Special Volume on Integration of Natural Language and Vision Processing*, McKeivitt, P. (Ed.), Vol. 10, Nos. 3-4, 1995.
- [5] B. Suhm, P. Geutner, T. Kemp, A. Lavie, L.J. Mayfield, A. McNair, I. Rogina, T. Schultz, T. Sloboda, W. Ward, M. Woszczyna and A. Waibel: "JANUS: Towards Multilingual Spoken Language Translation," *Proc. ARPA SLT Workshop 95* (Austin, Texas).
- [6] M.T. Vo and C. Wood: "Building and application framework for speech and pen input integration in multimodal learning interfaces," *Proc. ICASSP'96* (Atlanta, GA).
- [7] S. Manke, M. Finke and A. Waibel: "The Use of Dynamic Writing Information in a Connectionist On-Line Cursive Handwriting Recognition System," *Advances in Neural Information Processing Systems 6*, Morgan Kaufmann, 1994.
- [8] J. Yang and A. Waibel: "A real-time face tracker," *Proc. WACV'96*, pp. 142-147.
- [9] R. Stiefelagen, J. Yang and A. Waibel: "A Modelbased Gaze Tracking System," *Proc. IEEE International Joint Symposia on Intelligence and Systems - Image, Speech & Natural Language Systems*, pp. 304-310, 1996.
- [10] A.E. McNair and A. Waibel: "Improving Recognizer Acceptance through Robust, Natural Speech Repair", *Proc. ICSLP*, 1994, Vol. 3, pp. 1299-1302.
- [11] S.L. Oviatt and R. VanGent: "Error Resolution during Multimodal Human-Computer Interaction", *Proc. ICSLP*, 1996.
- [12] B. Suhm, B. Myers and A. Waibel: "Interactive Recovery from Speech Recognition Errors in Speech User Interfaces", *Proceedings of the International Conference on Spoken Language Processing - ICSLP*, 1996.
- [13] A. Newell, S. Card and P. Moran: "The Psychology of Human Computer Interaction", Lawrence Earlbaum Associates, 1983.

APPENDIX B



Journals, Magazines, Newspapers

IEEE International Conference on Acoustics, Speech, and Signal Processing : [proceedings]

AUTHOR / CREATOR

[ICASSP \(Conference\)](#)

CONFERENCES

ICASSP (Conference)

AVAILABLE AS

Online

Physical

[View Online](#)

[Available Issues / Request a Copy](#)



[Citation](#)

☐ Physical Locations

Multiple items exist. Use [Available Issues / Request a Copy](#) to see what's on the shelf.

Verona Shelving Facility

by request only

TA365 I102

This Location Has

1997

Publication Details

CREATOR

sponsored by the Institute of Electrical and Electronics Engineers Signal Processing Society

INCLUDED TITLE

IEEE Xplore conferences

FORMAT

Journals, Magazines, Newspapers

LANGUAGE

English

CONTRIBUTORS

[IEEE Signal Processing Society](#)

PUBLICATION

Los Alamitos, CA : IEEE Computer Society Press, c1997

PUBLICATION DATES

1997

PHYSICAL DETAILS

1 volume : illustrations ; 28 cm

OCLC

ocm37249153

PRECEDING TITLES

[Conference proceedings](#)

SUCCEEDING TITLES

Proceedings of the ... IEEE International Conference on Acoustics, Speech, and Signal Processing

Notes

Also available in electronic format on the World Wide Web.

Subjects

[Speech processing systems -- Congresses.](#)

[Signal processing -- Congresses.](#)

[Electro-acoustics -- Congresses.](#)

[Underwater acoustics -- Congresses.](#)

Content Types

[Congresses](#)

Items Related By Call Number

[Shelf Browse](#)



Journals, Magazines, Newspape...
ICASSP : [proceedings]
ICASSP (Conference)

Physical
TA365 I102

Journals, Magazines, Newspape...
Record
ICASSP (Conference)

Physical
TA365 I102



▼ Information from the Web

▼ Library Staff Details

The Library has...

Viewing the library holdings for: [IEEE International Conference on Acoustics, Speech, and Signal Processing : \[proceedings\]](#)

Verona Shelving Facility

Number of Items
5 items

Details

Location
by request only

Call Number
TA365 I102

Count
5 items

This Location Has
1997

Materials

 [v.1997:5](#)
Book

 [v.1997:4](#)
Book

 [v.1997:3](#)
Book

 [v.1997:2](#)
Book

 [v.1997:1](#)
Book

APPENDIX C



Journals, Magazines, Newspapers

IEEE International Conference on Acoustics, Speech, and Signal Processing : [proceedings]

AUTHOR / CREATOR

[ICASSP \(Conference\)](#)

CONFERENCES

ICASSP (Conference)

AVAILABLE AS

Online

Physical

 [View Online](#)

 [Available Issues / Request a Copy](#)

 [Save to Lists](#)

 [Citation](#)

Physical Locations

 Multiple items exist. Use [Available Issues / Request a Copy](#) to see what's on the shelf.

Verona Shelving Facility

by request only

TA365 I102

This Location Has
1997

✕ Publication Details

CREATOR

sponsored by the Institute of Electrical and Electronics Engineers Signal Processing Society

INCLUDED TITLE

IEEE Xplore conferences

FORMAT

Journals, Magazines, Newspapers

LANGUAGE

English

CONTRIBUTORS

[IEEE Signal Processing Society](#)

PUBLICATION

Los Alamitos, CA : IEEE Computer Society Press, c1997

PUBLICATION DATES

1997

PHYSICAL DETAILS

1 volume : illustrations ; 28 cm

OCLC

ocm37249153

PRECEDING TITLES

[Conference proceedings](#)

SUCCEEDING TITLES

 Notes

Also available in electronic format on the World Wide Web.

Subjects

[Speech processing systems -- Congresses.](#)

[Signal processing -- Congresses.](#)

[Electro-acoustics -- Congresses.](#)

[Underwater acoustics -- Congresses.](#)

Content Types

[Congresses](#)

Items Related By Call Number

[Shelf Browse](#)

Journals, Magazines, Newspape...
ICASSP : [proceedings]
ICASSP (Conference)

Journals, Magazines, Newspape...
Record
ICASSP (Conference)

Journals, Magazines, Newspape...
Conference record
ICASSP (Conference)

Journals, Mag
Proceedings
ICASSP (Confe

Physical
TA365 I102

Physical
TA365 I102

Online
Physical
TA365 I102

Physical
TA365 I102

Information from the Web

Library Staff Details

MARC Bibliographic Record

LEADER	01800mas a2200445 a 4500
001	9943740843602122
005	20180323022142.0
007	cr
008	970707d19971997cauar 1 0eng d
010	\$a 98655049 \$zsn 97038149
012	\$a2\$i9707
035	\$a(OCOLC)ocm37249153
035	\$9AYE1159UW

035 \$a(WU)4374084-uwmadisondb

035 \$a(EXLNZ-01UWI_NETWORK)999858382602121

040 \$aMYG\$beng\$cMYG\$dDLC\$dMYG\$dGZM

042 \$alc

049 \$aGZMA

050 00 \$aTK7882.S65\$bI37a

082 00 \$a621.38/043/05\$219

111 2_ \$aICASSP (Conference)

245 10 \$aIEEE International Conference on Acoustics, Speech, and Signal Processing :\$b[proceedings] /\$csponsored by the Institute of Electrical and Electronics Engineers Signal Processing Society.

260 \$aLos Alamitos, CA :\$bIEEE Computer Society Press,\$c1997.

300 \$a1 volume :\$billustrations ;\$c28 cm

310 \$aAnnual

336 \$atext\$btxt\$2rdacontent

337 \$acomputer\$bc\$2rdamedia

338 \$aonline resource\$bcr\$2rdacarrier

362 0_ \$a1997.

530 \$aAlso available in electronic format on the World Wide Web.

515 \$aIssued in 5 or more pts.

650 _0 \$aSpeech processing systems\$vCongresses.

650 _0 \$aSignal processing\$vCongresses.

650 _0 \$aElectro-acoustics\$vCongresses.

650 _0 \$aUnderwater acoustics\$vCongresses.

710 2_ \$aIEEE Signal Processing Society.

730 0_ \$aIEEE Xplore conferences.

780 00 \$aICASSP.\$tConference proceedings\$w(DLC) 98655050\$w(OCOLC)32748056

785 00 \$aICASSP.\$tProceedings of the ... IEEE International Conference on Acoustics, Speech, and Signal Processing\$x1520-6149\$w(DLC)sn 98038280\$w(OCOLC)40157209

856 41 \$zAvailable through IEEE Xplore\$uhttp://ieeexplore.ieee.org/servlet/opac?punumber=1000002

997 \$aMARCIVE

MMS IDs

Document ID: 999858382602121

Network Electronic IDs: 999858382602121

Network Physical IDs: 999858382602121

mms_mad_ids: 9943740843602122