


ICASSP
PROCEEDINGS

TK 7882
.S65 I37a
V. 1
1996

1996 IEEE International Conference on Acoustics,
Speech, & Signal Processing

Conference Proceedings

May 7 - 10, 1996
Atlanta, Georgia USA



I C A S S P • 96

Atlanta


Volume 1

Sponsored by the
Signal Processing Society of the
Institute of Electrical and Electronic Engineers



IEEE

*ICASSP: proceedings
"ICASSP"*



**The 1996 IEEE International Conference on
Acoustics, Speech, and Signal Processing
Conference Proceedings**

**Sponsored by the Signal Processing Society of the Institute of Electrical and
Electronics Engineers**

**May 7-10, 1996
Marriott Marquis Hotel
Atlanta, Georgia, USA**

The 1996 IEEE International Conference on Acoustics, Speech, and Signal Processing Conference Proceedings

Copyright and Reprint Permission: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. For other copying, reprint or republication permission, write to IEEE

Copyrights Manager, IEEE Service Center, 445 Hoes Lane, P.O. Box 1331, Piscataway, NJ 08855-1331. All rights reserved. Copyright 1996 by the Institute of Electrical and Electronics Engineers, Inc.

IEEE Catalog Number: 96CH35903
ISBN 0-7803-3192-3 (softbound)
ISBN 0-7806-3193-1 (casebound edition)
ISBN 0-7803-3194-X (microfiche)
ISBN 0-7803-3195-8 (CD-ROM)
Library of Congress: 84-645139

Additional Proceedings (hard-copy and CD-ROM) may be ordered from:

IEEE Service Center
445 Hoes Lane
P.O. Box 1331
Piscataway, NJ 08855-1331
1-800-678-IEEE

TK7882
S65 I37a
v.1, 1996

TABLE OF CONTENTS

Volume 1

SP1 Robust Recognition: Signals and Features

Feature Parameter Curve Method for High Performance NN-based Speech Recognition	I-1
<i>D. Chen, S. Zhu, T. Huang - Chinese Academy of Sciences, China</i>	
On the Use of Residual Cepstrum in Speech Recognition	I-5
<i>J. He, L. Liu, G. Palm - University of Ulm, Germany</i>	
HMM-Based Speech Recognition Using State-Dependent, Linear Transforms on Mel-Warped DFT Features	I-9
<i>C. Rathinavelu, L. Deng - University of Waterloo, Canada</i>	
Mixed Malvar-Wavelets for Non-Stationary Signal Representation	I-13
<i>J. Thiripuraneni, W. Lou, V. DeBrunner - The University of Oklahoma, USA</i>	
Experiments on a Parametric Nonlinear Spectral Warping for an HMM-based Speech Recognizer	I-17
<i>D. Mashao - Brown University, USA</i>	
Robust Distant Talking Speech Recognition	I-21
<i>Q. Lin, C. Che, D. Yuk, L. Jin - CAIP Center, Rutgers University, USA</i>	
<i>B. Vries, J. Pearson - David Sarnoff Research Center, USA</i>	
<i>J. Flanagan - Rutgers University, USA</i>	
Time-Frequency Representation Based Cepstral Processing For Speech Recognition	I-25
<i>A. Fineberg, K. Yu - Motorola Lexicus, USA</i>	
Knowledge-Based Parameters for Speech HMM Recognition	I-29
<i>C. Espy-Wilson, N. Bitar - Boston University, USA</i>	
A Phoneme Similarity Based ASR Front-End	I-33
<i>T. Applebaum, P. Morin, B. Hanson - Speech Technology Laboratory, USA</i>	
A Model of Dynamic Auditory Perception and its Application to Robust Speech Recognition	I-37
<i>B. Strope, A. Alwan - University of California at Los Angeles, USA</i>	

SP2 Robust Recognition: Large Vocabulary

Independent Calculation of Power Parameters on PMC Method	I-41
<i>H. Yamamoto, M. Yamada, T. Kosaka, Y. Komori, Y. Ohora - Canon Inc., Japan</i>	
Noisy Speech Recognition Using Variance Adapted Likelihood Measure	I-45
<i>J. Chien, L. Lee, H. Wang - National Tsing Hua University, ROC</i>	
An Improved Noise Compensation Algorithm for Speech Recognition in Noise	I-49
<i>R. Yang, P. Haavisto - Nokia Research Center, Finland</i>	
Improved Speech Recognition via Speaker Stress Directed Classification	I-53
<i>B. Womack, J. Hansen - Duke University, USA</i>	
High-Accuracy Connected Digit Recognition for Mobile Applications	I-57
<i>S. Gupta, F. Soong, R. Haimi-Cohen - AT&T Bell Labs, USA</i>	
Feature Extraction Based on Zero-Crossings with Peak Amplitudes for Robust Speech Recognition in Noisy Environments...	I-61
<i>D. Kim, J. Jeong, J. Kim, S. Lee - Korea Advanced Institute of Science and Technology, ROK</i>	
Improving Environmental Robustness in Large Vocabulary Speech Recognition	I-65
<i>P. Woodland, M. Gales, D. Pye - Cambridge University, UK</i>	
Noise and Room Acoustics Distorted Speech Recognition by HMM Composition	I-69
<i>S. Nakamura, T. Takiguchi, K. Shikano - Nara Institute of Science and Technology, Japan</i>	
Developments in Continuous Speech Dictation Using the 1995 ARPA NAB News Task	I-73
<i>J. Gauvain, L. Lamel, G. Adda, D. Matrouf - LIMSI-CNRS, France</i>	
Evaluation of the Root-Normalized Front-End (RN-LFCC) for Speech Recognition in Wireless GSM Network Environments	I-77
<i>P. Lockwood, S. Dufour, C. Glorion - MATRA Communications, France</i>	

SP3 Speaker Recognition

Speaker Background Models for Connected Digit Password Speaker Verification	I-81
<i>A. Rosenberg, S. Parthasarathy - AT&T Bell Laboratories, USA</i>	
Cohort Selection and Word Grammar Effects on Speaker Recognition	I-85
<i>J. Colombi, D. Ruck - AFIT/ENG, USA,</i>	
<i>T. Anderson - AL/CFBA, USA,</i>	
<i>S. Rogers - AFIT/ENG, USA,</i>	
<i>M. Oxley - AFIT/ENC, USA</i>	
Discriminative Training of GMM for Speaker Identification	I-89
<i>C. Martin Del Alamo, J. Caminero Gil, C. De La Torre, L. Hernandez Gomez - Telefonica I+D, Spain</i>	
Subword-based Text-dependent Speaker Verification System with User-Selectable Passwords	I-93
<i>M. Sharma, R. Mammone - Rutgers University, USA</i>	
Robust Methods of Updating Model and A Priori Threshold in Speaker Verification	I-97
<i>T. Matsui, T. Nishitani, S. Furui - NTT Human Interface Laboratories, Japan</i>	
A Further Investigation of AR-Vector Models for Text-Independent Speaker Identification	I-101
<i>I. Magrin-Chagnolleau, J. Wilke, F. Bimbot - CNRS, France</i>	
Speaker Identification via Support Vector Classifiers	I-105
<i>M. Schmidt - BBN, USA</i>	
Speaker Verification Using Mixture Likelihood Profiles Extracted from Speaker Independent Hidden Markov Models	I-109
<i>A. Setlur, R. Sukkar, M. Gandhi - AT&T Bell Laboratories, USA</i>	
The Effects of Handset Variability on Speaker Recognition Performance: Experiments on the Switchboard Corpus	I-113
<i>D. Reynolds - MIT Lincoln Laboratory, USA</i>	
Speaker Recognition in Reverberant Enclosures	I-117
<i>P. Castellano, S. Sridharan, D. Cole - Signal Processing Research Centre, Australia</i>	

SP4 Speech Recognition: Noise and Environment

Using a Transcription Graph for Large Vocabulary Continuous Speech Recognition	I-121
<i>Z. Li, D. O'Shaughnessy - INRS-Telecommunications, Canada</i>	
Fast and Accurate Recognition of Very-Large-Vocabulary Continuous Mandarin Speech for Chinese Language with Improved Segmental Probability Modeling	I-125
<i>J. Shen, S. Hwang - National Taiwan University, ROC</i>	
<i>L. Lin-shan - Academia Sinica, ROC</i>	
Decoding Optimal State Sequence with Smooth State Likelihoods	I-129
<i>I. Zeljkovic - AT&T Bell Laboratories, USA</i>	
Improvements on the Pronunciation Prefix Tree Search Organization	I-133
<i>F. Alleva, X. Huang, M. Hwang - Microsoft Corporation, USA</i>	
Minimizing Search Errors Due to Delayed Bigrams in Real-Time Speech Recognition Systems	I-137
<i>M. Wozyczyna - University of Karlsruhe, Germany, M. Finke - University of Karlsruhe, Germany</i>	
Real-Time Recognition of Broadcast Radio Speech	I-141
<i>G. Cook, J. Christie, P. Clarkson, S. Cooper, M. Hochberg, D. Kershaw, R. Logan, S. Renals, A. Robinson,</i>	
<i>C. Seymour, S. Waterhouse, P. Zolfaghari - Cambridge University, UK</i>	
Spontaneous Dialogue Speech Recognition Using Cross-Word Context Constrained Word Graphs	I-145
<i>T. Shimizu, H. Yamamoto, H. Masataki, S. Matsunaga, Y. Sagisaka - ATR - ITL, Japan</i>	
Efficient Evaluation of the LVCSR Search Space Using the NOWAY Decoder	I-149
<i>S. Renals - University of Sheffield, UK, M. Hochberg - University of Cambridge, UK</i>	
Developments in Large Vocabulary, Continuous Speech Recognition of German	I-153
<i>M. Adda-Decker, G. Adda, L. Lamel, J. Gauvain - LIMSI-CNRS, France</i>	
Speech Recognition on Mandarin Call Home: A Large-Vocabulary, Conversational, and Telephone Speech Corpus	I-157
<i>F. Liu, M. Picheny, P. Srinivasa, M. Monkowski, J. Chen - IBM T.J. Watson Research Center, USA</i>	

SP5 Speech-Recognition: Language Modeling II

Multilingual Stochastic n-Gram Class Language Models	I-161
<i>M. Jardino - LIMSI-CNRS, France</i>	
A Variable-Length Category-Based N-Gram Language Model	I-164
<i>T. Niesler, P. Woodland - Cambridge University, UK</i>	
Improving N-Gram Models by Incorporating Enhanced Distributions	I-168
<i>P. O'Boyle, J. Ming, J. McMahon, J. Smith - Queen's University of Belfast, UK</i>	
A Novel Word Clustering Algorithm Based on Latent Semantic Analysis	I-172
<i>J. Bellegarda, J. Butzberger, Y. Chow, N. Coccaro, D. Naik - Interactive Media Group, Apple Computer USA</i>	
Statistical Natural Language Understanding	I-176
<i>M. Epstein, K. Papineri, S. Roukos, T. Ward - IBM T.J. Watson Research Center, USA, S. Della Pietra - Renaissance Technologies, USA</i>	
Clustering Words for Statistical Language Models Based on Contextual Word Similarity	I-180
<i>A. Farhat, J. Isabelle, D. O'Shaughnessy - INRS-Telecommunications, Canada</i>	
Domain Word Translation By Space-Frequency Analysis of Context Length Histograms	I-184
<i>P. Fung - Columbia University, USA</i>	
Variable-Order N-Gram Generation by Word-class Splitting and Consecutive Word Sequence Grouping	I-188
<i>H. Masataki, Y. Sagisaka - ATR Interpreting Telecommunications Research Laboratories, Japan</i>	
Back-off Method for N-Gram Smoothing Based on Binomial Posteriori Distribution	I-192
<i>T. Kawabata, M. Tamoto - NTT Basic Research Labs, Japan</i>	
Ergodic Multigram HMM Integrating Word Segmentation and Class Tagging for Chinese Language Modeling	I-196
<i>H. Law, C. Chan - The University of Hong Kong, Hong Kong</i>	

SP6 Low-Rate Speech Coding

A 2.4 kbit/s MELP Coder Candidate for the New U.S. Federal Standard	I-200
<i>A. McCree - Texas Instruments, USA, K. Truong - Atlanta Signal Processors, Inc., USA, E. George - Texas Instruments, USA</i>	
<i>T. Barnwell - Atlanta Signal Processors, Inc., USA, V. Viswanathan - Texas Instruments, USA</i>	
Harmonic - Stochastic eXcitation (HSX) Speech Coding Below 4Kbits	I-204
<i>C. Laflamme, R. Salami, R. Mamti, J. Adoul - University of Sherbrooke, Canada</i>	
A High Quality MBE-LPC-FE Speech Coder at 2.4kbps and 1.2kbps	I-208
<i>T. Wang, K. Tang, C. Feng - Tsinghua University, China</i>	
A Low-Complexity Waveform Interpolation Coder	I-212
<i>W. Kleijn, Y. Shoham, D. Sen, R. Hagen - AT&T Bell Laboratories, USA</i>	
Mixed-Domain Coding of Speech at 3 Kbps	I-216
<i>J. De Martin - Politecnico di Torino, Italy</i>	
<i>A. Gersho - University of California at Santa Barbara, USA</i>	
Source Driven/Variable Bit Rate Prototype Interpolation Coding	I-220
<i>C. Xydeas, B. Cao - University of Manchester, UK</i>	
A New Approach to Very Low-Rate Speech Coding Using Temporal Decomposition	I-224
<i>S. Ghaemmaghami, M. Deriche - Queensland University of Technology, Australia</i>	
A Variable Frame Pitch Estimator and Test Results	I-228
<i>X. Qian, R. Kumaresan - University of Rhode Island, USA</i>	
Robust Method of Measurement of Fundamental Frequency by ACLOS - AutoCorrelation of Log Spectrum	I-232
<i>N. Kunieda, T. Shimamura, J. Suzuki - Saitama University, Japan</i>	
Lag-Indexed VQ for Pitch Filter Coding	I-236
<i>S. McClellan - University of Alabama-Birmingham, USA</i>	
<i>J. Gibson - Texas A&M University, USA</i>	

SP7 Wideband Coding and Emerging Techniques

Embedded Algebraic Vector Quantizer (EAVQ) with Application to Wideband Speech Coding	I-240
<i>M. Xie, J. Adoul - University of Sherbrooke, Canada</i>	
The Two-Dimensional Discrete Cosine Transform Applied to Speech Data	I-244
<i>L. Baghai-Ravary, S. Beet, M. Tokhi - University of Sheffield, UK</i>	
Real-Time High Accurate Cell Loss Recovery Technique For Speech Over ATM Networks	I-248
<i>K. Matsumoto - NTT LSI Laboratories, Japan</i>	
Predictive Fractal Interpolation Mapping: Differential Speech Coding at Low Bit Rates	I-251
<i>Z. Wang - University of Waterloo, Canada</i>	
16kbit/s Wideband Speech Coding Based on Unequal Subbands	I-255
<i>J. Paulus, J. Schmitzler - IND, Aachen University of Technology, Germany</i>	
Low Delay IIR QMF Banks with High Perceptive Quality for Speech Processing	I-259
<i>T. Kleinmann, A. Lacroix - University of Frankfurt, Germany</i>	
Demodulators for AM-FM Models of Speech Signals: A Comparison	I-263
<i>S. Lu, P. Doerschuk - Purdue University, USA</i>	
Synthesis and Coding of Continuous Speech with the Nonlinear Oscillator Model	I-267
<i>G. Kubin - Vienna University of Technology, Austria</i>	
Variable Frame Rate Parameter Encoding via Adaptive Frame Selection Using Dynamic Programming	I-271
<i>E. George, A. McCree, V. Viswanathan - Texas Instruments, Inc., USA</i>	
Transform Predictive Coding of Wideband Speech Signals	I-275
<i>J. Chen - AT&T Bell Labs, USA</i>	
<i>D. Wang - Georgia Institute of Technology, USA</i>	

SP8 Topic Identification and Spoken Information Retrieval

A System for Unrestricted Topic Retrieval From Radio News Broadcasts	I-279
<i>D. James - Union Bank of Switzerland, Switzerland</i>	
Automated Generation of N-Best Pronunciations of Proper Nouns	I-283
<i>N. Deshmukh, M. Weber, J. Picone - Mississippi State University, USA</i>	
An Efficient Voice Retrieval System for Very-Large-Vocabulary Chinese Textual Databases with a Clustered Language Model ...	I-287
<i>S. Lin - National Taiwan University, ROC</i>	
<i>L. Chien, K. Chen, L. Lee - Academia Sinica, ROC</i>	
Concept-based Phrase Spotting Approach for Spontaneous Speech Understanding	I-291
<i>T. Kawahara, N. Kitaoka, S. Doshita - Kyoto University, Japan</i>	
A Dictionary-Based Method for Determining Topics in Text and Transcribed Speech	I-295
<i>P. Schone, D. Nelson - Department of Defense, USA</i>	
Keyword Spotting for Video Soundtrack Indexing	I-299
<i>P. Gelin, C. Wellekens - Institut Eurecom, France</i>	
Improvements in Switchboard Recognition and Topic Identification	I-303
<i>B. Peskin, S. Connolly, L. Gillick, S. Lowe, D. McAllaster, V. Nagesha, P. van Mulbregt, S. Wegmann - Dragon Systems, Inc., USA</i>	
Statistical Models for Topic Identification Using Phoneme Substrings	I-307
<i>J. Wright - University of Bristol, UK</i>	
<i>M. Carey, E. Parris - ENSIGMA Limited, UK</i>	
Robust Talker-Independent Audio Document Retrieval	I-311
<i>G. Jones, J. Foote, K. Spark Jones, S. Young - Cambridge University, UK</i>	
Unsupervised Topic Clustering of Switchboard Speech Messages	I-315
<i>B. Carlson - MIT Lincoln Laboratory, USA</i>	

SP9 Robust Recognition: Compensation and Normalization

Speaker Recognition and Speaker Normalization by Projection to Speaker Subspace	I-319
<i>Y. Arik, S. Tagashira, M. Nishijima - Ryukoku University, Japan</i>	
Compensated Mel Frequency Cepstrum Coefficients	I-323
<i>R. Vergin, D. O'Shaughnessy, V. Gupta - IWRs-Telecommunications, Canada</i>	
Adaptation Method Based on HMM Composition and EM Algorithm	I-327
<i>Y. Minami, S. Furui - NTT Human Interface Laboratories, Japan</i>	
SNR-Normalisation for Robust Speech Recognition	I-331
<i>T. Claes, D. Van Compernelle - KU Leuven, Belgium</i>	
Towards Robustness to Fast Speech in ASR	I-335
<i>N. Mirghafori, E. Fosler, N. Morgan - International Computer Science Institute, USA</i>	
Speaker Normalization on Conversational Telephone Speech	I-339
<i>S. Wegmann, D. McAllaster, J. Orloff, B. Peskin - Dragon Systems, USA</i>	
Speaker and Gender Normalization for Continuous-Density Hidden Markov Models	I-342
<i>A. Acero, X. Huang - Microsoft Corporation, USA</i>	
A Parametric Approach to Vocal Tract Length Normalization	I-346
<i>E. Eide, H. Gish - BBN Systems and Technologies, USA</i>	
A Study on Speech Recognition for Children and the Elderly	I-349
<i>J. Wilpon - AT&T Bell Labs, USA</i>	
<i>C. Jacobsen - TeleDanmark/Jydsk Telefon, Denmark</i>	
Speaker Normalization Using Efficient Frequency Warping Procedures	I-353
<i>L. Lee - Massachusetts Institute of Technology, USA</i>	
<i>R. Rose - AT&T Bell Laboratories, USA</i>	

SP10 Speech Synthesis

A Fast Stochastic Parser for Determining Phrase Boundaries for Text-to-Speech Synthesis	I-357
<i>R. Sharman - IBM Laboratories, U.K.</i>	
<i>J. Wright - University of Bristol, U.K.</i>	
Speech Concatenation and Synthesis Using an Overlap-add Sinusoidal Model	I-361
<i>M. Macon, M. Clements - Georgia Institute of Technology, USA</i>	
Voice Conversion Using Partitions of Spectral Feature Space	I-365
<i>W. Verhelst, J. Mertens - Vrije Universiteit Brussel, Belgium</i>	
Determination of Vocal-Tract Shapes from Formant Frequencies Based on Perturbation Theory and Interpolation Method	I-369
<i>Z. Yu, P. Ching - Chinese University of Hong Kong, Hong Kong</i>	
Unit Selection in a Concatenative Speech Synthesis System Using a Large Speech Database	I-373
<i>A. Hunt, A. Black - ATR Interpreting Telecommunications Research Laboratories, Japan</i>	
Parametric Hybrid Source Models for Voiced and Voiceless Fricative Consonants	I-377
<i>S. Narayanan - AT&T Bell Laboratories, USA</i>	
<i>A. Alwan - University of California at Los Angeles, USA</i>	
High Quality Speech Synthesis Using Context-Dependent Syllabic Units	I-381
<i>T. Saito, Y. Hashimoto, M. Sakamoto - IBM, Japan</i>	
Articulatory Copy Synthesis Using a Nine Parameter Vocal Tract Model	I-385
<i>C. Goodyear, D. Wei - University of Liverpool, UK</i>	
Speech Synthesis Using HMMs with Dynamic Features	I-389
<i>T. Masuko, K. Tokuda, T. Kobayashi, S. Imai - Tokyo Institute of Technology, Japan</i>	
Interpolating V/UV Mixture Functions of a Harmonic Model for Concatenative Speech Synthesis	I-393
<i>K. Lam, C. Chan - City University of Hong Kong, Hong Kong</i>	

SP11 Speech Recognition: Language Modelling I

An Efficient Top-Down Parsing Algorithm for Understanding Speech by Using Stochastic Syntactic and Semantic Models ...I-397
H. Stahl, J. Muller, M. Lang - Munich University of Technology, Germany

Data-Driven Discourse Modeling for Semantic Interpretation I-401
F. Caminero-Gil, J. Alvarez-Cercadillo, C. Crespo-Casas, D. Tapias-Merino - Telefonica I+D, Spain

Statistical Language Modeling for Speech Disfluencies I-405
A. Stolcke, E. Shriberg - SRI International, USA

JANUS II-Translation of Spontaneous Conversational Speech I-409
A. Weibel, M. Finke, D. Gates, M. Wosczyzna, M. Gavalda, T. Kemp, A. Lavie, L. Levin, M. Maier - University of Karlsruhe, Germany

Language Model Acquisition From a Text Corpus for Speech Understanding I-413
T. Matsuoaka - NTT Human Interface Laboratories, Japan
R. Hasson - Eurecom Institute, France
M. Barlow, S. Furui - NTT Human Interface Laboratories, Japan

A Class Based Language Model for Speech Recognition I-416
W. Ward, S. Issar - Carnegie Mellon University, USA

An Integrated Model of Acoustics and Language Using Semantic Classification Trees I-419
E. Noth, R. DeMori, J. Fischer, A. Gebhard, S. Harbeck, R. Kompe - Universitat Erlangen-Nurnberg, Germany
R. Kuhn, H. Niemann, M. Mast - Centre de Recherche Informatique de Montreal, Canada

Combining Stochastic and Linguistic Language Models for Recognition of Spontaneous Speech I-423
W. Eckert, F. Gallwitz, H. Niemann - Universitat Erlangen-Nurnberg, Germany

Error Correction via a Post-Processor for Continuous Speech Recognition I-427
E. Ringger, J. Allen - University of Rochester, USA

Integration of Concept-Driven Semantic Interpretation with Speech Recognition I-431
A. Nogai, Y. Ishikawa, K. Nakajima - Mitsubishi Electric Corporation, Japan

SP12 Speech Recognition Acoustic Modeling

A Second-Order HMM for High Performance Word and Phoneme-Based Continuous Speech Recognition I-435
J. -F. Mari, D. Fohr, J.-C. Junqua - CRIN-CNRS & INRIA, France

Evaluation of Segmental Unit Input HMM I-439
S. Nakagawa, K. Yamamoto - Toyohashi University of Technology, Japan

Design of a Speech Recognition System Based on Non-Uniform Segmental Units I-443
M. Bacchiani - ATR Interpreting Telecommunications Research Laboratories, Japan
M. Ostendorf - Boston University, USA
Y. Sagisaka - ATR Interpreting Telecommunications Research Laboratories, Japan
K. Paliwal - Griffith University, Australia

Modeling Speech Variability with Segmental HMMs I-447
W. Holmes, M. Russell - DRA Malvern, UK

Context-Dependent Units for Vocabulary-Independent Spanish Speech Recognition I-451
L. Villarrubia, L. Gomez, J. Elvira, J. Torrecilla - Telefonica I+D, Spain

Context-Dependent Acoustic Models For Chinese Speech Recognition I-455
B. Ma, T. Huang, B. Xu, X. Zhang, F. Qu - Chinese Academy of Sciences, China

Automatic Recognition of Danish Natural Numbers for Telephone Applications I-459
C. Jacobsen - TeleDanmark/Jydsk Telefon, Denmark
J. Wilpon - AT&T Bell Laboratories, USA

Explicit Modeling of Coarticulation in a Statistical Speech Recognizer I-463
R. Chen, L. Jamieson - Purdue University, USA

Tied-Structure HMM Based on Parameter Correlation for Efficient Model Training I-467
S. Takahashi, S. Sagayama - NTT Human Interface Laboratories, Japan

A Semi-Continuous Stochastic Trajectory Model for Phoneme-Based Continuous Speech Recognition I-471
O. Siohan, Y. Gong - CRIN-CNRS & INRIA Lorraine, France

SP13 Speech Coding Quality Assessment

Automatic Evaluation of Speaker Recognizability of Coded Speech	I-475
<i>K. Assaleh - Motorola, USA</i>	
A Perceptually-Based Objective Measure for Speech Coders Using Abductive Network	I-479
<i>M. Meky, T. Saadawi - City University of New York, USA</i>	
Objectively Measured Descriptors Applied to Speaker Characterization	I-483
<i>B. Necioglu, M. Clements, T. Barnwell - Georgia Institute of Technology, USA</i>	
Objective Speech Quality Measure for Cellular Phone	I-487
<i>K. Lam, O. Au, C. Chan, K. Hui, S. Lau - Hong Kong University of Science and Technology, Hong Kong</i>	
Vector Quantization Techniques for Output-Based Objective Speech Quality	I-491
<i>C. Jin, R. Kubichek - University of Wyoming, USA</i>	
Objective Measures for Speech Quality Assessment in Wireless Communication's	I-495
<i>A. Bayya, M. Vis - US West Advanced Technologies, USA</i>	
Performance Assessment of 4.8 kbit/s AMBE Coding Under Aeronautical Environmental Conditions	I-499
<i>S. Campos Neto, F. Corcoran, J. Phipps, S. Dimolitsas - COMSAT, USA</i>	
Normalization of Cellular Telephone Speech for Recognition by Adaptive Vector Quantization	I-503
<i>R. Rajasekaran, M. Sonmez - Texas Instruments, Inc., USA</i>	
<i>J. Baras - University of Maryland at College Park, USA</i>	

SP14 Speech Recognition Out-of-Vocabulary Modeling and Rejection

Efficient Decoding and Training Procedures for Utterance Verification in Continuous Speech Recognition	I-507
<i>E. Lleida, R. Rose - ATT Bell Laboratories, USA</i>	
Confidence Measures for the SWITCHBOARD Database	I-511
<i>S. Cox, R. Rose - AT&T Bell Labs, USA</i>	
A Phone-Dependent Confidence Measure for Utterance Rejection	I-515
<i>Z. Rivlin, M. Cohen, V. Abrash, T. Chung - SRI International, USA</i>	
Utterance Verification of Keyword Strings Using Word-Based Minimum Verification Error (WB-MVE) Training	I-516
<i>R. Sukkar, A. Setlur, M. Rahim, C. Lee - AT&T Bell Laboratories, USA</i>	
Discriminative Utterance Verification Using Minimum String Verification Error (MSVE) Training	VI-3585
<i>M. Rahim, C. Lee, B. Juang, W. Chou - AT&T Bell Laboratories, USA (at time of printing this paper was placed in Volume 6)</i>	
<i>Murray Hill, NJ, USA</i>	
Fast Implementation Methods for Viterbi-based Word-Spotting	I-522
<i>K. Knill, S. Young - Cambridge University, UK</i>	
Improving Wordspotting Performance with Artificially Generated Data	I-526
<i>E. Chang, R. Lippmann - Corona Corporation, USA</i>	
Modelling Unknown Words in Spontaneous Speech	I-530
<i>T. Kemp - University of Karlsruhe, Germany</i>	
<i>A. Jusek - University of Bielefeld, Germany</i>	
Improved Modeling of OOV Words in Spontaneous Speech	I-534
<i>P. Fetter, A. Kaltenmeier, T. Kuhn, P. Regel-Brietzmann - Research Center Daimler-Benz, Germany</i>	
Two-Pass Strategy for Continuous Speech Recognition with Detection and Transcription of Unknown Words	I-538
<i>S. Matsunaga, H. Sakamoto - ATR Interpreting Telecommunications Research Laboratories, USA</i>	

SP15 Topics in Speech Coding

A Modified Generalised Lloyd Algorithm for VQ Codebook Design	I-542
<i>C. Chen, S. Koh, P. Sivaprakasapillai - Nanyang Technological University, Singapore</i>	
Robust Classification of Speech Based on the Dyadic Wavelet Transform with Application to CELP Coding	I-546
<i>J. Stegmann, G. Schroeder, K. Fischer - Deutsche Telekom, Germany</i>	

Volume I

Optimal Wavelet Packets for Low-Delay Audio Coding	I-550
<i>P. Philippe, F. Moreau de St-Martin, M. Lever - CCETT, France</i>	
<i>J. Soumagne - Supelec, France</i>	
A Fast VSELP Speech Coder Based on Mutually Orthonormal Regular Pulse Vectors	I-554
<i>Y. Choi, H. Kang, D. Youn - Yonsei University, Korea</i>	
Dual-Pulse CS-CELP: A Toll Quality Low-Complexity Speech Coder at 7.8 kbit/s	I-558
<i>H. Ohmuro, J. Ikedo, T. Moriya, A. Kataoka, S. Hayashi, K. Mano - NTT Human Interface Laboratories, Japan</i>	
Low-Delay CELP With Multi-Pulse VQ and Fast Search for GSM EFR	I-562
<i>S. Taumi, K. Ozawa, T. Nomura, M. Serizawa - NEC Corporation, Japan</i>	
Speech Compression with Cosine and Wavelet Packet Near-Best Bases	I-566
<i>C. Taswell - Stanford University, USA</i>	
An Enhanced Full Rate Speech Coder for Digital Cellular Applications	I-569
<i>W. Leblanc, C. Liu, V. Viswanathan - Texas Instruments, USA</i>	
Optimum Harmonics Tracking Filter for Auditory Scene Analysis	I-573
<i>K. Nishi - University of Electro-Communications, Japan</i>	
<i>S. Ando, S. Aida - The University of Tokyo, Japan</i>	
Selective Error Protection of ITU-T G. 729 Codec for Digital Cellular Channels	I-577
<i>K. Swaminathan, A. Hammons - Hughes Network Systems, USA</i>	
<i>M. Austin - BellSouth Cellular Corporation, USA</i>	

Volume II

SP16 Speech Recognition: Training Sequences

Discriminative Training of Stochastic Markov Graphs for Speech Recognition	II-581
<i>F. Wolferstetter, G. Ruske - Munich University of Technology, Germany</i>	
Incremental ML Estimation of HMM Parameters for Efficient Training	II-585
<i>Y. Gotoh, H. Silverman - Brown University, USA</i>	
Improved HMM Training and Scoring Strategies	II-589
<i>L. Arslan, J. Hansen - Duke University, USA</i>	
Maximum Mutual Information Codebook Mapping for Discrete Hidden Markov Models	II-593
<i>V. Fontaine, C. Ris, H. Leich - Faculte Polytechnique de Mons, Belgium</i>	
Minimum Classification Error Training for a Small Amount of Data Enhanced by Vector-Field-Smoothed Bayesian Learning	II-597
<i>J. Takahashi, S. Sagayama - NTT Human Interface Laboratories, Japan</i>	
Maximum Likelihood Successive Splitting	II-601
<i>H. Singer - ATR Interpreting Telecommunications Research, Japan</i>	
<i>M. Ostendorf - Boston University, USA</i>	
Lattice-Based Discriminative Training for Large Vocabulary Speech Recognition	II-605
<i>V. Valtchev, J. Odell, P. Woodland, S. Young - Cambridge University, UK</i>	
Training Algorithms for a Predictive Classifier	II-609
<i>P. Rao, R. Raveendran - Tata Institute of Fundamental Research, India</i>	
Discriminative Training of Gaussian Mixture Models for Large Vocabulary Speech Recognition Systems	II-613
<i>L. Bahl, M. Padmanabhan, D. Nahamoo, P. Gopalakrishnan - IBM T.J. Watson Research Center, USA</i>	
Stochastic Observation Hidden Markov Models	II-617
<i>C. Mitchell - AT&T Bell Laboratories, USA</i>	
<i>M. Harper, L. Jamieson - Purdue University, USA</i>	

SP17 Speech Enhancement

Recursive Speech Enhancement Using the EM Algorithm with Initial Conditions Trained by HMMs	II-621
<i>K. Lee - Changwon National University, Korea</i>	
<i>B. Lee - Seoul National University, Korea</i>	
<i>I. Song, J. Yoo - KAIST, Korea</i>	
Robust Noise Reduction for Speech and Audio Signals	II-625
<i>S. Godsill, P. Rayner - Cambridge University, UK</i>	
Speech Enhancement Based on a Priori Signal-to-Noise Ratio Estimation	II-629
<i>P. Scalart - CNET, France</i>	
<i>J. Vieira-Filho - UNESP, Brazil</i>	
Noise Model Adaptation in Model Based Speech Enhancement	II-633
<i>B. McKinley - Signal Processing Consultants, USA</i>	
<i>G. Whipple - U.S. Department of Defense, USA</i>	
Analysis of Two Structures for Combined Acoustic Echo Cancellation and Noise Reduction	II-637
<i>Y. Guelou, A. Benamar, P. Scalart - CNET, France</i>	
Selective All-Pole Modeling of Degraded Speech Using M-Band Decomposition	II-641
<i>C. Yoo - Massachusetts Institute of Technology, USA</i>	
Text-Directed Speech Enhancement Using Phoneme Classification and Feature Map Constrained Vector Quantization	II-645
<i>B. Pellom, J. Hansen - Duke University, USA</i>	
Multi-Channel Signal Separation	II-649
<i>D. Chan, P. Rayner, S. Godsill - University of Cambridge, UK</i>	
Localization by Harmonic Structure and Its Application to Harmonic Sound Stream Segregation	II-653
<i>T. Nakatani - NTT Basic Research Laboratories, Japan</i>	
<i>M. Goto - Waseda University, Japan</i>	
<i>H. Okuno - NTT Basic Research Laboratories, Japan</i>	

Volume II

SP18 Speaker Recognition II

A Kind of Fuzzy-Neural Networks for Text-Independent Speaker Identification	II-657
<i>Z. Yuan, B. Xu, C. Yu - Nanjing University, China</i>	
A High Performance Text Independent Speaker Recognition System Based on Vowel Spotting and Neural Nets	II-661
<i>N. Fakotakis, J. Sirigos - University of Patras, Greece</i>	
Signal Modeling for Speaker Identification	II-665
<i>L. Liu, J. He, G. Palm - University of Ulm, Germany</i>	
A General Framework of Feature Extraction: Application to Speaker Recognition	II-669
<i>C. Liu - Telecomm Labs, MOTC, Taiwan</i>	
An HMM Approach to Text-Prompted Speaker Verification	II-673
<i>C. Che, Q. Lin - Rutgers University, USA</i>	
Text-Independent Speaker Identification	II-677
<i>M. Birnbaum, K. Brown, S. Bardenhagen - Lockheed-Sanders, USA</i>	
Normalized Discriminant Analysis with Application to a Hybrid Speaker-Verification System	II-681
<i>Q. Li, S. Parthasarathy, A. Rosenberg - AT&T Bell Labs, USA</i> <i>D. Tufts - University of Rhode Island, USA</i>	
Language Independent Gender Identification	II-685
<i>E. Parris, M. Carey - Enigma, UK</i>	
Fine Structure Features for Speaker Identification	II-689
<i>C. Jankowski, T. Quatieri, D. Reynolds - MIT Lincoln Laboratory, USA</i>	
Speaker Verification with Low Storage Requirements	II-693
<i>J. Schalkwyk, N. Jain, E. Barnard - Oregon Graduate Institute, USA</i>	

SP19 Speech Recognition: Speaker and Acoustic Adaptation

A Markov Random Field Approach to Bayesian Speaker Adaptation	II-697
<i>B. Shahshahani - Corona Corporation, USA</i>	
Speaker Clustering and Transformation for Speaker Adaptation in Large-Vocabulary Speech Recognition Systems	II-701
<i>M. Padmanabhan, L. Bahl, D. Nahamoo, M. Picheney - IBM T.J. Watson Research Center, USA</i>	
A Study of On-Line Quasi-Bayes Adaptation For CDHMM-Based Speech Recognition	II-705
<i>Q. Huo - ATR-ITL, Japan</i> <i>C. Lee - AT&T Bell Laboratories, USA</i>	
Speaker Time-Drifting Adaptation Using Trajectory Mixture Hidden Markov Models	II-709
<i>J. Su - Hong Kong City University, Hong Kong</i> <i>H. Li, J. Haton - CRIN-CNRS/INRIA - Lorraine, France</i> <i>K. Ng - Hong Kong City University, Hong Kong</i>	
An Experimental Study of Acoustic Adaptation Algorithms	II-713
<i>A. Sankar, L. Neumeyer, M. Weintraub - SRI International, USA</i>	
Speaker Adaptation with Autonomous Model Complexity Control By MDL Principle	II-717
<i>K. Shinoda, T. Watanabe - NEC Corporation, Japan</i>	
An Approach to Speaker Adaptation Based on Analytic Functions	II-721
<i>J. McDonough, G. Zavalagkos, H. Gish - BBN Systems and Technologies, USA</i>	
Maximum a Posteriori Adaptation for Large Scale HMM Recognizers	II-725
<i>G. Zavalagkos, R. Schwartz, J. McDonough - BBN Systems & Technologies, USA</i>	
Acoustic Adaptation Using Non-linear Transformations of HMM Parameters	II-729
<i>V. Abrash, A. Sankar, H. Franco, M. Cohen - SRI International, USA</i>	
A Vector Taylor Series Approach for Environment Independent Speech Recognition	II-733
<i>P. Moreno, B. Raj, R. Stern - Carnegie Mellon University, USA</i>	

SP20 Spectral Quantization

Two-Stage Vector Quantization-Pyramid Lattice Vector Quantization and Application to Speech LSP Coding	II-737
<i>J. Pan - Rockwell Telecommunications, USA</i>	
Linked Split-Vector Quantizer of LPC Parameters	II-741
<i>M. Kim, N. Ha, S. Kim - Samsung Advanced Institute of Technology, Korea</i>	
Scalar Quantization Using Vector Measure with Application to Quantization of LSF Parameters	II-745
<i>H. Ng, S. Leung - City University of Hong Kong, Hong Kong</i>	
A Robust LSP Encoding Scheme for Noisy Channel	II-749
<i>J. Du, S. Kim - Polytechnic University, USA</i>	
An Efficient Coding of LSP Parameters Using Multiple Type Frame Segmentation	II-753
<i>Y. Lee, K. Kim, H. Lee - KAIST, Korea</i>	
Switched Prediction and Quantization of LSP Frequencies	II-757
<i>H. Zarrinkoub, P. Mermelstein - INRS - Telecommunications, Canada</i>	
Classified Nonlinear Predictive Vector Quantization of Speech Spectral Parameters	II-761
<i>J. Loo - McGill University, Canada</i>	
<i>W. Chan - Illinois Institute of Technology, USA</i>	
<i>P. Kabal - McGill University, Canada</i>	
Exploiting Interframe Correlations in Spectral Quantization: A Study of Different Memory VQ Schemes	II-765
<i>T. Eriksson, J. Linden, J. Skoglund - Chalmers University of Technology, Sweden</i>	
Low Rate Coding of the Spectral Envelope Using Channel Gains	II-769
<i>E. Singer, R. McAulay, R. Dunn, T. Quatieri - MIT Lincoln Laboratory, USA</i>	
A Hybrid Input/Output Spectrum Adaptation Scheme for LD-CELP Coding	II-773
<i>S. Chui, C. Chan - City University of Hong Kong, Hong Kong</i>	

SP21A Language Identification

Automatic Dialect Identification of Extemporaneous, Conversational, Latin American Spanish Speech	II-777
<i>M. Zissman, T. Gleason - MIT Lincoln Laboratory, USA</i>	
<i>D. Rekart - Texas Instruments, USA</i>	
<i>B. Losiewicz - Colorado College, USA</i>	
LVCSR-Based Language Identification	II-781
<i>T. Schultz, I. Rogina, A. Waibel - University of Karlsruhe, Germany</i>	
Automatic Language Identification Using Large Vocabulary Continuous Speech Recognition	II-785
<i>S. Mendoza, L. Gillick, Y. Ito, S. Lowe, M. Newman - Dragon Systems, USA</i>	
Experiments with Conversational Telephone Speech for Language Identification	II-789
<i>Y. Yan, E. Barnard - Oregon Graduate Institute, USA</i>	
Statistical Language Identification Based on Untranscribed Training	II-793
<i>M. Lund, K. Ma, H. Gish - BBN Systems & Technologies, USA</i>	
A Model for Efficient Formant Estimation	II-797
<i>L. Welling, H. Ney - Aachen University of Technology, Germany</i>	
Improved Vocal Tract Model for the Analysis of Nasal Speech Sounds	II-801
<i>M. Liu, A. Lacroix - University of Frankfurt, Germany</i>	
A Scalar Homotopy Method for Parallel and Robust Tracking of Line Spectral Pairs	II-805
<i>U. Pillai, V. Stonick - Carnegie Mellon University, USA</i>	
Detection of Syntactic Boundaries by Partial Analysis-By-Synthesis of Fundamental Frequency Contours	II-809
<i>K. Hirose, A. Sakurai - University of Tokyo, Japan</i>	
A Robust Method for the Estimation of Formant Frequency Modulation in Speech Signals	II-813
<i>P. Rao - Indian Institute of Technology, India</i>	

SP22 Speech Recognition: Special Topics

Visual Speech Recognition Using Active Shape Models And Hidden Markov Models	II-817
<i>J. Luettin, N. Thacker, S. Beet - University of Sheffield, UK</i>	
Integrating Audio and Visual Information to Provide Highly Robust Speech Recognition	II-821
<i>M. Tomlinson, M. Russell, N. Brooke - SRU, UK</i>	
An Estimation of Speaker Sampling in Voice Across Japan Database	II-825
<i>I. Kudo, T. Nakama, T. Watanabe - Texas Instruments Tsukuba R&D Center Ltd., Japan</i>	
Automatic Articulatory Annotation of Multi-Sensor Speech Database	II-829
<i>N. Parlangeau, R. Andre-Obrecht, A. Marchal - IRIT, France</i>	
Adaptive Bimodal Sensor Fusion for Automatic Speechreading	II-833
<i>U. Meier, W. Hurst - University of Karlsruhe, Germany</i> <i>P. Duchnowski - MIT Cambridge, USA</i>	
The Bucket Box Intersection (BBI) Algorithm for Fast Approximative Evaluation of Diagonal Mixture Gaussians	II-837
<i>J. Fritsch, I. Rogina - University of Karlsruhe, Germany</i>	
Multi-Channel HMM	II-841
<i>D. Xu, C. Fancourt, C. Wang - University of Florida, USA</i>	
On-Line Garbage Modeling for Word and Utterance Verification in Natural Numbers Recognition	II-845
<i>C. de la Torre - Telefonica, Spain</i> <i>L. Hernandez-Gomez, F. Caminero-Gal, C. Martin-del Alamo - ETSI Telecom, Spain</i>	
Creation of Two Children's Speech Databases	II-849
<i>J. Miller, S. Lee, R. Uchanski, A. Heidbreder, B. Richman - Central Institute for the Deaf, USA</i> <i>J. Tadlock - Southwestern Bell Technology Resources, USA</i>	
The Contribution of Consonants Versus Vowels in Word Recognition of Fluent Speech	II-853
<i>R. Cole, Y. Yan, B. Mak, M. Fenty, T. Bailey - Oregon Graduate Institute, USA</i>	

SP23 Speech Recognition: Emerging Topics

A Novel Word Pre-Selection Method Based on Phonetic Set Indexing	II-857
<i>R. Sarukkai, D. Ballard - University of Rochester, USA</i>	
DP-Based Wordgraph Pruning	II-861
<i>T. Kuhn, P. Fetter, A. Kaltenmeier, P. Regel-Brietzmann - Research Center Daimler-Benz, Germany</i>	
A New Hybrid System Based on MMI-Neural Networks for the RM Speech Recognition Task	II-865
<i>G. Rigoll, C. Neukirchen, J. Rottland - Gerhard-Mercator-University Duisburg, Germany</i>	
Automatic Modeling of User Specific Words for a Speaker Independent Recognition System	II-869
<i>J. Duchateau, D. Van Compernelle - K.U. Leuven, ESAT, Belgium</i>	
A Dependence Tree Model of Phone Correlation	II-873
<i>O. Ronen, M. Ostendorf - Boston University, USA</i>	
On the Use of Syllable Phonotactics for Word Hypothesization	II-877
<i>R. Demori, M. Galler - McGill University, USA</i>	
Creating Speaker-Specific Phonetic Templates with a Speaker-Independent Phonetic Recognizer: Implications for Voice Dialing	II-881
<i>N. Jain, R. Cole, E. Barnard - Oregon Graduate Institute, USA</i>	
Deleted Interpolation and Density Sharing for Continuous Hidden Markov Models	II-885
<i>X. Huang, M. Hwang, L. Jiang, M. Mahajan - Microsoft Corporation, USA</i>	
A Time Continuous Model for Speech Recognition	II-889
<i>S. Euler - Bosch Telecom, Germany</i>	
Fast Output Probability Computation Using Scalar Quantization and Independent Dimension Multi-Mixture	II-893
<i>M. Yamada, H. Yamamoto, T. Kosaka, Y. Komori, Y. Ohora - Canon Inc., Japan</i>	

AE1 Microphone Arrays Beamforming and Hearing Aids

Microphone-Array Speech Recognition via Incremental MAP Training	II-897
<i>J. Adcock, Y. Gotoh, D. Mashao, H. Silverman - Brown University, USA</i>	
A Localization Error-Based Method for Microphone-Array Design.....	II-901
<i>M. Brandstein, J. Adcock, H. Silverman - Brown University, USA</i>	
Nearfield Broadband Frequency Invariant Beamforming II-905	
<i>R. Kennedy, T. Abhayapala, D. Ward, R. Williamson - Australian National University, Australia</i>	
A Source Subspace Tracking Array of Microphones for Double Talk Situations	II-909
<i>S. Affes, Y. Grenier - ENST, France</i>	
The True Duration of the Impulse Response Used to Estimate Reverberation Time	II-913
<i>L. Faiget, R. Ruiz, C. Legros - Univ. de Toulouse - Le Mirail, France</i>	
Sound Capture from Spatial Volumes: Matched-Filter Processing of Microphone Arrays Having Randomly-Distributed Sensors II-917	
<i>E. Jan, J. Flanagan - Rutgers University, USA</i>	
Acoustic Source Location in Noisy and Reverberant Environment Using CSP Analysis	II-921
<i>M. Omologo, P. Svaizer - I.R.S.T., Italy</i>	
A Robust Adaptive Beamformer for Microphone Arrays with a Blocking Matrix Using Constrained Adaptive Filters	II-925
<i>O. Hoshuyama, A. Sugiyama - NEC Corporation, Japan</i>	
Voice-Activated AGC for Teleconferencing	II-929
<i>P. Chu - PictureTel Corporation, USA</i>	
A Two-Microphone Adaptive Broadband Array for Hearing Aids	II-933
<i>E. McKinney, V. DeBrunner - University of Oklahoma, USA</i>	
Adaptive Spectral Contrast Enhancement Based on Masking Effect for the Hearing Impaired	II-937
<i>Z. Ribic, J. Yang, M. Latzel - Viennatone GmbH, Austria</i>	

AE2 Echo Cancellation and Active Noise Control

Stereo Echo Cancellation Algorithm Using Imaginary Input-Output Relationships	II-941
<i>S. Shimauchi, S. Makino - NTT Human Interface Labs, Japan</i>	
SSB Subband Echo Canceller Using Low-Order Projection Algorithm	II-945
<i>S. Makino, J. Noebauer, Y. Haneda, A. Nakagawa - NTT Human Interface Laboratories, Japan</i>	
A Fast Two Channel Projection Algorithm for Stereophonic Acoustic Echo Cancellation	II-949
<i>F. Amand, J. Benesty, A. Gilloire, Y. Grenier - CNET, France</i>	
Optimization of a Noise Reduction Preprocessing in an Acoustic Echo and Noise Controller	II-953
<i>B. Ayad, G. Faucon, R. Le Bouquin Jeannes - LTSI - Universite de Rennes 1, France</i>	
Dynamically Regularized Fast RLS with Application to Echo Cancellation	II-957
<i>S. Gay - AT&T Bell Laboratories, USA</i>	
Experimental Results of Subband Acoustic Echo Cancelers Under Spherically Invariant Random Processes	II-961
<i>P. DeLeon, D. Etter - University of Colorado at Boulder, USA</i>	
The Effect of Structured Uncertainty in Multi-Channel Feedforward Control System	II-965
<i>A. Omoto - Kyushu Institute of Design, UK</i>	
<i>S. Elliott - ISVR University of Southampton, UK</i>	
Automated Placement of Transducers for Active Noise Control: Performance Measures	II-969
<i>J. Olkin, L. Heck - SRI International, USA</i>	
<i>K. Naghshineh - Western Michigan University, USA</i>	
Optimisation of Controlled Acoustic Shadows	II-973
<i>S. Wright, B. Vuksanovic - University of Huddersfield, UK</i>	

Volume II

AE3 Auditory Modeling and Music

AM-FM Separation Using Auditory-Motivated Filters	II-977
<i>T. Quatieri - MIT Lincoln Laboratory, USA</i>	
<i>T. Hanna - NSMRL, USA</i>	
<i>G. O'Leary - MIT Lincoln Laboratory, USA</i>	
A "Gammachirp" Function as an Optimal Auditory Filter with Mellin Transform	II-981
<i>T. Irino - NTT Basic Research Labs, Japan</i>	
A Binaural Auditory Model for Sound Quality Measurements and Spatial Hearing Studies	II-985
<i>M. Karjalainen - Helsinki University of Technology, Finland</i>	
A Study of Auditory Resolution by Using Bark-FAMlet Clicks	II-989
<i>U. Laine - Helsinki University of Technology, Finland</i>	
<i>M. Huotilainen - University of Helsinki, Finland</i>	
Real-time Discrimination of Speech/Music on Broadcast Radio	II-993
<i>J. Saunders - Sanders, USA</i>	
Analysis and Resynthesis of Musical Instrument Sounds Using Energy Separation	II-997
<i>R. Sussman, M. Kahrs - Rutgers University, USA</i>	
Automatic Audio Morphing	II-1001
<i>M. Slaney, M. Covell, B. Lassiter - Interval Research Corporation, USA</i>	
Residual Modeling in Music Analysis-Synthesis	II-1005
<i>M. Goodwin - University of California at Berkeley, USA</i>	
Computationally Efficient Algorithm for Time Scale Modification (GLS - TSM)	II-1009
<i>S. Yin, B. Pawate - Texas Instruments, Japan</i>	
Multichannel Dynamic Range Compression for Music Signals	II-1013
<i>J. Schmidt, J. Rutledge - Northwestern University, USA</i>	

AE4 Audio Coding

A Bi-Dimensional Coding Scheme Applied to Audio Bitrate Reduction	II-1017
<i>L. Mainard, M. Lever - CCETT, France</i>	
Audio Coding with a Dynamic Wavelet Packet Decomposition Based on Frequency-Varying Modulated Lapped Transforms ...	II-1021
<i>M. Purat, P. Noll - Technical University of Berlin, Germany</i>	
A Test of MPEG Using Time-Inverted Spoken Audio	II-1025
<i>T. McLaughlin, J. Cookson, L. Rasmussen - Library of Congress, USA</i>	
Extension and Complexity Reduction of Twin VQ Audio Coder	II-1029
<i>T. Moriya, N. Iwakami, K. Ikeda, S. Miki - NTT Human Interface Laboratories, Japan</i>	
Minimizing the Effects of Subband Quantisation of the Time Domain Allpassing Cancellation Filterbank	II-1033
<i>C. Jakob, A. Bradley - Royal Melbourne Institute of Technology</i>	
Speech Analysis and Coding Using a Multi-Resolution Sinusoidal Transform	II-1037
<i>D. Anderson - Georgia Institute of Technology, USA</i>	
Audio Coding Using the Wavelet Packet Transform and a Combined Scalar-Vector Quantization	II-1041
<i>S. Boland, M. Deriche - Queensland University of Technology, Australia</i>	
Low Bit Rate High Quality Audio Coding with Combined Harmonic and Wavelet Representations	II-1045
<i>K. Hamdy, M. Ali, A. Tewfik - University of Minnesota, USA</i>	
A High Performance Software Implementation of MPEG Audio Encoder	II-1049
<i>M. Kumar, M. Zubair - IBM, Research Division, USA</i>	
Audio Compression at Low Bit Rates Using a Signal Adaptive Switched Filterbank	II-1053
<i>D. Sinha, J. Johnston - AT&T Bell Laboratories, USA</i>	

SPEC1 Signal Processing for Wireless Communication Systems

Signal Processing Techniques for Efficient Use of Transmit Diversity in Wireless Communications	II-1057
<i>G. Wornell, M. Trott - Massachusetts Institute of Technology, USA</i>	
Adaptive Suppression of Narrowband Digital Interferers from Spread Spectrum Signals	II-1061
<i>H. Poor, X. Wang - Princeton University, USA</i>	
Signal Processing for Interference Suppression in Direct-Sequence CDMA Systems	II-1065
<i>U. Madhow - University of Illinois, USA</i>	
Digital Video in a Fading Interference Wireless Environment.....	II-1069
<i>L. Yun, D. Messerschmitt - University of California Berkeley, USA</i>	
Singular Value Analysis of Space-Time Equalization in the GSM Mobile System	II-1073
<i>A. Van der Veen - Delft University of Technology, The Netherlands</i>	
<i>A. Paulraj - Stanford University, USA</i>	
Adaptive Equalization for Underwater Wireless Communications.....	II-1077
<i>J. Preisig, D. Brady - Northeastern University, USA</i>	
Unconditional Maximum Likelihood Approach for Blind Estimation of Digital Signals	II-1081
<i>B. Halder, B. Ng, A. Paulraj, T. Kailath - Stanford University, USA</i>	
Geometric Properties of the Blind Digital Co-Channel Communications Problem	II-1085
<i>L. Hansen, G. Xu - University of Texas at Austin, USA</i>	
Low Complexity Optimal Multiple Access Joint Detection for Linearly Dependent User Sets	II-1089
<i>R. Learned, H. Krim - Massachusetts Institute of Technology, USA</i>	
Equalization of Fading Channels with Random Coefficients	II-1093
<i>M. Tsatsanis - Stevens Institute of Technology, USA</i>	
<i>G. Giannakis - University of Virginia, USA</i>	
<i>G. Zhou - Georgia Institute of Technology, USA</i>	

SPEC2 Education

Real-Time DSP for Sophomores	II-1097
<i>K. Chiang, B. Evans, W. Huang, F. Kovac, E. Lee, D. Messerschmitt, H. Reekie, S. Sastry - University of California at Berkeley, USA</i>	
Multi-Media and World Wide Web Resources for Teaching DSP	II-1101
<i>J. McClellan, R. Schafer, J. Schodorf - Georgia Institute of Technology, USA</i>	
<i>M. Yoder - Rose-Hulman Institute of Technology, USA</i>	
Developing Internet-Based VHDL Course Material	II-1105
<i>J. Calhoun - Mississippi State University, USA</i>	
Distance Teaming Experiments in Undergraduate DSP Education	II-1109
<i>D. Etter - University of Colorado, USA</i>	
<i>G. Orsak - George Mason University, USA</i>	
<i>D. Johnson - Rice University, USA</i>	
A System Characterization/Identification Laboratory Tool for Internet	II-1113
<i>S. Chatfield, D. Cochran, M. Sadaka, D. Sinno - Arizona State University, USA</i>	
The Telecomputing Laboratory: A Multipurpose Facility Used in DSP Education at University of Oklahoma	II-1117
<i>V. DeBrunner, L. DeBrunner, S. Radhakrishnan, K. Khan - University of Oklahoma, USA</i>	
An Integrated Environment for Modeling, Simulation, Digital Signal Processing, and Control	II-1121
<i>C. Crane, R. Kozick - Bucknell University, USA</i>	
SPECTRA-A Hands-On DSP Learning Experience	II-1125
<i>F. Taylor, J. Mellott, M. Lewis - University of Florida, USA</i>	
A Laboratory Course for Designing and Testing Spoken Dialogue Systems	II-1129
<i>D. Colton, R. Cole, D. Novick, S. Sutton - Oregon Graduate Institute, USA</i>	
A MATLAB Software Tool for the Introduction of Speech Coding Fundamentals in a DSP Course	II-1133
<i>T. Painter, A. Spanias - Arizona State University, USA</i>	

Volume II

SPEC3 US DoD Selection of 2400 bps Standard

Philosophy and Goals of the DoD 2400bps Vocoder Selection Process	II-1137
<i>T. Tremain, M. Kohler - United States Department of Defense, USA</i>	
<i>T. Champion - United States Air Force, USA</i>	
Developing a Test Program for the DoD 2400bps Vocoder Selection Process	II-1141
<i>M. Bielefeld - MITRE, USA</i>	
<i>L. Supplee - United States Department of Defense, USA</i>	
Vocoder Intelligibility and Quality Test Methods	II-1145
<i>J. Tardelli, E. Kreamer - ARCON Corporation, USA</i>	
Speaker Recognizability Testing for Voice Coders	II-1149
<i>A. Schmidt-Nielsen, D. Brock - Naval Research Laboratory, USA</i>	
Communicability Testing for Voice Coders	II-1153
<i>E. Kreamer, J. Tardelli - ARCON Corporation, USA</i>	
Host Laboratory Functions for the DoD 2400bps Vocoder Selection Process	II-1157
<i>P. Gatewood, P. LaFollette - ARCON Corporation, USA</i>	
Criteria for the DoD 2400bps Vocoder Selection	II-1161
<i>M. Kohler - United States Department of Defense, USA</i>	
<i>P. LaFollette - ARCON Corporation, USA</i>	
<i>M. Bielefeld - MITRE, USA</i>	

SPEC4 Sensor Arrays Datasets

The ARPA/NAVY Mountaintop Test Program: Adaptive Signal Processing for Airborne Early Warning Radar	II-1165
<i>G. Titi, D. Marshall - MIT Lincoln Laboratory, USA</i>	
Evaluation Of Partially Adaptive STAP Algorithms on the Mountain Top Data Set	II-1169
<i>Y. Seliktar, D. Williams, J. McClellan - Georgia Institute of Technology, USA</i>	
Reduced Rank Space-Time Adaptive Radar Processing	II-1173
<i>S. Goldstein - University of Southern California, USA</i>	
<i>P. Zulch - USAF Rome Laboratory, USA</i>	
<i>I. Reed - University of Southern California, USA</i>	
Beamspace Techniques for Hot Clutter Cancellation	II-1177
<i>S. Kogon, D. Williams, E. Holder - Georgia Institute of Technology, USA</i>	
Linear Constraints in Hot Clutter Cancellation	II-1181
<i>L. Griffiths - University of Colorado, USA</i>	
Robust Matched-field Beamforming with Benchmark Shallow-water Acoustic Array Data	II-1185
<i>J. Krolik - Duke University, USA</i>	
A Coherent Approach to Broadband Matched-field Processing: Application in the Hudson Canyon	II-1189
<i>M. Porter, Z. Michalopoulou - New Jersey Institute of Technology, USA</i>	
Matched-Field Localization with Many Uncertain Environmental Parameters: Experimental Data Results	II-1193
<i>B. Harrison - Naval Undersea Warfare Center, USA</i>	
<i>R. Vaccaro, D. Tufts - University of Rhode Island, USA</i>	
A Posteriori Probability Source Localization in an Uncertain Shallow Water Environment (Hudson Canyon)	II-1197
<i>L. Nolte - Duke University, USA</i>	
<i>J. Shorey - Digital Systems Resources, Inc., USA</i>	

SPEC5 Digital Video: Content Processing

A New 3D Segmentation Method for Region-based Video Coding	II-1201
<i>H. Kang - Samsung Advanced Institute of Technology, Korea</i>	
A Very Low Bit Rate Video Coding System Using Adaptive Region-Classified Vector Quantization	II-1205
<i>Y. Chen, L. Chen, M. Juan - National Taiwan University</i>	

A Hierarchical Video Coder with Cache Motion Information	II-1209
<i>K. Truong, C. Richardson - ASPI, USA</i>	
Evaluation of a Mosaic-Based Approach to Video Compression	II-1213
<i>B. Tannenbaum, R. Suryadevara, S. Hsu - David Sarnoff Research Center, USA</i>	
JACOB: Just A Content-Based Query System for Video Databases	II-1216
<i>M. La Cascia, E. Ardizzone - Universita di Palermo, Italy</i>	
Nonlinear Editing by Generative Video	II-1220
<i>R. Jasinski, J. Moura - Carnegie Mellon University, USA</i>	
Tracking Areas of Interest for Content-based Functionalities in Segmentation-based Video Coding	II-1224
<i>F. Marques - Universitat Politecnica de Catalunya, Spain</i>	
<i>B. Marcotegui, F. Meyer - Centre de Morphologie Mathematique, France</i>	
Key Frame Selection by Motion Analysis	II-1228
<i>W. Wolf - Princeton University, USA</i>	

SPEC6 Methods and Tools for Rapid Prototyping of DSP Systems

Executable Requirements: Opportunities and Impediments	II-1232
<i>G. Shaw, A. Anderson - MIT Lincoln Laboratory, USA</i>	
Rapid Prototyping of DSP Chip-Sets via Functional Reuse	II-1236
<i>M. Ben Romdhane, V. Madisetti - Georgia Institute of Technology, USA</i>	
Heuristic Techniques for Synthesis of Hard Real-Time DSP Application Specific Systems	II-1240
<i>M. Potkonjak - NEC USA, USA</i>	
<i>W. Wolf - Princeton University, USA</i>	
A CAD Tool for the Optimization of Video Signal Processor Architectures	II-1244
<i>H. Kropp, M. Schwiegershausen, P. Pirsch - University of Hannover, Germany</i>	
Hardware/Software Co-Design for DSP Applications Via the HMS Framework	II-1248
<i>M. Sheliga, E. Hsing-Mean Sha - University of Notre Dame, USA</i>	
An Architectural Trade Capability Using the Ptolemy Kernel	II-1252
<i>E. Pauer, J. Prime - Sanders, USA</i>	
Rapid Prototyping of DSP Systems via Standard Interfaces	II-1256
<i>S. Famorzadeh - Georgia Institute of Technology, USA</i>	
Autocoding: An Enabling Technology for Rapid Prototyping	II-1260
<i>C. Robbins - Management Communications and Control, USA</i>	
Middleware for Realtime Multicomputing Tool Development	II-1264
<i>B. Isenstein, M. Krueger, A. Pool - Mercury Computer Systems, USA</i>	
Interface Synthesis in Heterogeneous System-Level DSP Design Tools	II-1268
<i>J. Pino, M. Williamson, E. Lee - University of California at Berkeley, USA</i>	

Volume III

DSP1 Efficient Filters

Improved Design of Long FIR Filters Using the Frequency Masking Technique	III-1272
<i>M. Bellanger - CNAM, France</i>	
Optimal Least-Squares Design of Pipelined Recursive Filters in the Time-Domain	III-1276
<i>S. Pokala, M. Imtiaz, A. Shaw - Wright State University, USA</i>	
Hardware Efficient FIR Filter Structures from Linear Program Design Constraints	III-1280
<i>K. Sienski, M. Legako - E-Systems, USA</i>	
GA-Based Design of Multiplierless 2-D State-Space Digital Filters with Very Small Roundoff Noise	III-1283
<i>Y. Lee, M. Kawamata, T. Higuchi - Tohoku University, Japan</i>	
Design of Efficient FIR Filters with Cyclotomic Polynomial Using Mixed Integer Linear Programming	III-1287
<i>W. Oh, Y. Lee - Korea Advanced Institute of Science and Technology, Korea</i>	
Convolution Using the Undecimated Discrete Wavelet Transform	III-1291
<i>H. Guo, C. Burrus - Rice University, USA</i>	
DSP Implementation and Performance Evaluation of Sparse-Tap Adaptive FIR Filters with Tap-Position Control	III-1295
<i>A. Hirano, A. Sugiyama, S. Ikeda - NEC Corporation, Japan</i>	
A Fast Transversal Filter for the Numerical Factorization of Polynomials	III-1299
<i>A. Hasan - College of Electronic Engineering, Libya</i> <i>M. Hasan - Colorado State University, USA</i>	
Analysis of Subband Adaptive Filters	III-1303
<i>H. Sakai, N. Hirayama - Kyoto University, Japan</i>	
A Parallel Structure Based on Sub-band Decomposition	III-1307
<i>U. Iyer, M. Nayeri - Michigan State University, USA</i>	

DSP2 Fast Algorithms

Real-Valued Fast Discrete Fourier Transform and Cyclic Convolution Algorithms of Highly Composite Even Length ...	III-1311
<i>H. Murakami - Kanazawa Institute of Technology, Japan</i>	
DFT Computation Using Shift and Addition Operations	III-1315
<i>N. Bhatnagar - USA</i>	
Pipeline Processor for Fast Architecture Oriented Regular DCT-IDCT Algorithm	III-1319
<i>D. Akopian, J. Astola - Tampere University of Technology, Finland</i>	
An FFT for the 2-sphere and Applications	III-1323
<i>D. Healy, D. Rockmore - Dartmouth College, USA</i> <i>S. Moore - BBN Systems and Technologies, USA</i>	
Fast Algorithm for 2-D Image Moments via the Radon Transform	III-1327
<i>T. Shen, D. Lun, W. Siu - The Hong Kong Polytechnic University, Hong Kong</i>	
A New Algorithm for Computing Sparse Solutions to Linear Inverse Problems	III-1331
<i>G. Harikumar, Y. Bresler - University of Illinois at Urbana-Champaign, USA</i>	
A Levinson-Like Fast Algorithm for Solving Block-Slanted-Toeplitz Systems of Equations Arising in Wavelet-Based Solution of Integral Equations	III-1335
<i>R. Joshi, A. Yagle - University of Michigan, USA</i>	
A Fast M-D Chandrasekhar Algorithm for Second Order Volterra Adaptive Filtering	III-1339
<i>M. Sayadi, A. Chaari, F. Fnaiech, M. Najim - ESSTT, Tunisia</i>	
A Fast Wavelet Transform-Domain LMS Algorithm	III-1343
<i>S. Attallah, M. Najim - ENSERB, France</i>	
A Polynomial-Transform Based Computation of the 2-D DCT with Minimum Multiplicative Complexity	III-1347
<i>J. Prado, P. Duhamel - Telecom Paris, France</i>	

DSP3 Design and Implementation of Digital Filters

The Digital Prolate Spheroidal Window	III-1351
<i>T. Verma, S. Bilbao, T. Meng - Stanford University, USA</i>	
A Well-Conditioned Quadratic Program for Unique Design of Two-Dimensional Weighted Chebyshev FIR Filters	III-1355
<i>S. Nordebo, I. Claesson - University College of Karlskrona/Ronneby, Sweden</i>	
Efficient Design of Families of FIR Filters by Transformation	III-1359
<i>L. Karam - Arizona State University, USA</i>	
<i>J. McClellan - Georgia Institute of Technology, USA</i>	
Applications of Discrete-Time Laguerre Networks to Envelope Constrained Filter Design	III-1363
<i>Z. Zang, B. Vo, A. Cantoni, K. Teo - Australian Telecom. Research Institute, Australia</i>	
Generalized Digital Butterworth Filter Design	III-1367
<i>I. Selesnick, C. Burrus - Rice University, USA</i>	
Roundoff Noise Minimization in a Direct Form Delta Operator Structure	III-1371
<i>J. Kauraniemi - Helsinki University of Technology, Finland</i>	
<i>T. Laakso - University of Westminster, UK</i>	
<i>I. Hartimo, S. Ovaska - Helsinki University of Technology, Finland</i>	
Improved Power-of-Two Sharpening Filter Design by Genetic Algorithm	III-1375
<i>P. Gentili, F. Piazza, A. Uncini - University of Ancona, Italy</i>	
Design of Stable IIR Filters in the Complex Domain by Automatic Delay Selection	III-1379
<i>R. Vuerinckx, Y. Rolain - Vrije Universiteit Brussel, Belgium</i>	
<i>J. Schoukens, R. Pintelon - Vrije Universiteit Brussel, Belgium</i>	
Decolored LI Filter Lattice: A Subclass of LI Filters Useful in Practice	III-1383
<i>Y. Kim - Samsung Electronics Company, Korea</i>	
High-Order Error Feedback for Noise Reduction in State-Space Digital Filters	III-1387
<i>T. Hinamoto, S. Karino - Hiroshima University, Japan</i>	

DSP4 Time/Frequency and Time/Scale Analysis

Oversampled FIR And IIR DFT Filter Banks And Weyl-Heisenberg Frames	III-1391
<i>H. Bolcskei, F. Hlawatsch - Vienna University of Technology, Austria</i>	
<i>H. Feichtinger - University of Vienna, AUSTRIA</i>	
Wigner-Type a-b and Time-Frequency Analysis Based on Conjugate Operators	III-1395
<i>F. Hlawatsch - Vienna University of Technology, Austria</i>	
<i>T. Twaroch, H. Bolcskei - Vienna University of Technology, AUSTRIA</i>	
Local Polynomial Periodograms for Signals with the Time-Varying Frequency and Amplitude	III-1399
<i>V. Katkovnik - University of South Africa, RSA</i>	
Evolutionary Spectral Analysis Using a Warped Gabor Expansion	III-1403
<i>A. Akan, L. Chaparro - University of Pittsburgh, USA</i>	
Discrete Powers-of-Two Kernels for Time-Frequency Distributions	III-1407
<i>G. Venkatesan, M. Amin - Villanova University, USA</i>	
Time-Frequency Strip Filters	III-1411
<i>B. Weisburn - Cornell University, USA</i>	
<i>R. Shenoy - Schlumberger Doll Research, USA</i>	
Interactive Wavelet Processing and Techniques Applied to Digital Mammography	III-1415
<i>I. Koren, A. Laine, F. Taylor, M. Lewis - University of Florida, USA</i>	
Optimal Phase Kernels for Time-Frequency Analysis	III-1419
<i>L. Olsen, R. Baraniuk - Rice University, USA</i>	
The Pseudo-Bertrand Distribution and Alternative Affine Class Generators	III-1423
<i>P. Goncalves, R. Baraniuk - Rice University, USA</i>	
What are the Joint Time-Frequency Moments of a Signal?	III-1427
<i>B. Tacer, P. Loughlin - University of Pittsburgh, USA</i>	

DSP5 Applications of Time/Frequency Representation

Generalized Joint Signal Representations and Optimum Detection	III-1431
<i>A. Sayeed, D. Jones - University of Illinois, USA</i>	
Analysis of Errors in Quantization of Weyl-Heisenberg Frame Expansions and Oversampled A/D Conversion	III-1435
<i>Z. Cvetkovic - University of California at Berkeley, USA</i>	
Time-Varying Characteristics of Postural Sway Are Different for Patients and Healthy Controls	III-1439
<i>P. Loughlin, M. Redfern, B. Tacer - University of Pittsburgh, USA</i>	
Wavelet-Based Multi-Carrier CDMA for Personal Communications Systems	III-1443
<i>K. Chang, X. Lin, H. Li - Electronics and Telecommunications Research Institute, ROK</i>	
Optimized Wavelets for Fingerprint Compression	III-1447
<i>B. Sherlock, D. Monro - University of Bath, UK</i>	
SurfWave: An Object-Oriented Class Library for Wavelet Analysis	III-1451
<i>J. Adler - Tangent Systems, USA</i>	
<i>B. Rao - University of California at San Diego, USA</i>	
Techniques for Fast Implementation of the Embedded Zerotree Wavelet (EZW) Algorithm	III-1455
<i>J. Shapiro - Aware, Inc., USA</i>	
Fast Computation of the Continuous Wavelet Transform Through Oblique Projections	III-1459
<i>M. Vrhel, C. Lee, M. Unser - National Institute of Health, USA</i>	
Design of Maximally Smooth Wavelets	III-1463
<i>M. Lang - University of Bremen, Germany</i>	
<i>P. Heller - One Oak Park, USA</i>	
Towards a New Measure of Smoothness for the Design of Wavelet Basis	III-1467
<i>J. Odegard, C. Burrus - Rice University, USA</i>	

DSP6 Wavelets and Filter Banks

Biorthogonal Cosine-Modulated Filter Bank	III-1471
<i>T. Nguyen - University of Wisconsin, USA</i>	
<i>P. Heller - Aware Inc., USA</i>	
A Distortion Analysis and Optimal Design of Orthogonal Basis for DMT Transceivers	III-1475
<i>X. Lin, A. Akansu - New Jersey Institute of Technology, USA</i>	
Processing Arbitrary-Length Signals with MDFT Filter Banks	III-1479
<i>T. Karp - Hamburg University of Technology, Germany</i>	
<i>J. Kliewer - University Kiel, Germany</i>	
<i>A. Mertins, N. Fliege - Hamburg University of Technology, Germany</i>	
Cosine-Modulated 2-Dimensional Perfect Reconstruction FIR Filter Banks with Linear Phase	III-1483
<i>T. Nagai, M. Ikehara - Keio University, Japan</i>	
Theory of Optimal Orthonormal Filter Banks	III-1487
<i>P. Vaidyanathan - California Institute of Technology, USA</i>	
Filter Bank Design for Minimum Distortion in Presence of Subband Quantization	III-1491
<i>K. Gosse, F. Moreau de St-Martin, P. Duhamel - ENST, France</i>	
Signal-Based Design of Wavelet Filters	III-1495
<i>F. Moreau de St-Martin, E. Gautier - CCETT, France</i>	
<i>J. d'Ales de Corbet - Universite Paris-Dauphine, France</i>	
Two-Dimensional Orthogonal and Symmetrical Wavelets and Filter-Banks	III-1499
<i>D. Stanhill, Y. Zeevi - Technion, Israel</i>	
Statistical Behavior of Wavelet Transmultiplexers in Arbitrary Synchronization States	III-1503
<i>M. Lyall, R. Orr - Atlantic Aerospace Electronics Corporation, USA</i>	
Wavelets in Polar Coordinates	III-1507
<i>O. Andric, C. Johnston, N. Erdol - Florida Atlantic University, USA</i>	

DSP7 Multirate Systems and Filter Banks

Non-Uniform Filter Banks Based on a Multi-Prototype Cosine Modulation	III-1511
<i>F. Argenti, E. Del Re - University of Florence, Italy</i>	
Parameterization and Implementation of Orthogonal Wavelet Transforms	III-1515
<i>P. Rieder, K. Gerganoff - Technical University Munich, Germany</i>	
<i>J. Golze - Rice University Houston, USA</i>	
<i>J. Nossek - Technical University Munich, Germany</i>	
Design of Signal-Adapted FIR Paraunitary Filter Banks	III-1519
<i>P. Moulin, M. Anitescu, K. Kortanek, F. Poira - Bell Communications Research, USA</i>	
A Nonlinear Subband Decomposition with Perfect Reconstruction	III-1523
<i>F. Hampson, J. Pesquet - Univ. Paris, France</i>	
Optimal Design of Transmitter and Receiver Filters with Mixed Performance Objectives	III-1527
<i>W. Campbell, T. Parks - Cornell University, USA</i>	
Oversampled FIR Filter Banks and Frames in L-squared (Z)	III-1530
<i>M. Vetterli, Z. Cvetkovic - University of California at Berkeley, USA</i>	
Multistage Multirate Adaptive Filters	III-1534
<i>G. Williamson - Illinois Institute of Technology, USA</i>	
<i>S. Dasgupta - University of Iowa, USA</i>	
<i>M. Fu - The University of Newcastle, USA</i>	
2D Factorizable FIR Principal Component Filter Banks	III-1538
<i>B. Xuan, R. Bamberger - Washington State University, USA</i>	
Reconstruction-Optimized Lapped Orthogonal Transforms	III-1542
<i>S. Hemami - Cornell University, USA</i>	
A New Two-Dimensional Nonseparable Modulated Filter Banks	III-1546
<i>S. Chan - The University of Hong Kong, Hong Kong</i>	

DSP8 Multirate Systems and Wavelets

Discrete Coefficients Filter Banks and Applications in Image Coding	III-1550
<i>C. Kok, T. Nguyen - University of Wisconsin, USA</i>	
A Polyphase Approach to Time-Varying Filter Banks	III-1554
<i>S. Phoong, P. Vaidyanathan - California Institute of Technology, USA</i>	
A Low Probability of Intercept Signal Detection Receiver Using Quadrature Mirror Filter Bank Trees	III-1558
<i>T. Farrell, G. Prescott - University of Kansas, USA</i>	
Adaptive Spectrum Exchange and Modification Using Multirate Filters	III-1562
<i>S. Wada - Tokyo Denki University, Japan</i>	
Design of 2-Dimensional Linear Phase Perfect Reconstruction FIR Filter Banks Using Lagrange Multiplier Method	III-1566
<i>M. Ikehara, K. Inose - Keio University, Japan</i>	
A Pyramidal Coder Using A Non-Linear Filter Bank	III-1570
<i>R. Queiroz - Xerox Corporation, USA</i>	
<i>D. Florencio - Georgia Institute of Technology, USA</i>	
Determination of a Canonical Lattice Structure for Odd Length Linear-Phase PR Filter Banks	III-1574
<i>D. Pinchon - Universite P. Sabatier, France</i>	
<i>P. Siohan - CCETT (France Telecom), France</i>	
Why and How Prefiltering for Discrete Multiwavelet Transforms	III-1578
<i>X. Xia - Hughes Research Labs, USA</i>	
<i>J. Geronimo - Georgia Institute of Technology, USA</i>	
<i>D. Hardin - Vanderbilt University, USA</i>	
<i>B. Suter - Air Force of Technology, USA</i>	
Adaptive Sampling Using the Discrete Wavelet Transform with Application to Surface Digitization in Automated Manufacturing	III-1581
<i>C. Huang, A. Sabharwal, Y. Zheng, L. Potter - The Ohio State University, USA</i>	
Modulated Filter Banks and Wavelets - A General Unified Theory	III-1585
<i>R. Gopinath - IBM Watson Research, USA</i>	

Volume III

DSP9 Nonlinear Filters and Systems

Parallel-Cascade Realizations and Approximations of Truncated Volterra Systems	III-1589
<i>T. Panicker, V. Mathews - University of Utah, USA</i>	
Piecewise Volterra Filters Based on the Threshold Decomposition Operator	III-1593
<i>E. Heredia, G. Arce - University of Delaware, USA</i>	
Theory and Applications of Adaptive Second Order IIR Volterra Filters	III-1597
<i>E. Roy, R. Stewart, T. Durrani - University of Strathclyde, UK</i>	
Two Dimensional Blind Volterra Signal Modeling	III-1601
<i>T. Stathaki - Imperial College of London, UK</i>	
Channel Equalization for Self-Synchronizing Chaotic Systems	III-1605
<i>K. Cuomo, A. Oppenheim, R. Barron - Massachusetts Institute of Technology, USA</i>	
TLS Parameter Estimation for Filtering Chaotic Time Series	III-1609
<i>S. Schweizer, V. Stonick, J. Evans - Carnegie Mellon University, USA</i>	
An Improved Quantitative Measure of Image Restoration Quality	III-1613
<i>S. Choy, Y. Chan, W. Siu - Hong Kong Polytechnic University, Hong Kong</i>	
A Class of Stochastic Resonance Systems for Signal Processing Applications	III-1617
<i>H. Papadopoulos, G. Wornell - Massachusetts Institute of Technology, USA</i>	
Jacobi's Method for Massive Parallel Wave Digital Filter Algorithm	III-1621
<i>T. Felderhoff - University of Paderborn(formerly), Germany</i>	
Detection and Estimation of Soliton Signals	III-1625
<i>A. Singer - Massachusetts Institute of Technology, USA</i>	

DSP10 Adaptive Filtering

A Novel Adaptive IIR Filter Architecture for Active Noise Control	III-1629
<i>D. Crawford, R. Stewart - University of Strathclyde, UK</i> <i>E. Toma - Motorola, Ltd, UK</i>	
An Effective Approach to Adaptive IIR Filtering	III-1633
<i>M. Harteneck, R. Stewart - University of Strathclyde, UK</i> <i>J. McWhirter, I. Proudler - Defence Research Agency, UK</i>	
Canonical Time Series and Canonical Correlation for Filtering	III-1637
<i>J. Thomas, L. Scharf - University of Colorado at Boulder, USA</i>	
A New Interpretation of the Misadjustment in Adaptive Filtering	III-1641
<i>H. Butterweck - Eindhoven University of Technology, The Netherlands</i>	
Adaptive Threshold Nonlinear Algorithm for Adaptive Filters with Robustness Against Impulse Noise	III-1644
<i>S. Koike - NEC Corporation, Japan</i>	
Adaptive Subspace Estimation: Application to Moving Sources Localization and Blind Channel Identification	III-1648
<i>C. Riou, T. Chonavel, P. Cochet - ENSTBr, France</i>	
Average Quantizer Adaptation Rates for Stable ADPCM	III-1652
<i>S. Dasgupta - University of Iowa, USA</i>	
Efficient Approximate Implementations of the Fast Affine Projection Algorithm Using Orthogonal Transforms	III-1656
<i>S. Douglas - University of Utah, USA</i>	
A Statistical Reference Criterion for Adaptive Filtering	III-1660
<i>J. Sala, G. Vazquez - Universitat Politecnica de Catalunya, SPAIN</i>	
Extended Anti-Hebbian Adaptation for Unsupervised Source Extraction	III-1664
<i>Z. Malouche, O. Macchi - Laboratoire de Signaux et Systemes, France</i>	

DSP11 Signal Reconstruction I

Nonseparable Sampling Theorems for Two-Dimensional Signals	III-1668
<i>Y. Lin, P. Vaidyanathan - California Institute of Technology, USA</i>	
Non-Iterative Implementation of a Class of Iterative Signal Restoration Algorithms	III-1672
<i>D. Walsh, P. Delaney, M. Marcellin - University of Arizona, USA</i>	
New Results on Observation Selection in Signal Reconstruction	III-1676
<i>S. Reeves, Z. Zhao - Auburn University, USA</i>	
A New Inverse Filter Criterion for Blind Deconvolution of Spiky Signals Using Gaussian Mixtures	III-1680
<i>I. Santamaria-Caballero, C. Pantaleon-Prieto - ETSII Telecom, Spain</i> <i>F. Diaz-De-Maria, A. Artes-Rodriguez - Ciudad Universitaria, SPAIN</i>	
A New Linear Co-Channel Interference Mitigation Algorithm	III-1684
<i>S. Heidari, C. Nikias - University of Southern California, USA</i>	
Spectrum-Blind Minimum-Rate Sampling and Reconstruction of Multiband Signals	III-1688
<i>P. Feng, Y. Bresler - University of Illinois, USA</i>	
1-D and 2-D Minimum and Non-Minimum Phase Retrieval by Solving Linear Systems of Equations	III-1692
<i>A. Yagle - University of Michigan, USA</i>	
Phase Retrieval Using the Wavelet Transform	III-1695
<i>A. Bell - University of Michigan, USA</i>	
Signal Processing and Piecewise Convex Estimation	III-1699
<i>K. Riedel - New York University, USA</i>	

DSP12 Adaptive Equalization: Subband and Frequency Methods

Equalisation of Time Variant Communications Channels: Channel Estimation Based Approaches	III-1703
<i>T. Shimamura - Loughborough University of Technology, UK</i> <i>S. Semnani - British Telecommunication Labs, UK</i> <i>C. Cowan - Loughborough University of Technology, UK</i>	
A Differential Error Reference Adaptive Echo Canceller for Multilevel PAM Line Codes	III-1707
<i>I. Perez Alvarez, J. Paez-Borralló, S. Zazo Bello - ETSI Telecomunicacion, Spain</i>	
Least-Mean-Log-Likelihood Adaptive Algorithm in Single-Layer Perceptron Based Communication Channel Equalisation	III-1711
<i>C. Shang, C. Cowan, M. Holt - Loughborough University of Technology, UK</i>	
Full-Duplex Fast Estimation of Echo and Channel Responses in the Presence of Frequency Offsets in both Far Echo and Far Signal	III-1715
<i>W. Li, Y. Wang, X. Chen - Beijing University of Posts and Telecommunications, China</i> <i>N. Miki - Hokkaido University, Japan</i>	
Channel Equalization Using Radial Basis Function Network	III-1719
<i>J. Lee, C. Beach, N. Tepedelenioglu - Florida Institute of Technology, USA</i>	
Finding Misconvergences in Blind Equalizers and a New Variance-Constraint Cost Function to Mitigate the Problem	III-1723
<i>M. Minardi, M. Ingram - Georgia Institute of Technology, USA</i>	
A Subband Adaptive Filter with a Variable Analysis Filter Bank	III-1727
<i>Y. Higa - Texas Instruments Tsukuba Research & Development Center Ltd, Japan</i> <i>H. Ochi, S. Kinjo - University of the Ryukyus, Japan</i>	
A Block Quasi-Newton Algorithm Implemented in the Frequency Domain	III-1731
<i>K. Berberidis - Computer Technology Institute, Greece</i> <i>J. Palicot - CCETT, SRA/DCS, France</i>	
Subband Adaptive Filters with Zero Alias Component Constraints	III-1735
<i>S. Zimmermann, G. Williamson - Illinois Institute of Technology, USA</i>	
Wavelet Transform Domain RLS Algorithm	III-1739
<i>S. Hosur - University of Minnesota, USA</i>	

Volume III

DSP13 DSP Applications

Modified B-Spline Interpolators and Filters: Synthesis and Efficient Implementation	III-1743
<i>K. Egiazarian, T. Saramaki, J. Astola, H. Chugurian, J. Astola - Tampere University of Technology, Finland</i>	
Simulation of Coupled Transmission Lines by Multidimensional Wave Digital Filters	III-1747
<i>H. Krauss - University of Erlangen, Germany</i>	
An Eigenstructure Technique for Soft Synchronization of DSSS Signals	III-1751
<i>N. Mangalvedhe, J. Reed - Virginia Tech, USA</i>	
Bowing Virtual Strings	III-1755
<i>J. Guerard, X. Boutillon - Laboratoire d'Acoustique Musicale, France</i>	
Convergence Analysis of the Subspace Tracking Algorithms PAST and PASTd	III-1759
<i>B. Yang - Ruhr University Bochum, Germany</i>	
Joint Optimal Impulse Response Shortening	III-1763
<i>P. Melsa, C. Rohrs, R. Younce - Tellabs Research Center, USA</i>	
Design of Training Data-Based Quadratic Detectors with Application to Mechanical Systems	III-1767
<i>B. Samimy, G. Rizzoni - The Ohio State University, USA</i> <i>A. Sayeed, D. Jones - University of Illinois, USA</i>	
Deconvolution of Electrogram to Detect Infarcted Myocardium	III-1771
<i>W. Ellis, S. Eisenberg - University of California at San Francisco, USA</i> <i>D. Auslander - University of California at Berkeley, USA</i> <i>M. Dae - University of California at San Francisco, USA</i> <i>A. Zakhor - University of California at Berkeley, USA</i> <i>M. Lesh - University of California at San Francisco, USA</i>	
Detection of Cardiac Arrhythmias Using a Damped Exponential Modeling Algorithm	III-1775
<i>S. Chen, P. Clarkson - The Ohio State University, USA</i>	
Blind Equalization: A New Convex Cost Function	III-1779
<i>V. Shtrom, H. Fan - University of Cincinnati, USA</i>	

DSP14 Signal Reconstruction II

Affine Scaling Transformation Based For Computing Low Complexity Sparse Solutions	III-1783
<i>B. Rao, I. Gorodnitsky - University of California at San Diego, USA</i>	
Consistency in Quantized Matching Pursuit	III-1787
<i>V. Goyal, M. Vetterli - University of California at Berkeley, USA</i>	
New Algorithm for Convex Set Constrained Signal Reconstruction	III-1791
<i>S. Dharanipragada - Johns Hopkins University, USA</i>	
Robust Constrained Deconvolution	III-1795
<i>E. Sekko, P. Sarri, G. Thomas - LAGEP URA CNRS D, France</i>	
Separation of a Mixture of Chaotic Signals	III-1798
<i>T. Lo - Defense Research Establishment Ottawa, CANADA</i> <i>H. Leung - Defense Research Establishment Ottawa, Canada</i> <i>J. Litva - Mc Master University, Canada</i>	
Fractal PN Signals for Broadband Communications: Interpolation Functions and PN Wavelets	III-1802
<i>G. Freeland, T. Durrani - University of Strathclyde, UK</i>	
Multiscale Analysis of Fractal Point Processes and Queues	III-1806
<i>W. Lam, G. Wornell - Massachusetts Institute of Technology, USA</i>	
Modeling Techniques for Multiscale Difference Equation Signal Models	III-1810
<i>M. Ali, A. Tewfik - University of Minnesota, USA</i>	
Perfect Reconstructing Non-Linear Filter Banks	III-1814
<i>D. Florencio - Georgia Institute of Technology, USA</i> <i>R. Schafer - Georgia Institute of Techlogy, USA</i>	
Time-Frequency Distributions Based on Teager-Kaiser Energy Function	III-1818
<i>W. Lin, P. Chitrapu - Dialogic Corporation, USA</i>	

DSP15 Adaptive Filtering (LMS and Gradient Methods)

Simplified Global Least Mean Square for Adaptive IIR Filtering	III-1822
<i>W. Edmonson, K. Srinivasan - University of Florida, USA</i>	
A Robust FLS Algorithm for LCMV Adaptive Broad-band Beamformer	III-1826
<i>L. Resende, J. Romano - UNICAMP/Brazil, Brazil</i>	
<i>M. Bellanger - CNAM/France, France</i>	
Instrumental Variables (IV) and Prediction Error PE-like Second Order Recursive Algorithms	III-1830
<i>H. Broman, A. Andersson - Chalmers University of Technology, Sweden</i>	
Linear and NonLinear Conjugate Gradient Methods for Adaptive Processing	III-1834
<i>S. Smith - MIT Lincoln Laboratory, USA</i>	
A New Fully Adaptive Algorithm with Assured Stability for Adaptive Active Noise Control	III-1838
<i>F. Jiang, N. Ojio, H. Ohmori, A. Sano - Keio University, Japan</i>	
Adjoint LMS: An Efficient Alternative to the Filtered X-LMS and Multiple Error LMS Algorithms	III-1842
<i>E. Wan - Oregon Graduate Institute, USA</i>	
A Kurtosis-Driven Variable Step-Size LMS Algorithm	III-1846
<i>D. Pazaitis, A. Constantinides - Imperial College, UK</i>	
The LMK Algorithm with Time-Varying Forgetting Factor for Adaptive System Identification in Additive Output Noise	III-1850
<i>O. Tanrikulu, A. Constantinides - Imperial College, UK</i>	
Convergence of the DLMS Algorithm with Decreasing Step Size	III-1854
<i>S. Ahn - Korea University, ROK</i>	
<i>P. Voltz - Polytechnic University, USA</i>	
Parallel Implementation of a Class of Algorithms Linking NLMS and Block RLS	III-1858
<i>M. Moonen - Katholieke Universiteit Leuven, Belgium</i>	

Volume IV

MDSP1 Image Compression

Operator Theoretic Image Coding	IV-1862
<i>H. Puh, P. Combettes - City University of New York, USA</i>	
Adaptive Contour Coding Using Warped Polynomials	IV-1866
<i>W. Philips - ELIS/RUG, Belgium</i>	
Multiresolution Segmentation-Based Image Coding with Hierarchical Data Structures	IV-1870
<i>H. Rabiee, R. Kashyap - Purdue University, USA</i>	
<i>S. Savavian - LCC Inc., USA</i>	
Optimality of Multiple Entropy Coder Systems for Nonstationary Sources Modelled by a Mixture Distribution	IV-1874
<i>J. Lervik, T. Ramstad - The Norwegian Institute of Technology, Norway</i>	
Segmentation-Based Wavelet Coding of Digital Images	IV-1878
<i>E. Jang, S. Rizvi, N. Nasrabadi - SUNY at Buffalo, USA</i>	
A Locally Adaptive Perceptual Masking Threshold Model for Image Coding	IV-1882
<i>T. Tran - University of Wisconsin, USA</i>	
<i>R. Safranek - AT&T Bell Laboratories, USA</i>	
Channel Noise Recovery of Images through Anti-Gray Coding Technique	IV-1886
<i>C. Lin, C. Kuo - National Chung Cheng University, Taiwan</i>	
CALICO - A Context-based, Adaptive, Lossless Image Codec	IV-1890
<i>X. Wu - University of Western Ontario, Canada</i>	
<i>N. Memon - Northern Illinois University, USA</i>	
An Object-based Approach to Color Subsampling	IV-1894
<i>A. Moghaddamzadeh - SUNY Binghamton, USA</i>	
<i>N. Mohsenian - IBM Corporation, USA</i>	
L (to the power of) 2 Versus L (to the power of) Infinity Criterion	IV-1898
<i>L. Karray - France-Telecom CNET, France</i>	
<i>C. Monrocq, T. Baum - University Paris VI-GRIB, France</i>	
<i>P. Duhamel - ENST/SIG, France</i>	

MDSP2 Motion Estimation

Motion Estimation by Image Content Matching and Application to Video Processing	IV-1902
<i>A. Kundu - US West Advanced Technology, USA</i>	
Segmentation and Motion Estimation	IV-1906
<i>H. Nasari, J. Stuller - University of Missouri-Rolla, USA</i>	
Estimation of Rigid Body Motion and Scene Structure from Image Sequences Using a Novel Epipolar Transform	IV-1910
<i>E. Steinbach, B. Girod - University of Erlangen-Nuremberg, Germany</i>	
Object Tracking Based on Temporal and Spatial Information	IV-1914
<i>F. Moscheni - EPFL, Switzerland</i>	
<i>F. DuFaux - Media Lab, Switzerland</i>	
<i>M. Kunt - EPFL, Switzerland</i>	
Temporally Adaptive Motion Estimation Based on the Temporal Subband Analysis	IV-1918
<i>Z. Yin, S. Kim, J. Chung - Inha University, Korea</i>	
Formative Motion Estimation Technique for Translational, Affine and Zoom Sequences	IV-1922
<i>S. Skrzypkowiak, V. Jain - University of South Florida, USA</i>	
An Efficient Motion Estimation based on a Rate-Distortion Criterion	IV-1926
<i>W. Chung - Georgia Institute of Technology</i>	
<i>F. Kossentini - University of British Columbia</i>	
<i>M. Smith - Georgia Institute of Technology</i>	

DCT-Based Subpixel Motion Estimation	IV-1930
<i>U. Koc, K. Liu - University of Maryland, USA</i>	
High Performance Algorithms for Motion Estimation for MPEG Encoder	IV-1934
<i>E. Linzer, P. Tiwari, M. Zubair - IBM Research, USA</i>	
Robust Multiresolution Computation of Optical Flow	IV-1938
<i>E. Ong, M. Spann - University of Birmingham, UK</i>	

MDSP3 Still and Video Compression

ADPCM Encoding of Images Using a Conjugate Gradient Based Adaptive Algorithm	IV-1942
<i>K. Joo, D. Gschwind, T. Bose - University of Colorado, USA</i>	
Pyramidal Image Compression Using Anisotropic and Error-Corrected Interpolation	IV-1946
<i>Y. You, M. Kaveh - University of Minnesota, USA</i>	
Incorporating Human Visual System (HVS) Models into the Fractal Image Compression	IV-1950
<i>H. Lin, A. Venetsanopoulos - University of Toronto, Canada</i>	
A Multiresolution Stochastic Process for Image Compression	IV-1954
<i>S. Moni, R. Kashyap - Purdue University, USA</i>	
Coding for Content-Based Retrieval IV-1958	
<i>M. Swanson, S. Hosur, A. Tewfik - University of Minnesota, USA</i>	
Compression with Reversible Embedded Wavelets with and Enhanced Binary Mode	IV-1962
<i>A. Zandi, M. Boliek, E. Schwartz, A. Keith - RICOH California Research Center, USA</i>	
A Video Compression Scheme With Optimal Bit Allocation Between Displacement Vector Field and Displaced Frame Difference ...	IV-1966
<i>G. Schuster, A. Katsaggelos - Northwestern University, USA</i>	
Simultaneous Parameter Estimation and Image Segmentation for Image Sequence Coding	IV-1970
<i>K. Matthews, N. Namazi - The Catholic University of America, USA</i>	
Statistical Optimization of Switched Two-Level Quantizers with Application to DPCM Encoding of Color Video	IV-1974
<i>F. Hartung, B. Girod - University of Erlangen-Nuremberg, Germany</i>	
Video Coding Using Affine Motion Compensated Prediction	IV-1978
<i>K. Zhang, M. Bober, J. Kittler - University of Surrey, UK</i>	

MDSP4 Video Compression I

Partition Tree for Segmentation-Based Video Coding	IV-1982
<i>M. Pardas, P. Salembier, F. Marques, R. Morros - Universitat Politecnica de Catalunya, Spain</i>	
Optimal Warping Prediction for Video Coding	IV-1986
<i>A. Nosratinia, M. Orchard - Princeton University, USA</i>	
Adaptive Subband Video Coding Using Bivariate Generalized Gaussian Distribution Model	IV-1990
<i>M. Coban, R. Mersereau - Georgia Institute of Technology, USA</i>	
A Parallel MPEG2 Video Encoder with Look-Ahead Rate Control	IV-1994
<i>P. Tiwari, E. Viscito - IBM Research, USA</i>	
Post-Processing of MPEG2 Coded Video for Transmission at Lower Bit Rates	IV-1998
<i>P. Assuncao, M. Ghanbari - University of Essex, UK</i>	
MPEG Video Error Concealment for ATM Networks	IV-2002
<i>A. Tsai, J. Wilder - Rutgers University, USA</i>	
Scalable Video by Software IV-2005	
<i>J. Nicholls, D. Monro - University of Bath, UK</i>	
UltraSound Video Coding Using a Three-dimensional Subband Decomposition	IV-2009
<i>A. Docef, M. Smith - Georgia Institute of Technology, USA</i>	
Implications of a Segmentation-Based Motion Compensation Scheme for the Case of a Block Transform Encoder	IV-2013
<i>M. Sipitca - Georgia Institute of Technology, USA</i>	

MDSP5 Vector Quantization

Variable Size Finite-State Motion Vector Quantization	IV-2017
<i>A. Bilgin, M. Marcellin - University of Arizona, USA</i>	
<i>H. Abut - San Diego State University, USA</i>	
Scaled Hierarchical Vector Quantization	IV-2021
<i>K. Panusopone, K. Rao - University of Texas at Arlington, USA</i>	
Finite State Table-Lookup Hierarchical Vector Quantization for Images	IV-2024
<i>N. Chaddha, S. Mehrotra, R. Gray - Stanford University, USA</i>	
Multiple Codebook Decoding of VQ Compressed Images	IV-2028
<i>A. Narayan, J. Doherty - Iowa State University, USA</i>	
A Generalized VQ Method for Combined Compression and Estimation	IV-2032
<i>A. Rao, D. Miller, K. Rose, A. Gersho - University of California at Santa Barbara, USA</i>	
Training Set Synthesis for Entropy-Constrained Transform Vector Quantization	IV-2036
<i>D. Comaniciu - Polytechnic University of Bucharest, Romania</i>	
A Novel Hybrid Technique for Discrete Rate-Distortion Optimization with Applications to Fast Codebook Search for SVQ	IV-2040
<i>Y. Yoo, A. Ortega - University of Southern California, USA</i>	
<i>K. Ramchandran - University of Illinois at Urbana-Champaign, USA</i>	
Color Image Coding by Vector Subband/ECVQ with an Activity Map	IV-2044
<i>H. Li, V. Jain - University of South Florida, USA</i>	
Noisy Channel Relaxation for VQ Design	IV-2048
<i>S. Gadkari, K. Rose - University of California at Santa Barbara, USA</i>	
Subband Image Coding Using Block-Zero Tree Coding and Vector Quantization	IV-2052
<i>S. Park, H. Moon, N. Nasrabadi - State University of New York at Buffalo, USA</i>	

MDSP6 Very Low Bit Rate Coding/Computed Imagery

Cross-Modal Predictive in Audio-Visual Communication	IV-2056
<i>R. Rao - Georgia Institute of Technology, USA</i>	
<i>T. Chen - AT&T Bell Laboratories, USA</i>	
Very Low Bit Rate Video Coding Using Active Triangular Mesh	IV-2060
<i>P. Salembier, X. Ayuso - Universitat Politècnica de Catalunya, Spain</i>	
Building a Pseudo Object-Oriented Very Low Bit-Rate Video Coding System from a Modified Optical Flow Motion Estimation Algorithm	IV-2064
<i>C. Ku, Y. Chiu, L. Chen, Y. Lee - National Taiwan University, ROC</i>	
Detection and Encoding of Occluded Areas in Very Low Bit Rate Video Coding	IV-2068
<i>T. Ozcelik - Sony Electronics, USA</i>	
<i>A. Katsaggelos - Northwestern University, USA</i>	
Joint Control of Spatial Quantization and Temporal Sampling for Very Low Bit Rate Video	IV-2072
<i>F. Martins - Carnegie Mellon University, USA</i>	
<i>W. Ding, E. Feig - IBM Thomas J. Watson Research Center, USA</i>	
3D Reconstruction of Partially Known Viral Structures from Solution X-Ray Scattering Data	IV-2076
<i>Y. Zheng, P. Doerschuk - Purdue University, USA</i>	
Moving Target Detection in Foliage Using Along Track Monopulse Synthetic Aperture Radar Imaging	IV-2080
<i>M. Soumekh - State University of New York at Buffalo, USA</i>	
Autofocusing Techniques for SAR Imaging Based on the Multi-Lag High Order Ambiguity Function	IV-2084
<i>A. Porchia, S. Barbarossa, A. Scaglione - University of Rome, Italy</i>	
<i>G. Giannakis - University of Virginia, USA</i>	
A Matched-Filter Method for Motion-Compensated Spotlight-Mode SAR Processing	IV-2088
<i>C. Logan, H. Krim, A. Willsky - Massachusetts Institute of Technology, USA</i>	
Formulation of a General Imaging Algorithm for High-Resolution Synthetic Aperture Radar	IV-2092
<i>J. Lee - University of Illinois at Urbana-Champaign, USA</i>	
<i>O. Arikan - Bilkent University, Turkey</i>	
<i>D. Munson - University of Illinois at Urbana-Champaign, USA</i>	

MDSP7 Video Compression 2

Rate-Distortion Optimal Motion Estimation Algorithm for Video Coding	IV-2096
<i>M. Chen, A. Willson - University of California at Los Angeles, USA</i>	
Directional Spatial Interpolation for DCT-Based Low Bit Rate Coding	IV-2100
<i>W. Zeng, B. Liu - Princeton University, USA</i>	
Progressive Image Transmission with Error Concealment on a Lossy Packet Network	IV-2104
<i>B. Srinivas, M. Azizoglu, E. Riskin, R. Ladner - University of Washington, USA</i>	
A Method for Accurate Occlusion Detection and Motion Refinement	IV-2108
<i>Y. Altunbasak, M. Tekalp - University of Rochester, USA</i>	
On the Relation of Image Restoration and Template Expansion Matching	IV-2112
<i>M. Choi, N. Galatsanos, D. Schonfield - Illinois Institute of Technology, USA</i>	
Low-Power Subband Video Compression Algorithm	IV-2116
<i>E. Farag, M. Elmasry - University of Waterloo, Canada</i>	
Adaptive Edge-Based Interpolation for Scanning Rate Conversion	IV-2120
<i>C. Kuo, C. Liao, C. Lin - National Chung Cheng University, ROC</i>	
Adaptive Spatial Noise Shaping for DCT Based Image Compression	IV-2124
<i>S. Westan, R. Lagendijk, J. Biemond - Delft University of Technology, The Netherlands</i>	
Compression of Medical Volumetric Data in a Video-Codec Framework	IV-2128
<i>Y. Wong - University of Texas at San Antonio, USA</i>	
<i>T. Chen - AT&T Bell Laboratories, USA</i>	
Scalable Video Coding with Adaptive Video Interpolation IV-2132	
<i>S. Bayrakeri - Georgia Institute of Technology, USA</i>	

MDSP8 Image Recognition

Multi-Font Recognition of Print Arabic Using the BBN Byblos Speech Recognition System	IV-2136
<i>C. LaPre, Y. Zhao, C. Raphael, R. Schwartz - BBN Systems and Technologies, USA</i>	
Polarimetric IR Automatic Target Detection and Recognition	IV-2140
<i>F. Sadjadi - Loral, USA</i>	
Face Recognition Using DCT-Based Feature Vectors	IV-2144
<i>C. Podilchuk, X. Zhang - AT&T Bell Labs, USA</i>	
Face Recognition Using Discriminant Eigenvectors	IV-2148
<i>K. Etemad, R. Chellappa - University of Maryland at College Park, USA</i>	
Target Indexing in Synthetic Aperture Radar Imagery Using Topographic Features	IV-2152
<i>R. Meth, R. Chellappa - University of Maryland at College Park, USA</i>	
Lipreading from Color Motion Video	IV-2156
<i>G. Chiou - The Boeing Corporation, USA</i>	
<i>J. Hwang - University of Washington, USA</i>	
Processing of Three-Dimensional Differential Interference Contrast Microscopy Images for Data Visualization	IV-2160
<i>P. Feineigle, A. Witkin, V. Stonick - Carnegie Mellon University, USA</i>	
Automatic Image-to-Site Model Registration	IV-2164
<i>X. Zhang, P. Burlina, Q. Zheng, R. Chellappa - University of Maryland, USA</i>	
Copyright Protection of Images Using Robust Digital Signatures	IV-2168
<i>N. Nikolaidis, I. Pitas - Aristotle University of Thessaloniki, Greece</i>	
Change Detection in Sequences of Images by Multifractal Analysis	IV-2172
<i>C. Canus, J. Levy-Vehel - INRIA, France</i>	

MDSP9 Image Analysis

- Fusion of Color and Edge Information for Improved Segmentation and Edge Linking** IV-2176
E. Saber - Xerox / University of Rochester, USA
A. Tekalp, G. Bozdagi - University of Rochester, USA
- Fast Algorithms for Computing One and Two Dimensional Convolution in Integer Polynomial Rings** IV-2180
H. Garg, C. Co - National University of Singapore, Singapore
- Directional Processing of Line-Drawing Images Based on Adaptive Morphological Operations** IV-2184
G. Agam, I. Dinstein - Ben-Gurion University of the Negev, Israel
- Image Analysis Using Multifractals** IV-2188
K. Uma, K. Ramakrishnan, G. Ananthakrishna - Indian Institute of Science, India
- Stereo Image Coding Using a Subspace Projection Technique** IV-2191
H. Aydinoglu, M. Hayes - Georgia Institute of Technology, USA
- A Physically Based Model for the Registration of a 2D Image Sequence** IV-2195
J. Qian, T. Mitsa, E. Hoffman - University of Iowa, USA
- Progressive Classification in the Compressed Domain for Large EOS Satellite Databases** IV-2199
V. Castelli, C. Li, J. Turek, I. Kontoyiannis - IBM T.J. Watson Research Center, USA
- Morphological Operations on Images Represented by Quadrees** IV-2203
R. Lin, E. Wong - Polytechnic University, USA
- A Robust and Real-Time Texture Analysis System Using A Distributed Workstation Cluster** IV-2207
J. You - University of South Australia, Australia
H. Cohen - La Trobe University
W. Zhu - University of South Australia, Australia
E. Pissaloux - Universite' Paris XI
- Region-Based Enhancement of Digital Chest Radiographs** IV-2211
J. Lin, S. Lo, M. Freedman, S. Mun - Georgetown University Medical Center, USA

MDSP10 Feature Extraction and Texture Separation

- A Pyramidal Edge Detector Based on Anisotropic Diffusion** IV-2215
S. Acton - Oklahoma State University, USA
- Using the Generalized Radon Transform for Detection of Curves in Noisy Images** IV-2219
P. Toft - Technical University of Denmark, Denmark
- On the Use of the Karhunen - Loeve Transform and Expansion Matching for Generalized Feature Detection** IV-2223
D. Nandy - Illinois Institute of Technology, USA
J. Ben-Arie, K. Rao, N. Jojic - University of Illinois at Chicago, USA
- Efficient ML Estimation of the Shape Parameter for Generalized Gaussian MRF** IV-2227
S. Saquib, C. Bouman - Purdue University, USA
K. Sauer - University of Notre Dame, USA
- Text Segmentation in Mixed-Mode Images Using Classification Trees and Transform Tree-Structured Vector Quantization** IV-2231
K. Perlmutter, N. Chaddha, J. Buckheit, R. Gray, R. Olshen - Stanford University, USA
- Unsupervised Vector Image Segmentation by the ICM Method** IV-2235
J. Fwu, P. Djuric - State University of New York, USA
- Automated Binary Texture Feature Sets for Image Retrieval**..... IV-2239
J. Smith, S. Chang - Columbia University, USA
- Design of Multiple Gabor Filters for Texture Segmentation** IV-2243
T. Weldon - University of North Carolina at Charlotte, USA
W. Higgins - Penn State, USA
- Multiscale Methods for the Segmentation of Images** IV-2247
M. Schneider, P. Fieguth - M.I.T., USA
W. Karl - Boston University, USA
A. Willsky - M.I.T., USA
- X-Ray Medical Image Processing Using Directional Wavelet Transform** IV-2251
L. Li, W. Qian, L. Clarke - University of South Florida, USA

MDSP11 Image Enhancement and Restoration

Bayesian Filters for Image Estimation	IV-2255
<i>S. Kadaba, S. Gelfand - Purdue University, USA</i>	
Distance Order Statistic Filtering Using Selection Probabilities	IV-2259
<i>S. Siren, K. Egiazarian, P. Kuosmanen - Tampere University of Technology, Finland</i>	
Exponential Nonlinear Volterra Filters for Contrast Sharpening in Noisy Images	IV-2263
<i>R. deFigueiredo, S. Matz - University of California at Irvine, USA</i>	
Adaptively Weighted Vector-Median Filters for Motion-Field Smoothing	IV-2267
<i>L. Alparone, M. Barni, F. Bartolini, V. Cappellini - University of Florence, Italy</i>	
Image Restoration by 1-D Kalman Filtering on Oriented Image Decompositions	IV-2271
<i>M. Mattavelli, G. Thonet, V. Vaerman - Ecole Polytechnique Federale de Lausanne, Switzerland</i>	
<i>B. Macq - UCL, Switzerland</i>	
Bi-directional 3D Auto-Regressive Model approach to Motion Picture Restoration	IV-2275
<i>W. Goh, M. Chong, S. Kalra, D. Krishnan - Nanyang Technological University, Singapore</i>	
Multiscale Blind Image Restoration Using a Wavelet Decomposition	IV-2279
<i>S. Tang, R. Mersereau - Georgia Institute of Technology, USA</i>	
Blind Image Restoration via Recursive Filtering Using Deterministic Constraints	IV-2283
<i>D. Kundur, D. Hatzinakos - University of Toronto, Canada</i>	
An Adaptive Approach for Removing Impulsive Noise in Digital Images	IV-2287
<i>H. Kong, L. Guan - University of Sydney, Australia</i>	
A Working Spatio-Temporal Model of the Human Visual System for Image Restoration and Quality Assessment Applications	IV-2291
<i>C. Lambrecht - EPFL - LTS, Switzerland</i>	

MDSP12 Motion Compensation

The Motion Transform: A New Motion Compensation Technique	IV-2295
<i>R. Armitano, D. Florencio, R. Schafer - Georgia Institute of Technology, USA</i>	
A New Stochastic Block Matching Algorithm (SBMA) for Video Coding Based on Modified 3-Step Search	IV-2299
<i>K. Sungook, J. Chalidabhongse, C. Kuo - University of Southern California, USA</i>	
A High-Throughput Modular Architecture for Three-Step Search Block Motion Estimation	IV-2303
<i>H. Yeo, Y. Hu - University of Wisconsin-Madison, USA</i>	
A Fast Algorithm for DCT-Domain Inverse Motion Compensation	IV-2307
<i>N. Merhav, V. Bhaskaran - Israel Institute of Technology, Israel</i>	
Fast Block Matching Algorithms for Motion Estimation.....	IV-2311
<i>K. Cheng, S. Chan - The University of Hong Kong, Hong Kong</i>	
Rate-Constrained Hierarchical Motion Estimation Using BFOS Tree Pruning	IV-2315
<i>H. Bi, W. Chan - Illinois Institute of Technology, USA</i>	
Motion-Compensated Frame Rate Conversion Using an Accelerated Motion Model	IV-2319
<i>P. Csillag, L. Boroczky - KFKI Research Institute for Measurement and Computing Techniques, Hungary</i>	
Hierarchical Motion Estimation Based on Visual Patterns for Video Coding	IV-2323
<i>S. Zhong, F. Chin, Y. Cheung, D. Kwan - University of Hong Kong, Hong Kong</i>	
Modified Motion Compensated Temporal Interpolation for Very-Low-bit-Rate Video	IV-2327
<i>O. Wong - The Hong Kong University of Science and Technology, Hong Kong</i>	
Subband Video Coding with Smooth Motion Compensation	IV-2331
<i>A. Fuldseth, T. Ramstad - The Norwegian Institute of Technology, Norway</i>	

MDSP13 Wavelet Compression

Arbitrarily-Shaped Wavelet Packets for Zerotree Coding	IV-2335
<i>O. Egger, T. Ebrahimi, M. Kunt - EPFL-DE-LTS, Switzerland</i>	
Bit Allocation via Recursive Optimal Pruning with Applications to Wavelet/VQ Image Compression	IV-2339
<i>J. Goldschneider, E. Riskin - University of Washington, USA</i>	
Multiresolution Joint Source-Channel Coding Using Embedded Constellations for Power-Constrained Time-Varying Channels	IV-2343
<i>I. Kozintsev, K. Ramchandran - University of Illinois, USA</i>	
Local Bases Yielding Arbitrary Tilings of the Time-Frequency Plane	IV-2347
<i>B. Riccardo, J. Kovacevic - AT&T Bell Labs, USA</i>	
Constructing Optimal Wavelet Basis for Image Compression	IV-2351
<i>Y. Zhuang, J. Baras - University of Maryland, USA</i>	
A Feature-Based Subband Coding Scheme	IV-2355
<i>J. Casas, L. Torres - Universitat Politecnica de Catalunya, Spain</i>	
Image Compression via Adaptive Self-Quantization of Wavelet Subtrees	IV-2359
<i>G. Davis - Dartmouth College, USA</i>	
Edge Sensitive Subband Coding of Images	IV-2363
<i>K. Cinkler, A. Mertins - Hamburg University of Technology, Germany</i>	
Improving the Subjective Quality of Low Bit Rate Subband/Wavelet Coded Images	IV-2367
<i>Y. Lee, F. Kossentini, R. Ward - University of British Columbia, Canada</i>	
Motion Estimation Using Complex Wavelets	IV-2371
<i>J. Magarey, N. Kingsbury - University of Cambridge, UK</i>	

MDSP14 Multidimensional Systems and Filters

Multidimensional System Simulation with Functional Transformations	IV-2375
<i>R. Rabenstein - University of Erlangen-Nuremberg, Germany</i>	
Some Properties of Generalized Factorable 2-D FIR Filters	IV-2379
<i>R. Manduchi - California Institute of Technology, USA</i>	
Multidimensional Windows Over Arbitrary Lattices and Their Application to FIR Filter Design	IV-2383
<i>S. Coulombe, E. Dubois - INRS - Telecommunications, Canada</i>	
A Filter Design Technique for Steerable Pyramid Image Transforms	IV-2387
<i>A. Karasaridis, E. Simoncelli - University of Pennsylvania, USA</i>	
Bounds on Filters by Reconstruction	IV-2391
<i>J. Crespo - Facultad de Informatica Universidad Politecnica de Madrid, SPAIN</i>	
<i>R. Schafer - Georgia Institute of Technology, USA</i>	
Model-Based Optical Two-Point Resolution	IV-2395
<i>A. den Dekker - Delft University of Technology, The Netherlands</i>	
Near Optimal Geometric Image Scaling Using Oblique Projection Operators	IV-2399
<i>C. Lee, M. Eden, M. Unser - BEIP/NCRR National Institutes of Health, USA</i>	
A Transform Domain Approach to Spatial Domain Image Scaling	IV-2403
<i>N. Merhav - Israel Institute of Technology, Israel</i>	
<i>V. Bhaskaran - Hewlett-Packard Laboratories, USA</i>	
Optimal Representation of Images by Localized Phase	IV-2407
<i>S. Urieli, M. Porat, N. Cohen - Technion, Israel</i>	
The Polynomial Phase Differencing Algorithm for 2-D Phase Unwrapping: Performance Analysis	IV-2411
<i>J. Francos - Ben-Gurion University, Israel</i>	
<i>B. Friedlander - University of California at Davis, USA</i>	

Volume V

SSAP1 Blind Equalization and Identification

Second Order Blind Equalization in Multiple Input Multiple Output FIR Systems: A Weighted Least Squares Approach	V-2415
<i>A. Gorokhov, P. Loubaton, E. Moulines - ENST, France</i>	
Algorithms for Blind Equalization with Multiple Antennas Based on Frequency Domain Subspaces	V-2419
<i>J. Gunther, A. Swindlehurst - Brigham Young University, USA</i>	
Performance Comparison of Three Methods for Blind Channel Identification	V-2423
<i>W. Qiu, Y. Hua - University of Melbourne, Australia</i>	
On the Performance of Blind Equalization Using the Second Order Statistics	V-2427
<i>H. Zeng, S. Zeng, L. Tong - University of Connecticut, USA</i>	
Convergence Analysis of Fractionally Spaced Adaptive Blind Equalizers	V-2431
<i>Z. Ding - Auburn University, USA</i>	
Statistical Analysis of a Subspace Method for Blind Channel Identification	V-2435
<i>M. Kristensson, B. Ottersten - Royal Institute of Technology, Sweden</i>	
On the Use of Conjugate Cyclostationary: A Blind Second Order Equalization Method	V-2439
<i>A. Chevreuil, P. Loubaton - ENST, France</i>	
Blind Equalization and Channel Estimation for Multiple-Input Multiple-Output Communications Systems	V-2443
<i>J. Tugnait - Auburn University, USA</i>	
Rational Subspace Methods for Blind Identification of Multi-channel FIR Systems	V-2447
<i>E. Moulines, J. Cardoso - ENST/SIG, France</i>	
Maximum-Likelihood Blind Equalization of Multiple FIR Channels	V-2451
<i>E. De Carvalho, D. Slock - Eurecom, France</i>	

SSAP2 Statistical Signal and Array Processing

Intersections of Multiple Cone Classes for Signal Modeling and Detection	V-2455
<i>S. Ramprasad, T. Parks - Cornell University, USA</i>	
A Min-Max Test for Detecting a Transient Signal	V-2459
<i>C. Han, P. Willett - University of Connecticut, USA</i>	
Some Properties of Ordered Eigenvalues of a Wishart Matrix: Application in Detection Test and Model Order Selection	V-2463
<i>J. Grouffaud, P. Larzabal, H. Clergeot - LESIR-ENS de Cachan, France</i>	
Application to Locally Optimum Detection of a New Noise Model	V-2467
<i>A. Tesei, C. Regazzoni - University of Genoa, Italy</i>	
Detection of Change in Periodic, Nonstationary Data	V-2471
<i>C. Gruner - Rice University, USA</i>	
Type-Based Detection for Unknown Channels	V-2475
<i>K. Lee, O. Kelly - Rice University, USA</i>	
FFT-Based Incremental Refinement of Suboptimal Detection	V-2479
<i>J. Winograd, S. Nawab - Boston University, USA</i>	
<i>A. Oppenheim - RLE, Massachusetts Institute of Technology, USA</i>	
A Multi-Parameter Hybrid Barankin-Type Bound	V-2483
<i>I. Reuven, H. Messer - Tel Aviv University, Israel</i>	
Detection for Binary Transmission Based on the Empirical Characteristic Function	V-2487
<i>J. Ilow, D. Hatzinakos, A. Venetsanopoulos - University of Toronto, Canada</i>	
Statistical Estimation with 1/f Type Prior Models: Robustness to Mismatch and Efficient Model Determination	V-2491
<i>R. Dufour, E. Miller - Northeastern University, USA</i>	

SSAP3 Spectral Estimation I

The Rectangular Pisarenko Method	V-2495
<i>J. Fuchs - IRISA - Universite de Rennes I, France</i>	
Estimating the Parameters of a Random-Amplitude Sinusoid From Its Sample Covariances	V-2499
<i>O. Besson - ENSICA, France</i>	
<i>P. Stoica - Uppsala University, Sweden</i>	
Spectral Estimation Based on Structural Low Rank Matrix Pencil	V-2503
<i>J. Razavilar, L. Li - University of Maryland, USA</i>	
On AR Modulated Harmonics: CRB and Parameter Estimation	V-2507
<i>M. Ghogho, B. Garel - National Polytechnics Institute of Toulouse, France</i>	
Optimal Subset Selection for Adaptive Signal Representation	V-2511
<i>M. Nafie, M. Ali - University of Minnesota, USA</i>	
Root Contours of Two-Dimensional Prediction Polynomials	V-2515
<i>A. Saidi, J. McClellan - Georgia Institute of Technology, USA</i>	
Dictionary-Based Decomposition of Linear Mixtures of Gaussian Processes	V-2519
<i>C. Couvreur - Faculte Polytechnique de Mons, Belgium</i>	
<i>Y. Bresler - University of Illinois at Urbana-Champaign, USA</i>	
Detection of Frequencies Using Least Square Error Function	V-2523
<i>Q. Cheng, Y. Hua - University of Melbourne, Australia</i>	
The Compressibility of Stationary Random Processes	V-2527
<i>J. McCoy - Motorola, USA</i>	
<i>N. Magotra - UNM, USA</i>	
<i>S. Stearns - Saudia National Labs, USA</i>	
Estimation of Band-Limited Spectra, a Reflection Coefficients Approach	V-2531
<i>T. Chonavel - ENSTBr, France</i>	
<i>S. Degerine - LMC-IMAG, France</i>	

SSAP4 Subspace and Array Processing Algorithms

An Algorithm for Exhaustive Search of Extrema and Its Application to Array Processing	V-2535
<i>R. Tveig - RAFAEL, Israel</i>	
<i>B. Porat - Technion, Israel</i>	
A New Family of EVD Tracking Algorithms Using Givens Rotations	V-2539
<i>B. Champagne, Q. Liu - Universite du Quebec, Canada</i>	
Tracking Behavior of the Constant Modulus Array for Time-Varying Channels	V-2543
<i>A. Keerthi, A. Mathur, J. Shynk - University of California at Santa Barbara, USA</i>	
Determination of Data Matrix Dimension in Use of Subspace-Based Parameter Estimation Algorithms	V-2547
<i>Y. Ding - Texas Instruments, Inc., USA</i>	
<i>R. Vaccaro - University of Rhode Island, USA</i>	
Positive-Definite Toeplitz Completion in DOA Estimation for Fully-Augmentable Nonuniform Linear Antenna Arrays	V-2551
<i>Y. Abramovich, D. Gray - Cooperative Research Centre for Sensor Signal and Information Processing, Australia</i>	
<i>A. Gorokhov - Telecom Paris, France</i>	
<i>N. Spencer - Cooperative Research Centre for Sensor Signal and Information Processing, Australia</i>	
Robust Adaptive Subspace Extraction for DOA Tracking	V-2555
<i>D. Yang, S. Flockton - University of London, UK</i>	
Signal Selective DOA Tracking for Multiple Moving Targets	V-2559
<i>J. Riba, J. Goldberg, G. Vazquez, M. Lagunas - Polytechnic University of Catalonia, Spain</i>	
A Second Order Recursive Algorithm for Subspace Tracking	V-2563
<i>A. Andersson, H. Broman - Chalmers University of Technology, Sweden</i>	
A Set-Recovery Scheme for Anti-Jamming Communications	V-2567
<i>M. Torlak, G. Xu - University of Texas at Austin, USA</i>	
<i>H. Liu - University of Virginia, USA</i>	

Closed-Form 2D Angle Estimation with Arbitrary Sampling Lattices Over a Circular Aperture	V-2571
<i>J. Ramos - Polytechnic University of Madrid, Spain</i>	
<i>M. Zoltowski - Purdue University, USA</i>	

SSAP5 Time-Frequency for Random Signals

Are Quadratic Time-Frequency Representations Really Necessary?	V-2575
<i>L. Marple - Acuson Corporation, USA</i>	
Wavelet Analysis of Fractal Point Processes	V-2579
<i>A. Recio - Northwestern University, USA</i>	
Cross Term Deleted Wigner Representation (CDWR) Based Signal Detection Methodologies	V-2583
<i>S. Kadambe, R. Orr - Atlantic Aerospace Elect. Corp., USA</i>	
Analysis of Time-Frequency Representation Using the Gamma Filter	V-2587
<i>S. Celebi, J. Principe - University of Florida, USA</i>	
Design of Biorthogonal MRA Generating Wavelets Matched to Specified Signal	V-2591
<i>M. Raghuveer, J. Chapa - Rochester Institute of Technology, USA</i>	
Frames and Orthonormal Bases for Variable Windowed Fourier Transforms	V-2594
<i>N. Ueng, L. Scharf - University of Colorado at Boulder, USA</i>	
A Pitch-Dependent Time-Frequency Response for Periodic Signals	V-2598
<i>M. Kramer, D. Jones - University of Illinois, USA</i>	
Detection in Dense Signal Environments via the Gabor Transform	V-2602
<i>R. Orr, C. Pike - Atlantic Aerospace Electronic Corporation, USA</i>	
MMSE Parameter Estimation of Multiple Chirp Signals	V-2606
<i>H. Li, P. Djuric - State University of New York, USA</i>	
Aliasing in the AF-GDFTD and the Discrete Spectrogram	V-2610
<i>J. O'Neill, W. Williams - University of Michigan, USA</i>	

SSAP6 Array Calibration and System Identification

Signal Cancellation Effects in Adaptive Radar Mountain-Top Data Set	V-2614
<i>M. Berin, A. Haimovich - New Jersey Institute of Technology, USA</i>	
Accuracy Requirements in Off-line Array Calibration	V-2618
<i>B. Porat - Technion, Israel</i>	
<i>B. Friedlander - University of California at Davis, USA</i>	
Joint Estimation of the Time-Delays and the Directions-of-Arrival of Multiple Reflections of a Known Signal.....	V-2622
<i>M. Wax, A. Leshem - RAFAEL, Israel</i>	
Direction Finding and Array Calibration Based on Maximal Set of Nonredundant Cumulant	V-2626
<i>H. Wu, Y. Jia, Z. Bao - Xidian University, China</i>	
Forwards-Backwards Averaging for Adaptive Beamforming and STAP	V-2630
<i>M. Zaiman, D. Marshall - MIT Lincoln Laboratory, USA</i>	
Bayesian Approach to Best Basic Selection	V-2634
<i>J. Pesquet, H. Krim, D. Leporini, E. Hamman - Univ. Paris S., France</i>	
System Identification via Singular Value Decomposition	V-2638
<i>S. Wang, T. Lee, R. Zachery - University of California at Davis, USA</i>	
Stability Criteria for Arnoldi-Based Model-Order Reduction	V-2642
<i>I. Elfadel, L. Silveira, J. White - MIT Research Laboratory of Electronics, USA</i>	
Application of Loudness/Pitch/Timbre Decomposition Operators to Auditory Scene Analysis.....	V-2646
<i>M. Abe, S. Ando - University of Tokyo, Japan</i>	
Gap Detector for Multipath	V-2650
<i>C. He, J. Moura, S. Benno - Carnegie Mellon University, USA</i>	

Volume V

SSAP7 Communications

A Maximum Likelihood CDMA Receiver Using the EM Algorithm and the Discrete Wavelet Transform	V-2654
<i>I. Sharfer, A. Hero - The University of Michigan, USA</i>	
Blind Equalization for CDMA Systems with Aperiodic Spreading Sequences	V-2658
<i>H. Liu - University of Virginia, USA</i> <i>G. Xu - University of Texas, USA</i>	
Multiuser Detection in the Presence of Multipath Fading	V-2662
<i>T. Brown - Motorola Cellular Infrastructure Group, USA</i> <i>M. Kaveh - University of Minnesota, USA</i>	
A Constrained Adaptive Diversity Combiner for Interference Suppression in CDMA Systems	V-2666
<i>J. Schodorf, D. Williams - Georgia Institute of Technology, USA</i>	
An Efficient Propagation Delay Estimator for DS-CDMA Signals	V-2670
<i>D. Zheng, J. Li, S. Miller - University of Florida, USA</i>	
Fractionally-Spaced CMA Under Channel Noise	V-2674
<i>A. Touzni, I. Fijalkow - ENSEA/ETIS, France</i> <i>J. Treichler - Applied Signal Technology, Inc, USA</i>	
A Block Shanno Constant Modular Algorithm for Wireless Equalization	V-2678
<i>Z. Wang, E. Dowling - University of Texas at Dallas, USA</i>	
A Fast Tracking Adaptive Array System for Mobile Communications	V-2682
<i>H. Wang, K. Liu - University of Maryland, USA</i>	
Co-Channel Signal Demodulation Using the Parametric Constant Modulus Algorithm	V-2686
<i>A. Rao, R. Kumaresan - University of Rhode Island, USA</i>	
Sequential Modulation Classification of Dependent Samples	V-2690
<i>Y. Lin, C. Kuo - University of Southern California, USA</i>	

SSAP8 Blind Separation and Reconstruction

Blind Maximum Likelihood Sequence Detection	V-2694
<i>D. Reader, W. Cowley - University of South Australia, South Australia</i>	
Blind Adaptive Separation of Wide-Band Sources	V-2698
<i>C. Serviere, V. Capdevielle - CEPHAG, France</i>	
POCS-Based Blind Array Processing in Incoherent Microwave Radiometry Image Reconstruction	V-2702
<i>K. Teramoto, K. Arai - Saga University, Japan</i>	
An Unconstrained Single Stage Criterion for Blind Source Separation	V-2706
<i>A. Dapena, L. Castedo, C. Escudero - University of La Coruna, Spain</i>	
Blind Multiuser Optimum Combining at the Base Station for Asynchronous CDMA Systems	V-2710
<i>O. Munoz-Medina, J. Fernandez-Rubio - Universitat Politecnica de Catalunya, Spain</i>	
Spatio-Temporal Training-Sequence-Based Channel Equalization and Adaptive Interference Cancellation	V-2714
<i>D. Slock - Eurecom, France</i>	
Blind Identification of a Linear-Quadratic Mixture of Independent Components Based on Joint Diagonalization Procedure	V-2718
<i>K. Abed-Meraim, A. Belouchiani, Y. Hua - Telecom Paris, France</i>	
Resolution Limits of Blind Multi-User Multi-Channel Identification Schemes - The Bandlimited Case	V-2722
<i>A. Van der Veen - Delft University of Technology, The Netherlands</i>	
Blind Separation of Voice Modulated Single-Side-Band Using the Multi-Target Variable Modulus Algorithm	V-2726
<i>J. Fite, S. Bruzzone, B. Agee - Radix Technologies, USA</i>	
Blind Multi-User Access Interference Cancellation for CDMA Based PCS/Cellular Using Antenna Arrays	V-2730
<i>M. Zoltowski - Purdue University, USA</i> <i>J. Ramos - Polytechnic University of Madrid, Spain</i>	

SSAP9 Industrial and Biomedical Applications

- Application of MVDR Beamforming to Reject Turbulance Noise in a Duct** V-2734
D. Sebal, B. Van Veen - University of Wisconsin, USA
- Detection and Characterization of Cracks for Failure Monitoring and Diagnostics** V-2738
W. Xu, D. West, K. Buckley, M. Kaveh - University of Minnesota, USA
- On the Problem of Detection and Discrimination of Double Talk and Change in the Echo Path** V-2742
C. Carlemalm - Royal Institute of Technology, Sweden
F. Gustafsson, B. Wahlberg - Linköping University, Sweden
- Application of Time-Frequency Analysis for Optimum Non-Equidistant Sampling of Automotive Signals Captured AT Knock ...**V-2746
D. König - Ruhr- University Bochum, Germany
- Best Basis Segmentation of ECG Signals Using Novel Optimality Criteria** V-2750
D. Brooks - Northeastern University, USA
H. Krim, J. Pesquet - Univ. Paris, France
R. MacLeod - University of Utah, USA
- Measuring the Performance of Implemented Multirate Systems** V-2754
F. Heinle, H. Schuessler - University of Erlangen, Germany
- Reduced Interference Distributions for the Detection and Classification of Outside Sound Source Acoustic Emissions** V-2758
J. Mossing, T. Tuthill - University of Dayton, USA
- On the Processing of Piecewise-Constant Signals by Hierarchical Models with Application to Single Ion Channel Currents** V-2762
P. Djuric, J. Fwu - State University of New York, USA
S. Jovanovic - Brookhaven National Laboratory, USA
- Stochastic Modelling and Identification of Lubricated Polymer Friction Dynamics** V-2766
G. Hsu, A. Yagle, K. Ludema, J. Leviitt - University of Michigan, USA
- Two-Channel MultiFilter Banks and MultiWavelets** V-2769
T. Cooklev, A. Nishihara, M. Kato - Tokyo Institute of Technology, JAPAN
M. Sablatash - CRC, CANADA

SSAP10 Electromagnetic and Acoustic Arrays and Spectral Estimation

- Applying the Minimum Free Energy Spectral Estimation Algorithm to ISAR Imaging** V-2773
A. Freedman, B. Steinberg - University of Pennsylvania, USA
G. Chkhenkeli - Signet Bank, USA
- A Statistical Array Processing Approach for Elastic Wavefield Data** V-2777
G. Wagner - University of Colorado, USA
- Efficient Space-Time Adaptive Processing for Airborne MTI-Mode Radar** V-2781
J. Guerci - The City University of New York, USA
S. Pillai, Y. Kim - Polytechnic University, USA
- Resonant Pole Identification from the Acoustic Backscatter of Small Submerged Multi-Specular Elastic Targets** V-2785
J. Wilbur, R. McDonald - Naval Surface Warfare Center, USA
- High Accuracy 2D Angle Estimation with Extended Aperture Vector Sensor Arrays** V-2789
K. Wong, M. Zoltowski - Purdue University, USA
- Spectral Analysis for Doppler Radar: A Parametric Model for Regularisation** V-2793
G. Le Foll, P. Larzabal, H. Clergeot - LESIR-ENS Cachan, France
- Computationally Efficient Estimation of Sinusoidal Frequency at Low SNR** V-2797
S. Umesh - Hunter College of CUNY, USA
D. Nelson - Department of Defense, USA
- Simple, Effective Estimation of Frequency Based on Prony's Method** V-2801
D. Tufts - University of Rhode Island, USA
P. Fiore - Sanders, USA
- Structured Least Squares to Improve the Performance of ESPRIT-Type High-Resolution Techniques** V-2805
M. Haardt, J. Nosske - Technical University of Munich, Germany
- Efficient Phase-Only Frequency Estimation** V-2809
P. Fiore, S. Lang - Sanders, Nashua NH, USA

Volume V

SSAP11 Nonlinear Systems and Non-Stationary Signals

- Volterra Filter Identification Using Penalized Least Squares** V-2813
R. Nowak - Rice University, USA
- Time-Delay Estimation for Compound Point-Processes Using Hidden Markov Models** V-2817
B. Wohlers, A. Mertins, N. Fliege - Hamburg University of Technology, Germany
- Multiple-Prediction-Horizon Recursive Identification of Hidden Markov Models** V-2821
I. Collings - Cooperative Research Centre for Sensor Signal and Information Processing, Australia
J. Moore - Australian National University, Australia
- On Operators Providing Shift-Invariant Uncertainty Limit** V-2825
M. Doroslovacki - George Washington University, USA
- Signal Modeling with Dynamic Fuzzy Sets** V-2829
B. Kosanovic, L. Chaparro, R. Scalabassi - University of Pittsburgh, USA
- Weighted Myriad Filters: A Robust Filtering Framework Derived from Alpha-Stable Distributions** V-2833
J. Gonzalez, G. Arce - University of Delaware, USA
- Evolutionary ARMA Modeling of Time-Varying Impulse Response** V-2837
J. Bakkoury, F. Castanie, D. Roviras - ENSEEIHT/GAPSE, France
- Signal Modeling and Parameter Estimation for 1/f Processes Using Scale Stationary Models** V-2841
B. Yazici - GE Corp. Research and Development, USA
R. Kashyap - Purdue University, USA
- A Test Statistics for Low Complexity Change Detection in Dynamic Systems Based on Averaged Filter Models** V-2845
S. Halvarsson, T. Wigren - Ericsson Radio Systems AB, Sweden
B. Wahlberg - Royal Institute of Technology, Sweden

SSAP12 Adaptive Beamforming

- Exact PDF's for Sample Covariance Based Array Processors with Elliptically Contoured Data** V-2849
C. Richmond - Massachusetts Institute of Technology, USA
- Explicit Ziv-Zakai Lower Bound for Bearing Estimation** V-2852
K. Bell, Y. Ephraim, H. Van Trees - George Mason University, USA
- Asymptotic Distribution of Recursive Subspace Estimators** V-2856
F. Gersemsky, B. Yang - Ruhr University Bochum, Germany
- Subspace Recombination of Multiple Partially Adaptive Beamformer Outputs** V-2860
W. Ballance - Hughes Aircraft Corporation, USA
E. Baranoski, A. Steinhardt - MIT Lincoln Laboratory, USA
- Partially-Adaptive Array Design Using the Singular Value Decomposition** V-2864
H. Yang, M. Ingram - Georgia Institute of Technology, USA
- Optimal Array Processing for Non Stationary Signals** V-2868
P. Chevalier - Thomson-CSF, France
- Improved Estimation of the Minimum Variance Beamformer with Small Number of Samples** V-2872
A. Souloumiac - Schlumberger Industries Electricity Technical Lab, France
- Broadband Array Processing Using Subband Techniques** V-2876
F. Lorenzelli, A. Wang, K. Yao - UCLA, USA
- On the Use of Non-Casual Filters for Wideband Adaptive Sensor Array Processing** V-2880
P. Bennett - Cornell University, USA
A. Steinhardt - MIT Lincoln Laboratory, USA
- Robust Adaptive Beamforming in Alpha-Stable Noise Environments** V-2884
P. Tsakalides, C. Nikias - University of Southern California, USA

SSAP13 Direction of Arrival Estimation

High Resolution Direction of Arrival Estimation of Multiple Wide-Band Sources in Multichannel Adaptive Nulling Systems ...V-2888	
<i>M. Amin - Villanova University, USA</i>	
Broadband Direction of Arrival Estimation Using Frequency Invariant Beam-Space Processing V-2892	
<i>D. Ward - Australian National University, Australia</i>	
<i>Z. Ding - Auburn University, USA</i>	
<i>R. Kennedy - Australian National University, Australia</i>	
Tracking Directions-of-Arrival with Invariant Subspace Updating V-2896	
<i>C. MacInnes, R. Vacarro - University of Rhode Island, USA</i>	
Estimation of Directions-of-Arrival of Partially Polarized Signals with Electromagnetic Vector Sensors V-2900	
<i>K. Ho, K. Tan - Defence Science Organization, Singapore</i>	
<i>B. Tan - National University of Singapore, Singapore</i>	
Optimal Array Signal Processing in the Presence of Coherent Wavefronts V-2904	
<i>P. Stoica - Uppsala University, Sweden</i>	
<i>B. Ottersten - Royal Institute of Technology, Sweden</i>	
<i>M. Viberg - Chalmers University of Technology, Sweden</i>	
Direction Finding for Point and Dispersed Sources VEC-MUSIC and its Performance V-2908	
<i>Y. Meng, K. Wong, Q. Wu - McMaster University, Canada</i>	
Estimation & Localization of Multiple Dipole Sources for Noninvasive Mapping of Muscle Activity V-2912	
<i>J. Stonick, R. Jesinger - Carnegie Mellon University, USA</i>	
<i>S. Baumann - University of Pittsburgh, USA</i>	
Improved Closed-Form DOA/Frequency Estimation via ESPRIT using DFT and Derivative Beamforming V-2916	
<i>C. Mathews - University of West Florida, USA</i>	
On Multiple-Parameter Source Localization V-2920	
<i>C. Vaidyanathan, K. Buckley - University of Minnesota, USA</i>	
State-Space Based Approximation Methods for the Harmonic Retrieval Problem in the Presence of Known Signal Poles ...V-2924	
<i>H. Chen, S. Van Huffel, J. Vandewalle - ESAT Lab, Belgium</i>	

SSAP14 Non-Gaussianity and Cyclostationarity

Time-Frequency Estimation for Cyclostationary Signals V-2928	
<i>T. Frederick - Sensormatic Electronics, USA</i>	
<i>N. Erdol - Florida Atlantic University, USA</i>	
Performance Analysis of a Statistical Test for Presence of Cyclostationarity in Noisy Observation V-2932	
<i>P. Rostaing, T. Pitarque, E. Thierry - URA CNRS, France</i>	
Joint Probability Density Function Estimation by Spectral Estimation Methods V-2936	
<i>A. Pages-Zamora, M. Lagunas - Universitat Politècnica de Catalunya, Spain</i>	
Adaptive Blind Separation of Convolutional Mixtures V-2940	
<i>N. Delfosse, P. Loubaton - Telecom Paris, France</i>	
Fractionally-Spaced CMA Blind Equalization Error Surface Characterization: Effects of Source Distributions V-2944	
<i>J. LeBlanc - Cornell University, USA</i>	
<i>I. Fijalkow - ENSEA, France</i>	
<i>C. Johnson - Cornell University, USA</i>	
Fully Bayesian Analysis of Conditionally Linear Gaussian State Space Models V-2948	
<i>A. Doucet - LETI-CEA, France</i>	
<i>P. Duvaut - ENSEA-ETIS, France</i>	
Harmonic Signal Modeling Using Adaptive Nonlinear Function Estimation V-2952	
<i>T. Wigren, P. Handel - Uppsala University, Sweden</i>	
On a Class of Infinite Extent Nonlinear Interpolators V-2956	
<i>C. Bourin, P. Bondon - Laboratoire des Signaux et Systemes - CNRS, France</i>	
Minimum Mean Square Error Estimation for a Class of Chaotic Systems V-2960	
<i>D. Drake - Georgia Institute of Technology, USA</i>	
A Practical Procedure for Identifying Time-Varying Nonlinear Systems Using Basis Function Approximations V-2964	
<i>J. Ralston, B. Boashash, A. Zovbir - Signal Processing Research Centre, Australia</i>	

SSAP15 Spectral Estimation II

Instantaneous Frequency Estimation: Bayesian Approaches vs Reassignment, Application to Gravitational Waves	V-2968
<i>P. Duvaut - ETIS - ENSEA, France</i>	
<i>A. Doucet - ETIS - CEA, France</i>	
<i>C. Veaux - ETIS - ENSEA, France</i>	
<i>P. Flandrin - ENS-LYON, France</i>	
Time-Frequency Analysis of Seismic Reflection Signals	V-2972
<i>P. Steeghs, G. Drijkoningen - Delft University of Technology, The Netherlands</i>	
Computation and Performance of the Prolate-Spheroidal Wave Function Window in Spectral Estimation	V-2976
<i>Z. Lin, R. McCallum, H. Wong - University of Virginia, USA</i>	
Adaptive Spectral Estimator Using the Conjugate Gradient Algorithm	V-2979
<i>P. Chang, A. Willson, Jr. - University of California at Los Angeles, USA</i>	
Two-Sided Prediction, Orthogonalization and Random Fields in Images	V-2983
<i>M. Scheffe - Brown University, USA</i>	
Matched Orthornormal Wavelets - Their Construction, and Application to Object Detection	V-2987
<i>J. Chapa, M. Raghuveer - Rochester Institute of Technology, USA</i>	
Frequency Estimation via Sparse Zero-Crossings	V-2990
<i>B. Sadler - Army Research Laboratory, USA</i>	
<i>S. Casey - American University, USA</i>	
De-Interleaving of Superimposed Quantized Autoregressive Processes	V-2994
<i>A. Logothetis, V. Krishnamurthy - University of Melbourne, Australia</i>	
Robust Two Dimensional Spectral Estimation Based on an AR Model Excited by a t-Distribution Process	V-2998
<i>J. Sanubari - Satya Wacana University, Indonesia</i>	
<i>K. Tokuda, M. Onoda - Tokyo Institute of Technology, Japan</i>	
Additive and Multiplicative Abrupt Jump Detection Using the Continuous Wavelet Transform	V-3002
<i>M. Chabert, J. Tourneret, F. Castanie - ENSSEEIHT/GAPSE, France</i>	

SSAP16 Higher Order Statistics

A Higher Order Statistics-Based Subspace Roational Invariance Method for the 2-D Harmonic Retrieval Problem	V-3006
<i>Y. Chu, W. Fang - National Taiwan Institute of Technology, Taiwan</i>	
<i>S. Chang - National Taiwan Ocean University, Taiwan</i>	
Performance of Near-Field Localization Algorithms Based On High-Order Statistics	V-3010
<i>S. Shamsunder, R. Challa - Colorado State University, USA</i>	
Comparison of Second- and Fourth- Order Cumulant-Based MUSIC Method in the Presence of Sensor Errors	V-3014
<i>L. Guisheng, B. Zheng, W. Bo - Xidian University, China</i>	
Blind Separation of Convolutional Mixtures Using Second and Fourth Order Moments	V-3018
<i>S. Icart, R. Gautier - CNRS UNSA, France</i>	
Multiplicative Multilag High Order Ambiguity Function	V-3022
<i>S. Barbarossa, A. Porchia, A. Scaglione - University of Rome, Italy</i>	
Low Rank Estimators of Higher Order Statistics	V-3026
<i>T. Andre, R. Nowak, B. Van Veen - University of Wisconsin, USA</i>	
Bispectrum Based Gaussianity Test Using the Bootstrap	V-3029
<i>A. Zoubir, D. Iskander - Signal Processing Research Centre, Australia</i>	
A New Cumulant-Based Lattice Algorithm for Adaptive Identification of Non Gaussian Bidimensional AR Processes	V-3033
<i>V. Buzenac, R. Settineri, M. Najim - Enserb, France</i>	
Identification of Multivariate FIR Systems Using High Order Statistics	V-3037
<i>L. Tong - University of Connecticut, USA</i>	

Volume VI

UA1 Detection Classification and Localization

IER Clutter Reduction In Shallow Water	VI-3041
<i>F. Shin, D. Kil - Loral Defense Systems, USA</i>	
<i>R. Wayland - Naval Air Warfare Center, USA</i>	
A Modified Eckart Post-Beamformer Filter for Improved Detection Using Broadband Features	VI-3045
<i>S. Mehta, J. Fay, P. Maciejewski - Naval Undersea Warfare Center Division Newport, USA</i>	
Feature Extraction and Sufficient Statistics in Detection and Classification	VI-3049
<i>E. Real - Sanders, A Lockheed-Martin Co., USA</i>	
Gerschgorin Radii Based Source Number Detection for Closely Spaced Signals	VI-3053
<i>J. Yang, H. Wu - National Cheng Kung University, ROC</i>	
A Wavelet Transform Frequency Classifier for Stochastic Transient Signals	VI-3057
<i>F. Garcia, I. Lourtie - ISR/IST, Portugal</i>	
Classification with a Combined Information Test	VI-3061
<i>R. Lynch - Naval Undersea Warfare Center, USA</i>	
<i>P. Willett - University of Connecticut, USA</i>	
3-D MUSIC with Polynomial Rooting for Near-Field Source Localization	VI-3065
<i>H. Hung, S. Chang, C. Wu - National Taiwan Ocean University, Taiwan</i>	
Closed-Form Elliptic Location with an Arbitrary Array Topology	VI-3069
<i>U. Hanebeck, G. Schmidt - Technical University of Munich, Germany</i>	
Source Localisation with Recurrent Neural Networks	VI-3073
<i>B. Colnet, J. Di Martino - CRIN-INRIA CNRS, France</i>	

UA2 Matched Field Processing and Special Environments

A Test for Detection of Local Modeling Mismatches in Shallow Water	VI-3077
<i>G. Fostik, J. Tabrikian, H. Messer - Tel Aviv University, Israel</i>	
Broadband Matched Field Processing Using Robust Prewhitening and Multiple Window Techniques	VI-3081
<i>C. Mecklenbrauker, M. Geravanchizadeh, J. Bohme - Ruhr-University of Bochum, Germany</i>	
Focalization in the Gulf of Mexico	VI-3085
<i>Z. Michalopoulou, M. Porter - New Jersey Institute of Technology, USA</i>	
Robust ML Source Localization by Exploiting Predictable Acoustic Modes	VI-3089
<i>J. Tabrikian - Tel-Aviv University, Israel</i>	
<i>J. Krolik - Duke University, USA</i>	
<i>H. Messer - Tel-Aviv University, Israel</i>	
A Sub-Space Method for High Resolution Bathymetry	VI-3093
<i>A. Antoniou, R. Pillai - University of Victoria, Canada</i>	
Multiresolution Stochastic Models for the Efficient Solution of Large-Scale Space Time Estimation Problems	VI-3097
<i>T. Ho, P. Fieguth, A. Willsky - LIDS, MIT, USA</i>	
A Comparison of Two Techniques for Detecting Seizure in Newborn EEG Data	VI-3101
<i>M. Roessgen - Queensland University of Technology, Australia</i>	
Classification of Radar Returns Using Wigner-Ville Distribution	VI-3105
<i>P. Kumar, K. Prabhu - Indian Institute of Technology, India</i>	
On the Design of a Transversal Filter Bank for Parallel Processing Multiple Image Lines in Real-Time Acoustic Imaging	VI-3109
<i>J. Shen, E. Ebbini - The University of Michigan, USA</i>	
A Minimax Optimization Approach to Sidelobe Suppression Filter Design	VI-3113
<i>S. Park, J. Doherty - Iowa State University, USA</i>	

UA3 Time-Delay Estimation

- An EM Algorithm for Multisensor TDOA/DD Estimation in a Multipath Propagation Environment** VI-3117
S. Belanger - Loral Federal Systems, USA
- Adaptive Realization of a Maximum Likelihood Time Delay Estimator** VI-3121
P. Hahn, V. Mathews, T. Tsen - University of Utah, USA
- Robust Time Delay Estimation Using Lower-Order Statistics** VI-3125
X. Ma, C. Nikias - University of Southern California, USA
- New Perspectives for Maximum-Likelihood Parameter and Time Delay Estimation Using Two Channels** VI-3129
J. Stuller, N. Hubing - University of Missouri-Rolla, USA
- Iterative Maximum-Likelihood/Cross-Correlation Algorithm for Reflection and Pulse T.O.A. Estimation** VI-3133
A. Doser, P. Delaney, L. Schooley - University of Arizona, USA
- The Issue of Phase in Specular Multipath Parameter Estimation** VI-3137
Z. Mitrovski, E. Titlebaum - University of Rochester, USA
- Short Time Correlator Delay Estimation in the Presence of Interfering Sources** VI-3141
B. Daku - University of Saskatchewan, USA
C. McIntyre - Defense Research Establishment Atlantic, USA
- Estimation of Delay and Doppler by Wavelet Transform** VI-3145
K. Ho, Y. Chan, M. Johnson - Royal Military College of Canada, Canada
- Blind Deconvolution of Echosounder Envelopes** VI-3149
D. Caughey, R. Kirlin - University of Victoria, Canada
- The Bootstrap Applied to Passive Acoustic Aircraft Parameter Estimation** VI-3153
D. Reid, A. Zoubir, B. Boashash - Queensland University of Technology, Australia

UA4 Sonar Beamforming

- Capability of Minimum Variance Beamformer for Direction Finding for Fast Perturbations of Array Sensors** VI-3157
G. Serebryakov - State University, Russia
- Linear Programming in Spectral Estimation: Application to Array Processing** VI-3161
J. Fuchs - IRISA - Universite de Rennes I, France
- Interpolated Array Minimum Variance Beamforming For Correlated Interference Rejection** VI-3165
A. Zeira - Signal Processing Technology, USA
B. Friedlander - University of California at Davis, USA
- Surface-Mounted Acoustic Vector-Sensor Array Processing** VI-3169
M. Hawkes, A. Nehorai - Yale University, USA
- Spatial Processing Technique Adaptive Beamforming (SPTABF) Via Compactly Supported Orthonormal Wavelets** VI-3173
S. Chang, C. Chang, C.L. Chang, W. Fang - National Taiwan Ocean University, Taiwan
- Beamforming Design with Partially Adaptive and Minimum Redundancy Arrays** VI-3177
L. Lo Presti, G. Montalbano, G. Povero - Politecnico di Torino, Italy
- Rank Enhancement for Eigenstructure Based Direction Finding Using Arrays with Non-Uniform Element Responses** ...VI-3181
B. Jeffs - Brigham Young University, USA
- Coarray Analysis of Wideband Pulse-Echo Imaging Systems** VI-3185
F. Ahmad, S. Kassam - University of Pennsylvania, USA
- A Novel High-Resolution Algorithm for Complex-Direction Search** VI-3189
R. Qiu, I. Lu - Polytechnic University, USA
- Broadband Eigenvector Methods for Towed Array Shape Estimation with a Single Source** VI-3193
J. Smith, Y. Leung, A. Cantoni - Australian Telecommunications Research Institute, Australia

VLSI1 Novel Approaches Towards DSP Application

A High Performance Microphone Array System for Hearing Aid Applications	VI-3197
<i>A. Wang, K. Yao, R. Hudson, D. Korompis - University of California at Los Angeles, USA</i>	
Control and Data Flow Aspects in the Design of a Wireless Data Radio Modem: A Case Study	VI-3201
<i>G. Post, O. Mauss - Aachen University of Technology, Germany</i>	
Variance Mismatch: Identifying Random Test Resistance in DSP Datapaths	VI-3205
<i>L. Goodby, A. Orailoglu - University of California at San Diego, USA</i>	
Digital Oscillators Over Finite Fields	VI-3209
<i>W. Chren - Grand Valley State University, USA</i>	
<i>B. Wyman - Ohio State University, USA</i>	
Simultaneous Speech Segmentation and Phoneme Recognition Using Dynamic Programming	VI-3213
<i>R. Bajwa, R. Owens - Pennsylvania State University, USA</i>	
<i>T. Kelliher - Westminster College, USA</i>	
Engineering Multirate Convolutions for Radar Imaging	VI-3217
<i>L. Bierens, E. Deprettere - Delft University of Technology, The Netherlands</i>	
A Fast Full-Search Motion Estimation Method for Programmable Processors with a Multiply-Accumulator	VI-3221
<i>Y. Naito, T. Miyazaki, I. Kuroda - NEC Corporation, Japan</i>	
Parallel Computation of Discrete Legendre Transforms	VI-3225
<i>M. Aburdene - Bucknell University, USA</i>	
<i>J. Dorband - Goddard Space Flight Center, USA</i>	
New Look-Ahead Algorithm for Pipelined Implementation of Recursive Digital Filters	VI-3229
<i>A. Shaw, M. Imtiaz - Wright State University, USA</i>	
Telekom's MAGENTA Algorithm for En-/Decryption in the Gigabit/sec Range	VI-3233
<i>K. Huber, S. Wolter - German Telekom, Germany</i>	

VLSI2 Architectures for Video, Speech, and Filtering Applications

Optoelectronic Image Processor for Multiresolution Gabor Filtering	VI-3236
<i>H. Urey, W. Rhodes, S. DeWeerth, T. Drabik - Georgia Institute of Technology, USA</i>	
Low-Power Video Encoder-Decoder Using Wavelet/TSVQ with Conditional Replenishment	VI-3240
<i>W. Namgoong, N. Chaddha, T. Meng - Stanford University, USA</i>	
Low-Complexity Algorithm and Architecture for Block-Based Motion Estimation via One-Bit Transforms	VI-3244
<i>B. Natarajan, V. Bhaskaran, K. Konstantinides - Hewlett-Packard Laboratories, USA</i>	
A Binary Block Matching Architecture with Reduced Power Consumption and Silicon Area Requirement	VI-3248
<i>M. Mizuki, U. Desai, I. Masaki, A. Chandrakasan - MIT, USA</i>	
A Programmable Application-Specific CELP Processor with Parallel Architectures	VI-3252
<i>A. Suen, J. Wang, B. Liu - National Cheng Kung University, ROC</i>	
Efficient Realizations of Analysis and Synthesis Filters Based on the 2-D Discrete Wavelet Transform	VI-3256
<i>C. Chakrabarti, C. Mumford - Arizona State University, USA</i>	
Design Tradeoffs in CMOS FIR Filters	VI-3260
<i>C. Nagendra, M. Irwin - Pennsylvania State University, USA</i>	
M-Array VLSI Architecture for Order Statistic Filters	VI-3264
<i>C. Lin, C. Kuo - National Chung Cheng University, Taiwan</i>	
Time-Area Efficient Multiplier-free Recursive Filter Architectures for FPGA Implementations	VI-3268
<i>M. Shajaa, J. Sorensen - Technical University of Denmark, Denmark</i>	

VLSI3 DSP Architectures

Comparison of Two Architectures for Implementation of the Discrete Cosine Transform	VI-3272
<i>I. Sundsbo, G. Lokken Hansen, E. Aas - The Norwegian Institute of Technology, Norway</i>	
Multidimensional Systolic Arrays for Multidimensional DFTs	VI-3276
<i>H. Lim, E. Swartzlander - University of Texas at Austin, USA</i>	
ASAP-A 2-D DFT Processor and Architecture	VI-3280
<i>J. Mellott, M. Lewis, F. Taylor - University of Florida, USA</i>	
<i>P. Coeffield - USAF Wright Labs, USA</i>	
A New Survivor Memory Management Method in Viterbi-Decoders: Trace-Delete Method and its Implementation	VI-3284
<i>S. Jung, H. Choi - Sung-Kyun-Kwon University, Korea</i>	
<i>M. Lee - Samsung Electronics, Korea</i>	
Efficient Standard Basis Reed-Solomon Encoder	VI-3287
<i>S. Jain - Intel Corporation, USA</i>	
<i>K. Parhi - University of Minnesota, USA</i>	
An Area-Efficient VLSI Architecture for Decoding of Reed-Solomon Codes	VI-3291
<i>J. Hsu, C. Wang - National Tsing Hua University, ROC</i>	
High-Speed Parallel Hard and Soft-Decision Golay Decoder: Algorithm and VLSI-Architecture	VI-3295
<i>W. Cao - Fraunhofer-Institute for Integrated Circuits, Germany</i>	
Granularly-Pipelined Cordic Processors for Sine and Cosine Generators	VI-3298
<i>S. Wang - University of Texas at Austin, USA</i>	
<i>V. Piuri - Politecnico di Milano, Italy</i>	
<i>E. Swartzlander - University of Texas at Austin, USA</i>	
RNIW: A Novel General-Purpose DSP Architecture	VI-3302
<i>H. Qing, H. Chao-Huan - Chinese Academy of Sciences, China</i>	

VLSI4 Design Aids for Signal Processing Systems

An Extension of Multi Dimensional Synchronous Dataflow to Handle Arbitrary Sampling Lattices	VI-3306
<i>P. Murthy, E. Lee - University of California at Berkeley, USA</i>	
On Retiming of Multirate DSP Algorithms	VI-3310
<i>V. Zivojnovic, R. Schoenen, H. Meyr - Aachen University of Technology, Germany</i>	
Real-Time Scheduling for Pipelined Execution of Data Flow Graphs on a Realistic Multiprocessor Architecture	VI-3314
<i>J. Jonsson, J. Vasell - Chalmers University of Technology, Sweden</i>	
Optimal Communication Scheduling Based on Collision Graph Model	VI-3318
<i>D. Surma, S. Tongshima, E. Sha - University of Notre Dame, USA</i>	
Hierarchization of a Priori Defined Dataflow Subgraphs	VI-3322
<i>M. Willems, V. Zivojnovic, S. Ritz - Aachen University of Technology, Germany</i>	
Instruction-Level Power Profiling	VI-3326
<i>H. Mehta, R. Owens, M. Irwin - Pennsylvania State University, USA</i>	
Two-Dimensional Retiming with Low Memory Requirements	VI-3330
<i>T. Denk, M. Majumdar, K. Parhi - University of Minnesota, USA</i>	
Knowledge-Based Transformation Ordering: Implementing a Linear Computation Using an Arbitrary Low Power at an Arbitrary High Throughput	VI-3334
<i>M. Srivastava - AT&T Bell Laboratories, USA</i>	
<i>M. Potkonjak - NEC USA, USA</i>	
A Hierarchical Approach to Transistor-Level Power Estimation of Arithmetic Units	VI-3338
<i>J. Satyanarayana, K. Parhi - University of Minnesota, USA</i>	
Calypso: An Implementation of the Order Graph Method	VI-3342
<i>G. Cato, D. Reeves - North Carolina State University, USA</i>	

PRNN1 Neural Networks for Speech Processing

A Telephone-Based Directory Assistance System Adaptively Trained Using Minimum Classification Error / Generalized Probabilistic Descent	VI-3346
<i>E. McDermott - ATR HIP Research Laboratories, Japan</i>	
<i>E. Woudenberg - ATR International, Japan</i>	
<i>S. Katagiri - ATR IT Research Laboratories, Japan</i>	
REMAP - Experiments with Speech Recognition	VI-3350
<i>Y. Konig, H. Bourlard, N. Morgan - ICSI, USA</i>	
Strategies for Reducing the Complexity of a RNN Based Speech Recognizer	VI-3354
<i>K. Kasper, H. Reininger, H. Wust - Institut für Angewandte Physik, Germany</i>	
Environment-Independent Continuous Speech Recognition Using Neural Networks and Hidden Markov Models	VI-3358
<i>D. Yuk, C. Che, L. Jin, Q. Lin - Rutgers University, USA</i>	
Comparison Between Two Hybrid HMM/MLP Approaches in Speech Recognition	VI-3362
<i>C. Ris, V. Fontaine, H. Leich - Faculte Polytechnique de Mons, Belgium</i>	
GPD Training of the State Weighting Functions in Hidden Control Neural Network	VI-3366
<i>K. Na, S. Chae - Seoul National University, ROK</i>	
Continuous Mandarin Speech Recognition Using Hierarchical Recurrent Neural Networks	VI-3370
<i>Y. Liao, W. Chen, S. Chen - National Chiao Tung University, ROC</i>	
Probabilistic Mapping Networks for Speaker Recognition	VI-3374
<i>H. Li, Y. Gong - CRIN-CNRS/INRIA - Lorraine, France</i>	
Shift-Tolerant K-Subspaces for Phoneme Recognition	VI-3378
<i>D. Wu, J. Gowdy - Clemson University, USA</i>	
Speaker-Adaptation in a Hybrid HMM-MLP Recognizer	VI-3382
<i>J. Neto, C. Martins, L. Almeida - INESC/IST, Portugal</i>	

PRNN2 Neural Network Techniques for Image Processing and Analysis

Automatic Target Recognition Using Modularly Cascaded Vector Quantizers and Multilayer Perceptrons	VI-3386
<i>L. Chan, N. Nasrabadi, V. Mirelli - SUNY at Buffalo, USA</i>	
Distortion Equalized Fuzzy Competitive Learning for Image Data Vector Quantization	VI-3390
<i>D. Butler - Bolton Institute, UK</i>	
<i>J. Jiang - Loughborough University, UK</i>	
Revisiting Boltzmann Learning: Parameter Estimation in Markov Fields	VI-3394
<i>L. Hansen, L. Andersen, U. Kjems, J. Larsen - Technical University of Denmark, Denmark</i>	
Morphological/Rank Neural Networks and their Adaptive Optimal Design for Image Processing	VI-3398
<i>L. Pessoa, P. Maragos - Georgia Institute of Technology, USA</i>	
Nonlinear Color Image Restoration using Extended Radial Basis Function Networks	VI-3402
<i>I. Cha, S. Kassam - University of Pennsylvania, USA</i>	
A Unification of Relaxation Labeling and Associative Memory	VI-3406
<i>X. Zhuang - University of Missouri- Columbia, USA</i>	
<i>Y. Zhao - University of Illinois- Urbana- Champaign, USA</i>	
Motion-Based Segmentation by Principal Singular Vector (PSV) Clustering Method	VI-3410
<i>S. Kung, Y. Lin, Y. Chen - Princeton University, USA</i>	
Multiplierless Neural Networks for Application to Digital Video	VI-3414
<i>M. Cavanagh, V. Jain - University of South Florida, USA</i>	
Neural Network Object Recognition for Inspection of Patient Setup in Radiation Therapy Using Portal Images	VI-3418
<i>S. Young, C. Sibata, A. Ho, K. Shin - Roswell Park Cancer Institute, USA</i>	
Efficient Learning of Standard Finite Normal Mixtures for Image Quantification	VI-3422
<i>Y. Wang - Georgetown University Medical Center, USA</i>	
<i>T. Adali - University of Maryland at College Park, USA</i>	

PRNN3 Neural Networks and Pattern Recognition 1

A Chain Coding Approach for Real-Time Recognition of On-line Handwritten Characters	VI-3426
<i>H. Yuen - Hong Kong Polytechnic University, Hong Kong</i>	
A Unified Approach to Hierarchical Classification	VI-3430
<i>D. Kil, F. Shin - Loral Defense Systems, USA</i>	
A Soft-Decision Approach for Symbol Segmentation Within Handwritten Mathematical Expressions	VI-3434
<i>S. Lehmberg, H. Winkler, M. Lang - Munich University of Technology, Germany</i>	
HMM-Based Handwritten Symbol Recognition Using On-Line and Off-Line Features	VI-3438
<i>H. Winkler - Munich University of Technology, Germany</i>	
From Characters to Words: Dynamical Segmentation and Predictive Neural Networks	VI-3442
<i>S. Garcia-Salicetti - Institut National des Telecommunications, France</i>	
<i>P. Gallinari - LAFORIA National des Telecommunications, France</i>	
<i>B. Dorizzi, Z. Wimmer, J. Gentric - Institut National des Telecommunications, France</i>	
A New Data Reduction Algorithm for Pattern Classification	VI-3446
<i>H. Tahani, B. Plummer, N. Hamamalini - University of Missouri, USA</i>	
Fast Online Video Image Sequence Recognition with Statistical Methods	VI-3450
<i>M. Schuster, G. Rigoll - University of Duisburg, Germany</i>	
Handwritten Word Recognition Using Dynamic Matching with Variable Duration	VI-3454
<i>G. Kim, V. Govindaraju, S. Srihari - CEDAR/State University of New York at Buffalo, USA</i>	
Scale and Rotational Invariant Object Recognition Using Fractal Transformations	VI-3458
<i>G. Neil, K. Curtis - University of Nottingham, UK</i>	
Optimal Discriminant Feature-Based Waveform Recognition with Neural Networks	VI-3462
<i>J. Miao, M. Clements - Georgia Institute of Technology, USA</i>	

PRNN4 Neural Networks and Pattern Recognition 2

Parsing in Attributed Grammars: Application to Automatic Sleep Analysis	VI-3466
<i>A. Fred, J. Leitao - Instituto Superior Tecnico, Portugal</i>	
Affine Invariant Shape Representation and Recognition Using Gaussian Kernels and Multi-dimensional Indexing	VI-3470
<i>J. Ben-Arie - University of Illinois at Chicago, USA</i>	
<i>Z. Wang, K. Rao - Illinois Institute of Technology, USA</i>	
Road Scene Analysis from Perspective Image	VI-3474
<i>J. Yang, S. Ozawa - Keio University, Japan</i>	
Writer Dependent Recognition of On-Line Unconstrained Handwriting	VI-3478
<i>J. Subrahmonia, K. Nathan, M. Perrone - IBM T.J. Watson Research Center, USA</i>	
Duration Modelling Results for an On-Line Handwriting Recognizer	VI-3482
<i>A. Senior, J. Subrahmonia, K. Nathan - IBM T.J. Watson Research Center, USA</i>	
Properties of a Hand-Printed Chinese Character Recognizer Based on Contextual Vector Quantization	VI-3486
<i>P. Chee, S. Leung, P. Wong, C. Chan - The University of Hong Kong, Hong Kong</i>	
Optimized Consensus Theory	VI-3490
<i>J. Benediktsson, J. Sveinsson, P. Swain - University of Iceland</i>	
Chinese All Syllables Recognition Using Combination of Multiple Classifiers	VI-3494
<i>L. Zhou, S. Imai - Tokyo Institute of Technology, Japan</i>	
Similarity Analysis of Cardiac Signals Using Temporal Features	VI-3498
<i>B. de Jesus, L. Lucke - University of Minnesota, USA</i>	
Initialization of Hidden Markov Models for Unconstrained On-Line Handwriting Recognition	VI-3502
<i>K. Nathan, A. Senior, J. Subrahmonia - IBM T.J. Watson Research Center, USA</i>	

PRNN5 Nonlinear System Identification

Diagnosing and Correcting System Anomalies with a Robust Classifier	VI-3506
<i>J. Hampshire - Carnegie Mellon University, USA</i>	
<i>D. Watola - Jet Propulsion Laboratory, USA</i>	
Blind Separation of Delayed Sources Based on Information Maximization	VI-3509
<i>K. Torkkola - Motorola, USA</i>	
Modeling Nonlinear Systems With Cellular Neural Networks	VI-3513
<i>F. Puffer, R. Tetzlaff, D. Wolf - Institut für Angewandte Physik, Germany</i>	
Energy Demodulation of Two-Component AM-FM Signals with Application to Speaker Separation	VI-3517
<i>B. Santhanam, P. Maragos - Georgia Institute of Technology, USA</i>	
Adaptive Non-linear System Identification Using Minimal Radial Basis Function Neural Network	VI-3521
<i>L. Yingwei, N. Sundararajan, P. Saratchandran - Nanyang Technological University, Singapore</i>	
Expanding Gaussian Kernels for Multivariate Conditional Density Estimation	VI-3525
<i>D. Davis, J. Hwang - University of Washington, USA</i>	
Fast Adaptive IIR-MLP Neural Networks for Signal Processing Applications	VI-3529
<i>P. Campolucci, A. Uncini, F. Piazza - University of Ancona, Italy</i>	
Information Geometry of Maximum Partial Likelihood Estimation for Channel Equalization	VI-3533
<i>J. Xuan, T. Adali, X. Liu - University of Maryland at College Park, USA</i>	
Statistical Analysis of the Single-Layer Backpropagation Algorithm with Bias Terms: Mean Weight Behavior	VI-3537
<i>N. Bershad, J. Shynk - University of California, USA</i>	
Fast Nonlinear Adaptive Filtering Using a Partial Window Conjugate Gradient Algorithm	VI-3541
<i>A. Birkett, R. Goubran - Carleton University, Canada</i>	

PRNN6 Modeling Theory and Architecture in Neural Networks

Building an Application Framework for Speech and Pen Input Integration in Multimodal Learning Interfaces	VI-3545
<i>M. Vo, C. Wood - Carnegie Mellon University, USA</i>	
TOM, A New Temporal Neural Net Architecture for Speech Signal Processing	VI-3549
<i>S. Durand, F. Alexandre - Crin-CNRS/ INRIA Lorraine, France</i>	
A Probabilistic Decision-Based Neural Network for Locating Deformable Objects and its Applications to Surveillance System and Video Browsing	VI-3553
<i>J. Lin, Y. Chan, S. Kung - Princeton University, USA</i>	
Self-Organizing Feature Maps with Perfect Organization	VI-3557
<i>L. Owsley, L. Atlas - University of Washington, USA</i>	
<i>G. Bernard - Boeing Commercial Airplane Group, USA</i>	
Partial Likelihood for Real-Time Signal Processing	VI-3561
<i>T. Adali - University of Maryland at College Park, USA</i>	
<i>K. Sonmez - University of Maryland Baltimore County, USA</i>	
<i>X. Liu - University of Maryland at College Park, USA</i>	
Robust Learning Algorithms for Nonlinear Filtering	VI-3565
<i>D. Neumerkel, R. Shorten - Daimler-Benz AG, Germany</i>	
<i>A. Hambrecht - CEGELEC AEG, Germany</i>	
Advances in Using Hierarchical Mixture of Experts for Signal Classification	VI-3569
<i>V. Ramamurti, J. Ghosh - The University of Texas at Austin, USA</i>	
Comparison of a Neural Network Detector vs Neyman-Pearson Optimal Detector	VI-3573
<i>D. Andina, J. Sanz-Gozanlez - Universidad Politecnica Madrid, Spain</i>	
An Algorithm to Determine Hidden Markov Model Topology	VI-3577
<i>R. Vasko, A. El-Jaroudi, J. Boston - University of Pittsburgh, USA</i>	
Wreath Products for Image Processing	VI-3581
<i>D. Healy, Jr., G. Mirchandani, T. Olson, D. Rockmore - Dartmouth College, USA</i>	

A NOVEL WORD CLUSTERING ALGORITHM BASED ON LATENT SEMANTIC ANALYSIS

Jerome R. Bellegarda, John W. Butzberger, Yen-Lu Chow,
Noah B. Coccaro,* and Devang Naik

Interactive Media Group
Apple Computer, Inc.
Cupertino, California 95014

ABSTRACT

A new approach is proposed for the clustering of words in a given vocabulary. The method is based on a paradigm first formulated in the context of information retrieval, called *latent semantic analysis*. This paradigm leads to a parsimonious vector representation of each word in a suitable vector space, where familiar clustering techniques can be applied. The distance measure selected in this space arises naturally from the problem formulation. Preliminary experiments indicate that the clusters produced are intuitively satisfactory. Because these clusters are semantic in nature, this approach may prove useful as a complement to conventional class-based statistical language modeling techniques.

I. INTRODUCTION

Stochastic language modeling plays a central role in large vocabulary speech recognition. In a typical application, the purpose of an n -gram language model may be to constrain the acoustic analysis, guide the search through various (partial) text hypotheses, and/or contribute to the determination of the final transcription. Success in these endeavors depends on the ability of the language model to suitably discriminate between different strings of n words. This ability is in turn critically influenced by the two familiar issues of coverage and estimation.

The coverage issue reflects the fact that current systems cannot recognize any "unknown" word. The vocabulary must therefore be chosen so that the expected text (e.g., to be dictated) has as few unknown words as possible [1]. In this paper we primarily address the other issue, which arises from practical constraints on the size of available text databases. Many events (i.e., occurrences of n -word strings) are seen infrequently, yielding questionable probabilities; hence

the need for fairly sophisticated parameter estimation and smoothing [2]. One common solution is to group words into classes and accumulate statistics at the class level rather than the word level. This makes the frequency counts more reliable and thereby improves the robustness of the estimation (e.g., see [3]). Broadly speaking, the underlying strategy is to better estimate the conditional probability of a word given some context by taking advantage of observations of other words that behave "like" this word in this particular context.

A number of variants have been developed on this theme, using grammatical constraints such as part-of-speech, or morphological units such as lemma, or both [4]. More recently, algorithms have evolved to automatically determine word classes without explicit syntactic or semantic knowledge: cf, e.g., [5], [6]. In [5], for example, all words are gathered into a single class at the beginning of the procedure, and are successively split to maximize the average mutual information of adjacent classes. In [6], a similar divisive clustering is proposed, based on binomial posteriori distributions on word co-occurrences. A number of other authors have described related approaches, with different variations in the optimization criterion or distance metric used for clustering.

This paper proposes an alternative framework to word clustering based on a paradigm originally formulated in the context of information retrieval, called latent semantic analysis [7]. The paper is organized as follows. In the next section we discuss our general strategy to perform word clustering using this alternative framework. In Section III, we present the vector representation derived from latent semantic analysis. Section IV describes the distance measure used to implement the clustering. Finally, in Section V we report on preliminary experimental results and give some examples of the clusters obtained.

II. GENERAL STRATEGY

The basic premise of the latent semantic framework

*N.B. Coccaro is with the Dept. of Computer Science, University of Colorado at Boulder, Boulder, CO 80309.

is that co-occurrence analysis should take place across larger contexts (longer spans) than traditionally considered (i.e., a bigram as in [3] or a trigram as in [6]). The span of choice is a *document*, which can be defined as a semantically homogeneous set of sentences embodying a given storyline. This amounts to a much looser definition of co-occurrence, where two words are said to co-occur if they tend to appear in the same kind of documents, whether or not they actually occur within identical word contexts in those documents. An important benefit of this generalization is the natural integration of long-term dependencies into the clustering procedure. By the same token, this approach is better suited at discovering semantic than syntactic clusters. It should therefore be viewed as complementing, rather than replacing, some of the methods mentioned above.

To take advantage of the concept of document, we of course have to assume that the available training data is tagged at the document level, i.e., there is a way to identify article boundaries. This is the case, for example, with the ARPA North American Business (NAB) News corpus [8]. This assumption enables the construction of a matrix of co-occurrences between words and documents (articles). This matrix is accumulated from the available training data by simply keeping track of which word appeared in what document. Note that, in marked contrast with n -gram modeling, this step ignores word order. This is because latent semantic analysis seeks to relate to one another those words which are found to be semantically linked from the evidence presented in the training text database, without regard to the particular syntax used to express that semantic link.

After the word-document matrix of co-occurrences is constructed, the algorithm proceeds in three steps. First, a singular value decomposition (SVD) is performed on this matrix, thus producing singular vector representations for words and documents. Second, a distance measure consistent with the SVD formalism is defined on the resulting vector space. Third, the singular vectors are clustered according to this metric.

The role of the SVD step is to establish a one-to-one mapping between a word in the given vocabulary and a vector in some space of appropriate dimension. Specifically, this space is spanned by the (left) singular vectors resulting from the SVD. An important property of this space is that two words whose representations are "close" (in some suitable metric) tend to appear in the same kind of documents, whether or not they actually occur within identical word contexts in those documents. This establishes a systematic framework where familiar clustering techniques can be applied. The end result is a set of word clusters, each of which can be assumed to represent a reasonably homogeneous semantic event.

III. VECTOR REPRESENTATION

Let $\mathcal{V}$, $|\mathcal{V}| = M$, be some vocabulary of interest and $\mathcal{T}$ a training text corpus, i.e., a collection of N articles (documents) from a variety of sources. (Typically, M and N are on the order of ten and hundred thousand, respectively; $\mathcal{T}$ might comprise a couple hundred million words.) The task at hand is to define a mapping between the set $\mathcal{V}$ and a vector space $\mathcal{S}$, whereby each word in $\mathcal{V}$ is represented by a vector in $\mathcal{S}$.

We first construct a word-document matrix K associated with $\mathcal{V}$ and $\mathcal{T}$. This is done by computing, for each word $w_i \in \mathcal{V}$, the weighted count K_{ij} of w_i in each of the documents $d_j \in \mathcal{T}$. Following results from information retrieval (cf., e.g., [9]), this weighted count is expressed as:

$$K_{ij} = G_i L_{ij}, \quad (1)$$

where G_i is a global weight, indicating the overall importance of w_i as an indexing term for the collection $\mathcal{T}$, and L_{ij} is a local value, which may reflect a possible normalization within d_j .

The global weighting G_i translates the fact that two words appearing with the same count in d_j do not necessarily convey the same amount of information about the document; this is subordinated to the distribution of the words in the collection $\mathcal{T}$. Let us denote by c_{ij} the number of times w_i occurs in document d_j , and by t_i the total number of times w_i occurs in the entire collection $\mathcal{T}$. Then the relative frequency of w_i in d_j is obtained as:

$$f_{ij} = \frac{c_{ij}}{t_i}, \quad (2)$$

and the associated normalized entropy of w_i is seen to be:

$$E_i = -\frac{1}{\log(N)} \sum_{j=1}^N f_{ij} \log f_{ij}. \quad (3)$$

By definition, $0 \leq E_i \leq 1$, with equality if and only if $f_{ij} = 1$ and $f_{ij} = 1/N$, respectively. A value of E_i close to 1 underscores a word distributed across many documents throughout the corpus, and therefore of little indexing value. Conversely, a value of E_i close to 0 indicates a word present only in a few specific documents, i.e., of suitable indexing value. Hence, $G_i = 1 - E_i$ is a reasonable global weight for the word w_i .

The local value L_{ij} is a transformed version of c_{ij} which may reflect any adjustment to the raw count c_{ij} . For example, it is common to use $L_{ij} = \log(1 + c_{ij})$, where the log dampens the effects of large differences in counts [9]. It is also possible to normalize for document length. If we denote by n_j the number of words in document d_j , then:

$$L_{ij} = \log_2(1 + \frac{c_{ij}}{n_j}). \quad (4)$$

is such that $0 \leq L_{ij} \leq 1$. In practice, $L_{ij} = c_{ij}$ seems to work essentially as well as any other functional.

The $(M \times N)$ word-document matrix K with entries K_{ij} given by (1) fully describes, for the training corpus T , which words appeared in what contexts. We then proceed to perform a singular value decomposition of K as follows:

$$K \approx \hat{K} = U S V^T, \quad (5)$$

where U is the $(M \times R)$ matrix of left singular vectors u_i ($1 \leq i \leq M$), S is the $(R \times R)$ diagonal matrix of singular values, V is the $(N \times R)$ matrix of right singular vectors v_j ($1 \leq j \leq N$), $R \ll M \ll N$ is the order of the decomposition, and ^{T} denotes matrix transposition. The i th left singular vector u_i can be viewed as the representation of w_i in a vector space of dimension R . This is the space $\mathcal{S}$ which we sought. Note that the j th right singular vector v_j can be viewed as the representation of d_j in the same vector space ($\mathcal{S}$) of dimension R . This dimension is bounded from above by the rank of the matrix K , and from below by the amount of distortion tolerable in the decomposition. Reasonable values of R are 100 to 200.

The basic idea behind (5) is that $\hat{K}$ captures the major associational structure in K and ignores higher order effects. As a result, the "closeness" of vectors in $\mathcal{S}$ is determined by the overall pattern of the language used in T , as opposed to specific constructs. In particular, this means that two words which do not co-occur in T will still be "close" if that is otherwise consistent with the major patterns of the language (e.g., if they tend to co-occur with a common set of words). This has the important benefit of alleviating the effects of polysemy.

IV. CLUSTERING

In the vector space $\mathcal{S}$ obtained above, each word $w_i \in \mathcal{V}$ is represented by the associated left singular vector of dimension R , u_i . To be able to cluster such vectors, we first need to define a distance measure on $\mathcal{S}$. Since the extent to which words have a similar pattern of occurrence across the entire set of documents can be inferred from:

$$\hat{K} \hat{K}^T = U S^2 U^T, \quad (6)$$

a natural metric to consider for the distance between u_i and u_j is the cosine of the angle between $u_i S$ and $u_j S$. Thus:

$$D(u_i, u_j) = \cos(u_i S, u_j S) = \frac{u_i S^2 u_j^T}{\|u_i S\| \|u_j S\|}, \quad (7)$$

for any $1 \leq i, j \leq M$.

Once this metric is specified, it is straightforward to proceed with the clustering of the vectors u_i , using

any of a variety of algorithms; see, e.g., [10]. Since the number of such vectors is relatively large, it is advisable to perform this clustering in stages, using, for example, K-means and bottom-up clustering sequentially. In that case, K-means clustering is used to obtain a coarse partition of the vocabulary $\mathcal{V}$ into a small set of superclusters. Each supercluster is then itself partitioned using bottom-up clustering. The result of this process is a set of clusters C_k , $1 \leq k \leq L$, each of which can be characterized by an appropriate multivariate distribution in the space $\mathcal{S}$.

The quality of this clustering can be objectively measured by the perplexity of the associated language model on some test text. In the present case, if we denote by Q the total number of words in the text, the latter is given by:

$$PP = \exp\left(-\frac{1}{Q} \sum_{i=1}^Q \log \Pr(w_i | \mathcal{C}, \mathcal{S})\right), \quad (8)$$

where $\mathcal{C}$ is the context considered, and $\mathcal{S}$ indicates the particular vector space selected in the word representation. The probability can then be expanded as:

$$\Pr(w_i | \mathcal{C}, \mathcal{S}) = \Pr(w_i | C_i) \Pr(C_i | \mathcal{C}), \quad (9)$$

where C_i is the cluster in $\mathcal{S}$ which w_i belongs to. In this expression, $\Pr(w_i | C_i)$ can be obtained through the multivariate distribution mentioned in the preceding paragraph, and $\Pr(C_i | \mathcal{C})$ can be obtained from the relative frequency of cluster C_i in the context $\mathcal{C}$. Note that this latter quantity may vary significantly depending on the choice of the context considered, which makes perplexity measurements somewhat hard to interpret. For the sake of brevity we will omit any further details on this matter.

V. EXPERIMENTAL RESULTS

We have performed preliminary experiments to illustrate some of the potential benefits of the above approach. We considered a subset T of the NAB News corpus [8], composed of about $N = 17,500$ documents, comprising approximately 10 million words. These articles were selected randomly from the Wall Street Journal portion of the corpus, in such a way that all years from 1987 to 1993 are represented. (In addition, about 2 million words from 1992 and 1994, selected in a similar fashion, were set aside for test purposes.) The vocabulary $\mathcal{V}$ was constructed by taking the 20,000 most frequent words of the NAB News corpus, and removing approximately 300 non-content words (stop words), for a total of $M = 19,700$ words.

This led to a $(19,700 \times 17,500)$ word-document matrix of co-occurrences, stored in sparse fashion. We performed the singular value decomposition of this matrix

using the single vector Lanczos method implemented by Berry [11]. The number of singular values retained (i.e., the dimension of the associated vector space) was set to 125, which seemed to achieve an adequate balance between reconstruction error and noise suppression. We clustered the vectors in this space into 100 superclusters of approximately 200 vectors each using simple K-means clustering. We then refined each of the superclusters into 20 clusters each using bottom-up clustering. This produced a set of 2000 clusters, each comprising about 10 words on average. Finally, we merged related clusters from different superclusters back together to avoid excessive fragmentation. This resulted in a cluster set of size 500.

To show what these clusters look like, we selected two examples of the clusters so obtained.

- **Cluster 1:** *abstract, art, artist, artist's, canvas, curator, decorative, drawings, exhibit, exhibition, exhibitions, gallery, galleries, Gogh, Henri, museum, museum's, museums, painted, painter, painters, painting, paintings, photographs, Picasso, poems, Pollock, Pons, portraits, retrospective, Revere, sketches*

- **Cluster 2:** *appeal, appeals, appellate, argued, arguments, attorney's, circuit, confessed, count, courts, criminal, decide, decision, indict, indictments, judge, judge's, judges, leniency, misdemeanor, office's, prosecuted, prosecution, prosecutions, overturned, prosecutor, prosecutorial, prosecutors, ruled, ruling, rulings, witness*

The first thing to note is that these clusters comprise words with different part of speech, a marked difference with conventional class n -gram techniques (cf. [3]–[6]). This is a direct consequence of the semantic nature of the derivation. Second, some obvious words seem to be missing from the clusters: for example, the singular noun “drawing” from cluster 1 and the present tense verb “rule” from cluster 2. This is one of the effects of polysemy: “drawing” and “rule” are more likely to appear in the training text with their alternative meanings (as in “drawing a conclusion” and “breaking a rule,” respectively), thus resulting in different cluster assignments. Finally, some words seem to contribute only marginally to the clusters: for example, “poems” from cluster 1 and “office’s” from cluster 2. These are the unavoidable outliers at the periphery of the clusters.

VI. CONCLUSION

We have described a word clustering approach based on the latent semantic analysis paradigm first formulated in information retrieval. One of the advantages of this framework is that it results in a vector representation of each word in a space of relatively modest dimension. This allows well-known clustering algorithms to

be applied efficiently. As the name implies, the proposed approach results in clusters that are semantic in nature, by exploiting large span relationships between words. In contrast, conventional class-based modeling techniques rely on short span relationships, and therefore tend to produce syntactically-oriented clusters. Thus, the two paradigms have the potential of complementing each other. We are currently exploring some of these interactions.

REFERENCES

- [1] F. Jelinek, “Self-Organized Language Modeling for Speech Recognition,” *Readings in Speech Recognition*, A. Waibel and K.F. Lee, Eds, Morgan Kaufmann Publishers, pp. 450–506, 1990.
- [2] S.M. Katz, “Estimation of Probabilities from Sparse Data for the Language Model Component of a Speech Recognizer,” *IEEE Trans. Acoust. Speech Signal Proc.*, Vol. ASSP-35, pp. 400–401, March 1987.
- [3] U. Essen and V. Steinbiss, “Co-Occurrence Smoothing for Stochastic Language Modeling,” in *Proc. 1992 ICASSP*, San Francisco, CA, pp. 161–164, March 1992.
- [4] G. Maltese and F. Mancini, “An Automatic Technique to Include Grammatical and Morphological Information in a Trigram-Based Statistical Language Model,” in *Proc. 1992 ICASSP*, San Francisco, CA, pp. 157–160, March 1992.
- [5] M. Jardino and G. Adda, “Automatic Word Classification Using Simulated Annealing,” in *Proc. 1993 ICASSP*, Minneapolis, MN, pp. 41–44, May 1993.
- [6] M. Tamoto and T. Kawabata, “Clustering Word Category Based on Binomial Posteriori Co-Occurrence Distribution,” in *Proc. 1995 ICASSP*, Detroit, MI, pp. 165–168, May 1995.
- [7] S. Deerwester, S.T. Dumais, G.W. Furnas, T.K. Landauer, and R. Harshman, “Indexing by Latent Semantic Analysis,” *J. Am. Soc. Inform. Science*, Vol. 41, pp. 391–407, 1990.
- [8] F. Kubala *et al.*, “The Hub and Spoke Paradigm for CSR Evaluation,” in *Proc. ARPA Speech and Natural Language Workshop*, Morgan Kaufmann Publishers, pp. 40–44, March 1994.
- [9] S.T. Dumais, “Improving the Retrieval of Information from External Sources,” *Behavior Res. Methods, Instrum., Computers*, Vol. 23, No. 2, pp. 229–236, 1991.
- [10] J.R. Bellegarda, “Context-Dependent Vector Clustering for Speech Recognition,” Chapter 6 in *Speech and Speaker Recognition: Advanced Topics*, C.-H. Lee, F.K. Soong, and K.K. Paliwal, Eds, New York: Kluwer Academic Publishers, March 1996.
- [11] M.W. Berry, “Large-Scale Sparse Singular Value Computations,” *Int. J. Supercomp. Appl.*, Vol. 6, No. 1, pp. 13–49, 1992.