

UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

GOOGLE LLC,
Petitioner,

v.

BUFFALO PATENTS, LLC,
Patent Owner.

Case No. IPR2023-01387
U.S. Patent No. 8,204,737

Declaration of Shauna L. Wiest Regarding *Manke*

I, Shauna L. Wiest, state and declare as follows:

I. Introduction

1. I have prepared this Declaration in connection with Google LLC's ("Petitioner") Petition for *Inter Partes* Review of U.S. Patent No. 8,204,737, which I understand will be filed concurrently with this Declaration.

2. I am currently a senior research analyst with the Research & Information Services team at Finnegan, Henderson, Farabow, Garrett & Dunner, LLP, located at 3300 Hillview Avenue, Palo Alto, CA 94304 ("Finnegan").

3. I am over eighteen years of age, and I am competent to make this Declaration. I make this Declaration based on my own personal knowledge, and my professional knowledge of library science practices.

4. I earned a Master of Science in Library Science degree from the University of North Carolina at Chapel Hill in 1999, and a Bachelor of Arts in Political Science degree from the University of California at San Diego in 1989. I have worked as a law librarian for eighteen years. I have been employed in the Research & Information Services Department at Finnegan since 2021. Before that, from 2000-2015, I was employed as a Law Librarian at Stoel Rives LLP, and from 2015-2016, I was employed as a Competitive Intelligence Specialist for Nossaman LLP.

II. Standard Library Practice for Receiving, Cataloging, Shelving, and Making Materials Publicly Available

5. I have knowledge of and experience with standard library practices regarding receiving, cataloging, shelving, and making materials, including conference publications, available to the public. I am fully familiar with and have knowledge of and experience with the Machine-Readable Cataloging (MARC) system, an industry-wide standard that libraries use to catalog materials.

6. The MARC system was developed during the 1960s to standardize bibliographic catalog records so they could be read by computers and shared among libraries. By the mid-1970s, MARC had become the international standard for cataloging bibliographic materials and is still used today. Many libraries provide public access to their MARC records via the Internet and/or their electronic cataloging systems at the library. As discussed further in this Declaration, each field in a MARC record provides specific information about the cataloged item, including when materials are received and made available to the public.

III. MARC Records

7. The MARC record system uses a specific three-digit numeric code (“field tag”) (from 001-999) to identify each field in a catalog record. For example, MARC field tag 008 provides the six-digit date the item was received and catalogued (*Date entered on file*). The first six characters of field tag 008 are

always in the “**YYMMDD**” format. Descriptions and definitions of all of the character positions of field tag 008 are outlined here:

<https://www.loc.gov/marc/bibliographic/bd008a.html>.

8. As is relevant to this Declaration, MARC field tag 050 provides the Library of Congress Call Number. MARC field tag 245 identifies the title and statement of responsibility for the work. MARC field tag 260 identifies the place of publication, name of publisher, and publication date of the resource. MARC field tag 500 provides general notes including language, resource type, and local holdings information for the desired resource.

9. Based on standard library practice, when a library receives an item, it generally stamps (and/or labels) the item with the library name, barcode, often with a date that is within a few days or weeks of receipt. Next, the library will catalog the item within a matter of a few days or weeks of receiving it. As a general practice, cataloguing is centralized and performed by a cataloguing department within a library or university setting. In certain circumstances the catalogued item may be subsequently sent to a library location within the library or university setting where it may be stamped and/or labeled after it has been catalogued.

10. Generally, after an item is cataloged, the public may access the item by searching a library catalog, browsing the library shelves, and either requesting or electronically accessing the item from the library. Standard library practice is to make the item available to the public within a few days or weeks of cataloging it.

IV. Public Availability of *Manke*

11. This Declaration relates to the dates of receipt and public availability of the following reference: S. Manke, M. Finke, Alex Waibel, “*The Use of Dynamic Writing Information in a Connectionist On-Line Cursive Handwriting Recognition System*” (“*Manke*”) in Advances in Neural Information Processing Systems 7, Proceedings of the 1994 Conference, G. Tesauero, D. Touretzky, and T. Leen (eds.), The MIT Press, 1995 (“MIT Publication”). I understand that *Manke* has been submitted as Exhibit 1015 in this proceeding. That same reference is appended to my Declaration as

Appendix A.

12. As detailed below, I have reviewed the print reference, public holdings information, and Library of Congress MARC record for the MIT Publication containing *Manke* to determine the date of public availability of this reference.

13. **Appendix A** to this Declaration is a true and accurate copy of the print book cover, title pages, table of contents, date stamp, and handwritten call number for the copy of the MIT Publication containing *Manke* initially held by the University of Wisconsin at Madison, Kurt F. Wendt Library. The handwritten call number is QA76.87 A38 and the ISSN is 1049-5258. The date stamp on the copy of the MIT Publication containing *Manke* indicates that *Manke* was received by the University of Wisconsin at Madison on August 17, 1995.

14. The University of Wisconsin at Madison indicated that “[i]n 2018, the Wendt Library for Engineering relocated all its collections and staff to Steenbock Library” at the following webpage:

<https://www.library.wisc.edu/steenbock/about-steenbock/library-history/>.

15. **Appendix B** to this Declaration is a true and accurate copy of the University of Wisconsin at Madison Library public catalog record for its copy of the MIT Publication containing *Manke*, which was downloaded from <https://search.library.wisc.edu/catalog/999723890002121> on September 6, 2023. The University of Wisconsin at Madison Library public catalog record sets forth the public holdings and onsite location information for members of the public seeking a physical copy of the MIT Publication containing *Manke*. The public catalog record indicates that the copy of the MIT Publication containing *Manke* is located in the Steenbock Library stacks at Call Number QA76.87 A38.

Additionally, the public catalog record states that the Steenbock Library holds v.1 (1988) through v.25 (2012) of the MIT Publication, which includes volume 7 containing *Manke*. The record also identifies the ISSN as 1049-5258. Based on my experience as a librarian, the public catalog record (**Appendix B**) references the MIT Publication containing *Manke* (**Appendix A**).

16. **Appendix C** to this Declaration is a true and accurate copy of the University of Wisconsin at Madison Library MARC record for its holdings of the MIT Publication containing *Manke*, which was downloaded from the

“Library Staff Details – Staff View” link at

<https://search.library.wisc.edu/catalog/999723890002121> on September 5,

2023. This record also indicates that the copy of the MIT Publication containing *Manke* is located in the Steenbock Library stacks at Call Number QA76.87 A38.

The University of Wisconsin MARC record field tag 050 notes the Call Number as QA76.87 A38. MARC field tag 245 identifies the full title statement for the work as: \$a Advances in neural information processing systems. MARC field tag 260 sets forth the places of publication, publishers, and publication dates for “Advances in Neural Information Processing Systems” as:

- 260 \$31989-1994 ;\$aSan Mateo, CA :\$bMorgan Kaufmann Publishers,\$cc1989-
- 260 2_ \$31995-2006 ;\$aCambridge, Mass :\$bMIT Press.
- 260 3_ \$32007- ;\$a[Place of publication not identified] :\$bNeural Information Processing Systems Foundation.

Finally, MARC field tag 500 sets forth the local holdings and volume information for the collected papers comprising volumes 1-7 of the MIT Publication held by the University of Wisconsin at Madison Library as “*Vols. 1-2 contain the collected papers of the 1988-1989 IEEE Conference on Neural Information Processing Systems--Natural and Synthetic; v. 3-6, has*

the papers of the 1990-1993 NIPS Conference; v. 7- has the papers of the 1994- Conference on Neural Information Processing Systems.”

17. **Appendix C** confirms the fixed data elements of MARC field tag 008 as 890619c19899999mauar1a0engc. As discussed above, the first six characters “890619” are in typical “YYMMDD” format and indicate that the resource “Advances in Neural Information Processing Systems,” was first received and catalogued by the University of Wisconsin at Madison Library on June 19, 1989, and is a continuing resource currently published. Based on my experience as a librarian, the MARC record (**Appendix C**) references the MIT Publication containing *Manke* (**Appendix A**).

18. Based on the information in **Appendices A, B, and C**, the MIT Publication containing *Manke* was received by the University of Wisconsin at Madison Library on August 17, 1995. Based on standard library practices, *Manke* would have been processed and catalogued by the University of Wisconsin at Madison Library within a matter of a few days or weeks of August 17, 1995.

19. Accordingly, *Manke* would have been made available to the public within a few days or weeks of being checked-in and catalogued. The public could have accessed *Manke* after a few weeks of August 17, 1995 by (i) searching the University of Wisconsin at Madison Library catalog online by, for example, searching by title, author, and/or subject keywords, or (ii) by asking a library staff

member and being directed to the Kurt F. Wendt Library or the Steenbock Library stacks at Call Number QA76.87 A38.

V. Conclusion

20. In signing this Declaration, I understand it will be filed as evidence in a contested case before the Patent Trial and Appeal Board of the United States Patent and Trademark Office. I understand I may be subject to cross-examination in this case and that cross-examination will take place within the United States. If cross-examination is required of me, I will appear for cross-examination within the United States during the time allotted for cross-examination.


21. I declare that all statements made herein of my knowledge are true, that all statements made on information and belief are believed to be true, and that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code.

Executed on September 12, 2023.

A handwritten signature in black ink, appearing to read 'Shauna L. Wiest', written over a horizontal blue line.

Shauna L. Wiest

APPENDIX A



ADVANCES IN

NEURAL
INFORMATION
PROCESSING
SYSTEMS 7

EDITED BY
GERALD TESAURO
DAVID S. TOURETZKY
AND TODD K. LEEN

ADVANCES IN REMOTE INFORMATION
PROCESSING SYSTEMS

HORT F. WENDT LIBRARY
COLLEGE OF ENGINEERING

AUG 17 1995

UW-MADISON, WI 53706

ADVANCES IN NEURAL INFORMATION PROCESSING SYSTEMS 7

Edited by
Gerald Tesauro, David Touretzky, Todd Leen

The MIT Press
Cambridge, Massachusetts
London, England

© 1995 Massachusetts Institute of Technology

All rights reserved. No part of this book may be reproduced in any form by any electronic or mechanical means (including photocopying, recording, or information storage and retrieval) without permission in writing from the publisher.

This book was printed and bound in the United States of America.

ISSN 1049-5258

ISBN 0-262-20104-6

Wendt
QA
76.87
A38
7

Contents

Preface	xvii
Contributors	xix
PART I	
COGNITIVE SCIENCE	
DIRECTION SELECTIVITY IN PRIMARY VISUAL CORTEX USING MASSIVE INTRACORTICAL CONNECTIONS <i>Humbert Suarez, Christof Koch, Rodney Douglas</i>	3
ON THE COMPUTATIONAL UTILITY OF CONSCIOUSNESS <i>Donald Mathis, Michael C. Mozer</i>	11
CATASTROPHIC INTERFERENCE IN HUMAN MOTOR LEARNING <i>Tom Brashers-Krug, Reza Shadmehr, Emanuel Todorov</i>	19
GRAMMAR LEARNING BY A SELF-ORGANIZING NETWORK <i>Michiro Negishi</i>	27
PATTERNS OF DAMAGE IN NEURAL NETWORKS: THE EFFECTS OF LESION AREA, SHAPE AND NUMBER <i>Eytan Ruppin, James A. Reggia</i>	35
FORWARD DYNAMIC MODELS IN HUMAN MOTOR CONTROL: PSYCHOPHYSICAL EVIDENCE <i>Daniel M. Wolpert, Zoubin Ghahramani, Michael I. Jordan</i>	43
A SOLVABLE CONNECTIONIST MODEL OF IMMEDIATE RECALL OF ORDERED LISTS <i>Neil Burgess</i>	51

PART II NEUROSCIENCE

A MODEL FOR CHEMOSENSORY RECEPTION <i>Rainer Malaka, Thomas Ragg, Martin Hammer</i>	61
THE ELECTRONIC TRANSFORMATION: A TOOL FOR RELATING NEURONAL FORM TO FUNCTION <i>Nicholas Carnevale, Kenneth Y. Tsai, Brenda J. Claiborne, Thomas H. Brown</i>	69
A MODEL OF THE HIPPOCAMPUS COMBINING SELF-ORGANIZATION AND ASSOCIATIVE MEMORY FUNCTION <i>Michael E. Hasselmo, Eric Schnell, Joshua Berke, Edi Barkai</i>	77
MODEL OF BIOLOGICAL NEURON AS A TEMPORAL NEURAL NETWORK <i>Sean D. Murphy, Edward W. Kairiss</i>	85
A CRITICAL COMPARISON OF MODELS FOR ORIENTATION AND OCULAR DOMINANCE COLUMNS IN THE STRIATE CORTEX <i>E. Erwin, K. Obermayer, K. Schulten</i>	93
A NOVEL REINFORCEMENT MODEL OF BIRDSONG VOCALIZATION LEARNING <i>Kenji Doya, Terrence J. Sejnowski</i>	101
OCULAR DOMINANCE AND PATTERNED LATERAL CONNECTIONS IN A SELF-ORGANIZING MODEL OF THE PRIMARY VISUAL CORTEX <i>Joseph Sirosh, Risto Miikkulainen</i>	109
ANATOMICAL ORIGIN AND COMPUTATIONAL ROLE OF DIVERSITY IN THE RESPONSE PROPERTIES OF CORTICAL NEURONS <i>Kalanit Grill Spector, Shimon Edelman, Rafael Malach</i>	117
REINFORCEMENT LEARNING PREDICTS THE SITE OF PLASTICITY FOR AUDITORY REMAPPING IN THE BARN OWL <i>Alexandre Pouget, Cedric Deffayet, Terrence J. Sejnowski</i>	125
MORPHOGENESIS OF THE LATERAL GENICULATE NUCLEUS: HOW SINGULARITIES AFFECT GLOBAL STRUCTURE <i>Svilen Tzonev, Klaus Schulten, Joseph G. Malpeli</i>	133
A COMPUTATIONAL MODEL OF PREFRONTAL CORTEX FUNCTION <i>Todd S. Braver, Jonathan D. Cohen, David Servan-Schreiber</i>	141

A NEURAL MODEL OF DELUSIONS AND HALLUCINATIONS IN SCHIZOPHRENIA <i>Eytan Ruppin, James A. Reggia, David Horn</i>	149
SPATIAL REPRESENTATIONS IN THE PARIETAL CORTEX MAY USE BASIS FUNCTIONS <i>Alexandre Pouget, Terrence J. Sejnowski</i>	157
GROUPING COMPONENTS OF THREE-DIMENSIONAL MOVING OBJECTS IN AREA MST OF VISUAL CORTEX <i>Richard S. Zemel, Terrence J. Sejnowski</i>	165
A MODEL OF THE NEURAL BASIS OF THE RAT'S SENSE OF DIRECTION <i>William Skaggs, James J. Knierim, Hemant S. Kudrimoti, Bruce L. McNaughton</i>	173
PART III	
LEARNING THEORY AND DYNAMICS	
ON THE COMPUTATIONAL COMPLEXITY OF NETWORKS OF SPIKING NEURONS <i>Wolfgang Maass</i>	183
H_{∞} OPTIMAL TRAINING ALGORITHMS AND THEIR RELATION TO BACKPROPAGATION <i>Babak Hassibi, Thomas Kailath</i>	191
SYNCHRONY AND DESYNCHRONY IN NEURAL OSCILLATOR NETWORKS <i>DeLiang Wang, David Terman</i>	199
LEARNING IN LARGE LINEAR PERCEPTRONS AND WHY THE THERMODYNAMIC LIMIT IS RELEVANT TO THE REAL WORLD <i>Peter Sollich</i>	207
GENERALISATION IN FEEDFORWARD NETWORKS <i>Adam Kowalczyk, Herman Ferra</i>	215
FROM DATA DISTRIBUTIONS TO REGULARIZATION IN INVARIANT LEARNING <i>Todd Leen</i>	223
NEURAL NETWORK ENSEMBLES, CROSS VALIDATION, AND ACTIVE LEARNING <i>Anders Krogh, Jesper Vedelsby</i>	231
LIMITS ON LEARNING MACHINE ACCURACY IMPOSED BY DATA QUALITY <i>Corinna Cortes, L. D. Jackel, Wan-Ping Chiang</i>	239

HIGHER ORDER STATISTICAL DECORRELATION WITHOUT INFORMATION LOSS <i>Gustavo Deco, Wilfried Brauer</i>	247
HYPERPARAMETERS, EVIDENCE AND GENERALISATION FOR AN UNREALISABLE RULE <i>Glenn Marion, David Saad</i>	255
TEMPORAL DYNAMICS OF GENERALIZATION IN NEURAL NETWORKS <i>Changfeng Wang, Santosh S. Venkatesh</i>	263
STOCHASTIC DYNAMICS OF THREE-STATE NEURAL NETWORKS <i>Toru Ohira, Jack D. Cowan</i>	271
LEARNING STOCHASTIC PERCEPTRONS UNDER K-BLOCKING DISTRIBUTIONS <i>Mario Marchand, Saeed Hadjifaradji</i>	279
LEARNING FROM QUERIES FOR MAXIMUM INFORMATION GAIN IN IMPERFECTLY LEARNABLE PROBLEMS <i>Peter Sollich, David Saad</i>	287
BIAS, VARIANCE AND THE COMBINATION OF LEAST SQUARES ESTIMATORS <i>Ronny Meir</i>	295
ON-LINE LEARNING OF DICHOTOMIES <i>N. Barkai, H. S. Seung, H. Sompolinsky</i>	303
DYNAMIC MODELLING OF CHAOTIC TIME SERIES WITH NEURAL NETWORKS <i>Jose Principe, Jyh-Ming Kuo</i>	311
A RIGOROUS ANALYSIS OF LINSKER-TYPE HEBBIAN LEARNING <i>Jianfeng Feng, H. Pan, V. P. Roychowdhury</i>	319
SAMPLE SIZE REQUIREMENTS FOR FEEDFORWARD NEURAL NETWORKS <i>Michael Turmon, Terrence L. Fine</i>	327
ASYMPTOTICS OF GRADIENT-BASED NEURAL NETWORK TRAINING ALGORITHMS <i>Sayandev Mukherjee, Terrence L. Fine</i>	335

**PART IV
REINFORCEMENT LEARNING**

REINFORCEMENT LEARNING ALGORITHM FOR PARTIALLY OBSERVABLE MARKOV DECISION PROBLEMS	345
<i>Tommi Jaakkola, Satinder P. Singh, Michael I. Jordan</i>	
ADVANTAGE UPDATING APPLIED TO A DIFFERENTIAL GAME	353
<i>Mance E. Harmon, Leemon C. Baird III, A. Harry Klopff</i>	
REINFORCEMENT LEARNING WITH SOFT STATE AGGREGATION	361
<i>Satinder Singh, Tommi Jaakkola, Michael I. Jordan</i>	
GENERALIZATION IN REINFORCEMENT LEARNING: SAFELY APPROXIMATING THE VALUE FUNCTION	369
<i>Justin Boyan, Andrew W. Moore</i>	
INSTANCE-BASED STATE IDENTIFICATION FOR REINFORCEMENT LEARNING	377
<i>R. Andrew McCallum</i>	
FINDING STRUCTURE IN REINFORCEMENT LEARNING	385
<i>Sebastian Thrun, Anton Schwartz</i>	
REINFORCEMENT LEARNING METHODS FOR CONTINUOUS-TIME MARKOV DECISION PROBLEMS	393
<i>Steven Bradtke, Michael O. Duff</i>	
AN ACTOR/CRITIC ALGORITHM THAT IS EQUIVALENT TO Q-LEARNING	401
<i>Robert Crites, Andrew G. Barto</i>	
PART V ALGORITHMS AND ARCHITECTURES	
FINANCIAL APPLICATIONS OF LEARNING FROM HINTS	411
<i>Yaser S. Abu-Mostafa (Invited Paper)</i>	
COMBINING ESTIMATORS USING NON-CONSTANT WEIGHTING FUNCTIONS	419
<i>Volker Tresp, Michiaki Taniguchi</i>	
AN INPUT OUTPUT HMM ARCHITECTURE	427
<i>Yoshua Bengio, Paolo Frasconi</i>	
BOLTZMANN CHAINS AND HIDDEN MARKOV MODELS	435
<i>Lawrence K. Saul, Michael I. Jordan</i>	

BAYESIAN QUERY CONSTRUCTION FOR NEURAL NETWORK MODELS <i>Gerhard Paass, Jörg Kindermann</i>	443
USING A SALIENCY MAP FOR ACTIVE SPATIAL SELECTIVE ATTENTION: IMPLEMENTATION & INITIAL RESULTS <i>Shumeet Baluja, Dean A. Pomerleau</i>	451
MULTIDIMENSIONAL SCALING AND DATA CLUSTERING <i>Thomas Hofmann, Joachim Buhmann</i>	459
A NON-LINEAR INFORMATION MAXIMISATION ALGORITHM THAT PERFORMS BLIND SEPARATION <i>Anthony J. Bell, Terrence J. Sejnowski</i>	467
PLASTICITY-MEDIATED COMPETITIVE LEARNING <i>Nicol Schraudolph, Terrence J. Sejnowski</i>	475
PHASE-SPACE LEARNING <i>Fu-Sheng Tsung, Garrison W. Cottrell</i>	481
LEARNING LOCAL ERROR BARS FOR NONLINEAR REGRESSION <i>David A. Nix, Andreas S. Weigend</i>	489
DYNAMIC CELL STRUCTURES <i>Jörg Bruske, Gerald Sommer</i>	497
EXTRACTING RULES FROM ARTIFICIAL NEURAL NETWORKS WITH DISTRIBUTED REPRESENTATIONS <i>Sebastian Thrun</i>	505
CAPACITY AND INFORMATION EFFICIENCY OF A BRAIN-LIKE ASSOCIATIVE NET <i>Bruce Graham, David Willshaw</i>	513
BOOSTING THE PERFORMANCE OF RBF NETWORKS WITH DYNAMIC DECAY ADJUSTMENT <i>Michael R. Berthold, Jay Diamond</i>	521
SIMPLIFYING NEURAL NETS BY DISCOVERING FLAT MINIMA <i>Sepp Hochreiter, Jürgen Schmidhuber</i>	529
LEARNING WITH PRODUCT UNITS <i>Laurens Leerink, C. Lee Giles, Bill G. Horne, Marwan A. Jabri</i>	537
DETERMINISTIC ANNEALING VARIANT OF THE EM ALGORITHM <i>Naonori Ueda, Ryohei Nakano</i>	545

DIFFUSION OF CREDIT IN MARKOVIAN MODELS <i>Yoshua Bengio, Paolo Frasconi</i>	553
FACTORIAL LEARNING BY CLUSTERING FEATURES <i>Joshua B. Tenenbaum, Emmanuel V. Todorov</i>	561
INTERIOR POINT IMPLEMENTATIONS OF ALTERNATING MINIMIZATION TRAINING <i>Michael Lemmon, Peter T. Szymanski</i>	569
SARDNET: A SELF-ORGANIZING FEATURE MAP FOR SEQUENCES <i>Daniel L. James, Risto Miikkulainen</i>	577
CONVERGENCE PROPERTIES OF THE K-MEANS ALGORITHMS <i>Léon Bottou, Yoshua Bengio</i>	585
ACTIVE LEARNING FOR FUNCTION APPROXIMATION <i>Kah Kay Sung, Partha Niyogi</i>	593
ANALYSIS OF UNSTANDARDIZED CONTRIBUTIONS IN CROSS CONNECTED NETWORKS <i>Thomas R. Shultz, Yuriko Oshima-Takane, Yoshio Takane</i>	601
TEMPLATE-BASED ALGORITHMS FOR CONNECTIONIST RULE EXTRACTION <i>Jay A. Alexander, Michael C. Mozer</i>	609
FACTORIAL LEARNING AND THE EM ALGORITHM <i>Zoubin Ghahramani</i>	617
A GROWING NEURAL GAS NETWORK LEARNS TOPOLOGIES <i>Bernd Fritzke</i>	625
AN ALTERNATIVE MODEL FOR MIXTURES OF EXPERTS <i>Lei Xu, Michael I. Jordan, Geoffrey E. Hinton</i>	633
ESTIMATING CONDITIONAL PROBABILITY DENSITIES FOR PERIODIC VARIABLES <i>Chris M. Bishop, Claire Legleye</i>	641
EFFECTS OF NOISE ON CONVERGENCE AND GENERALIZATION IN RECURRENT NETWORKS <i>Kam Jim, Bill G. Horne, C. Lee Giles</i>	649
LEARNING MANY RELATED TASKS AT THE SAME TIME WITH BACKPROPAGATION <i>Rich Caruana</i>	657

A RAPID GRAPH-BASED METHOD FOR ARBITRARY TRANSFORMATION-INVARIANT PATTERN CLASSIFICATION <i>Alessandro Sperduti, David G. Stork</i>	665
RECURRENT NETWORKS: SECOND ORDER PROPERTIES AND PRUNING <i>Morten With Pedersen, Lars Kai Hansen</i>	673
CLASSIFYING WITH GAUSSIAN MIXTURES AND CLUSTERS <i>Nanda Kambhatla, Todd K. Leen</i>	681
EFFICIENT METHODS FOR DEALING WITH MISSING DATA IN SUPERVISED LEARNING <i>Volker Tresp, Ralph Neuneier, Subutai Ahmad</i>	689
AN EXPERIMENTAL COMPARISON OF RECURRENT NEURAL NETWORKS <i>Bill G. Horne, C. Lee Giles</i>	697
ACTIVE LEARNING WITH STATISTICAL MODELS <i>David Cohn, Zoubin Ghahramani, Michael I. Jordan</i>	705
LEARNING WITH PREKNOWLEDGE: CLUSTERING WITH POINT AND GRAPH MATCHING DISTANCE MEASURES <i>Steven Gold, Anand Rangarajan, Eric Mjolsness</i>	713
DIRECT MULTI-STEP TIME SERIES PREDICTION USING TD(λ) <i>Peter Kazlas, Andreas S. Weigend</i>	721
PART VI	
IMPLEMENTATIONS	
ICEG MORPHOLOGY CLASSIFICATION USING AN ANALOGUE VLSI NEURAL NETWORK <i>Richard Coggins, Marwan Jabri, Barry Flower, Stephen Pickard</i>	731
A SILICON AXON <i>Bradley A. Minch, Paul Hasler, Chris Diorio, Carver Mead</i>	739
THE NI1000: HIGH SPEED PARALLEL VLSI FOR IMPLEMENTING MULTILAYER PERCEPTRONS <i>Michael P. Perrone, Leon N. Cooper</i>	747
A REAL TIME CLUSTERING CMOS NEURAL ENGINE <i>T. Serrano-Gotarredona, B. Linares-Barranco, J. L. Huertas</i>	755

PULSESTREAM SYNAPSES WITH NON-VOLATILE ANALOGUE AMORPHOUS-SILICON MEMORIES	763
<i>A. J. Holmes, A. F. Murray, S. Churcher, J. Hajto, M. J. Rose</i>	
A LAGRANGIAN FORMULATION FOR OPTICAL BACKPROPAGATION TRAINING IN KERR-TYPE OPTICAL NETWORKS	771
<i>James E. Steck, Steven R. Skinner, Alvaro A. Cruz-Cabrara, Elizabeth C. Behrman</i>	
A CHARGE-BASED CMOS PARALLEL ANALOG VECTOR QUANTIZER	779
<i>Gert Cauwenberghs, Volnei Pedroni</i>	
AN AUDITORY LOCALIZATION AND COORDINATE TRANSFORM CHIP	787
<i>Timothy Horiuchi</i>	
AN ANALOG NEURAL NETWORK INSPIRED BY FRACTAL BLOCK CODING	795
<i>Fernando Pineda, Andreas G. Andreou</i>	
A STUDY OF PARALLEL PERTURBATIVE GRADIENT DESCENT	803
<i>D. Lippe, J. Alspector</i>	
IMPLEMENTATION OF NEURAL HARDWARE WITH THE NEURAL VLSI OF URAN IN APPLICATIONS WITH REDUCED REPRESENTATIONS	811
<i>Il-Song Han, Hwang-Soo Lee, Ki-Chul Kim</i>	
SINGLE TRANSISTOR LEARNING SYNAPSES	817
<i>Paul Hasler, Chris Diorio, Bradley A. Minch, Carver Mead</i>	
PART VII	
SPEECH AND SIGNAL PROCESSING	
PATTERN PLAYBACK IN THE 90S	827
<i>Malcolm Slaney (Invited Paper)</i>	
NON-LINEAR PREDICTION OF ACOUSTIC VECTORS USING HIERARCHICAL MIXTURES OF EXPERTS	835
<i>S. R. Waterhouse, A. J. Robinson</i>	
GLOVE-TALKII: MAPPING HAND GESTURES TO SPEECH USING NEURAL NETWORKS	843
<i>S. Sidney Fels, Geoffrey Hinton</i>	
VISUAL SPEECH RECOGNITION WITH STOCHASTIC NETWORKS	851
<i>Javier Movellan</i>	

HIERARCHICAL MIXTURES OF EXPERTS METHODOLOGY APPLIED TO CONTINUOUS SPEECH RECOGNITION <i>Ying Zhao, Richard Schwartz, Jason Sroka, John Makhoul</i>	859
CONNECTIONIST SPEAKER NORMALIZATION WITH GENERALIZED RESOURCE ALLOCATING NETWORKS <i>Cesare Furlanello, Diego Giuliani, Edmondo Trentin</i>	867
USING VOICE TRANSFORMATIONS TO CREATE ADDITIONAL TRAINING TALKERS FOR WORD SPOTTING <i>Eric I. Chang, Richard P. Lippmann</i>	875
A COMPARISON OF DISCRETE-TIME OPERATOR MODELS FOR NONLINEAR SYSTEM IDENTIFICATION <i>Andrew D. Back, Ah Chung Tsoi</i>	883
PART VIII	
VISUAL PROCESSING	
LEARNING SACCADIC EYE MOVEMENTS USING MULTISCALE SPATIAL FILTERS <i>Rajesh P. N. Rao, Dana H. Ballard</i>	893
A CONVOLUTIONAL NEURAL NETWORK HAND TRACKER <i>Steven J. Nowlan, John C. Platt</i>	901
CORRELATION AND INTERPOLATION NETWORKS FOR REAL-TIME EXPRESSION ANALYSIS/SYNTHESIS <i>Trevor Darrell, Irfan Essa, Alex Pentland</i>	909
LEARNING DIRECTION IN GLOBAL MOTION: TWO CLASSES OF PSYCHOPHYSICALLY-MOTIVATED MODELS <i>V. Sundareswaran, Lucia M. Vaina</i>	917
ASSOCIATIVE DECORRELATION DYNAMICS: A THEORY OF SELF-ORGANIZATION AND OPTIMIZATION IN FEEDBACK NETWORKS <i>Dawei W. Dong</i>	925
JPMAX: LEARNING TO RECOGNIZE MOVING OBJECTS AS A MODEL- FITTING PROBLEM <i>Suzanna Becker</i>	933
PCA-PYRAMIDS FOR IMAGE COMPRESSION <i>Horst Bischof, Kurt Hornik</i>	941

UNSUPERVISED CLASSIFICATION OF 3D OBJECTS FROM 2D VIEWS <i>Satoshi Suzuki, Hiroshi Ando</i>	949
NEW ALGORITHMS FOR 2D AND 3D POINT MATCHING: POSE ESTIMATION AND CORRESPONDENCE <i>Steven Gold, Chien Ping Lu, Anand Rangarajan, Suguna Pappu, Eric Mjolsness</i>	957
USING A NEURAL NET TO INSTANTIATE A DEFORMABLE MODEL <i>Christopher K. I. Williams, Michael D. Revow, Geoffrey E. Hinton</i>	965
NONLINEAR IMAGE INTERPOLATION USING MANIFOLD LEARNING <i>Christoph Bregler, Stephen M. Omohundro</i>	973
COARSE-TO-FINE IMAGE SEARCH USING NEURAL NETWORKS <i>Clay D. Spence, John C. Pearson, Jim Bergen</i>	981
PART IX	
APPLICATIONS	
TRANSFORMATION INVARIANT AUTOASSOCIATION WITH APPLICATION TO HANDWRITTEN CHARACTER RECOGNITION <i>Holger Schwenk, Maurice Milgram</i>	991
LEARNING PROTOTYPE MODELS FOR TANGENT DISTANCE <i>Trevor Hastie, Patrice Simard, Eduard Säckinger</i>	999
REAL-TIME CONTROL OF TOKAMAK PLASMA USING NEURAL NETWORKS <i>Chris M. Bishop, Paul S. Haynes, Mike E. U. Smith, Tom N. Todd, David L. Trotman, Colin G. Windsor</i>	1007
RECOGNIZING HANDWRITTEN DIGITS USING MIXTURES OF LINEAR MODELS <i>Geoffrey E. Hinton, Michael Revow, Peter Dayan</i>	1015
OPTIMAL MOVEMENT PRIMITIVES <i>Terence Sanger</i>	1023
AN INTEGRATED ARCHITECTURE OF ADAPTIVE NEURAL NETWORK CONTROL FOR DYNAMIC SYSTEMS <i>Liu Ke, Robert L. Tokar, Brian D. McVey</i>	1031
A CONNECTIONIST TECHNIQUE FOR ACCELERATED TEXTUAL INPUT: LETTING A NETWORK DO THE TYPING <i>Dean Pomerleau</i>	1039

PREDICTIVE CODING WITH NEURAL NETS: APPLICATION TO TEXT COMPRESSION <i>Jürgen Schmidhuber, Stefan Heil</i>	1047
PREDICTING THE RISK OF COMPLICATIONS IN CORONARY ARTERY BYPASS OPERATIONS USING NEURAL NETWORKS <i>Richard P. Lippmann, Linda Kukolich, David Shahian</i>	1055
COMPARING THE PREDICTION ACCURACY OF ARTIFICIAL NEURAL NETWORKS AND OTHER STATISTICAL MODELS FOR BREAST CANCER SURVIVAL <i>Harry B. Burke, David B. Rosen, Philip H. Goodman</i>	1063
LEARNING TO PLAY THE GAME OF CHESS <i>Sebastian Thrun</i>	1069
A MIXTURE MODEL SYSTEM FOR MEDICAL AND MACHINE DIAGNOSIS <i>Magnus Stensmo, Terrence J. Sejnowski</i>	1077
INFERRING GROUND TRUTH FROM SUBJECTIVE LABELLING OF VENUS IMAGES <i>Padhraic Smyth, Usama Fayyad, Michael Burl, Pietro Perona, Pierre Baldi</i>	1085
THE USE OF DYNAMIC WRITING INFORMATION IN A CONNECTIONIST ON-LINE CURSIVE HANDWRITING RECOGNITION SYSTEM <i>Stefan Manke, Michael Finke, Alex Waibel</i>	1093
ADAPTIVE ELASTIC INPUT FIELD FOR RECOGNITION IMPROVEMENT <i>Minoru Asogawa</i>	1101
PAIRWISE NEURAL NETWORK CLASSIFIERS WITH PROBABILISTIC OUTPUTS <i>David Price, Stefan Knerr, Léon Personnaz, Gérard Dreyfus</i>	1109
INTERFERENCE IN LEARNING INTERNAL MODELS OF INVERSE DYNAMICS IN HUMANS <i>Reza Shadmehr, Tom Brashers-Krug, Ferdinando Mussa-Ivaldi</i>	1117
COMPUTATIONAL STRUCTURE OF COORDINATE TRANSFORMATIONS: A GENERALIZATION STUDY <i>Zoubin Ghahramani, Daniel M. Wolpert, Michael I. Jordan</i>	1125
Author Index	1133
Keyword Index	1137

The Use of Dynamic Writing Information in a Connectionist On-Line Cursive Handwriting Recognition System

Stefan Manke

Michael Finke

Alex Waibel

University of Karlsruhe
Computer Science Department
D-76128 Karlsruhe, Germany
manke@ira.uka.de, finkem@ira.uka.de

Carnegie Mellon University
School of Computer Science
Pittsburgh, PA 15213-3890, U.S.A.
waibel@cs.cmu.edu

Abstract

In this paper we present **NPen⁺⁺**, a connectionist system for writer independent, large vocabulary on-line cursive handwriting recognition. This system combines a robust input representation, which preserves the dynamic writing information, with a neural network architecture, a so called Multi-State Time Delay Neural Network (MS-TDNN), which integrates recognition and segmentation in a single framework. Our preprocessing transforms the original coordinate sequence into a (still temporal) sequence of feature vectors, which combine strictly local features, like curvature or writing direction, with a bitmap-like representation of the coordinate's proximity. The MS-TDNN architecture is well suited for handling temporal sequences as provided by this input representation. Our system is tested both on writer dependent and writer independent tasks with vocabulary sizes ranging from 400 up to 20,000 words. For example, on a 20,000 word vocabulary we achieve word recognition rates up to 88.9% (writer dependent) and 84.1% (writer independent) without using any language models.

1 INTRODUCTION

Several preprocessing and recognition approaches for on-line handwriting recognition have been developed during the past years. The main advantage of on-line handwriting recognition in comparison to optical character recognition (OCR) is the temporal information of handwriting, which can be recorded and used for recognition. In general this dynamic writing information (i.e. the time-ordered sequence of coordinates) is not available in OCR, where input consists of scanned text. In this paper we present the **NPen⁺⁺** system, which is designed to preserve the dynamic writing information as long as possible in the preprocessing and recognition process.

During preprocessing a temporal sequence of N -dimensional feature vectors is computed from the original coordinate sequence, which is recorded on the digitizer. These feature vectors combine strictly local features, like curvature and writing direction [4], with so-called context bitmaps, which are bitmap-like representations of a coordinate's proximity.

The recognition component of **NPen⁺⁺** is well suited for handling temporal sequences of patterns, as provided by this kind of input representation. The recognizer, a so-called Multi-State Time Delay Neural Network (MS-TDNN), integrates recognition and segmentation of words into a single network architecture. The MS-TDNN, which was originally proposed for continuous speech recognition tasks [6, 7], combines shift-invariant, high accuracy pattern recognition capabilities of a TDNN [8, 4] with a non-linear alignment procedure for aligning strokes into character sequences.

Our system is applied both to different writer dependent and writer independent, large vocabulary handwriting recognition tasks with vocabulary sizes up to 20,000 words. Writer independent word recognition rates range from 92.9% with a 400 word vocabulary to 84.1% with a 20,000 word vocabulary. For the writer dependent system, word recognition rates for the same tasks range from 98.6% to 88.9% [1].

In the following section we give a description of our preprocessing performed on the raw coordinate sequence, provided by the digitizer. In section 3 the architecture and training of the recognizer is presented. A description of the experiments to evaluate the system and the results we have achieved on different tasks can be found in section 4. Conclusions and future work is described in section 5.

2 PREPROCESSING

The dynamic writing information, i.e. the temporal order of the data points, is preserved throughout all preprocessing steps. The original coordinate sequence $\{(\tilde{x}(t), \tilde{y}(t))\}_{t \in \{0 \dots T'\}}$ recorded on the digitizer is transformed into a new temporal sequence $\mathbf{x}_0^T = \mathbf{x}_0 \dots \mathbf{x}_T$, where each frame $\mathbf{x}_t$ consists of an N -dimensional real-valued feature vector $(f_1(t), \dots, f_N(t)) \in [-1, 1]^N$.

Several normalization methods are applied to remove undesired variability from the original coordinate sequence. To compensate for different sampling rates and varying writing speeds the coordinates originally sampled to be equidistant in time are resampled yielding a new sequence $\{(\tilde{x}(t), \tilde{y}(t))\}_{t \in \{0 \dots T\}}$ which is equidistant in




Figure 1: Feature extraction for the normalized word "able". The final input representation is derived by calculating a 15-dimensional feature vector for each data point, which consists of a context bitmap (a) and information about the curvature and writing direction (b).

space. This resampled trajectory is smoothed using a moving average window in order to remove sampling noise. In a final normalization step the goal is to find a representation of the trajectory that is reasonably invariant against rotation and scaling of the input. The idea is to determine the words' baseline using an EM approach similar to that described in [5] and rescale the word such that the center region of the word is assigned to a fixed size.

From the normalized coordinate sequence $\{(x(t), y(t))\}_{t \in \{0 \dots T\}}$ the temporal sequence $\mathbf{x}_0^T$ of N -dimensional feature vectors $\mathbf{x}_t = (f_1(t), \dots, f_N(t))$ is computed (Figure 1). Currently the system uses $N = 15$ features for each data point. The first two features $f_1(t) = x(t) - x(t-1)$ and $f_2(t) = y(t) - b$ describe the relative X movement and the Y position relative to the baseline b . The features $f_3(t)$ to $f_6(t)$ are used to describe the curvature and writing direction in the trajectory [4] (Figure 1(b)). Since all these features are strictly local in the sense that they are local both in time and in space they were shown to be inadequate for modeling temporal long range context dependencies typically observed in pen trajectories [2]. Therefore, nine additional features $f_7(t)$ to $f_{15}(t)$ representing 3×3 bitmaps were included in each feature vector (Figure 1(a)). These so-called context bitmaps are basically low resolution, bitmap-like descriptions of the coordinate's proximity, which were originally described in [2].

Thus, the input representation as shown in Figure 1 combines strictly local features like writing direction and curvature with the context bitmaps, which are still local

in space but global in time. That means, each point of the trajectory is visible from each other point of the trajectory in a small neighbourhood. By using these context bitmaps in addition to the local features, important information about other parts of the trajectory, which are in a limited neighbourhood of a coordinate, are encoded.

3 THE NPen⁺⁺ RECOGNIZER

The NPen⁺⁺ recognizer integrates recognition and segmentation of words into a single network architecture, the Multi-State Time Delay Neural Network (MS-TDNN). The MS-TDNN, which was originally proposed for continuous speech recognition tasks [6, 7], combines the high accuracy single character recognition capabilities of a TDNN [8, 4] with a non-linear time alignment algorithm (dynamic time warping) for finding stroke and character boundaries in isolated handwritten words.

3.1 MODELING ASSUMPTIONS

Let $W = \{w_1, \dots, w_K\}$ be a vocabulary consisting of K words. Each of these words w_i is represented as a sequence of characters $w_i \equiv c_{i_1} c_{i_2} \dots c_{i_k}$ where each character c_j itself is modelled by a three state hidden markov model $c_j \equiv q_j^0 q_j^1 q_j^2$. The idea of using three states per character is to model explicitly the initial, middle and final section of the characters. Thus, w_i is modelled by a sequence of states $w_i \equiv q_{i_0} q_{i_1} \dots q_{i_{3k}}$. In these word HMMs the self-loop probabilities $p(q_{i_j} | q_{i_j})$ and the transition probabilities $p(q_{i_j} | q_{i_{j-1}})$ are both defined to be $\frac{1}{2}$ while all other transition probabilities are set to zero.

During recognition of an unknown sequence of feature vectors $\mathbf{x}_0^T = \mathbf{x}_0 \dots \mathbf{x}_T$ we have to find the word $w_i \in W$ in the dictionary that maximizes the a-posteriori probability $p(w_i | \mathbf{x}_0^T, \theta)$ given a fixed set of parameters θ and the observed coordinate sequence. That means, a written word will be recognized such that

$$w_j = \operatorname{argmax}_{w_i \in W} p(w_i | \mathbf{x}_0^T, \theta).$$

In our Multi-State Time Delay Neural Network approach the problem of modeling the word posterior probability $p(w_i | \mathbf{x}_0^T, \theta)$ is simplified by using Bayes' rule which expresses that probability as

$$p(w_i | \mathbf{x}_0^T, \theta) = \frac{p(\mathbf{x}_0^T | w_i, \theta) P(w_i | \theta)}{p(\mathbf{x}_0^T | \theta)}.$$

Instead of approximating $p(w_i | \mathbf{x}_0^T, \theta)$ directly we define in the following section a network that is supposed to model the likelihood of the feature vector sequence $p(\mathbf{x}_0^T | w_i, \theta)$.

3.2 THE MS-TDNN ARCHITECTURE

In Figure 2 the basic MS-TDNN architecture for handwriting recognition is shown. The first three layers constitute a standard TDNN with sliding input windows in each layer. In the current implementation of the system, a TDNN with 15 input




Figure 2: The Multi-State TDNN architecture, consisting of a 3-layer TDNN to estimate the a posteriori probabilities of the character states combined with word units, whose scores are derived from the word models by a Viterbi approximation of the likelihoods $p(\mathbf{x}_0^T | w_i)$.

units, 40 units in the hidden layer, and 78 state output units is used. There are 7 time delays both in the input and hidden layer.

The softmax normalized output of the states layer is interpreted as an estimate of the probabilities of the states q_j given the input window $\mathbf{x}_{t-d}^{t+d} = \mathbf{x}_{t-d} \dots \mathbf{x}_{t+d}$ for each time frame t , i.e.

$$p(q_j | \mathbf{x}_{t-d}^{t+d}) \approx \frac{\exp(\eta_j(t))}{\sum_k \exp(\eta_k(t))} \quad (1)$$

where $\eta_j(t)$ represents the weighted sum of inputs to state unit j at time t . Based on these estimates, the output of the word units is defined to be a Viterbi approximation of the log likelihoods of the feature vector sequence given the word model

w_i , i.e.

$$\begin{aligned} \log p(\mathbf{x}_0^T | w_i) &\approx \max_{q_0^T} \sum_{t=1}^T \log p(\mathbf{x}_{t-d}^{t+d} | q_t, w_i) + \log p(q_t | q_{t-1}, w_i) \\ &\approx \max_{q_0^T} \sum_{t=1}^T \log p(q_t | \mathbf{x}_{t-d}^{t+d}) - \log p(q_t) + \log p(q_t | q_{t-1}, w_i). \end{aligned} \quad (2)$$

Here, the maximum is over all possible sequences of states $q_0^T = q_0 \dots q_T$ given a word model, $p(q_t | \mathbf{x}_{t-d}^{t+d})$ refers to the output of the states layer as defined in (1) and $p(q_t)$ is the prior probability of observing a state q_t estimated on the training data.

3.3 TRAINING OF THE RECOGNIZER

During training the goal is to determine a set of parameters θ that will maximize the posterior probability $p(w | \mathbf{x}_0^T, \theta)$ for all training input sequences. But in order to make that maximization computationally feasible even for a large vocabulary system we had to simplify that maximum a posteriori approach to a maximum likelihood training procedure that maximizes $p(\mathbf{x}_0^T | w, \theta)$ for all words instead.

The first step of our maximum likelihood training is to bootstrap the recognizer using a subset of approximately 2,000 words of the training set that were labeled manually with the character boundaries to adjust the paths in the word layer correctly. After training on this hand-labeled data, the recognizer is used to label another larger set of unlabeled training data. Each pattern in this training set is processed by the recognizer. The boundaries determined automatically by the Viterbi alignment in the target word unit serve as new labels for this pattern. Then, in the second phase, the recognizer is retrained on both data sets to achieve the final performance of the recognizer.

4 EXPERIMENTS AND RESULTS

We have tested our system both on writer dependent and writer independent tasks with vocabulary sizes ranging from 400 up to 20,000 words. The word recognition results are shown in Table 1. The scaling of the recognition rates with respect to the vocabulary size is plotted in Figure 3b.

Table 1: Writer dependent and independent recognition results

Task	Vocabulary Size	Writer Dependent		Writer Independent	
		Test Patterns	Recognition Rate	Test Patterns	Recognition Rate
crt_400	400	800	98.6%	800	92.9%
wsj_1,000	1,000	800	97.8%	-	-
wsj_7,000	7,000	-	-	2,500	89.3%
wsj_10,000	10,000	1,600	92.1%	2,500	87.7%
wsj_20,000	20,000	1,600	88.9%	2,500	84.1%




Figure 3: (a) Different writing styles in the database: cursive (top), hand-printed (middle) and a mixture of both (bottom) (b) Recognition results with respect to the vocabulary size

For the writer dependent evaluation, the system was trained on 2,000 patterns from a 400 word vocabulary, written by a single writer, and tested on a disjunct set of patterns from the same writer. In the writer independent case, the training set consisted of 4,000 patterns from a 7,000 word vocabulary, written by approximately 60 different writers. The test was performed on data from an independent set of 40 writers.

All data used in these experiments was collected at the University of Karlsruhe, Germany. Only minimal instructions were given to the writers. The writers were asked to write as natural as they would normally do on paper, without any restrictions in writing style. The consequence is, that the database is characterized by a high variety of different writing styles, ranging from hand-printed to strictly cursive patterns or a mixture of both writing styles (for example see Figure 3a). Additionally the native language of the writers was german, but the language of the dictionary is english. Therefore, frequent hesitations and corrections can be observed in the patterns of the database. But since this sort of input is typical for real world applications, a robust recognizer should be able to process these distorted patterns, too. From each of the writers a set of 50-100 isolated words, chosen randomly from the 7,000 word vocabulary, was collected.

The used vocabularies CRT (Conference Registration Task) and WSJ (ARPA Wall Street Journal Task) were originally defined for speech recognition evaluations. These vocabularies were chosen to take advantage of the synergy effects between handwriting recognition and speech recognition, since in our case the final goal is to integrate our speech recognizer JANUS [10] and the proposed **NPen⁺⁺** system into a multi-modal system.

5 CONCLUSIONS

In this paper we have presented the **NPen⁺⁺** system, a neural recognizer for writer dependent and writer independent on-line cursive handwriting recognition. This system combines a robust input representation, which preserves the dynamic writing information, with a neural network integrating recognition and segmentation in a single framework. This architecture has been shown to be well suited for handling temporal sequences as provided by this kind of input.

Evaluation of the system on different tasks with vocabulary sizes ranging from 400 to 20,000 words has shown recognition rates from 92.9% to 84.1% in the writer independent case and from 98.6% to 88.9% in the writer dependent case. These results are especially promising because they were achieved with a small training set compared to other systems (e.g. [3]). As can be seen in Table 1, the system has proved to be virtually independent of the vocabulary. Though the system was trained on rather small vocabularies (e.g. 400 words in the writer dependent system), it generalizes well to completely different and much larger vocabularies.

References

- [1] S. Manke and U. Bodenhausen, "A Connectionist Recognizer for Cursive Handwriting Recognition", *Proceedings of the ICASSP-94*, Adelaide, April 1994.
- [2] S. Manke, M. Finke, and A. Waibel, "Combining Bitmaps with Dynamic Writing Information for On-Line Handwriting Recognition", *Proceedings of the ICPR-94*, Jerusalem, October 1994.
- [3] M. Schenkel, I. Guyon, and D. Henderson, "On-Line Cursive Script Recognition Using Time Delay Neural Networks and Hidden Markov Models", *Proceedings of the ICASSP-94*, Adelaide, April 1994.
- [4] I. Guyon, P. Albrecht, Y. Le Cun, W. Denker, and W. Hubbard, "Design of a Neural Network Character Recognizer for a Touch Terminal", *Pattern Recognition*, 24(2), 1991.
- [5] Y. Bengio and Y. LeCun, "Word Normalization for On-Line Handwritten Word Recognition", *Proceedings of the ICPR-94*, Jerusalem, October 1994.
- [6] P. Haffner and A. Waibel, "Multi-State Time Delay Neural Networks for Continuous Speech Recognition", *Advances in Neural Information Processing Systems (NIPS-4)*, Morgan Kaufman, 1992.
- [7] C. Bregler, H. Hild, S. Manke, and A. Waibel, "Improving Connected Letter Recognition by Lipreading", *Proceedings of the ICASSP-93*, Minneapolis, April 1993.
- [8] A. Waibel, T. Hanazawa, G. Hinton, K. Shiano, and K. Lang, "Phoneme Recognition using Time-Delay Neural Networks", *IEEE Transactions on Acoustics, Speech and Signal Processing*, March 1989.
- [9] W. Guerfali and R. Plamondon, "Normalizing and Restoring On-Line Handwriting", *Pattern Recognition*, 16(5), 1993.
- [10] M. Woszczyna et al., "Janus 94: Towards Spontaneous Speech Translation", *Proceedings of the ICASSP-94*, Adelaide, April 1994.

APPENDIX B



Journals, Magazines, Newspapers

Advances in neural information processing systems

CONFERENCES

IEEE Conference on Neural Information Processing Systems--Natural and Synthetic
NIPS (Conference)

AVAILABLE AS

Online

Physical

 [View Online](#)

 [Available Issues / Request a Copy](#)

 [Save to Lists](#)

 [Citation](#)

Physical Locations

This item is also held by UW-La Crosse and UW-Milwaukee



Multiple items exist. Use  [Available Issues / Request a Copy](#) to see what's on the shelf.

Steenbock Library

Today's hours: 9 a.m.–11:30 p.m.

Stacks

QA76.87 A38

Notes

Print subscription cancelled after 2011.

This Location Has
v.1(1988)-v.25(2012)

Publication Details

INCLUDED TITLE

NIPS online

FORMAT

Journals, Magazines, Newspapers

LANGUAGE

English

PUBLICATION

1989-1994 ; San Mateo, CA : Morgan Kaufmann Publishers, c1989-
1995-2006 ; Cambridge, Mass : MIT Press
2007- ; [Place of publication not identified] : Neural Information Processing Systems Foundation

PUBLICATION DATES

1-

PHYSICAL DETAILS

volumes : illustrations ; 24-26 cm

ISSNS

1049-5258

OCLC

ocm19891678

ⓧ Notes

Vols. 1-2 contain the collected papers of the 1988-1989 IEEE Conference on Neural Information Processing Systems--Natural and Synthetic; v. 3-6, has the papers of the 1990-1993 NIPS Conference; v. 7- has the papers of the 1994- Conference on Neural Information Processing Systems.

Latest issue consulted: 20, Proceedings of the 2007 Conference.

Published: Cambridge, Mass : MIT Press, 1995-2006; [S.l.] : Neural Information Processing Systems Foundation, 2007-

Also issued online.

Subjects

[Neural computers -- Periodicals.](#)

[Neural networks \(Computer science\) -- Periodicals.](#)

[Electronic Data Processing -- congresses.](#)

Medical Subject Heading

[Electronic Data Processing -- periodicals.](#)

Medical Subject Heading

[Models, Neurological -- congresses.](#)

Medical Subject Heading

[Models, Neurological -- periodicals.](#)

Medical Subject Heading

[Neural Networks, Computer -- congresses.](#)

Medical Subject Heading

[Neural Networks, Computer -- periodicals.](#)

Medical Subject Heading

Content Types

[Periodicals](#)

[congresses](#)

[periodicals](#)

Items Related By Call Number

[Shelf Browse](#)



Books

High level connectionist models

Physical
QA76.87 A375 v.1

Books

Analogical connections

Physical
QA76.87 A375 v.2

Books

Analogy, metaphor, and reminding

Physical
QA76.87 A375 v.3

Books

Advances in component

Physical
QA76.87 A378



▼ Digital Copies at HathiTrust

▼ Library Staff Details

APPENDIX C



Journals, Magazines, Newspapers

Advances in neural information processing systems

CONFERENCES

IEEE Conference on Neural Information Processing Systems--Natural and Synthetic
NIPS (Conference)

AVAILABLE AS

Online
Physical

 [View Online](#)

 [Available Issues / Request a Copy](#)

 [Save to Lists](#)

 [Citation](#)

Physical Locations

This item is also held by UW-La Crosse and UW-Milwaukee

 Multiple items exist. Use [Available Issues / Request a Copy](#) to see what's on the shelf.

Steenbock Library

Today's hours: 9 a.m.-11:30 p.m.

Stacks

QA76.87 A38

Notes

Print subscription cancelled after 2011.

This Location Has

v.1(1988)-v.25(2012)

Publication Details

INCLUDED TITLE

NIPS online

FORMAT

Journals, Magazines, Newspapers

LANGUAGE

English

PUBLICATION
1989-1994 ; San Mateo, CA : Morgan Kaufmann Publishers, c1989- 1995-2006 ; Cambridge, Mass : MIT Press 2007- ; [Place of publication not identified] : Neural Information Processing Systems Foundation
PUBLICATION DATES
1-
PHYSICAL DETAILS
volumes : illustrations ; 24-26 cm
ISSNS
1049-5258
OCLC
ocm19891678

×

Notes

Vols. 1-2 contain the collected papers of the 1988-1989 IEEE Conference on Neural Information Processing Systems--Natural and Synthetic; v. 3-6, has the papers of the 1990-1993 NIPS Conference; v. 7- has the papers of the 1994- Conference on Neural Information Processing Systems.
 Latest issue consulted: 20, Proceedings of the 2007 Conference.
 Published: Cambridge, Mass : MIT Press, 1995-2006; [S.l.] : Neural Information Processing Systems Foundation, 2007-
 Also issued online.

Subjects

Neural computers -- Periodicals.
Neural networks (Computer science) -- Periodicals.
Electronic Data Processing -- congresses. Medical Subject Heading
Electronic Data Processing -- periodicals. Medical Subject Heading
Models, Neurological -- congresses. Medical Subject Heading
Models, Neurological -- periodicals. Medical Subject Heading
Neural Networks, Computer -- congresses. Medical Subject Heading
Neural Networks, Computer -- periodicals. Medical Subject Heading

Content Types

Periodicals

congresses

periodicals

Items Related By Call Number

Shelf Browse

Books
High level connectionist models

Physical
QA76.87 A375 v.1

Books
Analogical connections

Physical
QA76.87 A375 v.2

Books
Analogy, metaphor, and reminding

Physical
QA76.87 A375 v.3

Books
Advances in independent component analysis

Physical
QA76.87 A378 2000 (43-N-2)

Books
Advances in cognitive systems

Online
QA76.87 .A38 2010eb

Books
Advances in Neural Netwo
ISSN 2007 4th Inter...
International Symposium on N
...

QA76.87 .A383 2007

▼ Digital Copies at HathiTrust

▲ Library Staff Details

MARC Bibliographic Record

LEADER	03247cas a2200721 a 4500
001	9928702903602122
005	20150408114104.0
008	890619c19899999mauar 1 a0eng c
010	\$a 90644910 \$zsn 89033004
015	\$a015454002\$2dnb
016	7_ \$a9607483\$2DNLM
016	7_ \$aSR0088551\$2DNLM
016	7_ \$a1012320-9\$2DE-600

022	0_	\$a1049-5258\$11049-5258\$21
035		\$a(OCOLC)ocm19891678
035		\$9ARW3937UW
035		\$a2870290
035		\$a(OCOLC)19891678
035		\$a(WU)2870290-uwmadisondb
035		\$a(EXLNZ-01UWI_NETWORK)999723890002121
040		\$aCPS\$beng\$cCPS\$dIXA\$dWAU\$dNSD\$dDLC\$dNST\$dHUL\$dDLC\$dNST\$dAGL\$dOCL\$dAGL\$dCOO\$dNST\$dGUA\$dEYM\$dNLM\$dIUL\$dSYS\$dOCLCQ\$dNLGGC\$dHNK\$dRCE\$dCUV\$dVRC\$dMYG\$dOCLCQ\$dHEBIS\$dGBVCP
042		\$apcc\$ansdp
049		\$aGZMA
050	00	\$aQA76.87\$b.A38
060	00	\$aW1\$bAD684D
070	0_	\$aQA76.87.A3
082	00	\$a006.3\$220
210	0_	\$aAdv. neural inf. process. syst.
222	_0	\$aAdvances in neural information processing systems
245	00	\$aAdvances in neural information processing systems.
260		\$31989-1994 ;\$aSan Mateo, CA :\$bMorgan Kaufmann Publishers,\$c1989-
260	2_	\$31995-2006 ;\$aCambridge, Mass :\$bMIT Press.
260	3_	\$32007- ;\$a[Place of publication not identified] :\$bNeural Information Processing Systems Foundation.
300		\$avolumes :\$billustrations ;\$c24-26 cm
310		\$aAnnual
336		\$atext\$btxt\$2ndacontent
337		\$aunmediated\$bn\$2rdamedia
338		\$avolume\$bnc\$2rdacarrier
362	0_	\$a1-

500		\$aVols. 1-2 contain the collected papers of the 1988-1989 IEEE Conference on Neural Information Processing Systems--Natural and Synthetic; v. 3-6, has the papers of the 1990-1993 NIPS Conference; v. 7- has the papers of the 1994- Conference on Neural Information Processing Systems.
500		\$aLatest issue consulted: 20, Proceedings of the 2007 Conference.
500		\$aPublished: Cambridge, Mass : MIT Press, 1995-2006; [S.l.] : Neural Information Processing Systems Foundation, 2007-
530		\$aAlso issued online.
650	_0	\$aNeural computers\$vPeriodicals.
650	_0	\$aNeural networks (Computer science)\$vPeriodicals.
650	_2	\$aElectronic Data Processing\$congresses.
650	_2	\$aElectronic Data Processing\$vperiodicals.
650	_2	\$aModels, Neurological\$congresses.
650	_2	\$aModels, Neurological\$vperiodicals.
650	_2	\$aNeural Networks, Computer\$congresses.
650	_2	\$aNeural Networks, Computer\$vperiodicals.
650	17	\$aNeuronen.\$2gtt
650	17	\$aInformatieverwerking (computer)\$2gtt
650	17	\$aNeurale netwerken.\$2gtt
711	2_	\$aIEEE Conference on Neural Information Processing Systems--Natural and Synthetic.
711	2_	\$aNIPS (Conference)
740	0_	\$aNIPS online.
776	08	\$iOnline version:\$tAdvances in neural information processing systems\$w(OCOLC)604058737
776	08	\$iOnline version:\$tAdvances in neural information processing systems\$w(OCOLC)631935238
850		\$aAU\$aCU-I\$aDLC\$aDNAL\$aDNLM\$aDeU\$aGUA\$aICU\$aIaU\$aInU\$aKyU\$aMH-Ps\$aMiU\$aMnU\$aNBuU-SE\$aNBC\$aNIC\$aNN\$aNSyU\$aNcD\$aNcU\$aNjP\$aNjR\$aOrU-S\$aPU\$aTU\$aTxU\$aWaU
891	33	\$81\$a.v.\$i(year)
891	40	\$81\$a<v.1>-\$i<1989>-\$xprovisional
994		\$aC0\$bGZM
997		\$aMARCIVE

LEADER	-----nas--2200721-a-4500
001	991021966139302122
005	20210927213032.0
008	890619c19899999mauar---o-----1---a0eng-c
015	\$a015454002\$2dnb
015	\$aGB9574871\$2bnb
016	7_ \$a015454002\$2DE-101
016	7_ \$a1012320-9\$2DE-600
016	7_ \$a9607483\$2DNLM
016	7_ \$aSR0088551\$2DNLM
016	7_ \$a009188016\$2Uk
035	\$a(CKB)110985822459408
035	\$a(CONSER)---90644910-
035	\$a(EXLCZ)99110985822459408
042	\$apcc\$ansdp
050	00 \$aQA76.87\$b.A38
060	00 \$aW1\$bAD684D
070	0_ \$aQA76.87.A3
072	_0 \$aX200
082	00 \$a006.3\$220
210	\$aADV NEURAL INF PROCESS SYST
210	0_ \$aAdv. neural inf. process. syst.
222	_0 \$aAdvances in neural information processing systems
245	00 \$aAdvances in neural information processing systems.\$h[electronic resource]
260	\$aSan Mateo, CA :\$bMorgan Kaufmann Publishers,\$c@1989-
300	\$a1 online resource

310		\$aAnnual
336		\$atext\$btxt\$2ndacontent
337		\$acomputer\$bc\$2rdamedia
338		\$aonline resource\$bcr\$2rdacarrier
362	0_	\$a1-
500		\$aVols. 1-2 contain the collected papers of the 1988-1989 IEEE Conference on Neural Information Processing Systems--Natural and Synthetic; v. 3-6, has the papers of the 1990-1993 NIPS Conference; v. 7- has the papers of the 1994- Conference on Neural Information Processing Systems.
500		\$aPublished: Cambridge, Mass : MIT Press, 1995-2006; [S.l.] : Neural Information Processing Systems Foundation, 2007-
588		\$aLatest issue consulted: 20, Proceedings of the 2007 Conference.
650	_0	\$aNeural computers\$vpPeriodicals.
650	_0	\$aNeural networks (Computer science)\$vpPeriodicals.
650	_7	\$aNeural computers.\$2fast\$0(OCOLC)fst01036251
650	_7	\$aNeural networks (Computer science)\$2fast\$0(OCOLC)fst01036260
650	17	\$aNeuronen.\$2gtt
650	17	\$aInformatieverwerking (computer)\$2gtt
650	17	\$aNeurale netwerken.\$2gtt
650	_2	\$aElectronic Data Processing.
650	_2	\$aModels, Neurological.
650	_2	\$aNeural Networks, Computer.
653	1_	\$aArtificial intelligence
655	_7	\$aPeriodicals.\$2fast\$0(OCOLC)fst01411641
655	_7	\$aPeriodicals.\$2lcgft
655	_2	\$aCongress.
655	_2	\$aPeriodical.
776		\$iPrint version:\$tAdvances in neural information processing systems.\$w(DLC) 90644910\$w(DLC)sn 89033004\$w(OCOLC)19891678\$x1049-5258
711	2_	\$aIEEE Conference on Neural Information Processing Systems--Natural and Synthetic.

711	2_	\$aNIPS (Conference)
853	33	\$81\$av.\$i(year)
863	40	\$81\$a<v.1>-\$i<1989>-\$xprovisional
906		\$aJOURNAL
920		\$aexl_impl conversion

MMS IDs
Document ID: 999723890002121
Network Electronic IDs: 9911028453702121
Network Physical IDs: 999723890002121
mms_lc_ids: 992448263402125, 991016438639002125
mms_mad_ids: 9928702903602122, 991021966139302122
mms_ml_ids: 999676123402124, 991012375363602124
mms_gb_ids: 991006752438502123
mms_sf_ids: 991014911278502130
mms_ww_ids: 991015492416602133