



US008200323B2

(12) **United States Patent**
DiBenedetto et al.

(10) **Patent No.:** **US 8,200,323 B2**
(45) **Date of Patent:** **Jun. 12, 2012**

(54) **PROGRAM PRODUCTS, METHODS, AND SYSTEMS FOR PROVIDING FITNESS MONITORING SERVICES**

(75) Inventors: **Christian DiBenedetto**, North Plains, OR (US); **Maya Ann Powch**, Portland, OR (US); **Stephen John Black**, Portland, OR (US)

(73) Assignee: **adidas AG**, Herzogenaurach (DE)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 317 days.

(21) Appl. No.: **12/468,025**

(22) Filed: **May 18, 2009**

(65) **Prior Publication Data**

US 2010/0292600 A1 Nov. 18, 2010

(51) **Int. Cl.**
A61B 5/04 (2006.01)

(52) **U.S. Cl.** **600/519; 600/520; 482/8**

(58) **Field of Classification Search** **600/519-523; 482/1, 8, 9, 901**

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,742,937 A	7/1973	Manuel et al.
3,802,698 A	4/1974	Burian et al.
3,838,684 A	10/1974	Manuel et al.
3,978,849 A	9/1976	Geneen
4,027,663 A	6/1977	Fischler et al.
4,038,976 A	8/1977	Hardy et al.
4,120,294 A	10/1978	Wolfe
4,120,296 A	10/1978	Prinz
4,221,223 A	9/1980	Linden
4,248,244 A	2/1981	Charnitski et al.
4,252,128 A	2/1981	Kane

4,436,096 A	3/1984	Dyck et al.
4,647,217 A	3/1987	Havel
4,653,498 A	3/1987	New, Jr. et al.
4,776,323 A	10/1988	Spector
4,788,983 A	12/1988	Brink et al.
4,938,228 A	7/1990	Righter et al.
5,314,389 A	5/1994	Dotan
5,735,799 A	4/1998	Baba et al.
5,769,755 A *	6/1998	Henry et al. 482/8
5,857,939 A	1/1999	Kaufman
5,891,042 A	4/1999	Sham et al.

(Continued)

FOREIGN PATENT DOCUMENTS

WO WO02067449 8/2002

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 12/467,944, Olesen et al., Portable Fitness Monitoring Systems, and Applications Thereof, filed May 18, 2009.

(Continued)


Primary Examiner — Brian T Gedeon

(74) *Attorney, Agent, or Firm* — Sterne, Kessler, Goldstein & Fox P.L.L.C.

(57) **ABSTRACT**

Program products, methods, and systems for providing fitness monitoring services are disclosed. In an embodiment, a method for providing heart rate information to a user of a portable fitness monitoring service includes: (a) defining a plurality of heart rate zones as ranges of percentages of a maximum heart rate; (b) associating a color with each of said heart rate zones; (c) receiving heart rate information from the user; and (d) providing a graphical display of the heart rate information, wherein a color of a portion of the graphical display corresponds with the color associated with one of said heart rate zones, wherein steps (a)-(d) are executed using at least one processor.

24 Claims, 47 Drawing Sheets



AliveCor Exhibit 1011

AliveCor, Inc. v. Apple Inc.

IPR2023-01434, U.S. Patent No. 10,270,898

1 of 65

US 8,200,323 B2

Page 2

U.S. PATENT DOCUMENTS

5,976,083	A	11/1999	Richardson et al.	
6,002,982	A	12/1999	Fry	
6,010,430	A *	1/2000	Mankovtitz	482/8
6,013,007	A	1/2000	Root et al.	
6,080,110	A	6/2000	Thorgersen	
6,080,111	A	6/2000	Pao-Lang	
6,104,947	A	8/2000	Heikkila et al.	
6,133,722	A	10/2000	Havel	
6,135,951	A	10/2000	Richardson et al.	
6,148,262	A	11/2000	Fry	
6,163,718	A	12/2000	Fabrizio	
6,230,047	B1	5/2001	McHugh	
6,251,048	B1	6/2001	Kaufman	
6,345,197	B1	2/2002	Fabrizio	
6,394,960	B1	5/2002	Shinogi et al.	
6,463,385	B1	10/2002	Fry	
6,572,636	B1	6/2003	Hagen et al.	
6,582,342	B2	6/2003	Fry	
6,585,622	B1	7/2003	Shum et al.	
6,607,493	B2	8/2003	Song	
6,716,139	B1	4/2004	Hosseinzadeh-Dolkhani et al.	
6,734,837	B1	5/2004	Havel	
6,736,759	B1	5/2004	Stubbs et al.	
6,745,069	B2	6/2004	Nissila et al.	
6,753,882	B2	6/2004	Nakazawa et al.	
6,758,816	B1	7/2004	Tsubata et al.	
6,798,378	B1	9/2004	Walters	
6,823,036	B1	11/2004	Chen	
6,832,109	B2	12/2004	Nissila	
6,837,827	B1	1/2005	Lee et al.	
6,853,955	B1	2/2005	Burrell et al.	
6,882,955	B1	4/2005	Ohlenbusch et al.	
7,057,551	B1	6/2006	Vogt	
7,062,225	B2	6/2006	White	
7,076,291	B2	7/2006	Pulkkinen et al.	
7,081,809	B1 *	7/2006	Mix et al.	340/321
7,085,678	B1	8/2006	Burrell et al.	
7,097,588	B2	8/2006	Watterson et al.	
7,192,402	B2	3/2007	Amano et al.	
7,220,220	B2	5/2007	Stubbs et al.	
7,251,454	B2	7/2007	White	
7,254,516	B2 *	8/2007	Case et al.	702/182
7,264,554	B2 *	9/2007	Bentley	473/222
7,292,867	B2	11/2007	Werner et al.	
7,383,081	B2	6/2008	Butt et al.	
7,398,151	B1	7/2008	Burrell et al.	
7,480,512	B2	1/2009	Graham et al.	
7,518,054	B2	4/2009	McKinney et al.	
7,519,327	B2	4/2009	White	
7,603,255	B2	10/2009	Case, Jr. et al.	
7,689,283	B1 *	3/2010	Schecter	607/18
7,771,320	B2 *	8/2010	Riley et al.	482/9
7,909,737	B2 *	3/2011	Ellis et al.	482/8
8,052,580	B2 *	11/2011	Saalisti et al.	482/8
8,068,858	B2 *	11/2011	Werner et al.	455/456.3
2001/0003542	A1	6/2001	Kita	
2002/0068873	A1	6/2002	Nissila	
2003/0069108	A1 *	4/2003	Kaiserman et al.	482/8
2003/0171189	A1	9/2003	Kaufman	
2003/0224337	A1	12/2003	Shum et al.	
2004/0046692	A1	3/2004	Robson et al.	
2004/0102931	A1	5/2004	Ellis et al.	
2004/0116784	A1	6/2004	Gavish	
2004/0171956	A1	9/2004	Babashan	
2004/0199056	A1	10/2004	Husemann et al.	
2005/0049113	A1	3/2005	Yueh et al.	
2005/0124463	A1	6/2005	Yeo et al.	
2005/0195094	A1	9/2005	White	
2005/0197063	A1	9/2005	White	
2005/0256416	A1	11/2005	Chen	
2005/0266961	A1	12/2005	Shum et al.	
2006/0136173	A1	6/2006	Case, Jr. et al.	
2006/0169125	A1	8/2006	Ashkenaze et al.	
2006/0189360	A1	8/2006	White	
2006/0253210	A1	11/2006	Rosenberg	
2007/0006489	A1	1/2007	Case, Jr. et al.	
2007/0011919	A1	1/2007	Case, Jr.	
2007/0021269	A1	1/2007	Shum	
2007/0159926	A1	7/2007	Prstojevich et al.	
2007/0260421	A1	11/2007	Berner, Jr. et al.	
2008/0002528	A1	1/2008	Andren et al.	
2008/0004510	A1	1/2008	Tanzawa et al.	
2008/0009275	A1	1/2008	Werner et al.	
2008/0051993	A1	2/2008	Graham et al.	
2008/0058971	A1	3/2008	Graham et al.	
2008/0059064	A1	3/2008	Werner et al.	
2008/0065319	A1	3/2008	Graham et al.	
2008/0096726	A1	4/2008	Riley et al.	
2008/0101161	A1	5/2008	Imai et al.	
2008/0103689	A1	5/2008	Graham et al.	
2008/0171636	A1	7/2008	Usui et al.	
2008/0200310	A1	8/2008	Taliabue	
2008/0319661	A1	12/2008	Werner et al.	
2009/0047645	A1	2/2009	Dibenedetto et al.	
2009/0048044	A1	2/2009	Oleson et al.	
2009/0048070	A1	2/2009	Vincent et al.	
2009/0233770	A1	9/2009	Vincent et al.	
2010/0292050	A1 *	11/2010	DiBenedetto et al.	482/9
2010/0292599	A1 *	11/2010	Oleson et al.	600/519

FOREIGN PATENT DOCUMENTS

WO	WO 2008/0101168	A2	8/2008
WO	WO2009033034		3/2009

OTHER PUBLICATIONS

U.S. Appl. No. 12/467,948, Oleson et al., Portable Fitness Monitoring Systems With Displays and Applications Thereof, filed May 18, 2009.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4

[illegible]

FIG. 5




FIG. 6




FIG. 7

ZONE	COLOR	% OF MAX HR
ENERGY	BLUE	65–75%
ENDURANCE	GREEN	75–85%
STRENGTH	YELLOW	85–90%
POWER	RED	90–95%

FIG. 8

HOME > EQUIPMENT		JUMP IN & SIGN UP! (ALREADY REGISTERED? LOG IN) > CHECKOUT PLANS		
WHAT'S THE DIFFERENCE BETWEEN THESE? WE'LL HELP YOU FIGURE OUT THE RIGHT TRAINING EQUIPMENT TO HELP YOU ACHIEVE YOUR GOAL.				
	MOBILE APPLICATION  >SEE DETAILS	+MP3 PLAYER  >SEE DETAILS	WATCH  >SEE DETAILS	MP3 PLAYER  >SEE DETAILS
I WANT...	THE COACHING AND I ...ALREADY HAVE A COMPATIBLE DEVICE.	THE COACHING BUT I ...ALREADY HAVE A MUSIC PLAYER I LIKE.	TO SELF TRAIN WITH A ...SIMPLE DEVICE THAT DISPLAYS ZONES.	ALL THE COACHING ...FEATURES WITH MUSIC, BUT NOT A NEW PHONE.
TRAINING FEATURES	ADVANCED COACHING NARRATION  GPS 	COACHING NARRATION 		ADVANCED COACHING NARRATION 
WEBSITE INTEGRATION			USB DATA UPLOAD ONLY 	USB DATA UPLOAD/DOWNLOAD 
ADDITIONAL FEATURE		PERSONAL MUSIC DEVICE COMPATIBLE 	TIME DEVICE 	PLAYS MUSIC 
ADDITIONAL TRAINING COMPONENTS				
SOFTWARE DOWNLOAD	MOBILE APP	MANAGER	NONE	MANAGER
LOOKING FOR THE PHONE OR SYNCHRONIZER DOWNLOAD? SEE THE PHONE INFORMATION PAGE.				

FIG. 9




FIG. 10




FIG. 11

UNITED STATES

SIGN UP

STORE FINDER

SHOP

LEARN TO RUN

PRACTICE RUNNING FREELY. MASTER THE BASICS OF HEART RATE TRAINING, PROPER FORM AND NEW TERMINOLOGY. LEARN TO ENJOY RUNNING!

CHOOSE THE LEVEL OF DIFFICULTY

1

2

3

4

5

6

7

GO BACK

PLAN AT A GLANCE

PREVIEW WORKOUT LIST

WHAT TO EXPECT

START WITH 1-MINUTE RUNNING BURSTS AND SLOWLY BUILD UP TO LONGER SEGMENTS.

BENEFITS

BUILD THE ENDURANCE TO RUN FOR 10 MINUTES, BE READY FOR LEVEL 3!

RECOMMENDED SCHEDULE

WORKOUTS

34

PER WEEK

3

WEEKS

12

NEXT STEP-PERSONALIZE

204

START

PLAN

SCHEDULE

TRACK

SUPPORT

LOG OUT

HELP/CONTACT US

ABOUT US

CAREERS

PRESS

PARTNERS

CORPORATE INFORMATION

LEGAL

STORE LOCATOR

WARNING: EMAIL SCAM

DONE

INTERNET

100%

FIG. 12

UNITED STATES

SIGN UP

STORE FINDER

SHOP

314

BE FIT-IN THE GYM

ADD VARIETY TO YOUR BASELINE GYM ROUTINE WITH INTERVAL WORKOUTS AND MULTIPLE CARDIO MACHINE OPTIONS.

CHOOSE THE LEVEL OF DIFFICULTY

1

2

3

4

5

6

7

GO BACK

PLAN AT A GLANCE

PREVIEW WORKOUT LIST

LEVEL 4: YOU SPEND 25 MINUTES OR LESS ON CARDIO; YOU'RE READY TO TAKE IT UP A NOTCH.

316

WHAT TO EXPECT

GET TO KNOW THE WORLD OF YELLOW ZONE SPRINTS AND HIGHER-INTENSITY WORKOUTS.

BENEFITS

DEEPEN YOUR CARDIO AND HAVE FUN AT THE SAME TIME. WORK TOWARDS A MUCH STRONGER FOUNDATION.

RECOMMENDED SCHEDULE

WORKOUTS

34

PER WEEK

4

WEEKS

9

NEXT STEP—PERSONALIZE

204

START

PLAN

SCHEDULE

TRACK

SUPPORT

HI, RICH!

LOG OUT

HELP/CONTACT US

ABOUT US

CAREERS

PRESS

PARTNERS

CORPORATE INFORMATION

LEGAL

STORE LOCATOR

WARNING: EMAIL SCAM

DONE

INTERNET

100%

FIG. 13

UNITED STATES
SIGN UP
STORE FINDER

SHOP

RUN A RACE-10K RACE

READY FOR A LONGER RACE? CAPITALIZE ON SPEEDWORK, INTERVALS, RECOVERY WORKOUTS AND LONG RUNS TO BUILD THE ENDURANCE AND AEROBIC CAPACITY TO FINISH THE 10K.

CHOOSE THE LEVEL OF DIFFICULTY

1234567

314

316

LEVEL 4: YOU CAN RUN FOR 30 MINUTES AND WANT TO FINISH IN THE MIDDLE OF THE 10K RACE.

PLAN AT A GLANCE

315

PREVIEW WORKOUT LIST

317

WHAT TO EXPECT

TEACH YOUR BODY TO WORK HARD WITH TOUGH YELLOW ZONE SPRINTS. GAUGE YOUR RACE EFFORT BY UNDERSTANDING YOUR SPEED FOR THE GREEN ZONE.

BENEFITS

FINISH A 10K IN UNDER 65 MINUTES. IMPROVE YOUR RUNNING SPEED AND FINISH THE RACE FEELING GREAT.

RECOMMENDED SCHEDULE

WORKOUTS	51	PER WEEK	4	WEEKS	13
----------	----	----------	---	-------	----

NEXT STEP-PERSONALIZE

204

STARTPLAN

SCHEDULETRACKSUPPORT

HI, RICH!

LOG OUT

HELP/CONTACT USABOUT USCAREERSPRESSPARTNERSCORPORATE INFORMATIONLEGALSTORE LOCATORWARNING: EMAIL SCAM

DONE

INTERNET100%

FIG. 14

UNITED STATES

SIGN UP

STORE FINDER

SHOP

DE-STRESS

EXERCISE YOUR WAY TO RELAXATION WITH 10 SHORT WORKOUTS, WHICH CHANGE EACH TIME YOU SELECT THIS PLAN.

1

2

3

4

5

6

7

CHOOSE THE LEVEL OF DIFFICULTY

314

LEVEL 3: 20-MINUTE WORKOUTS ARE YOUR TICKET TO RELAX.

WHAT TO EXPECT

10 WORKOUTS, EACH ABOUT 20 MINUTES. WORKOUTS INCLUDE EASY WALKS, STEADY GREEN ZONE EFFORTS, AND SHORT SPRINTS.

BENEFITS

ESTABLISH A REGULAR EXERCISE ROUTINE. INCREASE YOUR ENERGY, AND REDUCE STRESS. ENJOY THE TIME SET ASIDE.

PLAN AT A GLANCE

PREVIEW WORKOUT LIST

RECOMMENDED SCHEDULE

WORKOUTS

10

PER WEEK

3

WEEKS

4

NEXT STEP—PERSONALIZE

204

START

PLAN

SCHEDULE

TRACK

SUPPORT

HI, RICH!

LOG OUT

HELP/CONTACT US

ABOUT US

CAREERS

PRESS

PARTNERS

CORPORATE INFORMATION

LEGAL

STORE LOCATOR

WARNING: EMAIL SCAM

DONE

INTERNET

100%

FIG. 15

UNITED STATES

SIGN UP

STORE FINDER

SHOP

LOSE WEIGHT

REDUCE BODY FAT, INCREASE YOUR ENERGY AND IMPROVE YOUR HEALTH WITH THESE AEROBIC WORKOUTS. USE CARDIO MACHINES OR RUN OUTDOORS—YOUR CHOICE.

1

2

3

4

5

6

7

314

CHOOSE THE LEVEL OF DIFFICULTY

316

LEVEL 4: YOU CAN SUSTAIN 20 MINUTES OF CARDIO; YOU'RE READY TO GROW.

WHAT TO EXPECT

USHER IN A NEW ERA OF YELLOW ZONE SPRINTING INTERVALS (THEY REALLY BURN CALORIES AND BUILD ENDURANCE); YOUR WORKOUT DURATION WILL INCREASE TO BUILD UP A NEW BASE. USE THE GYM OR RUN OUTDOORS.

BENEFITS

THE LONGER YOUR EXERCISE SESSION, THE MORE CALORIES YOU BURN. CHALLENGE YOUR BODY WITH A FINAL 30-MINUTE GREEN ZONE EFFORT. REPEAT LEVEL 4 OR MOVE UP TO LEVEL 5.

318

PLAN AT A GLANCE

320

PREVIEW WORKOUT LIST

322

GO BACK

324

RECOMMENDED SCHEDULE

326

WORKOUTS

34

328

PER WEEK

4

330

WEEKS

9

332

NEXT STEP—PERSONALIZE

204

START

PLAN

SCHEDULE

TRACK

SUPPORT

LOG OUT

HI, RICH!

HELP/CONTACT US

ABOUT US

CAREERS

PRESS

PARTNERS

CORPORATE INFORMATION

LEGAL

STORE LOCATOR

WARNING: EMAIL SCAM

INTERNET

100%

FIG. 16

UNITED STATES

SIGN UP

STORE FINDER

SHOP

FINISH FASTER—MARATHON

GET READY TO DIG DEEP AND BASK IN THE RESULTS! THIS PLAN WILL CHALLENGE YOUR BODY TO IMPROVE YOUR LONG-DISTANCE AEROBIC CAPACITY. TARGET THE MARATHON TIME!

CHOOSE THE LEVEL OF DIFFICULTY

1

2

3

4

5

6

7

PLAN AT A GLANCE

PREVIEW WORKOUT LIST

GO BACK

204

START

PLAN

SCHEDULE

TRACK

SUPPORT

HI, RICH!

LOG OUT

WHAT TO EXPECT

BE PREPARED TO BUILD A BASE OF 30+ MILES PER WEEK AND RUN ABOUT 40+ MILES PER WEEK AT YOUR PEAK. PRACTICE YELLOW ZONE THRESHOLD WORKOUTS. THIS ISN'T EASY, BUT YOUR HARD WORK WILL PAY OFF ON RACE DAY!

BENEFITS

PREPARE FOR A FINISHING TIME UNDER 03:35 HOURS.

RECOMMENDED SCHEDULE

WORKOUTS

124

PER WEEK

6

WEEKS

21

NEXT STEP—PERSONALIZE

LEVEL 6: YOU'VE GONE THE DISTANCE. NOW CONQUER THE 03:35 MARATHON.

HELP/CONTACT US

ABOUT US

CAREERS

PRESS

PARTNERS

CORPORATE INFORMATION

LEGAL

STORE LOCATOR

WARNING: EMAIL SCAM

DONE

INTERNET

100%

FIG. 17




FIG. 18

UNITED STATES

SIGN UP STORE FINDER

SHOP

RUN A RACE – 10K RACE

④ GO BACK

COACH TIP

4 TIMES A WEEK SHOULD GET YOU 10K STRONG. AIM FOR REST DAYS IN BETWEEN. BELIEVES IN REST AFTER RUNNING. IF YOU CHOOSE THE MAX 7 DAYS A WEEK, THE 7TH DAY WILL BE A REST DAY.

MY SCHEDULE

DURATION: TUE, 21 APR 2009 – SAT, 4 JUL 2009

WORKOUTS	PER WEEK	WEEKS
42	4	11

NEXT STEP – COMPLETE

STEP 1: OK. HOW WOULD YOU LIKE TO SCHEDULE YOUR PLAN?

☒ BY RACE DATE ☐ BY START DATE

DAY OF THE RACE DAY TO START TRAINING

STEP 2: HOW MANY DAYS PER WEEK DO YOU WANT TO WORK OUT?

STEP 3: NAME YOUR PLAN AND YOU'RE READY TO START.

PLEASE CONSULT YOUR PHYSICIAN BEFORE BEGINNING OR ADVANCING IN ANY EXERCISE PROGRAM. TERMS OF USE.

204~

START PLAN SCHEDULE TRACK SUPPORT

HI, RICH!

LOG OUT

HELP/CONTACT US ABOUT US CAREERS PRESS PARTNERS CORPORATE INFORMATION LEGAL STORE LOCATOR WARNING: EMAIL SCAM

DONE

INTERNET 100%

FIG. 19




FIG. 20

UNITED STATES

SIGN UP

STORE FINDER

SHOP

12 APR 2009 - 2 MAY 2009

PICK DATE

TODAY

402

DISPLAY

ALL WORKOUTS

MY PLAN

FINISH FASTER - MARATHON

FINISH FASTER - MARATHON

LEVEL 7

VIEW

EDIT YOUR PLAN

FINISH FASTER - MARATHON

WHAT DO YOU WANT TO DO?

RESET SCHEDULE

RESET SCHEDULE

CHOOSE YOUR LONG RUN DAY

END YOUR PLAN

CONTINUE WITH WORKOUT

VIEW WORKOUTS

124

WORKOUTS

PER WEEK

6

WEEKS

21

MY SCHEDULE

DURATION: THUR, 9 APR 2009 - SAT, 5 SEP 2009

12

SUNDAY

13

MONDAY

14

TUESDAY

15

WEDNESDAY

16

THURSDAY

17

FRIDAY

18

SATURDAY

19

SUNDAY

20

MONDAY

21

TUESDAY

22

WEDNESDAY

23

THURSDAY

24

FRIDAY

25

SATURDAY

26

SUNDAY

27

MONDAY

28

TUESDAY

29

WEDNESDAY

30

THURSDAY

31

FRIDAY

1

SATURDAY

2

SUNDAY

3

MONDAY

4

TUESDAY

5

WEDNESDAY

6

THURSDAY

7

FRIDAY

8

SATURDAY

9

SUNDAY

10

MONDAY

11

TUESDAY

12

WEDNESDAY

13

THURSDAY

14

FRIDAY

15

SATURDAY

16

SUNDAY

17

MONDAY

18

TUESDAY

19

WEDNESDAY

20

THURSDAY

21

FRIDAY

22

SATURDAY

23

SUNDAY

24

MONDAY

25

TUESDAY

26

WEDNESDAY

27

THURSDAY

28

FRIDAY

29

SATURDAY

30

SUNDAY

31

MONDAY

32

TUESDAY

33

WEDNESDAY

34

THURSDAY

35

FRIDAY

36

SATURDAY

37

SUNDAY

38

MONDAY

39

TUESDAY

40

WEDNESDAY

41

THURSDAY

42

FRIDAY

43

SATURDAY

44

SUNDAY

45

MONDAY

46

TUESDAY

47

WEDNESDAY

48

THURSDAY

49

FRIDAY

50

SATURDAY

51

SUNDAY

52

MONDAY

53

TUESDAY

54

WEDNESDAY

55

THURSDAY

56

FRIDAY

57

SATURDAY

58

SUNDAY

59

MONDAY

60

TUESDAY

61

WEDNESDAY

62

THURSDAY

63

FRIDAY

64

SATURDAY

65

SUNDAY

66

MONDAY

67

TUESDAY

68

WEDNESDAY

69

THURSDAY

70

FRIDAY

71

SATURDAY

72

SUNDAY

73

MONDAY

74

TUESDAY

75

WEDNESDAY

76

THURSDAY

77

FRIDAY

78

SATURDAY

79

SUNDAY

80

MONDAY

81

TUESDAY

82

WEDNESDAY

83

THURSDAY

84

FRIDAY

85

SATURDAY

86

SUNDAY

87

MONDAY

88

TUESDAY

89

WEDNESDAY

90

THURSDAY

91

FRIDAY

92

SATURDAY

93

SUNDAY

94

MONDAY

95

TUESDAY

96

WEDNESDAY

97

THURSDAY

98

FRIDAY

99

SATURDAY

100

SUNDAY

101

MONDAY

102

TUESDAY

103

WEDNESDAY

104

THURSDAY

105

FRIDAY

106

SATURDAY

107

SUNDAY

108

MONDAY

109

TUESDAY

110

WEDNESDAY

111

THURSDAY

112

FRIDAY

113

SATURDAY

114

SUNDAY

115

MONDAY

116

TUESDAY

117

WEDNESDAY

118

THURSDAY

119

FRIDAY

120

SATURDAY

121

SUNDAY

122

MONDAY

123

TUESDAY

124

WEDNESDAY

125

THURSDAY

126

FRIDAY

127

SATURDAY

128

SUNDAY

129

MONDAY

130

TUESDAY

131

WEDNESDAY

132

THURSDAY

133

FRIDAY

134

SATURDAY

135

SUNDAY

136

MONDAY

137

TUESDAY

138

WEDNESDAY

139

THURSDAY

140

FRIDAY

141

SATURDAY

142

SUNDAY

143

MONDAY

144

TUESDAY

145

WEDNESDAY

146

THURSDAY

147

FRIDAY

148

SATURDAY

149

SUNDAY

150

MONDAY

151

TUESDAY

152

WEDNESDAY

153

THURSDAY

154

FRIDAY

155

SATURDAY

156

SUNDAY

157

MONDAY

158

TUESDAY

159

WEDNESDAY

160

THURSDAY

161

FRIDAY

162

SATURDAY

163

SUNDAY

164

MONDAY

165

TUESDAY

166

WEDNESDAY

167

THURSDAY

168

FRIDAY

169

SATURDAY

170

SUNDAY

171

MONDAY

172

TUESDAY

173

WEDNESDAY

174

THURSDAY

175

FRIDAY

176

SATURDAY

177

SUNDAY

178

MONDAY

179

TUESDAY

180

WEDNESDAY

181

THURSDAY

182

FRIDAY

183

SATURDAY

184

SUNDAY

185

MONDAY

186

TUESDAY

187

WEDNESDAY

188

THURSDAY

189

FRIDAY

190

SATURDAY

191

SUNDAY

192

MONDAY

193

TUESDAY

194

WEDNESDAY

195

THURSDAY

196

FRIDAY

197

SATURDAY

198

SUNDAY

199

MONDAY

200

TUESDAY

201

WEDNESDAY

202

THURSDAY

203

FRIDAY

204

SATURDAY

205

SUNDAY

206

MONDAY

207

TUESDAY

208

WEDNESDAY

209

THURSDAY

210

FRIDAY

211

SATURDAY

212

SUNDAY

213

MONDAY

214

TUESDAY

215

WEDNESDAY

216

THURSDAY

217

FRIDAY

218

SATURDAY

219

SUNDAY

220

MONDAY

221

TUESDAY

222

WEDNESDAY

223

THURSDAY

224

FRIDAY

225

SATURDAY

226

SUNDAY

227

MONDAY

228

TUESDAY

229

WEDNESDAY

230

THURSDAY

231

FRIDAY

232

SATURDAY

233

SUNDAY

234

MONDAY

235

TUESDAY

236

WEDNESDAY

237

THURSDAY

238

FRIDAY

239

SATURDAY

240

SUNDAY

241

MONDAY

242

TUESDAY

243

WEDNESDAY

244

THURSDAY

245

FRIDAY

246

SATURDAY

247

SUNDAY

248

MONDAY

249

TUESDAY

250

WEDNESDAY

251

THURSDAY

252

FRIDAY

253

SATURDAY

254

SUNDAY

255

MONDAY

256

TUESDAY

257

WEDNESDAY

258

THURSDAY

259

FRIDAY

260

SATURDAY

261

SUNDAY

262

MONDAY

263

TUESDAY

264

WEDNESDAY

265

THURSDAY

266

FRIDAY

267

SATURDAY

268

SUNDAY

269

MONDAY

270

TUESDAY

271

WEDNESDAY

272

THURSDAY

273

FRIDAY

274

SATURDAY

275

SUNDAY

276

MONDAY

277

TUESDAY

278

WEDNESDAY

279

THURSDAY

280

FRIDAY

281

SATURDAY

282

SUNDAY

283

MONDAY

284

TUESDAY

285

WEDNESDAY

286

THURSDAY

287

FRIDAY

288

SATURDAY

289

SUNDAY

290

MONDAY

291

TUESDAY

292

WEDNESDAY

293

THURSDAY

294

FRIDAY

295

SATURDAY

296

SUNDAY

297

MONDAY

298

TUESDAY

299

WEDNESDAY

300

THURSDAY

301

FRIDAY

302

SATURDAY

303

SUNDAY

304

MONDAY

305

TUESDAY

306

WEDNESDAY

307

THURSDAY

308

FRIDAY

309

SATURDAY

310

SUNDAY

311

MONDAY

312

TUESDAY

313

WEDNESDAY

314

THURSDAY

315

FRIDAY

316

SATURDAY

317

SUNDAY

318

MONDAY

319

TUESDAY

320

WEDNESDAY

321

THURSDAY

322

FRIDAY

323

SATURDAY

324

SUNDAY

325

MONDAY

326

TUESDAY

327

WEDNESDAY

328

THURSDAY

329

FRIDAY

330

SATURDAY

331

SUNDAY

332

MONDAY

333

TUESDAY

334

WEDNESDAY

335

THURSDAY

336

FRIDAY

337

SATURDAY

338

SUNDAY

339

MONDAY

340

TUESDAY

341

WEDNESDAY

342

THURSDAY

343

FRIDAY

344

SATURDAY

345

SUNDAY

346

MONDAY

347

TUESDAY

348

WEDNESDAY

349

THURSDAY

350

FRIDAY

351

SATURDAY

352

SUNDAY

353

MONDAY

354

TUESDAY

355

WEDNESDAY

356

THURSDAY

357

FRIDAY

358

SATURDAY

359

SUNDAY

360

MONDAY

361

TUESDAY

362

WEDNESDAY

363

THURSDAY

364

FRIDAY

365

SATURDAY

366

SUNDAY

367

MONDAY

368

TUESDAY

369

WEDNESDAY

370

THURSDAY

371

FRIDAY

372

SATURDAY

373

SUNDAY

374

MONDAY

375

TUESDAY

376

WEDNESDAY

377

THURSDAY

378

FRIDAY

379

SATURDAY

380

SUNDAY

381

MONDAY

382

TUESDAY

383

WEDNESDAY

384

THURSDAY

385

FRIDAY

386

SATURDAY

387

SUNDAY

388

MONDAY

389

TUESDAY

390

WEDNESDAY

391

THURSDAY

392

FRIDAY

393

SATURDAY

394

SUNDAY

395

MONDAY

396

TUESDAY

397

WEDNESDAY

398

THURSDAY

399

FRIDAY

400

SATURDAY

401

SUNDAY

402

MONDAY

403

TUESDAY

404

WEDNESDAY

405

THURSDAY

406

FRIDAY

407

SATURDAY

408

SUNDAY

409

MONDAY

410

TUESDAY

411

WEDNESDAY

412

THURSDAY

413

FRIDAY

414

SATURDAY

415

SUNDAY

416

MONDAY

417

TUESDAY

418

WEDNESDAY

419

THURSDAY

420

FRIDAY

421

SATURDAY

422

SUNDAY

423

MONDAY

424

TUESDAY

425

WEDNESDAY

426

THURSDAY

427

FRIDAY

428

SATURDAY

429

SUNDAY

430

MONDAY

431

TUESDAY

432

WEDNESDAY

433

THURSDAY

434

FRIDAY

435

SATURDAY

436

SUNDAY

437

MONDAY

438

TUESDAY

439

WEDNESDAY

440

THURSDAY

441

FRIDAY

442

SATURDAY

443

SUNDAY

444

MONDAY

445

TUESDAY

446

WEDNESDAY

447

THURSDAY

448

FRIDAY

449

SATURDAY

450

SUNDAY

451

MONDAY

452

TUESDAY

453

WEDNESDAY

454

THURSDAY

455

FRIDAY

456

SATURDAY

457

SUNDAY

458

MONDAY

459

TUESDAY

460

WEDNESDAY

461

THURSDAY

462

FRIDAY

463

SATURDAY

464

SUNDAY

465

MONDAY

466

TUESDAY

467

WEDNESDAY

468

THURSDAY

469

FRIDAY

470

SATURDAY

471

SUNDAY

472

MONDAY

473

TUESDAY

474

WEDNESDAY

475

THURSDAY

476

FRIDAY

477

SATURDAY

478

SUNDAY

479

MONDAY

480

TUESDAY

481

WEDNESDAY

482

THURSDAY

483

FRIDAY

484

SATURDAY

485

SUNDAY

486

MONDAY

487

TUESDAY

488

WEDNESDAY

489

THURSDAY

490

FRIDAY

491

SATURDAY

492

SUNDAY

493

MONDAY

494

TUESDAY

495

WEDNESDAY

496

THURSDAY

497

FRIDAY

498

SATURDAY

499

SUNDAY

500

MONDAY

501

TUESDAY

502

WEDNESDAY

503

THURSDAY

504

FRIDAY

505

SATURDAY

506

SUNDAY

507

MONDAY

508

TUESDAY

509

WEDNESDAY

510

THURSDAY

511

FRIDAY

512

SATURDAY

513

SUNDAY

514

MONDAY

515

TUESDAY

516

WEDNESDAY

517

THURSDAY

518

FRIDAY

519

SATURDAY

520

SUNDAY

521

MONDAY

522

TUESDAY

523

WEDNESDAY

524

THURSDAY

525

FRIDAY

526

SATURDAY

527

SUNDAY

528

MONDAY

529

TUESDAY

530

WEDNESDAY

531

THURSDAY

532

FRIDAY

533

SATURDAY

534

SUNDAY

535

MONDAY

536

TUESDAY

537

WEDNESDAY

538

THURSDAY

539

FRIDAY

540

SATURDAY

541

SUNDAY

542

MONDAY

543

TUESDAY

544

WEDNESDAY

545

THURSDAY

546

FRIDAY

547

SATURDAY

548

SUNDAY

549

MONDAY

550

TUESDAY

551

WEDNESDAY

552

THURSDAY

553

FRIDAY

554

SATURDAY

555

SUNDAY

556

MONDAY

557

TUESDAY

558

WEDNESDAY

559

THURSDAY

560

FRIDAY

561

SATURDAY

562

SUNDAY

563

MONDAY

564

TUESDAY

565

WEDNESDAY

566

THURSDAY

567

FRIDAY

568

SATURDAY

569

SUNDAY

570

MONDAY

571

TUESDAY

572

WEDNESDAY

573

THURSDAY

574

FRIDAY

575

SATURDAY

576

SUNDAY

577

MONDAY

578

TUESDAY

579

WEDNESDAY

580

THURSDAY

581

FRIDAY

582

SATURDAY

583

SUNDAY

584

MONDAY

585

TUESDAY

586

WEDNESDAY

587

THURSDAY

588

FRIDAY

589

SATURDAY

590

SUNDAY

591

MONDAY

592

TUESDAY

593

WEDNESDAY

594

THURSDAY

595

FRIDAY

596

SATURDAY

597

SUNDAY

598

MONDAY

599

TUESDAY

600

WEDNESDAY

601

THURSDAY

602

FRIDAY

603

SATURDAY

604

SUNDAY

605

MONDAY

606

TUESDAY

607

WEDNESDAY

608

THURSDAY

609

FRIDAY

610

SATURDAY

611

SUNDAY

612

MONDAY

613

TUESDAY

614

WEDNESDAY

615

THURSDAY

616

FRIDAY

617

SATURDAY

618

SUNDAY

619

MONDAY

620

TUESDAY

621

WEDNESDAY

622

THURSDAY

623

FRIDAY

624

SATURDAY

625

SUNDAY

626

MONDAY

627

TUESDAY

628

WEDNESDAY

629

THURSDAY

630

FRIDAY

631

SATURDAY

632

SUNDAY

633

MONDAY

634

TUESDAY

635

WEDNESDAY

636

THURSDAY

637

FRIDAY

638

SATURDAY

639

SUNDAY

640

MONDAY

641

TUESDAY

642

WEDNESDAY

643

THURSDAY

644

FRIDAY

645

SATURDAY

646

SUNDAY

647

MONDAY

648

TUESDAY

649

WEDNESDAY

650

THURSDAY

651

FRIDAY

652

SATURDAY

653

SUNDAY

654

UNITED STATES SIGN UP STORE FINDER

12 APR 2009 - 2 MAY 2009 PICK DATE TODAY DISPLAY ALL WORKOUTS

SHOP

204

MY PLAN CUSTOM WORKOUTS

LONG RUN

ADD CUSTOM WORKOUT

SCHEDULE A CUSTOM WORKOUT

ADD REMOVE WORKOUTS

REPEAT

ADD REPEAT WEEKLY DOES NOT REPEAT REPEAT WEEKLY REPEAT EVERY OTHER WEEK

SUN MON TUE WED THU FRI SAT

START DATE

END DATE

WILL ADD 1 WORKOUT(S) TO YOUR CALENDAR

OK

LOG OUT

HI, RICH!

HELP/CONTACT US ABOUT US CAREERS PRESS PARTNERS CORPORATE INFORMATION LEGAL STORE LOCATOR WARNING: EMAIL SCAM

DONE

INTERNET 100%

FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35

UNITED STATES

SIGN UP

STORE FINDER

SHOP

COACH TALK ~540

YES, LONG RUNS CAN BE HARD, AND WHILE DISCOMFORT AND FATIGUE ARE NORMAL, DON'T FORCE YOURSELF TO "RUN THROUGH" SHARP PAIN. IF YOU START TO FEEL AN INJURY COMING ON, STOP RUNNING AND DO YOUR LONG RUN ON ANOTHER DAY. OTHERWISE, THE PAIN YOU FEEL COULD TURN INTO A SERIOUS INJURY.

ACHIEVEMENTS ~534

TIME | CALORIES | DISTANCE | HEART RATE | PACE

THIS IS YOUR AVERAGE HEART RATE PERCENTAGE IN TARGET ZONE

LIFETIME 56 %

SINCE 5/1/2007 56 %

LAST WEEK -- %

THIS WEEK -- %

HISTORY

LATEST WORKOUT

WED, 15 APR 2009 06:15

RUN 0019

536

TIME 28:06

CALORIES 247 CAL

DISTANCE 3.9 MI

HEART RATE 153 BPM

PACE 07:11 MIN/MI

STRIDE RATE 171 STEPS/MIN

WORKOUT DETAILS

NEXT WORKOUT

SUN, 26 APR 2009

FINISH FASTER... -11

02:00:00

538

COACH NOTE

120-MIN LONG RUN WITH 60-MIN GREEN.

MAKE TIME YOUR GOAL TODAY, NOT SPEED OR DISTANCE. START WITH A SLOW, EASY JOG FOR 45 MIN IN THE BLUE. CONTINUE WITH A MINIMUM EFFORT NECESSARY FOR THE GREEN ZONE.

WORKOUT DETAILS

PLAN TRACKER - FINISH FASTER - MARATHON, LEVEL 7 - 124 WORKOUTS / 0% COMPLETE

532

204

START

PLAN

SCHEDULE

TRACK

SUPPORT

SIGN UP

LOG IN

HELP/CONTACT US

ABOUT US

CAREERS

PRESS

PARTNERS

CORPORATE INFORMATION

LEGAL

STORE LOCATOR

WARNING: EMAIL SCAM

INTERNET

100%

FIG. 36




FIG. 37




FIG. 38




FIG. 39

204~

UNITED STATES

SIGN UP STORE FINDER

SHOP

LOG OUT

HI, RICH!

WARN: EMAIL SCAM

DONE

HELP/CONTACT US ABOUT US CAREERS PRESS PARTNERS CORPORATE INFORMATION LEGAL STORE LOCATOR

INTERNET 100%

SETTINGS

PERSONAL INFO WORKOUT SETTINGS

CLOSE

PERSONAL

BASICS

*EMAIL ADDRESS TESTER 1 CHANGE

*SCREEN NAME TESTER 17

*SECRET QUESTION COMPANY NAME

*SECRET ANSWER *****

NOTE: TO DELETE YOUR ACCOUNT AND ALL WORKOUT DATA, INCLUDING YOUR PROFILE AND SETTINGS PREFERENCES, PLEASE CONTACT CUSTOMER SUPPORT USING THE FEEDBACK FORM OR BY SPEAKING WITH LIVE SUPPORT.

PASSWORD

CHANGE

*SCREEN PASSWORD

*NEW PASSWORD

*RE-TYPE PASSWORD

*FIRST NAME

*LAST NAME

*GENDER

*DATE OF BIRTH

ADDRESS

ADDRESS LINE 1

ADDRESS LINE 2

CITY

STATE/REGION

*COUNTRY

RESET SAVE

DENOTES REQUIRED FIELD

1977 JULY 24

MALE FEMALE

TEST

TEST

TEST

ZIP/POST...

UNITED STATES

FIG. 40

PERSONAL INFO | WORKOUT SETTINGS | DEVICE SETTINGS | PRIVACY AND SHARING

① **UNITS OF MEASURE**

DISTANCE UNITS: ☒ MILES ☐ KILOMETERS

HEIGHT/WEIGHT UNITS: ☒ FEET POUNDS ☐ CENTIMETERS KILOGRAMS

TIME FORMAT: ☒ 12 HOUR ☐ 24 HOUR

START WEEK ON: ☒ SUNDAY ☐ MONDAY

② **FITNESS INFO**

YOUR FITNESS INFORMATION HELPS BETTER ANALYZE YOUR PERFORMANCE. HEIGHT AND WEIGHT WILL HELP MORE ACCURATELY CALCULATE YOUR CALORIES BURNED. REMEMBER, CHANGING YOUR MAX. HEART RATE AFFECTS YOUR PLANS, SO BE SURE TO RE-SYNC YOUR PHONE.

* WEIGHT: 165 LBS

* HEIGHT: 5 FT 10 IN

* MAX. HEART RATE: 190 BPM

③ **PACE ZONES**

IF YOU KNOW THEM, SET YOUR CUSTOM ZONES HERE. YOU MAY FILL OUT AS MANY OR AS LITTLE AS YOU LIKE.

PACE UNITS: MIN/MILE

1: RELAXED	2: SLOWER	3: SLOW	4: MEDIUM	5: FAST	6: FASTER	7: FASTEST
11	--	--	8	7	--	6
00	--	--	30	55	--	50
MIN/MILE	MIN/MILE	MIN/MILE	MIN/MILE	MIN/MILE	MIN/MILE	MIN/MILE

④ **YOUR ZONES**

RED: 171–180 BPM
 YELLOW: 162–170 BPM
 GREEN: 143–161 BPM
 BLUE: 114–142 BPM

⑤ **UPDATE YOUR ZONES**

⑥ **CLICK ON EACH ZONE COLOR FOR DETAILS**

FIG. 41

PERSONAL INFO WORKOUT SETTINGS DEVICE SETTINGS PRIVACY AND SHARING

DEVICES

① ☐ I HAVE A PHONE (MODEL NNN-NNNN) ☒ I HAVE (MODEL NNN-NNNN)

NARRATION VOICE OPTIONS (CHOOSE UP TO 5)

CHINESE-CANTONESE: MALE
CHINESE-MANDARIN: FEMALE
FRENCH: FEMALE
GERMAN: MALE
ITALIAN: FEMALE
JAPANESE: FEMALE
KOREAN: FEMALE
PORTUGUESE-BRAZIL: FEMALE
RUSSIAN: MALE
SPANISH: FEMALE

ADD >
< REMOVE

ENGLISH-UK: FEMALE
ENGLISH-UK: MALE
ENGLISH-US: FEMALE
ENGLISH-US: MALE

②

NARRATION VOICE OPTIONS

ENGLISH - UK

③ ☐ SKIP WARM UP/COOL DOWN EXERCISES ON ALL WORKOUTS ?

ACCESSORIES

SELECT THE ACCESSORIES YOU WILL BE WORKING OUT WITH SO KNOWS TO CONNECT TO THEM DURING YOUR WORKOUT.

☐ STRIDE RATE MONITOR (MODEL NNN-NNNN)

☐ HEART RATE MONITOR (MODEL NNN-NNNN)

④

STATS UPDATE ANNOUNCEMENTS DURING WORKOUT

DURING YOUR WORKOUT, YOUR VITALS WILL BE ANNOUNCED WHEN YOU CHOOSE TO HEAR AN UPDATE AND AUTOMATICALLY AFTER REACHING 25%, 50%, 75%, AND COMPLETION OF YOUR WORKOUT. CHOOSE WHICH STATS ARE ANNOUNCED DURING THESE UPDATES.

☐ REPEAT THE LATEST COACHING INSTRUCTION

☒ TIME ELAPSED

☒ CALORIES BURNED

☒ DISTANCE TRAVELED

☐ HEART RATE ZONE AT THE TIME

☐ HEART RATE VALUE AT THE TIME

☐ PACE AT THE TIME

☐ STRIDE RATE AT THE TIME

⑤

FIG. 42

1 CONNECT WITH FACEBOOK
 YOUR ACCOUNT IS SUCCESSFULLY CONNECTED TO YOUR FACEBOOK ACCOUNT. <USER'S EMAIL ADDRESS>, USING FACEBOOK CONNECT.
 QUESTIONS ABOUT HOW THIS WORKS? CHECK OUT THE FACEBOOK CONNECT HELP SECTION FOR DETAILS.

☒ DISCONNECT **1A**

2 FACEBOOK CONNECT SETTINGS
 CHECK WHEN IS ALLOWED TO PUBLISH TO YOUR FACEBOOK FEED.

2A ☒ WHEN SYNC IS COMPLETED
☒ WHEN WORKOUT STATS WERE MANUALLY ENTERED
☒ WHEN A PLAN IS CREATED

2B ☒ CHECK WHAT YOU WOULD LIKE TO AUTOMATICALLY PUBLISH TO YOUR FACEBOOK FEED.

☒ ACHIEVEMENTS
 (CALORIES YOU BURNED OVER YOUR LIFETIME ON HOURS EXERCISED, ETC.)

☒ MILESTONES
 (RAN ANOTHER 100 MILES OR REACHED THE LENGTH OF THE CHANNEL, ETC.)

☒ PERSONAL RECORD (PR)
 (REACHED A NEW FASTEST MILE PACE, ETC.)

2C ☒ PLAN PROGRESS
 (PERCENTAGE OF PLAN COMPLETED, NUMBER OF WORKOUTS DONE, PLAN STATS, ETC.)

☒ WORKOUT STATS
 (COMPLETED WORKOUT STATS INCLUDING DISTANCE, TIME, CALORIES, AND MORE)

3 PROFILE PRIVACY SETTINGS (NATIVE COMMUNITY)
 CHECK ELEMENTS YOU WOULD LIKE TO DISPLAY ON YOUR PROFILE. BY DEFAULT, YOUR SCREEN NAME WILL BE SHOWN.

☒ PERSONAL INFORMATION
 (FULL NAME, AGE, GENDER, LOCATION)

☒ PHOTO / AVATAR

CHOOSE PHOTO / AVATAR:

☒ WORKOUTS
 (LATEST COMPLETED WORKOUT CHART, IF ANY)

☒ PROGRESS
 (PLAN PROGRESS, CUMULATIVE STATS, ACHIEVEMENTS AREA)

4 PROFILE CUSTOM URL (NATIVE COMMUNITY)
 MAKE PROFILE
☒ PUBLIC - ANYONE CAN SEE
 PUBLIC URL: http:// .com/
☐ PRIVATE - ONLY PARTICIPANTS OF JOINT CONTESTS CAN SEE

FIG. 43




FIG. 44




FIG. 45




FIG. 46





FIG. 47

1

PROGRAM PRODUCTS, METHODS, AND SYSTEMS FOR PROVIDING FITNESS MONITORING SERVICES

This application is related to commonly owned U.S. patent application Ser. No. 12/467,944, titled “Portable Fitness Monitoring Systems, and Applications Thereof,” filed on the same day herewith, and commonly owned U.S. patent application Ser. No. 12/467,948, titled “Portable Fitness Monitoring Systems With Displays, and Applications Thereof,” filed on the same day herewith, each of which is incorporated herein by reference in its entirety.

FIELD OF THE INVENTION

The present invention generally relates to fitness monitoring services. More particularly, the present invention relates to program products, methods, and systems for providing fitness monitoring services.

BACKGROUND OF THE INVENTION

Exercise is important to maintaining a healthy lifestyle and individual well-being. Accordingly, many individuals want to participate in an exercise program. The most successful exercise programs are ones tailored to a fitness level of an individual and aimed at assisting the individual to achieve one or more specific fitness or exercise goals.

Sports trainers, as well as other exercise and fitness professionals, are available to assist individuals in developing exercise programs appropriate for their individual fitness levels and their specific fitness or exercise goals. Hiring such professionals, however, can be expensive. Furthermore, the busy schedules of many individuals make it difficult for these individuals to set aside time to meet with an exercise and fitness professional on a routine basis. Thus, many individuals forego using the services of exercise and fitness professionals, and they never achieve the benefits that can be obtained from an exercise program tailored, for example, to one’s fitness level.

Technology has resulted in the development of systems capable of transferring performance information obtained from a user during a workout to a remote computer for further analysis. These systems often provide a user interface that allows the user to review their past performance data.

What is needed are improved program products, methods, and systems for providing fitness monitoring services that will allow athletes to, among other thing, better use data generated from past performances to gauge their improvement, to set goals for the future, to share their performance data with others, to stay motivated, and/or to enable them to exercise at intensities appropriate for their current fitness level and goals.

BRIEF SUMMARY OF THE INVENTION

Embodiments of the present invention relate to a method for providing heart rate information to a user of a portable fitness monitoring service includes: (a) defining a plurality of heart rate zones as ranges of percentages of a maximum heart rate; (b) associating a color with each of said heart rate zones; (c) receiving heart rate information from the user; and (d) providing a graphical display of the heart rate information, wherein a color of a portion of the graphical display corresponds with the color associated with one of said heart rate zones, wherein steps (a)-(d) are executed using at least one processor.

2

Embodiments of the present invention also relate to a tangible computer program product including a computer readable medium having computer program logic recorded thereon for causing at least one processor to: graphically display first performance parameter information to a user regarding an athlete’s performance during a workout, wherein the first performance parameter information is displayed as a function of an interval parameter; and graphically display second performance parameter information to a user regarding an athlete’s performance during a workout, wherein the second performance parameter information is displayed as a function of an interval parameter, wherein the second performance parameter information is overlaid on top of the first performance parameter information.

Embodiments of the present invention further relate to a tangible computer program product including a computer readable medium having computer program logic recorded thereon for causing at least one processor to: graphically display performance parameter information to a user regarding an athlete’s performance during a workout, wherein the performance parameter information is displayed as a function of an interval parameter; provide first and second analysis boundary markers capable of being manipulated by the user to define a subset of the graphically displayed performance parameter information; and in response to the user manipulation, display numerical performance parameter information corresponding to only the subset of graphically displayed performance parameter information defined by the analysis boundary markers.

Further embodiments, features, and advantages of the present invention, as well as the structure and operation of the various embodiments of the present invention, are described in detail below with reference to the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS/FIGURES

The accompanying drawings, which are incorporated herein and form a part of the specification, illustrate the present invention by way of example, and not by way of limitation, and, together with the description, further serve to explain the principles of the invention and to enable a person skilled in the pertinent art to make and use the invention.

FIG. 1 is an illustration of a fitness monitoring system according to an embodiment of the present invention.

FIG. 2 is an illustration of an athlete communicating with a computer and/or a server.

FIG. 3 is a block diagram of an exemplary software configuration of a server according to an embodiment of the present invention.

FIG. 4 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 5 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 6 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 7 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 8 is a table that illustrates heart rate zone ranges according to an embodiment of the present invention.

FIG. 9 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 10 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 11 is an exemplary GUI window according to an embodiment of the present invention.

3

FIG. 12 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 13 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 14 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 15 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 16 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 17 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 18 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 19 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 20 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 21 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 22 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 23 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 24 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 25 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 26 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 27 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 28 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 29 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 30 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 31 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 32 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 33 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 34 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 35 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 36 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 37 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 38 is a diagram that illustrates the process of making zone adjustments based on feedback according to an embodiment of the present invention.

FIG. 39 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 40 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 41 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 42 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 43 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 44 is an exemplary GUI window according to an embodiment of the present invention.

4

FIG. 45 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 46 is an exemplary GUI window according to an embodiment of the present invention.

FIG. 47 is an exemplary GUI window according to an embodiment of the present invention.

DETAILED DESCRIPTION OF THE INVENTION

The present invention will now be described in detail with reference to embodiments thereof as illustrated in the accompanying drawings. References to “one embodiment”, “an embodiment”, “an example embodiment”, etc., indicate that the embodiment described may include a particular feature, structure, or characteristic, but every embodiment may not necessarily include the particular feature, structure, or characteristic. Moreover, such phrases are not necessarily referring to the same embodiment. Further, when a particular feature, structure, or characteristic is described in connection with an embodiment, it is submitted that it is within the knowledge of one skilled in the art to affect such feature, structure, or characteristic in connection with other embodiments whether or not explicitly described.

The program products, methods, and systems of the present invention may be used to provide fitness monitoring services to athletes **100**. Athletes **100** who utilize embodiments of the present invention may actively participate in a variety of physical activities including, but not limited to, running, walking, biking, skating, swimming, skiing, performing aerobic exercises, weight lifting, or participating in various individual or team sports. Accordingly, terms such as, for example, “athlete,” “runner,” “exercising individual,” and “user” may be referred to herein interchangeably.

Furthermore, the term “user” may also be used herein to refer to a user other than the athlete **100** conducting the physical activities of interest. In other words, as described in further detail below, other users besides the athlete user, such as coaches or friends may be able to interact with the system of the present invention.

As illustrated in FIG. 1, an athlete **100** engaged in physical activity may be equipped with a portable fitness monitoring device **102**. The portable fitness monitoring device **102** may be worn, carried, or otherwise supported by the athlete **100** during the physical activity. The portable fitness monitoring device **102** may be adapted to measure and/or process various performance parameters associated with the athlete’s **100** physical activity. The term “performance parameters” may include both physical parameters and physiological parameters associated with the athlete’s **100** physical activity. Physical parameters measured may include, for example, time, distance, speed, pace, stride count, stride length, and stride rate. Physiological parameters measured may include, for example, heart rate, respiration rate, blood oxygen level, blood flow, hydration status, calories burned, muscle fatigue, and body temperature.

In an embodiment, performance parameters may also include mental or emotional parameters such as, for example, stress level or motivation level. Mental and emotional parameters may be measured directly or indirectly either through posing questions to the athlete **100** or by measuring things such as, for example, trunk angle or foot strike characteristics while running.

The portable fitness monitoring device **102** may be a device such as, for example, a mobile phone, a personal digital assistant, a music file player (e.g. and MP3 player), an intelligent article for wearing (e.g. a fitness monitoring garment, wrist band, or watch), a dongle (e.g. a small hardware device

5

that protects software) that includes a fitness monitoring mode, a dedicated portable fitness monitoring device **102**, or a non-dedicated portable fitness monitoring device **102**, such as, for example, the devices disclosed in commonly owned U.S. patent application Ser. No. 12/467,944, titled “Portable Fitness Monitoring Systems, and Applications Thereof”.

The portable fitness monitoring device **102** may communicate with one or more sensors **104** for detecting the performance parameters. The sensors **104** may be in wired or wireless communication with the portable fitness monitoring device **102**. In one embodiment of the present invention, as shown in FIG. 1, a sensor **104** for detecting heart rate is coupled to the athlete's **100** chest, while a sensor **104** for detecting speed is coupled to the athlete's **100** shoe. Other sensors **104** including, but not limited to, an accelerometer, a pedometer, a pulsimeter, a thermometer, or other sensor **104** for detecting a user **100** performance parameter may be used. The portable monitoring device **102** and the one or more sensors **104** may communicate using known protocols, including, but not limited to, ANT and ANT+, by Dynastream Innovations, Bluetooth LE, Bluetooth LET, or BlueRobin. Other known communication protocols may be used.

The portable fitness monitoring device **102** may also communicate with one or more portable displays **106**. The portable displays **106** may be in wired or wireless communication with the portable fitness monitoring device **102**. The portable displays **106** may be adapted to convey information to the athlete **100** in a variety of ways such as, for example, visually, audibly, or tactilely (e.g. via a vibrating element), either alone or in combination. In an embodiment of the present invention, as shown in FIG. 1, a separate audible display **106** (e.g. headphones) and a separate visual display **106** (e.g. a wrist band) are provided. In other embodiments, visual, audible, and/or tactile displays **106** may be included as physically separate elements, or one or more of these elements may be integrated into a single physical display device **106**. Tactile displays **106** may include means for vibrating the display **106**, such as, for example, a piezoelectric actuator, for providing tactile sensory output to the athlete **100**. In some embodiments, the portable display **106** may be integral with the portable fitness monitoring device **102**.

According to an embodiment of the present invention, information may be communicated between an athlete **100** equipped with a portable fitness monitoring device **102** and one or more external elements. These external elements may include, for example, a personal computer **114**, a network **110**, and/or a server **112**. In one embodiment, personal computer **114** and server **112** may be a single component.

In one embodiment, as shown in FIG. 2, the athlete **100** equipped with a portable fitness monitoring device **102** may communicate with a personal computer **114** using wired or wireless communications. As will be appreciated by those of ordinary skill in the art, wired communication between the portable fitness monitoring device **102** and the personal computer **114** may be achieved, for example, by placing the portable fitness monitoring device **102** in a docking unit that is attached to the personal computer **114** using a communications wire plugged into a communications port of the personal computer **114**.

In another embodiment, wired communication between the portable fitness monitoring device **102** and the personal computer **114** may be achieved, for example, by connecting a cable between the portable fitness monitoring device **102** and the computer **114**. A computer input/output of the portable fitness monitoring device **102** and a communications port of the computer **114** may include USB ports. The cable connecting the portable fitness monitoring device **102** and the com-

6

puter **114** may be a USB cable with suitable USB plugs including, but not limited to, USB-A or USB-B regular, mini, or micro plugs.

Wireless communication between the portable fitness monitoring device **102** and the personal computer **114** may be achieved, for example, by way of a wireless wide area network (WWAN—such as, for example, the Internet), a wireless local area network (WLAN), or a wireless personal area network (WPAN) (collectively, wireless area networks or WANS). As is well known to those skilled in the art, there are a number of known standard and proprietary protocols that are suitable for implementing WANS (e.g. TCP/IP, IEEE 802.16, and Bluetooth). Accordingly, the present invention is not limited to using any particular protocol to communicate between the portable fitness monitoring device **102** and the various external elements of the fitness monitoring service of the present invention.

In one embodiment, the portable fitness monitoring device **102** may communicate with a WWAN communications system such as that employed by mobile telephones. For example, a WWAN communication system may include a plurality of geographically distributed communication towers and base station systems. Communication towers may include one or more antennae supporting long range two-way radio frequency communication wireless devices, such as the portable fitness monitoring device **102**. The radio frequency communication between antennae and the portable fitness monitoring device **102** may utilize radio frequency signals conforming to any known or future developed wireless protocol, for example, CDMA, GSM, EDGE, 3G, IEEE 802.x (e.g., IEEE 802.16 (WiMAX)), etc. The information transmitted over-the-air by the base station systems and the cellular communication towers to the portable fitness monitoring device **102** may be further transmitted to or received from one or more additional circuit-switched or packet-switched communication networks, including, for example, the Internet.

As shown in FIG. 2, communication may also occur between the personal computer **114** and a server **112** via a network **110**. In an embodiment, the network **110** is the Internet. The Internet is a worldwide collection of servers, routers, switches and transmission lines that employ the Internet Protocol (TCP/IP) to communicate data. As indicated above, the Internet may also be employed for communication between the portable fitness monitoring device **102** and the personal computer **114**. In one embodiment of the present invention, information may be directly communicated between the portable fitness monitoring device **102** and the server **112** via the network **110**, thus bypassing the personal computer **114**.

According to embodiments of the fitness monitoring service of the present invention, a wide variety of information may be communicated between any of the athlete **100**, the personal fitness monitoring device **102**, the personal computer **114**, the network **110**, and the server **112**. Such information may include, for example, performance parameters, training advice, training plans, calendar data, route information, music, videos, text, images, voice communications, settings, software, and firmware.

Communication among the various elements of the present invention may occur before a physical activity is commenced, after a physical activity has been completed, and/or in real time during the physical activity. In addition, the interaction between, for example, the personal fitness monitoring device **102** and the personal computer **114**, and the interaction between the personal computer **114** and the server **112** may occur at different times.

Information communicated to and stored by the server **112** may be accessible to the athlete **100** at a later time via the

network 110. For example, the athlete could access post-activity performance information communicated to the server 112 from their personal fitness monitoring device 102 at a later time from their personal computer. In another embodiment of the present invention, a third party (e.g. a trainer, coach, friend, or family member) stationed at a personal computer 114 may be able to access real-time or historical performance information regarding the athlete's performance via the server 112 over the network 110.

FIG. 3 is a diagram of an exemplary software configuration of server 112. The application software of server 112 includes a number of different modules capable of providing fitness monitoring services to athletes 100. In one embodiment of the present invention, these modules include a start module 200, and plan module 300, a schedule module 400, a track module 500, a support module 600, a library module 700, and a forum module 800. Each module supports one or more graphical user interfaces (GUIs) capable of being presented to users at one or more remote personal computers 114.

As is known by those of skill in the art, a GUI may use a combination of technologies and devices to provide a platform the user 100 can interact with via a computer 114. A GUI may offer, for example, graphical elements, visual indicators, and text to represent information and actions available to the user 100. Graphical elements may include, for example, windows, menus, radio buttons, check boxes, and icons. The user 100 may use a physical input device, such as a mouse, to control the position of a cursor 206 on their computer 114 screen.

Those skilled in the art will appreciate that alternative or additional modules and sub-modules may be implemented within the server 112 system in order to provide or extend the described or additional functionalities. For example, the software configuration of server 112 may include an operating system, which may be one of the commercially available operating systems such as, for example, Windows, UNIX, LINUX, Mac OSX, or AIX. The operating system may also have an associated application programming interface through which middleware and application programs may access the services of the operating system. In addition, a hypertext transport protocol (HTTP) server may run on top of the operating system. As is well known in the art, HTTP server may communicate data over the Internet using HTTP.

According to one embodiment of the present invention, FIG. 4 illustrates a GUI window presented by start module 200 to a user of a remote personal computer 114 system.

As illustrated by FIGS. 4-7, 9-37, and 39-47, the various modules of the fitness monitoring service of the present invention may support GUIs through which a user 100 can interact with the fitness monitoring service. As will be appreciated by those of skill in the art, in one embodiment the GUIs may appear as webpages provided by a server 112 via a website that may be accessible to the user over the Internet 110 using a web browser on their computer 114. In other embodiments, the GUIs may be generated by a processor based only on information stored on the personal computer 114, a CD-ROM, a mobile phone, or other computer readable media accessible locally to the user 100. In embodiments of the present invention, users 100 can, among other things, use data generated from past performances to gauge their improvement, set goals for the future, share their performance data with others, and/or assist themselves in exercising at intensities appropriate for their current fitness level and goals.

With reference to FIG. 4, a menu bar 204 may be present near one of the edges of a GUI window of the present invention. The menu bar 204 may include several icons or indicia corresponding to the start 200, plan 300, schedule 400, track

500, support 600, library 700, and forum 800 modules. In one embodiment, the menu bar 204 may be present on every GUI page presented to the user by the server. After logging in to the server 112, the user 100 may be able to navigate to areas of the website supported by different modules by selecting their corresponding icons with a cursor 206. Additional icons corresponding to sub-modules or program wizards associated with a particular module may pop up or otherwise be displayed to the user 100 if the user 100 selects or hovers the cursor 206 over a module icon.

In order to access the features of embodiments of the present invention, a user 100 stationed at a remote personal computer 114 may log into the server 112 via the internet 110. As is well known to those skilled in the art, the login process, which may be controlled by a log in wizard 202 run by start module 200, typically includes the entry by the remote user 100 of a login ID and password or other authentication information to the server 112, which then authenticates the identity of the user 100 by reference to a user database or the like. Embodiments of the fitness monitoring services of the present invention may be offered to a plurality of athletes 100 or other users 100 forming a user community, may be restricted to users 100 that have been issued login IDs and passwords for accessing the server 112, and/or may further be offered in exchange for a subscription fee.

Following the preliminary authentication process via the log in wizard 202, as illustrated in FIG. 5, a social networking wizard 208 run by the start module 200 may invite the user to link their fitness monitoring account to a social networking site, such as, for example, Facebook, MySpace, Twitter, Friendster, LinkedIn, or the like. As explained in further detail below, linking to a social networking site may provide the user 100 with added benefits and features. If the user declines the initial opportunity to link to a social networking site, they may be able to create such a link at a later time. Upon completion of the social networking wizard 208, start module 200 may present a home page, as illustrated in FIG. 6.

In an embodiment, the user 100 stationed at a remote personal computer 114 may alternatively choose to interact with the server 112 via a software widget. As is known by those of skill in the art, a software widget is a software application including portable code intended for one or more different software platforms. The term "software widget" implies that either the application, user interface, or both, may be relatively simple and easy to use, as exemplified by a desk accessory or applet.

In one embodiment, the software widget may be a desktop widget that is a specialized GUI widget intended to run on a computer desktop. In another embodiment, the software widget may be a mobile widget that can operate on mobile devices (e.g. smart phones). The widget may present a simplified version of the user interfaces explained in further detail herein, and may provide alternative means for the user to log in to the server 112. The widget may allow the user to review summary information about their past performance, and may allow the user to view, for example, a calendar of upcoming workouts, as described in further detail below.

From the home page, the user 100 may be able to navigate to different modules, sub-modules, or wizards by selecting their corresponding icons from the menu bar 204 with the cursor 206. In one embodiment, by hovering the cursor 206 over the start module 200 icon, the user 100 may be able to select an introductory sub-module 210, an equipment sub-module 212, or a device download sub-module 214.

FIG. 7 is an exemplary GUI window that may be displayed by the introductory sub-module 210. The introductory page may contain general information about the fitness monitoring

system of the present invention, including a brief description of the system, its intended users, and the potential benefits available to those users.

For example, the introductory page may contain information about the planning, scheduling, and tracking capabilities of the fitness monitoring system. In one embodiment of the present invention, some aspects of the planning, scheduling, and tracking functions may be tied to a color-coded heart rate zone system. In other embodiments, some aspects of the planning, scheduling, and tracking functions may be tied to color-coded zone systems based on zones of other parameters including, but not limited to, speed, pace, stride rate, calories, respiration rate, blood oxygen level, blood flow, hydration status, or body temperature. A graphical representation and a brief description of such a color-coded system may be provided on the introductory page and in personal settings, as illustrated in FIG. 7.

In an embodiment of the present invention, the color of certain graphical information provided by the server 112 via the various GUIs presented may be dictated by detected or targeted heart rate information. Various modules of the fitness monitoring service of the present invention may be programmed with algorithms for establishing one or more heart rate ranges or “zones.” Each zone may be associated with a particular color. Zones may be defined, for example, as ranges of percentages of an athlete’s 100 maximum heart rate. Accordingly, each zone may be associated with a particular level of effort.

FIG. 8 is an exemplary illustration of the zone definitions according to one embodiment of the present invention. An energy zone, ranging from 65% to 75% of an athlete’s 100 maximum heart rate, is associated with the color blue. An endurance zone, ranging from 75% to 85% of an athlete’s 100 maximum heart rate, is associated with the color green. A strength zone, ranging from 85% to 90% of an athlete’s 100 maximum heart rate, is associated with the color yellow. Finally, a power zone, ranging from 90% to 95% of an athlete’s 100 maximum heart rate, is associated with the color red. These ranges and color combinations are exemplary only; numerous other ranges and/or colors could be used.

In an embodiment, an additional zone (for example, a pink zone) may also be provided that overlaps the ranges of the blue, green, and yellow zones. The pink zone may primarily be used for setting intensity goals for beginners. In a further embodiment, the colors may change in character from relatively light or dim colors to relatively dark or intense colors as values associated with the zone colors increase from the lower to upper limits of the zone.

The zones may be assigned based on predetermined fitness goals. For example, in the embodiment of FIG. 8, the energy zone (blue) may be associated with a heart rate range that allows an athlete 100 to build their aerobic base. The endurance zone (green) may be associated with a heart rate range that allows an athlete 100 to build cardiovascular strength and burn calories. The strength zone (yellow) may be associated with a heart rate range that allows an athlete 100 to improve their aerobic threshold, endurance, and metabolism. The power zone (red) may be associated with a heart rate range that allows an athlete 100 to improve their anaerobic threshold, endurance, and metabolism.

For planning purposes, that zones can be presented to the user 100 as an indication of the difficulty of a particular workout. For monitoring and tracking purposes, the zones may be established for a particular user 100 based on a maximum heart rate. An athlete’s 100 maximum heart rate may not be an indication of their fitness level, it usually may not change significantly with training, and it may be set by the

athlete’s 100 genetics. An athlete’s 100 maximum heart rate can be provided to the fitness monitoring service of the present invention in a number of ways.

Returning to the functionality of the start module 200, FIG. 9 is an exemplary GUI window that may be displayed by the equipment sub-module 212. The equipment page may contain an overview of the different pieces of equipment that are compatible with the fitness monitoring system of the present invention. Such pieces of equipment may include, for example, mobile fitness phones, dedicated portable fitness monitoring devices, non-dedicated portable fitness monitoring devices, sports mode-enabled MP3 players, sports mode-enabled dongles, sports watches, display devices, exercise machines in fitness centers, and sensors (e.g. pedometers or heart rate sensors). A broad overview of each piece of equipment and/or more detailed specifications may be provided. A table or interactive equipment wizard 216 may further be provided to help the athlete 100 select the equipment that best suits the athlete’s 100 needs and fitness goals.

The equipment wizard 216 may pose a series of questions to the athlete 100 or the athlete’s 100 coach such as, for example, “What are your personal fitness goals?”, “Do you already have a dedicated portable fitness monitoring device?”, “Do you want to receive performance feedback and/or coaching during your activity?”, “Do you want to log performance data during your activity?”, “Would you like to be able to listen to music during your activity?”, “Would you like to monitor your heart rate?”, “Would you like to monitor your speed?”, “Would you like to use GPS-enabled features?”, and “Would you like to be able to transmit and receive data to and from your device in real-time?”. Other interactive questions for determining and/or fulfilling the needs of the user 100 may be included.

The equipment page provided by the equipment sub-module 212 may further prompt or allow user’s 100 to purchase the equipment through the equipment page, may provide links to other websites where the user 100 could purchase the equipment, and/or may provide information about physical retail outlets where the user 100 could purchase the equipment.

FIG. 10 is an exemplary GUI window that may be displayed by the device download sub-module 214. The device download page may contain software and firmware downloads and or updates for users 100. For example, a synchronizer program could be downloaded to a user’s 100 personal computer 114 that could manage communications between the portable fitness monitoring device 102 and the personal computer 114. The user 100 could activate the synchronizer program while using their personal computer 114, and utilize it to transfer software and firmware updates to the portable fitness monitoring device 102 or to update settings or options on the portable fitness monitoring device 102. Like the application software of the server 112, the synchronizer program running on the user’s 100 personal computer 114 could also support one or more GUIs capable of being presented to the user 100 at the computer 114. Thus, the user 100 may be able to, among other things, update settings or options on the portable fitness monitoring device 102 without being connected to the server 112 via the network 110. In embodiments of the present invention, portable fitness monitoring device 102 settings and options may also be adjustable directly via the portable fitness monitoring device 102 itself, depending on its particular configuration.

As indicated above, in embodiments of the present invention, the menu bar 204 may be present on every GUI page presented to the user by the server 112. Accordingly, at any time, the user 100 may be able to navigate to portions of the

11

website supported by different modules, sub-modules, or wizards by selecting their corresponding icons from the menu bar **204** with the cursor **206**. In one embodiment, the user **100** may be able to select an icon corresponding to the plan module **300** from the menu bar **204**.

FIG. **11** is an exemplary GUI window that may be displayed by the plan module **300**. From the main plan module page, the user **100** may be able to select from one of a plurality of icons corresponding to training plans. Additional icons corresponding to training sub-plans may pop up or otherwise be displayed to the user **100** if the user **100** selects or hovers the cursor **206** over a training plan icon.

In one embodiment of the present invention, from the main plan page, the plan module **300** may enable the user **100** to select training plan icons with the cursor **206** associated with various training plan sub-modules, such as, for example, a Learn to Run sub-module **302**, a Be Fit sub-module **304**, a Run a Race sub-module **306**, a De-Stress sub-module **308**, a Lose Weight sub-module **310**, and a Finish Faster sub-module **312**.

FIGS. **12-17** are exemplary GUI windows that may be displayed by the various plan module **300** sub-modules **302-312**. Each plan module **300** sub-module may be associated with a different training plan having a different intended athlete user **100** audience and different goals. For example, the Learn to Run sub-module **302** may provide a plan where the beginner athlete **100** walks and runs at relatively easy paces in order to build their fitness base. An athlete **100** utilizing the Learn to Run program may be encouraged to master the basics of heart rate training, improve their running form, and/or learn to enjoy running.

The Be Fit sub-module **304** may provide a plan where the athlete **100** runs at slightly faster paces in order to improve their overall physical fitness. An athlete **100** utilizing the Be Fit program may be encouraged to, for example, increase their cardiovascular capacity and conduct interval training (i.e. sequentially running at different intensities for different periods of time or for different distances).

One or more of the plan module **300** sub-modules may also be designed for athletes **100** who are interested in physical activities besides—or in addition to—running. For example, the Be Fit sub-module **304** may also provide a plan where the athlete **100** works out in a gym using various machines and pieces of stationary exercise equipment to improve their overall physical fitness. An athlete **100** utilizing the Be Fit program may be encouraged to, for example, increase their cardiovascular capacity and conduct interval training on various machines and pieces of stationary exercise equipment.

The Run a Race sub-module **306** may provide a plan for athletes **100** interested in preparing for a race. In one embodiment of the invention, the Run a Race sub-module **306** may provide a plurality of different plans depending on the distance of the race the athlete **100** is planning to participate in. Plans may be provided, for example, for 5K, 10K, $\frac{1}{2}$ marathon, and full marathon races. An athlete **100** utilizing one of the Run a Race programs may be encouraged to, for example, conduct interval or other speed work training, take long runs and recovery runs, and generally build their endurance and aerobic capacity so that they are able to successfully complete their race.

The De-Stress sub-module **308** may provide a plan where the user's **100** primary goal may be to reduce their overall stress, achieve relaxation, and increase energy. A user **100** participating in the De-Stress program may, for example, be guided through a series of workouts of varying intensities that are regularly scheduled, but of relatively short duration, so

12

that the user **100** is able to de-stress on a regular basis yet will still be able to find time in their schedule to complete their workouts.

The Lose Weight sub-module **310** may provide a plan for users **100** interested in burning calories, reducing body fat, increasing energy, and improving overall health through aerobic workouts. Again, the particular physical activities performed by the user **100** are not limited. A user **100** participating in the Lose Weight program may, for example, be guided through a consistent workout schedule that starts at a relatively easy level to build the user's **100** athletic base and establish a regular routine, and that may gradually progress to more difficult workouts.

Like the Run a Race sub-module **306**, the Finish Faster sub-module **312** may provide a plan for athletes **100** interested in preparing for a race. However, the finish faster module **312** may be more appropriate for athletes **100** who have significant race experience and are looking to improve upon their past race times. An athlete **100** participating in the Finish Faster program may be encouraged to conduct interval training and speed work, and push themselves to the limit by conducting longer and more intense workouts.

In another embodiment of the present invention, a Recover sub-module may provide a plan for users who need to recover from a difficult race (e.g. a marathon), from an injury, or from any other physically, mentally, or emotionally taxing event. An athlete **100** participating in the Recover program may be given different goals depending on the specific situation. Athletes **100** recovering from a difficult race may only need a short series of relatively easy recovery runs to get their legs back for resumed training. Athletes recovering from an injury may need a much longer recovery period, depending on the severity of the injury. Athletes recovering from mentally or emotionally taxing events may be provided with a variety of goals, some of which may be similar to those provided in a De-Stress plan.

FIGS. **12-17** are exemplary GUI windows that may be displayed by the various plan module **300** sub-modules **302-312**. Each plan sub-module page may include a description of the plan, including its intended athletic users **100** and its goals. Each plan sub-module page may further include a level selector **314** and a plan preview **316**. The particular information displayed by the plan preview **316** may depend on a level selected via the level selector **314**.

When considering the selection of a particular training plan, the associated plan sub-module may allow the user **100** to select from a plurality of difficulty levels for their prospective program using the level selector **314**. The level selector **314** may be an icon, a drop down menu, a slider, or any other GUI input device known in the art. In one embodiment, the user **100** may be able to choose from one of seven difficulty levels, where level **1** is the easiest and level **7** is the most difficult level.

In another embodiment, the user's **100** difficulty level options may be limited based on the particular training plan sub-module selected. For example, as illustrated in FIG. **12**, the Learn to Run sub-module **302** may only be capable of presenting levels **1** through **3**. Because a user **100** who is just learning to run or begin an exercising is not likely to desire a program of high difficulty, such a limitation may be appropriate. On the other hand, as illustrated in FIG. **17**, the Finish Faster sub-module **312** may only be capable of presenting levels **6** and **7**. Because a user **100** who has participated in several competitive races before has likely achieved a high level of physical fitness, such a limitation may also be appropriate.

13

In one embodiment, the user's **100** difficulty level options may be limited based on the particular training plan sub-module selected because of certain filters in place. In an embodiment, the user **100** may be able to deactivate or modify these filters in order to be able to choose from a wider variety of levels for a given plan. Alternatively, such filters may not be present, and a user **100** may be free to choose any level for any plan.

Once a difficulty level for a prospective plan has been selected via level selector **314**, the particular training plan sub-module provides the plan preview **316** for the plan. The plan preview **316** may include a description of what to expect from the plan, a description of the benefits of the plan, and/or a sample schedule. The plan description may make reference to the particular color-coded heart rate zones that a user **100** may be prompted to exercise at as part of that plan. As illustrated in FIGS. **12-17**, the sample schedule may include an indication of the number of total workouts in the plan, the number of workouts per week, and the total number of weeks.

The training plan sub-module may also provide a sample workout list **318** for a given plan. The user **100** may access the sample workout list **318** by selecting an appropriate icon with their cursor **206**. In one embodiment, the icon may be a bar graph representing the relative durations and intensities of the individual workouts of the plan. The durations of the individual workouts may be proportional to the length of the bars displayed, while the intensities of the individual workouts may be indicated by a color corresponding to the heart rate zone at which the user **100** will be instructed to exercise. FIG. **18** shows an exemplary GUI pop-up window providing the sample workout list **318** provided by the Run a Race sub-module **306** for a user **100** who has selected a level **4** 10K race program.

In one embodiment, for each workout, the list **318** provides the workout number in the series (e.g. **40** of **51**), a zone bar indicator **320**, the workout duration, calories, or distance targeted (e.g. 28 minutes, 400 calories, or 5 kilometers), and a coaching tip. The zone bar indicator **320** may communicate several pieces of information. It may indicate the number of intervals to be performed. It may also indicate the relative intensities of each interval to be performed, based on a target heart rate zone, as indicated by a color. For example, as illustrated in FIG. **18**, workout number **41** consists of one time interval of blue training (corresponding to, for example, an energy zone ranging from 65% to 75% of an athlete's **100** maximum heart rate). Workout **42** consists of three time intervals of training—a long interval of green training (corresponding to, for example, an endurance zone ranging from 75% to 85% of an athlete's **100** maximum heart rate) preceded and followed by short intervals of blue training. Workout **43** consists of four time intervals of training, including two blue intervals, a green interval, and a yellow interval (corresponding to, for example, a strength zone, ranging from 85% to 90% of an athlete's **100** maximum heart rate). In this way, the athlete **100** can gauge the relative level of difficulty and suitability of a prospective training plan by examining the zone bar indicators **320** associated with the individual workouts making up a prospective plan.

The coaching notes included in the workout list **318** may provide motivation, point out a particular area of focus, or otherwise provide guidance to the athlete **100** related to the ultimate goal of their particular plan.

After determining which plan best suits their needs, the athlete **100** may select an icon that enables plan module **300** to launch a plan personalization wizard **322**. The questions presented by the plan personalization wizard **322** may vary depending on the type of plan selected. FIG. **19** shows an

14

exemplary personalization wizard **322** GUI window provided by the Run a Race sub-module **306** for a user **100** who has selected a level **4** 10K race program.

The plan personalization wizard **322** may prompt the user **100** to select a start date for their training plan, so that the plan may be built forward from that date. For users **100** who select a race-oriented plan (such as those provided by the Run a Race sub-module **306** or the Finish Faster sub-module **312**), personalization wizard **322** may prompt the user **100** to select the day of their race, so that the plan may be built backward from the race date.

The plan personalization wizard **322** may also prompt the user **100** to select which days of the week they want to conduct their workouts on. For example, as illustrated in FIG. **19**, a user **100** may choose to workout four days per week on Sundays, Tuesdays, Thursdays, and Saturdays. In other embodiments, users **100** may be able to plan workouts to occur on different days during different weeks.

While personalizing their plan, the user **100** may be able to vary the number of workouts per week by adding removing a workout day from their selection. In an embodiment, the system may then dynamically alter the total number of workout and total weeks of the workout plan, and display this information via the plan personalization wizard **322**. Depending on the overall goals of the plan selected by the user **100**, the system may or may not increase or decrease the total number of workout and/or the total number of weeks of the plan in response to the user **100** adding or removing a workout day from their schedule. For example, if a user **100** personalizes a plan to include workouts on only two days per week, the system may extend the plan over a longer period of time and/or add more total workouts. In contrast, if the user **100** personalizes a plan to include workouts on 6 days a week, the system may reduce the number of weeks of the plan and/or decrease the total number of workouts.

The plan personalization wizard **322** may further prompt the user **100** to give their plan a name. In one embodiment, the wizard **322** may provide a default name. In this way, a user **100** who wishes to schedule multiple training plans may be able to distinguish one plan from another by the plans' names.

In one embodiment, after the user **100** finalizes their plan via the personalization wizard **322**, schedule module **400** may populate a GUI calendar **402** with the user's **100** plan. In addition, at any other time when the user **100** is logged in to the server **112**, the user **100** may be able to navigate to the GUI calendar **402** by selecting the icon corresponding to the schedule module **400** from the menu bar **204**.

FIG. **20** is an exemplary GUI window according to an embodiment of the present invention containing the calendar **402** that may be displayed by the schedule module **400** for a user **100** who has selected a Finish Faster level **7** marathon race program. From the calendar **402** page, the user **100** may be able to view the individual workouts of their training plan populated throughout the calendar **402**. The individual workouts populated into the calendar **402** may be represented by a zone bar indicator **320** similar to that provided by the plan module **300** via the sample workout list **318**. The calendar **402** may also indicate the duration of each workout scheduled for each date. The GUI page containing the calendar **402** may also provide an indication of the number of workouts and/or number of weeks remaining for the current plan.

In one embodiment, the user may be able to access a workout list **318** containing a listing of all workouts of their currently selected plan by selecting an appropriate icon with their cursor **206**. This workout list may be identical to one of the sample workout lists **318** provided by plan module **300**.

15

The workout list is another way of presenting the workout information populated on to calendar 402.

From the calendar 402 page, the schedule module 400 may enable the user 100 to select icons with the cursor 206 associated with various schedule wizards, such as, for example, a plan editor wizard 404 and a custom workout wizard 406.

FIG. 21 shows an exemplary plan editor wizard 404 GUI pop-up window, according to an embodiment of the present invention, that may be provided for a user 100 who has selected a Finish Faster level 7 marathon race program. The plan editor wizard 404 may allow the user 100 to, for example, reset their training schedule to start (or end) on a new date, choose a new day of the week for their long run, end their plan entirely, or adjust their schedule and calendar 402 to skip a given number of workouts in the plan.

FIG. 22 shows an exemplary custom workout wizard 406 GUI pop-up window, according to an embodiment of the present invention. The custom workout wizard 406 may allow a user to add workouts to their calendar 402 regardless of whether or not they are currently participating in a scheduled plan program. If a user 100 is participating in a scheduled plan program, the custom workout feature may be used to supplement the plan with additional workouts, remove workouts, or edit workouts as the user 100 desires. FIG. 22 shows an exemplary custom workout wizard 406 GUI pop-up window that may be provided for a user 100 who is already involved in a Finish Faster level 7 marathon race program. When a new workout is added, the wizard 406 may allow the user 100 to schedule the workout for a single date or schedule reoccurring instances of the workout on their calendar 402. For example, the user 100 could select to have the custom workout repeated weekly, or once every other week, on any day of the week. The user 100 may also be able to select a start and end date for any reoccurring workouts. The custom workout may also be named and saved. In one embodiment, while viewing the calendar 402 page, saved custom workouts may appear in a sidebar and the user 100 may drag and drop a custom workout into any date on the calendar 402 using their cursor 206.

In an embodiment, the custom workout created by the user may include one or more intervals of varying intensities according to the color-coded zone-based system described above. The custom workout wizard 406 may enable the user 100 to build an individual workout, for example, by assembling a series of zone intervals. The user may indicate the number of intervals to be performed and the relative intensities of each interval to be performed, based on a target heart rate zone (or other parameter-based zone), as indicated by a color. In one embodiment, the user 100 may assemble a custom workout with GUI elements that may resemble the graphical representation of the color-coded zone system as illustrated in FIG. 7. In an embodiment, the user 100 may originally be presented with a blank screen upon which they can drag, drop, stretch, or otherwise manipulate one or more colored boxes that represent intervals to be performed at specific intensities, as indicated by the color of the box. Stretching or shrinking the boxes may increase or decrease the duration of the interval associated with that box. In another embodiment, the user could numerically specify their desired number of intervals, their associated durations, and/or their associated intensities, and a GUI representation consisting of several colored boxes may automatically be produced. In an embodiment, the user 100 could specify a primary exercise interval and could click check boxes indicating that a warm-up and/or cool-down interval should also be inserted before or after their primary exercise interval, if desired. After

16

a workout is finalized and saved, the workout built by the user 10 may be represented by a zone bar indicator 320, as described above.

In addition to creating customized individual workouts, in an embodiment, the user 10 may be able to create an entirely customized training plan from scratch. Via the plan module 400, the user 100 may be able to create an original plan by specifying, for example, the number of weeks, the number of workouts per week, and the characteristics of the individual workouts, as described with respect to the custom workout wizard above.

Once the athlete 100 has selected a training plan that has been populated onto the calendar 402, the athlete 100 may begin to engage in physical activities in accordance with the training plan. As illustrated in FIG. 1, the athlete 100 may be equipped with a portable fitness monitoring device 102. The portable fitness monitoring device 102 may be worn, carried, or otherwise supported by the athlete 100 during the physical activity. The portable fitness monitoring device 102 may also attach to a piece of exercise equipment such as a road bike traveling on a bike path or a stationary bike in the gym. The portable fitness monitoring device 102 may be capable of measuring and/or processing various performance parameters associated with the athlete's 100 physical activity. The portable fitness monitoring device 102 may communicate with one or more sensors 104, such as a heart rate sensor, for detecting the performance parameters. As discussed above with reference to FIG. 2, communication of performance parameters (such as heart rate or speed) may occur between two or more of the portable fitness monitoring device 102, the personal computer 114, and the server 112 via a network 110 (such as the Internet).

In an embodiment of the present invention, performance parameters for a plurality of athletes 100 may be stored on the server 112 and associated with particular user accounts by reference to a user database or the like. The track module 500 allows the users 100 to review and analyze their past performance data.

After completing a workout and uploading performance data to the server 112, the user 100 may log in to the server 112 to review and analyze their past performance data. In one embodiment, by hovering the cursor 206 over the track module 500 icon, the user may be able to select a workout journal sub-module 502 or a history sub-module 504. The user may also be provided with a link to view data from their latest workout via the history sub-module 504, as described in further detail, below.

FIG. 23 is an exemplary GUI window that may be displayed by the workout journal sub-module 502. In one embodiment, for each completed workout, the workout journal page may list the date the workout was completed, the name of the workout, and one or more performance details about the workout. For example, the workout journal page may list the elapsed time of the workout, the calories burned by the workout, the distance covered by the workout, the user's 100 average heart rate during the workout, the user's 100 average pace during the workout, the user's 100 average stride rate during the workout, a subjective user rating 506 of the workout and/or route, and any other notes 508 the user 100 wishes to record. The particular information displayed on the workout journal page may be set by the system or customized by the user 100. Various information columns may be added or removed by the user as desired.

In an embodiment, the workout journal sub-module 502 may provide a listing of all workouts completed by the user 100 using the portable fitness monitoring system. By default, the workouts may be listed in order by date. The user 100 may

17

also be able to sort the displayed workout data by category. For example, if the user **100** wanted to sort all of their workouts by average heart rate, the user might click on the “heart rate” column header with the cursor **206**, causing the workout journal sub-module **502** to sort the workout data accordingly. A user **100** may only want to view workouts from a specific date range. Accordingly, in one embodiment, the user **100** may be able to select a specific week, month, or year for which to view workout data. By selecting a particular listed workout with the cursor **206**, the user **100** may be able to view more detailed data from that workout via the history sub-module **504**, as described in further detail below, with respect to FIG. 27.

The subjective user rating **506** may be assigned by the user **100** immediately after the workout is completed, or at a later time. In one embodiment, the user **100** may rate a workout on a one to five star scale, with a one star workout being a poor workout and a five star workout being an excellent workout. In one embodiment, the user rating **506** may be entirely subjective. Alternatively, the user rating **506** may be assigned by track module **500** (or one of its sub-modules), based on various recorded performance parameters from the workout, historical user **100** performance, and/or user settings and options.

The user notes **508** may also be assigned by the user **100** immediately after the workout is complete or at a later time. User notes may include, for example, explanations of a user rating **506** assigned to the workout, or other subjective or objective observations about the workout, the user’s **100** condition, the environment the workout was conducted in, or the route traversed.

In addition to (or in place of) being able to review and analyze past performance data via the workout journal sub-module **502**, the user **100** may be able to select an icon capable of initiating the history sub-module **504**. The history sub-module **504** may be capable of displaying a variety of GUI windows to the user such as, for example, those shown in FIGS. 24-35.

In one embodiment of the present invention, there may be overlap between the information displayed by the workout journal sub-module **502** and the history sub-module **504**. The user **100** may prefer that information be displayed via one module for certain purposes and the other module for other purposes.

FIG. 24 is an exemplary GUI window according to an embodiment of the present invention that may be displayed by the history sub-module **504**. History pages may include a dashboard **510**, a primary display **512**, and a sidebar **514**. The dashboard **510** may provide icons that are correlated to particular performance parameters. Each icon itself may provide information about the performance parameters, and selecting a specific icon with the cursor **206** may alter the information displayed by the primary display **512**. The sidebar **514** may provide additional information, icons, and/or options.

The information displayed on the history pages may be for a single workout or for a plurality of workouts falling within a particular date range. Information may be displayed on a yearly, monthly, weekly, or daily basis. The data range selected by the user **100** may affect the information displayed by the dashboard **510** icons, the information displayed on the primary display **512**, as well as the content of the sidebar **514**.

With reference to FIG. 24, for example, the user **100** may select and the history sub-module **504** may provide a history page displaying past performance information on a weekly basis from Jun. 29, 2008, through Sep. 20, 2008. The user **100** may have selected this date range by locating a workout in the workout journal display via workout journal sub-module **501**,

18

selecting that workout, and then selecting a weekly display via the history sub-module. Alternatively, the user **100** may have navigated directly to the history page via the history sub-module **504**. A user **100** viewing a weekly history page may be able to move forward or backward in time to alter their display by selecting and dragging a scrollbar **516** with their cursor **206**. The scrollbar **516** may be included, for example, within the primary display **512**.

The dashboard **510** shown in FIG. 26 includes display icons for time, calories, distance, heart rate, pace, and stride rate. The numerical information provided with the dashboard **510** icons corresponds to data associated with workouts from the date range selected. For example, as illustrated in FIG. 24, for the selected period of Jun. 29, 2008, through Sep. 20, 2008, the user’s total workout time was 52 hours, 52 minutes, and 16 seconds. This value may also be provided in cumulative and/or average form over the selected time period.

While the information provided by the dashboard **510** icons may remain the same for a given date range, the information displayed by the primary display **512** may change depending on which dashboard **510** icon the user **100** has selected. For example, in FIG. 24, because the user **100** has selected the time icon in the dashboard **510**, the history sub-module **504** displays time information in the primary display **512**. In FIG. 25, because the user **100** has selected the heart rate icon in the dashboard **510**, the history sub-module **504** displays heart rate information in the primary display **512**. Note that in both FIGS. 24 and 25 the numerical information displayed by the dashboard **510** icons has not changed because the date range remains the same.

While the figures show the information displayed by the primary display **512** in the form of bar graphs, other suitable graphical displays such as, for example, line graphs, pie graphs, racecourse representations, animations, or videos may be provided in addition to or in place of the bar graphs. Moreover, although only time and heart rate graphs have been illustrated by the figures, any performance parameters listed in the dashboard **510** may be graphically displayed in the primary display **512**.

As illustrated in FIG. 24, when a weekly display is selected, cumulative and/or average data for a plurality of weeks is displayed in the primary display **512**. For example, for the selected period of Jun. 29, 2008, through Sep. 20, 2008, separate bars may be displayed for the weeks of June 29 through July 5, July 6 through July 12, July 13 through July 29, etc.

As shown in FIG. 25, when weekly heart rate information is displayed in the primary display **512** in bar graph form, the heart rate information may be conveyed based on the color-coded heart rate zone system described above with respect to FIGS. 7 and 8. Likewise, when weekly pace, stride rate, or other parameter information is displayed in the primary display **512** in bar graph form, the pace, stride rate, or other parameter information may be conveyed based on a color-coded zone system corresponding to these other parameters.

In one embodiment, as illustrated by FIG. 25, a color-coded bar may be provided for each week. The color-coded bar may include, for example, blue, green, yellow, and red regions associated with various heart rate zone ranges, as described above. The y-axis of the graph displayed in the primary display **512** may be time-based, and the total height of each weekly color-coded bar may correspond to the cumulative workout time for a weekly period. The relative heights of the individual color-coded regions within a given bar may be proportional to the amount of time the athlete **100** spent in that heart rate zone corresponding to each color for the weekly period.

19

For example, in the embodiment of FIG. 25, during the week of August 3 through August 9, the athlete 100 worked out for a time period of approximately eight hours and spent time working out in each of the four heart rate zones, but primarily worked out in the green heart rate zone.

An athlete 100 who wants to obtain more specific information about a period of time displayed within the primary display 512 may hover their cursor 206 over the appropriate graphic to display a GUI pop-up window containing such information. For example, for the weekly time display shown in FIG. 24, the athlete 100 has hovered their cursor 206 over the bar representing the week of July 13 through July 19. The displayed pop-up window may indicate the time, calories, distance, heart rate, pace, and/or stride rate information for only the specific week selected by the athlete 100. The particular information displayed in the pop-up window may be set by the system or customized by the user 100. Various information may be added or removed by the user as desired. Note that this information is taken from a smaller period of time than the information concurrently displayed in the dashboard 510.

In one embodiment, an athlete 100 who wishes to obtain more specific information about a period of time displayed within the primary display 512 may alternatively select the bar or other indicium representing the appropriate time period with their cursor 206 (e.g. by clicking on the bar or other indicium). For example, if the user 100 viewing the weekly GUI window of FIG. 25 wanted to obtain more specific information about the week of August 3 through August 9, the user 100 could select the bar representing that week, which may result in the history sub-module 504 displaying the daily GUI window shown in FIG. 26. The resulting window may show data for only the previously selected range (i.e. the week of August 3 through August 9), or it may show a slightly broader date range, as showing FIG. 26, which provides daily information from July 27 through August 16.

The history display shown in FIG. 26 is similar to that shown in FIG. 25 except that specific workout dates, as opposed to weeks, are displayed in the primary display 512. Accordingly, the cumulative and/or average information displayed in the dashboard 510 is also from a narrower date range.

An athlete 100 who wishes to obtain even more specific information about a period of time displayed within the primary display 512 may select the bar or other indicium representing the appropriate time period with their cursor 206 (e.g. by clicking on the bar or other indicium). For example, if the user 100 viewing the daily GUI window of FIG. 26 wanted to obtain more specific information about workouts conducted on Aug. 9, 2008, the user 100 could select the bar representing that day, which may result in the history sub-module 504 displaying the daily GUI window shown in FIG. 27.

The history display shown in FIG. 27 is similar to that shown in FIG. 26 in that the dashboard 510, primary display 512, and sidebar 514 are still present. However, FIG. 27 differs from FIG. 26 in that information provided in both the dashboard 510 and the primary display 512 is only associated with a single workout day. Additional functionality may also be provided by the sidebar 514.

In one embodiment of the present invention, as shown in FIG. 27, the history sub-module 504 may provide a feedback 518 section in the sidebar 514. The feedback section may provide feedback from coaches, friends, or other individuals authorized to provide feedback to the athlete 100. All users of the system of the present invention having similar accounts through server 112 may be authorized to provide feedback to the athlete 100. Alternatively, only users of the system that are

20

specifically authorized by the athlete 100 may provide feedback to the athlete 100. In an embodiment, users who are linked to the athlete 100 via a social networking site may also provide feedback to the athlete 100. Feedback may be provided through a GUI provided by sever 112, via email, via text message, via voice mail, or by any other suitable means known in the art. Feedback may be listed sequentially in the order that the feedback was posted, much like comments associated with a blog or other web article, as is known by those of skill in the art.

The history sub-module 504 may also provide a notes section in the sidebar 514. The notes section may provide a section for a user rating 506 and user notes 508. These ratings 506 and notes 508 may be similar to those described above with reference to FIG. 23.

The history sub-module 504 may provide a route tools section in the sidebar 514 that may be managed by a route tools sub-module 520. In one embodiment, the route tools sub-module 520 may allow the user 100 to associate specific routes with a workout when the workout involved the traversal of a particular geographic pathway. In one embodiment, the route tools sub-module may employ a web-based mapping service application, such as, for example, the Google Maps application provided by Google, Inc. of Mountain View, Calif. The mapping service application may utilize an application programming interface that allows the mapping service application, such as Google Maps, to be embedded into the GUI windows of the present invention.

As illustrated in FIG. 28, the route tools sub-module 520 may enable the user 100 to recreate the path they traversed during the workout by clicking, and/or dragging and dropping landmarks and paths over a street map using the cursor 206. The approximate area of the route may be found by, for example, entering a street address, a well-known landmark, or a zip code into the mapping service application interface. Alternatively, in an embodiment, the athlete 100 could conduct their workout using a GPS-enabled portable fitness monitoring device 102 capable of recording their geographic way points along the route traversed. Either during traversal of the route or after the route has been completed, the GPS data could then be uploaded to the server 112 and associated with other performance monitoring information collected during traversal of the route. Thus, the route tools sub-module 520 could automatically reconstruct the path traversed by the athlete 100.

In another embodiment, the route tools sub-module may allow the athlete 100 to create, store, share, and find route plans of interest. The route plan, which may or may not be associated with a particular workout, may be created or selected that specifies a particular route for the athlete 100 to travel. In an embodiment, the route plan may be downloaded to the portable fitness monitoring device 102. Athletes 100 may use route plans they themselves have created and stored on the sever 112. In one embodiment, other users 100 may post and share route plans with others. In one embodiment this functionality may be enabled by the forum module 800. Thus, a plurality of users 100 may be able to create, store, share, find, edit, rate, and comment on route plans of interest.

In an embodiment, the portable fitness monitoring device 102 may be able to guide the athlete 102 along a route, based on the route plan and, for example, the athlete's 102 current position based on GPS readings.

In one embodiment, the user may save and name a route or route plan using the route tools sub-module 520. In the embodiment of FIG. 29, as shown in the sidebar 514, the user 100 has named and saved a plurality of routes or route plans to the server 112. In the event that a particular route or route

21

plan has not been automatically assigned to a given workout record, the user 100 may wish to select a route or route plan with the cursor 206 to associate with their workout.

Saved routes or route plans may be displayed in primary display 512 if the user 100 selects an appropriate icon. Route details such as the route name, distance, and location may be provided in a GUI pop-up window. The user 100 may also be able to assign a subjective rating and include notes about the route. These features are analogous to the user rating 506 and user notes 508 features described above with respect to FIG. 23.

In an alternate embodiment of the present invention, the various route functionalities described herein may be provided through a separate route module of the application software of server 112 at the same functional level as the other primary modules illustrated in FIG. 3, such as the start module 200, the plan module 300, the schedule module 400, the track module 500, the support module 600, the library module 700, and the forum module 800. Accordingly, a route module icon may be provided on the menu bar 204.

In another embodiment of the present invention, as illustrated in FIG. 30, the history sub-module 504 may further provide a playlist 522 section in the sidebar 514. If the user 100 conducted a workout while listening to music on a music-enabled portable fitness monitoring device 102 (or with a portable fitness monitoring device coupled to a music device), the playlist 522 section may provide a listing of the musical audio tracks that the user 100 listened to during their workout.

In an embodiment, a particular play list may be associated with a particular route plan or workout so that the play list may be downloaded to the portable fitness monitoring device 102 simultaneously with the route plan and/or workout. Accordingly, the user 100 may be able to easily perform the same workout and/or traverse the same route while listening to the same play list. The athlete 100 could also fine tune their play list until the athlete felt that the play list provided appropriate entertainment, motivation, or other benefits during the physical activity.

As illustrated in, for example, FIGS. 27 and 30, the history sub-module 504 may be capable of displaying a variety of performance parameter information about a particular workout in the dashboard 510 and primary display 512 areas of a GUI window. As was the case with the weekly and daily summary displays of performance information shown in FIGS. 24-26, while the information provided by the dashboard 510 icons may remain the same for a given workout, the information displayed by the primary display 512 may change depending on which dashboard 510 icon the user 100 has selected. For example, in FIG. 30, because the user 100 has selected the heart rate icon in the dashboard 510, the history sub-module 504 displays heart rate information in the primary display 512.

In an embodiment, the heart rate information provided with the heart rate icon in the dashboard 510 is an average heart rate in beats per minute over the entire workout. In another embodiment, the heart rate information provided with the heart rate icon in the dashboard 510 is a percentage indicating how often the athlete 100 was exercising at the appropriate heart rate, as indicated by their workout plan for the given workout (i.e. their "percentage in zone"). The percentage in zone may be based on time or distance. For example, an athlete's 100 plan may call for a 30 minute jog in the blue zone followed by a 30 minute run in the green zone. The athlete 100 may cover 4 miles during the blue zone jog while staying in the proper zone 80% of the time, and 8 miles during the green zone run, while staying in the proper zone 40% of the time.

22

Accordingly the athlete's 100 percentage in zone for the entire run based on time would be 60%, while the athlete's 100 percentage in zone for the entire run based on distance would be approximately 53%. Percentage in zone based on one or both of time and distance may be displayed at a given time.

In one embodiment, a "success rate" may be calculated and provided to the user 100. In this manner, the user may receive performance feedback about a particular workout or series of workouts. The success rate may be displayed in the dashboard 510 and may be provided in cumulative and/or average form. In an embodiment, the success rate may be equal to the percentage in zone. In another embodiment, the success rate may be proportionate to the percentage in zone. Other factors may be used to calculate the success rate including, but not limited to, whether a personal best for a particular parameter (e.g. time, pace, distance, etc.) was achieved during a workout, whether the athlete 100 left a zone too early, whether the athlete's 100 heart rate appeared to recover quickly after completing a difficult zone interval, whether the athlete's 100 performance was consistent throughout the workout, and/or how the athlete performed during specific key interval training sessions.

After the zones have been initially defined, the portable fitness monitoring system may be adapted to selectively adjust the limits of the zones in response to the athlete's 100 performance and/or feedback received from the athlete 100, if such adjustments are warranted, as illustrated in FIG. 38. In this manner, the portable fitness monitoring system may provide a training feedback loop. As described above, the zones may be defined based on user input. User 100 performance parameter data is detected during a physical activity via the sensors 104, as described above. The performance parameter data is transmitted to the personal computer 114 and/or the server 112 for processing. A determination is made as to whether the zones need to be adjusted. If adjustments are warranted, this data may be communicated back to a portable fitness monitoring device 102.

The determination as to whether or not the zones need to be adjusted may be based on, for example, the factors described above with respect to success rate calculations. In one embodiment, if the athlete 100 performs outside the specified heart rate zone for all or a portion of the interval, the heart rate zone may be adjusted. For example, if the athlete 100 is consistently above the specified zone, the zone range may be increased. If the athlete 100 is consistently below the specified zone, the zone range may be decreased.

Determinations may further be influenced by feedback provided by the athlete 100. For example, the athlete 100 may provide responses to questions posed by the portable fitness monitoring system. For example, upon uploading recently recorded performance parameter data, or upon logging in to the personal computer 114 and/or server 112, a GUI pop-up window may appear asking the user 100, for example, if they thought the workout routine was too difficult or too easy. If the user 100 responds that a workout routine was too difficult, the zone range may be incrementally decreased. If the user 100 responds that a workout routine was too easy, the zone range may be incrementally increased. The athlete's 100 answers to these questions may also influence the success rate calculations described above.

Returning to FIG. 30, in one embodiment, the performance information to be displayed in the primary display 512, based on the selected dashboard 510 icon, may be displayed on a line graph whose x-axis is either time or distance based, and whose y-axis is correlated to the value of the measured per-

23

formance parameter. For example, as shown in FIG. 30, a line graph charts heart rate information as a function of time during the workout.

Average lines may also be plotted parallel to the x-axis across the graphs. For example, in FIG. 30, an average heart rate line representing the athlete's 100 average heart rate of 155 beats per minute during the workout is plotted across the graph.

In an embodiment, certain performance parameters may be simultaneously plotted or overlaid on top of other performance parameters. For example, in FIG. 31, the athlete's 100 pace has been plotted on top of the athlete's 100 heart rate as a function of time.

The user 100 interested in viewing instantaneous performance statistics throughout the workout may be able to select and drag a scrollbar 516 with their cursor 206 along the x-axis. The scrollbar 516 of this embodiment may function similarly to the scrollbar 516 described with reference to FIG. 24. As the user 100 drags the scrollbar 516 across the x-axis, an icon may travel along the line graph plotted for the performance parameter of interest. In addition, a pop-up window displaying additional instantaneous performance data may appear and move across the screen along with the moving icon. FIG. 32 is an illustration of an icon and pop-up window containing instantaneous performance parameter information being moved across a GUI screen by means of a scrollbar 516.

In another embodiment, the user 100 may be able to display summary performance information for a subset of the workout in the dashboard 510. In one embodiment, the user 100 may manipulate first and second analysis boundaries 524 and 526. The user 100 may enable use of the analysis boundaries by selecting an icon with their cursor 206. Once analysis boundaries are enabled, a first analysis boundary marker 524 may appear on the left side of the performance parameter graph in primary display section 512, and a second analysis boundary marker 526 may appear on the right side of the performance parameter graph in primary display section 512. As shown in FIG. 33, using the cursor 206, the user may drag and drop the first and second analysis boundary markers 524 and 526 so that only a subset of the performance parameter graph (the portion remaining between the two analysis boundary markers) is highlighted. When analysis boundaries are enabled, the numerical performance parameter information displayed in the dashboard 510 is only summed and/or averaged for the subset of the workout highlighted within the analysis boundary markers.

When heart rate information is selected and displayed in the primary display 512, icons representing the red, yellow, green, and blue zones may be positioned on the right side of the heart rate graph in primary display section 512. The user 100 may select or hover the cursor 206 over one of these icons to display summary information for only the portions of the workout where the user 100 was performing in the zone associated with the selected icon. For example, in FIG. 34, the user 100 has selected the green icon on the right side of the heart rate graph. History sub-module 504 then displays a pop-up window that may detail, for example, the numerical heart rate range corresponding to the selected zone for the particular user 100 during that particular workout, as well as time, distance, heart rate, and pace information associated with the user's 100 activity in the selected zone during the workout.

In an embodiment, the user 100 may be able to manually correct any recorded parameters that they know are inaccurate. Inaccuracies may be due to, for example, errors with the sensors 104 employed by the portable fitness monitoring

24

device 102 used by the athlete 100. As shown in FIG. 35, a user 100 may correct, for example, the distance they traveled during a workout. The user 100 may know the exact distance of a route routinely traveled and wish to update a distance inaccurately recorded by a distance sensor 104.

In another embodiment, when a parameter, such as distance, is corrected, the system may recalibrate the recorded and stored data. For example, when the distance traversed for a particular run is corrected, the distance data and corresponding distance graph for that run is corrected. In addition, data and graphical displays that depend on the distance data, such as pace data and graphical displays, are also corrected.

In a further embodiment, when a parameter, such as distance, is corrected, this corrected data may be transmitted to the portable fitness monitoring device 102 the next time the device is in communication with the network 112 so that the portable fitness monitoring device's 102 distance monitoring capability can be recalibrated, if necessary.

The track module 500 may also provide a front page sub-module 530. FIG. 36 is an exemplary GUI window that may be displayed by the front page sub-module 530. The front page GUI may include plan tracker 532, achievements 534, last workout 536, next workout 538, and coach talk 540 sections. In an embodiment, the contents of the front page may be customized and reordered similarly to customizable web portals such as, for example, the iGoogle web portal.

The achievements section 534 may provide icons that are correlated to particular performance parameters. In this way information displayed by the achievements section 534 on the front page may be similar to information displayed by the dashboard 510 of the other history pages. When a user 100 selects a performance parameter icon in the achievements section 534, cumulative and/or average information about that parameter for various time periods may be displayed in the achievements section 534. For example, as shown in FIG. 36, heart rate percentage in zone may be displayed for the entire time the user 100 has used the portable fitness monitoring system, since a specific date, in the last week, or in the current week. The particular information displayed in the achievement section may be set by the system or customized by the user 100. Various information may be added or removed by the user 100 as desired.

In an embodiment, the last workout section 536 displays stats for the last workout completed by the user 100, and the next workout section 538 displays information about upcoming planned workouts. The information provided by the achievements 534, last workout 536, and next workout 538 sections may be similar to information provided to the user 100 by other modules and sub-modules, but may conveniently be provided on a single page. The coach talk section 540 may provide information similar to that provided by the coaching tips included in the workout list 318, as described above with respect to FIG. 18. The coach talk section 540 may therefore provide motivation, point out a particular area of focus, or otherwise provide guidance to the athlete 100 related to the ultimate goal of their particular plan or workout.

In one embodiment, front page includes a plan tracker 532 section. The plan tracker 532 may graphically display an individual's 100 planned workouts, the number of planned workouts completed, and the number of planned workouts remaining to be completed. The plan tracker 532 may provide indication(s) about whether the individual 100 is meeting the specified goals for the completed workouts.

The particular information displayed in the plan tracker 532 section may be set by the system or customized by the user 100. Various information may be added or removed by the user 100 as desired. A user 100 engaged in multiple plans

25

simultaneously (e.g. a running based plan and a non-running based plan) may choose to display multiple plan trackers 532 at once. In an embodiment, other trackers may be provided that display information similarly to the plan tracker 532. For example, an athlete with a goal to lose weight may choose to display a weight tracker that tracks their progress towards a weight loss goal.

The track module 500 may also support a message sub-module 528. FIG. 37 is an exemplary GUI window that may be displayed by the message sub-module 528. The message sub-module GUIs may have the general look and functionality of an email application such as Windows Mail or Gmail. In an embodiment, the message sub-module may be linked to one or more email addresses. The email addresses may include an email address specifically associated with the user's 100 fitness monitoring system or general purpose email accounts provided by other providers.

At least some of the messages received by the user 100 via the message sub-module 528 may be automatically generated by the server 112. Messages may, for example, congratulate the athlete 100 for achieving certain training milestones or personal bests, may provide motivation or other training advice to the athlete 100, may provide new product or service updates and/or downloads, and may include other things such as birthday or holiday greetings.

As indicated above, the menu bar 204 may include several icons or indicia corresponding to the support 600, library 700, and forum 800 modules.

The support module 600 may support help 602 and settings 604 sub-modules. FIG. 39 is an exemplary GUI window that may be displayed by the help sub-module 602. The help sub-module 602 may contain general information about the fitness monitoring system of the present invention, including a brief description of the system, its intended users, and the potential benefits available to those users. The help sub-module 602 may provide a description of the various functions of the interactive website supported by the software and the underlying modules, sub-modules, and wizards.

The settings sub-module 604 may be able of displaying GUI windows for collecting, storing, and reviewing personal settings 606, workout settings 608, device settings 610, and privacy settings 612.

FIG. 40 is an exemplary GUI window that may be displayed by the settings sub-module 604 for collecting personal settings 606 information. Personal settings 606 information may include, for example, name, address, email address, password, gender, birth date, and address information. This information may be used to associate a specific user 100 with a particular user account. In an embodiment, some of this information may be used to tailor aspects of the portable fitness monitoring system to the user 100, or to provide messages, product offers, or other items of interest to the user 100.

FIG. 41 is an exemplary GUI window that may be displayed by the settings sub-module 604 for collecting workout settings 608 information. Workout settings 608 information may include preferences such as preferred distance units (miles vs. kilometers), height units (feet and inches vs. meters and centimeters), weight units (pounds vs. kilograms), time format (12 hour clock vs. 24 hour clock), and a preferred week start date (e.g. Sunday or Monday). Workout settings 608 information may also include fitness profile information such as the user's weight, height, and maximum heart rate (if known). In one embodiment, the user may be periodically prompted by the system to update their fitness profile information.

The workout settings page may graphically and/or numerically display the user's 100 current zone ranges according to

26

the color-coded heart rate zone system described above. In an embodiment, the user 100 may be able to configure and customize heart rate, pace, or other custom workout interval settings via the workout settings page.

FIG. 42 is an exemplary GUI window that may be displayed by the settings sub-module 604 for collecting device settings 610 information. Device settings information may include settings for any peripheral devices the user 100 has and is using in conjunction with the system of the present invention. These devices may include, for example, the devices discussed above with respect to FIG. 11, including mobile fitness phones, dedicated portable fitness monitoring devices, non-dedicated portable fitness monitoring devices, sports mode-enabled MP3 players, sports-enabled dongles, sports watches, display devices, and sensors (e.g. pedometers or heart rate sensors). The user may indicate which, if any, sensors they may use during their workouts.

For example, via the settings page, the user 100 may be able to adjust the audio feedback options provided by their portable device(s) during a workout. In one embodiment, the user may select audio feedback with different types or styles of voices such as, for example, voices of different gendered speakers, voices with different accents, voices in different languages, voices from celebrities or fictional characters, and voices of different tones (e.g. supportive, calming, energizing, or stern). In another embodiment, the user may select specific performance parameter measurements to be recited via audio feedback during the workout. For example, a user may choose to have their elapsed time, calories burned, and distance traveled so far announced to them at regular intervals, on demand, or at predetermined times throughout the workout.

FIG. 43 is an exemplary GUI window that may be displayed by the settings sub-module 604 for collecting privacy settings 612 information. Privacy settings 612 information may include, for example, whether the user's 100 profile and/or history are accessible to all users 100 or only select users 100. For those users 100 with access, the privacy settings 612 may control specifically what historical workout information is accessible (e.g. only workout data from the last workout vs. all workout data).

The privacy settings page may also allow the user 100 to link their fitness monitoring account to a social networking site, such as, for example, Facebook, MySpace, Twitter, Friendster, LinkedIn, or the like. Users 100 who link their profile to a social networking site may be able to specify how often their fitness information is updated to their social networking site and specifically what type of information is provided.

The library module 700 may be capable of displaying GUI windows for videos 702 and articles 704. The videos 702 and articles 704 may provide the user 100 with additional resources for planning, preparing for, an executing their workouts.

FIG. 44 is an exemplary GUI window that may be displayed by the library module 700 for providing videos 702. The library module 700 may include a videos 702 section that provides short animations and/or videos teaching the user 100 proper stretching, warm-up, cool-down, and other exercising techniques. The user 100 may select a video 702 icon with their cursor 206 to display the video 702.

FIG. 45 is an exemplary GUI pop-up window that may appear in response to the user 100 selecting a particular video. The pop-up window may include the animation and/or video, a suggested number or time period for the activity, and other notes or comments about the activity.

In an embodiment, the user **100** may be able to download videos **702** from the server **112** to a portable fitness monitoring device **102** having a video screen so that they may be viewed remotely. This may allow the athlete **100** to view instructions regarding preparing for or executing their work-
outs at the site of their workout prior to or during their exercise routine.

FIG. **46** is an exemplary GUI window that may be displayed by the library module **700** for providing articles **704**. The library module **700** may include an articles **704** section that provides articles information the user **100** about various health and fitness topics. Articles may focus on topics such as strength training, cardiovascular exercise, biking, running, or a variety of other topics. The articles **704** may not all relate directly to fitness activities. For example, some articles may be related to diet and nutrition.

The forum module **800** may be capable of displaying GUI windows for user forums. In one embodiment, as illustrated in FIG. **47**, the forum module **800** may employ a social networking application, such as, for example, Facebook. The social networking application may utilize an application programming interface that allows the social networking application, such as Facebook, to be embedded into the GUI windows of the present invention. In another embodiment, the social networking site provides a feed that can be transmitted and displayed via the GUI windows of the present invention.

The forum page may be a place where users **100** can exchange updates regarding their fitness planning and progress using the system of the present invention. Users **100** may also exchange information regarding the website, the particular training equipment and devices they are using, the athletic events or races they are participating in, and information giving and/or requesting coaching or other advice.

Various aspects of the present invention, or any parts or functions thereof, may be implemented using hardware, software, firmware, tangible computer readable or computer usable storage media having instructions stored thereon, or a combination thereof and may be implemented in one or more computer systems or other processing systems.

Program products, methods, and systems for providing fitness monitoring services of the present invention can include any software application executed by one or more computing devices. A computing device can be any type of computing device having one or more processors. For example, a computing device can be a workstation, mobile device (e.g., a mobile phone, personal digital assistant, or laptop), computer, server, compute cluster, server farm, game console, set-top box, kiosk, embedded system, a gym machine, a retail system or other device having at least one processor and memory. Embodiments of the present invention may be software executed by a processor, firmware, hardware or any combination thereof in a computing device.

Software of the present invention may be stored on any computer-usable medium. Such software, when executed in one or more data processing device, causes the data processing device to operate as described herein. Embodiments of the invention employ any computer-usable or -readable medium, known now or in the future. Examples of computer-usable mediums include, but are not limited to, primary storage devices (e.g., any type of random access memory), secondary storage devices (e.g., hard drives, floppy disks, CD ROMS, ZIP disks, tapes, magnetic storage devices, optical storage devices, MEMS, nanotechnological storage devices, etc.), and communication mediums (e.g., wired and wireless communications networks, local area networks, wide area networks, intranets, etc.).

While many of the exemplary embodiments discussed above make reference to a color-coded heart rate zone-based system, color-coded zone systems based on zones of other parameters including, but not limited to, speed, pace, stride rate, calories, respiration rate, blood oxygen level, blood flow, hydration status, or body temperature may also be employed. The present invention is therefore not to be limited to only heart rate based zone systems.

Furthermore, while many of the exemplary embodiments discussed above make reference to a color-coded heart rate zone-based system where the zones may be defined as ranges of percentages of an athlete's **100** maximum heart rate, heart rate zones may be defined based on other parameters as well.

In one embodiment, heart rate zones may be defined as ranges of percentages of an athlete's **100** maximum heart rate. In another embodiment, heart rate zones may be defined as ranges derived from parameters such as an athlete's **100** ventilation threshold heart rate. In a further embodiment, heart rate zones may be defined as ranges derived from both the athlete's **100** peak heart rate and the athlete's **100** ventilation threshold heart rate.

An athlete's **100** peak heart rate may or may not be the same as the athlete's **100** maximum heart rate. As used herein, "peak heart rate" refers to the highest heart rate that a particular athlete **100** can achieve during a training session. The athlete's physiologically possible maximum heart rate may be higher than the peak heart rate. For some athletes **100**, typically those in top physical condition, their peak heart rate may be very close to their max heart rate. For other athletes **100**, typically those who are less well conditioned, their peak heart rate may be far less than their true physiologically possible max heart rate. Accordingly, in an embodiment, an athlete **100** may enter their peak heart rate into their portable fitness monitoring device **102** or save this information on the server **112**. The athlete **100** may also be able to capture peak heart rate information during an assessment run, as described in further detail above.

As an exercise progressively increases in intensity, the air into and out of your respiratory tract (called ventilation) increases linearly or similarly. As the intensity of exercise continues to increase, there becomes a point at which ventilation starts to increase in a non-linear fashion. This point where ventilation deviates from the progressive linear increase is called the "ventilation threshold." The ventilation threshold is closely related to the lactate threshold, or the point during intense exercise at which there is an abrupt increase in blood lactate levels. Research suggests that the ventilation and lactate thresholds may be some of the best and most consistent predictors of performance in endurance events. The athlete's **100** heart rate at the ventilation threshold point may be referred to as their ventilation threshold heart rate. Accordingly, in an embodiment, an athlete **100** may enter their ventilation threshold heart rate into their portable fitness monitoring device **102** or save this information on the server **112**. The athlete **100** may also be able to capture ventilation threshold heart rate information during an assessment run, as described in further detail above, by using equipment necessary for determining ventilation and/or lactate threshold.

In an embodiment, the heart rate zones may be defined as ranges derived from both the athlete's **100** peak heart rate and the athlete's **100** ventilation threshold heart rate. For example, Table 1 illustrates an exemplary embodiment in which color-coded heart rate zones may be defined for an athlete **100** with a peak heart rate (PHR) of 200 beats per minute and a ventilation threshold heart rate (VTHR) of 170 beats per minute:

29

TABLE 1

ZONE BOUNDARY	CALCULATION	HR VALUE	% MAX HR
Upper Red Zone Limit (URZ)	=PHR	200	93.5%
Lower Red Zone Limit (LRZ)	=%110 of VTHR	187	87.4%
Upper Yellow Zone Limit (UYZ)	=LRZ - 1	186	87.0%
Lower Yellow Zone Limit (LYZ)	=VTHR	170	79.5%
Upper Green Zone Limit (UGZ)	=LYZ - 1	169	79.0%
Lower Green Zone Limit (LGZ)	=UBZ + 1	154	72.0%
Upper Blue Zone Limit (UBZ)	=90% of VTHR	153	71.5%
Lower Blue Zone Limit (LBZ)	=80% of VTHR	135	63.1%

As illustrated by Table 1, each color coded zone may be defined as having upper and lower limits. Each zone limit may be calculated based on PHR, VTHR, and/or one of the other zone limits. A heart rate value associated with each zone limit may be correlated to a percentage of max heart rate if max heart rate is known or can be estimated. In an embodiment, PHR is assumed to be 93.5% of an athlete's 100 max heart rate value. Accordingly, physical activities may be carried out and content may be presented via GUIs according to the color-coded heart rate zone based system of the present invention.

As described above, color-coded pace or speed based systems may also be employed. In an embodiment, upper and lower pace or speed zone limits may be derived in part from PHR and VTHR values. For example, an athlete may conduct one or more physical activities using a heart rate monitor, a ventilation threshold (or lactate threshold) monitor, and/or pace or speed monitors. Measurements may be conducted by portable monitors, stationary monitors, or in a laboratory after the physical activities are conducted. A relationship between the pace or speed of the athlete and max heart rate, PHR, and/or VTHR may be established. Accordingly, color-coded pace or speed zone limits may be determined based on this information.

In another embodiment of the present invention, zones may be determined based on a measurement of power. Power measurements may be derived from pace calculations if other parameters such as, for example, the athlete's 100 body weight and the incline of the surface traversed (e.g. incline of a sidewalk, bike path, or treadmill surface).

In an embodiment, the athlete 100 may be able to download mobile applications to a mobile device such as a mobile phone, that are capable of presenting GUIs similar to those illustrated herein, from server 112. Accordingly, the athlete 100 may be able to interact with the server 112, access their account, and perform many of the other planning, tracking, and other functions described herein from a mobile device.

The present invention has been described above by way of exemplary embodiments. Accordingly, the present invention should not be limited by any of the above-described exemplary embodiments, but should be defined only in accordance with the following claims and their equivalences.

What is claimed is:

1. A tangible computer program product comprising a computer readable medium having computer program logic recorded thereon for causing at least one processor to:

30

graphically display a background comprising a plurality of color coded zones, wherein the plurality of color coded zones are associated with numerical ranges of a first performance parameter;

graphically display information about the first performance parameter to a user regarding the user's performance during a workout, wherein said first performance parameter information is displayed as a function of an interval parameter and overlaid on top of the color coded zone background; and

graphically display second performance parameter information to the user regarding the user's performance during the workout, wherein said second performance parameter information is displayed as a function of the interval parameter,

wherein the second performance parameter information is overlaid on top of the color coded zone background and the first performance parameter information.

2. The tangible computer program product of claim 1, wherein the interval parameter comprises time.

3. The tangible computer program product of claim 2, wherein first performance parameter information associated with a particular point in time is overlaid on top of the appropriate color coded zone based on a correspondence between a particular numerical value of the first performance parameter at the particular point in time and the numerical range associated with the color coded zone.

4. The tangible computer program product of claim 2, further comprising logic for causing the at least one processor to graphically display a pop-up display element for displaying instantaneous performance data about the first performance parameter at a particular point in time in response to the user indicating a particular point in time of interest.

5. The tangible computer program product of claim 1, wherein the interval parameter comprises distance.

6. The tangible computer program product of claim 5, wherein first performance parameter information associated with a particular distance is overlaid on top of the appropriate color coded zone based on a correspondence between a particular numerical value of the first performance parameter at the particular distance and the numerical range associated with the color coded zone.

7. The tangible computer program product of claim 5, further comprising logic for causing the at least one processor to graphically display a pop-up display element for displaying instantaneous performance data about the first performance parameter at a particular distance in response to the user indicating a particular distance of interest.

8. The tangible computer program product of claim 1, wherein the first and second performance parameter information was recorded over a portion of the workout.

9. The tangible computer program product of claim 1, wherein the first performance parameter information comprises heart rate.

10. The tangible computer program product of claim 9, wherein the second performance parameter information comprises pace.

11. The tangible computer program product of claim 9, wherein the second performance parameter information comprises speed.

12. The tangible computer program product of claim 1, wherein the first performance parameter information and the second performance parameter information are selected from the group consisting of: heart rate information and pace information.

13. The tangible computer program product of claim 1, further comprising logic for causing the at least one processor

31

to graphically display an average line denoting the average value for the first performance parameter during the workout, wherein the average line is overlaid on top of the color coded zone background and the first performance parameter information.

14. A tangible computer program product comprising a computer readable medium having computer program logic recorded thereon for causing at least one processor to:

graphically display performance parameter information to a user regarding the user's performance during a workout, wherein said performance parameter information is displayed as a function of an interval parameter;

provide first and second analysis boundary markers capable of being manipulated by the user to define a subset of said graphically displayed performance parameter information; and

in response to the user manipulation, display numerical performance parameter information corresponding to only the subset of graphically displayed performance parameter information defined by the analysis boundary markers.

15. The tangible computer program product of claim 14, wherein the interval parameter comprises time.

16. The tangible computer program product of claim 15, further comprising logic for causing the at least one processor to graphically display a pop-up display element for displaying instantaneous performance data about the performance parameter at a particular point in time in response to the user indicating a particular point in time of interest.

17. The tangible computer program product of claim 14, wherein the interval parameter comprises distance.

18. The tangible computer program product of claim 17, further comprising logic for causing the at least one processor to graphically display a pop-up display element for display-

32

ing instantaneous performance data about the performance parameter at a particular distance in response to the user indicating a particular distance of interest.

19. The tangible computer program product of claim 14, wherein the performance parameter information is selected from the group consisting of: heart rate information and pace information.

20. The tangible computer program product of claim 14, wherein the performance parameter information is overlaid on top of a color coded zone background.

21. The tangible computer program product of claim 14, further comprising logic for causing the at least one processor to graphically display an average line denoting the average value for the performance parameter during the workout, wherein the average line is overlaid on top of the performance parameter information.

22. The tangible computer program product of claim 14, further comprising logic for causing the at least one processor to, in response to the user manipulation of a graphical user interface element, disable use of the first and second analysis boundary markers.

23. The tangible computer program product of claim 14, wherein the numerical performance parameter information corresponding to only the subset of graphically displayed performance parameter information defined by the analysis boundary markers that is displayed is average numerical performance parameter information.

24. The tangible computer program product of claim 14, wherein the numerical performance parameter information corresponding to only the subset of graphically displayed performance parameter information defined by the analysis boundary markers that is displayed is summed numerical performance parameter information.

* * * * *