

AFFIDAVIT OF NATHANIEL E FRANK-WHITE

1. I am a Records Request Processor at the Internet Archive. I make this declaration of my own personal knowledge.
2. The Internet Archive is a website that provides access to a digital library of Internet sites and other cultural artifacts in digital form. Like a paper library, we provide free access to researchers, historians, scholars, and the general public. The Internet Archive has partnered with and receives support from various institutions, including the Library of Congress.
3. The Internet Archive has created a service known as the Wayback Machine. The Wayback Machine makes it possible to browse more than 450 billion pages stored in the Internet Archive's web archive. Visitors to the Wayback Machine can search archives by URL (i.e., a website address). If archived records for a URL are available, the visitor will be presented with a display of available dates. The visitor may select one of those dates, and begin browsing an archived version of the Web. Links on archived files in the Wayback Machine point to other archived files (whether HTML pages or other file types), if any are found for the URL indicated by a given link. For instance, the Wayback Machine is designed such that when a visitor clicks on a hyperlink on an archived page that points to another URL, the visitor will be served the archived file found for the hyperlink's URL with the closest available date to the initial file containing the hyperlink.
4. The archived data made viewable and browsable by the Wayback Machine is obtained by use of web archiving software that automatically stores copies of files available via the Internet, each file preserved as it existed at a particular point in time.
5. The Internet Archive assigns a URL on its site to the archived files in the format `http://web.archive.org/web/[Year in yyyy][Month in mm][Day in dd][Time code in hh:mm:ss]/[Archived URL]` aka an "extended URL". Thus, the extended URL `http://web.archive.org/web/19970126045828/http://www.archive.org/` would be the URL for the record of the Internet Archive home page HTML file (`http://www.archive.org/`) archived on January 26, 1997 at 4:58 a.m. and 28 seconds (1997/01/26 at 04:58:28). The date indicated by an extended URL applies to a preserved instance of a file for a given URL, but not necessarily to any other files linked therein. Thus, in the case of a page constituted by a primary HTML file and other separate files (e.g., files with images, audio, multimedia, design elements, or other embedded content) linked within that primary HTML file, the primary HTML file and the other files will each have their own respective extended URLs and may not have been archived on the same dates.
6. Attached hereto as Exhibit A are true and accurate copies of screenshots of the Internet Archive's records of the archived files for the URLs and the dates specified in the attached coversheet of each printout.



7. I declare under penalty of perjury that the foregoing is true and correct.

DATE: 07/18/2023

Nathaniel Frank-White
Nathaniel E Frank-White

Please see attached
All Purpose
Jurat form
for additional
Notary Events



EXHIBIT A



<http://web.archive.org/web/20110605103653/http://www.nuhn.ca/images/gforcetractor/feature8.jpg>



TAPERED FAN

- Angled fan directs liquid up as well as out while liquid is still spinning in housing

MASSIVE AGITATION CAPACITY

- 8" to 6" for mass circulation
- 8" to 4" for blasting distant crust
- 60° vertical movement
- 200° horizontal rotation

OVERSIZED GEAR BOX WITH OIL COOLER

DUAL PORTED, LOFTED HOUSING

- Having the liquid leave the housing in two spots allows for a narrow, large diameter fan that increases the velocity of the liquid, and reduces the amount of input power
- The dual exit points also reduce side thrust on the bottom bearings, increasing seal and bearing life

RADIO CONTROL

- 300 ft range
- Switch from "agitate" to "fill" without leaving cab of tractor with tank

6000 US GAL / MIN

- Full 8" flow through entire pump
- Smooth, long radius elbows ensure efficient flow of manure



http://web.archive.org/web/20110605101608/http://www.nuhn.ca/prod_pump_tractor.html






Nuhn Industries


- Home
- About Us
- Contact Us
- Our Products
- Used Equipment
- Nuhn In The News
- Literature Request
- Photo Gallery
- MSRH
- Search
- Links
- Site Map

NUHN Header Series Vertical Manure Pit Pump

Start the revolution!



What Makes it a Nuhn



Housing

- Triple port design
 - Having the liquid leave the housing in three locations allows for the liquid to get in and out of the housing at a high rate.
 - This also uses the input power very efficiently as it is not wasted by moving liquid around in the housing
 - Allows for a narrow, large diameter fan that takes less hp, increases liquid velocity and results in high volume
 - Smooth, long radius pipes direct the liquid out of the housing
- Lofted housing with tapered fan
 - The housing back plate is formed to allow the liquid to be directed upwards with the tapered fan, rather than just outwards like traditional manure pumps.
 - This fan acts more like a boat impeller, lifting the liquid vertically while still in the housing rather than just being pushed horizontally

Drive Line

- 1 3/4" shaft with 3.25"OD hardened steel drive shaft sections
- 10' sections of connected with heavy duty 80 series universal joint
- Completely enclosed drive assembly with G-Force seal and bearing unit on both ends
- Large clean-out doors for easy access to bearings

Agitator

- 4" nozzle to create 45psi of pressure with 4000GPM volume
- End nozzle rotates 360°
- Main rotation pipe is able to rotate 300°

Additional Standard Features

- Remote control with 300+ft range
- Spring loaded grease flush system
- Strong truss brace frame design
- Large stroke lift cylinders for reduce strain on undercarriage
- 9'6" wide undercarriage
- Stainless steel knife valves

Options

- Multi Pump

In the Spotlight



Patented Triple Port Housing



Massive Agitation Capacity



Tight Profile



Optional Wheeled Undercarriage



8" to 4" Nozzle



7000 US GAL/MIN Load




45PSI @ 4"



- Three Point Hitch
- Wheeled Undercarriage

[Details](#)

Performance



*Figures will change depending on the consistency of liquid, and the pumping distance and height



<http://web.archive.org/web/20110605100606/http://www.nuhn.ca/>





Nuhn Industries

- Home
- About Us
- Contact Us
- Our Products
- Used Equipment
- Nuhn In The News
- Literature Request
- Photo Gallery
- MSRM
- Search
- Links
- Site Map

NUHN INDUSTRIES LTD


A family business since 1902.



Check out our new [Header Series Lagoon Pump](#)

Nuhn Industries Ltd. is the leading manufacturer of liquid manure spreaders, liquid manure agitators, liquid manure pumps, manure hauling equipment and slurry tankers.

Product Videos



What's New



Adjustable Spread Plate

The new spread plate from Nuhn Industries Ltd. allows the farmer to change the size of the discharge hole to change the pressure depending on the desired application rate and spreading widths. This new spread plate creates a low, wide and even spread pattern at low pressures.



On-The-Go Tire Pressure Adjustment

This new option from Nuhn Industries Ltd. allows the operator to change tire pressures on the move. By decreasing the tire pressures to 12-15psi in the field from 30-35psi for road use doubles the footprint of the tire, and dramatically reduces soil compaction.

Featured Used Equipment



[Nuhn 6000 Top Load Liquid Manure Spreader](#)



[Nuhn 6750 Top Load Liquid Manure Spreader](#)



[Nuhn 4000 Top Load Liquid Manure Spreader](#)

Post your used equipment on our site, for free!

Upcoming Shows

Hog and Poultry Days
Ag Connect Expo
Manitoba Ag Days
Iowa Pork Congress
Illinois Pork Expo
Iowa Power Farming
Canadian International Farm Show
World Ag Expo
National Farm Machinery Show

December 8 - 9, 2010
January 7 - 10, 2011
January 19 - 21, 2011
January 26 - 27, 2011
February 1 - 2, 2011
February 1 - 3, 2011
February 8 - 10, 2011
February 8 - 10, 2011
February 16 - 19, 2011

Winnipeg, Manitoba
Atlanta, Georgia
Brandon, Manitoba
Des Moines, Iowa
Peoria, Illinois
Des Moines, Iowa
Toronto, Ontario
Tulare, California
Louisville, Kentucky

Featured Products



MAGNUM

The work horse of the industry.



LAGOON

Patented triple port design.



QUAD TRAIN

Redefining large spreaders.



VERTICAL PUMP

Extreme volumes, low power.



ALLEY VAC

One swipe and you're done!



FRAC TANK

The tightest turn radius in the industry.



JURAT ATTACHMENT


A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

STATE OF Texas }

COUNTY OF Harris }

The foregoing instrument was subscribed and sworn before me this date of
07/18/2023, by Nathaniel Frank-White

This notarial act was an online notarization.



(Notary Seal)

Notary's Signature Ana Laura Salazar Uribe

Registration No.: 131757026

Commission Expiration Date: October 11, 2026

