

DECLARATION OF JUNE ANN MUNFORD

1. My name is June Ann Munford. I am over the age of 18, have personal knowledge of the facts set forth herein, and am competent to testify to the same.
2. I earned a Master of Library and Information Science (MLIS) from the University of Wisconsin-Milwaukee in 2009. I have over ten years of experience in the library/information science field. Beginning in 2004, I have served in various positions in the public library sector including Assistant Librarian, Youth Services Librarian and Library Director. I have attached my Curriculum Vitae as Appendix CV.
3. During my career in the library profession, I have been responsible for materials acquisition for multiple libraries. In that position, I have cataloged, purchased and processed incoming library works. That includes purchasing materials directly from vendors, recording publishing data from the material in question, creating detailed material records for library catalogs and physically preparing that material for circulation. In addition to my experience in acquisitions, I was also responsible for analyzing large collections of library materials, tailoring library records for optimal catalog

search performance and creating lending agreements between libraries during my time as a Library Director.

4. I am fully familiar with the catalog record creation process in the library sector. In preparing a material for public availability, a library catalog record describing that material would be created. These records are typically written in Machine Readable Catalog (herein referred to as “MARC”) code and contain information such as a physical description of the material, metadata from the material’s publisher, and date of library acquisition. In particular, the 008 field of the MARC record is reserved for denoting the date of creation of the library record itself. As this typically occurs during the process of preparing materials for public access, it is my experience that an item’s MARC record indicates the date of an item’s public availability.
5. Typically, in creating a MARC record, a librarian would gather various bits of metadata such as book title, publisher and subject headings among others and assign each value to a relevant numerical field. For example, a book’s physical description is tracked in field 300 while title/attribution is tracked in field 245. The 008 field of the MARC record is reserved for denoting the creation of the library record itself. As this is the only date reflecting the inclusion of said materials within the library’s collection, it is my experience

that an item's 008 field accurately indicates the date of an item's public availability.

6. I have reviewed Exhibit DISH-1016, "An Efficient Digital Modulation Scheme for Multimedia Transmission on the Cable Television Network" by Krista S. Jacobsen and John M. Cioffi as published in *National Cable Television Association 1994 Technical Papers*.
7. Attached hereto as Appendix JACOBSEN01 is a true and correct copy of the MARC record for *National Cable Television Association Technical Papers* as held by the Linda Hall Library. I secured this record myself from the library's public catalog. The 'Location Items' field visible on page 2 of Appendix JACOBSEN01 indicates that this collection includes the 1994 edition of *National Cable Television Association Technical Papers* containing "An Efficient Digital Modulation Scheme for Multimedia Transmission on the Cable Television Network". The MARC record contained within Appendix JACOBSEN01 accurately describes the title, author and publisher of *National Cable Television Association Technical Papers*.

8. Attached hereto as Appendix JACOBSEN02 is a true and correct copy of “An Efficient Digital Modulation Scheme for Multimedia Transmission on the Cable Television Network” as published in *National Cable Television Association 1994 Technical Papers* as held by the Linda Hall Library. These scans were secured from the library’s collection by counsel. In comparing Exhibit DISH-1016 to Appendix JACOBSEN01, it is my determination that Exhibit DISH-1016 is a true and correct copy of “An Efficient Digital Modulation Scheme for Multimedia Transmission on the Cable Television Network” by Krista S. Jacobsen and John M. Cioffi.
9. The 008 field of the MARC record in Appendix JACOBSEN01 indicates the date of record creation. The 008 field of Appendix JACOBSEN01 indicates the Linda Hall Library first acquired this book as of September 19, 1995. Considering this information, it is my determination that *National Cable Television Association 1994 Technical Papers* and therefor “An Efficient Digital Modulation Scheme for Multimedia Transmission on the Cable Television Network” was made available to the public shortly after its initial acquisition in September 1995.
10. I have reviewed Exhibit DISH-1017, *Introduction to Communications Engineering* by Robert M. Gagliardi, 2nd Edition.

11.Attached hereto as Appendix GAGLIARDI01 is a true and correct copy of the MARC record for *Introduction to Communications Engineering* as held by the University of Pittsburgh library. I secured this record myself from the library's public catalog. The MARC record contained within Appendix GAGLIARDI01 accurately describes the title, author, publisher, and ISBN number of *Introduction to Communications Engineering*.

12.Attached hereto as Appendix GAGLIARDI02 is a true and correct copy of selections from *Introduction to Communications Engineering* as held by the University of Pittsburgh library. I secured these scans myself from the library's collection. In comparing Exhibit DISH-1017 to Appendix GAGLIARDI02, it is my determination that Exhibit DISH-1017 is a true and correct copy of *Introduction to Communications Engineering* by Robert M. Gagliardi.

13.The 008 field of the MARC record in Appendix GAGLIARDI01 indicates the date of record creation. The 008 field of Appendix GAGLIARDI01 indicates University of Pittsburgh library first acquired this book as of March 4, 1988. Considering this information, it is my determination that

Introduction to Communications Engineering was made available to the public shortly after its initial acquisition in March 1988.

14.I have reviewed Exhibit DISH-1019, *Broadband Cable TV Access*

Networks: From Technologies to Applications by Shlomo Ovadia.

15.Attached hereto as Appendix OVADIA01 is a true and correct copy of the

MARC record for *Broadband Cable TV Access Networks: From*

Technologies to Applications as held by the Penn State University library. I

secured this record myself from the library's public catalog. The MARC

record contained within Appendix OVADIA01 accurately describes the title,

author, publisher, and ISBN number of *Broadband Cable TV Access*

Networks: From Technologies to Applications.

16.Attached hereto as Appendix OVADIA02 is a true and correct copy of

selections from *Broadband Cable TV Access Networks: From Technologies*

to Applications as held by the Penn State University library. I secured these

scans myself from the library's collection. In comparing Exhibit DISH-1019

to Appendix OVADIA02, it is my determination that Exhibit DISH-1019 is

a true and correct copy of *Broadband Cable TV Access Networks: From*

Technologies to Applications by Shlomo Ovadia.

17. The 008 field of the MARC record in Appendix OVADIA01 indicates the date of record creation. The 008 field of Appendix OVADIA01 indicates Penn State University library first acquired this book as of May 10, 2001. Considering this information, it is my determination that *Broadband Cable TV Access Networks: From Technologies to Applications* was made available to the public shortly after its initial acquisition in May 2001.
18. I have reviewed Exhibit DISH-1021, *DSL: Simulation Techniques and Standards Development for Digital Subscriber Line Systems* by Walter Y. Chen.
19. Attached hereto as Appendix CHEN01 is a true and correct copy of the MARC record for *DSL: Simulation Techniques and Standards Development for Digital Subscriber Line Systems* as held by the Penn State University library. I secured this record myself from the library's public catalog. The MARC record contained within Appendix CHEN01 accurately describes the title, author, publisher, and ISBN number of *DSL: Simulation Techniques and Standards Development for Digital Subscriber Line Systems*.
20. Attached hereto as Appendix CHEN02 is a true and correct copy of selections from *DSL: Simulation Techniques and Standards Development*

for Digital Subscriber Line Systems as held by the Penn State University library. I secured these scans myself from the library's collection. In comparing Exhibit DISH-1021 to Appendix CHEN02, it is my determination that Exhibit DISH-1021 is a true and correct copy of *DSL: Simulation Techniques and Standards Development for Digital Subscriber Line Systems* by Walter Y. Chen.

21.The 008 field of the MARC record in Appendix CHEN01 indicates the date of record creation. The 008 field of Appendix CHEN01 indicates Penn State University library first acquired this book as of May 26, 1998. Considering this information, it is my determination that *DSL: Simulation Techniques and Standards Development for Digital Subscriber Line Systems* was made available to the public shortly after its initial acquisition in May 1998.

22.I have reviewed Exhibit DISH-1022, *ASDL/VDSL Principles: A Practical and Precise Study of Asymmetric Digital Subscriber Lines and Very High Speed Digital Subscriber Lines* by Dennis J. Rauschmayer.

23.Attached hereto as Appendix RAUSCHMAYER01 is a true and correct copy of the MARC record for *ASDL/VDSL Principles: A Practical and Precise Study of Asymmetric Digital Subscriber Lines and Very High Speed*

Digital Subscriber Lines as held by the Penn State University library. I secured this record myself from the library's public catalog. The MARC record contained within Appendix RAUSCHMAYER01 accurately describes the title, author, publisher, and ISBN number of *ASDL/VDSL Principles: A Practical and Precise Study of Asymmetric Digital Subscriber Lines and Very High Speed Digital Subscriber Lines*.

24. Attached hereto as Appendix RAUSCHMAYER02 is a true and correct copy of *ASDL/VDSL Principles: A Practical and Precise Study of Asymmetric Digital Subscriber Lines and Very High Speed Digital Subscriber Lines* as held by the Penn State University library. I secured these scans myself from the library's collection. In comparing Exhibit DISH-1022 to Appendix RAUSCHMAYER02, it is my determination that Exhibit DISH-1022 is a true and correct copy of *ASDL/VDSL Principles: A Practical and Precise Study of Asymmetric Digital Subscriber Lines and Very High Speed Digital Subscriber Lines* by Dennis J. Rauschmayer.

25. The 008 field of the MARC record in Appendix RAUSCHMAYER01 indicates the date of record creation. The 008 field of Appendix RAUSCHMAYER01 indicates Penn State University library first acquired this book as of February 25, 1999. Considering this information, it is my

determination that *ASDL/VDSL Principles: A Practical and Precise Study of Asymmetric Digital Subscriber Lines and Very High Speed Digital Subscriber Lines* was made available to the public shortly after its initial acquisition in February 1999.

26. I have reviewed Exhibit DISH-1023, “Synchronized Discrete Multi-Tone (SDMT) Modulation for Cable Modems: Making the Most of the Scarce Reverse Channel Bandwidth” by Krista S. Jacobsen as published in *Proceedings of WESCON 97*.

27. Attached hereto as Appendix JACOBSEN03 is a true and correct copy of the MARC record for *Proceedings of WESCON 97* as held by the University of Pittsburgh library. I secured this record myself from the library’s public catalog. The MARC record contained within Appendix JACOBSEN03 accurately describes the title, author, publisher, and ISBN number of *Proceedings of WESCON 97*. In comparing Exhibit DISH-1023 to Appendix JACOBSEN03, it is my determination that Exhibit DISH-1023 is a true and correct copy of “Synchronized Discrete Multi-Tone (SDMT) Modulation for Cable Modems: Making the Most of the Scarce Reverse Channel Bandwidth” by Krista S. Jacobsen.

28. The 008 field of the MARC record in Appendix JACOBSEN03 indicates the date of record creation. The 008 field of Appendix JACOBSEN03 indicates the University of Pittsburgh library first acquired these proceedings as of February 13, 1998. Considering this information, it is my determination that *Proceedings of WESCON 97* and therefore “Synchronized Discrete Multi-Tone (SDMT) Modulation for Cable Modems: Making the Most of the Scarce Reverse Channel Bandwidth” was made available to the public shortly after its initial acquisition as of February 13, 1998, if not earlier via the conference itself.

[remainder of page intentionally left blank]

29. I have been retained on behalf of the Petitioner to provide assistance in the in establishing the authenticity and public availability of the documents discussed in this declaration. I understand that my declaration will be submitted as an exhibit to a petition for inter partes review. I am being compensated for my services in this matter at the rate of \$200.00 per hour plus reasonable expenses. My statements are objective, and my compensation does not depend on the outcome of this matter.

30. I declare under penalty of perjury that the foregoing is true and correct. I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code.

Dated: 1/7/2024

A handwritten signature in black ink, appearing to read "June Ann Munford", written in a cursive style.

June Ann Munford

APPENDIX CV

June A. Munford
Curriculum Vitae

Education

University of Wisconsin-Milwaukee - MS, Library & Information Science, 2009
Milwaukee, WI

- Coursework included cataloging, metadata, data analysis, library systems, management strategies and collection development.
- Specialized in library advocacy, cataloging and public administration.

Grand Valley State University - BA, English Language & Literature, 2008
Allendale, MI

- Coursework included linguistics, documentation and literary analysis.
- Minor in political science with a focus in local-level economics and government.

Professional Experience

Researcher / Expert Witness, October 2017 – present
Freelance ● Pittsburgh, Pennsylvania & Grand Rapids, Michigan

- Material authentication and public accessibility determination. Declarations of authenticity and/or public accessibility provided upon research completion. Experienced with appeals and deposition process.
- Research provided on topics of public library operations, material publication history, digital database services and legacy web resources.
- Past clients include Alston & Bird, Arnold & Porter, Baker Botts, Fish & Richardson, Erise IP, Irell & Manella, O'Melveny & Myers, Perkins-Coie, Pillsbury Winthrop Shaw Pittman and Slayden Grubert Beard.

Library Director, February 2013 - March 2015
Dowagiac District Library ● Dowagiac, Michigan

- Executive administrator of the Dowagiac District Library. Located in

Southwest Michigan, this library has a service area of 13,000, an annual operating budget of over \$400,000 and total assets of approximately \$1,300,000.

- Developed careful budgeting guidelines to produce a 15% surplus during the 2013-2014 & 2014-2015 fiscal years while being audited.
- Using this budget surplus, oversaw significant library investments including the purchase of property for a future building site, demolition of existing buildings and building renovation projects on the current facility.
- Led the organization and digitization of the library's archival records.
- Served as the public representative for the library, developing business relationships with local school, museum and tribal government entities.
- Developed an objective-based analysis system for measuring library services - including a full collection analysis of the library's 50,000+ circulating items and their records.

November 2010 - January 2013

Librarian & Branch Manager, Anchorage Public Library • Anchorage, Alaska

- Headed the 2013 Anchorage Reads community reading campaign including event planning, staging public performances and creating marketing materials for mass distribution.
- Co-led the social media department of the library's marketing team, drafting social media guidelines, creating original content and instituting long-term planning via content calendars.
- Developed business relationships with The Boys & Girls Club, Anchorage School District and the US Army to establish summer reading programs for children.

June 2004 - September 2005, September 2006 - October 2013

Library Assistant, Hart Area Public Library

Hart, MI

- Responsible for verifying imported MARC records and original MARC

cataloging for the local-level collection as well as the Michigan Electronic Library.

- Handled OCLC Worldcat interlibrary loan requests & fulfillment via ongoing communication with lending libraries.

Professional Involvement

Alaska Library Association - Anchorage Chapter

- Treasurer, 2012

Library Of Michigan

- Level VII Certification, 2008
- Level II Certification, 2013

Michigan Library Association Annual Conference 2014

- New Directors Conference Panel Member

Southwest Michigan Library Cooperative

- Represented the Dowagiac District Library, 2013-2015

Professional Development

Library Of Michigan Beginning Workshop, May 2008

Petoskey, MI

- Received training in cataloging, local history, collection management, children's literacy and reference service.

Public Library Association Intensive Library Management Training, October 2011

Nashville, TN

- Attended a five-day workshop focused on strategic planning, staff management, statistical analysis, collections and cataloging theory.

Alaska Library Association Annual Conference 2012 - Fairbanks, February 2012

Fairbanks, AK

- Attended seminars on EBSCO advanced search methods, budgeting, cataloging, database usage and marketing.

Depositions

2019 • Fish & Richardson

Apple v. Qualcomm (IPR2018-001281, 39521-00421IP, IPR2018-01282 and 39521-00421IP2)

2019 • Erise IP

Implicit, LLC v. Netscout Systems, Inc (Civil Action No. 2:18-cv-53-JRG)

2019 • Perkins-Coie

Adobe Inc. v. RAH Color Technologies LLC (Cases IPR2019-00627, IPR2019-00628, IPR2019-00629 and IPR2019-00646)

2020 • O'Melveny & Myers

Maxell, Ltd. v. Apple Inc. (Case No. 5:19-cv-00036-RWS)

2021 • Pillsbury Winthrop Shaw Pittman LLP

Intel v. SRC (IPR2020-1449)

2022 • Perkins-Coie

Realtek v. Future Link (IPR2021-01182)

2023 • Fish & Richardson

Neuroderm Ltd. v. Abbvie, Inc (Case No. PGR2022-00040)

2023 • Fish & Richardson

Nearmap US Inc. v. Pictometry International Corp. (IPR2022-00735)

2023 • Fish & Richardson

Samsung Electronics v. MemoryWeb LLC (Case No. 39843-0136PS1)

Limited Case History & Potential Conflicts

Alston & Bird

- Ericsson
 - v. Collision Communications (IPR2022-01233)
- Nokia
 - v. Neptune Subsea, Xtera (Case No. 1:17-cv-01876)
- Universal Electronics Inc
 - v. Roku Inc (IPR2022-00818)

Arnold & Porter

- Ivantis
 - v. Glaukos (Case No. 8:18-cv-00620)
- Samsung
 - v. Jawbone (Case No. 2:21-cv-00186)

Benesch Friedlander Coplan & Aronoff

- Voyis
 - v. Cathx (Case No. 5:21-cv-00077-RWS)

Erise I.P.

- Apple
 - v. Ericsson Inc. (IPR2022-00715)

- v. Future Link Systems (IPRs 6317804, 6622108, 6807505, and 7917680)
- v. INVT (Case No. 20-1881)
- v. Navblazer LLC (IPR2020-01253)
- v. Qualcomm (IPR2018-001281, 39521-00421IP, IPR2018-01282, 39521-00421IP2)
- v. Quest Nettech Corp (Case No. 2:19-cv-00118-JRG)
- v. Telefonaktiebolaget LM Ericsson (IPR2022-00275)

- Fanduel

- v. CGT (Case No. 19-1393)

- Garmin

- v. Phillips North America LLC (Case No. 2:19-cv-6301-AB-KS)

- Netscout

- v. Longhorn HD LLC (Case No. 2:20-cv-00349)
 - v. Implicit, LLC (Civil Action No. 2:18-cv-53-JRG)

- Sony Interactive Entertainment LLC

- v. Bot M8 LLC (IPR2020-01288)
 - v. Infernal Technology LLC (Case No. 2:19-CV-00248-JRG)

- Unified Patents

- v. GE Video Compression (Civil Action No. 2:19-cv-248)

Fish & Richardson

- Apple

v. AliveCor (3:21-cv-03958)
v. LBS Innovations (Case No. 2:19-cv-00119-JRG-RSP)
v. Koss Corporation (IPR2021-00305)
v. Masimo (IPR 50095-0012IP1, 50095-0012IP2, 50095-0013IP1,
50095-0013IP2, 50095-0006IP1, 50095-0135IP1)
v. Neonode (Case No. 21-cv-08872-EMC)
v. Qualcomm (IPR2018-001281, 39521-00421IP, IPR2018-01282,
39521-00421IP2)

- Dell

v. Neo Wireless (IPR2022-00616)

- Dish Network

v. Realtime Adaptive Streaming (Case No. 1:17-CV-02097-RBJ)

v. TQ Delta LLC (Case No. 18-1798)

- Evapco Dry Cooling

v. SPG Dry Cooling (IPR2021-00688)

- Genetec

v. Sensormatic Electronics (Case No. 1:20-CV-00760)

- Huawei

v. Bell Northern Research LLC (IPR2019-01174)

- Kianxis

v. Blue Yonder (Case No. 3:20-cv-03636)

- LG Electronics
 - v. Bell Northern Research LLC (Case No. 3:18-cv-2864-CAB-BLM)
- Metaswitch
 - v. Sonus Networks (IPR2018-01719)
- Microsoft
 - v. Throughputer Inc (IPR2022-00757)
- MLC Intellectual Property
 - v. MicronTech (Case No. 3:14-cv-03657-SI)
- Nearmap Inc
 - v. EagleView Technologies (IPR2022-01009)
- Neuroderm Ltd.
 - v. Abbvie, Inc (Case No. PGR2022-00040)
- Realtek Semiconductor
 - v. Future Link (IPR2021-01182)
- Quectel
 - v. Koninklijke Philips (Case No. 1:20-cv-01710)
- Samsung
 - v. Aire Technology (IPR2022-00877)
 - v. Bell Northern Research (Case No. 2:19-cv-00286-JRG)
 - v. Communication Technologies Inc (IPR2022-01221)

- v. Jawbone Innovations (IPR2022-00865)
- v. MemoryWeb LLC (IPR2022-00885)
- v. Telefonaktiebolaget LM Ericsson (IPR2021-00615)

- Texas Instruments

- v. Vantage Micro LLC (IPR2020-01261)

- Xilinx

- v. Sentient Sensors LCC (Case No. 1:22-cv-00173)

Irell & Manella

- Curium

O'Melveny & Myers

- Apple

- v. Maxell (Case No. 5:19-cv-00036-RWS)

- Samsung

- v. Daedalus Prime LLC (1335 Investigation)

Perkins-Coie

- Heru Industries

- v. The UAB Research Foundation (IPR2022-01148)

- Intel Corporation

- v. BitMICRO (Case No. 5:23-cv-00625)

- Realtek Semiconductor
 - v. Future Link (IPR2021-01182)
- Twitter Inc
 - v. VOIP-Pal.com (Case No. 3:20-cv-02397-JD)
- TCL Industries
 - v. Koninklijke Philips NV (IPR2021-00495, IPR2021-00496 and IPR2021-00497)

Pillsbury Winthrop Shaw Pittman

- Intel
 - v. FG SRC LLC (Case No. 6:20-cv-00315)
- Gravel Rating Systems
 - v. Costco (Case No. 4:21-cv-149)
 - v. Lowe's Home Centers (Case No. 4:21-cv-150)
 - v. T-Mobile USA (Case No. 4:21-cv-152)
 - v. Kohl's Inc. (Case No. 4:21-cv-258)
 - v. Under Armor (Case No. 4:21-cv-356)

APPENDIX GAGLIARDI01

```

leader 00785mam a2200265 a 4500
001 999447503406236
005 20180730195957.0
008 880304s1988 nyua b 00110 eng
010 ##$a 88005629
020 ##$a0471856444
035 ##$a(OCOLC)17677636
035 ##$9AEU6944C1
035 ##$a(ppiu)944750-pittdb
035 ##$a(pittdb)944750-pittdb
040 ##$aDLC $cDLC
050 0#$aTK5101 $b.G24 1988
082 0#$a621.38 $219
100 1#$aGagliardi, Robert M., $d1934-
245 10$aIntroduction to communications engineering / $cRobert M. Gagliardi.
250 ##$a2nd ed.
260 ##$aNew York : $bWiley, $cc1988.
300 ##$axv, 621 p. : $bill. ; $c25 cm.
440 #0$aWiley series in telecommunications
500 ##$a"A Wiley-Interscience publication."
504 ##$aIncludes bibliographies and index.
650 #0$aTelecommunication.
948 ##$alc:um;cm:kb
906 ##$aULS

```



University of
Pittsburgh



NEW
SEARCH

BROWSE

JOURNAL
FINDER

DATABASE
FINDER



Sign in

Menu

Search anything

Books, Articles, and More



ADVANCED
SEARCH



BOOK

Introduction to communications engineering

Gagliardi, Robert M., 1934- / Robert M. Gagliardi.
c1988; 2nd ed.
xv, 621 p. : ill. ; 25 cm.

Available at ULS - Thomas Blvd Stacks (Request This Item) (TK5101 G24 1988)

Report a Problem

TOP

SEND TO

GET IT

DETAILS

VIRTUAL BROW...

LINKS

EXPLORE

Send to

CITATION

EMAIL

ENDNOTE/ZOTER

PRINT

PERMALINK

Get It

Please sign in to check if there are any request options. [Sign in](#)

[BACK TO LOCATIONS](#)

LOCATION ITEMS

ULS - Thomas Blvd
Available , Stacks (Request This Item) ; TK5101 G24 1988
(1 copy, 1 available, 0 requests)

Item in place
Loanable

Details

Title

Introduction to communications engineering

Creator

Gagliardi, Robert M., 1934- >

Language

English

Edition

2nd ed.

Publisher

New York : Wiley

Date

c1988

Type

Book

Description

xv, 621 p. : ill. ; 25 cm.

TOP

SEND TO

GET IT

DETAILS

VIRTUAL BROW...

LINKS

EXPLORE

Series [Wiley series in telecommunications](#) >

Notes "A Wiley-Interscience publication." Includes bibliographies and index.

Subject [Telecommunication](#) >

Identifier LC : 88005629
ISBN : 0471856444
OCLC : (OCoLC)17677636

Source Library Catalog

TOP

SEND TO

GET IT

DETAILS

VIRTUAL BROW...

LINKS

EXPLORE

Virtual Browse

TOP

SEND TO

GET IT

DETAILS

VIRTUAL BROW...

LINKS

EXPLORE

Links

[Find this Item in Google Books](#) >

[Display Source Record](#) >

TOP

SEND TO

GET IT

DETAILS

VIRTUAL BROW...

LINKS

EXPLORE

Syndetics Unbound

[Summary](#)
[About The Author](#)
[Look Inside](#)

[Reader Reviews](#)
[Tags](#)
[Browse Shelf](#)

TOP

SEND TO

GET IT

DETAILS

VIRTUAL BROW...

LINKS

EXPLORE

SUMMARY

Presents thorough coverage of the engineering aspects of modern communication systems, paying particular attention to the practical system considerations in the end-to-end construction of a typical communication link. The text is designed to provide readers with a solid background in current terminology, methodology, and procedures. This updated edition places greater emphasis on modern [\(read more\)](#)

TOP

SEND TO

GET IT

DETAILS

VIRTUAL BROW...

LINKS

EXPLORE

ABOUT THE AUTHOR

Robert M. Gagliardi

Robert M. Gagliardi is the author of *Introduction to Communications Engineering*, 2nd Edition, published by Wiley.

TOP

SEND TO

GET IT

DETAILS

VIRTUAL BROW...

LINKS

EXPLORE

More by Robert M. Gagliardi

EXPLORE



LOOK INSIDE

Communication System Models
Carrier Modulation
Carrier Transmission

TOP [SEE FULL TABLE OF CONTENTS](#) [COVER](#)

SEND TO

GET IT [READER REVIEWS](#)

DETAILS [BE THE FIRST TO WRITE A REVIEW](#)

VIRTUAL BROW...

LINKS

EXPLORE TAGS

electrical engineering communication systems

[BROWSE TAGS](#)

BROWSE SHELF

TOP

SEND TO

GET IT

DETAILS

VIRTUAL BROW...

LINKS

EXPLORE



TK5101 G1954 2011



TK5101 G939 2018

[SEE FULL SHELF](#)

 Catalog enrichment powered by Syndetics Unbound

APPENDIX GAGLIARDI02



WILEY SERIES IN TELECOMMUNICATIONS

Introduction to Communications Engineering

Second Edition

Robert M. Gagliardi

Do Not Remove This Wrapper

R13-M04-S10-T04

31735023399540



Tray ID: R13-M04-S10-T04

Call No.: TK5101 G24 1988

Volume:

Collection: GEN

Title: Introduction to communications

Banding Label

11/14/2023 10:24:21

CIRCULATING
CIRCULATING
CIRCULATING
CIRCULATING
CIRCULATING

Do Not Remove This Wrapper

PS1799-0117

ISBN 0-471-85644-4

UNIVERSITY OF PITTSBURGH LIBRARY

**Introduction to
Communications
Engineering**
Second Edition

Introduction to Communications Engineering

Second Edition

Robert M. Gagliardi

Department of Electrical Engineering
University of Southern California



A Wiley-Interscience Publication

JOHN WILEY & SONS

New York • Chichester • Brisbane • Toronto • Singapore

Copyright © 1978, 1988 by John Wiley & Sons, Inc.

All rights reserved. Published simultaneously in Canada.

Reproduction or translation of any part of this work beyond that permitted by Section 107 or 108 of the 1976 United States Copyright Act without the permission of the copyright owner is unlawful. Requests for permission or further information should be addressed to the Permissions Department, John Wiley & Sons, Inc.

Library of Congress Cataloging in Publication Data:

Gagliardi, Robert M., 1934—

Introduction to communications engineering.

(Wiley series in telecommunications)

"A Wiley-Interscience publication."

1. Telecommunication. I. Title. II. Series.

TK5101.G24 1988 621.38 88-5629

ISBN 0-471-85644-4

Printed in the United States of America

10 9 8 7 6 5 4 3 2

CONTENTS

Chapter 1	Communication System Models	1
1.1	Elements of Communication Systems,	1
1.2	Communication Systems,	5
1.3	The Electromagnetic Frequency Spectrum,	8
1.4	Waveforms and Signals,	11
1.5	Power and Bandwidth,	19
1.6	Carrier Waveforms,	24
1.7	Filtering of Waveforms,	31
1.8	Signal to Noise Ratio,	37
1.9	Digital Communication Systems,	39
	References,	43
	Problems,	44
Chapter 2	Carrier Modulation	49
2.1	Baseband Waveforms,	49
2.2	The Amplitude Modulated Carrier,	58
2.3	Single Sideband AM,	65
2.4	The Frequency Modulated Carrier,	68
2.5	The Phase Modulated Carrier,	77
2.6	Filtering of Modulated Carriers,	83
	References,	89
	Problems,	89
Chapter 3	Carrier Transmission	93
3.1	Oscillators, Carrier Waveforms, and Frequency Generators,	93

3.2	Carrier Mixing and Upconversion,	99
3.3	Carrier Amplification,	101
3.4	Coupling Losses,	103
3.5	Transmitting Antennas,	105
3.6	Carrier Propagation Channels,	117
3.7	Other Channel Effects,	129
	References,	134
	Problems,	136
Chapter 4	Carrier Reception	141
4.1	Receiving Subsystems and Antennas,	141
4.2	Receiver Carrier Power,	145
4.3	Background Noise,	148
4.4	Receiver Front End Analysis,	154
4.5	Link Budgets,	163
4.6	Receiver Noise Processes,	169
4.7	Carrier Plus Noise Waveforms,	172
4.8	Frequency Translation and IF Processing,	175
4.9	Automatic Gain Control,	179
4.10	Nonlinear Processing and Carrier Limiting,	181
	References,	187
	Problems,	188
Chapter 5	Carrier Demodulation	196
5.1	The Demodulating Subsystem,	196
5.2	Amplitude Demodulation,	197
5.3	AM Coherent Demodulation,	202
5.4	Frequency Demodulation,	205
5.5	Phase Demodulation,	211
5.6	FM and PM Demodulation with Feedback Tracking,	212
5.7	Linear PLL Modulation Tracking,	218
5.8	Design of Modulation Tracking Loops,	225
5.9	Carrier Subsystem Models,	228
	References,	230
	Problems,	231
Chapter 6	Baseband Waveforms, Subcarriers, and Multiplexing	236
6.1	The Baseband Subsystem,	236
6.2	Baseband Filtering Systems,	237
6.3	Subcarrier Modulated Baseband Systems,	241
6.4	Source Multiplexing (FDM Baseband Systems),	247
6.5	Digital Sources and A-D Conversion,	254
6.6	Source Rate Reduction,	269

- 6.7 Time Division Multiplexing of Digital Sources, 274
- References, 282
- Problems, 282

Chapter 7 Binary Digital Systems 288

- 7.1 The Binary Digital Model, 288
- 7.2 Optimal Decoding, 291
- 7.3 Decoding with Gaussian Noise, 295
- 7.4 Decoder Implementation and Performance, 297
- 7.5 Signal Selection for Binary Digital Systems, 303
- 7.6 Effect of Imperfect Bit Timing, 316
- 7.7 Decoding with NonWhite Noise, 320
- References, 325
- Problems, 325

Chapter 8 Noncoherent and Bandlimited Binary Systems 330

- 8.1 Noncoherent Binary Signaling, 330
- 8.2 Differential PSK Binary Signaling, 342
- 8.3 Bandlimiting Effects, 347
- 8.4 Designing for the Bandlimited Channel, 354
- 8.5 Partial Response Signaling, 358
- 8.6 Coding and Error Correction, 361
- 8.7 Coding for Burst Errors, 370
- References, 373
- Problems, 374

Chapter 9 Block Waveform Digital Systems 377

- 9.1 The Block Waveform System, 377
- 9.2 Block Decoding for the Gaussian Channel, 380
- 9.3 Block Encoding Signaling Sets, 384
- 9.4 Performance of Block Coded Systems, 392
- 9.5 Polyphase (MPSK) Signaling, 400
- 9.6 Quadrature Phase Shift Keying (QPSK), 404
- 9.7 CPFSK and Phase Trajectory Decoding, 416
- 9.8 Noncoherent Signaling (MFSK), 419
- 9.9 Amplitude Shift Keying (ASK), 422
- 9.10 Bandwidth Efficiency and Digital Throughput, 426
- 9.11 Combined Coding and Waveform Signaling, 429
- References, 434
- Problems, 435

Chapter 10	Frequency Acquisition and Synchronization	438
10.1	Frequency Acquisition,	439
10.2	Dynamical Analysis of Frequency Acquisition,	445
10.3	Frequency Searching with Oscillator Slewing,	453
10.4	Carrier Phase Referencing,	455
10.5	BPSK Carrier Referencing,	468
10.6	QPSK Carrier Referencing,	476
10.7	Bit Timing,	482
	References,	491
	Problems,	492
Chapter 11	Satellite Communications	496
11.1	Development of Communication Satellites,	496
11.2	Satellite Links,	498
11.3	Satellite Transponders,	508
11.4	Satellite Link Analysis,	514
11.5	Frequency Division Multiple Access (FDMA),	524
11.6	Time Division Multiple Access (TDMA),	532
11.7	Code Division Multiple Access (CDMA),	538
11.8	Code Synchronization in DS-CDMA,	545
	References,	553
	Problems,	555
Chapter 12	Fiber Optic Communications	559
12.1	The Optical Fiber Link,	559
12.2	Optical Fibers,	561
12.3	Light Sources,	564
12.4	Optical Photodetectors,	566
12.5	Fiber Link Analysis,	570
	References,	577
	Problems,	578
Appendix A	Fourier Transforms and Identities	580
A.1	The Fourier Transform,	580
A.2	Theorems, Identities, and Expansions,	581
A.3	Calculus of Variations,	584
	References,	586
Appendix B	Random Variables and Random Processes	587
B.1	Random Variables,	587
B.2	Joint Random Variables,	590
B.3	Sequences of Random Variables,	593

- B.4 Random Processes, 594
- B.5 Gaussian Random Processes, 598
- B.6 Representing Gaussian Processes, 599
- References, 603

Appendix C Orthogonal Expansions of Signals 604

- C.1 Deterministic Waveforms, 604
- C.2 Random Processes, 609
- C.3 Examples of Random Expansions, 613
- C.4 Signal Plus Noise Waveforms, 615

Index 617

1AEC6944 9/14/89 ENG

42

APPENDIX JACOBSEN01

```

leader 01558cas a2200397 a 4500
001 992943743405961
005 20191029190347.0
008 950919c199u9999dcuar p 1 0eng
010 ##$a 95640298
012 ##$19602
035 ##$a(0CoLC)33155936
035 ##$9406627
035 ##$a(MoKL)294374-lhalldb
035 ##$a(lhalldb)294374-lhalldb
037 ##$bNational Cable Television Association, 1724 Massachusetts Ave., NW Washington, DC 20036-1969
040 ##$aDLC $cDLC $dNYP $dDLC $dLHL
042 ##$alc
049 ##$aLHLA
050 00$aTK6675 $b.N38a
082 00$a621.388/57 $220
110 2#$aNational Cable Television Association. $bConvention and Exposition
245 10$aTechnical papers / $cNational Cable Television Association.
246 13$aProceedings from ... technical sessions
246 0#$aNCTA technical papers
260 ##$aWashington, D.C. : $bThe Association,
300 ##$av. : $bill. ; $c28 cm.
310 ##$aAnnual
500 ##$aDescription based on: 43rd (1994).
500 ##$aIssue for <2005-> lacks enumeration.
500 ##$aFor "Ten Years of Technical Papers, 1989-1998" on compact disk see: CDRM 1219.
650 00$aCable television $vCongresses.
780 00$aNational Cable Television Association. Convention and Exposition. $tProceedings from ... technical sessions $w(DLC)sn 93037069 $w0CoLC)28523432
850 ##$aDLC $aNN
890 ##$aTechnical papers (National Cable Television Association. Convention and Exposition)
936 ##$a44th (1995) LIC
945 ##$aNational cable television association. Annual convention. Technical papers.
948 ##$aLTI 09/01/2008
948 ##$aLTI 10/19/2010

```

[Browse Search](#)
[Journal Search](#)
[All Databases](#)
[Citation Linker](#)
[Themed Collections](#)
[Document Delivery](#)
[...](#)
[Sign in](#)
[Menu](#)

[Advanced Search](#)

[All items](#)
[that contain my query words](#)
[anywhere in the record](#)

For optimum display, please use Chrome or Firefox. Safari users may not be able to see all the relevant information.

MULTIPLE VERSIONS

Technical papers / National Cable Television Association
National Cable Television Association. Convention and Exposition

Available at Linda Hall Library Closed Stacks - Serials (National cable television association. Annual convention. Technical papers.) >

2 versions found. See all versions >

Top

Send to

Get It

Details

Send to

Email

QR

Permalink

Citation

EasyBib

Export RIS

Export to Excel

Top

Send to

Get It

Details

Virtual Browse

Links

Get It

< Back to Locations

LOCATION ITEMS

Linda Hall Library

Available, Closed Stacks - Serials; National cable television association. Annual convention. Technical papers.

Holdings: 43rd(1994)--44th(1995)...

[View more](#)

Item in place (0 requests) v.43(1994)
Loanable

Item in place (0 requests)
Loanable

Details

Title Technical papers / National Cable Television Association

Other title Proceedings from ... technical sessions
NCTA technical papers

Creator/Contributor National Cable Television Association. Convention and Exposition >

Subjects Cable television >

Identifier OCLC : (OCoLC)33155936

Related title Earlier title : National Cable Television Association. Convention and Exposition. Proceedings from ... technical sessions >
Earlier title : Proceedings from ... technical sessions : papers presented at the ... Annual Convention and Exposition of the National Cable Television Association (NCTA). >

Publisher Washington, D.C. : The Association


Creation date 199?

Format v. : ill. ; 28 cm.

Frequency Annual

General notes Description based on: 43rd (1994).
Issue for <2005> lacks enumeration.
For "Ten Years of Technical Papers, 1989-1998" on compact disk see: CDRM 1219.

Virtual Browse



APPENDIX JACOBSEN02

NATIONAL CABLE TELEVISION ASSOCIATION

1994 TECHNICAL PAPERS



43rd Annual NCTA Convention and Exposition
New Orleans, Louisiana
May 22-25, 1994

NATIONAL CABLE TELEVISION ASSOCIATION


1994 TECHNICAL PAPERS

///



43rd Annual NCTA Convention and Exposition
// *New Orleans, Louisiana*
May 22 - 25, 1994

CABLE '94



THE NATIONAL SHOW
MAY 22-25, 1994
NEW ORLEANS

PROCEEDINGS FROM TWELVE TECHNICAL SESSIONS
43RD ANNUAL CONVENTION AND EXPOSITION OF THE
NATIONAL CABLE TELEVISION ASSOCIATION

May 22-25, 1994

New Orleans, Louisiana

Compiled by Katherine Rutkowski, NCTA Director of Technical Services
Published by NCTA, the National Cable Television Association

ISBN # 0-940272-22-9

Audio recordings may be available for sessions presented at
Cable '94. Phone AVW in Dallas, Texas [214/638-0024] for details.

--Contents--
1994 NCTA Technical Papers

Getting New Services to New Markets

May 23 -- 1:30-3:00 [Moderator: Joseph Van Loan, Cablevision Industries]

Jerry D. Neal
Pioneer New Media Technologies, Inc.
EDUCATION ON DEMAND 1

Dean Ericson and Dan Carter
Media Management Services, Inc.
DEMAND SIDE MANAGEMENT CON-
SIDERATIONS IN ADVANCED NETWORK
DEPLOYMENT 8

William L. Thomas, TV Guide On Screen
ELECTRONIC PROGRAM GUIDE
APPLICATIONS - THE BASICS OF SYSTEM
DESIGN 15

David M. Williams and Burt Perry
Intel Corporation
RICH ONLINE SERVICES AS THE
ARCHETYPE FOR INTERACTIVE TV 21

Video Quality - Prove It or Improve It

May 23 -- 1:30-3:00 [Moderator: Peter N. Smith, Rifkin & Assocs.]

J. Samborski and T. M. Straus
Hughes Aircraft of Canada Limited
FCC TECHNICAL STANDARDS AND
BASEBAND S/N 36

Rex Bullinger, Hewlett-Packard Company
MEASUREMENT OF DIFFERENTIAL GAIN,
DIFFERENTIAL PHASE, AND
CHROMINANCE TO LUMINANCE DELAY
IN CABLE TV 40

Rabab K. Ward (Univ. of British Columbia),
Donald Monteith (Rogers Engineering) & John
C. Madden (Rogers Canadian Cable Labs)
CAN VIDEO NOISE REDUCTION SAVE
MONEY? 48

Guy W. Beakley, Ph.D.
StellaCom, Inc.
HOW TO TEST COMPRESSED DIGITAL
TELEVISION 57

**Always On: Network Management
Issues for Interconnection and
Reliability**

May 23 -- 3:15-4:45
[Moderator: Dan Pike, Prime Cable]

Robert V. Moel (Time Warner Cable, Houston
Div.) and William Spies, TWC, Cincinnati Div.)
DATABASE ANALYSIS OF CATV
NETWORK INTERCONNECTIVITY 70

John C. Anderson, P. Eng., Rogers Engineering
AN INTEGRATED NETWORK
MANAGEMENT SYSTEM FOR CABLE
TELEVISION 74

Guy Sucharczuk, Harmonic Lightwaves Inc.
NETWORK MANAGEMENT SYSTEM
ADVANTAGES AND IMPLEMENTATION 85

Henry Blauvelt and Israel Ury
Ortel Corporation
REDUNDANCY OPTIONS FOR
AM/DIGITAL LASER TRANSMITTERS 89

**Interactivity: Moving From Hype to
Hardware**

May 23 -- 3:15-4:45 [Moderator: Ted Hartson, Post-Newsweek Cable]

John Richardson, D. Williams, R. Adams
Intel Corporation
INTEROPERABILITY REQUIREMENTS FOR
INTERACTIVE CABLE 94

Steve DeHart, K. LaViolette, W. Mostert, and R.
Serafin, Philips Broadband Networks, Inc.
SYSTEM AND DESIGN CONSIDERATIONS
FOR THE CABLE RETURN SYSTEM 105

Daniel M. Moloney, General Instrument
IN-HOME INTELLIGENCE FOR
INTERACTIVITY 113

Robert Thibadeau, Ph.D. (Carnegie Mellon
Univ.), J. Large & J. Newcomer (Television
Computer, Inc.)
A STANDARD SOFTWARE PLATFORM
FOR DIGITAL INTERACTIVE
TELEVISION 120

New Paths to Video on Demand

May 24 -- 9:00-10:30 [Moderator: Charles A. Merk, Philips Broadband Networks]

Roger D. Pience, NCTA
ASYNCHRONOUS TRANSFER MODE (ATM),
ITS DEVELOPMENT AND ADOPTION:
MIGRATING TOWARDS CABLE..... 128

Richard F. Annibaldi
Pioneer New Media Technologies, Inc.
DIGITAL VIDEO SERVERS: STORAGE
TECHNOLOGY AND APPLICATIONS 134

Manu Thapar and Bill Koerner, Hewlett-Packard
ARCHITECTURES FOR VIDEO SERVERS 141

Geng-Sheng (G.S.) Kuo
National Central University - Taiwan
A GENERALIZED FRAMEWORK FOR
CATV TRANSMISSION ON FUTURE
BISDN 149

Winston Hodge (Hodge Computer Research) and
Chuck Milligan (Storage Technology Corp.)
TRUE VIDEO ON DEMAND VS. NEAR
VIDEO ON DEMAND, STATISTICAL
MODELING, COST, & PERFORMANCE
TRADE-OFFS 157

Fiber Optics Performance Update

May 24 -- 9:00-10:30 [Moderator: Brian James, CableLabs]

Robert W. Harris, C-COR Electronics, Inc.
A COST AND PERFORMANCE
COMPARISON BETWEEN
UNCOMPRESSED DIGITAL VIDEO AND
LIGHTLY LOADED AM SUPERTRUNKING
METHODS WITHIN CATV NETWORK
UPGRADES AND REBUILDS 173

Qun Shi and Robert S. Burroughs
Panasonic Technologies, Inc.
HYBRID MULTICHANNEL
ANALOG/DIGITAL CATV TRANSMISSION
VIA FIBER OPTIC LINK: PERFORMANCE
LIMITS AND TRADE-OFFS 182

D. Atlas and R. Pidgeon, Scientific - Atlanta Inc.
NOISE ACCUMULATION IN CATV
DISTRIBUTION SYSTEMS EMPLOYING

1550-NM EXTERNALLY MODULATED
TRANSMITTERS 194

Yaron Simler, Moshe Nazarathy & Yishai Kagan
Harmonic Lightwaves, Inc.
FM INDUCED NOISE IN ANALOG FIBER
OPTIC CATV LINKS 201

Video Telephony's Design

Alternatives May 24 -- 2:00-3:30
[Moderator: Robert Luff, Scientific-Atlanta]

Gaylord Hart, XEL Communications &
Richard Lyford, ANTEC
DEPLOYING TELEPHONY SERVICES OVER
CATV SYSTEMS: SYSTEMS AND
ARCHITECTURAL CONSIDERATIONS 206

Charles Eldering, General Instrument Corp., GI
Communications Division, *et al.*
ENGINEERING REQUIREMENTS FOR
HYBRID FIBER - COAX TELEPHONY
SYSTEMS 219

Roohollah Hajbandeh, Ph.D., TDS Telecom
MULTIMEDIA SERVICES THROUGH CATV
AND TELCO NETWORKS 232

Marty Cowen, Scientific-Atlanta
IMPLICATIONS OF TELEPHONY SERVICE
ON BROADBAND RF CABLE PLANT
DESIGN 242

Aravanan Gurusami, J. Cox, and M. Chapman
Philips Broadband Networks, Inc.
MULTIMEDIA DELIVERY DEVICE FOR
FIBER/COAXIAL HYBRID NETWORKS 248

Digital Modulation & Transmission Through Cable

May 24 -- 2:00-3:30
[Moderator: Nicholas Worth, TeleCable]

Richard S. Prodan, Ph.D., M. Chelehmal, T.
Williams, and C. Chamberlain
Cable Television Laboratories, Inc.
ANALYSIS OF CABLE SYSTEM DIGITAL
TRANSMISSION CHARACTERISTICS 254
---and an associated paper for publication only:
CABLE SYSTEM TRANSIENT
IMPAIRMENT CHARACTERIZATION 263

Joseph B. Glaab
General Instrument
MODULATION CONSIDERATIONS FOR
DIGITAL TELEVISION.....269

Ronald B. Lee
Zenith Electronics Corporation
HIGH DATA RATE VSB MODEM FOR
CABLE APPLICATIONS INCLUDING HDTV:
DESCRIPTION AND PERFORMANCE 274

K. Laudel, E. Tsui, J. Harp, A. Chun, and J.
Robinson; Applied Signal Technology, Inc.
PERFORMANCE OF A 256-QAM
DEMODULATOR/EQUALIZER IN A CABLE
ENVIRONMENT 283

Krista S. Jacobsen and John M. Cioffi
Stanford University
AN EFFICIENT DIGITAL MODULATION
SCHEME FOR MULTIMEDIA
TRANSMISSION ON THE CABLE
TELEVISION NETWORK 305

Regional Digital Backbone Networks

May 24 – 3:45-5:15 [Moderator: Joseph
Stern, Stern Telecommunications Corp.]

Robert W. Harris; C-COR Electronics, Inc.
DIGITAL BACKBONE NETWORK
APPLICATIONS FOR INTER-CITY AND
INTRA-CITY REGIONAL CATV
NETWORKS 313

James O. Farmer, Electronic System Products
and Edward Callahan, Antec Corp.
ISSUES IN HANDLING CABLE SIGNALS
WITHIN DIGITAL OPTICAL
INTERCONNECT NETWORKS.....325

Andy Paff, ANTEC Corporation
INTEGRATING NEW TELECOM-
MUNICATION SERVICES INTO THE
BROADBAND NETWORK 340

John Holobinko,
American Lightwave Systems, Inc.
AN ANALYSIS OF INTEROPERABILITY
AND COST FACTORS FOR REGIONAL
DIGITAL BACKBONE NETWORKS 348

William E. Doyle, Northern Telecom Inc.

SONET DIGITAL FIBER RING
TECHNOLOGY: A CATALYST FOR
REGIONAL INTERCONNECT 358

Determining a Digital Future: ATV Standards Issues

May 24 – 3:45-5:15 [Moderator: Dom Stasi,
Request Television]

Brian James, Cable Television Laboratories, Inc.
HIGH DEFINITION TELEVISION -
DEFINING THE STANDARD 375

Graham S. Stubbs (consultant to) & Tony
Wechselberger, TV/COM International
DIGITAL COMPRESSION --
INTEROPERABILITY ISSUES FOR THE
CABLE INDUSTRY 382

Craig C. Todd, Dolby Laboratories
AC-3: THE MULTI-CHANNEL DIGITAL
AUDIO CODING TECHNOLOGY 391

H. Allen Ecker, Scientific-Atlanta, Inc.
INTEROPERABILITY ON THE
INFORMATION SUPERHIGHWAY: THE
CONTINUING SAGA 404

Engineering the Information

Superhighway May 25 – 9:00-10:30

[Moderator: James Hannan, Times Mirror
Cable Television]

Reem Safadi, General Instrument Corporation
AN OPTIMAL APPROACH TO A FULL-
SERVICE BROADBAND
COMMUNICATIONS NETWORK.....416

A.C. Martelleto, H.P. Pinheiro, M. CarneiroS,
P.B. França, P.D. Silveira
Inter Net Comunicações - Brazil
CATV NETWORK PLANNING, A
SYSTEMATIC APPROACH.....422

Russ Skinner, U S WEST, and Lee Thompson,
Scientific-Atlanta
STATUS REPORT ON THE US WEST
OMAHA BROADBAND NETWORK 428

Robert Adams
Intel Corporation
MUGGED ON THE INFORMATION
SUPERHIGHWAY: SECURITY PROBLEMS
AND SOLUTIONS 434

The New FCC Consumer Interface

Requirements May 25 -- 9:00-10:30

[Moderator: David Large, InterMedia Partners]

Walter S. Ciciora, Ph.D.

Technology Consultant

THE 1992 CABLE ACT & THE CONSUMER

ELECTRONICS INTERFACE 440

Claude Baggett

Cable Television Laboratories, Inc.

CUSTOMER PREMISES EQUIPMENT PER-

FORMANCE AND COMPATIBILITY 454

Vito Brugliera

Zenith Electronics Corporation

LONG TERM COMPATIBILITY 467

Joseph Van Loan (Cablevision Industries) and

David Large (InterMedia Partners)

TUNER CHARACTERISTICS OF CABLE-

READY RECEIVERS.....475

AUTHOR INDEX.....484

ORDER FORM

An Efficient Digital Modulation Scheme for Multimedia Transmission on the Cable Television Network

Krista S. Jacobsen* and John M. Cioffi
Information Systems Laboratory
Stanford University
Stanford, California 94305-4055

Abstract

We present a comparison between the performances of single-carrier modulation with equalization and multicarrier modulation on simulated cable television (CATV) channels. Simulations indicate that for a given data rate, the complexity of multicarrier is significantly lower than that of a single-carrier system. Furthermore, multicarrier is able to reduce the effects of various distortions on a CATV network, including microreflections and interference from external signals such as amateur radio, with a reasonable computational complexity while achieving information bit rates on the order of 80 Mbits/s.

Introduction

The feasibility of offering high-speed interactive data services to customers on CATV networks or similar broadband coaxial networks is currently being investigated by a number of service providers. With over 92% of the homes in the United States passed by cable, the CATV network is a potential supplier of these interactive data services. However, there are several electrical transmission problems that must be overcome before these services can be supplied reliably over CATV networks.

Presently, CATV networks are generally simplex broadcast tree- or star-structured networks. How-

ever, these networks can be converted for duplex service, as some already have been, by replacing amplifier/repeater segments with so-called "diplex" filters and amplifiers that separate the downstream frequencies (50-550 MHz) from upstream frequencies (5-40 MHz) for interactive transmission. Some CATV networks can also have high-frequency attenuation reduced by the installation of equalizing diplex amplifiers that can boost the usable spectrum to 1 GHz. Even after such installation, however, the network operator finds that only some channels are available for new digital services. Consequently, the deployment of digital services is likely to be incremental and to demand high spectral efficiency in those channels allocated for the new services.

The transmission of digital signals over the CATV network is complicated by two general effects. First, the hardware in CATV networks is not ideal. Taps, amplifiers, and splitters can all cause signals to be reflected at their insertion points. In particular, splitters in subscriber homes are known to have poor isolation characteristics. The effect of reflected signals on the frequency transfer characteristic of a CATV channel is passband ripple, which is known to cause "ghosting" in received analog signals. The effects of rippling on digital signals, however, are more severe. Variations in a channel's frequency response cause successively transmitted symbols to interfere with one another, an effect known as intersymbol interference (ISI). Depending on the absolute deviations of the channel magnitude response (which are determined by the magnitudes of impedance mismatches on a CATV system) and the frequency with which those deviations occur in the frequency response (which depends on the length of coaxial cable between mismatches), a given symbol could interfere significantly with a large number of adjacent symbols. Without some scheme to combat ISI, a receiver would make detection errors. In turn, the detection errors could disable, for example, a digital video

*This work was supported by NSF contract number NCR-9203131, JSEP contract number NCR-9203131, NASA contract number NAG2-842, and an NSF Graduate Fellowship.

decoder, resulting in a loss of the signal. Consequently, a robust digital transmission technique for multimedia signals must alleviate the ISI caused by CATV channels if reliable transmission is to be achieved.

A second source of signal degradation in CATV networks is interference from other signals. For example, leaks in a CATV network caused by poorly shielded consumer devices or system hardware allow amateur radio (ham) signals to enter the CATV system. Because the frequency spectrum allocations for CATV and ham overlap, receivers on leaky CATV networks can tune interfering ham signals along with the desired signals. As a result, the received signal is degraded. Furthermore, the bandwidth of ham signals can vary from fewer than 100 Hz to several megahertz.[1] In addition, the duration, spectral location, and severity of ham interferers can vary. As a result, an effective digital transmission scheme must be able to maintain a desired performance level in the presence of interfering signals.

In the next section, we discuss two candidate techniques for multimedia transmission on the CATV network: single-carrier quadrature amplitude modulation (QAM) with equalization and multicarrier modulation. Subsequently, we present a simulated channel, and we compare the performances of the single-carrier and multicarrier systems on this channel. Our results indicate that for a fixed system throughput, the computational complexity of the multicarrier system is significantly less than that of the single-carrier system. Next, we simulate a ham interfering signal and investigate its effect on the achievable data rates and system complexities. Simulations show that a slightly more complex multicarrier system achieves bit rates and data rates only slightly lower than those achievable on the "clean" channel. In contrast, the single-carrier system requires an enormous increase in complexity to achieve a data throughput comparable to the multicarrier system's.

Background

Although numerous digital transmission techniques exist for transmitting digital signals on bandlimited channels, given a finite-complexity constraint and the

desire to achieve high throughput with little latency, there are two practical options: single-carrier quadrature amplitude modulation (QAM) with equalization and multicarrier modulation. In QAM, symbols are decoded one by one in the receiver. Because practical channels cause ISI, an equalizer is used to reduce the ISI, thereby improving the performance of the system with a fixed complexity. Equalization is, however, an inherently suboptimal detection method for practical channels. Furthermore, equalizers do not perform well on channels with significant deviations in their frequency response magnitudes. As a result, we investigate multicarrier modulation for digital transmission over CATV networks.

In multicarrier modulation, a channel is divided into N equal-bandwidth subchannels, each with its own carrier, such that the frequency response is roughly constant across each subchannel. The resulting subchannels are approximately memoryless if N is large enough. *Discrete multitone modulation (DMT)*, a common form of multicarrier modulation, makes the subchannels exactly independent and memoryless in the white Gaussian noise case by using the basis vectors of the inverse fast Fourier transform (IFFT) as the subchannel carriers and adding a *cyclic prefix* to each symbol. The cyclic prefix is a block of deterministic data that is used to "clear" each subchannel after every symbol period, and it is discarded at the receiver prior to reconstructing the data stream using an FFT. The length of the cyclic prefix must be sufficient to ensure that blocks of data from one symbol period to the next do not interfere with each other. Specifically, if the length of the channel impulse response is $\nu + 1$, then the length of the cyclic prefix must be ν . Because each transmitted block must have a cyclic prefix to be transmitted over any non-ideal channel, a portion of every block is wasted by the inclusion of the cyclic prefix. Therefore, one goal in the design of a multicarrier system is to minimize the percentage of each block wasted by transmitting the cyclic prefix. For any fixed channel impulse response, the percentage of each block lost to the cyclic prefix decreases as the FFT/IFFT size (which is $2N$)¹ is increased. The penalty for the increased FFT/IFFT size is an increase in system complexity. This relationship will be demonstrated in detail in the next section.

In contrast to traditional frequency-division multiplexing (FDM) techniques, multicarrier modulation does not constrain the number of bits per subchannel

¹A $2N$ -point complex-to-real IFFT is required in the transmitter to ensure that the signal applied to the channel is real.




Figure 1: DMT block diagram

to be equal for all subchannels. Instead, bits are originally assigned to subchannels just after training during system initialization in direct proportion to the subchannel signal-to-noise ratios. As a result, subchannels that suffer from little attenuation and/or little noise carry the most bits, while subchannels that are severely attenuated and/or very noisy might not carry any bits. This property can be used to alleviate the problems caused by both frequency-domain ripple and interferers such as ham radio signals. Because the bit distribution is continuously updated during transmission as the receiver sends the required information to the transmitter on secure overhead channels, even severe and unpredictable interference like ham can be tolerated by a multicarrier system. If the noise on a subchannel becomes severe while the system is in use, the transmitter simply assigns fewer or no bits to that subchannel while the noise persists. Each subchannel then supports its own QAM constellation, and, because the subchannels are essentially independent and memoryless, a memoryless detector is used for each in the receiver. As a result, no equalizer is required in the multicarrier receiver. Figure 1 shows a block diagram of the DMT transmitter and receiver. For more information on multicarrier modulation and DMT, see [2], [3], [4], [5], and [6].

Simulations

In this section, we describe our simulated channel model and discuss how well our model approximates actual CATV channels. We then use our simulated channel to compare the performances, in terms of the computational complexity required to support a given




Figure 2: CATV system diagram

throughput, of multicarrier systems and single-carrier systems with equalization. Finally, we modify our simulated channel to determine the effects of interference from amateur radio signals or other comparatively narrowband signals on the two transmission systems.

CATV Channel Model

To enable us to quantify the performances of both single-carrier and multicarrier modulation on CATV channels, we computed a "typical" channel frequency response using the system configuration shown in Figure 2.² Because most of the degradations to CATV signals are caused by "leaky" hardware in subscriber drops, we have only modeled the portion of the cable system that is nearest to subscriber homes. The system is modeled as 1/2" copperclad coaxial cable delivering signals through bridge taps to fourteen homes. We have assumed that both source and termination impedances are 75Ω. Since the upstream frequency allocation in most CATV systems is from 5-40 MHz, and we are trying to determine the viability of transmitting bidirectionally on the CATV network, we selected the 6-MHz slot from 30-36 MHz as our simulated channel. The frequency response magnitude of this channel is shown in Figure 3. In computing the frequency response magnitude of the channel, we have assumed the presence of a gain element that brings the maximum magnitude to 0 dB. We note that our channel meets the FCC's technical specifications for the frequency response of CATV channels.[7] Furthermore, our channel exhibits the frequency-domain rippling that is common

²Thanks to Professor D. G. Messerschmitt of the University of California at Berkeley for making his transmission line modeling program available to our research group.




Figure 3: Frequency response magnitude of simulated channel

in actual CATV channels due to leaky consumer hardware such as splitters. Consequently, this channel will help us to illustrate the ability of multicarrier modulation to combat ISI. In addition, by modeling interfering signals as flat nulls in the channel's frequency response, we will be able to illustrate the effect of interferers on the performances of both single-carrier and multicarrier transmission systems.

System Comparison on Simulated Channel

In this section, we investigate the achievable data rates and complexities of both DMT and single-carrier systems for various signal power and channel noise levels. We assume here that no interfering signals, either from within the CATV system or from external sources, degrade the channel.

First, we simulated the DMT system described previously using $2N = 4096$ (2048 subchannels) with our simulated channel and symbol error probabilities of 10^{-7} and 10^{-9} . We assumed a flat noise power spectral density over the 6 MHz bandwidth and a flat power distribution over the subchannels. With these assumptions, we have defined the overall DMT signal-to-noise ratio (SNR) as the ratio of the signal power to the noise power for the subchannels that have 0 dB attenuation. Allocating fractional numbers of bits to subchannels was allowed in the simulation, and a 5.0 dB coding gain was assumed. Table 1 details the

Table 1: Achievable bit rates on simulated channel

DMT SNR (dB)	Bit rate (Mbps)	
	$P_e = 10^{-7}$	$P_e = 10^{-9}$
40	65.256	57.493
43	71.251	63.485
46	77.246	69.479
49	83.243	75.474
52	89.240	81.471
55	95.237	87.467
58	101.23	93.464
61	107.23	99.461

achievable bit rates for various DMT SNRs and the two error probabilities.³ We see from the data in the table that, for any SNR, the throughput of the system operating with a symbol error probability of 10^{-9} is decreased by approximately 7.8 Mbits/s with respect to the $P_e = 10^{-7}$ system. For either symbol error probability, however, the throughput of the multicarrier system is adequate to support a number of multimedia services. For example, with 49 dB SNR and $P_e = 10^{-7}$, a bit rate of 83.243 Mbits/s is high enough to support 4 20-Mbit/s HDTV signals or 16 5-Mbit/s digitized NTSC signals. We note that a 6-MHz slot on the CATV network could easily be used to transmit a variety of multimedia signals with different bandwidth requirements simply by assigning an appropriate number of subchannels to each signal. Furthermore, because of the flexibility in bandwidth allocation that multicarrier affords, a given 6-MHz slot could serve several users at the same time.

To illustrate the relationship between the channel frequency response magnitude and the number of bits supported by each DMT subchannel, Figure 4 shows the bit allocation for the 49 dB SNR case with a symbol error probability of 10^{-9} . Because both the power distribution and noise power spectral density are assumed to be flat, each subchannel supports a number of bits directly proportional to its frequency response magnitude.

Because the complexity of DMT systems is proportional to the FFT/IFFT size used in the implementation (or, equivalently, the number of subchannels into which the channel is divided), we varied the FFT size to determine the effect of a reduced number of subchannels on the achievable bit rate. With $P_e = 10^{-9}$, the results are given in Table 2. In addition to the achievable bit rates, Table 2 gives the

³These data were first presented in [8].

Table 2: Achievable bit rates with $P_e = 10^{-9}$ as a function of FFT size

DMT SNR (dB)	FFT size ($M = 2N$)					
	4096	2048	1024	512	256	128
40	57.493	57.468	57.420	57.323	57.131	56.752
43	63.485	63.457	63.402	63.294	63.078	62.653
46	69.479	69.448	69.388	69.267	69.028	68.556
49	75.474	75.441	75.374	75.243	74.980	74.461
52	81.471	81.434	81.362	81.218	80.933	80.366
55	87.467	87.428	87.350	87.195	86.885	86.272
58	93.464	93.422	93.338	93.171	92.838	92.178
61	99.464	99.416	99.326	99.147	98.791	98.084
% data	98.6	97.2	94.3	88.7	77.3	54.7
Complexity (MIPS) (assumes $2M \log_2 M$ instructions/FFT)	264	240	216	192	168	144




Figure 4: Bit allocation for multicarrier system with 49 dB SNR and $P_e = 10^{-9}$

percentage of each block that is actually data given that the length of our channel's impulse response is approximately $\nu + 1 = 59$ symbol periods. Finally, the complexity, in millions of instructions per second (MIPS), of the multicarrier transmitter and receiver combination is given for each FFT size. The number of instructions required to compute the M -point FFT of a real input sequence is commonly approximated as $2M \log_2 M$, where M is a power of 2. Because we must compute $\frac{2}{MT}$ FFTs per second for a passband multicarrier system operating in a bandwidth of $1/T$ Hz, we find that the complexity in MIPS for a multicarrier system is roughly equal to $\frac{4 \log_2 M}{T}$, where $M = 2N$ in our notation. We have assumed in computing the complexity values in the table that the multicarrier system uses the entire 6 MHz of allocated bandwidth.

The data in Table 2 show that for a given DMT SNR, the maximum achievable bit rate decreases only slightly as the FFT size (or, equivalently, the system complexity) is decreased. However, the percentage of each block that is data decreases more dramatically as the cyclic prefix consumes a larger percentage of each size- $2N$ block. Because we wish to maximize the amount of data transmitted, we cannot arbitrarily decrease the size of our FFT simply because the system throughput remains approximately constant.⁴ Consequently, we will constrain the minimum FFT size to be 512, allowing a maximum 11.3% of each transmitted block to be lost to the cyclic prefix. In addition, because the achievable bit rates for $P_e = 10^{-9}$ with $2N = 4096, 2048$, and 1024 are nearly equal, and the data percentages per block are also similar, we have used only the FFT sizes 1024 and 512 with $P_e = 10^{-9}$ in the following analysis.

To compute the complexity of single-carrier systems yielding the same throughputs as the DMT systems, we first computed the data rates and the numbers of bits per symbol that must be supported by each single-carrier QAM system. After adjusting the throughput values according to the data percentages given in Table 2, we find that single-carrier QAM systems must support the bit rates and approximate numbers of bits given in Table 3. To make the comparison between the single-carrier and multicarrier systems more tractable for the reader, we have maintained a column of DMT

⁴In actuality, we could use the smaller FFT sizes (for example, $2N \leq 256$) by implementing a time-domain equalizer (TEQ), the purpose of which is to reduce the required length of the cyclic prefix in exchange for an increase in system complexity. A detailed discussion of the TEQ is beyond the scope of this paper, but interested readers should consult [5] or [9] for details.

Table 3: Data for single-carrier systems assuming 5.0 dB coding gain

DMT SNR (dB)	Corresponding to $N = 1024$ DMT			Corresponding to $N = 512$ DMT		
	Data (Mbps)	QAM bits	SNR_{rcv}	Data (Mbps)	QAM bits	SNR_{rcv}
40	54.170	9	32.5	50.828	8	29.5
43	59.813	10	35.5	56.123	9	32.5
46	65.461	11	38.5	61.419	10	35.5
49	71.108	12	41.5	66.718	11	38.5
52	76.757	13	44.5	72.016	12	41.5
55	82.406	14	47.5	77.316	13	44.5
58	88.055	15	50.5	82.615	14	47.5
61	93.704	16	53.5	87.914	15	50.5

SNR values. Table 3 also contains the SNRs that must be achieved by single-carrier receivers to support the required numbers of bits. In computing the required receiver SNRs, we have used the rule of thumb that, for $P_e = 10^{-9}$, the first 2 QAM bits require 16.5 dB, and each additional bit requires 3.0 dB. Additionally, we have assumed, as we did for the multicarrier system, a 5.0 dB coding gain.

Finally, we simulated a series of minimum mean-square-error linear equalizers (MMSE-LEs) to compare the single-carrier computational complexities at the various data throughput rates to the complexities of the corresponding DMT systems. Since the complexity of an MMSE-LE is proportional to the number of taps, N_f , in the equalizer, we have computed the approximate numbers of taps required for the MMSE-LEs to achieve the required SNRs given in Table 3. The results are given in Table 4. In Table 4, γ is the "complexity increase factor," and it is the ratio of MMSE-LE complexity to DMT complexity for each DMT SNR and FFT size given in the table. In computing the complexities for the MMSE-LE systems, we have assumed $T/2$ spacing and a transmit symbol rate of 6 Msymbols/s. Therefore, the bandwidths of the single-carrier and multicarrier systems are equal. In addition, the increases in complexity for both the DMT system and the single-carrier system due to the 5.0 dB code are approximately equal. Thus, we have neglected the code in our complexity calculations in both cases. The data in Table 4 show that the complexity of the MMSE-LE system increases with SNR in contrast to the DMT system, the complexity of which is constant for any SNR once the FFT size is selected. Furthermore, the complexity increase factors given in Table 4 show that, for this channel, the complexity of a single-carrier QAM system with an MMSE-LE receiver is at least 2.5 times the complexity of a DMT system operating at the same data rate.

We note that by using a decision feedback equalizer (DFE) instead of a linear equalizer, the complexity of the single-carrier system might be reduced slightly with respect to the MMSE-LE case because only the feedforward filter would need to run at the $T/2$ rate. However, our preliminary results from DFE simulations show that the complexity of a DFE receiver is still at least twice that of the multicarrier system.

System Comparison on Degraded Channel

In this section, we explore the effect of interfering signals on the performances of single-carrier and multicarrier systems. For this simulation, we have simulated a ham interferer of bandwidth 30-kHz located near the middle of our 6-MHz simulated channel. We have assumed that the ham signal causes a -20 dB null in our channel's frequency response magnitude, as shown in Figure 5.

In order to select an appropriate FFT size for the multicarrier system, we computed the channel's impulse response to determine the required cyclic prefix length. Since the impulse response length is roughly 281 samples, we chose $2N = 2048$, implying that approximately 86% of each transmitted block is data. Assuming $P_e = 10^{-9}$ and 5.0 dB coding gain, we then simulated another multicarrier system and found the achievable bit rates on this channel for the same DMT SNRs we used previously. The results are given in Table 5. Comparing the bit rates given in Table 5 with those in Table 2 for the case $2N = 2048$, we see that the effect of the interferer is a minimal decrease in the overall bit rate for each value of DMT SNR. A plot of the bit distribution, shown in Figure 6 for the 49 dB SNR case, indicates that only the subchannels overlap-

Table 4: MMSE-LE complexity data assuming $T/2$ -spaced equalizer

DMT SNR (dB)	Corresponding to $2N = 1024$ DMT			Corresponding to $2N = 512$ DMT		
	N_f	Complexity (MIPS)	γ	N_f	Complexity (MIPS)	γ
40	45	540	2.50	40	480	2.50
43	45	540	2.50	45	540	2.81
46	50	600	2.75	45	540	2.81
49	50	600	2.75	45	540	2.81
52	55	660	3.00	50	600	3.13
55	60	720	3.33	50	600	3.13
58	70	840	3.88	55	660	3.44
61	75	900	4.17	65	780	4.06

Table 5: Achievable bit rates and data rates for $2N = 2048$ DMT system on channel with 30-kHz interfering signal

DMT SNR (dB)	Bit rate (Mbps)	Data rate (Mbps)
40	57.314	49.479
43	63.600	54.647
46	69.291	59.819
49	75.283	64.992
52	81.276	70.166
55	87.270	75.340
58	93.264	80.515
61	99.258	85.689




Figure 5: Frequency response magnitude of simulated channel with 30-kHz interferer


ping the interfering signal's bandwidth carry fewer bits than they did in the previous simulations. However, since the channel's impulse response length has increased significantly, the data percentage per block has decreased, yielding lower data rates. Specifically, for each DMT SNR value, the percent decrease in data

throughput with respect to the data rates achievable with $2N = 2048$ on the "clean" channel of the previous section is about 11%.

Finally, we computed the required numbers of QAM bits and receiver SNRs and simulated another set of MMSE-LEs that achieve the same data rates as the DMT systems on the degraded channel. The pertinent values are given in Table 6. In computing the data in Table 6, we have again assumed a 5.0 dB coding gain and $T/2$ equalizer spacing. The values of γ in Table 6 clearly illustrate the dramatic increase in complexity required by the MMSE-LE to achieve the same data rates as the multicarrier system. We note again that the complexity of the single-carrier system increases with SNR, while that of the multicarrier system remains 240 MIPS. Furthermore, if the bandwidth of the interfering ham signal were even wider than the 30 kHz we assumed, then the complexity comparison would further favor multicarrier. Equalizers with reasonable numbers of taps are simply not effective on channels with so-called "dead-zones" caused by strong interfering signals. Thus, to achieve data rates on the order of those attainable with a multicarrier system on a channel with a dead-zone, a receiver would need an equalizer with a prohibitive number of taps.

Table 6: MMSE-LE data for degraded channel

DMT SNR (dB)	Data rate (Mbps)	QAM bits	SNR_{rcu}	N_f	Complexity (MIPS)	γ
40	49.479	8	29.5	160	1920	8.00
43	54.647	9	32.5	165	1980	8.25
46	59.819	10	35.5	170	2040	8.50
49	64.992	11	38.5	195	2340	9.75
52	70.166	12	41.5	225	2700	11.25
55	75.340	13	44.5	250	3000	12.50
58	80.515	13	44.5	250	3000	12.50
61	85.689	14	47.5	260	3120	13.00

Figure 6: Bit allocation for multicarrier system on degraded channel with 49 dB SNR and $P_e = 10^{-9}$

Conclusion

The results of our simulations indicate that discrete multitone modulation is more computationally efficient than single-carrier modulation with equalization for the transmission of digital data over CATV channels with rippled passbands. Furthermore, DMT can easily adapt to a variety of channel degradations, optimizing the system bit rate for a given channel and complexity. Because system reliability is important for any consumer service, a digital transmission system must maintain a certain level of performance under a wide variety of circumstances. Given our simulation results, multicarrier modulation appears to be better equipped than single-carrier modulation to accomplish this objective.

References

- [1] R. Pience. private communication. February 1994.
- [2] J.M. Cioffi. "A Multicarrier Primer". In *ANSI T1E1.4 Committee Contribution*, pages 91-157, Boca Raton, FL, November 1991.
- [3] J. A. C. Bingham. "Multicarrier Modulation for Data Transmission : An Idea whose Time Has Come". *IEEE Communications Magazine*, 28(5):5-14, May 1990.
- [4] A. Ruiz, J.M. Cioffi, and S. Kasturia. "Discrete Multiple Tone Modulation with Coset Coding for the Spectrally Shaped Channel". *IEEE Transactions on Communications*, 40:1012-29, June 1992.
- [5] J.S.Chow, J.C.Tu, and J.M.Cioffi. "A Computationally Efficient Adaptive Transceiver for High-Speed Digital Subscriber Lines". In *Proceedings 1990 International Conference on Communications*, June 1990. Boston, MA.
- [6] J.C. Tu. *Theory, Design and Application of Multichannel Modulation for Digital Communications*. PhD thesis, Stanford University, June 1991.
- [7] Federal Communications Commission. "Code of Federal Regulations". Title 47, Part 76.605, 1992.
- [8] K.S. Jacobsen and J.M. Cioffi. "High-performance Multimedia Transmission on the Cable Television Network". In *Proceedings 1994 International Conference on Communications*, New Orleans, LA, May 1994.
- [9] J.S. Chow. *Finite-length Equalization for Multicarrier Transmission Systems*. PhD thesis, Stanford University, June 1992.

APPENDIX JACOBSEN03

```

leader 07644nam a2200409 a 4500
001 9917491943406236
005 20181031115756.0
008 980213s1997 nju 101 0 eng d
020 ##$a0780343034 #q (softbound ed.)
020 ##$a0780343042 #q (casebound ed.)
020 ##$a0780343050 #q (microfiche ed.)
035 ##$a(OCoLC)38436516
035 ##$9ATA5086C1
035 ##$a1749194
035 ##$a(priu)1749194-pittdb
035 ##$a(pittdb)1749194-pittdb
040 ##$aCUB $cCUS $dPIT $dwaOLN $dOrLoB-B $dOCoLC
043 ##$aPITT
090 ##$aTK7801 $b.W484 1997
111 2#$aWestern Electronic Show and Convention $d(1997 : $cSanta Clara, Calif., and San Jose, Calif.)
245 10$aWescon/97 : $bcommunications, wireless/networking, IC technologies, power management, multimedia, software, embedded/development, design/manufacture/test : conference proceedings
246 3$aWescon '97
246 30$aWescon/97 conference proceedings
246 30$aConference proceedings
246 13$aWescon conference proceedings
246 14$a1997 Wescon
260 ##$aPiscataway, NJ : $bIEEE Service Center, $cc1997.
300 ##$av1, 588 p. : $b111. ; $c29 cm.
500 ##$a"IEEE catalog no. 97CH36148"--T.p. verso.
504 ##$aIncludes bibliographical references and indexes.
505 00$tLow-Cost GPS Chipset and Its Common Applications / $rRobert J. Marshall, Jr. -- $tBringing GPS Chipsets to Mainstream Products / $rGreg Turetzky -- $tMulti-Function Internet Appli
650 #0$aElectronics $vCongresses.
650 #0$aElectronic apparatus and appliances $vCongresses.
710 2#$aInstitute of Electrical and Electronics Engineers.
710 2#$aInstitute of Electrical and Electronics Engineers. $bSan Francisco Bay Area Council.
710 2#$aInstitute of Electrical and Electronics Engineers. $bLos Angeles Council.
710 2#$aElectrical Research Association. $bNorthern California Chapter.
710 2#$aElectrical Research Association. $bSouthern California Chapter.
943 ##$aso:vp;ctm:sac
906 ##$aULS

```

chrome-extension://bpconcicammlapcogcnnelfmaeghhagi/edit.html

	Date	c1997
	Type	Conference Proceeding
	Description	vi, 588 p. : ill. ; 29 cm.
	Notes	"IEEE catalog no. 97CH36148"--T.p. verso. Includes bibliographical references and indexes.
	Contents	Low-Cost GPS Chipset and Its Common Applications / Robert J. Marshall, Jr. -- Bringing GPS Chipsets to Mainstream Products / Greg Turetzky -- Multi-Function Internet Appliances / Ken Soohoo -- Microprocessor Selection for Handheld Personal Computers / Milton Ribeiro -- Successful Programming for Information Appliances / Stuart Read -- Designing Personal Communications Products / Fadi Azhari -- Optimization of Path System to Silicon / Christine King -- Single-Gate Logic - Solutions for Space-Constrained Designs / Carl R. Poirier -- CORE + ASIC Methodology - The Pursuit of System-on-a-Chip / Ann Marie Rincon -- Emerging Media Processor: An Architect for Market Needs / Neil Mitchell -- PC Audio Technologies in Transition / Renato D'Orfani -- DVD RAM - A Cornerstone of Tomorrow's Entertainment Economy / Jeffrey Fry -- Total Multimedia: The Next Dimension / Satish Gupta -- Trends in PC Audio / Dave Rossum -- Using Background Modes for Testing, Debugging and Emulation of Microcontrollers / Charles Melear -- Digital System Debug Techniques / Mark W. Klingensmith -- Advances in Debugging High-Performance Embedded Systems / Ross Bannatyne -- Software Detailed Technical Reviews: Finding and Using Defects / Karen Owens -- Software Process for Individuals in Industry / George Huling -- Shielded High-Perf. Interconnect Technology Increases Real Signal Density / Tom Cohen -- High-Performance Heatsinks for Processors/Power Electronics - Beyond Extrusions / David Copeland -- Advances in Passive LCD Technology / Charles Holland -- New Way to Protect Electronics / Raymond F. Lehman -- Design Verification and Production Test: Tools for Faster Development / Dann Gustavson -- Wireless LANs: Why IEEE 802.11 DSSS? / Vincent Vermeer -- Design and Status Report on the Globalstar Satellite Communication System / Fred J. Dietrich -- Advancements in T1/E1 Spread Spectrum Radio Performance and Features / Ken Ruppel -- Broadband Wireless Connectivity / Ed Champy -- Control of Electromagnetic Radiation in Digital Circuits / Charles Melear -- Fuzzy Logic and 16-Bit MCUs: A Matter of Intuition / Michael Thompson -- Designing Low-Voltage Microcontrollers into Portable Applications / CamQuynh (C. Q.) Nguyen -- Power Dissipation Estimation at Lower Operating Voltages / Lance Packer -- Practical Interface Solutions in Portable System Design / Lee Siedjeski -- Low-Voltage Bus Interface Logic: Constraints and Challenges for the Future / Peter R. LaFlamme -- Thin Metal Film Battery Technology / Brian Zonnefeld -- Selection of Standby Batteries for Outdoor Systems / Philip Shumard -- Rechargeable Zinc-Air Battery Technology Implementations in Portable Electronics / Tim Cutler -- User's Guide to Compensating LDO Regulators / Chester Simpson -- WARP Speed IGBTs - Fast Enough to Replace Power MOSFETs / Chris Ambarian -- Design Considerations for High-Current, Low-Voltage SBRs / C. S. Mitter -- Intelligent Power Supply Conditioning System using an Embedded Microcontroller / Charles Melear -- Balancing the 3D Pipeline in the Mainstream PC / Lewis C. Eggebrecht -- Issues in Displaying 2D/3D Graphics & Video for Multimedia Apps on High-Res FPDs / James H. Kim -- Multisync TV Monitor for Low-Cost Multimedia PC Systems / Nishan Urkumyan -- 1997: The Year of the Component / Dirk Gorter -- Simulation Tools Minimize Risk / John M. Smolucha -- Applications for Microfluidic Components / John N. Skardon -- New System Integration Trends for Advanced Motor Control Design / Leon Aftandilian -- Magnetic Speed Sensing: Principles and Applications / Ed Ramsden -- Integrated Digital Control for Electronic Lighting / Robert E. Corbett -- 56Kbps Data Transmission Across the PSTN - How does it work? / P. Michael Henderson -- Two-Way Solutions for High-Speed Cable Modems / Perry M. Mistry -- Single-Chip Subscriber Cable Modem / Ahmed Said -- SDMT Modulation for Cable Modems: Making the Most of ... / Krista S. Jacobsen -- Designing Integrated Systems w/Gigabit/Second CMOS Serial Transceiver Cores / Karl Nakamura -- Double Data Rate Synchronous DRAMs in High-Performance Applications / Adrian B. Cosoroaba -- Embedding High-Performance PC Architecture / D. John Oliver -- New Design Flows for Programmable Logic Designers / Kirk A. Owyang -- Embedded Real-Time Objects: When Java Meets CORBA in Emb. Real-Time Syst / Michel Tombroff -- Real-World Approach to Benchmarking DSP Real-Time Operating Systems / Elizabeth Keate -- PCI - Applications and Solutions in High-End Network Servers / K. Anamali -- Universal Serial Bus Power Management / Kevin Lynn -- Meeting USB/IEEE 1394 Overcurrent Protection Requirements / Paul Wiener -- CAROM: A Solid-State Replacement for the CD-ROM / Klaus Holtz -- New Standard for Flash Memory / Nelson C. Chan -- Tip-Tilt Correction System for Astronomical Telescopes using Adaptive Control / Jim Watson -- Development of an Integrated Fluid Sensor / Jeffrey D. Johnson -- Airport-to-Airport Microwave Video Link / B. Ian Ruiz -- Savonius Water Current Meter / Seon Lee -- Aria / Gabriel Velasquez -- Emulation Techniques for Microcontrollers / Charles Melear -- Emulation Techniques for Microcontrollers with Internal Caches and Multiple Execution Units / Charles Melear -- Circuit Termination Methodologies and Characteristics / John Nemec -- Intro to Microcontrollers - Module A / Ross Bannatyne and Greg Viot -- Intellectual Property for the Engineer, Purchaser, and Seller / Leslie S. Marell -- New Purchasing Systems: What to Look for and How to Get One / Ronn E. Williamson.
TOP		
SEND TO		
GET IT		
DETAILS		
VIRTUAL BRO...		
LINKS		
EXPLORE		
TOP		
SEND TO		
GET IT		
DETAILS		
VIRTUAL BRO...		
LINKS		
EXPLORE		
	Subject	Electronics -- Congresses. 5 Electronic apparatus and appliances -- Congresses. 5
	Genre	Congresses. 5
	Related titles	Available in other form: 1997 WESCON Conference. 5
	Identifier	ISBN : 0780343034 1q (softbound ed.) ISBN : 0780343042 1q (casebound ed.) ISBN : 0780343050 1q (microfiche ed.) OCLC : (OCoLC)38436516
	Source	Library Catalog

The screenshot displays the Syndetics Unbound interface, which is designed to enhance library catalogs with virtual bookshelves. The interface is organized into several sections:

- Virtual Browse:** This section at the top features a horizontal carousel of book covers. Visible titles include "WESCON ... conference record. 1979-", "Wescon/87 : communications, wireless/networking, IC. ... c1997", "PRACTICAL ELECTRONICS FOR INVENTORS", and "Basic electronics 2010".
- Navigation Menu:** On the left side, there is a vertical menu with links: "TOP", "SEND TO", "GET IT", "DETAILS", "VIRTUAL BRO...", "LINKS", and "EXPLORE".
- Links:** Below the menu, there is a "Links" section with two items: "Find this Item in Google Books" and "Display Source Record".
- Syndetics Unbound:** This section contains a "SUMMARY" of the service, stating: "Annually, WESCON reports on technology applications for the practicing engineer. New products and component applications to specific markets are also described. Potential development areas of emerging fields are explored with a view toward the commercial and consumer utility."
- READER REVIEWS:** Below the summary, there is a "READER REVIEWS" section with a button that says "BE THE FIRST TO WRITE A REVIEW".
- BROWSE SHELF:** This section features a "BROWSE SHELF" with two book covers. The left cover is titled "Conference proceedings" and is associated with the identifier "TK7801 S64". The right cover is titled "Wescon/87 : communications, wireless/networking, IC. ... c1997" and is associated with the identifier "TK7801 W484 1997".
- SEE FULL SHELF:** At the bottom of the browse shelf, there is a button labeled "SEE FULL SHELF".
- Footer:** The bottom of the page features a logo for Syndetics Unbound and the text "Catalog enrichment powered by Syndetics Unbound".

APPENDIX OVADIA01


Catalog


[Bookmarks 0](#)
[Course Reserves](#)
[My Account](#)

[Advanced search](#)
[Start Over](#)

[Share](#)
[Bookmark](#)
[Report an Issue](#)

MARC View

LEADER 01058camna2200313 a 4500	
001 2177175	
003 SIRSI	
005 20151215011541.0	
008 010510t20012001njua b 001 0 eng c	
010	a 00054756
019	a MARS
020	a 0130864218
035	a (Sirsi) I00054756
035	a (OCoLC)46916479
040	a TXA c TXA d WaOLN d UtOrBLW
042	a pcc
050	4 a TK6675 b .O93 2001
100	1 a Ovadia, Shlomo.
245	1 0 a Broadband cable TV access networks : b from technologies to applications / c Shlomo Ovadia.
264	1 a Upper Saddle River, NJ : b Prentice Hall PTR, c [2001]
264	4 c ©2001
300	a xvi, 446 pages : b illustrations ; c 25 cm
336	a text b txt 2 rdacontent
337	a unmediated b n 2 rdamedia
338	a volume b nc 2 rdacarrier
504	a Includes bibliographical references and index.
650	0 a Cable television.
650	0 a Broadband communication systems.
949	a TK6675.O93 2001 w LC c 1 i 000044741433 d 12/7/2001 e 11/2/2001 l CATO-2 m UP-ANNEX n 2 r Y s Y t BOOK u 5/26/2001 z 8159



Copyright ©2019 The Pennsylvania State University. All rights reserved. Except where otherwise noted, this work is subject to a Creative Commons Attribution 4.0 license. Details and exceptions.

[Legal Statements](#) | [PSU Hotlines](#)

PENN STATE UNIVERSITY LIBRARIES

[Libraries Home](#) (814) 865-6368
[Libraries Intranet \(Staff Only\)](#)
[Accessibility Help](#)
[Website Feedback](#)
[Policies and Guidelines](#)
[Staff Directory](#)


PennState
 University Libraries

Catalog

[Bookmarks 0](#)
[Course Reserves](#)
[My Account](#)

[Advanced search](#)
[Start Over](#)

[← Previous](#) | 1 of 39 | [Next →](#)



Broadband cable TV access networks : from technologies to applications / Shlomo Ovadia

Author: [Ovadia, Shlomo](#)

Published: Upper Saddle River, NJ : Prentice Hall PTR, [2001]

Copyright Date: ©2001

Physical Description: xvi, 446 pages : illustrations ; 25 cm

Availability

Library Storage (1 item)

Call number	Material	Location
TK6675.Q93 2001	Book	Checked out

Subject(s):


- [Cable television](#)
- [Broadband communication systems](#)

ISBN: 0130864218

Bibliography Note:

Includes bibliographical references and index.

[View MARC record](#) | catkey: 2177175



Copyright ©2019 The Pennsylvania State University. All rights reserved. Except where otherwise noted, this work is subject to a Creative Commons Attribution 4.0 license. Details and exceptions.

[Legal Statements](#) | [PSU Hotlines](#)

PENN STATE UNIVERSITY LIBRARIES

[Libraries Home](#) (814) 865-6368
[Libraries Intranet \(Staff Only\)](#)
[Accessibility Help](#)
[Website Feedback](#)
[Policies and Guidelines](#)
[Staff Directory](#)

APPENDIX OVADIA02

SHLOMO OVADIA

BROADBAND CABLE TV ACCESS NETWORKS

From Technologies to Applications



OVADIA

BROADBAND CABLE TV ACCESS NETWORKS

From Theory
to Application

Engin.
TK6675
.093
2001

PH
PTR

BROADBAND CABLE TV ACCESS NETWORKS

From Technologies to Applications

SHLOMO OVADIA

Next-generation CATV systems: architecture, protocols, technologies, and applications

Broadband cable TV networks are undergoing a massive transformation, from simply broadcasting analog TV channels to providing sophisticated, two-way interactive services such as high-speed Internet access and video-on-demand. Now, one of the field's leading experts reviews the technologies, protocols, and applications associated with the CATV revolution, and previews the migration path from today's two-way hybrid fiber/coax networks to the awesome capacities of tomorrow's DWDM fiber networks. Coverage includes:

- HFC cable networks vs. the competition: DSL, FTTL, DBS, and MMDS
- Key fiber-optics transmission technologies: directly and externally modulated laser transmitters, optical receivers, and Erbium-doped optical fiber amplifiers (EDFAs)
- Architecture of DWDM access networks
- Hardware architecture and operation of digital set-top boxes and cable modems
- Software architecture and applications for digital set-top boxes

Ovadia offers in-depth analyses of single- and multiple-wavelength fiber-optics transmission impairments over HFC and DWDM networks, and presents the emerging two-way DWDM network architecture. Finally, he discusses the DOCSIS cable modem protocol, as well as key set-top box applications such as electronic program guides (EPGs), video-on-demand (VOD), Internet-based applications such as e-mail, and e-commerce.

Whether you're an engineer, scientist, cable professional, manager, or investor, if you want to understand where cable is headed, you need *Broadband Cable TV Access Networks: From Technologies to Applications*.

About the Author

SHLOMO OVADIA is a Principal System Architect in the Cable Network Operation business unit at Intel. Prior to joining Intel, he was involved in the development of digital set-top boxes and cable modems as a Principal Scientist at Digital Network Systems, General Instrument/Motorola. He is a Senior Member of IEEE and has written more than 60 technical publications and biographies, as well as eight patents pending, and his personal bio is in *Who's Who in America: Science and Engineering*.

PENN STATE UNIVERSITY LIBRARIES



A000044741433

PRENTICE HALL
Upper Saddle River, NJ 07458
www.phptr.com

ISBN 0-13-086421-8



9 780130 864215

90000



ENGINEERING LIBRARY

**BROADBAND CABLE TV
ACCESS NETWORKS:
FROM TECHNOLOGIES TO APPLICATIONS**

SHLOMO OVADIA

Intel Corporation



Prentice Hall PTR
Upper Saddle River, NJ 07458



Library of Congress Cataloging-in-Publication Data

Ovadia, Shlomo

Broadband Cable TV Access Networks—From Technologies to Applications/ Shlomo Ovadia.
Includes bibliographical references and index.

ISBN 0-13-086421-8

1. Cable TV Access. I. Title

QA9.64 .M46 2000 511.1--dc21

00-054756

Production Editor: Rose Kernan

Acquisitions Editor: Bernard Goodwin

Editorial Assistant: Michelle Vincenti

Marketing Manager: Dan DePasquale

Manufacturing Manager: Alexis R. Heydt

Cover Designer: Nina Scuderi

Cover Design Direction: Jerry Votta

Composition: Shlomo Ovadia

Cover: TV image is courtesy of DIVA



© 2001 Prentice Hall PTR

Prentice-Hall, Inc.

Upper Saddle River, NJ 07458

All rights reserved. No part of this book may be reproduced, in any form or by any means, without permission in writing from the author and publisher.

The publisher offers discounts on this book when ordered in bulk quantities. For more information contact: Corporate Sales Department, Prentice Hall PTR, One Lake Street, Upper Saddle River, NJ 07458. Phone: 800-382-3419; Fax: 201-236-7141; E-mail: corpsales@prenhall.com
Intel is not affiliated with this book

Printed in the United States of America

10 9 8 7 6 5 4 3 2 1

ISBN 0-13-086421-8

Prentice-Hall International (UK) Limited, *London*

Prentice-Hall of Australia Pty. Limited, *Sydney*

Prentice-Hall Canada Inc., *Toronto*

Prentice-Hall Hispanoamericana, S.A., *Mexico*

Prentice-Hall of India Private Limited, *New Delhi*

Prentice-Hall of Japan, Inc., *Tokyo*

Pearson Education Asia Pte. Ltd.

Editora Prentice-Hall do Brasil, Ltda., *Rio de Janeiro*

*To my parents, Mazal and Moshe,
My wife, Nina, and our children,
Yafit, Shlomit, Binyamin, and Leora*

CONTENTS

Preface

xiii

1 Broadband Hybrid Fiber/Coax Access Networks Overview

1

1.1 Introduction

2

1.2 Traditional Cable TV Networks

5

1.3 Two Way HFC Access Networks

6

1.3.1 Subscriber's Home Terminal

6

1.3.2 Cable Modems

9

1.3.3 IP Telephony

10

1.4 Competing Access Technologies

12

1.4.1 Asymmetric Digital Subscriber Line (ADSL)

12

1.4.2 Fiber-In-The-Loop (FITL)

15

1.4.3 Direct Broadcast Satellite (DBS)

17

1.4.4 Multichannel Multipoint Distribution Service (MMDS)

18

References

19

2 Basic Cable TV Background: Modulation, Signal Formats and Coaxial Cable Systems

21

2.1 Analog Modulated Video Signal Formats

21

2.1.1 NTSC and AM-VSB Video Signals

21

2.1.2 NTSC Signal Test Parameters

25

2.1.3 PAL and SECAM Video Signals

27

2.2 Digital Video and Audio Signals

29

2.2.1 MPEG-1 Standard

29

2.2.2 MPEG-2 Standard

33

2.2.3 MPEG and AC-3 Audio

35

2.2.4 MPEG-4 Standard

36

2.2.5 Other Digital Video Standards

37

2.3 Cable TV Frequency Plans

37

2.4 Coaxial Cable TV Components and Systems

42

2.4.1 Coaxial Cable

42

2.4.2 RF Amplifiers

44

v

6.3.2 CNR and Noise-Figure Calculation	167
6.3.3 Noise-Figure Measurement	169
6.4 <i>EDFA Requirements for Cable TV Networks</i>	170
6.4.1 EDFA's Noise-Figure Requirement	170
6.4.2 EDFA's CNR Requirement	175
6.4.3 Gain-Flattened EDFAs	176
References	178

7 RF Digital QAM Modems **183**

7.1 <i>RF QAM Modem Building Blocks</i>	183
7.2 <i>MPEG Transport Framing</i>	185
7.3 <i>Reed-Solomon Codes</i>	188
7.4 <i>Interleaver/Deinterleaver</i>	191
7.5 <i>Trellis-Coded Modulation (TCM)</i>	193
7.5.1 Punctured Convolutional Coding	193
7.5.2 Viterbi Decoding	195
7.5.3 TCM for 64/256-QAM Modulation	198
7.5.4 Differential Precoder	200
7.6 <i>Randomizer/Derandomizer</i>	201
7.7 <i>M-ary QAM Modulator Design and Operation</i>	202
7.7.1 Baseband Shaping Filter	202
7.7.2 Building Blocks of M-ary Modulator	204
7.8 <i>M-ary QAM Receiver Design and Operation</i>	206
7.9 <i>Adaptive Equalizer</i>	208
7.10 <i>Carrier and Timing Recovery</i>	214
7.10.1 Carrier Recovery in QAM Receivers	214
7.10.2 Timing Recovery in QAM Receivers	217
7.11 <i>MER and EVM</i>	219
7.11.1 MER and EVM Definition	219
7.11.2 MER and EVM Test Procedure	220
7.12 <i>BER of M-ary QAM Signals in AWGN Channel</i>	223
References	228

8 Subscriber Home Terminals **231**

8.1 <i>Digital Set-Top Box Building Blocks</i>	231
8.2 <i>Cable TV RF Tuner</i>	233
8.3 <i>Out-of-Band (OOB) Receiver</i>	235
8.3.1 OOB Randomizer	237
8.3.2 OOB Reed-Solomon Coding	238

8.3.3 OOB Interleaver	238
8.3.4 OOB QPSK Mapping	239
8.4 <i>RF QAM Transceiver</i>	239
8.4.1 RF Upstream FEC	242
8.4.1.1 Upstream R-S Coding	242
8.4.1.2 Upstream Randomizer	242
8.5 <i>MPEG Video/Audio Demultiplexer and Decoder</i>	243
8.5.1 VBI Retriever and Decoder	245
8.6 <i>Conditional Access and Control</i>	246
8.6.1 Digital Encryption/Decryption Basics	246
8.6.2 Access Control Basics	248
8.6.3 Renewable Security	249
8.7 <i>Graphics Processor</i>	250
8.7.1 Basic 3D Graphics Concepts and Techniques	251
8.7.2 On-Screen Video and 2D/3D Graphics Rendering Requirements	255
8.8 <i>Set-Top Box CPU and Memory</i>	257
8.8.1 Set-Top Box CPU	257
8.8.2 Set-Top Box Memory	258
8.9 <i>Advanced Set-Top Box with Built-in DOCSIS Cable Modem</i>	260
8.10 <i>M-QAM Transmission Impairments in HFC Networks</i>	261
8.10.1 Set-Top Box Front-End Losses	262
8.10.2 QAM Transmitter Losses	266
8.10.3 Additive White Gaussian Noise (AWGN)	266
8.10.4 Multipath Reflections	267
8.10.5 Amplitude and Group Delay Variations	270
8.10.6 Burst and Impulse Noise	271
8.10.7 AM Hum Modulation	273
8.10.8 64/256-QAM System Budget Link	273
References	276

9 Transmission Impairments in Multichannel AM/QAM Lightwave Systems

279

9.1 <i>Clipping-Induced Nonlinear Distortions</i>	280
9.1.1 Asymptotic Statistical Properties of Clipping Noise	281
9.1.2 BER of M-ary QAM Channels Due to Clipping Noise	283
9.1.3 Comparison to Experimental Results	287
9.1.4 BER of QAM Channel Due to "Dynamic Clipping" Noise	290
9.1.5 Clipping Noise Reduction Methods	292
9.2 <i>Bursty Nonlinear Distortions</i>	294
9.3 <i>Multiple Optical Reflections</i>	299
9.3.1 Interferometric Noise due to DRB	300

9.3.2 Laser RIN Due to Multiple Discrete Optical Reflections	302
9.3.3 Multiple Reflections Effect on AM-VSB Channels	303
9.3.4 Multiple Reflections Effect on QAM Channels	307
9.4 Dispersion-Induced Nonlinear Distortions	309
9.5 Optical Fiber Nonlinear Effects	312
9.5.1 Stimulated Brillouin Scattering Effect	312
9.5.2 Self and External Phase Modulation Effects	316
9.5.3 Stimulated Raman Scattering Effect	319
9.5.4 Cross-Phase Modulation Effect	322
9.6 Polarization-Dependent Distortion Effects	323
References	326
 10 EDFA-Based WDM Multichannel AM/QAM Video Lightwave Access Networks	 331
10.1 Architecture and Performance of Multichannel AM-VSB/QAM Video Lightwave Trunking Networks	331
10.1.1 Multichannel AM/QAM Video Lightwave Trunking Systems	333
10.1.2 Multichannel AM-VSB Video Lightwave Trunking Results	334
10.1.3 Multichannel AM-VSB/QAM Video Lightwave Trunking Results	336
10.1.4 Differential Detection in AM-VSB Video Trunking Systems	340
10.1.5 SPM and EPM Effects in AM Video Trunking Systems	342
10.1.6 Polarization Effects in AM-VSB Video Trunking Systems	344
10.1.7 Gain Tilt Distortion in AM Video Trunking Systems	346
10.2 The Problem with the Current HFC Networks	348
10.3 DWDM Downstream Access Network Architecture	349
10.4 DWDM Upstream Access Network Architecture	352
10.4.1 Frequency-Stacking Scheme	352
10.4.2 Digitized Return-Path Transport	354
References	357
 11 Data-Over-Cable Interface Specifications (DOCSIS) Protocol	 359
11.1 DOCSIS Communication Protocol	359
11.2 Downstream PHY Layer	361
11.2.1 Downstream PMD Sublayer	362
11.3 Upstream PHY Layer	363
11.3.1 Upstream Channel Parameters and Requirements	365
11.3.2 Burst Profiles	365
11.3.3 Burst Timing	368
11.3.4 Upstream Spurious Power Outputs	370

11.3.5 Burst Frame Structure	371
11.4 Downstream Transmission Convergence Sublayer	372
11.5 Media Access Control (MAC) Layer	373
11.5.1 MAC Frame Format	374
11.5.2 MAC Management Messages	375
11.6 Random Access and Contention Resolution Methods	380
11.6.1 Random Access Methods	380
11.6.2 p-Persistence with Binary Exponential Backoff Algorithm	382
11.7 MAC Layer Protocol Operation	383
11.8 Quality of Service (QoS) and Fragmentation	384
11.8.1 Basic Concepts and Operation	385
11.8.2 Upstream Service Flow Scheduling	386
11.8.3 Upstream Fragmentation	388
11.9 CM and CMTS Interaction	390
References	392
12 Digital Set-Top Box Software Architecture and Applications	395
12.1 Digital Set-Top Box Software Architecture	395
12.1.1 Real-Time Operating System (RTOS)	397
12.1.2 Set-Top Box Middleware	398
12.2 Native Applications	402
12.2.1 Electronic Program Guides (EPGs)	402
12.2.2 Parental Control	404
12.3 TV-Based Interactive Applications	405
12.3.1 Pay-Per-View (PPV) and Impulse PPV (IPPV)	406
12.3.2 Enhanced Broadcast, Interactive, and Targeted Advertisements	407
12.3.3 Video-on-Demand (VOD) and Near VOD (NVOD)	407
12.4 Internet-Based Applications	409
12.4.1 Set-Top Box Web Browsers	409
12.4.2 E-mail	411
12.4.3 E-Commerce	412
12.4.4 Home Banking, Education, and Gaming	413
12.5 Integrated Set-Top Box Applications	414
References	416
Appendix A Comparison of DAVIC and DOCSIS Specifications	419
Appendix B International Cable TV Frequency Plans	423

<i>B.1 CCIR System B/G Frequency Plan</i>	423
<i>B.2 CCIR System I Frequency Plan</i>	425
<i>B.3 CCIR System D Frequency Plan</i>	427

Appendix C Satellite Transponder Parameters for Cable TV Networks	429
--	------------

Acronyms	431
-----------------	------------

Index	437
--------------	------------

Biography	447
------------------	------------

CHAPTER 7

RF DIGITAL QAM MODEMS

The purpose of this chapter is to explain the design and operation principles of RF cable modulators and demodulators (modems) for transporting digital video and data signals over the HFC network using the quadrature amplitude modulation (QAM) format based on a well-known standard. The principles of design and operation of QAM modems are essential for the understanding of cable modems and digital set-top boxes, which are discussed in Chapter 8. We shall start with a brief review of all the building blocks of QAM modems. In Section 7.2, the MPEG transport framing is discussed, which enables the transmission of MPEG packets. The next four sections will explain each of the four layers in the forward-error-correction (FEC) coding scheme. The FEC layers include Reed-Solomon coding, Trellis coded modulation, interleaving, and randomization. The building blocks, operation, and design of M-ary QAM modulators are discussed in Sections 7.7 and 7.8. Three key building blocks of the QAM receiver, namely, adaptive equalizer, carrier, and timing recovery are explained in Sections 7.9 and 7.10. Two important parameters to test the fidelity of the QAM transmitter are introduced in Section 7.11. Finally, the BER of M-ary QAM signals in a Gaussian channel are derived in Section 7.12.

7.1 RF QAM Modem Building Blocks

Radio frequency (RF) digital transmitters and receivers constitute one of the most important systems in HFC networks to transport digital video and/or data signals from the cable TV headend to the subscriber and back to the headend. In particular, the QAM modulation format was selected as the standard format for cable TV access networks by well-known standard organizations DOCSIS [1], DAVIC [2], and ITU-T J.83 Annex B [3]. Figure 7.1 shows a simplified block diagram of a QAM transmitter and receiver operating over an HFC network. The QAM transmitter portion of the modem consists of a Reed-Solomon (R-S) encoder, a convolutional interleaver, a randomizer or scrambler, a Trellis encoder (TCM), a symbol mapper, an M-ary QAM modulator with differential encoder, and an RF up-converter. The QAM receiver portion of the modem consists of an RF tuner, a QAM demodulator, a symbol demapper, a TCM decoder, a convolutional deinterleaver, an R-S decoder, and a derandomizer (descrambler). All these QAM modem building blocks are explained in the following sections based on the DOCSIS 1.1 protocol [1], which is the primary standard used in the U.S. Figure 7.2 illustrates the FEC section of the QAM modem.




Figure 7.1 A simplified block diagram of RF QAM modem operating over HFC network.




Figure 7.2 Four-layer block diagram of the forward-error-correction code.
After Ref. [4].



APPENDIX RAUSCHMAYER01


Catalog

[Bookmarks](#)
[Course Reserves](#)
[My Account](#)


[Advanced search](#)
[Start Over](#)

[Share](#)
[Bookmark](#)
[Report an Issue](#)

MARC View

```

LEADER 01417nam a2200337la 4500
001 1890826
003 SIRSI
005 20151215044941.0
008 990225s1999 xxud b 000 0 eng d
010 a| 96080467
019 a| MARS
020 a| 1578700159 : c| $35.00
035 a| LIA52264908
035 a| (OCoLC)40580048
040 c| PSt d| WaOLN d| UtOrBLW
050 1 4 a| TK5105 b| .R3 1999
100 1 a| Rauschmayer, Dennis J.
245 1 0 a| ADSL/VDSL principles : b| a practical and precise study of asymmetric digital subscriber lines and very high speed digital subscriber lines / c| Dennis J. Rauschmayer.
246 3 a| Asymmetric digital subscriber lines and very high speed digital subscriber lines
246 3 a| Practical and precise study of asymmetric digital subscriber lines and very high speed digital subscriber lines
264 1 a| Indianapolis, IN : b| Macmillan Technical Publishing, c| 1999.
300 a| x, 318 pages : b| illustrations ; c| 24 cm.
336 a| text b| txt 2| rdacontent
337 a| unmediated b| n 2| rdamedia
338 a| volume b| nc 2| rdacarrier
490 1 a| Macmillan Technology series
504 a| Includes bibliographical references and index.
650 0 a| Data transmission systems.
650 0 a| Computer networks.
830 0 a| Macmillan technology series.
949 a| TK5105.R38 1999 w| LC c| 1 i| 000043168118 d| 11/26/2003 e| 10/7/2003 i| CATO-2 m| UP-ANNEX n| 8 p| $35.00 r| Y s| Y t| BOOK u| 4/14/2001 z| 6351
  
```



Copyright ©2019 The Pennsylvania State University. All rights reserved. Except where otherwise noted, this work is subject to a Creative Commons Attribution 4.0 license. Details and exceptions.

[Legal Statements](#) | [PSU Hotlines](#)


PENN STATE UNIVERSITY LIBRARIES

[Libraries Home](#) (814) 865-6368
[Libraries Intranet \(Staff Only\)](#)
[Accessibility Help](#)
[Website Feedback](#)
[Policies and Guidelines](#)
[Staff Directory](#)


Catalog

[Bookmarks](#)
[Course Reserves](#)
[My Account](#)

[Advanced search](#)
[Start Over](#)

[Share](#)
[Bookmark](#)
[Report an Issue](#)


ADSL/VDSL principles : a practical and precise study of asymmetric digital subscriber lines and very high speed digital subscriber lines / Dennis J. Rauschmayer

Author: [Rauschmayer, Dennis J.](#)

Additional Titles: Asymmetric digital subscriber lines and very high speed digital subscriber lines and Practical and precise study of asymmetric digital subscriber lines and very high speed digital subscriber lines

Published: Indianapolis, IN : Macmillan Technical Publishing, 1999.

Physical Description: x, 318 pages : Illustrations ; 24 cm.

Availability

[Browse Nearby on Shelf](#)
[I Want It](#)

Library Storage (1 item)

Call number	Material	Location
TK5105.R38 1999	Book	Checked out

Series:

[Macmillan technology series](#)

Subject(s):

[Data transmission systems](#)

[Computer networks](#)


ISBN:

1578700159

Bibliography Note:

Includes bibliographical references and index.

[View MARC record](#) | catkey: 1890826



Copyright ©2019 The Pennsylvania State University. All rights reserved. Except where otherwise noted, this work is subject to a Creative Commons Attribution 4.0 license. Details and exceptions.

[Legal Statements](#) | [PSU Hotlines](#)

PENN STATE UNIVERSITY LIBRARIES

[Libraries Home](#) (814) 865-6368
[Libraries Intranet \(Staff Only\)](#)
[Accessibility Help](#)
[Website Feedback](#)
[Policies and Guidelines](#)
[Staff Directory](#)

APPENDIX RAUSCHMAYER02



MACMILLAN TECHNOLOGY SERIES

ADSL/VDSL PRINCIPLES

A Practical and Precise Study of

Asymmetric Digital Subscriber Lines and

Very High Speed Digital Subscriber Lines

Dr. Dennis J. Rauschmayer

MACMILLAN
TECHNOLOGY
SERIES

ADSL/VDSL PRINCIPLES

*A Practical and Precise Study of Asymmetric
Digital Subscriber Lines and Very
High Speed Digital Subscriber Lines*

Rauschmayer

Engin.
TK5105
.R38
1999

PUBLISHING
U.S.A.

MACMILLAN TECHNOLOGY SERIES

ADSL/VDSL PRINCIPLES

Asymmetric Digital Subscriber Lines (ADSL) and Very High Speed Digital Subscriber Lines (VDSL) are the future of access technologies in high-speed communication networks. These technologies offer the promise of significantly faster data transfer over existing, copper-based telephone lines. Detailed knowledge of the ADSL/VDSL technologies enables access providers and service providers to plan and evaluate networks involving ADSL and VDSL access. This book provides the communications and networking engineer with practical explanations, technical detail, and in-depth insight needed to fully implement ADSL and VDSL. *ADSL/VDSL Principles* covers the topics that are essential to the successful implementation of these technologies, including the following:

- The fundamentals of the transmission theory and crosstalk in the outside plant, including the details of modeling and simulating the expected performance of ADSL and VDSL under different operation conditions.
- Comprehensive analysis techniques for any type of loop.
- Modulation methods for different types of ADSL and VDSL implementations, including DMT, CAP, TDD, and FDD systems.
- Explanations of network aspects involved in implementing networks with subscribers using DSL access techniques, including protocol issues for ATM networks, Ethernet and LAN networks, and PPP and tunneling techniques.

Category: ADSL/VDSL Technologies

www.macmillantech.com

A Practical and Precise Study of Asymmetric Digital Subscriber Lines and Very High Speed Digital Subscriber Lines

With the detailed and comprehensive information provided by a noted expert in ADSL/VDSL technologies, the communication and networking engineer will be able to understand and successfully implement ADSL/VDSL technologies. *ADSL/VDSL Principles* provides practical explanations and discussions for the casual reader as well as technical details for the more advanced reader in the following areas:

- The outside plant
- Crosstalk analysis
- ADSL and VDSL modulation
- Protocol schemes for access networks

Dr. Dennis J. Rauschmayer received a B.S. degree (summa cum laude) in electrical engineering from Wilkes University, an M.S.E.E. degree from George Washington University, and a Ph.D. in electrical engineering from Temple University.

Dr. Rauschmayer was a design engineer with Pulsecom, where he designed voice band line cards with automatic gain control and adaptive hybrid equalization to optimize performance against voice band data modems and on hook data transmission devices. At present, he is employed as Principle Scientist, Broadband Copper Access at Pulsecom. His work includes research, design, and development of high-speed copper access devices as well as network design of systems utilizing xDSL access devices.

He is an active member of ANSI Working Group T1E1.4, ITU-T, and the ADSL Forum, making numerous contributions to assist in standardization of ADSL and VDSL technologies.

\$44.99 USA/ \$64.95 CAN



ISBN 1-57870-015-9

PENN STATE UNIVERSITY LIBRARIES



A000043168118



ENGINEERING LIBRARY

ADSL/VDSL PRINCIPLES:

A Practical and Precise Study of Asymmetric Digital Subscriber Lines and Very High Speed Digital Subscriber Lines

Dr. Dennis J. Rauschmayer



MACMILLAN
TECHNICAL
PUBLISHING
U.S.A.

ADSL/VDSL Principles

By Dr. Dennis J. Rauschmayer

Published by:
Macmillan Technical Publishing
201 West 103rd Street
Indianapolis, IN 46290 USA

All rights reserved. No part of this book may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without written permission from the publisher, except for the inclusion of brief quotations in a review.

Copyright © 1999 by Macmillan Technical Publishing

Printed in the United States of America 1 2 3 4 5 6 7 8 9 0

02 01 00 99 4 3 2 1

Library of Congress Cataloging-in-Publication Data

Library of Congress Cataloging Number: 96-80467

ISBN: 1-57870-015-9

Universal Product Code: 619472001592

Warning and Disclaimer

This book is designed to provide information about Digital Subscriber Line technology. Every effort has been made to make this book as complete and as accurate as possible, but no warranty or fitness is implied.

The information is provided on an "as is" basis. The authors and Macmillan Technical Publishing shall have neither liability nor responsibility to any person or entity with respect to any loss or damages arising from the information contained in this book or from the use of the disks or programs that may accompany it.

Trademark Acknowledgments

All terms mentioned in this book that are known to be trademarks or service marks have been appropriately capitalized. Macmillan Technical Publishing cannot attest to the accuracy of this information. Use of a term in this book should not be regarded as affecting the validity of any trademark or service mark.

DEVELOPMENT EDITOR

Brad Miser
Christopher Cleveland

PROJECT EDITOR

Dayna Isley

COPY EDITORS

Gencil Breeze
June Waldman

TECHNICAL REVIEWER

Jacky Chow

TEAM COORDINATOR

Amy Lewis

MANUFACTURING COORDINATOR

Brook Farling

BOOK DESIGNER

Anne Jones

COVER DESIGNER

Sandra Schroeder

COVER PRODUCTION

Aren Howell

DIRECTOR OF PRODUCTION

Larry Klein

PRODUCTION MANAGER

Laurie Casey

GRAPHICS IMAGE SPECIALIST

Oliver Jackson

PRODUCTION TEAM

Louis Porter, Jr.

INDEXER

Bront Davis

PROOFREADER

Mary Ellen Stephenson

Acknowledgments

Writing this book was a great experience. Along the way, interactions with many of the people working on the standardization, design, and development of high-speed communications over copper increased my knowledge of the subject matter tenfold. I tip my hat to these engineers. This field truly has a bright future.

I must extend my thanks to the many folks who reviewed and contributed creative ideas to this text, including Chuck Stanski, Jeremy Nightingale, Debbie Wisniewski, and Jack Waller. A special thanks also goes out to Technical Editor Jacky Chow and Development Editor Brad Miser for playing an integral part in the development of this manuscript, as well as to the crew at Macmillan: Chris Cleveland, David Gibson, Tracy Hughes, and Dayna Isley.

Personally, I am indebted to many for the support I've received over the past year, including the fine folks at Pulsecom, especially Gerhard Pilcher, and my family—my sisters Eileen, Kathy, Joan, Nancy, Mary, Carol, and Linda; my brothers Joe and Rich; and most especially my mother.

About the Author

Dr. Dennis J. Rauschmayer received a B.S. (summa cum laude) degree in electrical engineering in 1992 from Wilkes University, an M.S.E.E. degree from The George Washington University in 1994, and a Ph.D. in electrical engineering from Temple University in 1997.

From 1992 to 1996, Dr. Rauschmayer was a design engineer with Pulsecom, where he designed voice-band line cards with automatic gain control and adaptive hybrid equalization to optimize performance against voice-band data modems and on-hook data transmission devices. Since 1996 he has been employed as principle scientist, broadband copper access, at Pulsecom. His work includes research, design, and development of high-speed copper access devices as well as network design of systems utilizing xDSL access devices.

Dr. Rauschmayer is an active member of ANSI Working Group T1E1.4, ITU-T, and the ADSL Forum, making numerous contributions assisting in the effort to standardize ADSL and VDSL technologies.

Dedication

To Jen

—for every single smile—

OVERVIEW

- 1 Introduction and Motivation, 1
- 2 Twisted Pair Environment, 23
- 3 Loop Analysis, 63
- 4 Power Spectral Densities and Crosstalk Models, 89
- 5 DSL Theoretical Capacity in Crosstalk Environments, 131
- 6 DSL Modulation Basics, 157
- 7 ADSL Modulation Specifics, 207
- 8 ADSL in WAN Networks, 253
- 9 VDSL Overview, 283
- Index, 307

TABLE OF CONTENTS

1	<i>Introduction and Motivation</i>	1
	<i>Telephone and Data Systems</i>	2
	Coexistence	2
	Subscriber Lines	4
	<i>Motivation for Higher Bit Rates</i>	5
	Growth of the PC	5
	Bulletin Board Services	6
	Internet	6
	World Wide Web	6
	Internet Service Providers	7
	Video on Demand	8
	Small Office/Home Office	8
	<i>Modem Evolution</i>	9
	<i>Why DSL Technology?</i>	10
	<i>The Market Demand</i>	11
	<i>The DSLs</i>	12
	ADSL	13
	HDSL	13
	HDSL2	14
	IDSL	14
	MDSL	14
	RDSL and RADSL	14
	SDSL	15
	VDSL	15
	<i>Other High-Speed Data Options</i>	15
	Cable Modems	15
	Wireless Technologies	16
	<i>End-to-End System Diagram</i>	16
	Customer Interface	16
	The POTS Splitter	17
	The Twisted Pair	17
	xTU-R	17
	xTU-C	17
	DSLAM	18
	NSP Network	18
	Line Codes	18
	Data Link Framing and Encapsulation	19
	Backbone/ATM Cloud	19

<i>ADSL and VDSL Standardization</i>	19
ADSL Standardization	19
VDSL Standardization	22
<i>Summary</i>	22
2 <i>Twisted Pair Environment</i>	23
<i>A Brief History of Twisted Pairs</i>	23
<i>Introduction to Twisted Pairs</i>	25
<i>Differential Mode and Common Mode Signals</i>	25
<i>Two-Wire Full-Duplex Systems</i>	27
<i>Physical Characteristics</i>	28
Cable Bundles	28
Gauges and Line Characteristics	29
<i>Electrical Characteristics of Twisted Pairs</i>	30
Analytic RLCG Models	30
Numeric RLCG Models	31
<i>Transmission Line Parameters</i>	35
Propagation Constant	36
Characteristic Impedance	41
<i>Crosstalk</i>	42
Crosstalk Types	43
Unbalance Models	44
General Unbalance Expression	53
Near-end Crosstalk (NEXT)	53
Far-end Crosstalk (FEXT)	57
<i>Summary</i>	59
<i>Exercises</i>	60
<i>Endnotes</i>	60
3 <i>Loop Analysis</i>	63
<i>ABCD Parameters</i>	63
ABCD Parameters of a Lumped Impedance	65
ABCD Parameters of a Uniform Twisted Pair	66
<i>Bridged Taps</i>	70
<i>Loop Analysis</i>	71
<i>Input Impedance, Transfer Functions, and Insertion Loss</i>	72
<i>Basic Loop Configurations</i>	76
ADSL Loops	76
VDSL Loops	82

<i>Summary</i>	86
<i>Exercises</i>	86
<i>Endnotes</i>	87
4 Power Spectral Densities and Crosstalk Models	89
<i>Introduction</i>	90
<i>Crosstalk Equations</i>	91
<i>Number of Crosstalkers</i>	92
<i>Types of Disturbers</i>	92
ISDN and HDSL	94
T1 Lines	99
DMT ADSL (Downstream)	104
DMT ADSL (Upstream)	109
CAP/QAM ADSL	112
VDSL PSDs	121
Summary of PSDs	123
<i>NEXT and FEXT Expressions</i>	123
NEXT Disturbers	124
FEXT Disturbers	127
<i>Summary</i>	128
<i>Exercises</i>	129
5 DSL Theoretical Capacity in Crosstalk Environments	131
<i>A Review of Capacity</i>	132
Entropy and Information	132
Gaussian Channels	135
Channels with Memory and Interference	136
<i>Framework for Capacity Calculations for ADSL and VDSL</i>	141
<i>ADSL Capacities</i>	142
Loop Capacities with Identical Crosstalk	142
Comparison of Different Types of Crosstalk	143
Industry Standard Loop and Crosstalk Configurations	145
<i>VDSL Capacities</i>	145
<i>Usable Frequencies on Crosstalk Channels</i>	147
<i>Summary</i>	150
<i>Exercises</i>	150
<i>Endnotes</i>	151
<i>Appendix 5A</i>	152

6	<i>DSL Modulation Basics</i>	157
	<i>Modulation/Demodulation Blocks</i>	158
	QAM Modulation	158
	CAP Modulation	164
	Multitone Modulation	166
	<i>Forward Error Correction</i>	172
	Reed-Solomon Coding	173
	Convolution Codes	174
	<i>Interleaving</i>	182
	Block Interleaving	182
	Convolutional Interleaving	184
	<i>Scrambling</i>	185
	<i>Equalization</i>	187
	Folded Spectrums	189
	Linear Equalization	191
	Decision Feedback Equalization	194
	Tomlinson-Harashima Precoding	199
	Frequency-Domain Equalization	201
	<i>Shaping</i>	203
	<i>Summary</i>	203
	<i>Exercises</i>	203
	<i>Endnotes</i>	204
7	<i>ADSL Modulation Specifics</i>	207
	<i>DMT ADSL Systems</i>	207
	Transmitter and Receiver Blocks	209
	DMT ADSL Overhead	228
	ADSL Reduced Overhead Modes	233
	Physical Layer Training	235
	ATM over ADSL	240
	<i>CAP/QAM ADSL Systems</i>	240
	<i>Summary</i>	249
	<i>Exercises</i>	249
	<i>Endnotes</i>	250
8	<i>ADSL in WAN Networks</i>	253
	<i>Protocol Basics</i>	254
	Ethernet	255

IP	256
TCP	263
ATM	263
PPP	265
Tunneling	266
<i>End-to-End Players</i>	268
Users	269
Network Access Providers	269
Network Transport Providers	269
Network Service Providers	270
ILECs and CLECs	270
<i>Architectures for DSL Networks</i>	270
Bridging Architectures	270
ATM End-to-End Architectures	273
Tunneling Architectures	276
Premise Network Considerations	278
<i>Summary</i>	280
<i>Exercises</i>	280
<i>Endnotes</i>	280
9 VDSL Overview	283
<i>VDSL Deployment Locations</i>	283
Crosstalk Issues	286
RFI Issues	288
<i>VDSL Requirements</i>	291
Rate and Reach Goals	291
Frequency Allocation	292
<i>Modulation Methods for VDSL</i>	295
TDD Approaches	295
FDD Approaches	302
<i>VDSL in WAN Networks</i>	304
Video Services	304
Data Services	305
The Full-Service Network	305
<i>Summary</i>	305
<i>Endnotes</i>	305
Index	307



APPENDIX CHEN02

PSU LIBRARIES ANNEX



2531 01 02 005



MACMILLAN TECHNOLOGY SERIES

DSL

Simulation Techniques and Standards

Development for Digital Subscriber

Line Systems

Dr. Walter Y. Chen

MACMILLAN
TECHNOLOGY
SERIES

DSL

Simulation Techniques and Standards
Development for Digital Subscriber
Line Systems

Engin.
TK5103
.7
.C44
1998

MACMILLAN
TECHNICAL
PUBLISHING
U.S.A.

MACMILLAN TECHNOLOGY SERIES

DSL

Simulation Techniques and Standards Development for Digital Subscriber Line Systems

Dr. Walter Y. Chen was born in Shanghai, China, on September 8, 1956. He received a B.S. (summa cum laude) degree in electrical engineering from the Polytechnic Institute of New York, Brooklyn, in 1982, an M.S. degree in electrical engineering from California Institute of Technology, Pasadena, in 1983, and a Ph.D. in electrical engineering from Polytechnic University of New York in 1989.

From 1982 to 1987, he was a Member of Technical Staff at AT&T Bell Laboratories, where he worked on PBX systems engineering and voice band modem VLSI chip design. From 1987 to 1989, he was a Member of Technical Staff at NYNEX Science and Technology, where he did computer network traffic and adaptive signal processing simulation studies. From 1989 to 1995, he was a research scientist at Bellcore, where he was involved with HDSL, ADSL, and HFC modem simulation studies and standards development. From 1995 to 1997, he was a research branch manager at the DSPS R&D Center of Texas Instruments, Inc., for the development of DSL technologies and High-throughput Digital Home Networks. He is currently with the Information Systems Group of Motorola working on next-generation DSL and Digital Home Network technologies. Since 1989, he has made more than 40 technical contributions at T1E1.4, ADSL Forum, and IEEE 802.14 standards committees. His main research interest is to apply circuit and system theories to the area of advanced digital communication. He holds four U.S. patents and has several others pending.

Digital Subscriber Line technology heralds the age of digital communication, providing a faster, more efficient method of transmitting data over regular telephone lines. The widespread adoption of DSL technology increases the demand for subject-specific, in-depth knowledge of this breakthrough in digital communication. *DSL: Simulation Techniques and Standards Development for Digital Subscriber Line Systems* arms the communications and networking engineer with the quintessential information for implementing DSL systems, including:

- Vital telephone subscriber loop plant structure and engineering conventions
- Detailed analysis of the twisted-pair loop as a broadband communication channel, associated AWG, NEXT, and FEXT noise environments, and corresponding transmission potential known as the channel capacity
- Essential structural analysis and calculations of the analog front-end dynamic range, hybrid circuits, and echo path models
- Reliable simulations for ensuring precision with the analog front end, channel equalization, echo cancellation, error correction coding, and Trellis coded modulation


With this detailed, subject-specific, hard-to-find information from a leader in the DSL industry, the communications and networking engineer will be able to approach DSL system implementation with confidence and professional assurance. *DSL: Simulation Techniques and Standards Development for Digital Subscriber Line Systems* provides field-tested calculations and simulations for the following DSL systems:

- HDSL (High-Bit-Rate Digital Subscriber Lines)
- ADSL (Asymmetrical Digital Subscriber Lines)
- SHDSL (Single-Pair High-Bit-Rate Digital Subscriber Lines)
- VDSL (Very-High-Bit-Rate Digital Subscriber Lines)

\$54.99 USA / \$77.95 CAN / £48.95 Net UK

**M
TP**
MACMILLAN
TECHNICAL
PUBLISHING
U.S.A.

Category: Networking
Covers: DSL Technologies



ENGINEERING LIBRARY

DSL

Simulation Techniques and Standards Development for Digital Subscriber Line Systems

Dr. Walter Y. Chen



Macmillan Technical Publishing, Indianapolis, Indiana

DSL: Simulation Techniques and Standards Development for Digital Subscriber Line Systems

By Dr. Walter Y. Chen

Published by:
Macmillan Technical Publishing
201 West 103rd Street
Indianapolis, IN 46290 USA

All rights reserved. No part of this book may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without written permission from the publisher, except for the inclusion of brief quotations in a review.

Copyright © 1998 by Macmillan Technical Publishing

Printed in the United States of America 1 2 3 4 5 6 7 8 9 0

Library of Congress Cataloging-in-Publication Data

Library of Congress Catalog No.: 96-80469

ISBN: 1-57870-017-5

Warning and Disclaimer

This book is designed to provide information about **Digital Subscriber Line technology**. Every effort has been made to make this book as complete and as accurate as possible, but no warranty or fitness is implied.

The information is provided on an "as is" basis. The author and Macmillan Technical Publishing shall have neither liability nor responsibility to any person or entity with respect to any loss or damages arising from the information contained in this book or from the use of the disks or programs that may accompany it.

Publisher *Jim LeValley*
Executive Editor *David Gibson*
Managing Editor *Caroline Roop*

Acquisitions Editor

Tracy Hughes

Development Editor

Christopher Cleveland

Project Editor

Brian Sweany

Copyeditor

Thomas Cirtin

Technical Editor

Jacky Chow

Market Reviewers

Brian Armstrong

Dr. J.J. Werner

Team Coordinator

Amy Lewis

Manufacturing

Coordinator

Brook Farling

Book Designer

Ann Jones

Cover Designer

Sandra Schroeder

Cover Production

Aren Howell

Director of Production

Larry Klein

Production Team

Supervisor

Andrew Stone

Graphics Image Specialists

Steve Adams

Debi Bolhuis

Kevin Cliburn

Sadie Crawford

Wil Cruz

Tammy Graham

Oliver Jackson

Production Analysts

Dan Harris

Erich J. Richter

Production Team

Chris Barrick

Jeanne Clark

Christy M. Lemasters

Julie Searls

Sossity Smith

Heather Stephenson

Indexer

Kevin Fulcher

Contents at a Glance

Part I: Fundamentals: Transmission Environment and Signal Processing

1	Introduction	3
2	Telephone Subscriber Loop Environment	15
3	Twisted-Pair Channel Modeling	35
4	Transceiver Front-End Noise Models	59
5	Channel Capacity	75
6	Hybrid Circuits	91
7	Analog Front-End Precision	115
8	Channel Equalization	149
9	Echo Cancellation	215
10	Error Correction and Trellis Coding	237

Part II: DSL Systems: System and Transceiver Architectures

11	DSL (Digital Subscriber Lines)	293
12	HDSL (High-Bit-Rate Digital Subscriber Lines)	347
13	ADSL (Asymmetrical Digital Subscriber Lines)	427
14	SHDSL (Single-Pair High-Bit-Rate Digital Subscriber Lines) ..	517
15	VDSL (Very-High-Bit-Rate Digital Subscriber Lines)	565
	Glossary	601
	Index	613

Table of Contents

Part I: Fundamentals: Transmission Environment and Signal Processing

1	INTRODUCTION	3
1.1	Digital Access Methods Through POTS Loops	4
1.1.1	Digital Access Through Analog Voice Channels	4
1.1.2	Digital Access Through Digital Switches	5
1.1.3	Digital Access Through POTS Splitters	6
1.1.4	Next-Generation Digital Switches	6
1.2	DSL System Engineering	7
1.3	The General DSL Transceiver Architecture	8
1.4	DSL Systems and Standards	9
1.4.1	Early DSL System Standards	10
1.4.2	HDSL System Standards	10
1.4.3	ADSL System Standards	11
1.4.4	HDSL2 System Standards	11
1.4.5	VDSL System Standards	12
1.5	Chapter-by-Chapter Overview	12
	End Notes	14
2	TELEPHONE SUBSCRIBER LOOP ENVIRONMENT	15
2.1	Central Offices and Customer Premises	16
2.2	Subscriber Loop Structure and Twisted-Pair Cables	19
2.2.1	Bridged Taps	20
2.2.2	Loaded Loops	21
2.2.3	Twisted-Pair Loop Composition	22
2.3	Loop Plant Design Rules	23
2.3.1	Resistance Design Rule	23
2.3.2	DLC Systems and CSA Guidelines	25
2.3.3	T1 Line Configurations	27
2.4	Voice Channel Characteristics	28
2.4.1	Companding Methods	29
2.4.2	Voice Channel Attenuation and Phase Delay	30
2.4.3	Voice Channel Signaling Tones	31
	End Notes	33

3	TWISTED-PAIR CHANNEL MODELING	35
3.1	Primary and Secondary Parameters of Twisted-Pair Cables	36
3.2	Two-Port Networks and ABCD Parameters	41
3.2.1	Two-Port Networks in Series	45
3.2.2	Two-Port Networks in Parallel	45
3.3	Channel Transfer Function and Impulse Response	48
3.4	Extended Twisted-Pair Primary Constants	53
	End Notes	58
4	TRANSCEIVER FRONT-END NOISE MODELS	59
4.1	Crosstalk Noise	60
4.1.1	NEXT Coupling Configurations	61
4.1.2	FEXT Coupling Configurations	62
4.1.3	Distribution of Crosstalk Coupling Losses	62
4.1.4	The Unger NEXT and Simplified NEXT/FEXT Models	64
4.2	Impulse Noise	67
4.3	Background and Receiver Front-End Thermal Noise	71
	End Notes	72
5	CHANNEL CAPACITY	75
5.1	Signal-to-Noise Ratio	77
5.1.1	NEXT Signal-to-Noise Ratios	78
5.1.2	FEXT Signal-to-Noise Ratios	79
5.2	Channel Capacity Calculations	80
5.2.1	Basic Concepts of Channel Capacity	81
5.2.2	Channel Capacity for Frequency-Dependent SNR	83
5.2.3	Channel Capacity with Implementation Constraints	88
	End Notes	90
6	HYBRID CIRCUITS	91
6.1	Single-Ended Hybrid Circuits	93
6.2	Differential Hybrid Circuits	96
6.3	Transformer Equivalent Circuits	100
6.3.1	ISDN Transformer Equivalent Circuit Parameters	101
6.3.2	HDSL Transformer Equivalent Circuit Parameters	102
6.3.3	ADSL Transformer Equivalent Circuit Parameters	102
6.4	Echo Path Model	103
	End Notes	114

7	ANALOG FRONT-END PRECISION	115
7.1	Transmit Signal Peak-to-Average Voltage Ratio	117
7.1.1	PAR of Passband Single Carrier Line Codes	119
7.1.2	PAR of DMT Line Codes	123
7.2	Transmit Filter, Channel, and Echo Path Effects	126
7.2.1	Baseband Square Root Nyquist Shaping Filters	128
7.2.2	Passband Square Root Nyquist Shaping Filters	128
7.2.3	Baseband Channel Impulse Response	129
7.2.4	Passband Channel Impulse Response	129
7.2.5	Baseband Echo Path	130
7.3	ADC and DAC Characteristics	130
7.3.1	Calculation of Quantization Noise	131
7.3.2	ADC and DAC Nonlinearity	133
7.4	DAC and ADC Dynamic Range Requirements	136
7.4.1	DAC Resolution Requirements for Baseband Transmitters	136
7.4.2	DAC Resolution Requirements for Passband Transmitters	138
7.4.3	DAC Resolution Requirements for DMT Transmitters	140
7.4.4	The Effect of ADC Quantization Noise	141
7.4.5	ADC Precision Requirements Considering Channel Loss	142
7.4.6	ADC Precision Requirements Considering Echo Path	145
	End Notes	147
8	CHANNEL EQUALIZATION	149
8.1	Adaptive Linear Channel Equalization	150
8.1.1	Compensating for Channel Distortion	151
8.1.2	Obtaining Optimal Equalizer Coefficients	155
8.1.3	Baud Rate Equalizer Performance	161
8.1.4	Fractionally Spaced Equalizer Performance	162
8.1.5	Noise Power After Equalization	167
8.2	Decision Feedback Channel Equalization	169
8.2.1	Determining DFE Coefficients	169
8.2.2	DFE MMSE Levels	174
8.2.3	DFE Error Propagation and Precoding	176
8.3	Passband Equalization and Carrierless AM/PM	180
8.3.1	QAM Baseband and Passband Implementation	180
8.3.2	Calculation of QAM Linear Equalizer	184
8.3.3	Calculation of QAM DFE	190

8.3.4	From QAM to CAP	193
8.3.5	Calculation of CAP Linear Equalizer	195
8.3.6	Calculation of CAP DFE	204
8.4	Equalizers for Discrete Multitone Systems	207
	End Notes	213
9	ECHO CANCELLATION	215
9.1	Echo Cancellation Requirements	216
9.1.1	Echo Path Transfer Function and Impulse Response	217
9.1.2	The Effect of Transformer and Bandpass Filtering	219
9.1.3	Required Echo Cancellation Level and Length of Echo Canceller	221
9.2	Echo Canceller Requirements	222
9.2.1	Adaptation Step Size	222
9.2.2	Echo Canceller Precision Requirements	225
9.3	Asymmetrical Echo Cancellation	226
9.3.1	High Bandwidth Echo Cancellation	228
9.3.2	Low Bandwidth Echo Cancellation	229
9.4	Crosstalk Cancellation	230
9.4.1	Derivation of the Crosstalk Impulse Response	231
9.4.2	NEXT Cancellation Architecture	235
	End Notes	236
10	ERROR CORRECTION AND TRELLIS CODING	237
10.1	Parity Check Codes	238
10.1.1	Achieving Error Correction	240
10.1.2	Cyclic Codes	245
10.1.3	Galois Field Arithmetic	246
10.1.4	Extended Galois Field Arithmetic	247
10.2	Reed-Solomon Codes	249
10.2.1	Generating Reed-Solomon Code Words	250
10.2.2	Reed-Solomon Encoder Implementation	252
10.2.3	Decoding of Reed-Solomon Code	252
10.2.4	DSL Applications of Reed-Solomon Codes	256
10.3	Convolution Codes	257
10.3.1	Convolution Encoder State	261
10.3.2	Viterbi Decoding	265
10.4	Trellis Code Modulation	267
10.4.1	Achieving Significant Trellis Coding Gain	269
10.4.2	Feedback/Feedforward Implementations	274
10.4.3	An Analytical Trellis Encoder Description	277

10.4.4	Phase Invariant Trellis Encoders	281
10.4.5	Multidimensional Trellis Codes	287
	End Notes	287

Part II: DSL Systems: System and Transceiver Architectures

11	DSL (DIGITAL SUBSCRIBER LINES)	293
11.1	DSL Technology Development	294
11.1.1	FDM Transmission for DSL	295
11.1.2	TCM Transmission for DSL	296
11.1.3	EC-Based Transmission for DSL	296
11.1.4	Candidate DSL Line Code Characteristics	298
11.1.5	Candidate DSL Line Code Transmission Performance	299
11.2	DSL Transceiver Structure and Line Code	302
11.2.1	DSL 2B1Q Line Code Parameters	303
11.2.2	DSL Equalizer Requirements	304
11.2.3	DSL Echo Canceller Requirements	305
11.2.4	DSL Timing Recovery Circuits	308
11.3	DSL Semiconductor Technologies	310
11.3.1	A COM DSL Analog Front-End Chip from Siemens	310
11.3.2	A DSL Analog and Digital Chip Set from AT&T	313
11.3.3	A Single-Chip DSL Solution from Mitel Semiconductor	313
11.3.4	A Single-Chip DSL Solution from National Semiconductor	317
11.4	DSL Performance Objectives	320
11.5	DSL Network Interfaces	327
11.5.1	DSL T Interfaces	331
11.6	DSL Standards	333
11.6.1	Bit-to-Symbol Encoders	334
11.6.2	DSL Pulse Mask	334
11.6.3	DSL Transmit Power Mask	334
11.6.4	Nonlinearity Measurements	336
11.6.5	DSL Transmission Performance Measurement	336
11.6.6	The DSL Frame Structure	338
11.6.7	The DSL Super Frame Structure	338
11.6.8	DSL Scrambler/Descrambler	340
11.6.9	The DSL Startup Sequence	341
	End Notes	341

12	HDSL (HIGH-BIT-RATE DIGITAL SUBSCRIBER LINES)	347
12.1	HDSL Technology Development	348
12.1.1	The Initial Definition of HDSL	348
12.1.2	Studies on Baseband 2B1Q Line Code	349
12.1.3	Studies on Passband QAM Line Code with Coding ...	350
12.1.4	Studies Toward an HDSL Technical Report	350
12.1.5	Performance Measurements of HDSL Prototypes	351
12.2	HDSL Transceiver Structures and Line Codes	353
12.2.1	HDSL Transceiver Parameters	355
12.2.2	HDSL Channel Equalizer Requirements	356
12.2.3	HDSL Echo Canceller Requirements	358
12.2.4	HDSL Timing Recovery Circuits	361
12.2.5	HDSL DFE/EC Semiconductor Technologies	366
12.3	Performance Objectives	372
12.3.1	General HDSL Performance Objectives	373
12.3.2	The Effect of Termination Resistance Value	378
12.3.3	Measures to Handle the Slight Data Rate Difference in Opposite Directions	381
12.4	HDSL Network Interfaces	396
12.4.1	The DS1 Infrastructure	397
12.5	HDSL Technical Report	402
12.5.1	2B1Q Bit-to-Symbol Encoding	402
12.5.2	Transmit Signal Pulse Mask	403
12.5.3	Transmit Signal Power Mask	404
12.5.4	HDSL Test Loops	404
12.5.5	HDSL Performance Test Configuration	405
12.5.6	Measurement Calibration Procedures	407
12.5.7	Scrambler and Descrambler	408
12.5.8	HDSL Initialization Procedure	410
12.5.9	Key Features of the Optional CAP HDSL	413
	End Notes	419
13	ADSL (ASYMMETRICAL DIGITAL SUBSCRIBER LINES)	427
13.1	Development of ADSL Technology	429
13.1.1	Convergence of Initial Ideas on ADSL	432
13.1.2	Concerns for POTS Interference	435
13.1.3	The Convergence of ADSL Standards	436
13.2	Transceiver Structures and Line Codes	436
13.2.1	DMT Line Code	436
13.2.2	CAP Line Code	461

13.3	Performance Objectives for Mid-CSA Test Loops.....	474
13.3.1	ADSL Noise Environments	475
13.3.2	DMT ADSL Transmission Throughput Estimation	477
13.3.3	Estimating CAP ADSL Performance	480
13.4	Network and Premises Interfaces.....	481
13.4.1	Central Office Service Capabilities	484
13.4.2	POTS Splitters	485
13.4.3	Application of POTS Splitter	489
13.5	ADSL Standards (T1.413)	491
13.5.1	Frame Structure	491
13.5.2	Interleaving	497
13.5.3	Reed-Solomon Coding	498
13.5.4	Bit Encoding.....	498
13.5.5	Scramblers	501
13.5.6	Initialization	502
	End Notes	507
14	SHDSL (SINGLE-PAIR HIGH-BIT-RATE DIGITAL SUBSCRIBER LINES)	517
14.1	The Desired Performance Improvements.....	518
14.1.1	EC/FDM-Based CAP SHDSL Systems.....	519
14.1.2	DMT Line Code for SHDSL Systems	520
14.1.3	Comparison of PAM and CAP/QAM Line Codes.....	520
14.1.4	Channel Capacity for SHDSL Systems	523
14.1.5	Modifying the NEXT Model to Improve Performance	527
14.1.6	Spectrum Compatibility	528
14.2	Searching for the Required Coding Gain	529
14.2.1	Trellis Codes	529
14.2.2	Viterbi Decoding	532
14.2.3	Sequential Decoding	533
14.2.4	Coding Gain and Latency	540
14.3	Minimizing Self and Foreign NEXT with Spectrum Shaping	542
14.3.1	POET-PAM Systems	542
14.3.2	TCSFDM Systems	545
14.3.3	OverCAPped Systems	546
14.3.4	SST Systems	550
14.4	Status of the HDSL2 Standard	551
14.4.1	The Rationale for a 5 dB Performance Margin	551
14.4.2	The Programmable Encoder and 512-State Trellis Codes	552

14.4.3	The OPTIS Transmit Spectra	554
14.4.4	Analyzing SHDSL Transceiver Complexity	557
	End Notes	560

15 VDSL (VERY-HIGH-BIT-RATE DIGITAL SUBSCRIBER LINES) 565

15.1	Transmission Environment for VDSL	566
15.1.1	VDSL Channel Model	567
15.1.2	VDSL Crosstalk Model	568
15.1.3	Radio Frequency Interference	569
15.2	General System Architecture	576
15.3	VDSL System Line Code Proposals	583
15.3.1	CAP/QAM Proposal	583
15.3.2	DMT Proposal	589
15.4	Twisted-Pair Primary Constants for VDSL	593
	End Notes	599

GLOSSARY 601

INDEX 613



APPENDIX CHEN01


PennState
 University Libraries

Catalog

[Bookmarks 0](#)
[Course Reserves](#)
[My Account](#)


Keyword Search...

[Advanced search](#)
[Start Over](#)

[Share](#)
[Bookmark](#)
[Report an Issue](#)

MARC View

LEADER 01138nam a22003131a 4500	
001 1616907	
003 SIRSI	
005 20151215070619.0	
008 980526t19981998xx 000 0 eng d	
010	a 96080469
019	a MARS
020	a 1578700175
035	a LIA52097495
035	a (OCoLC)39936023
040	a PSt c PSt d WaOLN d UtOrBLW
100 1	a Chen, Walter Y.
245 1 0	a DSL : b simulation techniques and standards development for digital subscriber line systems / c Walter Y. Chen.
264 1	a Indianapolis, Ind. : b Macmillan Technical Pub., c [1998]
264 4	c ©1998
300	a xiv, 644 pages : b illustrations ; c 24 cm.
336	a text b txt 2 rdacontent
337	a unmediated b n 2 rdamedia
338	a volume b nc 2 rdacarrier
490 1	a Macmillan technology series
504	a Includes bibliographical references and index.
650 0	a Digital communications.
650 0	a Internetworking (Telecommunication)
830 0	a Macmillan technology series.
949	a TK5103.7.C44 1998 w LC c 1 l 25310102005 d 1/9/2012 e 11/16/2011 l CATO-PARK m UP-ANNEX n 8 r Y s Y t BOOK u 4/13/2001 x C z 2531 0 0102 1 005



Copyright ©2019 The Pennsylvania State University. All rights reserved. Except where otherwise noted, this work is subject to a Creative Commons Attribution 4.0 license. Details and exceptions.

[Legal Statements](#) | [PSU Hotlines](#)

PENN STATE UNIVERSITY LIBRARIES

[Libraries Home](#) (814) 865-6368
[Libraries Intranet \(Staff Only\)](#)
[Accessibility Help](#)
[Website Feedback](#)
[Policies and Guidelines](#)
[Staff Directory](#)


PennState
 University Libraries

Catalog

[Bookmarks](#) 0
[Course Reserves](#)
[My Account](#)

[Advanced search](#)
[Start Over](#)

[← Previous](#) | 1 of 35 | [Next →](#)



DSL : simulation techniques and standards development for digital subscriber line systems / Walter Y. Chen

Author: [Chen, Walter Y.](#)

Published: Indianapolis, Ind. : Macmillan Technical Pub., [1998]

Copyright Date: ©1998

Physical Description: xiv, 644 pages : Illustrations ; 24 cm.

Availability

Library Storage (1 item)

Call number	Material	Location
TK5103.7.C44 1998	Book	Checked out

Series: [Macmillan technology series](#)

Subject(s): [Digital communications](#)
[Internetworking \(Telecommunication\)](#)

ISBN: 1578700175

Bibliography Note: Includes bibliographical references and index.

[View MARC record](#) | catkey: 1616907



PennState

Copyright ©2019 The Pennsylvania State University. All rights reserved. Except where otherwise noted, this work is subject to a Creative Commons Attribution 4.0 license. Details and exceptions.

[Legal Statements](#) | [PSU Hotlines](#)

PENN STATE UNIVERSITY LIBRARIES

[Libraries Home](#) (814) 865-6368
[Libraries Intranet \(Staff Only\)](#)
[Accessibility Help](#)
[Website Feedback](#)
[Policies and Guidelines](#)
[Staff Directory](#)