


283. The Accused Portable Products (*e.g.*, the 3rd Generation ThinkPad X1 Yoga) include a view selector component configured to transition between the plurality of views in response to activation. For example, when powered on the 3rd Generation ThinkPad X1 Yoga is configured to transition between a laptop mode and a tablet mode:




Laptop Mode



Tablet Mode


Screenshot from 3rd Generation ThinkPad X1 Yoga, home screen in laptop and tablet modes.

284. The Accused Portable Products (*e.g.*, the 3rd Generation ThinkPad X1 Yoga) include a storage component configured to store an association between at least one of a plurality of visual representations and digital media content. For example, the 3rd Generation ThinkPad X1 Yoga includes the Microsoft Photos app, which is configured to store an association between thumbnail previews of content and digital media content:



Screenshot from 3rd Generation ThinkPad X1 Yoga, Microsoft Photos app.


285. The Accused Portable Products (*e.g.*, the 3rd Generation ThinkPad X1 Yoga) include an execution component further configured to execute the association with the at least one of the plurality of visual representations with digital media content in response to selection and transition the display to a view of the digital media content in response to the act of executing the association. For example, selecting a thumbnail preview in the Microsoft Photos app transitions to a view of the digital media content:



Screenshot from 3rd Generation ThinkPad X1 Yoga, Microsoft Photos app.

286. The Accused Portable Products (*e.g.*, the 3rd Generation ThinkPad X1 Yoga) include a display component configured to display user digital media content and referenced digital media content in the view of the digital media content. For example, the 3rd Generation ThinkPad X1 Yoga includes the Microsoft Photos app, which is configured to permit users to

manage digital media content libraries (e.g., in an album located locally or in a remote location such as OneDrive):



Screenshot from 3rd Generation ThinkPad X1 Yoga, OneDrive album and Microsoft Photos app.

Lenovo US

287. Lenovo US has directly infringed and continues to directly infringe, literally and/or equivalently, one or more of the claims of the '888 patent, including at least claim 27, including by importing, using, selling, and offering for sale in the United States certain computing devices with multiple display modes, including at least the Accused Products. D.I. 27 (Noble Declaration), ¶ 2.


288. Since at least the filing of the Original Complaint Lenovo US knew of the '888 patent.

289. Since at least the filing of the Original Complaint, Lenovo US knew that the Accused Portable Products infringe at least claim 27 of the '888 patent when used by customers or other users, when sold or offered for sale by resellers, and when imported by Lenovo entities.


290. Since at least the filing of the Original Complaint, Lenovo US has had the intent to encourage customers or other users to directly infringe at least claim 27 of the '888 patent by continuing to advertise, offer for sale, or sell, or by encouraging resellers to offer for sale or sell the Accused Portable Products in the United States, including in Delaware. Since at least the filing of the Original Complaint, Lenovo US has provided with the Accused Portable Products and on the website <https://www.lenovo.com/us/en> manuals, product documentation, advertising materials and pre-installed software that induce customers or other users to infringe at least claim 27 of the '888 patent by encouraging the use of the Accused Portable Products. For example, in the ThinkPad HTML User Guide Lenovo instructs users that the 3rd Generation ThinkPad X1 Yoga "can be opened to any angle within a range of up to 360 degrees" and that "[b]y rotating the display to different angle, your computer features the following four operating modes":

Your computer features the following four YOGA modes. You can switch among different modes according to your preference.


Note: The keyboard and the pointing devices are automatically disabled in the stand mode, tent mode, and tablet mode. Use the touch screen to control your computer instead.




Notebook mode



Stand mode



Tent mode



Tablet mode

See ThinkPad User Guide, p. 29.

291. Since at least the filing of the Original Complaint, Lenovo US's infringement of at least claim 27 of the '888 patent has been willful. Lenovo US's offers for sale, sales, or use of the Accused Portable Products with provision of manuals and instruction to purchasers that encourage use it knows will infringe the '888 patent constitutes willful infringement. Lenovo US is a large corporation with a plethora of resources. Lenovo US's failure to fully investigate the allegations of infringement against it, its offers for sale, sales, and use of the Accused Portable Products, and its failure to take remedial action to avoid infringement evidences its willful infringement.

292. The foregoing description of Lenovo US's infringement is based on publicly available information. LiTL reserves the right to modify this description, including, for example, on the basis of information about the Accused Portable Products that it obtains during discovery.

293. LiTL has been and is being irreparably harmed, and has incurred and will continue to incur damages, as a result of Lenovo US's infringement of the '888 patent.

294. Lenovo US's infringement of the '888 patent has damaged and continues to damage LiTL in an amount yet to be determined, of at least a reasonable royalty.

Lenovo Beijing

295. On information and belief, Lenovo Beijing has had knowledge of the '888 patent since before the filing of the Original Complaint.

296. Lenovo Beijing has extensive experience with intellectual property. Lenovo Beijing has been the owner of over 2,500 patent applications and over 2,200 patents. Over the past decade, Lenovo US has been involved in over 200 patent litigations in the United States, and has been a party in over 50 *inter partes* review proceedings before the U.S. Patent Trial and Appeals Board. The Lenovo 2019 Annual Report identifies intellectual property (IP) risk as one

of the “key risks that the Group considers to be of great significance to the Group as it stands today.” https://doc.irasia.com/listco/hk/lenovo/annual/2019/ar2019.pdf_page22. For example, the report recognizes that Lenovo could suffer “reputational harm if found to infringe a third party’s valid patents.” https://doc.irasia.com/listco/hk/lenovo/annual/2019/ar2019.pdf_page27. To manage and mitigate its IP risk, Lenovo plans to: “Monitor, develop and execute IP litigation defense strategy” and “License IP as appropriate and monitor its continued validity and value to the Group.” Lenovo Beijing’s R&D teams work closely with IP lawyers from product conception through manufacture and commercialization to develop effective IP strategies for new products, such as the Yoga-branded laptops.

https://www.wipo.int/wipo_magazine/en/2015/03/article_0002.html.

297. Consistent with Lenovo Beijing’s sophistication with IP matters and the fact that the Asserted Patents belong to a patent family that has been frequently cited in patent applications of major players in the personal computing space, on information and belief, Lenovo Beijing was aware by 2016 of the family of LiTL patents and applications to which the ’888 patent belongs.

298. Since at least 2016 Lenovo Beijing knew or should have known, or at a minimum acted with willful blindness to the fact that, the Accused Portable Products sold on its website and bearing its marks infringe one or more claims of the ’888 patent based on at least the following:

- Lenovo Beijing’s sophistication and substantial resources with respect to intellectual property matters;
- Lenovo Beijing’s knowledge of the patent family to which the ’888 patent belongs; and

- Lenovo Beijing's knowledge since at least 2016 of the '688 and '844 patents, which are ancestors to the '888 patent, and citation to these parent patent publications in Lenovo Beijing patent applications since at least 2016; and
- the close working relationship between Lenovo Beijing's R&D teams and its IP lawyers and Lenovo Beijing's substantial patent prosecution activities directed to electronic devices having the 2-in-1 functionality of the Accused Portable Products, including the YOGA-branded laptop products.

299. On information and belief, Lenovo Beijing has known, should have known, or has been willfully blind to the existence of the '888 Patent, since at least 2016. As a descendant of the '688 and '844 patents (and their corresponding published patent applications), which have been frequently cited during prosecution of patent applications owned by major players in the personal computing space, including the Lenovo Group and its subsidiaries, Lenovo Beijing knew, should have known, or was willfully blind to the existence of the '888 patent.

300. On information and belief, Lenovo Beijing is a sophisticated company regarding patents and business in the United States, and citation of patents that cover any of Lenovo's products is a significant concern to Lenovo Beijing. In a 2007 press release, Lenovo's leadership stated that "one of the most important goals of international business" is "the protection of intellectual property." He also noted that "[a]s a global corporate citizen, Lenovo is deeply committed to the protection of intellectual property. We continue to take the lead by encouraging more businesses and individual users to respect and protect intellectual property as a means of building an innovation-friendly business environment." *See* <https://news.lenovo.com/pressroom/press-releases/lenovo-joins-forces-with-microsoft-to-continue-driving-support-for-intellectual-property-rights/>. In a 2018 press release, Lenovo's

leadership noted that “[i]ntellectual property is a strategic asset for Lenovo” that “not only protects our investment in invention and innovation, but also positions Lenovo’s businesses to flourish and grow.”

301. On information and belief, Lenovo Beijing has procedures to evaluate whether Lenovo products have freedom to operate in the United States, particularly where the products comprise a significant portion of Lenovo’s revenue. On information and belief, the Accused Portable Products comprise a significant portion of Lenovo’s revenue, and since at least 2016 Lenovo Beijing knew that use of the Accused Portable Products infringes the ’888 patent.

302. On information and belief, citation of the ’688 and ’844 patents and their corresponding published applications during the USPTO prosecution of Lenovo Beijing patents caused Lenovo Beijing to investigate, become aware of, and consider descendant patents, including the ’888 patent, and the rest of LiTL’s patent portfolio.

303. Since at least 2016 Lenovo Beijing knew or should have known, or at a minimum acted with willful blindness to the fact that, the Accused Portable Products sold on its website and bearing its marks infringe one or more claims of the ’888 patent since the patent is a descendant of LiTL’s frequently cited ancestor patents (and related published applications), which Lenovo Beijing cited during the prosecution of multiple patents.

304. In addition, Lenovo Beijing has known that the Accused Portable Products sold on its website and bearing its marks infringe one or more of the claims of the ’888 patent since at least the time that it received notice of the Original Complaint, or since at least September 29, 2020.

305. Lenovo Beijing’s Lenovo.com Domain continues to market and offer for sale the Accused Products bearing Lenovo Beijing’s marks into the United States and Delaware since the

filing of the Original Complaint, which thoroughly detailed how the Accused Portable Products infringe at least claim 27 of the '888 patent.

306. Lenovo Beijing has known or should have known since it first became aware of the '888 patent, and at least by September 29, 2020, that end users, importers, distributors, retailers, repair and service technicians, Lenovo US and its employees and contractors, and other users of the Accused Products are infringing the '888 patent.

307. Lenovo Beijing is responsible for what is posted on the Lenovo.com Domain, including its press releases identified in Paragraph 90 above, which encourage users of the Accused Products in the United States and Delaware to infringe at least claim 27 of the '888 patent by using the Accused Portable Products. Since at least 2016, Lenovo Beijing has encouraged customers to use the Accused Portable Products by providing the Lenovo.com Domain to host press releases that encourage customers to use the Accused Portable Products. Lenovo Beijing's conduct since 2016 demonstrates an intent to induce customers to directly infringe at least claim 27 of the '888 patent. Lenovo Beijing's conduct since 2016 also demonstrates an intent to induce Lenovo US to infringe the '888 patent by selling, offering for sale, and using the Accused Portable Products.

308. Lenovo Beijing has actively and knowingly induced infringement, and is actively and knowingly inducing infringement of one or more claims of the '888 patent, literally and/or equivalently, at least by inducing end users, repair and service technicians, Lenovo employees and contractors, and others to use the Accused Products in an infringing manner. For example, Lenovo instructs such users by way of manuals or product documentation to infringe the asserted claims by using the Accused Portable Products. *See, e.g.,* <https://pcsupport.lenovo.com/us/en/solutions/msh500092>.

309. Lenovo Beijing has had knowledge of the '888 patent and its infringement of the '888 patent since it first became aware of the '888 patent in 2016, and since at least the time it received notice of the Original Complaint or at least by September 29, 2020. Lenovo Beijing has induced infringement of the '888 patent with specific intent to induce infringement of that patent.

310. Lenovo Beijing's infringement of the '888 patent has been willful since it first became aware of the '154 patent in 2016, or since at least the time it received notice of the Original Complaint, and its ongoing infringement of the '888 patent continues to be willful. Lenovo Beijing's willful infringement is evidenced by the following: the close working relationship between Lenovo Beijing's IP and research and design departments; the similarities between how the Accused Portable Products operate, the functionality that Lenovo Beijing sought to claim in its patent applications, and the requirements of claim 27 of the '888 patent; Lenovo Beijing's significant size and resources; and Lenovo Beijing's failure to take remedial action to avoid infringement. Lenovo Beijing has chosen to manufacture or control manufacture of the Accused Products with the intent that the Accused Products would be imported, offered for sale, sold, and/or used in the United States, to distribute or control distribution of the Accused Products in Lenovo's established distribution channels with the intent that the Accused Products would be imported, offered for sale, sold, and/or used in the United States, as explained in more detail above, and knowing that doing so would infringe the '888 patent, and despite receiving notice from LiTL that continuing to do so would infringe the '888 patent.

311. The foregoing description of Lenovo Beijing's infringement is based on publicly available information. LiTL reserves the right to modify this description, including, for example, on the basis of information about the Accused Portable Products that it obtains during discovery.

312. LiTL has been and is being irreparably harmed, and has incurred and will continue to incur damages, as a result of Lenovo Beijing's infringement of the '888 patent.

313. Lenovo Beijing's infringement of the '888 patent has damaged and continues to damage LiTL in an amount yet to be determined, of at least a reasonable royalty.

COUNT VI


(Infringement of U.S. Patent No. 8,577,957)

314. LiTL incorporates by reference and realleges all the foregoing paragraphs of the First Amended Complaint as if fully set forth herein.


315. The Accused Products (*e.g.*, the 3rd Generation ThinkPad X1 Yoga, Yoga A940) include a streamlined computer device, the device comprising: at least one processor operatively connected to a memory. For example:

3 rd Generation ThinkPad X1 Yoga	YOGA A940
Processor ☺ 8th Generation Intel® Core™ i5-8250U Processor (1.60 GHz, up to 3.40 GHz with Turbo Boost, 4 Cores, 8 Threads, 6 MB Cache)	Processor ☺ 9th Generation Intel® Core™ i7-9700 Processor with vPro™ (3.00GHz, up to 4.70 GHz with Turbo boost, 8 Cores, 12MB Cache)
Operating System ☺ Windows 10 Pro 64	Operating System ☺ Windows 10 Home 64
Display Type ☺ 14.0" FHD (1920 x 1080) IPS anti-reflective, anti-smudge, touchscreen, 300 nits	Display Type ☺ 27" 4K UHD (3840 x 2160) IPS, multi-touch
Memory ☺ 8 GB LPDDR3 2133MHz (Soldered)	Memory ☺ 32 GB DDR4 2666MHz (2 x 16 GB)
Hard Drive ☺ 512 GB PCIe SSD	Hard Drive ☺ 1TB 5400 RPM + 256GB SSD PCIe

See, e.g., ThinkPad Webpage; A940 Webpage



See, e.g., https://download.lenovo.com/lts/RTPW1610/FOF/RTPW1610-X1Yoga_REM_FRU_14_SystemBoard.mp4.




See, e.g., https://download.lenovo.com/lts/RTPW1610/FOF/RTPW1610-X1Yoga_REM_FRU_14_SystemBoard.mp4 at 0:11 (annotations added).



See, e.g., <https://support.lenovo.com/us/en/solutions/ht508724-removal-and-replacement-videos-lenovo-yoga-a940-27icb-all-in-one-f0e4-f0e5>

Lenovo Yoga A940-27ICB All-in-One (F0E4, F0E5)


Yoga A940 Hardware Maintenance Manual (HMM)




See, e.g., <https://support.lenovo.com/us/en/solutions/ht508724-removal-and-replacement-videos-lenovo-yoga-a940-27icb-all-in-one-f0e4-f0e5> at 0:09 (annotations added)

316. The Accused Products (e.g., the 3rd Generation ThinkPad X1 Yoga, Yoga A940) include a processor that when executing is configured to cause the device to: receive electronic content hosted by a server system; render electronic content to a user in a graphical user

interface; receive selection through the graphical user interface, by the user, of at least one executable operation provided by the server system within the electronic content; determine that the at least one executable operation performs a local access operation, and transform the at least one executable operation into a remote access operation. For example, the 3rd Generation ThinkPad X1 Yoga and the Yoga A940 include the Microsoft Photos app, which is configured to provide access to digital media albums stored OneDrive by clicking on a OneDrive link:




Screenshot from 3rd Generation ThinkPad X1 Yoga, OneDrive album and Microsoft Photos app.



Screenshot from Yoga A940, One Drive album and Microsoft Photos app.

317. The Accused Products (*e.g.*, the 3rd Generation ThinkPad X1 Yoga, Yoga A940) include a transforming that includes: identifying at least one characteristic of the at least one executable operation; accessing a profile to retrieve information on at least one available remote services responsive to the at least one identified characteristics of the executable operation; selecting an available remote service from the at least one available remote service; retrieving the service access information for the selected remote service; wherein transforming is executed based on the at least one characteristic of the at least one executable operation and the service access information; and transmit the remote access operation to the server system. For example, clicking on a OneDrive album link in the Microsoft Photos app in the Accused Products (*e.g.*, the 3rd Generation ThinkPad X1 Yoga, Yoga A940) accesses OneDrive user profile information in order to access content on a user's OneDrive album:



Screenshot from 3rd Generation ThinkPad X1 Yoga, OneDrive album and Microsoft Photos app.

Lenovo US


318. Lenovo US has directly infringed and continues to directly infringe, literally and/or equivalently, one or more of the claims of the '957 patent, including at least claim 19, including by importing, using, selling, and offering for sale in the United States certain computing devices with multiple display modes, including at least the Accused Products. D.I. 27 (Noble Declaration), ¶ 2.

319. Since at least the filing of the Original Complaint Lenovo US knew of the 957 patent.


320. Since at least the filing of the Original Complaint, Lenovo US knew that the Accused Products infringe at least claim 19 of the '957 patent when used by customers or other users, when sold or offered for sale by resellers, and when imported by Lenovo entities.

321. Since at least the filing of the Original Complaint, Lenovo US has had the intent to encourage customers or other users to directly infringe at least claim 19 of the '957 patent by

continuing to advertise, offer for sale, or sell, or by encouraging resellers to offer for sale or sell the Accused Products in the United States, including in Delaware. Since at least the filing of the Original Complaint, Lenovo US has provided with the Accused Products and on the website <https://www.lenovo.com/us/en> manuals, product documentation, advertising materials and pre-installed software that induce customers or other users to infringe at least claim 19 of the '957 patent by encouraging the use of the Accused Products. For example, the 3rd Generation ThinkPad X1 Yoga and the Yoga A940 include the Microsoft Photos app, which is configured to provide access to digital media albums stored OneDrive by clicking on a OneDrive link:



Screenshot from 3rd Generation ThinkPad X1 Yoga, OneDrive album and Microsoft Photos app.



Screenshot from Yoga A940, One Drive album and Microsoft Photos app.

322. Since at least the filing of the Original Complaint, Lenovo US's infringement of at least claim 19 of the '957 patent has been willful. Lenovo US's offers for sale, sales, or use of the Accused Portable Products with provision of manuals and instruction to purchasers that encourage use it knows will infringe the '957 patent constitutes willful infringement. Lenovo US is a large corporation with substantial resources. Lenovo US's failure to fully investigate the allegations of infringement against it, its ongoing offers for sale, sales, and use of the Accused Portable Products, and its failure to take remedial action evidences its willful infringement.

323. The foregoing description of Lenovo US's infringement is based on publicly available information. LiTL reserves the right to modify this description, including, for example, on the basis of information about the Accused Portable Products that it obtains during discovery.

324. LiTL has been and is being irreparably harmed, and has incurred and will continue to incur damages, as a result of Lenovo US's infringement of the '957 patent.

325. Lenovo US's infringement of the '957 patent has damaged and continues to damage LiTL in an amount yet to be determined, of at least a reasonable royalty.

Lenovo Beijing

326. Lenovo US and Lenovo Beijing have had knowledge of the '957 patent since before the filing of the Original Complaint.

327. On November 5, 2013, the '957 patent issued from U.S. Patent Application No. 12/416,503, which had earlier published on December 3, 2009 as U.S. Patent Application Publication No. 2009/0300511 ("the LiTL '511 publication").

328. Since at least 2017 Lenovo Beijing has had knowledge of the LiTL '511 publication.

329. On March 14, 2017, the Chinese Intellectual Property Office issued a search report to Lenovo Beijing identifying the LiTL '511 publication in connection with Lenovo's Chinese Patent Application No. 201500267712. Lenovo Beijing has extensive experience with intellectual property. Lenovo Beijing has been the owner of over 2,500 patent applications and over 2,200 patents. Over the past decade, Lenovo US has been involved in over 200 patent litigations in the United States, and has been a party in over 50 *inter partes* review proceedings before the U.S. Patent Trial and Appeals Board. The Lenovo 2019 Annual Report identifies intellectual property (IP) risk as one of the "key risks that the Group considers to be of great significance to the Group as it stands today."

<https://doc.irasia.com/listco/hk/lenovo/annual/2019/ar2019.pdf>, page 22. For example, the report recognizes that Lenovo could suffer "reputational harm if found to infringe a third party's valid patents." <https://doc.irasia.com/listco/hk/lenovo/annual/2019/ar2019.pdf>, page 27. To manage and mitigate its IP risk, Lenovo plans to: "Monitor, develop and execute IP litigation defense strategy" and "License IP as appropriate and monitor its continued validity and value to the

Group.” Lenovo Beijing’s R&D teams work closely with IP lawyers from product conception through manufacture and commercialization to develop effective IP strategies for new products, such as the Yoga-branded laptops.

https://www.wipo.int/wipo_magazine/en/2015/03/article_0002.html.

330. Consistent with Lenovo’s sophistication with IP matters and the fact that the Asserted Patents belong to a patent family that has been frequently cited in patent applications of major players in the personal computing space, on information and belief, Lenovo Beijing was aware by 2017 of the family of LiTL patents and applications to which the ’957 patent belongs.

331. Since at least 2017 Lenovo Beijing knew or should have known, or at a minimum acted with willful blindness to the fact, that its Accused Products infringe one or more claims of the ’957 patent based on at least the following:

- the Chinese Intellectual Property Office’s citation of the LiTL ’511 publication to Lenovo Beijing during prosecution of Lenovo’s own patent application;
- Lenovo Beijing’s sophistication and substantial resources with respect to intellectual property matters;
- Lenovo Beijing’s knowledge of the patent family to which the ’957 patent belongs;
- Lenovo Beijing’s knowledge since at least 2016 of the ’688 and ’844 patents, which are ancestors to the ’957 patent, and citation to these patents and their corresponding publications in Lenovo Beijing patent applications since at least 2016; and
- the close working relationship between Lenovo Beijing’s R&D teams and its IP lawyers and Lenovo Beijing’s substantial patent prosecution activities directed to electronic devices having the 2-in-1 functionality of the Accused Portable Products, including the YOGA-branded laptop products.

332. On information and belief, Lenovo Beijing has known, should have known, or has been willfully blind to the existence of the '957 Patent, since at least 2017. As a descendant of the '688 and '844 patents (and their corresponding published patent applications), which have been frequently cited during prosecution of patent applications owned by major players in the personal computing space, including the Lenovo Group and its subsidiaries, Lenovo Beijing knew or was willfully blind to the existence of the '957 patent.

333. On information and belief, Lenovo Beijing is a sophisticated company regarding patents and business in the United States, and citation of patents that cover any of Lenovo's products is a significant concern to Lenovo Beijing. In a 2007 press release, Lenovo's leadership stated that "one of the most important goals of international business" is "the protection of intellectual property," and "[a]s a global corporate citizen, Lenovo is deeply committed to the protection of intellectual property. We continue to take the lead by encouraging more businesses and individual users to respect and protect intellectual property as a means of building an innovation-friendly business environment." <https://news.lenovo.com/pressroom/press-releases/lenovo-joins-forces-with-microsoft-to-continue-driving-support-for-intellectual-property-rights/>. In a 2018 press release, Lenovo's leadership noted that "[i]ntellectual property is a strategic asset for Lenovo" that "not only protects our investment in invention and innovation, but also positions Lenovo's businesses to flourish and grow." On information and belief, Lenovo Beijing has procedures to evaluate whether Lenovo products have freedom to operate in the United States, particularly where the products comprise a significant portion of Lenovo's revenue. On information and belief, the Accused Portable Products comprise a significant portion of Lenovo's revenue, and since at least 2017 Lenovo Beijing knew that use of the Accused Portable Products infringes the '957 patent.

334. On information and belief, citation of the LiTL '511 publication during the USPTO prosecution of Lenovo Beijing patents caused Lenovo Beijing to investigate, become aware of, and consider the '957 patent, related patents, and the rest of LiTL's patent portfolio. Beyond Lenovo Beijing's actual knowledge of the '957 patent, these citations during Lenovo Beijing's USPTO prosecution gave Lenovo Beijing the subjective belief that the '957 patent existed, and failure to learn of the existence of the '957 patent would have required Lenovo Beijing to deliberately avoid reviewing or understanding the prosecution documents. On information and belief, Lenovo Beijing would not have done so in a matter so important to the Accused Products and the revenue and reputation derived therefrom.

335. In addition, Lenovo Beijing has known that the Accused Products sold on its website and bearing its marks infringe one or more claims of the '957 patent since at least 2017, or since at least the time that it received notice of the Original Complaint, or since at least September 29, 2020.

336. Lenovo Beijing's Lenovo.com Domain continues to market and offer for sale the Accused Portable Products bearing Lenovo Beijing's marks into the United States and Delaware since the filing of the Original Complaint, which thoroughly detailed how the Accused Portable Products infringe at least claim 19 of the '957 patent.

337. Lenovo Beijing has known or should have known since it first became aware of the '957 patent, and at least by September 29, 2020, that end users, importers, distributors, retailers, repair and service technicians, Lenovo US and its employees and contractors, and other users of the Accused Products are infringing the '957 patent.

338. Lenovo Beijing is responsible for content displayed on the Lenovo.com Domain, including the press releases identified in Paragraph 90 above, which encourage users of the

Accused Portable Products in the United States and Delaware to infringe at least claim 19 of the '957 patent by using the Accused Portable Products. Since at least 2017, Lenovo Beijing has encouraged customers to use the Accused Portable Products by providing the Lenovo.com Domain to host press releases that encourage customers to use the Accused Portable Products. Lenovo Beijing's conduct since at least 2017 demonstrates an intent to induce customers to directly infringe at least claim 19 of the '957 patent. Lenovo Beijing's conduct since at least 2017 also demonstrates an intent to induce Lenovo US to infringe the '957 patent by selling, offering for sale, and using the Accused Portable Products.

339. Lenovo Beijing has actively and knowingly induced infringement, and is actively and knowingly inducing infringement of one or more claims of the '957 patent, literally and/or equivalently, at least by inducing end users, repair and service technicians, Lenovo employees and contractors, and others to use the Accused Products in an infringing manner. For example, Lenovo instructs such users by way of manuals or product documentation to infringe the asserted claims by using the Accused Products. *See, e.g.,*

<https://support.lenovo.com/us/en/solutions/msh500022>.

340. Lenovo Beijing has had knowledge of the '957 patent and its infringement of the '957 patent since it first became aware of the '957 patent in 2017, and by at least the time it received notice of the Original Complaint. Lenovo Beijing has induced infringement of the '957 patent with specific intent to induce infringement of that patent.

341. Lenovo Beijing's infringement of the '957 patent has been willful since it first became aware of the '957 patent in 2017. Lenovo Beijing's willful infringement is evidenced by the following: the citation of the '511 publication to Lenovo Beijing during prosecution of a Chinese patent; the close working relationship between Lenovo Beijing's IP and research and

design departments; the similarities between how the Accused Portable Products operate, the functionality that Lenovo Beijing sought to claim in its patent applications, and the requirements of claim 19 of the '957 patent; Lenovo Beijing's significant size and resources; and Lenovo Beijing's failure to take remedial action to avoid infringement. Lenovo Beijing's infringement of the '957 patent has been willful since it first became aware of the '957 patent in 2017, or at least since the time it received notice of the Original Complaint, or at least since September 29, 2020. Lenovo Beijing's ongoing infringement of the '957 patent continues to be willful. Lenovo Beijing has chosen to manufacture or control manufacture of the Accused Products with the intent that the Accused Products would be imported, offered for sale, sold, and/or used in the United States, to distribute or control distribution of the Accused Products in Lenovo's established distribution channels with the intent that the Accused Products would be imported, offered for sale, sold, and/or used in the United States, as explained in more detail above, and knowing that doing so would infringe the '957 patent, and despite receiving notice from LiTL that continuing to do so would infringe the '957 patent.

342. The foregoing description of Lenovo Beijing's infringement is based on publicly available information. LiTL reserves the right to modify this description, including, for example, on the basis of information about the Accused Products that it obtains during discovery.

343. LiTL has been and is being irreparably harmed, and has incurred and will continue to incur damages, as a result of Lenovo Beijing's infringement of the '957 patent.

344. Lenovo Beijing's infringement of the '957 patent has damaged and continues to damage LiTL in an amount yet to be determined, of at least a reasonable royalty.

REQUEST FOR RELIEF

WHEREFORE, Plaintiff LiTL respectfully requests that this Court enter judgment as follows:

- a. Declaring that Defendants have infringed the '688, '844, '154, '715, '888 and '957 patents;
- b. Granting a permanent injunction, enjoining Defendants and their officers, agents, servants, employees, attorneys, and all other persons acting in concert or participation with them, from further infringement of the '688, '844, '154, '715, '888 and '957 patents, including but not limited to the enjoining the manufacture, sale, offer for sale, importation or use of the Accused Products and any further development of the Accused Products;
- c. Awarding LiTL damages adequate to compensate it for Defendants' infringing activities, including supplemental damages for any post-verdict infringement up until entry of the final judgment with an accounting as needed, together with pre-judgment and post-judgment interest on the damages awarded;
- d. Finding Defendants' infringement to be willful and awarding enhanced damages in an amount up to treble the amount of compensatory damages as justified under 35 U.S.C. § 284;
- e. Finding this to be an exceptional case and awarding LiTL its attorneys' fees and costs under 35 U.S.C. § 285 as a result of Defendants' willful infringement of the asserted patents; and
- f. Awarding LiTL any such other and further relief as the Court deems just and proper.

DEMAND FOR JURY TRIAL

LiTL hereby demands a trial by jury on all issues so triable.

Date: December 30, 2020

YOUNG CONAWAY STARGATT &
TAYLOR, LLP

OF COUNSEL:

Michael A. Albert
Eric J. Rutt
Gerald B. Hrycyszyn
Marie A. McKiernan
WOLF, GREENFIELD & SACKS, P.C.
600 Atlantic Avenue
Boston, MA 02210
617.646.8000 Phone
617.646.8646 Fax

/s/ Adam W. Poff
Adam W. Poff (#3990)
Robert M. Vrana (#5666)
Rodney Square
1000 North King Street
Wilmington, DE 19801
(302) 571-6600
apoff@ycst.com
rvrana@ycst.com

Counsel for LiTL LLC

CERTIFICATE OF SERVICE

I, Adam W. Poff, hereby certify that on December 30, 2020, I caused to be electronically filed a true and correct copy of the foregoing document with the Clerk of the Court using CM/ECF, which will send notification that such filing is available for viewing and downloading to the following counsel of record:

Jack B. Blumenfeld
Rodger D. Smith II
Cameron P. Clark
MORRIS, NICHOLS, ARSHT & TUNNELL LLP
1201 North Market Street
P.O. Box 1347
Wilmington, DE 19899
(302) 658-9200
jblumenfeld@mnat.com
rsmith@mnat.com
cclark@mnat.com

I further certify that on December 30, 2020, I caused the foregoing document to be served via electronic mail upon the above-listed counsel and on the following counsel:

Lai L. Yip
SHEPPARD, MULLIN, RICHTER &
HAMPTON LLP
Four Embarcadero Center
San Francisco, CA 94111
(415) 434-9100
lyip@sheppardmullin.com
Martin R. Bader
Michael J. Hopkins
SHEPPARD, MULLIN, RICHTER &
HAMPTON LLP
12275 El Camino Real
Suite 200
San Diego, CA 92130
(858) 720-8900
mbader@sheppardmullin.com
mhopkins@sheppardmullin.com

*Attorneys for Defendant
Lenovo (United States) Inc.*

Date: December 30, 2020

YOUNG CONAWAY STARGATT &
TAYLOR, LLP

/s/ Adam W. Poff

Adam W. Poff (#3990)

Robert M. Vrana (#5666)

Rodney Square

1000 North King Street

Wilmington, DE 19801

(302) 571-6600

apoff@ycst.com

rvrana@ycst.com

Counsel for LiTL LLC

Exhibit 1033

DECLARATION OF DAN FAUXSMITH

I, Dan Fauxsmith, am over twenty-one (21) years of age. I have never been convicted of a felony, and I am fully competent to make this declaration. I declare the following to be true to the best of my knowledge, information and belief:

1. I am VP, Publishing Operations of O'Reilly Media, Inc. ("**O'Reilly**").
2. O'Reilly is a neutral third party in this Reexamination Request.
3. Neither I nor O'Reilly itself is being compensated for this declaration.
4. Among my responsibilities at O'Reilly, I and my team maintain and access certain internal systems and databases.
5. I make this declaration based on my personal knowledge and information contained in the business records of O'Reilly.
6. As part of its ordinary course of business, O'Reilly publishes, distributes, and sells printed books, beginning in 1978. As part of its regular business practice, O'Reilly continues to maintain records of the books it has published and sold, including but not limited to, printing, inventory, sales, and return records.
7. One of the books published by O'Reilly was: *Windows Vista: The Missing Manual*, 1st Edition ("**Pogue**"). As reflected in the following paragraphs and attached exhibits, O'Reilly business records show that **Pogue** first published in December 2006.
8. A screenshot of the O'Reilly print run history for **Pogue** is attached as Exhibit A to this declaration. Exhibit A shows that there were nine print runs for **Pogue**. In the ordinary course of business, there are no substantive differences between different print runs for a given edition of a given publication. Consistent with that practice, there should be no substantive differences across the different printings or "Print Runs" of **Pogue**. For any given "Print Run," the "In Stock" date reflects when a given printing was in stock and available for purchase by consumers.
9. I obtained a copy of Exhibit A from O'Reilly's internal product database, where it is maintained in the ordinary course of O'Reilly's

business. Exhibit A is a true and correct copy of the Exhibit, with employee names redacted.

10. A screenshot of O'Reilly sales records for print units of **Pogue** from 2006-2008 is attached as Exhibit B to this declaration.
11. I obtained a copy of Exhibit B from O'Reilly's internal sales database, where it is maintained in the ordinary course of O'Reilly's business. Exhibit B is a true and correct copy of the Exhibit.
12. Based on O'Reilly's internal records, including the print run history shown in Exhibit A and the sales record shown in Exhibit B, I certify that only one edition of Pogue was ever published and sold (1st edition), and that the substantive content of all of the copies of this 1st edition are identical. Substantive content does not include errata and typographical errors that have been corrected between printings. All copies are 848 pages¹ and contain the exact same content. Thus, there is no substantive difference between any of the printings of Pogue, including the January 2007 first printing and the February 2007 second printing.
13. I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like are punishable by fine or imprisonment, or both, under 18 U.S.C. § 1001.

I declare under penalty of perjury that the foregoing statements are true and correct.

Executed on: January 27, 2022

DocuSigned by:
Dan Farnsworth
41C98C2EB61C48E

¹ The sales records (Exhibit B) indicate a page count of 848 pages, which includes: 827 numbered pages, 4 unnumbered pages of front matter including the title page and copyright page, 12 introduction pages numbered with Roman numerals, and 5 unnumbered pages of back matter (including one page titled "Page Eight: Appendixes" and one page titled "Colophon").

EDITORIAL

PRODUCTION

DESIGN

MANUFACTURING

MARKETING

SALES

Hello, [REDACTED]

Hide List

Tech Book

v

Logout

Main

Case Review

Cost

Vendor

PO

Comments

Previous Product

Next Product

New Search

ISBN

ISBN13

Title

Edition

Printing

0596528272

9780596528270

Windows Vista: The Missing Manual

1st

9

Production Editor

Editor

Editorial Asslet

Product Manager

Product Status

David Pogue

In Print

Manufacturing - Print History

Select	Print Run	ISBN	My title	In Stock	Book Pos
☐	1	0596528272	Windows Vista: The Missing Manual	12/27/2006	0596528272BK1
☐	2	0596528272	Windows Vista: The Missing Manual	03/05/2007	0596528272BK2
☐	3	0596528272	Windows Vista: The Missing Manual	06/20/2007	0596528272BK3
☐	4	0596528272	Windows Vista: The Missing Manual	08/17/2007	0596528272BK4
☐	5	0596528272	Windows Vista: The Missing Manual	02/21/2008	0596528272BK5
☐	6	0596528272	Windows Vista: The Missing Manual	07/17/2008	0596528272BK6
☐	7	0596528272	Windows Vista: The Missing Manual	10/29/2008	0596528272BK7
☐	8	0596528272	Windows Vista: The Missing Manual	05/18/2009	0596528272BK8
☐	9	0596528272	Windows Vista: The Missing Manual	10/17/2014	0596528272BK9

Main

Case Review

Cost

Vendor

PO

Comments

Previous Product

Next Product

New Search

Exhibit A

Dan Fauxsmith Declaration

9780596528270 : Windows Vista: The Missing Manual (Edition 1)

Serialized view Crossed view Lifetime Value

Summary

Metadata		Inventory		Lifetime Value		Average After Sell In	
Pub Date	2006-12-07	Current QOH	0	Gross Units	56,267	Gross Units	382
Page Count	848	80 Qty	0	Return Units	(1,837)	Return Units	(31)
Price	\$39.99	Committed Qty	0	Net Units	\$7,409	Net Units	332
Unit Cost	\$7.77	Avail Qty	0	Camp Units	2,478	Camp Units	2
				Gross Dollars	\$936,639.30	Gross Dollars	\$6,213.81
				Return Dollars	(1,151,87.08)	Return Dollars	(8,876.27)
				Net Dollars	\$815,200.42	Net Dollars	\$5,353.31

Exhibit B
Dan Fauxsmith Declaration

Sales

Month	2006			2007			2008					
January	0	0	0	0	2,714	583	(7)	2,707	1,341	0	(40)	1,292
February	0	0	0	0	4,021	1,412	(18)	4,006	1,220	0	(8)	1,168
March	0	0	0	0	2,715	54	(36)	2,683	965	0	(123)	842
April	0	0	0	0	1,575	13	(281)	1,594	1,772	0	(4)	1,731
May	0	0	0	0	1,938	55	(60)	1,875	1,012	1	(130)	882
June	0	0	0	0	2,184	18	(272)	1,912	634	0	(200)	432
July	0	0	0	0	3,426	15	(40)	3,384	1,189	0	(204)	985
August	0	0	0	0	1,854	11	(113)	1,723	3,724	0	(181)	3,563
September	0	0	0	0	1,393	32	(83)	1,335	843	1	(64)	779
October	0	0	0	0	1,792	0	(59)	1,724	1,119	0	(92)	1,027
November	0	0	0	0	2,223	0	(50)	2,171	614	1	(51)	553
December	7,564	279	0	7,564	1046	0	(56)	978	1,309	0	(79)	1,230
Totals:	7,564	279	0	7,564	26,887	2,193	(1,872)	25,792	15,752	3	(1,238)	14,494

Exhibit 1001



US008624844B2

(12) **United States Patent**
Behar et al.

(10) **Patent No.:** **US 8,624,844 B2**
(45) **Date of Patent:** ***Jan. 7, 2014**

(54) **PORTABLE COMPUTER WITH MULTIPLE
DISPLAY CONFIGURATIONS**

(75) Inventors: **Yves Behar**, Oakland, CA (US); **Joshua
Morenstein**, San Francisco, CA (US);
Christopher Hibmacronan, Oakland,
CA (US); **Naoya Edahiro**, San
Francisco, CA (US); **Matthew David
Day**, San Francisco, CA (US)

(73) Assignee: **LITL LLC**, Boston, MA (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 494 days.

This patent is subject to a terminal dis-
claimer.

(21) Appl. No.: **12/170,951**

(22) Filed: **Jul. 10, 2008**

(65) **Prior Publication Data**

US 2009/0244012 A1 Oct. 1, 2009

Related U.S. Application Data

(60) Provisional application No. 61/041,365, filed on Apr.
1, 2008.

(51) **Int. Cl.**
G06F 3/02 (2006.01)

(52) **U.S. Cl.**
USPC **345/169**; 345/168; 345/173; 345/184;
361/679.27; 455/575.3

(58) **Field of Classification Search**
USPC 345/184, 168-169, 156, 173;
361/679.3, 679.21, 679.26-679.27;
455/575.3

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,468,576	A	9/1969	Beyer et al.
4,939,514	A	7/1990	Miyazaki
D333,636	S	3/1993	Issa
5,200,913	A	4/1993	Hawkins et al.
5,268,817	A	12/1993	Miyagawa et al.
5,436,954	A *	7/1995	Nishiyama et al. 455/566

(Continued)

FOREIGN PATENT DOCUMENTS

CN	1292112	A	4/2001
DE	19952486		5/2001
EP	0588210		3/1993
EP	0588210	A1	3/1994
JP	5-197507	A	8/1993

(Continued)

OTHER PUBLICATIONS

<http://laptop.org/en/laptop/start/ebook.shtml> accessed on Sep. 29,
2008.

(Continued)

Primary Examiner — Lun-Yi Lao


Assistant Examiner — Sosina Abebe

(74) *Attorney, Agent, or Firm* — Lando & Anastasi, LLP

(57) **ABSTRACT**

A portable computer that is configurable between a laptop mode (in which the portable computer has a conventional laptop appearance) and an easel mode in which the base of the computer and its display component stand vertically forming an inverted "V." The portable computer includes a hinge assembly that couples the display component to the base of the computer, and allows the display component to be rotated about an axis along an interface between the display component and the base to configure the portable computer between a closed position, the laptop mode and the easel mode. The portable computer further comprises a scroll wheel and optional navigation buttons.

22 Claims, 25 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

References Cited				U.S. PATENT DOCUMENTS			
5,515,345	A	5/1996	Barreira et al.	D528,993	S	9/2006	Wilson
5,547,698	A	8/1996	Lansbergen et al.	7,138,962	B2	11/2006	Koenig
5,712,760	A	1/1998	Coulon	D534,531	S	1/2007	Ogasawara
D391,927	S	3/1998	Faranda	D535,292	S	1/2007	Shi
D392,944	S	3/1998	Issa	D544,846	S	6/2007	Kindle
D395,868	S	7/1998	Iino	7,239,508	B2	7/2007	Ferrucei
5,790,371	A	8/1998	Latocha et al.	7,250,207	B1	7/2007	Heal et al.
5,793,355	A	8/1998	Youens	7,366,994	B2	4/2008	Loui
5,796,575	A *	8/1998	Podwalny et al. 361/679.27	7,428,142	B1	9/2008	Ligtenberg
D399,526	S	10/1998	Brady	D581,371	S	11/2008	Richmond
5,825,352	A	10/1998	Bisset et al.	7,467,356	B2 *	12/2008	Gettman et al. 715/850
5,841,631	A	11/1998	Shin et al.	7,522,946	B2	4/2009	Im
5,847,698	A	12/1998	Reavey et al.	D593,085	S	5/2009	Behar
5,900,848	A	5/1999	Haneda et al.	D593,086	S	5/2009	Behar
5,926,364	A	7/1999	Karidis	D593,091	S	5/2009	Behar
5,949,643	A	9/1999	Batio	D605,635	S	12/2009	Edahiro
D416,003	S	11/1999	Sciefer et al.	7,698,407	B2	4/2010	Mattox, Jr. et al.
5,987,704	A	11/1999	Tang	7,756,928	B1	7/2010	Meenan et al.
6,005,767	A	12/1999	Ku	7,869,834	B2 *	1/2011	Seol et al. 455/567
6,067,224	A	5/2000	Nobuchi	2001/0032320	A1	10/2001	Abdelnur et al.
6,097,389	A	8/2000	Morris et al.	2002/0005818	A1	1/2002	Bruzzzone
6,144,358	A	11/2000	Narayanawamy et al.	2002/0010707	A1	1/2002	Chang et al.
6,222,507	B1	4/2001	Gouko	2002/0021258	A1	2/2002	Koenig
6,223,393	B1	5/2001	Knopf	2003/0048595	A1	3/2003	Hsieh
6,262,885	B1	7/2001	Emma et al.	2003/0107603	A1 *	6/2003	Clapper 345/784
6,266,236	B1	7/2001	Ku	2003/0109232	A1	6/2003	Park
6,275,376	B1	8/2001	Moon	2004/0001049	A1	1/2004	Oakley
6,295,038	B1	9/2001	Rebeske	2004/0203535	A1	10/2004	Kim
6,302,612	B1	10/2001	Fowler	2004/0207568	A1	10/2004	Ooshima et al.
6,323,846	B1	11/2001	Westerman et al.	2004/0212602	A1	10/2004	Nako et al.
D452,238	S	12/2001	Sugano	2004/0228076	A1	11/2004	Clapper
6,327,482	B1	12/2001	Miyashita	2005/0018396	A1	1/2005	Nakajima
6,341,061	B1	1/2002	Eisbach et al.	2005/0041378	A1	2/2005	Hamada
6,343,006	B1	1/2002	Moscovitch	2005/0063145	A1	3/2005	Homer et al.
6,377,444	B1	4/2002	Price et al.	2005/0083642	A1 *	4/2005	Senpuku et al. 361/681
D462,069	S	8/2002	Gatto	2005/0091596	A1	4/2005	Anthony et al.
6,437,974	B1 *	8/2002	Liu 361/679.27	2005/0128695	A1	6/2005	Han
D463,797	S	10/2002	Andre	2005/0134717	A1	6/2005	Misawa
6,464,195	B1	10/2002	Hildebrandt	2005/0146845	A1	7/2005	Moscovitch
6,492,974	B1 *	12/2002	Nobuchi et al. 345/156	2005/0210399	A1	9/2005	Filner et al.
6,510,049	B2	1/2003	Rosen	2005/0221865	A1	10/2005	Nishiyama et al.
D476,326	S	6/2003	Tanimura	2005/0257400	A1	11/2005	Sommerer
D479,708	S	9/2003	Hwang	2005/0282596	A1	12/2005	Park et al.
6,628,267	B2	9/2003	Karidis	2006/0126284	A1	6/2006	Moscovitch
6,642,909	B1	11/2003	Oliva	2006/0238439	A1 *	10/2006	Fuller et al. 345/1.1
6,659,516	B2	12/2003	Wang	2006/0264243	A1 *	11/2006	Aarras 455/566
6,661,426	B1	12/2003	Jetha	2006/0268500	A1	11/2006	Kuhn
6,665,175	B1	12/2003	deBoer et al.	2007/0138806	A1	6/2007	Ligtenberg et al.
6,693,652	B1	2/2004	Barrus et al.	2007/0182663	A1	8/2007	Biech
6,697,055	B1	2/2004	Bullister	2007/0240076	A1	10/2007	Astala et al.
D491,177	S	6/2004	Andre	2007/0242421	A1	10/2007	Goschin et al.
D491,936	S	6/2004	Jao	2007/0247446	A1 *	10/2007	Orsley et al. 345/184
D494,162	S	8/2004	Kondo	2008/0024388	A1	1/2008	Bruce
6,771,494	B2	8/2004	Shimano	2008/0024465	A1	1/2008	Hawkins et al.
D495,674	S	9/2004	Yoo	2008/0042987	A1	2/2008	Westerman et al.
D495,694	S	9/2004	Chase	2008/0062625	A1	3/2008	Batio
6,788,527	B2	9/2004	Doczy et al.	2008/0158795	A1	7/2008	Aoki et al.
6,819,304	B2	11/2004	Branson	2008/0174570	A1	7/2008	Jobs et al.
6,829,140	B2	12/2004	Shimano	2008/0235594	A1	9/2008	Bhumkar et al.
6,859,219	B1	2/2005	Sall	2008/0284738	A1	11/2008	Hovden et al.
D504,128	S	4/2005	Maskatia	2009/0019383	A1	1/2009	Riley et al.
6,882,335	B2	4/2005	Saarininen	2009/0150826	A1	6/2009	Lyndersay et al.
6,944,012	B2	9/2005	Doczy et al.	2009/0190295	A1	7/2009	Chin et al.
6,963,485	B2	11/2005	Hong	2009/0244012	A1	10/2009	Behar et al.
D512,997	S	12/2005	Lee	2009/0244832	A1	10/2009	Behar et al.
6,972,752	B2	12/2005	Nako et al.	2009/0275366	A1	11/2009	Schilling
D513,509	S	1/2006	Kawa	2009/0300511	A1	12/2009	Behar
D516,552	S	3/2006	Iseki	2009/0303676	A1	12/2009	Behar
D517,541	S	3/2006	Maskatia	2009/0322790	A1	12/2009	Behar
D518,042	S	3/2006	Kanayama	2010/0174993	A1	7/2010	Pennington
7,035,665	B2 *	4/2006	Kido et al. 455/566	FOREIGN PATENT DOCUMENTS			
D523,429	S	6/2006	Lin	JP	6090200	A	3/1994
7,061,472	B1 *	6/2006	Schweizer et al. 345/168	JP	6-242853	A	9/1994
7,072,179	B1	7/2006	Curran et al.	JP	6-259166	A	9/1994
D528,541	S	9/2006	Maskatia	JP	8-179851	A	7/1996
D528,993	S	9/2006	Wilson	JP	10-111658	A	4/1998
				JP	11-296259		10/1999

FOREIGN PATENT DOCUMENTS

JP	6090200	A	3/1994
JP	6-242853	A	9/1994
JP	6-259166	A	9/1994
JP	8-179851	A	7/1996
JP	10-111658	A	4/1998
JP	11-296259		10/1999

(56)

References Cited

FOREIGN PATENT DOCUMENTS

JP	2001-167211 A	6/2001
JP	2004-302179 A	10/2004
JP	2005-159741 A	6/2005
JP	2005-242436 A	9/2005
JP	2006-227409	8/2006
KR	10-2000-0036647 A	7/2000

OTHER PUBLICATIONS

Miller, M., "Creating a Digital Home Entertainment System with Windows Media Center", Apr. 2006, Que.

Japanese Office Action mailed Dec. 4, 2012 from national phase entry of the corresponding PCT application.


Partial translation of Japanese Office Action from national phase examination of the Corresponding PCT application. (Letter dated Dec. 7, 2012 including English partial translation of JP OA dated Dec. 4, 2012).

Search Report from corresponding International Application PCT/US2009/038599 dated Mar. 6, 2009.

International Search Report from a commonly owned PCT application PCT/US09/39117, dated Sep. 29, 2009.

Final Office Action for Japanese Application No. 2011-503058 mailed Apr. 16, 2013, 3 pages.

* cited by examiner






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6A




FIG. 6B




FIG. 6C




FIG. 7A




FIG. 7B




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14



FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22A




FIG. 22B




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27

1

PORTABLE COMPUTER WITH MULTIPLE DISPLAY CONFIGURATIONS

RELATED APPLICATIONS

This application claims priority under 35 U.S.C. §119(e) to U.S. Provisional Patent Application No. 61/041,365 filed Apr. 1, 2008, entitled "PORTABLE COMPUTER WITH MULTIPLE DISPLAY CONFIGURATIONS," which is incorporated herein by reference in its entirety.

BACKGROUND

1. Field of Invention

The present invention relates generally to portable computers and, more particularly, to a portable computer that is configurable into different functional and positional modes.

2. Discussion of Related Art

Portable computers, such as laptop computers or notebook computers, have become increasingly popular and ubiquitous in the home and workplace. Conventional portable computers most commonly have a "clam-shell" configuration, with a base including the keyboard, various ports, connectors and/or inputs (e.g., for power and connecting peripheral devices), and the majority of the electrical components (e.g., the central processing unit and memory), and a display component pivotably coupled to the base by a hinge. The display component is movable about the hinge between a closed position, with the display screen positioned adjacent the keyboard, and an open position, with the display screen inclined at a desired viewing angle.

Some portable computers are able to accept user inputs via a touch screen in addition to via conventional tools, such as a keyboard or mouse. The use of a touch screen to input data is sometimes referred to as operating in "tablet mode" because the computer is being used in a manner similar to a tablet of paper. U.S. Pat. No. 6,771,494 discloses a hybrid tablet-type portable computer that is capable of operating either as a normal laptop computer receiving user input via a keyboard ("laptop mode"), or as a tablet computer receiving user input via a touch screen. The '494 patent further discloses that the display component of the computer is attached to the base of the computer by hinges that allow the display to be tilted relative to the base (for laptop mode), and to be rotated and folded against the base to configure the computer into tablet mode.

Another variation of a portable computer with a moveable display is disclosed in U.S. Pat. No. 6,266,236. The '236 patent discloses a computer including a base, a display member and an arm assembly coupling the display member to the base. According to the '236 patent, the arm assembly allows pivotable movement of the display member between a plurality of positions, including a notebook mode configuration, a tablet mode configuration, a presentation mode configuration, and a closed mode.

SUMMARY OF INVENTION

Aspects and embodiments of the present invention are directed to a portable computer that is configurable between a laptop mode (in which the portable computer has a conventional laptop appearance) and an easel mode in which the base of the computer and its display component stand upright forming an inverted "V," as discussed further below. The display component is pivotably coupled to the base of the portable computer by a hinge that allows the display component to be rotated or tilted about a longitudinal axis running

2

along an interface between the base and the display component. Unlike the computers discussed in U.S. Pat. Nos. 6,266,236 and 6,771,494 above, the portable computer according to embodiments of the invention does not require an arm assembly, nor multiple, different hinge assemblies to be configured into the different modes. Furthermore, the portable computer according to embodiments of the invention is capable of different display modes and different functionality in the different configurations, as discussed below.

Further aspects and embodiments are directed to a portable computer having an embedded scroll wheel that can be configured to allow a user to control various features and functionality of the portable computer. For example, as discussed further below the scroll wheel can be used to navigate among information displayed on the portable computer's display and/or to alter operating modes of the portable computer, and/or to control features such as volume, display brightness, etc.

According to one embodiment, a portable computer is configurable between various modes, including a closed mode, a laptop mode, an easel mode, a flat mode and a frame mode. The portable computer may comprise a display component including a display screen, a base, and a hinge assembly at least partially housed within the base and configured to pivotably couple the display component to the base. The display component may be rotatable about a longitudinal axis running along an interface between the display component and the base. In the closed mode, the display screen may be disposed substantially against the base, and rotating the display component about the longitudinal axis up to approximately 180 degrees from the closed mode may configure the portable computer into the laptop mode. Rotating the display component about the longitudinal axis beyond approximately 180 degrees axis from the closed mode may configure the portable computer into the easel mode.

In one example of the portable computer, the display component is rotatable about the longitudinal axis up to approximately 320 degrees from the closed mode. In another example, the portable computer comprises a display orientation module that displays content on the display screen in one of a plurality of orientations relative to the longitudinal axis. The orientation of the displayed content may be dependent on the current display mode of the portable computer, or may be configurable responsive to a user input. The portable computer may further comprise a mode sensor which detects a current display mode of the portable computer, and the display orientation module may display content on the display screen in an orientation dependent on the current display mode detected by the mode sensor. Depending on the hinge assembly used, the longitudinal axis may comprises multiple parallel axes, and the hinge assembly may be configured to permit rotation of the display component about any of the multiple parallel axes to configure the portable computer between the plurality of display modes.

Another embodiment is directed to a portable computer comprising a base, a display component rotatably coupled to the base, and means for rotating the display component in a single direction relative to the base to configure the portable computer between a laptop mode and an easel mode.

In another embodiment of a portable computer configurable between multiple modes including a laptop mode and an easel mode, the portable computer comprises a display component, a base, and a hinge assembly configured to rotatably couple the display component to the base. The hinge assembly may be configured to permit rotation of the display component about a single axis to configure the portable computer between the laptop mode and the easel mode. In one

3

example, the single axis is a longitudinal axis running along an interface between the display component and the base. The portable computer may further comprise a scroll wheel disposed at least partially about the longitudinal axis. In one example, the display component comprises a display screen, and the scroll wheel is configured to permit a user to manipulate content displayed on the display screen.

Another embodiment is directed to a method of automatically orienting content displayed on a portable computer. The method comprises rotating a display component of the portable computer about a longitudinal axis running along an interface between the display component and a base of the portable computer, detecting a degree of rotation of the display component relative to the base, providing a signal representative of the degree of rotation of the display component, and automatically configuring an orientation, relative to the longitudinal axis, of the content displayed on the portable computer responsive to the signal.

According to another embodiment, a portable computer comprises a base unit, a display unit including a display screen configured to display content, an orientation sensor which detects an orientation of the display unit relative to the base unit, and a display orientation module which orients the content displayed on the display screen responsive to the orientation detected by the orientation sensor.

Another embodiment of a portable computer comprises a base, a display component rotatably coupled to the base such that the display component and the base are rotatable with respect to one another about a longitudinal axis running along an interface between the display component and the base, the display component including a display screen, and a scroll wheel disposed at least partially within the base and rotatable about the longitudinal axis, the scroll wheel configured to permit a user to control at least one of operating parameters of the portable computer and content displayed on the display screen. In one example, the scroll wheel is configured to permit the user to adjust a volume of sound produced by the portable computer. In another example, the screen is configured to display at least one of a plurality of modes of content, and the scroll wheel is configured to permit the user to select a mode of content for display by the portable computer. The portable computer may further comprise one or more navigation buttons that may be used in conjunction with the scroll wheel to control aspects of the portable computer and displayed content.

According to another embodiment, a portable computer is configurable between a plurality of display modes including a laptop mode and an easel mode, the portable computer comprising a base, a display component rotatably coupled to the base and including a screen which displays content, and a scroll wheel accessible in each of the plurality of display modes and configured to permit a user to manipulate at least one of operating parameters of the portable computer and the content displayed on the screen. In one example, the scroll wheel is disposed at least partially about an axis of rotation of the display component relative to the base.

In another embodiment, a portable computer comprises a base, a display component including a screen configured to display content, a hinge assembly configured to rotatably couple the display component to the base and to permit rotation of the display component about a longitudinal axis running along an interface between the display component and the base, and a scroll wheel disposed at least partially about the longitudinal axis.

Still other aspects, embodiments, and advantages of these exemplary aspects and embodiments, are discussed in detail below. Moreover, it is to be understood that both the foregoing

4

information and the following detailed description are merely illustrative examples of various aspects and embodiments, and are intended to provide an overview or framework for understanding the nature and character of the claimed aspects and embodiments. Any embodiment disclosed herein may be combined with any other embodiment in any manner consistent with the objects, aims, and needs disclosed herein, and references to "an embodiment," "some embodiments," "an alternate embodiment," "various embodiments," "one embodiment" or the like are not necessarily mutually exclusive and are intended to indicate that a particular feature, structure, or characteristic described in connection with the embodiment may be included in at least one embodiment. The appearances of such terms herein are not necessarily all referring to the same embodiment. The accompanying drawings are included to provide illustration and a further understanding of the various aspects and embodiments, and are incorporated in and constitute a part of this specification. The drawings, together with the remainder of the specification, serve to explain principles and operations of the described and claimed aspects and embodiments.

BRIEF DESCRIPTION OF THE DRAWINGS

Various aspects of at least one embodiment are discussed below with reference to the accompanying figures, which are not intended to be drawn to scale. Where technical features in the figures, detailed description or any claim are followed by reference signs, the reference signs have been included for the sole purpose of increasing the intelligibility of the figures, detailed description, and claims. Accordingly, neither the reference signs nor their absence are intended to have any limiting effect on the scope of any claim elements. In the figures, each identical or nearly identical component that is illustrated in various figures is represented by a like numeral. For purposes of clarity, not every component may be labeled in every figure. The figures are provided for the purposes of illustration and explanation and are not intended as a definition of the limits of the invention. In the figures:

FIG. 1 is an illustration of one example of a portable computer, according to aspects of the invention, in a "laptop" configuration;

FIG. 2 is a view of the portable computer of FIG. 1 in the closed position;

FIG. 3 is a plan view of the exterior of the bottom of the portable computer of FIG. 1;

FIG. 4 is a perspective view of the portable computer of FIG. 1 in the easel mode;

FIG. 5 is a side view of the portable computer of FIG. 4, illustrating the adjustable angle of the easel mode;

FIGS. 6A-C are diagrams illustrating different positions of the portable computer of FIG. 4 in easel mode;

FIG. 7A is an illustration of a portion of the portable computer of FIG. 1 in the laptop mode, illustrating a hinge assembly according to aspects of the invention;

FIG. 7B is an illustration of a portion of the portable computer of FIG. 1 in the easel mode, illustrating the hinge assembly according to aspects of the invention;

FIG. 8 is a diagram of one example of the hinge assembly of FIGS. 7A and 7B;

FIG. 9 is a cross-sectional diagram of a portion of the hinge assembly of FIG. 8, taken along line 9-9 in FIG. 8;

FIG. 10 is an exploded view of the hinge assembly of FIG. 8;

FIG. 11 is a block diagram of one example of a portable computer user interface architecture, according to aspects of the invention;

5

FIG. 12 is a screen shot illustrating one example of a graphical user interface, according to aspects of the invention;

FIG. 13 is a screen shot illustrating another example of a graphical user interface according to aspects of the invention;

FIG. 14 is an illustration of a user adjusting the scroll wheel on a portable computer in the easel mode, according to aspects of the invention;

FIG. 15 is an illustration of a user pressing the scroll wheel on a portable computer, according to aspects of the invention;

FIG. 16 is an illustration of a user pressing a navigation button on the portable computer, according to aspects of the invention;

FIG. 17 is an illustration of an example of the portable computer in the laptop mode, according to aspects of the invention;

FIG. 18 is a view of a portion of the portable computer illustrating a wireless signal indicator feature, according to aspects of the invention;

FIG. 19 is a view of a portion of the portable computer in the closed position, according to aspects of the invention;

FIG. 20 is a plan view of one example of a power adaptor, according to aspects of the invention;

FIG. 21 is a side view of the power adaptor of FIG. 20;

FIG. 22A is another side view of the power adaptor of FIG. 20, illustrating the power cord would around a cord spool, according to aspects of the invention;

FIG. 22B is a plan view of the power adaptor of FIG. 22A

FIG. 23 is an illustration of the portable computer coupled to a docking station, according to aspects of the invention;

FIG. 24 is an illustration of the portable computer showing one example of a docking connector, according to aspects of the invention;

FIG. 24 is an illustration of a hinge assembly coupled to a computer frame, according to aspects of the invention;

FIG. 26 is an illustration of the portable computer configured into a "frame" mode, according to aspects of the invention; and

FIG. 27 is an illustration of the portable computer configured into a "flat" mode, according to aspects of the invention.

DETAILED DESCRIPTION

Aspects and embodiments are directed to a portable computer that is configurable between different operating modes, including a laptop mode (in which the portable computer has a conventional laptop appearance), a flat mode, a frame mode, and an easel mode in which the base of the computer and its display component stand vertically forming an inverted "V," as discussed further below. The portable computer is capable of different display formats and functionality in the different modes, and includes a graphical user interface that may work seamlessly with the computer hardware to provide a unified, comfortable, holistic user experience. In particular, the portable computer may provide access to a wide array of functions, both those traditionally provided by computing devices and those traditionally provided by other passive information devices. For example, the hardware and software, including the graphical user interface, of the portable computer may be focused toward providing access to entertainment media, such as audio and video (e.g., playing music, streaming video, viewing photographs, etc.), email, and internet, while also providing state-of-the-art computer processing capability.

It is to be appreciated that embodiments of the methods and apparatuses discussed herein are not limited in application to the details of construction and the arrangement of components set forth in the following description or illustrated in the accompanying drawings. The methods and apparatuses are

6

capable of implementation in other embodiments and of being practiced or of being carried out in various ways. Examples of specific implementations are provided herein for illustrative purposes only and are not intended to be limiting.

In particular, acts, elements and features discussed in connection with any one or more embodiments are not intended to be excluded from a similar role in any other embodiments. Also, the phraseology and terminology used herein is for the purpose of description and should not be regarded as limiting. Any references to embodiments or elements or acts of the systems and methods herein referred to in the singular may also embrace embodiments including a plurality of these elements, and any references in plural to any embodiment or element or act herein may also embrace embodiments including only a single element. References in the singular or plural form are not intended to limit the presently disclosed systems or methods, their components, acts, or elements. The use herein of "including," "comprising," "having," "containing," "involving," and variations thereof is meant to encompass the items listed thereafter and equivalents thereof as well as additional items. References to "or" may be construed as inclusive so that any terms described using "or" may indicate any of a single, more than one, and all of the described terms.

Referring to FIG. 1, there is illustrated one example of a portable computer according to aspects of the invention. In FIG. 1, the portable computer 100 is illustrated in the "laptop" mode, with the display component 102 inclined at a viewing angle from the base 104. The display component 102 is pivotably coupled to the base 104 by a hinge assembly (not shown) that allows the display component to be rotated with respect to the base. The hinge assembly may include a single or multiple hinges, which may be any of a variety of hinge types, including, but not limited, to single-axis hinges, multiple-axis hinges, geared hinges, etc. In one example, the hinge assembly allows the display component 102 to be rotated (or tilted) about a longitudinal axis 101 running along an interface between the display component and the base 104, as illustrated in FIG. 1 and discussed further below. The base 104 includes a keyboard 106 and internal electronic components (not shown), such as a central processing unit, memory, and other components necessary to operate the portable computer, as known to those skilled in the art. In some embodiments, the base 104 may also include a touch pad 108 or trackball (not shown) for receiving user commands, as known to those skilled in the art.

Still referring to FIG. 1, the display component 102 includes a display screen 110, and may also include a camera 112, microphone 114, and infrared receiver 116, as discussed further below. It is to be appreciated that the locations of the camera 112, microphone 114 and infrared receiver 114 are not limited to the example illustrated in FIG. 1, and may be placed in other locations on the display component 102 and/or base 104, as would be recognized by those skilled in the art. The display component 102 may also include cushions 118 that provide soft contact points between the base 104 and the display component 102 when the portable computer is closed. In one example, the cushions 118 are made of rubber. However, it is to be appreciated that the invention is not so limited, and the cushions 118 may comprise materials other than rubber, including, for example, a polymer, felt, or other suitable materials as would be recognized by those skilled in the art.

Referring to FIG. 2, there is illustrated a side view of the portable computer 100 of FIG. 1 in the closed configuration. As is the case for conventional clam-shell type portable computers, when the portable computer 100 is closed, the display screen is disposed "face down" against the keyboard of the

base **104**. In the illustrated embodiment, the base **104** includes a rounded portion **120** that houses the hinge (not shown) that pivotably couples the display component **102** to the base, as discussed further below. It is to be appreciated that the rounded portion **120** is not limited to having a round shape, but may instead have another shape, which may be dependent on the type of hinge used. In one embodiment, a power button **122**, configured to turn the portable computer ON and OFF, may also be provided on the rounded portion **120**, as illustrated in FIG. 2. However, it is to be appreciated that the invention is not so limited, and the power button **122** may be located elsewhere on the base **104**. In one example, the power button **122** may be slightly recessed relative to the surface of the base **104**, so as decrease the potential for the power button to be accidentally pressed.

An exterior view of the bottom of the base **104** (the underside of the portable computer **100**) is illustrated in FIG. 3. As can be seen in FIG. 3, in one embodiment, the base **104** includes a plurality of feet **124**. In one example, the feet **124** are made of rubber; however, it is to be appreciated that the invention is not so limited and the feet may be made of another material, such as, for example, a polymer or felt. A ventilation slit **126** may be provided near an interface between the base **104** and the display component **102**, as illustrated, or elsewhere as may be desired, to allow heat to dissipate from the internal electronic components in the base. The base **104** may also include one or more speakers **128**. In one example, the base **104** includes two stereo speakers **128**, positioned at either side of the base, as illustrated in FIG. 3; however, it is to be appreciated that the portable computer **100** may comprise more or fewer speakers which may be placed at any location on the base **104**. A scroll wheel **132** may be provided to allow a user to control certain functionality of the portable computer **100**, such as navigating web pages, controlling speaker volume, selecting programs, etc., as discussed further below.

According to one embodiment, the base **104** may comprise a cushioning strip **130** disposed along an edge of the base **104** opposite to the interface between the display component **102** and the base, as illustrated in FIG. 3. The cushioning strip **130**, which may comprise rubber, a polymer, or another suitable material, may serve as a "foot" when the portable computer is configured into the easel mode, as discussed further below. In one embodiment, the display component **102** may be provided with a similar cushioning strip that may serve as a second supporting foot when the portable computer is configured into the easel mode.

Referring to FIG. 4, there is illustrated an example of the portable computer **100** configured into the easel mode. To convert the portable computer **100** from the laptop mode (or closed position) into the easel mode, the display component **102** may be folded away from the base **104**, in the same direction as to open the computer (i.e., to configure the computer from the closed position into the laptop mode) such that the base **104** and the display component **102** form an inverted "V" shape with the bottom of the base and the back of the display component face another, as illustrated in FIG. 4. In the easel mode, the display screen **110** is visible and accessible on one side of the portable computer **100** and the keyboard **106** (not shown in FIG. 4) is visible and accessible on the other side.

As illustrated in FIG. 4, in one embodiment, the portable computer may comprise integrated hardware volume controls, including a volume control button **204** and a mute button **206**. In one example, the volume control button **204** may be a rocker switch that allows a user to easily increase or decrease the volume of audio played through the speakers

128. When the user presses the volume control button **204**, a volume indicator may temporarily appear on the display screen **110**, to provide a visual indication of the amount by which the volume is being increased or decreased. Similarly, pressing the mute button **206** may cause a visual indication that the volume is muted to appear on the display screen **110**.

According to one embodiment, when the portable computer **100** is configured into the easel mode, the visual display on the display screen **110** is automatically rotated 180 degrees such that the information appears "right-way-up," even through the display screen is upside-down compared to when the portable computer is in the laptop mode. Thus, a user may simply "flip" the portable computer **100** into the easel mode and immediately be able to comfortably view information on the display screen **110**, without having to access display screen controls to adjust the orientation of the visual display. In one embodiment, the portable computer **100** includes an orientation (or mode) sensor that is configured to detect whether the portable computer is in the laptop mode or the easel mode, and to adjust the display accordingly. The orientation sensor may be incorporated into the base component **104**, for example, underneath the keyboard **106**, or into the display component. In one example, locating the orientation sensor in the display component **102**, rather than the base **104**, may provide more robust detection and therefore, may be presently preferred in some embodiments. The orientation sensor may be used to determine a precise relative orientation of the base component **104** with respect to the display component **102**, or vice versa, for example, to determine whether the device is in the laptop mode, easel mode, or some point in between the two modes. In one example, the orientation sensor includes an accelerometer whose output is fed to the computer operating system (or to dedicated logic circuitry) which then triggers a display inversion as appropriate.

Accelerometers have been used in portable devices such as cellular phones, media players or computers, as sudden motion sensors, or "drop detectors," to protect against hard drive crashes in the event that the device is dropped. By contrast, however, the accelerometer in the portable computer according to an embodiment of the invention is not used to detect motion of the overall computer, but rather to detect a configuration of the portable computer **100** (e.g., laptop mode or easel mode), particularly, to detect an orientation of the display component **102** relative to the base component **104**. In one example, information from the accelerometer is provided to a display controller in the portable computer and used to switch the display between portrait or landscape mode, as is done in some conventional devices.

Referring to FIG. 5, when the portable computer **100** is in the easel mode, the base **104** is disposed at an angle **134** to the display component **102**. This angle **134** is adjustable, for example, to allow a comfortable viewing angle to the display screen **110** to be maintained for different positions of a user **136** and of the portable computer **100**, as illustrated in FIGS. 6A, 6B and 6C. For example, when the user **136** is further from the portable computer, the angle **134a** (FIG. 6A) may be made smaller than the angle **134b** when the user is closer to the portable computer (FIG. 6B). As discussed above, in one example, the orientation sensor (not shown) may be used to detect, either approximately or precisely, the angle **134** and to provide the information to the computer operating system.

According to one embodiment, the display component **102** is pivotably coupled to the base **104** by a hinge that allows the display component to be moved relative to the base so as to allow the portable computer **100** to be configured into the closed position, the laptop mode or the easel mode. As discussed above, in conventional "clamshell" type portable com-

puters, the hinges that couple the display component to the base generally do not permit more than about 180 degrees of rotation of the display component. Thus, these conventional portable computers can be in a closed position or open, laptop configuration, but cannot be configured into an easel mode because the conventional hinges do not permit sufficient movement of the display component. Similarly, the tablet-type portable computers discussed above have displays that can be opened, rotated and folded such that they lie flat against the keyboard on the base, but cannot be configured into an easel mode. Although, as discussed above, U.S. Pat. No. 6,266,236 discloses a computer that is configurable into a presentation mode, this requires a complex arm assembly. By contrast, the portable computer according to embodiments of the present invention may be configured into the easel mode by simply continuing to tilt or rotate the display component past the "laptop positions" until a desired easel angle **134** is reached.

Referring to FIGS. 7A and 7B, there is illustrated a portion of the portable computer **100** illustrating a hinge assembly **138** that allows the portable computer to be configured into either the laptop mode (FIG. 7A) or the easel mode (FIG. 7B), according to aspects of the invention. According to one embodiment, the hinge assembly **138** accommodates 0-320 degrees of rotation, allowing a minimum angle **134** (see FIG. 5) of 40 degrees. However, it is to be appreciated that the hinge assembly **138** may allow greater or fewer degrees of rotation, provided only that sufficient rotation is allowed so as to configure the portable computer **100** into either the laptop mode or the easel mode. As discussed above, in one embodiment the portable computer **100** includes an orientation sensor (not shown) that is configured to detect a relative orientation of the display component **102** and the base component **104**. In one example, the orientation sensor may be an accelerometer incorporated into the base component **104**, as discussed above. Alternatively, the orientation sensor may be incorporated into the hinge assembly **138** and may be used to detect movement of the hinge assembly, and to translate that movement into an information about the relative orientation of the display component **102** and the base component **104** (for example, a size of the angle **134**). It is also to be appreciated that the orientation sensor may include electronic or mechanical components, or a combination thereof. For example, the hinge assembly may be provided with detents that provide an indication of the mode of the portable computer.

As discussed above, and also illustrated in FIGS. 7A and 7B, the portable computer may also comprise a scroll wheel **132** that allows a user to adjust, control and/or select various aspects of the portable computer (e.g., wireless capability or speaker volume) or items displayed on the display screen **110**. A housing **160** may contain or support various mechanical and/or electronic components (not shown) that are coupled to the scroll wheel **132** and are configured to convert physical movement of the scroll wheel into electrical signals. These electrical signals may be provided to the central processing unit of the portable computer **100** which processes the electrical signals so as to translate movement of the scroll wheel into control of a selected feature, for example, adjusting the volume of the speaker(s) or selecting a particular item displayed on the display screen, as discussed further below.

One embodiment of the hinge assembly **138** is illustrated in FIG. 8. The hinge assembly includes a bracket **140** rotatably coupled to a housing **142**. The housing **142** may include a first flange **144** that may be fastened to an internal frame in the base **104**, as illustrated in FIG. 7A. The first flange **144** may include holes **146** to allow the first flange to be fastened to the base **104** using fasteners, such as, for example, screws, rivets

or bolts. The bracket **140** may include a second flange **148** that may be similarly coupled to the display component **102** using fasteners **150**. In one embodiment, the display screen **110** (see FIG. 1) may be an LCD screen. As known to those skilled in the art, an LCD screen generally comprises a frame and plastic housing. In one example, the second flange **148** may be fastened to either or both of the display screen frame and the screen's plastic housing. Referring to FIG. 25, there is illustrated an example of two hinge assemblies **138** coupled to the display frame **208** of the display component, and to the base frame **210** of the base component **104**. According to one embodiment, the bracket **140** and/or housing **142** may be formed of cast zinc. However, it is to be appreciated that other materials, including other metals, may be used, and the bracket **140** and/or housing **142** may be formed using a procedure other than casting, such as, for example, machining or molding.

Referring again to FIG. 8, in one embodiment, the hinge assembly **138** may also incorporate an area **152** for locating the power button (FIG. 2, **122**) or a navigation control button (FIG. 4, **166**), as discussed further below.

Referring to FIG. 9, there is illustrated a cross-sectional view of a portion of the hinge assembly **138** taken along line A-A in FIG. 8. As shown in FIG. 9, in one embodiment the hinge assembly **138** comprises a shaft **154** located within the hinge housing **142**. The shaft **154** may be held in position within the hinge housing **142**, and rotatably coupled to the housing, by torsion elements, such as springs **156**. In one example, the springs **156** may be formed by stamping; however, it is to be appreciated that other methods of manufacture may be used. In one example, the hinge assembly may accommodate about 320 degrees of rotation, as discussed above, and may provide about 6.5 in-lbs in symmetric torque.

FIG. 10 is an exploded view of the hinge assembly of FIGS. 8 and 9. As shown in FIG. 10, the shaft **154** is coupled to a member **158**. This member **158** may be integral with or coupled to the bracket **140** which is, in turn, fastened to the display component, as discussed above. Thus, the shaft **154** and springs **156** provide a rotatable coupling between the fixed elements of the hinge assembly, namely, the hinge housing **142** and bracket **140** which are fastened to the base **104** and display component **102** of the portable computer. In this manner, the hinge assembly allows the display component **102** to be moved relative to the base **104**, thereby allowing the portable computer to be easily and quickly configured into any of the closed position, laptop mode or easel mode. For example, simply rotating or tilting the display component about the longitudinal axis **101** (see FIG. 1) up to approximately 180 degrees from the closed mode configures the portable computer into the laptop mode, and rotating the display component about the longitudinal axis **101** beyond approximately 180 degrees axis from the closed mode configures the portable computer into the easel mode.

According to one embodiment, the portable computer may include integrated "navigation" hardware that allows a user to easily and comfortably control various features and functions of the portable computer, and to manipulate content displayed on the portable computer. For example, as discussed above, the portable computer **100** may comprise a scroll wheel **132** that allows a user to control, adjust and/or select various functionality of the portable computer. According to another embodiment, the scroll wheel **132** may be used to provide "hardware navigation" through information, such as menus, icons, etc., displayed on the display screen **110**, as discussed further below with reference to FIG. 17. A common display configuration used in conventional computers is a "desktop" view in which multiple icons representing links to various

11

programs or applications are displayed over a background image. Navigation is conventionally performed using a mouse, touch pad or trackball, as known to those skilled in the art. In one embodiment, the portable computer 100 may display information on the display screen 110 in the conventional desktop configuration, and navigation may be performed using either conventional tools, such as a touchpad 108, trackball (not shown) or peripheral, for example, a mouse, that is connected to the portable computer 100 via a port 164, or the scroll wheel 132, or a combination thereof. According to another embodiment, the portable computer 100 includes a streamlined graphical user interface that supports "map" navigation. The map user interface provides a clear overview of the entire computing environment and searching capability within the environment that may be accessed using the scroll wheel 132 and, optionally, one or navigation buttons 166, 168 that may be provided on the base 104 of the portable computer 100 (button 166) and/or in the keyboard 106 (button 168), illustrated in FIG. 17. In one embodiment, the map mode of navigation is a hierarchical mode that reduces the number of items to select amongst at any stage of navigation, thereby facilitating user access with the scroll wheel 132 and, optionally, the navigation button(s) 166, 168. Of course, it is to be appreciated that the map user interface may also be navigated using conventional tools, such as a trackball, touchpad, mouse or arrow keys.

Referring to FIG. 11, there is illustrated a block diagram of one example of an architecture of the portable computer including a map user interface. The user interface "home" screen 170 that displays a plurality of modes of content 172. In the illustrated example, the home screen 170 contains five modes of content 172; however, it is to be appreciated that the home screen may include more or fewer than five modes of content and that the modes of content may differ from the examples discussed below. According to one example, the modes of content 172 accessible via the home screen 170 may include "media" 172a, "connect" 172b, "web" 172c, "applications" 172d, and "channels" 172e. Using the map user interface, information, programs, features and applications may be grouped into the various modes of content 172. By selecting any mode of content 172, for example, by using the scroll wheel 132 and/or navigation buttons 166, 168, as discussed further below, the user may access the content organized within that mode. For example, the media mode 172a may provide access to a medial player to play, view, search and organize media such as music, video, photos, etc. The connect mode 172b may provide access to features such as, for example, email, voice-over-IP, instant messaging, etc., and the web mode 172c may provide access to internet browsing and searching. The application mode 172d may provide access to, for example, computer applications or programs, such as word processor, spreadsheet, calculator, etc. In one example, these applications or programs may be provided as web-based services rather than programs or applications residing on the portable computer 100. The channels mode 172e may provide access to different functionality of the portable computer, with the different functions or features defined as different channels. For example, a channel may include an alarm clock channel in which the portable computer is configured to display a clock and can be programmed to activate an alarm, e.g., a sound, piece of music, etc., at a predetermined time. Another example of a channel may include a "photo frame" channel in which the portable computer may be configured to display a pre-selected image or set of images, etc. Another example of a channel is a "television" channel, in which the portable computer is configured to stream Internet television. In one example, a user may con-

12

figure particular Internet television channels (e.g., a news channel, a movie channel, a home and garden channel, etc.) into sub-channels within the channels mode of content 172(e). Some or all of the modes of content 172 may access, retrieve and/or store information on the Internet 174.

According to one embodiment, the different modes of content 172 may be displayed as a series of bars across the display screen 110, as illustrated in FIG. 12. The following discussion of various features, including hardware navigation through the map user interface may refer primarily to the display configuration illustrated in FIG. 12. However, it is to be appreciated that the invention is not so limited, and the modes of content may be displayed in other configurations, including, for example, a "desktop" and icon configuration, a "dashboard" type display, as illustrated in FIG. 13, or another configuration, as would be recognized by those skilled in the art. Similarly, navigation is discussed below primarily with reference to the scroll wheel 132 and navigation buttons 166, 168; however, it is to be appreciated that navigation may also be accomplished using any of the conventional tools discussed above or known to those skilled in the art.

As discussed above, according to one embodiment, the scroll wheel 132 and, optionally, the navigation buttons 166, 168 may be used to navigate the user interface. Referring again to FIG. 12, scrolling the scroll wheel may sequentially highlight different ones of the modes of content 172. In one example, the highlighting may be achieved by changing the color of the selected mode, and/or by providing a visual indicator, such as a colored bar 176. A highlighted mode 172 may be selected by pressing the scroll wheel, thereby bringing up a new "page" or screen on the user interface corresponding to the selected mode. Once within a selected mode of content 172, the scroll wheel may similarly be used to select particular functions, features or applications within that mode. In one embodiment, the default action for the scroll wheel 132 may vary depending on whether the portable computer 100 is in the laptop mode or the easel mode. For example, in easel mode, the default action for the scroll wheel may be channel selection within the channels mode 172(e).

As discussed above, in one embodiment volume control for the speakers 128 may be provided by the volume control button 204 and mute button 206. Alternatively, according to another embodiment, volume control may be provided using the scroll wheel 132. Thus, as a user scrolls the scroll wheel 132, as illustrated in FIG. 14 by arrow 161, a volume indicator may appear on the display screen 110. In one example, the volume indicator may comprise a transparent, or partially transparent, box 162 containing volume level indicators that may appear directly below the scroll wheel 132 on the display screen 110. In this example, as the user scrolls the scroll wheel 132, different volume levels in the volume box 162 may be successively highlighted, to indicate to the user that the volume is increasing or decreasing.

In one embodiment, the scroll wheel 132 may be depressible as well as scrollable. Thus, pressing the scroll wheel 132, as illustrated in FIG. 15, may allow further control, such as, for example, selecting a channel onto which the user has scrolled, or "play" and "pause" of audio or video being played through the portable computer 100.

As discussed above, according to one embodiment, one or more navigation buttons may be used in conjunction with the scroll wheel. In particular, in one embodiment, the navigation button(s) may be used to change the action of the scroll wheel. As discussed above, in one example, the default action of the scroll wheel is volume control. This action may be changed by pressing the navigation button 166, as illustrated in FIG. 16, for example, from volume control to menu navigation in

13

the user interface, and vice versa. According to one embodiment, the effect of pressing the navigation button **166** may vary depending on active the mode of content of the portable computer **100**. For example, if a user is in the media mode using a photo viewing application, pressing the navigation button **166** may change the action of the scroll wheel **132** from mode navigation to slideshow controls for the photos. When the navigation button **166** is pressed, an control indicator box (similar to the volume indicator box **162** discussed above with reference to FIG. **14**) may appear containing different actions for the photo slideshow, such as “play,” “next,” “back,” “skip,” “full screen view,” etc., and scrolling the scroll wheel **132** may allow a user to select one of these actions. Pressing the navigation button **166** again may return the scroll wheel action to menu navigation, to allow the user to, for example, move to a different feature or application within the active mode, or to select a different mode.

As can be seen in FIG. **16**, the navigation button **166** may be easily accessed when the portable computer **100** is in the easel mode, providing a convenient navigation tool for this configuration. A similar navigation button **168** may be provided on the keyboard **106**, as illustrated in FIG. **17**. In one example, the functionality of the two navigation buttons **166**, **168** may be the same, with the different locations providing easy, comfortable access in the different configuration modes (i.e., laptop or easel) of the portable computer **100**. Thus, a user may use either navigation button **166** or navigation button **168**, depending on personal preference. In another example, the two navigation buttons may have different functionality. For example, the navigation button **166** may be used to alter the action of the scroll wheel **132**, as discussed above, while the navigation button **168** is used to navigate “up” or “down” a level within the map user interface. For example, pressing the navigation button **168** while within a given mode of content may allow the user to “back up” to the home screen; or pressing the navigation button **168** while within a selected channel (in the channel mode of the content **172e**) may allow the user to “back-up” to the channel mode main page.

It is to be appreciated that numerous variations on the functionality of the navigation buttons **166**, **168** is possible, as would be recognized by those skilled in the art, and the above examples are given for illustration only and are not intended to be limiting. In addition, any functions described with reference to one navigation button (**166** or **168**) may be instead (or additionally) implemented with the other navigation button. In one example, the function of the navigation buttons **166**, **168** may vary depending on whether the portable computer **100** is configured into the laptop mode or the easel mode. For example, only the navigation button **166** may be active in the easel mode, and only the navigation button **168** may be active in the laptop mode. Alternatively, both navigation buttons **166**, **168** may be usable in either the laptop mode or the easel mode, but their functionality may vary. For example, when the portable computer **100** is in the easel mode, the default action for the navigation button **166** may be channel selection whereas the default action for the navigation button **168** is to access the “home” screen. Furthermore, the portable computer **100** is not limited to the use of two navigation buttons and may instead comprise only a single navigation button or more than two navigation buttons, any of which may be disposed in the locations described above (e.g., on the rounded portion **120** of the base **104** or on the keyboard **106**), or in other locations on the portable computer.

As discussed above, according to one embodiment, the function or display content and/or display orientation of the portable computer may vary when the portable computer is configured from the laptop mode into the easel mode, or vice

14

versa. For example, as discussed above, when the portable computer **100** is configured into the easel mode, the visual display on the display screen **110** is automatically rotated 180 degrees such that the information appears “right-way-up,” even through the display screen is upside-down compared to when the portable computer is in the laptop mode. In another example, for at least some activities within at least some modes of content (e.g., viewing a photograph or video), when the portable computer **100** is configured into the easel mode, the display may automatically adjust to “full screen view” (i.e., the displayed image or video is displayed on the full screen size, rather than in a window) to allow for comfortable viewing.

In addition, as discussed above, the ability to configure the portable computer **100** into either the laptop mode or the easel mode provides enhanced functionality. For example, when the portable computer **100** is not being actively used, the user may configure the portable computer into the easel mode, and program the portable computer to act as a digital photo frame, displaying one or more photos of the user’s choice. In the easel mode, the portable computer **100** may occupy a smaller footprint on a surface than in the laptop or closed modes because the base **104** and display component **102** are upright, as illustrated in FIGS. **4** and **5**. In addition, because the portable computer can act as a passive information and/or entertainment device, such as a photo frame or clock, as discussed above, the portable computer may provide a useful function even when not being actively used by the user, and may do so (in the easel mode) without taking up much surface area.

According to another embodiment, the portable computer **100** may further comprise a wireless signal indicator **178**, as illustrated in FIG. **18**. The wireless signal indicator **178** may indicate the availability and/or strength of a wireless signal to which the portable computer **100** is connected, or is attempting to connect to. In one example, the color of the wireless signal indicator **178** may provide information regarding the strength of a detected wireless signal. For example, green may indicate a “good” signal; yellow may indicate a “poor” or “low” signal; and red may indicate that there is no signal available. In one example, the wireless signal indicator **178** may be ON or active whenever the portable computer **100** is powered up. Alternatively, the wireless signal indicator **178** may be activated by a user action, for example, by pressing the navigation button **166** or another button or key provided on the portable computer **100**, and may remain active for a predetermined time period (e.g., for 2 seconds, 10 seconds, one minute, etc.). As discussed above, the functionality of the navigation button **166** may vary depending on the configuration mode of the portable computer **100**. In one example, when the portable computer **100** is in the closed position, but still powered up, the default action for the navigation button **166** may be to activate the wireless signal indicator **178**.

According to one embodiment, the portable computer **100** may be provided with power cord and adapter to allow the portable computer to be plugged into a wall supply. Referring to FIG. **19**, there is illustrated a view of a portion of the portable computer **100**, showing a power jack **180** to which the power adaptor can be connected. As discussed above, the portable computer **100** may also include a port **164** to which peripheral devices, such as mouse, external keyboard, portable flash drive, memory stick, etc. may be connected. In one example, the port **164** is a USB port; however, it is to be appreciated that the port may accommodate protocols other than USB. In addition, although only one port **164** is illustrated in FIG. **19**, the portable computer **100** may comprise multiple ports that may accommodate multiple protocols. In one example, the portable computer **100** may also comprise a

15

headphone jack **182**. It is to be appreciated that the location of any or all of the power jack **180**, port(s) **164**, and headphone jack **182** are not limited to the example shown in FIG. **19**, but may be anywhere convenient or desirable on the portable computer **100**.

Referring to FIG. **20**, there is illustrated a top down view one example of a power adaptor **184** that may be used with the portable computer **100** and connected via the power jack **180**. As known to those skilled in the art, the power adaptor **184** comprises a transformer (not shown) that converts the wall power to a level acceptable for use by the portable computer **100**. In one embodiment, the power adaptor **184** comprises a substantially round body **186** that houses the transformer and other necessary components. A connector **188** may allow the power adaptor **184** to be connected to a wall outlet or extension cord. In one example, the connector **188** may include foldable prongs **190** that can be folded against the connector **188** for storage, and folded out for connection, as illustrated in FIG. **21**. A cord **192** may be slidably accommodated within the body **186**, such that the cord may be stored within the body and flexibly extended (up to its maximum length) by a user.

According to one embodiment, the cord **192** may be wound around a cord spool **194** located within, or partially within, the body **186** of the power adaptor **184**. As illustrated in FIG. **21**, the cord spool **194** may be configured to slide out from the body **186** of the power adaptor **184**, such that the cord **192** can be wound around the cord spool **194**, as illustrated in FIGS. **22A** and **22B**.

According to another embodiment, the portable computer **100** may be configured to connect to a docking station **196**, as illustrated in FIG. **23**. In one embodiment, a connector **198** on the docking station **196** may be configured to slidably connect to connectors **200** on the portable computer **100**, as illustrated in FIG. **23**. In one example, the connectors **200** may include power and audio connectors, such that the portable computer **100** may receive power from the docking station and receive and/or provide audio signals from/to the docking station, respectively. For example, the docking station may be coupled to external speakers, and the portable computer may provide audio signals to the docking station to be played through the external speakers. In another example, the docking station **196** may also be coupled to an audio device (not shown), such as an MP3 player, which may provide audio signals and data to the portable computer **100**, for example, to update an audio library on the portable computer. It is to be appreciated that many other variations of communication between the portable computer **100** and devices coupled to the docking station **196** are possible, as would be recognized by those skilled in the art, and such variations are intended to be within the scope of this disclosure. Furthermore, numerous variations on the connector(s) **198**, **200** that couple the docking station **196** to the portable computer **100** are also possible, as would be recognized by those skilled in the art. For example, the portable computer **100** may include a multi-pin connector **202** located on the base **104**, as illustrated in FIG. **24**. Such and other variations are intended to be within the scope of this disclosure and the above-mentioned examples are provided for illustration only and are not intended to be limiting.

In addition, it is to be appreciated that although the above discussion refers primarily to the portable computer **100** being in either the laptop mode or easel mode, other modes or configurations are also possible. For example, as discussed above, because the portable computer **100** can be configured from the closed position, through the laptop mode into the easel mode by rotating the display component **102**, a number of configurations are possible in between "true" laptop mode

16

and "true" easel mode. In another example, the portable computer **100** may be configured into a "frame" mode, as illustrated in FIG. **26**, in which the portable computer is placed on a surface **212** with the keyboard **106** "face down" on the surface **212** and the display **110** facing upward. In the frame mode, the display component **102** may be at a similar orientation, and angle **134**, with respect to the base component **104** as in the easel mode. However, rather than the base component **104** and display component **102** being oriented vertically with respect to the surface **212**, as in the easel mode (in which the portable computer forms an inverted "V" as discussed above), in the frame mode, the base component **104** may lie flat on the surface **212**, as shown in FIG. **26**. In one example, software and/or hardware protection may be provided for the keyboard to prevent keys from being pressed (or to prevent the portable computer from responding to pressed keys) when the portable computer is in the frame mode.

Similarly, referring to FIG. **27**, there is illustrated another configuration of the portable computer **100**, referring to as the "flat" mode. In the flat mode, the display component **102** may be rotated (or opened) to approximately 180 degrees with respect to the base component **104**, such that the base component and display component lay flat on a surface, with the keyboard **106** and display screen **110** exposed, as shown in FIG. **27**. Unlike the easel and frame modes, in which the keyboard may be concealed and not easily accessible, in the flat mode, the keyboard is accessible and usable. In addition, as discussed above, the visual display on the display screen **110** may be automatically rotated to accommodate comfortable viewing of information by persons located in different positions relative to the base component **104** or display component **102**. The visual display on the display screen **110** may also be manually adjusted by a user using, for example, the keyboard **106**, touch pad **108** or mouse (not shown), scroll wheel **132** or navigation buttons (not shown). For example, if a user (located at position A) wishes to display information for a person located opposite the user (at position B), the visual display may be rotated (automatically or manually) 180 degrees such that the information appears "right-way-up," to the person at location B, even through the display screen **110** is upside-down for that person. Similarly, in another example, the visual display may be rotated (automatically or manually) 90 degrees such that the information appears "right-way-up," for a person at location C. In one example, a user can "toggle" the visual display among various orientations. For example, a user at location A may have the visual display facing themselves while using the keyboard **106** or other controls to change or access information on the display, then toggle the display orientation 180 or 90 degrees to display the information for persons at locations B or C.

In summary, various aspects and embodiments provide a portable computer that is configurable between different operating modes, including a laptop mode and an easel mode, and that is capable of different display formats and functionality in the different modes. The ability to view and operate the portable computer in the different laptop and easel modes, and to incorporate features and functions such as an alarm clock, digital photograph frame, voice-over-IP, etc., may provide enhanced flexibility and usefulness. In addition, the portable computer may include a graphical user interface that may work seamlessly with the computer hardware to provide an enjoyable, holistic user experience.

Having thus described several aspects of at least one embodiment, it is to be appreciated various alterations, modifications, and improvements will readily occur to those skilled in the art. For example functionality or features that have been described herein in connection with hardware may

17

instead be implemented in software, or vice versa. For example, the wireless signal indicator discussed above may instead (or in addition) be provided as a software application. Such alterations, modifications, and improvements are intended to be part of this disclosure and are intended to be within the scope of the invention. Accordingly, the foregoing description and drawings are by way of example only.

What is claimed is:

1. A portable computer configurable between a plurality of display modes including a laptop mode and an easel mode wherein transitions between the plurality of display modes allows an operator to interact with a single display screen in each of the plurality of display modes, the portable computer comprising:

a base including a keyboard;

a main display component rotatably coupled to the base such that the main display component and the base are rotatable with respect to one another about a longitudinal axis running along an interface between the main display component and the base to transition between at least the laptop mode and the easel mode, the main display component including the single display screen, wherein the transition between the laptop mode and the easel mode allows the operator to operate the portable computer while viewing the single display screen in each of the plurality of display modes, wherein

the laptop mode is configured to display to a user on the main display component a first content mode having a first content display orientation with the main display component oriented towards the user and the keyboard oriented to receive input from the user;

the easel mode is configured to display to the user on the main display component a second content mode having a second content display orientation with the main display component oriented towards the user and the keyboard oriented away from the user, wherein the first and second content display orientations are 180 degrees relative to each other, and wherein the portable computer is operable in the easel mode to enable the user to interact with displayed content without interacting with the keyboard; and

a navigation control disposed at least partially within the base and rotatable about the longitudinal axis, the navigation control configured to permit a user to control at least one of operating parameters of the portable computer and content displayed on the single display screen wherein the plurality of modes includes a frame in which the main display component is oriented towards the operator, the base contacts a substantially horizontal surface, and the keyboard faces the substantially horizontal surface.

2. The portable computer of claim 1, where the navigation control includes a scroll wheel configured to permit the user to adjust a volume of sound produced by the portable computer.

3. The portable computer of claim 1, further comprising a first navigation button disposed on one of the base and the display component and configured to permit the user to manipulate selected content displayed on the screen.

4. The portable computer of claim 3, wherein the screen is configured to display at least one of a plurality of modes of content; and

wherein the navigation button is configured to permit the user to select for display one of the plurality of modes of content.

5. The portable computer of claim 3, further comprising a second navigation button;

18

wherein the first navigation button is disposed on a major surface of the base; and

wherein the second navigation button is disposed on a minor surface of the base.

6. The portable computer of claim 1, wherein the navigation control includes a scroll wheel configured to permit the user to select a mode of content for display by the portable computer.

7. The portable computer of claim 1, wherein rotating either the display component or the base about the longitudinal axis up to approximately 180 degrees from a closed mode in which the display screen is disposed substantially against the base configures the portable computer into the laptop mode; and

wherein rotating either the display component or the base about the longitudinal axis beyond approximately 180 degrees from the closed mode configures the portable computer into the easel mode.

8. The portable computer of claim 1, wherein the frame mode is configured to display to a user on the main display component the first content mode having the first content display orientation.

9. The portable computer of claim 1, wherein the portable computer is configured to prevent the portable computer from responding to keyboard input when the portable computer is in the frame mode.

10. A portable computer configurable between a plurality of display modes including a laptop mode and an easel mode wherein transitions between the plurality of display modes permit an operator to interact with a single display screen in each of the plurality of display modes, the portable computer comprising:

a base including a keyboard;

a main display component rotatably coupled to the base and including the single display screen which displays content;

a hinge assembly disposed at least partially within the base and the main display component that defines an axis of rotation about which both the base and the main display component are rotatable to transition the portable computer between at least the laptop mode and the easel mode, wherein the transition between the laptop mode and the easel mode allows the operator to operate the portable computer while viewing the single display screen in each of the plurality of display modes, wherein the laptop mode is configured to display to a user on the main display component a first content mode having a first content display orientation with the main display component oriented towards the user and the keyboard oriented to receive input from the user;

the easel mode is configured to display to the user on the main display component a second content mode having a second content display orientation with the main display component oriented towards the user and the keyboard oriented away from the user, wherein the first and second content display orientations are 180 degrees relative to each other, and wherein the portable computer is operable in the easel mode to enable the user to interact with displayed content without interacting with the keyboard; and

a navigation control accessible in each of the plurality of display modes and configured to permit a user to manipulate at least one of operating parameters of the portable computer and the content displayed on the single display screen wherein the plurality of modes includes a frame mode in which the main display component is oriented towards the operator, the base con-

19

tacts a substantially horizontal surface, and the keyboard faces the substantially horizontal surface.

11. The portable computer of claim 10, wherein the navigation control includes a scroll wheel disposed at least partially about the axis of rotation of the display component relative to the base. 5

12. The portable computer of claim 11, wherein the scroll wheel provides a default action which effects manipulation of the at least one of the operating parameters of the portable computer, wherein the default action is defined differently responsive to a display mode of the portable computer. 10

13. The portable computer of claim 10, further comprising a first navigation button user-accessible in each of the laptop mode and the easel mode, and configured to permit the user to manipulate selected content displayed on the screen. 15

14. The portable computer of claim 13, wherein the screen is configured to display at least one of a plurality of modes of content; and

wherein the first navigation button is configured to permit the user to select for display one of the plurality of modes of content. 20

15. The portable computer of claim 13, further comprising a second navigation button that is not user-accessible when the portable computer is in the easel mode.

16. The portable computer of claim 10, wherein an operating display mode is selected from the plurality of display modes based on a physical orientation of the portable computer. 25

17. The portable computer of claim 10, wherein an operating display mode is selected from the plurality of display modes in response to operation of the navigation control. 30

18. A portable computer configurable between a plurality of display modes including a laptop mode and an easel mode wherein transitions between the plurality of display modes allow an operator to interact with a single display screen in each of the plurality of display modes, the portable computer comprising: 35

- a base including a keyboard;
- a main display component including the single display screen configured to display content;
- a hinge assembly disposed at least partially within the base configured to rotatably couple the main display component to the base, the hinge assembly defining a longitudinal axis running along an interface between the dis-

20

play component and the base about which the display component and the base are rotatable to transition the portable computer between at least the laptop mode and the easel mode, wherein the transition between the laptop mode and the easel mode allows the operator to operate the portable computer while viewing the single display screen in each of the plurality of display modes, wherein

the laptop mode is configured to display to a user on the main display component a first content mode having a first content display orientation with the main display component oriented towards the user and the keyboard oriented to receive input from the user;

the easel mode is configured to display to the user on the main display component a second content mode having a second content display orientation with the main display component oriented towards the user and the keyboard oriented away from the user, wherein the first and second content display orientations are 180 degrees relative to each other, and wherein the portable computer is operable in the easel mode to enable the user to interact with displayed content without interacting with the keyboard; and

a navigation control disposed at least partially about the longitudinal axis wherein the plurality of modes includes a frame mode in which the main display component is oriented towards the operator, the base contacts a substantially horizontal surface, and the keyboard faces the substantially horizontal surface.

19. The portable computer of claim 18, wherein the navigation control includes a scroll wheel configured to permit a user to manipulate the content displayed on the screen.

20. The portable computer of claim 18, wherein the navigation control includes a scroll wheel configured to permit a user to control a volume of sound played by the portable computer.

21. The portable computer of claim 18, wherein the navigation control includes a scroll wheel disposed at least partially within the hinge assembly.

22. The portable computer of claim 18, further comprising at least one navigation button disposed on one of the base and the display component.

* * * * *

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 8,624,844 B2
APPLICATION NO. : 12/170951
DATED : January 7, 2014
INVENTOR(S) : Yves Behar et al.


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Claims:

Column 17, Claim 1, Line 47, insert -- mode -- after the word "frame".

Signed and Sealed this
First Day of April, 2014

A handwritten signature in black ink, reading "Michelle K. Lee". The signature is fluid and cursive, with the first letters of each word being capitalized and prominent.

Michelle K. Lee
Deputy Director of the United States Patent and Trademark Office