definition. Paper 41, 1. Accordingly, we construe "first beam map" as "scheduling information for one or more beams."

As noted by both parties, claims 2, 11, and 20 further require that the "first beam map" contain "scanning beam information usable by said wireless access device to detect said directed scanning beam." *See* Papers 40, 2; 41, 1. Petitioner argues the scanning beam information

> may include information that 'identifies a downlink time slot during which one of said directed scanning beam signals transmits said downlink data traffic,' (claim 3), information that 'identifies at least one modulation format associated with one of said directed scanning beam signals' (claim 4), or information that 'identifies at least one forward error correction code level associated with one of said directed scanning beam signals' (claim 5).

Paper 40, 2–3. Petitioner asserts that Patent Owner's arguments limit "beam map" to a specific embodiment (such as the "Frame Beam map and Super-Frame Beam Map embodiment) and this provides reason to reject Patent Owner's construction. *Id.* at 3; *see also* Reply 9–11 (similarly asserting that Patent Owner's arguments that a first beam map necessary includes information about what scanning beam will be used improperly confine the claim to a specific embodiment). Petitioner argues that the '931 patent includes description of another embodiment in which the scanning beam information identifies a downlink time slot in the downlink portion during which the at least one directed scanning beam transmits the downlink traffic. Reply 11 (citing Ex. 1001, 9:40–44).

Patent Owner asserts that scanning beam detection information is different from scanning beam uplink/downlink/modulation information. *Id.* Patent Owner cites to several examples in the disclosure that provide data to enable a device to detect a particular scanning beam signal. Paper 38, 3

P. 443
PETITIONER NOKIA
Ex.1012

(citing Ex. 1001, 29:34–36, 29:51–55, 29:66–30:2). Patent Owner argues that information about which scanning beam will be used to cover the sector and when it will be used is necessary for a signal to serve as a beam map. PO Resp. 21, 24 (citing Ex. 2001 ¶ 44). Patent Owner argues that timeslot reservations do not constitute beam map information including the specific beam(s) and their precise start times in the frames which are useable by the wireless access devices to detect the directed scanning beam signals. *Id.* at 25 (citing Ex. 2001 ¶ 45).

We are not persuaded by Petitioner's arguments that the embodiment in which the scanning beam information identifies a downlink portion for transmission relates to the claimed scanning beam information useable to *detect* said directed scanning beam. Rather, the '931 patent discloses explicitly that the embodiment in which the scanning beam information identifies a downlink time slot is "another embodiment" than the embodiment set forth in claims 2, 9, and 11 in which the beam map contains scanning beam information usable to detect the directed scanning beam. *See* Ex. 1001, 9:35–44 (first describing the embodiment recited in claims 2, 9, and 11, and then describing "another embodiment" in which the scanning beam information identifies a downlink time slot). Thus, although as set forth in claim 3 (by virtue of its dependency from claim 2) the scanning beam information can include both types of information (information usable to detect directed scanning beam signals and identification of a downlink time slot), the disclosure of the '931 patent makes clear the information that identifies a downlink time slot is different than the information usable to detect directed scanning beam signals.

Furthermore, we determine Patent Owner's arguments—that the scanning beam information usable to detect the scanning beam signals must

PETITIONER NOKIA
Ex.1012

include information about which scanning beam will be used—are not an improper attempt to limit the claim language to a specific embodiment. As explained above and undisputed by the parties, the "first beam map" is a broadcast beam map. The '931 patent describes the information contained in the broadcast beam map as "data indicating which scanning beam (or beams) are used at which time." *See* Ex. 1001, 29:34–36. Petitioner cites to the same disclosure in support of its construction that a beam map is scheduling information for one or more beams. *See* Paper 39, 3 (citing Ex. 1001, 29:34–36). The other sections in the '931 patent describing the broadcast beam map all explain that the map contains information that informs the subscriber (wireless access) device which scanning beam is used and when (frame time) in which each beam starts. *See* Ex. 1001, 29:51–55, 29:66–30:2. We agree with Patent Owner that this information is what enables a device to detect a particular scanning beam. *See* Paper 38, 3.

We are mindful that claims must be interpreted in view of the specification without importing limitations from the specification unnecessarily. *E-Pass Techs., Inc. v. 3Com Corp.*, 343 F.3d 1364, 1369 (Fed. Cir. 2003). However, the disclosure of the '931 patent consistently describes that the broadcast beam map is scheduling information that indicates which scanning beam is used at which time. *See* Ex. 1001, 29:34–36, 29:51–55, 29:66–30:2. The correct inquiry in giving a claim term its broadest reasonable interpretation in light of the specification is an interpretation that corresponds with what and how the inventor describes his invention in the specification. *In re Smith Int'l*, 871 F.3d 1375, 1382–83 (Fed. Cir. 2017). Consistent with the description set forth in the '931 patent, our complete construction of "a first beam map containing scanning beam information usable by said wireless access devices to detect said directed

P. 445
PETITIONER NOKIA
Ex.1012

scanning beam signals" is "scheduling information for one or more beams that provides data indicating which scanning beam is used at which time."

2. Other Terms

Petitioner proposes constructions for "sector" and "directed scanning beam signal(s)," both terms which appear in independent claims 1, 10, and 19. Pet. 10–13. Patent Owner asserts that the meaning of these terms do not appear to be in dispute and construction of these terms would not resolve any controversy. PO Resp. 15.

We agree with Patent Owner that these terms are not in controversy and, accordingly, determine that we need not explicitly construe these terms to resolve the issues before us. *See Vivid Techs., Inc. v. Am. Sci. & Eng'g, Inc.*, 200 F.3d 795, 803 (Fed. Cir. 1999) (holding that "only those terms need be construed that are in controversy, and only to the extent necessary to resolve the controversy").

D. Anticipation by Vornefeld and Obviousness over Vornefeld and Andersson

Petitioner challenges claims 1–3, 6, 7, 10–12, 15, 16, 19–21, 24, 25, 28, and 29 as anticipated under 35 U.S.C. § 102(b) by Vornefeld. Pet. 19–35. Petitioner further challenges these claims as obvious under 35 U.S.C. § 103(a) over Vornefeld and Andersson. *Id.* at 44–50.


1. Scope and Content of Vornefeld

Vornefeld describes space-division multiple access (SDMA) techniques in the context of the HIPERLAN/2 system, which provides wireless network broadband services with guaranteed quality of service. Ex. 1004, 52. The system deploys a smart array antenna with several antenna systems that provides the ability to set up multiple antenna beams, which can be directed adaptively to the mobile terminal (MT) locations and

P. 446
PETITIONER NOKIA
Ex.1012

allows different users to be served on the same frequency channel at the same time. *Id.* Depending on the number of antenna elements and the applied beamforming algorithm, array antennas are able to simultaneously direct several beams conveying individual user signals to different positions. *Id.* at Fig. 2, 53. The system uses a Medium Access Control (MAC) protocol to coordinate the access of MTs to the shared radio channel. *Id.* at 54.

Figure 3 of Vornefeld is depicted below:



■ **Figure 3.** *The basic frame structure of the spatially extended MAC protocol.*

Figure 3 illustrates the basic MAC frame structure of the spatially extended MAC protocol. *Id.* at Fig. 3. MAC frame starts with broadcast channel (BCH), followed by frame channel (FCH), then a downlink phase, an uplink phase, and random access channels (partitioned, RCH-P, and unpartitioned, RCH-UP). *Id.* at 54. BCH conveys signaling information concerning the whole radio cell in the downlink direction and announces the location of the FCH and RCH within the actual MAC frame. *Id.* FCH is broadcast in the downlink direction and transmits information about the structure of the

PETITIONER NOKIA
Ex.1012

MAC frame for the up- and downlink phases; it contains announcements and reservations of long and short transport channels the individual MTs have to transmit or receive. *Id.* Short Channel (SCH) conveys data link control information and Long Channel (LCH) serves to transmit user data bi-directionally on the up- and downlink. *Id.* RCH-P and RCH-UP are contention channels. *Id.* As depicted in Figure 3, a number of MAC frames can be transmitted concurrently by extension into the space domain using the smart antenna system. *See id.* at Fig. 3, 53, 55. A space-time scheduler is used to determine the temporal transmission sequence of MAC PDUs (protocol data unit) as well as the MTs that can simultaneously be addressed or allowed to concurrently transmit their bursts. *Id.* at 55.

2. Scope and Content of Andersson

Andersson describes adaptive sectorization to solve problems associated with sectorization of cells in cellular communication systems. Ex. 1005, 3:37–40, 4:31–34. A transceiver structure located at a base station is connected to a set of sector antennas and each sector antenna is used to cover a sector of the cell. *Id.* at 4:42–44; *see also* Fig. 2 (depicting an antenna configuration with six sectors). The beacon carrier is also connected to an omni-directional antenna, which provides the same coverage area as all of the sector antennas together. *Id.* at 4:58–60.

3. Claims 2, 11, and 20

Claim 2 depends from claim 1 and recites "wherein said broadcast beam signal further comprises a first beam map containing scanning beam information usable by said wireless access devices to detect said directed scanning beam signals." Claims 11 and 20 depend from claims 10 and 19, respectively, and recite the same limitation set forth in claim 2.

P. 448
PETITIONER NOKIA
Ex.1012

Petitioner contends "Vornefeld discloses that the broadcast beam signal further comprises a first beam map containing scanning beam information usable by said wireless access devices to detect said directed scanning beam signal." Pet. 26 (citing Ex. 1003 ¶¶ 151–152); *see also id.* at 50 (citing to the analysis of "Ground 1" to support the assertion that claims 2, 11, and 20 are obvious over Vornefeld and Andersson). Specifically, Petitioner asserts the frame channel (FCH) described in Vornefeld is equivalent to the claimed 'first beam map" because Vornefeld discloses the FCH is broadcast in the downlink direction, transmits information about the structure of the MAC frame for the up-and downlink phases and contains announcements and reservations of long and short transport channels the individual MTs have to transmit or receive in. *Id.* at 26 (citing Ex. 1004, 54–55; Ex. 1003 ¶ 152).

Petitioner further asserts that because each of the SCH and LCH portions of the frame are transmitted in different signals (or directed beams) in the spatial domain, the base station must inform each subscriber unit when it should listen for its specific directive beam signal. Reply 5 (citing Ex. 1011, 29:12–30:3 (testimony of Mr. Proctor)). Mr. Proctor testifies that the FCH, which is broadcast to all users, will have a map in it that describes which time slots particular mobile terminals should decode on the downlink phase. Ex 1011, 30:15–19. Mr. Proctor further testifies that this information sent in Vornefeld would be sufficient to demodulate or detect the downlink signal and that downlink is a directed beam signal. *See id* at 47:18–48:2; *see also* Tr. 31 (Petitioner's assertion that the FCH includes information sufficient to allow the subscriber units to detect the directed scanning beam signal that is sent out). Petitioner further asserts, citing the testimony of Mr. Proctor, that one would not need to include information about the beams

PETITIONER NOKIA
Ex.1012

themselves to be a beam map as the claim only requires information be usable to demodulate a directed signal. Reply 12–13 (citing Ex. 1011, 47:2–11).

Patent Owner contends that Vornefeld does not disclose a beam map containing scanning beam information and asserts that the FCH signal cited by Petitioner is not "equivalent" to the recited "first beam map." PO Resp. 20–21. Patent Owner asserts the FCH signal includes only information about the structure of the frame (when the base station will be sending and receiving information) and does not include information about what scanning beam signal will be used to cover the sector, or when it will be used. *Id.* at 21. Patent Owner further asserts that Vornefeld accomplishes beam forming with the use of algorithms and says nothing about using beam maps in a broadcast beam signal. *Id.* at 21–22 (citing Ex. 1004, 53; Ex. 2001 ¶ 43); *see also* Tr. 61:2–4 (asserting the reason Vornefeld does not disclose a beam map is because Vornefeld discloses an algorithm for determining where beams would be directed and it does not need to send maps). Patent Owner asserts that Vornefeld also does not inherently disclose the recited beam map because a beam forming station may inform each subscriber unit when it should listen for its specific directive beam signal in any number of ways. Sur-Reply 4. Mr. Humphrey testifies that one of ordinary skill in the art would not assume that the start of frame information would include beam map information because beam maps are unnecessary in schemes that broadcast with beams cycled in round robin rotation as noted in the '931 patent or using various multiple antenna diversity techniques. *See* Ex. 2001 ¶¶ 46–47.

In our Institution Decision, we were not persuaded Petitioner established a reasonable likelihood that Vornefeld discloses the recited first

PETITIONER NOKIA
Ex.1012

beam map usable to detect directed scanning beam signals. Dec. 17. In particular, we were not persuaded that Petitioner provided sufficient analysis to establish that one of ordinary skill in the art would understand Vornefeld's description of transmitting broadcast timeslot reservations for long and short transport channels (channel slots in a MAC frame) to be a beam map usable to detect directed scanning beam signals. *Id.* at 17–18. After consideration of the entire record, we remain unpersuaded that Vornefeld discloses a first beam map containing scanning beam information useable to detect said directed scanning beam signals.

Vornefeld discloses its FCH is "[u]sed to transmit the information about the structure of the MAC frame for the up- and downlink phases." Ex. 1004, 54. The FCH "contains announcements and reservations of long and short transport channels the individual MTs have to transmit or receive in." *Id.* We agree with Petitioner and Mr. Proctor that this information may be used by an MT to demodulate the downlink signal. *See* Reply 6; Ex. 1011, 47:18–23.

But, we are not persuaded by Petitioner's assertions, or the testimony of Mr. Proctor, that this demodulation information is what the claim requires. *See* Reply 12–13; Ex. 1011, 47:2–11. As discussed in our claim construction analysis above, the disclosure of the '931 patent makes clear that information that identifies a downlink time slot (demodulation information) is different than the information usable to detect directed scanning beam signals. *See* Ex. 1001, 9:35–44.

We are also not persuaded that the FCH demodulation information disclosed by Vornefeld meets our construction of the limitation set forth in claims 2, 11, and 20, namely "scheduling information for one or more beams that provides data indicating which scanning beam is used at which time."

PETITIONER NOKIA
Ex.1012

Rather, we agree with Patent Owner that the FCH described in Vornefeld does not include information about which scanning beam signal will be used or when it will be used. PO Resp. 21; *see* Ex. 1004, 54. We are persuaded by Mr. Humphrey's testimony that Vornefeld discloses beam forming is accomplished with the use of algorithms and not a beam map.[4] *See* Ex. 2001 ¶ 43; Ex. 1004, 53 (describing the use of a beam forming algorithm to adjust the phases at the antenna elements to steer towards the desired MT). Thus, we determine that Petitioner fails to establish, by a preponderance of the evidence, that Vornefeld discloses a first beam map containing scanning beam information usable by the wireless access devices to detect the directed scanning beam signals.

We conclude Petitioner has not demonstrated that claims 2, 11, and 20 are anticipated by Vornefeld. Petitioner does not assert Andersson meets the limitation set forth in these claims, but rather relies on its anticipation analysis discussed above. *See* Pet. 50. Accordingly, Petitioner has also not demonstrated that claims 2, 11, and 20 would have been obvious over Vornefeld and Andersson.

4. Claims 3, 6, 7, 12, 15, 16, 21, 24, and 25

Claims 3, 6, 7, 12, 15, 16, 21, 24, and 25 depend from claim 2, 11, or 20. In its analysis of these claims, Petitioner does not cure its failure to demonstrate Vornefeld discloses the "first beam map" limitation recited in


[4] Petitioner asserts Mr. Humphrey does not qualify as a person of ordinary skill in the art because he did not obtain his experience prior to 2001. *See* Reply 16. We agree with Patent Owner that Petitioner's assertion is immaterial as it is not necessary for an expert to obtain the relevant experience by the time of the filing of the patent. *See* Sur-Reply 11. We are persuaded Mr. Humphrey has sufficient qualifications to credit his testimony. *See* Ex. 2001 ¶ 7; Ex. 2002.

PETITIONER NOKIA
Ex.1012

these claims by virtue of their dependency. *See* Pet. 27–31, 33–34, 50. Accordingly, we conclude Petitioner has not demonstrated that claims 3, 6, 7, 12, 15, 16, 21, 24, and 25 are anticipated by Vornefeld. Petitioner has also not demonstrated that these claims would have been obvious over Vornefeld and Andersson.

5. Claims 28 and 29

Claim 28 depends from claim 1 and recites "wherein said transmit path circuitry transmits, in said downlink portion of said TDD frame, second downlink data traffic to substantially only wireless access devices within an other of said sectors using an other of said directed scanning beam signals." Petitioner contends Vornefeld discloses that its array antennas are able to simultaneously direct several beams to different positions conveying individual user signals. Pet. 34 (citing Ex. 1004, Fig. 2, 53); Reply 15. Petitioner asserts Figure 3 of Vornefeld clearly shows "second downlink data traffic" being transmitted in the downlink portion of the frame using a different directed scanning beam signal. *Id.* Petitioner provides an annotated version of Figure 3, depicted below:



■ **Figure 3.** *The basic frame structure of the spatially extended MAC protocol.*

PETITIONER NOKIA
Ex.1012

Figure 3, as annotated by Petitioner, illustrates Petitioner's assertions that Vornefeld discloses second downlink data in its spatially extended MAC protocol. Pet. 35. Petitioner further asserts Figure 3 of Vornefeld shows a single frame with multiple channels being transmitted in parallel in the spatial domain and that each channel represents a different directive scanning beam. Reply 15. Petitioner asserts a person of ordinary skill in the art would understand that the ULAs in Vornefeld transmit downlink data to different sectors using different directive scanning beams. *Id.* at 15–16.

Patent Owner contends Vornefeld does not disclose using a different directed scanning beam signal within a TDD frame. PO Resp. 26. Patent Owner asserts the second downlink data identified by Petitioner is in a different, spatially-separated, simultaneous TDD frame. *Id.* Patent Owner asserts Vornefeld does not disclose using different or multiple beams in the same TDD frame. *Id.*

Petitioner has not met its burden to establish claim 28 is anticipated by, or would have been obvious over, Vornefeld. Claim 28 requires the transmit circuitry to transmit second downlink data traffic in the same (said) downlink portion of the same (said) TDD frame recited in claim 1. The block that Petitioner relies on for the second downlink data traffic is depicted as a different (spatially separated) TDD frame that is simultaneously transmitted with the other frames. *See* Pet. 35; *see also* Ex 1004, 54 (describing concurrent transmission of MAC PDUs in the spatial domain). We agree with Patent Owner that Petitioner does not establish Vornefeld discloses using different beams in the same TDD frame (i.e., second downlink data traffic, transmitted in "said downlink portion of said TDD frame") to transmit to devices within a different sector.

P. 454
PETITIONER NOKIA
Ex.1012

We conclude Petitioner has not demonstrated that claim 28 is anticipated by Vornefeld. Petitioner relies on its analysis of claim 28 to support its assertion that claim 29, which recites similar limitations as claim 28, is anticipated by Vornefeld. *See* Pet. 35. Accordingly, Petitioner has also not demonstrated that claim 29 is anticipated by Vornefeld.

Petitioner does not assert Andersson meets the limitations set forth in claims 28 and 29. *See id.* at 50. Therefore, we conclude Petitioner has not demonstrated that claims 28 and 29 would have been obvious over Vornefeld and Andersson.

E. Obviousness over Vornefeld and Ahy, and Obviousness over Vornefeld, Andersson, and Ahy

Petitioner challenges claims 4, 5, 8, 9, 13, 14, 17, 18, 22, 23, 26, and 27 as unpatentable as obvious under 35 U.S.C. § 103(a) over Vornefeld and Ahy. Pet. 35–44. Petitioner further challenges these claims as unpatentable as obvious under 35 U.S.C. § 103(a) over Vornefeld, Andersson, and Ahy. *Id.* at 50–51.

1. Scope and Content of Ahy

Ahy describes adaptive point to multipoint wireless communications. Ex. 1006, 1:65–66. A base station controller (BSC) maintains a set of physical (PHY) parameters and media-access-control (MAC) parameters, each of which is adaptively modified by the BSC for communication with a plurality of customer premises equipment (CPE). *Id.* at 2:15–21, 7:18–20. The BSC adjusts communication with each CPE individually and adaptively in response to changes in communication characteristics. *Id.* at 2:21–23. Control of each parameter by the BSC is independent and individual with regard to each CPE. *Id.* at 7:20–22. Each parameter actually has two values: a first value for transmission by the BSC and a second value for

P. 455
PETITIONER NOKIA
Ex.1012

transmission by the CPE. *Id.* at 7:65–8:1. The communication parameters that can be adapted include: antenna selection to choose the antenna to be used at the BSC and the CPE; modulation type to determine the bit per symbol rate to use to exchange information; and error code type to choose the error detection and correction technique. *See id.* at 8:50–59, 10:38–48, 11:40–45.

Communications between the BSC and each CPE are conducted using a TDD technique in which time durations are divided into individual frames, each of which includes a "downstream" and "upstream" portion. *Id.* at 7:1–5. The BSC controls transmission for both upstream and downstream directions without specific requests from CPEs. *Id.* at 7:5–9. The TDD frame includes a sequence of parameter setting values for the BSC to use to inform each selected CPE of the PHY and MAC parameters the BSC is using to send messages to that selected CPE, and the PHY and MAC parameters the selected CPE should use to send messages to the BSC during its allocated part of the upstream portion. *Id.* at 15:11–20.

2. Claims 4, 5, 8, 9, 13, 14, 17, 18, 22, 23, 26, and 27

In its challenges based on Vornefeld, Petitioner relies on Vornefeld to disclose the "first beam map" limitation set forth in these claims by virtue of their dependency from one of claims 2, 11, and 20.[5] Pet. 35–44, 50–51. Therefore, Petitioner fails to cure the deficiencies in Vornefeld discussed above and has not demonstrated that claims 4, 5, 8, 9, 13, 14, 17, 18, 22, 23, 26, and 27 are obvious over Vornefeld and Ahy. Petitioner also fails to

[5] Petitioner relies on Ahy to disclose the "first beam map" limitation only in its challenge based on Newman. *See* Pet. 58. Accordingly, we address Petitioner's assertions about Ahy in the Newman ground discussed below.

P. 456
PETITIONER NOKIA
Ex.1012

demonstrate that these claims are obvious over Vornefeld, Andersson, and Ahy.

F. Obviousness over Newman, Andersson, and Ahy

Petitioner challenges claims 1–29 as obvious under 35 U.S.C. § 103(a) over Newman, Ahy, and Andersson. Pet. 51–63.

1. Scope and Content of Newman

Newman describes a multi-beam antenna system for communicating with mobile users. *Id.* at 1:4–6. The multi-beam communication system includes a sector antenna having a beamwidth providing sector coverage and a transmitter and a receiver system for receiving user signals from a user located in the sector. Ex. 1007, 2:10–14; *see also id.* at 4:5–6. A sector antenna has a beamwidth effective to provide coverage of a 120 degree azimuth sector. *Id.* at 4:12–15. The antenna system further includes a multi-beam antenna, which may comprise four side-by-side vertical arrays of dipoles or other radiating element arrangements suitable for providing four antenna beams, each having a beam width narrower than the 120 degree sector and aligned so that the four beams collectively cover at least a portion of the sector. *Id.* at 4:35–42. The beams may be provided with the inclusion of a suitable beam forming network. *Id.* at 4:47–50. Access to the four beams of the multi-beam antenna is provided by operation of the beam forming network, which may be included as part of the multi-beam antenna. *Id.* at 10:35–38. With this arrangement, communication with a particular user can be enhanced by a significant increase in transmitted signal strength, for example, by transmitting to the user via a narrow beam instead of the sector beam. *Id.* at 38–42.

PETITIONER NOKIA
Ex.1012

2. Claims 2–9, 11–18, and 20–27

Petitioner contends Ahy discloses "a first beam map containing scanning beam information usable by said wireless access devices to detect said directed scanning beam signals," as recited in claims 2, 11, and 20. Pet. 58; *see also id.* at 63 (asserting claims 11 and 20 are obvious for the same reasons given with respect to claim 2). In particular, Petitioner asserts Ahy teaches that the start of each TDD frame includes a first parameter value for transmission by the BSC and a second parameter value for transmission by the CPE, which allows the BSC and the CPE to transmit using different sets of parameters. *Id.* at 58 (citing Ex. 1006, 7:67–8:3). Petitioner asserts Ahy also discloses that the first part of the frame includes a value for the length for subsequent downstream payload elements for each CPE. *Id.* (citing Ex. 1006, 15:25–30). Thus, Petitioner asserts Ahy teaches providing information usable by CPEs (wireless access devices) to detect directed scanning beam signals. *Id.* (citing Ex. 1003 ¶ 153). Petitioner further asserts it would have been obvious to incorporate the TDD frame structure in Ahy into the beam forming network disclosed in Newman for the reasons described with respect to claim 1. *Id.*; *see also id.* at 52–53, 57 (asserting incorporating Ahy's TDD frame structure in Newman is nothing more than the use of known techniques to improve similar methods in the same way to yield predictable results).

Additionally, Petitioner asserts that, during Mr. Proctor's deposition, Mr. Proctor further explained why Ahy discloses the "beam map" and pointed to the "antenna selection" parameter in Ahy that includes a choice of antenna at the BSC 120 and choice of antenna at each CPE 130. Reply 7–8 (citing Ex. 1006, 8:54–59; Ex. 1011, 45:21–46:3). Petitioner asserts the antenna selection parameter in Ahy identifies the specific beam used to

PETITIONER NOKIA
Ex.1012

transmit the signal to the CPE. *Id.* at 8, 14. Petitioner asserts the value of the length of the subsequent downstream payload elements for each CPE informs the CPE when it should listen. *Id.* at 8 (citing Ex. 1006, 15:25–30; Ex. 1003 ¶ 153). Petitioner asserts this "scanning beam information" is usable by the CPE to detect directed scanning beam signals, and therefore meets the "beam map" limitations of claims 2, 11, and 20. *Id.* Petitioner also asserts that the antenna selection parameter (along with the timeslot reservation) clearly identifies the specific beams and their precise start times, which are usable by the CPE to detect the directed scanning beam signal. *Id.* at 14.

Patent Owner asserts that Ahy says nothing about directed scanning beam signals and nothing about sending a beam map containing scanning beam information that would allow the CPEs to detect directed scanning beam signals. PO Resp. 23. Patent Owner asserts Ahy's start of frame signal does not include information about which scanning beam will be used to cover the sector, or when it will be used. *Id.* at 23–24. Patent Owner asserts that Petitioner has not explained or provided supporting facts or evidence showing how or why the frame disclosed in Ahy would require a beam map containing scanning information. Sur-Reply 8.

We determine Petitioner fails to establish Ahy discloses "scheduling information for one or more beams that provides data indicating which scanning beam is used at which time," based on our construction of the beam map limitation set forth above. Ahy discloses

> [e]ach of the following parameters actually has two values: a first value for transmission by the BSC 120 and a second value for transmission by the CPE 130. Thus, the BSC 120 can transmit using a first set of parameters while the CPE 130 is instructed to transmit using a second set of parameters.

PETITIONER NOKIA
Ex.1012

Ex. 1006, 7:65–8:3(bolding omitted). Petitioner relies on this passage, along with Ahy's disclosure that the BSC sends the length of each downstream payload element in the time synchronization portion, to meet the beam map limitation. *See* Pet. 58 (citing Ex. 1006, 7:67–8:3; 15:25–30). But, Petitioner does not provide sufficient analysis in its Petition to explain why one of ordinary skill in the art would understand Ahy's description that the BSC and CPE can transmit using different values, in combination with its description that the length of the downstream payload elements is also transmitted in the time synchronization portion, discloses scheduling information for one or more beams indicating which scanning beam is used at which time.[6]

We are also not persuaded that Ahy's description of the BSC transmitting the length of each of the downstream payload elements discloses a start time of the beam. *See* Ex. 1006, 15:25–30. Petitioner does not provide sufficient reasoning to explain why the length of a payload informs the CPE the time it should listen. *See* Reply 8, 14. Mr. Proctor's testimony does not support Petitioner's assertion that the payload length indicates a start time; rather, Mr. Proctor merely states that Ahy discloses the

[6] In its Reply, Petitioner newly cites to Ahy's disclosure of an antenna selection parameter (which includes a choice of antenna at the BSC 120 and antenna at CPE 130) to support its assertion that Ahy discloses identification of the specific beam used to transmit the signal. *See* Reply 7–8 (citing Ex. 1006, 8:54–59). Mr. Proctor also newly relies on the antenna selection parameter to support his testimony that Ahy informs the CPE which antenna the BSC would be transmitting on. *See* Ex. 1011, 45:15–46:3. We decline to consider Petitioner's new assertions because they raise a new issue and exceeds the scope of a proper reply. *See* 37 C.F.R. § 42.23(b); *see also* Office Practice Trial Guide, 77 Fed. Reg. 48,765, 48,767 (Aug. 14, 2012) (a reply that raises a new issue will not be considered).

PETITIONER NOKIA
Ex.1012

first part of the frame "includes a value of the length for subsequent downstream payload elements for each CPE" (without further explanation of the relevance of this disclosure) and that this, in conjunction with the ability for the BSC and CPE to transmit using different sets of parameters teaches "providing information usable by CPEs (e.g., wireless access devices) to detect directed scanning beam signals. Ex. 1003 ¶ 153.

Finally, we observe that Petitioner relies on Newman, and not Ahy, to disclose the multi-beam antenna system and the "said directed scanning beam signals" recited in claims 2, 11, and 20. *See* Pet. 53–55. Petitioner relies on a combination argument—incorporation of the TDD frame structure in Ahy into the beam forming network disclosed in Newman—to meet the beam map limitation. *See* Pet. 58. However, Petitioner only provides reasoning why one of ordinary skill in the art would incorporate the capability of communicating using TDD into the communications system in Newman. *Id.* at 52–53, 58. This reasoning is insufficient to explain why one of ordinary skill would have incorporated Ahy's disclosure of BSC and CPE parameters and transmission of payload length into Newman.

For the reasons stated above, Petitioner fails to establish the Newman-Ahy-Andersson combination discloses the beam map limitation recited in claims 2, 11, and 20. Claims 3–9, 12–18, and 21–27 depend from claim 2, 11, and 20, respectively. Petitioner's analysis of these claims does not cure the deficiency. *See* Pet. 59–63.

We conclude Petitioner has not demonstrated that claims 2–9, 11–18, and 20–27 would have been obvious over Newman, Ahy, and Andersson.

5. Claims 28 and 29

Petitioner contends that claims 28 and 29 are obvious over the combination of Newman, Ahy, and Andersson for the same reasons given

P. 461
PETITIONER NOKIA
Ex.1012

with respect to claims 2–9. However, claims 28 and 29 recite limitations that do not appear in claims 2–9. Petitioner fails to explain how the cited references teach transmit circuitry that "transmits, in said downlink portion of said TDD frame, second downlink data traffic to substantially only wireless access devices within an other of said sectors using an other of said directed scanning beam signals," as recited in claim 28. Petitioner also fails to explain how the references teach the substantially similar limitation that appears in claim 29. Accordingly, Petitioner has not demonstrated that claims 28 and 29 would have been obvious over Newman, Ahy, and Andersson.

III. CONCLUSION

For the reasons stated above, we enter adverse judgement against Patent Owner with respect to claims 1, 10, and 19 of the '931 patent. We further determine

A. Claims 2, 3, 6, 7, 11, 12, 15, 16, 20, 21, 24, 25, 28, and 29 have not been shown to be unpatentable under 35 U.S.C. § 102(b) as anticipated by Vornefeld;

B. Claims 2, 3, 6, 7, 11, 12, 15, 16, 20, 21, 24, 25, 28, and 29 have not been shown to be unpatentable under 35 U.S.C. § 103(a) over Vornefeld and Andersson;

C. Claims 4, 5, 8, 9, 13, 14, 17, 18, 22, 23, 26, and 27 have not been shown to be unpatentable under 35 U.S.C. § 103(a) over Vornefeld and Ahy;

D. Claims 4, 5, 8, 9, 13, 14, 17, 18, 22, 23, 26, and 27 have not been shown to be unpatentable under 35 U.S.C. § 103(a) over Vornefeld, Andersson, and Ahy; and

E. Claims 2–9, 11–18, and 20–29 have not been shown to be unpatentable under 35 U.S.C. § 103(a) over Newman, Ahy, and Andersson.

PETITIONER NOKIA
Ex.1012

IV. ORDER

It is

ORDERED that that adverse judgement is entered against Patent Owner as to claims 1, 10, and 19 of U.S. Patent No. 7,230,931 B2; and

FURTHER ORDERED that claims 2–9, 11–18, and 21–29 of U.S. Patent No. 7,230,931 B2 have not shown to be unpatentable.

This is a final written decision of the Board under 35 U.S.C. § 318(a), and, therefore, parties to this proceeding seeking judicial review of our decision must comply with the notice and service requirements of 37 C.F.R. § 90.2.

P. 463
PETITIONER NOKIA
Ex.1012

PETITIONER:

Robert C. Hilton
George B. Davis
Jason Cook
MCGUIREWOODS LLP
rhilton@mcguirewoods.com
gdavis@mcguirewoods.com
jcook@mcguirewoods.com

PATENT OWNER:

Anthony E. Dowell
DOWELL IP
aedowell@dowellip.com

Richard T. McCaulley
DOWELL IP
rmccaulley@mccaulleydowell.com

PTO/SB/80 (11-08)
Approved for use through 11/30/2020. OMB 0651-0035
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

POWER OF ATTORNEY TO PROSECUTE APPLICATIONS BEFORE THE USPTO

I hereby revoke all previous powers of attorney given in the application identified in the attached statement under 37 CFR 3.73(b).

I hereby appoint:

☑ Practitioners associated with the Customer Number: 164543

OR

☐ Practitioner(s) named below (if more than ten patent practitioners are to be named, then a customer number must be used):

Name	Registration Number	Name	Registration Number

as attorney(s) or agent(s) to represent the undersigned before the United States Patent and Trademark Office (USPTO) in connection with any and all patent applications assigned only to the undersigned according to the USPTO assignment records or assignment documents attached to this form in accordance with 37 CFR 3.73(b).

Please change the correspondence address for the application identified in the attached statement under 37 CFR 3.73(b) to:

☑ The address associated with Customer Number: 164543

OR

☐ Firm or Individual Name			
Address			
City		State	Zip
Country			
Telephone		Email	

Assignee Name and Address:

General Access Solutions, Ltd.
3400 Welborn St., #216
Dallas, TX 75219

A copy of this form, together with a statement under 37 CFR 3.73(b) (Form PTO/SB/96 or equivalent) is required to be filed in each application in which this form is used. The statement under 37 CFR 3.73(b) may be completed by one of the practitioners appointed in this form if the appointed practitioner is authorized to act on behalf of the assignee, and must identify the application in which this Power of Attorney is to be filed.

SIGNATURE of Assignee of Record

The individual whose signature and title is supplied below is authorized to act on behalf of the assignee

Signature	/Michael S. Hynek/	Date	September 23, 2019
Name	Michael S. Hynek	Telephone	
Title	Manager of General Access, LLC which is GP of General Access I, Ltd., GP of Applicant		

This collection of information is required by 37 CFR 1.31, 1.32 and 1.33. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 3 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

PETITIONER NOKIA
Ex.1012

SCHEDULE A

Docket No.:	**000189-0028-101**	**Conf. No.:**	**5591**
Application No.:	**09/948,059**	**Patent No.:**	**7,230,931**

Total Assignments: 3

Application #: 09948059 Filing Dt: 09/05/2001 Patent #: 7230931 Issue Dt: 06/12/2007

PCT #: NONE Intl Reg #: Publication #: US20020136170 Pub Dt: 09/26/2002

Inventor: Paul F. Struhsaker

Title: WIRELESS ACCESS SYSTEM USING SELECTIVELY ADAPTABLE BEAM FORMING IN TDD FRAMES AND METHOD OF OPERATION

Assignment: 1

Reel/Frame: 012467 / 0944 Received: 01/18/2002 Recorded: 01/10/2002 Mailed: 03/12/2002 Pages: 3

Conveyance: ASSIGNMENT OF ASSIGNORS INTEREST (SEE DOCUMENT FOR DETAILS).

Assignor: STRUHSAKER, PAUL F. Exec Dt: 12/07/2001

Assignee: RAZE TECHNOLOGIES, INC.
2540 EAST PLANO PARKWAY, SUITE 188
PLANO, TEXAS 75074

Assignment: 2

Reel/Frame: 012449 / 0730 Received: 01/15/2002 Recorded: 01/10/2002 Mailed: 03/06/2002 Pages: 8

Conveyance: ASSIGNMENT OF ASSIGNORS INTEREST (SEE DOCUMENT FOR DETAILS).

Assignor: RAZE TECHNOLOGIES, INC. Exec Dt: 12/20/2001

Assignee: ACCESS SOLUTIONS, LTD.
17519 MUIRFIELD
DALLAS, TEXAS 75287

Assignment:

Reel/Frame: 050326 / 0971 **Received:** 09/10/2019 **Recorded:** 09/10/2019 **Mailed:** 09/11/2019 **Pages:** 8

Conveyance: CHANGE OF NAME (SEE DOCUMENT FOR DETAILS).

Assignor: ACCESS SOLUTIONS, LTD. **Exec Dt:** 08/15/2011

Assignee: GENERAL ACCESS SOLUTIONS, LTD.
3400 WELBORN ST., #216
DALLAS, TEXAS 75219

PETITIONER NOKIA
Ex.1012

PTO/SB/96 (07-09)
Approved for use through 11/30/2020. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

STATEMENT UNDER 37 CFR 3.73(b)

Applicant/Patent Owner: GENERAL ACCESS SOLUTIONS, LTD.

Application No./Patent No.: See Schedule A Filed/Issue Date: See Schedule A

Titled: See Schedule A

GENERAL ACCESS SOLUTIONS, LTD. (Name of Assignee) , Corporation (Type of Assignee, e.g., corporation, partnership, university, government agency, etc.)

states that it is:

1. [x] the assignee of the entire right, title, and interest in;

2. [ ] an assignee of less than the entire right, title, and interest in
(The extent (by percentage) of its ownership interest is _____ %); or

3. [ ] an assignee of an undivided interest in the entirety of (a complete assignment from one of the joint inventors was made) the patent application/patent identified above by virtue of either:

A. [ ] An assignment from the inventor(s) of the patent application/patent identified above. The assignment was recorded in the United States Patent and Trademark Office at Reel _____, Frame _____, or for which a copy thereof is attached.

OR

B. [x] A chain of title from the inventor(s), of the patent application/patent identified above, to the current assignee as follows:

1. From: See Schedule A To: See Schedule A
The document was recorded in the United States Patent and Trademark Office at
Reel See Schedule A, Frame See Schedule A, or for which a copy thereof is attached.

2. From: See Schedule A To: See Schedule A
The document was recorded in the United States Patent and Trademark Office at
Reel See Schedule A, Frame See Schedule A, or for which a copy thereof is attached.

3. From: See Schedule A To: See Schedule A
The document was recorded in the United States Patent and Trademark Office at
Reel See Schedule A, Frame See Schedule A, or for which a copy thereof is attached.

[ ] Additional documents in the chain of title are listed on a supplemental sheet(s).

[x] As required by 37 CFR 3.73(b)(1)(i), the documentary evidence of the chain of title from the original owner to the assignee was, or concurrently is being, submitted for recordation pursuant to 37 CFR 3.11.

[NOTE: A separate copy (*i.e.*, a true copy of the original assignment document(s)) must be submitted to Assignment Division in accordance with 37 CFR Part 3, to record the assignment in the records of the USPTO. See MPEP 302.08]

The undersigned (whose title is supplied below) is authorized to act on behalf of the assignee.

/Michael S. Hynek/	September 23, 2019
Signature	Date
Michael S. Hynek	Manager of General Access, LLC which is GP of General Access I, Ltd., GP of Applicant
Printed or Typed Name	Title or Registration No.

PETITIONER NOKIA
Ex.1012

SCHEDULE A

Docket No.:	**000189-0028-101**	**Conf. No.:**	**5591**
Application No.:	**09/948,059**	**Patent No.:**	**7,230,931**

Total Assignments: 3

Application #: 09948059 Filing Dt: 09/05/2001 Patent #: 7230931 Issue Dt: 06/12/2007

PCT #: NONE Intl Reg #: Publication #: US20020136170 Pub Dt: 09/26/2002

Inventor: Paul F. Struhsaker

Title: WIRELESS ACCESS SYSTEM USING SELECTIVELY ADAPTABLE BEAM FORMING IN TDD FRAMES AND METHOD OF OPERATION

Assignment: 1

Reel/Frame: 012467 / 0944 Received: 01/18/2002 Recorded: 01/10/2002 Mailed: 03/12/2002 Pages: 3

Conveyance: ASSIGNMENT OF ASSIGNORS INTEREST (SEE DOCUMENT FOR DETAILS).

Assignor: STRUHSAKER, PAUL F. Exec Dt: 12/07/2001

Assignee: RAZE TECHNOLOGIES, INC.
2540 EAST PLANO PARKWAY, SUITE 188
PLANO, TEXAS 75074

Assignment: 2

Reel/Frame: 012449 / 0730 Received: 01/15/2002 Recorded: 01/10/2002 Mailed: 03/06/2002 Pages: 8

Conveyance: ASSIGNMENT OF ASSIGNORS INTEREST (SEE DOCUMENT FOR DETAILS).

Assignor: RAZE TECHNOLOGIES, INC. Exec Dt: 12/20/2001

Assignee: ACCESS SOLUTIONS, LTD.
17519 MUIRFIELD
DALLAS, TEXAS 75287

Assignment:

Reel/Frame: 050326 / 0971 **Received:** 09/10/2019 **Recorded:** 09/10/2019 **Mailed:** 09/11/2019 **Pages:** 8

Conveyance: CHANGE OF NAME (SEE DOCUMENT FOR DETAILS).

Assignor: ACCESS SOLUTIONS, LTD. **Exec Dt:** 08/15/2011

Assignee: GENERAL ACCESS SOLUTIONS, LTD.
3400 WELBORN ST., #216
DALLAS, TEXAS 75219

PETITIONER NOKIA
Ex.1012

Electronic Acknowledgement Receipt

EFS ID:	37262485
Application Number:	09948059
International Application Number:	
Confirmation Number:	5591
Title of Invention:	WIRELESS ACCESS SYSTEM USING SELECTIVELY ADAPTABLE BEAM FORMING IN TDD FRAMES AND METHOD OF OPERATION
First Named Inventor/Applicant Name:	Paul F. Struhsaker
Customer Number:	70763
Filer:	Kevin Augustine Rieffel/Tracy Chu
Filer Authorized By:	Kevin Augustine Rieffel
Attorney Docket Number:	9030101.147-US1
Receipt Date:	25-SEP-2019
Filing Date:	05-SEP-2001
Time Stamp:	11:31:11
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	no

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1	Power of Attorney	000189-0028-101_POA.pdf	1888945 2da7d790703918fb0e3475bee774f9ea2c7f4a01	no	2

Warnings:

PETITIONER NOKIA
Ex.1012

Information:					
2	Assignee showing of ownership per 37 CFR 3.73	000189-0028-101_Stmt_373b.pdf	833467 2ba0c845791af269005282ddd9a4dc470d1874a9	no	2
Warnings:					
Information:					
			Total Files Size (in bytes):	2722412	

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

PETITIONER NOKIA
Ex.1012

NOTE: This disposition is nonprecedential.

United States Court of Appeals for the Federal Circuit

SPRINT SPECTRUM L.P.,
Appellant

v.

GENERAL ACCESS SOLUTIONS, LTD.,
Appellee

2019-1855

Appeal from the United States Patent and Trademark Office, Patent Trial and Appeal Board in No. IPR2017-01889.

Decided: May 13, 2020

BRIAN DAVID SCHMALZBACH, McGuireWoods LLP, Richmond, VA, for appellant. Also represented by DAVID EVAN FINKELSON.

GLEN E. SUMMERS, Bartlit Beck Herman Palenchar & Scott LLP, Denver, CO, for appellee. Also represented by JOHN HUGHES, NOSSON KNOBLOCH, DANIEL TAYLOR.

Before CHEN, LINN, and STOLL, *Circuit Judges*.

PETITIONER NOKIA
Ex.1012

STOLL, *Circuit Judge.*

Sprint Spectrum L.P. appeals the final written decision of the Patent Trial and Appeal Board declining to hold certain claims of U.S. Patent No. 7,230,931 unpatentable on anticipation and obviousness grounds. Sprint specifically challenges the Board's construction of a claim term that appears in most of the challenged claims. Sprint also challenges the Board's determinations relating to the scope of Sprint's reply and the scope and content of the asserted prior art. Because we agree that the Board erred in construing the claim term at issue, we vacate the Board's decision as to the applicable claims and remand for consideration of certain grounds under the proper claim construction. We affirm the Board's decision in all other respects.

BACKGROUND

I

The '931 patent is directed to a wireless data communication system that selectively and dynamically directs bandwidth to specific subscribers within a service area. The disclosed system applies a known technique called time division duplexing (TDD), which uses a single frequency for bidirectional communication by designating separate and distinct periods of time for the transmittal and receipt of data. TDD systems may employ "frames" to structure the transmittal of downlink data and receipt of uplink data over a short period of time (e.g., 2 milliseconds).

The improvement disclosed in the '931 patent relates to these TDD frames. Specifically, the '931 patent discloses sending a broadcast signal to all subscribers within a service area at the start of each frame, followed by a series of directed signals or "beams" sent to and received from selected subscribers over the remainder of each frame. The broadcast signal at the start of each frame includes

PETITIONER NOKIA
Ex.1012

instructions that assign the forthcoming beams to the selected subscribers. Through this approach, the downlink and uplink bandwidth of each frame can be dynamically allocated to various subscribers in a nonuniform fashion, thereby improving performance as compared to other ways of allocating bandwidth, such as "equal duration round robin polling" or "dynamic weighted polling . . . based on the throughput per cell." '931 patent col. 28 ll. 44–50.

Claims 2, 11, and 20 and the claims that depend from them are at issue on appeal. Claim 2, which depends from claim 1, is illustrative:

> 1. For use in a wireless access network comprising a plurality of base stations, each of said plurality of base stations capable of bidirectional time division duplex (TDD) communication with wireless access devices disposed at a plurality of subscriber premises in an associated cell site of said wireless access network, a transceiver associated with a first of said plurality of base stations comprising:
>
> transmit path circuitry associated with a beam forming network capable of transmitting directed scanning beam signals each directed to substantially only wireless access devices within a different one of a plurality of sectors of a cell site associated with said first base station, wherein said transmit path circuitry
>
> transmits, at a start of a TDD frame, a broadcast beam signal to wireless access devices within more than one of said sectors, the broadcast beam signal comprising a start of frame field, and
>
> subsequently transmits, in a downlink portion of said TDD frame, first downlink data traffic to substantially only wireless access devices

PETITIONER NOKIA
Ex.1012

> within one of said sectors using one of said directed scanning beam signals.
>
> 2. The transceiver as set forth in claim 1 wherein said broadcast beam signal further comprises a first beam map containing *scanning beam information usable by said wireless access devices to detect said directed scanning beam signals.*

Id. at col. 30 ll. 31–57 (emphasis added to disputed claim limitation). Dependent claims 28 and 29 are also at issue on appeal, but do not depend from claims 2, 11, or 20. Claim 28 is illustrative:

> 28. The transceiver as set forth in claim 1 wherein said transmit path circuitry transmits, in said downlink portion of said TDD frame, second downlink data traffic to substantially only wireless access devices within an other of said sectors using an other of said directed scanning beam signals.

Id. at col. 33 ll. 4–9.

II

In July 2017, Sprint petitioned for inter partes review of claims 1–29 of the '931 patent. The Board instituted trial of the challenged claims on five grounds of unpatentability.[1] The instituted grounds included anticipation of certain claims by Vornefeld[2] and various obviousness

---

[1] The Board initially declined to institute trial for claims 2, 11, and 20, but added those claims to the proceedings following *SAS Institute, Inc. v. Iancu*, 138 S. Ct. 1348 (2018).

[2] Ulrich Vornefeld, et al., *SDMA Techniques for Wireless ATM*, IEEE COMMC'NS MAGAZINE, Nov. 1999, at 52.

PETITIONER NOKIA
Ex.1012