

Document title: Nomad - Full Suspension Mountain Bike | Santa Cruz Bicycles

Capture URL: <https://www.santacruz bicycles.com/en-US/bikes/nomad>

Page loaded at (UTC): Fri, 10 May 2024 14:27:38 GMT

Capture timestamp (UTC): Fri, 10 May 2024 14:28:22 GMT

Capture tool: 10.47.3

Collection server IP: 54.145.42.72

Browser engine: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/122.0.6261.130 Safari/537.36

Operating system: Linux (Node 20.9.0)

PDF length: 8

Capture ID: 3dV7SSYbNix4Jcarm7iTL6

User: lr-hkroener

PDF REFERENCE #: uNVwGy4Kkc xqrGfohiUPTG

FACTORY SALE

Screamin' deals on select models.

Limited time only. Subject to availability.



NOMAD



Overview | Details | Bike Builder | Geometry and Sizing | Product Support

Shop Now

ALL THE TRAVEL AND MX WHEELS

Load up the van, hit the road, climb a mountain, hammer it back down, huck the gap, throw the bike back in the van, drive to the bike park and do laps on laps. Hell, you could even rock up to the startline of the world's wildest races. The Nomad's forte is being ready and willing to go wherever, whenever. The only thing it needs is a rider willing to press send.

- Prefer dual 29-inch wheels? [Check out the Megatower.](#)
- Like the sound of this but want more boost? [Try the Bullit ebike.](#)

Key Features:

Available in:	Carbon C and Carbon CC
Wheel Size:	MX
Front Travel:	170mm
Rear Travel:	170mm

Design Details





Design Details

1 / 7



170mm travel

All the travel anyone needs in a single-crown bike intended for the steepest and deepest of trails.



Choose Build Kit

R | Carbon C

\$4,999 USD | Weight: 34.32 lbs / 15.57 kg

Choose a size

Choose a size

Please note: Price, Weight, and Parts Spec information is subject to change.

[What's My Size?](#)

Find My Nomad

**R****\$4,999 USD**
34.32 lbs / 15.57 kg

+ Open

S**\$5,899 USD**
33.41 lbs / 15.15 kg

+ Open

GX AXS**\$6,999 USD**
33.64 lbs / 15.2

+ Open

**SRAM Eagle Transmission**

Strength: Full Mount
hangerless attachment and
super strong d  railleurs for
unprecedented robustness.





SRAM Eagle Transmission - stronger, better shifting, wirelessly

The next generation SRAM Eagle Transmission specced on our CC-carbon models is a radically robust, fully integrated and interdependent wireless transmission. Built around the universal constant of the wheel axle itself, the Full Mount hangerless attachment creates a far stronger connection to the frame and the super strong derailleur provides unprecedented strength. Shifting under load is made possible due to a combination of X-SYNC technology and cassette mapping, creating seamless shifts even during your hardest power output. The new AXS Pods are extremely ergonomic and highly customizable, so shifting gears is light and intuitive. It's simply the most advanced transmission and nearly as tough as the mountain itself.



VPP™ Suspension

1 / 5



VPP™

VPP™ suspension can be optimized to strike a balance between pedaling efficiency and all-out bump-chomping prowess. The Nomad is exceptional at absorbing the biggest hits so its rider can charge harder, with more confidence, in the very worst terrain. But because it's still pedal efficient, getting up to the best, highest trails isn't a chore like some other bikes.

Geometry

All units are in millimeters or degrees.



S

M

L


XL

XXL



All units are in millimeters or degrees.

	S	M	L	XL	XXL
Reach hi/lo	430/427	455/452	475/472	495/492	520/517
Stack hi/lo	616/618	625/627	638/640	656/658	670/672
Head Tube Angle hi/lo	63.8/63.5	63.8/63.5	63.8/63.5	63.8/63.5	63.8/63.5
Seat Tube Length	380/380	405/405	430/430	460/460	500/500
Front Center hi/lo	770/770	799/799	826/826	855/855	886/886
BB Height hi/lo	346/343	346/343	346/343	346/343	346/343
BB Drop (front) hi/lo	27/30	27/30	27/30	27/30	27/30
BB Drop (rear) hi/lo	8/11	8/11	8/11	8/11	8/11
Wheelbase hi/lo	1209/1209	1239/1240	1269/1270	1301/1302	1336/1337
Rear Center hi/lo	439/440	440/441	443/444	446/447	450/451
Head Tube Length	90/90	100/100	115/115	135/135	150/150
Top Tube Length hi/lo	570/571	594/594	612/613	637/638	666/667
Seat Tube Angle hi/lo	77.2/77	77.4/77.2	77.9/77.6	77.8/77.5	77.7/77.5
Standover Height hi/lo	709/705	716/713	723/719	722/717	725/720




Frame Sizing

If you're on the cusp between the recommended height range of two sizes, the absolute best thing is to try to ride them both. At a minimum, check the stack/reach measurements on your current bike and compare it to the new model you are looking at to get an idea of a fit you are already comfortable with. If riding the bike is not an option, consider the following.

The Nomad is available in sizes small - extra extra large (S-XXL).

- Personal Preference +
- Body Dimension +
- Dropper Post Compatibility +





Dropper Post Compatibility

Reach

Reach




Reach

Reach

Reach



YouTube






Photo Credit: Adrian Marcoux



YouTube

Frame Specs

Sizing

Contact Rider Support

Suspension Setup

FAQ's

Owners Manual

Geometry

Exploded Diagrams

Nomad Frame Specifications

Suspension System	VPP
Front Derailleur	No compatibility
Headset/Headtube	Integrated (IS41/52)
Seat Post	31.6mm



Nomad Frame Specifications

Suspension System	VPP
Front Derailleur	No compatibility
Headset/Headtube	Integrated (IS41/52)
Seat Post	31.6mm
Seat Clamp	36.4mm
Eye to Eye length	230mm
Stroke	65mm
Fork Compatibility	170-180mm
BB Shell	73mm Threaded
Max Tire Size	2.5"
Water Bottle Mounts	1
Shock Mounting Bushing Front	30x8
Shock Mounting Bushing Rear	30x8
Brake Mount	200 PM
Fork Offset	44mm

Company

[About Us](#)
[Stewardship](#)
[PayDirt](#)
[Careers](#)
[Privacy Policy](#)
[Cookie Policy](#)
[Contact Us](#)

Technology

[Lifetime Guarantee](#)
[Carbon Expertise](#)
[VPP™ Technology](#)

Support

[Product Recall](#)
[Bike Registration](#)
[Warranty & Replacements](#)
[Bike Archive](#)
[Shop Small Parts](#)
[Webstore Returns & FAQ](#)
[Start a Webstore Return](#)
[Dropper Post Compatibility](#)

Experience

[Stories](#)
[Events](#)
[Find a Retailer](#)
[Factory Demo](#)



United States - English

