US 20080143685A1

(19) United States

(12) Patent Application Publication

(10) Pub. No.: US 2008/0143685 A1

(43) Pub. Date: Jun. 19, 2008

Lee et al.

(54) **APPARATUS, METHOD, AND MEDIUM FOR PROVIDING USER INTERFACE FOR FILE TRANSMISSION**

(75) Inventors: **Hyun-jeong Lee**, Seoul (KR); **Joon-ah Park**, Seoul (KR); **Wook Chang**, Seoul (KR)

Correspondence Address:
STAAS & HALSEY LLP
SUITE 700, 1201 NEW YORK AVENUE, N.W.
WASHINGTON, DC 20005

(73) Assignee: **SAMSUNG ELECTRONICS CO., LTD.**, Suwon-si (KR)

(21) Appl. No.: **11/898,656**

(22) Filed: **Sep. 13, 2007**

(30) **Foreign Application Priority Data**

Dec. 13, 2006 (KR) 10-2006-0127286

Publication Classification

(51) **Int. Cl.**
G06F 3/041 (2006.01)

(52) **U.S. Cl.** **345/173**

(57) **ABSTRACT**

Provided are an apparatus, method, and medium for providing a user interface for file transmission. The apparatus includes a motion perception (recognition) module perceiving (recognizing) a motion input to the user interface and identifying a position of the perceived (recognized) motion; a motion execution module executing a motion corresponding to the perceived motion and the identified position of the perceived motion and modifying components of the user interface according to the executed motion; and a communication module transmitting a file to a transmission target based on the perceived motion and the identified position of the perceived motion. The components of the user interface include a file list region where a file to be transmitted is selected and the selected file is moved; a transmission target region where a transmission target to which the selected file is to be transmitted and the selected transmission target is moved; and an execution region to which the selected file and the selected transmission target are moved and in which the selected file is transmitted to the selected transmission target.



MICROSOFT CORP.
EXHIBIT 1247

FIG. 1


MOTION PERCEPTION MODULE
101
106
105
FILE MANAGEMENT MODULE
CONTROL MODULE
MOTION EXECUTION MODULE
102
104
COMMUNICATION MODULE
DISPLAY MODULE
103

FIG. 2


210
230
220

FIG. 3A


210
DRAG
230
220
211
MUSIC
212
DOCUMENT
213
IMAGE

FIG. 3B


210
211a
230
220
211
MUSIC
212
DOCUMENT
213
IMAGE
MUSIC 1
MUSIC 2
MUSIC 3
MUSIC 4
MUSIC 5
211b

FIG. 3C


210
211a
230
220
211
MUSIC 1
MUSIC 2
MUSIC 3
MUSIC 4
MUSIC 5
MUSIC
211b
DOCUMENT
IMAGE
212
213

FIG. 4A


SCROLL UP/DOWN
210
TOUCH
211a
230
220
211
212
213
MUSIC
DOCUMENT
IMAGE
MUSIC 1(211c)
MUSIC 2(211d)
MUSIC 3(211e)
MUSIC 4(211f)
MUSIC 5
211b

FIG. 4B


210
TOUCH
211a
230
220
211
212
213
MUSIC
DOCUMENT
IMAGE
MUSIC 1(211c)
MUSIC 2(211d)
MUSIC 3(211e)
MUSIC 4(211f)
MUSIC 5
TOUCH
211b

FIG. 4C


210
TOUCH
SCROLL UP/DOWN
211a
230
220
211
212
213
MUSIC
DOCUMENT
IMAGE
MUSIC 1(211c)
MUSIC 2(211d)
MUSIC 3(211e)
MUSIC 4(211f)
MUSIC 5
211b

FIG. 5


210
DRAG
211a
230
220
211
MUSIC
MUSIC 1(211c)
MUSIC 2(211d)
MUSIC 3(211e)
MUSIC 4(211f)
MUSIC 5
212
DOCUMENT
213
IMAGE
211b
CLOSING OPEN FILE GROUP AND RESTORING FILE LIST REGION TO ITS ORIGINAL SIZE
210
230
220
211
MUSIC
212
DOCUMENT
213
IMAGE

FIG. 6A


210
230
220
DRAG
211
MUSIC
212
DOCUMENT
213
IMAGE
FRIEND
221
COMPANY
222
GIL-DONG HONG
223

FIG. 6B


210
230
221a
220
211
MUSIC
212
DOCUMENT
213
IMAGE
FRIEND 1
FRIEND 2
FRIEND 3
FRIEND 4
FRIEND 5
FRIEND
221
COMPANY
222
GIL-DONG HONG
223

FIG. 6C


210
230
221a
220
221
211
MUSIC
212
DOCUMENT
213
IMAGE
FRIEND 1
FRIEND 2
FRIEND 3
FRIEND 4
FRIEND 5
FRIEND
221b
COMPANY
GIL-DONG HONG
222
223

FIG. 7A


SCROLL UP/DOWN
221a
TOUCH
210
230
221
220
211
212
213
MUSIC
DOCUMENT
IMAGE
FRIEND 1(221c)
FRIEND 2(221d)
FRIEND 3(221e)
FRIEND 4(221f)
FRIEND 5(221g)
FRIEND
221b
COMPANY
GIL-DONG HONG
222
223

FIG. 7B


210
230
221
221a
220
TOUCH
211
212
213
MUSIC
DOCUMENT
IMAGE
FRIEND 1(221
FRIEND 2(221d)
FRIEND 3(221
FRIEND 4(221
FRIEND 5(221g)
TOUCH
FRIEND
221b
COMPANY
GIL-DONG HONG
222
223

FIG. 7C


210
230
221
221a
220
TOUCH
211
212
213
MUSIC
DOCUMENT
IMAGE
FRIEND 1(221c)
FRIEND 2(221d)
FRIEND 3(221e)
FRIEND 4(221f)
FRIEND 5(221g)
FRIEND
SCROLL UP/DOWN
221b
COMPANY
GIL-DONG HONG
222
223

FIG. 8


210
230
221
221a
DRAG
220
211
MUSIC
212
DOCUMENT
213
IMAGE
FRIEND 1(221c)
FRIEND 2(221d)
FRIEND 3(221e)
FRIEND 4(221f)
FRIEND 5(221g)
FRIEND
221b
COMPANY
GIL-DONG HONG
222
223
CLOSING OPEN TRANSMISSION TARGET GROUP AND RESTORING TRANSMISSION TARGET REGION TO ITS ORIGINAL SIZE
210
230
220
211
MUSIC
212
DOCUMENT
213
IMAGE
FRIEND
221
COMPANY
222
GIL-DONG HONG
223

FIG. 9A


DRAG
210
211a
230
220
211
MUSIC
MUSIC 1(211c)
MUSIC 2(211d)
212
DOCUMENT
MUSIC 3(211e)
MUSIC 4(211f)
MUSIC 5
213
IMAGE
211b
SELECTING FILE AND DRAGGING SELECTED FILE TO EXECUTION REGION
210
211a
231
230
220
211
MUSIC
MUSIC 1(211c)
MUSIC 2(211d)
MUSIC1 (211c)
212
DOCUM
MUSIC 3(211e)
MUSIC 4(211f)
MUSIC 5
213
IMAGE
211b

FIG. 9B


210
211a
DRAG
231
230
220
211
212
213
MUSIC
DOCUM
IMAGE
MUSIC 1(211c)
MUSIC 2(211d)
MUSIC 3(211e)
MUSIC 4(211f)
MUSIC 5
MUSIC1 (211c)
211b
SELECTING FILE AND DRAGGING SELECTED FILE TO TRANSMISSION GROUP REGION WITHIN EXECUTION REGION
MUSIC3 (211e)

FIG. 9C


210
211a
231
230
220
211
212
213
MUSIC
DOCUM
IMAGE
MUSIC 1(211c)
MUSIC 2(211d)
MUSIC 3(211e)
MUSIC 4(211f)
MUSIC 5
MUSIC1 (211c)
MUSIC3 (211e)
DRAG
211b
SELECTING FILE AND DRAGGING SELECTED FILE TO A REGION WITHIN EXECUTION REGION
MUSIC4 (211f)
232

FIG. 10


210
231
230
221
221a
220
211
212
213
MUSIC
DOCUMENT
IMAGE
MUSIC1 (211c)
MUSIC3 (211e)
MUSIC4 (211f)
FRIEND 1(221c)
FRIEND 2(221d)
FRIEND 3(221e)
FRIEND 4(221f)
FRIEND 5
FRIEND
221b
COMPANY
GIL-DONG HONG
232
DRAG
222
223
SELECTING TRANSMISSION TARGET AND DRAGGING SELECTED TRANSMISSION TARGET TO EXECUTION REGION
210
231
230
221
221a
220
211
212
213
MUSIC
DOCUMENT
IMAGE
MUSIC1 (211c)
MUSIC3 (211e)
MUSIC4 (211f)
232
FRIEND2 (221d)
FRIEND 1(221c)
FRIEND 2(221d)
FRIEND 3(221e)
FRIEND 4(221f)
FRIEND 5
FRIEND
221b
COMPANY
GIL-DONG HONG
233
222
223

FIG. 11A


210
231
230
221
221a
220
211
212
213
MUSIC
DOCUMENT
IMAGE
MUSIC1 (211c)
MUSIC3 (211e)
MUSIC4 (211f)
232
DRAG
FRIEND2 (221d)
233
FRIEND 1(221c)
FRIEND 2(221d)
FRIEND 3(221e)
FRIEND 4(221f)
FRIEND 5
FRIEND
221b
COMPANY
GIL-DONG HONG
222
223


210
231
230
221
221a
220
211
212
213
MUSIC
DOCUMENT
IMAGE
MUSIC1 (211c)
MUSIC3 (211e)
MUSIC4 (211f)
232
DRAG
FRIEND2 (221d)
233
FRIEND 1(221c)
FRIEND 2(221d)
FRIEND 3(221e)
FRIEND 4(221f)
FRIEND 5
FRIEND
221b
COMPANY
GIL-DONG HONG
222
223

FIG. 11B



FIG. 11C



FIG. 12


210
231
230
221
221a
220
211
MUSIC
212
DOCUMENT
213
IMAGE
MUSIC1 (211c)
MUSIC3 (211e)
MUSIC4 (211f)
232
FRIEND2 (221d)
TOUCH
233
234
FRIEND 1(221c)
FRIEND 2(221d)
FRIEND 3(221e)
FRIEND 4(221f)
FRIEND 5
FRIEND
221b
COMPANY
GIL-DONG HONG
222
223
TOUCHING ICON THAT SHOWS EXISTENCE OF TRANSMISSION HISTORY AFTER TRANSMITTING FILE
210
231
230
221
221a
220
211
MUSIC
212
DOCUMENT
213
IMAGE
MUSIC1 (211c)
MUSIC3 (211e)
MUSIC4 (211f)
232
FRIEND2 (221d)
233
FILE TRANSMISSION HISTORY
DATE AND TIME : 2006.11.15 23:15
TRANSMISSION FILE : MUSIC 4
TRANSMISSION TARGET : FRIEND 2
250
251
FRIEND 1(221c)
FRIEND 2(221d)
FRIEND 3(221e)
FRIEND 4(221f)
FRIEND 5
FRIEND
221b
COMPANY
GIL-DONG HONG
222
223

FIG. 13


START
SENSE USER'S TOUCH MOTION
S1301
S1302
IS SENSED TOUCH MOTION TO SELECT FILE LIST REGION?
NO
A
YES
ACTIVATE AND ENLARGE FILE LIST REGION
S1303
S1304
HAS FILE GROUP BEEN SELECTED?
NO
S1305
HAS FILE BEEN SELECTED?
NO
YES
YES
DISPLAY FILES IN FILE GROUP IN THE FORM OF LIST (OPEN FILE GROUP)
S1306
SELECT ONE OR MORE FILES WITH TOUCH/SCROLL MOTIONS
S1307
S1308
DRAG MOTION TO EXECUTION REGION?
NO
S1309
ADJUST SIZE OF EXECUTION REGION
YES
MOVE FILE TO EXECUTION REGION
S1310
ACTIVATE AND ENLARGE EXECUTION REGION
S1311
S1312
DRAG MOTION TO EXISTING GROUP REGION?
NO
S1313
GENERATE NEW GROUP REGION
YES
INCLUDE DRAGGED FILE IN EXISTING GROUP REGION
S1314
END

FIG. 14


A
S1401
IS SENSED TOUCH MOTION TO SELECT TRANSMISSION TARGET REGION?
NO
B
YES
ACTIVATE AND ENLARGE TRANSMISSION TARGET REGION
S1402
S1301
S1403
HAS TRANSMISSION TARGET GROUP BEEN SELECTED?
NO
S1404
HAS TRANSMISSION TARGET BEEN SELECTED?
NO
YES
YES
DISPLAY TRANSMISSION TARGETS IN TRANSMISSION TARGET GROUP IN THE FORM OF LIST (OPEN TRANSMISSION TARGET GROUP)
S1405
SELECT ONE OR MORE TRANSMISSION TARGETS WITH TOUCH/SCROLL MOTIONS
S1406
S1408
S1407
DRAG MOTION TO EXECUTION REGION?
NO
ADJUST SIZE OF TRANSMISSION TARGET REGION
YES
MOVE TRANSMISSION TARGET TO EXECUTION REGION
S1409
ACTIVATE AND ENLARGE EXECUTION REGION
S1410
S1412
S1411
DRAG MOTION TO EXISTING GROUP REGION?
NO
GENERATE NEW GROUP REGION
YES
INCLUDE DRAGGED TRANSMISSION TARGET IN EXISTING GROUP REGION
S1413
END

FIG. 15


B
ACTIVATE AND ENLARGE EXECUTION REGION
S1501
S1502
DRAG MOTION TO EXISTING GROUP REGION?
NO
S1503
GENERATE NEW GROUP REGION
YES
INCLUDE DRAGGED FILE/TRANSMISSION TARGET IN EXISTING GROUP REGION
S1504
S1505
DRAG MOTION FOR FILE TRANSMISSION?
NO
S1506
REMOVE CORRESPONDING FILE/GROUP FROM EXECUTION REGION
YES
TRANSMIT FILE AND DISPLAY ICON SHOWING EXISTENCE OF FILE TRANSMISSION HISTORY
S1507
S1508
IS RETRIEVAL OF FILE TRANSMISSION HISTORY DESIRED?
NO
YES
DISPLAY FILE TRANSMISSION HISTORY REGION
S1509
END

APPARATUS, METHOD, AND MEDIUM FOR PROVIDING USER INTERFACE FOR FILE TRANSMISSION

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] This application claims the priority benefit of Korean Patent Application No. 10-2006-0127286 filed on Dec. 13, 2006 in the Korean Intellectual Property Office, the disclosure of which is incorporated herein by reference in its entirety.

BACKGROUND OF THE INVENTION

[0002] 1. Field of the Invention

[0003] The present invention relates to an apparatus, method, and medium for providing a user interface for file transmission, and more particularly, to an apparatus, method, and medium for providing a user interface for file transmission, the apparatus, method, and medium capable of dividing a screen of a mobile device, which stores files of predetermined sizes, can communicate data with other devices, and uses a touch screen, into a selection region and an execution region, selecting a file to transmit and a transmission target in the selection region, moving the selected file and transmission target to the execution region, and transmitting the selected file to the selected transmission target, thereby preventing a malfunction due to a mistake made while touch and drag motions are performed and transmitting one or more files to one or more transmission targets.

[0004] 2. Description of the Related Art

[0005] Generally, in order to transmit a file of a predetermined size from a mobile device, which can communicate data with other devices, to another device or user, a transmission target may be selected after a file to be transmitted is selected, or a file to be transmitted may be selected after a transmission target is selected. Then, the selected file may be transmitted to the selected transmission target.

[0006] While selecting a transmission target after selecting a file to transmit, a user may wish to add another file to previously selected files or remove any one of the previously selected files. In this case, the user has to return to a previous screen, i.e., a File Select screen, reselect a file on the previous screen, come back to a Transmission Target Selection screen, and then reselect a transmission target on the Transmission Target Select screen.

[0007] Similarly, while selecting a file to transmit after selecting a transmission target, the user may wish to add another transmission target to previously selected transmission targets or remove any one of the previously selected transmission targets. In this case, the user has to go through the inconvenient process of reselecting a transmission target on a previous screen and then reselecting a file to transmit as described above.

[0008] In addition, due to the limitations of mobile devices which have to represent and execute various functions on small screens, it is difficult to provide intuitive interfaces to users. If file transmission described above is performed with touch and drag motions using a user's finger or an object, such as a stylus pen, an undesired operation may be carried out immediately after a mistake is made during the touch motion.

[0009] Korean Patent Publication No. 2002-0038177 suggests "System Control Method Using Touch Screen." This conventional art suggests a method of replacing a large number of user input keys with touch and drag motions in order to overcome the limitations of mobile devices which have to input and execute various functions on small screens. However, the conventional art fails to solve the problems mentioned above

SUMMARY OF THE INVENTION

[0010] According to an aspect of the present invention, the present invention provides an apparatus and method for providing a user interface for file transmission, the apparatus and method capable of preventing a malfunction due to a mistake made while touch and drag motions are performed by providing intuitive screen configuration to a user and capable of easily and conveniently transmitting one or more files to one or more transmission targets.

[0011] According to an aspect of the present invention, there is provided an apparatus for providing a user interface for file transmission. The apparatus includes a motion perception (recognition) module to recognize a motion input to the user interface and to identify a position of the (recognized) motion; a motion execution module to execute a motion corresponding to the recognized motion and the identified position of the recognized motion and modifying components of the user interface according to the executed motion; and a communication module to transmit a file to a transmission target based on the recognized motion and the identified position of the recognized motion.

[0012] The components of the user interface include a file list region where a file to be transmitted is selected and the selected file is moved; a transmission target region where a transmission target to which the selected file is to be transmitted and the selected transmission target is moved; and an execution region to which the selected file and the selected transmission target are moved and in which the selected file is transmitted to the selected transmission target.

[0013] According to another aspect of the present invention, there is provided a file transmission method including a file selection operation in which a file selected according to a motion input to a user interface and a position of the input motion is moved to a first region; a transmission target selection operation in which a transmission target selected according to a motion input to the user interface and a position of the input motion is moved to the first region; and an execution operation in which the file is transmitted to the transmission target.

[0014] The first region denotes the execution region which is one of the components of the user interface described above.

[0015] According to another aspect of the present invention, there is provided an apparatus for providing a user interface for file transmission, the apparatus including a motion recognition module to recognize a motion input to the user interface and to identity a position of the recognized motion; a motion execution module to execute a motion corresponding to the recognized motion and the identified position of the recognized motion and modifying components of the user interface according to the executed motion; and a communication module to transmit a file to a transmission target based on the recognized motion and the identified position of the recognized motion, wherein the components of the user interface include a file list region from which a plurality of files to be transmitted are selected; a transmission target region from which at least one transmission target is selected; and an execution region to which the selected files and the at least

one selected transmission target are moved and in which the selected files are transmitted to the at least one selected transmission target.

[0016] According to another aspect of the present invention, there is provided a method for transmitting a file including selecting a plurality of files according to a motion input to a user interface and a position of the input motion and moving the selected files to a first region; selecting at least one transmission target according to a motion input to the user interface and a position of the input motion and moving the at least one selected transmission target to the first region; and transmitting the selected files to the at least one transmission target.

[0017] According to another aspect of the present invention, there is provided a method for transmitting a file including selecting a file according to a motion input to a user interface and a position of the input motion and moving the selected file to a first region; selecting a transmission target according to a motion input to the user interface and a position of the input motion and moving the selected transmission target to the first region; and transmitting the file to the transmission target.

[0018] According to another aspect of the present invention, there is provided at least one computer readable medium storing computer readable instructions to implement methods of the present invention.

BRIEF DESCRIPTION OF THE DRAWINGS

[0019] These and/or other aspects, features, and advantages of the invention will become apparent and more readily appreciated from the following description of the embodiments, taken in conjunction with the accompanying drawings of which:

[0020] FIG. **1** is a block diagram of an apparatus for providing a user interface for file transmission according to an exemplary embodiment of the present invention;

[0021] FIG. **2** illustrates components of a user interface for file transmission according to an exemplary embodiment of the present invention;

[0022] FIGS. **3**A through **3**C illustrate touch motions in a file list region according to an exemplary embodiment of the present invention;

[0023] FIGS. **4**A through **4**C illustrate a method of selecting one or more files with touch and scroll motions according to an exemplary embodiment of the present invention;

[0024] FIG. **5** illustrates an open file group and a method of closing the open file group according to an exemplary embodiment of the present invention;

[0025] FIGS. **6**A through **6**C illustrate touch motions in a transmission target region according to an exemplary embodiment of the present invention;

[0026] FIGS. **7**A through **7**C illustrate a method of selecting one or more transmission targets with touch and scroll motions according to an exemplary embodiment of the present invention;

[0027] FIG. **8** illustrates an open file group and a method of closing the open file group according to an exemplary embodiment of the present invention;

[0028] FIGS. **9**A through **9**C illustrate a method of dragging a file to an execution region according to an exemplary embodiment of the present invention;

[0029] FIG. **10** illustrates a method of dragging a transmission target to the execution region according to an exemplary embodiment of the present invention;

[0030] FIGS. **11**A through **11**C illustrate a method of transmitting a file to a transmission target in the execution region according to an exemplary embodiment of the present invention;

[0031] FIG. **12** illustrates a file transmission history region according to an exemplary embodiment of the present invention;

[0032] FIG. **13** is a flowchart illustrating a method of transmitting a file with a touch motion in the file list region according to an exemplary embodiment of the present invention;

[0033] FIG. **14** is a flowchart illustrating a method of transmitting a file with a touch motion in the transmission target region according to an exemplary embodiment of the present invention; and

[0034] FIG. **15** is a flowchart illustrating a method of transmitting a file with a touch motion in the execution region according to an exemplary embodiment of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

[0035] Reference will now be made in detail to exemplary embodiments of the present invention, examples of which are illustrated in the accompanying drawings, wherein like reference numerals refer to the like elements throughout. Exemplary embodiments are described below to explain the present invention by referring to the figures.

[0036] The invention may, however, be embodied in many different forms and should not be construed as being limited to the embodiments set forth herein; rather, these exemplary embodiments are provided so that this disclosure will be thorough and complete, and will fully convey the concept of the invention to those or ordinary skill in the art.

[0037] It will be understood that each block of the flowchart illustrations, and combinations of blocks in the flowchart illustrations, can be implemented by computer program instructions.

[0038] These computer program instructions can be provided to one or more processors of a general purpose computer, special purpose computer, or other programmable data processing apparatus, such that the instructions, which execute via the processor of the computer or other programmable data processing apparatus, implement the functions specified in the flowchart block or blocks.

[0039] These computer program instructions may also be stored in a computer usable or computer-readable memory that can direct a computer or other programmable data processing apparatus to function in a particular manner, such that the instructions stored in the computer usable or computer-readable memory produce an article of manufacture that implements the function specified in the flowchart block or blocks.

[0040] The computer program instructions may also be loaded onto a computer or other programmable data processing apparatus to cause a series of operational steps to be performed on the computer or other programmable apparatus to produce a computer implemented process such that the instructions that execute on the computer or other programmable apparatus provide steps for implementing the functions specified in the flowchart block or blocks.

[0041] Each block of the flowchart illustrations may represent a module, segment, or portion of code, which comprises one or more executable instructions for implementing the specified logical function(s).

[0042] In some alternative implementations or embodiments, the functions noted in the blocks may occur out of the order. For example, two blocks shown in succession may in fact be executed substantially concurrently or the blocks may sometimes be executed in the reverse order, depending upon the functionality involved.

[0043] The apparatus, method, and medium for providing a user interface according to exemplary embodiments of the present invention may be applied to small mobile devices such as personal digital assistants (PDAs), portable media players (PMPs), MP3 players and mobile phones. Therefore, these small mobile devices may be manipulated with touch, drag and scroll motions using a user's finger or an object, such as a stylus pen. Also, the apparatus, method, and medium may be applied to personal computers (PCs). Therefore, the PCs may be manipulated with click, drag and scroll motions using an input device, such as a mouse.

[0044] For convenience of description, a case where the apparatus, method, and medium are applied to a small mobile device and thus the small mobile device is manipulated with touch, drag and scroll motions using a user's finger or an object, such as a stylus pen, will be described in exemplary embodiments of the present invention.

[0045] FIG. **1** is a block diagram of an apparatus **100** for providing a user interface for file transmission according to an exemplary embodiment of the present invention.

[0046] Referring to FIG. **1**, the apparatus **100** includes a motion perception module **101**, a motion execution module **102**, a display module **103**, a communication module **104**, a file management module **105**, and a control module **106**. The motion perception module **101** perceives a motion input to the user interface and identifies a position of the perceived motion. The motion execution module **102** executes a motion corresponding to the perceived motion and the identified position of the perceived motion and modifies components of the user interface according to the executed motion. The display module **103** displays the components of the user interface and the modified components of the user interface. The communication module **104** transmits a file to a transmission target based on the perceived motion and the identified position of the perceived motion. The file management module **105** manages stored files and file groups. The control module **106** controls each module.

[0047] The components of the user interface will be described in detail later with reference to FIG. **2**.

[0048] The motion perception module (motion recognition module) **101** of the apparatus **100** perceives (recognizes) a touch motion input to the user interface and identifies a position of the touch motion.

[0049] Here, the 'touch motion' denotes a motion of touching a touch screen using a user's finger or an object such as a stylus pen. That is, the 'touch motion' denotes motions, such as touching, dragging and scrolling, and is not limited to simple touching.

[0050] In addition, the 'position of the touch motion' denotes a position at which a user's finger or an object, such as a stylus pen, touches the touch screen in order to select a file to transmit and a transmission target and transmit the selected file to the selected transmission target.

[0051] In order to perceive a touch position of an object, the motion perception module **101** may include any one of a single-point touch sensing screen and a multi-point touch sensing screen. In the present exemplary embodiment, a case where the motion perception module **101** includes a multi-point touch sensing screen and thus perceives (recognizes) one or more touch positions will be described.

[0052] In another exemplary embodiment of the present invention, the apparatus **100** may be applied to a PC. Hence, the motion perception module **101** may perceive (recognize) a motion, such as a click, scroll or drag motion, input to an input device, such as a mouse, and identify a position of the perceived (recognized) motion.

[0053] Hereinafter, a case where a touch screen is used as an exemplary embodiment of the apparatus **100** will be described. In an exemplary embodiment of the present invention, it is assumed that a mobile device for transmitting a file is manipulated using a user's finger.

[0054] The motion execution module **102** executes a motion corresponding to the touch motion described above and the position of the touch motion and modifies the components of the user interface according to the executed motion.

[0055] For example, a folder may include one or more files, and when the folder is touched, it may be opened, and the files included in the folder may be displayed in the form of a list. In this case, if the motion perception module **101** perceives that an object has touched the folder and that the position of the touch corresponds to the folder, the motion execution module **102** opens the folder, which is a motion corresponding to the touch of the object on the folder, and modifies the files included in the folder into a list.

[0056] Here, the 'components of the user interface' include a file list region, a transmission target region and an execution region, and denote one or more objects which can be displayed on the user interface, such as files and a file list, transmission targets and a transmission target list, and buttons or icons.

[0057] A file list sequentially lists objects, such as music, moving-image and text files, and files may respectively be included in a plurality of corresponding file groups and sequentially listed accordingly.

[0058] In addition, a transmission target list sequentially lists objects, such as telephone numbers and e-mail addresses, and transmission targets may also be respectively included in a plurality of corresponding groups and sequentially listed accordingly.

[0059] In the present invention, the 'objects displayed on the user interface' are not limited to the files and file lists, the transmission targets and transmission target lists, and the buttons or icons. It is obvious that any object, which can execute a corresponding function or can be moved in response to a touch motion of a user, can be included in the components of the user interface according to the present exemplary embodiment, i.e., the objects displayed on the user interface.

[0060] FIG. **2** illustrates components of a user interface for file transmission according to an exemplary embodiment of the present invention.

[0061] The components of the user interface include a file list region **210**, a transmission target region **220**, and an execution region **230**. In the file list region **210**, a file that is to be transmitted is selected, and the selected file is moved to the execution region **230**. In the transmission target region **220**, a transmission target, to which the selected file is to be transmitted, is selected and the selected transmission target is moved to the execution region **230**. In the execution region

230 to which the selected file and the selected transmission target have been moved, the selected file is transmitted to the selected transmission target.

[0062] A list of files stored in a predetermined repository are displayed in the file list region **210**. A user touches and thus selects a file to transmit in the file list region **210** and moves the selected file to the execution region **230**.

[0063] In the present exemplary embodiment, it is assumed that the predetermined repository stores one or more music, text and image files and that the music, text and image files are respectively included in a music file group **211**, a text file group **212**, and an image file group **213** by file management module **105** managing stored files and file groups. In addition, it is assumed that the music file group **211**, the text file group **212**, and the image file group **213** are displayed in the file list region **210** in the form of folders and that a user intends to transmit a music file to a transmission target.

[0064] FIGS. **3**A through **3**C illustrate touch motions in the file list region **210** according to an exemplary embodiment of the present invention.

[0065] As described above, if a plurality of music files are included in a music file group **211** and displayed accordingly, a user performs manipulations within a file group region in order to view the music files in the music file group **211**. As illustrated in FIG. **3**A, the user drags the music file group **211** displayed in the file list region **210** to the right, thereby selecting the music file group **211**.

[0066] In this case, a direction in which the user drags the music file group **211** to view the music files included in the music file group **211** is not limited to the present exemplary embodiment. However, a function of each motion may have a consistent direction.

[0067] The motion perception module **101** perceives a drag motion input by the user to the user interface, identifies a position of the input drag motion, and transmits information regarding an object, which corresponds to the identified position, to the motion execution module **102**.

[0068] In the 'information regarding an object, which corresponds to the identified position,' the object corresponding to the identified position is the music file group **211**, and the information regarding the object denotes information such as the number of music files included in the music file group **211** and the size of each music file.

[0069] The motion execution module **102** may pop up a plurality of music files **211***a*, which are included in the music file group **211**, on the file list region **210** as illustrated in FIG. **3**B or display the music files **211***a* in the form of a list in the file list region **210** of the display module **103** as illustrated in FIG. **3**C.

[0070] Hereinafter, popping up a plurality of files, which are included in a file group, on the file list region **210** in the form of a list or displaying the files in the file list region **210** in the form of a list will be expressed as 'opening a file group.' In addition, removing a plurality of files included in an 'open file group' from the file list region **210** will be expressed as 'closing a file group.'

[0071] If not all of the music files included in the music file group **211** can be displayed in the form of a list, the motion execution module **102** displays, for example, a screen component **211***b* in the file list region **210** of the display module **103**. Therefore, if the user touches the screen component **211***b*, the user can view music files which could not be displayed.

[0072] The motion execution module **102** adjusts the file list region **210** to become larger than other regions so that the user can intuitively perceive that a job is currently being executed in the file list region **210**.

[0073] If the user desires to transmit only one of the music files **211***a* displayed in the file list region **210** in the form of a list, the user touches and thus selects a desired file.

[0074] FIGS. **4**A through **4**C illustrate a method of selecting one or more files with touch and scroll motions according to an exemplary embodiment of the present invention.

[0075] In order to select one or more files, an apparatus to which a multi-point touch sensing screen is applied is required. As described above with reference to FIG. **1**, it is assumed that a multi-point touch sensing screen is applied to the apparatus **100** in order to select one or more files.

[0076] FIG. **4**A illustrates a method of selecting one or more consecutive files with touch and scroll motions according to an exemplary embodiment of the present invention.

[0077] As in FIG. **3**B, it is assumed that a plurality of music files **211***a* included in a music file group **211** are popped up on the file list region **210** in the form of a list and that a user selects four consecutive music files, e.g., first through fourth music files **211***c* through **211***f*.

[0078] In order to select one or more consecutive music files, i.e., the first through fourth music files **211***c* through **211***f*, the user touches an uppermost or lowermost one (e.g., the first music file **211***c*) of the consecutive files with the right hand while touching a corresponding file group, i.e., the music file group **211**, with the left hand. Then, the user scrolls from the first music file **211***c* to a lowermost or uppermost one of the consecutive files, thereby selecting the consecutive files.

[0079] FIGS. **4**B and **4**C illustrate a method of selecting one or more inconsecutive files with touch and scroll motions according to an exemplary embodiment of the present invention.

[0080] As in FIG. **3**B, it is assumed that a plurality of music files **211***a* included in a music file group **211** are popped up on the file list region **210** in the form of a list and that a user selects one or more inconsecutive music files, e.g., a first music file **211***c*, a third music file **211***e*, and a fourth music file **211***f*.

[0081] In order to select one or more inconsecutive music files, i.e., the first music file **211***c*, the third music file **211***e* and the fourth music file **211***f*, the user may touch each of the inconsecutive music files with the right hand while touching a corresponding file group, i.e., the music file group **211**, with the left hand as illustrated in FIG. **4**B. Alternatively, as illustrated in FIG. **4**C, the user may touch the first music file **211***c*. Then, since the third and fourth music files **211***e* and **211***f* are consecutive files, the user may select the third and fourth music files **211***e* and **211***f* by scrolling them using a scrolling method described above with reference to FIG. **4**A. In this way, the user can select the inconsecutive files.

[0082] Here, the order of the touch and scroll motions is not limited to the present exemplary embodiment. That is, after consecutive files are scrolled and thus selected, the remaining files may be touched and thus selected.

[0083] FIG. **5** illustrates an open file group and a method of closing the open file group according to an exemplary embodiment of the present invention.

[0084] If a user desires to close a music file group **211** which is in the form of a folder, the user selects any one of a list of music files illustrated in FIG. **5** and drags the select

music file to the left as in FIGS. **4**A and **4**B. Then, the music file group **211** is closed, and the motion execution module **102** restores the file list region **210**, which was adjusted to become larger than other regions, to its original size.

[0085] The transmission target region **220** displays a list of transmission targets stored in a predetermined repository. The user selects a transmission target by touching it and moves the selected transmission target.

[0086] FIGS. **6**A through **6**C illustrate touch motions in the transmission target region **220** according to an exemplary embodiment of the present invention.

[0087] In the present exemplary embodiment, it is assumed that a predetermined repository stores one or more transmission targets, such as telephone numbers and mail addresses, and that the transmission targets are respectively included in a plurality of corresponding transmission target groups, i.e., a friend group **221** and a company group **222**, and displayed in the transmission target region **220** in the form of a folder. In addition, it is assumed that a corresponding mobile device is wiredly or wirelessly connected to a transmission target in order to transmit one or more files selected in the file list region **210** to the transmission target.

[0088] A transmission target **223**, i.e., 'Gil-dong Hong,' illustrated in FIG. **6**A is an independent transmission target which is included in neither the friend group **221** nor the company group **222**.

[0089] In order to select a transmission target, e.g., the friend group **221**, from the friend group **221**, the company group **222**, and the transmission target **223** displayed in the transmission target region **220**, the user drags the friend group **221** to the left.

[0090] A direction in which the user drags the friend group **221** is not limited to the present exemplary embodiment. However, a function of each motion may have a consistent direction.

[0091] The motion perception module **101** perceives a drag motion input by the user, identifies a position of the drag motion, and transmits information regarding an object, which corresponds to the identified position, to the motion execution module **102**.

[0092] In the 'information regarding an object, which corresponds to the identified position,' the object corresponding to the identified position is the friend group **221**, and the information regarding the object denotes information such as the number of transmission targets included in the friend group **211**, telephone number of each transmission target, and e-mail addresses.

[0093] FIGS. **6**B and **6**C illustrates a plurality of transmission targets in a transmission target group which are displayed in the form of a list with a drag motion according to an exemplary embodiment of the present invention.

[0094] The motion execution module **102** may pop up a plurality of transmission targets **221***a* in a friend group **221** on the transmission target region **220** as illustrated in FIG. **6**B. Alternatively, the motion execution module **102** may display the friend group **221**, which is in the form of a folder, in the transmission target region **220** of the display module **103** in the form of a list as illustrated in FIG. **6**C.

[0095] In this case, the motion execution module **102** adjusts the transmission target region **220** to become larger than other regions so that a user can intuitively perceive that a job is currently being executed in the transmission target region **220**.

[0096] Hereinafter, popping up a plurality of transmission targets, which are included in a transmission target group, such as the friend group **221**, on the transmission target region **220** in the form of a list or displaying the transmission targets in the transmission target region **220** in the form of a list will be expressed as 'opening a transmission target group.' In addition, removing a plurality transmission targets included in an 'open transmission target group' from the transmission target region **220** will be expressed as 'closing a transmission target group.'

[0097] If the user desires to transmit only one of the transmission targets **221***a* displayed in the transmission target region **220**, the user touches and thus selects a desired transmission target.

[0098] If the user desires to select not just one, but more than one transmission target, the user may make touch and scroll motions as illustrated in FIGS. **7**A through **7**C.

[0099] In order to select one or more transmission targets, an apparatus to which a multi-point touch sensing screen is applied is required. As described above with reference to FIG. **1**, it is assumed that a multi-point touch sensing screen is applied to the apparatus **100** in order to select one or more transmission targets.

[0100] FIGS. **7**A through **7**C illustrate a method of selecting one or more transmission targets with touch and scroll motions according to an exemplary embodiment of the present invention.

[0101] It is assumed that a plurality of transmission targets **221** a in a friend group **221** are displayed in the form of a list in the transmission target region **220** as illustrated in FIG. **6**C and that a user selects four consecutive transmission targets, e.g., first through fourth friends **221***c* through **221***f*.

[0102] In FIG. **7**A, in order to select one or more consecutive transmission targets, i.e., the first through fourth friends **221***c* through **221***f*, the user touches the first friend **221***c*, which is an uppermost one of the consecutive transmission targets, with the left hand while touching a position of a corresponding transmission target group, i.e., the friend group **221**, with the left hand as described above with reference to FIGS. **4**A through **4**C. Then, the user scrolls from the first friend **221***c* to the fourth friend **221***f*, which is a lowermost one of the consecutive transmission targets, thereby selecting the consecutive transmission targets.

[0103] In order to select one or more inconsecutive transmission targets, i.e., the first friend **211***c*, the third friend **211***e* and the fourth friend **211***f*, the user may touch each of the inconsecutive transmission targets with the left hand while touching a corresponding transmission target group, i.e., the friend group **211**, with the right hand as illustrated in FIG. **7**B. Alternatively, as illustrated in FIG. **7**C, the user may touch the first friend **211***c*. Then, since the third and fourth friends **211***e* and **211***f* are consecutive transmission targets, the user may select the third and fourth friends **211***e* and **211***f* by scrolling them using a scrolling method described above with reference to FIG. **7**A. In this way, the user can select the inconsecutive transmission targets.

[0104] Here, the order of the touch and scroll motions is not limited to the present exemplary embodiment. That is, after consecutive transmission targets are scrolled and thus selected, the remaining transmission targets may be touched and thus selected.

[0105] FIG. **8** illustrates an open file group and a method of closing the open file group according to an exemplary embodiment of the present invention.

[0106] If a user desires to close a friend group **221** which is in the form of a folder, the user selects any one of a list of transmission targets **221***a* illustrated in FIG. **8** and drags the selected transmission target to the right. Then, the friend group **221**, which is in the form of a folder, is closed, and the motion execution module **102** restores the transmission target region **220**, which was adjusted to become larger than other regions, to its original size.

[0107] A file selected in the file list region **210** and a transmission target selected in the transmission target region **220** are moved to the execution region **230**, and the selected file is transmitted to the selected transmission target.

[0108] FIGS. **9**A through **9**C illustrate a method of dragging a file to the execution region **230** according to an exemplary embodiment of the present invention.

[0109] A case where a file selected in the file list region **210** is moved to the execution region **230** in order to be transmitted will be described as an example.

[0110] Referring to FIG. **9**A, a user selects a file **211***c* from a list of files **211***a* popped up on the file list region **210** by touching the file **211***c* and drags the selected file **211***c* to the execution region **230**.

[0111] If the selected file **211***c* is dragged to the execution region **230**, a transmission group region **231** is generated within the execution region **230**. Then, if the user selects another file **211***e* in the file list region **210** and drags the selected file **211***e* to the previously generated transmission group region **231** within the execution region **230**, the dragged file **211***e* forms one group region together with the previously generated transmission group region **231**.

[0112] If the user drags the selected file **211***e* to another region instead of the previously generated transmission group region **231**, a new transmission group region **232** is generated as illustrated in FIG. **9**C.

[0113] Similarly, if the user desires to move a plurality of files selected in the file list region **210** to the execution region **230** and transmit them, the user simultaneously drags the selected files to the execution region **230**. Then, a transmission group region is generated within the execution region **230**.

[0114] If the user selects another plurality of files in the file list region **210** and drags them to the previously generated transmission group region within the execution region **230**, the dragged files form one group region together with the previously generated transmission group region.

[0115] If the user drags the selected files to another region instead of the previously generated transmission group region, a new transmission group region is generated.

[0116] FIG. **10** illustrates a method of dragging a transmission target to the execution region **230** according to an exemplary embodiment of the present invention.

[0117] When one or more files are transmitted, there may be one or more transmission targets.

[0118] As described above with reference to FIGS. **7**A through **7**C, a user may select one or more desired transmission targets in the transmission target region **220** by touching and dragging them.

[0119] For convenience of description, a case where one transmission target is moved to the execution region **230** will be described in FIG. **10**.

[0120] Referring to FIG. **10**, the user selects a second friend **221***d* in the transmission target region **220** as a transmission target and drags the second friend **221***d* to the execution region **230**.

[0121] If the second friend **221***d* is moved to the execution region **230**, a transmission standby group region **233** is generated within the execution region **230**.

[0122] Then, if the user selects another one or more transmission targets in the transmission target region **220** and drags the selected transmission targets to the previously generated transmission standby group region **233** within the execution region **230**, the dragged transmission targets form one group region together with a the previously generated transmission standby group region **233**.

[0123] If the user drags the selected transmission targets to another region in the execution region **230** instead of the previously generated transmission standby group region **233**, a new transmission standby group region is generated.

[0124] In this way, one or more transmission group regions and one or more transmission standby group regions can be generated within the execution region **230**, and the user may drag a transmission group region to a transmission standby group region, thereby transmitting a file to a transmission target.

[0125] FIGS. **11**A through **11**C illustrate a method of transmitting a file to a transmission target in the execution region **230** according to an exemplary embodiment of the present invention.

[0126] It is assumed that transmission group regions **231** and **232** and a transmission standby group region **233** exist in the execution region **230** and that a user intends to transmit a fourth music file **211***f* to a second friend **221***d*.

[0127] Referring to FIG. **11**, the user drags the transmission group region **232** for the fourth music file **211***f* to the transmission standby group region **233** for the second friend **221***d* in a selection region **230**.

[0128] Here, dragging a desired file to a transmission target is not the only way to transmit the desired file.

[0129] As illustrated in FIG. **11**B, a transmission target, i.e., the transmission standby group region **233**, may be dragged to the transmission group region **231** for a file that is to be transmitted so that the file can be transmitted to the transmission target **233**.

[0130] The communication module **104** transmits a file dragged by the user to a transmission target through any one of wired and wireless data communication networks connected to the mobile device. The motion execution module **102** displays a screen **240**, which shows that the file is being transmitted to the transmission target, using the display module **103**, thereby giving a feedback to the user.

[0131] The screen **240** fed back to the user visually represents a file and a transmission target dragged respectively from the file list region **210** and the transmission target region **220** to the execution region **230** so that the user can intuitively perceive which file is being transmitted to which transmission target.

[0132] If the user desires to remove one or more of transmission files & transmission group regions and transmission targets & transmission standby group regions from the execution region **230**, the user may drag desired files and group regions in an external direction of the execution region **230** and thus remove them from the execution region **230**.

[0133] The external direction denotes a direction from the execution region **230** to the file list region **210** in the case of transmission files and transmission group regions and denotes a direction from the execution region **230** to the transmission target region **220** in the case of transmission targets and transmission standby group regions.

[0134] That is, a drag motion into the execution region **230** denotes preparation for file transmission, and a drag motion out of the execution region **230** denotes cancellation of file transmission.

[0135] In addition, a drag direction for opening a group in the form of a folder and displaying files in the group in the form of a list in the file list region **210** is from the file list region **210** to the execution region **230**. A drag direction for placing the files, which are displayed in the form of a list, back in the group in the form of a folder is from the execution region **230** to the file list region **210**.

[0136] Similarly, a drag direction for opening a group in the form of a folder and displaying transmission targets in the group in the form of a list in the transmission target region **220** is from the transmission target region **220** to the execution region **230**. A drag direction for placing the transmission targets, which are displayed in the form of a list, back in the group in the form of a folder is from the execution region **230** to the transmission target region **220**.

[0137] Since the configuration of a screen region according to the present exemplary embodiment gives consistency to the drag direction, a user can easily perceive whether a job will be continued or cancelled based on a drag direction from the execution region **230**.

[0138] FIG. **12** illustrates a file transmission history region **250** according to an exemplary embodiment of the present invention.

[0139] If a file is transmitted to a transmission target, the motion execution module **102** displays information **251** regarding the transmitted file and the transmission target in the file transmission history region **250** of the display module **103**.

[0140] The file transmission history region **250** displays the information **251** for a predetermined period or period of time. If a user set the file transmission history region **250** to be displayed together with the execution region **230**, the information **251** and the execution region **230** may be displayed together. Alternatively, an icon **234** may be formed at a predetermined position so that the file transmission history region **250** can be displayed only when it is required to retrieve a file transmission history. Therefore, if the user touches the icon **234**, the file transmission history region **250** may be displayed.

[0141] If the file transmission history region **250** is displayed, the motion execution module **102** reduces the size of the execution region **230** by the size of the file transmission history region **250** displayed on the screen of the mobile device.

[0142] Since the user also can adjust the size of each region with a scroll motion, the present invention is not limited to adjusting the size of each displayed region using the motion execution module **102**.

[0143] FIG. **13** is a flowchart illustrating a method of transmitting a file with a touch motion in the file list region **210** according to an exemplary embodiment of the present invention.

[0144] If a user's touch motion is input, the motion perception module **101** senses the input touch motion (operation S**1301**) and determines whether the sensed touch motion is to select the file list region **210** (operation S**1302**).

[0145] If the motion perception module **101** determines that the sensed touch motion is to select the file list region **210**, the motion execution module **102** activates the file list region **210** touched by the user and adjusts the file list region **210** to become larger than other regions (operation S**1303**).

[0146] A case where the motion perception module **101** determines in operation S**1302** that the sensed touch motion is not to select the file list region **210** will be described in detail later with reference to FIGS. **14** and **15**.

[0147] After operation S**1303**, if the user's another touch motion is input, the motion perception module **101** determines whether the input touch motion is to select a file group (operation S**1304**).

[0148] If the motion perception module **101** determines that the input touch motion is not to select the file group, the motion execution module **102** determines whether the input touch motion is to select a file (operation S**1305**).

[0149] If the motion perception module **101** determines in operation S**1305** that the input touch motion is not to select the file, that is, the input touch motion is to select neither the file group nor the file, the motion perception module **101** determines that the user has touched a blank space and repeats operation S**1301**.

[0150] If the motion perception module **101** determines in operation S**1304** that the input touch motion is to select the file group, the motion execution module **102** displays a plurality of files in the file group in the form of a list in the file list region **210** of the display module **103**, that is, opens the file group (operation S**1306**).

[0151] If the motion perception module **101** determines in operation S**1305** that the input touch motion is to select the file or after operation S**1306**, the user selects one or more files (operation S**1307**).

[0152] After operation S**1307**, if the user's another touch motion is input, the motion perception module **101** determines whether the input touch motion is a drag motion to the execution region **230** (operation S**1308**).

[0153] If the motion perception module **101** determines in operation S**1308** that the input touch motion is not the drag motion to the execution region **230**, that is, a drag motion from the file list region **210** to the execution region, the motion execution module **102** restores the file list region **210** to its original size (operation S**1309**).

[0154] If one or more files in the open file group are dragged from the execution region **230** to the file list region **210**, the motion execution module **102** closes the file group and then adjusts the size of the file list region **210**.

[0155] If the motion perception module **101** determines in operation S**1308** that the input touch motion is the drag motion to the execution region **230**, the motion execution module **102** moves a corresponding file from the file list region **210** to the execution region **230** (operation S**1310**).

[0156] After operation S**1310**, the motion execution module **102** activates the execution region **230** to which the file has been dragged by the user and adjusts the execution region **230** to become wider than the file list region **210** (operation S**1311**).

[0157] After operation S**1311**, if the user's another touch motion is input, the motion perception module **101** determines whether the input touch motion is a drag motion to an existing file group region (operation S**1312**).

[0158] If the motion perception module **101** determines that the input touch motion is not the drag motion to the existing file group region, the motion execution module **102** generates a separate file group region for the dragged file and

displays the generated file group region at a predetermined position of the execution region **230** of the display module **103** (operation S**1313**).

[0159] If the motion perception module **101** determines in operation S**1312** that the input touch motion is the drag motion to the existing file group region, the motion execution module **102** includes the dragged file in the existing file group region and displays it accordingly in the execution region **230** of the display module **103** (operation S**1314**).

[0160] FIG. **14** is a flowchart illustrating a method of transmitting a file with a touch motion in the transmission target region **220** according to an exemplary embodiment of the present invention.

[0161] If a user's touch motion is input, the motion perception module **101** senses the input touch motion and determines whether the sensed touch motion is to select the transmission target region **220** (operation S**1401**).

[0162] If the motion perception module **101** determines that the sensed touch motion is to select the transmission target region **220**, the motion execution module **102** activates the transmission target region **220** touched by the user and adjusts the file list region **210** to become wider than other regions (operation S**1402**).

[0163] A case where the motion perception module **101** determines in operation S**1402** that the sensed touch motion is not to select the transmission target region **220** will be described in detail later with reference to FIG. **15**.

[0164] After operation S**1402**, if the user's another touch motion is input, the motion perception module **101** determines whether the input touch motion is to select a transmission target group (operation S**1403**).

[0165] If determining that the input touch motion is not to select the transmission target group, the motion perception module **101** determines whether the input touch motion is to select a transmission target (operation S**1404**).

[0166] If the motion perception module **101** determines in operation S**1404** that the input touch motion is not to select the transmission target, that is, the input touch motion in the transmission target region **220** is to select neither the transmission target group nor the transmission target, the motion perception module **101** determines that the user has touched a blank space and repeats operation S**1401**.

[0167] If the motion perception module **101** determines in operation S**1403** that the input touch motion is to select the transmission target group, the motion execution module **102** displays a plurality of transmission targets in the transmission target group in the form of a list in the transmission target region **220** of the display module **103**, that is, opens the transmission target group (operation S**1405**).

[0168] If the motion perception module **101** determines in operation S**1404** that the input touch motion is to select the transmission target or after operation S**1405**, the user selects one or more transmission targets (operation S**1406**).

[0169] After operation S**1406**, if the user's another touch motion is input, the motion perception module **101** determines whether the input touch motion is a drag motion to the execution region **230** (operation S**1407**).

[0170] If the motion perception module **101** determines that the input touch motion is not the drag motion to the execution region **230**, that is, a drag motion from the transmission target region **220** to the execution region **230**, the motion execution module **102** restores the transmission target region **220** to its original size (operation S**1408**).

[0171] If one or more transmission targets in the open transmission target group are dragged from the execution region **230** to the transmission target region **220**, the motion execution module **102** closes the transmission target group and then adjusts the size of the transmission target region **220**.

[0172] If the motion perception module **101** determines in operation S**1407** that the input touch motion is the drag motion to the execution region **230**, the motion execution module **102** moves a corresponding transmission target from the transmission target region **220** to the execution region **230** (operation S**1409**).

[0173] After operation S**1409**, the motion execution module **102** activates the execution region **230** to which the transmission target has been dragged by the user and adjusts the execution region **230** to become wider than the transmission target region **220** (operation S**1410**).

[0174] After operation S**1410**, if the user's another touch motion is input, the motion perception module **101** determines whether the input touch motion is a drag motion to an existing transmission target group region (operation S**1411**).

[0175] If the motion perception module **101** determines that the input touch motion is not the drag motion to the existing transmission target group region, the motion execution module **102** generates a separate transmission target group region for the dragged transmission target and displays the generated transmission target group region at a predetermined position of the execution region **230** of the display module **103** (operation S**1412**).

[0176] If the motion perception module **101** determines in operation S**1411** that the input touch motion is the drag motion to the existing transmission target group region, the motion execution module **102** includes the dragged transmission target in the existing transmission target group region and displays it accordingly in the execution region **230** of the display module **103** (operation S**1413**).

[0177] FIG. **15** is a flowchart illustrating a method of transmitting a file with a touch motion in the execution region **230** according to an exemplary embodiment of the present invention.

[0178] For convenience of description, it is assumed that a file group and a transmission target group are dragged to the execution region **230** in the operations illustrated in FIGS. **13** and **14**.

[0179] If a user's touch motion is input, the motion execution module **102** activates the execution region **230** touched by the user and adjusts the transmission target region **220** to become wider than other regions (operation S**1501**).

[0180] After operation S**1501**, if the user's another touch motion is input, the motion perception module **101** determines whether the input touch motion is a drag motion to an existing group region (operation S**1502**).

[0181] If the motion perception module **101** determines that the input touch motion is not the drag motion to the existing group region, the motion execution module **102** generates a separate group region for a dragged file or transmission target and displays the generated group region at a predetermined position of the execution region **230** of the display module **103** (operation S**1503**).

[0182] If the motion perception module **101** determines in operation S**1502** that the input touch motion is the drag motion to the existing group region, the motion execution module **102** includes the dragged file or transmission target in

the existing group region and displays it accordingly in the execution region **230** of the display module **103** (operation S**1504**).

[0183] After operation S**1504**, if the user's another touch motion is input, the motion perception module **101** determines whether the input touch motion is a drag motion for file transmission (operation S**1505**).

[0184] If the motion perception module **101** determines that the input touch motion is not the drag motion for file transmission, that is, if any one of the file group and the transmission target group is not dragged to the region of the other group, the motion execution module **102** removes the group from the execution region **230** (operation S**1506**).

[0185] If the motion perception module **101** determines that the input touch motion is the drag motion for file transmission, that is, if any one of the file group and the transmission target group is dragged to the region of the other group, the communication module **104** transmits the file to the transmission target, and an icon indicating the existence of a file transmission history is displayed at a predetermined position of the execution region **230** (operation S**1507**).

[0186] After operation S**1507**, if the user desires to retrieve the file transmission history and thus touches the icon displayed in operation S**1507** (operation S**1508**), the motion execution module **102** displays the file transmission history including a file transmission time, the name of the transmitted file, and the transmission target in the file transmission history region **250** of the display module **103** (operation S**1509**).

[0187] As described above, a screen configuration and manipulation method for file transmission according to the present invention provide at least one of the following advantages.

[0188] Since intuitive screen configuration is provided to a user, a mistake made while performing touch and drag motions can be prevented. In addition, one or more files can be easily and conveniently transmitted to one or more transmission targets.

[0189] In addition to the above-described exemplary embodiments, exemplary embodiments of the present invention can also be implemented by executing computer readable code/instructions in/on a medium/media, e.g., a computer readable medium/media. The medium/media can correspond to any medium/media permitting the storing and/or transmission of the computer readable code/instructions. The medium/media may also include, alone or in combination with the computer readable code/instructions, data files, data structures, and the like. Examples of code/instructions include both machine code, such as produced by a compiler, and files containing higher level code that may be executed by a computing device and the like using an interpreter. In addition, code/instructions may include functional programs and code segments.

[0190] The computer readable code/instructions can be recorded/transferred in/on a medium/media in a variety of ways, with examples of the medium/media including magnetic storage media (e.g., floppy disks, hard disks, magnetic tapes, etc.), optical media (e.g., CD-ROMs, DVDs, etc.), magneto-optical media (e.g., floptical disks), hardware storage devices (e.g., read only memory media, random access memory media, flash memories, etc.) and storage/transmission media such as carrier waves transmitting signals, which may include computer readable code/instructions, data files, data structures, etc. Examples of storage/transmission media may include wired and/or wireless transmission media. For example, storage/transmission media may include optical wires/lines, waveguides, and metallic wires/lines, etc. including a carrier wave transmitting signals specifying instructions, data structures, data files, etc. The medium/media may also be a distributed network, so that the computer readable code/instructions are stored/transferred and executed in a distributed fashion. The medium/media may also be the Internet. The computer readable code/instructions may be executed by one or more processors. The computer readable code/instructions may also be executed and/or embodied in at least one application specific integrated circuit (ASIC) or Field Programmable Gate Array (FPGA).

[0191] In addition, one or more software modules or one or more hardware modules may be configured in order to perform the operations of the above-described exemplary embodiments.

[0192] The term "module", as used herein, denotes, but is not limited to, a software component, a hardware component, a plurality of software components, a plurality of hardware components, a combination of a software component and a hardware component, a combination of a plurality of software components and a hardware component, a combination of a software component and a plurality of hardware components, or a combination of a plurality of software components and a plurality of hardware components, which performs certain tasks. A module may advantageously be configured to reside on the addressable storage medium/media and configured to execute on one or more processors. Thus, a module may include, by way of example, components, such as software components, application specific software components, object-oriented software components, class components and task components, processes, functions, operations, execution threads, attributes, procedures, subroutines, segments of program code, drivers, firmware, microcode, circuitry, data, databases, data structures, tables, arrays, and variables. The functionality provided for in the components or modules may be combined into fewer components or modules or may be further separated into additional components or modules. Further, the components or modules can operate at least one processor (e.g. central processing unit (CPU)) provided in a device. In addition, examples of a hardware components include an application specific integrated circuit (ASIC) and Field Programmable Gate Array (FPGA). As indicated above, a module can also denote a combination of a software component(s) and a hardware component(s). These hardware components may also be one or more processors.

[0193] The computer readable code/instructions and computer readable medium/media may be those specially designed and constructed for the purposes of the present invention, or they may be of the kind well-known and available to those skilled in the art of computer hardware and/or computer software.

[0194] Although a few exemplary embodiments of the present invention have been shown and described, it would be appreciated by those skilled in the art that changes may be made in these exemplary embodiments without departing from the principles and spirit of the invention, the scope of which is defined in the claims and their equivalents.

What is claimed is:

1. An apparatus for providing a user interface for file transmission, the apparatus comprising:

a motion recognition module to recognize a motion input to the user interface and to identity a position of the recognized motion;

a motion execution module to execute a motion corresponding to the recognized motion and the identified position of the recognized motion and modifying components of the user interface according to the executed motion; and

a communication module to transmit a file to a transmission target based on the recognized motion and the identified position of the recognized motion,

wherein the components of the user interface comprise:

a file list region from which a file to be transmitted is selected;

a transmission target region from which a transmission target is selected; and

an execution region to which the selected file and the selected transmission target are moved and in which the selected file is transmitted to the selected transmission target.

2. The apparatus of claim **1**, wherein the input motion comprises a touch, a drag, and a scroll on a touch screen using an object.

3. The apparatus of claim **1**, wherein the input motion comprises a click, a drag, and a scroll in a personal computer (PC) using a mouse.

4. The apparatus of claim **1**, further comprising a file transmission history region in which a history of the transmitted file and the transmission target of the transmitted file are displayed.

5. The apparatus of claim **4**, wherein a user determines whether to display the file transmission history region.

6. The apparatus of claim **1**, wherein a corresponding file group of the file to be transmitted is displayed in the file list region.

7. The apparatus of claim **6**, wherein, when the displayed file group is selected, files included in the displayed file group are displayed in the file list region.

8. The apparatus of claim **7**, wherein one or more files are selected in the file list region with one or more of touch, drag, and scroll motions in the file list region.

9. The apparatus of claim **1**, wherein a corresponding transmission target group of the transmission target is displayed in the transmission target region.

10. The apparatus of claim **9**, wherein, when the displayed transmission target group is selected, transmission targets included in the displayed transmission target group are displayed in the transmission target region.

11. The apparatus of claim **10**, wherein one or more transmission targets are selected in the transmission target region with one or more of the touch, drag, and scroll motions in the transmission target region.

12. The apparatus of claim **1**, wherein the file moved from the file list region to the execution region is managed in a group in the execution region.

13. The apparatus of claim **1**, wherein the transmission target moved from the transmission target region to the execution region is managed in a group in the execution region.

14. The apparatus of claim **1**, wherein, if the file moved from the file list region to the execution region is dragged to the transmission target moved from the transmission target region to the execution region, the file is transmitted to the transmission target in the execution region.

15. The apparatus of claim **14**, wherein an object moved into the execution region is put on standby for transmission, and an object moved out of the execution region is removed from the execution region.

16. A method for transmitting a file comprising:

selecting a file according to a motion input to a user interface and a position of the input motion and moving the selected file to a first region;

selecting a transmission target according to a motion input to the user interface and a position of the input motion and moving the selected transmission target to the first region; and

transmitting the file to the transmission target.

17. The method of claim **16**, further comprising a file transmission history display operation in which displaying a history of the transmitted file and the transmission target of the transmitted file.

18. The method of claim **17**, wherein a user determines whether to display a file transmission history region.

19. The method of claim **16**, wherein the selecting of the file further comprises displaying a corresponding file group of the file to be transmitted.

20. The method of claim **19**, wherein, when the displayed file group is selected, files included in the displayed file group are displayed.

21. The method of claim **20**, wherein the selecting of the file further comprises selecting one or more files with one or more of touch, drag, and scroll motions.

22. The method of claim **16**, wherein the selecting of the transmission target further comprises displaying a corresponding transmission target group of the transmission target.

23. The method of claim **22**, wherein, when the displayed transmission target group is selected, transmission targets included in the displayed transmission target group are displayed.

24. The method of claim **23**, wherein the selecting of the transmission target further comprises selecting one or more transmission targets with one or more of the touch, drag, and scroll motions.

25. The method of claim **16**, wherein the movement of the selected file is managed in a group in the execution operation.

26. The method of claim **16**, wherein movement of the transmission target is managed in a group in the execution operation.

27. The method of claim **16**, wherein, if the moved file is dragged to the transmission target, the file is transmitted to the transmission target in the execution operation.

28. At least one computer readable medium storing computer readable instructions that control at least one processor to implement the method of claim **16**.

29. An apparatus for providing a user interface for file transmission, the apparatus comprising:

a motion recognition module to recognize a motion input to the user interface and to identity a position of the recognized motion;

a motion execution module to execute a motion corresponding to the recognized motion and the identified position of the recognized motion and modifying components of the user interface according to the executed motion; and

a communication module to transmit a file to a transmission target based on the recognized motion and the identified position of the recognized motion,

wherein the components of the user interface comprise:

a file list region from which a plurality of files to be transmitted are selected;

a transmission target region from which at least one transmission target is selected; and

an execution region to which the selected files and the at least one selected transmission target are moved and in which the selected files are transmitted to the at least one selected transmission target.

30. A method for transmitting a file comprising:

selecting a plurality of files according to a motion input to a user interface and a position of the input motion and moving the selected files to a first region;

selecting at least one transmission target according to a motion input to the user interface and a position of the input motion and moving the at least one selected transmission target to the first region; and

transmitting the selected files to the at least one transmission target.

31. At least one computer readable medium storing computer readable instructions that control at least one processor to implement the method of claim **30**.

* * * * *