



**EXHIBIT G – U.S. Patent No. 10,674,786 in View of U.S. Patent Pub. No. 2004/0040181**

US Patent Pub. No. 2004/0040181 (the “’181 publication”) published on March 4, 2004. It therefore constitutes prior art under at least pre-AIA 35 U.S.C. § 102(b). As shown below, the ’181 publication anticipates and/or renders obvious claims 1-8 of US Patent No. 10,674,786. To the extent Athalonz contends the ’181 publication does not anticipate a particular claim, the ’181 publication also renders the claim obvious for the reasons discussed in the ’786 Patent Obviousness Chart (Exhibit T).

These invalidity contentions are based on Under Armour’s present understanding of the asserted claims and Athalonz’s apparent construction of the claims in its September 14, 2023 Disclosure of Asserted Claims and Infringement Contentions, which is deficient at least insofar as it fails to cite any documents or identify accused structures, acts, or materials in the Accused Products with particularity. Under Armour does not agree with Athalonz’s application of the claims, or that the claims satisfy the requirements of 35 U.S.C. § 112. Under Armour’s contentions herein are not, and should in no way be seen as, admissions or adoptions as to any particular claim scope or construction, or as any admission that any particular element is met by any accused product in any particular way. Under Armour objects to any attempt to imply claim construction from this chart. Under Armour’s prior art invalidity contentions are made in a variety of alternatives and do not represent Under Armour’s agreement or view as to the meaning, definiteness, written description support for, or enablement of any claim contained therein.

| U.S. Patent No.<br>10,674,786   | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                        |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1[pre]. An apparatus comprises: | <p data-bbox="573 896 1115 927">The ’181 publication discloses an apparatus.</p> <p data-bbox="926 1008 993 1036"><b>FIG. 1</b></p>  |

| U.S. Patent No.<br>10,674,786                                                                                                                                                                                                                                                                                                          | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                                                                                                                        | <p>“Disclosed is a pair of golf shoes, each comprising an outsole provided with a plurality of spikes protruded from a lower surface of the outsole, in which the lower surface of the outsole is inclined from an outer edge of the outsole to an inner edge of the outsole so that the spikes at the inner edge of the outsole have a height larger than that of the spikes at the outer edge of the outsole, and the spikes respectively have heights so that an upper surface of the outsole is substantially parallel with a ground. The golf shoes allow golfer's feet to be stably mounted on the surface of a green, thereby assisting a golfer in taking a stable position during address and swing motions.”</p> <p>'181 publication, Abstract.</p> |
| <p>1[a] a heel platform section that has a uniform height from an outer edge to an inner edge of the apparatus at the rear edge of the apparatus, wherein the uniform height establishes a reference slope from the outer edge to the inner edge, the reference slope substantially parallel to a bottom surface of the apparatus;</p> | <p>The '181 publication discloses a heel platform section that has a uniform height from an outer edge to an inner edge of the apparatus at the rear edge of the apparatus, wherein the uniform height establishes a reference slope from the outer edge to the inner edge, the reference slope substantially parallel to a bottom surface of the apparatus.</p> <p style="text-align: center;"><b>FIG. 1</b></p>                                                                                                                                                                                                                                                          |




| U.S. Patent No.<br>10,674,786                                        | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                      | <p style="text-align: center;"><b>FIG. 2</b></p>  <p>“As shown in FIGS. 1 and 2, the golf shoe 100 in accordance with one embodiment of the present invention comprises an upper leather portion 20 and an outsole 10. The outsole 10 includes a lower surface 12 inclined from its outer edge 60 to its inner edge 30 so that the outer edge 60 has a thickness larger than that of the inner edge 30. Except for the outsole 10 including the inclined lower surface 12, the golf shoe 100 of the present invention is substantially the same as conventional golf shoes.” ’181 publication, [0027].</p> <p>“Although the preferred embodiments of the present invention have been disclosed for illustrative purposes, those skilled in the art will appreciate that various modifications, additions and substitutions are possible, without departing from the scope and spirit of the invention as disclosed in the accompanying claims. For example, the inclined plane may be formed only at the front portion of the outsole, or only at parts of the front and/or rear portions of the outsole.” ’181 publication, [0046].</p> |
| 1[b] a mid-foot section juxtaposed to the heel platform section; and | The ’181 publication discloses a mid-foot section juxtaposed to the heel platform section.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

FIG. 2



“As shown in FIGS. 1 and 2, the golf shoe 100 in accordance with one embodiment of the present invention comprises an upper leather portion 20 and an outsole 10. The outsole 10 includes a lower surface 12 inclined from its outer edge 60 to its inner edge 30 so that the outer edge 60 has a thickness larger than that of the inner edge 30. Except for the outsole 10 including the inclined lower surface 12, the golf shoe 100 of the present invention is substantially the same as conventional golf shoes.” ’181 publication, [0027].

FIG. 3a



| U.S. Patent No.<br>10,674,786                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <p>“FIGS. 3a and 3b illustrate an outsole of a golf shoe in accordance with another embodiment of the present invention. In this embodiment, the height of the spikes 11 at the inner edge 30 of the outsole 10 is larger than that of the spikes 11 at the outer edge 60 of the outsole 10. However, the lower surface 12 of the outsole 10 is not gradually inclined from the outer edge 60 to the inner edge 30, but includes a horizontal plane 80 extended from the outer edge 60, and an inclined plane 40 extended from the end of the horizontal plane 80.” ’181 publication, [0041].</p> <p>“Although the preferred embodiments of the present invention have been disclosed for illustrative purposes, those skilled in the art will appreciate that various modifications, additions and substitutions are possible, without departing from the scope and spirit of the invention as disclosed in the accompanying claims. For example, the inclined plane may be formed only at the front portion of the outsole, or only at parts of the front and/or rear portions of the outsole.” ’181 publication, [0046].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <p>1[c] a toe section juxtaposed to the mid-foot section, wherein the mid-foot section and the toe section form an angled support platform that has a first slope along the inner edge of the apparatus from a front edge of the apparatus to the heel platform section, a second slope along the front edge of the apparatus from the inner edge to the outer edge of the apparatus, and a third slope along the outer edge of the apparatus from the front edge of the apparatus to the heel platform section, the first slope,</p> | <p>The ’181 publication discloses a toe section juxtaposed to the mid-foot section, wherein the mid-foot section and the toe section form an angled support platform that has a first slope along the inner edge of the apparatus from a front edge of the apparatus to the heel platform section, a second slope along the front edge of the apparatus from the inner edge to the outer edge of the apparatus, and a third slope along the outer edge of the apparatus from the front edge of the apparatus to the heel platform section, the first slope, second slope, and the third slope each greater than the reference slope, wherein the toe section is lower than the heel platform section as a result of the first, second, and third slopes.</p> <p>“In accordance with the present invention, the above and other objects can be accomplished by the provision of a pair of golf shoes, each comprising an outsole provided with a plurality of spikes protruded from a lower surface of the outsole, wherein: bottoms of the spikes (an upper surface of the outsole) are substantially parallel with the ground; the lower surface of the outsole is inclined so that the thickness of the lower surface of the outsole is decreased from its outer edge to its inner edge; and spikes at the inner edge of the outsole have a height larger than that of the spikes at the outer edge of the outsole.” ’181 publication, [0014].</p> <p>“That is, the lower surface of the outsole is inclined so that the thickness of the lower surface of the outsole is decreased from the outer edge to the inner edge, the spikes protruded from the lower surface of the outsole have different heights at outer and inner edges of the outsole (the height of spikes at the inner edge is larger than the height of the spikes at the outer edge), and the bottoms of the spikes are substantially parallel with</p> |


| U.S. Patent No.<br>10,674,786                                                                                                                                                                       | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>second slope, and the third slope each greater than the reference slope, wherein the toe section is lower than the heel platform section as a result of the first, second, and third slopes.</p> | <p>the ground, thereby allowing a golfer in the golf shoes to concentrating his/her weight during the address and swing phases on the inner edges of soles of feet and assisting the golfer in performing a stable swing motion.” ’181 publication, [0015].</p> <p>“Preferably, the lower surface of the outsole may be stepped upward from the outer edge to the inner edge.” ’181 publication, [0016].</p> <p style="text-align: center;"><b>FIG. 2</b></p>  <p>“As shown in FIGS. 1 and 2, the golf shoe 100 in accordance with one embodiment of the present invention comprises an upper leather portion 20 and an outsole 10. The outsole 10 includes a lower surface 12 inclined from its outer edge 60 to its inner edge 30 so that the outer edge 60 has a thickness larger than that of the inner edge 30. Except for the outsole 10 including the inclined lower surface 12, the golf shoe 100 of the present invention is substantially the same as conventional golf shoes.” ’181 publication, [0027].</p> <p>“Here, the lower surface 12 of the outsole 10 is inclined from the outer edge 60 to the inner edge 30. That is, the outsole 10 at the outer edge 60 has a thickness larger than that of the outsole 10 at the inner edge 30.” ’181 publication, [0032].</p> |

FIG. 3a





FIG. 3b



“FIGS. 3a and 3b illustrate an outsole of a golf shoe in accordance with another embodiment of the present invention. In this embodiment, the height of the spikes 11 at the inner edge 30 of the outsole 10 is larger than that of the spikes 11 at the outer edge 60 of the outsole 10. However, the lower surface 12 of the outsole 10 is not gradually inclined from the outer edge 60 to the inner edge 30, but includes a horizontal plane 80 extended from the outer edge 60, and an inclined plane 40 extended from the end of the horizontal plane 80.” ’181 publication, [0041].


| U.S. Patent No.<br>10,674,786                                                                                                                                                                                                         | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                       | <p data-bbox="919 269 982 289">FIG. 5b</p>  <p data-bbox="573 634 1902 943">“FIG. 5b is a schematic view illustrating feet of a golfer in a pair of the golf shoes 100 of the present invention standing on the ground E of a green. When the golfer in a pair of the golf shoes 100 of the present invention stands on the ground E of the green, since the height of the spikes 11 at the inner edge 30 of the outsole 10 is larger than that of the spikes 11 at the outer edge 60 of the outsole 10, the spikes 11 at the inner edge 30 penetrate the ground E of the green more deeply than the spikes 11 at the outer edge 60, and has a holding power stronger than the holding power of the spikes 11 at the outer edge 60. Thereby, both legs of the golfer in the stance position are close to each other toward the inner edges of the soles of the feet, thus allowing the weight balance of the golfer's body to be concentrated on the inner edges of the soles of the feet.” ’181 publication, [0036].</p> <p data-bbox="573 984 1902 1081">“In FIGS. 5a and 5b, the reference numeral 90 denotes a line representing the level of the golfer's feet being parallel with the ground E, and the reference numeral 75 denotes a line being parallel with a line (S) representing the level of the bottoms of the spikes 11.” ’181 publication, [0039].</p> |
| <p data-bbox="201 1092 541 1357">2. The apparatus of claim 1 further comprises: the heel platform section, the mid-foot section, and the toe section constituting at least one of an insole for footwear; and a sole of footwear.</p> | <p data-bbox="573 1092 1766 1154">The ’181 publication discloses the heel platform section, the mid-foot section, and the toe section constituting at least one of an insole for footwear, and a sole of footwear.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

FIG. 1







FIG. 2




“As shown in FIGS. 1 and 2, the golf shoe 100 in accordance with one embodiment of the present invention comprises an upper leather portion 20 and an outsole 10. The outsole 10 includes a lower surface 12 inclined from its outer edge 60 to its inner edge 30 so that the outer edge 60 has a thickness larger than that of the inner edge 30. Except for the outsole 10 including the inclined lower surface 12, the golf shoe 100 of the present invention is substantially the same as conventional golf shoes.” ’181 publication, [0027].



| U.S. Patent No.<br>10,674,786                                                                                                                                                                                                                                                                                                                                                                                                             | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                           | <p>“FIGS. 3a and 3b illustrate an outsole of a golf shoe in accordance with another embodiment of the present invention. In this embodiment, the height of the spikes 11 at the inner edge 30 of the outsole 10 is larger than that of the spikes 11 at the outer edge 60 of the outsole 10. However, the lower surface 12 of the outsole 10 is not gradually inclined from the outer edge 60 to the inner edge 30, but includes a horizontal plane 80 extended from the outer edge 60, and an inclined plane 40 extended from the end of the horizontal plane 80.” ’181 publication, [0041].</p> |
| <p>3. The apparatus of claim 1 further comprises:</p> <p>the heel platform section has a uniform platform height, wherein, from a front edge of the heel platform to the rear edge of the apparatus, the uniform platform height has the reference slope; and the toe section and the mid-foot section having a second dimension at a front outer edge of the apparatus and a third dimension at a front inner edge of the apparatus.</p> | <p>The ’181 publication discloses the heel platform section has a uniform platform height, wherein, from a front edge of the heel platform to the rear edge of the apparatus, the uniform platform height has the reference slope; and the toe section and the mid-foot section having a second dimension at a front outer edge of the apparatus and a third dimension at a front inner edge of the apparatus.</p> <p style="text-align: center;"><b>FIG. 1</b></p>                                            |

| U.S. Patent No.<br>10,674,786                                                                                       | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                     | <p style="text-align: center;"><b>FIG. 2</b></p>  <p>“As shown in FIGS. 1 and 2, the golf shoe 100 in accordance with one embodiment of the present invention comprises an upper leather portion 20 and an outsole 10. The outsole 10 includes a lower surface 12 inclined from its outer edge 60 to its inner edge 30 so that the outer edge 60 has a thickness larger than that of the inner edge 30. Except for the outsole 10 including the inclined lower surface 12, the golf shoe 100 of the present invention is substantially the same as conventional golf shoes.” ’181 publication, [0027].</p> <p>“Although the preferred embodiments of the present invention have been disclosed for illustrative purposes, those skilled in the art will appreciate that various modifications, additions and substitutions are possible, without departing from the scope and spirit of the invention as disclosed in the accompanying claims. For example, the inclined plane may be formed only at the front portion of the outsole, or only at parts of the front and/or rear portions of the outsole.” ’181 publication, [0046].</p> |
| <p>4. The apparatus of claim 1 further comprises:</p> <p>an insole on a first surface of the apparatus covering</p> | <p>The ’181 publication discloses an insole on a first surface of the apparatus covering one or more of: at least a portion of the heel platform section, at least a portion of the mid-foot section, and at least a portion of the toe section.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

| U.S. Patent No.<br>10,674,786                                                                                                                           | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| one or more of: at least a portion of the heel platform section; at least a portion of the mid-foot section; and at least a portion of the toe section. | <p>“That is, the golf shoe 100 of the present invention comprises the upper leather portion 20 for accommodating a golfer's foot, and the outsole 10 attached to the lower surface of the upper leather portion 20 and adapted to contact the ground. Further, the golf shoe 100 further comprises an insole (not shown) arranged on the bottom of the inside of the upper leather portion 20.” [0028]</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 5. A shoe comprises:                                                                                                                                    | <p>The '181 publication discloses a shoe.</p> <p><b>FIG. 1</b></p>  <p>“Disclosed is a pair of golf shoes, each comprising an outsole provided with a plurality of spikes protruded from a lower surface of the outsole, in which the lower surface of the outsole is inclined from an outer edge of the outsole to an inner edge of the outsole so that the spikes at the inner edge of the outsole have a height larger than that of the spikes at the outer edge of the outsole, and the spikes respectively have heights so that an upper surface of the outsole is substantially parallel with a ground. The golf shoes allow golfer's feet to be stably mounted on the surface of a green, thereby assisting a golfer in taking a stable position during address and swing motions.”</p> <p>'181 publication, Abstract.</p> |
| 5[a] an upper shoe section;<br>and                                                                                                                      | The '181 publication discloses an upper shoe section.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |


| U.S. Patent No.<br>10,674,786                                             | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                           | <p style="text-align: center;"><b>FIG. 1</b></p>  <p>“As shown in FIGS. 1 and 2, the golf shoe 100 in accordance with one embodiment of the present invention comprises an upper leather portion 20 and an outsole 10. The outsole 10 includes a lower surface 12 inclined from its outer edge 60 to its inner edge 30 so that the outer edge 60 has a thickness larger than that of the inner edge 30. Except for the outsole 10 including the inclined lower surface 12, the golf shoe 100 of the present invention is substantially the same as conventional golf shoes.” ’181 publication, [0027].</p> <p>“That is, the golf shoe 100 of the present invention comprises the upper leather portion 20 for accommodating a golfer’s foot, and the outsole 10 attached to the lower surface of the upper leather portion 20 and adapted to contact the ground. Further, the golf shoe 100 further comprises an insole (not shown) arranged on the bottom of the inside of the upper leather portion 20.” [0028]</p> |
| 5[b] a sole coupled to the upper shoe section, wherein the sole includes: | The ’181 publication discloses a sole coupled to the upper shoe section.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

FIG. 1









FIG. 2






“As shown in FIGS. 1 and 2, the golf shoe 100 in accordance with one embodiment of the present invention comprises an upper leather portion 20 and an outsole 10. The outsole 10 includes a lower surface 12 inclined from its outer edge 60 to its inner edge 30 so that the outer edge 60 has a thickness larger than that of the


| U.S. Patent No.<br>10,674,786 | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                               | <p>inner edge 30. Except for the outsole 10 including the inclined lower surface 12, the golf shoe 100 of the present invention is substantially the same as conventional golf shoes.” ’181 publication, [0027].</p> <p>“Although the preferred embodiments of the present invention have been disclosed for illustrative purposes, those skilled in the art will appreciate that various modifications, additions and substitutions are possible, without departing from the scope and spirit of the invention as disclosed in the accompanying claims. For example, the inclined plane may be formed only at the front portion of the outsole, or only at parts of the front and/or rear portions of the outsole.” ’181 publication, [0046].</p> <p><b>FIG. 3a</b></p>  <p><b>FIG. 3b</b></p>  |


|                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| U.S. Patent No.<br>10,674,786                     | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                                                   | <p>“FIGS. 3<i>a</i> and 3<i>b</i> illustrate an outsole of a golf shoe in accordance with another embodiment of the present invention. In this embodiment, the height of the spikes 11 at the inner edge 30 of the outsole 10 is larger than that of the spikes 11 at the outer edge 60 of the outsole 10. However, the lower surface 12 of the outsole 10 is not gradually inclined from the outer edge 60 to the inner edge 30, but includes a horizontal plane 80 extended from the outer edge 60, and an inclined plane 40 extended from the end of the horizontal plane 80.” ’181 publication, [0041].\</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 5[c] a specific bottom; and                       | <p>The ’181 publication discloses a specific bottom.</p> <div data-bbox="917 625 993 654" data-label="Caption"> <p><b>FIG. 1</b></p> </div>  <p>“Disclosed is a pair of golf shoes, each comprising an outsole provided with a plurality of spikes protruded from a lower surface of the outsole, in which the lower surface of the outsole is inclined from an outer edge of the outsole to an inner edge of the outsole so that the spikes at the inner edge of the outsole have a height larger than that of the spikes at the outer edge of the outsole, and the spikes respectively have heights so that an upper surface of the outsole is substantially parallel with a ground. The golf shoes allow golfer's feet to be stably mounted on the surface of a green, thereby assisting a golfer in taking a stable position during address and swing motions. thereby assisting a golfer in taking a stable position during address and Swing motions.” ’181 publication, Abstract.\</p> |
| 5[d] an athletic positioning sole section having: | The ’181 publication discloses an athletic positioning sole section.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

| U.S. Patent No.<br>10,674,786                                                                                                                                                                                                                                                                                           | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                                                                                                         | <p style="text-align: center;"><b>FIG. 1</b></p>  <p>“Disclosed is a pair of golf shoes, each comprising an outsole provided with a plurality of spikes protruded from a lower surface of the outsole, in which the lower surface of the outsole is inclined from an outer edge of the outsole to an inner edge of the outsole so that the spikes at the inner edge of the outsole have a height larger than that of the spikes at the outer edge of the outsole, and the spikes respectively have heights so that an upper surface of the outsole is substantially parallel with a ground. The golf shoes allow golfer's feet to be stably mounted on the surface of a green, thereby assisting a golfer in taking a stable position during address and swing motions.”<br/> ’181 publication, Abstract.</p> |
| <p>5[e] a heel platform section that has a uniform height from an outer edge to an inner edge of the athletic positioning sole section at a rear edge of the athletic positioning sole section, wherein the uniform height establishes a reference slope from the outer edge to the inner edge, the reference slope</p> | <p>The ’181 publication discloses a heel platform section that has a uniform height from an outer edge to an inner edge of the athletic positioning sole section at a rear edge of the athletic positioning sole section, wherein the uniform height establishes a reference slope from the outer edge to the inner edge, the reference slope substantially parallel to a bottom surface of the sole.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

| U.S. Patent No.<br>10,674,786                           | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| substantially parallel to a bottom surface of the sole; | <p data-bbox="905 277 974 305"><b>FIG. 1</b></p>  <p data-bbox="974 727 1043 755"><b>FIG. 2</b></p>  <p data-bbox="573 1289 1902 1386">“As shown in FIGS. 1 and 2, the golf shoe 100 in accordance with one embodiment of the present invention comprises an upper leather portion 20 and an outsole 10. The outsole 10 includes a lower surface 12 inclined from its outer edge 60 to its inner edge 30 so that the outer edge 60 has a thickness larger than that of the</p> |

| U.S. Patent No.<br>10,674,786 | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                               | <p>inner edge 30. Except for the outsole 10 including the inclined lower surface 12, the golf shoe 100 of the present invention is substantially the same as conventional golf shoes.” ’181 publication, [0027].</p> <p>“Although the preferred embodiments of the present invention have been disclosed for illustrative purposes, those skilled in the art will appreciate that various modifications, additions and substitutions are possible, without departing from the scope and spirit of the invention as disclosed in the accompanying claims. For example, the inclined plane may be formed only at the front portion of the outsole, or only at parts of the front and/or rear portions of the outsole.” ’181 publication, [0046].</p>      |
| 5[f] a mid-foot section; and  | <p>The ’181 publication discloses a mid-foot section.</p> <p style="text-align: center;"><b>FIG. 2</b></p>  <p>“As shown in FIGS. 1 and 2, the golf shoe 100 in accordance with one embodiment of the present invention comprises an upper leather portion 20 and an outsole 10. The outsole 10 includes a lower surface 12 inclined from its outer edge 60 to its inner edge 30 so that the outer edge 60 has a thickness larger than that of the inner edge 30. Except for the outsole 10 including the inclined lower surface 12, the golf shoe 100 of the present invention is substantially the same as conventional golf shoes.” ’181 publication, [0027].</p> |

| U.S. Patent No.<br>10,674,786                                                                                                                                                                                                                | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                              | <p style="text-align: center;">FIG. 3a</p>  <p>“FIGS. 3a and 3b illustrate an outsole of a golf shoe in accordance with another embodiment of the present invention. In this embodiment, the height of the spikes 11 at the inner edge 30 of the outsole 10 is larger than that of the spikes 11 at the outer edge 60 of the outsole 10. However, the lower surface 12 of the outsole 10 is not gradually inclined from the outer edge 60 to the inner edge 30, but includes a horizontal plane 80 extended from the outer edge 60, and an inclined plane 40 extended from the end of the horizontal plane 80.” ’181 publication, [0041].</p> <p>“Although the preferred embodiments of the present invention have been disclosed for illustrative purposes, those skilled in the art will appreciate that various modifications, additions and substitutions are possible, without departing from the scope and spirit of the invention as disclosed in the accompanying claims. For example, the inclined plane may be formed only at the front portion of the outsole, or only at parts of the front and/or rear portions of the outsole.” ’181 publication, [0046].\</p> |
| 5[g] a toe section, wherein the mid-foot section and the toe section form an angled support platform that has a first slope along the inner edge of the athletic positioning sole section from a front edge of the athletic positioning sole | The ’181 publication discloses a toe section, wherein the mid-foot section and the toe section form an angled support platform that has a first slope along the inner edge of the athletic positioning sole section from a front edge of the athletic positioning sole section to the heel platform section, a second slope along the front edge of the athletic positioning sole section from the inner edge to the outer edge of the athletic positioning sole section, and a third slope along the outer edge of the athletic positioning sole section from the front edge of the athletic positioning sole section to the heel platform section, the first slope, second slope, and the third slope each greater than the reference slope.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

| U.S. Patent No.<br>10,674,786                                                                                                                                                                                                                                                                                                                                                                                                                                                  | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>section to the heel platform section, a second slope along the front edge of the athletic positioning sole section from the inner edge to the outer edge of the athletic positioning sole section, and a third slope along the outer edge of the athletic positioning sole section from the front edge of the athletic positioning sole section to the heel platform section, the first slope, second slope, and the third slope each greater than the reference slope.</p> | <p>“In accordance with the present invention, the above and other objects can be accomplished by the provision of a pair of golf shoes, each comprising an outsole provided with a plurality of spikes protruded from a lower surface of the outsole, wherein: bottoms of the spikes (an upper surface of the outsole) are substantially parallel with the ground; the lower surface of the outsole is inclined so that the thickness of the lower surface of the outsole is decreased from its outer edge to its inner edge; and spikes at the inner edge of the outsole have a height larger than that of the spikes at the outer edge of the outsole.” ’181 publication, [0014].</p> <p>“That is, the lower surface of the outsole is inclined so that the thickness of the lower surface of the outsole is decreased from the outer edge to the inner edge, the spikes protruded from the lower surface of the outsole have different heights at outer and inner edges of the outsole (the height of spikes at the inner edge is larger than the height of the spikes at the outer edge), and the bottoms of the spikes are substantially parallel with the ground, thereby allowing a golfer in the golf shoes to concentrating his/her weight during the address and swing phases on the inner edges of soles of feet and assisting the golfer in performing a stable swing motion.” ’181 publication, [0015].</p> <p>“Preferably, the lower surface of the outsole may be stepped upward from the outer edge to the inner edge.” ’181 publication, [0016].</p> <p style="text-align: center;"><b>FIG. 2</b></p>  |




| U.S. Patent No.<br>10,674,786 | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                               | <p>“As shown in FIGS. 1 and 2, the golf shoe 100 in accordance with one embodiment of the present invention comprises an upper leather portion 20 and an outsole 10. The outsole 10 includes a lower surface 12 inclined from its outer edge 60 to its inner edge 30 so that the outer edge 60 has a thickness larger than that of the inner edge 30. Except for the outsole 10 including the inclined lower surface 12, the golf shoe 100 of the present invention is substantially the same as conventional golf shoes.” ’181 publication, [0027].</p> <p>“Here, the lower surface 12 of the outsole 10 is inclined from the outer edge 60 to the inner edge 30. That is, the outsole 10 at the outer edge 60 has a thickness larger than that of the outsole 10 at the inner edge 30.” ’181 publication, [0032].</p> <p style="text-align: center;"><b>FIG. 3a</b></p>  |

FIG. 3b





“FIGS. 3a and 3b illustrate an outsole of a golf shoe in accordance with another embodiment of the present invention. In this embodiment, the height of the spikes 11 at the inner edge 30 of the outsole 10 is larger than that of the spikes 11 at the outer edge 60 of the outsole 10. However, the lower surface 12 of the outsole 10 is not gradually inclined from the outer edge 60 to the inner edge 30, but includes a horizontal plane 80 extended from the outer edge 60, and an inclined plane 40 extended from the end of the horizontal plane 80.” ’181 publication, [0041].


FIG. 5b



“FIG. 5b is a schematic view illustrating feet of a golfer in a pair of the golf shoes 100 of the present invention standing on the ground E of a green. When the golfer in a pair of the golf shoes 100 of the present invention stands on the ground E of the green, since the height of the spikes 11 at the inner edge 30 of the outsole 10 is larger than that of the spikes 11 at the outer edge 60 of the outsole 10, the spikes 11 at the inner

| U.S. Patent No.<br>10,674,786                                                                                                                                                                                                                                                                                                                                                                                                              | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                            | <p>edge 30 penetrate the ground E of the green more deeply than the spikes 11 at the outer edge 60, and has a holding power stronger than the holding power of the spikes 11 at the outer edge 60. Thereby, both legs of the golfer in the stance position are close to each other toward the inner edges of the soles of the feet, thus allowing the weight balance of the golfer's body to be concentrated on the inner edges of the soles of the feet.” ’181 publication, [0036].</p> <p>“In FIGS. 5a and 5b, the reference numeral 90 denotes a line representing the level of the golfer's feet being parallel with the ground E, and the reference numeral 75 denotes a line being parallel with a line (S) representing the level of the bottoms of the spikes 11.” ’181 publication, [0039].</p> |
| <p>6. The shoe of claim 5 further comprises:</p> <p>the heel platform section has a uniform platform height, wherein, from a front edge of the heel platform to the rear edge of the athletic positioning sole section, the uniform platform height has the reference slope;</p> <p>and the toe section having a second dimension at a front outer edge of the apparatus and a third dimension at a front inner edge of the apparatus.</p> | <p>The ’181 publication discloses the heel platform section has a uniform platform height, wherein, from a front edge of the heel platform to the rear edge of the athletic positioning sole section, the uniform platform height has the reference slope; and the toe section having a second dimension at a front outer edge of the apparatus and a third dimension at a front inner edge of the apparatus.</p> <p><b>FIG. 1</b></p>                                                                                                                                                                                                                                                                                |

| U.S. Patent No.<br>10,674,786                                                                                  | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                | <p style="text-align: center;"><b>FIG. 2</b></p>  <p>“As shown in FIGS. 1 and 2, the golf shoe 100 in accordance with one embodiment of the present invention comprises an upper leather portion 20 and an outsole 10. The outsole 10 includes a lower surface 12 inclined from its outer edge 60 to its inner edge 30 so that the outer edge 60 has a thickness larger than that of the inner edge 30. Except for the outsole 10 including the inclined lower surface 12, the golf shoe 100 of the present invention is substantially the same as conventional golf shoes.” ’181 publication, [0027].</p> <p>“Although the preferred embodiments of the present invention have been disclosed for illustrative purposes, those skilled in the art will appreciate that various modifications, additions and substitutions are possible, without departing from the scope and spirit of the invention as disclosed in the accompanying claims. For example, the inclined plane may be formed only at the front portion of the outsole, or only at parts of the front and/or rear portions of the outsole.” ’181 publication, [0046].</p> |
| <p>7. The shoe of claim 5 further comprises:</p> <p>an insole on a first surface of the apparatus covering</p> | <p>The ’181 publication discloses an insole on a first surface of the apparatus covering one or more of: at least a portion of the heel platform section, at least a portion of the mid-foot section, and at least a portion of the toe section.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

| U.S. Patent No.<br>10,674,786                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | U.S. Patent Pub. No. 2004/0040181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| one or more of: at least a portion of the heel platform section; at least a portion of the mid-foot section; and at least a portion of the toe section.                                                                                                                                                                                                                                                                                                                                                 | <p>“That is, the golf shoe 100 of the present invention comprises the upper leather portion 20 for accommodating a golfer's foot, and the outsole 10 attached to the lower surface of the upper leather portion 20 and adapted to contact the ground. Further, the golf shoe 100 further comprises an insole (not shown) arranged on the bottom of the inside of the upper leather portion 20.” [0028]</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <p>8. The shoe of claim 5, wherein the specific bottom comprises one of:</p> <ul style="list-style-type: none"> <li>a cleat pattern bottom;</li> <li>a baseball spike bottom;</li> <li>a basketball bottom;</li> <li>a tennis bottom;</li> <li>a golf bottom;</li> <li>an ice skate bottom;</li> <li>a ski boot bottom;</li> <li>a cross-trainer bottom;</li> <li>a running shoe bottom;</li> <li>a walking shoe bottom;</li> <li>a dress shoe bottom; and</li> <li>a snowboard boot bottom.</li> </ul> | <p>The '181 publication discloses a specific bottom that comprises one of: a cleat pattern bottom, a baseball spike bottom, a basketball bottom, a tennis bottom, a golf bottom, an ice skate bottom, a ski boot bottom, a cross-trainer bottom, a running shoe bottom, a walking shoe bottom, a dress shoe bottom, and a snowboard boot bottom.</p> <div data-bbox="915 659 993 688" data-label="Caption"> <p><b>FIG. 1</b></p> </div>  <p>“Disclosed is a pair of golf shoes, each comprising an outsole provided with a plurality of spikes protruded from a lower surface of the outsole, in which the lower surface of the outsole is inclined from an outer edge of the outsole to an inner edge of the outsole so that the spikes at the inner edge of the outsole have a height larger than that of the spikes at the outer edge of the outsole, and the spikes respectively have heights so that an upper surface of the outsole is substantially parallel with a ground. The golf shoes allow golfer's feet to be stably mounted on the surface of a green, thereby assisting a golfer in taking a stable position during address and swing motions. thereby assisting a golfer in taking a stable position during address and Swing motions.”</p> <p>'181 publication, Abstract.</p> |