

Search life-sciences literature (44,967,550 articles, preprints and more)

Nasal endoscopy combined with multiple radiofrequency for perennial allergic rhinitis

 Search

[Save & create alert](#)

[Advanced search](#)

[Nasal endoscopy combined with multiple radiofrequency for perennial allergic rhinitis].

Fang CX ¹✉, Zhen SS

[Author information](#) ▶

Di 1 jun yi da xue xue bao = Academic Journal of the First Medical College of PLA, 01 Jul 2005, 25(7):876-877 Language:chi
PMID: 16027090

Share this article    

Abstract

Objective

To evaluate the therapeutic effects of nasal endoscopic surgery combined with multiple radiofrequency in the treatment of perennial allergic rhinitis.

Methods

Sixty-three patients with perennial allergic rhinitis whose symptoms failed to be controlled by medication received nasal endoscopic surgery for submucous resection of the nasal septum combined with radiofrequency ablation of the bilateral sphenopalatine foramen, anterior ethmoidal nerve and inferior nasal concha.

Result

One month after operation, the rate of excellent recovery was 92.1% (58/63), efficacy rate of 7.9% (5/63), and total efficacy rate of 100%, which was 88.9% (56/63), 7.9% (5/63), and 96.8% (61/63) 1 year after operation, respectively, with 2 patients (3.2%) of the patients failed to respond to the treatment. Two years after the operation, the excellent

This website requires cookies, and the limited processing of your personal data in order to function. By using the site you are agreeing to this as outlined in our privacy notice and cookie policy.

[I agree, dismiss this banner](#)

Similar Articles

Nasal endoscope combined with radio frequency may achieve good therapeutic effects on perennial allergic rhinitis with less adverse effects.

Get citation

Claim to ORCID

Citations & impact

Impact metrics

1
Citation
[Jump to Citations](#)

Article citations

Radiofrequency thermal ablation for patients with nasal symptoms: a systematic review of effectiveness and complications.
Hytönen ML, Bäck LJ, Malmivaara AV, Roine RP
Eur Arch Otorhinolaryngol, 266(8):1257-1266, 03 Feb 2009
Cited by: 38 articles | PMID: 19189114
Review

Similar Articles

Follow us


News blog


Technical blog


Twitter


YouTube

Partnerships & funding

Europe PMC is developed by [EMBL-EBI](#) with support from the [Europe PMC Funders' Group](#), in collaboration with the [National Library of Medicine \(NLM\)](#), as part of the [PubMed Central](#)

This website requires cookies, and the limited processing of your personal data in order to function. By using the site you are agreeing to this as outlined in our [privacy notice](#) and [cookie policy](#).



Europe PMC is an [ELIXIR Core Data Resource](#), [Global Core Biodata Resource](#), and conforms with [EMBL-EBI's long term data preservation policies](#).

This website requires cookies, and the limited processing of your personal data in order to function. By using the site you are agreeing to this as outlined in our privacy notice and cookie policy.