

UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

CISCO SYSTEMS INC., and FORTINET INC.,
Petitioner

IPR2024-00679
U.S. Patent No. 7,523,484

**REPLY DECLARATION OF HENRY HOUH, PH.D., UNDER 37 C.F.R. §
1.68 IN SUPPORT OF PETITION FOR *INTER PARTES* REVIEW**

I, Henry Houh, Ph.D., do hereby declare as follows:

I. INTRODUCTION

1. I have been asked to provide a reply declaration at the request of Petitioners in the matter of the *Inter Partes* Review of U.S. Patent No. 7,523,484 (“the 484 Patent”) to Lum et al.

2. I am being compensated for my work in this matter at my standard hourly rate. I am also being reimbursed for reasonable and customary expenses associated with my work and testimony in this proceeding. My compensation is not contingent on the outcome of this matter or the specifics of my testimony.

3. I have been asked to provide my opinions regarding whether the subject matter of claims 28, 38-39, 41-43, 53, 57-59, 61-63, and 65-68 (“the Challenged Claims”) of the 484 Patent would have been obvious to a person having ordinary skill in the art (“POSITA”) at the time of the alleged invention, in light of the prior art. It is my opinion that the Challenged Claims would have been obvious to a POSITA. In particular, I have been asked to provide my opinions regarding whether or not the claim limitations are anticipated or otherwise would have been obvious to a POSITA under the competing claim constructions as proposed by the Board and Patent Owner in this matter. For the same reasons discussed in my April 10, 2024 Declaration (“Initial Declaration”), it is my opinion

Ex.1528

Cisco Systems, Inc./Fortinet, Inc. / Page 2

IPR2024-00679

that Krantz and Herrmann render obvious the Challenged Claims under any of the proposed claim constructions.

4. In the preparation of this declaration, I have studied:

a. the 484 Patent, Ex.1501.

b. the prosecution history of the 484 Patent (“484 File History”),
Ex.1502.

c. all documents referenced in my Initial Declaration.

d. U.S. Patent Pub. No. 2004/0111520 to Krantz et al., (“Krantz”),
Ex.1505.

e. d. U.S. Patent Pub. No. 2004/0107360 to Herrmann et al.
 (“Herrmann”), (Ex.1506).

f. InfoExpress’s redacted Patent Owner Response dated January
29, 2025 (“Response” or “Patent Owner Response”) and all documents
referenced therein that I address below.

g. The Patent Trial and Appeal Board’s (“PTAB”) Institution
Decisions dated October 23, 2024 (“Second 484 Institution Decision”) and
related Institution Decisions and all documented referenced therein.

5. In forming the opinions expressed below, I have considered: the
documents listed above; the relevant legal standards, including the standard for

obviousness; and my own knowledge and experience based upon my work in the field of network communications and security as described below.

6. Unless otherwise noted, all **emphasis** in any quoted material has been added. Claim terms are *italicized*.

II. QUALIFICATIONS AND PROFESSIONAL EXPERIENCE

7. My complete qualifications and professional experience are described in my *Curriculum Vitae*, a copy of which can be found in Ex.1504. A brief summary of my relevant qualifications and professional experience can be found in my Initial Declaration.

III. LEVEL OF ORDINARY SKILL IN THE ART

8. My opinions as to a person of ordinary skill in the art (“POSITA”) can be found in my Initial Declaration. For purposes of this Declaration, in general, and unless otherwise noted, my statements and opinions, such as those regarding my own experience and what a POSITA would have understood or known generally (and specifically related to the references I consulted herein), reflect the knowledge that existed in the relevant field as of the priority date of the 484 Patent.

IV. RELEVANT LEGAL STANDARDS

9. I am not an attorney. In preparing and expressing my opinions and considering the subject matter of the 484 Patent, I am relying on certain basic legal

principles that Cisco’s counsel has explained to me, a summary of which can be found in my Initial Declaration.

V. CLAIM CONSTRUCTION

10. As the Institution Decision noted, “Petitioner argues that a [POSITA] would find the challenged claims unpatentable under any interpretation consistent with their plain and ordinary meaning in the context of the 484 patent, so we need not expressly construe the claim terms.” Institution Decision, 9 (internal citations and quotations omitted). Similarly, “Patent Owner argues to the contrary that we should construe the phrase *reconfiguring the communication port* as rearrang[ing] ports of the access point so that data sent from the access device is received by the less-restricted subset of the protected network.” *Id.*, 10 (emphasis added, internal citations and quotations omitted). The Board thus explained that “Patent Owner concludes that the ordinary meaning of reconfiguration is rearranging of the communication ports of a communication device—which is different from a change to the end user device or user identification data.” *Id.* (emphasis added, internal citations and quotations omitted).

11. Ultimately, the Board determined “that the recited *reconfiguring the communication port* at least encompasses **changing the association between the input port and output port** of the access point.” *Id.* (citing Ex.1501, 8:16-21,

9:21-25) (emphasis added, internal citations and quotations omitted). I also note that Dr. Cole states that “configuration of the access point could be done by changing the instructions that correspond to a particular tag header.” EX2565, ¶81.

VI. KRANTZ AND HERRMANN RENDERS OBVIOUS THE CHALLENGED CLAIMS UNDER ANY PROPOSED CLAIM CONSTRUCTION FOR “RECONFIGURING THE COMMUNICATION PORT”

12. In my Initial Declaration, I demonstrated how Krantz in combination with Herrmann discloses the “*reconfiguring the communication port*” limitation. Ex.1503, ¶¶290-304, 344, 376; Second 484 Institution Decision, 15-19. Krantz discloses the claimed “*reconfiguring*” under the Board’s construction and the constructions advanced by InfoExpress (and under any reasonable construction consistent with the specification) for at least two of the mappings, as explained below.

a. Second Mapping

13. In my second mapping, found in paragraphs 294-299, I explained that Krantz demonstrates that “[a]ccess point 209 can be configured as a VLAN aware device and can insert Tag Headers into data frames received from client 205 (or any other computer system on VLAN A) that are to be transferred to VLAN B and/or VLAN C.” Ex.1503, ¶294 (citing Ex.1505, [0064]; *see also* Ex.1505, [0061]). Therefore, I demonstrated that Krantz is explaining that when configured

as a “VLAN aware device,” Krantz’s “access point” is “*reconfiguring the communication port* [i.e., Port 251 of Krantz] *for communicating data between the access device and the less-restricted subset of the protected network*” because Access Point 209 (via Port 251) will insert VLAN Tag Headers into incoming data frames from a client **that may now access VLAN C**, i.e., the “less-restricted subset.” See Ex.1503, ¶295 (citing Ex.1505, [0107]).

14. For the reasons I discussed in my Initial Declaration, the above satisfies the “*reconfiguring the communication port*” limitation under its plain and ordinary meaning. Moreover, the above demonstrates how there is a **change in the instructions provided to a communication port** so that data is transferred to VLAN C instead of VLAN B. In particular, as I explained in my Initial Declaration, Krantz discloses:

When client 205 is authorized to access resources located on VLAN C, access point **209 may enable any protocols that are currently blocked for port 251** and may insert Tag Headers” indicating that data from client 205 is to be transferred to VLAN C [the “*less-restricted subset of the protected network*”]. **Server 215 can send commands to access point 209 to cause access point 209 to enable protocols and cause access point 209 to insert appropriate Tag Headers.**

Ex.1503, ¶296 (emphasis added); Ex.1505, [0107]. Krantz is therefore explaining that Server 215 is “**send[ing] commands**” to change the port’s instructions, which InfoExpress concedes discloses reconfiguration of a communication port. POR, 16; EX2565, ¶81.

15. Krantz’s disclosure is consistent with the disclosure of the Challenged Patent: “In response, Access Control 320 sends appropriate commands to Switch Logic 317. These **commands cause changes in Port 305A**, such that communication from Access Device 230 **is no longer blocked** by ACL 340C and can now be received by elements of Less-restricted Subset 310.” Ex.1501, 9:43-48.

16. Dr. Cole admits that Krantz’s server 215 (“*gatekeeper*”) makes the determination about whether data is from an authorized user. EX2565, ¶79. He also admits that the “access point may insert a different Tag Header into the data frame to label it as corresponding to VLAN C [*“the less-restricted subset”*].” EX2565, ¶79. What Dr. Cole omits from this analysis is that Krantz’s server 215 sends commands to Krantz’s access point when client 205 becomes authorized to access resources on VLAN C, *see* Ex.1505, [0107]—*i.e.*, changes the access point’s instructions so that it operates differently—to “cause access point 209 to insert appropriate Tag Headers.” Ex.1505, [0107]. Krantz thus expressly

teaches “changing how the communication device or ports operate,” EX2565, ¶82, contrary to Dr. Cole’s opinion. He also conceded that that client devices could not insert VLAN Tag Headers at the time based on Tanenbaum, (EX2566, Ex.1527):

Q. Well, let's go to page 334. It says -- 10 I am reading the second paragraph: (Reading) So if the originator does not generate the VLAN fields, who does? **The answer is that the first VLAN-aware bridge or switch to touch a frame adds them** and the last one down the road removes them. See that?

A. I do.

Q. [] This is explaining that a VLAN-aware device may generate VLAN fields, correct?

A. Sorry. Let me just get the context. So -- so this is in the context of sort of the older Ethernet cards. So if you're looking at Paragraph 334, as new Ethernet cards come out on the market, the hope is that they will be 802.1Q compliant and correctly fill in the VLAN fields. So this -- so the originator doesn't generate. It's talking about the older Ethernet cards, but it's saying with the newer cards that are VLAN-aware, the client would sort of fill in that VLAN tag.

Q. Okay. But so -- but you're agreeing with me that a VLAN-aware device can generate a VLAN field, correct?

A. Correct.

Ex.1522, 31:9- 32:15; *see also* EX2566, Ex.1527, 334. The only way that Krantz’s access point 209 would know to change the VLAN tags for given data is if it were

Ex.1528

subsequently instructed or commanded to do so by Server 215—which is what Krantz teaches. Specifically, Krantz at [0107] (above) expressly teaches changing how input port 251 on access point 209 operates by enabling protocols that were blocked. Dr. Cole admits that reconfiguration of a port includes providing instructions to change the operation of a communication port. Ex.1522, 35:12-16 (“Q.[] it's your opinion that you can reconfigure a communication port simply by changing the configuration rules associated with that port. Do I have that right? A. Right.”), 34:7-20 (“Q. Paragraph 81, in the middle of the sentence, you say: (Reading) Reconfiguration of the communication ports themselves could be done by changing the instructions that correspond to a particular tag header. Do you see that? A. Yeah. Q. So you can reconfigure a communication port without physically altering the port itself; is that right? (Witness reviews document.) A. That's what it says.”). This is precisely what Krantz teaches.

17. Accordingly, Krantz's teaching, at a minimum, encompasses **changing the operation** of the input port 251 of access point 209, and is entirely consistent with the Challenged Patent's claimed “*reconfigur[ation]*” of the ports. Moreover, there is **a change to the communication port of an access point** because, as I described in my Initial Declaration, access point 209 may enable protocols currently blocked for Port 251, meaning Port 251 may have been

previously configured to only transfer data to VLAN B and the port was reconfigured (via commands from Server 215) to transfer data to VLAN C by shifting to inserting new VLAN tag headers into incoming data. *See* Ex.1503, ¶¶294-296. This means there was a change to the communication port of the access point itself. Indeed, as discussed previously the changed ability to route data to VLAN C demonstrates that the communication port is in an altered form and/or configured in a new way and with a new association, particularly where specific software protocols are changed/newly enabled. *See id.*

b. Third Mapping

18. As I explained in my Initial Declaration, to the extent one may assert that Krantz does not disclose “*reconfiguring the communication port*”—*i.e.*, Port 251 on Access Point 209—it would have been obvious to do so based on Krantz itself for the reasons already explained with respect to the “*configur[ing]*” element, for example, by combining the functionality of the Data Routing Device and Access Point of Krantz in the same device. *See* Ex.1503, ¶¶302-303 (citing Ex.1503, ¶¶270-278). I further explained how the combined device would “*reconfigure*” as necessary the “*communication port*” for transfer of data from a client that satisfies a security policy from VLAN B to VLAN C. Ex.1503, ¶303. I had also noted that Krantz explained that:

Data routing device 414 logically represents a computer system ... when data routing device 414 receives data from network 411, data routing device 414 can determine if the data is to be transferred to network 412 or network 413. As such, data routing device 414 **can be configured** to allow access to one network (e.g., network 412) while at the same time restricting access to another network (e.g., network 413).

Ex.1503, ¶¶275-276, 303; Ex.1505, [0051]. Moreover, such a “determin[ation]” would be “**based on configuration rules,**” and “[i]t may also be that a data frame is **transferred in and out of data routing device 214 at the same port.**” Ex.1505, [0059]. Krantz’s description at [0051] shows how the data routing device can change its configuration at its input port (i.e., “*reconfigure*”) based on whether a client device is permitted access to one network over another. This is essentially the same as the description associated with the logical associations related to shifting the transfer of data in Figures 3A and 3B and port 305A in the Challenged Patent, as InfoExpress’s expert admitted when describing the transition from Figure 3A to 3B in the Challenged Patent:

Q. [] I guess what the patent is trying to explain here is that because the association of Port 305A has been changed from one VLAN to another VLAN, that communication port has been reconfigured. Do I have that right?

A. That is my understanding, correct. It's been reconfigured, yeah, from 3A to 3B.

Ex.1522, 12:22-13:2.

19. For the reasons I discussed in my Initial Declaration, the above satisfies the *reconfiguring the communication port* limitation under its plain and ordinary meaning because based on **configuration rules**, the access device is reconfigured to transfer to VLAN C instead of, e.g., VLAN B. *See* Ex.1503, ¶303 (citing Ex.1505, [0059] and [0060] (“Data routing device 214 can be configured to transfer both tagged data frames and untagged data frames between the VLANs depicted in FIG. 2.”); Ex.1505, [0064] (“Access point 209 can be configured as a VLAN aware device and can insert Tag Headers into data frames received from client 205 (or any other computer system on VLAN A) that are to be transferred to VLAN B and/or VLAN C.”)).

20. Moreover, there is **a change to the communication port of an access point** because, as I described in my Initial Declaration, **configuration rules** may determine that a data frame is transferred from a first port to a second port or alternatively, it may be determined that a data frame is transferred in and out of data routing device 214 based on what a client is permitted to access. *See* Ex.1503, ¶303. Krantz thus describes how the data routing device can change its configuration (i.e., “*reconfigure*”) depending on whether a client is authorized.

Ex.1528

Cisco Systems, Inc./Fortinet, Inc. / Page 13


IPR2024-00679

This means there was a change to the communication port of the access point itself. Indeed, the changed ability to route data through VLAN C demonstrates that the communication port is in an altered form and/or configured in a new way. *See id.*

21. Finally, I also explained that the combined device would be further enabled to “*reconfigure*” the “*communication port*” for transfer of data from an authenticated client to VLAN C because of the VLAN tagging functionality that I described in detail with respect to my second mapping. Ex.1503, ¶294.

VII. KRANTZ DISCLOSES THE CLAIMED NETWORK

22. InfoExpress contends that “[t]o try and get to ‘subsets,’ Petitioner improperly uses hindsight to transform Krantz’s express teaching of multiple *separate and distinct* networks to force fit Krantz to the Challenged Claims.” POR, 17 (emphasis retained). InfoExpress then depicts a clean copy of Figure 2 of Krantz with the version that I annotated and asserts that “Petitioners [] misrepresent Krantz’s actual disclosure by using the Patent as a blueprint for redrawing Fig. 2 to portray a ‘protected network’ despite Krantz not reciting any ‘protected network.’” POR, 18-19.



POR, 18-19.

23. I did not modify or revise the figure in any way—instead, I annotated the figure to depict the logical components and associations that were the focus of my analysis. Regardless, InfoExpress’s argument is inconsistent with the Challenged Patent and known networking techniques at the time. For example, a POSITA would have understood that the devices in Krantz could be organized in various logical associations regardless of their physical structures or other arbitrary distinctions as to the scope of the network, *see* Ex.1503, ¶¶236-243, as confirmed by InfoExpress’s own documents: *E.g.*, EX2447, pg. 52 (“All the entities in this [Trusted Network Connect] architecture are **logical not physical**. In this architecture an entity can represent either a software or a hardware.”) (emphasis

added); EX2558, pg. 5 (“You can use VLANs (Virtual Local Area Network) to break up your existing LAN into multiple logical segments.”).

24. Logical segmentation of physical pre-existing networks was well-known at the time of the 484 Patent, which notes that “FIG. 2 is a block diagram of a Protected Network 200, according to various embodiments of the invention.

Protected Network 200 is either physically or logically divided into a Restricted Subset 205 and a Less-Restricted Subset 210. Ex.1501, 5:51-54. I understand that Dr. Cole agreed that the claimed “Protected Network” could be physically or logical divided. Ex.1522, 11:4-10. Hence cobbling together physical network components is the very essence of a logical network, and a POSITA would understand that.

25. Moreover, the overview of the 484 Patent explains that it is directed to addressing “the prior art’s *scalability* and bandwidth limit shortcomings.” POR, 2. Scaling up a network necessarily requires adding more devices (e.g., the various VLAN’s in Krantz). Hence, the 484 Patent contemplates the very disclosure of Krantz as found in Figure 2, as I testified. *See, e.g.*, EX2449, 51:11-15. Because the logical grouping in Krantz discloses the protected network, InfoExpress’s arguments that there is no “*less-restricted subset*” of the network fails for the same reason.

26. Additionally, I note that the claim language was not mapped to the internet disclosures of Krantz (which also discloses VLANs, corporate and enterprise networks). Ex.1505, [0060]; Ex.2449, 56:13-57:14, 65:19-66:19; Ex.1522, 14:4-9. The Challenged Patent also discloses that a protected network includes corporate networks. Ex.1501, 6:1-8. In addition, I explained that Krantz and its disclosure of restricting or limiting access “can be implemented using any number of techniques, such as, for example, **Virtual Local Area Networks (“VLANs”), Internet Protocol (“IP”) filtering, Virtual Private Networks (“VPNs), or use of IPSecurity (“IPSec) protocols.”** Ex.1203, ¶236 (citing Ex.1505, [0017]); *see also* Ex.1522, 16:18-18:17. Each of these techniques would be used for the purpose of network security and restricting access to a network, which would be consistent with Krantz’s disclosure—i.e., protecting a network consistent with InfoExpress’s proposed construction. In particular, Krantz discloses “a network environment with implemented security measures to safeguard information from unauthorized access, essentially a secure network that actively protects data and resources through firewalls, access controls, and other security protocols” for the same reasons I explained in my Initial Declaration. Ex.1503, ¶¶236-244.

27. Finally, in Krantz, the “second network”—VLAN C—is a “*less-restricted subset of a protected network*” because it provides “full access to [its] resources” to authorized users (Ex.1505, [0019]), like the “*less-restricted subset of a protected network*” of the 484 Patent. Further, the Challenged Patent explains that “[t]he less-restricted subset being **less restricted** relative to the restricted subset **in terms of what elements may be included in each subset.**” Ex.1501, 5:39-41.

VIII. KRANTZ DISCLOSES APPLYING A SECURITY POLICY TO A DEVICE

28. InfoExpress has asserted that “Krantz ... only discloses user authentication;” not apply a security policy to a device. POR, 22. InfoExpress is wrong for three reasons.

29. First, I understand that InfoExpress’s Expert admits that “user authentication”—including the requirement for usernames and passwords—may be part of apply a security policy audit. Ex.1522, 8:4-16, 9:12-10:9 (“Q. Okay. And so would you agree that in the context of the challenged patents, that user authentication may be considered part of a security policy audit? A. Yes, I would.”). I agree with him, and this is further detailed in the Challenged Patent. Ex.1501, 6:34-42, 12:1-2.

30. Second, Krantz is **not limited** to user authentication as part of its application of a security policy audit. Krantz also discloses “configuration requirements” as part of auditing a device. For example, I explained Krantz’s disclosure is consistent with the disclosure of the 484 Patent that describes requirements related to user identification and passwords or configuration requirements related to the access device (such as aspects of the operating system), (Ex.1501, 6:34-49), or to authenticate an access device, or user, of the access device. Ex.1501, 11:58-12:4; Ex.1503, ¶¶281-283. “Configuration requirements” are disclosed in the Challenged Patent as part of a security audit, Ex.1501, 6:34-49, and I understand that InfoExpress’s expert agrees. Ex.1522, 8:20-9:11.

31. Third, Krantz also discloses machine or client device authentication and authorization—not only user authentication. For example, I previously explained that Krantz discloses that “computer systems can attempt to authenticate with one another.” Ex.1503, ¶283. I relied on contemporaneous evidence (Ex.1517), as well as my own understating as a POSITA, that showed that EAP-TLS and EAP-MSChapV2 were two types of machine or client authentication protocols. Ex.1503, ¶¶283-285. For example, EAP-TLS includes several different methods to authenticate a **client device** to a server. Ex.1516; Ex.1517. Similarly, EAP-MSCHap V2, also discloses the exchange of operating system credentials and

is further described as a way to authenticate a computer using machine certificates. Ex.1503, ¶283 (“The use of EAP-TLS (*e.g.*, Ex.1505, [0067]-[0074], [0100]) was **a known authentication protocol that would be used to authenticate client devices . . .** *See also* Ex.1505, [0099] (describing EAP-MSChap V2).”); *see* Ex.1503, ¶284. Further, the specification for EAP-TLS explicitly references a number of techniques for authenticating a device versus a user. Ex.1516, 1 (“Through the use of EAP, support for a number of authentication schemes may be added, including smart cards, Kerberos, Public Key, One Time Passwords, and others. To date however, EAP methods such as [6] have focused[sic] on authenticating a client to a server.”)

32. I understand that InfoExpress’s expert agreed that the “client” in Krantz is a computer. Ex.1522, 13:23-14.3. Thus, when Krantz explains in [0068] that “[W]hen EAP-TLS is selected, **client 205 may communicate with server 215** through a series of EAP messages in accordance with EAP-TLS **so as to be authenticated and possibly authorized to access resources located on VLAN C,**” Krantz is explaining that it is using EAP-TLS for machine (versus user) authentication techniques to authorize the client 205 computer. Ex.1503, ¶¶283-284. Finally, I also testified that Krantz’s disclosure of these protocols

includes machine certificates that can be submitted as credentials independent of user authentication. EX2449, 185:17-187:15.


IX. CONCLUSION

33. Thus, Krantz and Herrmann discloses these limitations under any plausible and/or articulated construction.

34. Accordingly, Krantz and Herrmann render obvious claims 28, 38-39, 41-43, 53, 57-59, 61-63, and 65-68 for this reason as well.

35. I declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and that these statements were made with knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code.

Date: May 15, 2025

A handwritten signature in black ink, reading "Henry H. Houh". The signature is written in a cursive, slightly slanted style.

Henry Houh, Ph.D.