

Exhibit D-4

Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

The Dyson V10 line and Dyson V11 line¹ (the “V10 and V11 Accused Products”) include each and every limitation of (at least) each of claims 1-7, 12, 14-15 of U.S. Patent No. 10,568,477 (the “’477 Patent” and the “Asserted Claims,” respectively). The limitations of the Asserted Claims of the Asserted Patent are satisfied literally by the V10 and V11 Accused Products, although SharkNinja reserves the right to contend that any claim element found not to be literally embodied by the V10 and V11 Accused Products is present under the doctrine of equivalents because there are no substantial differences for each claim element, and the elements of the V10 and V11 Accused Products perform substantially the same function, in substantially the same way, to achieve substantially the same result as the claimed invention. SharkNinja reserves the right to amend these Infringement Contention charts or assert new theories of infringement, including without limitation by amending or asserting literal infringement or the doctrine of equivalents, in light of the Court’s claim construction or subsequent discovery. SharkNinja reserves the right to supplement, modify, or amend the following preliminary claim charts as discovery continues and in accordance with subsequent events in the litigation.

SharkNinja’s decision to assert claims 1-7, 12, 14-15 of the ’477 Patent, but not other claims is not a concession that the V10 and V11 Accused Products do not infringe other unasserted claims.

An inspection of physical samples of the V10 and V11 Accused Products, along with reviews of Dyson product literature, demonstrates infringement of each and every claim below but a physical sample is impossible to include in this chart; SharkNinja explicitly reserves the right to rely on physical samples, other photos and videos of same, the boxes and manuals included with the V10 and V11 Accused Products in any demonstration of infringement, including any demonstration of the presence of any of the limitations in the chart below. Discovery is just beginning; SharkNinja further explicitly reserves the right and ability to rely on materials yet to be produced by Dyson (or third parties) in order to demonstrate infringement.

SharkNinja reserves the right to rely on the entirety of the material cited in this chart to show infringement. Citations presented for one claim limitation are expressly incorporated by reference into all other limitations for that claim as well as all limitations of all claims on which that claim depends.

¹ The Dyson V10 line and Dyson V11 line are substantively identical in all aspects with respect to SharkNinja’s infringement contentions. Any latent, functional, or mechanical differences between the Dyson V10 line and Dyson V11 line do not impact SharkNinja’s infringement contentions. As such, SharkNinja presents the following infringement contentions for both of Dyson’s vacuum lines using exemplary citations to, and photographs of, Dyson’s V10 line.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
1. A surface cleaning apparatus comprising:	To the extent the preamble is limiting, the Dyson V10 is a surface cleaning apparatus. For example, the below images show a surface cleaning apparatus.  https://www.dyson.com/vacuum-cleaners/cordless/v10/shop-all

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 First-generation Dyson Cyclone V10 Animal (Iron)  Quickly transforms to a handheld Changes to a handheld vacuum cleaner and back again, in just one click.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 Soft touch trigger Designed to allow you to maximize cleaning time by only using battery power when you need it. https://www.dyson.com/outlet/refurbished-vacuum-cleaners/cordless/v10-animal-nickel-iron1
(a) an air flow path from a dirty air inlet to a clean air outlet and including a suction motor;	The Dyson V10 includes an air flow path from a dirty air inlet to a clean air outlet and including a suction motor. For example, the below images show an air flow path from a dirty air inlet to a clean air outlet and including a suction motor.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 Photo of Dyson Cyclone V10 Animal + (annotated).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 Photo of Dyson Cyclone V10 Animal + (annotated).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 Powered by the Dyson digital motor V10 Even stronger suction to pick up more dust and debris.**  Whole-machine filtration The fully-sealed filtration system traps 99.99% of particles as small as 0.3 microns – expelling cleaner air.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 Acoustically engineered. Designed to absorb vibrations and dampen sound, to keep sound levels down. https://www.dyson.com/outlet/refurbished-vacuum-cleaners/cordless/v10-animal-nickel-iron1 (showing position of the motor).
(b) an air treatment member comprising a dirt collection region having an openable door;	The Dyson V10 includes an air treatment member comprising a dirt collection region having an openable door. For example, the below images show an air treatment member comprising a dirt collection region having an openable door.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 dirt collection region openable door air treatment member Photo of Dyson Cyclone V10 Animal + (annotated).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	Dyson Cyclone V10 Operating Manual https://www.dyson.com/content/dam/dyson/maintenance/user-guides/en_US/vacuumcleaners/cordlessstickvacuums/sv12/244393-01.pdf (accessed October 2, 2023) (showing openable door).
(c) an accessory removably connectable to the dirty air inlet wherein, when the accessory is connected to the dirty air inlet, the openable door is inhibited from opening; and,	The Dyson V10 includes an accessory removably connectable to the dirty air inlet wherein, when the accessory is connected to the dirty air inlet, the openable door is inhibited from opening. For example, the below images show an accessory removably connectable to the dirty air inlet wherein, when the accessory is connected to the dirty air inlet, the openable door is inhibited from opening.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


<u>Claim Element</u>	<u>U.S. Patent No. 10,568,477</u> <u>Dyson V10</u>
	 Dyson Cyclone V10 Operating Manual https://www.dyson.com/content/dam/dyson/maintenance/user-guides/en_US/vacuumcleaners/cordlessstickvacuums/sv12/244393-01.pdf (accessed October 2, 2023) (showing that attached accessory must be removed prior to opening the door).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	accessory is connected to the dirty air inlet openable door inhibited from opening flap is inhibited from moving Photo of Dyson Cyclone V10 Animal + (annotated).
(d) an openable door lock comprising a lock engaging member and a	The Dyson V10 includes an openable door lock comprising a lock engaging member and a door release actuator drivingly connected to the lock engaging member, the lock engaging member moveable between an engaged position in which the lock engaging member secures the openable door in a closed

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
door release actuator drivingly connected to the lock engaging member, the lock engaging member moveable between an engaged position in which the lock engaging member secures the openable door in a closed position and a disengaged position in which the openable door is openable wherein the lock engaging member is inhibited from moving to the disengaged position when the accessory is connected to the dirty air inlet.	position and a disengaged position in which the openable door is openable wherein the lock engaging member is inhibited from moving to the disengaged position when the accessory is connected to the dirty air inlet. For example, the below images show an openable door lock comprising a lock engaging member and a door release actuator drivingly connected to the lock engaging member, the lock engaging member moveable between an engaged position in which the lock engaging member secures the openable door in a closed position and a disengaged position in which the openable door is openable wherein the lock engaging member is inhibited from moving to the disengaged position when the accessory is connected to the dirty air inlet.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 lock engagement member in the disengaged position Photo of Dyson Cyclone V10 Animal + (annotated).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 lock engagement member in the engaged position door release actuator Photo of Dyson Cyclone V10 Animal + (annotated).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


<u>Claim Element</u>	<u>U.S. Patent No. 10,568,477</u>
	<u>Dyson V10</u>  Dyson Cyclone V10 Operating Manual https://www.dyson.com/content/dam/dyson/maintenance/user-guides/en_US/vacuumcleaners/cordlessstickvacuums/sv12/244393-01.pdf (accessed October 2, 2023) (showing that attached accessory must be removed prior to opening the door).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


<u>Claim Element</u>	<u>U.S. Patent No. 10,568,477</u> <u>Dyson V10</u>
	 accessory is connected to the dirty air inlet openable door inhibited from opening flap is inhibited from moving Photo of Dyson Cyclone V10 Animal + (annotated).
2. The surface cleaning apparatus of claim 1 further comprising a	The Dyson V10 includes a surface cleaning apparatus further comprising a front end having the dirty air inlet and the openable door is provided on the front end.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


<u>Claim Element</u>	<u>U.S. Patent No. 10,568,477</u> <u>Dyson V10</u>
front end having the dirty air inlet and the openable door is provided on the front end.	For example, the below images show a surface cleaning apparatus further comprising a front end having the dirty air inlet and the openable door is provided on the front end.  Dyson Cyclone V10 Operating Manual https://www.dyson.com/content/dam/dyson/maintenance/user-guides/en_US/vacuumcleaners/cordlessstickvacuums/sv12/244393-01.pdf (accessed October 2, 2023) (annotated).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 Photo of Dyson Cyclone V10 Animal + (annotated).
3. The surface cleaning apparatus of claim 1 wherein the accessory is	The Dyson V10 includes a surface cleaning apparatus wherein the accessory is removably mounted to the dirty air inlet.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


<u>Claim Element</u>	<u>U.S. Patent No. 10,568,477</u> <u>Dyson V10</u>
removably mounted to the dirty air inlet.	For example, the below images show a surface cleaning apparatus wherein the accessory is removably mounted to the dirty air inlet.  Dyson Cyclone V10 Operating Manual https://www.dyson.com/content/dam/dyson/maintenance/user-guides/en_US/vacuumcleaners/cordlessstickvacuums/sv12/244393-01.pdf (accessed October 2, 2023) (annotated).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 Photo of Dyson Cyclone V10 Animal +
4. The surface cleaning apparatus of claim 1 wherein, when the accessory is connected to the dirty air inlet, the accessory physically inhibits the openable door from opening.	The Dyson V10 includes a surface cleaning apparatus wherein, when the accessory is connected to the dirty air inlet, the accessory physically inhibits the openable door from opening. For example, the below images show a surface cleaning apparatus wherein, when the accessory is connected to the dirty air inlet, the accessory physically inhibits the openable door from opening. For example, the structure pointed here in green arrow holds the dirty air inlet and prevents it from sliding in relation to the dirt collection chamber when the attachment is attached and thus physically inhibits the openable door from opening.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 Photo of Dyson Cyclone V10 Animal + (annotated).
5. The surface cleaning apparatus of claim 4 wherein, when the	The Dyson V10 includes a surface cleaning apparatus wherein, when the accessory is connected to the dirty air inlet, the accessory overlies a portion of the openable door.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
accessory is connected to the dirty air inlet, the accessory overlies a portion of the openable door.	For example, the below images show a surface cleaning apparatus wherein, when the accessory is connected to the dirty air inlet, the accessory overlies a portion of the openable door.  The image shows a close-up of the dirty air inlet of a Dyson Cyclone V10 Animal vacuum. A purple and grey motorized tube (the accessory) is inserted into the inlet. Three yellow arrows with labels point to specific parts: 'accessory' points to the grey section of the tube; 'overlying portion' points to the red, semi-circular flap that covers the inlet; and 'openable door' points to the clear plastic housing surrounding the inlet. The background is a dark, textured surface. Photo of Dyson Cyclone V10 Animal + (annotated).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
6. The surface cleaning apparatus of claim 5 wherein, when the accessory is connected to the dirty air inlet, the accessory abuts a portion of the openable door.	The Dyson V10 includes a surface cleaning apparatus wherein, when the accessory is connected to the dirty air inlet, the accessory abuts a portion of the openable door. For example, the below images show a surface cleaning apparatus wherein, when the accessory is connected to the dirty air inlet, the accessory abuts a portion of the openable door.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 accessory openable door Photo of Dyson Cyclone V10 Animal + (annotated).
7. The surface cleaning apparatus of claim 1 wherein the accessory	The Dyson V10 includes a surface cleaning apparatus wherein the accessory has a blocking portion which inhibits the lock engaging member moving to the disengaged position when the accessory is connected to the dirty air inlet.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
has a blocking portion which inhibits the lock engaging member moving to the disengaged position when the accessory is connected to the dirty air inlet.	For example, the below images show a surface cleaning apparatus wherein the accessory has a blocking portion which inhibits the lock engaging member moving to the disengaged position when the accessory is connected to the dirty air inlet.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 lock engagement member in the disengaged position Photo of Dyson Cyclone V10 Animal + (annotated).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 lock engagement member in the engaged position door release actuator Photo of Dyson Cyclone V10 Animal + (annotated).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


<u>Claim Element</u>	<u>U.S. Patent No. 10,568,477</u> <u>Dyson V10</u>
	 Dyson Cyclone V10 Operating Manual https://www.dyson.com/content/dam/dyson/maintenance/user-guides/en_US/vacuumcleaners/cordlessstickvacuums/sv12/244393-01.pdf (accessed October 2, 2023) (showing that attached accessory must be removed prior to opening the door).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


	<u>U.S. Patent No. 10,568,477</u>
<u>Claim Element</u>	<u>Dyson V10</u>
	 accessory is connected to the dirty air inlet openable door inhibited from opening flap is inhibited from moving Photo of Dyson Cyclone V10 Animal + (annotated).
12. The surface cleaning apparatus of claim 1 wherein the accessory is	The Dyson V10 includes a surface cleaning apparatus wherein the accessory is a longitudinally extending rigid member air flow member, an accessory cleaning tool, or a flexible hose.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
a longitudinally extending rigid member air flow member, an accessory cleaning tool, or a flexible hose.	For example, the below images show a surface cleaning apparatus wherein the accessory is a longitudinally extending rigid member air flow member, an accessory cleaning tool, or a flexible hose.  Photo of Dyson Cyclone V10 Animal +.
14. A surface cleaning apparatus comprising:	To the extent the preamble is limiting, the Dyson V10 is a surface cleaning apparatus. For example, the below images show a surface cleaning apparatus.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 https://www.dyson.com/vacuum-cleaners/cordless/v10/shop-all

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 First-generation Dyson Cyclone V10 Animal (Iron)  Quickly transforms to a handheld Changes to a handheld vacuum cleaner and back again, in just one click.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 Soft touch trigger Designed to allow you to maximize cleaning time by only using battery power when you need it. https://www.dyson.com/outlet/refurbished-vacuum-cleaners/cordless/v10-animal-nickel-iron1
(a) an air flow path from a dirty air inlet to a clean air outlet and including a suction motor;	The Dyson V10 includes an air flow path from a dirty air inlet to a clean air outlet and including a suction motor. For example, the below images show an air flow path from a dirty air inlet to a clean air outlet and including a suction motor.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 Photo of Dyson Cyclone V10 Animal + (annotated).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 Photo of Dyson Cyclone V10 Animal + (annotated).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 Powered by the Dyson digital motor V10 Even stronger suction to pick up more dust and debris.**  Whole-machine filtration The fully-sealed filtration system traps 99.99% of particles as small as 0.3 microns – expelling cleaner air.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 Acoustically engineered. Designed to absorb vibrations and dampen sound, to keep sound levels down. https://www.dyson.com/outlet/refurbished-vacuum-cleaners/cordless/v10-animal-nickel-iron1 (showing position of the motor).
(b) an air treatment member comprising a dirt collection region having an openable door;	The Dyson V10 includes an air treatment member comprising a dirt collection region having an openable door. For example, the below images show an air treatment member comprising a dirt collection region having an openable door.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 The image shows a side view of a Dyson Cyclone V10 Animal stick vacuum. The main body is a clear, cylindrical dust bin. At the front (left), there is a circular opening. Three yellow arrows point to specific parts: one points to the top of the dust bin labeled 'dirt collection region', one points to the circular opening labeled 'openable door', and one points to a red, pleated filter located behind the dust bin labeled 'air treatment member'. The vacuum is resting on a dark, textured surface. Photo of Dyson Cyclone V10 Animal + (annotated).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


U.S. Patent No. 10,568,477	
Claim Element	Dyson V10
	

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	Dyson Cyclone V10 Operating Manual https://www.dyson.com/content/dam/dyson/maintenance/user-guides/en_US/vacuumcleaners/cordlessstickvacuums/sv12/244393-01.pdf (accessed October 2, 2023) (showing openable door).
(c) an accessory removably connectable in air flow communication with the dirty air inlet; and,	The Dyson V10 includes an accessory removably connectable in air flow communication with the dirty air inlet. For example, the below images an accessory removably connectable in air flow communication with the dirty air inlet.  Dyson Cyclone V10 Operating Manual https://www.dyson.com/content/dam/dyson/maintenance/user-guides/en_US/vacuumcleaners/cordlessstickvacuums/sv12/244393-01.pdf (accessed October 2, 2023) (annotated).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 Photo of Dyson Cyclone V10 Animal + (annotated).
(d) an openable door lock comprising a lock engaging member and a	The Dyson V10 includes an openable door lock comprising a lock engaging member and a door release actuator drivingly connected to the lock engaging member, the lock engaging member is moveable between an engaged position in which the lock engaging member secures the openable door in a closed

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
door release actuator drivingly connected to the lock engaging member, the lock engaging member is moveable between an engaged position in which the lock engaging member secures the openable door in a closed position and a disengaged position in which the openable door is openable wherein the lock engaging member is inhibited from moving to the disengaged position when the accessory is connected in air flow communication with the dirty air inlet.	position and a disengaged position in which the openable door is openable wherein the lock engaging member is inhibited from moving to the disengaged position when the accessory is connected in air flow communication with the dirty air inlet. For example, the below images show an openable door lock comprising a lock engaging member and a door release actuator drivingly connected to the lock engaging member, the lock engaging member is moveable between an engaged position in which the lock engaging member secures the openable door in a closed position and a disengaged position in which the openable door is openable wherein the lock engaging member is inhibited from moving to the disengaged position when the accessory is connected in air flow communication with the dirty air inlet.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 lock engagement member in the disengaged position Photo of Dyson Cyclone V10 Animal + (annotated).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 lock engagement member in the engaged position door release actuator Photo of Dyson Cyclone V10 Animal + (annotated).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


<u>Claim Element</u>	<u>U.S. Patent No. 10,568,477</u> <u>Dyson V10</u>
	 Dyson Cyclone V10 Operating Manual https://www.dyson.com/content/dam/dyson/maintenance/user-guides/en_US/vacuumcleaners/cordlessstickvacuums/sv12/244393-01.pdf (accessed October 2, 2023) (showing that attached accessory must be removed prior to opening the door).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	accessory is connected to the dirty air inlet openable door inhibited from opening flap is inhibited from moving  Photo of Dyson Cyclone V10 Animal + (annotated).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
15. The surface cleaning apparatus of claim 14 wherein the accessory has a blocking portion which inhibits the lock engaging member moving to the disengaged position when the accessory is connected to the dirty air inlet.	The Dyson V10 includes a surface cleaning apparatus wherein the accessory has a blocking portion which inhibits the lock engaging member moving to the disengaged position when the accessory is connected to the dirty air inlet. For example, the below images show includes a surface cleaning apparatus wherein the accessory has a blocking portion which inhibits the lock engaging member moving to the disengaged position when the accessory is connected to the dirty air inlet.

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477


<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	 blocking portion Photo of Dyson Cyclone V10 Animal + (annotated).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477



<u>Claim Element</u>	<u>U.S. Patent No. 10,568,477</u>
	<u>Dyson V10</u>  Dyson Cyclone V10 Operating Manual https://www.dyson.com/content/dam/dyson/maintenance/user-guides/en_US/vacuumcleaners/cordlessstickvacuums/sv12/244393-01.pdf (accessed October 2, 2023) (showing that attached accessory must be removed prior to opening the door).

Exhibit D-4
Claim Chart Comparing the Dyson V10 line and Dyson V11 line to U.S. Patent No. 10,568,477

<u>U.S. Patent No. 10,568,477</u>	
<u>Claim Element</u>	<u>Dyson V10</u>
	accessory is connected to the dirty air inlet openable door inhibited from opening flap is inhibited from moving  Photo of Dyson Cyclone V10 Animal + (annotated).