

(12) **United States Patent**
Robinson et al.

(10) **Patent No.:** **US 8,200,980 B1**
(45) **Date of Patent:** **Jun. 12, 2012**

(54) **SYSTEM AND METHOD FOR ENROLLING IN A BIOMETRIC SYSTEM**

(75) Inventors: **Timothy L. Robinson**, Reston, VA (US);
Bradford R. Schildt, Boulder, CO (US);
Tennille V. Goff, Springfield, VA (US);
Daniel J. Corwin, Ashburn, VA (US)

(73) Assignee: **Open Invention Network, LLC**,
Durham, NC (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 1141 days.

(21) Appl. No.: **10/861,864**

(22) Filed: **Jun. 7, 2004**

Related U.S. Application Data

(63) Continuation-in-part of application No. 10/743,189, filed on Dec. 23, 2003, now Pat. No. 7,367,049, which is a continuation-in-part of application No. 10/678,646, filed on Oct. 6, 2003, which is a continuation-in-part of application No. 10/251,305, filed on Sep. 20, 2002, now Pat. No. 7,269,737.

(60) Provisional application No. 60/324,229, filed on Sep. 21, 2001.

(51) **Int. Cl.**
G06F 21/00 (2006.01)

(52) **U.S. Cl.** **713/186**

(58) **Field of Classification Search** **713/186**
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,230,214 A 10/1980 Cortez
4,359,631 A 11/1982 Lockwood et al.

4,553,222 A 11/1985 Kurland et al.
4,716,593 A 12/1987 Hirai et al.
4,879,747 A 11/1989 Leighton et al.
4,915,205 A 4/1990 Reid et al.
4,995,081 A 2/1991 Leighton et al.
5,042,073 A 8/1991 Collot et al.
5,086,389 A 2/1992 Hassett et al.
5,144,553 A 9/1992 Hassett et al.
5,274,695 A 12/1993 Green
5,280,527 A 1/1994 Gullman et al.
5,289,183 A 2/1994 Hassett et al.
5,335,288 A 8/1994 Faulkner
5,351,187 A 9/1994 Hassett
5,352,876 A 10/1994 Watanabe et al.
5,386,104 A 1/1995 Sime
5,412,738 A 5/1995 Brunelli et al.
5,450,980 A 9/1995 Laidlaw
5,453,601 A 9/1995 Rosen
5,455,407 A 10/1995 Rosen
5,483,601 A 1/1996 Faulkner
5,485,510 A 1/1996 Colbert
5,523,551 A 6/1996 Scott
5,546,523 A 8/1996 Gatto
5,581,630 A 12/1996 Bonneau, Jr.

(Continued)

OTHER PUBLICATIONS

MophoTouch™—Multi-Application Finger Identification in the Palm of Your Hand, Sagem Mopho, Inc., 1999.

(Continued)


Primary Examiner — Michael S McNally

(74) Attorney, Agent, or Firm — Williams Mullen

(57) **ABSTRACT**

A system and method for enrolling in a biometric authorization system. A system user may be authorized to enroll by providing biometric data from both his person and a third party token.

18 Claims, 4 Drawing Sheets



US 8,200,980 B1

Page 2

U.S. PATENT DOCUMENTS

5,594,806	A	1/1997	Colbert	6,327,573	B1	12/2001	Walker et al.
5,598,474	A	1/1997	Johnson	6,330,543	B1	12/2001	Kepecs
5,602,933	A	2/1997	Blackwell et al.	6,332,134	B1	12/2001	Foster
5,613,012	A	3/1997	Hoffman et al.	6,334,109	B1	12/2001	Kanevsky et al.
5,615,217	A	3/1997	Horne et al.	6,334,112	B1	12/2001	Walker et al.
5,615,277	A	3/1997	Hoffman	6,334,113	B1	12/2001	Walker et al.
5,657,389	A	8/1997	Houvenner	6,341,169	B1	1/2002	Cadorette, Jr. et al.
5,679,938	A	10/1997	Templeton et al.	6,345,263	B1	2/2002	Matsumoto et al.
5,688,974	A	11/1997	Devine et al.	6,363,485	B1	3/2002	Adams et al.
5,696,739	A	12/1997	Chang	6,366,682	B1	4/2002	Hoffman et al.
5,719,950	A	2/1998	Osten et al.	6,370,649	B1	4/2002	Angelo et al.
5,722,526	A	3/1998	Sharrard	6,381,344	B1	4/2002	Smithies et al.
5,737,439	A	4/1998	Lapsley et al.	6,389,401	B1	5/2002	Kepecs
5,745,598	A	4/1998	Shaw et al.	6,397,126	B1	5/2002	Nelson
5,751,973	A	5/1998	Hassett	6,397,198	B1	5/2002	Hoffman et al.
5,764,789	A	6/1998	Pare, Jr. et al.	6,405,125	B1	6/2002	Ayed
5,790,674	A	8/1998	Houvenner et al.	6,415,262	B1	7/2002	Walker et al.
5,790,785	A	8/1998	Klug et al.	6,422,464	B1	7/2002	Terranova
5,799,092	A	8/1998	Kristol et al.	6,424,249	B1	7/2002	Houvenner
5,802,199	A	9/1998	Pare, Jr. et al.	6,433,818	B1	8/2002	Steinberg et al.
5,805,082	A	9/1998	Hassett	6,446,044	B1	9/2002	Luth et al.
5,805,719	A	9/1998	Pare, Jr. et al.	6,463,127	B1	10/2002	Maier et al.
5,832,464	A	11/1998	Houvenner et al.	6,466,917	B1	10/2002	Goyal et al.
5,838,812	A	11/1998	Pare, Jr. et al.	6,470,233	B1	10/2002	Johnson, Jr.
5,845,256	A	12/1998	Pescitelli et al.	6,470,322	B1	10/2002	Walker et al.
5,850,442	A	12/1998	Muftic	6,477,509	B1	11/2002	Hammons et al.
5,857,079	A	1/1999	Claus et al.	6,496,595	B1	12/2002	Puchek et al.
5,864,623	A	1/1999	Messina et al.	6,497,360	B1	12/2002	Schulze
5,870,723	A	2/1999	Pare, Jr. et al.	6,498,970	B2	12/2002	Colmenarez et al.
5,872,834	A	2/1999	Teitelbaum	6,507,912	B1	1/2003	Matyas et al.
5,893,075	A	4/1999	Plainfield et al.	6,522,772	B1	2/2003	Morrison et al.
5,897,616	A	4/1999	Kanevsky et al.	6,523,741	B1	2/2003	DiMaria et al.
5,914,472	A	6/1999	Foladare et al.	6,529,871	B1	3/2003	Kanevsky et al.
5,927,544	A	7/1999	Kanoh et al.	6,529,878	B2	3/2003	De Rafael et al.
5,930,804	A	7/1999	Yu et al.	6,532,459	B1	3/2003	Berson
5,933,816	A	8/1999	Zeanah et al.	6,539,282	B2	3/2003	Metcalf et al.
5,943,423	A	8/1999	Muftic	6,542,874	B1	4/2003	Walker
5,982,914	A	11/1999	Lee et al.	6,554,705	B1	4/2003	Cumbers
5,984,366	A	11/1999	Priddy	6,559,776	B2	5/2003	Katz
6,009,411	A	12/1999	Kepecs	6,567,787	B1	5/2003	Walker et al.
6,012,039	A	1/2000	Hoffman et al.	6,581,042	B2	6/2003	Pare et al.
6,018,739	A *	1/2000	McCoy et al. 707/102	6,591,224	B1	7/2003	Sullivan et al.
6,028,950	A	2/2000	Merjanian	6,594,376	B2	7/2003	Hoffman et al.
6,040,783	A	3/2000	Houvenner et al.	6,636,973	B1	10/2003	Novoa et al.
D425,800	S	5/2000	Shin	6,646,568	B2	11/2003	MacPhail et al.
6,061,660	A	5/2000	Eggleston et al.	6,647,372	B1	11/2003	Brady et al.
6,070,141	A	5/2000	Houvenner et al.	6,650,999	B1	11/2003	Brust et al.
6,070,147	A	5/2000	Harms et al.	6,651,063	B1	11/2003	Vorobiev
6,092,192	A	7/2000	Kanevsky et al.	6,653,946	B1	11/2003	Hassett
6,094,632	A	7/2000	Hattori	6,655,585	B2	12/2003	Shinn
6,105,010	A	8/2000	Musgrave	6,662,166	B2	12/2003	Pare et al.
6,119,932	A	9/2000	Maloney et al.	6,685,088	B1	2/2004	Royer et al.
6,125,192	A *	9/2000	Bjorn et al. 382/124	6,694,300	B1	2/2004	Walker et al.
6,148,091	A	11/2000	DiMaria	6,695,206	B2	2/2004	Ross
6,149,055	A	11/2000	Gatto	6,715,673	B2	4/2004	Fulcher et al.
6,154,879	A	11/2000	Pare, Jr. et al.	6,715,674	B2	4/2004	Schneider et al.
6,157,314	A	12/2000	Lofthus	6,748,365	B1	6/2004	Quinlan et al.
6,160,903	A	12/2000	Hamid et al.	6,755,344	B1	6/2004	Mollett et al.
6,161,059	A	12/2000	Tedesco et al.	6,758,394	B2	7/2004	Maskatiya et al.
6,161,090	A	12/2000	Kanevsky et al.	6,792,334	B2	9/2004	Metcalf et al.
6,175,922	B1	1/2001	Wang	6,792,422	B1	9/2004	Stride et al.
6,181,807	B1	1/2001	Setlak et al.	6,796,492	B1	9/2004	Gatto
6,192,142	B1	2/2001	Pare, Jr. et al.	6,796,499	B1	9/2004	Wang
6,196,460	B1	3/2001	Shin	6,827,260	B2	12/2004	Stoutenburg et al.
6,222,914	B1	4/2001	McMullin	6,854,642	B2	2/2005	Metcalf et al.
6,230,148	B1	5/2001	Pare, Jr. et al.	6,865,544	B1	3/2005	Austin
6,233,564	B1	5/2001	Schulze, Jr.	6,873,969	B2	3/2005	Stone et al.
6,246,751	B1	6/2001	Bergl et al.	6,886,742	B2	5/2005	Stoutenburg et al.
6,256,737	B1 *	7/2001	Bianco et al. 713/186	6,935,559	B2	8/2005	Mollett et al.
6,269,348	B1	7/2001	Pare, Jr. et al.	7,630,986	B1	12/2009	Herz et al.
6,282,658	B2	8/2001	French et al.	2001/0000535	A1	4/2001	Lapsley et al.
6,307,955	B1	10/2001	Zank et al.	2001/0011680	A1	8/2001	Soltész et al.
6,307,956	B1	10/2001	Black	2001/0025245	A1	9/2001	Flickinger et al.
6,310,966	B1	10/2001	Dulude et al.	2001/0034609	A1	10/2001	Dovolis
6,314,169	B1	11/2001	Schelberg, Jr. et al.	2001/0042022	A1	11/2001	Kirkpatrick et al.
6,317,723	B1	11/2001	Walker et al.	2001/0047223	A1	11/2001	Metcalf et al.
6,317,834	B1	11/2001	Gennaro et al.	2001/0047343	A1	11/2001	Dahan et al.
6,321,339	B1	11/2001	French et al.	2002/0019811	A1	2/2002	Lapsley et al.
				2002/0029196	A1	3/2002	Metcalf et al.

US 8,200,980 B1

Page 3

2002/0030584	A1 *	3/2002	Perler et al.	340/5.53	2003/0130954	A1	7/2003	Carr et al.	
2002/0038165	A1	3/2002	McHale, IV et al.		2003/0144956	A1	7/2003	Yu et al.	
2002/0046121	A1	4/2002	Walker et al.		2003/0150907	A1	8/2003	Metcalf et al.	
2002/0062249	A1	5/2002	Iannacci		2003/0183689	A1	10/2003	Swift et al.	
2002/0077889	A1	6/2002	Kolls		2003/0187790	A1	10/2003	Swift et al.	
2002/0077890	A1	6/2002	LaPointe et al.		2003/0187796	A1	10/2003	Swift et al.	
2002/0077902	A1	6/2002	Marcus		2003/0191709	A1	10/2003	Elston et al.	
2002/0087413	A1	7/2002	Mahaffy et al.		2003/0209599	A1	11/2003	Gatto	
2002/0091537	A1	7/2002	Algazi		2003/0216967	A1	11/2003	Williams	
2002/0094111	A1	7/2002	Puchek et al.		2003/0216987	A1	11/2003	Mollett et al.	
2002/0107965	A1 *	8/2002	Piccionelli	709/225	2003/0222135	A1	12/2003	Stoutenburg et al.	
2002/0111917	A1	8/2002	Hoffman et al.		2003/0229539	A1	12/2003	Algiene	
2002/0112177	A1 *	8/2002	Voltmer et al.	713/200	2003/0229540	A1	12/2003	Algiene	
2002/0116266	A1	8/2002	Marshall		2003/0229790	A1	12/2003	Russell	
2002/0128851	A1	9/2002	Chefalas et al.		2003/0236704	A1	12/2003	Antonucci	
2002/0147588	A1 *	10/2002	Davis et al.	704/246	2004/0012481	A1	1/2004	Brusseau	
2002/0148892	A1	10/2002	Bardwell		2004/0020982	A1	2/2004	Hoffman et al.	
2002/0149467	A1 *	10/2002	Calvesio et al.	340/5.52	2004/0024672	A1	2/2004	Brake et al.	
2002/0153414	A1	10/2002	Stoutenburg et al.		2004/0039632	A1	2/2004	Han et al.	
2002/0154793	A1 *	10/2002	Hillhouse et al.	382/115	2004/0054587	A1	3/2004	Dev et al.	
2002/0161629	A1	10/2002	Jentoft		2004/0083172	A1	4/2004	Wiederin	
2002/0162031	A1	10/2002	Levin et al.		2004/0088232	A1	5/2004	Minnis, Jr.	
2002/0173986	A1	11/2002	Lehew et al.		2004/0088295	A1	5/2004	Glazer et al.	
2002/0178063	A1	11/2002	Gravelle et al.		2004/0143505	A1	7/2004	Kovach	
2002/0194128	A1	12/2002	Maritzen et al.		2004/0155101	A1	8/2004	Royer et al.	
2002/0196963	A1	12/2002	Bardwell		2004/0158524	A1	8/2004	Anderson et al.	
2003/0006277	A1 *	1/2003	Maskatiya et al.	235/379	2004/0192434	A1	9/2004	Walker et al.	
2003/0009382	A1	1/2003	D'Arbeloff et al.		2004/0201520	A1	10/2004	Flick	
2003/0009393	A1	1/2003	Norris		2004/0215565	A1	10/2004	Huffman	
2003/0018522	A1	1/2003	Denimarck et al.		2004/0254840	A1	12/2004	Slemmer et al.	
2003/0018567	A1	1/2003	Flitcroft et al.		2005/0010478	A1	1/2005	Gravelle	
2003/0034876	A1	2/2003	Puchek et al.		2005/0055582	A1	3/2005	Bazakos et al.	
2003/0046228	A1	3/2003	Berney		2005/0144133	A1	6/2005	Hoffman et al.	
2003/0046542	A1 *	3/2003	Chen et al.	713/176	2005/0152598	A1 *	7/2005	Birchbauer et al.	382/170
2003/0055727	A1	3/2003	Walker et al.						
2003/0067396	A1	4/2003	Hassett						
2003/0075287	A1	4/2003	Weik						
2003/0076417	A1	4/2003	Thomas et al.						
2003/0090473	A1	5/2003	Joshi						
2003/0105725	A1	6/2003	Hoffman						
2003/0126448	A1 *	7/2003	Russo	713/186					

OTHER PUBLICATIONS

Washington Post—For Dining in, Security Is the Order of the Day;
Post 9/11 Concerns Thwarting Deliverymen: [Final Edition], 2004.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4

1

SYSTEM AND METHOD FOR ENROLLING IN A BIOMETRIC SYSTEM

This application is a continuation-in-part of application Ser. No. 10/743,189, filed Dec. 23, 2003, now U.S. Pat. No. 7,367,049 which is a continuation-in-part of application Ser. No. 10/678,646, filed Oct. 6, 2003, which is a continuation-in-part of application Ser. No. 10/251,305, filed Sep. 20, 2002, now U.S. Pat. No. 7,269,737 which claims domestic priority from provisional application No. 60/324,229, filed Sep. 21, 2001. Each above-identified application is incorporated by reference herein, in its entirety, for all purposes.

FIELD OF THE INVENTION

This application relates generally to a system and method of enrollment into a biometric authorization system. More particularly, the present invention relates to a system and method for utilizing registered biometric data to enroll in a biometric authorization system.

BACKGROUND OF THE INVENTION

Generally, systems that provide biometric authorization for verifying an individual's identity, verifying an individual's age, or authorizing a financial transaction require that a system user undergo an enrollment. In an enrollment, the individual typically presents identity verifying information, documents to attest to his true identity, and one or more biometric scans. After enrollment, a user is free to conduct transactions in the system. What is needed are systems and methods that increase the level of enrollment of users in a biometric authorization system.

SUMMARY OF THE INVENTION

The present invention addresses the aforementioned needs by providing a method of allowing individuals to enroll in a biometric authorization system by employing previously registered biometric data. The present invention provides a flexible process by which information registered in a third party system is employed to enroll an individual in a biometric authorization system.

BRIEF SUMMARY OF THE DRAWINGS

FIG. 1 illustrates an overview of the general architecture of a system for enrolling a system user in a biometric system according to an embodiment of the present invention.

FIG. 2 illustrates a flowchart of a process for enrollment in a biometric authorization system by utilizing previously registered biometric data.

FIG. 3 illustrates a flowchart of a process for self-contained enrollment in a biometric authorization system.

FIG. 4 illustrates a flowchart of a process for distributed enrollment in a biometric authorization system.

DETAILED DESCRIPTION OF THE INVENTION

Additional objects and advantages of the present invention will be apparent in the following detailed description read in conjunction with the accompanying drawing figures.

As previously noted, the present invention encompasses a system and method for enrolling user information into a system for verifying identity through tokenless or token-based biometric authorization. The disclosed enrollment method allows a user to utilize biometric information associated with

2

a third party token to enroll in a biometric authorization system. The system may be configured to accept a variety of tokens linked with various forms of biometric information. In one scenario, the system acquires user biometric information that is stored on the token itself. For example, a driver's license may store fingerprint information in a magnetic stripe, a credit card may have an image of the user printed on its surface, or a smartcard may have a biometric template stored in an embedded chip. In another scenario, the system utilizes the token to locate biometric information archived at a third party location. For instance, a database for the Department of Motor Vehicles may have a user's fingerprint information on record and by presenting his driver's license, a user may authorize the system to access this information. Alternatively, the system may be configured to accept biometric information from more than one user token, thus further verifying the identity of the user by comparing user biometric information held on a multiple of tokens for user biometric verification.

The system user presents his token in conjunction with a scan of his biometric at an enrollment station. In one scenario, the system receives biometric data from one or more biometric tokens. In addition to the token biometric data, the user presents biometric data by means of a biometric input device. The biometric data can include a fingerprint scan, an iris scan, a facial scan, a voice scan, a retinal scan, hand architecture, a DNA sample, or any other physical measurement pertaining to a user's person.

The biometric data acquired by means of the token is compared to the biometric data received from the user. If the biometric data matches, the system user is enrolled in the system. The system then stores the biometric data in a user record to be employed at subsequent biometric authorizations. In general, the system may store the user biometric data, token biometric data, or the best biometric data provided. Alternatively, the system may be configured to combine received biometric data with token data and store this composite data. A biometric authorization generally refers to an authorization in which the user provides biometric data to be matched against a biometric record in a database. For example, a user may undergo biometric authorization to complete a financial transaction or to gain access to an age-restricted location. As would be appreciated, the location of the database as well as the specific mechanism by which the biometric data is matched to a particular biometric record would be implementation dependent and would not be limiting on the scope of the present invention. Thus, in a biometric authorization, the biometric data taken during the authorization can be matched against registered biometric data at a location where the registered biometric data is stored or where the authorization biometric data is gathered.

Additionally, the principles of the present invention are not limited to using one form of biometric. For example, the biometric data referred to throughout this description can represent a biometric image (or sample) and/or a mathematical representation of the biometric image, often referred to as a biometric "template". In one example, a biometric template can represent any data format that includes feature, positional, or other representing information of characteristics of biometric data. Alternatively, a template may be a mathematical representation of more than one biometric. For example, a user template may be generated from biometric data acquired from two individual fingers, such as a thumb and index finger, or from a finger and an iris scan.

In addition to biometric data, the user may provide the system with other information, such as name, address, phone number, email address, social security number, age information, identification number, government-issued identification

3

number, financial account information, biometric token information and the like. This information may be hand-keyed into the system or may be acquired by other means, such as from the provided token or other documents, tokens, and vouchers. Additionally, user information may be acquired from a third party database. The information is stored in the user's record and may be employed at subsequent transactions as needed. The user record may be located at a database, on a token, or both.

FIG. 1 illustrates a general architecture overview of an identity verification system **100** that is based on biometric authorization. As will be described in greater detail below, an identity verification system **100** enables a flexible enrollment process by which users may enroll in the system. This registration information is stored in at least one system database **108**, **110** where system user records are stored. In one embodiment, the system database is a central database to which all system user records are stored and from which system user records are accessed for identity verification. In another embodiment, the system database is one or more operator databases **110** to which a select set of system operator records are stored and from which a select set of system operator records are accessed for identity verification. In an additional embodiment, identity verification system **100** may also utilize a combination of central databases **108** and one or more operator databases **110**. In general, embodiments utilizing a combination of system databases **108**, **110** enable increased control of information flow throughout identity verification system **100**. As described in greater detail below, various examples of information flow configurations within the system can include "open," "closed," and "multiple system operator" system models. In still further embodiments, system database **108**, **110** can further comprise one or more sub databases that are contained within a particular system database **108**, **110**. In such embodiments, system user data, system operator data, and other system data may be distributed across multiple databases within the system database.

A system user record holds system user biometric information and other identity verifying information related to an individual seeking biometric recognition/verification so that the system user may be identified within the system. The information held in such a record may include, by way of illustration and without limitation, a system user's government identification number(s) and corresponding state(s) of issue, home address, and a telephone number and at least one biometric record. A system user may present any number of identity verifying documents or testaments to his identity depending on the embodiment of the biometric system. By way of illustration and not of limitation, examples of such documents or testaments include a financial token, a digital image, a video clip, family information, or a DNA sample. Depending on the particular implementation, a system user record can also hold financial account information and/or a system identification number (SID). An SID is a code used in conjunction with a system user biometric scan for biometric recognition/verification.

Additionally, system user records are marked according to various states of activity in a biometric authorization system. Such states may include but are not limited to pre-active, active, and negative. Pre-active system user records include those where a system user record has been created and the record has not been enabled. Active system user enrollment records include those where a system user record has been created and is enabled for use. Negative system user records include those where a system user record has been created but fraud regarding information presented for storage or stored in that record has been detected. After a system user record

4

includes enabling enrollment information, the system user record is marked active, and a history of the record's activity is stored in the system user record. In an additional embodiment, system user records that are enabled and are marked active are also marked as verified or unverified. Verified records are those that have been reviewed and verified by at least one system operator, third party, and/or third party database. Unverified records are those that contain the necessary enrollment data needed to enable their respective system users to identify their identities in the system but that have not been verified.

The system also comprises system operator records that hold information useful for authenticating an operator, such as a name or ID number, device ID numbers associated with the operator, an address, and a phone number. In an alternate embodiment of the present invention, the operator records also hold employer information if the operator is an employee of an employer who is also an operator. In another embodiment of the present invention, operator records hold an operator SID and/or an operator biometric scan.

The system may be configured so that at least one system database **108**, **110** is connected to at least one network **102**, such as but not limited to, the Internet. This network comprises connections to at least one enrollment station where a system user may enter enrollment information. Enrollment stations are composed of at least one enrollment device and the necessary means for sending and receiving information to and from a system user and to and from a system database. These stations include but are not limited to a vending machine **152**, a kiosk **156**, a personal computer **132**, a user service desk **160**, a point of sale terminal **164**, or a wireless device **136**, **140**, **144**, connected via wireless network **104**, with respective biometric input devices (BIDs) **154**, **158**, **134**, **162**, **166**, **138**, **142**, and **146**. BID devices are illustrated in FIG. 1 as peripheral devices for purposes of emphasis only. The system should not be so limited and may certainly incorporate devices with integrated BIDs.

Networks used in additional embodiments include LANs (local area networks), WANs (wide area networks), and telephone networks. In one example, system users communicate with at least one system database **108**, **110** via telephone **128**, with a connected BID device **130**.

Additional embodiments of the system also comprise connections to one or more third party sources, such as a third party database **106** and/or one or more financial institutions **112**, in which system user-presented information is verified and/or from which system user information is pulled.

In one embodiment, the system is configured as an "open" system, meaning all information entered into the system is transmitted to and stored in a centralized system database **108**. An open system allows enrollment at any enrollment station in the system because an open system shares system user information stored in the centralized system database **108** with all stations.

In an alternate embodiment, the system is configured as a "closed" system, meaning information entered into the system via a specific operator device is transmitted to and stored in a system database specific to that operator **110**, and this information is not shared with other enrollment stations or other system databases. This is referred to as a "closed" system because system users who enrolled in one system operator's database **110** must enroll in the database of each additional system operator system wherein they would like to enroll their information. Operator system databases **110** in closed systems may query other databases, such as a third party information database **118**. However, all system user information that is enrolled into a particular operator system

5

database 110 is stored in that database. In an alternate embodiment of the closed system, information pertaining to specific system operators is stored in a partitioned, central system database 108. System operator related information is stored in system, operator-specific partitions and is closed to all other system operators. Only the system operator, system operator employees, and authorized entities may access that partition of the central system database 108. In yet an additional embodiment, system operator related information stored in an operator system database is additionally stored on the central system database 108 where their system users' records are stored. Such an embodiment is useful for information protection in the event database information is lost.

In a further embodiment of the present invention, system user information is "selectively shared" and stored in select system multiple-operator databases or select, system multiple-operator partitions within the central system database 108. In this embodiment, a group of system operators share data with each other and they choose whether or not to share system information with other system operators within the system. Such a system is referred to as a "selectively shared" system. This system allows a chain of system operators owned by the same entity or linked in some other manner to share system user information amongst them without sharing that information with all other non-designated system operators registered in the system. Information in such a system may be shared between one or more operator system databases 110 and the central system database 108 freely or sharing may be monitored by rules set in the operator system databases 110, the central system database 108, or both. By way of illustration and not as a limitation, one system operator might only want to share system user transaction information with one of five system operators in a multi-verifier system or all system operators might not want to send or store system user transaction information to the central system database 108. Such a system allows system operators greater control over information flow while still allowing various user conveniences, such as being able to enroll at any store in a selectively shared chain.

The configuration of the system as an "open" system, "closed" system, or "selectively shared" system illustrates various ways of implementing the principles of the present invention. System configuration might be determined by the system in which the enrollment information is used. For example, a merchant who is an operator in the system and who conducts biometrically authorized customer loyalty programs might have a system configured with his own operator system database 110 and one or two biometric authorization terminals connected to that database. In this system configuration, the merchant's database files only exist on his database 110 and are retrieved or accessed for biometric matching only by the one or two pre-determined stations connected to the database 110; therefore, the system would be a "closed" system.

FIG. 2 illustrates a flowchart of an enrollment process in a biometric authorization system that utilizes previously registered biometric data. At step 202, a user is authorized for enrollment by the use of one or more third party biometric tokens. This authorization may occur in several ways. In one embodiment, the user presents one or more biometric tokens along with a biometric scan to an enrollment station where the user biometric data is compared to the token biometric data. The system may acquire biometric data stored upon the token in numerous ways, such as, but not limited to, a magnetic stripe, a barcode, an embedded chip, or an image imprinted on the token's surface or embedded within the token. Alternatively, biometric data may be located in a third party database

6

106 to which the token provides access. The user and/or the token may indicate which third party database 106 to be accessed. In one scenario, the user has preauthorized the third party to permit other biometric systems to access all or part of his user record. For example, a user registered at a Department of Motor Vehicles may have noted on his registration form that other systems may have access to his biometric, address, age information, and other such data.

If the token biometric data matches the user biometric data, the user is authorized for enrollment. For example, a user employing a smartcard with fingerprint data stored in an embedded chip places his token in the card reader and places his finger upon a biometric input device. If the biometric data acquired from the token matches the data retrieved from the fingerprint scan, the user is authorized to enroll.

In another embodiment, the user may be required to authorize his identity by presenting one or more biometric tokens along with a biometric scan to a verification system independent from the enrollment station. This independent verification may be completed at a service device or may be supervised by a system operator. Additionally, the independent verification may be recorded for review at a later time. The user would present a biometric token along with a biometric scan, and if the acquired biometric data matches, the user would be authorized to enroll. For example, a user may present his biometric token and a biometric scan to an attendant at a convenience store. This presentation may be performed in conjunction with other transactions, such as a purchase transaction. The attendant could then employ an independent system device to perform a biometric identification check on the user. If the user is successfully identified, the attendant and/or the device may inform the user that he may enroll in the biometric authorization system. In one embodiment, the independent verification device may transmit a signal to the enrollment station acknowledging that the user is permitted to enroll in the biometric authorization system.

At step 204, the user enrolls in the biometric system. Due to the initial identity verification provided at step 202, this enrollment process can be performed without supervision by an attendant. If the user has already provided biometric information at the enrollment station, that biometric information can be stored in a user record to be employed upon subsequent biometric authorizations. If the user's third party biometric token was authorized at an independent device, the user presents his biometric at the enrollment station. Once acquired, the biometric information is stored in a user record to be used at later biometric authorizations. The system may be configured to register the token biometric data, the received biometric data or all biometric data acquired. In one embodiment, the system may be configured to evaluate the token biometric data and the received biometric data and enroll the superior data. Alternatively, the system may store composite biometric data generated from the token biometric data and the received biometric data.

In addition to biometric data, the user may provide other information, such as name, address, phone number, financial information and the like. This information may be hand-keyed into the system or may be acquired by other means. In one scenario, user information is acquired by means of the token employed for user authorization at step 202. The system may access information stored on the token or the token may indicate and provide access to a third party database housing user data. Additionally, the system may acquire user information from other sources. Other possible sources are additional tokens, such as credit cards or identification documents. Another possible source may be a paper check with magnetic ink readable by a Magnetic Ink Character Recognition

7

(MICR) device attached to the enrollment station. The system may be configured to acquire user information from one or more documents, tokens, and/or vouchers via magnetic stripes, barcodes, digital scan, Optical Character Recognition (OCR), an embedded data chip, radio frequency identification (RFID) and the like.

At step **206**, the biometric authorization system analyzes the enrollment biometric data and user information to determine the reliability of the data and the authenticity of the user. This verification may be completed by an automatic process of the system, a third party system, and/or a system operator. Depending on the system configuration, the enrollment biometric data may be verified instantly granting the user access, conditionally verified allowing a user limited access, or the user may be prohibited from employing the enrolled biometric data until it has been verified. For example, a user may enroll in the system by utilizing a biometric check card from an obscure bank. Because the token biometric data utilized at enrollment is from an unfamiliar source, the user may be required to supply a photo ID in conjunction with his biometric data when accessing the biometric authorization system for the first time. This may serve as verification and allow the user full access in the system for subsequent transactions.

FIG. **3** illustrates an embodiment of a self-contained method for enrollment in a biometric authorization system. At step **302**, the system receives token biometric data and biometric data received from the user at an enrollment station. The system user presents one or more biometric tokens in conjunction with a live scan of his biometric at the enrollment station. For example, the user may swipe his driver's license through a magnetic stripe reader and then place his finger upon a fingerprint sensor. In another example, the user performs an iris scan and then supplies an identification card with bar-coded biometric data. If the user token does not house biometric information, the system accesses the biometric data from a third party database indicated by the token.

In addition to biometric data, the user may provide other information, such as name, address, phone number, financial information and the like. This information may be hand-keyed into the system or may be acquired by other means. The system may acquire further user information from the biometric token previously employed. The information may be stored on the token or the token may indicate and provide access to a third party database housing user data. Additionally, the system may acquire user information from other sources, such as other tokens, documents and/or vouchers via magnetic stripes, barcodes, digital scan, MICR, OCR, an embedded data chip, a RFID and the like.

At step **304**, the system compares the biometric data received from the user with the biometric data acquired via the token. If the biometric data matches sufficiently to meet system requirements, the user is enrolled in the biometric authorization system. The comparison of the data may transpire at a variety of locations. In one embodiment, the biometric data is compared at the enrollment device. In this localized matching system, the system acquires the user's biometric scan and retrieves the token biometric data, either from the token itself or an associated third party database **106**, and compares the biometric data at the local device. If the biometric data matches, the user's information, including biometric data, is transmitted to a database **108, 110** for storage. Alternatively, the system may be configured for centralized matching. In a centralized matching system, after the system receives the user's biometric scan data and the token biometric data, the data is transmitted to a database **108, 110** for comparison. If the biometric data matches, biometric data is stored in a user record at the database **108, 110**. Alterna-

8

tively, if a third party database **106** houses the token biometric data, the token biometric data is retrieved from the third party database **106** and then transmitted to a system database **108, 110** along with the scanned biometric data for comparison. In another scenario, the scanned biometric data is sent to the third party database **106** in conjunction with a token indicator, and the biometrics are matched at the third party database **106**. This may be necessary if the third party does not permit retrieval of biometric data stored within its records.

At step **308**, the system stores the biometric data and user information in a user record to be employed at subsequent biometric authorizations. The system may store the user biometric data, token biometric data, all the biometric data provided, or the biometric data deemed the most beneficial. Alternatively, the system may be configured to combine scanned biometric data with token data and store this composite data.

As noted, the principles of the present invention can be used for verifying identity through tokenless or token-based biometric authorization. In one embodiment, the user record that is stored at step **308** is also stored on a new token that can be issued to the user. This newly-issued token, which represents a form of token conversion based on the third-party token, can form the basis for future transactions. More generally, it is a feature of the present invention that a first token of a given level of reliability and security can be used to generate a second token or other biometric enrollment.

FIG. **4** illustrates a distributed method for enrollment in a biometric authorization system. This distributed method can apply to those instances where independent devices would exist at the enrollment location. At step **402**, the system user presents one or more biometric tokens in conjunction with a scan of his biometric at an independent device. If the user token does not house biometric information, the device accesses the biometric data from a third party database **106** indicated by the token.

At step **404**, the system compares the biometric data received from the user with the token biometric data. The comparison of the biometric data may transpire at a variety of locations. In one embodiment, the biometric data is locally compared at the independent device. Here, the system acquires the user's biometric scan and retrieves the token biometric data, either from the token itself or a third party database **106** and compares the data at the device. Alternatively, in a centralized matching system, after the system receives the scanned biometric data and the token biometric data, the data is transmitted to a database **108, 110** for comparison. In a further embodiment, if a third party database **106** houses the token biometric data, the token biometric data is retrieved from the third party database **106** and then transmitted to an independent authorization system along with the scanned biometric data for comparison. In yet another embodiment, the scanned biometric data is sent to the third party database **106** in conjunction with the token indicator, and the biometrics are matched at the third party database **106**. This may be necessary if the third party does not permit retrieval of biometric data stored within its records.

At step **406**, if the biometric data matches sufficiently to meet a system requirement, the user is authorized to enroll in the biometric authorization system. In one embodiment, the independent device transmits a signal to the enrollment station acknowledging that the user has been authorized. Alternatively, the device may be utilized by a system operator who permits the user to enroll upon a successful authorization.

Once the user has been authorized, he may enroll at step **408**. At an enrollment station, the user presents his biometric data by means of a biometric input device. The system may

also receive biometric data from one or more biometric tokens. In addition to biometric data, the user may provide other information, such as name, address, phone number, financial information and the like. This information may be hand-keyed into the system or may be acquired by other means, such as from the provided token or other documents, tokens and vouchers. The system may be configured to acquire user information from a document, token, or voucher via magnetic stripes, barcodes, digital scan, MICR, OCR, an embedded data chip, a RFID and the like.

At step 410, the system stores the biometric data and user information in a user record to be employed at subsequent biometric authorizations. The system may store the user biometric data, token biometric data, all the biometric data provided, or the biometric data deemed the most beneficial. Alternatively, the system may be configured to combine received biometric data with token data. Again, in one embodiment, the biometric data and user information can also be stored in a token and issued to the user.

As aforementioned, after the user has enrolled in a biometric authorization system, the system may analyze enrolled biometric data and user information in order to determine the reliability of the data and the authenticity of the user. In order to ensure that a biometric token utilized for enrollment authorization is from a reputable source, the system may be configured to evaluate the supplied token. The evaluation may be based upon one or more a biometric token source, a biometric token type, a biometric token certification, a biometric token generation process, a biometric token generation date, a biometric token generation time, a biometric token generation location, and a biometric token generation supervising attendant. Tokens may be assigned a rating corresponding with the integrity of this information. For example, tokens of a trustworthy origin, such as government-issued documents, may be rated highly and accepted without further scrutiny. However, if the biometric token is from an ambiguous source, such as an employee identification card, enrollment may be declined or the user may be required to provide further information to complete enrollment. This information may be entered immediately at the enrollment station or during a subsequent transaction in the biometric authorization system. For example, a user may employ a biometric employee ID card to enroll in the system. The system may not recognize the source of this biometric token and require the user supply driver's license information to continue enrollment. This information may be acquired by swiping the license through a card reader at the enrollment station. If the enrollment station is not equipped with such a reader or if the user does not have his license, he may have limited access to the system until the verification is complete. The user may be required to present his driver's license to a system operator when first employing the biometric authorization system. Once the required information has been registered in the user record, full access may be granted. Alternatively, enrollment verification may be completed by a third party system linked to the biometric authorization system.

In an additional embodiment, a system operator may verify the user to complete enrollment. If a biometric token utilized for enrollment is deemed ambiguous, a system operator may be notified and requested to provide verification. For example, at an enrollment station, a user may present a biometric token with a low integrity rating. The system may then transmit a signal to a system operator device notifying him of the situation. If the system operator is located at the same location as the enrollment station or overseeing the enrollment process from a remote location, the operator may acquire more identity verification information from the user.

If the system operator deems the enrolling user is acceptable, he may notify the system, either at the enrollment station or at a separate system device. Alternatively, if the system operator is not accessible from the enrollment site, the user may be granted limited system access until a system operator has reviewed his enrollment information. If the system operator deems that more information is needed to verify the user, the user may be prompted to provide more verification information upon subsequent system use. For example, the user may be required to answer a security question upon his initial transaction in the system. The correct answer would remove the restriction and grant the user system access at future transactions.

In an additional embodiment, the enrollment process may be recorded to ensure security. An enrollment station may be equipped with a recording device, such as, but not limited to, a video or digital camera. The recorded enrollment process may then be employed to verify the user and/or the system operator and aid in the prevention of fraudulent use. Additionally, the recorded enrollment may be compared to an image stored at a database to authenticate the user. Alternatively, the camera may provide a live video feed to a security service.

A system and method for enrolling in a biometric authorization system has been illustrated. It will be appreciated by those skilled in the art that the system and method of the present invention can be used to perform enrollments in a biometric system. It will thus be appreciated by those skilled in the art that other variations of the present invention will be possible without departing from the scope of the invention disclosed.

These and other aspects of the present invention will become apparent to those skilled in the art by a review of the preceding detailed description. Although a number of salient features of the present invention have been described above, the invention is capable of other embodiments and of being practiced and carried out in various ways that would be apparent to one of ordinary skill in the art after reading the disclosed invention. Therefore, the above description should not be considered to be exclusive of these other embodiments. Also, it is to be understood that the phraseology and terminology employed herein are for the purposes of description and should not be regarded as limiting.

What is claimed is:

1. A method for enrolling a user in a biometric authorization system, the method comprising:
 - receiving, from a first biometric input device enabled to acquire biometric data stored on a token, a token biometric sample;
 - receiving, from a second biometric input device enabled to acquire biometric data via a live biometric scan of an individual, a live biometric sample;
 - comparing said received token biometric sample with said received live biometric sample;
 - in response to said received live biometric sample matching said received token biometric sample, storing a new biometric sample, the new biometric sample being a composite of said received live biometric sample and said received token biometric sample in a user record for subsequent authorization determinations in said biometric authorization system, wherein the new biometric sample comprises at least a portion of the received live biometric data and at least a portion of the received token biometric data;
 - associating with the user record an integrity rating, said integrity rating indicating an evaluated integrity of the token, wherein the evaluated integrity of the token is

11

based on a token source, a token generation process, and a token generation location; and
 granting the user a level of access to the biometric authorization system based upon the associating of the user record with the integrity rating.

2. The method of claim 1, further comprising receiving a user identification code.

3. The method of claim 1, wherein said biometric data is one or more of a fingerprint, an iris scan, a facial scan, a voice scan, a retinal scan, a hand architecture, and a DNA sample.

4. The method of claim 1, further comprising authorizing a request for a financial transaction.

5. The method of claim 1, further comprising authorizing a request for an age-verification transaction.

6. The method of claim 1, further comprising authorizing a request for an identity verification transaction.

7. The method of claim 1, wherein said user record is located at one or more of a database and a token.

8. The method of claim 1, further comprising receiving additional information from one or more of a biometric token, magnetic ink character recognition data reader, a barcode reader, a digital scanner, a manual input device, a radio frequency identification device, an embedded data chip reader, a magnetic stripe reader, optical character recognition device and a database.

9. The method of claim 1, further comprising receiving additional information including one or more of a user name, a user address, a user phone number, a user email address, a

12

user social security number, user age information, a user identification number, a government-issued identification number, user financial account information, and biometric token information.

10. The method of claim 9, further comprising storing at least part of said additional information in said user record.

11. The method of claim 1, further comprising storing a recording of one or more of said user, a system operator, and an enrollment event.

12. The method of claim 11, wherein said recording includes one or more of an image and a video recording.

13. The method of claim 12, further comprising comparing said image to a registered image.

14. The method of claim 13, wherein said registered image is retrieved from a database.

15. The method of claim 1, further comprising receiving a live video transmission of said enrolling.

16. The method of claim 1, further comprising limiting user access to said biometric authorization system until said received token biometric sample is evaluated by one or more of an automated system process, a third party, and a system operator.

17. The method of claim 16, wherein said system operator is at a remote location.

18. The method of claim 1, wherein said comparing is performed at one or more of a local biometric device and a database.

* * * * *