

PROVISIONAL APPLICATION FOR PATENT COVER SHEET

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53(c).

INVENTOR(S)					
Given Name (first and middle (if any))		Family Name or Surname		Residence (City and either State or Foreign Country)	
Nissi		VILCOVSKI		Tel Aviv, Israel	
☐ Additional inventors are being named on the ^ separately numbered sheets attached hereto					
TITLE OF THE INVENTION (280 characters max)					
Fitting System Using Memorable Interactive Mirror					
Direct all correspondence to: CORRESPONDENCE ADDRESS					
☒ Customer Number 49443					
OR Type Customer Number here					
☒ Firm or Individual Name Pearl Cohen Zedek Latzer, LLP					
Address 10 Rockefeller Plaza					
Address Suite 1001					
City New York		State New York		ZIP 10020	
Country USA		Telephone 212-632-3480		Fax 212-632-3489	
ENCLOSED APPLICATION PARTS (check all that apply)					
☒ Specification Number of Pages 15 ☐ CD(s), Number					
☒ Drawing(s) Number of Sheets 34 ☒ Other (specify) postcard					
☐ Application Data Sheet. See 37 CFR 1.76					
Application Size Fee: If the specification and drawings exceed 100 sheets of paper, the application size fee due is \$250 (\$125 for small entity) for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).					
METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT (check one)					
☒ Applicant claims small entity status. See 37 CFR 1.27.					
☐ A check or money order is enclosed to cover the filing fees					
☒ The Commissioner is hereby authorized to charge filing fees or credit any overpayment to Deposit Account Number:				50-3355	FILING FEE AMOUNT (\$) 100.00
☐ Payment by credit card. Form PTO-2038 is attached.					
The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.					
☒ No.					
☐ Yes, the name of the U.S. Government agency and the Government contract number are:					

Respectfully submitted,

Date 01 / Mar / 2005

SIGNATURE

REGISTRATION NO.
(if appropriate)

37,912

TYPED or PRINTED NAME

Caleb Pollack

TELEPHONE

212-632-3480

Docket Number:

P-7751-USP

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

This collection of information is required by 37 CFR 1.51. The information is used by the public to file (and by the PTO to process) a provisional application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the complete provisional application to the PTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Provisional Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Fitting System Using Memorable Interactive Mirror

Abstract

A special fitting system that includes also "Memorable Smart Interactive Mirror", that allow people to see there previous fittings\Measurements tries-on front of the mirror (or mirror like) Fig1. The system can recognize the people with various ways, and it includes a system that saves ,memories and record the fitting tries-on of each and every person .

A person tries on a product that can be a fashion product , eyewear or any product that people using a mirror in order to see if they like it in front of a mirror , or mirror like , this system can apply also in an environment that only using a camera in the fitting process .

The system can be used also as a "Body changes" monitor, in Sport clubs , Weight centers or for other health applications

The system can be stand alone or in a Network of devices, that connected to each other in the shop, and can be connected to the all other shops of the company, also it can be connected to a public network.

It possible to apply a module that have the ability also to simulate a virtual fittings or virtual body changes to the user.

Inventor – Nissi Vilcovsky (TLV Israel)

Assignee – Nissi Vilcovsky (TLV Israel)

The System Components and description

The System is assembly of the following components

The Main unit - Fig main1

A Mirror or Mirror LCD or other (Appendix 1) in any size disposed on a shop, showroom, exhibition or any point of sale, or in any public place (appendix 2) , The Mirror or LCD Mirror (appendix 1) connected to an unseen or seen camera or cameras (Appendix 3 , FIG 2) , In order to record the fittings tries of the user .

This unit is including Recognition system, and software.

This unit can also reply the previous fitting tries.

In one shop or other (appendix 2) can be many Main units.

It is also possible to put any array of main units in various ways- example **Fig array1**

Recognition System

A recognition system that is connected to the main unit \or in the area of the device (from appendix 1) preferably Biometric (Appendix 4) recognize the customer.

Software and Processing unit

Software that manage the recognition, the recording process ,and the database.

It is saving and memorize each customer \potential customer fittings on a private file \files (appendix 5)

It is possible to modify the amount of saved data that we want for every client

Control

Also it is possible to stop/reply/pause/play at any time with a sensor or remote control (appendix 7)

Reply Unit - fig replay1

After the customer finished fittings\Measurements tries-on he can reply his previous fittings. -examples **fig 2 , fig 3 .**

He stand in front of a Mirror or in front other media (appendix 10) that includes a recognition system with one of the technologies (appendix 4).

After he his recognized by the system. he can see his previous tries on the Mirror or other (appendix 10) , He can browse his previous fittings , and see pictures or movies of his previous fittings .

The user can see the reply in the real size, or in deferent size.

Recognition System

A recognition system that is connected to the Replay unit \or in the area of the device (preferably Biometric (Appendix 4) recognize the customer.

Software and Processing unit

The Main unit can be also a reply unit, but also possible to connect many replay units.

A processing unit with Software (a group of applications) that will organize the data of the owner\users

It can be embedded or connected directly, or connected by any kind of network to a central system.

The system will process the recognition (with a device from appendix 4) ,then it will record the images of the user \ customer

The replay unit use a Software and processing unit that manage the recognition and access the database, in order to show the customer his previous fittings.

The software and the database can be stores in other units as well , and the Replay unit will connect to the main database with a networks (appendix 8)

Also it is possible to stop/reply/pause/play at any time with a sensor or remote control (appendix 7)

The reply unit can be be put in a shop or other (appendix 6)

It will process the communication and request from out of the place (appendix 2)

It is possible to modify the amount of saved data that we want for every client

It is possible to define to delete the history after a time period

If the customer connects to the system, he can modify this parameters as well

It is possible to define whether we want to save snapshots, photos, movies , voice .

It have calendar where you can store info and reminders alarms

If there is no recognition system, it will handle the recording and replay of the stored data , on demand

It is possible to combine all the "PALM Pilot" functions in the system , and to enable each user to use them separately.

The system can have also a video capacity, the customer can record directly from the tv (if embedded)

The system can have also the ability to record and play music

It can also estimates of the head or body position of users ,to the application program.

It can also have a tracking system , that can allow the cameras to move whenever the user moves.(to follow his pattern)

It can have the ability also to simulate a virtual try-ons to the user , using his captured face/body details.

It is possible to combined a manipulation system that will change also colors ,shapes of the user or his surroundings one the capture info.

Control

Also it is possible to stop/reply/pause/play at any time with a sensor or remote control (appendix 7)

General

The System can be stand alone or connected to a network (appendix 8) ,and it gives the possibility to send an email or SMS with the fitting history directory from the Main or reply units (The customer will have to provide the relevant details)

Also it gives the possibility to download it to a Personal memory card or other media (appendix 9) or to Print it .

The customer can connect and download his fittings to any kind media (appendix 9) ,and he can show his fittings anywhere by connect the media (Appendix 9)

Also he can connect to the company website or database and from anywhere using any kind of networks (Appendix 8) and he can browse his fittings history.

The system also can provide a private PIN, in order to access the company system from anywhere.

The retail / shop /brand that use this system can put a Replay or Main unit in any public place (appendix 2) , the customers can stand in front of the device anywhere and they can see there previous fitting tries , this feature is in order to strength the communication of the shop / brand with his customers \ potential customers.

The customer can also see in his house in front of a Mirror /LCD Mirror (appendix 6) the previous tries , he can connect his system to the shop / brand with VPN or via public network.

The system can have a units that only Shows the previous fittings, and not record them this units can be a LCD, Mirror LCD or other (Appendix 10) FIG

Appendix 1 – The Devices that capture the fittings

Mirror in any size with a Video camera \ Cameras - FIG 1A
Mirror LCD\TV (example – Phillips) in any size with a Camera \cameras - FIG 1A
Mirror LCD Combined with See-Through Mirrors with a Camera \cameras - FIG 1A
Mirror LCD \TV Combined with Mirrors with a Camera \cameras - FIG 1B
See-Through Mirrors with a Camera \cameras (Can be part of a regular Mirror) - FIG 1B
LCD Screen in any size with camera \ cameras - FIG 1C
Paint able LCD – (Example –Phillips) in any size with Camera \ Cameras
TV in any size with Camera \Cameras - FIG 1E
Set of Cameras, or a Camera - FIG 1F
LCD with CCD capacities -
Dot Matrix led screens (example - Para light)
The Cameras also can be out of the devices, in any location in that can capture the customer Image FIG 1G

The following screens can contain also Microphone , Radio , TV Tuner

All this devices can combine Touch screen components or parts

All the devices can contain speakers

All Devices can be combination of the technologies (can combine Mirrors LCD TV, and Mirror etc)

More info about Mirror LCD \Mirror TV :

<http://www.research.philips.com/technologies/display/mirrordisp/mirrortv/>

It can be also Plasma screens , Plasma Mirror screens , Plasma tv's ,in any of this variation

The Display can be based on the following technologies :

OLED,NED PDP ,CRT ,DLP ,SED ,Tablet screens,Flatpanel SED , Organic EL,Paperlike screen, A 3D Holograma , , 3D Display (Philips 3-D research ,seereal technology),TFT ,OTFT
HDTV, Rear projection TV

Appendix 2 – Where the system can be applied

A Shop

A Shop that is part of chain

Point of sale

Show room

Concept Showroom

Exhibition

Presentation

Public areas like Airports, Shopping malls , streets as interactive advertisement

Any shop that people need a mirror in order to look at there fitting tries.

Fashion shops, Eyewear shops , Cosmetic shops and point of sale , shoe shop etc

Hotels

Restaurants and bars , coffee shops

Sports clubs

Weight clubs

Health institutes

Everywhere people using Mirrors.

Appendix 3 – The Cameras

A camera – means any kind of Video camera, or a set of cameras or stereo cameras that will be connected directly or indirectly to the processing unit (In the main or in the Replay unit)

A camera or set of cameras that is on top\side\bottom of the device (from appendix 1)
example -FIG 1A

A camera or set of cameras that is embedded or inside the device (from appendix 1) FIG 1B

A camera or set of Cameras that are in the area of the device (from appendix 1)

A set of cameras that is independed from the device , FIG 1F

A camera or set of cameras that is on top\side\bottom of the device (from appendix 1)
combine with external cameras FIG 1G

A camera or set of cameras that is embedded or inside the device (from appendix 1)
combine with external cameras FIG 1G

It can also capture the image of the mirror when someone stands in front of it , in order to replay it later.

The cameras will capture the user in front of the device (appendix 1) .

It can also capture the image of the mirror when someone stands in front of it , in order to replay it later.

The cameras can observe the user from the same optical axis as used by the display
(device -appendix 1)

The cameras can have the ability to move.
It can be 3D Cameras , Stereo cameras .

Appendix 4 – Recognition

Face Biometric \Non Biometric recognition – FIG 2A

3D Facial recognition – example – Active ID FaceVision® technology

Hand Biometric \Non Biometric recognition – FIG 2B

Finger print Biometric \Non Biometric recognition – FIG 2C

Voice recognition – FIG 2D

Voice recognition input of code- FIG 2D

Credit Card- FIG 2E

Personal pin or other alphanumeric recognition that will click in the system -FIG 2F

Customer Card or smart card or chip that the brand will provide - FIG 2F

Any “customer club” card or smart card or chip - FIG 2F

Eye\Eye Pupil Biometric \Non Biometric recognition 2H

read/write RF Transmitters receivers (example - EM Microelectronic-US)

Appendix 5 – Software and processing unit

A processing unit with Software that will organize the data of the users\customers\potential customers.

It can be embedded or connected directly, or connected by any kind of network to a central system.

The system will process the recognition (with a device from appendix 4) ,then it will record the fittings of the customer \potential customer

It will process the viewing of the previous fittings, in the shop or in other (appendix 2)

It will process the communication and request from out of the shop (appendix 2)

It is possible to modify the amount of saved data that we want for every client

It is possible to define to delete the history after a time period

If the customer connects to the system, he can modify this parameters as well

It is possible to define whether we want to save snapshots, photos, movies, voice .

The system can have also the ability to record and play music

It can also estimate the head or body position of users, to the application program.

It can also have a tracking system, that can allow the cameras to move whenever the user moves.(to follow his pattern)

It can weight the user (if weight detectors applied) and store the info

Appendix 6 – Where the customer can reply his previous fittings

A Shop

A Shop that is part of chain

Point of sale

Show room

Concept Showroom

Exhibition

Presentation

Public areas like Airports, shopping malls, etc

Streets as interactive advertisement

Other public advertisement that will include this system capabilities

Any shop that people need a mirror in order to look at their fitting tries.

Fashion shops, Eyewear shops, Cosmetic shops and point of sale, shoe shop etc

In his house or other houses that will be connected to the system.

Hotels

Restaurants and bars , coffee shops

Sports clubs

Weight clubs

Health institutes

Everywhere people using mirrors

Appendix 7 - Ways to control the replay of previous fittings

With buttons - FIG 7A

With Keyboards or mouse or pen – FIG 7B

With remote control \ wireless or that connected to the system –FIG 7C

Voice commands Or recognition – FIG 7D

Movement, with movement sensors – FIG 7E

Movement with weight sensors – FIG 7F

Face related movement with face recognition –FIG 7G

Touch screens with or with out external device – FIG 7H

With laser markers

RF Transmitters \receivers

Appendix 8 – Network

LAN- with any infrastructure

Wireless WAN

WAN- with any infrastructure

VPN - with any infrastructure

Wireless VPN

Wireless VPN that uses satellite connection, or radio connection or RF

Any Wireless technology

Public Networks –with any infrastructure

Internet- with any infrastructure

Private commercial networks- with any infrastructure

Blue tooth

Satellite Network

Modems- with any infrastructure

Dial in system – with any infrastructure

Appendix 9 – Devices that the customer can connect

Hard Disk

Memory Card

Wireless personal device

Personal computer

Portable personal computer

Any kind of magneto optic device

CDR, CDRW, DVD, DVDRW

Any kind of external device that can connect and download

Appendix 10 – Replay unit -The devices that can show the previous fittings

Mirror LCD in any size with a Camera \cameras
LCD Screen in any size with camera \ cameras
Paintable LCD in any size with Camera \ Cameras
TV in any size with Camera \Cameras
Mirror LCD in any size without a Camera \cameras
LCD Screen in any size without camera \ cameras
Paintable LCD in any size without Camera \ Cameras
TV in any size without Camera \Cameras
Dot Matrix led screens (Para light)
A Projector from any king that project to any kind of surfate \ wall
LCD with CCD capacities
A 3D Holograma
Dot Matrix led screens (example - Para light)

It can be also Plasma screens , Plasma Mirror screens , Plasma tv's ,in any of this variation

The Display can be based on the following technologies :

OLED,NED PDP ,CRT ,DLP ,SED ,Tablet screens,Flatpanel SED , Organic EL,Paperlike screen, A 3D Holograma , , 3D Display (Philips 3-D research ,seereal technology),TFT ,OTFT
HDTV, Rear projection TV

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:


- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.


As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.



Step 1



Step 2



Step 3




FIG 1




FIG 1A




FIG 1B




FIG 1C





FIG 1E









FIG 1F



FIG 1G










FIG 4A




FIG 4B




FIG 4C




FIG 4D




FIG 4E




FIG 4F




FIG 4G




FIG 4H




FIG 7A




FIG 7B




FIG 7C




FIG 7D





FIG 7E





FIG 7F




FIG 7G







FIG 7E













FIG MAIN1










**Software and
Prosesing unit**



Recognition

**Mirror
display
(Appendix 10)**

FIG REPLAY1

PATENT APPLICATION SERIAL NO. _____

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE
FEE RECORD SHEET

03/03/2005 EABUBAK1 00000032 503355 60656885

01 FC:2005 100.00 DA

PTO-1556
(5/87)