

-14-

private cac_flowSafetyMargin: double

Tunable safety margin used by the CAC algorithm to protect sessions-in-progress from being affected by changes in available network bandwidth.

private maxMinFlowRate[]: double

- 5 Applies when N rate tariffs exist. This array holds the maximum floor level for each category of service. The value for the costliest category N is stored in maxMinFlowRate[N-1], and for the least costliest in maxMinFlowRate[0]. It is the relative magnitude of these ascending values that matters, not their absolute value. Thus the actual maximum floor flow rate for category k is
- 10 given by $\text{server.maxFlowRate} * (\text{server.maxMinFlowRate}[k-1] / \text{server.maxMinFlowRate}[N-1])$. Similarly, the maximum floor flow rate for category N is server.maxFlowRate.

Has:

- public **contains: contentSelection**
- 15 public **modulates: channel**

Component: contentSelection (public Class/Interface)

Comment:

Entity represents a video/sound clip or other bounded unit of content. A continuous data feed does not qualify.

- 20 *Attributes:*

private averagePlayRate: double

The average rate at which media content is consumed by the client, as computed by dividing the (payload * 8) by the (playTime * 60)

-15-

private playTime: double

Duration of play of the media content in minutes.

private payLoad: double

total size of the content in Mbytes.

5 *Has:*

public is associated with: session

--- end of entity data model detailed listing ---

The following table summarizes the highlights of the previous detailed description of each entity in Figure 2.

10

TABLE 1

Entity	Description
client 200	Each client is denoted by an associated unique integer index $_{id}$. The set of active clients is denoted by $S_{ActiveClients}$. The set of deferred clients is denoted by $S_{QdClients}$. Incoming clients are expected to select the content they wish to view prior to being queued for dispatch by the CAC sub-system, which requires knowledge of the client's bandwidth requirements, duration of play, and cost of service, all of which may vary according to the selection.

-16-

server 220 Servers sit astride a network and can deliver media content through the network to their clients up to a designated maximum flow rate. The server is responsible for accepting or rejecting clients, launching sessions and associated channels for the former, and modulating content flows over all channels in an optimal manner.

channel 210 A channel represents the data path between the server and the client. The channel buffer is typically located near or within the clients viewing station. The flow of content through the channel is set by the flow modulator sub-system.

contentSelection 230 A server will typically act as a repository for media content, which it can deliver to clients upon demand. For our purposes, media content is characterized by its payload and the play duration, which together imply the *averagePlayRate* = $(\text{payload} * 8) / (\text{playTime} * 60)$. The *averagePlayRate* is none other than the streaming rate imposed by real-time just-in-time streaming algorithms.

session 240 Every session represents an instance of media content delivery to an associated client over a designated channel. The *playTimeToGo* indicates the time remaining before the content is fully played out to the client. The *payloadToGo* is the amount of content data as yet undelivered to the channel. A session terminates when this value reaches zero, at which time *playTimeToGo* may still be large, according to the capacity, the level of the channel buffer, and the media play rate.

-17-

Constraints On Content Flow

[0021] Before referring to more Figures, it is imperative to establish some formulas and problem statements which are used in the methods which follow.

[0022] The flow of content between entities is subject to the following constraints
 5 at all times. Buffer levels are always expressed in Mbytes and data rates in Mbits/sec.

$$(1) \sum_{i \in \text{SactiveClients}} (\text{client.lookup}(i).\text{channel.flowRate}) \leq \text{server.maxFlowRate}$$

The sum of all channel flows cannot exceed the imposed maximum throughput capacity of the server.

$$10 \quad (2) \text{client.lookup}(i).\text{channel.flowRate} \leq \text{client.lookup}(i).\text{channel.maxFlowRate}$$

for all $i \in \Sigma_{\text{activeClients}}$

The data path from server to client is subject to its own constriction.

$$(3) \text{client.lookup}(i).\text{channel.flowRate} \leq (\text{client.lookup}(i).\text{channel.bufferSize} - \text{client.lookup}(i).\text{channel.bufferLevel}) * 8/60 +$$

15 $\text{client.lookup}(i).\text{session.mediaContent.averagePlayRate}$, for all $i \in \Sigma_{\text{activeClients}}$,

The channel buffer is never allowed to overflow.

$$(4) \text{client.lookup}(i).\text{channel.flowRate} \leq \text{client.lookup}(i).\text{session.payloadToGo} * 8/60$$

-18-

for all $i \in \Sigma_{\text{activeClients}}$,

Content that does not exist cannot be delivered. (Constraint 1 will ordinarily prevail except at the very end of a session.)

[0023] The constraints listed above are straightforward applications of common sense in relation to the flow of data through constricted channels, out of finite data sources, and into and out of bounded buffers. By contrast, the following constraint, which imposes a minimum channel flow rate instead of a maximum, is less obvious. The minimum value, termed the *minFlowRate* is set to the flow rate which, if sustained over the balance of the play time to go (*playTimeToGo*), ensures that all required content will be available when needed -- and no sooner -- until all content is played out. This floor value can be calculated for $i \in \Sigma_{\text{activeClients}}$ by the formula:

$$(5) \text{client.lookup}(i).\text{session.minFlowRate} = (\text{client.lookup}(i).\text{session.payloadToGo} * 8) / (\text{client.lookup}(i).\text{session.playTimeToGo} * 60)$$

Accordingly, the flow rate on the right-hand-side is termed the just-in-time (JIT) flow rate (f^{JIT}).

Thus:

$$(6) \text{client.lookup}(i).\text{channel.flowRate} \geq \text{client.lookup}(i).\text{session.minFlowRate}$$

for all $i \in \Sigma_{\text{activeClients}}$

[0024] The variable constraint bounds (i.e. the values to the right of the inequality symbol) of equations 1 – 4 and 6 are re-evaluated on a periodic basis (e.g. once per second) prior to the execution of the CAC procedure and optimizer. In

-19-

particular, the *minFlowRate* value starts out at the beginning of a session equal to the streaming rate. By construction the *minFlowRate* rate never exceeds this initial value so long as constraint 6 is honored. In fact, constraint 5 implies that the *minflowRate* value must be a diminishing function of time that may hold its

5 value for a time but never rises. As seen from equation 6, the actual data rate of the channel, *flowRate*, is always greater than or equal to the *minFlowRate*. By design, and virtue of the fact the present invention uses faster-than-realtime transmissions, the system quickly gets ahead of itself and ensures that after initial conditions, the *minFlowRate* is always equal to or less than the real-time rate and

10 that it continues to decrease. As we shall see, the CAC procedure exploits this monotonic characteristic of the minimum flow rate over time.

[0025] Constraints 2, 3 and 4 are of like kind, each specifying an upper bound on individual channel flows. Whereas the bound for constraint 2 is typically a constant, the bounds on 3 and 4 will vary over time. Nevertheless, only one of the

15 three bounds is effective at any given time, namely the one with the smallest bound value, given by:

(7) $\text{client.lookup}(i).\text{session.maxFlowRate} = \text{minimum of}$

1) $\text{client.lookup}(i).\text{channel.maxFlowRate},$

2) $(\text{client.lookup}(i).\text{channel.bufferSize} -$

20 $\text{client.lookup}(i).\text{channel.bufferLevel}) *$

$8/60 + \text{client.lookup}(i).\text{session.mediaContent.averagePlayRate},$

-20-

$$3) \text{ client.lookup(i).session.payloadToGo} * 8/60$$

Consequently, formulas 2, 3, and 4 can be consolidated into a single constraint, the bound for which is computed at every scan to be the smallest bound of associated constraints 2, 3 and 4.

$$5 \quad (8) \text{ client.lookup(i).channel.flowRate} \leq \text{client.lookup(i).session.maxFlowRate},$$

whereby for all $i \in \Sigma_{\text{activeClients}}$, maxflowRate is given by equation (7).

At any one time, individual channel flows are constrained over a range, as follows:

$$10 \quad (9) \text{ client.lookup(i).session.flowRateRange} = \text{client.lookup(i).session.maxFlowRate} - \text{client.lookup(i).session.minimumFlowRate}$$

Value Functions

[0026] The value functions introduced previously can be expressed mathematically as linear functions of channel flows, as follows:

Optimizing Throughput (Maximal Flow)

$$15 \quad (10) \text{ value} = \sum_{i \in \text{ActiveClients}} \text{client.lookup(i).channel.flowRate}$$

Optimizing Charges (Maximal Charges)

$$(11) \text{ value} = \sum_{i \in \text{ActiveClients}} (\text{client.lookup(i).channel.flowRate} * \text{client.lookup(i).costOfService})$$

-21-

Optimization Problem Statement (Figure 3)

[0027] The optimization problem, which in one embodiment is strictly throughput and in another case is charge, can be stated simply as follows:

Find values for

5 client.lookup(i).channel.flowRate for all $i \in \Sigma_{\text{activeClients}}$

constrained by inequalities 1 through 5, such that the value obtained by evaluating expression 10 or 11 assumes a maximum.

[0028] Both of these problem formulations are examples of Linear Programming for which a number of well-known and generally effective computational solutions exist. In linear programming one seeks to optimize a linear cost function of variable x

10

$$(12) \quad c^*x = c_1^*x_1 + \dots + c_n^*x_n$$

subject to a set of linear inequality constraints

$$(13) \quad A^*x \leq b$$

15 where $x^T = (x_1, \dots, x_n)$, $c = (c_1, \dots, c_n)$ are the state variable & cost vectors, A is an n -by- m matrix, $b^T = (b_1, \dots, b_m)$ is the constraint vector, and the operator '*' stands for matrix or scalar multiplication.

[0029] Figure 3 is introduced as illustrative of the problem statement and the general methods of the prior art, and is not incorporated as an element of the invention.

20

-22-

- [0030] The linear programming problem as well as its solution can best be understood with the aid of geometry. Figure 3, depicting a 2-dimensional Cartesian problem space, inequality constraints (13) define a convex hull H 310 over which a search for an optimum value of $x = (x_1, x_2)$ is permitted to range.
- 5 The cost vector c 350 defines an infinite family of equal cost lines (hyper-planes) which lie orthogonal to c . Three examples of such lines are shown in L_1 360, L_2 365, and L_3 370., each of progressively higher value. The supreme value of the cost function is obtained by sliding along c 350 till one can go no further, in this instance toward vertex V_4 340 of hull H 310. Many well-known methods (e.g. the
- 10 Simplex Method) work roughly in this fashion, exploiting the fact that at least one optimum point must be at a vertex. In particular, the Simplex method algorithm begins by finding a vertex (e.g. V_2 320), and then moves along a sequence of vertices (e.g. V_3 330, V_4 340) improving itself each time until no further improvement is possible & the summit is reached.
- 15 [0031] Let us suppose instead that V_3 330 were placed along L_3 370 along with V_4 340. According to prior art methods, V_3 330 and V_4 340 are the two possible solutions, but the equally valuable points in between them are not. As we shall soon see, the problem of throughput optimization (6) falls in this category.
- [0032] While vertex V_1 300 does not factor into this description, it is depicted in
- 20 Figure 3 for completeness.

Flow Modulation

Methods for Maximal Flow

The following sections detail two embodiments to optimize total data flow.

-23-

Overview (Figure 4-a)

[0033] Figure 4-a depicts a scenario involving two flows. The convex hull is in this instance bounded by line segments L1, L2, L3, L4 and L5. L6 is a boundary used in a different embodiment, however the present embodiment uses L5 and not L6. Flow f_2 can range over the interval separating line segments L1 from L3, namely f_2^{MIN} and f_2^{MAX} ; the range is depicted as f_2^{RANGE} . Flow f_1 can range over the interval between lines L2 and L4, namely f_1^{MIN} and f_1^{MAX} , and depicted as f_1^{RANGE} . The sum of flows f_1 and f_2 is constrained to lie inside of line segment L5 which, by construction, is always orthogonal to the cost vector C_r . Cost vector C_c is also illustrated but used in a distinct embodiment. In the present embodiment only C_r is used. In the illustrated example of the present embodiment, the constraint on total flow is set to 5, and is therefore low enough to cause L5 to intersect L3 and L4. This would not have been true had the value chosen had been 10 instead of 5. With L5 safely out of contention, the convex hull would instead be a simple rectangle bounded by L1 through L4, thereby permitting both flows to assume their respective maxima without interference. In practice operational constraints exist intrinsically or are imposed from the outside so as to ensure cost effective sharing of potentially costly network resources.

[0034] Supposing Figure 4 to be correct, the well-known methods would select vertex $V_{3,5}$, which lies at the intersection of L3 and L5, or $V_{4,5}$, which lies at the intersection of L4 and L5. These solutions, though optimal, are undesirable for the present invention as they fail to spread available bandwidth over all channels as fairly as would a centrally located interior point of L5. For this reason, two alternative optimization methods are taught, which are adapted to the particular needs of this problem and ensure a fairer allocation of constrained bandwidth among all channels.

-24-

Iterative Procedure (Figure 5)

[0035] In order to optimize use of all available bandwidth, the following general method is used, with the details illustrated in Figure 5. This method is a solution for the problem illustrated in Figure 4-a, which geometrically illustrates the optimization problem in the limited case of two flows, f1 and f2. The following description expands the problem to an arbitrary number of clients (and therefore flows) and presents a method for solving this optimization problem.

[0036] Referring to Figure 5, in step 500, values are calculated for the *session maxFlowRate* and *session.minFlowRate* for each client as per the minimum and maximum constraint bound expressions in equations 6 and 8, respectively. This step correlates to the determination of f_{1min} , f_{1max} , f_{2min} and f_{2max} from Figure 4-a.

[0037] The difference between these two yields the *session.flowRateRange* of each client. Thus:

15 *session.flowRateRange* = *session maxFlowRate*- *session.minimumFlowRate*

[0038] In step 505, the active clients are sorted in an ascending fashion based upon their *session.flowRateRange*. As will be shown this critical step facilitates allocation of the remaining server bandwidth as evenly as possible among all active channels, thus maximizing the number of channels that benefit by use of the total server bandwidth. An arbitrary assignment of remaining bandwidth is likely to saturate the server before all channels have been assigned extra bandwidth, thereby favoring certain channels on an ad-hoc basis. This step correlates to keeping the solution in bounds of the space delineated by line segments L1-L5 of Figure 4-a.

-25-

[0039] In step 510, each client's channel flow rate is set to the *session minimumFlowRate*.

5 [0040] By doing so, it is ensured that the minimum flow constraint is met for each session and that the minimum flow rate is a non-increasing function of time, which is critical to the proper functioning of the CAC procedure. This portion of the process also ensures that the solution, starting from the vertex in Figure 4-a as defined by the intersection of L1 and L2, moves generally in the direction of vector c_f . All clients are also marked as unprocessed.

10 [0041] In the next step, 520, *server.flowRate* is set to the sum of each active client's *session.flowRate*.

[0042] Next, the following is iterated over all clients in sorted sequence (during any given iteration the selected client is given by its *id*) by performing steps 530 through 570. In step 530 evaluating the following expressions test for possible server saturation:

15
$$\text{delta} = (\text{server.maxFlowRate} - \text{server.flowRate}) / (\text{qty of un-processed clients})$$

$$\text{range} = \text{client.lookup}(\text{id}).\text{session.maxFlowRate} -$$

$$\text{client.lookup}(\text{id}).\text{session.flowRate}$$

[0043] If *range* is greater than *delta*, this implies that the server can be saturated in this iteration by allocating *delta* to all unprocessed clients (step 540).

20 [0044] On the other hand, the 'no' path for step 530 implies that the server is not saturated and that the present client (given by *id*) will saturate first. Accordingly, in 550 the *delta* variable is set as follows:

$$\text{delta} = \text{range}$$

-26-

[0045] To again correlate this process back to the geometry of Figure 4-a, server saturation is indicated when the solution which is being sought in the direction of vector c_f goes beyond line segment L5.

5 [0046] Next, the flow rate is incremented for all unprocessed clients by *delta*, causing client *id* to saturate.

[0047] In step 560 the server flow rate is adjusted accordingly:

$\text{server.flowRate} = \text{server.flowRate} + \text{delta} * (\text{qty of unprocessed clients})$

In step 570 the client given by *id*, now saturated, is marked as processed.

Algebraic Procedure (Figures 4-b and 15) By Interpolation

10 [0048] Referring to Figure 4-b, the iterative method described in the previous section begins its search for a maximum from vertex $V_{\min}$ along the direction shown by line C_1 . In contrast, the present method follows the diagonal line segment L_{diag} of the rectangle bounded by lines L1 through L4, starting at vertex $V_{\min}$ and ending at point V_{3-4} .

15 [0049] Provided it exists, the intersection between L_{diag} and L5, indicated by V_f , is optimal on the same basis as any other point lying along the intersection of L5 with the rectangle bounded by L1 through L4, as previously discussed.

[0050] Whenever L5 does not intersect this rectangle, the optimal solution is given by vertex V3-4 at which f_1 and f_2 both assume their respective maxima.

-27-

[0051] In the first instance, the coordinates for point V_f can be obtained by elementary vector geometry and algebraic manipulation, as follows:

First, we define a number of abbreviations,

- 5 $f_k^{\min}$ represents client.lookup(k).session.minimum flow rate
 f_k^{range} represents client.lookup(k).session.flow rate range
 $f_{svf}^{\max}$ represents server.maxflowrate

We seek scale factor x such that the vector sum of

$(f_1^{\min} \dots f_n^{\min}) + x (f_1^{\text{range}} \dots f_n^{\text{range}})$ intersects an equi-cost hyperplane for capacity c .

The point of intersection is obtained by solving equation:

10
$$(f_1^{\min} + \dots + f_n^{\min}) + x(f_1^{\text{range}} + \dots + f_n^{\text{range}}) = c$$

Solving for x , we obtain:

$$x = [f_{svr}^{\max} - (f_1^{\min} + \dots + f_n^{\min})] / (f_1^{\text{range}} + \dots + f_n^{\text{range}})$$

where $f_{svr}^{\max} - (f_1^{\min} + \dots + f_n^{\min})$ represents the unused bandwidth beyond the minimum allocation for each session. For any given session, the optimal flow rate is given

15 by:

$$f_i = f_i^{\min} + x f_i^{\text{range}}, \text{ if } x < 1,$$

or

$$f_i = f_i^{\min} + f_i^{\text{range}}, \text{ if } x > 1$$

[0052] This solution by interpolation is interesting by virtue of the great efficiency
 20 of the calculation, and the fact that no session saturates ($x > 1$) unless all sessions saturate. In contrast, the previous method entails considerably more computational effort, and tends to saturate sessions with the lowest reserve capacity.

-28-

[0053] A block diagram for this algorithm is depicted in Figure 15. Block 1500 establishes the maxim and minima for each flow. For each flow the minimum is subtracted from the maximum to obtain the range. Available Bandwidth is calculated in block 1520, as the difference between the aggregate flow capacity and the sum of flow minima. Factor x is calculated next in block 1540, and tested against 1 in block 1650. Flow rates for each session are computed in block 1560 if x is less than 1, or 1570 in the contrary case.

A Method for Maximal Charge

[0054] The following sections detail one embodiment to optimize the total monetary charges within the system. The second method is algebraic in nature, and thus very efficient.

Overview (Figure 4-a)

[0055] Referring back to Figure 4-a, cost vector C_c lies orthogonal to line L6, which intersects the convex hull at the vertex formed by the intersection of lines L4 and L5, namely $V_{4,5}$. This cost vector, and the optimal point that it implies, favors flow f_1 over flow f_2 . In this example, as the cost of service for f_1 equals 2, thus exceeding the cost of service of 1 set for f_2 . As the number of flows grow to exceed the number of distinct categories of service (and associated costs of service) the unique optimal solution, depicted in Figure 4 for the case where every flow has a distinct cost of service, no longer applies. Once again a plurality of flows within a service category vie for bandwidth which a method should endeavor to distribute evenly. This method is derived from the previous one, and optimizes one cost category after another, starting with the most costly and ending with the least costly, or when all available capacity is allocated.

-29-

An Iterative Search Procedure (Figure 6)

[0056] Let the service categories be denoted by $k = 1 \dots N$, where k also denotes the cost of service.

5 [0057] Let $C_1 \dots C_N$ be the partition of $S_{\text{activeClients}}$ that places all clients with cost of service k in set C_k . Partition sets C_k can be ordered to form sequence $\text{SeqC} = C_N \dots C_1$.

[0058] Figure 6 depicts the method for implementing the method to maximize the cost of service (service charge).

10 [0059] This method is nearly identical to the iterative procedure used to maximize flow. The principle difference stems from the partitioning of clients according to their category (cost) of service: clients charged most are allocated bandwidth preferentially. This is accomplished by adding another level of iteration around the method of Figure 5. The inner iteration (steps 650 through 680) functions exactly as before, with the difference that its actions are limited to the clients belonging to

15 the given service category k (i.e. C_k). This difference also holds true of step 640 which sorts category k clients according to their flow ranges prior to entry in the bandwidth-allocating inner loop. The outer loop proceeds down a sorted sequence of service categories SeqC (generated in step 630), starting with the category generating the greatest revenue to the service provider. Given a fairly static set of

20 service categories, this sort need be performed only when the categories undergo change. Steps 670, 675 and 680 are identical to their counterparts in the method of Figure 5 (i.e. 570, 575 and 580).

-30-

[0060] The net effect of this method is preferential allocation of bandwidth according to category of service, and equitable treatment of clients within the same category of service.

An Iterative Algebraic Procedure (Figure 16)

5 [0061] The algebraic method used to maximize bandwidth (Figures 4b and 15) can be viewed as a special case of cost optimization in which all costs are equal. By construction, all sessions belonging to a given category, starting with the most expensive category, and ending with the least, and updating available bandwidth after each step in sequence, we obtain an iterative algebraic method that scales
10 much better than the preceding method.

[0062] A block diagram for this algorithm is depicted in Figure 16. Block 1600 establishes the maxima and minima for each flow. For each flow, the minimum is subtracted from the maximum to obtain the range. In block 1610, every session flow is assigned the minimum allowed value, which value will apply by default
15 should the iterative procedure run out of bandwidth before all categories can be considered. Block 1620 computes the initial value for available bandwidth, as the difference between the aggregate flow capacity and the sum of flow minima.

[0063] Flow values are obtained for each cost category in order of decreasing cost within blocks 1640 through 1675. Factor x is calculated next in block 1640, and
20 tested against 1 in block 1650. Flow rates for each sessions of the category under consideration are computed in block 1660 if x is less than 1, or 1670 in the contrary case. In the former case there is no more bandwidth to allocated to the sessions in the category under consideration.

-31-

Call Acceptance Control (CAC)CAC for Maximal Flow Overview (Figures 7-8)

5 [0064] The CAC procedure applicable to this flow optimization relies on the essential step of accepting a new client if and only if the added load induced thereby does not compromise service to existing clients or the new one. This critical step could not be accomplished without the close integration with previously- described flow-modulation methods of Figures 5, 6, 15 and 16.

10 [0065] According to the previous discussion, the minimum flow rate is the minimum sustained flow rate that guarantees that the associated viewer will not be subject to interruptions in service due to a shortfall of content from the media server. It follows that whenever data is being delivered at a rate in excess of the minimum flow rate, a downward adjustment toward the minimum level could be accommodated as needed to surrender bandwidth to any newcomer.

15 [0066] Figure 7 depicts content flow over a channel for the course of a typical session, and also how data is delivered under real-time streaming D. The amount of content delivered is the same in either case, but the manner of delivery differs considerably. A session is launched at time 0 as the network is lightly loaded, and the optimizer sets an accordingly high flow rate. Another client emerges at the end of interval 700, causing a downward adjustment to the flow rate over interval
20 B, as available bandwidth is shared between two sessions. During both of these intervals the minimum flow rate 720 drops quickly, as data accumulates in the client's media buffers. At the end of interval B, a massive influx of clients necessitates that flow be dropped to the minimum flow rate, which now lies substantially below the streaming rate D and is held until all data is delivered at the
25 end of interval C. Note that the minimum flow rate, shown as element 720, diminishes monotonically over time.

-32-

[0067] The *server swing capacity* is defined as the difference between the maximum capacity of the server and the total minimum flow rates for all active clients. Therefore:

(14) swingCapacity =

5 server.maxFlowRate - $\sum_{i \in \text{SactiveClients}} (\text{client.lookup}(i).\text{session.minFlowRate})$

[0068] Given the monotonic decreasing nature of session minimum flow rates, server swing capacity can readily be seen to be a *monotonic increasing* function of time over the intervals separating client admissions, at which point it undergoes a drop as a new load is taken on. This all-important characteristic implies the following:

10

Any client admitted for service based on the present value of swing capacity is guaranteed to have sufficient bandwidth at its disposal over the entire future course of the session.

[0069] Figure 8 depicts the server swing capacity 800 over the course of the sessions illustrated in Figure 7. Swing capacity rises quickly over intervals A & B as data is delivered at high flow rates over the network. It holds steady over interval C when all channels flow at their minimum rate then jumps at the end of C before resuming its monotonic rise once again.

15

Procedure (Figure 9)

[0070] In this procedure, which executes on a periodic basis, queued clients awaiting bandwidth are scanned in FIFO order. For each one, the required bandwidth is computed as per the client's prior content selection. If the available swing capacity (reduced by a safety margin) exceeds the amount required, then the client is activated and swing capacity is adjusted accordingly. Otherwise, two possible cases are considered: 1) under the *FirstFit* embodiment, the procedure

20

25

-33-

continues scanning clients to the end of the queue, activating clients whose requirements can be met; 2) under the *FIFO* embodiment, the procedure ends with the first candidate client whose requirements cannot be met.

5 [0071] In step 900, available server swing capacity is evaluated according to the formula
swingCapacity =

$$\text{server.maxFlowRate} - \sum_{i \in \text{SactiveClients}} (\text{client.get}(i).\text{session.minimumFlowRate})$$

The bandwidth requirement for client *id* in Step 920 is obtained as follows:
required_bandwidth = client.lookup(*id*).contentSelection.averagePlayRate

10 The predicate evaluated in Step 940 is given by the expression:
(required_bandwidth <= swingCapacity - server.cac_flowSafetyMargin)

[0072] In step 950, client activation entails allocation of a session and a channel,
and insertion in the set of active clients eligible for bandwidth allocation by the
15 optimal flow modulator.

[0073] In step 960 the swing capacity is diminished by the amount reserved for the activated client:

$$\text{swingCapacity} = \text{swingCapacity} - \text{required_bandwidth};$$

Responding to Variations in Network Capacity (Maximal Flow)

20 [0074] In the CAC procedure for maximal flow, a safety margin was introduced, namely *server.cac_flowSafetyMargin*, to provide the means for ensuring that the server's swing capacity will never fall below a minimal threshold value.

-34-

[0075] According to this procedure, the following inequality always holds true:

(15) $\text{swingCapacity} \geq \text{server.cac_flowSafetyMargin}$

[0076] In the previous discussion, a server's swing capacity provided the basis for determining whether or not a prospective client should be allocated bandwidth.

5 [0077] By holding *server.cac_flowSafetyMargin* in reserve, the CAC algorithm forces delivery of content at faster than real-time rates among accepted clients, even under the heaviest load. The net effect is to apply upward pressure on client side buffer levels, thus promoting continuous accumulation of content and a jitter-free viewing experience once a session is under way.

10 [0078] In another embodiment, server swing capacity can also be interpreted as specifying the *maximum* amount by which the *server.maxFlowRate* constraint can be dropped without affecting service, should such an adjustment prove necessary due, for instance, to an influx of exogenous network traffic that diminishes the amount available for multi-media services. Parameter

15 *server.cac_flowSafetyMargin* can thus be set so as to *guarantee a minimum capacity to tighten the constraint on maximum server flow* in response to unexpected load changes that affect the server's ability to service its existing clients as well as new ones.

Anticipating Scheduled Variations in Network Capacity (Maximal Flow)

20 Overview (Figure 10)

[0079] Figure 10 depicts how the constraint on maximum flow might be allowed to vary according to the time of day, day of the week, and so forth, in expectation of time-varying traffic flow levels extrapolated from past experience, traffic flow models, etc. Maximum flow rate 1000 can be seen to vary based upon the time of

-35-

day. In practice, defining the right-hand-side of inequality constraint 1 as a time-dependent expression can impose such time-varying capacities. According to the previous description, the optimizer, which executes on a periodic basis, will automatically seek new flow levels for every active session as the constraint varies.

- 5 There is, however, no guarantee that an acceptable operating point will be found for all sessions (i.e. one that respects the minimal and maximum constraints on session channel flow). One such example is the case where the server is loaded to the limit and total capacity is curtailed in excess of the aforementioned safety margin. Should such a situation arise the only recourse may well be the
- 10 termination of a number of established sessions (i.e. load shedding).

- [0080] The goal is to eliminate service disruptions of this sort by allowing the CAC procedure to look ahead into the future, and accept new clients only if these can be accommodated without any compromise in service in the midst of
- previously anticipated changes* in available network capacity. The following CAC
- 15 procedure generalizes the previous one: before accepting a client, the test on swing capacity is repeated over a sequence of time segments that cover the proposed viewing period.

Definitions -

Let:

- 20 (16) $t_{\text{end}}(i) = \text{client.lookup}(i).\text{session.playTimeToGo} + t_{\text{now}}$

Let $\text{server.maxFlowRate}(t)$ be server flow capacity as a function of time, as exemplified in Figure 10.

-36-

[0081] Let $\text{Seq}_t(t_now)$ = advancing sequence of future times, lead by t_now , when $\text{server.maxFlowRate}(t)$ undergoes a step change. For instance, at 9:15 in Figure 10 this sequence reads as follows: 9:15, 9:30, 11:30, 13:30, 6:30, 7:30.

[0082] The server swing capacity at a future time t is computed according to the capacity and worst-case client flows at time t .

$$(17) \quad \text{swingCapacity}(t) = \text{server.maxFlowRate}(t) - \sum_{t_{\text{end}(i)} > t} (\text{client.lookup}(i).\text{session.minFlowRate})$$

[0083] It is noteworthy that the worst-case client flows at time t are expressed in terms of the present minimum flow rates, which cannot increase over time, but might hold steady. Finally, a predicate is defined that tests whether a prospective customer will cause swing capacity to be exceeded at some time t , as follows:

$$(18) \quad \text{boolean client_fits}(i, t) \{$$

$$\quad \text{if}(\text{client.lookup}(i).\text{contentSelection.averagePlayRate} \leq$$

$$\quad \text{swingCapacity}(t) - \text{server.cac_flowSafetyMargin})$$

15 return true;

 else return false;

 }

-37-

Procedure (Figure 11)

5 [0084] This procedure is an adaptation of the first, which has been extended to consider swing capacity at times in the future when capacity undergoes scheduled changes. Before accepting a client, its minimal bandwidth requirement (which by construction of the flow modulator will never increase over time) is checked against *projected swing capacity* at points in time when total available capacity undergoes scheduled step changes, provided these times fall within the proposed content viewing period. A candidate is activated only if all tests succeed.

10 [0085] Step 1100 builds a sequence of time values (SeqT) at which step capacity changes are scheduled to occur. The first element of this sequence is *t_now*, representing the present.

[0086] Beyond step 1100 the queue of waiting clients is scanned in FIFO order, yielding a candidate designated by *id* at each iteration.

15 [0087] The bandwidth requirement for client *id* in Step 1120 is obtained as follows:

required_bandwidth = client.lookup(*id*).contentSelection.averagePlayRate

[0088] The worst-case end time for content flow to *id* is obtained according to the content selected, as follows:

20 $t_end = t_now + client.lookup(id).selected.playTime$

-38-

[0089] Steps 1130 through 1150 are executed within an iteration for each time point t in Seq_T falling between t_{now} and t_{end} . This iteration is ended in step 1130 if t exceeds the time window of interest, or in step 1150 if the supply of scheduled capacity changes is exhausted.

- 5 [0090] For each time value, step 1140 compares required bandwidth to projected swing capacity.

Projected swing capacity at time t is:

$$\text{swingCapacity}(t) = \text{server.maxFlowRate}(t) - \sum_{t_{\text{end}(i)} > t} (\text{client.lookup}(i).\text{session.minimumFlowRate})$$

- 10 [0091] Note that only active clients whose t_{end} times occur after t are considered in the sum of minimum flow rates.

[0092] The predicate expression used in step 1140 at time t is thus:

$$(\text{required_bandwidth} \leq \text{swingCapacity}(t) - \text{server.cac_flowSafetyMargin})$$

- 15 Step 1160 performs the same actions as step 660 in the previous CAC flowchart

[0093] The first CAC process is a special case of the present one, in which the set of step change times to $\text{server.maxFlowRate}$ is empty (i.e. $\text{server.maxFlowRate}$ is constant), and $\text{Seq}_T(t_{\text{now}}) == t_{\text{now}}$.

-39-

[0094] In preparing $\text{Seq}_t(t_now)$, one need only consider future times that will pass before the longest possible content is played out if started at t_now . In order to sidestep problems associated with rollover (at midnight, year 2000, etc.), time is best expressed as a monotonically increasing value (e.g. seconds since Jan 1 1990).

CAC for Maximal Charges

Overview (Figure 13)

[0095] Previously, a method for flow modulation was presented that maximizes charges to clients with active sessions. The CAC embodiment presented previously was not sufficient as it does not consider the cost of service as a basis for connection acceptance. As a result, it may turn away higher paying customers while granting service to lower paying ones, thereby defeating the purpose for this particular embodiment. Therefore, another embodiment is defined which offers the following features:

1. Awaiting clients are serviced in order of their respective service categories, higher paying clients first.
2. Once accepted, a client is guaranteed to receive acceptable service irrespective of its service category.
3. Under heavy load conditions higher paying customers are more likely to be accepted than lower paying ones.
4. Lower paying customers will not be starved for service when higher paying ones enjoy a surplus.

-40-

5. Available bandwidth is not thrown away needlessly while clients are being denied service.

[0096] The first objective is easily met by dividing the client queue into as many bands as there are service categories, resulting in a banded queue. Bands are
5 ordered within the queue according to their service categories, with the costliest category in front. As prospective clients arrive and make their selection they are placed in their respective queue band according to their service category (which may be set contractually, according to content selection, etc.).

[0097] Our second objective is met by employing a procedure patterned after
10 those presented previously & offering the same guarantee. Toward our third and fourth objectives we propose dividing total available bandwidth in as many strata as there are service categories. As depicted in Figure 12, two service categories are shown, Premium and Basic, each entailing an associated cost of service. A prospective client is accepted only if there is sufficient swing capacity available
15 within its given service category. The swing capacity for a given category is given by the smaller of 1) the difference between its maximum floor flow rate (corresponding to the top of the stratum for the service category) and the sum of the minimum rates of all active sessions in its category or below, and 2) available swing capacity overall. Finally, our fifth objective is met by allowing the flow
20 optimizer to function freely subject to its operational constraints. The imposed ceilings on call acceptance by category relate to *minimum flow rates*, which merely impose a floor on *actual flow rates*. For example, basic clients might well consume all available bandwidth 300 in the absence of any premium customers, yet could be throttled back toward their floor flow rates (which together cannot
25 exceed 200 in this example) at any time should any premium customer suddenly demand service. In contrast, premium customers could consume the entire 300

-41-

bandwidth. As lower paying customers appear these would be admitted to the degree that their quota on minimum flow is not exceeded (i.e. 200) and the availability of swing capacity on the system.

Procedure (Figure 13)

- 5 [0098] The present procedure requires a number of ancillary definitions, which follow:

Let the service categories be denoted by $k = 1 \dots N$, where k also denotes the cost of service.

- 10 Let $\text{server.maxMinFlowRate}[k-1]$ be the top of the stratum for service category k . Note that $\text{server.maxMinFlowRate}[N-1] = \text{server.maxFlowRate}$.

Let S_k be the set of active client indices with a service category *equal to or less than* k . Note that S_1 is contained in S_2 , S_2 is contained in S_3 , and so forth, and that $S_N = S_{\text{activeClients}}$.

- 15 Let $\text{swingCapacity}(k)$ denote available swing capacity for service category k . By construction:

$$(19) \quad \text{swingCapacity}(k) = \text{minimum of:} \\ (\text{server.maxMinFlowRate}[k-1] - \sum_{i \in S_k} (\text{client.lookup}(i).\text{session.minFlowRate})), \\ (\text{server.maxFlowRate} - \sum_{i \in \text{ActiveClients}} (\text{client.lookup}(i).\text{session.minFlowRate}))$$

- 20 [0099] Referring to Figure 13, this method is used for CAC when multiple rate tariffs are in effect, and there is a desire to maximize economic returns to the service provider while offering acceptable service to all.

-42-

[00100] All waiting clients are scanned in FIFO sequence. The actions taken in Steps 1320 and 1360 are identical to those described in connection with earlier CAC flowcharts.

5 [00101] Step 1340 evaluates a predicate expression that tests whether the required bandwidth can be accommodated without exceeding the lesser of 1) swing capacity available to the client's category of service, and 2) total available swing across all categories of service. The latter factor could be determinative if all available bandwidth were allocated to high paying customers, leaving lower paying ones such as the proposed client unable to draw from their unfilled quota.

10 Let us suppose that candidate client *id* belongs to rate category *k*.

We define the swing capacity available in rate category *k* as:

swingCapacity(*k*) = least of:

(server.maxMinFlowRate[*k*-1] - $\sum_{i \in S_k} (\text{client.lookup}(i).\text{session.minimumFlowRate}))$

and

15 (server.maxFlowRate - $\sum_{i \in \text{SactiveClients}} (\text{client.lookup}(i).\text{session.minimumFlowRate}))$

The predicate expression invoked by step 1340 can now be written as follows:

(required_bandwidth <= swingCapacity(*k*) - server.cac_flowSafetyMargin)

20 [00102] This algorithm processes queued clients in band sequence, and within every band in FIFO order. If the predicate evaluates to true, the client is activated. Otherwise two possible cases are considered: 1) under the *FirstFit* embodiment, the procedure continues scanning clients to the end of the banded queue, activating clients whose requirements can be met; 2) under the *FIFO* embodiment, the procedure ends with the first candidate client whose requirements cannot be met. Many other variations on these two embodiments might also be considered.

25

-43-

Anticipating Scheduled Variations in Network Capacity (Maximal Charge)Overview

- [00103] The procedure applicable to optimization of delivery charges is obtained by blending elements of the CAC method depicted in Figure 13 into the method depicted in Figure 11, which applies without change. To understand how this might work it may be useful to visualize a version of Figure 10 stratified along its length in the manner of Figure 8. As the maximum flow level undergoes a step change, so too do the widths of its constituent strata in equal proportion.

Procedure

- 10 [00104] As previously mentioned, the CAC method (Figure 11) applies to this circumstance also, provided we alter the definition of two routines, (17) and (18), upon which that procedure relies, yielding (20) and (21), and adopt the banded queue organization outlined in the previous section.

- 15 [00105] The server swing capacity at a future time t is computed according to the capacity and worst-case client flows at time t .

$$\begin{aligned}
 (20) \text{ swingCapacity}(k, t) = & \text{minimum of } (\\
 & (\text{server.maxFlowRate}(t) * (\text{server.maxMinFlowRate}[k-1] / \text{server.maxMinFlowRate}[N-1]) \\
 & \sum_{i \in S_k \text{ \& } (t_{\text{end}(i)} > t)} (\text{client.lookup}(i). \text{session.minFlowRate})), \\
 & (\text{server.maxFlowRate} - \sum_{i \in \text{SactiveClients \& } (t_{\text{end}(i)} > t)} (\text{client.lookup}(i). \text{session.minFlowRate})))
 \end{aligned}$$

-44-

Finally, we define a predicate that tests whether a prospective customer will cause swing capacity to be exceeded at some time t , as follows:

```

(21) boolean client_fits(i ,t) {
        k = client.lookup(i).costOfService;
5      if(client.lookup(i).contentSelection.averagePlayRate < =
                                swingCapacity(k,t) - server.cac_flowSafetyMargin)
                                return true;
        else return false;
    }

```

10 System Description

[00106] Referring to Figure 14, a block diagram illustrating a preferred embodiment for a system implementing the methods presented herein is shown.

[00107] Block 1485 depicts plurality of network-based client computers that receive data from a server over the course of a session. Every client sessions has
15 an associated session block 1435 within the server by means which a flow rate of content from client to server is effected and regulated to a given flow rate set-point. The flow optimizer 1430 manages bandwidth utilization across all sessions that have been admitted by the system call admission control (CAC) and the bandwidth call admission control blocks, labeled 1400 and 1420 respectively.
20 Specifically, the flow optimizer 1430 modulates the flow rate set-point of every active session so as to optimize aggregate flow or, more generally, cost.

Call Admission Control

[00108] Whenever a client contacts a server requesting service, the server must determine whether or not to admit the client. This admission function is
25 performed in two separate phases. The system call admission control block 1400 considers whether or not sufficient internal resources exist to support the request.

-45-

Toward this end, the system CAC 1400 estimates the needs of the prospective client with respect to a set of limited system resources such as I/O bandwidth, cache memory, open files, threads, etc. A request is denied if any required resource cannot be obtained. In the contrary case, the request is passed on to the

5 Bandwidth CAC, which tests if the client fits and admits or rejects the client accordingly. The swing capacity is computed by the flow optimizer 1430 on a periodic basis according to equations (14) and (17) as appropriate. The managed bandwidth must reflect the true capacity of the attached network and the adapters leading thereto. This parameter should not be set arbitrarily high to prevent

10 rejection of client requests. Doing so will cause the system to admit calls that cannot be properly handled, thereby diminishing the quality of the viewing experience.

[00109] Having admitted a client, block 1430 creates a client session block 1435, which then begins to converse with its client-resident counterpart, 1480) during

15 their launch phase. Thereafter, the flow optimizer 1430 assumes control, and modulates flow over the session until either all content is delivered, or a failure to deliver is detected, or one of a number of VCR-like stream control events intervene (e.g. pause, rewind, fast-forward).

Server and Client Session Control Blocks

20 [00110] Data Transport Channel 1450 is responsible for transporting data packets originating from the flow regulator 1440 within the server to the former's peer entity 1460 within the client. The mode of communication between the peer entities may be connection-oriented (e.g. TCP, which delivers a byte stream in order, without duplication or loss) or datagram-oriented (e.g. UDP). Best-efforts

25 datagram service is typically enhanced with acknowledgements to facilitate rapid recovery from occasional packet loss, out-of-sequence delivery, and duplication.

-46-

- [00111] Peered session control channels 1445 and 1465 permit configuration and status data, together with miscellaneous commands, to be sent from client to server and vice-versa. A reliable connection-oriented transport service is typically employed for this purpose (e.g. TCP). Data and commands alike are multiplexed over this channel in the service of other entities within the clients or server. Thus, a datagram-oriented data transport channel 1460 within a client 1485 might employ the session control channel to ferry selective acknowledgements to its peer in the server. Similarly, the flow meter 1465 within the client 1485 forwards the measured flow rate to the associated flow regulator 1440 within the server.
- [00112] The flow regulator 1440 obtains content data from a cache or disk, at the current offset into the content file, which it forwards as packets to the data transfer channel 1450. The size and/or pacing of the packets are determined by the flow regulator 1440 in order to achieve the flow rate set-point imposed by the flow optimizer 1430. The flow regulator 1440 is also responsible for determining the channel flow capacity to the client, which is the least of a configured value obtained from the client and a measured value. Toward this end, during the launch phase, the flow regulator 1440 might send content data packets to the client flow meter 1475 in a series of packet trains at progressively higher peak flow rates ending with the configured maximum flow rate, if any. The highest measured flow rate reported by the client flow meter 1475 is accepted as the flow rate capacity, which is posted for use by the flow optimizer 1430. Subsequently, the flow regulator 1440 will compare the flow rate set-point with the flow rates reported by the flow meter 1465, and down grade capacity as needed should the measured flow rate fall consistently fall below the requested flow rate. Whenever such a downgrading occurs, the flow regulator 1440 will test for subsequent

-47-

relaxation of a transient constriction by means of the aforementioned series of packet trains in which the peak packet flow rate exceeds the delivered flow rate.

[00113] The buffer manager 1470 accepts data from the flow meter 1465, which data is retained until it is consumed or passed over the content consumer 1480.

- 5 The buffer will typically be implemented as a ring buffer in memory or on disk. The write cursor will lag the read cursor by a no less than a specifiable time interval so as to permit rewinds of acceptable scope without requiring selective data re-retrieval from the server.

Flow Optimizer 1430

- 10 [00114] The flow optimizer 1430 assumes control over a session once it has been launched, and its channel capacity has been determined. Subsequently, it modulates the flow rate set-point of every session such as to optimize aggregate flow or charges across all active sessions, subject to a variety of min/max constraints on sessions flows, and a maximum constraint on aggregate session
15 flow, as previously discussed.

[00115] The flow optimizer 1430 continues to modulate session flow until all content has been delivered, or one of a number of session anomalies intervene, as follows:

- 20 [00116] A downgraded session flow capacity drops below the minimum session flow rate. The session is dropped by the optimizer 1430 as a solution involving this channel does not exist. The user is forced to apply for re-admission, with the option of accepting slower than real-time delivery at the present encoding rate, or accepting a degraded viewing experience at a reduced encoding rate better adapted to the presently available bandwidth.

-48-

[00117] A pause VCR command is received from the client. Flow to the client can continue until the client-side buffer is topped off, after which time flow drops to zero. The session is permanently dropped should the pause persists too long. Until that time, the CAC safety margin is temporarily increased by the jit (Just-In-Time) flow rate of the paused session. In this way the session can be resumed without the need for re-admission and the jit bandwidth is made available to currently sessions so long as the pause persists.

[00118] A VCR Jump-Forward command is received from the client. This action is problematic as it causes the just-in-time flow rate (calculated at the new forward offset) to increase, in violation of the assumptions of the CAC algorithm. It must be noted that this violation will occur even if the content that is sought has already been delivered to the client-side buffer. One workable policy is to force the client to apply for re-admission at the forward offset and with a suitably modified buffer level.

[00119] A VCR Jump-Backward (Rewind) command is received. This action may entail the need for re-transmission of content, as previously discussed. The just-in-time flow rate will decrease as per the new position and adjusted buffer contents.

-49-

Tunable Minimum Constraint

[00120] A parameterized family of minimum flow constraints can be defined as follows:

(22)

5 wherein: $f_k(t)$ = Target content flow rate for session k;
 $f_k^{JIT}(t)$ = Just-in-time flow rate for session k;
 (RHS of Equation (5))
 β = Burst tuning factor (positive or zero); and
 $f_k^{\min}(t)$ = Minimum (reserved) flow rate for session k.

10 **[00121]** This family converges on $f_k(t) > f_k^{JIT}(t)$ when β approaches 0. A β value of .1, for example, ensures a minimum flow rate that exceeds the JIT flow rate by 10%. Thus, non-zero values of β force early delivery of content to a player's media buffer, with beneficial effects on the viewing experience.

Alternative Call Admission Control

15 **[00122]** The traditional CAC algorithm compares the flow rate requirement of a prospective client with the unused bandwidth (obtained by subtracting the aggregate flow target from the server flow capacity) and grants service if unused bandwidth is not exceeded. This procedure may break down as the optimizer causes all available bandwidth to be used if it can, thereby reducing unused

20 bandwidth to zero in the best case, even when a new client could be accommodated with a healthy margin to spare.

-50-

[00123] Nevertheless, a simple variation on this idea can be used. Available bandwidths can be defined as the difference between server flow capacity and the sum of minimum flow rates for each session computed according to (22) as follows:

$$(23) \quad f_{\text{available}} = f_{\text{Svr}}^{\text{max}} - (f_1^{\text{min}} + \dots + f_n^{\text{min}})$$

wherein: $f_{\text{available}}$ = Available bandwidth

$f_{\text{Svr}}^{\text{max}}$ = Server aggregate flow capacity; and

f_n^{min} = Minimum (reserved) flow rate for session n.

[00124] Service is granted if the computed minimum flow rate of the prospective client is less than available bandwidth even when unused bandwidth is zero.

Toward a Tunable QOS

[00125] In the preceding discussion it is assumed that all clients share the same value of β . One might also consider a scheme whereby a client receives a β value according to the class/cost of service that client has signed up for: the greater the cost (and expected quality of service, or QOS) the greater the value of β .

[00126] Instead of maximizing charges by the methods described above, a variation on the algorithm to maximize flow is considered whereby the reserve flow computation for every session takes into account the individual β value of the associated client. In this fashion a single algorithm can serve either end. The optimizer first ensures that every session receives its required minimum bandwidth (which would now typically depend on β and elapsed session time) before allocating any excess bandwidth more or less evenly to all by interpolation. (According to Figure 15.)

-51-

[00127] The scheme is simpler computationally than the iterative interpolation method shown in Figure 16; it is also arguably more fair and stable with respect to the allocation of available bandwidth.

Deadline-Driven Content Distribution

5 [00128] In delivering viewable or audible content to a player, the optimization algorithm imposes a minimum flow rate that ensures that all content is delivered by the implied deadline, which is the last moment of a play session. Notwithstanding, the optimizer attempts to deliver content earlier according to bandwidth availability within the server taken as a whole. A similar, though far
10 simpler scenario arises relative to the distribution of content from an optimized server to a target device, whenever the delivery must be accomplished by a designated time, or equivalently, within a given elapsed time, and when overlapped non-blocking consumption of the content at a fixed rate is not required.

[00129] One example concerns the application where a session bundle comprises a
15 session associated with the featured program together with sessions for every advertisement scheduled to interrupt the feature program at a designated time. Each session is endowed with a separate media buffer, which, in the case of ads, would typically be large enough to accommodate the ad in full, thereby permitting a seamless transition to the ad at the appointed time.

20 [00130] In adapting the optimizer to the needs of content distribution we must revisit the formulation of the flow constraints, as follows:

1. Media buffers are not of a concern, let alone buffer overflow, and it can be assumed that all content received is saved away in a file on disk, or in memory awaiting further use.

-52-

2. For these same reasons, the value of β may be zero, at which the minimum flow rate equals the just-in-time rate obtained by dividing the content as yet undelivered by the time till deadline:

$$(24) \quad f_k^{\text{JIT}}(t_k) = L_k^{\text{TOGO}} / (T_k - t_k)$$

5 wherein: L_k^{TOGO} = Content to go for session k, i.e., as yet undelivered by the server at time t, (client.lookup(k).session.payloadToGo).

Given the arbitrary format of the file to be distributed, T no longer signifies the "duration of play" at the average play rate (averagePlayRate); rather, T represents the elapsed time to the deadline measured at the moment the delivery
10 session was launched, and t represents the elapsed time since session launch.

Session Bundles

[00131] A session bundle is a set of sessions that flow along a shared channel, and are thus subject to an aggregate flow constraint equal to the capacity of the shared channel. One important application of session bundles is connected with ad
15 insertion.

[00132] It is not enough to treat each of the constituent sessions as independent with respect to the flow optimizer, for this practice might well result in session flow targets that do not exceed channel capacity when considered singly, yet exceed this same shared capacity when summed together.

20 [00133] A solution to this problem involves two distinct steps:

1. The sessions bundle is treated as a virtual session by the server optimizer, subject to the minimum flow constraint obtained by summation of the individual session minima, and a maximum constraint that is the least of (a) the sum of the least of constraints (3) and (4) for each session, and (b) the shared

-53-

channel capacity $\text{client.lookup}(k).\text{channel.maxFlowRate}(f_k^{\text{cap}})$. The flow optimizer then generates an aggregate flow target for all channels virtual sessions by interpolation, using:

$$(25) \quad \text{Cost}(t) = f_1(t) + \dots + f_n(t)$$

- 5 [00134] The cost vector in this instance is the n-dimensional unit vector, where n is the number of active clients.

$$(26) \quad c = (1, 1, \dots, 1)$$

[00135] Now it is possible to have an achievable aggregate flow target for the session bundle k that we must apportion optimally among the constituent sessions.

- 10 Fortunately for us, our interpolation procedure of Figure 15 can be applied again to the sessions in our bundle, but where the aggregate flow target generated above replaces the aggregate flow constraint $f_{\text{svr}}^{\text{max}}$

Specifically:

- For every flow f_{ki} , within session bundle k, the optimal flow rate is
 15 obtained by interpolation between minimum and maximum session flows:

$$(27) \quad f_{ki}^{\text{opt}} = f_{ki}^{\text{min}} + \alpha * (f_{ki}^{\text{max}} - f_{ki}^{\text{min}})$$

$$(28) \quad \alpha = [(f_k^{\text{bundle}} - f_{k1}^{\text{min}} + \dots + f_{kn}^{\text{min}})] / [(f_{k1}^{\text{max}} - f_{k1}^{\text{min}}) + \dots + (f_{kn}^{\text{max}} - f_{kn}^{\text{min}})]$$

and the value of f_k^{bundle} is obtained from a higher level optimization in which session bundle k is treated as a virtual session for which:

$$20 \quad (29) \quad f_k^{\text{min}} = f_{k1}^{\text{min}} + \dots + f_{kn}^{\text{min}}$$

$$(30) \quad f_k^{\text{max}} = \min(f_{k1}^{\text{max}} + \dots + f_{kn}^{\text{max}}, f_k^{\text{cap}})$$

It must be noted that session bundles are typically dynamic in nature, outliving many if not all of their constituent sessions. Before a session is added to the bundle two CAC decisions must be reached:

- 25 (1) establish bandwidth availability within the bundle; and
 (2) bandwidth availability within the server.

-54-

Relationship to Adaptive Rate Control

[00136] The flow optimization methods should be viewed as constituting the lowest and perhaps only the first of many supervisory control layers to sit astride all streaming sessions, which comprise their own hierarchical stack of control functions; rate adaptive control sitting above a flow rate regulator which relies on a transport entity.

[00137] Channel capacity is known to vary widely over time. A capacity drop to below the minimum reserve flow rate is problematic as it causes the latter to rise in violation of its monotonicity assumption. In a server with available bandwidth to spare such a rise can be accommodated by the flow optimizer (by bumping the session's minimum flow reservation to the higher value) provided the flow deficit can be made up in the near term by draining pre-delivered content from the media buffer. Should either of these resources approach depletion, stream degradation to a lesser bit-rate or frame rate may be the only viable option short of a pause. Whether up or down, any rate change is a change to f_e , which must be preceded by change to session's reserve flow rate allocation by the optimizer.

[00138] As can be seen, the optimizer and rate adapter must be integrated with care. One possible approach would be to modify a rate adapter such that it renegotiates its proposed f_e value with the flow optimizer prior to effecting the rate change it deems appropriate based on information provided by the flow regulator. Rate increases might well be subject to deferral under heavy load conditions, awaiting bandwidth availability. The opposite is true of rate flow decreases: these would be forestalled as long as possible by the optimizer on a system that is not fully loaded, as previously discussed.

-55-

Live Events

[00139] Referring to Figure 17, the method of the present application can be extended to the optimization of "live", time-shifted "near-live" events, and cascaded delivery, wherein one server delivers content to another while the latter accepts clients for the same content. The extension assumes the following characteristics of the server and the live performance:

1. The performance is of a fixed duration T known in advance, encoded at an average rate fe , with a projected content payload of $fe*T$;
2. The origin server at the point of injection delays the stream by a small dwell time T^{DWELL} on the order of seconds (e.g. 10). Notwithstanding, the delayed content is available for early delivery to mirrored servers and players with the aim of providing these with a modicum of isolation from network jitter affecting the timely delivery of the live video frames.
3. Throughout the live event, captured content is stored in a file, thereby permitting late joiners to view the "live event" starting from any point between the present and the event start time;
4. At the conclusion of the live event, the encoded content, now fully captured to a file, is available for viewing over the balance of the admission window (e.g., 60 minutes in Figure 17).

[00140] The optimisation of live events and video on demand (VOD) differ principally in one respect, namely in the formulation of the server content underflow constraint.

For VOD, this constraint is

(31)

$L_k^{TOGO}(t)$ is initialised to the content size ($fe*T$) at that start of play, and decremented as content is delivered to the client. Δt is the time interval between successive periodic optimizations (e.g. 1 second). In practice this constraint rides

-56-

well above other operative maximum flow constraints (e.g. buffer overflow, channel capacity) until the very last calculation of the session flow target by the optimiser.

5 [00141] For a live stream, this constraint must additionally reflect the fact that content is streaming into the server (where it builds up), even as the server streams it out toward clients, and that the latter activity cannot possibly overtake the former.

[00142] Referring to Figure 17, (which illustrates how optimised live streams behave) line L1 depicts the build-up of freshly captured content to the server.
10 Line L2, which is delayed (time-shifted) relative to L1 by the dwell time T^{DWELL} , represents the live performance as cast and viewable by clients. One such client is admitted at time A and joins the live session at the live moment B. The dashed curved line linking points B and C shows a plausible build-up of content in the client's media buffer in advance of play, as the viewer continues its advance along
15 line L2. Past point C the top of the media buffer tracks the live capture stream and thenceforth advances along line L1. In this instance, the time shift between the live performance as cast (L2) and the live performance as captured (L1) imposes a maximum on the amount of content that could ever accumulate in a client media buffer, irrespective of its actual capacity.

20 [00143] Another client, admitted at time $t=10$, is interested in viewing the live stream from the beginning without missing anything. As before, the dashed line joining 10 and D depicts a plausible build-up of content in the client's media buffer in advance of play, as the viewer continues its advance along line L3, which is time-shifted by $(10+T^{\text{DWELL}})$ minutes relative to L1. The greater time shift (now
25 between L1 and L3) permits more extensive pre-buffering of "near live" content.

-57-

[00144] The present constraints do not impose suitable flow limits at and beyond points C and D when the client delivery streams finally links up with the live capture stream, in the live moment. Consequently the optimiser may propose flow targets that cannot be realized.

- 5 [00145] Accordingly, the following modification for use in connection with live or cascaded streams is made:

$$(32) \quad f_k(t) < = [(L_k^{\text{TOGO}}(t) - \text{Live}^{\text{TOGO}}(t)] / \Delta t$$

for a live event delivered at flow rate fe , we have

$$(33) \quad \text{Live}^{\text{TOGO}}(t) = \max(fe * (T - T^{\text{DWELL}} - t), 0)$$

10

- [00146] $\text{Live}^{\text{TOGO}}(t)$ is the span between projected content size $fe * T$ (level line L0 in Figure 17) and the content capture level line L1, whereas $L_k^{\text{TOGO}}(t)$ is the gap between L0 (i.e., $fe * T$) and the dashed curved line representing the content level delivered to the media buffer. The latter must always exceed the former. As the two approach one another this constraint takes effect, causing $L_k^{\text{TOGO}}(t)$ to always exceed $\text{Live}^{\text{TOGO}}(t)$ as it decreases at rate fe .
- 15

- [00147] Viewers joining late and willing to see the live performance with some delay relative to the live case enjoy higher potential levels of isolation from network disturbances, and thus QOS, by virtue of their greater effective buffer capacity. By the same token, such viewers afford the optimizer greater latitude to optimize the flow of VOD and "live" content across load fluctuations, thereby enhancing server capacity. Viewers that wish to experience the live event in "real-time" nevertheless benefit by a modestly enhanced QOS conferred by a dwell time's worth of content in their buffers.
- 20

-58-

Summary

[00148] A method and system for call/connection acceptance and flow modulation for network delivery of video/audio programming is thus provided. Although several embodiments have been illustrated and described, it will be apparent to those skilled in the art that various changes and modifications may be made without departing from the spirit of the invention or the scope of the claims.

-59-

CLAIMS:

1. A method of bandwidth allocation for delivery of stored digital content from at least one server device to at least one client device by way of a network, the method comprising the steps of:
 - 5 a) prescribing a control variable which represents a target flow rate from the server device to each client device;
 - b) determining time-varying constraints on the flow rate of the content;
 - c) determining a cost function of the control variables for all
10 clients; and
 - d) prescribing bandwidth to all clients based upon the value of the control variables that maximize the cost function.
2. The method of Claim 1 wherein step (d) comprises performing
periodic computations to update the value of the control variable such that the
15 bandwidth can be continuously allocated to each client.
3. The method of Claim 2 wherein a new client is accepted by:
 - i) determining an admission capacity of the bandwidth;
 - ii) admitting a prospective client if the clients minimum allowed
value of the control variable is less than the admission capacity; and
 - 20 iii) wherein a client admitted for service is guaranteed to have sufficient content flow over the entire session.

-60-

4. The method of Claim 3 wherein:

5 The admission capacity equals a server swing capacity reduced by a predetermined safety margin which may be zero, the swing capacity equaling the difference between the server flow capacity and the sum of the minimum allowed flow rate for all clients.

5. The method of Claim 4 wherein the minimum allowed value of the control variable is initialized to the average consumption rate.

6. The method of Claim 4 wherein the minimum allowed value of the control variable is initialized to the average consumption rate multiplied by a factor greater than one.

10

7. The method of Claim 4 wherein the server flow capacity varies in a step-wise function over time according to a predetermined schedule and the method of accepting a new client further comprises:

15 i) determining a sequence of future step changes of server flow capacity;

 ii) determining at each time in the sequence of future step changes the value for a future worst swing case capacity, the worst case swing capacity being obtained from the server flow capacity at the time by subtracting an extrapolated present minimum allowed flow rate for all active clients that are potentially active in the future;

20

 iii) admitting a prospective client if a minimum allowed value of the control variable is less than the capacity obtained from the sequence and the present capacity;

-61-

iv) whereby a new client can be admitted without compromising the service to existing clients in the presence of previously scheduled server flow capacity changes and all clients accumulate content in their buffers to the extent of their respective buffer capacity.

5 8. The method according to Claim 7 wherein the method of accepting a new client further comprises:

i) partitioning the available bandwidth into partitions representing a prescribed service charge;

10 ii) determining a maximum-minimum capacity for a service charge to be the maximum allowed sum of all minimum allowed flow rates for all clients incurring an equal or lesser service charge, the maximum-minimum capacity equaling the sum of bandwidth allocations for all service charges less than or equal to the service charge;

15 iii) determinating a service-charge-specific swing capacity for a given service charge as the difference between the maximum-minimum capacity for the service charge and the sum of all minimum allowed flow rates for all clients incurring the service charge or a lesser service charge;

20 iv) determining the server swing capacity to be the server flow capacity minus a margin and minus the sum of the minimum allowed flow rate for all clients; and

v) determining the service-charge-specific capacity to be the least of the server swing capacity and the charge specific swing capacity.

-62-

9. The method of Claim 8 wherein the method of accepting a new client further comprises:

- i) determining the sequence of future times of step changes to server flow capacity over a proposed consumption period;
- 5 ii) determining for each time in the sequence of future times, the future worst-case value for the service-charge-specific capacity, the worst case value being obtained by using the extrapolated present minimum allowed flow rate of all presently active clients that are potentially active at the time in the future; and
- 10 iii) admitting a client incurring a given service charge if the minimum flow rate of the client is less than the capacity obtained from the sequence and the present service-charge-specific capacity.

10. The method of Claim 3 wherein step (b) comprises determining time-varying constraints wherein:

- 15 i) an aggregate flow rate for all clients does not exceed a predetermined server flow capacity;
- ii) the flow rate from the server to the client does not exceed a maximum allowed flow rate for the client;
- iii) the flow rate to the client will never cause a buffer of the client to overflow;
- 20 iv) the flow rate to the client stops when the content is exhausted; and
- v) the flow rate from the sever will never be less than the client's minimum allowed flow rate which may vary over time and may be zero.

-63-

11. The method of Claim 10 wherein the maximum allowed flow rate to the client is given by the minimum of one selected from the following:

- i) a client flow rate ceiling;
- ii) the flow rate required to fill the client buffer before the next periodic computation; and
- iii) the flow rate required to complete the delivery of the content before the next periodic computation.

12. The method of Claim 11 wherein:

- i) the minimum allowed client flow rate cannot increase over time, but may decrease such that the initial value of the control rate is no less than the average consumption rate;
- ii) the control variable for the client is always greater than or equal to the current minimum allowed client flow rate; and
- iii) the client buffer will never underflow until the content is fully consumed at the average consumption rate.

13. The method of Claim 12 wherein the minimum client flow rate is the product of the constant content flow rate from the client to the server that causes the last piece of content to be delivered at the last possible moment as the client buffer is being drained at the average consumption rate, with a factor greater or equal to one.

14. The method of Claim 13 wherein the minimum client flow rate is initialized to the average consumption rate.

15. The method of Claim 13 wherein the minimum client flow rate is initialized to the average consumption rate multiplied by a factor greater than one.

-64-

16. The method of Claim 13 further comprising the step of calculating the minimum client flow rate periodically.

17. The method of Claim 1 wherein the cost function represents an aggregate flow rate and is the sum of the flow rates for all clients.

5 18. The method of Claim 1 wherein the cost function represents a service charge and is the sum of the client flow rates multiplied by the client's cost of service.

19. The method of Claim 18 wherein:

step (a) comprises:

- 10 i) determining a maximum allowed flow rate and a minimum allowed flow rate for each client;
- ii) determining a flow rate range for each client as the difference between the maximum allowed flow rate and the minimum allowed flow rate; and
- 15 iii) initializing a current flow rate for each client as the minimum allowed flow rate and summing the flow rate into the total server flow rate; and

step (d) comprises:

- i) computing remaining server bandwidth as the difference
- 20 between the maximum server flow capacity and the total server flow rate; and

-65-

5 ii) allocating remaining server bandwidth to remaining clients wherein all clients with a given cost of service receive bandwidth equally to the extent of their respective ranges, and no client with a given cost of service being allocated bandwidth unless all clients with a higher cost of service have received their maximum possible allocation of bandwidth.

20. The method of Claim 17 wherein step (a) prescribing the control variable comprises:

- 10 i) forming a hyperplane of control variables that aggregate to the maximum allowed aggregate flow rate;
- ii) computing a first vector of minimum allowed client flow rates;
- iii) computing a second vector of maximum allowed client flow rates;
- 15 iv) determining a multi-dimensional shape of which an interior diagonal spans the first and second vectors; and
- v) finding a solution of control variables at the point of intersection between the diagonal and the hyperplane.

21. The method of Claim 20 wherein step (v) comprises finding a solution of control variables at the second vector if there is no point of intersection
20 between the diagonal and the hyperplane.

-66-

22. The method of Claim 17 wherein step (a) comprises:
- i) computing the sum of the minimum allowed flow rates to all active clients;
 - ii) computing the sum of the flow rate ranges for all active clients;
 - iii) computing the difference between the maximum allowed aggregate flow rate and the sum of the minimum;
 - iv) computing a factor as the ratio of the difference over the sum of the ranges;
 - v) if the factor exceeds 1, the control variable is set to the maximum allowed client flow rate; and
 - vi) if the factor is less than 1, computing the control variable by multiplying the client range by the factor and then adding the result to the minimum allowed client flow rate.
23. The method of Claim 17 wherein:
- step (a) comprises:
- i) determining the maximum allowed flow rate and minimum allowed flow rate for each client;
 - ii) determining the flow rate range for each client as the difference between the maximum flow rate and the minimum flow rate;
- and

-67-

iii) initializing the control variable for each client as said minimum allowed flow rate and summing the flow rate into a total server flow rate; and

step (d) comprises:

- 5 i) computing remaining server bandwidth as the difference between the maximum server flow capacity and the total server flow rate; and
- ii) allocating remaining server bandwidth to remaining clients to the extent of their respective ranges.

10 24. The method of Claim 23 wherein the step of allocating remaining server bandwidth further comprises the clients receiving the bandwidth equally to the extent of their respective ranges.

25. The method of Claim 17 wherein the maximized value of the control variable can be determined by:

- 15 i) determining a maximum and minimum flow rate for each client;
- ii) determining a range between the maximum and minimum flow rates in order to find a flow rate range;
- iii) determining available bandwidth by finding the difference
- 20 between an aggregate flow capacity and a sum of the minimum flow rate;
- iv) determining a flow variable by dividing the unused bandwidth by the flow rate range;

-68-

5 v) prescribing the control variable to be the minimum flow rate added to the flow rate range if the flow variable is less than one or prescribing the control variable to be the minimum flow rate added to the flow rate range corrected by the flow variable if the flow favorable is greater than one such that the control variable is easily calculated for each client.

26. The method of Claim 17 wherein at least one session is a session bundle and:

- 10 1) the minimum flow constraint is computed as the sum of the minimum flow rate constraints for all bundled sessions;
- 2) the maximum flow constraint is the least of 1) the sum of the maximum individual flow rate constraints of each session and 2) the flow capacity of the channel shared among the bundled sessions; and
- 15 3) the target flow rate is computed for the session is apportioned among the bundled constituent sessions.

27. The method of Claim 26 wherein the bundled session is an advertisement.

28. A system for allocating bandwidth between a server device and at least one client device, the system comprising:

- 20 a call acceptance module operative to receive an incoming request for service;
- a flow regulator configured to deliver content at a modulated target flow rate, the content being delivered between the server device and a respective client device when a call is accepted by the call acceptance module; and
- 25

-69-

a flow optimizer configured to modulate the target flow rate of the flow regulator in order to optimize the aggregate flow of content.

29. The system of Claim 28 wherein the flow optimizer is configured to modulate the flow rate of the flow regulator in order to optimize charges for the content.

30. The system of Claim 29 wherein the flow regulator is configured to deliver the modulated flow rate of content in response to the control variable.

31. The system of Claim 28 wherein the flow optimizer is configured to determine a control variable which corresponds to an optimized flow rate.

32. The system of Claim 31 wherein the flow optimizer is configured to generate a cost function of the control variable that corresponds to a maximized value of the control variable.

33. The system of Claim 28 wherein the flow regulator is configured to deliver the modulated flow rate of content in response to the control variable.

34. The system of Claim 28 wherein the flow optimizer is configured to determine a maximized value of the control variable by:

- i) determining a maximum and minimum flow rate for each client;
- ii) determining a range between the maximum and minimum flow rates in order to find a flow rate range;
- iii) determining unused bandwidth by finding the difference between an aggregate flow capacity and a sum of the minimum flow rate;

-70-

iv) determining a flow variable by dividing the unused bandwidth by the flow rate range;

5 v) prescribing the control variable to be the minimum flow rate added to the flow rate range if the flow variable is less than one or prescribing the control variable to be the minimum flow rate added to the flow rate range corrected by the flow variable if the flow favorable is greater than one such that the control variable is easily calculated for each client.

10 35. The system of Claim 33 wherein the call acceptance module is configured to accept a call based upon the value of the control variable.

36. A method of bandwidth allocation for delivery of stored digital content from at least one server device to at least one client device by way of a network, the method comprising the steps of:

- 15 a) prescribing a control variable which represents a target flow rate from the server to each client device based upon the amount of buffer of the client;
- b) determining time-varying constraints on the flow rate of the content;
- 20 c) determining a cost function of the control variables for all clients in response to the size of the client's buffer; and
- d) prescribing bandwidth to all clients based upon the value of the control variables that maximized the cost function.


-71-

37. A method for apportioning a given total flow rate (bandwidth) among a plurality of sessions for clients, the method comprising the steps of:

- a) computing a sum of minimum flow rate constraints for each session;
- 5 b) computing a sum of flow rate ranges for all active clients;
- c) computing a difference between the given total flow rate and a sum of the flow rate minima;
- d) computing a factor as the ratio of the difference over the sum of the flow rate ranges;
- 10 e) if the factor exceeds 1, setting the flow rate to the maximum allowed client flow rate; and
- f) if the factor is less than 1, computing the flow rate by multiplying the client range by the factor and then adding the result to the minimum allowed client flow rate.

- 15 38. The method of Claim 37 wherein the clients are distinguished by their cost of service and bandwidth is apportioned to clients iteratively, the amount apportioned to each client in a cost category is the amount remaining from prior allocations to clients in higher cost categories.

1 / 15

**FIG. 1**






FIG._2

3 / 15

**FIG. 3**

4 / 15

**FIG. 4a**






FIG._4b



6 / 15





7 / 15

**FIG. 6**


8 / 15

**FIG._7****FIG._8**



9 / 15

**FIG. 9****FIG. 10**


10 / 15

**FIG. 11**


11 / 15

**FIG. 12****FIG. 13**


12 / 15

**FIG. 14**

13 / 15

**FIG. 15**

14 / 15

**FIG. 16**




FIG. 17

PART B - FEE(S) TRANSMITTAL

Complete and send this form, together with applicable fee(s), by mail or fax, or via the USPTO patent electronic filing system.

By mail, send to: Mail Stop ISSUE FEE
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

By fax, send to: (571)-273-2885

INSTRUCTIONS: This form should be used for transmitting the ISSUE FEE and PUBLICATION FEE (if required). Blocks 1 through 5 should be completed where appropriate. All further correspondence will be mailed to the current correspondence address as indicated unless corrected below or directed otherwise in Block 1, by (a) specifying a new correspondence address; and/or (b) indicating a separate "FEE ADDRESS" for maintenance fee notifications. **Because electronic patent issuance may occur shortly after issue fee payment, any desired continuing application should preferably be filed prior to payment of this issue fee in order not to jeopardize copendency.**

CURRENT CORRESPONDENCE ADDRESS (Note: Use Block 1 for any change of address)

Note: A certificate of mailing can only be used for domestic mailings of the Fee(s) Transmittal. This certificate cannot be used for any other accompanying papers. Each additional paper, such as an assignment or formal drawing, must have its own certificate of mailing or transmission.

Certificate of Mailing or Transmission

I hereby certify that this Fee(s) Transmittal is being deposited with the United States Postal Service with sufficient postage for first class mail in an envelope addressed to the Mail Stop ISSUE FEE address above, or being transmitted to the USPTO via the USPTO patent electronic filing system or by facsimile to (571) 273-2885, on the date below.

(Typed or printed name)
(Signature)
(Date)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
18/069,450	12/21/2022	DAVID F. BRUECK	9401-00279	8508

TITLE OF INVENTION: APPARATUS, SYSTEM, AND METHOD FOR MULTI-BITRATE CONTENT STREAMING

APPLN. TYPE	ENTITY STATUS	ISSUE FEE DUE	PUBLICATION FEE DUE	PREV. PAID ISSUE FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	UNDISCOUNTED	\$1200	\$0.00	\$1200.00	\$0	06/25/2024

EXAMINER	ART UNIT	CLASS-SUBCLASS
PATEL, CHIRAG R	2454	709-219000

1. Change of correspondence address or indication of "Fee Address" (37 CFR 1.363).

☐ Change of correspondence address (or Change of Correspondence Address form PTO/AIA/122 or PTO/SB/122) attached.

☐ "Fee Address" indication (or "Fee Address" Indication form PTO/AIA/47 or PTO/SB/47; Rev 03-02 or more recent) attached. **Use of a Customer Number is required.**

2. For printing on the patent front page, list

(1) The names of up to 3 registered patent attorneys or agents OR, alternatively,

(2) The name of a single firm (having as a member a registered attorney or agent) and the names of up to 2 registered patent attorneys or agents. If no name is listed, no name will be printed.

1 KW Law, LLP

2 _____

3 _____

3. ASSIGNEE NAME AND RESIDENCE DATA TO BE PRINTED ON THE PATENT (print or type)

PLEASE NOTE: Unless an assignee is identified below, no assignee data will appear on the patent. If an assignee is identified below, the document must have been previously recorded, or filed for recordation, as set forth in 37 CFR 3.11 and 37 CFR 3.81(a). Completion of this form is NOT a substitute for filing an assignment.

(A) NAME OF ASSIGNEE

(B) RESIDENCE: (CITY and STATE OR COUNTRY)

DISH Technologies L.L.C.

Englewood, CO

Please check the appropriate assignee category or categories (will not be printed on the patent): ☐ Individual ☐ Corporation or other private group entity ☐ Government

4a. Fees submitted: ☒ Issue Fee ☐ Publication Fee (if required)

4b. Method of Payment: (Please first reapply any previously paid fee shown above)

☒ Electronic Payment via the USPTO patent electronic filing system ☐ Enclosed check ☐ Non-electronic payment by credit card (Attach form PTO-2038)

☒ The Director is hereby authorized to charge the required fee(s), any deficiency, or credit any overpayment to Deposit Account No. 602406

5. Change in Entity Status (from status indicated above)

☐ Applicant certifying micro entity status. See 37 CFR 1.29

☐ Applicant asserting small entity status. See 37 CFR 1.27

☐ Applicant changing to regular undiscounted fee status.

NOTE: Absent a valid certification of Micro Entity Status (see forms PTO/SB/15A and 15B), issue fee payment in the micro entity amount will not be accepted at the risk of application abandonment.

NOTE: If the application was previously under micro entity status, checking this box will be taken to be a notification of loss of entitlement to micro entity status.

NOTE: Checking this box will be taken to be a notification of loss of entitlement to small or micro entity status, as applicable.

NOTE: This form must be signed in accordance with 37 CFR 1.31 and 1.33. See 37 CFR 1.4 for signature requirements and certifications.

Authorized Signature /Brett Carlson/

Date April 12, 2024

Typed or printed name Brett Carlson

Registration No. 39928



ELECTRONIC ACKNOWLEDGEMENT RECEIPT

APPLICATION #
18/069,450

RECEIPT DATE / TIME
04/12/2024 07:13:52 PM Z ET

ATTORNEY DOCKET #
9401-00279

Title of Invention

APPARATUS, SYSTEM, AND METHOD FOR MULTI-BITRATE CONTENT STREAMING

Application Information

APPLICATION TYPE Utility - Nonprovisional Application
under 35 USC 111(a)

PATENT # -

CONFIRMATION # 8508

FILED BY BLAKE SCHEFFEY

PATENT CENTER # 65080253

FILING DATE 12/21/2022

CUSTOMER # 70560

FIRST NAMED INVENTOR DAVID F. BRUECK

CORRESPONDENCE ADDRESS -

AUTHORIZED BY Brett Carlson

Documents

TOTAL DOCUMENTS: 2

DOCUMENT	PAGES	DESCRIPTION	SIZE (KB)
9401-00279_IFT_041224.pdf	1	Issue Fee Payment (PTO-85B)	143 KB
9401-00279_MFA_041224.pdf	2	Maintenance Fee Address Change	236 KB

Digest

DOCUMENT	MESSAGE DIGEST(SHA-512)
9401-00279_IFT_041224.pdf	65646EC26EB06581B8AA23F1E08DA036F74FFD47162D24009E E6BDD0C0259AD26BF7B93F050813D2288D91D3290E121458F C688C120E2713BCEC40169DDE8329

9401-00279_MFA_041224.pdf

D90B66F92EB303389C89859EB50B0CFEC6264E72BB5504C2E

17B0B5E4DD8A184312091AB4E4C87526576B0B18AC117C60A

AFC0C2B2C603E9605227A11EFB3E22

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

Aylo Exhibit 1002
Page 1318 of 1422

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for filing date (see 37 CFR 1.53(b)-(d) and MPEP 505), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

"FEE ADDRESS" INDICATION FORM

Address to:

Mail Stop Maintenance Fee
 Director of the United States
 Patent and Trademark Office
 P.O. Box 1450
 Alexandria, VA 22313-1450

-OR-

Fax to: 571-273-6500

INSTRUCTIONS: The issue fee must have been paid for application(s) listed on this form. In addition, only an address represented by a Customer Number can be established as the fee address for maintenance fee purposes (hereafter, fee address). A fee address should be established when correspondence related to maintenance fees should be mailed to a different address than the correspondence address for the application.

When to check the first box below: If you have a Customer Number to represent the fee address.

When to check the second box below: If you have no Customer Number representing the desired fee address, in which case a completed Request for Customer Number (PTO/SB/125) must be attached to this form. For more information on Customer Numbers, see section 403 of the Manual of Patent Examining Procedure (MPEP).

For the following listed application(s), please recognize as the "Fee Address" under the provisions of 37 CFR 1.363 the address associated with:



Customer Number 000197

OR

The attached Request for Customer Number (PTO/SB/125) form.

PATENT NUMBER
(if known)

APPLICATION NUMBER

18/069,450

Completed by (check one):



Applicant/Inventor

/Brett A. Carlson/

Signature



Attorney or agent of record

39,928

(Reg. No.)

Brett A. Carlson

Typed or printed name



Assignee of record of the entire interest. See 37 CFR 3.71.
 Statement under 37 CFR 3.73(b) (Form PTO/SB/96) is
 enclosed or was filed on

480-241-8219

Requester's telephone number

(Date)

April 12, 2024

Date

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. If the assignee is a juristic entity, this form must be signed by a patent practitioner (attorney or agent) of record. Submit multiple forms if more than one signature is required (see below*).



*Total of _____ PTO/SB/47 forms are submitted

A Federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with an information collection subject to the requirements of the Paperwork Reduction Act of 1995, unless the information collection has a currently valid OMB Control Number. The OMB Control Number for this information collection is 0651-0016. Public burden for this form is estimated to average 5 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the information collection. Send comments regarding this burden estimate or any other aspect of this information collection, including suggestions for reducing this burden to the Chief Administrative Officer, United States Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450 or email InformationCollection@uspto.gov. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing this form, please call 1-800-PTO-9199 and then select option 2.

Privacy Act Statement

The Privacy Act of 1974 (P.L. 93-579) requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. The United States Patent and Trademark Office (USPTO) collects this information under authority of 5 CFR 1.290. The information in this system of records is used to manage all records of applicant including name, citizenship, residence, post office address and other information with respect to inventors and their legal representatives pertaining to the applicant's activities in connection with the invention for which a patent is sought. This information is protected from disclosure to third parties in accordance with the Privacy Act.

However, routine uses of this information may include disclosure to the following: to law enforcement and investigation in the event that the system of records indicates a violation or potential violation of law; to a Federal, state, local, or international agency, in response to its request; to an agency, organization, or individual for the purpose of performing audit or oversight operations as authorized by law; to non-federal personnel under contract to the agency; to a court for adjudication and litigation; to the Department of Justice for Freedom of Information Act (FOIA) assistance; to members of congress working on behalf of an individual; to the Office of Personnel Management (OPM) for personnel research purposes; to National Archives and Records Administration for inspection of records; and to the Office of Management and Budget (OMB) for legislative coordination and clearance. Failure to provide any part of the requested information may result in an inability to process requests for access and information. The applicable Privacy Act System of Records Notice for this information is COMMERCE/PAT-TM-7 Patent Application Files, available at Federal Register / Vol. 78, No. 61 / Friday, March 29, 2013 / Notices 19243. <https://www.govinfo.gov/content/pkg/FR-2013-03-29/pdf/2013-07341.pdf>



United States Patent and Trademark Office

Office of the Chief Financial Officer

Document Code:WFEE

User :Sengpheth Sandara

Refund Accounting Date:04/15/2024

Effective Date	Sale Item Reference Number	Refund Total
04/15/2024	18069450	\$1,200.00

Document Number	Fee Code	Fee Code Description	Amount Paid	Payment Method	Account Number
I20244ED31577413	1501	UTILITY APPL ISSUE FEE	\$1,200.00	Visa	*****6960



United States Patent and Trademark Office

Office of the Chief Financial Officer

Document Code:WFEE

User :Sengpheth Sandara

Sale Adjustment Accounting Date:04/15/2024

Effective Date	Sale Accounting Date	Sale Item Reference Number
04/15/2024	04/15/2024	18069450

Document Number	Fee Code	Fee Code Description	Amount Paid	Payment Method
I20244ED31577413	1501	UTILITY APPL ISSUE FEE	\$1,200.00	Visa



United States Patent and Trademark Office

Office of the Chief Financial Officer

Document Code:WFEE

User :Brian Curran

Sale Accounting Date:04/15/2024

Sale Item Reference Number
18069450

Effective Date
04/12/2024

Document Number	Fee Code	Fee Code Description	Amount Paid	Payment Method
I20244EE13295303	1501	UTILITY APPL ISSUE FEE	\$1,200.00	Credit Card



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
18/069,450	12/21/2022	DAVID F. BRUECK	9401-00279	8508
70560	7590	04/24/2024		
KW LAW LLP (Dish Technologies L.L.C.) 6122 N 7th St Suite D Phoenix, AZ 85014			EXAMINER PATEL, CHIRAG R	
			ART UNIT	PAPER NUMBER
			2454	
			NOTIFICATION DATE	DELIVERY MODE
			04/24/2024	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

dish@kwlaw.co
ipdept@dish.com
uspto@dockettrak.com

Corrected Notice of Allowability	Application No. 18/069,450	Applicant(s) BRUECK et al.	
	Examiner CHIRAG R PATEL	Art Unit 2454	AIA (FITF) Status No

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the printer rush on April 12, 2024.
☐ A declaration(s)/affidavit(s) under **37 CFR 1.130(b)** was/were filed on ____.

2. ☐ An election was made by the applicant in response to a restriction requirement set forth during the interview on ____; the restriction requirement and election have been incorporated into this action.

3. ☒ The allowed claim(s) is/are 11-30. As a result of the allowed claim(s), you may be eligible to benefit from the **Patent Prosecution Highway** program at a participating intellectual property office for the corresponding application. For more information, please see http://www.uspto.gov/patents/init_events/pph/index.jsp or send an inquiry to PPHfeedback@uspto.gov.

4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

Certified copies:

a) ☐ All b) ☐ Some* c) ☐ None of the:

1. ☐ Certified copies of the priority documents have been received.

2. ☐ Certified copies of the priority documents have been received in Application No. ____.

3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: ____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date ____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)	5. ☐ Examiner's Amendment/Comment
2. ☒ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date <u>12/21/22</u> .	6. ☐ Examiner's Statement of Reasons for Allowance
3. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material _____.	7. ☐ Other _____.
4. ☐ Interview Summary (PTO-413), Paper No./Mail Date. _____.	

/CHIRAG R PATEL/ Primary Examiner, Art Unit 2454	
---	--

<i>Index of Claims</i> 	Application/Control No. 18/069,450	Applicant(s)/Patent Under Reexamination BRUECK et al.
	Examiner CHIRAG R PATEL	Art Unit 2454

✓	Rejected	-	Cancelled	N	Non-Elected	A	Appeal
=	Allowed	÷	Restricted	I	Interference	O	Objected

CLAIMS										
☐ Claims renumbered in the same order as presented by applicant ☐ CPA ☒ T.D. ☐ R.1.47										
CLAIM		DATE								
Final	Original	03/09/2023	06/29/2023	11/17/2023	01/22/2024	03/13/2024	04/04/2024	04/18/2024		
	1	✓	-	-	-	-	-	-		
	2	✓	-	-	-	-	-	-		
	3	✓	-	-	-	-	-	-		
	4	✓	-	-	-	-	-	-		
	5	✓	-	-	-	-	-	-		
	6	✓	-	-	-	-	-	-		
	7	✓	-	-	-	-	-	-		
	8	✓	-	-	-	-	-	-		
	9	✓	-	-	-	-	-	-		
	10	✓	-	-	-	-	-	-		
1	11	✓	=	=	=	=	=	=		
2	12	O	=	=	=	=	=	=		
3	13	O	=	=	=	=	=	=		
4	14	O	=	=	=	=	=	=		
5	15	O	=	=	=	=	=	=		
6	16	O	=	=	=	=	=	=		
7	17	O	=	=	=	=	=	=		
8	18	O	=	=	=	=	=	=		
9	19	O	=	=	=	=	=	=		
10	20	O	=	=	=	=	=	=		
11	21	O	=	=	=	=	=	=		
12	22	✓	=	=	=	=	=	=		
13	23	O	=	=	=	=	=	=		
14	24	O	=	=	=	=	=	=		
15	25	O	=	=	=	=	=	=		
16	26	O	=	=	=	=	=	=		
17	27	O	=	=	=	=	=	=		
18	28	O	=	=	=	=	=	=		
19	29	O	=	=	=	=	=	=		
20	30	O	=	=	=	=	=	=		

<i>Search Notes</i> 	Application/Control No. 18/069,450	Applicant(s)/Patent Under Reexamination BRUECK et al.
	Examiner CHIRAG R PATEL	Art Unit 2454

CPC - Searched*		
Symbol	Date	Examiner
H04L47/30, H04L65/80, H04L47/263, H04L47/10	03/09/2023	C.P.

CPC Combination Sets - Searched*		
Symbol	Date	Examiner

US Classification - Searched*			
Class	Subclass	Date	Examiner

* See search history printout included with this form or the SEARCH NOTES box below to determine the scope of the search.

--	--

<i>Search Notes</i> 	Application/Control No. 18/069,450	Applicant(s)/Patent Under Reexamination BRUECK et al.
	Examiner CHIRAG R PATEL	Art Unit 2454

Search Notes		
Search Notes	Date	Examiner
PE2E Search	03/08/2023	C.P.
Google Patents - Scholar	03/08/2023	C.P.
IP.COM	03/08/2023	C.P.
Inventor - Double Patent Search	03/08/2023	C.P.
Reviewed references cited in IPR and IDS	11/17/2023	C.P.
IPR2024-00043 Reviewed Petition for Inter Partes Review of U.S. Patent No. 11,470,138 on March 11, 2024	03/11/2024	C.P.
IPR2024-00043 Reviewed Petition for Inter Partes Review of U.S. Patent No. 11,677,798 on March 11, 2024	03/11/2024	C.P.
PR2024-00044 Reviewed Petition for Inter Partes Review of U.S. Patent No. 11,470,138 on March 11, 2024	03/11/2024	C.P.
IPR2024-00043, -00044, -00045, -00046, -00047, -00048, Reviewed Patent Owner's Preliminary Responses under 35 U.S.C. § 313 AND 37 C.F.R. § 42.107 on March 12, 2024	03/11/2024	C.P.
IPR2024-00048 Reviewed Petition for Inter Partes Review of U.S. Patent No. 8,868,772 on March 12, 2024	03/12/2024	C.P.
IPR 2024-00512 Reviewed Petition for Inter Partes Review of U.S. Patent No. 11,470,138 on March 12, 2024	03/12/2024	C.P.
PR2024-00517 Reviewed Petition for Inter Partes Review of U.S. Patent No. 11,470,138 on March 12, 2024	03/12/2024	C.P.
PR2024-00517 Reviewed Petition for Inter Partes Review of U.S. Patent No. 11,677,798 on March 12, 2024	03/12/2024	C.P.
IPR2024-00519 Reviewed Petition for Inter Partes Review of U.S. Patent No. 8,868,772 on March 12, 2024	03/12/2024	C.P.
Reviewed all references and IPR listed on IDS filed on February 1, 2024	03/13/2024	C.P.

--	--

<i>Search Notes</i> 	Application/Control No. 18/069,450	Applicant(s)/Patent Under Reexamination BRUECK et al.
	Examiner CHIRAG R PATEL	Art Unit 2454

Interference Search			
US Class/CPC Symbol	US Subclass/CPC Group	Date	Examiner
H04L	H04L47/30, H04L65/80, H04L47/263, H04L47/10	06/29/2023	C.P.

--	--

Issue Classification 	Application/Control No. 18/069,450	Applicant(s)/Patent Under Reexamination BRUECK et al.
	Examiner CHIRAG R PATEL	Art Unit 2454

CPC						
Symbol					Type	Version
H04L	/	65	/	70	F	2022-05-01
H04L	/	47	/	801	I	2013-01-01
H04L	/	47	/	12	I	2013-01-01
G06F	/	16	/	71	I	2019-01-01
G06F	/	16	/	183	I	2019-01-01
H04N	/	7	/	24	I	2013-01-01
H04N	/	21	/	23439	I	2013-01-01
H04N	/	21	/	4331	I	2013-01-01
H04N	/	21	/	84	I	2013-01-01
H04N	/	21	/	8456	I	2013-01-01
H04L	/	65	/	80	I	2013-01-01
H04L	/	65	/	61	I	2022-05-01
H04L	/	65	/	65	I	2022-05-01
H04L	/	65	/	1101	I	2022-05-01
H04L	/	67	/	60	I	2022-05-01
H04L	/	67	/	568	I	2022-05-01
H04L	/	67	/	02	I	2013-01-01
H04L	/	65	/	1069	I	2013-01-01
H04N	/	21	/	2662	I	2013-01-01

CPC Combination Sets				
Symbol	Type	Set	Ranking	Version
/				

NONE		Total Claims Allowed:	
(Assistant Examiner)	(Date)	20	
/CHIRAG R PATEL/ Primary Examiner, Art Unit 2454	18 April 2024	O.G. Print Claim(s)	O.G. Print Figure
(Primary Examiner)	(Date)	1	1

Issue Classification 	Application/Control No. 18/069,450	Applicant(s)/Patent Under Reexamination BRUECK et al.
	Examiner CHIRAG R PATEL	Art Unit 2454

INTERNATIONAL CLASSIFICATION			
CLAIMED			
H04L	/	65	/ 70
NON-CLAIMED			
	/		/

US ORIGINAL CLASSIFICATION	
CLASS	SUBCLASS

CROSS REFERENCES(S)						
CLASS	SUBCLASS (ONE SUBCLASS PER BLOCK)					

NONE		Total Claims Allowed:	
(Assistant Examiner)	(Date)	20	
/CHIRAG R PATEL/ Primary Examiner, Art Unit 2454	18 April 2024	O.G. Print Claim(s)	O.G. Print Figure
(Primary Examiner)	(Date)	1	1

Issue Classification 	Application/Control No. 18/069,450	Applicant(s)/Patent Under Reexamination BRUECK et al.
	Examiner CHIRAG R PATEL	Art Unit 2454

☐ Claims renumbered in the same order as presented by applicant ☐ CPA ☒ T.D. ☐ R.1.47

CLAIMS															
Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original
	1		10	9	19	18	28								
	2	1	11	10	20	19	29								
	3	2	12	11	21	20	30								
	4	3	13	12	22										
	5	4	14	13	23										
	6	5	15	14	24										
	7	6	16	15	25										
	8	7	17	16	26										
	9	8	18	17	27										

NONE	Total Claims Allowed: 20	
(Assistant Examiner)	(Date)	
/CHIRAG R PATEL/ Primary Examiner, Art Unit 2454	18 April 2024	
(Primary Examiner)	(Date)	
		O.G. Print Claim(s) 1
		O.G. Print Figure 1

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Not for submission under 37 CFR 1.99)

Application Number

18/069450

Filing Date

First Named Inventor

David F. Brueck

Art Unit

Examiner Name

Attorney Docket Number

9401-00279

U.S.PATENTS

Examiner Initial*	Cite No	Patent Number	Kind Code ¹	Issue Date	Name of Patentee or Applicant of cited Document	Pages, Columns, Lines where Relevant Passages or Relevant Figures Appear
	1	7577750	B2	2009-08-18	Shen et al.	
	2	6195680	B1	2001-02-27	Goldszmidt et al.	
	3	6449719	B1	2002-09-10	Baker	
	4	7369610	B2	2008-05-06	Xu et al.	
	5	7408984	B2	2008-08-05	Lu et al.	
	6	7523181	B2	2009-04-21	Swildens et al.	
	7	6976090	B2	2005-12-13	Ben-Shaul et al.	
	8	7240100	B1	2007-07-03	Wein et al.	

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number	18/069450
Filing Date	
First Named Inventor	David F. Brueck
Art Unit	
Examiner Name	
Attorney Docket Number	9401-00279

9	6850965	B2	2005-02-01	Allen	
10	7334044	B1	2008-02-19	Allen	
11	7760801	B2	2010-07-20	Ghanbari et al.	
12	7099954	B2	2006-08-29	Li et al.	
13	6760772	B2	2004-07-06	Zou et al.	
14	7054911	B1	2006-05-30	Lango et al.	
15	7797439	B2	2010-09-14	Cherkasova et al.	
16	7477688	B1	2009-01-13	Zhang et al.	
17	7054774	B2	2006-05-30	Batterberry et al.	
18	5168356		1992-12-01	Acampora et al.	
19	7818444	B2	2010-10-19	Brueck et al.	

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number		18/069450
Filing Date		
First Named Inventor	David F. Brueck	
Art Unit		
Examiner Name		
Attorney Docket Number	9401-00279	

20	7599307	B2	2009-10-06	Seckni et al.	
21	7093001	B2	2006-08-15	Yang et al.	
22	6874015	B2	2005-03-29	Kaminsky et al.	
23	6845107	B1	2005-01-18	Kitazawa et al.	
24	6185736	B1	2001-02-06	Ueno	
25	5,768,527 ~~57685627~~		1998-06-16	Zhu et al.	
26	7274740	B2	2007-09-25	van Beek et al.	
27	7546355	B2	2009-06-09	Kalnitsky	
28	7174385	B2	2007-02-06	Li	
29	7376747	B2	2008-05-20	Hartop	
30	7719985	B2	2010-05-18	Lee et al.	

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number		18/069450
Filing Date		
First Named Inventor	David F. Brueck	
Art Unit		
Examiner Name		
Attorney Docket Number	9401-00279	

31	7349358	B2	2008-03-25	Hennessey et al.	
32	7194549	B1	2007-03-20	Lee et al.	
33	6374289	B2	2002-04-16	Delaney et al.	
34	7325073	B2	2008-01-29	Shao et al.	
35	7609652	B2	2009-10-27	Kellerer et al.	
36	6795863	B1	2004-09-21	Doty, Jr.	
37	7817985	B2	2010-10-19	Moon	
38	7788395	B2	2010-08-31	Bowra et al.	
39	7536469	B2	2009-05-19	Chou et al.	
40	7412531	B2	2008-08-12	Lango et al.	
41	7295520	B2	2007-11-13	Lee et al.	

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number		18/069450
Filing Date		
First Named Inventor	David F. Brueck	
Art Unit		
Examiner Name		
Attorney Docket Number	9401-00279	

42	7054365	B2	2006-05-30	Kim et al.	
43	6122660		2000-09-19	Baransky et al.	
44	7391717	B2	2008-06-24	Kiemets et al.	
45	7260640	B1	2007-08-21	Kramer et al.	
46	7310678	B2	2007-12-18	Gunaseelan et al.	
47	6618752	B1	2003-09-09	Moore et al.	
48	6721723	B1	2004-04-13	Gibson et al.	
49	6859839	B1	2005-02-22	Zahorjan et al.	
50	7779135	B2	2010-08-17	Hudson et al.	
51	7593333	B2	2009-09-22	Li et al.	
52	5953506		1999-09-14	Kalra et al.	

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number	18/069450
Filing Date	
First Named Inventor	David F. Brueck
Art Unit	
Examiner Name	
Attorney Docket Number	9401-00279

53	6091775		2000-07-18	Hibi et al.
54	6091777		2000-07-18	Guetz et al.
55	6195680		2001-02-27	Goldszmidt et al.
56	6366614		2002-04-02	Pian et al.
57	6389473		2002-05-14	Carmel et al.
58	6486803	B1	2002-11-26	Luby et al.
59	6490627		2002-12-03	Kalra et al.
60	6510553		2003-01-21	Hazra
61	6574591		2003-06-03	Kleiman et al.
62	6604118		2003-08-05	Kleiman et al.
63	6731600		2004-05-04	Patel et al.

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number	18/069450
Filing Date	
First Named Inventor	David F. Brueck
Art Unit	
Examiner Name	
Attorney Docket Number	9401-00279

64	5732183		2004-05-04	Graham	
65	6968387		2005-11-22	Lanphear	
66	7075986		2006-07-11	Girod et al.	
67	7096271		2006-08-22	Omoigui et al.	
68	7349976		2008-03-25	Glaser et al.	
69	7408984	B2	2008-08-05	Lu et al.	
70	4535355		1985-08-13	Am et al.	
71	8036265	B1	2011-10-11	Reynolds et al.	
72	5687095		1997-11-11	Haskell et al.	
73	7116894	B1	2006-10-03	Chatterton	
74	7328243	B2	2008-02-05	Yaeger et al.	

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number		18/069450
Filing Date		
First Named Inventor	David F. Brueck	
Art Unit		
Examiner Name		
Attorney Docket Number	9401-00279	

75	7330908	B2	2008-02-12	Jungek	
76	7653735	B2	2010-01-26	Mandato et al.	
77	8612624	B2	2013-12-17	Brueck et al.	
78	8868772	B2	2014-10-21	Major et al.	
79	8402156	B2	2013-03-19	Brueck et al.	
80	8370514	B2	2013-02-05	Hurst et al.	
81	8880721	B2	2014-11-04	Hurst et al.	

If you wish to add additional U.S. Patent citation information please click the Add button.

Add

U.S.PATENT APPLICATION PUBLICATIONS

Remove

Examiner Initial*	Cite No	Publication Number	Kind Code ¹	Publication Date	Name of Patentee or Applicant of cited Document	Pages, Columns, Lines where Relevant Passages or Relevant Figures Appear
	1	20020161898	A1	2002-10-31	Hartop et al.	
	2	20050055425		2005-03-00	Lango et al.	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /C.R.P/

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number		18/069450
Filing Date		
First Named Inventor	David F. Brueck	
Art Unit		
Examiner Name		
Attorney Docket Number	9401-00279	

3	20050015509		2005-01-00	Sitaraman	
4	20020131496		2002-09-00	Vasudevan et al.	
5	20040083283	A1	2004-04-29	Sundaram et al.	
6	20080219151	A1	2008-09-11	Ma et al.	
7	20020152318	A1	2002-10-17	Menon et al.	
8	20060080718	A1	2006-04-13	Gray et al.	
9	20050120107	A1	2005-06-02	Kagan et al.	
10	20040103444	A1	2004-05-27	Weinberg et al.	
11	20050188051	A1	2005-08-25	Sneh	
12	20030154239	A1	2003-08-14	Davis et al.	
13	20040030547	A1	2004-02-12	Leaning et al.	

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number		18/069450
Filing Date		
First Named Inventor	David F. Brueck	
Art Unit		
Examiner Name		
Attorney Docket Number		9401-00279

14	20040117427	A1	2004-06-17	Allen et al.	
15	20030014684	A1	2003-01-16	Kashyap	
16	20060206246	A1	2006-09-14	Walker	
17	20050076136	A1	2005-04-07	Cho et al.	
18	20030018966	A1	2003-01-23	Cook et al.	
19	20040030599	A1	2004-02-12	Sie et al.	
20	20050262257	A1	2005-11-24	Major et al.	
21	20050033855	A1	2005-02-10	Moradi et al.	
22	20010047423	A1	2001-11-29	Shao et al.	
23	20030140159	A1	2003-07-24	Campbell et al.	
24	20020176418	A1	2002-11-28	Hunt et al.	

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number	18/069450
Filing Date	
First Named Inventor	David F. Brueck
Art Unit	
Examiner Name	
Attorney Docket Number	9401-00279

25	20020169926	A1	2002-11-14	Pinckney, III, et al.
26	20020178330	A1	2002-11-28	Schlowsky-Fischer et al.
27	20050084166	A1	2005-04-21	Bonch et al.
28	20020091840	A1	2002-07-11	Pulier et al.
29	20080281803	A1	2008-11-13	Gentric
30	20060168295 20061068295	A1	2006-07-27	Batterberry et al.
31	20060165166	A1	2006-07-27	Chou et al.
32	20020097750	A1	2002-07-25	Gunaseelan et al.
33	20020152317	A1	2002-10-17	Wang et al.
34	20030021166	A1	2003-01-30	Soloff
35	20040168052	A1	2004-08-26	Clisham et al.

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number		18/069450
Filing Date		
First Named Inventor	David F. Brueck	
Art Unit		
Examiner Name		
Attorney Docket Number	9401-00279	

36	20050066063	A1	2005-03-24	Grigorovitch et al.	
37	20050204046	A1	2005-09-15	Watanabe	
38	20060059223	A1	2006-03-16	Klemets et al.	
39	20060168290	A1	2006-07-27	Doron	
40	20040260701	A1	2004-12-23	Lehikoinen et al.	
41	20090055471	A1	2009-02-26	Kozat et al.	
42	20080222235	A1	2008-09-11	Hurst et al.	
43	20050185578	A1	2005-08-25	Padmanabham et al.	
44	20070280255	A1	2007-12-06	Tsang et al.	
45	20080037527	A1	2008-02-14	Chan et al.	
46	20080205291	A1	2008-08-28	Li et al.	

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number	18/069450
Filing Date	
First Named Inventor	David F. Brueck
Art Unit	
Examiner Name	
Attorney Docket Number	9401-00279

47	20070094405	A1	2007-04-26	Zhang
48	20080184688	A1	2006-08-17	Ganguly et al.
49	20080263180	A1	2008-10-23	Hurst et al.
50	20080133766	A1	2008-06-05	Luo
51	20070079325	A1	2007-04-05	de Heer
52	20070067480	A1	2007-03-22	Beek et al.
53	20070030833	A1	2007-02-08	Pirzada et al.
54	20090055547	A1	2009-02-26	Hudson et al.
55	20090210549	A1	2009-08-20	Hudson et al.
56	20100098103	A1	2010-04-22	Xiong et al.
57	20090043906	A1	2009-02-12	Hurst et al.

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number		18/069450
Filing Date		
First Named Inventor	David F. Brueck	
Art Unit		
Examiner Name		
Attorney Docket Number	9401-00279	

58	20020161911	A1	2002-10-31	Pinckney, III et al.
59	20060236219	A1	2006-10-19	Grigorovitch et al.
60	20080046939	A1	2008-02-21	Lu et al.
61	20060130118	A1	2006-06-15	Damm
62	20070204310	A1	2007-08-30	Hua et al.
63	20030065803	A1	2003-04-03	Heuvelman
64	20040049780	A1	2004-03-11	Gee
65	20060133809	A1	2006-06-22	Chow et al.
66	20020144276	A1	2002-10-03	Radford et al.
67	20020073167	A1	2002-06-13	Powell et al.
68	20020174434	A1	2002-11-21	Lee et al.

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number		18/069450
Filing Date		
First Named Inventor	David F. Brueck	
Art Unit		
Examiner Name		
Attorney Docket Number	9401-00279	

69	20020188745		2002-12-12	Hughes et al.
70	20030005455	A1	2003-01-02	Bowers
71	20030067872	A1	2003-04-10	Harrell et al.
72	20030081582		2003-05-01	Jain et al.
73	20030107994		2003-06-12	Jacobs et al.
74	20030135631		2003-07-17	Li et al.
75	20030151753		2003-08-14	Li et al.
76	20030152036		2003-08-14	Quigg Brown et al.
77	20030204519	A1	2003-10-30	Sirivara et al.
78	20040003101	A1	2004-01-01	Roth et al.
79	20040030797	A1	2004-02-12	Akinlar et al.

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number		18/069450
Filing Date		
First Named Inventor	David F. Brueck	
Art Unit		
Examiner Name		
Attorney Docket Number	9401-00279	

80	20040031054	A1	2004-02-12	Dankworth et al.	
81	20040054551	A1	2004-03-18	Ausubel et al.	
82	20040071209		2004-04-15	Burg et al.	
83	20040093420		2004-05-13	Gamble	
84	20040143672	A1	2004-07-22	Padmanabham et al.	
85	20040170392		2004-09-02	Lu et al.	
86	20050108414		2005-05-19	Taylor et al.	
87	20050123058		2005-06-09	Greenbaum et al.	
88	20070024705		2007-02-01	Richter et al.	
89	20080028428		2008-01-31	Jeong et al.	
90	20080056373		2008-03-06	Newlin et al.	

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number		18/069450
Filing Date		
First Named Inventor	David F. Brueck	
Art Unit		
Examiner Name		
Attorney Docket Number	9401-00279	

91	20080162713		2008-07-03	Bowra et al.	
92	20080195744		2008-08-14	Bowra et al.	
93	20020029274	A1	2002-03-07	Allen	
94	20060075446	A1	2006-04-06	Klemets et al.	
95	20080104647	A1	2008-05-01	Hannuksela	
96	20040220926	A1	2004-11-04	Lamkin et al.	
97	20010013128	A1	2001-08-09	Hagai et al.	
98	20030204602	A1	2003-10-30	Hudson et al.	
99	20040010613	A1	2004-01-15	Apostolopoulos et al.	

If you wish to add additional U.S. Published Application citation information please click the Add button. [Add](#)

FOREIGN PATENT DOCUMENTS

[Remove](#)

Examiner Initial*	Cite No	Foreign Document Number ³	Country Code ²	Kind Code ⁴	Publication Date	Name of Patentee or Applicant of cited Document	Pages, Columns, Lines where Relevant Passages or Relevant Figures Appear	T ⁵
-------------------	---------	--------------------------------------	---------------------------	------------------------	------------------	---	--	----------------

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number		18/069450
Filing Date		
First Named Inventor	David F. Brueck	
Art Unit		
Examiner Name		
Attorney Docket Number	9401-00279	

1	2011004225	JP	A	2011-01-06	Hodoshima		
2	2001067264	WO	A1	2001-09-13	Streamcenter, Inc.		
3	200192752	JP		2001-04-06	Hitachi Information Systems Ltd.		
4	2006010113	WO	A2	2006-01-26	Network Foundation Technologies, LLC		
5	2004025405	WO	A2	2004-03-25	Thomson Licensing S.A.		
6	2466482	CA	A1	2003-05-22	MusicMatch Inc.		
7	2000-201343	JP		2000-07-18	Toshiba Corp.		
8	0919952	EP	A1	1999-06-02	Mattavelli et al.		
9	1670256	EP	A2	2006-06-14	Klements et al.		
10	1777969	EP		2007-04-25	British Telecom		
11	1298931	EP	A2	2003-04-02	Oplayo Oy		

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number	18/069450
Filing Date	
First Named Inventor	David F. Brueck
Art Unit	
Examiner Name	
Attorney Docket Number	9401-00279

12	1202487	EP	A2	2002-05-02	Toshiba KK
13	1395014	EP	A1	2004-03-03	Matsushita Electric Ind. Co. Ltd.
14	2367219	GB	A	2002-03-27	Vintage Global

If you wish to add additional Foreign Patent Document citation information please click the Add button

NON-PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, pages(s), volume-issue number(s), publisher, city and/or country where published.	T ⁵
	1	FUJISAWA, HIROSHI ET AL. "Implementaton of Efficient Access Mechanism for Multiple Mirror-Servers" IPSJ SIG Technical Report, vol. 2004, no. 9 (2004-DPS-116), January 30, 2004, Information Processing Society of Japan, pp. 37-42.	×
	2	LIU, JIANGCHUAN ET AL. "Adaptive Video Multicast Over the Internet" IEEE Computer Society, 2003.	☒
	3	"The meaning of performance factor—English-Japanese Weblio Dictionary", [online], February 24, 2012, [searched on February 24, 2012], the Internet <URL:http://ejje.weblio.jp/content/performance+factor>.	☒
	4	TSURU, ET AL. "Recent evolution of the Internet measurement and inference techniques", IEICE Technical Report, Vol. 103, No. 123, pp. 37-42, June 12, 2003.	☒
	5	REJAIE, REZA ET AL. "Architectural Considerations for Playback of Quality Adaptive Video Over the Internet" University of Southern California, Information Sciences Institute, 1998.	☒
	6	ROY, SUMIT ET AL. "A System Architecture for Managing Mobile Streaming Media Services" Streaming Media Systems Group, Hewlett-Packard Laboratories, 2003.	☒

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /C.R.P/

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number	18/069450
Filing Date	
First Named Inventor	David F. Brueck
Art Unit	
Examiner Name	
Attorney Docket Number	9401-00279

7	XU, DONGYAN ET AL. "On Peer-to-Peer Media Streaming" Department of Computer Sciences, Purdue University, 2002.	☒
8	KOZAMERINK, FRANC "Media Streaming Over the Internet - An Over of Delivery Technologies" EBU Technical Review, October 2002.	☒
9	LIENHART, RAINER ET AL. "Challenges in Distributed Video Management and Delivery" Intel Corporation, EECS Dept., UC Berkeley, 2000-2002.	☒
10	ZHANG, XINYAN ET AL. "CoolStreaming/DONet: A Data-Driven Overlay Network for Peer-to-Peer Live Media Streaming" IEEE 2005.	☒
11	GUO, YANG "DirectStream: A Directory-Based Peer-to-Peer Video Streaming Service" LexisNexis, Elsevier B.V. 2007.	☒

If you wish to add additional non-patent literature document citation information please click the Add button

Add

EXAMINER SIGNATURE

Examiner Signature	/CHIRAG R PATEL/	Date Considered	04/18/2024
--------------------	------------------	-----------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through a citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ See Kind Codes of USPTO Patent Documents at www.USPTO.GOV or MPEP 901.04. ² Enter office that issued the document, by the two-letter code (WIPO Standard ST.3). ³ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁴ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁵ Applicant is to place a check mark here if English language translation is attached.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /C.R.P/

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number	18/069450
Filing Date	
First Named Inventor	David F. Brueck
Art Unit	
Examiner Name	
Attorney Docket Number	9401-00279

CERTIFICATION STATEMENT

Please see 37 CFR 1.97 and 1.98 to make the appropriate selection(s):

That each item of information contained in the information disclosure statement was first cited in any communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of the information disclosure statement. See 37 CFR 1.97(e)(1).

OR

☐ That no item of information contained in the information disclosure statement was cited in a communication from a foreign patent office in a counterpart foreign application, and, to the knowledge of the person signing the certification after making reasonable inquiry, no item of information contained in the information disclosure statement was known to any individual designated in 37 CFR 1.56(c) more than three months prior to the filing of the information disclosure statement. See 37 CFR 1.97(e)(2).

☒ See attached certification statement.

The fee set forth in 37 CFR 1.17 (p) has been submitted herewith.

A certification statement is not submitted herewith.

SIGNATURE

A signature of the applicant or representative is required in accordance with CFR 1.33, 10.18. Please see CFR 1.4(d) for the form of the signature.

Signature	/BRETT A. CARLSON/	Date (YYYY-MM-DD)	2022-12-21
Name/Print	Brett A. Carlson	Registration Number	39928

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1 hour to complete, including gathering, preparing and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /C.R.P/

Privacy Act Statement

The Privacy Act of 1974 (P.L. 93-579) requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

1. The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C. 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether the Freedom of Information Act requires disclosure of these records.
2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspections or an issued patent.
9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

Bibliographic Data

Application No: 18/069,450

Foreign Priority claimed: ☐ Yes ☒ No

35 USC 119 (a-d) conditions met: ☐ Yes ☒ No ☐ Met After Allowance

Verified and Acknowledged: /CHIRAG R PATEL/

Examiner's Signature

Initials

Title:

APPARATUS, SYSTEM, AND METHOD FOR MULTI-BITRATE
CONTENT STREAMING

FILING or 371(c) DATE	CLASS	GROUP ART UNIT	ATTORNEY DOCKET NO.
12/21/2022	709	2454	9401-00279
RULE			

APPLICANTS

DISH Technologies L.L.C., Englewood, CO, UNITED STATES

INVENTORS

DAVID F. BRUECK, SARATOGA SPRINGS, UT, UNITED STATES

MARK B. HURST, CEDAR HILLS, UT, UNITED STATES

R. DREW MAJOR, OREM, UT, UNITED STATES

CONTINUING DATA

This application is a CON of 17962231 10/07/2022 PAT 11677798

17962231 is a CON of 16876579 05/18/2020 PAT 11470138

16876579 is a CON of 16004056 06/08/2018 PAT 10659513

16004056 is a CON of 15414025 01/24/2017 PAT 9998516

15414025 is a CON of 14719122 05/21/2015 PAT 9571551

14719122 is a CON of 14106051 12/13/2013 PAT 9071668

14106051 is a CON of 13617114 09/14/2012 PAT 8612624

13617114 is a CON of 12906940 10/18/2010 PAT 8402156

12906940 is a CON of 11673483 02/09/2007 PAT 7818444

11673483 is a CIP of 11116783 04/28/2005 PAT 8868772

11116783 has PRO of 60566831 04/30/2004

FOREIGN APPLICATIONS

IF REQUIRED, FOREIGN LICENSE GRANTED**

01/17/2023

STATE OR COUNTRY

UNITED STATES

ADDRESS

KW LAW LLP (Dish Technologies L.L.C.)
6122 N 7th St Suite D
Phoenix, AZ 85014
UNITED STATES

FILING FEE RECEIVED

\$7,160

Change(s) applied to document, /J.L./ 4/3/2024	60	7873040	~~Aug. 20, 2007~~ 01/2011	Karlsgodt	
	61	7934159	~~Feb. 19, 2004~~ 04/2011	Rahman	
	62	8091112	~~Feb. 28, 2004~~ 01/2012	Elliot Elliott	
	63	8135852	~~Mar. 27, 2002~~ 03/2012	Nilsson	
	64	8209429	~~Jul. 10, 2004~~ 06/2012	Jacobs	
	65	8321584	~~Apr. 4, 2003~~ 11/2012	Dobbins	
	66	8370514	~~Apr. 20, 2005~~ 02/2013	Hurst	
	67	8402156	~~Apr. 30, 2004~~ 03/2013	Brueck	
	68	8612624	~~Apr. 30, 2004~~ 12/2013	Frueck	
	69	8667158	~~Jan. 25, 2003~~ 03/2014	Jin	
	70	8683066	~~Aug. 6, 2007~~ 03/2014	Hurst	
	71	8868772	~~Apr. 30, 2004~~ 10/2014	Major	
	72	8880721	~~Apr. 20, 2005~~ 11/2014	Hurst	
If you wish to add additional U.S. Patent citation information please click the Add button.					Add

Change(s) applied
to document,
/J.L./
4/3/2024

	47	7529806		5-May-09	Shetyn	
	48	7536469		~~Dec. 10, 2004~~ 05/2009	Chou	
	49	7555464		~~Mar. 1, 2006~~ 06/2009	Candelore	
	50	7558472		~~Aug. 22, 2001~~ 07/2009	Locket	
	51	7567746		~~Mar. 19, 2003~~ 07/2009	Saeki	
	52	7631039		~~Dec. 1, 2000~~ 12/2009	Eisenberg	
	53	7657644		~~10-May-02~~ 02/2010	Zheng	
	54	7660906		~~Mar. 27, 2006~~ 02/2010	Armour	
	55	7719985		~~Sep. 6, 2000~~ 05/2010	Lee	
	56	7733830		~~Oct. 14, 2002~~ 06/2010	Curcio	
	57	7761609		~~Jan. 20, 2005~~ 07/2010	Srinivasan	
	58	7779135		~~Apr. 26, 2002~~ 08/2010	Hudson	
	59	7788395		~~Feb. 14, 2007~~ 08/2010	Bowra	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /C.R.P/

Change(s) applied to document, /J.E./ 4/3/2024	34	7301944	~~Oct. 24, 1997~~ 11/2007	Redmond	
	35	7308487	~~Dec. 12, 2000~~ 12/2007	Dansie et al.	
	36	7310678	~~Jul. 20, 2000~~ 12/2007	Gunaseelan	
	37	7313236	~~Apr. 9, 2003~~ 12/2007	Amini	
	38	7313808	~~Jul. 8, 1999~~ 12/2007	Gupta	
	39	7324523	~~Mar. 20, 2003~~ 01/2008	Dacosta	
	40	7325199	~~Oct. 4, 2000~~ 01/2008	Reid	
	41	7363228	~~Sep. 18, 2003~~ 04/2008	Wyss	
	42	7376747	~~Dec. 20, 2000~~ 05/2008	Hartop	
	43	7401351	~~Dec. 14, 2000~~ 07/2008	Boreczky	
	44	7463736	~~Feb. 27, 2002~~ 12/2008	Tagashira	
	45	7526565	~~Apr. 9, 2003~~ 04/2009	Amini	
	46	7529541	~~Jun. 25, 2001~~ 05/2009	Cho	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /C.R.P/

Change(s) applied
to document,
/J.E./
4/3/2024

21	7133451	~~Mar. 5, 2001~~	Kim	
		11/2006		
22	7133881	~~Apr. 29, 2002~~	Sirivara	
		11/2006		
23	7155531	~~Jun. 12, 2004~~	Lango	
		12/2006		
24	7174512	~~Dec. 1, 2000~~	Martin	
		02/2007		
25	7176957	~~25 May 04~~	Ivashin	
		02/2007		
26	7177642	~~Jul. 3, 2001~~	Sanchez Herrero	
		02/2007		
27	7178107	~~Sep. 16, 1999~~	Sezan	
		02/2007		
28	7185082	~~Aug. 9, 2000~~	Val del Val	
		02/2007		
29	7190670	~~Oct. 4, 2002~~	Varsa	
		03/2007		
30	7200857	~~Jun. 9, 2000~~	Rodriguez	
		04/2007		
31	7237254	~~Mar. 29, 2000~~	Omoigui	
		06/2007		
32	7257407	~~Mar. 26, 2003~~	Dacosta	
		08/2007		
33	7293280	~~Jul. 8, 1999~~	Gupta	
		11/2007		

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /C.R.P/

Change(s) applied
to document,
/J.E./
4/3/2024

8	7042898	~~Oct. 14, 1997~~	Blightman	
		05/2006		
9	7043560	~~Jun. 10, 2001~~	Coulombe	
		05/2006		
10	7046805	~~Mar. 20, 2001~~	Fitzhardinge	
		05/2006		
11	7046910	~~Nov. 20, 1998~~	Chen	
		05/2006		
12	7051110	~~Dec. 20, 1999~~	Hagai	
		05/2006		
13	7054949	~~Jan. 19, 2001~~	Jennings	
		05/2006		
14	7065250	~~Sep. 18, 1998~~	Lennon	
		06/2006		
15	7073028	~~Jun. 12, 2001~~	Lango	
		07/2006		
16	7073127	~~Jul. 1, 2002~~	Zhao	
		07/2006		
17	7076560	~~Jun. 12, 2001~~	Lango	
		07/2006		
18	7107532	~~Aug. 20, 2001~~	Billmaier	
		09/2006		
19	7111044	~~Jul. 17, 2002~~	Lee	
		09/2006		
20	7124164	~~Apr. 17, 2001~~	Cherntob	
		10/2006		

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Not for submission under 37 CFR 1.99)	Application Number	18069450
	Filing Date	2022-12-21
	First Named Inventor	David F. Brueck
	Art Unit	2454
	Examiner Name	Chirag R. Patel
	Attorney Docket Number	9401-00279

U.S. PATENTS							Remove
Examiner Initial*	Cite No	Patent Number	Kind Code ¹	Issue Date	Name of Patentee or Applicant of cited Document	Pages, Columns, Lines where Relevant Passages or Relevant Figures Appear	
Change(s) applied to document, /J.E./ 4/3/2024	1	6988235		~~Mar. 2, 2000~~ 01/2006	Brown		
	2	6990512		~~Mar. 10, 2001~~ 01/2006	Major		
	3	6992981		~~Jan. 11, 2001~~ 01/2006	Morikawa		
	4	7003794		~~Jun. 27, 2000~~ 02/2006	Arye		
	5	7020087		~~Jan. 10, 2003~~ 03/2006	Steinberg		
	6	7024480		~~Nov. 9, 2000~~ 04/2006	Weik		
	7	7031700		~~Nov. 14, 2001~~ 04/2006	Weaver		

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /C.R.P./

Change(s) applied
to document,
/J.E./
4/3/2024

Change(s) applied to document, J.E./3/2024	190	6910079	~~Jan. 25, 2002~~	Zimmermann		
			06/2005			
	191	6918132	~~Jun. 14, 2001~~	Gargi		
			07/2005			
	192	6938208	~~Jan. 4, 2000~~	Reichardt		
			08/2005			
	193	6940904	~~29 May 01~~	Chen		
			09/2005			
	194	6956573	~~Nov. 15, 1996~~	Bergen		
			10/2005			
	195	6956869	~~Dec. 4, 1998~~	Kato		
		10/2005				
	196	6961954	~~Oct. 27, 1997~~	Maybury		
		11/2005				
	197	6963972	~~Sep. 26, 2000~~	Chang		
		11/2005				
	198	6965724	~~Mar. 30, 1995~~	Boccon-Gibod		
		11/2005				
	199	6985932	~~Nov. 30, 1994~~	Glaser		
		01/2006				
	200	6986018	~~Jun. 26, 2001~~	O'Rourke		
		01/2006				
If you wish to add additional U.S. Patent citation information please click the Add button.					Add	
U.S.PATENT APPLICATION PUBLICATIONS					Remove	
Examiner Initial*	Cite No	Publication Number	Kind Code ¹	Publication Date	Name of Patentee or Applicant of cited Document	Pages, Columns, Lines where Relevant Passages or Relevant Figures Appear

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /C.R.P/

Change(s) applied to document, /J.E./ 4/3/2024	177	6839865	~~Dec. 28, 2000~~ 01/2005	Gould	
	178	6848004	25-Jan-05	Chang	
	179	6850965	~~Nov. 17, 1998~~ 02/2005	Allen	
	180	6870573	~~Jan. 22, 1999~~ 03/2005	~~Fuller~~ Yeo et al.	
	181	6877010	~~Nov. 3, 1999~~ 04/2005	Smith-Semedo	
	182	6877134	~~Aug. 14, 1997~~ 04/2005	Fuller	
	183	6879634	~~May. 26, 1999~~ 04/2005	Strasman	
	184	6880017	~~Mar. 20, 2000~~ 04/2005	Marce	
	185	6880018	~~Dec. 11, 1998~~ 04/2005	Kajiki	
	186	6880171	~~Dec. 5, 1996~~ 04/2005	Ahmad	
	187	6882793	~~Jun. 16, 2000~~ 04/2005	Fu	
	188	6885471	~~Mar. 25, 1999~~ 04/2005	Minowa	
	189	6891694	~~Aug. 25, 2002~~ 05/2005	Hetzler	

Change(s) applied to document, /J.E./ 4/3/2024	164	6771652	~~Nov. 28, 1999~~ 08/2004	Aydemir	
	165	6771703	~~Jun. 30, 2000~~ 08/2004	Oguz	
	166	6772375	~~Dec. 22, 2000~~ 08/2004	Banga	
	167	6785288	~~Jul. 25, 1990~~ 08/2004	Enns	
	168	6788882	~~Apr. 17, 1998~~ 09/2004	Geer	
	169	6789106	~~Feb. 2, 2001~~ 09/2004	Eyer	
	170	6792449	~~Jun. 28, 2001~~ 10/2004	Colville	
	171	6801947	~~Aug. 1, 2000~~ 10/2004	Li	
	172	6813690	~~Jun. 12, 2001~~ 11/2004	Lango	
	173	6820233	~~Jul. 14, 2000~~ 11/2004	Johansson	
	174	6822940	~~Sep. 29, 2000~~ 11/2004	Zavalkovsky	
	175	6829781	~~24 May-00~~ 12/2004	Bhagavath	
	176	6831949	~~Jul. 16, 1997~~ 12/2004	Brightwell	

Change(s) applied
to document,
/J.E./
4/3/2024

151	6741552	~~Feb. 12, 1998~~ 05/2004	McCrosky
152	6742082	~~Jun. 12, 2001~~ 05/2004	Lango
153	6744763	~~Jan. 15, 1998~~ 06/2004	Jones
154	6745391	~~Dec. 10, 1997~~ 06/2004	Macrae
155	6747991	~~Apr. 26, 2000~~ 06/2004	Herny
156	6748481	~~Apr. 6, 1999~~ 06/2004	Parry
157	6757255	~~Jul. 26, 1998~~ 06/2004	Aoki
158	6757907	~~Feb. 9, 2000~~ 06/2004	Schumacher
159	6760749	~~10 May 00~~ 07/2004	Dunlap
160	6760765	~~Nov. 9, 1999~~ 07/2004	Asai
161	6760916	~~Jan. 14, 2000~~ 07/2004	Holtz
162	6765878	~~Mar. 28, 2000~~ 07/2004	Carlson
163	6769127	~~Jun. 16, 2000~~ 07/2004	Bonomi

Change(s) applied
to document,
/J.E./
4/3/2024

138	6690646	~~Jul. 13, 1999~~ 02/2004	Fichou	
139	6691312	~~Mar. 10, 1999~~ 02/2004	Sen	
140	6697072	~~Mar. 26, 2004~~ 02/2004	Russell	
141	6697819	~~Jul. 30, 2004~~ 02/2004	Boudreau	
142	6701528	~~Jan. 26, 2000~~ 03/2004	Arsenault	
143	6710822	~~Feb. 15, 1999~~ 03/2004	Walker	
144	6711741	~~Apr. 7, 1999~~ 03/2004	Yeo	
145	6714976	~~Mar. 20, 1997~~ 03/2004	Wilson	
146	6721850	~~Feb. 27, 2001~~ 04/2004	Hofmann	
147	6725333	~~Apr. 22, 1999~~ 04/2004	Degenaro	
148	6732183	~~Dec. 31, 1996~~ 05/2004	Graham	
149	6732329	~~Mar. 27, 2004~~ 05/2004	Bace	
150	6735634	~~Jun. 10, 1999~~ 05/2004	Geagan	

Change(s) applied to document, /J.E./ 4/3/2024	125	6622171	~~Sep. 15, 1998~~ 09/2003	Gupta	
	126	6625656	~~May. 4, 1999~~ 09/2003	Goldhor	
	127	6629153	~~Sep. 17, 1997~~ 09/2003	Gupta	
	128	6631523	~~Mar. 29, 1996~~ 10/2003	Matthews	
	129	6643259	~~Nov. 12, 1999~~ 11/2003	Borella	
	130	6643821	~~Nov. 30, 2000~~ 11/2003	Karim	
	131	6650705	~~Apr. 20, 1999~~ 11/2003	Vetro	
	132	6651103	~~Aug. 3, 1999~~ 11/2003	Markowitz	
	133	6654790	~~26 May 99~~ 11/2003	Ogle	
	134	6665755	~~Dec. 22, 2000~~ 12/2003	Modelski	
	135	6668377	~~5 May 95~~ 12/2003	Dunn	
	136	6671724	~~Mar. 21, 2000~~ 12/2003	Pandya	
	137	6675199	~~6 Jul 00~~ 01/2004	Mohammed	

Change(s) applied to document, /J.E./ 4/3/2024	112	6570922		~~Nov. 24, 1998~~ 05/2003	Wang	
	113	6574279		~~Feb. 2, 2000~~ 06/2003	Vetro	
	114	6580437		~~Jun. 26, 2000~~ 06/2003	Liou	
	115	6588018		~~Apr. 9, 1999~~ 07/2003	James	
	116	6593860		~~Dec. 12, 2000~~ 07/2003	Lai	
	117	6594751		~~Mar. 25, 1999~~ 07/2003	Leivent	
	118	6601103		~~Aug. 22, 1996~~ 07/2003	Goldschmidt Iki	
	119	6609253		~~Dec. 30, 1999~~ 08/2003	Swix	
	120	6611530		~~Sep. 21, 1999~~ 08/2003	Apostolopoulos	
	121	6611868		~~21-May-98~~ 08/2003	Arutyunov	
	122	6611898		~~Dec. 22, 2000~~ 08/2003	Slattery	
	123	6614763		~~Feb. 4, 1999~~ 09/2003	Kikuchi	
	124	6615252		~~Mar. 10, 1997~~ 09/2003	Oka	

Change(s) applied
to document,
/J.E./
4/3/2024

99	6502135	~~Oct. 30, 1998~~ 12/2002	Munger	
100	6502139	~~Jun. 1, 1999~~ 12/2002	Birk	
101	6505169	~~Jan. 26, 2000~~ 01/2003	Bhagavath	
102	6509908	~~13-May-98~~ 01/2003	Croy	
103	6516361	~~Sep. 17, 1998~~ 02/2003	Lym	
104	6526022	~~Jun. 30, 1998~~ 02/2003	Chiu	
105	6529475	~~Dec. 10, 1998~~ 03/2003	Wan	
106	6535556	~~Apr. 12, 1999~~ 03/2003	Kato	
107	6535639	~~Mar. 12, 1999~~ 03/2003	Uchihachi	
108	6542546	~~Feb. 2, 2000~~ 04/2003	Vetro	
109	6552227	~~Mar. 14, 2000~~ 04/2003	Mendelovici	
110	6553376	~~Nov. 18, 1998~~ 04/2003	Lewis	
111	6567980	~~Aug. 14, 1997~~ 05/2003	Jain	

Change(s) applied
to document,
/J.E./
4/3/2024

86	6470378	~~Mar. 31, 1999~~ 10/2002	Tracton	
87	6473778	~~Dec. 24, 1998~~ 10/2002	Gibbon	
88	6473902	~~Apr. 4, 1999~~ 10/2002	Noritomi	
89	6473903	~~Dec. 30, 1996~~ 10/2002	Balakrishnan	
90	6483851	~~Nov. 13, 1998~~ 11/2002	Neogi	
91	6484199	~~Jan. 24, 2000~~ 11/2002	Eyal	
92	6484212	~~Apr. 20, 1999~~ 11/2002	Markowitz	
93	6490250	~~Mar. 9, 1999~~ 12/2002	Hinchley	
94	6490320	~~Feb. 2, 2000~~ 12/2002	Vetro	
95	6490627	~~Dec. 17, 1996~~ 12/2002	Kalra	
96	6493386	~~Feb. 2, 2000~~ 12/2002	Vetro	
97	6493748	~~Mar. 5, 1999~~ 12/2002	Nakayama	
98	6496980	~~Dec. 7, 1998~~ 12/2002	Tillman	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /C.R.P/

Change(s) applied to document, /J.E./ 4/3/2024	73	6408005	~~Sep. 5, 1997~~ 06/2002	Fan	
	74	6412092	~~Apr. 14, 1999~~ 06/2002	Raghunath	
	75	6414725	~~Apr. 16, 1998~~ 07/2002	Clarín	
	76	6415326	~~Sep. 15, 1998~~ 07/2002	Gupta	
	77	6421706	~~Feb. 25, 1998~~ 07/2002	McNeill	
	78	6421733	~~Mar. 25, 1997~~ 07/2002	Tso	
	79	6424624	~~Oct. 16, 1997~~ 07/2002	Galand	
	80	6430354	~~Dec. 10, 1997~~ 08/2002	Watanabe	
	81	6434195	~~Nov. 20, 1998~~ 08/2002	Luthra	
	82	6434197	~~Jan. 7, 1999~~ 08/2002	Wang	
	83	6441754	~~Aug. 17, 1999~~ 08/2002	Wang	
	84	6449608	~~Nov. 10, 1997~~ 09/2002	Morita	
	85	6463508	~~Jul. 19, 1999~~ 10/2002	Wolf	

Change(s) applied
to document,
/J.E./
4/3/2024

60	6351474	~~Jan. 14, 1998~~ 02/2002	Robinett	
61	6351767	~~Jan. 25, 1999~~ 02/2002	Batchelder	
62	6356565	~~Jun. 19, 1997~~ 03/2002	Bouyer	
63	6366888	~~Mar. 29, 1999~~ 04/2002	Kroon	
64	6366970	~~Apr. 1, 1999~~ 04/2002	Wolff	
65	6378129	~~Jan. 24, 2000~~ 04/2002	Zetts	
66	6388992	~~Sep. 9, 1997~~ 05/2002	Aubert	
67	6388999	~~Dec. 17, 1997~~ 05/2002	Gorsuch	
68	6389467	~~Apr. 4, 1997~~ 05/2002	Eyal	
69	6393060	~~Dec. 31, 1997~~ 05/2002	Jeong	
70	6401085	~~Mar. 5, 1999~~ 06/2002	Gershman	
71	6405371	~~Jun. 9, 1997~~ 06/2002	Oosterhout	
72	6407680	~~Dec. 22, 2000~~ 06/2002	Lai	

Change(s) applied to document, /J.E./ 4/3/2024	47	6292466	~~Dec. 13, 1995~~ 09/2001	Droz	
	48	6292512	~~Jul. 6, 1998~~ 09/2001	Radha	
	49	6292880	~~Apr. 15, 1998~~ 09/2001	Mattis	
	50	6304295	~~Sep. 18, 1998~~ 10/2001	Krishnamurthy	
	51	6308222	~~Jun. 3, 1996~~ 10/2001	Krueger	
	52	6311251	~~Nov. 23, 1998~~ 10/2001	Merritt	
	53	6314492	~~27 May 98~~ 11/2001	Allen	
	54	6327421	~~Mar. 10, 1998~~ 12/2001	Tiwari	
	55	6329165	~~Dec. 30, 1999~~ 12/2001	Chattoraj	
	56	6339619	~~Aug. 5, 1998~~ 01/2002	Sugiyama	
	57	6342904	~~Dec. 17, 1998~~ 01/2002	Vasudevan	
	58	6349410	~~Aug. 4, 1999~~ 02/2002	Lortz	
	59	6351471	~~Jan. 14, 1998~~ 02/2002	Robinett	

Change(s) applied
to document,
/J.E./
4/3/2024

34	6219339	~~Feb. 20, 1998~~ 04/2001	Doshi	
35	6226328	1-May-01	Assuncao	
36	6236395	~~Feb. 1, 1999~~ 05/2001	Sezan	
37	6240105	~~Mar. 30, 1998~~ 05/2001	Zetts	
38	6263371	~~Jun. 10, 1999~~ 07/2001	Geagan	
39	6266813	~~11-May-98~~ 07/2001	Ihara	
40	6269374	~~26-May-98~~ 07/2001	Chen	
41	6269394	~~Jun. 7, 1995~~ 07/2001	Kenner	
42	6271892	~~Jun. 2, 1994~~ 08/2001	Gibbon	
43	6272148	~~Sep. 22, 1997~~ 08/2001	Takagi	
44	6275507	~~Sep. 28, 1997~~ 08/2001	Anderson	
45	6281940	~~Mar. 31, 1999~~ 08/2001	Sciammarella	
46	6282206	~~Oct. 9, 1997~~ 08/2001	Hindus	

Change(s) applied
to document,
/J.E./
4/3/2024

21	6154489	~~Mar. 30, 1998~~ 11/2000	Kleider	
22	6154600	~~Aug. 6, 1998~~ 11/2000	Newman	
23	6154771	~~Jun. 1, 1998~~ 11/2000	Rangan	
24	6161137	~~Mar. 31, 1997~~ 12/2000	Ogdon	
25	6161201	~~Feb. 26, 1998~~ 12/2000	Payne	
26	6173317	~~Mar. 14, 1997~~ 01/2001	Chaddha	
27	6181711	~~Jun. 26, 1997~~ 01/2001	Zhang	
28	6185573	~~Apr. 22, 1998~~ 02/2001	Angelucci	
29	6185625	~~Dec. 20, 1996~~ 02/2001	Tso	
30	6188398	~~Jun. 2, 1999~~ 02/2001	~~Rector~~ Collins-Rector	
31	6195692	~~Jun. 2, 1997~~ 02/2001	Hsu	
32	6209041	~~Apr. 4, 1997~~ 03/2001	Shaw	
33	6216163	~~Apr. 14, 1997~~ 04/2001	Bharali	

Change(s) applied
to document,
/J.E./
4/3/2024

8	6111567	~~Apr. 3, 1997~~ 08/2000	Savchenko	
9	6118450	~~Apr. 3, 1998~~ 09/2000	Proehl	
10	6118817	~~Mar. 14, 1997~~ 09/2000	Wang	
11	6119154	~~Jul. 14, 1995~~ 09/2000	Weaver	
12	6120149	~~Oct. 31, 1997~~ 09/2000	Hosoi	
13	6134243	~~Jan. 15, 1998~~ 10/2000	Jones	
14	6134559	~~Apr. 27, 1998~~ 10/2000	Brumme	
15	6139197	~~Mar. 4, 1997~~ 10/2000	Banks	
16	6141447	~~Nov. 21, 1996~~ 10/2000	Linzer	
17	6141686	~~Mar. 18, 1998~~ 10/2000	Jackowski	
18	6144375	~~Aug. 14, 1998~~ 11/2000	Jain	
19	6148005	~~Oct. 9, 1997~~ 11/2000	Paul	
20	6151632	~~Mar. 14, 1997~~ 11/2000	Chaddha	

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Not for submission under 37 CFR 1.99)	Application Number	18069450
	Filing Date	2022-12-21
	First Named Inventor	David F. Brueck
	Art Unit	2454
	Examiner Name	Chirag R. Patel
	Attorney Docket Number	9401-00279

U.S. PATENTS							Remove
Examiner Initial*	Cite No	Patent Number	Kind Code ¹	Issue Date	Name of Patentee or Applicant of cited Document	Pages, Columns, Lines where Relevant Passages or Relevant Figures Appear	
Change(s) applied to document, /J.E./ 4/3/2024	1	6061504		~~Oct. 27, 1995~~ 05/2000	Tzelnic		
	2	6085193		~~Sep. 29, 1997~~ 07/2000	Malkin		
	3	6098082		~~Jul. 15, 1996~~ 08/2000	Gibbon		
	4	6098096		~~Dec. 6, 1996~~ 08/2000	Tsirigotis		
	5	6104334		~~Dec. 31, 1997~~ 08/2000	Allport		
	6	6104441		~~Apr. 29, 1998~~ 08/2000	Wee		
	7	6108382		~~Feb. 6, 1998~~ 08/2000	Gringeri		

Change(s) applied
to document,
/J.E./
4/2/2024

144	2009/0055547	~~Apr. 26, 2002~~ 02/2009	Hudson	
145	2009/0132599	~~Nov. 10, 2007~~ 05/2009	Soroushian	
146	2009/0132721	~~Nov. 10, 2007~~ 05/2009	Soroushian	
147	2009/0210549	~~Apr. 26, 2002~~ 08/2009	Hudson	
148	2010/0158101	~~Dec. 22, 2008~~ 06/2010	Wu	
149	2014/0207966	~~Aug. 6, 2007~~ 07/2014	Hurst	
150	2015/0058496	~~Apr. 20, 2005~~ 02/2015	Hurst	

If you wish to add additional U.S. Published Application citation information please click the Add button.

Add

FOREIGN PATENT DOCUMENTS

Remove

Examiner Initial*	Cite No	Foreign Document Number ³	Country Code ²	Kind Code ⁴	Publication Date	Name of Patentee or Applicant of cited Document	Pages, Columns, Lines where Relevant Passages or Relevant Figures Appear	T ⁵
	1	10101075.3	DE		Jan. 11, 2001	Jerabek		☐
	2	1997/044942	WO	A2	Nov. 27, 1997	Kliger		☐
	3	2000/067469	WO	A1	Nov. 9, 2000	Hannuksela		☐
	4	0695094	EP	B1	Jan. 1, 1996	Adams		☐

Change(s) applied to document, /J.E./ 4/2/2024	1312006/0270404	~~13 May 05~~ 11/2006	Tuohino	
	1322006/0282540	~~Jun. 8, 2005~~ 12/2006	Tanimoto	
	1332006/0288099	~~6 May 05~~ 12/2006	Jefferson	
	1342007/0008884	~~Oct. 8, 2003~~ 01/2007	Tang	
	1352007/0037599	~~Sep. 17, 2004~~ 02/2007	Tillet	
	1362007/0078768	~~Sep. 22, 2005~~ 04/2007	Dawson	
	1372007/0174471	~~Apr. 30, 2003~~ 07/2007	Van Rossum	
	1382008/0060029	~~Sep. 1, 2006~~ 03/2008	Park	
	1392008/0091838	~~Oct. 12, 2006~~ 04/2008	Miceli	
	1402008/0195745	~~Feb. 14, 2007~~ 08/2008	Bowra	
	1412009/0006538	~~Jun. 29, 2007~~ 01/2009	Risney, Jr.	
	1422009/0049186	~~Aug. 16, 2007~~ 02/2009	Agnihotri	
	1432009/0055417	~~Aug. 20, 2007~~ 02/2009	Hannuksela	

Change(s) applied
to document,
/J.E./
4/2/2024

118	2005/0240961	~~Jun. 11, 1999~~ 10/2005	Jerding	
119	2005/0254508	~~13 May 04~~ 11/2005	Aksu	
120	2005/0256941	~~Oct. 23, 2000~~ 11/2005	Armstrong	
121	2005/0262261	~~Aug. 31, 2001~~ 11/2005	Deshpande	
122	2006/0047779	~~Jul. 12, 2004~~ 03/2006	Deshpande	
123	2006/0053253	~~Jun. 26, 2002~~ 03/2006	~~Roth~~ Roth	
124	2006/0059223	~~Jun. 24, 2002~~ 03/2006	Klemets	
125	2006/0064500	~~Jun. 26, 2002~~ 03/2006	Roth	
126	2006/0168295	~~Jun. 27, 2003~~ 07/2006	Batterberry	
127	2006/0168524	~~Feb. 17, 2005~~ 07/2006	Saeki	
128	2006/0184688	Aug. 2006	Ganguly	
129	2006/0218264	~~Mar. 28, 2005~~ 09/2006	Ogawa	
130	2006/0242315	~~Sep. 1, 2000~~ 10/2006	Nichols	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /C.R.P/

Change(s) applied to document, /J.E./ 4/2/2024	1052005/0024487	~~Jul. 31, 2003~~ 02/2005	Chen	
	1062005/0028194	~~Jan. 10, 1998~~ 02/2005	Elenbaa	
	1072005/0028208	~~Jul. 17, 1998~~ 02/2005	Ellis	
	1082005/0033856	~~Aug. 1, 2000~~ 02/2005	Li	
	1092005/0050152	~~Jun. 26, 2003~~ 03/2005	Penner	
	1102005/0071496	~~Jan. 20, 2001~~ 03/2005	Singal	
	1112005/0097217	~~Aug. 0, 2000~~ 05/2005	Val	
	1122005/0138655	~~Dec. 22, 2003~~ 06/2005	Zimler	
	1132005/0165828	~~Jun. 12, 2001~~ 07/2005	Lango	
	1142005/0204385	~~Jul. 24, 2000~~ 09/2005	Sull	
	1152005/0223087	~~17 May 02~~ 10/2005	Van Der Stok	
	1162005/0229213	~~Jul. 14, 1998~~ 10/2005	Ellis	
	1172005/0232180	~~Feb. 2, 1999~~ 10/2005	Toporek	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /C.R.P/

Change(s) applied to document, /J.E./ 4/2/2024	662003/0093802		~~Sep. 28, 2001~~ 05/2003	Cho	
	672003/0099364		~~Nov. 28, 2001~~ 05/2003	Thompson	
	682003/0103524		~~Oct. 5, 2001~~ 06/2003	Hasegawa	
	692003/0103571		~~Dec. 5, 2001~~ 06/2003	Meehan	
	702003/0110505		~~Mar. 31, 1995~~ 06/2003	Vos De Vos	
	712003/0115219		~~Dec. 19, 2001~~ 06/2003	Chadwick	
	722003/0120793		~~Dec. 21, 2001~~ 06/2003	Marjola	
	732003/0145101		~~Jul. 6, 2001~~ 07/2003	Mitchell	
	742003/0198184		~~Aug. 31, 2001~~ 10/2003	Huang	
	752003/0217113		~~Apr. 8, 2002~~ 11/2003	Katz	
	762003/0217362		~~Dec. 28, 2001~~ 11/2003	Summers	
	772003/0220972		~~23 May 02~~ 11/2003	Montet	
	782003/0236902		~~Jun. 10, 2002~~ 12/2003	Weiss	

Change(s) applied
to document,
/J.E./
4/2/2024

	40	2002/0154694	~~Mar. 21, 1997~~ 10/2002	Birch	
	41	2002/0154703	~~Jan. 26, 2000~~ 10/2002	Kubota	
	42	2002/0159457	~~Jun. 26, 1997~~ 10/2002	Zhang	
	43	2002/0161847	~~Apr. 30, 2001~~ 10/2002	Weigand	
	44	2002/0162047	~~Dec. 24, 1997~~ 10/2002	Peters	
	45	2002/0164024	~~Aug. 25, 2000~~ 11/2002	Arakawa	
	46	2002/0169926	~~Apr. 10, 2001~~ 11/2002	Pinckney	
	47	2002/0170067	~~Mar. 23, 2001~~ 11/2002	Norstrom	
	48	2002/0170068	~~Mar. 19, 2001~~ 11/2002	Rafey	
	49	2002/0172368	~~Oct. 26, 2000~~ 11/2002	Peterka	
	50	2002/0176418	~~Apr. 19, 2001~~ 11/2002	Hunt	
	51	2002/0178138	~~Mar. 15, 2001~~ 11/2002	Ender	
	52	2002/0178330	~~Apr. 10, 2001~~ 11/2002	Schlowsky-Fischer	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /C.R.P/

Change(s) applied to document, /J.E./ 4/2/2024	27	2002/0116473	~~Feb. 16, 2004~~ 08/2002	Gemmell	
	28	2002/0116585	~~Sep. 11, 2000~~ 08/2002	Scherr	
	29	2002/0118809	~~Dec. 1, 2000~~ 08/2002	Eisenberg	
	30	2002/0122491	~~Jan. 3, 2001~~ 09/2002	Karczewicz	
	31	2002/0129159	~~Mar. 9, 2001~~ 09/2002	Luby	
	32	2002/0133547	~~Mar. 15, 2004~~ 09/2002	Lin	
	33	2002/0136164	~~Feb. 15, 2000~~ 09/2002	~~Coulombe~~ Fukuda et al.	
	34	2002/0136298	~~Jan. 18, 2001~~ 09/2002	Anantharamu	
	35	2002/0136406	~~Mar. 20, 2001~~ 09/2002	Fitzhardinge	
	36	2002/0138619	~~Mar. 21, 2004~~ 09/2002	Ramaley	
	37	2002/0138641	~~Mar. 26, 2004~~ 09/2002	Taylor	
	38	2002/0146102	~~Mar. 22, 2004~~ 10/2002	Lang	
	39	2002/0147980	~~Apr. 9, 2001~~ 10/2002	Satoda	

Change(s) applied
to document,
/J.E./
4/2/2024

14	2002/0029282	~~Jul. 13, 2000~~ 03/2002	Buddhikot	
15	2002/0040479	~~Oct. 4, 2000~~ 04/2002	Ehrman	
16	2002/0048448	~~Mar. 29, 1999~~ 04/2002	Daniels	
17	2002/0052968	~~Jan. 31, 2000~~ 05/2002	Bonefas	
18	2002/0056098	~~Jun. 29, 1999~~ 05/2002	White	
19	2002/0056126	~~Apr. 8, 2000~~ 05/2002	Srikantan	
20	2002/0077900	~~Dec. 14, 2000~~ 06/2002	Thompson	
21	2002/0078176	~~Dec. 15, 2000~~ 06/2002	Nomura	
22	2002/0080286	~~Jan. 19, 1999~~ 06/2002	Dagtas	
23	2002/0080877	~~Dec. 27, 2000~~ 06/2002	Lu	
24	2002/0087634	~~Aug. 3, 1999~~ 07/2002	Ogle	
25	2002/0100052	~~Jan. 6, 1999~~ 07/2002	Daniels	
26	2002/0103938	~~Jan. 31, 2001~~ 08/2002	Brooks	

Change(s) applied
to document,
/J.E./
4/1/2024

	12001/0003193	~~Jan. 5, 1998~~ 06/2001	Woodring	
	22001/0017849	~~Nov. 14, 1997~~ 08/2001	Campanella	
	32001/0018673	~~Mar. 12, 1998~~ 08/2001	Goldband	
	42001/0025315	~~17 May 99~~ 09/2001	Jolitz	
	52001/0029548	~~Apr. 6, 2000~~ 10/2001	Srikantan	
	62001/0034786	~~Mar. 15, 2000~~ 10/2001	Baumeister	
	72001/0038649	~~Mar. 20, 2000~~ 11/2001	Hagai	
	82001/0040871	~~10 May 99~~ 11/2001	Abrahamsson	
	92001/0049826	~~Jan. 19, 2000~~ 12/2001	Wilf	
	102002/0007417	~~Apr. 1, 1999~~ 01/2002	Taylor	
	112002/0007494	~~Sep. 28, 1998~~ 01/2002	~~Wang~~ Hodge	
	122002/0016969	~~Feb. 3, 2000~~ 02/2002	Kimble	
	132002/0023267	~~31 May 99~~ 02/2002	Hoang	

Change(s) applied
to document,
/J.E./
4/1/2024

	190	6012100		~~Jul. 7, 1997~~ 01/2000	Frailong	
	191	6014694		~~Jun. 26, 1997~~ 01/2000	Aharoni	
	192	6014706		~~Jan. 30, 1997~~ 01/2000	Cannon	
	193	6018359		~~Apr. 24, 1998~~ 01/2000	Kermode	
	194	6018768		~~Mar. 8, 1996~~ 01/2000	Ullman	
	195	6026439		~~Oct. 28, 1997~~ 02/2000	Chowdhury	
	196	6031960		~~Jun. 7, 1995~~ 02/2000	Lane	
	197	6041345		~~Mar. 8, 1996~~ 03/2000	Levi	
	198	6047304		~~Jul. 29, 1997~~ 04/2000	Ladwig	
	199	6054943		~~Mar. 25, 1998~~ 04/2000	Lawrence	
	200	6061056		~~Mar. 4, 1996~~ 05/2000	Menard	
If you wish to add additional U.S. Patent citation information please click the Add button.						Add
U.S.PATENT APPLICATION PUBLICATIONS						Remove
Examiner Initial*	Cite No	Publication Number	Kind Code ¹	Publication Date	Name of Patentee or Applicant of cited Document	Pages, Columns, Lines where Relevant Passages or Relevant Figures Appear

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /C.R.P/

Change(s) applied
to document,
/J.E./
4/1/2024

177	5966122	~~Mar. 8, 1996~~ 10/1999	Itoh	
178	5978544	~~Jun. 28, 1993~~ 11/1999	Shimada	
179	5978567	~~Jul. 27, 1994~~ 11/1999	Rebane	
180	5982436	~~Mar. 26, 1997~~ 11/1999	Balakrishnan	
181	5983005	~~May. 9, 1996~~ 11/1999	Monteiro	
182	5983263	~~Jan. 2, 1998~~ 11/1999	Rothrock	
183	5991307	~~Apr. 5, 1996~~ 11/1999	Komuro	
184	5995155	~~Jul. 17, 1995~~ 11/1999	Schindler	
185	5995650	~~Mar. 21, 1996~~ 11/1999	Migdal	
186	5996015	~~Oct. 31, 1997~~ 11/1999	Day	
187	5999906	~~Sep. 24, 1997~~ 12/1999	Mercks	
188	6005621	~~Dec. 23, 1996~~ 12/1999	Linzer	
189	6011776	~~Jun. 20, 1996~~ 01/2000	Berthaud	

Change(s) applied
to document,
/J.E./
4/1/2024

164	5918020	~~Feb. 28, 1997~~ 06/1999	Blackard	
165	5920705	~~Jan. 31, 1996~~ 07/1999	Lyon	
166	5923814	~~Jan. 19, 1995~~ 07/1999	Boyce	
167	5926205	~~Oct. 19, 1994~~ 07/1999	Krause	
168	5926226	~~Aug. 9, 1996~~ 07/1999	Proctor	
169	5931961	~~May. 8, 1990~~ 08/1999	Ranganathan	
170	5933500	~~May. 31, 1996~~ 08/1999	Blatter	
171	5940072	~~Aug. 15, 1996~~ 08/1999	Jahanghir	
172	5956088	~~Nov. 21, 1995~~ 09/1999	Shen	
173	5958010	~~Mar. 20, 1997~~ 09/1999	Agarwal	
174	5959674	~~Sep. 21, 1996~~ 09/1999	Jang	
175	5960452	~~Dec. 23, 1996~~ 09/1999	Chi	
176	5963202	~~Apr. 14, 1997~~ 10/1999	Polish	

Change(s) applied
to document,
/J.E./
4/1/2024

151	5877755	~~Jun. 8, 1994~~ 03/1999	Hellhake	
152	5881050	~~Jul. 23, 1996~~ 03/1999	Chevalier	
153	5884056	~~Dec. 28, 1995~~ 03/1999	Steele	
154	5884298	~~Mar. 29, 1996~~ 03/1999	Smith, II	
155	5886733	~~May 17, 1996~~ 03/1999	Zdepski	
156	5886995	~~Sep. 5, 1996~~ 03/1999	Arsenault	
157	5890010	~~Feb. 7, 1994~~ 03/1999	Nishigami	
158	5892549	~~Sep. 15, 1994~~ 04/1999	Feng	
159	5900868	~~Apr. 1, 1997~~ 05/1999	Duhault	
160	5913038	~~Dec. 15, 1996~~ 06/1999	Griffiths	
161	5916307	~~Jun. 5, 1996~~ 06/1999	Piskiel	
162	5917488	~~Aug. 21, 1996~~ 06/1999	Anderson	
163	5918002	~~Mar. 14, 1997~~ 06/1999	Klemets	

Change(s) applied
to document,
/J.E./
4/1/2024

138	5822528	~~Oct. 3, 1995~~ 10/1998	Amano	
139	5822537	~~Feb. 24, 1994~~ 10/1998	Katseff	
140	5825771	~~Nov. 10, 1994~~ 10/1998	Cohen	
141	5835495	~~Oct. 11, 1995~~ 11/1998	Ferriere	
142	5835667	~~Oct. 14, 1994~~ 11/1998	Wactlar	
143	5838683	~~Mar. 13, 1995~~ 11/1998	Corley	
144	5844620	~~Aug. 11, 1995~~ 12/1998	Coleman	
145	5852565	~~Jan. 30, 1996~~ 12/1998	Demos	
146	5854887	~~Jul. 20, 1994~~ 12/1998	Kindell	
147	5854894	~~Jul. 20, 1995~~ 12/1998	Lancaster	
148	5859667	~~Sep. 30, 1993~~ 01/1999	Kondo	
149	5864682	~~Jul. 14, 1995~~ 01/1999	Porter	
150	5870146	~~Jan. 21, 1997~~ 02/1999	Zhu	

Change(s) applied
to document,
/J.E./
3/29/2024

125	5778181	~~Mar. 8, 1990~~ 07/1998	Hidary	
126	5787472	~~Jul. 31, 1995~~ 07/1998	Dan	
127	5790543	~~Sep. 25, 1995~~ 08/1998	Cloutier	
128	5796724	~~Dec. 28, 1995~~ 08/1998	Rajamani	
129	5799185	~~Apr. 18, 1995~~ 08/1998	Watanabe	
130	5802311	~~Jun. 15, 1995~~ 09/1998	Wronski	
131	5812786	~~Jun. 21, 1995~~ 09/1998	Seazholtz	
132	5812788	~~Jul. 21, 1995~~ 09/1998	Agarwal	
133	5815492	~~Jun. 20, 1996~~ 09/1998	Berthaud	
134	5815505	~~Aug. 18, 1996~~ 09/1998	Mills	
135	5818438	~~Apr. 25, 1995~~ 10/1998	Howe	
136	5818439	~~Feb. 20, 1995~~ 10/1998	Nagasaka	
137	5822524	~~Jul. 21, 1995~~ 10/1998	Chen	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /C.R.P/

Change(s) applied to document, /J.E./ 3/29/2024	112	5694334	~~Sep. 8, 1994~~ 12/1997	Donahue	
	113	5701316	~~Aug. 31, 1995~~ 12/1997	Alferness	
	114	5706053	~~Sep. 29, 1994~~ 01/1998	Urano	
	115	5717691	~~Oct. 30, 1995~~ 02/1998	Dighe	
	116	5732218	~~Jan. 2, 1997~~ 03/1998	Bland	
	117	5737747	~~Oct. 27, 1995~~ 04/1998	Vishlitzky	
	118	5742343	~~Jul. 13, 1993~~ 04/1998	Haskell	
	119	5742610	~~Feb. 6, 1996~~ 04/1998	Natarajan	
	120	5754784	~~Dec. 21, 1993~~ 05/1998	Garland	
	121	5767907	~~Oct. 11, 1994~~ 06/1998	Pearlstein	
	122	5768539	~~May. 27, 1994~~ 06/1998	Metz	
	123	5774668	~~Jun. 7, 1995~~ 06/1998	Choquier	
	124	5778143	~~Jan. 13, 1996~~ 07/1998	Boyce	

Change(s) applied
to document,
/J.E./
3/29/2024

99	5623690	~~Jun. 3, 1992~~ 04/1997	Palmer	
100	5623699	~~Dec. 8, 1994~~ 04/1997	Blakeslee	
101	5625407	~~Jul. 8, 1994~~ 04/1997	Biggs	
102	5630007	~~Mar. 30, 1995~~ 05/1997	Kobayashi	
103	5631693	~~Oct. 25, 1993~~ 05/1997	Wunderlich	
104	5633810	~~Dec. 14, 1995~~ 05/1997	Mandal	
105	5633859	~~Sep. 16, 1994~~ 05/1997	Jain	
106	5659539	~~Jul. 14, 1995~~ 08/1997	Porter	
107	5663952	~~Jul. 7, 1995~~ 09/1997	Gentry, Jr.	
108	5666487	~~Jun. 28, 1995~~ 09/1997	Goodman	
109	5671225	~~Sep. 1, 1995~~ 09/1997	Hooper	
110	5675732	~~May 2, 1995~~ 10/1997	Majeti	
111	5682597	~~Jun. 16, 1995~~ 10/1997	Ganek	

Change(s) applied to document, /J.E./ 3/29/2024	86	5600775	~~Aug. 20, 1994~~ 02/1997	King	
	87	5602582	~~Nov. 22, 1994~~ 02/1997	Wanderscheid	
	88	5602992	~~Nov. 20, 1993~~ 02/1997	Danneels	
	89	5603058	~~Sep. 8, 1994~~ 02/1997	Belknap	
	90	5606359	~~Jun. 30, 1994~~ 02/1997	Youden	
	91	5606693	~~Oct. 2, 1991~~ 02/1997	Nilsen	
	92	5610653	~~Feb. 7, 1992~~ 03/1997	Abecassis	
	93	5612742	~~Oct. 19, 1994~~ 03/1997	Krause	
	94	5615362	~~Aug. 2, 1993~~ 03/1997	Jensen	
	95	5617142	~~Nov. 8, 1994~~ 04/1997	Hamilton	
	96	5619249	~~Sep. 14, 1994~~ 04/1997	Billock	
	97	5619733	~~Nov. 10, 1994~~ 04/1997	Noe	
	98	5621728	~~Sep. 12, 1994~~ 04/1997	Lightfoot	

Change(s) applied to document, /J.L./ 3/29/2024	73	5555244	~~May 18, 1994~~ 09/1996	Gupta	
	74	5566175	~~Jun. 11, 1992~~ 10/1996	Davis	
	75	5568181	~~Dec. 9, 1993~~ 10/1996	Greenwood	
	76	5572260	~~Mar. 20, 1995~~ 11/1996	Onishi	
	77	5574724	~~May 26, 1995~~ 11/1996	Bales	
	78	5574861	~~Dec. 21, 1993~~ 11/1996	Lorvig	
	79	5577258	~~Jul. 13, 1994~~ 11/1996	Cruz	
	80	5583561	~~Jun. 7, 1994~~ 12/1996	Baker	
	81	5583868	~~Jul. 25, 1994~~ 12/1996	Rashid	
	82	5583937	~~Dec. 21, 1990~~ 12/1996	Ullrich	
	83	5583980	~~Dec. 22, 1993~~ 12/1996	Anderson	
	84	5586264	~~Sep. 8, 1994~~ 12/1996	Belknap	
	85	5594911	~~Jul. 13, 1994~~ 01/1997	Cruz	

Change(s) applied
to document,
/J.E./
3/28/2024

60	5513181	~~Feb. 17, 1995~~ 04/1996	Bresalier	
61	5513314	~~Jan. 27, 1995~~ 04/1996	Kandasamy	
62	5519435	~~Sep. 1, 1994~~ 05/1996	Anderson	
63	5519701	~~Mar. 20, 1995~~ 05/1996	Colmant	
64	5524193	~~Sep. 2, 1994~~ 06/1996	Covington	
65	5533021	~~Feb. 3, 1995~~ 07/1996	Branstad	
66	5537408	~~Feb. 3, 1995~~ 07/1996	Branstad	
67	5539479	~~May. 31, 1995~~ 07/1996	Bertram	
68	5543850	~~Jan. 17, 1995~~ 08/1996	Pratt	
69	5544170	~~Mar. 16, 1996~~ 08/1996	Kasahara	
70	5544327	~~Mar. 1, 1994~~ 08/1996	Dan	
71	5548724	~~Mar. 22, 1993~~ 08/1996	Akizawa	
72	5550982	~~Jun. 24, 1993~~ 08/1996	Long	

Change(s) applied
to document,
/J.E./
3/28/2024

47	5440334	~~Feb. 1, 1993~~ 08/1995	Walters	
48	5442389	~~Dec. 28, 1992~~ 08/1995	Blahut	
49	5455910	~~Jan. 6, 1993~~ 10/1995	Johnson	
50	5463422	~~Oct. 13, 1993~~ 10/1995	Simpson	
51	5467413	~~May. 20, 1993~~ 11/1995	Barrett	
52	5477397	~~Feb. 23, 1993~~ 12/1995	Naimpally	
53	5481312	~~Sep. 12, 1994~~ 01/1996	Cash	
54	5485211	~~Nov. 30, 1993~~ 01/1996	Kuzma	
55	5487167	~~Dec. 31, 1991~~ 01/1996	Dinallo	
56	5490252	~~Sep. 30, 1992~~ 02/1996	Macera	
57	5504670	~~Mar. 31, 1993~~ 04/1996	Barth	
58	5504744	~~Mar. 9, 1994~~ 04/1996	Adams	
59	5508942	~~Nov. 24, 1993~~ 04/1996	Agarwal	

Change(s) applied to document, /J.E./ 3/28/2024	34	5307456	~~Dec. 4, 1990~~ 04/1994	MacKay	
	35	5313454	~~Apr. 1, 1992~~ 05/1994	Bustini	
	36	5325525	~~Apr. 4, 1991~~ 06/1994	Shan	
	37	5341477	~~Feb. 24, 1990~~ 08/1994	Pitkin	
	38	5359593	~~Aug. 26, 1993~~ 10/1994	Derby	
	39	5361096	~~Feb. 27, 1994~~ 11/1994	Ohki	
	40	5408448	~~Oct. 8, 1993~~ 04/1995	Carman	
	41	5408465	~~Jun. 21, 1993~~ 04/1995	Gusella	
	42	5410326	~~Dec. 4, 1992~~ 04/1995	Goldstein	
	43	5414644	~~Nov. 24, 1993~~ 05/1995	Seaman	
	44	5422674	~~Dec. 22, 1993~~ 06/1995	Hooper	
	45	5428782	~~Sep. 28, 1989~~ 06/1995	White	
	46	5434848	~~Jul. 28, 1994~~ 07/1995	Chimento, Jr.	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /C.R.P/

Change(s) applied
to document,
/J.E./
3/28/2024

	21	5132992	~~Jan. 7, 1991~~ 07/1992	Yurt	
	22	5164839	~~Dec. 27, 1988~~ 11/1992	Lang	
	23	5168353	~~Dec. 21, 1990~~ 12/1992	Walker	
	24	5172413	~~Dec. 20, 1990~~ 12/1992	Bradley	
	25	5208665	~~Aug. 20, 1987~~ 05/1993	McCalley	
	26	5208810	~~Oct. 10, 1990~~ 05/1993	Park	
	27	5214768	~~Nov. 1, 1989~~ 05/1993	Martin	
	28	5231599	~~Dec. 1, 1988~~ 07/1993	Peters	
	29	5245430	~~Feb. 8, 1990~~ 09/1993	Nishimura	
	30	5247347	~~Sep. 27, 1991~~ 09/1993	Litteral	
	31	5253275	~~Jan. 7, 1991~~ 10/1993	Yurt et al	
	32	5262875	~~Apr. 30, 1992~~ 11/1993	Mincer	
	33	5274758	~~Jun. 16, 1989~~ 12/1993	Beitel	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /C.R.P/

Change(s) applied to document, /J.E./ 3/28/2024	8	4963995	~~Dec. 27, 1988~~ 10/1990	Lang	
	9	5014125	~~May. 5, 1989~~ 05/1991	Pocock	
	10	5019900	~~Nov. 14, 1986~~ 05/1991	Clark	
	11	5025457	~~Apr. 21, 1989~~ 06/1991	Ahmed	
	12	5043885	~~Aug. 8, 1989~~ 08/1991	Robinson	
	13	5050161	~~Dec. 4, 1989~~ 09/1991	Golestani	
	14	5057932	~~Dec. 27, 1988~~ 10/1991	Lang	
	15	5088107	~~Oct. 27, 1989~~ 02/1992	Plasecki	
	16	5089885	~~Nov. 14, 1986~~ 02/1992	Clark	
	17	5109281	~~Feb. 6, 1991~~ 04/1992	Kobori	
	18	5119474	~~Jun. 16, 1989~~ 06/1992	Beitel	
	19	5130792	~~Feb. 1, 1990~~ 07/1992	Tindell	
	20	5132964	~~Mar. 17, 1988~~ 07/1992	Esaki	

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Not for submission under 37 CFR 1.99)	Application Number	18069450
	Filing Date	2022-12-21
	First Named Inventor	David F. Brueck
	Art Unit	2454
	Examiner Name	Chirag R. Patel
	Attorney Docket Number	9401-00279

U.S. PATENTS							Remove
Examiner Initial*	Cite No	Patent Number	Kind Code ¹	Issue Date	Name of Patentee or Applicant of cited Document	Pages, Columns, Lines where Relevant Passages or Relevant Figures Appear	
Change(s) applied to document, /J.E./ 3/28/2024	1	4760442		~~Jul. 10, 1995~~ 07/1988	O'Connell		
	2	4761684		~~Nov. 14, 1986~~ 08/1988	Clark		
	3	4816905		~~Apr. 30, 1987~~ 03/1989	Tweedy		
	4	4862264		~~Dec. 23, 1986~~ 08/1989	Wells		
	5	4931950		Jun. 4, 1990	Isle		
	6	4949169		~~Oct. 27, 1989~~ 08/1990	Lumelsky		
	7	4949248		~~Jul. 15, 1990~~ 08/1990	Caro		

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /C.R.P/

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number		18/069450
Filing Date		
First Named Inventor	David F. Brueck	
Art Unit		
Examiner Name		
Attorney Docket Number	9401-00279	

	47	20070094405	A1	2007-04-26	Zhang	
Change(s) applied to document, /J.E./ 3/28/2024	48	20080184688	A1	~~2008-08-17~~ 08/2008	~~Ganguly et al.~~ Daly et al.	
	49	20080263180	A1	2008-10-23	Hurst et al.	
	50	20080133766	A1	2008-06-05	Luo	
	51	20070079325	A1	2007-04-05	de Heer	
	52	20070067480	A1	2007-03-22	Beek et al.	
	53	20070030833	A1	2007-02-08	Pirzada et al.	
	54	20090055547	A1	2009-02-26	Hudson et al.	
	55	20090210549	A1	2009-08-20	Hudson et al.	
	56	20100098103	A1	2010-04-22	Xiong et al.	
	57	20090043906	A1	2009-02-12	Hurst et al.	

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number		18/069450
Filing Date		
First Named Inventor	David F. Brueck	
Art Unit		
Examiner Name		
Attorney Docket Number	9401-00279	

Change(s) applied
to document,
/J.E./
3/28/2024

64	5732183		~~2004-05-04~~ 03/1998	~~Graham~~ Sugiyama	
65	6968387		2005-11-22	Lanphear	
66	7075986		2006-07-11	Girod et al.	
67	7096271		2006-08-22	Omoigui et al.	
68	7349976		2008-03-25	Glaser et al.	
69	7408984	B2	2008-08-05	Lu et al.	
70	4535355		1985-08-13	Am et al.	
71	8036265	B1	2011-10-11	Reynolds et al.	
72	5687095		1997-11-11	Haskell et al.	
73	7116894	B1	2006-10-03	Chatterton	
74	7328243	B2	2008-02-05	Yaeger et al.	

Change(s) applied
to document,
/J.K.W./
4/9/2024

	922004/0190528	~~Mar. 26, 2003~~	Dacosta	
		09/2004		
	932004/0192322	~~Mar. 26, 2003~~	Dacosta	
		09/2004		
	942004/0196842	~~Apr. 4, 2003~~	Dobbins	
		10/2004		
	952004/0199472	~~Apr. 4, 2003~~	Dobbins	
		10/2004		
	962004/0199604	~~Apr. 4, 2003~~	Dobbins	
		10/2004		
	972004/0199667	~~Apr. 4, 2003~~	Dobbins	
		10/2004		
	982004/0210948	~~Jan. 25, 2003~~	Jin	
		10/2004		
	992004/0221088	~~Mar. 27, 2003~~	Lisitsa	
		11/2004		
	1002004/0249965	~~5-May-03~~	Huggins	
		12/2004		
	1012004/0267954	~~Jun. 24, 2003~~	Bo Shen	
		12/2004		
	~~1022004/036824~~	~~Oct. 14, 2002~~	~~Curcio~~	
	1032005/0009520	~~Jul. 3, 2001~~	Herrero	
		01/2005		
	1042005/0021814	~~Jun. 19, 2003~~	Wang	
		01/2005		

Change(s) applied
to document,
/J.K.W./
4/9/2024

79	2003/0236912	~~Jun. 24, 2002~~ 12/2003	Klemets	
80	2003/027878	~~Sep. 26, 2001~~	Reynolds	
81	2004/0015995	~~Jun. 28, 2002~~ 01/2004	Shao	
82	2004/0028227	~~Aug. 8, 2002~~ 02/2004	Yu	
83	2004/0039837	~~Sep. 15, 1998~~ 02/2004	Gupta	
84	2004/0064207	~~Sep. 30, 2002~~ 04/2004	Zacks	
85	2004/0073693	~~Mar. 10, 2002~~ 04/2004	Slater	
86	2004/0073934	~~Sep. 30, 2002~~ 04/2004	Deshpande	
87	2004/0098748	~~Nov. 20, 2002~~ 05/2004	Bo	
88	2004/0117831	~~Jun. 28, 1999~~ 06/2004	Ellis	
89	2004/0133639	~~Sep. 1, 2000~~ 07/2004	Shuang	
90	2004/0153458	~~Nov. 8, 2002~~ 08/2004	Noble	
91	2004/0177063	~~Mar. 6, 2003~~ 09/2004	Weber	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /C.R.P/

Change(s) applied
to document,
/J.K.W./
4/9/2024

	53	2002/0181506	~~Jun. 4, 2001~~ 12/2002	Loguinov	
	54	2002/0184391	~~Jun. 5, 2001~~ 12/2002	Phillips	
	55	2002/0194151	~~Jun. 15, 2001~~ 12/2002	Fenton	
	56	2002/0194608	~~Apr. 26, 2001~~ 12/2002	Goldhor	
	57	2002/0196760	~~30-May-01~~ 12/2002	Chiu Malomsoky et al.	
	58	2003/0007464	~~Jun. 25, 2001~~ 01/2003	Balani	
	59	2003/0037103	~~Mar. 14, 2001~~ 02/2003	Salmi	
	60	2003/0037158	~~Aug. 22, 1997~~ 02/2003	Yano	
	61	2003/003760	~~Jun. 26, 2001~~	Allen	
	62	2003/0051159	~~Sep. 11, 2001~~ 03/2003	Mccown	
	63	2003/0061369	~~Sep. 24, 2001~~ 03/2003	Aksu	
	64	2003/0066085	~~Dec. 10, 1996~~ 04/2003	Boyer	
	65	2003/0078972	~~Sep. 12, 2001~~ 04/2003	Tapissier	



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	ISSUE DATE	PATENT NO.	ATTORNEY DOCKET NO.	CONFIRMATION NO.
18/069,450	05/21/2024	11991234	9401-00279	8508

70560 7590 05/01/2024
KW LAW LLP (Dish Technologies L.L.C.)
6122 N 7th St Suite D
Phoenix, AZ 85014

ISSUE NOTIFICATION

The projected patent number and issue date are specified above. The patent will issue electronically. The electronically issued patent is the official patent grant pursuant to 35 U.S.C. § 153. The patent may be accessed on or after the issue date through Patent Center at <https://patentcenter.uspto.gov/>. The patent will be available in both the public and the private sides of Patent Center. Further assistance in electronically accessing the patent, or about Patent Center, is available by calling the Patent Electronic Business Center at 1-888-217-9197.

The USPTO is implementing electronic patent issuance with a transition period, during which period the USPTO will mail a ceremonial paper copy of the electronic patent grant to the correspondence address of record. Additional copies of the patent (i.e., certified and presentation copies) may be ordered for a fee from the USPTO's Certified Copy Center at <https://certifiedcopycenter.uspto.gov/index.html>. The Certified Copy Center may be reached at (800)972-6382.

Determination of Patent Term Adjustment under 35 U.S.C. 154 (b) (application filed on or after May 29, 2000)

The Patent Term Adjustment is 0 day(s). Any patent to issue from the above-identified application will include an indication of the adjustment on the front page.

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Adjustment is the filing date of the most recent CPA.

Applicant will be able to obtain more detailed information by accessing the Patent Center (<https://patentcenter.uspto.gov>).

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Application Assistance Unit (AAU) of the Office of Patents Stakeholder Experience (OPSE), Stakeholder Support Division (SSD) at (571)-272-4200.

INVENTOR(s) (Please see PATENT CENTER site <https://patentcenter.uspto.gov> for additional inventors):

DAVID F. BRUECK, SARATOGA SPRINGS, UT;
MARK B. HURST, CEDAR HILLS, UT;
R. DREW MAJOR, OREM, UT;

APPLICANT(s) (Please see PATENT CENTER site <https://patentcenter.uspto.gov> for additional applicants):

DISH Technologies L.L.C., Englewood, CO

The United States represents the largest, most dynamic marketplace in the world and is an unparalleled location for business investment, innovation, and commercialization of new technologies. The USA offers tremendous resources and advantages for those who invest and manufacture goods here. Through SelectUSA, our nation works to encourage and facilitate business investment. To learn more about why the USA is the best country in the world to develop technology, manufacture products, and grow your business, visit SelectUSA.gov.



UNITED STATES
PATENT AND TRADEMARK OFFICE

P.O. Box 1450
Alexandria, VA 22313 - 1450
www.uspto.gov

ELECTRONIC ACKNOWLEDGEMENT RECEIPT

APPLICATION #
18/069,450

RECEIPT DATE / TIME
05/20/2024 05:45:19 PM Z ET

ATTORNEY DOCKET #
9401-00279

Title of Invention

APPARATUS, SYSTEM, AND METHOD FOR MULTI-BITRATE CONTENT STREAMING

Application Information

APPLICATION TYPE Utility - Nonprovisional Application
under 35 USC 111(a)

PATENT # 11991234

CONFIRMATION # 8508

FILED BY BLAKE SCHEFFEY

PATENT CENTER # 65600415

FILING DATE 12/21/2022

CUSTOMER # 70560

FIRST NAMED INVENTOR DAVID F. BRUECK

CORRESPONDENCE ADDRESS -

AUTHORIZED BY Brett Carlson

Documents

TOTAL DOCUMENTS: 19

DOCUMENT	PAGES	DESCRIPTION	SIZE (KB)
NPL1_IPRPetition_798.pdf	84	Non Patent Literature	560 KB
NPL3_IPRPetition_138.pdf	81	Non Patent Literature	555 KB
NPL6_IPRPetition_554.pdf	83	Non Patent Literature	748 KB
NPL2_MotionforJoinder_798.pdf	14	Non Patent Literature	927 KB
9401-00279_IDS_052024.pdf	5	Information Disclosure Statement (IDS) Form (SB08)	1234 KB
NPL4_MotionforJoinder_138.pdf	14	Non Patent Literature	907 KB

NPL5_IPRPetition_156_Final.pdf	76	Non Patent Literature	866 KB
NPL13_IPR2024-00045_ID.pdf	44	Non Patent Literature	530 KB
NPL9_IPRPetition_680.pdf	83	Non Patent Literature	664 KB
NPL11_IPR2024-00043_ID.pdf	49	Non Patent Literature	691 KB
NPL10_IPRPetition_772_Final.pdf	85	Non Patent Literature	2308 KB
NPL8_IPRPetition_564_Final.pdf	85	Non Patent Literature	2662 KB
NPL15_IPR2024-00047_ID.pdf	25	Non Patent Literature	437 KB
NPL16_IPR2024-00048_ID.pdf	24	Non Patent Literature	433 KB
NPL18_IPR2024-00147_ID.pdf	25	Non Patent Literature	332 KB
NPL17_IPR2024-00146_ID.pdf	46	Non Patent Literature	481 KB
NPL14_IPR2024-00046_ID.pdf	48	Non Patent Literature	689 KB
NPL7_IPRPetition_555.pdf	83	Non Patent Literature	739 KB
NPL12_IPR2024-00044_ID.pdf	44	Non Patent Literature	529 KB

Digest

DOCUMENT	MESSAGE DIGEST(SHA-512)
NPL1_IPRPetition_798.pdf	1474A14790F8F1CE65AA9540E2CF99F7303E279822566DBA82 8855BA1E21DD4C8368105FA2485D1751C369CBBE127327E7A 8F8B877DED8BB441A98415D46FD42
NPL3_IPRPetition_138.pdf	EA3E2E0C41B2AD3FD2AD4AAB4D10C1574BFF09E3A1ADBE4 4835F59962CA0144D9BE9A1EAB57EE56051B8EE055F484E987 D9C6DA4A91A2C7C6C81DAB85B389A59
NPL6_IPRPetition_554.pdf	4101E607513D09737FCBB88B4B810C66798AEF913CE8BEDD3 A53EB92BE9A697FC783D64A0D5444FEFC0F76DAA720322618 4C14CA12F8708D45C95BB3594E65F6
NPL2_MotionforJoinder_798.pdf	BFA24656CDA98B2C757DCD98108429BC48B96C9804E179267 F9233462B29D412C186117DD9DB16872317921638E9ED60772 A4FD5474F4AA0FFF4D2DE6A105337
9401-00279_IDS_052024.pdf	893974D99877E037119663B80CD44A11B3E67D50F45EDE5E8F 82535FBB6CEE2DBE70F1C01A83B942B3EE21659D7C8BFEFA 6B9B2B173509D2D3902B7FE3BF5D5A
NPL4_MotionforJoinder_138.pdf	0D6B3942F9E41BA76DE63349CAB63122B0CE205AB7C762F48 72ED68D12C29DF9C31BCF7FC3A7AEDA2565DB571F405B456 B61062FAA467F37BBFEECC9527A7633
NPL5_IPRPetition_156_Final.pdf	3F708ED941ACC637410D2813A5E6FA6A28D8289A7449C3FFB C67ED33A58224D742A1A31237A4F4AC2C8C61CA399C2E0984 C0A68225D551D70DE2AD727FA5679F
NPL13_IPR2024-00045_ID.pdf	0C343D4B3C8234AE51AB669C04EFE89D7FEAE0590D43C6C5 6C136AF30DA54F1D0CC275013EECD1FED66FDE2F9E88D6A4 E6AFBA0EB34BA9845DB19D736F6ABF32
NPL9_IPRPetition_680.pdf	EF06F2932D875890E274807217616DE546C6B213E594FD06CE D8A62287BE929A183152693E6AB1A350036FFA8659F6B408BD A894072E9DF69288C5781FF8233A
NPL11_IPR2024-00043_ID.pdf	257055F0FEA0741C318A6AA099D3197718671E78BE64D3F666 03919F148311E0A64DE9401BCC1CF4D9FD4596B2174D5D187

E289F3195E41F0F77995FE58A3E49

NPL10_IPRPetition_772_Final.pdf

5B7A6D6FF9BE167AF9194EE9660808C74D0AA6FD7EFD1F911
26DD979347EDB4A5DADA96EC03295C9431907485D99607B4F
0D178C70B56D876185F245F47DAFA1

NPL8_IPRPetition_564_Final.pdf

2B7112F66855AF1C1BA73155940641F705C3EF4E97501224717
9171D4C3E5CDB0A54B714628E15E936B1F7769C8FF6F87583
A17D5B1B0699687E2712FE26AB56

NPL15_IPR2024-00047_ID.pdf

69406FA1D4B1AC911686FDB31172A427ABA53C850E055ABA0
BAA251A51E6ACEBDF038A07283EEF93B846D053FAC5DFF46
EF31F702224AB6E488F38C1C7804879

NPL16_IPR2024-00048_ID.pdf

ECEDD0A4A8C707CCE739E59A4575C43DEEDC1EAE4E20887
7B2288807334D39CD40751913431C9BDAB4199A518CA45DD8
F0FDD5EF57042ED0FAB6C9BB3A7F91EA

NPL18_IPR2024-00147_ID.pdf

37A4DA98651B1A835B282ED2C8DE85F570D45804D12B91669
F9ED512C482A227C4AAA9B8BA0FBC84E0234FEF1F9C648323
FCFBC59C210167BE147787E9EFFAC5

NPL17_IPR2024-00146_ID.pdf

78B1310264E0EEBDA6CA3556DE83D5D57783BB81DEE1895E4
F738C0BC0CBA154EE054B66581A69DCB7973A942BA164F996
013455F8CAEA0D0998DF73B88F0F5F

NPL14_IPR2024-00046_ID.pdf

EDB3342BA56954B37773246913F80649F1993AD7555C6712282
E8D85D5037D674539F179540444BEBED8C868B4A6953840E50
BC8591541C26E496BC9AD1A1166

NPL7_IPRPetition_555.pdf

4050D52D64B489FEFE4313BA59560FE8FB3C3931424944C07F
31A0A2357FA7C1A7EDD6B0958DDD64C7B3F3A40DA200F1A1
FF598290FE11AC5E14BE9AE5E00C21

NPL12_IPR2024-00044_ID.pdf

B53BC3A73783D488CBE745DBC3B9DBB847C19FBB6F9E1FD6
409F171E4CD1C3DCAC0CD95599A741EF9D47BA36FBFB0FB1
6FB3460979BDFCA95954768EBE982A5C

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as

Aylo Exhibit 1002

Page 1414 of 1422

described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Not for submission under 37 CFR 1.99)	Application Number		18069450	
	Filing Date		2022-12-21	
	First Named Inventor	David F. Brueck		
	Art Unit	2454		
	Examiner Name	Chirag R. Patel		
	Attorney Docket Number	9401-00279		

U.S.PATENTS							Remove
Examiner Initial*	Cite No	Patent Number	Kind Code ¹	Issue Date	Name of Patentee or Applicant of cited Document	Pages,Columns,Lines where Relevant Passages or Relevant Figures Appear	
	1						

If you wish to add additional U.S. Patent citation information please click the Add button.

Add

U.S.PATENT APPLICATION PUBLICATIONS							Remove
Examiner Initial*	Cite No	Publication Number	Kind Code ¹	Publication Date	Name of Patentee or Applicant of cited Document	Pages,Columns,Lines where Relevant Passages or Relevant Figures Appear	
	1						

If you wish to add additional U.S. Published Application citation information please click the Add button.

Add

FOREIGN PATENT DOCUMENTS								Remove
Examiner Initial*	Cite No	Foreign Document Number ³	Country Code ²	Kind Code ⁴	Publication Date	Name of Patentee or Applicant of cited Document	Pages,Columns,Lines where Relevant Passages or Relevant Figures Appear	T ⁵
	1							☐

If you wish to add additional Foreign Patent Document citation information please click the Add button.

Add

NON-PATENT LITERATURE DOCUMENTS				Remove
Examiner Initials*	Cite No	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, pages(s), volume-issue number(s), publisher, city and/or country where published.	T ⁵	

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number	18069450
Filing Date	2022-12-21
First Named Inventor	David F. Brueck
Art Unit	2454
Examiner Name	Chirag R. Patel
Attorney Docket Number	9401-00279

1	fuboTV Media Inc. v. DISH Technologies L.L.C., "Petition for Inter Partes Review of U.S. Patent No. 11,677,798" dated May 13, 2024 (84 pages).	☐
2	fuboTV Media Inc. v. DISH Technologies L.L.C., "Motion for Joinder Under 35 U.S.C. § 315(c), 37 C.F.R. §§ 42.22, and 42.122(b)" for U.S. Patent No. 11,677,798 dated May 13, 2024 (14 pages).	☐
3	fuboTV Media Inc. v. DISH Technologies L.L.C., "Petition for Inter Partes Review of U.S. Patent No. 11,470,138" dated May 13, 2024 (81 pages).	☐
4	fuboTV Media Inc. v. DISH Technologies L.L.C., "Motion for Joinder Under 35 U.S.C. § 315(c), 37 C.F.R. §§ 42.22, and 42.122(b)" for U.S. Patent No. 11,470,138 dated May 13, 2024 (14 pages).	☐
5	fuboTV Media Inc. v. DISH Technologies L.L.C., "Petition for Inter Partes Review of U.S. Patent No. 10,757,156" dated May 17, 2024 (76 pages).	☐
6	fuboTV Media Inc. v. DISH Technologies L.L.C., "Petition for Inter Partes Review of U.S. Patent No. 10,469,554" dated May 13, 2024 (83 pages).	☐
7	fuboTV Media Inc. v. DISH Technologies L.L.C., "Petition for Inter Partes Review of U.S. Patent No. 10,469,555" dated May 13, 2024 (83 pages).	☐
8	fuboTV Media Inc. v. DISH Technologies L.L.C., "Petition for Inter Partes Review of U.S. Patent No. 9,407,564" dated May 17, 2024 (85 pages).	☐
9	fuboTV Media Inc. v. DISH Technologies L.L.C., "Petition for Inter Partes Review of U.S. Patent No. 10,951,680" dated May 13, 2024 (83 pages).	☐
10	fuboTV Media Inc. v. DISH Technologies L.L.C., "Petition for Inter Partes Review of U.S. Patent No. 8,868,772" dated May 17, 2024 (85 pages).	☐
11	Aylo Freesites LTD v. DISH Technologies L.L.C., IPR2024-00043, Patent No. 11,677,798, "Decision Granting Institution of Inter Partes Review" dated April 16, 2024 (49 pages).	☐

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number	18069450
Filing Date	2022-12-21
First Named Inventor	David F. Brueck
Art Unit	2454
Examiner Name	Chirag R. Patel
Attorney Docket Number	9401-00279

12	Aylo Freesites LTD v. DISH Technologies L.L.C., IPR2024-00044, Patent No. 11,470,138, "Decision Granting Institution of Inter Partes Review" dated April 16, 2024 (44 pages).	☐
13	Aylo Freesites LTD v. DISH Technologies L.L.C., IPR2024-00045, Patent No. 10,469,554, "Decision Granting Institution of Inter Partes Review" dated April 16, 2024 (44 pages).	☐
14	Aylo Freesites LTD v. DISH Technologies L.L.C., IPR2024-00046, Patent No. 10,951,680, "Decision Granting Institution of Inter Partes Review" dated April 16, 2024 (48 pages).	☐
15	Aylo Freesites LTD v. DISH Technologies L.L.C., IPR2024-00047, Patent No. 9,407,564, "Decision Denying Institution of Inter Partes Review" dated April 16, 2024 (25 pages).	☐
16	Aylo Freesites LTD v. DISH Technologies L.L.C., IPR2024-00048, Patent No. 8,868,772, "Decision Denying Institution of Inter Partes Review" dated April 16, 2024 (24 pages).	☐
17	Aylo Freesites LTD v. DISH Technologies L.L.C., IPR2024-00146, Patent No. 10,469,555, "Decision Granting Institution of Inter Partes Review" dated April 25, 2024 (46 pages).	☐
18	Aylo Freesites LTD v. DISH Technologies L.L.C., IPR2024-00147, Patent No. 10,757,156, "Decision Denying Institution of Inter Partes Review" dated April 25, 2024 (25 pages).	☐

If you wish to add additional non-patent literature document citation information please click the Add button

EXAMINER SIGNATURE

Examiner Signature		Date Considered	
--------------------	--	-----------------	--

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through a citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ See Kind Codes of USPTO Patent Documents at www.USPTO.GOV or MPEP 901.04. ² Enter office that issued the document, by the two-letter code (WIPO Standard ST.3). ³ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁴ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁵ Applicant is to place a check mark here if English language translation is attached.

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number	18069450
Filing Date	2022-12-21
First Named Inventor	David F. Brueck
Art Unit	2454
Examiner Name	Chirag R. Patel
Attorney Docket Number	9401-00279

CERTIFICATION STATEMENT

Please see 37 CFR 1.97 and 1.98 to make the appropriate selection(s):

☐ That each item of information contained in the information disclosure statement was first cited in any communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of the information disclosure statement. See 37 CFR 1.97(e)(1).

OR

☐ That no item of information contained in the information disclosure statement was cited in a communication from a foreign patent office in a counterpart foreign application, and, to the knowledge of the person signing the certification after making reasonable inquiry, no item of information contained in the information disclosure statement was known to any individual designated in 37 CFR 1.56(c) more than three months prior to the filing of the information disclosure statement. See 37 CFR 1.97(e)(2).

☐ See attached certification statement.

☐ The fee set forth in 37 CFR 1.17 (p) has been submitted herewith.

☒ A certification statement is not submitted herewith.

SIGNATURE

A signature of the applicant or representative is required in accordance with CFR 1.33, 10.18. Please see CFR 1.4(d) for the form of the signature.

Signature	/Brett Carlson/	Date (YYYY-MM-DD)	2024-05-20
Name/Print	Brett Carlson	Registration Number	39928

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1 hour to complete, including gathering, preparing and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

Privacy Act Statement

The Privacy Act of 1974 (P.L. 93-579) requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

1. The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C. 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether the Freedom of Information Act requires disclosure of these records.
2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspections or an issued patent.
9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
18/069,450	12/21/2022	DAVID F. BRUECK	9401-00279	8508
70560	7590	05/21/2024		
KW LAW LLP (Dish Technologies L.L.C.) 6122 N 7th St Suite D Phoenix, AZ 85014			EXAMINER PATEL, CHIRAG R	
			ART UNIT	PAPER NUMBER
			2454	
			NOTIFICATION DATE	DELIVERY MODE
			05/21/2024	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

dish@kwlaw.co
ipdept@dish.com
uspto@dockettrak.com

APPLICATION NO.	ISSUE DATE	PATENT NO.
18/069,450	21-May-2024	11991234

KW LAW LLP (Dish Technologies L.L.C.)
6122 N 7th St Suite D
Phoenix, AZ 85014

EGRANT NOTIFICATION

Your electronic patent grant (eGrant) is now available, which can be accessed via Patent Center at <https://patentcenter.uspto.gov>

The electronic patent grant is the official patent grant under 35 U.S.C. 153. For more information, please visit <https://www.uspto.gov/electronicgrants>