




Ⓢ FANIMATION®
SHOWROOM COLLECTION





FANIMATION : AIR APPARENT

Fanimation's focus is producing creative and functional fans that provide ultimate personal comfort using the latest technology for energy efficiency and seamless control. From our humble beginnings in 1984, inside Founder and CEO Tom Frampton's Pasadena, California garage, ingenuity and quality craftsmanship have been central in every product we manufacture. Our timeless and inspired fans are sought across the globe. You will find Fanimation in some of the most luxurious locales—from tropical resorts to the heart of your home.

CHOOSING YOUR FAN

LOCATION IS EVERYTHING

Where you will install your fan is the first step in selecting the right fan for your space.

- Dry, indoor location: Choose from any of our fans—dry, damp or wet rated.
- Outdoor covered or high-humidity indoor location: Choose from our damp or wet rated fans.
- Outdoor location with likely direct contact with water: Choose from our wet rated fans.

We've made it easy for you!

Look for these icons to identify location rating:



DRY
indoor only



DAMP
indoor/outdoor




WET
indoor/outdoor

SIZE MATTERS


The size of your room can help determine the size of your fan, identified by blade sweep. The following are general guidelines.

- **Scale is a personal preference. Large diameter fans can go in both small rooms and larger rooms—it's all in the look you desire.**
- Optimal performance will come from mounting your fan in the center of the room.
- If you have a long or large room, consider the use of multiple fans


SMALL ROOM
52 in. or smaller





LARGE ROOM
52 in. or larger



GREAT ROOM
60 in. or larger



Recommended downrod length is based on ceiling height. Ideal distance from floor to fan blades is 7 to 9 feet.





IDENTIFYING FEATURES IMPORTANT TO YOU

We offer a diverse line of fans with equally diverse features. As you choose your fan, identify the features that matter to you—use Features Legend below to understand the Features icons.

fan control type				light kit included + lamping info	number of fan speeds + location of reversing switch	Bluetooth® control—if included or compatible	fan, blades and light sold separately	features energy-efficient DC motor	fan has earned the Energy Star
CONTROL wall	CONTROL remote	CONTROL pull chain	CONTROL rotary	WATTAGE bulb style	SPEED reverse location	FANSYNC™			

UNDERSTANDING AIRFLOW

We provide airflow information—at high speed—for each fan. Airflow is measured in CFM (cubic feet per minute), energy used is measured in watts and the energy efficiency of the fan is measured in CFM per watt.


ENERGY INFORMATION
AT HIGH SPEED:

Airflow	Electricity Use	Airflow Efficiency
6942	65	107
Cubic Feet Per Minute	Watts (excluding lights)	Cubic Feet Per Minute Per Watt
The greater the number, the greater the air moved	Energy consumed	The greater the number, the more efficient the fan is

FANIMATION MOTORS—AC AND DC


All Fanimation motors are built using high quality materials and components, insuring years of reliable and dependable operation for every Fanimation fan.

- Our fans are equipped with either an AC motor or DC motor.
- AC motors use supplied power directly and regulate speeds by controlling frequency.
- DC motors convert supplied power and regulate speeds by controlling electrical current.
- Our AC motors come in 1-, 3- and 4-speed variants.
- Our DC motors come in 6- and 31-speed variants. DC motors are more efficient, generate more torque and are virtually silent.



SEASONAL CEILING FAN USE

Ceiling fans save money year-round when turning in the proper direction.



Need more assistance? Call 1-888-567-2055

INDOOR

AIRE DÉCOR
106



AIRE DELUXE 44
36



AIRE DELUXE 52
38



BECKWITH
18



BENITO
28




BOURBON
STREET
47



CAMHAVEN
30



CANCUN 42
34




CELANO v2
22



DUPLEX
16



EDGEWOOD
DECORATIVE
40



EDGEWOOD
DELUXE
42



EDGEWOOD
SUPREME
44



EMBRACE 44
12



EMBRACE 52
14



KELLAN
46



LEVON AC
24



PALMETTO
48



STAFFORD
26



VENTANA
32



ZONIX
20



INDOOR/OUTDOOR

AIRE DÉCOR
DAMP
106



ASCENSION
68



AVASTON
96



BELLERIA
116




BIG ISLAND
126



BREWMASTER
134



CANCUN WET
118



CARUSO
130




CRESTFORD
104



DRONE
56



EDGEWOOD
DELUXE WET
110



EDGEWOOD
WET
108



ENIGMA
90



EXTRAORDINAIRE
66




HUGH 44
52



HUGH 52
54




ISLANDER AC
122



ISLANDER DC
124



KAYA
102



LEVON
CUSTOM
84



LEVON DC
82



My FANIMATION
DISTINCTION AC
58




My FANIMATION
DISTINCTION DC
64



ODYN
86



PALISADE
128



PALMA
120



PICKETT
98



PICKETT DRUM
100





INDOOR/OUTDOOR

PUNKAH
132



SPITFIRE
78



STELLAR
88



SUBTLE
80



TORTO
92



TORTO LED
94



WINDPOINTE
112



WINDPOINTE
CUSTOM
114



XENO DAMP
70



XENO WET
72



ZONIX WET
74



ZONIX LED
76



PORTABLES

ARDEN
142



MINI BREEZE
138



OLD HAVANA
144




URBANJET
140



ACCESSORIES

BLADES
157



CONTROLS
145



LIGHTING
153



DOWNRODS &
ACCESSORIES
155





TABLE OF CONTENTS

Aire Décor®	106	myFanimation™ Distinction™ AC.....	58
Aire Deluxe™ 44.....	36	myFanimation™ Distinction™ DC.....	64
Aire Deluxe™ 52	38	Odyn™	86
Arden™	142	Old Havana®	144
Ascension™	68	Palisade®	128
Avaston™	96	Palma™	120
Beckwith™	18	Palmetto®	48
Belleria®	116	Pickett™	98
Benito™	28	Pickett™ Drum.....	100
Big Island™	126	Punkah®	132
Bourbon Street®	47	Spitfire™	78
Brewmaster®	134	Stafford™	26
Camhaven™	30	Stellar™	88
Cancun™ 42.....	34	Subtle™	80
Cancun™ Wet.....	118	Torto™	92
Caruso™	130	Torto™ LED.....	94
Celano v2™	22	Urbanjet™	138
Crestford™	104	Ventana™	32
Drone™	56	Windpointe®	112
Duplex™	16	Windpointe® Custom	114
Edgewood® Decorative	40	Xeno™ Damp.....	70
Edgewood® Deluxe.....	42	Xeno™ Wet.....	72
Edgewood® Deluxe Wet.....	110	Zonix™	20
Edgewood® Supreme.....	44	Zonix™ LED	76
Edgewood® Wet	108	Zonix™ Wet	74
Embrace™ 44	12	Choosing a Fan	3
Embrace™ 52.....	14	Remote Controls	145
Enigma®	90	Wall Controls.....	147
Extraordinaire®	66	Remote Control Specifications	149
Hugh™ 44.....	52	Wall Control Specifications	150
Hugh™ 52	54	fanSync	151
Islander® AC.....	122	Bulb Reference	152
Islander® DC	124	Light Kits	153
Kaya™	102	Fitters, Shades & Decorative Glass.....	154
Kellan™	46	Downrods & Accessories	155
Levon™ AC	24	Blades	157
Levon™ Custom.....	84	Antique Fan Museum	159
Levon™ DC.....	82	Index	161
Mini Breeze™	138		





INDOOR



FAN: FPS7981BN (1)
brushed nickel assembly with
brushed nickel blades and
matching light cover (included)



FAN: FPS7981DZ (1)
dark bronze assembly with
dark bronze blades and
opal frosted glass



FAN: FPS7981GR (1)
matte greige assembly with
matte greige blades and
matching light cover (included)



FAN: FPS7981MW (1)
matte white assembly with
matte white blades and
opal frosted glass



For compatible
controls & accessories



see pages 145 to 148



EMBRACE™ 44

 **FAN: FPS7981GR (1)**
matte greige assembly
with matte greige blades
and opal frosted glass

brushed nickel	dark bronze	matte greige	matte white
brushed nickel	dark bronze	matte greige	matte white
FPS7981BN	FPS7981DZ	FPS7981GR	FPS7981MW



(1) 100W
halogen
mini-can



3-SPEED AC
reverse switch
on remote



CONTROL
remote



DRY
indoor only

INCLUDED:



blade set



light kit



light cover





TR20WH remote

ENERGY INFORMATION
AT HIGH SPEED:

Airflow	Electricity Use	Airflow Efficiency
3,855	45	87
Cubic Feet Per Minute	Watts (excluding lights)	Cubic Feet Per Minute Per Watt

LIMITED LIFETIME MOTOR WARRANTY





FAN: FPS7955BN (1)
brushed nickel assembly with
brushed nickel blades and
matching light cover (included)



FAN: FPS7955DZ (1)
dark bronze assembly with
dark bronze blades and
opal frosted glass



FAN: FPS7955GR (1)
matte greige assembly with
matte greige blades and
matching light cover (included)



FAN: FPS7955MW (1)
matte white assembly with
matte white blades and
opal frosted glass



For compatible
controls & accessories



see pages 145 to 148



EMBRACE™ 52

FAN: FPS7955DZ (1)
dark bronze assembly with
dark bronze blades and
opal frosted glass

brushed nickel	dark bronze	matte greige	matte white
brushed nickel	dark bronze	matte greige	matte white
FPS7955BN	FPS7955DZ	FPS7955GR	FPS7955MW

INCLUDED:



blade set



light kit



light cover



TR20WH remote

ENERGY INFORMATION
AT HIGH SPEED:



(1) 100W
halogen
minican



3-SPEED AC
reverse switch
on remote



CONTROL
remote



DRY
indoor only

Airflow

5,509

Cubic Feet
Per Minute

Electricity Use

48

Watts
(excluding lights)



Airflow Efficiency

114

Cubic Feet Per
Minute Per Watt

LIMITED LIFETIME MOTOR WARRANTY





FAN: FPD6254GR (1)
matte greige fan with gray tinted fan & light housing, matte greige blades and frosted glass

For compatible controls & accessories



see pages 145 to 156

DUPLEX™

FAN: FPD6254GR (1)
matte greige fan with
gray tinted fan & light
housing, matte greige
blades and frosted glass

matte gray
greige tinted
matte greige
FPD6254GR

INCLUDED:



blade



light kit



TR39 remote

ENERGY INFORMATION
AT HIGH SPEED:



ENERGY SAVINGS



18W
LED



6-SPEED DC
reverse switch
on remote



CONTROL
remote



DRY
indoor only



Airflow
5,013
Cubic Feet
Per Minute

Electricity Use
32
Watts
(excluding lights)

Airflow Efficiency
155
Cubic Feet Per
Minute Per Watt

LIMITED LIFETIME MOTOR WARRANTY





NOTE: THE LIGHT ON THE BECKWITH™ IS CONSIDERED AN ACCENT LIGHT AND IS NOT INTENDED TO BE USED AS A PRIMARY LIGHT SOURCE

 **FAN: FP7964BN (1)**
brushed nickel assembly
with frosted white shade



 **FAN: FP7964OB (1)**
oil-rubbed bronze assembly
with frosted white shade



For compatible
controls & accessories



see pages 145 to 156

BECKWITH™

 **FAN: FP7964OB (1)**
oil-rubbed bronze assembly
with frosted white shade

brushed
nickel

oil-rubbed
bronze

aluminum blades
FP7964BN

black blades
FP7964OB

INCLUDED:



TR24WH remote



FANSYNC™
sold separately



(4) 43W
halogen
candelabra



3-SPEED AC
reverse switch
on fan



CONTROL
remote



DRY
indoor only

ENERGY INFORMATION
AT HIGH SPEED:

Airflow
907
Cubic Feet
Per Minute


Electricity Use
55
Watts
(excluding lights)

Airflow Efficiency
17
Cubic Feet Per
Minute Per Watt

LIMITED LIFETIME MOTOR WARRANTY



18



- 
FAN: FP4620BL (1)
 black assembly with
 black wood blades
- 
FAN: FP4620BN (1)
 brushed nickel assembly with
 reversible cherry/walnut wood blades
 ● cherry side showing
- 
FAN: FP4620OB (1)
 oil-rubbed bronze assembly with
 reversible cherry/walnut wood blades
 ● cherry side showing
- 
FAN: FP4620PN (1)
 polished nickel assembly with
 reversible cherry/walnut wood blades
 ● walnut side showing
- 
FAN: FP4620SN (1)
 satin nickel assembly with reversible
 cherry/walnut wood blades
 ● cherry side showing
- 
FAN: FP4630SN (1)
 satin nickel assembly with
 satin nickel wood blades



For compatible
controls & accessories



see pages 145 to 156



SN—satin nickel

B4400SN
54" wood



CWR—cherry/walnut
reversible

SN—satin nickel

B4442**
42" wood



CY—cherry

SN—satin nickel

WA—walnut

BPW4426**
54" composite



CY—cherry

SN—satin nickel

WA—walnut

BPW4442**
42" composite



ZONIX™

 **FAN: FP4620BL (1)**
black assembly with
black wood blades

black	brushed nickel	oil-rubbed bronze	polished nickel	satin nickel	satin nickel
black	cherry walnut	cherry walnut	cherry walnut	cherry walnut	satin nickel
FP4620BL	FP4620BN	FP4620OB	FP4620PN	FP4620SN	FP4630SN

INCLUDED:



blade set





CW40 wall control

ENERGY INFORMATION
AT HIGH SPEED:

			
FANSYNC™ sold separately	4-SPEED AC reverse switch on fan	CONTROL wall	DRY indoor only
Airflow	Electricity Use	Airflow Efficiency	
4,436	57	78	
Cubic Feet Per Minute	Watts (excluding lights)	Cubic Feet Per Minute Per Watt	

LIMITED LIFETIME MOTOR WARRANTY





- FAN: FP8062BN (1)**
brushed nickel assembly with
frosted white glass and reversible
cherry/dark walnut blades
● cherry side showing



- FAN: FP8062DZ (1)**
dark bronze assembly with
frosted glass and reversible
cherry/dark walnut blades
● dark walnut side showing



- FAN: FP8062MW (1)**
matte white assembly
with frosted glass and
matte white blades



For compatible
controls & accessories



see pages 145 to 156


CELANO v2™



FAN: FP8062BN (1)
brushed nickel assembly
with cherry/dark walnut
reversible blades.
● dark walnut side showing

brushed nickel	dark bronze	matte white
cherry	dark walnut	cherry
dark walnut	dark walnut	matte white
FP8062BN	FP8062DZ	FP8062MW

INCLUDED:



blade set



light kit



BTT9

ENERGY INFORMATION
AT HIGH SPEED:

Airflow	Electricity Use	Airflow Efficiency
5,596	60	93
Cubic Feet Per Minute	Watts (excluding lights)	Cubic Feet Per Minute Per Watt

FANSYNC™ included

18W LED

3-SPEED AC reverse switch on fan


CONTROL remote

DRY indoor only



LIMITED LIFETIME MOTOR WARRANTY





FAN: FP7910BL (1)
black assembly with black blades



FAN: FP7910BN (1)
brushed nickel assembly
with reversible cherry/walnut
wood blades
● walnut side showing



FAN: FP7910MW (1)
matte white assembly with
matte white blades



FAN: FP7910OB (1)
oil-rubbed bronze assembly
with walnut blades



For compatible
controls & accessories



see pages 145 to 156



LEVON™ AC



FAN: FP7910BN (1)
brushed nickel assembly
with reversible cherry/
walnut wood blades
• walnut side showing

brushed nickel	black	matte white	oil-rubbed bronze
cherry walnut FP7910BN	black FP7910BL	matte white FP7910MW	walnut FP7910OB

INCLUDED:



blade set

ENERGY INFORMATION
AT HIGH SPEED:



FANSYNCTM
sold separately



3-SPEED AC
reverse switch
on fan



CONTROL
pull chain



DRY
indoor only

Airflow
6942
Cubic Feet
Per Minute



Electricity Use
65
Watts
(excluding lights)

Airflow Efficiency
107
Cubic Feet Per
Minute Per Watt



LIMITED LIFETIME MOTOR WARRANTY





- FAN: PL8274BN (1)**
brushed nickel assembly with
frosted white glass and reversible
cherry/dark walnut blades
● dark walnut side showing



- FAN: PL8274DZ (1)**
dark bronze assembly with
frosted white glass and reversible
cherry/dark walnut blades
● cherry side showing



- FAN: PL8274BN (1)**
brushed nickel assembly with
frosted white glass and reversible
cherry/dark walnut blades
● cherry side showing



- FAN: PL8274DZ (1)**
dark bronze assembly with
frosted white glass and reversible
cherry/dark walnut blades
● dark walnut side showing



For compatible
controls & accessories



see pages 145 to 156

STAFFORD™

FAN: PL8274DZ(1)
dark bronze assembly with frosted white glass and reversible cherry/dark walnut blades
• dark walnut side showing

brushed nickel dark bronze
cherry dark walnut cherry dark walnut
PL8274BN PL8274DZ

INCLUDED:



blade set



light kit



TR24WH remote

ENERGY INFORMATION AT HIGH SPEED:

Airflow
4,911
Cubic Feet
Per Minute

Electricity Use
56
Watts
(excluding lights)

Airflow Efficiency
88
Cubic Feet Per
Minute Per Watt


FANSYNC™
sold separately


(3) 40W
incandescent
candelabra




3-SPEED AC
reverse switch
on fan


CONTROL
remote


DRY
indoor only

LIMITED LIFETIME MOTOR WARRANTY





- FAN: FP8003BN (1)**
brushed nickel assembly with opal
frosted glass and reversible
cherry/walnut wood blades
● cherry side showing



- FAN: FP8003MW (1)**
matte white assembly with opal
frosted glass and matte white
wood blades



- FAN: FP8003OB (1)**
oil-rubbed bronze assembly with and
reversible mahogany/walnut wood blades
and matching light cover (included)
● mahogany side showing




- FAN: FP8003PN (1)**
polished nickel assembly with
opal frosted glass and reversible
cherry/walnut wood blades
● cherry side showing



- FAN: FP8003SN (1)**
satin nickel assembly with
opal frosted glass and reversible
cherry/walnut wood blades
● walnut side showing



For compatible
controls & accessories



see pages 145 to 156

BENITO™

FAN: FP8003BN (1)
brushed nickel assembly with
opal frosted glass and reversible
cherry/walnut wood blades
• walnut side showing

brushed nickel	matte white	oil-rubbed bronze	polished nickel	satin nickel
cherry walnut	matte white	ma- hogany walnut	cherry walnut	cherry walnut
FP8003BN	FP8003MW	FP8003OB	FP8003PN	FP8003SN


FANSYNC™
sold separately


(1) 100W
halogen
mini-can


3-SPEED AC
reverse switch
on fan


CONTROL
remote


DRY
indoor only

INCLUDED:



blade set



light kit
light cover



TR24WH remote



ENERGY INFORMATION AT HIGH SPEED:

Airflow
5,052
Cubic Feet
Per Minute

Electricity Use
63
Watts
(excluding lights)

Airflow Efficiency
80
Cubic Feet Per
Minute Per Watt





- FAN: FP8095BA (1)**
bronze accent assembly with
frosted white glass and reversible
cherry/walnut wood blades
● walnut side showing



- FAN: FP8095OB (1)**
oil-rubbed bronze assembly (shown
without light kit) with reversible
cherry/walnut wood blades
● cherry side showing



- FAN: FP8095PW (1)**
pewter assembly with frosted
white glass and reversible
cherry/walnut wood blades
● walnut side showing



- FAN: FP8095WH (1)**
white assembly with white frosted
glass and white wood blades



For compatible
controls & accessories



see pages 145 to 156



CAMHAVEN™

FAN: FP8095PW(1)
 pewter assembly with frosted white glass and reversible cherry/walnut wood blades
 • walnut side showing

bronze accent	oil-rubbed bronze	pewter	white
cherry walnut	cherry walnut	cherry walnut	white
FP8095BA	FP8095OB	FP8095PW	FP8095WH

FANSYNC™
sold separately

(2) 75W
halogen minican

3-SPEED AC
reverse switch on fan

CONTROL
remote

DRY
indoor only

INCLUDED:

blade set

light kit


TR24WH remote

ENERGY INFORMATION AT HIGH SPEED:

Airflow	Electricity Use	Airflow Efficiency
5,813	67	87
Cubic Feet Per Minute	Watts (excluding lights)	Cubic Feet Per Minute Per Watt

LIMITED LIFETIME MOTOR WARRANTY





1,092 Lumens
2,653K CCT
99 CRI

- FAN: FP8032DZ (1)**
dark bronze assembly
with frosted white glass
and reversible cherry/dark
walnut blades
- cherry side showing

- FAN: FP8032DZ (1)**
dark bronze assembly
with frosted white glass
and reversible cherry/dark
walnut blades
- dark walnut side showing

For compatible
controls & accessories



see pages 145 to 156

VENTANA™

FAN: FP8032DZ (1)
dark bronze assembly
with frosted white glass
and reversible cherry/dark
walnut blades
• dark walnut side showing

dark
bronze
dark
cherry
walnut
FP8032DZ


FANSYNC™
sold separately


(2) 50W
halogen
minican


3-SPEED AC
reverse switch
on fan


CONTROL
remote


DRY
indoor only

INCLUDED:



blade set



light kit



TR24WH remote

ENERGY INFORMATION AT HIGH SPEED:


Airflow
5,792
Cubic Feet
Per Minute

Electricity Use
83
Watts
(excluding lights)

Airflow Efficiency
70
Cubic Feet Per
Minute Per Watt

LIMITED LIFETIME MOTOR WARRANTY






FAN: FP8042OB (1)
 oil-rubbed bronze assembly in flush-mount configuration with reversible cherry/walnut wood blades
 ● cherry side showing



FAN: FP8042WH (1)
 white assembly in downrod configuration with white blades



For compatible
 controls & accessories



see pages 145 to 156



CANCUN™ 42

FAN: FP8042OB (1)
oil-rubbed bronze assembly with reversible cherry/walnut wood blades
● walnut side showing

oil-rubbed bronze	white
cherry walnut	white
FP8042OB	FP8042WH

FANSYNC™
sold separately

3-SPEED AC
reverse switch on fan

CONTROL
pull chain

DRY
indoor only

INCLUDED:





ENERGY INFORMATION
AT HIGH SPEED:

Airflow	Electricity Use	Airflow Efficiency
3,943	47	84
Cubic Feet Per Minute	Watts (excluding lights)	Cubic Feet Per Minute Per Watt

LIMITED LIFETIME MOTOR WARRANTY





- FAN: FP6244BN (1)**
brushed nickel assembly
with reversible cherry/dark
walnut wood blades
● dark walnut side showing



- FAN: FP6244DZ (1)**
dark bronze assembly with reversible
cherry/dark walnut wood blades
● cherry side showing



- FAN: FP6244MW (1)**
matte white assembly with
matte white wood blades



For compatible
controls & accessories



see pages 145 to 156

AIRE DELUXE™ 44



- FAN: FP6245BBN (1)**
brushed nickel assembly
with white frosted glass
bowl and reversible cherry/
dark walnut blades
● dark walnut side showing



- FAN: FP6245BDZ (1)**
dark bronze assembly with
white frosted glass bowl
and reversible cherry/dark
walnut blades
● cherry side showing




- FAN: FP6245BMW (1)**
matte white assembly with
white frosted glass bowl and
matte white blades

brushed nickel	dark bronze	matte white
cherry	dark walnut	dark walnut
cherry	dark walnut	matte white
FP6244BN	FP6244DZ	FP6244MW
FP6245BBN	FP6245BDZ	FP6245BMW

INCLUDED:



blade set



light kit—FP6245B** only

ENERGY INFORMATION
AT HIGH SPEED:

FP6244**
FP6245B**

Airflow
3,905
3,937
Cubic Feet
Per Minute



Electricity Use
53
53
Watts
(excluding lights)

Airflow Efficiency
74
75
Cubic Feet Per
Minute Per Watt



LIMITED LIFETIME MOTOR WARRANTY





- FAN: FP6284BN (1)**
brushed nickel assembly
with reversible cherry/dark
walnut wood blades
● dark walnut side showing




- FAN: FP6284DZ (1)**
dark bronze assembly with reversible
cherry/dark walnut wood blades
● cherry side showing



- FAN: FP6284MW (1)**
matte white assembly with
matte white wood blades



For compatible
controls & accessories



see pages 145 to 156

AIRE DELUXE™ 52



- FAN: FP6285BBN (1)**
brushed nickel assembly with white frosted glass bowl and reversible cherry/dark walnut blades
• dark walnut side showing



- FAN: FP6285BDZ (1)**
dark bronze assembly with white frosted glass bowl and reversible cherry/dark walnut blades
• cherry side showing



- FAN: FP6285BMW (1)**
matte white assembly with white frosted glass bowl and matte white blades




brushed nickel	dark bronze	matte white
cherry	dark walnut	dark walnut
matte white	matte white	matte white
FP6284BN	FP6284DZ	FP6284MW
FP6285BBN	FP6285BDZ	FP6285BMW

INCLUDED:



blade set



light kit—FP6285B** only

ENERGY INFORMATION
AT HIGH SPEED:

FP6284**
FP6285B**

Airflow
5,284
5,279
Cubic Feet
Per Minute

Electricity Use
54
54
Watts
(excluding lights)

Airflow Efficiency
97
97
Cubic Feet Per
Minute Per Watt

FANSYNC™
sold separately

**(2) 10W
E26 LED**
FP6285B**
only

3-SPEED AC
reverse switch
on fan

CONTROL
pull chain

DRY
indoor only




LIMITED LIFETIME MOTOR WARRANTY



38

Petitioner Minka – EX1011

Page 39 of 164



- FAN: TF610OB** (1)
oil-rubbed bronze
assembly with reversible
cherry/walnut wood blades
● walnut side showing



- FAN: TF610SN** (1)
satin nickel assembly with
reversible walnut/light
walnut wood blades
● walnut side showing



- FAN: TF610WH** (1)
white assembly with
reversible white/white
oak wood blades
● white side showing



For compatible
controls & accessories



see pages 145 to 156



reversible walnut/
light walnut

BEW42WALW
42" wood

EDGEWOOD® DECORATIVE



FAN: TF610SN (1)
oil-rubbed bronze assembly with
reversible cherry/walnut wood blades
• walnut side showing

oil-rubbed bronze	satin nickel	white
cherry walnut	walnut light walnut	white white oak oak
TF610OB	TF610SN	TF610WH

INCLUDED:



blade set

ENERGY INFORMATION
AT HIGH SPEED:


FANSYNCTM sold separately	3-SPEED AC reverse switch on fan	CONTROL pull chain	DRY indoor only
Airflow	Electricity Use	Airflow Efficiency	
7,057	80	89	
Cubic Feet Per Minute	Watts (excluding lights)	Cubic Feet Per Minute Per Watt	



LIMITED LIFETIME MOTOR WARRANTY



40



- FAN: TF710OB (1)**
oil-rubbed bronze
assembly with reversible
cherry/walnut wood blades
● walnut side showing



- FAN: TF710SN (1)**
satin nickel assembly with
reversible walnut/light
walnut wood blades
● light walnut side showing



- FAN: TF710WH (1)**
white assembly with
reversible white/white
oak wood blades
● white oak side showing

For compatible
controls & accessories



see pages 145 to 156



reversible walnut/
light walnut

BEW42WALW
42" wood

EDGEWOOD® DELUXE



FAN: TF710OB (1)
oil-rubbed bronze assembly
with reversible cherry/
walnut wood blades
• cherry side showing

oil-rubbed bronze	satin nickel	white
cherry walnut	light walnut	white oak
TF710OB	TF710SN	TF710WH

INCLUDED:



blade set

ENERGY INFORMATION
AT HIGH SPEED:


FANSYNC™ sold separately	3-SPEED AC reverse switch on fan	CONTROL pull chain	DRY indoor only
Airflow	Electricity Use	Airflow Efficiency	
8,963	84	106	
Cubic Feet Per Minute	Watts (excluding lights)	Cubic Feet Per Minute Per Watt	



LIMITED LIFETIME MOTOR WARRANTY



42




- FAN: TF721OB (1)**
oil-rubbed bronze
assembly with reversible
cherry/walnut wood blades
● cherry side showing



- FAN: TF721WH (1)**
white assembly with
reversible white/white
oak wood blades
● white side showing



For compatible
controls & accessories




see pages 145 to 156

EDGEWOOD® SUPREME



FAN: TF721OB (1)
oil-rubbed bronze
assembly with
reversible cherry/
walnut wood blades
• cherry side showing



INCLUDED:



blade set

ENERGY INFORMATION
AT HIGH SPEED:

			
FANSYNC™ sold separately	3-SPEED AC reverse switch on fan	CONTROL pull chain	DRY indoor only
Airflow	Electricity Use	Airflow Efficiency	
9,689	90	107	
Cubic Feet Per Minute	Watts (excluding lights)	Cubic Feet Per Minute Per Watt	




LIMITED LIFETIME MOTOR WARRANTY






For dimensions and configurations, please see our model-specific specification sheet, available at fanimation.com

Not recommended for use in sound sensitive areas.



- ❖ **MOTOR: MA7966BN** (1)
brushed nickel
- HEAD: HA7966BN** (2)
brushed nickel assembly
- BLADE SET: B7966BN** (2)
56" sweep brushed nickel



- ❖ **MOTOR: MA7966DZ** (1)
dark bronze
- HEAD: HA7966DZ** (1)
dark bronze assembly
- BLADE SET: B7966CYDWA** (1)
56" sweep reversible
cherry/dark walnut
- dark walnut side showing

For compatible
controls & accessories



see pages 145 to 148



BN—brushed nickel

CYDWA—cherry/dark
walnut reversible

B7966**
56" wood





KELLAN™

-  **MOTOR: MA7966BN** (1)
brushed nickel
- HEAD: HA7966BN** (1)
brushed nickel assembly
- BLADE SET: B7966CYDWA** (1)
56" sweep reversible cherry/dark walnut
 - dark walnut side showing

brushed
nickel
MA7966BN
HA7966BN

dark
bronze
MA7966DZ
HA7966DZ



MIX & MATCH
components
sold separately



3-SPEED AC
reverse switch
on remote



CONTROL
remote



DRY
indoor only

INCLUDED:



TR33 control

ENERGY INFORMATION
AT HIGH SPEED:

Airflow
4,659
Cubic Feet
Per Minute

Electricity Use
37
Watts
(excluding lights)

Airflow Efficiency
128
Cubic Feet Per
Minute Per Watt

LIMITED LIFETIME MOTOR WARRANTY




Due to their complex systems, multiple components and special installation requirements, we recommend contacting our Customer Service department for assistance with ordering—888.567.2055

For dimensions and configurations, please see our model-specific specification sheet, available at www.fanimation.com

BOURBON STREET®

- ✦ **MOTOR: FP580BL** (1)
black (required but not shown)
- HEAD: FP510BL** (3)
black short assembly
- BLADES: FP1018** (3)
52" sweep reversible oak/walnut wood
- oak side showing

PALMETTO®





FAN ASSEMBLY: FP602AB (1)
 antique brass
 • two sections shown
BLADES: PMD2AAB (6)
 antique brass assemblies
 with antique woven
 bamboo wide oval blades







INDOOR/OUTDOOR



FAN: FPS8332BN (1)
brushed nickel assembly with opal frosted shade and brushed nickel blades



FAN: FPS8332DZ (1)
dark bronze assembly with dark bronze blades and matching light cover (included)



FAN: FPS8332GR (1)
matte greige assembly with opal frosted shade and matte greige blades



FAN: FPS8332MW (1)
matte white assembly with matte white blades and matching light cover (included)



For compatible
controls & accessories



see pages 145 to 148

HUGH™ 44

FAN: FPS8332BN (1)
brushed nickel assembly with
brushed nickel blades and
matching light cover (included)

brushed nickel	dark bronze	matte greige	matte white
brushed nickel	dark bronze	matte greige	matte white
FPS8332BN	FPS8332DZ	FPS8332GR	FPS8332MW

INCLUDED:



blade set



light kit



light cover



CW60WH-8332-8355
wall control

ENERGY INFORMATION
AT HIGH SPEED:





Airflow
4,503
Cubic Feet
Per Minute

Electricity Use
50
Watts
(excluding lights)

Airflow Efficiency
90
Cubic Feet Per
Minute Per Watt

LIMITED LIFETIME MOTOR WARRANTY





FAN: FPS8355BN (1)
brushed nickel assembly with opal frosted shade and brushed nickel blades



FAN: FPS8355DZ (1)
dark bronze assembly with dark bronze blades and matching light cover (included)



FAN: FPS8355GR (1)
matte greige assembly with opal frosted shade and matte greige blades



FAN: FPS8355MW (1)
matte white assembly with matte white blades and matching light cover (included)



For compatible
controls & accessories



see pages 145 to 148

HUGH™ 52

FAN: FPS8355GR (1)
matte greige assembly with
matte greige blades and
matching light cover (included)

brushed nickel	dark bronze	matte greige	matte white
brushed nickel	dark bronze	matte greige	matte white
FPS8355BN	FPS8355DZ	FPS8355GR	FPS8355MW


FANSYNC™
sold separately



**(1) 18W
LED**


**3-SPEED AC
reverse switch
on fan**


**CONTROL
wall**


WET
indoor/outdoor

INCLUDED:



blade set



light kit



light cover



CW60WH wall control

**ENERGY INFORMATION
AT HIGH SPEED:**

Airflow
5,838
Cubic Feet
Per Minute


Electricity Use
51
Watts
(excluding lights)

Airflow Efficiency
114
Cubic Feet Per
Minute Per Watt

LIMITED LIFETIME MOTOR WARRANTY



54



FAN: FPD6235SL (1)
silver assembly with silver
blades
TUBE: ET6235-24SL (1)
silver 24" extension tube



FAN: FPD6235GBL (1)
glossy black assembly
with glossy black blades



FAN: FPD6235GWH (1)
glossy white assembly
with glossy white blades



Special features

- FAN TIMER**
Sets timer for fan to turn off (max 6 hours)
- FRESH AIR**
Variable fan speeds simulate a natural breeze.

For compatible controls & accessories



see pages 145 to 156

Extension tubes available in 6", 12", 24", 36" and 48"

Order by length and finish code

Example: ET6235-12.GWH
tube finish length code




GBL—glossy black

GWH—glossy white

SL—silver

ET6235-***
extension tube



DRONE™



FAN: FPD6235SL (1)
silver assembly
with silver blades

glossy black	silver	glossy white
glossy black	silver	glossy white
FPD6235GBL	FPD6235SL	FPD6235GWH



ENERGY SAVINGS



FANSYNC™
included



31-SPEED DC
reverse switch
on remote




CONTROL
remote



DAMP
indoor/outdoor

INCLUDED:



blade set



TR205 remote

ENERGY INFORMATION
AT HIGH SPEED:

Airflow
8,877
Cubic Feet
Per Minute


Electricity Use
37
Watts
(excluding lights)

Airflow Efficiency
242
Cubic Feet Per
Minute Per Watt



LIMITED LIFETIME MOTOR WARRANTY





- FAN: A1DZ** (1)
dark bronze assembly
BLADES: B754DWA (1)
54" sweep dark walnut



- FAN: C1BN** (1)
brushed nickel assembly
BLADES: B172DWA (1)
72" sweep dark walnut
LIGHT FITTER: F2BN (1)
brushed nickel globe fitter
GLASS: G3CL (1)
clear schoolhouse glass globe
● shown with optional vintage bulb



- FAN: A1MW** (1)
matte white assembly
BLADES: B254MW (1)
54" sweep matte white




- FAN: C1DZ** (1)
dark bronze assembly
BLADES: B560DWA (1)
60" sweep dark walnut
LIGHT FITTER: F3DZ (1)
dark bronze LED bowl fitter
GLASS: G1MS (1)
marble swirl glass bowl



- FAN: C1MW** (1)
matte white assembly
BLADES: B460CY (1)
60" sweep cherry
LIGHT FITTER: F4MW (1)
matte white 4 light fitter
GLASS: G5OP (4)
2 1/4" opal frosted



For compatible
controls & accessories



see inside fold for blades,
fitters, glass & controls

My FANIMATION
DISTINCTION™ DC

- FAN: D1BN (1)
brushed nickel assembly
- BLADES: B172DWA (1)
72" sweep dark walnut
- LIGHT FITTER: F2BN (1)
brushed nickel globe fitter
- GLASS: G3CL (1)
clear schoolhouse glass globe
- shown with optional vintage bulb

- brushed nickel
D1BN
- dark bronze
D1DZ
- matte white
D1MW

- ENERGY SAVINGS
- MIX & MATCH components sold separately
- FANSYNC™ included
- 31-SPEED DC reverse switch on remote
- CONTROL remote
- DAMP indoor/outdoor

INCLUDED: fanSync



TR205 control

ENERGY INFORMATION
AT HIGH SPEED:
Airflow measured with
B172 blades

Airflow
7,680
Cubic Feet
Per Minute

Electricity Use
31
Watts
(excluding lights)

Airflow Efficiency
249
Cubic Feet Per
Minute Per Watt


Energy Star applies to specific blade and motor and light kit combinations



LIMITED LIFETIME MOTOR WARRANTY



64



 **FAN: OF110BL (1)**
black assembly with black cage




 **FAN: OF110OB (1)**
oil-rubbed bronze assembly with black cage



 **FAN: OF110SN (1)**
satin nickel assembly with black cage



For compatible
controls & accessories



see pages 145 to 156

DISTINCTION™ AC

FAN: A1MW (1)
matte white assembly
BLADES: B654MW (1)
54" sweep matte white
LIGHT FITTER: F2MW (1)
matte white globe fitter
GLASS: G2OP (1)
opal frosted glass globe

brushed nickel

A1BN

C1BN

dark bronze

A1DZ

C1DZ

matte white

A1MW

C1MW

FANSYNC™
included

3-SPEED AC
reverse switch
on remote

CONTROL
remote

DAMP
indoor/outdoor

INCLUDED:

BTT9R

ENERGY INFORMATION
AT HIGH SPEED:

A1 airflow measured
with B154** blades
C1 airflow measured
with B172** blades

Airflow

A1**
C1**

6,235
6,829

Cubic Feet
Per Minute

Electricity Use

75
73

Watts
(excluding lights)

Airflow Efficiency

83
94


Cubic Feet Per
Minute Per Watt

Energy Star applies to specific blade
and motor and light kit combinations



LIMITED LIFETIME MOTOR WARRANTY





FAN: D1DZ (1)
dark bronze assembly
BLADES: B360CY (1)
60" sweep cherry



FAN: D1BN (1)
brushed nickel assembly
BLADES: B260DWA (1)
60" sweep dark walnut
LIGHT FITTER: F4BN (1)
brushed nickel 4 light fitter
GLASS: G4OPS (4)
2 1/4" opal frosted shiny



FAN: D1MW (1)
matte white assembly
BLADES: B654MW (1)
54" sweep matte white
LIGHT FITTER: F2MW (1)
matte white globe fitter
GLASS: G2OP (1)
opal frosted glass globe




FAN: D1DZ (1)
dark bronze assembly
BLADES: B154CY (1)
54" sweep cherry
LIGHT FITTER: F1DZ (1)
dark bronze bowl fitter
GLASS: G1TST (1)
tea stain glass bowl



FAN: D1BN (1)
brushed nickel assembly
BLADES: B860MW (1)
60" sweep matte white



SOLD SEPARATELY:



See inside fold for blades,
fitters, glass & controls



40+ YEARS OF DESIGNING AND ENGINEERING CEILING FANS



Tom Frampton, Founder and CEO of Fanimation knows ceiling fans. While a junior in high school, Tom went to work for a fan design and manufacturing company, gaining experience in most departments and learning every facet of the business. Fast forward over forty years and enter the myFanimation™ collection. Distinction, the first introduction under the collection, is defined by its clean design and advanced technology. The myFanimation™ collection is a culmination of his life's commitment to transforming the ceiling fan as we know it.

Two hanger balls: _____

- Standard—slope to 19°
- Offset—slope to 32°

Tri-mount system: _____

- Downrod straight
- Downrod slope
- Motor-to-canopy snigger

Outer canopy trim _____
ring hides screws



DAMP
indoor/outdoor
(including blades
and accessories)

Fan Shield™: _____

- Rubber grommets attach to the hub*
- The isolation ring system prevents noise and vibration from traveling from the motor through the blade holders and blades
- System is fail-safe and serviceable

No unsightly center screw _____

*Utility patent pending

Petitioner Minka – EX1011

Page 63 of 164




myFanimation fans include fanSync™ smart device controls

AC: 3-SPEED INFINITE LIGHT FAN DIRECTION FAN TIMER SAFE EXIT
AC control via fanSync app only AC control via fanSync app only

DC: 31-SPEED INFINITE LIGHT FAN DIRECTION FAN TIMER FRESH AIR
 HOME AWAY SAFE EXIT

Unique features

FAN TIMER	Sets timer for fan & light to turn off (max 6 hours)	HOME AWAY	Light turns on and off at set intervals to simulate someone being home.
FRESH AIR	Variable fan speeds simulate a natural breeze.	SAFE EXIT	Fan & light will turn off after one minute to allow for safe exit



Decorative cover hides top support

Hang Right™:

- Rubber boot mounts in-between the down rod and top support*
- The downrod mounts perfectly straight and snug in the top support and does not offset or sit at angle from securing old style set screws
- No top support sets screws to loosen and vibrate
- The downrods mount faster onto the motor and without tools
- Less motor vibration travelling up the downrod and into the ceiling

Recessed screw holes in blade holder top piece hide screws from visibility

Switch cup cover hides screws

SIMPLE PART NUMBERING SYSTEM:

1. Motor: A, C or D

Example: A1BN

myFanimation
motor code

2. Blades: B

Example: B160WA

myFanimation
blade style sweep code

3. Fitter: F

Example: F1DZ

myFanimation
fitter style code

4. Glass: G

Example: G2CL

myFanimation
glass style code

1. Motors



A1 (188 x 25)

BN | DZ | MW

ENERGY INFORMATION

at High Speed*

Airflow	Electricity Use	Airflow Efficiency
5,849	77	76
Cubic Feet	Watts	Cubic Feet Per
Per Minute	(excluding lights)	Minute Per Watt

*tested using B154 blade set

Order with 54" sweep blade sets only



C1 (212 x 25)

BN | DZ | MW

ENERGY INFORMATION

at High Speed*

Airflow	Electricity Use	Airflow Efficiency
8,900	89	100
Cubic Feet	Watts	Cubic Feet Per
Per Minute	(excluding lights)	Minute Per Watt

*tested using B172 blade set

Order with 60" or 72" sweep blade sets only



D1 (DC158)

BN | DZ | MW

ENERGY INFORMATION

at High Speed*

Airflow	Electricity Use	Airflow Efficiency
8,800	32	275
Cubic Feet	Watts	Cubic Feet Per
Per Minute	(excluding lights)	Minute Per Watt

*tested using B172 blade set

Order with 54", 60" or 72" sweep blade sets

Finish Codes

Motors:

BN	brushed nickel
DZ	dark bronze
MW	matte white

Blades:

CY	cherry
CYN	cherry with natural inlay
DC	dark cherry
DWA	dark walnut
MW	matte white
WA	walnut
WADWA	walnut with dark walnut inlay
WE	weathered wood

Light Kits:

BN	brushed nickel
DZ	dark bronze
MW	matte white

Glass:

CL	clear
FW	frosted white
MS	marble swirl
OP	opal frosted
OPS	opal frosted shiny
TST	tea stained

2. Blades



	B1			B2			B3			B4			B5		B6		B7		B8	
	54"	60"	72"	54"	60"	72"	54"	60"	72"	54"	60"	72"	54"	60"	54"	60"	54"	60"	54"	60"
CY	☐	☐	☐	☐	☐	☐	☐	☐	☐											
CYN										☐	☐	☐								
DC																			☐	☐
DWA	☐	☐	☐	☐	☐	☐	☐	☐	☐				☐	☐	☐	☐	☐	☐		
MW	☐	☐	☐	☐	☐	☐	☐	☐	☐				☐	☐	☐	☐			☐	☐
WA	☐	☐	☐	☐	☐	☐	☐	☐	☐											
WADWA										☐	☐	☐								
WE	☐	☐	☐																	

my FANIMATION DISTINCTION™

3. Fitters

- Lumens: 1,650
- Color Temp: 2,700
- CRI: 99



F1		
BN	DZ	MW

- Lumens: 1,600
- Color Temp: 2,700
- CRI: 80



F2		
BN	DZ	MW

- Lumens: 1,350
- Color Temp: 3,000
- CRI: 80



F3		
BN	DZ	MW

- Lumens: 1,400
- Color Temp: 2,700
- CRI: 99



F4*		
BN	DZ	MW

4. Glass

	G1	G2	G3	G1	G4	G5	G6
CL			☒		☒		☒
MS	☒			☒			
OP		☒	☒			☒	☒
OPS			☒		☒		☒
TST	☒	☒		☒	☒	☒	☒

*Additional glass available on page 154

5. Controls



For use with A1 and C1 motors		For use with D1 motor	
BTT9R—included	C21—sold separately	TR205—included	TW206—sold separately
White hand-held remote control with wall mount	White wall control with wall plate	White hand-held remote control with wall mount	White wall control with wall plate

EXTRAORDINAIRE™

FAN: OF110OB (1)
oil-rubbed bronze
assembly with black cage

black	oil-rubbed bronze	satin nickel
black	black	black
OF110BL	OF110OB	OF110SN

INCLUDED:




CW110WH wall control

ENERGY INFORMATION
AT HIGH SPEED:

Airflow
847
Cubic Feet
Per Minute

Electricity Use
85
Watts
(excluding lights)

Airflow Efficiency
10
Cubic Feet Per
Minute Per Watt



3-SPEED AC
no reverse




CONTROL
wall



DAMP
indoor/outdoor

LIMITED LIFETIME MOTOR WARRANTY





NOTE: DISTANCE FROM FLOOR TO BLADES MUST BE AT LEAST 10 FEET FOR THE ASCENSION™



FAN: FP6717BN (1)
brushed nickel assembly with
brushed nickel blades



FAN: FP6717MW (1)
matte white assembly with matte
white blades



For compatible
controls & accessories



see pages 145 to 156

ASCENSION™




FAN: FP6717BN (1)
brushed nickel assembly with
brushed nickel blades



brushed nickel	matte white
brushed nickel	matte white
FP6717BN	FP6717MW

INCLUDED:



blade set



CW6717WH wall control

ENERGY INFORMATION AT HIGH SPEED:

Airflow
6,659
Cubic Feet
Per Minute

Electricity Use
53
Watts
(excluding lights)

Airflow Efficiency
127
Cubic Feet Per
Minute Per Watt

FANSYNC™
sold separately

3-SPEED AC
reverse switch
on fan

CONTROL
wall



DAMP
indoor/outdoor



LIMITED LIFETIME MOTOR WARRANTY



68



FAN: FP6728BN (1)
brushed nickel assembly with
opal frosted glass and brushed
nickel blades



FAN: FP6728DZ (1)
dark bronze assembly with opal
frosted glass and dark walnut
blades

For compatible
controls & accessories



see pages 145 to 156

XENO™ DAMP




FAN: FP6728BN (1)
brushed nickel assembly
with opal frosted glass and
brushed nickel blades

brushed
nickel
brushed
nickel
FP6728BN

dark
bronze
dark
walnut
FP6728DZ

INCLUDED:



blade set



light kit



BT9

ENERGY INFORMATION AT HIGH SPEED:

Airflow
7,782
Cubic Feet
Per Minute

Electricity Use
58
Watts
(excluding lights)

Airflow Efficiency
135
Cubic Feet Per
Minute Per Watt



FANSYNC™
included



18W
LED



3-SPEED AC
reverse switch
on fan



CONTROL
remote





DAMP
indoor/outdoor



LIMITED LIFETIME MOTOR WARRANTY





FAN: FP6729BNW (1)
brushed nickel assembly with
opal frosted glass and brushed
nickel blades



FAN: FP6729DZW (1)
dark bronze assembly with dark
bronze blades and matching
light cover (included)



FAN: FP6729MWW (1)
matte white assembly with matte
white blades and matching light
cover (included)



For compatible
controls & accessories



see pages 145 to 156

XENO™ WET



FAN: FP6729MWW (1)
matte white assembly with
matte white blades and
matching light cover (included)

brushed nickel	dark bronze	matte white
brushed nickel	dark bronze	matte white
FP6729BNW	FP6729DZW	FP6729MWW


FANSYNC™
sold separately



18W
LED


3-SPEED AC
reverse switch
on fan


CONTROL
wall


WET
indoor/outdoor

INCLUDED:



blade set



light kit



light cover



CW60WH-6729
wall control

ENERGY INFORMATION AT HIGH SPEED:

Airflow
7,782
Cubic Feet
Per Minute



Electricity Use
58
Watts
(excluding lights)

Airflow Efficiency
135
Cubic Feet Per
Minute Per Watt



LIMITED LIFETIME MOTOR WARRANTY





- FAN: FP4640OB (1)**
oil-rubbed bronze assembly with
cherry all weather composite blades




- FAN: FP4640SN (1)**
satin nickel assembly with satin
nickel all weather composite blades



- FAN: FP4640WH (1)**
white assembly with white all
weather composite blades



- FAN: FP4640OB (1)**
oil-rubbed bronze
assembly with cherry all
weather composite blades
LIGHT KIT: LK4640OB (1)
oil-rubbed bronze finish
18W LED light kit



For compatible
controls & accessories



see pages 145 to 156



BPW4426**
54" composite

CY—cherry
WA—walnut



BPW4442**
42" composite

CY—cherry
SN—satin nickel
WA—walnut



LK4640**
18W LED



use with
CW60WH



CW60WH
wall control

must be
paired
with WP60
for outdoor
application



WP60
waterproof box

ZONIX™ WET



FAN: FP4640OB(1)
oil rubbed bronze
assembly with cherry all
weather composite blades

oil-rubbed bronze	satin nickel	white
cherry	satin nickel	white
FP4640OB	FP4640SN	FP4640WH

INCLUDED:



blade set

ENERGY INFORMATION
AT HIGH SPEED:



			
FANSYNC™ sold separately	3-SPEED AC reverse switch on fan	CONTROL pull chain	WET indoor/outdoor
Airflow	Electricity Use	Airflow Efficiency	
5,432	57	96	
Cubic Feet Per Minute	Watts (excluding lights)	Cubic Feet Per Minute Per Watt	



LIMITED LIFETIME MOTOR WARRANTY



74



FAN: FP4650BN (1)
brushed nickel assembly with
brushed nickel blades and
opal frosted glass



FAN: FP4650DCP (1)
dark copper penny assembly with
dark walnut blades and opal
frosted glass



FAN: FP4650OB (1)
oil-rubbed bronze assembly
with walnut blades and opal
frosted glass



For compatible
controls & accessories



see pages 145 to 156



SN—satin nickel

B4400SN
54" wood



CWR—cherry/walnut
reversible

SN—satin nickel

B4442**
42" wood



CY—cherry

WA—walnut

BPW4426**
54" composite



CY—cherry

SN—satin nickel

WA—walnut

BPW4442**
42" composite

ZONIX™ LED

 **FAN: FP4650BN**(1)
brushed nickel assembly with
brushed nickel blades and
opal frosted glass

brushed nickel	dark copper penny	oil-rubbed bronze
brushed nickel	dark walnut	walnut
FP4650BN	FP4650DCP	FP4650OB

INCLUDED:



blade set



light kit



TR24WH remote



ENERGY INFORMATION
AT HIGH SPEED:

 FANSYNC™ sold separately	 16W LED	 3-SPEED AC reverse switch on fan	 CONTROL remote	 DAMP indoor/outdoor
---	--	--	---	--

Airflow	Electricity Use	Airflow Efficiency
4,436	57	78
Cubic Feet Per Minute	Watts (excluding lights)	Cubic Feet Per Minute Per Watt

LIMITED LIFETIME MOTOR WARRANTY





- FAN: MA6721BN** (1)
brushed nickel assembly
BLADES: B6720BN (1)
brushed nickel finish buttonwood



- FAN: MA6721BS** (1)
brushed satin assembly
BLADES: B6720WK (1)
whiskey wood finish buttonwood



- FAN: MA6721DF** (1)
driftwood assembly
BLADES: B6720DF (1)
driftwood finish buttonwood



- FAN: MA6721DZ** (1)
dark bronze assembly
BLADES: B6720N (1)
natural finish buttonwood



- FAN: MA6721GR** (1)
matte greige assembly
BLADES: B6720WE (1)
weathered wood finish buttonwood



- FAN: MA6721MW** (1)
matte white assembly
BLADES: B6720WW (1)
white washed finish buttonwood
LIGHT KIT: LK6721MW (1)
matte white
OPTIONAL LENS: AP672113
frosted pc lens (replaces fresnel
glass—sold separately)



For compatible
controls & accessories



see pages 145 to 156



B6720**
60" button wood

BN—brushed nickel
DF—driftwood
DWA—dark walnut
N—natural
WE—weathered wood
WK—whiskey wood
WW—white washed



LK6721**
18W LED



AP672113
frosted pc lens

SPITFIRE™



FAN: MA6721DZ (1)
dark bronze assembly
BLADES: B6720N (1)
natural finish buttonwood
LIGHT KIT: LK6721DZ (1)
dark bronze with frosted fresnel glass

- brushed nickel
MA6721BN
- brushed satin
MA6721BS
- driftwood
MA6721DF
- dark bronze
MA6721DZ
- matte greige
MA6721GR
- matte white
MA6721MW



FANSYNC™
included



MIX & MATCH
components
sold separately



3-SPEED AC
reverse switch
on fan



CONTROL
remote



DAMP
indoor/outdoor

INCLUDED:

BT9


ENERGY INFORMATION
AT HIGH SPEED:

Airflow	Electricity Use	Airflow Efficiency
6,641 Cubic Feet Per Minute	61 Watts (excluding lights)	108 Cubic Feet Per Minute Per Watt



LIMITED LIFETIME MOTOR WARRANTY





1,350 Lumens
3,000K CCT
80 CRI



FAN: FPD6236BN (1)
brushed nickel assembly
with bourbon blades and
opal frosted glass



FAN: FPD6236DZ (1)
dark bronze assembly
with bourbon blades
and matching dark
bronze cap (included)



Special features

 FAN TIMER	Sets timer for fan & light to turn off (max 6 hours)	 HOME AWAY	Light turns on and off at set intervals to simulate someone being home.
 FRESH AIR	Variable fan speeds simulate a natural breeze.	 SAFE EXIT	Fan & light will turn off after one minute to allow for safe exit

For compatible
controls & accessories



see pages 145 to 156



SUBTLE™




FAN: FPD6236DZ (1)
dark bronze assembly with
bourbon blades and opal
frosted glass

brushed nickel	dark bronze
bourbon FPD6236BN	bourbon FPD6236DZ

- ENERGY SAVINGS
- FANSYNC™ included
- 18W LED
- 31-SPEED DC reverse switch on remote
- CONTROL remote
- DAMP indoor/outdoor

INCLUDED:





ENERGY INFORMATION
AT HIGH SPEED:

Airflow	Electricity Use	Airflow Efficiency
8,197	40	204
Cubic Feet Per Minute	Watts (excluding lights)	Cubic Feet Per Minute Per Watt



LIMITED LIFETIME MOTOR WARRANTY





FAN: FPD7916BN (1)
brushed nickel assembly
with brushed nickel blades
and opal frosted glass



FAN: FPD7916DZ (1)
dark bronze assembly with
dark walnut blades and
opal frosted glass



For compatible
controls & accessories



see pages 145 to 156


LEVON™ DC



FAN: FPD7916BN (1)
brushed nickel assembly
with brushed nickel blades
and opal frosted glass

brushed nickel	dark bronze
brushed nickel	dark walnut
FPD7916BN	FPD7916DZ

INCLUDED:



blade set



light kit



TR39 remote

ENERGY INFORMATION
AT HIGH SPEED:



ENERGY SAVINGS



18W
LED



6-SPEED DC
reverse switch
on remote



CONTROL
remote



DAMP
indoor/outdoor

Airflow
7,817
Cubic Feet
Per Minute

Electricity Use
34
Watts
(excluding lights)



Airflow Efficiency
230
Cubic Feet Per
Minute Per Watt



LIMITED LIFETIME MOTOR WARRANTY



82



- FAN: MAD7912BN** (1)
brushed nickel assembly
BLADES: B7913BN (1)
72" sweep brushed nickel
buttonwood
LIGHT KIT: LK7912BN (1)
18W dimmable LED



- FAN: MAD7912DZ** (1)
dark bronze assembly
BLADES: B7913CYWA (1)
72" sweep cherry/walnut
reversible buttonwood
● cherry side showing



- FAN: MAD7912MW** (1)
matte white assembly
BLADES: B7912N (1)
63" sweep natural buttonwood




- FAN: MAD7912DZ** (1)
dark bronze assembly
BLADES: B7914CYWA (1)
52" sweep cherry/walnut
reversible buttonwood
● walnut side showing




For compatible
controls & accessories



see pages 145 to 156




B7912**
63" buttonwood



B7913**
72" buttonwood



B7914**
52" buttonwood



BPW7912**
63" composite



LK7912**
18W LED

LEVON™ CUSTOM



FAN: MAD7912MW (1)
 matte white assembly
BLADES: B7913CYWA (1)
 72" sweep reversible cherry/walnut
 • walnut side showing
LIGHT KIT: LK7912MW (1)
 18W dimmable LED

brushed
nickel

MAD7912BN

dark
bronze

MAD7912DZ

matte
white

MAD7912MW



ENERGY SAVINGS



MIX & MATCH
components
sold separately



6-SPEED DC
reverse switch
on remote



CONTROL
remote



DAMP
indoor/outdoor

INCLUDED:



TR39 remote

ENERGY INFORMATION
AT HIGH SPEED:

Airflow measured with
BPW7912** blades

Airflow
7,695
Cubic Feet
Per Minute

Electricity Use
34
Watts
(excluding lights)


Airflow Efficiency
226
Cubic Feet Per
Minute Per Watt



LIMITED LIFETIME MOTOR WARRANTY



84



- FAN: FPD8149BNWBL (1)** brushed nickel assembly with black blades and opal frosted glass



- FAN: FPD8149BNWBN (1)** brushed nickel assembly with brushed nickel blades and matching brushed nickel light cover (included)



- FAN: FPD8149DZW (1)** dark bronze assembly with dark walnut blades and opal frosted glass



- FAN: FPD8149GRW (1)** matte greige assembly with weathered wood blades and matching matte greige light cover (included)



- FAN: FPD8149MWW (1)** matte white assembly with matte white blades and opal frosted glass



For compatible controls & accessories



see pages 145 to 156




ODYN™



FAN: FPD8149GRW (1)
matte greige assembly with
weathered wood blades
and opal frosted glass

brushed nickel	brushed nickel	dark bronze	matte greige	matte white
black	brushed nickel	dark walnut	weathered wood	matte white
FPD8149BNWBL	FPD8149BNWBN	FPD8149DZW	FPD8149GRW	FPD8149MWW

INCLUDED:



blade set



light kit
light cover



TR39 remote



ENERGY INFORMATION
AT HIGH SPEED:

ENERGY SAVINGS	18W LED	6-SPEED DC reverse switch on remote	CONTROL remote	WET indoor/outdoor
Airflow	Electricity Use	Airflow Efficiency		
11,190	32	348		
Cubic Feet Per Minute	Watts (excluding lights)	Cubic Feet Per Minute Per Watt		



LIMITED LIFETIME MOTOR WARRANTY





- FAN: MAD7993BLW** (1)
black assembly with silver accents
and opal frosted glass
- BLADES: B7993-84BLW** (1)
84" sweep black with silver wing tips



- FAN: MAD7993SLW** (1)
silver assembly with black accents
and matching light cover (included)
- BLADES: B7993-84SLW** (1)
84" sweep silver with black wing tips



- FAN: MAD7993SLW** (1)
silver assembly with black accents
and opal frosted glass
- BLADES: B7993-84BLW** (1)
84" sweep black with silver wing tips

For compatible
controls & accessories



see pages 145 to 156



black with
silver tips

B7993-84BLW
84" aluminum



silver with
black tips

B7993-84SLW
84" aluminum



STELLAR™



FAN: MAD7993BLW (1)
black assembly with silver accents
and matching light cover (included)
BLADES: B7993-84SLW (1)
84" sweep silver with black wing tips

black silver
MAD7993BLW MAD7993SLW

- ENERGY SAVINGS
- MIX & MATCH
blades sold
separately
- FANSYNC™
included
- 18W
LED
- 31-SPEED DC
reverse switch
on remote
- CONTROL
remote
- WET
indoor/outdoor

INCLUDED:




ENERGY INFORMATION
AT HIGH SPEED:

Airflow	Electricity Use	Airflow Efficiency
11,223	38	236
Cubic Feet Per Minute	Watts (excluding lights)	Cubic Feet Per Minute Per Watt



LIMITED LIFETIME MOTOR WARRANTY





 **FAN: FP2120MG (1)**
metro gray assembly with light
socket cover (included)



 **FAN: FP2120MG (1)**
metro gray assembly with light
socket cover (included)



For compatible
controls & accessories



see pages 145 to 156