

[Request appointment](#)[Log in](#)[Drugs & Supplements](#)

Zinc oxide (topical application route)

On this page

[Brand names ↓](#) [Description ↓](#) [Before using ↓](#) [Proper use ↓](#) [Precautions ↓](#) [Side effects ↓](#)

Brand Name

US Brand Name

Ammens Medicated

Balmex

Boudreaux's Butt Paste

Critic-Aid Skin Care Pack

Delazinc

Desitin

Hemorrodil

Lassar's Paste

Medi-Paste

Periguard

Perishield

Prevacare Personal Protective

Canadian Brand Name

Dr. Scholl's Medicated Foot Powder

Silon

Zincofax Extra Strength

Zincofax Fragrance-Free

Zincofax Original

Zinc Oxide

[Back to top](#) ↑

Description

Zinc oxide topical cream is used to treat and prevent diaper rash. It is also used to protect skin from being irritated and wet caused by diaper use.

This medicine is available as an over-the-counter (OTC) product.

This product is available in the following dosage forms:

- Spray
- Ointment
- Cream
- Paste
- Stick
- Lotion
- Powder
- Gel/Jelly

[Back to top](#)

Before Using

In deciding to use a medicine, the risks of taking the medicine must be weighed against the good it will do. This is a decision you and your doctor will make. For this medicine, the following should be considered:

Allergies

Tell your doctor if you have ever had any unusual or allergic reaction to this medicine or any other medicines. Also tell your health care professional if you have any other types of allergies, such as to foods, dyes, preservatives, or animals. For non-prescription products, read the label or package ingredients carefully.

Geriatric

No information is available on the relationship of age to the effects of zinc oxide cream in geriatric patients.

Drug Interactions

Although certain medicines should not be used together at all, in other cases two different medicines may be used together even if an interaction might occur. In these cases, your doctor may want to change the dose, or other precautions may be necessary. Tell your healthcare professional if you are taking any other prescription or nonprescription (over-the-counter [OTC]) medicine.

Other Interactions

Certain medicines should not be used at or around the time of eating food or eating certain types of food since interactions may occur. Using alcohol or tobacco with certain medicines may also cause interactions to occur. Discuss with your healthcare professional the use of your medicine with food, alcohol, or tobacco.

Other Medical Problems

The presence of other medical problems may affect the use of this medicine. Make sure you tell your doctor if you have any other medical problems, especially:

- Infection of the skin at or near the place of application or
- Large sores, broken skin, or severe skin injury at the place of application—
Should not be used in patients with these conditions without advice of your doctor.

[Back to top](#)

Proper Use

This medicine is for use on the skin only. Do not get it in the eyes.

To use:

- Wash your hands with soap and water before and after using this medicine.
- Clean the diaper area with mild soap and water. Allow it to dry.
- Apply the cream to the diaper area with each diaper change, at bedtime, or when prolonged exposure to wet diapers may occur.

Dosing

The dose of this medicine will be different for different patients. Follow your doctor's orders or the directions on the label. The following information includes only the average doses of this medicine. If your dose is different, do not change it unless your doctor tells you to do so.

The amount of medicine that you take depends on the strength of the medicine. Also, the number of doses you take each day, the time allowed between doses, and the length of time you take the medicine depend on the medical problem for which you are using the medicine.

- For topical dosage form (cream):
 - For prevention and treatment of diaper rash:
 - Adults—Apply to the affected area of the skin as needed.

- Children—Apply to the affected area of the skin as needed.

Storage

Store the medicine in a closed container at room temperature, away from heat, moisture, and direct light. Keep from freezing.

Keep out of the reach of children.

Do not keep outdated medicine or medicine no longer needed.

Ask your healthcare professional how you should dispose of any medicine you do not use.

[Back to top](#)

Precautions

If your or your child's symptoms do not improve within 7 days, or if they become worse, check with your doctor.

If you or your child accidentally swallow the medicine, call the Poison Control Center right away.

[Back to top](#)

Side Effects

Along with its needed effects, a medicine may cause some unwanted effects. Although not all of these side effects may occur, if they do occur they may need medical attention.

Check with your doctor immediately if any of the following side effects occur:

Incidence not known

- Hives
- Itching
- Skin rash

Some side effects may occur that usually do not need medical attention. These side effects may go away during treatment as your body adjusts to the medicine. Also, your health care professional may be able to tell you about ways to prevent or reduce some of these side effects. Check with your health care professional if any of the following side effects continue or are bothersome or if you have any questions about them:

Incidence not known

- Worsening of diaper rash

Other side effects not listed may also occur in some patients. If you notice any other effects, check with your healthcare professional.

Call your doctor for medical advice about side effects. You may report side effects to the FDA at 1-800-FDA-1088.

[Back to top](#)

Drug information provided by: [Merative, Micromedex®](#)

Portions of this document last updated: February 01, 2024

Copyright: © Merative US L.P. 1973, 2024. All rights reserved. Information is for End User's use only and may not be sold, redistributed or otherwise used for commercial purposes.

Products & Services


[The Mayo Clinic Diet](#)

[Drugs & Supplements](#)

> Zinc oxide (topical application route)

DRG-20075525

Advertisement



Mayo Clinic does not endorse companies or products. Advertising revenue supports our non-profit mission.

Advertising & Sponsorship

[Policy](#) | [Opportunities](#) | [Ad Choices](#)



Thank a researcher today

Their crucial work saves lives every day.
Let Mayo Clinic researchers know they're appreciated
with a quick message.

Send a note

Find a doctor

Explore careers

Sign up for free e-
newsletters

About Mayo Clinic

About this Site

Contact Us

Locations

Health Information Policy

Medicare Accountable Care Organization (ACO)

Media Requests

Researchers

Research Faculty

Laboratories

International Patients

Appointments

Financial Services

International Locations & Offices

Charitable Care & Financial Assistance

Community Health Needs Assessment

Financial Assistance Documents – Arizona

Financial Assistance Documents – Florida

Financial Assistance Documents – Minnesota



[News Network](#)

[Price Transparency](#)

[Follow Mayo Clinic](#)

[Get the Mayo Clinic app](#)



[Terms & Conditions](#) [Privacy Policy](#) [Notice of Privacy Practices](#) [Accessibility Statement](#)
[Advertising & Sponsorship Policy](#) [Site Map](#)

© 1998-2024 Mayo Foundation for Medical Education and Research (MFMER). All rights reserved.

Language: [English](#) ▼

