

CURRICULUM VITAE

Name: Kevin Struhl

Birthdate: September 2, 1952

Birthplace: Brooklyn, New York

Address: Department of Biological Chemistry and Molecular Pharmacology
Harvard Medical School
Boston, Mass. USA 02115

Undergraduate study: Massachusetts Institute of Technology (1970-1974)
Cambridge, Mass. 02139 USA
S.B., S.M. in biology with Boris Magasanik

Graduate study: Stanford University (1974-1979)
Stanford, Cal. 94305 USA
Ph.D. with distinction in biochemistry with Ronald W. Davis

Postdoctoral work: M.R.C. Laboratory of Molecular Biology (1980-1981)
Hills Road, Cambridge, England CB2 2QH
Visiting scientist with Sydney Brenner

Academic appointments: Board of Tutors in biochemistry, Harvard Univ. 1982-1988
Dept. of Biological Chemistry Harvard Medical School 1982-present
Assistant Professor 1982-1986
Associate Professor 1986-1989
Professor 1989-1991
David Wesley Gaiser Professor 1991-present
Acting Chair 1997-1998
Associate Member, Broad Institute 2014-present

Honors/Awards: NSF undergraduate research fellowship 1972, 1973
NIH pre-doctoral traineeship 1974-1979
Jane Coffin Childs postdoctoral fellowship 1980-1981
Searle Scholar 1983-1986
Eli Lilly Award in Microbiology 1990
Fellow, American Academy of Microbiology 1993
MERIT award, National Institutes of Health 1993
Fellow, American Association for the Advancement of Science 2005
Distinguished Researcher, IMBB, Crete 2006
Fellow, American Academy of Arts and Sciences 2008
Member, National Academy of Sciences 2010
Member, National Academy of Medicine 2015
Sigma Xi 2023

Arthur Kornberg and Paul Berg Lifetime Achievement Award 2023

Lectureships:	Bertha Rosenstadt Visiting Professor, University of Toronto 1995 William W. Wells Lectureship, Michigan State University 2002 Ernest C. Pollard Lectureship, Pennsylvania State University 2005 Keynote speaker, BioMaPS summer school, Rutgers University 2008 Keynote speaker, Systems Biology: Global regulation of gene expression, Cold Spring Harbor Laboratory, 2010 Keynote speaker, Lorne (Australia) Genome Conference, 2011 Keynote speaker, Gordon Conference, Mammary Gland Biology 2011 Keynote speaker, Eugenides Foundation, Athens, 2012 Nieuwland Lecture, Notre Dame, 2015 Visiting Professor, UCLA 2016 Simpson Querrey Distinguished Lectureship, Northwestern Univ. 2024
Teaching experience:	Teaching assistant of organic chemistry, MIT, 1973-1974 Teaching assistant of biochemistry, Stanford, 1974-1975 Course in yeast molecular biology, Harvard 1983 Laboratory course sponsored by National Academies of Sciences on techniques in molecular biology, Shanghai, China, 1987 Tutorials in biochemistry, Harvard Univ. 1982-1988 Laboratory courses in yeast genetics, Spain, 1987 and 1990 Genetics 221- writing research proposals, Harvard 1992-1993 BCMP 208- critical thinking in molecular biology, Harvard 1982-1996 Lecturer in course on gene regulation, Spetses, Greece 1992, 1996, 2008 HST160- seminar in transcriptional regulation, Harvard 1995-2001 Lecturer- Chemistry and Biology of the Cell, Harvard 1995-2001 Micro 230- critical thinking in molecular biology, Harvard 2006-present
Editorial boards:	Current Protocols in Molecular Biology, 1987-2020 Molecular and Cellular Biology, 1985-2013 Protein Expression and Purification, 1990-1996 Biochimica et Biophysica Acta Reviews on Cancer 1991-1996 Biological Chemistry Hoppe-Seyler 1994-2000 Genes to Cells 1996-1998 Cell Growth & Differentiation 1997-2002 Epigenetics & Chromatin 2008-2020 Transcription 2009-present eLife 2011-2023 (Senior editor 2015-2023) Journal of Molecular Biology 2017-2020
Grant reviewer:	NIH Molecular Biology study section <i>ad hoc</i> 1988, 1995 NIH Molecular Biology study section 1990-1994 NIH site visit of internal group in Child Health & Development 1996 NIH Molecular Cytology study section <i>ad hoc</i> 2003

Scientific meetings: Organizing committee, Annual symposium on Frontiers of Science, National Academy of Sciences, 1991-1993
Organizer, FASEB meeting on Transcriptional regulation during cell growth, differentiation, and development, 1998
Scientific committee, International conference of yeast genetics and molecular biology, Prague 2001
Organizer, Keystone meeting on Transcriptional Regulation, 2008
Organizer, Banbury meeting on Metformin, 2013

Advisory boards: Institute Molecular Biology & Biotechnology, Crete 1990-2008
Pharmagenics Inc. 1991-1997
Scriptgen Inc. 1993-2000
Eli Lilly Award Nominating Committee 1997-2000
Phylos Inc. 1998-2002
Sangamo Inc. 1999-2015
American Society of Biochemistry & Molecular Biology 2006-2009
Klarman Cell Observatory, Broad Institute 2012-present
Weizmann Institute, Israel 2019
UTR Therapeutics. 2022-present

Patents: Struhl, K. and Moqtaderi, Z. Inducible methods for repressing gene function. U.S. Patent No. 6,576,469 (June 10, 2003).

Struhl, K., Hirsch, H., Iliopoulos, D. Use of metformin in cancer treatment and prevention. U.S. Patent Publication No. 2012/0220664 (August 30, 2012).

Basu, A., Regev, A., Ford, C.B., Weitz, D.A., Rotem, A., and Struhl, K. High-throughput dynamic reagent delivery system. EP Patent No. 3368221 (March 31, 2021).

Rotem, A., Struhl, K., Blainey, P., and Xu, L. High-throughput drug and genetic assays for cellular transformation. U.S. Patent No. 11,807,895 (November 7, 2023).

Basu, A., Ford, C.B., Regev, A., Weitz, D.A., Rotem, A., and Struhl, K. High-throughput dynamic reagent delivery system. U.S. Patent No. 11,904,310 (February 20, 2024).

Ogunwobi, O.O., Awah, C.U., and Struhl, K. Destabilized ARE 3'UTRs as therapeutics for cancer. U.S. Patent Publication No. 2023/0331818 (October 19, 2023).

Publications:

1. Struhl, K., Cameron, J.R., and Davis, R.W. (1976). Functional genetic expression of eukaryotic DNA in *Escherichia coli*. *Proc. Natl. Acad. Sci. U.S.A.* **73** 1471-1475.
2. Struhl, K. and Magasanik, B. (1976). Ammonia sensitive mutant of *Klebsiella aerogenes*. *J. Bacteriol.* **126** 739-742.
3. Struhl, K. and Davis, R.W. (1976). Genetic selections and the cloning of prokaryotic and eukaryotic genes. *ICN-UCLA Symp. Mol. and Cell. Biol.* **5** 495-506.
4. Struhl, K. and Davis, R.W. (1977). Production of a functional eukaryotic enzyme in *E. coli*: Cloning and expression of the yeast structural gene for imidazoleglycerol-phosphate dehydratase (*his3*). *Proc. Natl. Acad. Sci. U.S.A.* **74** 5255-5259.
5. Struhl, K. and Davis, R.W. (1977). A eukaryotic gene is functionally expressed in *E. coli*. in *Pancreatic Beta Cell Culture*, ed. vonWasielewski and Chick, Excerpta Medica, Amsterdam-Oxford. pp. 165-172.
6. Davis, R.W., Thomas, M., Cameron, J.R., Philippsen, P., Kramer, R., St. John, T., Struhl, K., and Ferguson, J. (1977). Genetic and physical selections of eukaryotic genes cloned in *E. coli*. in the *Molecular Biology of the Mammalian Genetic Apparatus*. ed. P.O.P. Ts'O, Elsevier/North Holland Biomedical Press, Amsterdam **2** 15-27.
7. Davis, R.W., Thomas, M., Benton, D., Cameron, J.R., Philippsen, P., Struhl, K., St. John, T., and Kramer, R. (1977). Rapid selection and screening methods for the isolation of particular cloned eukaryotic DNA sequences. in *Molecular Cloning of Recombinant DNA*. ed. Scott, W.A. and Werner, R. Academic Press, New York pp. 155-160.
8. Struhl, K., Stinchcomb, D.T., Scherer, S., and Davis, R.W. (1979). High frequency transformation of yeast: Autonomous replication of hybrid DNA molecules. *Proc. Natl. Acad. Sci. U.S.A.* **76** 1035-1039.
9. Struhl, K., Davis, R.W., and Fink, G.R. (1979). Suppression of a yeast amber mutation in *E. coli*. *Nature* **279** 78-79.
10. Stinchcomb, D.T., Struhl, K., and Davis, R.W. (1979). Isolation and characterization of a yeast chromosomal replicator. *Nature* **282** 39-43.
11. Davis, R.W., Struhl, K., St. John, T., Stinchcomb, D.T., Scherer, S., and McDonell, M. (1979). Structural and functional analysis of the *HIS3* gene and galactose inducible sequences in yeast. *ICN-UCLA Symp. Mol. and Cell. Biol.* **14** 51-55.
12. Botstein, D., Falco, S.C., Stewart, S.E., Brennan, M., Scherer, S., Stinchcomb, D.T., Struhl, K., and Davis, R.W. (1979). Sterile host yeasts (SHY): A eukaryotic system of biological containment for recombinant DNA experiments. *Gene* **8** 17-24.

13. Struhl, K., Stinchcomb, D.T., and Davis, R.W. (1980). A physiological study of functional expression in *Escherichia coli* of the cloned yeast imidazoleglycerolphosphate dehydratase gene. *J. Mol. Biol.* **136** 291-307.
14. Struhl, K. and Davis, R.W. (1980). A physical, genetic, and transcriptional map of the cloned *his3* gene region of *Saccharomyces cerevisiae*. *J. Mol. Biol.* **136** 309-332.
15. Brennan, M.B. and Struhl, K. (1980). Mechanisms of increasing expression of a yeast gene in *E. coli*. *J. Mol. Biol.* **136** 333-338.
16. Struhl, K. and Davis, R.W. (1980). Conservation and DNA sequence arrangement of the DNA polymerase I gene region from *Klebsiella aerogenes*, *Klebsiella pneumoniae*, and *Escherichia coli*. *J. Mol. Biol.* **141** 343-368.
17. Struhl, K. (1980). Expression of genes cloned in yeast. in *Yeast Genetics and Molecular Biology*, reports of the Tenth International Conference pp. 51-54.
18. Struhl, K. (1981). Deletion mapping a eukaryotic promoter. *Proc. Natl. Acad. Sci. U.S.A.* **78** 4461-4465.
19. Struhl, K. (1981). Deletion, recombination, and gene expression involving the bacteriophage λ attachment site. *J. Mol. Biol.* **152** 517-533.
20. Struhl, K. and Davis, R.W. (1981). Transcription of the *his3* gene region in *Saccharomyces cerevisiae*. *J. Mol. Biol.* **152** 535-552.
21. Struhl, K. and Davis, R.W. (1981). Promoter mutants of the yeast *his3* gene. *J. Mol. Biol.* **152** 553-568.
22. Struhl, K. (1981). Position effects in *Saccharomyces cerevisiae*. *J. Mol. Biol.* **152** 569-575.
23. Struhl, K. (1982). The yeast *his3* promoter contains at least two distinct elements. *Proc. Natl. Acad. Sci. U.S.A.* **79** 7385-7389.
24. Struhl, K. (1982). Regulatory sites for *his3* gene expression in yeast. *Nature* **300** 284-287.
25. Struhl, K. (1982). Promoter elements, regulatory elements, and chromatin structure of the yeast *his3* gene. *Cold Spring Harbor Symp. Quant. Biol.* **47** 901-910.
26. Struhl, K. (1983). The new yeast genetics. *Nature* **305** 391-397.
27. Struhl, K. (1983). A relationship between chromatin structure and genetic elements at the *his3* locus in yeast. *Alko Symposium on Yeast Molecular Biology*. ed. M. Korhola and E. Vaisanen. Foundation for Biotechnical and Industrial Fermentation Research **1** 19-29.

28. Struhl, K. (1983). Direct selection for gene replacement events in yeast. *Gene* **26** 231-241.
29. Struhl, K. (1984). Genetic properties and chromatin structure of the yeast *GAL* regulatory element, an enhancer-like sequence. *Proc. Natl. Acad. Sci. U.S.A.* **81** 7865-7869.
30. Oettinger, M.A. and Struhl, K. (1985). Suppressors of promoter mutations lacking the *his3* upstream element. *Mol. Cell. Biol.* **5** 1901-1909.
31. Struhl, K. (1985). Negative control at a distance mediates catabolite repression in yeast. *Nature* **317** 822-824.
32. Hope, I.A. and Struhl, K. (1985). GCN4 protein, synthesized *in vitro*, binds *HIS3* regulatory sequences: Implications for general control of amino acid biosynthetic genes in yeast. *Cell*. **43** 177-188.
33. Struhl, K. (1985). A rapid method for creating recombinant DNA molecules. *BioTechniques* **3** 452-453.
34. Chen, W. and Struhl, K. (1985). Yeast mRNA initiation sites are determined primarily by specific sequences, not the distance from the TATA element. *EMBO J.* **4** 3273-3280.
35. Struhl, K. (1985). Nucleotide sequence and transcriptional mapping of the yeast *pet56-his3-ded1* gene region. *Nucl. Acids Res.* **13** 8587-8601.
36. Struhl, K. (1985). Naturally occurring poly (dA-dT) sequences are upstream promoter elements for constitutive transcription in yeast. *Proc. Natl. Acad. Sci. U.S.A.* **82** 8419-8423.
37. Struhl, K., Chen, W., Hill, D.E., Hope, I.A., and Oettinger, M.A. (1985). Constitutive and coordinately regulated transcription of yeast genes: Promoter elements, positive and negative regulatory sites, and DNA binding proteins. *Cold Spring Harbor Symp. Quant. Biol.* **50** 489-503.
38. Struhl, K. (1986). Yeast promoters. in *From gene to protein: Steps dictating the maximal level of gene expression*. ed. J. Davies, Butterworths Publishing Co., Stoneham. pp. 35-78.
39. Oliphant, A., Nussbaum, A.L., and Struhl, K. (1986). Cloning of random-sequence oligodeoxynucleotides. *Gene* **44** 177-183.
40. Hope, I.A. and Struhl, K. (1986). Functional dissection of a eukaryotic transcriptional activator protein, GCN4 of yeast. *Cell* **46** 885-894.
41. Struhl, K. (1986). Yeast *his3* expression in *Escherichia coli* results from fortuitous homology between prokaryotic and eukaryotic promoter elements. *J. Mol. Biol.* **191** 221-229.

42. Hill, D.E., Hope, I.A., Macke, J.P., and Struhl, K. (1986). Saturation mutagenesis of the yeast *his3* regulatory site: Requirements for transcriptional induction and for binding by the GCN4 activator protein. *Science* **234** 451-457.
43. Struhl, K. (1986). Constitutive and inducible *his3* Promoters: Evidence for distinct molecular mechanisms. *Mol. Cell. Biol.* **6** 3847-3853.
44. Struhl, K. (1986). A complex arrangement of promoter elements mediates independent regulation of the divergently transcribed *HIS3* and *PET56* genes in yeast. *Steenbock Symposium* **16** 293-302.
45. Hill, D.E. and Struhl, K. (1986). A rapid method to determine tRNA charging levels *in vivo*: Analysis of yeast mutants defective in the general control of amino acid biosynthesis. *Nucl. Acids Res.* **14** 10045-10051.
46. Struhl, K. and Hill, D.E. (1987). Two related regulatory sequences are necessary for maximal *his3* induction. *Mol. Cell. Biol.* **7** 104-110.
47. Struhl, K. (1987). Effect of deletion and insertion on double-strand break repair in *Saccharomyces cerevisiae*. *Mol. Cell. Biol.* **7** 1300-1303.
48. Struhl, K. (1987). Promoters, activator proteins, and the molecular mechanism of transcriptional initiation in yeast. *Cell* **49** 295-297.
49. Hill, D.E., Oliphant, A.R., and Struhl, K. (1987). Mutagenesis with degenerate oligonucleotides: An efficient method for saturating a defined DNA region with base pair substitutions. *Meth. Enzymol.* **155** 558-568.
50. Oliphant, A.R. and Struhl, K. (1987). The use of random-sequence oligonucleotides for determining consensus sequences. *Meth. Enzymol.* **155** 568-582.
51. Hope, I.A. and Struhl, K. (1987). GCN4, a eukaryotic transcriptional activator protein, binds as a dimer to target DNA. *EMBO J.* **6** 2781-2784.
52. Ausubel, F., Brent, R., Kingston, R., Moore, D., Smith, J.A., Seidman, J., and Struhl, K. (1987). *Current Protocols in Molecular Biology*. Greene Publishing Associates, New York, N.Y.
53. Struhl, K. (1987). Subcloning of DNA fragments. *Curr. Protoc. Mol. Biol.* Chapter 3: Unit 3.16
54. Greene, J.M. and Struhl, K. (1987). S1 analysis of messenger RNA using single-stranded DNA probes. *Curr. Protoc. Mol. Biol.* Chapter 4: Unit 4.6
55. Struhl, K. (1987). The DNA-binding domains of the jun oncoprotein and the yeast GCN4 transcriptional activator protein are functionally homologous. *Cell* **50** 841-846.

56. Chen, W., Tabor, S., and Struhl, K. (1987). Distinguishing between mechanisms of eukaryotic transcriptional activation with bacteriophage T7 RNA polymerase. *Cell* **50** 1047-1055.
57. Kanazawa, S., Driscoll, M., and Struhl, K. (1988). *ATRI*, a *Saccharomyces cerevisiae* gene encoding a transmembrane protein required for aminotriazole resistance. *Mol. Cell. Biol.* **8** 664-673.
58. Struhl, K. (1988). The *jun* oncogene, a vertebrate transcription factor, activates transcription in yeast. *Nature* **332** 649-650.
59. Chen, W. and Struhl, K. (1988). Saturation mutagenesis of a yeast *his3* TATA element: Genetic evidence for a specific TATA-binding protein. *Proc. Natl. Acad. Sci. U.S.A.* **85** 2691-2695.
60. Hope, I.A. Mahadevan, S., and Struhl, K. (1988). Structural and functional characterization of the short acidic transcriptional activation region of yeast GCN4 protein. *Nature* **333** 635-640.
61. Oliphant, A.R. and Struhl, K. (1988). Defining the consensus sequences of *E. coli* promoter elements by random selection. *Nucl. Acids Res.* **16** 7673-7683.
62. Hill, D.E. and Struhl, K. (1988). Molecular characterization of *GCD1*, a yeast gene involved in general control of amino acid biosynthesis and cell cycle initiation. *Nucl. Acids Res.* **16** 9253-9265.
63. Struhl, K., Brandl, C.J., Chen, W., Harbury, P.A.B., Hope, I.A., and Mahadevan, S. (1988). Transcriptional activation by yeast GCN4, a functional homologue to the jun oncoprotein. *Cold Spring Harbor Symp. Quant. Biol.* **53** 701-709.
64. Chen, W. and Struhl, K. (1989). Yeast upstream activator protein GCN4 can stimulate transcription when its binding site replaces the TATA element. *EMBO J.* **8** 261-268.
65. Struhl, K. (1989). Helix-turn-helix, zinc finger, and leucine zipper motifs for eukaryotic transcriptional regulatory proteins. *Trends Biochem. Sci.* **14** 137-140.
66. Struhl, K. (1989). Molecular mechanisms of transcriptional regulation in yeast. *Ann. Rev. Biochem.* **58** 1051-1077.
67. Brandl, C.J. and Struhl, K. (1989). Yeast GCN4 transcriptional activator protein interacts with RNA polymerase II *in vitro*. *Proc. Natl. Acad. Sci. U.S.A.* **86** 2652-2656.
68. Struhl, G., Struhl, K., and Macdonald, P.M. (1989). The gradient morphogen *bicoid* is a concentration-dependent transcriptional activator. *Cell* **57** 1259-1273.

69. Oliphant, A.R, Brandl, C.J., and Struhl, K. (1989). Defining the sequence specificity of DNA-binding proteins by selecting binding sites from random-sequence oligonucleotides: Analysis of yeast GCN4 protein. *Mol. Cell. Biol.* **9** 2944-2949.
70. Sellers, J.W. and Struhl, K. (1989). Changing Fos oncoprotein to a Jun-independent DNA-binding protein with GCN4 dimerization specificity by swapping "leucine zippers". *Nature* **341** 74-76.
71. Struhl K. (1989). Synthesizing proteins *in vitro* by transcription and translation of cloned genes. *Curr Protoc. Mol. Biol.* Chapter 10, Unit 10.17.
72. Struhl, K. (1989). Analysis of DNA-protein interactions using proteins synthesized *in vitro* from cloned genes. *Curr. Protoc. Mol. Biol.* Chapter 12: Unit 12.9.
73. Harbury, P.A.B. and Struhl, K. (1989). Functional distinctions between yeast TATA elements. *Mol. Cell. Biol.* **9** 5298-5304.
74. Oliphant, A.R and Struhl, K. (1989). An efficient method for generating proteins with altered enzymatic properties: Application to β -lactamase. *Proc. Natl. Acad. Sci. U.S.A.* **86** 9094-9098.
75. Struhl, K. (1990). GCN4, the yeast version of the Jun-Fos oncogene family. in *Gene regulation, oncogenesis, and AIDS*. ed. Papis, T. Portfolio Publishing Co., Texas, pp. 19-24.
76. Singer, V.L., Wobbe, C.R., and Struhl, K. (1990). A wide variety of unrelated DNA sequences can functionally replace a yeast TATA element for transcriptional activation. *Genes Dev.* **4** 636-645.
77. Ponticelli, A.S. and Struhl, K. (1990). Analysis of *Saccharomyces cerevisiae his3* transcription *in vitro*: Biochemical support for multiple mechanisms of transcription. *Mol. Cell. Biol.* **10** 2832-2839.
78. Wobbe, C.R. and Struhl, K. (1990). Yeast and human TATA-binding proteins have nearly identical DNA sequence requirements for transcription *in vitro*. *Mol. Cell. Biol.* **10** 3859-3867.
79. Brandl, C.J. and Struhl, K. (1990). A nucleosome positioning sequence is required for GCN4 to activate transcription in the absence of a TATA element. *Mol. Cell. Biol.* **10** 4256-4265.
80. Mahadevan, S. and Struhl, K. (1990). T_C, an unusual promoter element required for constitutive transcription of the yeast *HIS3* gene. *Mol. Cell. Biol.* **10** 4447-4455.

81. Sellers, J.W., Vincent, A.C., and Struhl, K. (1990). Mutations that define the optimal half-site for binding yeast GCN4 activator protein and identify an ATF/CREB-like repressor that recognizes similar DNA sites. *Mol. Cell. Biol.* **10** 5077-5086.
82. Weiss, M.A., Ellenberger, T., Wobbe, C.R., Lee, J.P., Harrison, S.C., and Struhl, K. (1990). Folding transition in the DNA-binding domain of GCN4 on specific binding to DNA. *Nature* **347** 575-578.
83. Struhl, K. (1991). Reverse biochemistry: Methods and applications for synthesizing yeast proteins *in vitro*. *Meth. Enzymol.* **194** 520-535.
84. Oliviero, S. and Struhl, K. (1991). Synergistic transcriptional enhancement does not depend on the number of acidic activation regions. *Proc. Natl. Acad. Sci. U.S.A.* **88** 224-228.
85. Cormack, B.P., Strubin, M., Ponticelli, A.S., and Struhl, K. (1991). Functional differences between yeast and human TFIID are localized to the highly conserved region. *Cell* **65** 341-348.
86. Struhl, K. (1991). Structural and functional analysis of the DNA-binding domain of yeast GCN4 protein. *Mochida Memorial Symposium* **2** 163-176.
87. Struhl, K. (1991). Acid connections. *Curr. Biol.* **1** 188-191.
88. Struhl, K. (1991). Mechanisms for diversity in gene regulatory patterns. *Neuron* **7** 177-181.
89. Pu, W.T. and Struhl, K. (1991). The leucine zipper symmetrically positions the adjacent basic regions for specific DNA binding. *Proc. Natl. Acad. Sci. U.S.A.* **88** 6901-6905.
90. Pu, W.T. and Struhl, K. (1991). Highly conserved residues in the bZIP domain of yeast GCN4 are not essential for DNA-binding. *Mol. Cell. Biol.* **11** 4918-4926.
91. Strubin, M. and Struhl, K. (1992). Yeast and human TFIID with altered DNA-binding specificity for TATA elements. *Cell* **68** 721-730.
92. Kelleher, R.J. III, Flanagan, P.M., Chasman, D.I., Ponticelli, A.S., Struhl, K., and Kornberg, R.D. (1992). Yeast and human TFIIDs are interchangeable for the response to acidic transcriptional activators *in vitro*. *Genes Dev.* **6** 296-303.
93. Pu, W.T. and Struhl, K. (1992). Uracil interference, a rapid and general method for defining protein-DNA contacts involving the 5-methyl group of thymines: The GCN4-DNA complex. *Nucl. Acids Res.* **20** 771-775.
94. Tzamarias, D., Pu, W.T., and Struhl, K. (1992). Mutations in the bZIP domain of yeast GCN4 that alter DNA-binding specificity. *Proc. Natl. Acad. Sci. U.S.A.* **89** 2007-2011.

95. Cormack, B.P. and Struhl, K. (1992). The TATA-binding protein is required for transcription by all three nuclear RNA polymerases in yeast cells. *Cell* **69** 685-696.
96. van Heeckeren, W.J., Sellers, J.W., and Struhl, K. (1992). Role of the conserved leucines in the leucine zipper dimerization motif of yeast GCN4. *Nucl. Acids Res.* **20** 3721-3724.
97. Oliviero, S., Robinson, G.S., Struhl, K., and Spiegelman, B.M. (1992). Yeast GCN4 as a probe for oncogenesis by AP-1 transcription factors: Transcriptional activation through AP-1 sites is not sufficient for cellular transformation. *Genes Dev.* **6** 1799-1809.
98. Vincent, A.C. and Struhl, K. (1992). ACR1, a yeast ATF/CREB repressor. *Mol. Cell. Biol.* **12** 5394-5405.
99. Ellenberger, T.E., Brandl, C.J., Struhl, K., and Harrison, S.C. (1992). The GCN4 basic-region-leucine zipper binds DNA as a dimer of uninterrupted α -helices: Crystal structure of the protein-DNA complex. *Cell* **71** 1223-1237.
100. Struhl, K. (1992). The yeast GCN4 transcriptional activator protein. in *Transcriptional Regulation*. ed. Yamamoto, K.R. and McKnight, S.L. Cold Spring Harbor Press, New York, pp. 833-859.
101. Struhl, K. (1992). Altered DNA-binding specificity mutants of GCN4 and TFIID. in *Molecular Structure and Life: Molecular recognition of nucleic acids*. ed. Kyogoku, Y. and Nishimura Y. Japan Science Society Press, Tokyo, pp. 207-216.
102. Collart, M.A. and Struhl, K. (1993). CDC39, an essential nuclear protein that negatively regulates transcription and differentially affects the constitutive and inducible *HIS3* promoters. *EMBO J.* **12** 177-186.
103. Struhl, K. (1993). Chromatin and transcription factors: Who's on first? *Curr. Biol.* **3** 220-222.
104. Kim, J., Tzamarias, D., Ellenberger, T.E., Harrison, S.C., and Struhl, K. (1993). Adaptability at the protein-DNA interface is an important aspect of sequence recognition by bZIP proteins. *Proc. Natl. Acad. Sci. U.S.A.* **90** 4513-4517.
105. Struhl, K. (1993). Yeast transcription factors. *Curr. Opin. Cell Biol.* **5** 513-520.
106. Pu, W.T. and Struhl, K. (1993). Dimerization of leucine zippers analyzed by random selection. *Nucl. Acids Res.* **21** 4348-4355.
107. Cormack, B.P. and Struhl, K. (1993). Regional codon randomization: Defining a TATA-binding protein surface required for RNA polymerase III transcription. *Science* **262** 244-248.

108. Baldwin, A.S., Oettinger, M.A., and Struhl, K. (1994). Methylation and uracil interference assays for analysis of protein-DNA interactions. *Curr. Protoc. Mol. Biol.* Chapter 12: Unit 12.3
109. Struhl, K. (1994). Duality of the universal eukaryotic transcription factor, TBP. *Science* **263** 1103-1104.
110. Klein, C. and Struhl, K. (1994). Protein kinase A mediates growth-regulated expression of yeast ribosomal protein genes by modulating RAP1 transcriptional activity. *Mol. Cell. Biol.* **14** 1920-1928.
111. Collart, M.A. and Struhl, K. (1994). *NOT1(CDC39)*, *NOT2(CDC36)*, *NOT3*, and *NOT4* encode a global negative regulator of transcription that differentially affects TATA-element utilization. *Genes Dev.* **8** 525-537.
112. Engelberg, D., Klein, C., Martinetto, H., Struhl, K., and Karin, M. (1994). The UV response involving the Ras signaling pathway and AP-1 transcription factors is conserved between yeast and mammals. *Cell* **77** 381-390.
113. Arndt, K.M., Wobbe, C.R., Ricupero-Hovasse, S., Struhl, K., and Winston, F. (1994). Equivalent mutations in the two repeats in yeast TATA-binding protein confer distinct TATA-recognition specificities. *Mol. Cell. Biol.* **14** 3719-3728.
114. Cormack, B.P., Strubin, M., Stargell, L.A. and Struhl, K. (1994). Conserved and non-conserved functions of yeast and human TATA-binding proteins. *Genes Dev.* **8** 1335-1343.
115. Tzamarias, D. and Struhl, K. (1994). Functional dissection of the yeast Cyc8-Tup1 transcriptional co-repressor complex. *Nature* **369** 758-761.
116. Klein, C. and Struhl, K. (1994). Increased recruitment of TATA-binding protein to the promoter by transcriptional activation domains *in vivo*. *Science* **266** 280-282.
117. Ponticelli, A.S., Pardee, T.S., and Struhl, K. (1995). The glutamine-rich activation domains of human Sp1 do not stimulate transcription in *Saccharomyces cerevisiae*. *Mol. Cell. Biol.* **15** 983-988.
118. Tzamarias, D. and Struhl, K. (1995). Distinct TPR motifs of Cyc8 are involved in recruiting the Cyc8-Tup1 co-repressor complex to differentially regulated promoters. *Genes Dev.* **9** 821-831.
119. Chatterjee, S. and Struhl, K. (1995). Connecting a promoter-bound protein to TBP bypasses the need for a transcriptional activation domain. *Nature* **374** 820-822.
120. Iyer, V. and Struhl, K. (1995). Poly(dA:dT), a ubiquitous promoter element that stimulates transcription via its intrinsic DNA structure. *EMBO J.* **14** 2570-2579.

121. Stargell, L.A. and Struhl, K. (1995). The TBP-TFIIA interaction in the response to acidic activators *in vivo*. *Science* **269** 75-78.
122. Kim, J. and Struhl, K. (1995). Determinants of half-site spacing preferences that distinguish AP-1 and ATF/CREB bZIP domains. *Nucl. Acids Res.* **23** 2531-2537.
123. Lee, M. and Struhl, K. (1995). Mutations on the DNA-binding surface of TATA-binding protein can specifically impair the response to acidic activators *in vivo*. *Mol. Cell. Biol.* **15** 5461-5469.
124. Iyer, V. and Struhl, K. (1995). Mechanism of differential utilization of the *his3* T_R and T_C TATA elements. *Mol. Cell. Biol.* **15** 7059-7066.
125. Struhl, K. (1995). Yeast transcriptional regulatory mechanisms. *Ann. Rev. Genet.* **29** 651-674.
126. Struhl, K. (1996). Chromatin structure and RNA polymerase II connection: Implications for transcription. *Cell* **88** 179-182.
127. Iyer, V. and Struhl, K. (1996). Absolute mRNA levels and transcriptional initiation rates in *Saccharomyces cerevisiae*. *Proc. Natl. Acad. Sci. U.S.A.* **93** 5208-5212.
128. Stargell, L.A. and Struhl, K. (1996). A new class of activation defective TATA-binding protein mutants: Evidence for two steps of transcriptional activation *in vivo*. *Mol. Cell. Biol.* **16** 4456-4464.
129. Stargell, L.A. and Struhl, K. (1996). Mechanisms of transcriptional activation *in vivo*: Two steps forward. *Trends Genet.* **12** 311-315.
130. Moqtaderi, Z., Bai, Y., Poon, D., Weil, A.P., and Struhl, K. (1996). TBP-associated factors are not generally required for transcriptional activation in yeast. *Nature* **383** 188-191.
131. Struhl, K. (1996). Transcriptional enhancement by acidic activators. *BBA (Reviews on Cancer)* **1288** O15-O17.
132. Moqtaderi, Z., Yale, J.D., Struhl, K., and Buratowski, S. (1996). Yeast homologues of higher eukaryotic TFIID subunits. *Proc. Natl. Acad. Sci. U.S.A.* **93** 14654-14658.
133. DeRubertis, F., Kadosh, D., Henchoz, S., Pauli, D., Reuter, G., Struhl, K., and Spierer, P. (1996). The histone deacetylase RPD3 counteracts genomic silencing in *Drosophila* and yeast. *Nature* **384** 589-591.
134. Struhl, K. Selective roles for TAFs *in vivo*. (1997). *Genes Funct.* **1** 5-9.

135. Lee, M. and Struhl, K. (1997). A severely defective TATA-binding protein-TFIIB interaction does not preclude transcriptional activation *in vivo*. *Mol. Cell. Biol.* **17** 1336-1345.
136. Mahadevan, S., Raghunand, T.R., Panicker, S. and Struhl, K. (1997). Characterisation of 3' end formation of the yeast *his3* mRNA. *Gene* **190** 69-76.
137. Kadosh, D. and Struhl, K. (1997). Repression by Ume6 involves recruitment of a complex containing Sin3 corepressor and Rpd3 histone deacetylase to target promoters. *Cell* **89** 365-371.
138. Schaffrath, R., Struhl, K., and Stark, M.J.R. (1997). Toxin-mediated cell cycle arrest in yeast: The killer phenomenon of *Kluyveromyces lactis*. *BIOforum International* **1** 83-85.
139. Chou, S. and Struhl, K. (1997). Transcriptional activation by TFIIB mutants that severely impair the interaction with promoter DNA and acidic activation domains. *Mol. Cell. Biol.* **17** 6794-6802.
140. Fernandes, L., Rodrigues-Pousada, C., and Struhl, K. (1997). Yap, a novel family of eight bZIP proteins in *Saccharomyces cerevisiae* with distinct biological functions. *Mol. Cell. Biol.* **17** 6982-6993.
141. Struhl, K. (1998). Histone acetylation and transcriptional regulatory mechanisms. *Genes Dev.* **12** 599-606.
142. Kadosh, D. and Struhl, K. (1998). Histone deacetylase activity of Rpd3 is important for transcriptional repression *in vivo*. *Genes Dev.* **12** 797-805.
143. Keaveney, M. and Struhl, K. (1998). Activator-mediated recruitment of the RNA polymerase II machinery is the predominant mechanism for transcriptional activation in yeast. *Mol. Cell* **1** 917-924.
144. Struhl, K. and Moqtaderi, Z. (1998). The TAFs in the HAT. *Cell* **94** 1-4.
145. Kadosh, D. and Struhl, K. (1998). Targeted recruitment of the Sin3-Rpd3 histone deacetylase complex generates a highly localized domain of repressed chromatin *in vivo*. *Mol. Cell. Biol.* **18** 5121-5127.
146. Benson, J.D., Benson, M., Howley, P.M., and Struhl, K. (1998). Association of distinct yeast Not2 functional domains with components of the Gcn5 histone acetylase and Ccr4 transcriptional regulatory complexes. *EMBO J.* **17** 6714-6722.
147. Moqtaderi, Z., Keaveney, M., and Struhl, K. (1998). The histone H3-like TAF is broadly required for transcription in yeast. *Mol. Cell* **2** 675-682.

148. van Heeckeren, W.J., Dorris, D.R., and Struhl, K. (1998). The mating-type proteins of fission yeast induce meiosis by directly activating *mei3* transcription. *Mol. Cell. Biol.* **18** 7317-7326.
149. Struhl, K., Kadosh, D., Keaveney, M., Kuras, L., and Moqtaderi, Z. (1998). Activation and repression mechanisms in yeast. *Cold Spring Harbor Symp. Quant. Biol.* **63** 413-421.
150. Gaudreau, L., Keaveney, M., Nevado, J., Zaman, Z., Bryant, G.O., Struhl, K., and Ptashne, M. (1999). Transcriptional activation by artificial recruitment is influenced by promoter architecture and downstream sequences. *Proc. Natl. Acad. Sci. U.S.A.* **96** 2668-2673.
151. Keaveney, M. and Struhl, K. (1999). Incorporation of *Drosophila* TAF110 into the yeast TFIID complex does not permit the Sp1 glutamine-rich activation domain to function *in vivo*. *Genes Cells* **4** 197-203.
152. Ranallo, R.T., Struhl, K., and Stargell, L.A. (1999). A TBP mutant defective for TFIID complex formation *in vivo*. *Mol. Cell. Biol.* **19** 3951-3957.
153. Dreyfuss, G. and Struhl, K. (1999). Editorial overview: multiprotein complexes, mechanistic connections and nuclear organization. *Curr. Op. Cell. Biol.* **11** 303-306.
154. Kuras, L. and Struhl, K. (1999). Binding of TBP to promoters *in vivo* is stimulated by activators and requires Pol II holoenzyme. *Nature* **399** 609-613.
155. Struhl, K. (1999). Fundamentally different logic of gene regulation in eukaryotes and prokaryotes. *Cell* **98** 1-4.
156. Chou, S., Chatterjee, S., Lee, M., and Struhl, K. (1999). Transcriptional activation in yeast cells lacking transcription factor IIA. *Genetics* **153** 1573-1581.
157. Geisberg, J.V. and Struhl, K. (2000). TATA-binding protein mutants that increase transcription from enhancerless and repressed promoters *in vivo*. *Mol. Cell. Biol.* **20** 1478-1488.
158. Stargell, L.A., Moqtaderi, Z., Dorris, D.R., Ogg, R.C. and Struhl, K. (2000). TFIIA has activator-dependent and core promoter functions *in vivo*. *J. Biol. Chem.* **275** 12374-12380.
159. Kuras, L., Kosa, P., Mencia, M., and Struhl, K. (2000). TAF-containing and TAF-independent forms of transcriptionally active TBP *in vivo*. *Science* **288** 1244-1248.
160. Garcia-Gimeno, M.A. and Struhl, K. (2000). Aca1 and Aca2, ATF/CREB activators in *Saccharomyces cerevisiae*, are important for carbon-source utilization but not the response to stress. *Mol. Cell. Biol.* **20** 4340-4349.

161. Dorris, D.R. and Struhl, K. (2000). Artificial recruitment of TFIID, but not RNA polymerase II holoenzyme, activates transcription in mammalian cells. *Mol. Cell. Biol.* **20** 4350-4358.
162. Lee, M., Chatterjee, S., and Struhl, K. (2000). Genetic analysis of the role of Pol II holoenzyme components in repression by the Cyc8-Tup1 complex. *Genetics* **155** 1535-1542.
163. Mai, X., Chou, S. and Struhl, K. (2000). Preferential accessibility of the yeast *his3* promoter region is determined by a general property of the DNA sequence, not by specific elements. *Mol. Cell. Biol.* **20** 6668-6676.
164. Reid, J.L., Iyer, V.R., Brown, P.O., and Struhl, K. (2000). Coordinate regulation of yeast ribosomal protein genes is associated with targeted recruitment of Esa1 histone acetylase. *Mol. Cell* **6** 1297-1307.
165. Kuo, M.-H., vom Baur, E., Struhl, K., and Allis, C.D. (2000). Gcn4 activator targets Gcn5 histone acetyltransferase to specific promoters independently of transcription. *Mol. Cell* **6** 1309-1320.
166. Mencia, M. and Struhl, K. (2001). Region of yeast TAF130 required for association of the TFIID complex with promoters. *Mol. Cell. Biol.* **21** 1145-1154.
167. Deckert, J. and Struhl, K. (2001). Histone acetylation at promoters is differentially affected by specific activators and repressors. *Mol. Cell. Biol.* **21** 2726-2735.
168. Geisberg, J.V., Holstege, F.C., Young, R.A., and Struhl, K. (2001). Yeast NC2 associates with the RNA polymerase II preinitiation complex and selectively affects transcription *in vivo*. *Mol. Cell. Biol.* **21** 2736-2742.
169. Lee, M. and Struhl, K. (2001). Multiple functions of the nonconserved N-terminal domain of yeast TATA-binding protein. *Genetics* **158** 87-93.
170. Kulish, D. and Struhl, K. (2001). TFIIS enhances transcriptional elongation through an artificial arrest site *in vivo*. *Mol. Cell. Biol.* **21** 4162-4168.
171. Struhl, K. (2001). Gene regulation: a paradigm for precision. *Science* **293** 1054-1055.
172. Struhl, K. (2001). Book review. The recombinant DNA controversy- a memoir- Science, politics, and the public interest 1974-1981 by Donald S. Fredrickson. *N. Engl. J. Med.* **345** 1431.
173. Katan-Khaykovich, Y. and Struhl, K. (2002). Dynamics of global histone acetylation and deacetylation *in vivo*: Rapid restoration of normal histone acetylation status upon removal of activator and repressors. *Genes Dev.* **16** 743-752.

174. Ng, H.H., Robert, F., Young, R.A., and Struhl, K. (2002). Genome-wide location and regulated recruitment of the RSC nucleosome remodeling complex. *Genes Dev.* **16** 806-819.
175. Mencia, M., Moqtaderi, Z., Geisberg, J.V., Kuras, L., and Struhl, K. (2002). Activator-specific recruitment of TFIID and regulation of ribosomal protein genes in yeast. *Mol. Cell.* **9** 823-833.
176. Struhl, K. (2002). From *E. coli* to elephants. Book review. *Genes & Signals* by Mark Ptashne and Alexander Gann. *Nature* **417** 22-23.
177. Strasser, K., Masuda, S., Mason, P., Pfannstiel, J., Oppizzi, M., Rodriguez-Navarro, S., Rondon, A.G., Aguilera, A.A., Struhl, K., Reed, R., and Hurt, E. (2002). TREX is a conserved complex coupling transcription with mRNA export. *Nature* **417** 304-307.
178. Ng, H.H., Feng, Q., Wang, H., Erdjument-Bromage, H., Tempst, P., Zhang, Y., and Struhl, K. (2002). Lysine methylation within the globular domain of histone H3 by Dot1 is important for telomeric silencing and Sir protein association. *Genes Dev.* **16** 1518-1527.
179. Proft, M. and Struhl, K. (2002). Hog1 kinase converts the Sko1-Cyc8-Tup1 repressor complex into an activator that recruits SAGA and SWI/SNF in response to osmotic stress. *Mol. Cell.* **9** 1307-1317.
180. Feng, Q., Wang, H., Ng, H.H., Erdjument-Bromage, H., Tempst, P., Struhl, K., and Zhang, Y. (2002). Methylation of H3-lysine 79 is mediated by a new family of HMTases without a SET domain. *Curr. Biol.* **12** 1052-1058.
181. Deckert, J. and Struhl, K. (2002). Targeted recruitment of Rpd3 histone deacetylase represses transcription by inhibiting recruitment of Swi/Snf, SAGA, and TATA-binding protein. *Mol. Cell. Biol.* **22** 6458-6470.
182. Ng, H.H., Xu, R.M., Zhang, Y., and Struhl, K. (2002). Ubiquitination of histone H2B by Rad6 is required for efficient Dot1-mediated methylation of histone H3 lysine 79. *J. Biol. Chem.* **277** 34655-34657.
183. Hall, D.B. and Struhl, K. (2002). The VP16 activation domain interacts with multiple transcriptional components as determined by protein-protein crosslinking *in vivo*. *J. Biol. Chem.* **277** 46043-46050.
184. Geisberg, J.V., Moqtaderi, Z., Kuras, L., and Struhl, K. (2002). Mot1 associates with transcriptionally active promoters and inhibits the association of NC2 in *Saccharomyces cerevisiae*. *Mol. Cell. Biol.* **22** 8122-8134.
185. Ng, H.H., Ciccone, D.N., Morshead, K.B., Oettinger, M.A., and Struhl, K. (2003). Methylation of lysine 79 of histone H3 is hypomethylated at silenced loci in yeast and

mammalian cells: a potential mechanism for position-effect variegation. *Proc. Natl. Acad. Sci. U.S.A.* **100** 1820-1825.

186. Ng, H.H., Robert, F., Young, R.A., and Struhl, K. (2003). Targeted recruitment of Set1 histone methylase by elongating Pol II provides a localized mark and memory of recent transcriptional activity. *Mol. Cell* **11** 709-719.
187. Ng, H.H., Dole, S., and Struhl, K. (2003). The Rtf1 component of the Paf1 transcriptional elongation complex is required for ubiquitination of histone H2B. *J. Biol. Chem.* **278** 33625-33628.
188. Mason, P.B. and Struhl, K. (2003). The FACT complex travels with elongating RNA polymerase II and is important for the fidelity of transcriptional initiation *in vivo*. *Mol. Cell. Biol.* **23** 8323-8333.
189. Reid, J.L., Moqtaderi, Z., and Struhl, K. (2004). Eaf3 regulates the global pattern of histone acetylation in *Saccharomyces cerevisiae*. *Mol. Cell. Biol.* **24** 757-764.
190. Cawley, S., Bekiranov, S., Ng, H.H., Kapranov, P., Sekinger, E.A., Kampa, D., Piccolboni, A., Sementchenko, V., Cheng, J., Williams, A., Wheeler, R., Wong, B., Drenkow, J., Yamanaka, M., Patel, S., Brubaker, S., Tammana, H., Helt, G., Struhl, K. and Gingeras, T. R. (2004). Unbiased mapping of transcription factor binding sites along human chromosomes 21 and 22 points to widespread regulation of non-coding RNAs. *Cell* **116** 499-509.
191. Moqtaderi, Z. and Struhl, K. (2004). Genome-wide occupancy profile of the RNA polymerase III machinery in *Saccharomyces cerevisiae* reveals loci with incomplete transcription complexes. *Mol. Cell. Biol.* **24** 4118-4127.
192. Geisberg, J.V. and Struhl, K. (2004). Cellular stress alters the transcriptional properties of promoter-bound Mot1-TBP complexes. *Mol. Cell* **14** 479-489.
193. Bourbon, H.-M. et al. (2004). A unified nomenclature for protein subunits of Mediator complexes linking transcriptional regulators to RNA polymerase II. *Mol. Cell* **14** 553-557.
194. Proft, M. and Struhl, K. (2004). MAP kinase-mediated stress relief that precedes and regulates the timing of transcriptional induction. *Cell* **118** 351-361.
195. Moqtaderi, Z. and Struhl, K. (2004). Defining *in vivo* targets of nuclear proteins by chromatin immunoprecipitation and microarray analysis. *Curr. Protoc. Mol. Biol.* Chapter 21: Unit 21.9
196. Grainger, D.C., Overton, T.W., Reppas, N., Wade, J.T., Tamai, E., Hobman, J.L., Constantinidou, C., Struhl, K., Church, G.M., and Busby, S.J.W. (2004). Genomic studies with *Escherichia coli* MelR protein: applications of chromatin immunoprecipitation and microarrays. *J. Bacteriol.* **186** 6938-6943.

197. ENCODE project consortium. (2004). The ENCODE (ENCyclopedia of DNA Elements) project. *Science* **306** 636-640.
198. Geisberg, J.V. and Struhl, K. (2004). Quantitative sequential chromatin immunoprecipitation, a method for analyzing co-occupancy of proteins at genomic regions *in vivo*. *Nucl. Acids Res.* **32** e151.
199. Schwabish, M.A. and Struhl, K. (2004). Evidence for eviction and rapid deposition of histones upon transcriptional elongation by RNA polymerase II. *Mol. Cell. Biol.* **24** 10111-10117.
200. Wade, J.T. and Struhl, K. (2004). Association of RNA polymerase with transcribed regions in *Escherichia coli*. *Proc. Natl. Acad. Sci. U.S.A.* **101** 17777-17782.
201. Wade, J.T., Hall, D.B., and Struhl, K. (2004). The transcription factor Ifh1 is a key regulator of yeast ribosomal protein genes. *Nature* **432** 1054-1058.
202. Aparicio, O.M., Geisberg, J.V., Sekinger, E.A., Yang, A., Moqtaderi, Z., and Struhl, K. (2005). Chromatin immunoprecipitation for determining the association of proteins with specific genomic sequences *in vivo*. *Curr. Protoc. Mol. Biol.* Chapter 21: Unit 21.3
203. Struhl, K. (2005). Transcriptional activation: Mediator can act after preinitiation complex formation. *Mol. Cell* **17** 752-754.
204. Mason, P.B. and Struhl, K. (2005). Distinction and relationship between elongation rate and processivity of RNA polymerase II *in vivo*. *Mol. Cell.* **17** 831-840.
205. Sekinger, E.A., Moqtaderi, Z., and Struhl, K. (2005). Intrinsic histone-DNA interactions and low nucleosome density are important for preferential accessibility of promoter regions in yeast. *Mol. Cell.* **18** 735-748.
206. Katan-Khaykovich, Y. and Struhl, K. (2005). Heterochromatin formation involves changes in histone modifications over multiple cell generations. *EMBO J.* **24** 2138-2149.
207. Proft, M., Gibbons, F.D., Copeland, M., Roth, R.P., and Struhl, K. (2005). Genome-wide identification of Sko1 target promoters reveals a regulatory network that operates in response to osmotic stress in *Saccharomyces cerevisiae*. *Eukaryot. Cell* **4** 1343-1352.
208. Wade, J.T., Reppas, N.B., Church, G.M., and Struhl, K. (2005). Genomic analysis of LexA binding reveals the permissive nature of the *Escherichia coli* genome and identifies unconventional target sites. *Genes Dev.* **19** 2619-2630.
209. Gibbons, F.D., Proft, M., Struhl, K., and Roth, F.P. (2005). Chipper: discovering transcription-factor targets from chromatin immunoprecipitation microarrays using variance stabilization. *Genome Biol.* **6** R96.

210. Joshi, A.A. and Struhl, K. (2005). Eaf3 chromodomain interaction with methylated H3-K36 links histone deacetylation to Pol II elongation. *Mol. Cell* **20** 971-978.
211. Fan, X., Chou, D. and Struhl, K. (2006). Activator-specific recruitment of Mediator *in vivo*. *Nat. Struct. Mol. Biol.* **13** 117-120.
212. Hall, D.B., Wade, J.T., and Struhl, K. (2006). An HMG protein, Hmo1, associates with promoters of many ribosomal protein genes and throughout the rRNA gene locus in *Saccharomyces cerevisiae*. *Mol. Cell. Biol.* **26** 3672-3679.
213. Schwabish, M.A. and Struhl, K. (2006). Asf1 mediates histone eviction and deposition during elongation by RNA polymerase II. *Mol. Cell.* **22** 415-422.
214. Proft, M., Mas, G., de Nadal, E., Vendrell, A., Noriega, N., Struhl, K., and Posas, F. (2006). The stress-activated Hog1 kinase is a selective transcriptional elongation factor for genes responding to osmotic stress. *Mol. Cell.* **23** 241-250.
215. Miotto, B. and Struhl, K. (2006). Differential gene regulation by selective association of transcriptional co-activators and bZIP DNA-binding domains. *Mol. Cell. Biol.* **26** 5969-5982.
216. Wade, J.T., Roa, D.C., Grainger, D.C., Hurd, D., Busby, S.J.W., Struhl, K., and Nudler, E. (2006). Extensive functional overlap among σ factors in *Escherichia coli*. *Nat. Struct. Mol. Biol.* **13** 806-814.
217. Ghosh, S., Hirsch, H.A., Sekinger, E.A. Struhl, K., and Gingeras, T.R. (2006). Rank-statistics based enrichment-site prediction algorithm developed for chromatin immunoprecipitation on chip experiments. *BMC Bioinformatics* **7** 434.
218. Pascual-Ahuir, A., Struhl, K., and Proft, M. (2006). Genome-wide location analysis of the stress-activated MAP kinase Hog1 in yeast. *Methods* **40** 272-278.
219. Yang, A., Zhu, Z., Kapranov, P., McKeon, F., Church, G.M., Gingeras, T.R., and Struhl, K. (2006). Relationships between p63 binding, DNA sequence, transcription activity, and biological function in human cells. *Mol. Cell.* **24** 593-602.
220. Reppas, N.B., Wade, J.T., Church, G.M., and Struhl, K. (2006). The transition between transcriptional initiation and elongation in *E. coli* is highly variable and often rate-limiting. *Mol. Cell.* **24** 747-757.
221. Struhl, K. (2007). Transcriptional noise and the fidelity of initiation by RNA polymerase II. *Nat. Struct. Mol. Biol.* **14** 103-105.
222. ENCODE Project Consortium. (2007). The ENCODE pilot project: Identification and analysis of functional elements in 1% of the human genome. *Nature* **447** 799-816.

223. Wade, J.T., Struhl, K., Busby, S.J.W., and Grainger, D.C. (2007). Genomic analysis of protein-DNA interactions in bacteria: Insights into transcription and chromosome organization. *Mol. Microbiol.* **65** 21-26.
224. Peckham, H.E., Thurman, R.E., Fu, Y., Stamatoyannopoulos, J.A., Noble, W.S., Struhl, K., and Weng, Z. (2007). Nucleosome positioning signals in genomic DNA. *Genome Res.* **17** 1170-1177.
225. Miotto, B. and Struhl, K. (2007). Histone H4 lysine 16 acetylation: from genome regulation to tumoral progression. *Med. Sci. (Paris)*. **23** 735-740.
226. Schwabish, M.A. and Struhl, K. (2007). The Swi/Snf complex is important for histone eviction during transcriptional activation and RNA polymerase II elongation *in vivo*. *Mol. Cell. Biol.* **27** 6987-6995.
227. Ghosh, S., Hirsch, H.A., Sekinger, E.A., Kapranov, P., Struhl, K., and Gingeras, T.R. (2007). Differential analysis for high density tiling microarray data. *BMC Bioinformatics* **8** 359.
228. Struhl, K. (2008). Interpreting chromatin immunoprecipitation experiments. In *Evaluating Techniques in Biochemical Research*, D. Zuk, ed. (Cambridge, MA; Cell Press) pp. 29-33.
229. Struhl, K. (2008). Kevin Struhl. *Curr. Biol.* **18** R7-R9.
230. Johnson, D.S. et al. (2008). Systematic evaluation of variability in ChIP-chip experiments using predefined DNA targets. *Genome Res.* **18** 393-403.
231. Moqtaderi, Z. and Struhl, K. (2008). Expanding the repertoire of plasmids for PCR-mediated epitope tagging in yeast. *Yeast* **25** 287-292.
232. Thakur, J.K., Arthanari, H., Yang, F., Pan, S.-J., Fan, X., Breger, J., Frueh, D.P., Gulshan, K., Li, D., Mylonakis, E., Struhl, K., Moye-Rowley, W.S., Cormack, B.P., Wagner, G., and Naar, A.M. (2008). A nuclear receptor-like pathway regulating multidrug resistance in fungi. *Nature* **452** 604-609.
233. Wade, J.T. and Struhl, K. (2008). The transition between transcriptional initiation and elongation. *Curr. Opin. Genet. Dev.* **18** 130-136.
234. Fan, X., Lamarre-Vincent, N., Wang, Q., and Struhl, K. (2008). Extensive chromatin fragmentation improves enrichment of protein binding sites in chromatin immunoprecipitation experiments. *Nucl. Acids Res.* **36** e125.
235. Miotto, B. and Struhl, K. (2008). HBO1 histone acetylase is a co-activator of the replication licensing factor Cdt1. *Genes Dev.* **22** 2633-2638.

236. Madhani, H.D., Francis, N.J., Kingston, R.E., Kornberg, R.D., Moazed, D., Narlikar, G.J., Panning, B., and Struhl, K. (2008). Epigenomics: A roadmap, but to where. *Science* **322** 43-44.
237. Struhl, K. (2008). The *hisB463* mutation and expression of a eukaryotic protein in *E. coli*. *Genetics* **180** 709-714.
238. Fan, X. and Struhl, K. (2009). Where does Mediator bind *in vivo*? *PLoS ONE* **4** e5029.
239. Zhang, Y., Moqtaderi, Z., Rattner, B.P., Euskirchen, G., Snyder, M., Kadonaga, J.T., Liu, X.S., and Struhl, K. (2009). Intrinsic histone-DNA interactions are not the major determinant of nucleosome positions *in vivo*. *Nat. Struct. Mol. Biol.* **16** 847-852.
240. Auerbach, R.K., Euskirchen, G., Rozofsky, J., Lamarre-Vincent, N., Moqtaderi, Z., LeFrancois, P., Struhl, K., Gerstein, M., and Snyder, M. (2009). Mapping accessible chromatin regions using Sono-Seq. *Proc. Natl. Acad. Sci. U.S.A.* **106** 14926-14931.
241. Hirsch, H.A., Iliopoulos, D., Tsiichlis, P.N., and Struhl, K. (2009). Metformin selectively targets cancer stem cells and acts together with chemotherapy to block tumor growth and prolong remission. *Cancer Res.* **69** 7507-7511.
242. Iliopoulos, D., Polytarchou, C., Hatzia Apostolou, M., Maroulakou, I.G., Struhl, K., and Tsiichlis, P.N. (2009). MicroRNAs differentially regulated by Akt isoforms control EMT and stem cell renewal in cancer cells. *Sci. Signal.* **2** ra62.
243. Iliopoulos, D., Hirsch, H.A., and Struhl, K. (2009). An epigenetic switch involving NF- κ B, Lin28, Let-7 microRNA, and IL6 links inflammation to cell transformation. *Cell* **139** 693-706.
244. Miotto, B. and Struhl, K. (2010). HBO1 histone acetylase activity is essential for replication licensing and inhibited by Geminin. *Mol. Cell.* **37** 57-66.
245. Raha, D., Wang, Z., Moqtaderi, Z., Wu, L., Zhong, G., Gerstein, M., Struhl, K., and Snyder, M. (2010). Close association of RNA polymerase II and many transcription factors with Pol III genes. *Proc. Natl. Acad. Sci. U.S.A.* **107** 3639-3644.
246. Hirsch, H.A., Iliopoulos, D., Joshi, A., Zhong, Y., Jaeger, S.A., Bulyk, M.L., Tsiichlis, P.N., Liu, X.S., and Struhl, K. (2010). A transcriptional signature and common gene networks link cancer with lipid metabolism and diverse human diseases. *Cancer Cell* **17** 348-361.
247. Moqtaderi, Z., Wang, J., Raha, D., White, R.J., Snyder, M., Weng, Z., and Struhl, K. (2010). Genomic binding profiles of functional distinct RNA polymerase III transcription complexes in human cells. *Nat. Struct. Mol. Biol.* **17** 635-640.

248. Yang, A., Zhu, Z., Kettenbach, A., Kapranov, P., McKeon, F., Gingeras, T.R., and Struhl, K. (2010). Genome-wide mapping indicates that p73 and p63 co-occupy target sites and have similar DNA-binding profiles *in vivo*. *PLoS ONE* **5** e11572.
249. Zhang, Y., Moqtaderi, Z., Rattner, B.P., Euskirchen, G., Snyder, M., Kadonaga, J.T., Liu, X.S., and Struhl, K. (2010). Evidence against a genomic code for nucleosome positioning. *Nat. Struct. Mol. Biol.* **17** 920-923.
250. Iliopoulos, D., Jaeger, S.A., Hirsch, H.A., Bulyk, M.L., and Struhl, K. (2010). STAT3 activation of miR-21 and miR-181b, via PTEN and CYLD, are part of the epigenetic switch linking inflammation to cancer. *Mol. Cell.* **39** 493-506.
251. Iliopoulos, D., Lindahl-Allen, M., Polytarchou, C., Hirsch, H.A., Tschlis, P.N., and Struhl, K. (2010). Loss of miR-200 inhibition of Suz12 leads to Polycomb-mediated repression required for the formation and maintenance of cancer stem cells. *Mol. Cell.* **39** 761-772.
252. Fan, X., Moqtaderi, Z., Jin, Y., Zhang, Y., Liu, X.S., and Struhl, K. (2010). Nucleosome depletion in yeast terminator regions is not intrinsic and can occur by a transcriptional mechanism linked to 3' end formation. *Proc. Natl. Acad. Sci. U.S.A.* **107** 17945-17950.
253. Locke, G., Tolkunov, D., Moqtaderi, Z., Struhl, K., and Morozov, A.V. (2010). High throughput sequencing reveals a simple model of nucleosome energetics. *Proc. Natl. Acad. Sci. U.S.A.* **107** 20998-21003.
254. Katan-Khaykovich, Y. and Struhl, K. (2011). Splitting of H3-H4 tetramers at transcriptionally active genes undergoing dynamic histone exchange. *Proc. Natl. Acad. Sci. U.S.A.* **108** 1296-1301.
255. Iliopoulos, D., Hirsch, H.A., Wang, G., and Struhl, K. (2011). Inducible formation of breast cancer stem cells and their dynamic equilibrium with non-stem cancer cells via IL6 secretion. *Proc. Natl. Acad. Sci. U.S.A.* **108** 1397-1402.
256. ENCODE project consortium. (2011). A user's guide to the encyclopedia of DNA elements (ENCODE). *PLoS Biol.* **9** e1001046.
257. Iliopoulos, D., Hirsch, H.A., and Struhl, K. (2011). Metformin decreases the dose of chemotherapy for prolonging tumor remission in mouse xenografts involving multiple cancer cell types. *Cancer Res.* **71** 3196-3201.
258. Esberg, A., Moqtaderi, Z., Fan, X., Lu, J., Struhl, K., and Bystrom, A. (2011). Iwrl protein is important for preinitiation complex formation by all three nuclear RNA polymerases in *Saccharomyces cerevisiae*. *PLoS ONE* **6** e20829.
259. Polytarchou, C., Iliopoulos, D., Hatzia Apostolou, M., Kottakis, F., Maroulakou, I., Struhl, K., and Tschlis, P.N. (2011). Akt2 regulates all Akt isoforms and promotes resistance to hypoxia through induction of miR-21 upon oxygen deprivation. *Cancer Res.* **71** 4720-4731.

260. Iliopoulos, D., Rotem, A., and Struhl, K. Inhibition of miR-193a expression by Max and RXR α activates K-Ras and PLA1 to mediate distinct aspects of cellular transformation. (2011). *Cancer Res.* **71** 5144-5153.
261. Tirosh, I., Wong, K.H., Barkai, N., and Struhl, K. (2011). Extensive divergence of the yeast stress response through transitions between induced and constitutive activation. *Proc. Natl. Acad. Sci. U.S.A.* **108** 16693-16698.
262. Miotto, B. and Struhl, K. (2011). JNK1 phosphorylation of Cdt1 inhibits recruitment of HBO1 histone acetylase and blocks replication licensing in response to stress. *Mol. Cell.* **44** 62-71.
263. Krebs, A.R., Karmodiya, K., Lindahl-Allen, M., Struhl, K., and Tora, L. (2011). SAGA and ATAC histone acetyl transferase complexes regulate distinct sets of genes and ATAC defines a novel class of p300-independent enhancers. *Mol. Cell* **44** 410-423.
264. Wong, K.H. and Struhl, K. (2011). The Cyc8-Tup1 complex inhibits transcription primarily by masking the activation domain of the recruiting protein. *Genes Dev.* **25** 2525-2539.
265. Hatziapostolou, M., Polytarchou, C., Aggelidou, E., Drakaki, A., Poultsides, G.A., Jaeger, S.A., Ogata, H., Karin, M., Struhl, K., Hadzopoulou-Cladaras, M., and Iliopoulos, D. (2011). An HNF4 α -miRNA inflammatory feedback circuit regulates hepatocellular oncogenesis. *Cell* **147** 1233-1247.
266. Yuan, C.C., Matthews, A.G.W., Jin, Y., Chen, C.F., Chapman, B.A., Ohsumi, T.K., Glass, K.C., Kutateladze, T.G., Borowsky, M.L., Struhl, K., and Oettinger, M.A. (2012). Histone H3-R2 symmetric dimethylation and histone H3-K4 trimethylation are tightly correlated in eukaryotic genomes. *Cell Rep.* **1** 83-90.
267. Barber, M.F., Michishita-Kioi, E., Xi, Y., Tasseli, L., Kioi, M., Moqtaderi, Z., Tennen, R.I., Paredes, S., Young, N.L., Chen, K., Struhl, K., Garcia, B.A., Gozani, O., Li, W., and Chua, K.F. (2012), SIRT7 links H3K18 deacetylation to maintenance of oncogenic transformation. *Nature* **487** 114-118.
268. Lee, J.-J., Drakaki, A., Iliopoulos, D., and Struhl, K. (2012). MiR-27b targets *PPAR γ* to inhibit growth, tumor progression, and the inflammatory response in neuroblastoma cells. *Oncogene* **31** 3818-3825.
269. Polytarchou, C., Iliopoulos, D., and Struhl, K. (2012). An integrated transcriptional regulatory circuit that reinforces the breast cancer stem cell state. *Proc. Natl. Acad. Sci. U.S.A.* **109** 14470-14475.
270. ENCODE project consortium. (2012). An integrated encyclopedia of DNA elements in the human genome. *Nature* **489** 57-74.

271. Hughes, A., Jin, Y., Rando, O.J., and Struhl, K. (2012). A functional evolutionary approach to identify determinants of nucleosome positioning: A unifying model for establishing the genome-wide pattern. *Mol. Cell* **48** 5-15.
272. Hirsch, H.A., Iliopoulos, D., and Struhl, K. (2013). Metformin inhibits the inflammatory response associated with cellular transformation and cancer stem cell growth. *Proc. Natl. Acad. Sci. U.S.A.* **110** 972-977.
273. Struhl, K. and Segal, E. (2013). Determinants of nucleosome positioning. *Nat. Struct. Mol. Biol.* **20** 267-273.
274. Moqtaderi, Z., Geisberg, J.V., Jin, Y., Fan, X., and Struhl, K. (2013). Species-specific factors mediate extensive heterogeneity of mRNA 3' ends in yeast. *Proc. Natl. Acad. Sci. U.S.A.* **110** 11073-11078.
275. Fleming, J.D., Pavesi, G., Benatti, P., Imbriano, C., Mantovani, R., and Struhl, K. (2013). NF-Y coassociates with FOS at promoters, enhancers, repetitive elements, and inactive chromatin regions, and is stereo-positioned with growth-controlling transcription factors. *Genome Res.* **23** 1195-1209.
276. Geisberg, J.V., Moqtaderi, Z., Fan, X., Oszlak, F., and Struhl, K. (2014). Global analysis of mRNA isoform half-lives reveals stabilizing and destabilizing elements in yeast. *Cell* **156** 812-824.
277. Struhl, K. (2014). Is DNA methylation of tumor suppressor genes epigenetic? *eLife* **3** e02475.
278. Moqtaderi, Z., Geisberg, J.V., and Struhl, K. (2014). Secondary structures involving the poly(A) tail and other 3' sequences are major determinants of mRNA isoform stability in yeast. *Microbial Cell* **1** 137-139.
279. Wong, K.H., Jin, Y., and Struhl, K. (2014). TFIIH phosphorylation of the Pol II CTD stimulates Mediator dissociation from the preinitiation complex and promoter escape. *Mol. Cell.* **54** 601-612.
280. Janzer, A., German, N.J., Gonzalez-Herrera, K.N., Asara, J.M., Haigis, M.C., and Struhl, K. (2014). Metformin and phenformin deplete tricarboxylic acid cycle and glycolytic intermediates during cell transformation and NTPs in cancer stem cells. *Proc. Natl. Acad. Sci. U.S.A.* **111** 10574-10579.
281. Fleming, J.D., Giresi, P.G., Lindahl-Allen, M., Krall, E.B., Lieb, J.D., and Struhl, K. (2015). STAT3 acts through pre-existing nucleosome-depleted regions bound by FOS during an epigenetic switch linking inflammation to cancer. *Epigenetics Chromatin* **8** 7.

282. Jin, Y., Geisberg, J.V., Moqtaderi, Z., Ji, Z., Hoque, M., Tian, B., and Struhl, K. (2015). Mapping 3' mRNA isoforms on a genomic scale. *Curr. Protoc. Mol. Biol.* **110**: 4.23.1-4.23.17
283. Rotem, A., Janzer, A., Izar, B., Ji, Z., Doench, J.G., Garraway, L.A., and Struhl, K. (2015). Alternative to the soft-agar assay that permits high-throughput drug and genetic screens for cellular transformation. *Proc. Natl. Acad. Sci. U.S.A.* **112** 5708-5713.
284. Ji, Z., Song, R., Regev, A., and Struhl, K. (2015). Many lncRNAs, 5'UTRs, and pseudogenes are translated and some are likely to express functional proteins. *eLife* **4** e08890.
285. Ji, Z., Song, R., Huang, H., Regev, A., and Struhl, K. (2016). Transcriptome-scale RNase-footprinting of RNA-protein complexes. *Nat. Biotechnol.* **34** 410-413.
286. Miotto, B. Ji, Z., and Struhl, K. (2016). Selectivity of ORC binding sites and the relation to replication timing, fragile sites, and deletions in cancers. *Proc. Natl. Acad. Sci. U.S.A.* **113** E4810-E4819.
287. Petrenko, N., Jin, Y., Wong, K.H., and Struhl, K. (2016). Mediator undergoes a compositional change during transcriptional activation. *Mol. Cell.* **64** 443-454.
288. Henry, W.S., Hendrickson, D.G., Beca, F., Glass, B., Lindahl-Allen, M., He, L., Ji, Z., Struhl, K., Beck, A.H., Rinn, J.L., and Toker, A. (2016). LINC00520 is induced by Src, STAT3, and PI3K and plays a functional role in breast cancer. *Oncotarget* **7** 81981-81994.
289. Rotem, A., Garraway, L., Su, M.J., Basu, A., Regev, A., and Struhl, K. (2017). Miniaturizing 3D assay for high-throughput drug and genetic screens for small patient-derived tumor samples. in *Visualizing and quantifying drug distribution in tissue*. Proc. SPIE **10046** UNSP 100460H
290. Petrenko, N., Jin, Y., Wong, K.H., and Struhl, K. (2017). Evidence that Mediator is essential for Pol II transcription but is not a required component of the preinitiation complex *in vivo*. *eLife* **6** e28447.
291. Jin, Y., Eser, U., Struhl, K., and Churchman, L.S. (2017). The ground state and evolution of promoter region directionality. *Cell* **170** 889-898.
292. Ji, Z., He, L., Rotem, A., Janzer, A., Cheng, C.S., Regev, A., and Struhl, K. (2018). Genome-scale identification of transcription factors that mediate an inflammatory network during breast cellular transformation. *Nat. Commun.* **9** 2068.
293. Gameiro, P.A. and Struhl, K. (2018). Nutrient deprivation elicits a transcriptional and translational inflammatory response coupled to decreased protein synthesis. *Cell Rep.* **24** 1415-1424.

294. Li, B.B., Qian, C., Gameiro, P.A., Liu, C.C., Jiang, T., Roberts, T.M., Struhl, K., and Zhao J.J. (2018). Targeted profiling of RNA translation reveals mTOR-4EBP1/2-independent translational regulation of mRNAs encoding ribosomal proteins. *Proc. Natl. Acad. Sci. U.S.A.* **115** E9325-E9332.
295. Moqtaderi, Z., Geisberg, J.V., and Struhl, K. (2018). Extensive structural differences of closely related 3' mRNA isoforms: links to Pab1 binding and mRNA stability. *Mol. Cell.* **72** 849-861.
296. Petrenko, N., Jin, Y, Dong, L., Wong, K.H., and Struhl, K. (2019). Requirements for RNA polymerase II preinitiation complex formation *in vivo*. *eLife* **8** e43654.
297. Ji, Z., He, L., Regev, A., and Struhl, K. (2019). Inflammatory regulatory network mediated by the joint action of NF- κ B, STAT3, and AP-1 factors is involved in many human cancers. *Proc. Natl. Acad. Sci. U.S.A.* **116** 9453-9462.
298. Koutsioumpa, M., Hatzia Apostolou, M., Polytarchou, C., Tolosa, E.J., Almada, L.L., Mahurkar-Joshi, S., Williams, J., Tirado-Rodriguez, B., Huerta-Yepez, S., Karavias, D., Kourea, H., Poultides, G.A., Struhl, K., Dawson, D.W., Donahue, T.R., Fernandez-Zapico, M.E., and Iliopoulos, D. (2019). Lysine methyltransferase 2D regulates pancreatic carcinogenesis through metabolic reprogramming. *Gut* **68** 1271-1286.
299. Hasegawa, Y. and Struhl, K. (2019). Promoter-specific dynamics of TATA-binding protein association with the human genome. *Genome Res.* **29** 1939-1950.
300. Geisberg, J.V., Moqtaderi, Z., and Struhl, K. (2020). The transcriptional elongation rate regulates alternative polyadenylation in yeast. *eLife* **9** e59810.
301. Darwiche, R. and Struhl, K. (2020). Pheno-RNA, a method to associate genes with a specific phenotype, identifies genes linked to cellular transformation. *Proc. Natl. Acad. Sci. U.S.A.* **117** 28925-28929.
302. Song, R. and Struhl, K. (2021). S100A8/S100A9 cytokine acts as a transcriptional coactivator during breast cellular transformation. *Sci. Adv.* **7** eabe5357.
303. He, L., Pratt, H., Gao, M., Wei, F., Weng, Z., and Struhl, K. (2021). YAP and TAZ are transcriptional co-activators of AP-1 proteins and STAT3 during breast cellular transformation. *eLife* **10** e67312.
304. Petrenko, N. and Struhl, K. (2021). Comparison of transcriptional initiation by RNA polymerase II across eukaryotic species. *eLife* **10** e67964.
305. Hasegawa, Y. and Struhl, K. (2021). Different SP1 binding dynamics at individual genomic loci in human cells. *Proc. Natl. Acad. Sci. U.S.A.* **118** e2113579118.

306. Moqtaderi, Z., Geisberg, J.V., and Struhl, K. (2022). A compensatory link between cleavage/polyadenylation and mRNA turnover regulates steady-state mRNA levels in yeast. *Proc. Natl. Acad. Sci. U.S.A.* **119** e2121488119.
307. He, L., Gao, M., Pratt, H. Weng, Z., and Struhl, K. (2022). MafB, WDR77, and β -catenin interact with each other and have similar genome association profiles. *PLOS ONE* **17** e0264799.
308. Lui, K.H., Geisberg, J.V., Moqtaderi, Z., and Struhl, K. (2022). 3' untranslated regions are modular entities that determine polyadenylation profiles. *Mol. Cell. Biol.* **42** e0024422.
309. Geisberg, J.V., Moqtaderi, Z., Fong, N., Erickson, B., Bentley, D.L. and Struhl, K. (2022). Nucleotide-level linkage of transcriptional elongation and polyadenylation. *eLife* **11** e83153.
310. Geisberg, J.V., Moqtaderi, Z., and Struhl, K. (2023). Condition-specific 3' mRNA isoform half-lives and stability elements in yeast. *Proc. Natl. Acad. Sci. U.S.A.* **120** e2301117120.
311. Gvozdenov, Z., Barcutean, Z., and Struhl, K. (2023). Functional analysis of a random-sequence chromosome reveals a high level and the molecular nature of transcriptional noise in yeast. *Mol. Cell.* **83** 1786-1797.
312. Khitun, A., Brion, C., Moqtaderi, Z., Geisberg, J.V., Churchman, L.S., and Struhl, K. (2023). Elongation rate of RNA polymerase II affects pausing patterns across 3'UTRs. *J. Biol. Chem.* **299** 105289.
313. Struhl, K. (2024). How is polyadenylation restricted to 3' untranslated regions? *Yeast* **41** 186-191.
314. Struhl, K. (2024). Intrinsically disordered regions (IDRs): a vague and confusing concept for protein function. *Mol. Cell.* **84** 1186-1187.
315. Geisberg, J.V., Moqtaderi, Z., and Struhl, K. (2024). Chromatin regulates alternative polyadenylation via the RNA polymerase II elongation rate. *Proc. Natl. Acad. Sci. U.S.A.* **121** e2405827121.
316. Struhl, K. (2024). Non-canonical functions of enhancers: Regulation of RNA polymerase III transcription, initiation of DNA replication, and V(D)J recombination. *Trends Genet.* **40** 471-479.
317. Geisberg, J.V., Moqtaderi, Z., and Struhl, K. (2024). Location of polyadenylation sites within 3' untranslated regions is linked to biological function in yeast. *Genetics* **228** iyae163.
318. Struhl, K. (2024). The distinction between epigenetics and epigenomics. *Trends Genet.* **40** in press.

319. Gvozdenov, Z., Peng, A.Y.T., Biswas, A., Barcutean, Z., Frydman, J., Struhl, K., and Freeman, B.C. TFIC/CCT chaperonin regulates RNA polymerase II activity in the nucleus to support RNA homeostasis. BioRxiv 2024.09.26.615188. Submitted to *Mol. Cell*.
320. Moqtaderi, Z., Geisberg, J.V., and Struhl, K. Genetic analysis of polyadenylation patterns reveals distinct classes of yeast genes. Manuscript in preparation.