

Exhibit B

Defendants' Infringement of U.S. Patent No. 11,225,365

Claim 1	Accused Products
A container for packaging a product, the container comprising:	Defendants' (1) products utilizing the imagic²® line of egg cartons, including, but not limited to, the Happy Egg Co Organic Free-Range Large Brown Eggs 12 Count, Happy Egg Free Range Blue & Brown Heritage Breed Eggs Large 12 Count, Happy Egg Organic Free Range Eggs 6 Count, Happy Egg Free Range Eggs 12 Count, and Happy Egg Vitamin Plus Free Range Eggs 12 Count; (2) imagic²® line of egg cartons; and (3) other egg carton products with different names and/or model numbers but with the same or substantially the same designs, features, and functionalities as the aforementioned products (collectively, the "Accused Products") are containers for packaging a product. 
a base having a floor;	The Accused Products have a base with a floor (green). 
a lid movable about a hinge with respect to the base from an open position to a closed position,	The Accused Products have a lid (orange) moveable relative to a base (green).

Defendants' Infringement of U.S. Patent No. 11,225,365



Container Closed



Container Open

The base and the lid rotate about a hinge.



wherein the closed position defines a cavity inside the container between the floor and the lid;

In the closed position, there is a cavity between the floor and lid for holding products.



Defendants' Infringement of U.S. Patent No. 11,225,365

	
the base, lid, and hinge having a unitary construction	The base, lid, and hinge have a unitary construction. 
[the base, lid, and hinge having a unitary construction] from a material having a generally defined thickness	The base, lid, and hinge are constructed from a material having a thickness of approximately 1/16th of an inch. 
[the base, lid, and hinge having a unitary construction from a material having a generally defined thickness] between a first material surface and a second material surface disposed on immediately opposite sides of the material,	The material has opposing first and second surfaces.  <i>First Material Surface</i>


Defendants' Infringement of U.S. Patent No. 11,225,365

	 Second Material Surface
wherein at least a portion of the first material surface is parallel to an immediately opposite portion of the second material surface;	Portions of the first material surface are parallel to an immediately opposite portion of the second material surface. 
the cavity having a base portion dimensioned to contain a first portion of the product in the base and	The cavity includes a base portion (filled with rice below).  The base portion of the cavity is configured to contain a first portion of the product (e.g., the bottom half of eggs). 




Defendants' Infringement of U.S. Patent No. 11,225,365

[the cavity having ...] a lid portion dimensioned to contain a second portion of the product in the lid, and	There is a lid portion of the cavity dimensioned to contain a second portion of the product (e.g., the top part of the eggs). The lid includes features (green) constructed to match the contours of the product. 
wherein the lid portion is disposed beyond the base and outward from the base portion, and	The lid portion of the cavity is disposed beyond the base and outward from the base portion. 
the cavity is generally defined by the second material surface;	The cavity is generally defined by the second material surface.  <i>Second Material Surface</i>
the lid having a substantially flat top disposed parallel to the floor when the lid is in the closed position,	The lid has a substantially flat top (green) that is disposed parallel to the floor of the base when the lid is in the closed position.





Defendants' Infringement of U.S. Patent No. 11,225,365

	
a substantially planar frontal extension extending from the substantially flat lid top to a bottom edge of the lid.	The lid includes a substantially flat planar frontal extension (green) that extends to a bottom edge (red) of the lid. 
wherein the bottom edge is between, and outward from both, the substantially flat lid top and the floor when the lid is in the closed position,	In the closed configuration, the bottom edge (blue) is both between and outward from the lid top (red) and the floor (green). 
the substantially planar frontal extension extends obliquely relative to the floor from the substantially flat lid top when the lid is in the closed position,	In the closed configuration, the substantially planar front extension extends obliquely relative to the floor (green), and the extension extends from the substantially flat lid top (red).


Defendants' Infringement of U.S. Patent No. 11,225,365

	
[the substantially planar frontal extension] having a first planar area on the substantially planar frontal extension's portion of the first material surface, and	There is a first planar area (red) on the substantially planar frontal extension. 
[the substantially planar frontal extension] having a first lid hole fully encompassed within a substantially planar lid area;	There is a hole (green) fully encompassed within a substantially planar lid area. 
the base having a sidewall extending from the floor to a base rim that generally defines an opening for the base portion of the cavity,	The base has a sidewall (green) extending from the floor.  The sidewall extends to a rim (green) that generally defines an opening for the base portion of the cavity. 
wherein the sidewall and floor each includes portions of both the first and second material surfaces;	The sidewall and floor include portions of the first and second material surfaces.

Defendants' Infringement of U.S. Patent No. 11,225,365

	
a base extension extending from the base,	The containers include a base extension (green) extending from the base. 
[a base extension] having a primary surface area with a flat portion facing external to the cavity wherein the flat portion is bounded by a first boundary and a second boundary,	The base extension has a primary surface area with a flat portion (red arrow) that is external to the cavity. The flat portion is bounded by a first boundary (green arrow) and a second boundary (blue arrow). 
[a base extension having] a second planar area on the flat portion disposed obliquely to the floor, and	The base extension has a second planar area (red arrow) on the flat portion. 



Defendants' Infringement of U.S. Patent No. 11,225,365

	The second planar area (green plane) is disposed obliquely to the floor (red plan). 
[a base extension having] a secondary surface area that is on the direct opposite side of the material from the flat portion and is an extension of the sidewall's portion of the first material surface; and	The base extension has a secondary surface (red arrow) that is directly opposite the flat portion and is an extension of the sidewall's portion of the first material surface (green arrow). 
wherein in the closed position the first planar area, the second planar area, and the first and second boundaries of the flat portion are all generally coplanar,	In the closed position, the first planar area of the lid, the second planar area of the base extension, and the first and second boundaries are all generally coplanar. 
[wherein in the closed position] a first flat portion of a label covers both the primary surface area of the base extension and the substantially planar lid area of the substantially planar frontal extension, and	In the closed position, a label covers the first flat portion of the base extension and the substantially planar lid area of the substantially planar frontal extension.


Defendants' Infringement of U.S. Patent No. 11,225,365

	
[wherein in the closed position] the primary surface area is adjacent to the substantially planar lid area of the substantially planar frontal extension.	In the closed position, the primary surface area of the base extension is adjacent to the substantially planar lid area of the substantially planar frontal extension. 
Claim 2	Accused Products
The container of claim 1 wherein the lid has a lid rim that generally defines an opening for the lid portion of the cavity,	The Accused Products have a lid rim (green) that generally defines an opening of the lid portion of the cavity. 
the bottom edge of the lid is located on the lid rim, and	The bottom edge of the lid (red arrow) is located on the lid rim. 
the first flat portion of the label fully extends from adjacent the substantially flat top to the bottom edge of the lid.	The first flat portion of the label extends from the flat top (green arrow) to the bottom edge of the lid (red arrow). 




Defendants' Infringement of U.S. Patent No. 11,225,365

Claim 3	Accused Products
The container of claim 1 wherein the first lid hole is fully circumscribed by a planar lid hole edge of the substantially planar lid area.	In the Accused Products, the first lid hole is fully circumscribed by a planar lid hole edge (green). 
Claim 4	Accused Products
The container of claim 3 wherein the base extension extends into the first lid hole when the lid is in the closed position, and	In the Accused Products, the base extension extends into the first lid hole when the lid is in the closed position. 
the bottom edge of the lid is distant from the floor when the lid is in the closed position.	In the closed position, the bottom edge of the lid (red arrow) is distant from the floor (green arrow). 
Claim 5	Accused Products
The container of claim 1 wherein the label has a second flat portion located between a third flat portion and the first flat portion of the label, wherein the second flat portion is located on the substantially flat top of the lid, and the first flat portion is separated from the third flat portion by the width of the substantially flat top of the lid.	In the Accused Products, the label has a second flat portion (green arrow) located between a third flat portion (red arrow) and the first flat portion (blue arrow).


Defendants' Infringement of U.S. Patent No. 11,225,365

	 The first and third flat portions are separated by the width of the flat top of the lid.
Claim 6	Accused Products
The container of claim 1 wherein the bottom edge of the lid extends from nearly adjacent the first lid hole to nearly adjacent a second lid hole in the substantially planar lid area of the substantially planar frontal extension, and	In the Accused Products, the bottom edge of the lid (red) extends from nearly adjacent the first lid hole (green) to nearly adjacent to the second lid hole (blue) in the substantially planar frontal extension. 
the base has a rectangular cross section.	The base has a rectangular cross section. 
Claim 7	Accused Products
The container of claim 6 wherein between the first lid hole and the second lid hole the bottom edge of the lid has a convex curvature, and	In the Accused Products, between the first and second lid holes (green and blue), the bottom edge of the lid (red) has a convex curvature.

Defendants' Infringement of U.S. Patent No. 11,225,365

	
the base and lid are thermoformed from the material.	In the Accused Products, the base and lid are thermoformed from the material.  <i>Magnified View of Base</i>  <i>Magnified View of Lid</i>
Claim 8	Accused Products
The container of claim 1 wherein the floor of the base has a length and a width,	In the Accused Products, the floor has a length (red line) and a width (green line). 


Defendants' Infringement of U.S. Patent No. 11,225,365

wherein the length of the floor is bounded by a first end and a second end, and the substantially planar frontal extension fully extends the length of the floor.	The length of the floor is bounded by a first end (green line) and a second end (red line). The substantially planar frontal extension (blue arrow) extends the length of the floor. 
Claim 9	Accused Products
The container of claim 8 wherein the label fully extends the length of the floor.	In the Accused Products, the label (blue arrow) extends the length of the floor (bounded by the first and second ends shown with green and red lines, respectively). 
Claim 10	Accused Products
The container of claim 1 wherein the first lid hole is entirely located between the bottom edge of the lid and the substantially flat top of the lid, and	In the Accused Products, the first lid hole (blue) is entirely located between the bottom edge of the lid (red line) and the substantially flat top (green line). 
the lid includes a plurality of domes adjacent to and flanking the substantially flat top.	The lid of the Accused Products has four domes (green) that are adjacent to and flank the flat top. 


Defendants' Infringement of U.S. Patent No. 11,225,365

Claim 11	Accused Products
A container for packaging a product, the container comprising:	The Accused Products are containers for packaging a product. 
a base having a floor;	The Accused Products have a base with a floor (green). 
a lid moveable about a hinge with respect to the base from: a substantially open position to a substantially closed position,	The Accused Products have a lid (orange) moveable relative to a base (green).  <i>Container Closed</i>  <i>Container Open</i> The base and the lid rotate about a hinge.

Defendants' Infringement of U.S. Patent No. 11,225,365

	
wherein the substantially closed position substantially defines a cavity disposed substantially inside the container between the floor and the lid,	In the closed position, there is a cavity between the floor and lid for holding products. 
the base and lid both formed from a container material;	In the Accused Products, the base and lid are thermoformed from the material.  <i>Magnified View of Base</i>

Defendants' Infringement of U.S. Patent No. 11,225,365

	 <i>Magnified View of Lid</i>
the cavity having a base portion of the cavity dimensioned to contain at least a first portion of the product disposed substantially inside the base, and	The cavity includes a base portion (filled with rice below).  The base portion of the cavity is configured to contain a first portion of the product (e.g., the bottom half of eggs). 
a lid portion of the cavity having a shape suitable to contain at least a second portion of the product disposed outside the base portion of the cavity when the lid is in the substantially closed position,	There is a lid portion of the cavity dimensioned to contain a second portion of the product (e.g., the top part of the eggs). The lid includes features (green) constructed to match the contours of the product. 


Defendants' Infringement of U.S. Patent No. 11,225,365

wherein the lid portion of the cavity is disposed at least generally beyond the base and generally outward from the base portion of the cavity;	The lid portion of the cavity is disposed beyond the base and outward from the base portion. 
the container material having a material thickness generally defined by a first material surface disposed on an immediately opposite side of the container material to a second material surface, and	The base, lid, and hinge are constructed from a material having a thickness of approximately 1/16th of an inch.  The material has opposing first and second surfaces.  <i>First Material Surface</i>





Defendants' Infringement of U.S. Patent No. 11,225,365

	 Second Material Surface
wherein a portion of the first material surface is substantially parallel with respect to an immediately opposite portion of the second material surface;	Portions of the first material surface are parallel to an immediately opposite portion of the second material surface. 
the lid having a substantially flat lid top area disposed at least generally parallel to the floor when the lid is in the substantially closed position and	The lid has a substantially flat top (green) that is disposed parallel to the floor of the base when the containers are in the closed position. 
including a lid top portion of the first material surface disposed on a first predominantly external lid surface area,	The lid top has a first portion on an outwardly facing surface of the lid (green). 





Defendants' Infringement of U.S. Patent No. 11,225,365

a substantially planar frontal extension extending from the substantially flat lid top area to a bottom edge of the lid,	The lid includes a substantially flat planar frontal extension (green) that extends to a bottom edge (red) of the lid. 
wherein the bottom edge of the lid is between the substantially flat lid top area and the floor when the lid is in the substantially closed position and	In the closed configuration, the bottom edge (blue) is both between and outward from the lid top (red) and the floor (green). 
[wherein the bottom edge of the lid is] beyond an area directly between the substantially flat lid top area and floor when the lid is in the substantially closed position, and	In the close position, the bottom edge of the lid (blue) is beyond an area (purple) directly between the substantially flat lid top area (green) and the floor (red). 
having a lid front portion of the first material surface disposed on a second predominantly external lid surface area extending generally downwardly from the substantially flat lid top area when the lid is in the substantially closed position and	The lid has a front lid portion (red) on the first material surface (the outer surface) that is external to the cavity and extends down from the substantially flat lid top.





Defendants' Infringement of U.S. Patent No. 11,225,365

	
[when the lid is in the substantially closed position and] the floor is positioned substantially horizontal with the substantially flat lid top area located above the floor,	In the closed position, the floor (green) is positioned horizontally, and the lid top area (red) is located above the floor. 
wherein the substantially planar frontal extension is disposed facing substantially upwardly with respect to the floor, and	The substantially planar frontal extension (green) is facing substantially upward (purple) relative to the floor (red). 
a lid end portion defined generally at a margin of the lid, and	The Accused Products have a lid end portion (red arrow) by the edge of the lid. 
a lid hole substantially defined in the container material by a lid hole edge and fully encompassed within a substantially planar lid area,	The Accused Products have a lid hole (green arrow) in the container material that is defined by an edge and fully encompassed within a substantially planar lid area (red). 



Defendants' Infringement of U.S. Patent No. 11,225,365

	
wherein the second material surface of the substantially flat lid top area and the second material surface of the substantially planar frontal extension intersect at an obtuse angle;	In the Accused Products, the second/inner material surface of the flat top lid (green) arrow) and the second/inner material surface of the front extension (red arrow) intersect at an obtuse angle. 
the base having the floor	The Accused Products have a base with a floor (green). 
wherein, with respect to the cavity, the floor comprises an external floor surface area disposed on the first material surface and an internal floor surface area disposed on the second material surface,	The floor has an external surface (green) on the first material surface.  The floor also has an internal surface (red) on the second material surface. 




Defendants' Infringement of U.S. Patent No. 11,225,365

a sidewall extending generally upwardly from the floor	The Accused Products include a sidewall (red arrow) extending from the floor. 
having, with respect to the cavity, a predominantly external sidewall surface area disposed on the first material surface and	The sidewall has an external surface area on the first material surface 
a predominantly internal sidewall surface area disposed on the second material surface,	The sidewall has an internal surface area on the second material surface. 
a rim	The base has a rim (green). 

Defendants' Infringement of U.S. Patent No. 11,225,365

wherein, a portion of the rim partially defines a base opening suitable for at least partial receipt of the product into the base portion of the cavity, and	The rim at least partially defines an opening in the base for receiving the product into the cavity. 
a base extension generally extending from the rim,	The Accused Products have a base extension (green) extending from the base. 
the base extension comprising a primary surface area disposed facing substantially externally with respect to the base portion of the cavity,	The base extension has a primary surface area with a flat portion (red arrow) that is external to the cavity. 
wherein the primary surface area comprising a flat portion disposed on an extension of the predominantly internal sidewall surface area of the second material surface, and	The Accused products have a base extension with a primary surface area with a flat portion that is an extension of the predominantly internal sidewall surface area. 
wherein the base extension having a secondary surface area on an immediately opposite side of the container material to the flat portion of primary surface area,	The base extension has a secondary surface (red arrow) that is directly opposite the flat portion of the primary surface area.



Defendants' Infringement of U.S. Patent No. 11,225,365

	
the secondary surface area disposed on an extension of the predominantly external sidewall surface area of the first material surface	The secondary surface (red arrow) is disposed on an extension of the external sidewall surface area (green arrow). 
wherein when the lid is in the substantially closed position, the substantially planar frontal extension is disposed obliquely to the floor and projects generally away from the hinge	In the closed position, the frontal extension (red) is disposed obliquely to the floor (green) and projects in a direction (blue arrow) that is generally away from the hinge (purple). 
[substantially planar frontal extension ... projects] from, the substantially flat lid top area to, the lid end portion, wherein the substantially planar frontal extension terminates substantially at the margin;	The substantially planar frontal extension (red) extends from the flat lid top area (green) to the lid end portion (blue arrow). 


Defendants' Infringement of U.S. Patent No. 11,225,365

	The frontal extension terminates at the margin of the lid end portion.
a label covering the substantially flat lid top area of the lid,	In the Accused Products, a label covers the substantially flat lid top area. 
[the label] having a substantially flat portion covering the substantially planar frontal extension,	The label has a substantially flat portion (red arrow) that covers the substantially planar frontal extension. 
wherein the label extends beyond the substantially planar frontal extension,	In the Accused Products, the label extends beyond the frontal extension to the flat top of the lid and towards the hinge. 
when the lid is in the substantially closed position, the label covers the flat portion of the base extension; and	In the closed position, the label covers the flat portion of the base extension.

Defendants' Infringement of U.S. Patent No. 11,225,365

	
the lid having a first planar area disposed on the substantially planar frontal extension, the base having a second planar area disposed on the flat portion of the primary surface disposed obliquely to the floor,	In the Accused Products, the lid has a first planar area (green) on the frontal extension, and the base extension has a second planar area (red) on the flat portion that is disposed obliquely to the floor. 
wherein the first planar area and the second planar area are generally coplanar and disposed facing externally with respect to the cavity when the lid is in the substantially closed position.	When the Accused Products are in the closed position, the first and second planar areas are generally co-planar and oriented away from the cavity. 


Defendants' Infringement of U.S. Patent No. 11,225,365

Claim 12	Accused Products
The container of claim 11 wherein, in the substantially closed position, both, the lid hole and the lid hole edge are entirely encompassed within the substantially planar frontal extension, and	In the closed position, the lid hole and the lid hole edge are fully encompassed within the substantially planar frontal extension. 
the first planar area has a surface area greater than 5 cm².	The first planar area (green) has a surface area greater than 5 cm². 
Claim 13	Accused Products
The container of claim 11 wherein the substantially flat lid top area has a width disposed generally between the hinge and the substantially planar frontal extension;	In the Accused Products, the lid top area has a width (red arrow). 
the label has a first flat portion encompassing the substantially flat portion, a second flat portion covering the substantially flat lid top area, and a third flat portion,	The label has a first flat portion (red arrow) encompassing the substantially flat portion, a second flat portion (purple arrow) on the lid

Defendants' Infringement of U.S. Patent No. 11,225,365

	top, and a third flat portion (blue arrow) near the hinge. 
wherein the first flat portion is separated from the third flat portion by the width of the substantially flat lid top area.	The first and third flat portions (red and blue arrows) are separated by the width (purple arrow) of the substantially flat lid top area. 
Claim 14 A container for packaging contents intended for sale wherein, the contents comprising a product, the container comprising:	Accused Products The Accused Products are containers for packaging a product. 
a container material substantially comprising a base, a floor and, a lid	The Accused Products have a lid (orange) moveable relative to a base (green). 

Defendants' Infringement of U.S. Patent No. 11,225,365

	The containers also have a floor (green). 
[a lid] moveable with respect to the base from, at least one substantially open position to, at least one substantially closed position	The Accused Products have a lid (orange) moveable relative to a base (green).  <i>Container Closed</i>  <i>Container Open</i>
wherein, the at least one substantially closed position substantially defining a cavity disposed substantially inside the container between the floor and the lid;	In the closed position, there is a cavity between the floor and lid for holding products. 

Defendants' Infringement of U.S. Patent No. 11,225,365

	
the cavity comprising: a base portion of the cavity to contain at least a first portion of the product disposed substantially inside the base; and	The cavity includes a base portion (filled with rice below).  The base portion of the cavity is configured to contain a first portion of the product (e.g., the bottom half of eggs). 
[the cavity having] a lid portion of the cavity modified to contain at least a second portion of the product disposed substantially outside the base portion of the cavity	There is a lid portion of the cavity dimensioned to contain a second portion of the product (e.g., the top part of the eggs). The lid includes features (green) constructed to match the contours of the product. 
wherein, the container material further comprising: a material thickness having a dimension generally defined by two material surfaces wherein, a first of the two material surfaces is disposed on an immediately	The base, lid, and hinge are constructed from a material having a thickness of approximately 1/16th of an inch.

Defendants' Infringement of U.S. Patent No. 11,225,365

opposite side of the container material with respect to a second of the two material surfaces and



The material has opposing first and second surfaces.



First Material Surface



Second Material Surface

wherein, at least one portion of the first of the two material surfaces is disposed substantially parallel with respect to an immediately opposite portion of the second of the two material surfaces;

Portions of the first material surface are parallel to an immediately opposite portion of the second material surface.




Defendants' Infringement of U.S. Patent No. 11,225,365

the lid comprising: the lid portion of the cavity comprising a shape suitable to contain at least the second portion of the product disposed outside the base when the lid is in the at least one substantially closed position	There is a lid portion of the cavity dimensioned to contain a second portion of the product (e.g., the top part of the eggs). The lid includes features (green) constructed to match the contours of the product. 
wherein, the lid portion of the cavity is disposed at least generally beyond the base and generally outwardly with respect to the base portion of the cavity;	The lid portion of the cavity is disposed beyond the base and outward from the base portion. 
a hinged attachment to the base disposed generally adjacent to a hinged side of the lid	The base and the lid rotate about a hinge attached to the base and adjacent to the hinged side of the lid. 
wherein, the lid is movable about the hinged attachment between, the at least one substantially open position and, the at least one substantially closed position;	The Accused Products have a lid (orange) moveable relative to a base (green).




Defendants' Infringement of U.S. Patent No. 11,225,365

	 <i>Container Closed</i>  <i>Container Open</i>
a substantially flat lid top area disposed at least generally parallel to the floor when the lid is in the at least one substantially closed position	The lid has a substantially flat top (green) that is disposed parallel to the floor of the base when the containers are in the closed position. 
wherein, the substantially flat lid top area comprising a lid top portion of the first of the two material surfaces disposed on a first predominantly external lid surface area;	The lid top has a first portion on an outwardly facing surface of the lid (green). 





Defendants' Infringement of U.S. Patent No. 11,225,365

a substantially planar frontal extension comprising a lid front portion of the first of the two material surfaces disposed on a second predominantly external lid surface area extending generally downwardly from the substantially flat lid top area wherein,	The lid has a front lid portion (red) on the first material surface (the outer surface) that is external to the cavity and extends down from the substantially flat lid top. 
when the lid is in the at least one substantially closed position and the floor is positioned substantially horizontally, the substantially planar frontal extension is disposed facing substantially upwardly with respect to the floor and,	The substantially planar frontal extension (green) is facing substantially upward (purple) relative to the floor (red). 
wherein comprising a lid end portion defined generally at a margin of the lid	The Accused Products have a lid end portion (red arrow) by the edge of the lid. 
wherein, the substantially planar frontal extension is inclined at a reflex angle of less than 270 degrees with respect to the substantially flat lid top area; and	In the Accused Products, the substantially planar frontal extension (green) is inclined at a reflex angle (blue) that is less than 270 degrees with respect to the substantially flat lid top area (red). 
at least one lid hole comprising an opening substantially defined in the container material by a lid hole edge	The Accused Products include a lid hole with an opening defined by a lid hole edge (green).



Defendants' Infringement of U.S. Patent No. 11,225,365

	
wherein, the at least one lid hole is fully encompassed within a substantially planar lid area having the lid hole edge;	The lid hole is fully encompassed by the substantially planar lid area having the lid hole edge. 
the base comprising: the floor	The Accused Products have a base with a floor (green). 
wherein, with respect to the cavity, the floor comprising, at least one external floor surface area disposed on the first of the two material surfaces and at least one internal floor surface area disposed on the second of the two material surfaces;	The floor has an external surface (green) on the first material surface.  The floor also has an internal surface (red) on the second material surface. 




Defendants' Infringement of U.S. Patent No. 11,225,365

at least one sidewall extending generally upwardly from the floor and	The Accused Products include a sidewall (red arrow) extending from the floor. 
[the sidewall] comprising, with respect to the cavity, a predominantly external sidewall surface area disposed on the first of the two material surfaces and	The sidewall has an external surface area on the first material surface. 
[the sidewall comprising] a predominantly internal sidewall surface area disposed on the second of the two material surfaces;	The sidewall has an internal surface area on the second material surface. 
a rim	The base has a rim (green). 
wherein, at least one portion of the rim partially defines a base opening suitable for at least partial receipt of the product into the base portion of the cavity;	The rim at least partially defines an opening in the base for receiving the product into the cavity.




Defendants' Infringement of U.S. Patent No. 11,225,365

	
and at least one base extension generally extending from the at least one portion of the rim,	The Accused Products have a base extension (green) extending from the base. 
the at least one base extension comprising a primary surface area disposed facing substantially externally with respect to the base portion of the cavity	The base extension has a primary surface area with a flat portion (red arrow) that is external to the cavity. 
wherein, the primary surface area comprising a flat portion disposed on an extension of the predominantly internal sidewall surface area of the second of the two material surfaces and,	The Accused products have a base extension with a primary surface area with a flat portion that is an extension of the predominantly internal sidewall surface area. 
wherein, the at least one base extension comprising a secondary surface area on an immediately opposite side of the container	The base extension has a secondary surface (red arrow) that is directly opposite the flat portion of the primary surface area.


Defendants' Infringement of U.S. Patent No. 11,225,365

material to the flat portion of primary surface area,	
the secondary surface area disposed on an extension of the predominantly external sidewall surface area of the first of the two material surfaces	The secondary surface (red arrow) is disposed on an extension of the external sidewall surface area (green arrow). 
wherein, when the lid is in the at least one substantially closed position and the container is orientated wherein the floor is substantially horizontal and the at least one external floor surface area faces substantially downwardly,	When the lid is in the closed position, the floor (green) is oriented horizontally.  The floor has an external surface (green) that is oriented downwardly. 
the substantially planar frontal extension is disposed obliquely to the floor and projects generally downwardly in a direction generally away from the hinged side of the lid	In the closed position, the frontal extension (red) is disposed obliquely to the floor (green) and projects in a direction (blue arrow) that is generally away from the hinge (purple).


Defendants' Infringement of U.S. Patent No. 11,225,365

	
from, the substantially flat lid top area to, the lid end portion wherein the substantially planar frontal extension terminates substantially at the margin;	The substantially planar frontal extension (red) extends from the flat lid top area (green) to the lid end portion (blue arrow).  The frontal extension terminates at the margin of the lid end portion.
the container further comprising: a first planar area disposed on the lid, within the bounds of the substantially planar frontal extension; and	The Accused Products have a first planar area (green) on the lid within the bounds of the frontal extension. 
a second planar area disposed on the flat portion of the primary surface, disposed obliquely with respect to the floor	The base extension has a second planar area (red arrow) on the flat portion.



Defendants' Infringement of U.S. Patent No. 11,225,365

	 The second planar area (green plane) is disposed obliquely to the floor (red plane). 
wherein, when the lid is in the at least one substantially closed position, the first planar area and the second planar area face substantially in the same direction	When the Accused Products are in the closed position, the first and second planar areas (green and red, respectively) face substantially the same direction. 
wherein, the container comprising; a substantially flat area, inclined at a reflex angle of less than 270 degrees with respect to the substantially flat lid top area	In the Accused Products, there is a substantially flat area (green) inclined at a reflex angle (blue) that is less than 270 degrees with respect to the substantially flat lid top area (red).


Defendants' Infringement of U.S. Patent No. 11,225,365

	
wherein, the substantially flat area comprising: a circumferential dimension which is substantially less than each of, a largest internal perimeter of the base opening and an outermost perimeter of the lid;	In the Accused Products, the substantially flat area has a circumference (red).  The base has an opening (green).  The lid has an outermost perimeter (red).  The circumference of the substantially planar flat area is less than the opening of the base and the outermost perimeter of the lid.
an edge of the first planar area and at least part of the second planar area, disposed facing at least substantially externally with respect to the cavity; and	In the Accused Products, an edge (red) of the first planar area faces away from the cavity.



Defendants' Infringement of U.S. Patent No. 11,225,365

	 The second planar area (red) also faces away from the cavity. 
at least one surface configuration between the lid and the base comprising, at least, the first planar area of the lid, at least two distinct boundary portions of the flat portion of the primary surface area and, the flat portion of the primary surface area of the at least one base extension	The Accused Products have a configuration with the first planar area (green), the flat portion of the primary surface (red), and two boundary portions (blue and purple). 
wherein, the flat portion comprising the second planar area disposed substantially co-planar with respect to, both, the lid front portion of the first of the two material surfaces, and the at least two distinct boundary portions,	In the closed configuration, the flat portion (red) with the second planar area is substantially co-planar with the boundaries (blue and purple) and the lid front portion (green).



Defendants' Infringement of U.S. Patent No. 11,225,365

	
to comprise the substantially flat area, wherein, the substantially flat area is disposed substantially outside of the cavity of the container and is suitable to be covered in a generally flat fashion by a substantially flat portion of an entire label	The combination forms a generally flat area and is located outside of the cavity. The combination is suitable to be covered by a flat portion of a label. 
wherein, the entire label is proposed to be received by the container	The entirety of the label is received on the containers. 
wherein the entire label is larger than the substantially flat area and	In the Accused Products, the label is larger than the substantially flat area. 
wherein, the substantially flat portion of the entire label is proposed to contour substantially to the substantially flat area, in the generally flat fashion,	In the Accused Products, the substantially flat portion of the label contours the substantially flat area of the lid. 




Defendants' Infringement of U.S. Patent No. 11,225,365

to cover at least two immediately adjacent surface portions of the container with respect to the at least one surface configuration	The substantially flat portion of the entire label covers two immediately adjacent areas, as described below.
[to cover at least two immediately adjacent] wherein, a first of the at least two immediately adjacent surface portions is the entire flat portion of the primary surface area of the at least one base extension and,	In the closed configuration, the flat portion of the label covers the flat portion (red arrow) of the base extension.  
a second of the at least two immediately adjacent surface portions is disposed on the substantially planar frontal extension	In the Accused Products, the label covers a surface portion on the frontal extension that is directly adjacent to the base extension. 
wherein, when contouring to the substantially flat area and covering the at least two immediately adjacent surface portions in the generally flat fashion, the substantially flat portion of the entire label is proposed to at least generally contour to an outermost shape of the container	The substantially flat portion of the label generally contours the outermost shape of the containers. 
including, at least each of, the lid front portion of the first of the two material	The label covers the first surface of the frontal extension.




Defendants' Infringement of U.S. Patent No. 11,225,365

surfaces of the substantially planar frontal extension,	
the second planar area and,	The label covers the second planar area when the lid is in the closed position. 
the at least two distinct boundary portions of the flat portion of the primary surface area of the at least one base extension.	When the lid is in the closed position, the label covers the first and second boundary portions (blue and purple). 
Claim 15	Accused Products
The container of claim 14 wherein, the at least one base extension comprising a formed section	In the Accused Products, the base extension is thermoformed. 
wherein, the formed section stands proud of the at least one portion of the rim	In the Accused Products, the formed section of the base extension stands above the rim (red).

Defendants' Infringement of U.S. Patent No. 11,225,365

	
wherein, the second planar area comprising a planar perimeter	The second planar area has a planar perimeter (red). 
wherein, a portion of the planar perimeter defines at least two distinct sides of the second planar area and	A portion of the planar perimeter defines at least two distinct sides (green and blue arrows) of the planar area. 
wherein, the at least one lid hole is disposed at least generally adjacent to the first planar area	The lid hole is generally adjacent to the first planar area. 


Defendants' Infringement of U.S. Patent No. 11,225,365

wherein, when the lid is in the at least one substantially closed position, the at least one lid hole corresponds to and mates with the at least two distinct sides of the second planar area,	In the closed position, the lid hole (green) corresponds to and mates with the two sides of the second planar area. 
to expose the second planar area wherein, facilitating the at least one surface configuration, to provide the substantially flat area.	In the closed position, the second planar area of the base extension passes through the lid hole and is exposed to the label. 
Claim 16	Accused Products
The container of claim 15 wherein, the lid hole edge is substantially planar and	In the Accused Products, the lid hole edge (green) is substantially planar. 
wherein, when the lid is in the at least one substantially closed position, the lid hole edge and the at least one lid hole are entirely encompassed within a perimeter of the substantially flat area.	The lid hole edge and the lid hole are entirely encompassed within the perimeter of the substantially flat area.

Defendants' Infringement of U.S. Patent No. 11,225,365

	
Claim 17	Accused Products
The container of claim 16 wherein, a portion of the margin of the lid extends from, a first opening area adjacent to a first of the at least one lid hole to, a second opening area adjacent to a second of the at least one lid hole	In the Accused Products, a portion of the margin (green) extends from a first opening area (red) to a second opening area (blue) 
wherein, the portion of the margin includes a most forwardly extended point of the lid when the lid is in the at least one substantially closed position wherein, the most forwardly extended point of the lid is generally disposed at the front of the container, on a directly opposite side of the container to the hinged attachment.	The margin include a forwardly extended point (blue arrow) that is the forwardmost point on the lid and directly opposite the hinge (red arrow). 
Claim 18	Accused Products
The container of claim 17 wherein, when the lid is in the at least one substantially closed position, the portion of the margin includes at least one point which is closer, to either of, the first lid hole and the second lid hole, than to the floor of the base.	In the Accused Products, the margin is less than half an inch from the first lid hole.  In the closed position, the margin of the lid is about an inch from the floor.

Defendants' Infringement of U.S. Patent No. 11,225,365

	
Claim 19	Accused Products
The container of claim 15 wherein, the substantially flat lid top area has a width disposed generally between the hinged side of the lid and the substantially planar frontal extension;	In the Accused Products, the substantially flat top has a width (red arrow) between the hinged side and frontal extension. 
the entire label having a first flat label portion, a second flat label portion, and a third flat label portion located between the first and second flat label portions, wherein the first flat label portion comprising the substantially flat portion of the entire label;	The label has a first flat portion (red arrow) encompassing the substantially flat portion, a third flat portion (purple arrow) on the lid top, and a second flat portion (blue arrow) near the hinge.  The third label portion is located between the first and second label portions.
wherein, when the lid is in the at least one substantially closed position and the entire label is received by the container, the third flat label portion substantially spans the width of the substantially flat lid top area and is located directly above the floor,	The third flat label portion (purple arrow) spans the width of the flat lid top area and is located directly above the floor when the containers are in the closed position.



Defendants' Infringement of U.S. Patent No. 11,225,365

	
the first flat label portion is separated from the second flat label portion by the width of the substantially flat lid top area, and	The first and second flat label portions (red and blue arrows, respectively) are separated from each other by the width of the substantially flat lid top area. 
the substantially flat area is both, substantially parallel and immediately adjacent with respect to the first flat label portion.	The substantially flat area is parallel and adjacent to the first flat label portion. 
Claim 20	Accused Products
The container of claim 15 wherein, when the lid is in the at least one substantially closed position, the at least one lid hole corresponds with the flat portion of the primary surface area wherein, the formed section of the at least one base extension protrudes from the base, generally into the at least one lid hole,	In the closed position, the lid hole corresponds with the flat portion of the primary surface area.  The base extension extends from the base and into the lid hole when the containers are in the closed position.


Defendants' Infringement of U.S. Patent No. 11,225,365

to provide the substantially flat area wherein, the substantially flat area is substantially coplanar with the planar perimeter of the flat portion.	The base extension and perimeter of the substantially flat area are generally coplanar when the lid is in the closed position. 
Claim 21	Accused Products
The container of claim 14 wherein, the container comprising at least one mechanical locking mechanism disposed within the perimeter of the substantially flat area, to lock the lid to the base when the lid is in the at least one substantially closed position.	The containers include a locking tab (red arrow) within the perimeter of the substantially flat area to lock the base in the closed position. 
Claim 22	Accused Products
The container of claim 21 wherein, when the lid is in the at least one substantially closed position, the margin of the lid extends from a first lock area adjacent to a first of the at least one mechanical locking mechanism to a second lock area adjacent to a second of the at least one mechanical locking mechanism; wherein between the first lock area and the second lock area, the margin has at least one convex curvature portion.	In the closed position, the margin of the lid (green) extends from a first lock area (red) to a second lock area (blue); between the first and second lock areas, the margin has a convex curvature. 
Claim 23	Accused Products
The container of claim 21 further comprising a chamfered abutment of an edge of the first planar area and	The lid locking tab of the Accused Products includes a chamfered abutment of an edge of the first planar area.


Defendants' Infringement of U.S. Patent No. 11,225,365

	
at least a part of the second planar area disposed within the perimeter of the substantially flat area.	When the Accused Products are in the closed position, the second planar area (green) is disposed within the perimeter of the substantially flat area (red).  
Claim 28	Accused Products
A container for packaging a product, the container comprising:	The Accused Products are containers for packaging a product. 
a base having a floor;	The Accused Products have a base with a floor (green).

Defendants' Infringement of U.S. Patent No. 11,225,365

	
a lid movable about a hinge with respect to the base from an open position to a closed position,	The Accused Products have a lid (orange) moveable relative to a base (green).  <i>Container Closed</i>  <i>Container Open</i> The base and the lid rotate about a hinge. 
wherein the closed position defines a cavity inside the container between the floor and the lid;	In the closed position, there is a cavity between the floor and lid for holding products.

Defendants' Infringement of U.S. Patent No. 11,225,365

	
the base, lid, and hinge having a unitary construction	The base, lid, and hinge have a unitary construction. 
[the base, lid, and hinge having a unitary construction] from a material having a generally defined thickness	The base, lid, and hinge are constructed from a material having a thickness of approximately 1/16th of an inch. 
between a first material surface and a second material surface disposed on immediately opposite sides of the material,	The material has opposing first and second surfaces.

Defendants' Infringement of U.S. Patent No. 11,225,365



First Material Surface



Second Material Surface

wherein at least a portion of the first material surface is parallel to an immediately opposite portion of the second material surface;

Portions of the first material surface are parallel to an immediately opposite portion of the second material surface.



the cavity having a base portion dimensioned to contain a first portion of the product in the base and




The cavity includes a base portion (filled with rice below).







Defendants' Infringement of U.S. Patent No. 11,225,365

	The base portion of the cavity is configured to contain a first portion of the product (e.g., the bottom half of eggs). 
[the cavity having ...] a lid portion dimensioned to contain a second portion of the product in the lid, and	There is a lid portion of the cavity dimensioned to contain a second portion of the product (e.g., the top part of the eggs). The lid includes features (green) constructed to match the contours of the product. 
wherein, when the lid is in the closed position, the lid portion of the cavity is disposed beyond the base and adjacent to the base portion of the cavity, and	When the lid is in the closed position, the lid portion of the cavity is adjacent to, and beyond the base portion of, the cavity. 
the cavity is generally defined by the second material surface;	In the Accused Products, the cavity is generally defined by the second material surface (i.e., the inner surface of the containers).



Defendants' Infringement of U.S. Patent No. 11,225,365

	 Second Material Surface
the lid having a lid area comprising a first area disposed on the first material surface to face substantially externally with respect to the cavity when the lid is in the closed position;	The Accused Products have a lid area (red).  The lid area has a first area (green).  The lid area and first area are external to the cavity when the lid is in the closed position.
the base having a sidewall extending from the floor to a base rim that generally defines an opening for the base portion of the cavity,	The base has a sidewall (green) extending from the floor. 


Defendants' Infringement of U.S. Patent No. 11,225,365

	The sidewall extends to a rim (green) that generally defines an opening for the base portion of the cavity. 
wherein the sidewall and floor each includes portions of both the first and second material surfaces; and	The sidewall and floor include portions of the first and second material surfaces.  
a base extension extending from the base, comprising	The containers include a base extension (green) extending from the base. 
a base area having a second area configured to face substantially externally with respect to the cavity when the lid is in the closed position;	The base extension has a base area with a second area that faces external to the cavity when the lid is in the closed position. 


Defendants' Infringement of U.S. Patent No. 11,225,365

wherein, when the lid is in the closed position, a label location area is disposed substantially on a first part of the first area of the lid and a first part of the second area of the base extension,	When the lid is in the closed position, a label area is on the base extension and the first area of the lid. 
the first part of the first area is adjacent to the first part of the second area and substantially coplanar to an adjacent flat part of the lid area, and	The first part of the first area (green) is adjacent to the first part of the second area (red) and coplanar to an adjacent flat part (blue) of the lid. 
the first part of the first area of the lid surrounds the first part of the second area of the base extension,	In the closed position, the first part of the first area of the lid (green) surrounds the first part of the second area of the base extension (red). 
the label location area is configured to receive, on an outermost part of the container, a flat portion of a label	The Accused Products have an area on the lid that is configured to receive a label. 
[a label] that is substantially coplanar to the adjacent flat part of the lid area,	The label is substantially coplanar with the adjacent flat part of the lid area (blue). 




Defendants' Infringement of U.S. Patent No. 11,225,365

	
[a label] covers the first part of the first area and the first part of the second area, and	In the Accused Products, the label covers the first part of the first area (green) and the first part of the second area (red).  
[a label] transverses the label location area.	The label spans across the label location area. 
Claim 29	Accused Products
The container of claim 28 wherein, when the lid is in the closed position the base rim is located between the second area of the base extension and the floor of the base;	In the Accused Products, when the lid is in the closed position, the base rim (green) is located between the second area (red) of the base extension and the floor (blue) of the base. 


Defendants' Infringement of U.S. Patent No. 11,225,365

the product is located within the cavity;	The product is stored within the cavity. 
the container includes the flat portion of the label;	The containers have the label. 
the base includes ribs adapted hold the product;	The base includes a plurality of ribs (red arrows) adapted to hold the product. 
the lid further includes a substantially flat lid top area and,	The lid has a substantially flat top (green). 
when the lid is in the closed position, the label location area is inclined at a reflex angle of less than 270 degrees with respect to the substantially flat lid top area.	In the Accused Products, the label location area (green) is inclined at a reflex angle (blue) that is less than 270 degrees with respect to the substantially flat lid top area (red).

Defendants' Infringement of U.S. Patent No. 11,225,365

	
Claim 30	Accused Products
The container for packaging the product of claim 29 wherein, the product is fresh retail produce;	The Accused Products hold fresh eggs. 
the first area includes an edge portion comprising an edge of the material; and	In the Accused Products, the first area includes an edge portion with an edge (green) of the material. 
when the lid is in the closed position the second area of the base extension and the first area of the lid face substantially in the same direction, and	In the closed position, the second area of the base (red) and the first area of the lid (green) face in substantially the same direction. 

Defendants' Infringement of U.S. Patent No. 11,225,365

the second area is disposed substantially adjacent to the edge portion of the first area of the lid.	The second area of the base (red arrow) is located adjacent to the edge portion (green) of the first area.  A photograph of a yellow, irregularly shaped object, possibly a lid or base, with a green outline and a red arrow pointing to a specific area. The object has a central opening and a textured surface. The green outline highlights the perimeter of the object, and the red arrow points to a small, dark, irregular area on the upper right edge of the object.
---	---