



# **Exhibit 74**

| <p><b><u>Independent Claims of '952 Patent</u></b></p>  | <p><b><u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u></b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Claim 1:</b> A container assembly comprising:</p> | <p>Klein Tools advertises the Accused Products, including the 54806MB Tall Component Box, Full Width, as part of its MODbox™ Mobile Workstation. Exs. 7, 13. Klein Tools’ webpage states that “[t]he MODbox Mobile Workstation is a modular System with locking components. Easily interchange products to customize and mobilize with vertical and side locking components.” Ex. 13.</p> <p>Klein Tools’ webpage provides images showing the use of the Accused Products, such as the 54806MB Tall Component Box, Full Width, to form the claimed “container assembly.”</p> <p>By way of example, Klein Tools’ webpage provides a “MODbox™ Buildverse” that directs customers to a page enabling them to construct and purchase a full “MOD Build” container assembly that can include numerous configurations of the Accused Products, such as two 54806MB Tall Component Box, Full Width containers assembled together:</p>  |

| <u>Independent Claims of '952 Patent</u>                                 | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                       |
|--------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>a first container comprising:</p>                                     | <p>The 54806MB Tall Component Box, Full Width is a first container, as shown:</p>  |
| <p>a first coupler extending from a top face of the first container,</p> | <p>The 54806MB Tall Component Box, Full Width comprises a first coupler extending from a top face of the first container, as shown:</p>                              |

| <u>Independent Claims of '952 Patent</u>                                                                                                                                                                              | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                                                                                                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>the first coupler comprising two sidewalls, a back wall, and a rib, the back wall located between the two sidewalls, the two sidewalls and the back wall projecting above a depressed surface of the top face;</p> |  <p>The first coupler of the 54806MB Tall Component Box, Full Width comprises two sidewalls, a back wall, and a rib, the back wall located between the two sidewalls, the two sidewalls and the back wall projecting above a depressed surface of the top face:</p> |

| <u>Independent Claims of '952 Patent</u>                                   | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                            |  <p>The diagram shows a top-down view of a component box with a central ribbed structure. Labels with arrows point to the following parts: 'Rib' (the central vertical structure), 'Sidewall' (the side walls of the rib), 'Depressed Surface' (the area between the ribs), and 'Back Wall' (the rear wall of the box).</p> |
| <p>and the rib extending away from the back wall in a first direction;</p> | <p>The rib extends away from the back wall in a first direction, as shown:</p>  <p>The diagram shows a top-down view of the same component box, but with a blue arrow pointing from the back wall towards the front, indicating the direction in which the rib extends.</p>                                                |

| <u>Independent Claims of '952 Patent</u>                                                                           | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>a first lid pivotally attached to the first container; and</p>                                                  | <p>The 54806MB Tall Component Box, Full Width comprises a first lid pivotally attached to the first container, as shown:</p>  |
| <p>a first toggle locking latch configured to latch the first lid of the first container in a closed position;</p> | <p>The 54806MB Tall Component Box, Full Width has a first toggle locking latch configured to latch the first lid of the first container in a closed position, as shown:</p>                                     |

| <u>Independent Claims of '952 Patent</u> | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| a second container comprising:           | <p>Klein Tools' webpage provides images showing the use of the Accused Products, such as the 54806MB Tall Component Box, Full Width, to form the claimed "container assembly."</p> <p>By way of example, Klein Tools' webpage provides a "MODbox™ Buildverse" that directs customers to a page enabling them to construct and purchase a full "MOD Build" container assembly that can include numerous configurations of the Accused Products, such as two 54806MB Tall Component Box, Full Width containers assembled together:</p> |

Independent Claims of '952 Patent


Representative Accused Product – 54806MB Tall Component Box, Full Width





The 54806MB Tall Component Box, Full Width can thus also be a second container, as shown:




|                                                              |                                                                                                                                                                                                |
|--------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b><u>Independent Claims of '952 Patent</u></b></p>       | <p><b><u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u></b></p>                                                                                                   |
| <p>a second coupler extending from the second container,</p> | <p>The 54806MB Tall Component Box, Full Width has a second coupler extending from the second container:</p>  |

|                                                                                                                           |                                                                                                                                                                                                            |
|---------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b><u>Independent Claims of '952 Patent</u></b></p>                                                                    | <p><b><u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u></b></p>                                                                                                               |
| <p>the second coupler comprising a tongue extending in a direction parallel to a bottom face of the second container,</p> | <p>The second coupler comprises a tongue extending in a direction parallel to a bottom face of the second container:</p>  |

|                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><u><b>Independent Claims of '952 Patent</b></u></p>                        | <p><u><b>Representative Accused Product – 54806MB Tall Component Box, Full Width</b></u></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <p>the tongue extends in a second direction opposite the first direction,</p> | <p>The tongue extends in a second direction opposite the first direction:</p> <div data-bbox="305 766 695 1341">  <p>A close-up photograph of the interior of an orange plastic component box. A blue arrow points to the left, labeled 'First Direction', indicating the orientation of a tongue-like structure within the box's compartments.</p> </div> <div data-bbox="763 722 1229 1341">  <p>A photograph of the exterior of the orange plastic component box. A green arrow points to the right, labeled 'Second Direction', indicating the orientation of the tongue-like structure on the outside of the box.</p> </div> |

|                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b><u>Independent Claims of '952 Patent</u></b></p>                                                                                                              | <p><b><u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u></b></p>                                                                                                                                                                                                                                                                                                              |
| <p>the tongue of the second container is engageable with the rib of the first container such that the tongue engages between the rib and the depressed surface;</p> | <p>The tongue of the 54806MB Tall Component Box, Full Width is engageable with the rib of a first container, such as another 54806MB Tall Component Box, Full Width, such that the tongue engages between the rib and the depressed surface:</p> <p>As seen below, the first and second containers can be engaged:</p>  |

| <u>Independent Claims of '952 Patent</u>                     | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                |
|--------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                              | <p data-bbox="266 134 331 1339">An exemplary image showing the engagement is provided below and showing that the tongue engages between the rib and depressed surface:</p>  |
| a second lid pivotally attached to the second container; and | The 54806MB Tall Component Box, Full Width comprises a second lid pivotally attached to the second container, as shown:                                                                                                                                       |

| <u>Independent Claims of '952 Patent</u>                                                                              | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                 |
|-----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                       |                                                                                              |
| <p>a second toggle locking latch configured to latch the second lid of the second container in a closed position;</p> | <p>The 54806MB Tall Component Box, Full Width has a second toggle locking latch configured to latch the second lid of the second container in a closed position, as shown:</p> |


Independent Claims of '952 Patent

Representative Accused Product – 54806MB Tall Component Box, Full Width



| <u>Independent Claims of '952 Patent</u>                                                                                                                                                                                                 | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                                          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>a front face; a first side face; an opposing second side face;</p>                                                                                                                                                                    | <p>The 54806MB Tall Component Box, Full Width has a front face, a first side face, and an opposing second side face:</p>                                                                              |
| <p>a first corner bumper coupled to the second container between the front face and the first side face, the first corner bumper defining a first outer surface that faces away from each of the front face and the first side face;</p> | <p>The 54806MB Tall Component Box, Full Width has a first corner bumper coupled to the second container between the front face and the first side face, the first corner bumper defining a first outer surface that faces away from each of the front face and the first side face:</p> |

| <u>Independent Claims of '952 Patent</u>                                                                                                                                                                                                         | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                                  |                                                                                                                                                                                                           |
| <p>a second corner bumper coupled to the second container between the front face and the second side face, and the second corner bumper defining a second outer surface that faces away from each of the front face and the second side face</p> | <p>The 54806MB Tall Component Box, Full Width has a second corner bumper coupled to the second container between the front face and the second side face, the second corner bumper defining a second outer surface that faces away from each of the front face and the second side face:</p> |

| <u>Independent Claims of '952 Patent</u>                                                                                                                                                                                           | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>wherein the first and second couplers of the first and second containers engage each other when the first and second containers are slid with respect to each other along a sliding path defined by the rib and the tongue;</p> |  <p>Second Corner Bumper<br/>Defining Second Outer Surface</p> <p>Second Side Face</p> <p>Front Face</p> <p>The first and second couplers of the first and second containers engage each other when the first and second containers are slid with respect to each other along a sliding path defined by the rib and the tongue. An exemplary image is provided below showing this engagement:</p> |
| <p>wherein the first and second couplers of the first and second containers engage each other when the first and second containers are slid with respect to each other along a sliding path defined by the rib and the tongue;</p> | <p>The first and second couplers of the first and second containers engage each other when the first and second containers are slid with respect to each other along a sliding path defined by the rib and the tongue. An exemplary image is provided below showing this engagement:</p>                                                                                                                                                                                             |

| <u>Independent Claims of '952 Patent</u>                                                                     | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                              |                                                                                                                             |
| <p>a locking latch arresting location defined by one of the first container or the second container; and</p> | <p>The 54806MB Tall Component Box, Full Width defines a locking latch arresting location, as shown in the image below:</p>  |

| <u>Independent Claims of '952 Patent</u>                                                                                                                                                                    | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>a locking latch coupled to the other of the first container or the second container,</p>                                                                                                                 | <p>The 54806MB Tall Component Box, Full Width also has a locking latch coupled to it:</p>                                                                                                                                                                                                                                                                                                                     |
| <p>the locking latch positionable in a locked position engaging the locking latch arresting location thereby limiting sliding displacement of the first container with respect to the second container.</p> | <p>The locking latch is positionable in a locked position engaging the locking latch arresting location thereby limiting sliding displacement of the first container with respect to the second container. As seen in the exemplary image below, when two 54806MB Tall Component Box, Full Width containers are used as the first and second container, the locking latch of one is positioned in the locking latch arresting location of the other container to limit sliding displacement:</p> |

Independent Claims of '952 Patent

Representative Accused Product – 54806MB Tall Component Box, Full Width





| <u>Independent Claims of '952 Patent</u>               | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Claim 9:</b> A container assembly comprising</p> |  <p>Klein Tools advertises the Accused Products, including the 54806MB Tall Component Box, Full Width, as part of its MODbox™ Mobile Workstation. Exs. 7, 13. Klein Tools' webpage states that "[t]he MODbox Mobile Workstation is a modular System with locking components. Easily interchange products to customize and mobilize with vertical and side locking components." Ex. 13.</p> <p>Klein Tools' webpage provides images showing the use of the Accused Products, such as the 54806MB Tall Component Box, Full Width, to form the claimed "container assembly."</p> <p>By way of example, Klein Tools' webpage provides a "MODbox™ Buildverse" that directs customers to a page enabling them to construct and purchase a full "MOD Build" container assembly that can include numerous configurations of the Accused Products, such as two 54806MB Tall Component Box, Full Width containers assembled together:</p> |

|                                          |                                                                            |
|------------------------------------------|----------------------------------------------------------------------------|
| <u>Independent Claims of '952 Patent</u> |                                                                            |
| a first container comprising:            | The 54806MB Tall Component Box, Full Width is a first container, as shown: |

| <u>Independent Claims of '952 Patent</u>                          | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                   |
|-------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
|                                                                   |                                                |
| a first coupler extending from a top face of the first container, | The 54806MB Tall Component Box, Full Width comprises a first coupler extending from a top face of the first container, as shown: |

| <u>Independent Claims of '952 Patent</u>                                                                                                                                                                              | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                       |                                                                                                                                                                                  |
| <p>the first coupler comprising two sidewalls, a back wall, and a rib, the back wall located between the two sidewalls, the two sidewalls and the back wall projecting above a depressed surface of the top face,</p> | <p>The first coupler of the 54806MB Tall Component Box, Full Width comprises two sidewalls, a back wall, and a rib, the back wall located between the two sidewalls, the two sidewalls and the back wall projecting above a depressed surface of the top face:</p> |

| <u>Independent Claims of '952 Patent</u>                                   | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                                                                                                                                                                               |
|----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                            |  <p>The diagram shows a perspective view of a transparent plastic component box. A central vertical rib is highlighted with a blue line. Labels with arrows point to the 'Rib', 'Depressed Surface' (the area between the rib and the side walls), 'Sidewall' (the side walls of the box), and 'Back Wall' (the rear wall of the box).</p> |
| <p>and the rib extending away from the back wall in a first direction;</p> | <p>The rib extends away from the back wall in a first direction, as shown:</p>  <p>The diagram shows a perspective view of the same transparent plastic component box. A blue arrow points from the back wall towards the front of the box, indicating the direction in which the rib extends.</p>                                        |

| <u>Independent Claims of '952 Patent</u>                                                                               | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>a first lid pivotally attached to the first container; and</p>                                                      | <p>The 54806MB Tall Component Box, Full Width comprises a first lid pivotally attached to the first container, as shown:</p>  |
| <p>a first toggle locking latch configured to latch the first lid of the first container in a closed position; and</p> | <p>The 54806MB Tall Component Box, Full Width has a first toggle locking latch configured to latch the first lid of the first container in a closed position, as shown:</p>                                     |

| <u>Independent Claims of '952 Patent</u> | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| a second container comprising:           | <p>Klein Tools' webpage provides images showing the use of the Accused Products, such as the 54806MB Tall Component Box, Full Width, to form the claimed "container assembly."</p> <p>By way of example, Klein Tools' webpage provides a "MODbox™ Buildverse" that directs customers to a page enabling them to construct and purchase a full "MOD Build" container assembly that can include numerous configurations of the Accused Products, such as two 54806MB Tall Component Box, Full Width containers assembled together:</p> |

Independent Claims of '952 Patent


Representative Accused Product – 54806MB Tall Component Box, Full Width





The 54806MB Tall Component Box, Full Width can thus also be a second container, as shown:



|                                                                                                                           |                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b><u>Independent Claims of '952 Patent</u></b></p>                                                                    | <p><b><u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u></b></p>                                                                                                   |
| <p>a second coupler extending from the second container,</p>                                                              | <p>The 54806MB Tall Component Box, Full Width has a second coupler extending from the second container:</p>  |
| <p>the second coupler comprising a tongue extending in a direction parallel to a bottom face of the second container,</p> | <p>The second coupler comprises a tongue extending in a direction parallel to a bottom face of the second container:</p>                                                                       |


| <u>Independent Claims of '952 Patent</u> | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>    |
|------------------------------------------|-----------------------------------------------------------------------------------|
|                                          |  |

|                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b><u>Independent Claims of '952 Patent</u></b></p>                        | <p><b><u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u></b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <p>the tongue extends in a second direction opposite the first direction,</p> | <p>The tongue extends in a second direction opposite the first direction:</p> <div data-bbox="305 766 695 1339">  <p>A close-up photograph of the interior of an orange plastic component box. A blue arrow points to the left, labeled 'First Direction', indicating the direction of the tongue extension.</p> </div> <div data-bbox="763 724 1230 1339">  <p>A close-up photograph of the interior of the same orange plastic component box. A green arrow points to the right, labeled 'Second Direction', indicating the opposite direction of the tongue extension.</p> </div> |

|                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b><u>Independent Claims of '952 Patent</u></b></p>                                                                                                              | <p><b><u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u></b></p>                                                                                                                                                                                                                                                                                                              |
| <p>the tongue of the second container is engageable with the rib of the first container such that the tongue engages between the rib and the depressed surface,</p> | <p>The tongue of the 54806MB Tall Component Box, Full Width is engageable with the rib of a first container, such as another 54806MB Tall Component Box, Full Width, such that the tongue engages between the rib and the depressed surface:</p> <p>As seen below, the first and second containers can be engaged:</p>  |

| <u>Independent Claims of '952 Patent</u>                                                                                                                                                                                                                                                                                                   | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                                                                                                                            | <p data-bbox="266 134 331 1339">An exemplary image showing the engagement is provided below and showing that the tongue engages between the rib and depressed surface:</p>  |
| <p data-bbox="954 1369 1240 1894">wherein the second coupler of the second container extends from the bottom face of the second container such that the tongue is offset from at least a portion of the bottom face of the second container and wherein the rib engages between the tongue and the bottom face of the second container</p> | <p data-bbox="954 172 1055 1339">As seen in the exemplary images below, the tongue is offset from at least a portion of the bottom face of the second container and the rib engages between the tongue and the bottom face of the second container:</p>       |

| <u>Independent Claims of '952 Patent</u>                            | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                                                                                                                                         |
|---------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>a second lid pivotally attached to the second container; and</p> | <div data-bbox="261 938 799 1344">  </div> <div data-bbox="318 203 799 938">  </div> <p>The 54806MB Tall Component Box, Full Width comprises a second lid pivotally attached to the second container, as shown:</p> |

| <u>Independent Claims of '952 Patent</u>                                                                              | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                 |
|-----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                       |                                                                                              |
| <p>a second toggle locking latch configured to latch the second lid of the second container in a closed position;</p> | <p>The 54806MB Tall Component Box, Full Width has a second toggle locking latch configured to latch the second lid of the second container in a closed position, as shown:</p> |

| <u>Independent Claims of '952 Patent</u>                                                                                                                                                                                           | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>wherein the first and second couplers of the first and second containers engage each other when the first and second containers are slid with respect to each other along a sliding path defined by the rib and the tongue;</p> |  <p>The first and second couplers of the first and second containers engage each other when the first and second containers are slid with respect to each other along a sliding path defined by the rib and the tongue. An exemplary image is provided below showing this engagement:</p> |
| <p>wherein the first and second couplers of the first and second containers engage each other when the first and second containers are slid with respect to each other along a sliding path defined by the rib and the tongue;</p> | <p>The first and second couplers of the first and second containers engage each other when the first and second containers are slid with respect to each other along a sliding path defined by the rib and the tongue. An exemplary image is provided below showing this engagement:</p>                                                                                    |

| <u>Independent Claims of '952 Patent</u>                                                                     | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                              |                                                                                                                             |
| <p>a locking latch arresting location defined by one of the first container or the second container; and</p> | <p>The 54806MB Tall Component Box, Full Width defines a locking latch arresting location, as shown in the image below:</p>  |

|                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b><u>Independent Claims of '952 Patent</u></b></p>                                                                                                                                                      | <p><b><u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u></b></p>                                                                                                                                                                                                                                                                                                                                                                                                     |
| <p>a locking latch coupled to the other of the first container or the second container,</p>                                                                                                                 | <p>The 54806MB Tall Component Box, Full Width also has a locking latch coupled to it:</p>                                                                                                                                                                                                                                                                                                                     |
| <p>the locking latch positionable in a locked position engaging the locking latch arresting location thereby limiting sliding displacement of the first container with respect to the second container.</p> | <p>The locking latch is positionable in a locked position engaging the locking latch arresting location thereby limiting sliding displacement of the first container with respect to the second container. As seen in the exemplary image below, when two 54806MB Tall Component Box, Full Width containers are used as the first and second container, the locking latch of one is positioned in the locking latch arresting location of the other container to limit sliding displacement:</p> |

Independent Claims of '952 Patent

Representative Accused Product – 54806MB Tall Component Box, Full Width





| <u>Independent Claims of '952 Patent</u>                 | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Claim 17:</b> A container assembly comprising:</p> |  <p>Klein Tools advertises the Accused Products, including the 54806MB Tall Component Box, Full Width, as part of its MODbox™ Mobile Workstation. Exs. 7, 13. Klein Tools' webpage states that "[t]he MODbox Mobile Workstation is a modular System with locking components. Easily interchange products to customize and mobilize with vertical and side locking components." Ex. 13.</p> <p>Klein Tools' webpage provides images showing the use of the Accused Products, such as the 54806MB Tall Component Box, Full Width, to form the claimed "container assembly."</p> <p>By way of example, Klein Tools' webpage provides a "MODbox™ Buildverse" that directs customers to a page enabling them to construct and purchase a full "MOD Build" container assembly that can include numerous configurations of the Accused Products, such as two 54806MB Tall Component Box, Full Width containers assembled together:</p> |

|                                                 |                                                                                                                                                                          |
|-------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><u>Independent Claims of '952 Patent</u></p> | <p><u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u></p>  |
| <p>a first container comprising:</p>            | <p>The 54806MB Tall Component Box, Full Width is a first container, as shown:</p>                                                                                        |

| <u>Independent Claims of '952 Patent</u>                          | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                   |
|-------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
|                                                                   |                                                |
| a first coupler extending from a top face of the first container, | The 54806MB Tall Component Box, Full Width comprises a first coupler extending from a top face of the first container, as shown: |

| <u>Independent Claims of '952 Patent</u>                                                                                                                                                                              | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                                                                                                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>the first coupler comprising two sidewalls, a back wall, and a rib, the back wall located between the two sidewalls, the two sidewalls and the back wall projecting above a depressed surface of the top face,</p> |  <p>The first coupler of the 54806MB Tall Component Box, Full Width comprises two sidewalls, a back wall, and a rib, the back wall located between the two sidewalls, the two sidewalls and the back wall projecting above a depressed surface of the top face:</p> |
| <p>the first coupler comprising two sidewalls, a back wall, and a rib, the back wall located between the two sidewalls, the two sidewalls and the back wall projecting above a depressed surface of the top face,</p> | <p>The first coupler of the 54806MB Tall Component Box, Full Width comprises two sidewalls, a back wall, and a rib, the back wall located between the two sidewalls, the two sidewalls and the back wall projecting above a depressed surface of the top face:</p>                                                                                    |

| <u>Independent Claims of '952 Patent</u>                                   | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                     |
|----------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                            |                                                                                  |
| <p>and the rib extending away from the back wall in a first direction;</p> | <p>The rib extends away from the back wall in a first direction, as shown:</p>  |

| <u>Independent Claims of '952 Patent</u>                                                                               | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>a first lid pivotally attached to the first container; and</p>                                                      | <p>The 54806MB Tall Component Box, Full Width comprises a first lid pivotally attached to the first container, as shown:</p>  |
| <p>a first toggle locking latch configured to latch the first lid of the first container in a closed position; and</p> | <p>The 54806MB Tall Component Box, Full Width has a first toggle locking latch configured to latch the first lid of the first container in a closed position, as shown:</p>                                     |

| <u>Independent Claims of '952 Patent</u> | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| a second container comprising:           | <p>Klein Tools' webpage provides images showing the use of the Accused Products, such as the 54806MB Tall Component Box, Full Width, to form the claimed "container assembly."</p> <p>By way of example, Klein Tools' webpage provides a "MODbox™ Buildverse" that directs customers to a page enabling them to construct and purchase a full "MOD Build" container assembly that can include numerous configurations of the Accused Products, such as two 54806MB Tall Component Box, Full Width containers assembled together:</p> |

Independent Claims of '952 Patent


Representative Accused Product – 54806MB Tall Component Box, Full Width





The 54806MB Tall Component Box, Full Width can thus also be a second container, as shown:




|                                                                                                                           |                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b><u>Independent Claims of '952 Patent</u></b></p>                                                                    | <p><b><u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u></b></p>                                                                                                   |
| <p>a second coupler extending from the second container,</p>                                                              | <p>The 54806MB Tall Component Box, Full Width has a second coupler extending from the second container:</p>  |
| <p>the second coupler comprising a tongue extending in a direction parallel to a bottom face of the second container,</p> | <p>The second coupler comprises a tongue extending in a direction parallel to a bottom face of the second container:</p>                                                                       |

| <u>Independent Claims of '952 Patent</u> | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>    |
|------------------------------------------|-----------------------------------------------------------------------------------|
|                                          |  |

|                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b><u>Independent Claims of '952 Patent</u></b></p>                        | <p><b><u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u></b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <p>the tongue extends in a second direction opposite the first direction,</p> | <p>The tongue extends in a second direction opposite the first direction:</p> <div data-bbox="305 766 695 1339">  <p>A close-up photograph of the interior of an orange plastic component box. A blue arrow points to the left, labeled 'First Direction', indicating the direction of the tongue's extension.</p> </div> <div data-bbox="763 720 1230 1339">  <p>A close-up photograph of the interior of the same orange plastic component box. A green arrow points to the right, labeled 'Second Direction', indicating the opposite direction of the tongue's extension.</p> </div> |

|                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b><u>Independent Claims of '952 Patent</u></b></p>                                                                                                              | <p><b><u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u></b></p>                                                                                                                                                                                                                                                                                                              |
| <p>the tongue of the second container is engageable with the rib of the first container such that the tongue engages between the rib and the depressed surface;</p> | <p>The tongue of the 54806MB Tall Component Box, Full Width is engageable with the rib of a first container, such as another 54806MB Tall Component Box, Full Width, such that the tongue engages between the rib and the depressed surface:</p> <p>As seen below, the first and second containers can be engaged:</p>  |

| <u>Independent Claims of '952 Patent</u>                     | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                |
|--------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                              | <p data-bbox="264 132 337 1339">An exemplary image showing the engagement is provided below and showing that the tongue engages between the rib and depressed surface:</p>  |
| a second lid pivotally attached to the second container; and | The 54806MB Tall Component Box, Full Width comprises a second lid pivotally attached to the second container, as shown:                                                                                                                                       |

| <u>Independent Claims of '952 Patent</u>                                                                              | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                 |
|-----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                       |                                                                                              |
| <p>a second toggle locking latch configured to latch the second lid of the second container in a closed position;</p> | <p>The 54806MB Tall Component Box, Full Width has a second toggle locking latch configured to latch the second lid of the second container in a closed position, as shown:</p> |

| <u>Independent Claims of '952 Patent</u>                                                                                                                                                                                           | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                                                                                          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>wherein the first and second couplers of the first and second containers engage each other when the first and second containers are slid with respect to each other along a sliding path defined by the rib and the tongue;</p> |  <p>The image shows an orange plastic component box with multiple compartments. A blue arrow points to a specific coupling mechanism on the side of the box, which is used to connect two boxes together. The box has a black handle and a latch.</p> |
| <p>wherein the first and second couplers of the first and second containers engage each other when the first and second containers are slid with respect to each other along a sliding path defined by the rib and the tongue;</p> | <p>The first and second couplers of the first and second containers engage each other when the first and second containers are slid with respect to each other along a sliding path defined by the rib and the tongue. An exemplary image is provided below showing this engagement:</p>                                                |

| <u>Independent Claims of '952 Patent</u>                                                                     | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                              |                                                                                                                             |
| <p>a locking latch arresting location defined by one of the first container or the second container; and</p> | <p>The 54806MB Tall Component Box, Full Width defines a locking latch arresting location, as shown in the image below:</p>  |


| <u>Independent Claims of '952 Patent</u>                                                                                                                                                                    | <u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u>                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>a locking latch coupled to the other of the first container or the second container,</p>                                                                                                                 | <p>The 54806MB Tall Component Box, Full Width also has a locking latch coupled to it:</p>                                                                                                                                                                                                                                                                                                                     |
| <p>the locking latch positionable in a locked position engaging the locking latch arresting location thereby limiting sliding displacement of the first container with respect to the second container;</p> | <p>The locking latch is positionable in a locked position engaging the locking latch arresting location thereby limiting sliding displacement of the first container with respect to the second container. As seen in the exemplary image below, when two 54806MB Tall Component Box, Full Width containers are used as the first and second container, the locking latch of one is positioned in the locking latch arresting location of the other container to limit sliding displacement:</p> |

Independent Claims of '952 Patent

Representative Accused Product – 54806MB Tall Component Box, Full Width



|                                                 |                                                                                       |
|-------------------------------------------------|---------------------------------------------------------------------------------------|
| <p><u>Independent Claims of '952 Patent</u></p> | <p><u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u></p> |
|                                                 |     |

|                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                              |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b><u>Independent Claims of '952 Patent</u></b></p>                                                                                                                                                                                                                                                                                                                                                   | <p><b><u>Representative Accused Product – 54806MB Tall Component Box, Full Width</u></b></p>                                                                                                                                                                                                                                                                                                 |
| <p>wherein the first container defines a width axis parallel to a first front face of the first container and the second container defines a length axis perpendicular to a second front face of the second container, wherein the width axis of the first container is perpendicular to the length axis of the second container when the second container is coupled on top of the first container.</p> | <p>As seen in the exemplary image below, the 54806MB Tall Component Box, Full Width has a width axis parallel to a front face and has a length axis perpendicular to a front face such that the width axis and length axis are perpendicular to each other when the containers are coupled together:</p>  |