

Roger A. Denning (SBN 228998)
Seth M. Sproul (SBN 217711)
Fish & Richardson P.C.
12860 El Camino Real Suite 400
San Diego, CA 92130
Phone: 858-678-5070
Fax: 858-678-5099
Email: denning@fr.com
Email: sproul@fr.com

Joy B. Kete (Admitted *pro hac vice*)
Qiuyi Wu (Admitted *pro hac vice*)
FISH & RICHARDSON P.C.
One Marina Park Drive
Boston, MA 02210
Phone: 617-542-5070
Fax: 617-542-8906
Email: kete@fr.com
Email: qwu@fr.com

Attorneys for Defendant Apple Inc.

**UNITED STATES DISTRICT COURT
NORTHERN DISTRICT OF CALIFORNIA
SAN FRANCISCO DIVISION**

HAPTIC, INC.,

Plaintiff,

v.

APPLE INC.

Defendant.

Case No. 3:24-cv-02296-JSC

**DEFENDANT APPLE INC.'S
DISCLOSURE OF INVALIDITY
CONTENTIONS**

Defendant Apple Inc. ("Apple") provides the following disclosure of Invalidity Contentions to Plaintiff Haptic, Inc. ("Haptic" or "Plaintiff") regarding U.S. Patent No. 9,996,738 (the "738 patent," the "Patent-in-Suit," or the "Asserted Patent").

These invalidity contentions are made only as to the claims of the Patent-in-Suit that Plaintiff has identified in its Infringement Contentions served on May 30, 2024: **HAPTIC EX2026**

Patent	Asserted Claims ¹	Haptic's Alleged Priority Date
'738 patent	<u>1</u> -2, 4-5, and 9	Feb. 13, 2015

Apple reserves the right to supplement these invalidity contentions at least per the parties' agreement and/or to the extent Plaintiff is allowed to change its Asserted Claims.

These invalidity contentions are being made before claim construction. The parties have only recently started general discovery and document production, and no party depositions have been noticed or taken. Accordingly, Apple reserves the right to supplement and amend these contentions to the extent additional information becomes available during discovery. Apple has served third-party discovery on companies and/or individuals that it is informed and believes have relevant prior art. Apple will also be taking third-party discovery from the individuals named as inventors on Plaintiff's patent filings and associated companies. Apple may also serve additional third-party discovery in the future including, but not limited to, based on discovery received from Plaintiff, the named inventors of the Asserted Patent, and/or the above-referenced third parties. Apple reserves the right to supplement and/or amend its invalidity contentions to include new prior art discovered from Plaintiff, from the named inventors, from these third-party sources, or other sources.

I. RESERVATIONS

A. General Reservation of Right

The information provided shall not be deemed an admission regarding the scope of any claims or the proper construction of those claims or any claim terms. In certain instances, Apple has applied the claims to the prior art in view of Plaintiff's allegations, admissions, or positions for purposes of these invalidity contentions only, to the extent Apple can discern Plaintiff's allegations. As of the date of service, Plaintiff's infringement contentions remain deficient, as explained in correspondence from Apple's counsel on July 11, 2024. The deficiencies include,

¹ The independent claim is bolded and underlined.

1 but are not limited to: lack of any infringement theory provided by Plaintiff with respect to all
2 accused products; failure to identify the accused instrumentalities with specificity; failure to
3 identify Plaintiff's infringement allegations under the doctrine of equivalents²; failure to identify
4 any alleged direct infringer for Plaintiff's contributory infringement allegations; lack of citation to
5 show that the pictured products and components are unmodified; lack of support regarding
6 Plaintiff's alleged priority dates, etc. These deficiencies have prejudiced, and continue to
7 prejudice, Apple's ability to prepare its defenses, including Apple's ability to prepare its invalidity
8 contentions. This disclosure of invalidity contentions is not intended to be, and is not, an admission
9 that any Asserted Claim is infringed by any of Apple's products, that any particular feature or
10 aspect of any of the accused products practices any limitations of the Asserted Claims, or that any
11 of the constructions implicit in Plaintiff's Infringement Contentions is reasonable, supportable, or
12 proper. Rather, in some instances, Apple's application of the claims to the prior art is intended to
13 apply Plaintiff's apparent interpretation of the claims.

14 **B. Plaintiff's Infringement Contentions Served on May 30, 2024**

15 Plaintiff's Infringement Contentions are deficient in numerous respects, as explained in
16 Apple's deficiency letter served on July 11, 2024. Apple reserves the right to supplement or amend
17 these Invalidity Contentions in view of Plaintiff's response, if any. Because Plaintiff's response
18 to such deficiencies may lead to further grounds for invalidity, Apple specifically reserves the right
19 to modify, amend, or supplement its contentions as Plaintiff modifies, amends, or supplements its
20 disclosures and/or produces documents in discovery.

21
22
23
24 ² Plaintiff has presented no substantive contentions of any alleged infringement under the doctrine
25 of equivalents in its Infringement Contentions served on May 30, 2024. At most, Plaintiff has
26 provided boilerplate reservations of rights, and made general references to the doctrine of
27 equivalents, which is insufficient to preserve an infringement theory under the doctrine of
28 equivalents. As a result, Plaintiff has waived any doctrine of equivalents theory. If Plaintiff is
permitted to provide any information relating to infringement under the doctrine of equivalents,
Apple may amend and supplement these invalidity contentions as appropriate.

1 **C. The Intrinsic Record**

2 Apple reserves the right to rely on applicable industry standards and prior art cited in the
3 file histories of the Patent-in-Suit and any related U.S. and foreign patent applications as
4 invalidating references or to show the state of the art. Apple further reserves the right to rely on
5 the patent applicant's admissions concerning the scope of the prior art relevant to the Patent-in-
6 Suit found in, *inter alia*: the patent prosecution history for the Patent-in-Suit and any related patents
7 and/or parent applications or reexaminations (or *inter partes* review or post-grant review
8 proceedings); any deposition testimony of the named inventor or inventors whose names were
9 removed during prosecution of the Patent-in-Suit; any deposition testimony or other admissions
10 by Plaintiff; and the papers filed and any evidence submitted by Plaintiff in connection with this
11 or any related litigation or proceeding.

12 **D. Rebuttal Evidence**

13 Prior art not included in these invalidity contentions, whether known or not known to
14 Apple, may become relevant. In particular, Apple is currently unaware of the extent, if any, to
15 which Plaintiff will contend that limitations of the Asserted Claims of the Patent-in-Suit are not
16 disclosed in the prior art identified herein or otherwise contend the Patent-in-Suit are not invalid.
17 To the extent that such an issue arises, Apple reserves the right to identify other references that
18 would render obvious the allegedly missing limitation(s) or the disclosed device or method, or
19 otherwise rebut Plaintiff's argument(s).

20 **E. Contextual Evidence**

21 Apple's claim charts cite particular teachings and disclosures of the prior art as applied to
22 the limitations of each of the Asserted Claims. However, persons having ordinary skill in the art
23 generally may view an item of prior art in the context of his or her experience and training, other
24 publications, literature, products, and understandings. Moreover, common sense may be employed
25 as part of the obviousness analysis. As such, Apple may rely on the uncited portions of the prior
26 art references and on other publications, expert testimony, and common sense as aids in
27 understanding and interpreting the cited portions, as providing context thereto, and as additional
28

evidence that the prior art discloses a claim limitation or the claimed subject matter as a whole. Apple further reserves the right to rely on uncited portions of the prior art references, other publications, and testimony, including expert testimony, to establish bases for combinations of certain cited references that render the Asserted Claims obvious. The references discussed in the claim charts may disclose the elements of the Asserted Claims explicitly and/or inherently, and/or they may be relied upon to show the state of the art in the relevant time frame. The suggested obviousness combinations are provided in the alternative to anticipation contentions and are not to be construed as suggesting that any reference included in the combinations is not by itself anticipatory.

II. OVERVIEW OF THE TECHNOLOGY

The basic concepts, teachings, and techniques utilized by the control systems described in the Asserted Patent were well-known at the time of the claimed invention. For example, the Asserted Patent describes:

A control system [that] includes a housing engaged to a mounting surface, a sensor contained within the housing, a server in communication with the sensor, and a terminal device in communication with the server. A gesture by a user associated with the mounting surface controls activity of the terminal device, such as a knock on a wall lowering a thermostat. The control system enables a mounting surface independent from the terminal device to become a controller for the terminal device. The sensor forms an interactive zone, and a contact interaction with the mounting surface within the interactive zone is detected by the sensor as data signals. The server receives the data signals, determines a data pattern corresponding to the data signals, and matches the data pattern with a gesture profile. The gesture profile is associated with a command transmitted to the terminal device to control activity of the terminal device.

'738 patent at Abstract. However, each of these components and functions was well known in the prior art.

A. Sensors

The Asserted Patent describes the use of a sensor 30 (including a sensor unit (accelerometer) 35) that forms an interactive zone 32 and detects a contact interaction 60 (e.g., a knock on a tabletop). *See, e.g.*, '738 patent at Fig. 3, 5.




FIG. 3





FIG. 5

1 The use of sensors, including accelerometers, for this purpose was well-known in the prior
2 art. For example, the toktoktok system discloses a device that includes a sensor to detect vibrations
3 on a surface (e.g., a wall or a table).




17 Hack A Day: Reinventing The Clapper with a knock-based home automation controller
18 (web.archive.org/web/20120312150152/https://hackaday.com/tag/knock/) ("Clap On!... Clap
19 Off!... was super awesome when The Clapper came out in the mid-eighties. Now [Mathieu
20 Stephan] is trying to make the concept much more functional. He put together a controller that
21 lets you knock on walls to control things around the house. It's called the Toktoktok project and
22 uses small boxes to receive user input and control items like lamps and computers.").




Indiegogo: The toktoktok box (www.indiegogo.com/projects/the-toktoktok-box#/) (“Indiegogo”) (showing a toktoktok box, which includes a housing and a sensor).

Additional examples are disclosed in Bess, Murakoshi, Yeo, and Newton:




Bess at Fig. 1; *see also id.* at Abstract (“A system includes at least three accelerometers disposed in different locations of an area with a surface to capture respective vibration data corresponding


to a command tapped onto the surface by a user and a processing system to receive the vibration data from each accelerometer, identify the command and a location of the user from the vibration data, and generate a control signal based on the command and the location.”).



Murakoshi at Fig. 1 (disclosing an apparatus 104 that includes one or more sensors, such as sensor 206 (a 3-axis gyroscope (i.e., accelerometer)) operable to determine acceleration that corresponds to vibrations produced in the vibratory surface 106), [0037].




Yeo at Fig. 18; *see also id.* at 3:16-17 (“FIG. 18 is a schematic drawing of application as an input device for interacting with digital devices.”), 9:60-67 (“The in-built sensing capabilities of each sensor node enables it to be used an alternate input device that remaps its input measurements to inputs for other devices. For example, FIG. 18 shows cancelling a call without having to take the phone out by tapping on the pocket/hand carrier; augmenting a desktop space such that tapping/scratching on a physical table becomes an interaction mode to desktop computer.”).




Newton at Fig. 1, Abstract (“A lighting control apparatus (106) may include an accelerometer (118), a wireless communication interface (112), and a secure connection (125) for securing the lighting control apparatus to a surface. The secure connection may be configured to transfer motion imparted on the surface to the accelerometer. A controller (108) may be coupled with the accelerometer and the wireless communication interface. The controller may be configured to: receive, from the accelerometer, a signal representative of motion sensed by the accelerometer; determine, based on the signal from the accelerometer, that the sensed motion satisfies a motion criterion; and transmit, over the wireless communication interface to a lighting unit (104) or a lighting system bridge (102), data configured to cause one or more lighting units to emit light having one or more selected properties.”); *see also* Johnson; Khaira; Pryor; Krum; Yun.

Furthermore, under Plaintiff's apparent theory of infringement, the accelerometer in a mobile phone can be the claimed sensor. Infringement Contentions, Ex. A.



However, numerous prior art mobile phones included accelerometers that performed the same function. For example, the iPhone 6 (as well as every prior model of iPhone) includes an accelerometer for detecting, among other things, impacts on the outside surface of the phone.



- InvenSense MP67B 6-axis Gyroscope and Accelerometer Combo

iFixit at Step 15; *see also* iPhone 4; Samsung Galaxy III; LG G2; Nokia Phones.

B. Housing engaged to a mounting surface

In the Asserted Patent, the sensor (accelerometer) is contained within a housing 20 and the housing is engaged to a mounting surface 22 that receives the contact interaction. *See, e.g.*, '738 patent at Figs. 3-4.




FIG. 3






FIG. 4

This arrangement was well-known in the prior art. For example, the toktoktok system includes a housing engaged to mounting surface.



Indiegogo (showing the housing of the toktoktok system and a mounting surface); *see also* Bess at Fig. 1, Abstract (“A system includes at least three accelerometers disposed in different locations of an area with a surface to capture respective vibration data corresponding to a command tapped onto the surface by a user and a processing system to receive the vibration data from each accelerometer, identify the command and a location of the user from the vibration data, and generate a control signal based on the command and the location.”); Murakoshi at Fig. 1 (disclosing an apparatus 104 with housing engaged to a vibratory surface 106); Stewart at Fig. 1, 5:9-37; Newton at Abstract (“A lighting control apparatus (106) may include an accelerometer (118), a wireless communication interface (112), and a secure connection (125) for securing the lighting control apparatus to a surface. The secure connection may be configured to transfer motion imparted on the surface to the accelerometer.”), 9:50-56 (“Secure connection and motion transfer component 125 may include but are not limited to various adhesives (e.g., activated by removing tape), hook and loop fasteners (e.g., Velcro), double sided foam tape (e.g., with removable tape to activate), suction cup(s), one or more magnets, one or more screws or a clips, and so forth.”); Marks at Figs. 1, 6, [0040] (“As shown in FIG. 6, the remote transmitter 22 is attachable by means of an adhesive surface 27.”).

1 Furthermore, under Plaintiff's apparent theory of infringement, the printed circuit board
2 ("PCB") assembly of a smartphone inside the smartphone's exterior shell is a housing engaged to
3 a mounting surface. Infringement Contentions, Ex. A.




12 However, this was a standard feature of smartphones sold before 2015. For example, the
13 iPhone 6 (as well as every prior model of iPhone) includes a logic board assembly that contains
14 the sensor.




15
16
17
18
19
20
21
22
23
24 iFixit at Step 14; *see also* iPhone 4; Samsung Galaxy III; LG G2; Nokia Phones.

C. Server

The Asserted Patent describes “a server in communication with the sensor.” ’738 patent at Abstract. The server 40 comprises a routing module 44, a processing module 46, and an output module 48. *See, e.g., id.* at Fig. 1.



Such servers were well-known in the prior art. For example, Orr discloses “a server system 110.” Orr at [0027].




Id. at Fig. 1 (annotated). As shown above, the server includes an I/O interface 122, a processing module 118, and a I/O interface 116. *Id.*; *see also* Sharp KK at Abstract (similar). Similarly, the Bump app used a server for gesture recognition. *See, e.g.*, <https://www.zdnet.com/home-and-office/networking/eight-burning-questions-for-bump-co-founder-jake-mintz/> (“When two phones bump, software on the phone sends up a variety of sensor data to an algorithm running on the Bump servers -- data like the location of the phone, the accelerometer readings, the IP address, etc.”); *see also* Johnson at 29:9-16 (“Therefore, every component forms part of the cloud which comprises servers, applications and clients as defined above. The cloud can be in communication with the intelligent door lock system 10, the vibration tapping sensing device of the mobile device 210, and the like.”); Avrahami at [0050] (“Example data includes web pages, text messages, images, sound files, video data, classifier training data or other data sets to be sent to and/or received from one or more network servers or other devices by the device 600 via one or more wired or wireless networks, or for use by the device 600.”); Bess at [0041] (confirming the “processing device may be ... a server”).


Furthermore, under Plaintiff's apparent theory of infringement, a server is merely the combination of a smartphone's processor, circuitry connecting the processor to the accelerometer, and circuitry connecting the processor to a terminal device. Infringement Contentions, Ex. A.

[1.10] a server in communication with said sensor,

Each Accused Product contains "a server in communication with said sensor." As discussed in greater detail below, the sensor is in communication with other components on the logic board assembly, one or more of which comprises a server. The connection between the server and the sensor can be wireless or wired, and may also include a router, Wi-Fi, Bluetooth, or a local area network. The following simplified block diagram shows an exemplary configuration of a server in the Accused Products:




However, this was a standard feature of smartphones sold before 2015. For example, the iPhone 6 (as well as every prior model of iPhone) includes these components.





iFixit at Step 11.




iFixit at Step 15; *see also* iPhone 4; Samsung Galaxy III; LG G2; Nokia Phones.

D. Terminal device

The Asserted Patent further describes a terminal device that includes a receiving module and a switch. In the specification, “the terminal device 50 can be an appliance, such as a television, stereo or coffee machine with a switch 50’”. Alternatively, the terminal device 50 may be a device

running software, a light with a switch 50' or climate regulator, such as a thermostat, fan or lighting fixture." '738 patent at 9:65-10:4, Fig. 1.



Such terminal devices were well-known in the prior art. For example, the totktoktok system includes an electronic device (e.g., a lamp) plugged into a switching socket and a computer with an RF receiver.



So who is it made for and how can you use it?

Toktoktok is made for **everyone**, as it is so simple to implement.

But more specifically, it is particularly suited for **persons having a low-mobility**.

Currently, the toktoktok system is composed of toktoktok boxes, lamp/power switching sockets and RF receivers for computers.

Therefore, it will allow you to:

- **add additional switches** in convenient places
- **not spend 10 minutes** looking for the light switch, especially if you are in the dark
- **switch off all electronic devices** when leaving the house
- **control your computer music player** from anywhere
- **quickly turn off your computer** (not the hard way 😊): this is for people (like me) that like watching films from their beds....
- **simplify your life...**

Indiegogo. Additional examples are disclosed in Bess, Murakoshi, Yeo, and Newton:






Fig. 1


Bess at Fig. 1; *see also id.* at Abstract (“A system includes at least three accelerometers disposed in different locations of an area with a surface to capture respective vibration data corresponding to a command tapped onto the surface by a user and a processing system to receive the vibration data from each accelerometer, identify the command and a location of the user from the vibration data, and generate a control signal based on the command and the location.”), [0009] (“Accordingly, the system described herein may be used to turn on lights, adjust the temperature, or notify authorities that someone has fallen and cannot get up, cannot reach a nurse call button, or is blocked from reaching a location, for example.”).



Murakoshi at Fig. 1, Murakoshi at [0017] (disclosing that “device 102 may correspond to a machine that may be operated by a user” such as “mobile phones, laptops, tablet computers, televisions, Personal Digital Assistant (PDA) devices, vehicles, home appliances, media playing devices, and/or any other device operable by a user”); *see also id.* at [0064] (describing a lamp), [0084] (same).



Yeo at Fig. 18 (illustrating control of a mobile phone).




Newton at Fig. 1 (showing a smart light); *see also* Johnson; Khaira; Pryor; Krum; Yun.

Furthermore, under Plaintiff's apparent theory of infringement, components of a smartphone (e.g., the camera, flashlight, speaker, etc.) can be terminal devices. Infringement Contentions, Ex. A.

[1.14] a terminal device being comprised of a receiving module and	Each Accused Product contains and/or interacts with a "terminal device being comprised of a receiving module." More than one terminal device can be connected to the server, and the control system can also be used with multiple terminal devices. In each of the Accused Products, gestures can be associated with independent terminal devices internal to the iPhone and/or independent terminal devices external to the iPhone. Examples of terminal devices comprised of a receiving module internal to the iPhone include at least the iPhone's camera, flashlight, speaker, lock controls, audio player, volume up, volume down, smartphone GUI (Lock Screen command), mute control, the screen, and other internal iPhone functions. These internal terminal devices contain receiving modules and have associated integrated electronics to receive commands from the output module. The image below illustrates one example of an internal terminal device and its corresponding receiving module:
---	--

However, these were standard features of smartphones sold before 2015. For example, the iPhone 6 (as well as every prior model of iPhone) included similar components.




iFixit at Step 13 (annotated); *see also* iPhone 4; Samsung Galaxy III; LG G2; Nokia Phones.

E. Gesture recognition/control

The Asserted Patent further describes determining a data pattern corresponding to the data signals received from the sensor, matching the data pattern with a gesture profile, and associating the gesture profile with a control command. *See, e.g., '738 patent at Fig. 2.*


FIG. 2




This functionality was well-known in the prior art. For example, Sachs discloses a motion gesture detection system in which “[m]otion gesture(s) are recognized from the motion data from a set of motion gestures available for recognition in the active operating mode.” Sachs at Abstract, Fig. 9. Sachs describes that in the system, motion data is sensed, and the motion data is analyzed

1 to recognize the motion gestures captured by the data. *Id.* at Fig. 9. Sachs further describes that
2 “gesture recognition allows a user to easily select particular device functions by simply moving,
3 shaking, or tapping the device [and p]rior gesture recognition for motion sensing devices typically
4 consists of examining raw sensor data such as data from gyroscopes or accelerometers, and either
5 hard-coding patterns to look for in this raw data, or using machine learning techniques... to learn
6 patterns from this data.” *Id.* at [0009]. And Sachs describes that the motion data associated with
7 a user gesture is examined to detect a particular gesture (contact interaction) and that it is known
8 to use patterns (data patterns) of the motion data (data signals) to match the user motion to an
9 associated gesture (gesture profile) and command. *Id.* at [0009]-[0010], [0015], [0101]. Relatedly,
10 Sachs describes that a flexible recognition of gestures can use the timing between different features
11 in the gesture motion data (a measured time period between each defined peak). *Id.* at [0079] (“the
12 timing between different features in motion data can be expressed and detected based on multiples
13 and/or fractions of a basic time period used in that gesture... [t]he basic time period can be, for
14 example, the time between two data features.”).

15 Similarly, Kim discloses that “[t]he shock of [a] tap is transmitted through the body of the
16 device to the accelerometer when tapping occurs [and t]he peak rises to a maximum[.]” Kim at
17 [0011], [0013], [0031], [0041]. Further, Kim describes that “a latency timer sets the time period
18 that a tap event will only be characterized as a single tap [such that a] second tap has to occur
19 outside of the latency timer [and if] a second tap occurs inside the latency time, it will be ignored
20 as it occurred too quickly.” *Id.* at [0037].



Id. at Fig. 4 (annotated).



Id. at Fig. 5 (annotated).

Tap detection was also a feature of off-the-shelf accelerometers such as the Bosch sensor included in the iPhone 6. *See, e.g.*, Bosch datasheets.

14 BIT, DIGITAL, TRIAXIAL ACCELERATION SENSOR WITH INTELLIGENT ON-CHIP MOTION-TRIGGERED INTERRUPT CONTROLLER

Key features

- Ultra-Small package LGA package (12 pins), footprint 2mm x 2mm, height 0.95mm
- Digital interface SPI (4-wire, 3-wire), I²C, 2 interrupt pins
- Programmable functionality V_{DDIO} voltage range: 1.2V to 3.6V
Acceleration ranges $\pm 2g/\pm 4g/\pm 8g/\pm 16g$
Low-pass filter bandwidths 500Hz - <8Hz
up to an max. output data read out of 2kHz (unfiltered)
Integrated FIFO with a depth of 32 frames
- On-chip FIFO Motion-triggered interrupt-signal generation for
 - new data
 - any-motion (slope) detection
 - tap sensing (single tap / double tap)
 - orientation recognition
- On-chip interrupt controller

BMA280 Spec at 2, 31-33.

4.7.6 Tap sensing

Tap sensing has a functional similarity with a common laptop touch-pad or clicking keys of a computer mouse. A tap event is detected if a pre-defined slope of the acceleration of at least one axis is exceeded. Two different tap events are distinguished: A 'single tap' is a single event within a certain time, followed by a certain quiet time. A 'double tap' consists of a first such event followed by a second event within a defined time frame.

Single tap interrupt is enabled (disabled) by writing '1' ('0') to bit (0x16) *s_tap_en*. Double tap interrupt is enabled (disabled) by writing '1' ('0') to bit (0x16) *d_tap_en*.

While temporary latching is used do not simultaneously enable single tap interrupt and double tap interrupt.

The status of the single tap interrupt is stored in bit (0x09) *s_tap_int*, the status of the double tap interrupt is stored in bit (0x09) *d_tap_int*.

The slope threshold for detecting a tap event is set by bits (0x2B) *tap_th*. The meaning of (0x2B) *tap_th* depends on the range setting. 1 LSB of (0x2B) *tap_th* corresponds to a slope of 62.5mg in 2g-range, 125mg in 4g-range, 250mg in 8g-range, and 500mg in 16g-range.

In figure 8 the meaning of the different timing parameters is visualized:




Figure 8: Timing of tap detection

Id. at 31-33; *see also* NXP Semiconductor Inc. (formerly Freescale Semiconductor) MMA8450Q data sheets (disclosing built-in tap detection); Tuck (same); Analog Devices ADXL345 data sheets (same); TDK MPU-6000 data sheets (same); <https://www.eetimes.com/theres-more-to-mems-than-meets-the-iphone/> (“The STMicroelectronics accelerometer used in the iPhone supplies analog acceleration values for all three directions, covering a range of ± 2 g's. That makes it suitable not only for sensing orientation but also for applications that Apple could add at any time. ... Besides intelligent power management, there are about a dozen other applications of consumer devices that make full use of a MEMS accelerometer's capabilities, according to Freescale Semiconductor Inc. (Austin, Texas), whose three-axis accelerometers have the built-in ability to recognize single and double taps. ... ‘The accelerometer can recognize any type of motion, and different motion patterns can trigger different menu functions,’ said Michelle Kelsey, inertial sensor products marketing manager at Freescale[.]”).

1 Not surprisingly, numerous systems used tap detection for device control. *See, e.g.*,
2 Murokoshi; Bess; toktoktok; BeyondTouch (including related publications); TouchAnywhere;
3 InvenSense MotionProcessing™ Technology Demo; Hudson (Whack gestures); Knock to
4 Unlock iPhone app; Knock Knock iPhone app; Samsung Galaxy III; Nokia Phones; LG G2;
5 Kunal Naik’s Knock Knock system.

6 **III. PRIORITY DATE**

7 Plaintiff’s Infringement Contentions allege that “[t]he priority date of the Asserted Patent
8 is February 13, 2015.” Infringement Contentions, Cover at 7.

9 Plaintiff bears the burden to prove it is entitled to a priority date earlier than February 12,
10 2016. Plaintiff has not demonstrated that any Asserted Claim is entitled to an earlier priority date.
11 In fact, based on Apple’s preliminary investigations, the Asserted Claims cannot date back to
12 February 13, 2015. For example, the Asserted Patent claims priority to U.S. Provisional
13 Application No. 62/115,769 (the “’769 provisional”), which was filed February 13, 2015. But the
14 ’769 provisional contains no disclosure of at least the following limitations of the Asserted Claims:

- 15 • “engagement means”
- 16 • “attachment means”
- 17 • “transmission portion”
- 18 • “a server”
- 19 • “means for initiating activity”
- 20 • “defined peak”
- 21 • “defined time period after a last defined peak”

22 Therefore, no Asserted Claim is entitled to the alleged priority date (February 13, 2015). Apple
23 thus reserves the right to assert later priority dates based on any findings as to the priority date of
24 the Asserted Claims by the Court, information learned through discovery, or otherwise. Apple
25 further reserves the right to amend its invalidity contentions should Plaintiff fail to prove that any
26 Asserted Claim is entitled to an earlier priority date.

1 **IV. IDENTIFICATION OF PRIOR ART**

2 The following patents, publications, systems, and admitted prior art are prior art to the
3 Asserted Claims of the Asserted Patent under at least 35 U.S.C. §§ 102(a)(1) and/or 102(a)(2).

4 Apple also incorporates as if fully set forth in these Invalidity Contentions the complete
5 prosecution histories for the Asserted Patent and related patents, including the prior art and
6 supporting documents cited in those prosecution histories. Apple may cite or rely upon the
7 prosecution histories, the examiner's findings, and the prior art cited therein to support or provide
8 context for these Invalidity Contentions.

9 Apple not only relies upon the prior art disclosed in these Invalidity Contentions, but also
10 relies on any commercial embodiments and accompanying literature (or other evidence and/or
11 witness testimony) of the various assignees that correspond to the respective disclosures found
12 within the prior art disclosed in these contentions. The assignees' various and respective
13 commercial embodiments and/or corresponding literature (or other evidence and/or witness
14 testimony) anticipate and/or render obvious the claims of the Asserted Patent for at least the
15 reasons disclosed in these Invalidity Contentions, as well as for other independent reasons found
16 within the commercial embodiments and corresponding literature. Apple also reserves the right
17 to rely on related patents, published applications, foreign patents or publications, and other patent
18 documents as necessary to establish prior art status or clarify the disclosures cited. Apple further
19 reserves the right to rely on the earliest publication or priority dates to which each of the prior art
20 references are entitled, including dates on which a claim of priority may be based for patent
21 references that are any of a divisional, continuation, or continuation-in-part of an earlier filed
22 patent application.

23 Apple reserves the right to revise its claim charts to rely on any of these references to prove
24 the invalidity of the claims of the Asserted Patent in a manner consistent with the Federal Rules of
25 Civil Procedure, the Court's Local Rules, and this Court's Orders.

A. Patents and Published Patent Applications

Number	Inventor(s)	Date Filed	Date Issued/ Published
U.S. Patent No. 4,377,049	Donald R. Simon, et al.	Mar. 22, 1980	Mar. 22, 1983
U.S. Patent No. 4,744,249 ("Stewart")	Robert E. Stewart	Jul. 10, 1986	May 17, 1988
U.S. Patent No. 5,103,085	Thomas G. Zimmerman	Sep. 5, 1990	Apr. 7, 1992
U.S. Patent No. 5,971,761	Chitunda Tillman, Sr.	Nov. 12, 1998	Oct. 26, 1999
U.S. Patent No. 6,335,722 B1	Masayuki Tani, et al.	Oct. 24, 1994	Jan. 1, 2002
U.S. Patent No. 6,520,013 B1 ("Wehrenberg 013")	Paul James Wehrenberg	Oct. 2, 2000	Feb. 18, 2003
U.S. Patent App. Pub. No. 2004/0169674 A1 ("Linjama")	Jukka Linjama	Dec. 30, 2003	Sept. 2, 2004
U.S. Patent App. Pub. No. 2004/0214617 A1	Koji Kanazawa, et al.	Mar. 22, 2004	Oct. 28, 2004
U.S. Patent App. Pub. No. 2005/0046584 A1	David S. Breed	Sep. 13, 2004	Mar. 3, 2005
U.S. Patent App. Pub. No. 2005/0246109 A1	Won-chul Bang, et al.	Dec. 3, 2004	Nov. 3, 2005
U.S. Patent App. Pub. No. 2006/0017692 A1 ("Wehrenberg")	Paul Wehrenberg, et al.	Nov. 12, 2004	Jan. 26, 2006
International Pub. No. WO 2006/046098 A1 ("Haggman")	Kaj Haggman, et al.	Sep. 14, 2005	May 4, 2006
U.S. Patent App. Pub. No. 2006/0164253 A1	Ann M. Harvey, et al.	Feb. 2, 2004	Jul. 27, 2006
U.S. Patent App. Pub. No. 2006/0259205 A1 ("Krum")	David Michael Krum	May 13, 2005	Nov. 16, 2006
International Pub. No. WO 2006/124381 A2	David Michael Krum	May 8, 2006	Nov. 23, 2006
U.S. Patent App. Pub. No. 2007/0079206 A1	Manish Arora, et al.	Aug. 24, 2006	Apr. 5, 2007
U.S. Patent App. Pub. No. 2007/0080819 A1 ("Marks")	Mitchell J. Marks, et al.	Oct. 11, 2006	Apr. 12, 2007
U.S. Patent App. Pub. No. 2009/0088204 A1 ("Culbert")	Michael Culbert, et al.	Oct. 1, 2007	Apr. 2, 2009
International Pub. No. WO 2009/071919 A1	Roderick Murray-Smith, et al.	Dec. 8, 2008	Jun. 11, 2009
U.S. Patent App. Pub. No. 2009/0241052 A1 ("Ha")	Wai-leung Ha, et al.	Mar. 19, 2008	Sep. 24, 2009

Number	Inventor(s)	Date Filed	Date Issued/ Published
U.S. Patent App. Pub. No. 2009/0265671 A1 ("Sachs")	David Sachs, et al.	Oct. 15, 2008	Oct. 22, 2009
U.S. Patent App. Pub. No. 2010/0001992 A1	Marissa A.K. Schultz, et al.	Jul. 2, 2008	Jan. 7, 2010
U.S. Patent App. Pub. No. 2010/0017407 A1	Fumiko Beniyama, et al.	Jul. 14, 2009	Jan. 21, 2010
U.S. Patent App. Pub. No. 2010/0019922 A1	Evert Jan Van Loenen, et al.	Oct. 15, 2007	Jan. 28, 2010
U.S. Patent App. Pub. No. 2010/0053152 A1	George Steven Lewis, et al.	Jan. 22, 2008	Mar. 4, 2010
U.S. Patent App. Pub. No. 2010/0085216 A1 ("MS")	Ajith MS	Oct. 2, 2008	Apr. 8, 2010
U.S. Patent App. Pub. No. 2010/0231506 A1 ("Pryor")	Timothy Pryor	May 19, 2009	Sep. 16, 2010
U.S. Patent App. Pub. No. 2010/0256947 A1 ("Kim")	Dong Yoon Kim, et al.	Mar. 30, 2010	Oct. 7, 2010
International Pub. No. WO 2010/114841 A1	Dong Yoon Kim, et al.	Mar. 30, 2010	Oct. 7, 2010
International Pub. No. WO 2010/138541 A2	Michael H. Script	May 26, 2010	Dec. 2, 2010
U.S. Patent App. Pub. No. 2011/0087454 A1 ("Lee")	James M. Lee, et al.	Oct. 1, 2009	Apr. 14, 2011
International Pub. No. WO 2012/058770 A1 ("Slupsky")	Steven Slupsky, et al.	Feb. 17, 2011	May 10, 2012
U.S. Patent No. 8,228,315 B1	Thad Eugene Starner, et al.	Jul. 12, 2011	Jul. 24, 2012
U.S. Patent App. Pub. No. 2012/0249416 A1	Giuliano Maciocci, et al.	Mar. 29, 2012	Oct. 4, 2012
C.N. Patent No. 202502390	李晓燕喻洪流朱沪生简卓 周祥宇	Mar. 6, 2012	Oct. 24, 2012
KR 101239177 B1 ("Park Seok-gyu")	Park Seok-gyu	Aug. 27, 2012	Mar. 5, 2013
C.N. Patent Pub. No. 103067630 A ("Yibai")	Liu Yibai	Dec. 26, 2012	Apr. 24, 2013
U.S. Patent No. 8,442,797 B2	Dong Yoon Kim, et al.	Mar. 30, 2010	May 14, 2013
International Pub. No. WO 2013/093638 A2	Henry William Peter Beadle, et al.	Dec. 21, 2012	Jun. 27, 2013

Number	Inventor(s)	Date Filed	Date Issued/ Published
C.N. Patent Pub. No. 103218062 A	Suk Kyu Park	Apr. 24, 2013	Jul. 24, 2013
International Pub. No. WO 2013/128999 A1 ("Sharp KK")	Minoru Hasegawa, et al.	Mar. 30, 2010	Sept. 6, 2013
International Pub. No. WO 2013/165348 A1 ("Bess")	Charles Edgar Bess, et al.	Apr. 30, 2012	Nov. 7, 2013
U.S. Patent App. Pub. No. 2013/0321346 A1	Nathan Tyler, et al.	Mar. 15, 2013	Dec. 5, 2013
U.S. Patent App. Pub. No. 2014/0050354 A1	Axel Heim, et al.	Aug. 14, 2013	Feb. 20, 2014
U.S. Patent No. 8,665,237 B2	Atsushi Koshiyama, et al.	May 17, 2012	Mar. 4, 2014
U.S. Patent App. Pub. No. 2014/0088794 A1	Hiroyuki Yashiro, et al.	Sep. 9, 2013	Mar. 27, 2014
U.S. Patent App. Pub. No. 2014/0111415 A1 ("Gargi")	Ullas Gargi, et al.	Jan. 2, 2013	Apr. 24, 2014
U.S. Patent App. Pub. No. 2014/0111483 A1	Chris Harrison, et al.	Dec. 31, 2013	Apr. 24, 2014
U.S. Patent No. 8,725,842 B1	Khalid Al-Nasser	Nov. 25, 2013	May 13, 2014
U.S. Patent App. Pub. No. 2014/0191938 A1	José Alonso Ybanez Zepeda	Jan. 8, 2013	Jul. 10, 2014
U.S. Patent App. Pub. No. 2014/0191963 A1 ("Murakoshi")	Sho Murakoshi et al.	Jan. 8, 2013	Jul. 10, 2014
U.S. Patent No. 8,786,409 B2 ("Zwart")	Andrew Jan Zwart, et al.	Oct. 30, 2009	Jul. 22, 2014
U.S. Patent No. 8,788,978 B2	Roy W. Stedman, et al.	Jan. 21, 2011	Jul. 22, 2014
U.S. Patent App. Pub. No. 2014/0225824 A1	Alexander Shpunt, et al.	Feb. 13, 2014	Aug. 14, 2014
U.S. Patent App. Pub. No. 2014/0249681 A1	Hideaki Yamaguchi, et al.	Nov. 8, 2012	Sep. 4, 2014
U.S. Patent App. Pub. No. 2014/0267025 A1	Daesung Kim, et al.	Mar. 14, 2014	Sep. 18, 2014
U.S. Patent No. 8,854,557 B2	Lee G. Friedman	Nov. 22, 2013	Oct. 7, 2014
U.S. Patent App. Pub. No. 2014/0327655 A1 ("Avrahami")	Daniel Avrahami	May 1, 2013	Nov. 6, 2014
U.S. Patent App. Pub. No. 2015/0019459 A1	Amy Han	Feb. 16, 2011	Jan. 15, 2015
U.S. Patent App. Pub. No. 2015/0100167 A1	David Sloo, et al.	Oct. 7, 2014	Apr. 9, 2015

Number	Inventor(s)	Date Filed	Date Issued/ Published
U.S. Patent App. Pub. No. 2015/0123949 A1 ("Li")	Kevin Li	Nov. 2, 2013	May 7, 2015
U.S. Patent App. Pub. No. 2015/0154976 A1 ("Mutagi")	Rohan Mutagi	Dec. 2, 2013	Jun. 4, 2015
U.S. Patent App. Pub. No. 2015/0160731 A1 ("Yun")	Yong-Sang Yun, et al.	Apr. 10, 2014	Jun. 11, 2015
U.S. Patent No. 9,134,856 B2	Sho Murakoshi, et al.	Jan. 8, 2013	Sep. 15, 2015
U.S. Patent App. Pub. No. 2015/0301615 A1 ("Kasar")	Darshan R. Kasar, et al.	Apr. 21, 2014	Oct. 22, 2015
U.S. Patent App. Pub. No. 2015/0310197 A1	Min-Woo Oh	Apr. 27, 2015	Oct. 29, 2015
U.S. Patent App. Pub. No. 2015/0332031 A1	Pranav Mistry, et al.	Jul. 29, 2015	Nov. 19, 2015
U.S. Patent App. Pub. No. 2015/0346834 A1	Raul Martinez Fernandez, et al.	Jun. 2, 2015	Dec. 3, 2015
U.S. Patent App. Pub. No. 2015/0348554 A1 ("Orr")	Ryan M. Orr, et al.	Sep. 30, 2014	Dec. 3, 2015
U.S. Patent App. Pub. No. 2015/0358696 A1	Kian Peen Yeo, et al.	Dec. 20, 2013	Dec. 10, 2015
U.S. Patent No. 9,230,560 B2	Farzad Ehsani, et al.	Oct. 8, 2013	Jan. 5, 2016
U.S. Patent App. Pub. No. 2015/0032621 A1	Jason Johnson, et al.	Aug. 21, 2014	Feb. 4, 2016
U.S. Patent No. 9,294,340 B1	Jay D. Logue, et al.	Nov. 14, 2014	Mar. 22, 2016
U.S. Patent No. 9,332,368 B1 ("Hershenson")	Matthew J. Hershenson	Jul. 8, 2013	May 3, 2016
International Pub. No. WO 2016/079647 A1	Phillip Steven Newton, et al.	Nov. 13, 2015	May 26, 2016
U.S. Patent App. Pub. No. 2016/0266636 A1	Yaniv Boshernitzan and Ohad Nezer	Mar. 11, 2016	Sept. 15, 2016
U.S. Patent No. 9,447,609 B2 ("Johnson")	Jason Johnson, et al.	Aug. 21, 2014	Sep. 20, 2016
U.S. Patent No. 9,460,575 B2	Jiyeong Park, et al.	Dec. 4, 2014	Oct. 4, 2016
U.S. Patent No. 9,530,295 B2	Jason Johnson	Feb. 13, 2015	Dec. 27, 2016
U.S. Patent App. Pub. No. 2017/0115743 A1	Darshan R. Kasar, et al.	Jan. 6, 2017	Apr. 27, 2017
U.S. Patent App. Pub. No. 2017/0131783 A1	Yaniv Boshernitzan and Ohad Nezer	Nov. 11, 2016	May 11, 2017
U.S. Patent No. 9,682,622 B2	Sunghyun Kim, et al.	Mar. 30, 2015	Jun. 20, 2017

Number	Inventor(s)	Date Filed	Date Issued/ Published
U.S. Patent No. 9,696,859 B1	Geoffrey Scott Heller, et al.	Jun. 17, 2014	Jul. 4, 2017
U.S. Patent App. Pub. No. 2017/0199716 A1 ("Khaira")	Manpreet S. Khaira, et al.	Mar. 27, 2017	Jul. 13, 2017
U.S. Patent No. 9,712,895 B2 ("Yeo")	Kian Peen Yeo, et al.	Dec. 20, 2013	Jul. 18, 2017
U.S. Patent No. 9,812,004 B1	Yaniv Boshernitzan and Ohad Nezer	Mar. 16, 2017	Nov. 7, 2017
U.S. Patent No. 9,817,521 B2	Kevin Li	Nov. 2, 2013	Nov. 14, 2017
U.S. Patent App. Pub. No. 2017/0336870 A1	Julia Breanne Everett, et al.	Apr. 21, 2017	Nov. 23, 2017
U.S. Patent No. 10,051,716 B2 ("Newton")	Philip Steven Newton, et al.	Nov. 13, 2015	Aug. 14, 2018
U.S. Patent No. 10,101,876 B2	Jinho Cho, et al.	Feb. 23, 2015	Oct. 16, 2018
U.S. Patent No. 10,198,239 B2	Manpreet S. Khaira, et al.	Mar. 27, 2017	Feb. 5, 2019
U.S. Patent No. 10,691,265 B2	Kevin Li	Oct. 10, 2017	Jun. 23, 2020
U.S. Patent No. 11,421,445 B2	Jason Johnson, et al.	Jan. 11, 2018	Aug. 23, 2022
U.S. Patent App. Pub. No. 2024/0118783 A1 ("Chen")	Kevin Will Chen, et al.	Dec. 18, 2023	Apr. 11, 2024

B. Publications

Title	Author/ Publisher	Pub. Date
PCB Piezotronics Model 3741D4HB100G DC Accelerometer Installation and Operating Manual	PCB Piezotronics	2002
9000 Series Sensor Installation Guide	Rockwell Automation Entek	2003
Nokia 6630 Service Schematics RM-1 ("6630 RM-1")	Nokia	2004
Dynamic Sensor Networks, AFRL-IF-RS-TR-2004-57 Final Technical Report, University of Southern California at Marina Del Rey, Sponsored by Defense Advanced Research Projects Agency, DARPA Order No. H557	Brian Schott, et al.	Mar. 2004
KGF01 Series Datasheet	Kionix	Aug. 11, 2004
A Gesture-based Authentication Scheme for Untrusted Public Terminals, Georgia Institute of Technology, Vol. 6, Issue 2	Shwetak Patel, et al.	Oct. 2004

Title	Author/ Publisher	Pub. Date
Nokia 6630 RM-1 Service Manual Level 1&2	Nokia	Dec. 11, 2004
User's Guide for Nokia 6630	Nokia	2005
ADXL311 Data Sheet	Analog Devices	2005
LIS3LV02DQ MEMS Inertial Sensor Accelerometer Datasheet ("LIS3LV02DQ")	STMicroelectronics	Oct. 2005
User's Guide for Nokia 5500 ("5500 Sport")	Nokia	2006
Nokia 5500 Service Schematics RM-86/RM-87 ("5500 RM-86/RM-87 Schematics")	Nokia	2006
A Smart and Passive Floor-Vibration Based Fall Detector for Elderly, DOI: 10.1109/CTTA.2006.1684511, IEEE Xplore	Majd Alwan, et al.	Jan. 2006
Nokia 5500d Service Manual Level 1&2 RM-86 ("5500D Service Manual")	Nokia	Jul. 11, 2006
Nokia 5500d User Guide ("5500D")	Nokia	2007
Apple Reinvents the Phone with iPhone, Press Release (https://www.apple.com/newsroom/2007/01/09Apple-Reinvents-the-Phone-with-iPhone/)	Apple	Jan. 9, 2007
Tap Input as Embedded Interaction Method for Mobile Devices, Presentation in TEI 07, Conference on Tangible and Embedded Interaction, Baton Rouge, USA ("Ronkainen Presentation")	Sami Ronkainen, et al.	Feb. 15-17, 2007
Tap Input as an Embedded Interaction Method for Mobile Devices, TEI'07 (2007) ("Ronkainen")	Sami Ronkainen, et al.	2007
There's more to MEMS than meets the iPhone, EE Times (https://www.eetimes.com/theres-more-to-mems-than-meets-the-iphone/)	R. Colin Johnson	Jul. 9, 2007
LIS3LV02DL MEMS inertial sensor accelerometer Datasheet ("LIS3LV02DL")	STMicroelectronics	Jan. 2008
Scratch Input: Creating Large, Inexpensive, Unpowered and Mobile Finger Input Surfaces, UIST'08, October 19-22, 2008, Monterey, CA, ACM	Chris Harrison, et al.	Oct. 2008
iPhone User Guide For iPhone OS 3.1 Software	Apple	2009
Touch Sensors Design Guide	Atmel	2009
Sonic Nirvana: Using MEMS Accelerometers as Acoustic Pickups in Musical Instruments, Analog Dialogue 43-02, February (2009) (www.analog.com/analogdialogue) ("O'Reilly")	Rob O'Reilly, et al.	Feb. 2009
LIS331DLH	STMicroelectronics	Jul. 2009

Title	Author/ Publisher	Pub. Date
("LIS331DLH Spec")		
Secret Knock Detecting Lock (https://www.youtube.com/watch?v=zE5PGeh2K9k)	ookseer	Oct. 29, 2009
Secret Knock Detecting Door Lock (https://grathio.com/2009/11/secret_knock_detecting_door_lock/)	Grathio Labs	Nov. 2, 2009
Hackaday: Knock Detecting Lock (https://hackaday.com/2009/11/04/knock-detecting-lock/)	Caleb Kraft	Nov. 4, 2009
Whack Gestures: Inexact and Inattentive Interaction with Mobile Devices, TEI 2010, January 25-27-2010, Cambridge, MA, ACM ("Hudson")	Scott E. Hudson, et al.	Jan. 2010
MMA8450Q Single/Double and Directional Tap Detection, Application Note, AN3919, Rev. 0 ("Tuck")	Kimberly Tuck; NXP Freescale Semiconductor	Feb. 2010
InvenSense MotionProcessing™ Technology Demo Video (https://www.youtube.com/watch?v=K0Ta-wAdvh8)	TDK InvenSense	Mar. 13, 2010
Eight burning questions for Bump co-founder Jake Mintz (www.zdnet.com/home-and-office/networking/eight-burning-questions-for-bump-co-founder-jake-mintz/)	Andrew Mager	Mar. 26, 2010
Interfacing Human Motion to a Digital World – Part 1, TouchAnywhere™ Video (https://www.youtube.com/watch?v=JJfcIRMKbjY)	TDK InvenSense	Jun. 7, 2010
iPhone 4 Teardown (https://www.ifixit.com/Teardown/iPhone+4_Teardown/3130)	iFixit	Jun. 24, 2010
iPhone 4 Sales Top 1.7 Million (https://www.apple.com/newsroom/2010/06/28iPhone-4-Sales-Top-1-7-Million/)	Apple	Jun. 28, 2010
PhoneTouch: A Technique for Direct Phone Interaction on Surfaces, USIT'10, October 3-6, 2010, New York City, NY, ACM	Dominik Schmidt, et al.	Oct. 2010
The Hidden Secrets of Apple's AirPlay, Wired (https://www.wired.com/2010/11/the-hidden-secrets-of-apples-airplay/)	Charlie Sorrel	Nov. 23, 2010
Motion Sensing in the iPhone 4: MEMS Accelerometer, MEMS Journal (https://www.memsjournal.com/2010/12/motion-sensing-in-the-iphone-4-mems-accelerometer.html)	St. J. Dixon-Warren	Dec. 23, 2010
Fall Detection with Distributed Floor-mounted Accelerometers, 2011 5 th International Conference on	Franz Werner, et al.	2011

Title	Author/ Publisher	Pub. Date
Pervasive Computing Technologies for Healthcare (PervasiveHealth) and Workshops		
Make: Arduino Bots and Gadgets, O'Reilly Media, Inc.	Kimmo and Tero Karvinen	2011
iPhone 4 on Verizon Wireless Available for Pre-Order Tomorrow (https://www.apple.com/newsroom/2011/02/02iPhone-4-on-Verizon-Wireless-Available-for-Pre-Order-Tomorrow/)	Apple	Feb. 2, 2011
iPhone 4 Verizon Teardown (https://ifixit.com/Teardown/iPhone+4+Verizon+Teardown/4693)	iFixit	Feb. 7, 2011
Evaluation Board User Guide UG-065, Rev. A	Analog Devices	Mar. 2011
BMA250 Data Sheet Document number BST-BMA250-DS002-02	Bosch	Mar. 3, 2011
Sensor Synaesthesia: Touch in Motion, and Motion in Touch, Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, May 7-12, Vancouver, BC, pp. 801-810 ("Hinckley")	Ken Hinckley, et al.	May 2011
iPhone sensor platforms: Applications to sports monitoring, Procedia Engineering 13 (2011) 507-512	T. McNab, et al.	May 2011
Wearable Sensor-Based Hand Gesture and Daily Activity Recognition for Robot-Assisted Living, IEEE Transactions on Systems, Man, and Cybernetics – Part A: Systems and Humans, Vol. 41, No. 3	Chun Zhu, et al.	May 2011
Comparing Sensor Modalities for Activity Recognition, M.S. Dissertation, Washington State University	Yasamin Sahaf	Aug. 2011
ForceTap: the Input Vocabulary of Mobile Touch Screens by adding Tap Gestures, MobileHCI 2011, Aug 30-Sept 2, 2011, Stockholm, Sweden, ACM ("Heo")	Seongkook Heo, et al.	Sep. 2011
Hackaday: A No-touchscreen Picture Frame? (https://hackaday.com/2011/09/10/a-no-touchscreen-picture-frame/)	Jeremy Cook	Sep. 10, 2011
TapSense: Enhancing Finger Interaction on Touch Surfaces, USIT'11, October 16-19, 2011, Santa Barbara, CA, ACM	Chris Harrison, et al.	Oct. 2011
I'm home: Defining and evaluating a gesture set for smart-home control, International Journal of Human-Computer Studies, Vol. 69, Issue 11, pp. 693-704 ("Kuhnel")	Christine Kuhnel, et al.	Oct. 2011

Title	Author/ Publisher	Pub. Date
Design and Development of a House-Mobile Security System, Vol. 3, DOI: 10.4236/eng2011.312151, Engineering	Ashraf Elfasakhany, et al.	Dec. 2011
Samsung Galaxy S III Android Smartphone User Manual VZW_SCH-i535_UM_Eng_4.0.4_LG1_TE_070512_F5 ("User Manual-1")	Samsung	2012
Samsung Galaxy S III Android Smartphone User Manual VZW_SCH-i535_UM_Eng_NE1_TN_071814_F1 ("User Manual-2")	Samsung	2012
Indiegogo: The toktoktok box (www.indiegogo.com/projects/the-toktoktok-box#) ("Indiegogo")	Mathieu Stephan	Mar. 2012
Limpkin's blog: Introducing the toktoktok project (www.limpkin.fr/index.php?post/2012/02/29/Introducing-the-toktoktok-project) ("Limpkin")	Mathieu Stephan	Mar. 5, 2012
Hackaday: Reinventing The Clapper with a knock-based home automation controller (https://hackaday.com/2012/03/08/reinventing-the-clapper-with-a-knock-based-home-automation-controller/) ("Hackaday")	Mike Szczys	Mar. 8, 2012
Hackaday: Reinventing The Clapper with a knock-based home automation controller (web.archive.org/web/20120312150152/https://hackaday.com/tag/knock/)	Mike Szczys	Mar. 8, 2012
MPU-6000 and MPU-6050 Register Map and Descriptions Revision 4.0 (Document Number: RM-MPU-6000A-00) ("MPU-6050 Desc")	InvenSense	Mar. 9, 2012
The toktoktok box (https://web.archive.org/web/20120311064408/http://www.indiegogo.com/toktoktok) ("Indiegogo archive")	Mathieu Stephan	Mar. 11, 2012
Hackaday: Reinventing The Clapper with a knock-based home automation controller (https://web.archive.org/web/20120312145545/http://hackaday.com/2012/03/08/reinventing-the-clapper-with-a-knock-based-home-automation-controller/) ("Hackaday archive")	Mike Szczys	Mar. 12, 2012
Limpkin's blog: Introducing the toktoktok project	Mathieu Stephan	Mar. 13, 2012

Title	Author/ Publisher	Pub. Date
(https://web.archive.org/web/20120313023557/https://www.limpkin.fr/index.php?post/2012/02/29/Introducing-the-toktoktok-project) ("Limpkin archive")		
TapLogger: Inferring User Inputs on Smartphone Touchscreens Using On-board Motion Sensors, WiSec '12, April 16-18, 2012, Tucson, AZ, ACM	Zhi Xu, et al.	Apr. 2012
MMA8450Q Datasheet, Document Number: MMA8450Q Rev. 9.1	Freescale	Apr. 2012
Samsung CDMA Telephone SCH-I535 Service Manual, Rev. 1.0	Samsung	Jun. 2012
LSM330DLC iNEMO inertial module: 3D accelerometer and 3D gyroscope Datasheet ("LSM330")	STMicroelectronics	Sep. 2012
Single and double tap detection with the ADXL345 accelerometer (https://barrettsprojects.wordpress.com/2012/09/15/tap-and-double-tap/)	Barrett's Projects	Sep. 15, 2012
BeyondTouch: A framework for extending input on commodity smartphones, Proceedings of the Adjunct Publication of the 2013 ACM International Joint Conference on Pervasive and Ubiquitous Computing (UbiComp'13 Adjunct Publication) ("Zhang-UbiComp 2013")	Cheng Zhang, et al.	2013
Knock Webpage (https://web.archive.org/web/20131105181907/http://www.knocktounlock.com)	Knock	2013
Knock to Unlock Video (https://web.archive.org/web/20131212091643/http://www.knocktounlock.com/public/vid/knock-nojs.mp4) ("Knock Video")	Knock	2013
BackTap: Robust four-point tapping on the back of an off-the-shelf smartphone, Proceedings of the Adjunct Publication of the 26th Annual ACM Symposium on User Interface Software and Technology, pp. 111–112 (ACM 2013) ("Zhang-UIST 2013")	Cheng Zhang, et al.	2013
LG G2 Learning from You eBrochure ("Learing")	LG	2013
LG G2 Specification Sheet	LG	2013
ADXL345 Data Sheet	Analog Devices	2013
ADXL345-EP Data Sheet	Analog Devices	2013

Title	Author/ Publisher	Pub. Date
How to Use iPhone As Apple tv Remote – Works with iPad and iPod Touch (https://www.youtube.com/watch?v=JsvM1vPIVko)	DansHowToVideos	Jan. 22, 2013
Galaxy S4: When and Where You Can Get Samsung's New Phone Starting Next Week (https://abcnews.go.com/Technology/samsung-galaxy-S4-mobile-verizon-att-sprint-pricing/story?id=18978178)	ABC News	Apr. 17, 2013
Interview with Mathieu Stephan (www.eeweb.com/interview-with-mathieu-stephan/) ("eeweb")	EEWeb	Jun. 7, 2013
Remote by Apple (https://web.archive.org/web/20130618033534/https://itunes.apple.com/app/remote/id284417350&mt=8)	Apple	Jun. 18, 2013
Toktoktok vimeo (https://web.archive.org/web/20130730085541/http://vimeo.com/toktoktok) ("Vimeo")	Mathieu Stephan	Jul. 30, 2013
MPU-6000 and MPU-6050 Product Specification Revision 3.4 (Document Number: PS-MPU-6000A-00) ("MPU-6050 Spec")	InvenSense	Aug. 19, 2013
LG-D800 Service Manual	LG	Sep. 2013
LG D800 (LGD800) From LG G2 LTE Series (lg-firmwares.com/lg-d800-firmwares/) ("G2 LTE SERIES")	LG	Sep. 2013
LG G2 and MSM8974 Snapdragon 800 – Mini Review (www.anandtech.com/show/7251/lg-g2-and-msm8974-snapdragon-800-a-quick-look)	Brian Klug	Sept. 7, 2013
Surround-See: Enabling Peripheral Vision on Smartphones during Active Use, UIST 2013 - Proceedings of the 26th Annual ACM Symposium on User Interface Software and Technology, October 8-11, 2013, St. Andrews, UK, ACM	Xing-Dong Yang, et al.	Oct. 2013
The Mystery of the Apple iPhone 5s Accelerometer, Forbes (www.forbes.com/sites/timworstall/2013/10/18/the-mystery-of-the-apple-iphone-5s-accelerometer/?Sh=1557cec14ede)	Tim Worstall	Oct. 18, 2013
Turning PC On with a Knock Using ATtiny45 and a Piezoelectric Sensor (https://codeandlife.com/2013/10/20/turning-pc-on-with-a-knock-using-attiny45-and-a-piezoelectric-sensor/)	Code and Life	Oct. 20, 2013

Title	Author/ Publisher	Pub. Date
PS/2 Keyboard with Knock Sensor to Power Up Your PC (https://www.youtube.com/watch?v=FTVppOZquE8)	Joonas Pihlajamaa	Oct. 20, 2013
Turning A PC On With A Knock and an ATTiny (https://hackaday.com/2013/10/21/turn-a-pc-on-with-a-knock-and-an-attiny/)	Marsh	Oct. 21, 2013
Overview: Secret Knock Activated Drawer Lock (https://learn.adafruit.com/secret-knock-activated-drawer-lock)	Steve Hoefer	Oct. 31, 2013
Portland startup called Knock aims to kill the password (https://katu.com/news/local/portland-startup-called-knock-aims-to-kill-the-password)	Mason Walker	Nov. 4, 2013
New (old) Project: Secret Knock Drawer Lock (https://grathio.com/page/2/)	Grathio Labs	Nov. 4, 2013
A New App Lets You Knock Twice On Your iPhone to Unlock Your Password-Protected Mac (web.archive.org/web/20131108230111/ https://www.businessinsider.com/knock-to-unlock-2013-11)	Alyson Shontell	Nov. 6, 2013
Knock – Unlock Your Mac without a Password video (https://www.youtube.com/watch?v=fAfqq6hCTeE)	Ty Moss	Nov. 14, 2013
MPU-6500 Six-Axis (Gyro + Accelerometer) MEMS MotionTracking Devices for Smart Phones, Tablets, Wearable Sensors, Remotes, Pedestrian Navigation, and Sports & Fitness Tracking (web.archive.org/web/20131124060736/http://www.invensense.com/mems/gyro/mpu6500.html)	InvenSense	Nov. 24, 2013
How does knocktounlock work? (https://stackoverflow.com/questions/20726524/how-does-knocktounlock-work)	Jonovono	Dec. 22, 2013
Introduction to HomeKit, Frameworks #WWDC14, Session 213, Kevin McLaughlin, Wireless Software Engineering (https://www.youtube.com/watch?v=dRY3d1sKG1Y)	Apple	2014
LG G2 Quick Start ("Quick Start")	AT&T	2014
LG G2 User Guide ("User Guide")	LG	2014
Knock app (https://web.archive.org/web/20140701052921/http://knock-updates.s3.amazonaws.com/Knock.zip)	Knock	2014
MPU-6500 Product Specification Revision 1.1, Document Number PS-MPU-6500A-01	InvenSense	Mar. 5, 2014
The Best Just Got Better: Introducing the HTC One (M8)	HTC	Mar. 25, 2014

Title	Author/ Publisher	Pub. Date
(https://www.htc.com/us/newsroom/2014-03-25-2/)		
SurfaceLink: Using Inertial and Acoustic Sensing to Enable Multi-Device Interaction on a Surface, CHI 2014, April 26-May1, 2014, Toronto, Canada	Mayank Goel, et al.	May 2014
Samsung Smart Homes Becomes Reality, Set to Transform Everyday Life, Samsung Newsroom (https://news.samsung.com/global/samsung-smart-home-becomes-reality-set-to-transform-everyday-life)	Samsung	Apr. 2, 2014
An Energy Harvesting Wearable Ring Platform for Gesture Input on Surfaces, Proceedings of the 12th Annual International Conference on Mobile Systems, Applications, and Services, pp. 162-175	Jeremy Gummesson, et al.	Jun. 2014
Ubiquitous Computing in a Home Environment, Master Thesis, Lund University	Tarik Hadzovic, et al.	Jun. 2014
Apple announces HomeKit API for iOS, will serve as a central hub for home automation (9to5mac.com/2014/06/02/apple-announces-homekit-api-for-ios-will-serve-as-a-central-hub-for-home-automation/)	Dom Esposito	Jun. 2, 2014
Alfred Remote on iOS (https://web.archive.org/web/20140628225507/https://www.alfredapp.com/remote/)	Running with Crayons Ltd.	Jun. 28, 2014
ADXL345 datasheet and product info (https://web.archive.org/web/20140707155909/www.analog.com:80/en/mems-sensors/mems-accelerometers/adxl345/products.product.html)	Analog Devices	Jul. 7, 2014
iFixit User List (https://web.archive.org/web/20140718212129/https://www.ifixit.com/Users)	iFixit	Jul. 18, 2014
BMA280: Data sheet, Revision 1.8, Document number BST-BMA280-DS000-11 (“BMA280 Spec”)	Bosch	Aug. 1, 2014
Apple Announces iPhone 6 & iPhone 6 Plus – The Biggest Advancements in iPhone History (https://www.apple.com/newsroom/2014/09/09Apple-Announces-iPhone-6-iPhone-6-Plus-The-Biggest-Advancements-in-iPhone-History/)	Apple	Sept. 9, 2014
Apple Unveils Apple Watch – Apple’s Most Personal Device Ever (https://www.apple.com/newsroom/2014/09/09/Apple-Unveils-Apple-Watch-Apples-Most-Personal-Device-Ever/)	Apple	Sept. 9, 2014
Apple Announces Record Pre-orders for iPhone 6 & iPhone 6 Plus Top Four Million in First 24 Hours	Apple	Sept. 15, 2014

Title	Author/ Publisher	Pub. Date
(https://www.apple.com/newsroom/2014/09/15Apple-Announces-Record-Pre-orders-for-iPhone-6-iPhone-6-Plus-Top-Four-Million-in-First-24-Hours/)		
iFixit cracks open an iPhone 6 Plus to get at the massive battery inside, Engadget	Richard Lawler	Sept. 18, 2014
Apple's iPhone 6 Plus includes chips from Qualcomm, Skyworks: iFixit, Yahoo! Finance	Noel Randewich	Sept. 18, 2014
iPhone 6 Teardown (https://www.ifixit.com/Teardown/iPhone+6+Teardown/29213 ("iFixit"))	iFixit	Sept. 19, 2014
The iPhone 6 Teardown Reivew iFixit Video, Youtube		Sept. 2014
iFixit tears new iPhones apart, finds they're pretty easy to fix, Ars Technica	Andrew Cunningham	Sept. 19, 2014
See inside the iPhone 6 and 6 Plus with new teardown, CNET	Richard Trenholm	Sept. 19, 2014
iPhone 6 Plus teardown confirms 1GB of RAM and more, TechRadar	Matt Hanson	Sept. 19, 2014
The iPhone 6 is Apple's Easiest-to-Repair Phone to Date, Techlicious	Fox Van Allen	Sept. 19, 2014
Pop open this iPhone 6 and see where the magic oozes from ...oh hello again, Qualcomm, The Register	Shaun Nichols	Sept. 19, 2014
iFixit opens up Apple's iPhone 6 Plus to peek at its huge battery and the rest of its innards	TNW	Sept. 19, 2014
Take a look at the guts of the iPhone 6+ with the iFixit teardown video, Yahoo! Finance	John-Michael Bond	Sept. 19, 2014
iPhone 6 Teardown (https://web.archive.org/web/20140920142624/https://www.ifixit.com/Teardown/iPhone+6+Teardown/29213)	iFixit	Sept. 20, 2014
Apple iPhone 6 teardown, in pictures (http://web.archive.org/web/20140920072019/http://www.telegraph.co.uk/technology/apple/11109921/Apple-iPhone-6-teardown-in-pictures.html)	Telegraph	Sept. 20, 2014
First Weekend iPhone Sales Top 10 Million, Set New Record (https://www.apple.com/newsroom/2014/09/22Frist-Weekend-iPhone-Sales-Top-10-Million-Set-New-Record/)	Apple	Sept. 22, 2014
iPhone 6 Teardown (web.archive.org/web/20140922161547/https://www.ifixit.com/Teardown/iPhone+6+Teardown/29213) ("iFixit archive")	iFixit	Sept. 22, 2014

Title	Author/ Publisher	Pub. Date
The iPhone 6 Teardown Review (https://web.archive.org/web/20140922002926/https://www.youtube.com/watch?v=bGIWuf92LLI)	iFixit	Sept. 22, 2014
iPhone 6 Plus Teardown (https://web.archive.org/web/20140924041128/https://www.ifixit.com/Teardown/iPhone+6+Plus+Teardown/29206)	iFixit	Sept. 24, 2014
iFixit Home Page (https://web.archive.org/web/20140924094348/https://www.ifixit.com/)	iFixit	Sept. 24, 2014
iPhone 6 Teardown navigation page (https://web.archive.org/web/20140924024423/https://www.ifixit.com/Teardown/)	iFixit	Sept. 24, 2014
iPhone 6 Repair (https://web.archive.org/web/20140924102634.https://www.ifixit.com/Device/iPhone_6)	iFixit	Sept. 24, 2014
iFixit Repair Manuals (https://web.archive.org/web/20140924102826/https://www.ifixit.com/Guide)	iFixit	Sept. 24, 2014
iPhone 6 and 6 Plus Equipped With Two Accelerometers for Power Management, Improved User Experience (www.macrumors.com/2014/09/26/iphone-6-6-plus-two-accelerometers/) ("Macrumors")	Juli Clover	Sept. 26, 2014
Detecting tapping motion on the side of mobile devices by probabilistically combining hand postures, UIST'14: Proceedings of the 27th annual ACM symposium on User interface software and technology, pp 215-19 (with supplemental video) ("McGrath")	William McGrath, et al.	Oct. 2014
Workflow Review: Integrated Automation for iOS 8 (www.macstories.net/reviews/workflow-review-integrated-automation-for-ios-8/)	Federico Viticci	Dec. 11, 2014
The iPhone 6 Teardown Review iFixit Video (https://web.archive.org/web/20141214090834/https://www.youtube.com/watch?v=bGIWuf92LLI)	iFixit	Dec. 14, 2014
Apple Watch – Technology (https://web.archive.org/web/2014216035034/http://www.apple.com/watch/technology/)	Apple	Dec. 16, 2014
Knock Webpage (https://web.archive.org/web/20141220064346/http://www.knocktounlock.com) ("Knock Webpage")	Knock	Dec. 20, 2014
iPhone User Guide For iOS 8.4 Software	Apple	2015

Title	Author/ Publisher	Pub. Date
BeyondTouch: Extending the Input Language with Built-in Sensors on Commodity Smartphones, Proceedings of the 20th International Conference on Intelligent User Interfaces, pp. 67–77 (ACM 2015) (“Zhang 2015”)	Cheng Zhang, et al.	2015
LG G2 User Guide	LG	2015
A Survey on Internet of Things From Industrial Market Perspective, Vol. 2, 2014, IEEE Access	Charith Perera, et al.	2015
Review: How to use Workflow to Automate your iPhone and iPad (https://www.youtube.com/watch?v=iKg4NUXvqzQ)	AppChasers	Jan. 15, 2015
Alfred App – Alfred Remote on iOS for Alfred 2 (https://web.archive.org/web/20150127193522)	Running with Crayons Ltd.	Jan. 27, 2015
Alfred Remote for iPhone and iPad (https://www.youtube.com/watch?app=desktop&v=sEBaUgajETQ&embeds_referring_euri=https%3A%2F%2Fmany.esenosinmu.tk%2F&feature=emb_imp_woyt)	Tech Talk America	Feb. 9, 2015
Apple Watch Available in Nine Countries on April 24 (https://www.apple.com/newsroom/2015/03/09Apple-Watch-Available-in-Nine-Countries-on-April-24/)	Apple	Mar. 9, 2015
Apple Watch In-Store Preview & Online Pre-Order Begin Friday (https://www.apple.com/newsroom/2015/04/09Apple-Watch-In-Store-Preview-Online-Pre-Order-Begin-Friday/)	Apple	Apr. 9, 2015
Apple Watch Teardown (https://www.ifixit.com/Teardown/Apple+Watch+Teardown/40655)	iFixit	Apr. 23, 2015
Apple HomeKit: what is and how it works (www.appfutura.com/blog/apple-homekit-what-is-and-how-it-works/)	AppFutura	Apr. 27, 2015
Lutron Caseta [Review] w/HomeKit & Siri Integration (https://www.youtube.com/watch?v=nUzBt07htRQ)	Andrew OHara, MAOmagic	Jun. 3, 2015
Performance Comparison of Different Contact Microphones Used for Voice Monitoring, ICSV22, The 22 nd International Congress on Sound and Vibration, Florence, Italy 12-16 July 2015 (“Carullo”)	Alessio Carullo, et al.	Jul. 2015
Workflow Powerful automation made simple (web.archive.org/web/2015-708175752/https://workflow.is/)	Workflow	Jul. 8, 2015
Knock Knock App (https://www.youtube.com/watch?v=X0IFTTkIPvI)	Knock Knock	Aug. 19, 2015
Knock twice for friendship with this app	Nicole Lee	Aug. 19, 2015

Title	Author/ Publisher	Pub. Date
(www.engadget.com/2015-08-19-knock-knock-app.html)		
Humin Launches Knock Knock, An App For College Kids To Contact Each Other Without Exchanging Numbers (https://techcrunch.com/2015/08/19/humin-launches-knock-knock-an-app-that-wants-to-connect-with-college-kids/)	Sarah Buhr	Aug. 19, 2015
KnockKnock App Store (https://web.archive.org/web/20150822142547/http://i.humin.com/knockappstore)	Humin	Aug. 22, 2015
Apple Watch – Technical Specification (https://web.archive.org/web/20150905234400/https://support.apple.com/kb/SP717?locale=en_US)	Apple	Sep. 5, 2015
Apple Watch Teardown (https://web.archive.org/web/20150906071644/https://www.ifixit.com/Teardown/Apple+Watch+Teardown/40655)	iFixit	Sep. 6, 2015
Knock Knock webpage (https://web.archive.org/web/20150907225932/http://knockknock.co/)	Knock Knock	Sep. 7, 2015
Apple Introduces iPhone 6s & iPhone 6s Plus (https://www.apple.com/newsroom/2015/09/09Apple-Introduces-iPhone-6s-iPhone-6s-Plus/)	Apple	Sept. 9, 2015
iPhone 6s & iPhone 6s Plus Arrive on Friday, September 25 (https://www.apple.com/newsroom/2015/09/21iPhone-6s-iPhone-6s-Plus-Arrive-on-Friday-September-25/)	Apple	Sept. 21, 2015
iFixit tears down the iPhone 6s, finds smaller battery, large Taptic Engine, Techspot	Tim Schiesser	Sept. 25, 2015
Apple Announces Record iPhone & iPhone 6s Plus Sales (https://www.apple.com/newsroom/2015/09/28Apple-Announces-Record-iPhone-6s-iPhone-6s-Plus-Sales/)	Apple	Sept. 28, 2015
Knock to Show the Apple Watch Clock in Nightstand Mode (https://www.youtube.com/watch?v=bh71imTAZkU)	OSXDaily	Sept. 28, 2015
iTunes Preview Remote (web.archive.org/web/201510300114555/https://itunes.apple.com/app/remote/id284417350&mt=8)	Apple	Oct. 30, 2015
Home App for HomeKit – Hue, August, Ecobee, Automation & Scene creation (https://www.youtube.com/watch?v=WLCcdG8qLJA)	Andrew OHara, MAOmagic	Nov. 3, 2015

Title	Author/ Publisher	Pub. Date
Knock to Show the Clock on Apple Watch When in Nightstand Mode (https://osxdaily.com/2015/11/19/knock-for-clock-apple-watch-nightstand-mode/)	OSXDAILY	Nov. 19, 2015
BeyondTouch IUI Camera Ready Video: Extending the Input Language with Built-in Sensors on Commodity Smartphones, IUI 2015 (https://www.youtube.com/watch?v=I8yUpgDEsHw)	Cheng Zhang, et al.	Dec. 15, 2015
Beyond the touchscreen: An Exploration of Extending Interactions on Commodity Smartphones, ACM Trans. Interact. Intell. Syst. Vol. 6, No. 2, Article 16 (“Zhang 2016)	Cheng Zhang, et al.	Aug. 2016
How iFixit Became King of the iPhone Teardown, Vice	Jason Koebler	Nov. 3, 2017
LG G2 D800 Take Apart Repair Guide (www.repairsuniverse.com/blogs/repair-guides/lg-g2-d800-take-apart-repair-guide)	RepairsUniverse	Jun. 4, 2018
LG G2 (D800) – Device layout – AT&T (www.att.com/device-support/article/wireless/KM1293447/LG/G2D800) (“Device Layout”)	AT&T	
Nokia 5500 Sport Price in United States (mobgsm.com/mobile/nokia-5500-sport)	MobGsm	
MPU-6050 Six-Axis (Gyro+Accelerometer) MEMS MotionTracking Device (invensense.tdk.com/products/motion-tracking/6-axis/mpu-6050/)	TDK InvenSense	
Samsung Galaxy S III (https://en.wikipedia.org/wiki/Samsung_Galaxy_S_III)	Wikipedia	
Kunal Naik GitHub Knock Knock Project Page (https://kunalnaik.github.io/projects/) (“GitHub”)	Kunal Naik	
Secret Knock Detecting Door Lock (https://www.instructables.com/Secret-Knock-Detecting-Door-Lock/)	Grathio	
Knock (https://hackaday.com/tag/knock/)	Hackaday	
iFixit begins live teardown of iPhone 6 Plus, revealing 2906 mAh battery	Reddit post	
As requested: X-Ray of my iPhone 6 plus- better image!	Reddit post	
PCB Piezotronics Model 337A30 ICP Accelerometer Installation and Operating Manual	PCB Piezotronics	

Apple additionally identifies and relies on patent or publication references that describe or are otherwise related to the prior art systems identified below. Apple's investigation into prior art patent and publication references remains ongoing, and Apple reserves the right to identify and rely on additional patent or publication references that are identified through further investigation or discovery. Apple reserves the right to supplement as further prior art is identified through investigation or discovery.

C. Systems

System	Person or Entity ³	Date
iPhone 6/6 Plus	Apple	At least September 9, 2014
Watch	Apple	At least September 9, 2014
iPhone 4	Apple	At least 2010
iPhone 6S/6S Plus	Apple	At least September 9, 2015
AirPlay	Apple	At least November 22, 2010
Remote (iPhone app)	Apple	At least 2013
Alfred Remote (iPhone app)	Running with Crayons Ltd.	At least January 27, 2015
HomeKit/Home app	Apple	At least September 17, 2014
Knock to Unlock (iPhone app)	William Henderson	At least 2013
Knock Knock (iPhone app)	Ankur Jain	At least August 19, 2015
Workflow (iPhone app)	DeskConnect, Inc.	At least December 2014
Bump (iPhone app)	Google	At least 2009
Galaxy III	Samsung	At least 2012
Galaxy S4	Samsung	At least April 24, 2013
Smart Home app	Samsung	At least April 2, 2014
BeyondTouch	Cheng Zhang	At least 2013
Nokia 5500 prototype, 5500 sport, and ELEN demonstration unit ("Nokia Phones")	Nokia	At least February 2007
G2	LG	At least August 7, 2013
One	HTC	At least March 25, 2014
Knock Knock	Kunal Naik	At least Spring 2015
Knock to unlock PC	Joonas	At least October 21, 2013
Toktoktok	Mathieu Stephan	At least March 8, 2012
No-touchscreen picture frame	Wasabi	At least September 10, 2011
Knock detecting lock	Steve Hoefer	At least November 4, 2009

³ Apple has subpoenaed several of these entities to obtain additional information on the system identified herein. Apple may issue subpoenas to, and/or request letters rogatory for, one or more additional entities for the same purpose. To the extent any of those subpoenas and/or letters rogatory result in the production of relevant documents or testimony, Apple will supplement these Invalidity Contentions as necessary.

System	Person or Entity ³	Date
BMA250	Bosch	At least March 2011
BMA280/282	Bosch	At least August 2014
MMA8450Q	Freescall Semiconductor Inc. (now NXP)	At least 2010
ADXL345	Analog Devices	At least 2014
MPU-6000/6050	TDK Invensense	At least 2013
TouchAnywhere™	TDK Invensense	At least 2010
MotionProcessing™ Technology Demo	TDK Invensense	At least 2010

Apple's iPhone 4, iPhone 6, iPhone 6 Plus, iPhone 6S, iPhone 6S Plus, and Watch, HomeKit/Home application, AirPlay application, and Remote application each qualify as prior art under Section 102 because they were in public use and on sale no later than the earliest effective filing date of the Asserted Patent. *See, e.g.*, APL-HAPTIC_00000487 – APL-HAPTIC_00086621; APL-HAPTIC_00104211 – APL-HAPTIC_00104211; APL-HAPTIC_00171368 – APL-HAPTIC_00172807; APL-HAPTIC_00172916 – APL-HAPTIC_00215546; APL-HAPTIC_00248894 – APL-HAPTIC_00248920; APL-HAPTIC_00441968 – APL-HAPTIC_00442280; APL-HAPTIC_00483478 – APL-HAPTIC_00483479; APL-HAPTIC_00483548 – APL-HAPTIC_00523538; APL-HAPTIC_00523723 – APL-HAPTIC_00523725; APL-HAPTIC_00524218 – APL-HAPTIC_00524297; APL-HAPTIC_00524313 – APL-HAPTIC_00524335; APL-HAPTIC_00530556 – APL-HAPTIC_00530557; APL-HAPTIC_00531450 – APL-HAPTIC_00531483; APL-HAPTIC_00531488 – APL-HAPTIC_00531700; APL-HAPTIC_00531775 – APL-HAPTIC_00531777; APL-HAPTIC_00531805 – APL-HAPTIC_00531826; APL-HAPTIC_00531897 – APL-HAPTIC_00532316; APL-HAPTIC_00532325 – APL-HAPTIC_00532371.

Running with Crayons Ltd.'s Alfred Remote iPhone application qualifies as prior art under Section 102 because it was in public use and on sale no later than the earliest effective filing date of the Asserted Patent. *See, e.g.*, APL-HAPTIC_00523726 - APL-HAPTIC_00523730.

1 The Knock to Unlock iPhone application qualifies as prior art under Section 102 because
2 it was in public use and on sale no later than the earliest effective filing date of the Asserted Patent.
3 *See, e.g.*, APL-HAPTIC_00524454 - APL-HAPTIC_00524481.

4 The Knock Knock iPhone application qualifies as prior art under Section 102 because it
5 was in public use and on sale no later than the earliest effective filing date of the Asserted Patent.
6 *See, e.g.*, APL-HAPTIC_00524366 - APL-HAPTIC_00524389; APL-HAPTIC_00531619 - APL-
7 HAPTIC_00531619.

8 The Workflow iPhone application qualifies as prior art under Section 102 because it was
9 in public use and on sale no later than the earliest effective filing date of the Asserted Patent. *See,*
10 *e.g.*, APL-HAPTIC_00531667 – APL-HAPTIC_00531680.

11 The Bump iPhone application qualifies as prior art under Section 102 because it was in
12 public use and on sale no later than the earliest effective filing date of the Asserted Patent. *See,*
13 *e.g.*, APL-HAPTIC_00523935 – APL-HAPTIC_00523941.

14 Samsung's Galaxy III qualifies as prior art under Section 102 because it was in public use
15 and on sale no later than the earliest effective filing date of the Asserted Patent. *See, e.g.*, APL-
16 HAPTIC_00526775 - APL-HAPTIC_00526780; APL-HAPTIC_00530620 - APL-
17 HAPTIC_00530681; APL-HAPTIC_00530686 – APL-HAPTIC_00530950; APL-
18 HAPTIC_00530962 - APL-HAPTIC_00531335.

19 Samsung's Galaxy S4 qualifies as prior art under Section 102 because it was in public use
20 and on sale no later than the earliest effective filing date of the Asserted Patent. *See, e.g.*, APL-
21 HAPTIC_00530578 - APL-HAPTIC_00530579.

22 Samsung's Smart Home application qualifies as prior art under Section 102 because it was
23 in public use and on sale no later than the earliest effective filing date of the Asserted Patent. *See,*
24 *e.g.*, APL-HAPTIC_00530682 - APL-HAPTIC_00530685.

25 The BeyondTouch system qualifies as prior art under Section 102 because it was in public
26 use no later than the earliest effective filing date of the Asserted Patent. *See, e.g.*, APL-
27 HAPTIC_00523873 - APL-HAPTIC_00523934.

1 Nokia's 5500 prototype, 5500 sport, and ELEN demonstration unit phones qualify as prior
2 art under Section 102 because they were in public use and/or on sale no later than the earliest
3 effective filing date of the Asserted Patent. *See, e.g.,* APL-HAPTIC_00525286 - APL-
4 HAPTIC_00525831.

5 LG's G2 qualifies as prior art under Section 102 because it was in public use and on sale
6 no later than the earliest effective filing date of the Asserted Patent. *See, e.g.,* APL-
7 HAPTIC_00524482 - APL-HAPTIC_00525280.

8 HTC's One qualifies as prior art under Section 102 because it was in public use and on sale
9 no later than the earliest effective filing date of the Asserted Patent. *See, e.g.,* APL-
10 HAPTIC_00525832 - APL-HAPTIC_00525835.

11 The Knock Knock system qualifies as prior art under Section 102 because it was in public
12 use no later than the earliest effective filing date of the Asserted Patent. *See, e.g.,* APL-
13 HAPTIC_00524386 - APL-HAPTIC_00524388.

14 The Knock to Unlock a PC system qualifies as prior art under Section 102 because it was
15 in public use no later than the earliest effective filing date of the Asserted Patent. *See, e.g.,* APL-
16 HAPTIC_00524473 - APL-HAPTIC_00524477; APL-HAPTIC_00527027 - APL-
17 HAPTIC_00527037.

18 The toktoktok system qualifies as prior art under Section 102 because it was in public use
19 and on sale no later than the earliest effective filing date of the Asserted Patent. *See, e.g.,* APL-
20 HAPTIC_00531336 - APL-HAPTIC_00531433.

21 The No-touchscreen Picture Frame system qualifies as prior art under Section 102 because
22 it was in public use no later than the earliest effective filing date of the Asserted Patent. *See, e.g.,*
23 APL-HAPTIC_00525282 - APL-HAPTIC_00525285.

24 The Knock Detecting Lock system qualifies as prior art under Section 102 because it was
25 in public use no later than the earliest effective filing date of the Asserted Patent. *See, e.g.,* APL-
26 HAPTIC_00524390 - APL-HAPTIC_00524453.

1 Bosch Sensortech's BMA250, BMA280, and BMA282 sensors qualify as prior art under
2 Section 102 because they were in public use and on sale no later than the earliest effective filing
3 date of the Asserted Patent. *See, e.g.*, APL-HAPTIC_00531497 - APL-HAPTIC_00531615; APL-
4 HAPTIC_00531701 - APL-HAPTIC_00531774.

5 NXP Freescale Semiconductor's MMA8450Q sensor qualifies as prior art under Section
6 102 because it was in public use and on sale no later than the earliest effective filing date of the
7 Asserted Patent. *See, e.g.*, APL-HAPTIC_00526666 – APL-HAPTIC_00526722; APL-
8 HAPTIC_00527011 - APL-HAPTIC_00527026.

9 Analog Device's ADXL345 sensor qualifies as prior art under Section 102 because it was
10 in public use and on sale no later than the earliest effective filing date of the Asserted Patent. *See,*
11 *e.g.*, APL-HAPTIC_00523659 – APL-HAPTIC_00523722; APL-HAPTIC_00525866 - APL-
12 HAPTIC_00525870.

13 InvenSense's MPU-6000/6050 sensor, TouchAnywhere™ technology, and
14 MotionProcessing™ Technology Demo qualify as prior art under Section 102 because they were
15 in public use and on sale no later than the earliest effective filing date of the Asserted Patent. *See,*
16 *e.g.*, APL-HAPTIC_00526723 – APL-HAPTIC_00526774; APL-HAPTIC_00530620 – APL-
17 HAPTIC_00530670; APL-HAPTIC_00530899 – APL-HAPTIC_00530950; APL-
18 HAPTIC_00531624 – APL-HAPTIC_00531624; APL-HAPTIC_00531434 – APL-
19 HAPTIC_00531434; APL-HAPTIC_00525281 - APL-HAPTIC_00525281.

20 **D. Admitted Prior Art**

21 Plaintiff expressly or implicitly admitted that certain elements recited in Asserted Claims
22 of the Patent-in-Suit were known in the prior art and thus part of the state of the art. These
23 admissions include, but are not limited to, the following claim limitations and prior art concepts.
24 Apple reserves the right to identify additional examples of admitted prior art and to further support
25 the admissions identified below by relying on additional portions of the patent specification,
26 statements made during the prosecution history of the Asserted Patent and the prosecution history
27 of any related application, and any statements by Plaintiff or the patent applicants.

Admitted Prior Art Concept	Cite to Intrinsic Record
terminal device	'738 patent at 1:51-2:44
sensor being comprised of an accelerometer	'738 patent at 2:53-62
gesture profile being associated with a command	'738 patent at 2:38-52, 3:5-15, 3:26-40
vibration data of contact interaction	'738 patent at 2:53-62
determining a data pattern corresponding to data signals of contact interaction and matching data pattern with a gesture profile	'738 patent at 2:53-62, 3:5-15
interactive surface by tapping	'738 patent at 3:17-25

Plaintiff also admitted that the following patent and patent application publications are prior art:

Number	Inventor(s)	Date Filed	Date Issued/ Published
US8788978	Roy W. Stedman; Deborah C. Russell	Jan. 21, 2011	July 22, 2014
US20100019922	Evert Jan Van Loenen et al.	Oct. 15, 2007	Jan. 28, 2010
US20120249416	Giuliano Maciocci et al.	Mar. 29, 2012	Oct. 4, 2012
US20140225824	Alexander Shpunt et al.	Feb. 13, 2014	Aug. 14, 2014
WO2013165348	Charles Bess et al.	April 30, 2012	Nov. 7, 2013

V. CHARTS SETTING FORTH WHERE IN THE PRIOR ART REFERENCE EACH ELEMENT OF THE ASSERTED CLAIMS ARE FOUND

Exhibits A-1 through A-26 provide detailed claim charts showing where each claim element may be found in the prior art identified above. Each of these Exhibits is without prejudice to Apple's indefiniteness positions under 35 U.S.C. § 112(b) and assume that such positions have been rejected by the Court. Nothing in the Exhibits should be taken as a concession that the claims are not indefinite.

Apple relies on all portions and aspects of each item of prior art in support of Apple's contention that such prior art satisfies each limitation of the Asserted Claims. Apple has provided specific supporting citations to the prior art, but these citations do not necessarily represent every

1 location, instance, or manner in which a particular claim limitation is satisfied by the prior art.
2 Even where limitations are disclosed at multiple locations within a single item of prior art, Apple
3 has not necessarily identified every iteration of every such disclosure. Apple therefore reserves
4 the right to rely on additional, or different, portions/aspects of the prior art other than those
5 specifically cited in the claim charts provided herewith.

6 For those references for which detailed claim charts are provided in the Exhibits, the
7 Exhibit Number is listed next to the prior art reference in Section VI.A. Prior art references which
8 are not associated with an Exhibit Number are additional prior art references that are pertinent to
9 the invalidity of the Asserted Patent. At this time, Apple has not provided claim charts for each
10 of these additional references, either because they are cited in conjunction with references for
11 which charts have already been provided, are cited in these contentions, and/or because these
12 references have similar disclosures to the prior art references for which invalidity charts have been
13 provided and/or may be used to show the state of the art.

14 **VI. INVALIDITY UNDER 35 U.S.C. §§ 102 AND 103**

15 Apple contends that certain prior art references below anticipate one or more Asserted
16 Claims and that to the extent the identified prior art references do not anticipate the Asserted
17 Claims, those claims are invalid as obvious under 35 U.S.C. § 103 as described below and in the
18 attached claim charts. To the extent that Plaintiff contends that the prior art reference fails to
19 disclose one or more limitations of the Asserted Claims, Apple contends that any difference
20 between the reference and the corresponding patent claims would have been obvious to one of
21 ordinary skill in the art based on the combinations identified below and in the attached claim charts
22 as well as information generally known to persons skilled in the art at the time of the alleged
23 invention. Thus, all anticipation charts should be interpreted as both reflecting anticipation by the
24 reference as well as invalidity due to the specific combinations identified below and in the attached
25 claim charts as well as single reference obviousness, to the extent that Plaintiff contends that any
26 limitation is missing.
27
28

A. Anticipation

Prior art references anticipating the Asserted Claims are provided in the lists below. The prior art listed below anticipates the Asserted Claims under the proper construction of the claims and/or under Plaintiff's apparent interpretation of the claims as set forth by Plaintiff in its Complaint and Infringement Contentions.

Ex. #	Reference
A-1	Apple iPhone 6
A-2	Apple Watch
A-3	Knock to Unlock app
A-4	Knock Knock app
A-5	toktoktok
A-6	BeyondTouch
A-7	Samsung Galaxy III
A-8	Nokia Phones
A-9	LG G2
A-10	Murakoshi
A-11	Bess
A-12	Li
A-13	Kasar
A-14	Wehrenberg
A-15	Chen
A-16	Gargi
A-17	Yeo
A-18	Newton
A-19	Yun
A-20	Johnson

Ex. #	Reference
A-21	Khaira
A-22	Krum
A-23	Linjama
A-24	MS
A-25	Apple iPhone 4

B. Obviousness

Each of the prior art references identified above renders obvious one or more of the Asserted Claims alone and/or when viewed in combination with other prior art references as described below and in the attached claim charts. Apple's contentions that the references described in these Invalidity Contentions, in various combinations, render the Asserted Claims obvious under 35 U.S.C. § 103 are in no way an admission or suggestion that each reference does not independently anticipate the Asserted Claims under 35 U.S.C. § 102. Furthermore, the specific combinations described in these Invalidity Contentions are not intended to be exhaustive, as there are many possible combinations of these references, and it is not practical, particularly at this early stage before further factual investigation and claim construction proceedings, to identify and list all potentially relevant combinations. Apple reserves the right to identify additional combinations in later stages of the case.

Apple provides information regarding exemplary combinations below. Each of these exemplary combinations is listed for purposes of explaining and exemplifying which references would be combined with a reasonable expectation of success under the motivations to combine described in the paragraphs below. These combinations are not intended to be exclusive or limiting but rather intended to provide notice of the reasoning behind the motivations to combine and the references that would be combined thereunder. In many instances, multiple different motivations would apply to a particular combination (for example, if multiple references were both authored by the same person and referred to the same product/system, then both of those motivations would apply) and the specific combinations were not duplicated.

1 Should any prior art cited above be deemed not to disclose, explicitly or inherently, any
2 limitation of a claim, Apple reserves the right to argue that any such difference between that prior
3 art and the corresponding claim would have been obvious to one of ordinary skill in the art. To
4 the extent that such an argument is deemed a “combination” analysis for purposes of obviousness,
5 Apple discloses its present intention to rely on the separate combination of the knowledge of a
6 person of ordinary skill in the art with each item of prior art identified above.

7 **C. Exemplary Combinations**

8 Below is a listing of exemplary combinations of references that would render obvious the
9 Asserted Claims of the Asserted Patent.

- 10 • Apple iPhone 6/6S in view of Apple Watch, Knock to Unlock app, Knock Knock
11 app, BeyondTouch, TouchAnywhere, InvenSense MotionProcessing™
12 Technology Demo, Samsung Galaxy III, McGrath, LG G2, Nokia Phones,
13 Ronkainen, Haggman, Li, Johnson, Kasar, Wehrenberg, Chen, Avrahami, Linjama,
14 MS, Gargi, Yun, Khaira, Sachs, Kim, Hudson, Tuck, Zhang-UbiComp 2013,
15 Zhang-UIST 2013, Zhang 2015, Zhang 2016, Bosch Sensortec
16 BMA250/BMA280/BMA282, Analog Devices ADXL345, TDK MPU-6000, NXP
17 Freescale Semiconductor MMA8450Q, AirPlay, Apple Remote app, Alfred
18 Remote app, Apple HomeKit, Workflow, Kuhnel, Ha, Park Seok-gyu, Murakoshi,
19 Yeo, CN103067630, CN202502390, Orr, Bump, Sharp KK, Bess, Heo, Hinckley,
20 Culbert, and/or iPhone 6S.
- 21 • Apple Watch in view of iPhone 6/6S, Knock to Unlock app, Knock Knock app,
22 BeyondTouch, TouchAnywhere, InvenSense MotionProcessing™ Technology
23 Demo, Samsung Galaxy III, McGrath, LG G2, Nokia Phones, Ronkainen,
24 Haggman, Li, Johnson, Kasar, Wehrenberg, Chen, Avrahami, Linjama, MS, Gargi,
25 Yun, Khaira, Sachs, Kim, Hudson, Tuck, Zhang-UbiComp 2013, Zhang-UIST
26 2013, Zhang 2015, Zhang 2016, Bosch Sensortec BMA250/BMA280/BMA282,
27 Analog Devices ADXL345, TDK MPU-6000, NXP Freescale Semiconductor

1 MMA8450Q, AirPlay, Apple Remote app, Alfred Remote app, Apple HomeKit,
2 Workflow, Kuhnel, Ha, Park Seok-gyu, Murakoshi, Yeo, CN103067630,
3 CN202502390, Orr, Bump, Sharp KK, and/or Bess.

- 4 • Knock to Unlock in view of iPhone 6/6S, Apple Watch, Knock to Unlock app,
5 Knock Knock app, BeyondTouch, TouchAnywhere, InvenSense
6 MotionProcessing™ Technology Demo, Samsung Galaxy III, McGrath, LG G2,
7 Nokia Phones, Ronkainen, Haggman, Li, Johnson, Kasar, Wehrenberg, Chen,
8 Avrahami, Linjama, Ms, Gargi, Yun, Khaira, Sachs, Kim, Hudson, Tuck, Zhang-
9 UbiComp 2013, Zhang-UIST 2013, Zhang 2015, Zhang 2016, Bosch Sensortec
10 BMA250/BMA280/BMA282, Analog Devices ADXL345, TDK MPU-6000, NXP
11 Freescale Semiconductor MMA8450Q, AirPlay, Apple Remote app, Alfred
12 Remote app, Apple HomeKit, Workflow, Kuhnel, Ha, Park Seok-gyu, Murakoshi,
13 Yeo, CN103067630, Orr, Bump, Sharp KK, and/or Bess.

- 14 • Knock Knock in view of iPhone 6/6S, Apple Watch, Knock Knock app,
15 BeyondTouch, TouchAnywhere, InvenSense MotionProcessing™ Technology
16 Demo, Samsung Galaxy III, McGrath, LG G2, Nokia Phones, Ronkainen,
17 Haggman, Li, Johnson, Kasar, Wehrenberg, Chen, Avrahami, Linjama, MS, Gargi,
18 Yun, Khaira, Sachs, Kim, Hudson, Tuck, Zhang-UbiComp 2013, Zhang-UIST
19 2013, Zhang 2015, Zhang 2016, Bosch Sensortec BMA250/BMA280/BMA282,
20 Analog Devices ADXL345, TDK MPU-6000, NXP Freescale Semiconductor
21 MMA8450Q, AirPlay, Apple Remote app, Alfred Remote app, Apple HomeKit,
22 Workflow, Kuhnel, Ha, Park Seok-gyu, Murakoshi, Yeo, CN103067630,
23 CN202502390, Orr, Bump, Sharp KK, and/or Bess.

- 24 • BeyondTouch in view of Orr, Bump, Sharp KK, Bess, AirPlay, Apple Remote app,
25 Alfred Remote app, Apple HomeKit, Samsung Smart Home app, Workflow,
26 Kuhnel, Ha, Park Seok-gyu, CN103067630, CN202502390, Li, iPhone 6/6S, Apple
27 Watch, Knock to Unlock app, Knock Knock app, TouchAnywhere, InvenSense

1 MotionProcessing™ Technology Demo, Samsung Galaxy III, McGrath, LG G2,
2 Nokia Phones, Ronkainen, Haggman, Johnson, Kasar, Wehrenberg, Chen,
3 Avrahami, Linjama, MS, Gargi, Yun, Khaira, Sachs, Kim, Hudson, Tuck, Zhang-
4 UbiComp 2013, Zhang-UIST 2013, Zhang 2015, Zhang 2016, Bosch Sensortec
5 BMA250/BMA280/BMA282, Analog Devices ADXL345, TDK MPU-6000,
6 and/or NXP Freescale Semiconductor MMA8450Q.

- 7 • Samsung Galaxy III in view of Apple iPhone 6/6S, Apple Watch, Knock to Unlock
8 app, Knock Knock app, BeyondTouch, TouchAnywhere, InvenSense
9 MotionProcessing™ Technology Demo, McGrath, LG G2, Nokia Phones,
10 Ronkainen, Haggman, Li, Johnson, Kasar, Wehrenberg, Chen, Avrahami, Linjama,
11 MS, Gargi, Yun, Khaira, Sachs, Kim, Hudson, Tuck, Zhang-UbiComp 2013,
12 Zhang-UIST 2013, Zhang 2015, Zhang 2016, Bosch Sensortec
13 BMA250/BMA280/BMA282, Analog Devices ADXL345, TDK MPU-6000, NXP
14 Freescale Semiconductor MMA8450Q, AirPlay, Apple Remote app, Alfred
15 Remote app, Apple HomeKit, Workflow, Samsung Smart Home app, Kuhnel, Ha,
16 Park Seok-gyu, Murakoshi, Yeo, CN103067630, CN202502390, Orr, Bump, Sharp
17 KK, Bess, Heo, Hinckley, and/or iPhone 6S.

- 18 • LG G2 in view of Apple iPhone 6/6S, Apple Watch, Knock to Unlock app, Knock
19 Knock app, BeyondTouch, TouchAnywhere, InvenSense MotionProcessing™
20 Technology Demo, Samsung Galaxy III, McGrath, Nokia Phones, Ronkainen,
21 Haggman, Li, Johnson, Kasar, Wehrenberg, Chen, Avrahami, Linjama, MS, Gargi,
22 Yun, Khaira, Sachs, Kim, Hudson, Tuck, Zhang-UbiComp 2013, Zhang-UIST
23 2013, Zhang 2015, Zhang 2016, Bosch Sensortec BMA250/BMA280/BMA282,
24 Analog Devices ADXL345, TDK MPU-6000, NXP Freescale Semiconductor
25 MMA8450Q, AirPlay, Apple Remote app, Alfred Remote app, Apple HomeKit,
26 Workflow, Samsung Smart Home app, Kuhnel, Ha, Park Seok-gyu, Murakoshi,

1 Yeo, CN103067630, CN202502390, Orr, Bump, Sharp KK, Bess, Heo, Hinckley,
2 and/or iPhone 6S.

- 3 • Nokia Phones in view of Apple iPhone 6/6S, Apple Watch, Knock to Unlock app,
4 Knock Knock app, BeyondTouch, TouchAnywhere, InvenSense
5 MotionProcessing™ Technology Demo, Samsung Galaxy III, McGrath, LG G2,
6 Ronkainen, Haggman, Li, Johnson, Kasar, Wehrenberg, Chen, Avrahami, Linjama,
7 MS, Gargi, Yun, Khaira, Sachs, Kim, Hudson, Tuck, Zhang-UbiComp 2013,
8 Zhang-UIST 2013, Zhang 2015, Zhang 2016, Bosch Sensortec
9 BMA250/BMA280/BMA282, Analog Devices ADXL345, TDK MPU-6000, NXP
10 Freescale Semiconductor MMA8450Q, AirPlay, Apple Remote app, Alfred
11 Remote app, Apple HomeKit, Workflow, Samsung Smart Home app, Kuhnel, Ha,
12 Park Seok-gyu, Murakoshi, Yeo, CN103067630, CN202502390, Orr, Bump, Sharp
13 KK, Bess, Heo, Hinckley, and/or iPhone 6S.

- 14 • Li in view of Stewart, Marks, Orr, Bump, Sharp KK, Bess, AirPlay, Apple Remote
15 app, Alfred Remote app, Apple HomeKit, Workflow, Samsung Smart Home app,
16 Kuhnel, Ha, Park Seok-gyu, Murakoshi, Yeo, iPhone 6/6S, Knock to Unlock app,
17 Knock Knock app, BeyondTouch, TouchAnywhere, InvenSense
18 MotionProcessing™ Technology Demo, Samsung Galaxy III, McGrath, LG G2,
19 Nokia Phones, Ronkainen, Haggman, Johnson, Kasar, Wehrenberg, Chen,
20 Avrahami, Linjama, MS, Gargi, Yun, Khaira, Sachs, Kim, Hudson, Tuck, Zhang-
21 UbiComp 2013, Zhang-UIST 2013, Zhang 2015, Zhang 2016, Bosch Sensortec
22 BMA250/BMA280/BMA282, Analog Devices ADXL345, TDK MPU-6000, NXP
23 Freescale Semiconductor MMA8450Q, Newton, toktoktok, Slupsky, and/or Knock
24 Knock.

- 25 • Toktoktok in view of Murakoshi, Bess, Ha, Kasar, Khaira, Krum, Newton, Stewart,
26 Slupsky, Wehrenberg, Bosch Sensortec BMA250/BMA280/BMA282, Analog
27 Devices ADXL345, TDK MPU-6000, NXP Freescale Semiconductor

1 MMA8450Q, Carullo, O'Reilly, Orr, Bump, Sharp KK, Marks, Apple iPhone 6/6S,
2 Apple Watch, Knock to Unlock app, Knock Knock app, BeyondTouch,
3 TouchAnywhere, InvenSense MotionProcessing™ Technology Demo, Samsung
4 Galaxy III, McGrath, LG G2, Nokia Phones, Ronkainen, Haggman, Li, Johnson,
5 Chen, Avrahami, Linjama, MS, Gargi, Yun, Sachs, Kim, Hudson, Tuck, Zhang-
6 UbiComp 2013, Zhang-UIST 2013, Zhang 2015, and/or Zhang 2016.

- 7 • Murakoshi in view of toktoktok, Bess, Ha, Kasar, Khaira, Krum, Newton, Stewart,
8 Slupsky, Wehrenberg, Bosch Sensortec BMA250/BMA280/BMA282, Analog
9 Devices ADXL345, TDK MPU-6000, NXP Freescale Semiconductor
10 MMA8450Q, Orr, Bump, Sharp KK, toktoktok, Marks, Apple iPhone 6/6S, Apple
11 Watch, Knock to Unlock app, Knock Knock app, BeyondTouch, TouchAnywhere,
12 InvenSense MotionProcessing™ Technology Demo, Samsung Galaxy III,
13 McGrath, LG G2, Nokia Phones, Ronkainen, Haggman, Li, Johnson, Chen,
14 Avrahami, Linjama, MS, Gargi, Yun, Sachs, Kim, Hudson, Tuck, Zhang-UbiComp
15 2013, Zhang-UIST 2013, Zhang 2015, and/or Zhang 2016.

- 16 • Yeo in view of Stewart, toktoktok, Marks, Murakoshi, Bess, Ha, Kasar, Khaira,
17 Krum, Newton, Stewart, Slupsky, Wehrenberg, Bosch Sensortec
18 BMA250/BMA280/BMA282, Analog Devices ADXL345, TDK MPU-6000, NXP
19 Freescale Semiconductor MMA8450Q, Orr, Bump, Sharp KK, Bess, Apple iPhone
20 6/6S, Apple Watch, Knock to Unlock app, Knock to Unlock, Knock Knock app,
21 Knock Knock, BeyondTouch, TouchAnywhere, InvenSense MotionProcessing™
22 Technology Demo, Samsung Galaxy III, McGrath, LG G2, Nokia Phones,
23 Ronkainen, Haggman, Li, Johnson, Chen, Avrahami, Linjama, Ms, Gargi, Yun,
24 Sachs, Kim, Hudson, Tuck, Zhang-UbiComp 2013, Zhang-UIST 2013, Zhang
25 2015, CN202502390, and/or Zhang 2016.

- 26 • Newton in view of iPhone 6/6S, Samsung Galaxy III, LG G2, Nokia Phones, Bosch
27 Sensortec BMA250/BMA280/BMA282, Analog Devices ADXL345, TDK MPU-

6000, NXP Freescale Semiconductor MMA8450Q, Stewart, Marks, toktoktok, Slupsky, Li, Orr, Bump, Sharp KK, Bess, Apple Watch, Knock to Unlock app, Knock Knock app, BeyondTouch, TouchAnywhere, InvenSense MotionProcessing™ Technology Demo, Samsung Galaxy III, McGrath, LG G2, Nokia Phones, Ronkainen, Haggman, Johnson, Kasar, Wehrenberg, Chen, Avrahami, Linjama, Ms, Gargi, Yun, Khaira, Sachs, Kim, Hudson, Tuck, Zhang-UbiComp 2013, Zhang-UIST 2013, Zhang 2015, Zhang 2016, AirPlay, Apple Remote app, Alfred Remote app, Apple HomeKit, Workflow, Kuhnel, Ha, Park Seok-gyu, Murakoshi, CN103067630, and/or Yeo.

- Kasar in view of iPhone 6/6S, Samsung Galaxy III, LG G2, Nokia Phones, Bosch Sensortec BMA250/BMA280/BMA282, Analog Devices ADXL345, TDK MPU-6000, NXP Freescale Semiconductor MMA8450Q, Orr, Bump, Sharp KK, Bess, Yun, AirPlay, Apple Remote app, Alfred Remote app, Apple HomeKit, Workflow, Kuhnel, Ha, Park Seok-gyu, Stewart, Slupsky, Marks, Murakoshi, CN103067630, CN202502390, and/or Yeo.

- Wehrenberg in view of iPhone 6/6S, Samsung Galaxy III, LG G2, Nokia Phones, Bosch Sensortec BMA250/BMA280/BMA282, Analog Devices ADXL345, TDK MPU-6000, NXP Freescale Semiconductor MMA8450Q, Slupsky, Orr, Bump, Sharp KK, Bess, Yun, AirPlay, Apple Remote app, Alfred Remote app, Apple HomeKit, Workflow, Kuhnel, Ha, Park Seok-gyu, CN103067630, CN202502390, Murakoshi, and/or Yeo.

- MS in view of Apple Watch, Knock to Unlock app, Knock Knock app, BeyondTouch, TouchAnywhere, InvenSense MotionProcessing™ Technology Demo, Samsung Galaxy III, McGrath, LG G2, Nokia Phones, Ronkainen, Haggman, Li, Johnson, Kasar, Wehrenberg, Chen, Avrahami, Linjama, Gargi, Yun, Khaira, Sachs, Kim, Hudson, Tuck, Zhang-UbiComp 2013, Zhang-UIST 2013, Zhang 2015, Zhang 2016, Bosch Sensortec BMA250/BMA280/BMA282, Analog

1 Devices ADXL345, TDK MPU-6000, NXP Freescale Semiconductor
2 MMA8450Q, iPhone 6/6S, Stewart, Marks, Slupsky, toktoktok, Bess, Ha, Krum,
3 Newton, Stewart, Wehrenberg, Orr, Bump, Sharp KK, AirPlay, Apple Remote app,
4 Alfred Remote app, Apple HomeKit, Workflow, Kuhnel, Park Seok-gyu,
5 Murakoshi, CN103067630, CN202502390, and/or Yeo.

- 6 • Gargi in view of Apple Watch, Knock to Unlock app, Knock Knock app,
7 BeyondTouch, TouchAnywhere, InvenSense MotionProcessing™ Technology
8 Demo, Samsung Galaxy III, McGrath, LG G2, Nokia Phones, Ronkainen,
9 Haggman, Li, Johnson, Kasar, Wehrenberg, Chen, Avrahami, Linjama, Gargi, Yun,
10 Khaira, Sachs, Kim, Hudson, Tuck, Zhang-UbiComp 2013, Zhang-UIST 2013,
11 Zhang 2015, Zhang 2016, Bosch Sensortec BMA250/BMA280/BMA282, Analog
12 Devices ADXL345, TDK MPU-6000, NXP Freescale Semiconductor
13 MMA8450Q, iPhone 6/6S, Stewart, Marks, Slupsky, toktoktok, Bess, Ha, Krum,
14 Newton, Stewart, Wehrenberg, Orr, Bump, Sharp KK, AirPlay, Apple Remote app,
15 Alfred Remote app, Apple HomeKit, Workflow, Kuhnel, Park Seok-gyu,
16 Murakoshi, CN103067630, CN202502390, and/or Yeo.

- 17 • Khaira in view of Apple Watch, Knock to Unlock app, Knock Knock app,
18 BeyondTouch, TouchAnywhere, InvenSense MotionProcessing™ Technology
19 Demo, Samsung Galaxy III, McGrath, LG G2, Nokia Phones, Ronkainen,
20 Haggman, Li, Johnson, Kasar, Wehrenberg, Chen, Avrahami, Linjama, MS, Gargi,
21 Yun, Sachs, Kim, Hudson, Tuck, Zhang-UbiComp 2013, Zhang-UIST 2013, Zhang
22 2015, Zhang 2016, Bosch Sensortec BMA250/BMA280/BMA282, Analog
23 Devices ADXL345, TDK MPU-6000, NXP Freescale Semiconductor
24 MMA8450Q, Slupsky, iPhone 6/6S, Samsung Galaxy III, LG G2, Nokia Phones,
25 Stewart, Marks, toktoktok, Bess, Ha, Krum, Newton, Stewart, Orr, Bump, Sharp
26 KK, AirPlay, Apple Remote app, Alfred Remote app, Apple HomeKit, Workflow,
27

1 Samsung Smart Home app, Kuhnel, Park Seok-gyu, Murakoshi, CN103067630,
2 CN202502390, and/or Yeo.

- 3 • Bess in view of Apple Watch, Knock to Unlock app, Knock Knock app,
4 BeyondTouch, TouchAnywhere, InvenSense MotionProcessing™ Technology
5 Demo, Samsung Galaxy III, McGrath, LG G2, Nokia Phones, Ronkainen,
6 Haggman, Li, Johnson, Kasar, Wehrenberg, Chen, Avrahami, Linjama, MS, Gargi,
7 Yun, Kasar, Khaira, Sachs, Kim, Hudson, Tuck, Zhang-UbiComp 2013, Zhang-
8 UIST 2013, Zhang 2015, Zhang 2016, Bosch Sensortec
9 BMA250/BMA280/BMA282, Analog Devices ADXL345, TDK MPU-6000, NXP
10 Freescale Semiconductor MMA8450Q, Slupsky, Stewart, Marks, iPhone 6/6S,
11 Newton, toktoktok, CN202502390, and/or Knock Knock.

- 12 • Krum in view of Apple Watch, Knock to Unlock app, Knock Knock app,
13 BeyondTouch, TouchAnywhere, InvenSense MotionProcessing™ Technology
14 Demo, Samsung Galaxy III, McGrath, LG G2, Nokia Phones, Ronkainen,
15 Haggman, Li, Johnson, Kasar, Wehrenberg, Chen, Avrahami, Linjama, MS, Gargi,
16 Yun, Kasar, Khaira, Sachs, Kim, Hudson, Tuck, Zhang-UbiComp 2013, Zhang-
17 UIST 2013, Zhang 2015, Zhang 2016, Bosch Sensortec
18 BMA250/BMA280/BMA282, Analog Devices ADXL345, TDK MPU-6000, NXP
19 Freescale Semiconductor MMA8450Q, Slupsky, Stewart, Marks, iPhone 6/6S,
20 Newton, toktoktok, CN202502390, and/or Knock Knock.

- 21 • Chen in view of Apple Watch, Knock to Unlock app, Knock Knock app,
22 BeyondTouch, TouchAnywhere, InvenSense MotionProcessing™ Technology
23 Demo, Samsung Galaxy III, McGrath, LG G2, Nokia Phones, Ronkainen,
24 Haggman, Li, Johnson, Kasar, Khaira, Wehrenberg, Avrahami, Linjama, MS,
25 Gargi, Yun, Khaira, Sachs, Kim, Hudson, Tuck, Zhang-UbiComp 2013, Zhang-
26 UIST 2013, Zhang 2015, Zhang 2016, Bosch Sensortec
27 BMA250/BMA280/BMA282, Analog Devices ADXL345, TDK MPU-6000, NXP

1 Freescale Semiconductor MMA8450Q, Slupsky, iPhone 6/6S, Stewart, Marks,
2 toktoktok, Orr, Bump, Sharp KK, Bess, AirPlay, Apple Remote app, Alfred Remote
3 app, Apple HomeKit, Workflow, Kuhnel, Ha, Park Seok-gyu, CN103067630,
4 Murakoshi, CN202502390, and/or Yeo.

- 5 • Johnson in view of Apple Watch, Knock to Unlock app, Knock Knock app,
6 BeyondTouch, TouchAnywhere, InvenSense MotionProcessing™ Technology
7 Demo, Samsung Galaxy III, McGrath, LG G2, Nokia Phones, Ronkainen,
8 Haggman, Li, Kasar, Wehrenberg, Chen, Avrahami, Linjama, MS, Gargi, Yun,
9 Khaira, Sachs, Kim, Hudson, Tuck, Zhang-UbiComp 2013, Zhang-UIST 2013,
10 Zhang 2015, Zhang 2016, Bosch Sensortec BMA250/BMA280/BMA282, Analog
11 Devices ADXL345, TDK MPU-6000, NXP Freescale Semiconductor
12 MMA8450Q, Stewart, Marks, toktoktok, Ha, Orr, Bump, Sharp KK, Bess,
13 CN103067630, and/or iPhone 6/6S.

- 14 • Linjama in view of Apple iPhone 6/6S, Apple Watch, Knock to Unlock app, Knock
15 Knock app, BeyondTouch, TouchAnywhere, InvenSense MotionProcessing™
16 Technology Demo, Samsung Galaxy III, McGrath, LG G2, Nokia Phones,
17 Ronkainen, Haggman, Li, Johnson, Kasar, Wehrenberg, Chen, Avrahami, MS,
18 Gargi, Yun, Khaira, Sachs, Kim, Hudson, Tuck, Zhang-UbiComp 2013, Zhang-
19 UIST 2013, Zhang 2015, Zhang 2016, Bosch Sensortec
20 BMA250/BMA280/BMA282, Analog Devices ADXL345, TDK MPU-6000, NXP
21 Freescale Semiconductor MMA8450Q, Stewart, Marks, toktoktok, Orr, Bump,
22 Sharp KK, Bess, AirPlay, Apple Remote app, Alfred Remote app, Apple HomeKit,
23 Workflow, Samsung Smart Home app, Kuhnel, Ha, Park Seok-gyu, Murakoshi,
24 CN103067630, CN202502390, and/or Yeo.

- 25 • Yun in view of Stewart, Marks, toktoktok, Bess, Ha, Kasar, Khaira, Krum, Newton,
26 Stewart, Wehrenberg, Bosch Sensortec BMA250/BMA280/BMA282, Analog
27 Devices ADXL345, TDK MPU-6000, NXP Freescale Semiconductor

1 MMA8450Q, Li, Orr, Bump, Sharp KK, Bess, toktoktok, Slusky, AirPlay, Apple
2 Remote app, Alfred Remote app, Apple HomeKit, Workflow, Samsung Smart
3 Home app, Kuhnel, Ha, Park Seok-gyu, Murakoshi, Yeo, CN103067630,
4 CN202502390, and/or iPhone 6/6S.

5 **D. Motivation to Combine**

6 In general, a claimed invention is unpatentable if the differences between it and the prior
7 art “are such that the claimed invention as a whole would have been obvious before the effective
8 filing date of the claimed invention to a person having ordinary skill in the art to which the claimed
9 invention pertains.” 35 U.S.C. § 103; *Graham v. John Deere Co.*, 383 U.S. 1, 13-14 (1966). In
10 view of the Supreme Court’s *KSR International Co. v. Teleflex Inc.*, 550 U.S. 398 (2007) (“*KSR*”) decision, the USPTO issued a set of Examination Guidelines setting forth a number of potential
11 rationales for combining prior art references. See Examination Guidelines for Determining
12 Obviousness under 35 U.S.C. § 103 in view of the Supreme Court Decision in *KSR*. Those
13 rationales include:
14

- 15 • Combining prior-art elements according to known methods to yield predictable
16 results;
- 17 • Simple substitution of one known element for another to obtain predictable results;
- 18 • Use of a known technique to improve similar devices (methods, or products) in the
19 same way;
- 20 • Applying a known technique to a known device (method, or product) ready for
21 improvement to yield predictable results;
- 22 • “Obvious to try”—choosing from a finite number of identified, predictable
23 solutions, with a reasonable expectation of success;
- 24 • Known work in one field of endeavor that may prompt variations of it for use in
25 either the same field or a different one based on design incentives or other market
26 forces if the variations would have been predictable to one of ordinary skill in the
27 art; and

- Some teaching, suggestion, or motivation in the prior art that would have led one of ordinary skill to modify the prior art or to combine prior-art teachings to arrive at the claimed invention.

These rationales are consistent with the Supreme Court’s emphasis in *KSR* that “the results of ordinary innovation” from the perspective of a person of ordinary skill are not patentable, and further that “[a] person of ordinary skill is also a person of ordinary creativity, not an automaton.” 550 U.S. at 421, 427. Apple contends that one or more of these rationales apply in considering the obviousness of the Asserted Claims.

For example, a person of ordinary skill in the art at the time of the alleged invention of the Asserted Patent would have been motivated to combine or adapt known or familiar methods in the art, especially where market forces prompted such variations. Moreover, each of the above-identified references describes methods that were known to offer improvements and benefits to the art, and, accordingly, one of skill in the art would have been motivated to combine or modify the references as identified in each of the combinations above.

Furthermore, since there were a finite number of predictable solutions, a person of ordinary skill in the art had a good reason to pursue the known options. The above-identified prior art references merely use those familiar elements for their primary or well-known purpose in a manner well within the ordinary level of skill in the art. Accordingly, common sense and the knowledge of the prior art render the claims invalid under Section 102 or Section 103.

A person of ordinary skill would also have been motivated to combine the above prior art based on his/her knowledge, the nature of the problem to be solved, and the teachings of the prior art. The identified prior art addresses the same or similar technical issues and suggests the same or similar solutions to those issues. Moreover, some of the prior art refer to or discuss other prior art, illustrating the close technical relationship among the prior art. As one example, the references listed above are directed to the same or similar technology.

One of skill in the art would have been further motivated to look at all of the available documentation for a particular product/system to understand the operation. One of skill in the art

1 would have combined that knowledge from the various related references because it would be clear
2 that the references were related. For at least this reason, one of skill in the art could consider it
3 obvious to combine the references that collectively teach a product or system. The references were
4 identified in the charts for each such system/product, and Apple intends to rely upon the
5 combination of references in each of the system/product charts.

6 One of skill in the art would have been further motivated to combine the different
7 publications and patents that were authored by employees of the company or assigned to the same
8 assignee and related to the same subject matter.

9 One of skill in the art would have been further motivated to combine different references
10 that were authored, developed, or invented by the same individual(s) related to the same subject
11 matter. The common inventor/author/architect references themselves demonstrate that they relate
12 to continued work in a common field of effort and continued related developments in that field.
13 One of skill in the art would, therefore, combine the references related to each individual.
14 Similarly, based on the teachings of the references and/or the knowledge of one of ordinary skill,
15 one of skill in the art would have been further motivated to combine different references from the
16 same company.

17 Finally, as explained below and in the attached charts, all concepts recited in the Asserted
18 Claims of the Asserted Patent represent well-known features. Thus, the Asserted Claims of the
19 Asserted Patent are invalid under 35 U.S.C. § 103 because they do nothing more than combine
20 known techniques and apparatuses according to their known and ordinary uses to yield predictable
21 results.

22 **1. Housing Element**

23 Each Asserted Claim recites limitations directed to “a housing.” For example, claim 1
24 recites “a housing.”

25 By February 12, 2016, control systems with a housing were well-known in the prior art.
26 *See, e.g.,* Apple iPhone 4; iPhone 6; Apple iPhone 6S; Apple Watch; Samsung Galaxy III; LG G2;
27 Bess; BeyondTouch; Knock to Unlock; toktoktok; Yeo; Li; Murakoshi; Newton; Kasar;

1 Wehrenberg; Johnson; MS; Yun; Slupsky; Khaira; InvenSense MotionProcessing™ Technology
2 Demo.

3 To the extent any anticipatory reference is found not to include a housing, as noted in the
4 above-referenced charts, it would have been obvious in view of Apple iPhone 6; Apple Watch;
5 Samsung Galaxy III; LG G2; Bess; Beyond Touch; Knock to Unlock; toktoktok; Yeo; Li;
6 Murakoshi; Newton; Kasar; Wehrenberg; Johnson; MS; Yun; Slupsky; and/or Khaira to include
7 this feature. In addition to the reasons identified above, one skilled in the art would have been
8 motivated to make this modification at least because a housing protects the sensor elements and/or
9 provides a structure for a user to hold or mount the sensor elements. *See, e.g.,* Slupsky at [0035]-
10 [0036] (“Sensors may be isolated from harmful environments, such as corrosive atmospheres, or
11 hazardous conditions, such as combustible gases, by containment of the sensor within a housing.
12 In other sensing devices, there are requirements including available power, reliability, and
13 protection of and from the ambient environment that limit their applicability and which reduce
14 their utility.”); Li at [0035] (“While the gesture detector 42 may be adhered to the outer surface 44
15 of the body 26, the gesture detector 42 may be preferably adhered to an inner surface of the bottom
16 portion 120 of the body 26 for added protection from physical damage.”).

17 **2. Engagement Means**

18 Each asserted claim recites limitations directed to elements of “an engagement means for
19 a mounting surface . . . wherein said engagement means of said housing comprises: an attachment
20 means between said housing to said mounting surface; and a transmission portion connecting said
21 sensor to said attachment means of said housing and being comprised of a material with flexibility
22 different than said mounting surface so as to set a rigid position of said sensor relative to said
23 mounting surface,” wherein “said contact interaction generating said data signals of said sensor
24 through said transmission portion.”

25 Control systems with such engagement means were well-known in the prior art. *See, e.g.,*
26 Apple iPhone 4/6/6S; Apple Watch; Samsung Galaxy III; Nokia Phones; LG G2; BeyondTouch;

1 Knock to Unlock; Knock Knock; toktoktok; Li; Yeo; Newton; Stewart; Bess; Zwart; Slupsky;
2 Marks.

3 To the extent any anticipatory reference is found not to include the claimed engagement
4 means, as noted in the above-referenced charts, it would have been obvious in view of Apple
5 iPhone 4/6/6S; Apple Watch; Samsung Galaxy III; Nokia Phones; LG G2; BeyondTouch; Knock
6 to Unlock; Knock Knock; toktoktok; Li; Yeo; Newton; Stewart; Bess; Zwart; Slupsky; and/or
7 Marks to include this feature. In addition to the reasons identified above, one skilled in the art
8 would have been motivated to make this modification at least because an engagement means that
9 comprises an attachment means and a transmission portion is conventional and such positioning
10 secures the accelerometer relative to the housing, decreases extraneous noise or vibrations to the
11 accelerometer, allows for transmission of the vibration signal data, and/or decreases wear on the
12 accelerometer. *See, e.g.*, Slupsky at [0035]-[0036] (“Sensors may be isolated from harmful
13 environments, such as corrosive atmospheres, or hazardous conditions, such as combustible gases,
14 by containment of the sensor within a housing. In other sensing devices, there are requirements
15 including available power, reliability, and protection of and from the ambient environment that
16 limit their applicability and which reduce their utility.”).

17 Furthermore, the process of mounting a sensor within a housing and fixing a housing to a
18 surface, was within the common knowledge of a skilled artisan by the earliest possible priority
19 date, including the use of brackets to hold a sensor in place and fasteners, adhesives, etc. to couple
20 a housing to a surface. *See, e.g.*, Stewart at 5:8-37 (disclosing that “accelerometers are positioned
21 ... within the case 14” using brackets and that the case includes case mounts at the corners), Fig.
22 1; *see also, e.g.*, Newton at Abstract (“The secure connection may be configured to transfer motion
23 imparted on the surface to the accelerometer.”); Marks at [0040] (“As shown in FIG. 6, the remote
24 transmitter 22 is attachable by means of an adhesive surface 27.”); toktoktok (also disclosing the
25 use of adhesive); Yeo at 7:44-53 (“The flat surfaces of the sensor node allow adhesive material eg:
26 Scotch® Reusable Tabs to be used to facilitate mounting to a surface. Sensor nodes can be
27 redeployed easily, hence it should be easy to mount and detach, and the mounting mechanism
28

1 needs to have a long ‘adhesive lifetime’ without its ‘stickiness’ wearing off over time. Also a
2 micro suction cup based material eg: Inventables® Suction Cup Tape could be used. This adhesive
3 material can be shaped to a circular ring that would fit on the flat surface of the sensor node.”); Li
4 at [0035] (“A glue or adhesive may simply and quickly adhere the gesture detector 42 to the body
5 26. While any adhesive compound may be used, the adhesive may be chosen to minimize
6 attenuation as the vibration 72 travels through the adhesive. However, the gesture detector 42 may
7 alternatively be mechanically adhered, such as by fastener or weld. The gesture detector 42 may
8 be soldered or welded to the body 26, especially when the body 26 is constructed of aluminum,
9 magnesium, stainless steel, or any other metal. The gesture detector 42 may be soldered, TIG
10 welded, or MIG welded to the body 26.”).

11 A skilled artisan would have been further motivated to pursue the above-discussed
12 combinations for several reasons. First, they would have understood that an accelerometer must
13 be fixed within the apparatus by some mechanism to orient the accelerometer within the housing
14 and to prevent the accelerometer from moving around within the housing. Fixing the
15 accelerometer within the housing would prevent the accelerometer from being loose within the
16 housing, moving around and possibly being damaged. Furthermore, Murakoshi’s description that
17 such sensors are “integral” to the apparatus would have motivated a skilled artisan to investigate
18 ways to fix an accelerometer within a device and would have looked to other accelerometer
19 references. Murakoshi at [0030]. A skilled artisan would have recognized that the brackets,
20 sidebeams, adhesives, etc. fix an accelerometer in position within the casing, and still allow the
21 accelerometer to detect vibrations.

22 Second, a skilled artisan would have been motivated to mount the accelerometer within a
23 housing using support flexures, brackets and side beams and to mount the housing to a surface
24 using case mounts to enable the accelerometer to effectively detect vibrations without interference
25 from housing components. *See, e.g., id.* at [0021]; Stewart at 7:61-64 (“The accelerometers are
26 suspended within the case of the multisensor to minimize any deleterious mechanical feedback
27 between the accelerometer and case.”).

1 Third, a skilled artisan would have understood that there are multiple known mechanisms
2 for coupling an apparatus to a surface and would have been capable of selecting between the known
3 possibilities to achieve entirely predictable results.

4 3. Sensor Elements

5 Each Asserted Claim recites limitations directed to elements of “a sensor.” Specifically,
6 claim 1 recites “ a sensor contained within said housing, said sensor forming an interactive zone
7 defined by a range of said sensor, said sensor being comprised of an accelerometer, said interactive
8 zone being aligned with said mounting surface and overlaying said mounting surface outside a
9 perimeter of said housing, said sensor being in a fixed position relative to said engagement means,
10 wherein a contact interaction associated with said mounting surface within said interactive zone is
11 detected by said sensor as data signals, said contact interaction being comprised of an impact on
12 said mounting surface, said data signals being comprised of vibration data of said contact
13 interaction.” Similarly, claim 2 recites, “wherein said interactive zone of said sensor aligns with
14 said mounting surface, said interactive zone being coplanar with said mounting surface.” And
15 claim 5 recites, “wherein said contact interaction is comprised of a plurality of impacts on said
16 mounting surface[.]”

17 Control systems with such sensors were well-known in the prior art. *See, e.g.*, Apple
18 iPhone 4/6/6S; Apple Watch; Samsung Galaxy III; Nokia Phones; LG G2; Beyond Touch;
19 TouchAnywhere; InvenSense MotionProcessing™ Technology Demo; Knock to Unlock; Knock
20 Knock; toktoktok; Yeo; Li; Murakoshi; Newton; Kasar; Wehrenberg; Johnson; MS; Yun; Khaira;
21 Chen; Linjama; NXP Freescale Semiconductor MMA8450Q; Bosch Sensortec
22 BMA250/BMA280/BMA282; STMicroelectronics accelerometers (e.g., LSM330DLC,
23 LIS331DLH, LIS3LV02DL, and LIS3LV02DQ); Analog Devices ADXL345 and/or ADXL311;
24 TDK MPU-6000; Kionix – KGF01; Wehrenberg 013; Kim; Carullo; CN103067630; Slupsky;
25 Avrahami; CN202502390; O’Reilly.

26 To the extent any anticipatory reference is found not to include the claimed sensor
27 elements, as noted in the above-referenced charts, it would have been obvious in view of Apple
28

1 iPhone 4/6/6S; Apple Watch; Samsung Galaxy III; Nokia Phones; LG G2; Beyond Touch;
2 TouchAnywhere; InvenSense MotionProcessing™ Technology Demo; Knock to Unlock; Knock
3 Knock; toktoktok; Yeo; Murakoshi; Newton; Kasar; Wehrenberg; Johnson; MS; Yun; Khaira;
4 Chen; Linjama; NXP Freescale Semiconductor MMA8450Q; Bosch Sensortec
5 BMA250/BMA280/BMA282; ST Microelectronics accelerometers (e.g., LSM330DLC,
6 LIS331DLH, LIS3LV02DL, and LIS3LV02DQ); Analog Devices ADXL345 and/or ADXL311;
7 TDK MPU-6000; Kionix – KGF01; Wehrenberg 013; Kim; Carullo; CN103067630; Slupsky;
8 Avrahami; CN202502390 and/or O'Reilly to include these features. In addition to the reasons
9 identified above, one skilled in the art would have been motivated to make this modification at
10 least because a sensor, particularly an accelerometer, is a conventional component used in a control
11 system to create an interactive zone and to detect vibrations generated from user interactions within
12 that interaction zone. *See, e.g.,* Johnson at 9:20-21 (“As a non-limiting example, an accelerometer
13 16, well known to those skilled in the art, detects acceleration.”); Kasar at [0007] (“One particular
14 embodiment employs an accelerometer within the docketing station configured to sense vibration
15 of a surface on which the docketing station and electronic device are disposed.”); Khaira at [0008]
16 (“An accelerometer might be realized in any relevant technology, such as integrated Circuit (i.e.
17 micro electro-mechanical systems, i.e. MEMS), gravity gradiometers, piezoelectric,
18 piezoresistive, capacitive, quantum tunneling, etc.”); Bess at Abstract; Avrahami at [0009] (“For
19 example, a mobile phone can utilize a built-in accelerometer to detect the tap of a user’s finger on
20 the surface surrounding the phone, determine the location of the tap and perform an action
21 depending on where the tap occurred.”); *id.* at [0040] (“Modifications to current mobile devices to
22 implement technologies described herein may only need to be software modifications, as many
23 current mobile devices already possess built-in accelerometers and gyroscopes that detect device
24 movement.”).

25 4. Gesture Recognition and Control Elements

26 Each asserted claims recites limitations directed to gesture recognition and control. For
27 example, claim 1 recites “determining a data pattern corresponding to said data signals of said
28

1 contact interaction and matching said data pattern with a gesture profile, said gesture profile being
2 associated with a command.” Similarly, claim 4 recites, “said data signals having a respective
3 defined peak corresponding to each impact, a defined time period after a last defined peak, said
4 data pattern being comprised of each defined peak and said defined time period after said last
5 defined peak.” And claim 5 recites, “said data signals having a respective defined peak
6 corresponding to each impact, a measured time period between each defined peak, and a defined
7 time period after a last defined peak, said data pattern being comprised of each defined peak, each
8 measured time period, and said defined time period after said last defined peak.”

9 Control systems with such gesture recognition functionality were well-known in the prior
10 art. *See, e.g.*, Apple iPhone 6; Apple iPhone 6S; Apple Watch; Knock to Unlock app; Knock
11 Knock app; Knock Knock system; TouchAnywhere; InvenSense MotionProcessing™ Technology
12 Demo; Beyond Touch; Zhang-UbiComp 2013; Zhang-UIST 2013; Zhang 2015; Zhang 2016;
13 Samsung Galaxy III; McGrath 2014; LG G2; Nokia Phones; Ronkainen; Haggman; Li; Kasar;
14 Wehrenberg; Chen; Culbert; Avrahami; Linjama; MS; Gargi; Yun; Khaira; Johnson; Sachs; Kim;
15 Lee; Hudson; Tuck; Bosch Sensortec BMA250/BMA280/BMA282; NXP Freescale
16 Semiconductor MMA8450Q; Analog Devices ADXL345; TDK MPU-6000; Heo; Hinckley;
17 toktoktok; Murakoshi; Bess; CN202502390; Krum.

18 To the extent any anticipatory reference is found not to include the claimed gesture
19 recognition functionality, as noted in the above-referenced charts, it would have been obvious in
20 view of Apple iPhone 6, Apple iPhone 6S, Apple Watch, Knock to Unlock app, Knock Knock
21 app, Knock Knock system, TouchAnywhere, InvenSense MotionProcessing™ Technology Demo,
22 BeyondTouch, Zhang-UbiComp 2013, Zhang-UIST 2013, Zhang 2015, Zhang 2016, Samsung
23 Galaxy III, McGrath, LG G2, Nokia Phones, Ronkainen, Haggman, Li, Kasar, Wehrenberg, Chen,
24 Culbert, Avrahami, Linjama, MS, Gargi, Yun, Khaira, Johnson, Sachs, Kim, Lee, Hudson, Tuck,
25 Bosch Sensortec BMA250/BMA280/BMA282, NXP Freescale Semiconductor MMA8450Q,
26 Analog Devices ADXL345, TDK MPU-6000, Heo, Hinckley, toktoktok, Murakoshi, Bess,
27 CN202502390, Pryor, and/or Krum to include this feature. In addition to the reasons identified

1 above, one skilled in the art would have been motivated to make this modification for at least the
2 following reasons:

- 3 • Improving accessibility. *See, e.g.,* Linjama at [0002] (“Traditionally the user
4 controls the device by pressing keys or other controls located on a limited area on
5 the surface of the device. The system response is presented in graphical display.
6 This type of user interface is not very usable e.g. in the following cases. If the device
7 is very small with small keys in the keyboard and the user has thick gloves in
8 his/hers hand, there is no access to keys. If the device is very small with a small
9 display and there is limited sight or the user does not wear glasses, it is difficult for
10 the user to have access to the display.”), [0005] (“The present invention describes
11 a solution for interaction with handheld or wearable device by providing at least
12 some limited control of the device other than e.g. pressing a specific key in the
13 keyboard. The method of the present invention is a combination of using a motion
14 sensor tuned for sensing the control action (e.g. a tap) of the user and tactile
15 feedback pulse signal, which is perceivable in a wide range of conditions.”); Pryor
16 at [0008] (“There exists also a need for devices ... to insure the general well being
17 of seniors and disabled persons living at home. For those who are sight impaired or
18 under stress, there is also a need for easier to see, easier to operate and less
19 distracting controls.”); Gargi at [0015] (“Force-triggered non-visual responses can
20 also serve as an accessibility feature for users who have a visual impairment, in
21 some examples.”); Avrahami at [0010] (“Extending the interaction space of a
22 device allows users to interact with the device with their whole hand or both hands,
23 instead of just with one or a few fingers (that typically only interact with a touch
24 screen or control buttons.”).
- 25 • Increasing the number of input modalities and/or extending the input language of a
26 smartphone (e.g., allowing the phone to be used eyes-free with the phone in a user’s
27 pocket, purse, or armband while walking, or holding the phone with two hands;
28

1 allowing for user input without occluding the limited screen area with the fingers;
2 allowing for indirect interaction, by touching the surface (e.g., a table) on which the
3 phone is placed). *See, e.g.,* Zhang-UbiComp13 at Abstract; Zhang 2015; *see also*
4 Tuck (“Tapping is a new way that users employ interacting with hand held products
5 that have an integrated accelerometer. For example, a single tap can be used to
6 silence the sound; a double tap could be used to send an incoming call directly to
7 voicemail.”); Li at Abstract (“A supplemental surface area allows gesture
8 recognition on outer surfaces of mobile devices. Inputs may be made without visual
9 observance of display devices. Gesture control on outer surfaces permits socially
10 acceptable, inconspicuous interactions without overt manipulation.”); Ms at [0003]
11 (“The particular user input may involve a direct contact with a limited area surface
12 (e.g., a button, a touchpad, etc.). The limited area surface may require user to view
13 the limited area surface to interact with it. In addition, the limited area surface may
14 also require a user to extract the electronic device from a container (e.g., a pocket,
15 a wallet, a purse, a protective case, a cover, etc.). These requirements may cause a
16 delay (e.g., a time to extract the device from the container, a time to locate the
17 limited area surface, etc.) and/or may cause a user to decide not to access the device.
18 The delay or the failure to access the device may result in a disturbance (e.g., a
19 phone ring) and/or an undesired result (e.g., a missed call, a transfer to voicemail,
20 a different music track, a distraction, a loss of vehicle control, a missed direction,
21 etc.). The undesired result may further result in an additional delay and/or
22 inefficiency (e.g., an access to voicemail, a u-turn to find a missed location, a repeat
23 of an already heard audio segment, etc.).”); McGrath at 215 (“To access rich
24 functionalities and data items on a mobile device, a user often needs to navigate
25 dep hierarchies of interfaces and deal with mode-switching issues, which can be
26 frustrating, time consuming and error-prone. Thus, it is important to enable new
27 input events to expand the bandwidth of mobile interaction.”); Kim at [0005]

1 (“Mobile devices are getting smaller and smaller for portability these days. The
2 reduction in size limits the space available for input devices (such as buttons and
3 keypads). Many researchers have been studying gesture recognition to remove
4 traditional input devices. In certain environments, a simple motion can be a more
5 effective input. The advent of MEMS (Micro-Electro-Mechanical System)
6 technology dramatically reduced the size of accelerometers which can detect an
7 object's motion. Tapping is a very simple motion. It is intuitive and not necessary
8 to learn. If tapping a device anywhere on its surface could be used to control the
9 device, then it would be a unique input methodology.”);
10 <https://www.eetimes.com/theres-more-to-mems-than-meets-the-iphone/> (“The
11 STMicroelectronics accelerometer used in the iPhone supplies analog acceleration
12 values for all three directions, covering a range of ± 2 g's. That makes it suitable not
13 only for sensing orientation but also for applications that Apple could add at any
14 time. ... Besides intelligent power management, there are about a dozen other
15 applications of consumer devices that make full use of a MEMS accelerometer's
16 capabilities, according to Freescale Semiconductor Inc. (Austin, Texas), whose
17 three-axis accelerometers have the built-in ability to recognize single and double
18 taps. ... ‘The accelerometer can recognize any type of motion, and different motion
19 patterns can trigger different menu functions,’ said Michelle Kelsey, inertial sensor
20 products marketing manager at Freescale.”); Ronkainen at 263 (“In real life usage
21 contexts of mobile devices, one often runs into the problem that such devices are
22 designed for handheld use. However, in practice the devices spend most of their
23 time not held in the hand but stored in a pocket or bag. It would often be beneficial
24 to perform an initial action for a task whilst keeping the device in storage – for
25 instance, silence a ringtone before picking up a phone and answering a call.”); Gargi
26 at [0015] (“Generating force-triggered non-visual responses can enable a user to
27 access functionality of a computing device without having to go through the process
28

1 of unlocking or turning on the device's screen, and without directly handling the
2 computing device. A user can make use of functions of the computing device while
3 the computing device remains in the user's pocket, with the user tapping the device
4 through the cloth of the user's pants, for example. A user can also tap or squeeze a
5 computing device to activate certain features without having to look at the
6 computing device, such as when the user is driving.”); Culbert at [0003] (“One
7 problem with existing portable media devices such as cellular telephones is that
8 users can become distracted from other activities while interfacing with the media
9 device's video display, graphical user interface (GUI), and/or keypad. For example,
10 a runner may carry a personal media device to listen to music or to send/receive
11 cellular telephone calls while running. In a typical personal media device, the
12 runner must look at the device's display to interact with a media application in order
13 to select a song for playing. Also, the user likely must depress the screen or one or
14 more keys on its keypad to perform the song selection. These interactions with the
15 personal media device can divert the user's attention from her surroundings which
16 could be dangerous, force the user to interrupt her other activities, or cause the user
17 to interfere with the activities of others within her surroundings. Accordingly, there
18 is a need for providing a user interface in a personal media device that minimizes
19 either or both a user's physical and visual interactions with the personal media
20 device, especially while the user is performing other activities that require, for
21 example, the user's visual senses.”); MPU-6000 Spec at 7 (“MotionInterface™ is
22 becoming a ‘must-have’ function being adopted by smartphone and tablet
23 manufacturers due to the enormous value it adds to the end user experience. In
24 smartphones, it finds use in applications such as gesture commands for applications
25 and phone control, enhanced gaming, augmented reality, panoramic photo capture
26 and viewing, and pedestrian and vehicle navigation. With its ability to precisely
27 and accurately track user motions, MotionTracking technology can convert
28

1 handsets and tablets into powerful 3D intelligent devices that can be used in
2 applications ranging from health and fitness monitoring to location-based services.
3 Key requirements for MotionInterface enabled devices are small package size, low
4 power consumption, high accuracy and repeatability, high shock tolerance, and
5 application specific performance programmability – all at a low consumer price
6 point.”).

- 7 • Simplifying the control of a device. *See, e.g.,* Khaira at [0004] (“There is a trend
8 in the control of electronics to attempt to simplify the user interface. The use of
9 voice recognition is the direction that is currently the most common to address this.
10 There is an additional way to greatly simplify the control of a Tabletop Speaker
11 System (TSS) and that is through the use of physical gestures instead of buttons,
12 dials and sliders. This can be achieved by reducing the number of controls to a
13 single “magic” button and including accelerometer and proximity detection to the
14 TSS. The inclusion of these detectors makes it possible to determine that a user is
15 tapping the case or gesturing (hand movement near the TSS.”); Haggman at [04]
16 (“There is potential for confusion among users as more functions are combined into
17 smaller and fewer buttons.”); McGrath at 215 (“The capacitive touchscreen, as the
18 major input medium of mobile devices, has been overloaded with interaction
19 behaviors. To access rich functionalities and data items on a mobile device, a user
20 often needs to navigate deep hierarchies of interfaces and deal with mode-switching
21 issues, which can be frustrating, time consuming and error-prone.”); Hudson at
22 Abstract (“We introduce Whack Gestures, an inexact and inattentive interaction
23 technique. This approach seeks to provide a simple means to interact with devices
24 with minimal attention from the user – in particular, without the use of fine motor
25 skills or detailed visual attention (requirements found in nearly all convention
26 interaction techniques. For mobile devices, this could enable interaction without
27 ‘getting it out,’ grasping, or even glancing at the device.”); Ronkainen at Abstract

1 (“By carefully designing the user interface, the tap can be used to activate logically
2 similar functionality on the devices, leading to a simple but useful interaction
3 method.”).

- 4 • Allowing touch-enhanced motion gestures and motion-enhanced touch gestures,
5 such as distinguishing between hard and soft taps. *See, e.g.,* Hinckley at Abstract
6 (“Hybrid touch + motion gestures exhibit interaction properties that combine the
7 strengths of multitouch with those of motion sensing. This affords *touch-enhanced*
8 *motion* gestures ... [and] *motion-enhanced touch* ...”) (emphasis original); *see also*
9 *id.* at 801 (“The widespread availability of mobile devices with both touch and
10 motion-sensing presents an opportunity to explore novel interaction techniques that
11 leverage synergistic roles for touch and motion as complementary modalities.”);
12 Heo at Abstract (“We introduce an interaction technique that increases touch screen
13 input vocabulary by distinguishing a strong tap from a gentle tap without the use of
14 additional hardware.”).
- 15 • Allowing a driver to input commands without diverting their eyes from the road.
16 *See, e.g.,* Krum at [0002]-[0006], [0011].
- 17 • Improving the durability of the interface. *See, e.g.,* Ms at [0004] (“The limited area
18 surface may also contain a moving part (e.g., a button mechanism) and/or an
19 unsealed edge (e.g., a crack next to a touchpad edge and/or a button edge). The
20 moving part may allow a foreign substance (e.g., a fluid and/or a dirt) to enter a
21 housing for the electronic device. The foreign substance may accelerate a
22 breakdown of the moving part and/or a component of the electronic device (e.g., a
23 processor, a memory, a hard drive, a speaker, a microphone, etc.). The breakdown
24 of the moving part and/or the component of the electronic device may prevent the
25 electronic device from operating, which may result in a further delay and/or
26 inefficiency (e.g., a repair cost, a replacement cost, etc.).”); Haggman at [03].

- Preventing inadvertent control inputs that may result in delay and/or inefficiency. *See, e.g.,* Ms at [0005] (“the particular user input may involve a sound greater than a threshold volume. By exceeding the threshold volume, the sound may cause a disturbance. The audible sound may also be easily generated by environmental sources, which may cause the electronic device to be controlled in undesired ways (e.g., a call disconnect, a mute, a video end, a power on, a power off, etc.). These undesired effects may also result in a delay and/or inefficiency.”).
- Allowing a phone to effectively identify the specific command based on a user’s gesture pattern.
- Saving processing power.

5. Server Elements

Each asserted claim recites limitations directed to elements of “a server.” Specifically, claim 1 recites: “a server in communication with said sensor, said server being comprised of a routing module, a processing module [that performs the gesture recognition] being connected to said routing module [that receives the data signals from the sensor], and an output module connected to said processing module” wherein “said output module transmit[s] said command to said receiving module [of a terminal device].”

Control systems comprising such a server were well-known in the prior art. *See, e.g.,* Sharp KK; Orr; Khaira; Kasar; Johnson; Yeo; Li; Newton; Wehrenberg; Chen; Avrahami; Murakoshi; Mutagi; Bump; Bess; Gargi; Yun.

To the extent any anticipatory reference is found not to include the claimed server, as noted in the above-referenced charts, it would have been obvious in view of Sharp KK, Orr, Khaira, Kasar, MS, Johnson, Yeo, Li, Newton, Wehrenberg, Chen, Avrahami, Murakoshi, Mutagi, Bump, Bess, Gargi, and/or Yun to include this feature. In addition to the reasons identified above, one skilled in the art would have been motivated to make this modification at least because processing of the vibratory signals arising from the user interactions at the surface could be offloaded to a server, including a cloud-based server. Processing the vibratory signals at a server would offload

1 processing from the apparatus, requiring less processing power at the apparatus and potentially
2 decreasing the size of the apparatus. *See, e.g.*, Johnson at 5:50-58 (“As used herein a mobile device
3 includes, but is not limited to, a cell phone, such as Apple’s iPhone®, other portable electronic
4 devices, such as Apple’s iPod Touches®, Apple’s iPads®, and mobile devices based on Google’s
5 Android® operating system, and any other portable electronic device that includes software,
6 firmware, hardware, or a combination thereof that is capable of at least receiving the signal,
7 decoding if needed, exchanging information with a server to verify information.”); *id.* at 29:9-16
8 (“Therefore, every component forms part of the cloud which comprises servers, applications and
9 clients as defined above. The cloud can be in communication with the intelligent door lock system
10 10, the vibration tapping sensing device of the mobile device 210, and the like. In one embodiment,
11 the cloud includes all or a portion of the back-end 68 elements. Communication with the vibration
12 tapping sensing device 11 can be via the cloud.”); Avrahami at [0050] (“Example data includes
13 web pages, text messages, images, sound files, video data, classifier training data or other data sets
14 to be sent to and/or received from one or more network servers or other devices by the device 600
15 via one or more wired or wireless networks, or for use by the device 600.”); Sharp KK at Abstract
16 (“This equipment operation device generates audio information data containing the content of
17 speech audio inputted in order to remotely operate equipment controlled by the equipment
18 operation device in question or another equipment operation device, and transmits the audio
19 information data to an audio analysis server. The audio analysis server analyzes the received audio
20 information data, determines the equipment to be operated and the command content, and
21 generates a command code corresponding to the result of the determination. The audio analysis
22 server transmits the command code to the equipment operation device that controls the equipment
23 to be operated. The equipment operation device controls the actuation of the equipment to be
24 controlled by the equipment operation device in question in accordance with the received
25 command code.”); Orr at [0027] (“Server system 110 can provide server-side functionalities for
26 any number of clients residing on a respective user device 102”); Bess at [0041] (“A processing
27 device may be ... a server...”).

1 Using a sever may also allow the sensor data to be combined with additional data that may
2 not necessarily be available to the device comprising the sensor. *See, e.g., Bump;*
3 [https://www.zdnet.com/home-and-office/networking/eight-burning-questions-for-bump-co-](https://www.zdnet.com/home-and-office/networking/eight-burning-questions-for-bump-co-founder-jake-mintz/)
4 [founder-jake-mintz/](https://www.zdnet.com/home-and-office/networking/eight-burning-questions-for-bump-co-founder-jake-mintz/) (“When two phones bump, software on the phone sends up a variety of sensor
5 data to an algorithm running on the Bump servers -- data like the location of the phone, the
6 accelerometer readings, the IP address, etc. The algorithm looks at all the bumps coming in from
7 around the world and figures out exactly which two phones felt the same physical bump in the real
8 world. From there, Bump can simply route whatever information is to be sent from one phone to
9 the other, or initiate any other type of interaction between the two phones.”).

10 **6. Terminal Device Elements**

11 Each asserted claim recites limitations directed to “a terminal device.” For example, claim
12 1 recites, “a terminal device being comprised of a receiving module and means for initiating
13 activity of said terminal device corresponding to said command, said terminal device being in
14 communication with said server, [and] said output module transmitting said command to said
15 receiving module.” And claim 9 recites, “an additional terminal device being comprised of an
16 additional receiving module and additional means for initiating activity of said additional terminal
17 device corresponding to an additional command, said additional terminal device being in
18 communication with said server, said output module transmitting said additional command to said
19 additional receiving module.”

20 Control systems with such terminal devices were well-known in the prior art. *See, e.g.,*
21 Kasar; Gargi; Wehrenberg; Chen; Yeo; CN202502390; Newton; Yun; Haggman; Li; Murakoshi;
22 Sharp KK; Orr; Mutagi; Ms; Johnson; Linjama; Khaira; Ha; CN103067630; KR101239177;
23 Slupsky; Avrahami; Ronkainen; Ronkainen Presentation; Hudson; Heo; Hinckley; McGrath;
24 Kuhnel; Tuck; Pryor; Bess; Krum; Apple iPhone 6; Apple Watch; HomeKit; Samsung Galaxy III;
25 Nokia Phones; LG G2; Knock Knock app; Knock to Unlock app; AirPlay; Apple Remote app;
26 Alfred Remote app; TouchAnywhere; InvenSense MotionProcessing™ Technology Demo;

BeyondTouch; Zhang-UbiComp 2013; Zhang-UIST 2013; Zhang 2015; Zhang 2016; toktoktok; Kuhnel; Ha; Marks; Park Seok-gyu.

To the extent any anticipatory reference is found not to include the claimed terminal device(s), it would have been obvious in view of Kasar, Gargi, Wehrenberg, Chen, Yeo, CN202502390, Newton, Yun, Haggman, Li, Murakoshi, Sharp KK, Orr, Mutagi, Ms, Johnson, Linjama, Khaira, Ha, CN103067630, KR101239177, Slupsky, Avrahami, Ronkainen, Ronkainen Presentation, Hudson, Heo, Hinckley, McGrath, Kuhnel, Tuck, Pryor, Bess, Krum, Apple iPhone 6, Apple Watch, HomeKit, Samsung Galaxy III, Nokia Phones, LG G2, Knock Knock app, Knock to Unlock app, AirPlay, Apple Remote app, Alfred Remote app, TouchAnywhere, InvenSense MotionProcessing™ Technology Demo; BeyondTouch, Zhang-UbiComp 2013, Zhang-UIST 2013, Zhang 2015, Zhang 2016, toktoktok, Kuhnel, Ha, Marks, and/or Park Seok-gyu to include this feature. In addition to the reasons identified above, one skilled in the art would have been motivated to make this modification at least because “[m]obile phones seem to present the perfect user interface for interacting with smart environments, e.g. smart-home systems, as they are nowadays ubiquitous and equipped with an increasing amount of sensors and interface components, such as multi-touch screens.” Kuhnel at Abstract; *see also* CN103067630 at Abstract (“The method of generating the wireless control command through the gesture movement of the mobile phone makes full use of the mobile phone. . . .”). Furthermore, “having a dedicated remote controller for each controlled device is not desirable when there are a plurality of controlled devices. Consequently, a remote controller often controls a plurality of devices.” Ha at [0001]; *see also id.* at [0002] (“There is a real market need to facilitate controlling a plurality of controlled devices through a remote controller by a user.”). In addition, by “control[ling] a plurality of controlled members” via “the gesture movement of the mobile phone,” “[t]he number of remote controls is greatly reduced,” and “the method of generating the wireless control command through the gesture movement of the mobile phone provides convenience for work and lives of people.” CN103067630 at Abstract.

1 A skilled artisan would have been further motivated to combine a mobile device with one
2 or more terminal devices (e.g., other mobile phones) to exchange contact information or initiate
3 any other type of interaction between mobile devices. *See, e.g.,* Knock Knock app;
4 <https://www.engadget.com/2015-08-19-knock-knock-app.html> (“Say you've just met someone at
5 a party. It turns out you guys go to the same school, hang out at the same coffee shops and are both
6 really into John Steinbeck. Now it's time for you to part ways and you want to keep in touch, but
7 it seems a little forward to just ask for the person's phone number since you barely know each
8 other. But if both of you have a new app called Knock Knock, you could extend him or her your
9 contact info by just knocking twice on your phone (they would then have to knock twice on their
10 phone to reciprocate).”); Bump; [https://www.zdnet.com/home-and-office/networking/eight-](https://www.zdnet.com/home-and-office/networking/eight-burning-questions-for-bump-co-founder-jake-mintz/)
11 [burning-questions-for-bump-co-founder-jake-mintz/](https://www.zdnet.com/home-and-office/networking/eight-burning-questions-for-bump-co-founder-jake-mintz/) (“When two phones bump, software on the
12 phone sends up a variety of sensor data to an algorithm running on the Bump servers -- data like
13 the location of the phone, the accelerometer readings, the IP address, etc. The algorithm looks at
14 all the bumps coming in from around the world and figures out exactly which two phones felt the
15 same physical bump in the real world. From there, Bump can simply route whatever information
16 is to be sent from one phone to the other, or initiate any other type of interaction between the two
17 phones.”). Notably, the Knock Knock and Bump apps were designed and marketed to be used
18 with mobile phones like the iPhone 6.

19 A skilled artisan would have been still further motivated to combine a mobile device with
20 another password protected terminal device (e.g., a laptop computer) to manage the user's
21 passwords. *See, e.g.,* Knock to Unlock app; [https://katu.com/news/local/portland-startup-called-](https://katu.com/news/local/portland-startup-called-knock-aims-to-kill-the-password)
22 [knock-aims-to-kill-the-password](https://katu.com/news/local/portland-startup-called-knock-aims-to-kill-the-password) (“Using low-energy Bluetooth technology and the accelerometer
23 found in modern phones, Knock aims to replace the tedium of remembering countless
24 passwords.”). Like the Knock Knock app, the Knock to Unlock app was also designed and
25 marketed to be used with mobile phones like the iPhone 6.

VII. INVALIDITY UNDER 35 U.S.C. §112

A. Indefiniteness

Section 112(b) includes a definiteness requirement: “[t]he specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the inventor or a joint inventor regards as the invention.” 35 U.S.C. § 112(b). “[A] patent is invalid for indefiniteness if its claims, read in light of the patent’s specification and prosecution history, fail to inform, with reasonable certainty, those skilled in the art about the scope of the invention.” *Nautilus, Inc. v. Biosig Instruments, Inc.*, 134 S. Ct. 2120, 2124 (2014).

The definiteness requirement requires that the claim must set forth what the applicant regards as the invention and do so with sufficient particularity and definiteness. *Allen Eng’g Corp. v. Bartell Indus.*, 299 F.3d 1336, 1348 (Fed. Cir. 2002). Where it would be apparent to one of skill in the art, based on the patent specification, that the “invention” set forth in a claim is not what the patent applicant regarded as the invention, the claim is invalid. *Id.*

Based on Apple’s present understanding of the Asserted Claims and Plaintiff’s apparent interpretation of these claims as reflected in its Infringement Contentions, the following limitations of the Asserted Claims fail to satisfy the requirements of § 112(b) because the precise scope of at least the terms listed below cannot be determined with reasonable certainty by a skilled artisan when reading the claims in light of the specification and prosecution history.

- Claim 1:
 - “wherein a contact interaction associated with said mounting surface within said interactive zone is detected by said sensor as data signals, said contact interaction being comprised of an impact on said mounting surface, said data signals being comprised of vibration data of said contact interaction ... said contact interaction generating said data signals of said sensor through said transmission portion”
 - Under Haptic’s interpretation of the Asserted Claims, the specification of the Asserted Patent fails to provide a sufficiently

1 clear indication of the scope or meaning of this term. For example,
2 it is not reasonably clear what constitutes a “contact interaction
3 being comprised of an impact on said mounting surface.” It also not
4 reasonably clear what constitutes a sensor detecting a contact
5 interaction as data signals that are generated through the
6 transmission portion.

7 ○ “routing module ... said routing module receiving said data signals from
8 said sensor”

9 ■ This term is subject to 35 U.S.C. 112(f) and the specification fails to
10 disclose adequate corresponding structure to achieve the claimed
11 function.

12 ○ “processing module ... said processing module determining a data pattern
13 corresponding to said data signals of said contact interaction and matching
14 said data pattern with a gesture profile”

15 ■ This term is subject to 35 U.S.C. 112(f) and the specification fails to
16 disclose adequate corresponding structure to achieve the claimed
17 function.

18 ○ “output module ... said output module transmitting said command to said
19 receiving module”

20 ■ This term is subject to 35 U.S.C. 112(f) and the specification fails to
21 disclose adequate corresponding structure to achieve the claimed
22 function.

23 ○ “receiving module”

24 ■ This term is subject to 35 U.S.C. 112(f) and the specification fails to
25 disclose adequate corresponding structure to achieve the claimed
26 function.

27 • Claim 9:

1 ○ “additional receiving module”

- 2 ▪ This term is subject to 35 U.S.C. 112(f) and the specification fails to
3 disclose adequate corresponding structure to achieve the claimed
4 function.

5 **B. Written Description**

6 35 U.S.C. § 112 includes a written description requirement: “The specification shall
7 contain a written description of the invention....” 35 U.S.C. § 112(a). “To satisfy the written
8 description requirement, a patent applicant must convey with reasonable clarity to those skilled in
9 the art that, as of the filing date sought, he or she was in possession of the invention.” *ICU Medical*
10 *Inc. v. Alaris Medical Systems, Inc.*, 558 F.3d 1368, 1377 (Fed. Cir. 2009) (internal quotation
11 marks and citations omitted); *see also Synthes USA, LLC v. Spinal Kinetics, Inc.*, 734 F.3d 1332,
12 1340 (Fed. Cir. 2013). “The test [for written description support] requires an objective inquiry
13 into the four corners of the specification from the perspective of a person of ordinary skill in the
14 art. Based on that inquiry, the specification must describe an invention understandable to that
15 skilled artisan and show that the inventor actually invented the invention claimed.” *Ariad Pharms.,*
16 *Inc. v. Eli Lilly & Co.*, 598 F.3d 1336, 1351 (Fed. Cir. 2010) (*en banc*).

17 The specification must describe the claimed invention in sufficient detail so that a skilled
18 artisan can recognize what is claimed. “The appearance of mere indistinct words in a specification
19 or a claim, even an original claim, does not necessarily satisfy that requirement.” *University of*
20 *Rochester v. G.D. Searle & Co.*, 358 F.3d 916, 923 (Fed. Cir. 2004) (internal quotation marks and
21 citations omitted).

22 Based on Apple’s present understanding of the Asserted Claims and Plaintiff’s apparent
23 interpretation of these claims as reflected in its Infringement Contentions, the following limitations
24 of the Asserted Claims fail to satisfy the requirements of Section 112 for at least the following
25 limitations:

- 26 • Claim 1:
- 27
- 28

- 1 ○ “wherein a contact interaction associated with said mounting surface within
2 said interactive zone is detected by said sensor as data signals, said contact
3 interaction being comprised of an impact on said mounting surface, said
4 data signals being comprised of vibration data of said contact interaction ...
5 said contact interaction generating said data signals of said sensor through
6 said transmission portion”
- 7 ▪ The specification of the Asserted Patent does not disclose a contact
8 interaction that is detected by the sensor as data signals generated
9 through the transmission portion. The specification does not convey
10 to a skilled artisan that any named inventor of the Asserted Patent
11 was in possession of the technology alleged to infringe.
- 12 ○ “routing module ... said routing module receiving said data signals from
13 said sensor”
- 14 ▪ This term is subject to 35 U.S.C. 112(f) and the specification fails to
15 disclose adequate corresponding structure to achieve the claimed
16 function.
- 17 ○ “processing module ... said processing module determining a data pattern
18 corresponding to said data signals of said contact interaction and matching
19 said data pattern with a gesture profile”
- 20 ▪ This term is subject to 35 U.S.C. 112(f) and the specification fails to
21 disclose adequate corresponding structure to achieve the claimed
22 function. Furthermore, the specification does not describe the full
23 scope of this limitation at least under Haptic’s apparent
24 interpretation of the Asserted Claims as reflected in its Infringement
25 Contentions. The specification provides no algorithms for
26 determining a data pattern corresponding to the data signals of the
27 contact interaction or matching the data patterns with a gesture
28

1 profile and thus does not describe any algorithms used in the
2 Accused Products that are alleged to be within the scope of this
3 limitation. The specification also does not convey to a skilled
4 artisan that any named inventor of the Asserted Patent was in
5 possession of the technology alleged to infringe.

- 6 ○ “output module ... said output module transmitting said command to said
7 receiving module”
 - 8 ■ This term is subject to 35 U.S.C. 112(f) and the specification fails to
9 disclose adequate corresponding structure to achieve the claimed
10 function.
- 11 ○ “receiving module”
 - 12 ■ This term is subject to 35 U.S.C. 112(f) and the specification fails to
13 disclose adequate corresponding structure to achieve the claimed
14 function.
- 15 ○ “said contact interaction generating said data signals of said sensor through
16 said transmission portion”
 - 17 ■ The specification does not describe generating the claimed data
18 signals of the sensor through the transmission portion. The
19 specification does not convey to a skilled artisan that any named
20 inventor of the Asserted Patent was in possession of the technology
21 alleged to infringe.

22 • Claim 4:

- 23 ○ “said data signals having a respective defined peak corresponding to each
24 impact, a defined time period after a last defined peak, said data pattern
25 being comprised of each defined peak and said defined time period after
26 said last defined peak”

- 1 ▪ The specification does not describe this limitation. The
2 specification does not describe the alleged data signals having a
3 defined peak that corresponds to an impact or a defined time period
4 after a last defined peak. Nor does the specification describe the
5 claimed data pattern. The specification also does not convey to a
6 skilled artisan that any named inventor of the Asserted Patent was
7 in possession of the technology alleged to infringe.

8 • Claim 5:

- 9 ○ “said data signals having a respective defined peak corresponding to each
10 impact, a measured time period between each defined peak, and a defined
11 time period after a last defined peak, said data pattern being comprised of
12 each defined peak, each measured time period, and said defined time period
13 after said last defined peak”

- 14 ▪ The specification does not describe this limitation. The
15 specification does not describe the alleged data signals having a
16 defined peak that corresponds to an impact, a measured time period
17 between each defined peak, or a defined time period after a last
18 defined peak. Nor does the specification describe the claimed data
19 pattern. The specification also does not convey to a skilled artisan
20 that any named inventor of the Asserted Patent was in possession of
21 the technology alleged to infringe.

22 • Claim 9:

- 23 ○ “additional receiving module”

- 24 ▪ This term is subject to 35 U.S.C. 112(f) and the specification fails to
25 disclose adequate corresponding structure to achieve the claimed
26 function.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 0
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 0
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8

Based on Apple's present understanding of the Asserted Claims and Plaintiff's apparent interpretation of these claims as reflected in its Infringement Contentions, the following limitations of the Asserted Claims fail to satisfy the requirements of Section 112 for at least the following limitations:

●

-

VIII. INVALIDITY UNDER 35 U.S.C. § 101

To be patentable subject matter under § 101, a claim must be directed to one of four eligible subject matter categories: “new and useful process, machine, manufacture, or composition of matter.” 35 U.S.C. § 101. “Claims that fall within one of the four subject matter categories may nevertheless be ineligible if they encompass laws of nature, physical phenomena, or abstract ideas.” *Digitech Image Techs., LLC v. Elecs. for Imaging, Inc.*, 758 F.3d 1344, 1350 (Fed. Cir. 2014) (citing *Diamond v. Chakrabarty*, 447 U.S. 303, 309 (1980)). The Supreme Court established a two-step test for deciding the subject matter eligibility of claims under § 101. *Alice Corp. Pty. Ltd. v. CLS Bank Int’l*, 134 S. Ct. 2347, 2355 (2014). First, the claims must be analyzed to determine whether they are drawn to one of the statutory exceptions, *i.e.*, a patent ineligible concept: an abstract idea, a law of nature, or a natural phenomenon. *See id.* Second, the elements of the claims must be viewed both individually and as an ordered combination to see if there is an “inventive concept.” *Id.*; *see also Enfish, LLC v. Microsoft Corp.*, 822 F.3d 1327, 1335-36 (Fed. Cir. 2016); *In re TLI Communs. LLC Patent Litig.*, 823 F.3d 607, 613 (Fed. Cir. 2016) (“we find that the claims fail to recite any elements that individually or as an ordered combination transform the abstract idea of classifying and storing digital images in an organized manner into a patent-eligible application of that idea”). The claims are examined to determine if they merely invoke well-understood, routine, conventional components and activity to apply an abstract idea. *See, e.g., Elec. Comm’n Techs. v. ShoppersChoice.com*, 958 F.3d 1179, 1180-82 (Fed. Cir. 2020).

Under Haptics’ apparent interpretation of the Asserted Claims, each Asserted Claim is directed to ineligible subject matter under 35 U.S.C. § 101 and applicable case law authority.⁴ For

⁴ *See, e.g., Alice Corp. Pty. Ltd. v. CLS Bank Int’l*, 573 U.S. 208 (2014); *Mayo Collaborative Servs. v. Prometheus Labs., Inc.*, 566 U.S. 66 (2012); *Trading Techs. Int’l, Inc. v. IBG, LLC*, 921 F.3d 1084 (Fed. Cir. 2019); *ChargePoint, Inc. v. SemaConnect, Inc.*, 920 F.3d 759 (Fed. Cir. 2019); *SAP America, Inc. v. InvestPic, LLC*, 898 F.3d 1161 (Fed. Cir. 2018); *Interval Licensing LLC v. AOL, Inc.*, 896 F.3d 1335 (Fed. Cir. 2018); *Aatrix Software, Inc. v. Green Shades Software, Inc.*, 882 F.3d 1121 (Fed. Cir. 2018); *Two-Way Media Ltd. v. Comcast Cable Commc’ns, LLC*, 874 F.3d 1329 (Fed. Cir. 2017), *cert. denied*, 139 S. Ct. 378 (2018); *Intellectual Ventures I LLC v. Capital One Fin. Corp.*, 850 F.3d 1332 (Fed. Cir. 2017); *Apple, Inc. v. Ameranth, Inc.*, 842 F.3d 1229 (Fed. Cir. 2016); *Affinity Labs of Texas, LLC v. DIRECTV, LLC*, 838 F.3d 1253 (Fed. Cir.

1 example, each Asserted Claim is directed to the abstract idea of tapping on a surface to control a
2 device. *See Thunder Power New Energy Vehicle Dev. Co. Ltd. v. Byton N. Am. Corp.*, 340 F.
3 Supp. 3d 922 (N.D. Cal. 2018), *aff'd*, 777 F. App'x 517 (Fed. Cir. 2019) (finding that claims in a
4 patent describing a vehicle operating system that captured and processed gesture signals from a
5 driver and passenger were directed to abstract idea); *Uniloc USA, Inc. v. ADP, LLC*, 772 F. App'x
6 890, 900 (Fed. Cir. 2019) (finding that the user inputs selecting icons (or menu items) to control
7 software applications is abstract; "The focus of the claims here is on the abstract idea of using a
8 desktop interface to access an application server"); *Pantech Corp. v. LG Elecs. Inc.*, No.
9 522CV00113RWSJBB, 2023 WL 6260004, at *3 (E.D. Tex. Sept. 26, 2023) ("merely adding
10 another user interface manipulation (e.g., tapping a menu for a fifth time after claim 1 requires
11 four taps) cannot change the nature of the claim or result in a different abstract idea."); *see also*
12 *Yu v. Apple Inc.*, 1 F.4th 1010, 1043 (Fed. Cir. 2021) (holding that the claim was "directed to the
13 abstract idea of taking two pictures (which may be at different exposures) and using one picture to
14 enhance the other in some way"); *Chamberlain Grp. v. Techtronic Indus. Co.*, 935 F.3d 1341 (Fed.
15 Cir. 2019) ("the broad concept of communicating information wirelessly, without more, is an
16 abstract idea"); *CyberSource Corp. v. Retail Decisions, Inc.*, 654 F.3d 1366, 1372-73 (Fed. Cir.
17 2011) (a concept that "can be performed in the human mind . . . is merely an abstract idea and is
18 not patent eligible under § 101"); *Solutran, Inc. v. Elavon, Inc.*, 931 F.3d 1161, 1168 (Fed. Cir.
19 2019) (finding that the "physical nature" or "physicality" of a claim "is not by itself enough to

20
21 2016); *Elec. Power Grp., LLC v. Alstom S.A.*, 830 F.3d 1350 (Fed. Cir. 2016); *Enfish, LLC v.*
22 *Microsoft Corp.*, 822 F.3d 1327 (Fed. Cir. 2016); *Genetic Techs. Ltd. v. Merial L.L.C.*, 818 F.3d
23 1369 (Fed. Cir. 2016); *Intellectual Ventures I LLC v. Capital One Bank (USA)*, 792 F.3d 1363
24 (Fed. Cir. 2015); *Internet Patents Corp. v. Active Network, Inc.*, 790 F.3d 1343 (Fed. Cir. 2015);
25 *OIP Techs., Inc. v. Amazon.com, Inc.*, 788 F.3d 1359 (Fed. Cir. 2015); *Content Extraction &*
26 *Transmission LLC v. Wells Fargo Bank, Nat'l Ass'n*, 776 F.3d 1343 (Fed. Cir. 2014); *DDR*
27 *Holdings, LLC v. Hotels.com, L.P.*, 773 F.3d 1245 (Fed. Cir. 2014); *buySAFE, Inc. v. Google, Inc.*,
28 765 F.3d 1350 (Fed. Cir. 2014); *Digitech Image Techs., LLC v. Elecs. for Imaging, Inc.*, 758 F.3d
1344 (Fed. Cir. 2014); *CyberSource Corp. v. Retail Decisions, Inc.*, 654 F.3d 1366 (Fed. Cir.
2011); *Automated Tracking Sols., LLC v. Coca-Cola Co.*, 723 F. App'x 989 (Fed. Cir. 2018);
EasyWeb Innovations, LLC v. Twitter, Inc., 689 F. App'x 969, 971 (Fed. Cir. 2017); *Yu v. Apple*
Inc., 1 F.4th 1040 (Fed. Cir. 2021).

1 exempt the claims from being directed to an abstract idea”); *Zyrcuits IP LLC v. Acuity Brands,*
2 *Inc.*, No. CV 20-1306-CFC, 2021 WL 3287801 (D. Del. Aug. 2, 2021) (explaining that a claim
3 “may use technical jargon, but that does not mean it teaches a technical solution”).

4 As shown above and in the attached charts, under Plaintiff’s apparent interpretation of the
5 Asserted Claims, all the remaining claim elements were well-understood, routine, and/or
6 conventional components of a mobile phone. Thus, each Asserted Claim fails to claim patentable
7 subject matter because it merely ties an abstract idea to generic, well-known, and conventional
8 components and it fails to recite any elements that individually or as an ordered combination
9 transform the abstract idea into a patent-eligible application of that idea.

10 **IX. DOCUMENT PRODUCTION PURSUANT TO PATENT LOCAL RULE 3-4**

11 **A. Protective Order**

12 The Court has issued a Protective Order (Dkts. 78-3, 79). Apple’s document production is
13 made pursuant to the provisions of that Protective Order. As discussed below, Apple is also
14 making source code available for inspection pursuant to the terms of the Protective Order.

15 **B. Patent Local Rule 3-4(a) Production**

16 Apple has produced documents sufficient to show the operation of the accused
17 instrumentalities: APL-HAPTIC_00000001 - APL-HAPTIC_00000486; APL-
18 HAPTIC_00086622 - APL-HAPTIC_00104210; APL-HAPTIC_00104212 - APL-
19 HAPTIC_00171367; APL-HAPTIC_00172808 - APL-HAPTIC_00172915; APL-
20 HAPTIC_00215547 - APL-HAPTIC_00248893; APL-HAPTIC_00248921 - APL-
21 HAPTIC_00441967; APL-HAPTIC_00442281 - APL-HAPTIC_00482753; APL-
22 HAPTIC_00482878 - APL-HAPTIC_00483477; APL-HAPTIC_00483480 - APL-
23 HAPTIC_00483547; APL-HAPTIC_00523539 - APL-HAPTIC_00523554; APL-
24 HAPTIC_00532317 - APL-HAPTIC_00532324. Apple has additionally made source code
25 available for inspection regarding the accused instrumentalities at Fish and Richardson’s San
26
27
28

1 Diego office, located at 12860 El Camino Real, Suite 400, San Diego, CA 92130. Apple
2 reserves the right to supplement this production as the case progresses.

3 **C. Patent Local Rule 3-4(b) Production**

4 Apple has produced the prior art it is relying on pursuant to Patent L.R. 3-3(a): APL-
5 HAPTIC_00000487 – APL-HAPTIC_00086621; APL-HAPTIC_00104211 – APL-
6 HAPTIC_00104211; APL-HAPTIC_00171368 – APL-HAPTIC_00172807; APL-
7 HAPTIC_00172916 – APL-HAPTIC_00215546; APL-HAPTIC_00248894 – APL-
8 HAPTIC_00248920; APL-HAPTIC_00441968 – APL-HAPTIC_00442280; APL-
9 HAPTIC_00483478 – APL-HAPTIC_00483479; APL-HAPTIC_00483548 - APL-
10 HAPTIC_00523538; APL-HAPTIC_00523659 - APL-HAPTIC_00532316; APL-
11 HAPTIC_00532325 - APL-HAPTIC_00532371. Apple reserves the right to supplement this
12 production as the case progresses.

13 **D. Patent Local Rule 3-4(c) Production**

14 Apple has produced agreements that may be related to the accused instrumentalities or that
15 may be comparable to a license that would result from a hypothetical reasonable royalty
16 negotiation in this case: APL-HAPTIC_00523555 through APL-HAPTIC_00523658. Apple will
17 be producing one additional confidential agreement on July 26, following expiration of the
18 required notice period for production of the agreement. Apple reserves the right to supplement
19 this production as the case progresses.

20 **E. Patent Local Rule 3-4(d) Production**

21 Apple has produced documents sufficient to show the sales, revenue, cost, and profits for
22 the products accused of infringement: APL-HAPTIC_00482754 through APL-
23 HAPTIC_00482877. Apple reserves the right to supplement this production as the case
24 progresses.

1 **F. Patent Local Rule 3-4(e) Production**

2 Apple is not presently aware of any agreements outside those produced in response to
3 Patent Local Rule 3-4(c) that may be used to support its damages case. Apple reserves the right
4 to supplement this production as the case progresses.
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

1
2 Dated: July 15, 2024

FISH & RICHARDSON P.C.

3
4 /s/ Joy B. Kete

5 Roger A. Denning (SBN 228998)
6 Seth M. Sproul (SBN 217711)
7 Fish & Richardson P.C.
8 12860 El Camino Real Suite 400
9 San Diego, CA 92130
10 Phone: 858-678-5070
11 Fax: 858-678-5099
12 Email: denning@fr.com
13 Email: sproul@fr.com

14 Joy B. Kete (Admitted *pro hac vice*)
15 Qiuyi Wu (Admitted *pro hac vice*)
16 FISH & RICHARDSON P.C.
17 One Marina Park Drive
18 Boston, MA 02210
19 Phone: 617-542-5070
20 Fax: 617-542-8906
21 Email: kete@fr.com
22 Email: qwu@fr.com

23
24
25
26
27
28 *Attorneys for Defendant APPLE INC.*

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

CERTIFICATE OF SERVICE

I am employed in the County of San Mateo, my business address is Fish & Richardson P.C., 500 Arguello Street, Suite 400, Redwood City, California 94063. I am over the age of 18 and not a party to the foregoing action.

I am readily familiar with the business practice at my place of business for collection and processing of correspondence for personal delivery, for mailing with United States Postal Service, for facsimile, and for overnight delivery by Federal Express, Express Mail, or other overnight service.

On July 15, 2024, I caused a copy of the following document(s):

DEFENDANT APPLE INC.'S DISCLOSURE OF INVALIDITY CONTENTIONS

to be served on the interested parties in this action as follows:

Brian D. Melton (admitted *pro hac vice*)
Rocco Magni (admitted *pro hac vice*)
Thomas V. DelRosario (admitted *pro hac vice*)
Shaleez E. Ozlat (admitted *pro hac vice*)
1000 Louisiana Street, Suite 5100
Houston, Texas 77002
Tel: (713) 651-9366
Fax: (713) 654-6666
bmelton@susmangodfrey.com
rmagni@susmangodfrey.com
tdelrosario@susmangodfrey.com
sozlat@susmangodfrey.com

Davida Brook
Connor Cohen
Susman Godfrey LLP
1900 Avenue of the Stars, Ste 1400
Los Angeles, CA 90067-4405
Telephone: (310) 789-3100
dbrook@susmangodfrey.com
ccohen@susmangodfrey.com

Attorneys for Plaintiff, Haptic, Inc.

☒

**ELECTRONIC
MAIL:**

Such correspondence was transmitted by electronic mail to the addressees' email address as stated above.

1 I declare under penalty of perjury that the above is true and correct. Executed on
2 July 15, 2024 at San Jose, California.

3 /s/ Rachael Nelson
4 Rachael Nelson
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28