

DECLARATION OF JUNE ANN MUNFORD

1. My name is June Ann Munford. I am over the age of 18, have personal knowledge of the facts set forth herein, and am competent to testify to the same.
2. I earned a Master of Library and Information Science (MLIS) from the University of Wisconsin-Milwaukee in 2009. I have over ten years of experience in the library/information science field. Beginning in 2004, I have served in various positions in the public library sector including Assistant Librarian, Youth Services Librarian and Library Director. I have attached my Curriculum Vitae as Appendix CV.
3. During my career in the library profession, I have been responsible for materials acquisition for multiple libraries. In that position, I have cataloged, purchased and processed incoming library works. That includes purchasing materials directly from vendors, recording publishing data from the material in question, creating detailed material records for library catalogs and physically preparing that material for circulation. In addition to my experience in acquisitions, I was also responsible for analyzing large collections of library materials, tailoring library records for optimal catalog

search performance and creating lending agreements between libraries during my time as a Library Director.

4. I am fully familiar with the catalog record creation process in the library sector. In preparing a material for public availability, a library catalog record describing that material would be created. These records are typically written in Machine Readable Catalog (herein referred to as “MARC”) code and contain information such as a physical description of the material, metadata from the material’s publisher, and date of library acquisition. In particular, the 008 field of the MARC record is reserved for denoting the date of creation of the library record itself. As this typically occurs during the process of preparing materials for public access, it is my experience that an item’s MARC record indicates the date of an item’s public availability.
5. Typically, in creating a MARC record, a librarian would gather various bits of metadata such as book title, publisher and subject headings among others and assign each value to a relevant numerical field. For example, a book’s physical description is tracked in field 300 while title/attribution is tracked in field 245. The 008 field of the MARC record is reserved for denoting the creation of the library record itself. As this is the only date reflecting the inclusion of said materials within the library’s collection, it is my experience

that an item's 008 field accurately indicates the date of an item's public availability.

6. I have reviewed Exhibit LGES-1010, "Surface and structural characterization of multi-walled carbon nanotubes following different oxidative treatments" by Kevin A. Wepasnick, et. al as published in *Carbon*, January 2011.
7. Attached hereto as Appendix WEPASNICK01 is a true and correct copy of the MARC record for *Carbon* as held by the Penn State University library. I secured this record myself from the library's public catalog. The MARC record contained within Appendix WEPASNICK01 accurately describes the title, author, publisher, and ISSN number of *Carbon*. The 'Dates of Publication' field of this record visible on page 3 indicates this collection includes the January 2011 edition of *Carbon* containing "Surface and structural characterization of multi-walled carbon nanotubes following different oxidative treatments".
8. Attached hereto as Appendix WEPASNICK02 is a true and correct copy of "Surface and structural characterization of multi-walled carbon nanotubes following different oxidative treatments" as published in *Carbon* as held by

the Penn State University library. I secured this file myself from the library's collection. In comparing Exhibit LGES-1010 to Appendix WEPASNICK02, it is my determination that Exhibit LGES-1010 is a true and correct copy of "Surface and structural characterization of multi-walled carbon nanotubes following different oxidative treatments" by Kevin A. Wepasnick, et. al as published in *Carbon* January 2011.

9. The 008 field of the MARC record in Appendix WEPASNICK01 indicates the date of record creation. The 008 field of Appendix WEPASNICK01 indicates the Penn State University library first acquired this journal as of February 23, 1998 and still holds the journal in perpetuity. Considering this information, it is my determination that *Carbon* January 2011 and therefore "Surface and structural characterization of multi-walled carbon nanotubes following different oxidative treatments" was made available to the public shortly after its initial release in January 2011.

10. I have been retained on behalf of the Petitioner to provide assistance in the above-illustrated matter in establishing the authenticity and public availability of the documents discussed in this declaration. I am being compensated for my services in this matter at the rate of \$200.00 per hour

plus reasonable expenses. My statements are objective, and my compensation does not depend on the outcome of this matter.

11. I declare under penalty of perjury that the foregoing is true and correct. I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code.

Dated: 6/6/2024

A handwritten signature in black ink, appearing to read 'June Ann Munford', with a stylized flourish at the end.

June Ann Munford

APPENDIX CV

Education

University of Wisconsin-Milwaukee - MS, Library & Information Science, 2009
Milwaukee, WI

- Coursework included cataloging, metadata, data analysis, library systems, management strategies and collection development.
- Specialized in library advocacy, cataloging and public administration.

Grand Valley State University - BA, English Language & Literature, 2008
Allendale, MI

- Coursework included linguistics, documentation and literary analysis.
- Minor in political science with a focus in local-level economics and government.

Professional Experience

Researcher / Expert Witness, October 2017 – present
Freelance ● Pittsburgh, Pennsylvania & Grand Rapids, Michigan

- Material authentication and public accessibility determination. Declarations of authenticity and/or public accessibility provided upon research completion. Experienced with appeals and deposition process.
- Research provided on topics of public library operations, material publication history, digital database services and legacy web resources.
- Past clients include Alston & Bird, Arnold & Porter, Baker Botts, Fish & Richardson, Erise IP, Irell & Manella, O'Melveny & Myers, Perkins-Coie, Pillsbury Winthrop Shaw Pittman and Slayden Grubert Beard.

Library Director, February 2013 - March 2015
Dowagiac District Library ● Dowagiac, Michigan

- Executive administrator of the Dowagiac District Library. Located in

Southwest Michigan, this library has a service area of 13,000, an annual operating budget of over \$400,000 and total assets of approximately \$1,300,000.

- Developed careful budgeting guidelines to produce a 15% surplus during the 2013-2014 & 2014-2015 fiscal years while being audited.
- Using this budget surplus, oversaw significant library investments including the purchase of property for a future building site, demolition of existing buildings and building renovation projects on the current facility.
- Led the organization and digitization of the library's archival records.
- Served as the public representative for the library, developing business relationships with local school, museum and tribal government entities.
- Developed an objective-based analysis system for measuring library services - including a full collection analysis of the library's 50,000+ circulating items and their records.

November 2010 - January 2013

Librarian & Branch Manager, Anchorage Public Library • Anchorage, Alaska

- Headed the 2013 Anchorage Reads community reading campaign including event planning, staging public performances and creating marketing materials for mass distribution.
- Co-led the social media department of the library's marketing team, drafting social media guidelines, creating original content and instituting long-term planning via content calendars.
- Developed business relationships with The Boys & Girls Club, Anchorage School District and the US Army to establish summer reading programs for children.

June 2004 - September 2005, September 2006 - October 2013

Library Assistant, Hart Area Public Library

Hart, MI

- Responsible for verifying imported MARC records and original MARC

cataloging for the local-level collection as well as the Michigan Electronic Library.

- Handled OCLC Worldcat interlibrary loan requests & fulfillment via ongoing communication with lending libraries.

Professional Involvement

Alaska Library Association - Anchorage Chapter

- Treasurer, 2012

Library Of Michigan

- Level VII Certification, 2008
- Level II Certification, 2013

Michigan Library Association Annual Conference 2014

- New Directors Conference Panel Member

Southwest Michigan Library Cooperative

- Represented the Dowagiac District Library, 2013-2015

Professional Development

Library Of Michigan Beginning Workshop, May 2008

Petoskey, MI

- Received training in cataloging, local history, collection management, children's literacy and reference service.

Public Library Association Intensive Library Management Training, October 2011

Nashville, TN

- Attended a five-day workshop focused on strategic planning, staff management, statistical analysis, collections and cataloging theory.

Alaska Library Association Annual Conference 2012 - Fairbanks, February 2012

Fairbanks, AK

- Attended seminars on EBSCO advanced search methods, budgeting, cataloging, database usage and marketing.

Depositions

2019 • Fish & Richardson

Apple v. Qualcomm (IPR2018-001281, 39521-00421IP, IPR2018-01282 and 39521-00421IP2)

2019 • Erise IP

Implicit, LLC v. Netscout Systems, Inc (Civil Action No. 2:18-cv-53-JRG)

2019 • Perkins-Coie

Adobe Inc. v. RAH Color Technologies LLC (Cases IPR2019-00627, IPR2019-00628, IPR2019-00629 and IPR2019-00646)

2020 • O'Melveny & Myers

Maxell, Ltd. v. Apple Inc. (Case No. 5:19-cv-00036-RWS)

2021 • Pillsbury Winthrop Shaw Pittman LLP

Intel v. SRC (IPR2020-1449)

2022 • Perkins-Coie

Realtek v. Future Link (IPR2021-01182)

2023 • Fish & Richardson

Neuroderm Ltd. v. Abbvie, Inc (Case No. PGR2022-00040)

2023 • Fish & Richardson

Nearmap US Inc. v. Pictometry International Corp. (IPR2022-00735)

2023 • Fish & Richardson

Samsung Electronics v. MemoryWeb LLC (Case No. 39843-0136PS1)

2023 ● Pillsbury Winthrop Shaw Whitman LLP

Gravel Rating Systems v. Costco Wholesale Corp. (Civil Action No. 4:21-cv-149-ALM)

Limited Case and Clientele History

Alston & Bird

- Ericsson

v. Collision Communications (IPR2022-01233)

- Nokia

v. Neptune Subsea, Xtera (Case No. 1:17-cv-01876)

- Universal Electronics Inc

v. Roku Inc (IPR2022-00818)

Arnold & Porter

- Ivantis

v. Glaukos (Case No. 8:18-cv-00620)

- Samsung

v. Jawbone (Case No. 2:21-cv-00186)

Benesch Friedlander Coplan & Aronoff

- Voyis

v. Cathx (Case No. 5:21-cv-00077-RWS)

Erise I.P.

- Apple

- v. Ericsson Inc. (IPR2022-00715)
- v. Future Link Systems (IPRs 6317804, 6622108, 6807505, and 7917680)
- v. INVT (Case No. 20-1881)
- v. Navblazer LLC (IPR2020-01253)
- v. Qualcomm (IPR2018-001281, 39521-00421IP, IPR2018-01282, 39521-00421IP2)
- v. Quest Nettech Corp (Case No. 2:19-cv-00118-JRG)
- v. Telefonaktiebolaget LM Ericsson (IPR2022-00275)

- Fanduel

- v. CGT (Case No. 19-1393)

- Garmin

- v. Phillips North America LLC (Case No. 2:19-cv-6301-AB-KS)

- Netscout

- v. Longhorn HD LLC (Case No. 2:20-cv-00349)
- v. Implicit, LLC (Civil Action No. 2:18-cv-53-JRG)

- Sony Interactive Entertainment LLC

- v. Bot M8 LLC (IPR2020-01288)
- v. Infernal Technology LLC (Case No. 2:19-CV-00248-JRG)

- Unified Patents

v. GE Video Compression (Civil Action No. 2:19-cv-248)

Fish & Richardson

- Apple

- v. AliveCor (3:21-cv-03958)

- v. LBS Innovations (Case No. 2:19-cv-00119-JRG-RSP)

- v. Koss Corporation (IPR2021-00305)

- v. Masimo (IPR 50095-0012IP1, 50095-0012IP2, 50095-0013IP1, 50095-0013IP2, 50095-0006IP1, 50095-0135IP1)

- v. Neonode (Case No. 21-cv-08872-EMC)

- v. Qualcomm (IPR2018-001281, 39521-00421IP, IPR2018-01282, 39521-00421IP2)

- Dell

- v. Neo Wireless (IPR2022-00616)

- Dish Network

- v. Entropic Communications, LLC (Case No. 2:2023-CV-01043)

- v. Realtime Adaptive Streaming (Case No. 1:17-CV-02097-RBJ)

- v. TQ Delta LLC (Case No. 18-1798)

- Evapco Dry Cooling

- v. SPG Dry Cooling (IPR2021-00688)

- Genetec

- v. Sensormatic Electronics (Case No. 1:20-CV-00760)

- Huawei

- v. Bell Northern Research LLC (IPR2019-01174)
- Kianxis
 - v. Blue Yonder (Case No. 3:20-cv-03636)
- LG Electronics
 - v. Bell Northern Research LLC (Case No. 3:18-cv-2864-CAB-BLM)
- Metaswitch
 - v. Sonus Networks (IPR2018-01719)
- Microsoft
 - v. Throughputer Inc (IPR2022-00757)
- Mom Enterprises
 - v. Ddrops Company (Case No. 1:22-cv-00332)
- MLC Intellectual Property
 - v. MicronTech (Case No. 3:14-cv-03657-SI)
- Nearmap Inc
 - v. EagleView Technologies (IPR2022-01009)
- Neuroderm Ltd.
 - v. Abbvie, Inc (Case No. PGR2022-00040)
- Realtek Semiconductor

v. Future Link (IPR2021-01182)

- Quectel

v. Koninklijke Philips (Case No. 1:20-cv-01710)

- Samsung

v. Aire Technology (IPR2022-00877)

v. Bell Northern Research (Case No. 2:19-cv-00286-JRG)

v. Communication Technologies Inc (IPR2022-01221)

v. Jawbone Innovations (IPR2022-00865)

v. MemoryWeb LLC (IPR2022-00885)

v. Dodots Licensing Solutions (IPR2023-00701)

v. Telefonaktiebolaget LM Ericsson (IPR2021-00615)

- Texas Instruments

v. Vantage Micro LLC (IPR2020-01261)

- Xilinx

v. Sentient Sensors LCC (Case No. 1:22-cv-00173)

Irell & Manella

- Curium

O'Melveny & Myers

- Apple

v. Maxell (Case No. 5:19-cv-00036-RWS)

- Micron Technology Inc.
v. Besang Inc (IPR2023-00900)
- Samsung
v. Daedalus Prime LLC (1335 Investigation)

Perkins-Coie

- Heru Industries
v. The UAB Research Foundation (IPR2022-01148)
- Intel Corporation
v. BitMICRO (Case No. 5:23-cv-00625)
- Realtek Semiconductor
v. Future Link (IPR2021-01182)
- Twitter Inc
v. VOIP-Pal.com (Case No. 3:20-cv-02397-JD)
- TCL Industries
v. Koninklijke Philips NV (IPR2021-00495, IPR2021-00496
and IPR2021-00497)

Pillsbury Winthrop Shaw Pittman

- Intel
v. FG SRC LLC (Case No. 6:20-cv-00315)
- Gravel Rating Systems

- v. Costco (Case No. 4:21-cv-149)
- v. Lowe's Home Centers (Case No. 4:21-cv-150)
- v. T-Mobile USA (Case No. 4:21-cv-152)
- v. Kohl's Inc. (Case No. 4:21-cv-258)
- v. Under Armor (Case No. 4:21-cv-356)

Quinn Emanuel

- Wolfspeed
 - v. The Trustees of Purdue University (Case No. 1:2021-cv-00840)

Stern, Kessler, Goldstein & Fox

- Preliminary Research

Sheppard, Mullin, Richter & Hampton LLP

- Cadence Design Systems Inc.
 - v. Semiconductor Design Technologies (Case No. 3:23-cv-01001)

APPENDIX WEPASNICK01



Keyword

Search...

Search

Advanced search Start Over

Share

Bookmark

Report an Issue

MARC View

LEADER 02917nas a2200565 a 4500

001 44058099

003 SIRSI

005 20240414090109.0

006 m o d

007 cr n

008 980223c19639999enkmx pss 0 a0eng c

010 a| 2005233158

015 a| GBB549826 2| bnb

016 7 a| 012432338 2| Uk

016 a| 012432338

019 a| DO NOT EDIT this 360 MARC RECORD

022 a| 1873-3891 l| 0008-6223 y| 0008-6223

030 a| CRBNAH

035 a| (WaSeSS)ssj0004814

040 a| OH1 b| eng c| OH1 d| OCL d| OCLCQ d| GUA d| OCLCQ d| CIT d| U9S d| GUA d| OCLCQ d| LGG d| OCLCE d| UKMGB d| CSU d| OCLCQ d| VT2 d| OCLCF d| OCLCQ d| NLE d| U3W d| WYU d| CGU d| FUG d| AUD d| OCLCO d| OCLCQ d| UAB d| WaSeSS

042 a| pcc a| dlr

050 4 a| QD181.C1

130 0 a| Carbon (Online)

222 0 a| Carbon b| (Amsterdam. Online)

245 1 0 a| Carbon h| [electronic resource].

260 3| 1963- : a| Oxford, England : b| Pergammon Press, c| 1963-

260 3 3| <2010- >: a| [Oxford, England] : b| Elsevier Ltd.

310 a| Fifteen no. a year, b| <2005->

321 a| Frequency varies, b| 1963-

362 0 a| Vol. 1, Issue 1 (Oct. 1963)-

500 a| Title from contents screen (ScienceDirect, viewed Oct. 13, 2005).

500 a| "An international journal. Reporting research on carbonaceous materials, their production, properties and applications."

506 3| Use copy f| Restrictions unspecified 5| MiAaHDL 2| star

520 a| "Carbon publishes papers that deal with original research on the chemistry, physics and technology of carbonaceous solids consisting essentially of aromatically or tetrahedrally bonded carbon atoms and the materials produced from them. These materials range through chars, activated and pyrolytic carbons (including carbon blacks and soot), graphites, diamond, carbon nanotubes, and the fullerenes."

521 8 a| "Materials scientists, chemists, physicists."

538 a| Mode of access: World Wide Web.

550 a| An international journal Sponsored by the American Carbon Committee, 1963- ; by the American Carbon Society, <2005->

580 a| Has open access companion journal: Carbon trends (Online).

583 1 a| digitized c| 2011 h| HathiTrust Digital Library l| committed to preserve 5| MiAaHDL 2| pda

588 1 a| Volume 180 (15 August 2021) (ScienceDirect, viewed August 16, 2021).

650 0 a| Carbon v| Periodicals.

650 0 a| Carbon x| Periodicals.

655 0 a| Electronic journals.

710 2 a| American Carbon Committee.

710 2 a| American Carbon Society.

776 0 8 i| Print version: t| Carbon x| 0008-6223 w| (DLC) 65008336 w| (OCoLC)1926664

787 1 t| Carbon trends (Online) x| 2667-0569 w| (DLC) 2021241040 w| (OCoLC)1229454927

856 4 0 u| http://SK8ES4MC2L.search.serialssolutions.com/?V=1.0&L=SK8ES4MC2L&S=JCS&C=CARBNEYOR&T=marc

910 a| CONSER online

949 a| Electronic resource w| ASIS c| 1 i| 44058099-1001 l| ONLINE m| ONLINE r| Y s| Y t| ONLINE u| 4/20/2024 o| .STAFF. 360 MARC



[exceptions.](#)

[Legal Statements](#) | [PSU Hotlines](#)

[Libraries Intranet \(Staff Only\)](#)

[Accessibility Help](#)

[Website Feedback](#)

[Policies and Guidelines](#)

[Staff Directory](#)

[Facebook](#)

[Twitter](#)

[Instagram](#)



Keyword

Search...

Search

Advanced search Start Over

← Previous | 1 of 117 | Next →

Share

Bookmark

Report an Issue



Carbon [electronic resource].

Uniform Title:

Carbon (Online)

Published:

1963- : Oxford, England : Pergamon Press, 1963-
<2010- >: [Oxford, England] : Elsevier Ltd.

Additional Creators:

American Carbon Committee and American Carbon Society

Access Online

serialsolutions.com

Restrictions on Access:

Restrictions unspecified

Summary:

"Carbon publishes papers that deal with original research on the chemistry, physics and technology of carbonaceous solids consisting essentially of aromatically or tetrahedrally bonded carbon atoms and the materials produced from them. These materials range through chars, activated and pyrolytic carbons (including carbon blacks and soot), graphites, diamond, carbon nanotubes, and the fullerenes."

Dates of Publication and/or Sequential Designation:

Vol. 1, issue 1 (Oct. 1963)-

Subject(s):

[Carbon—Periodicals](#)

Genre(s):

[Electronic journals](#)

ISSN:

1873-3891

Publication Frequency:

Fifteen no. a year, <2005->
Frequency varies, 1963-

Audience Notes:

"Materials scientists, chemists, physicists."

Note:

Title from contents screen (ScienceDirect, viewed Oct. 13, 2005).

"An international journal. Reporting research on carbonaceous materials, their production, properties and applications."

Technical Details:

Mode of access: World Wide Web.

Issuing Body:

An international journal Sponsored by the American Carbon Committee, 1963- ; by the American Carbon Society, <2005->

Complexity Note:

Has open access companion journal: Carbon trends (Online).

Action Note:

digitized 2011 HathiTrust Digital Library committed to preserve

[View MARC record](#) | catkey: 44058099

Copyright ©2019 The Pennsylvania State University. All rights reserved. Except where otherwise noted, this work is subject to a Creative Commons Attribution 4.0 license. Details and exceptions.

PENN STATE
UNIVERSITY LIBRARIES

Libraries Home (814) 865-6368
Libraries Intranet (Staff Only)

CONNECT WITH
PENN STATE
UNIVERSITY LIBRARIES

Facebook
Twitter



ScienceDirect

Carbon

Supports open access

20.1

CiteScore

10.9

Impact Factor

[Submit your article](#)[Guide for authors](#)[Menu](#)[Search in this journal](#)

Volume 49, Issue 1

Pages 1-356 (January 2011)

[Download full issue](#)[Previous vol/issue](#)[Next vol/issue](#)

Receive an update when the latest issues in this journal are published

[Sign in to set up alerts](#)

Editorial

Editorial Full text access

Editorial

Peter A. Thrower

Pages 1-2

[View PDF](#)

Original Articles

Research article Full text access

A study of the annealing behavior of neutron irradiated graphite

T.D. Burchell, P.J. Pappano, J.P. Strizak

[FEEDBACK](#)

Pages 3-10

[View PDF](#)[Article preview](#) ✓

Research article Full text access

Photocatalytic reduction of graphene oxides hybridized by ZnO nanoparticles in ethanol

O. Akhavan

Pages 11-18

[View PDF](#)[Article preview](#) ✓

Research article Full text access

Thermo-responsive surface wettability on a pristine carbon nanotube film

Jin Yang, Zhaozhu Zhang, Xuehu Men, Xianghui Xu, Xiaotao Zhu

Pages 19-23

[View PDF](#)[Article preview](#) ✓

Research article Full text access

Surface and structural characterization of multi-walled carbon nanotubes following different oxidative treatments

Kevin A. Wepasnick, Billy A. Smith, Kaitlin E. Schrote, Hannah K. Wilson, ... D. Howard Fairbrother

Pages 24-36

[View PDF](#)[Article preview](#) ✓

Research article Full text access

Chemical redox recovery of giant, small-gap and other fullerenes

James W. Raebiger, John M. Alford, Robert D. Bolskar, Michael D. Diener

Pages 37-46

[View PDF](#)[Article preview](#) ✓

Research article Full text access

One-step synthesis of magnetically-functionalized reduced graphite sheets and their use in hydrogels

Chengyi Hou, Qinghong Zhang, Meifang Zhu, Yaogang Li, Hongzhi Wang

Pages 47-53

[View PDF](#)[Article preview](#) ✓

Research article Full text access

Anisotropic conductivity of magnetic carbon nanotubes embedded in epoxy matrices

Il Tae Kim, Allen Tannenbaum, Rina Tannenbaum

Pages 54-61

[View PDF](#)[Article preview](#) ✓

Research article Full text access

Bending modes, elastic constants and mechanical stability of graphitic systems

G. Savini, Y.J. Dappe, S. Öberg, J.-C. Charlier, ... A. Fasolino

Pages 62-69

[View PDF](#)[Article preview](#) ✓

Research article Full text access

Room temperature functionalization of carbon nanotubes using an ozone/water vapor mixture

Ke Peng, Lu-Qi Liu, Hongchao Li, Helmut Meyer, Zhong Zhang

Pages 70-76

[View PDF](#)[Article preview](#) ✓

Research article Full text access

Preparation of polyynes by liquid-phase laser ablation using different irradiation target materials and solvents

Ryutaro Matsutani, Takuya Kakimoto, Hiromasa Tanaka, Kazuo Kojima

Pages 77-81

[View PDF](#)[Article preview](#) ✓

Research article Full text access

Perfluorosulfonic acid-functionalized Pt/carbon nanotube catalysts with enhanced stability and performance for use in proton exchange membrane fuel cells

Daping He, Shichun Mu, Mu Pan

Pages 82-88

[View PDF](#)[Article preview](#) ✓

Research article Full text access

A film of porous carbon nanofibers that contain Sn/SnO_x nanoparticles in the pores and its electrochemical performance as an anode material for lithium ion batteries

Lin Zou, Lin Gan, Ruitao Lv, Mingxi Wang, ... Wanci Shen

Pages 89-95

[View PDF](#)[Article preview](#) ✓

Research article Full text access

Electrochemical surface oxidation of carbon nanofibers

Chang-Min Yoon, Donghui Long, Sang-Min Jang, Wenming Qiao, ... Seong-Ho Yoon
Pages 96-105

[View PDF](#)[Article preview](#) ✓

Research article Full text access

Poly(3-hexylthiophene) wrapped carbon nanotube/poly(dimethylsiloxane) composites for use in finger-sensing piezoresistive pressure sensors

Jihun Hwang, Jaeyoung Jang, Kipyoo Hong, Kun Nyun Kim, ... Chan Eon Park
Pages 106-110

[View PDF](#)[Article preview](#) ✓

Research article Full text access

The manufacture of a transparent film heater by spinning multi-walled carbon nanotubes

Hoon-Sik Jang, Sang Koo Jeon, Seung Hoon Nahm
Pages 111-116

[View PDF](#)[Article preview](#) ✓

Research article Full text access

An experimental evaluation and molecular simulation of high temperature gas adsorption on nanoporous carbon

Clare J. Anderson, Wendy Tao, Jianwen Jiang, Stanley I. Sandler, ... Sandra E. Kentish
Pages 117-125

[View PDF](#)[Article preview](#) ✓

Research article Full text access

Fabrication of silica nanoparticles on the surface of functionalized multi-walled carbon nanotubes

Hongfu Zhou, Chen Zhang, Hangquan Li, Zhongjie Du
Pages 126-132

[View PDF](#)[Article preview](#) ✓

Research article Full text access

A SnO₂/graphene composite as a high stability electrode for lithium ion batteries

Xuyang Wang, Xufeng Zhou, Ke Yao, Jiangang Zhang, Zhaoping Liu
Pages 133-139

[View PDF](#)[Article preview](#) ✓

Research article Full text access

Mono-dispersed transition metal nanoparticles on boron-substituted carbon support and applications in hydrogen storage

Youmi Jeong, T.C. Mike Chung

Pages 140-146



[View PDF](#)

Article preview

Research article Full text access

The chemical vapor infiltration of exfoliated graphite to produce carbon/carbon composites

A.S. Tikhomirov, N.E. Sorokina, O.N. Shornikova, V.A. Morozov, ... V.V. Avdeev

Pages 147-153



[View PDF](#)

Article preview

Research article Full text access

Hierarchically porous phenolic resin-based carbons obtained by block copolymer-colloidal silica templating and post-synthesis activation with carbon dioxide and water vapor

Joanna Górka, Mietek Jaroniec

Pages 154-160



[View PDF](#)

Article preview

Research article Full text access

Co-gelation synthesis of porous graphitic carbons with high surface area and their applications

Zhongli Wang, Xinbo Zhang, Xiaojuan Liu, Minfeng Lv, ... Jian Meng

Pages 161-169



[View PDF](#)

Article preview

Research article Full text access

Dissolution and alkylation of industrially produced multi-walled carbon nanotubes

Damien Voiry, Cristina Vallés, Olivier Roubeau, Alain Pénicaud

Pages 170-175



[View PDF](#)

Article preview

Research article Full text access

Combinatorial catalyst approach for high-density growth of horizontally aligned single-walled carbon nanotubes on sapphire

Hiroki Ago, Yumiko Nakamura, Yui Ogawa, Masaharu Tsuji

Pages 176-186



[View PDF](#)

Article preview

[Research article](#) [Full text access](#)

Theoretical analysis of the hydration of C₆₀ in normal and supercritical conditions

Guilherme Colherinhas, Tertius L. Fonseca, Eudes E. Fileti

Pages 187-192

[View PDF](#)[Article preview](#) [Research article](#) [Full text access](#)

A theoretical evaluation of load transfer in multi-walled carbon nanotubes

Y.L. Chen, B. Liu, K.C. Hwang, Y. Huang

Pages 193-197

[View PDF](#)[Article preview](#) [Research article](#) [Full text access](#)

Flexible conductive graphene/poly(vinyl chloride) composite thin films with high mechanical strength and thermal stability

Sajini Vadukumpully, Jinu Paul, Narahari Mahanta, Suresh Valiyaveetil

Pages 198-205

[View PDF](#)[Article preview](#) [Research article](#) [Full text access](#)

TEM observations of buckling and fracture modes for compressed thick multiwall carbon nanotubes

Jiong Zhao, Mo-Rigen He, Sheng Dai, Jia-Qi Huang, ... Jing Zhu

Pages 206-213

[View PDF](#)[Article preview](#) [Research article](#) [Full text access](#)

The mechanism of the sudden termination of carbon nanotube supergrowth

Xiaozhi Wang, Yan Feng, H. Emrah Unalan, Guofang Zhong, ... W.I. Milne

Pages 214-221

[View PDF](#)[Article preview](#) [Research article](#) [Full text access](#)

Microwave extraction of graphene from carbon fibers

V. Sridhar, Jin-Han Jeon, Il-Kwon Oh

Pages 222-226

[View PDF](#)[Article preview](#)

Research article Full text access

Hybrid carbon nanostructured ensembles as chemiresistive hydrogen gas sensors

Adarsh Kaniyoor, Sundara Ramaprabhu

Pages 227-236



[View PDF](#)

[Article preview](#)

Research article Full text access

Ethanol flame synthesis of highly transparent carbon thin films

Zhen Li, Hongwei Zhu, Kunlin Wang, Jinqian Wei, ... Dehai Wu

Pages 237-241



[View PDF](#)

[Article preview](#)

Research article Full text access

Densification kinetics and matrix microstructure of carbon fiber/carbon nanofiber/pyrocarbon composites prepared by electrophoresis and thermal gradient chemical vapor infiltration

Jinsong Li, Ruiying Luo, Ying Yan

Pages 242-248



[View PDF](#)

[Article preview](#)

Research article Full text access

Improvement of the adsorption properties of carbon black granules by means of plasma enhanced-chemical vapour deposition with acrylic acid vapours

Nicoletta De Vietro, Riccardo d'Agostino, Francesco Fracassi

Pages 249-255



[View PDF](#)

[Article preview](#)

Research article Full text access

Enhancing the catalytic performance of Pt/C catalysts using steam-etched carbon blacks as a catalyst support

Mei-xian Wang, Fan Xu, Qi Liu, Hong-fang Sun, ... Jian Xie

Pages 256-265



[View PDF](#)

[Article preview](#)

Research article Full text access

Growth of vertically aligned bamboo-like carbon nanotubes from ammonia/methane precursors using a platinum catalyst

Billyde Brown, Charles B. Parker, Brian R. Stoner, Jeffrey T. Glass

Pages 266-274

[View PDF](#)[Article preview](#)

Research article Full text access

Growth of carbon nanospheres through a building block assembly method at 300°C

Xin Xu, Zhiqiang Li, Di Zhang, Zhixin Chen

Pages 275-279

[View PDF](#)[Article preview](#)

Research article Full text access

Growth of carbon nanotubes at temperatures compatible with integrated circuit technologies

Guan Yow Chen, Ben Jensen, Vlad Stolojan, S.R.P. Silva

Pages 280-285

[View PDF](#)[Article preview](#)

Research article Full text access

First-principles study of Li adsorption in a carbon nanotube-fullerene hybrid system

Wonsang Koh, Ji I. Choi, Seung G. Lee, Wang R. Lee, Seung Soon Jang

Pages 286-293

[View PDF](#)[Article preview](#)

Research article Full text access

Thermal and electrical conduction properties of vertically aligned carbon nanotubes produced by water-assisted chemical vapor deposition

Atsuto Okamoto, Itaru Gunjishima, Takashi Inoue, Megumi Akoshima, ... Gendo Oomi

Pages 294-298

[View PDF](#)[Article preview](#)

Research article Full text access

Visualization and functions of surface defects on carbon nanotubes created by catalytic etching

Wei Xia, Xiuli Yin, Shankhamala Kundu, Miguel Sánchez, ... Martin Muhler

Pages 299-305

[View PDF](#)[Article preview](#)

Research article Full text access

Optical limiting effects in linear carbon chains

E. Fazio, F. Neri, S. Patanè, L. D'Urso, G. Compagnini

Pages 306-310

[View PDF](#)[Article preview](#) [Research article](#) [Full text access](#)

Photoelectric, nonlinear optical and photorefractive properties of polymer/carbon nanotube composites

Anatoly V. Vannikov, Antonina D. Grishina, Rodney W. Rychwalski

Pages 311-319

[View PDF](#)[Article preview](#) [Research article](#) [Full text access](#)

Solution processable C₆₀ fullerene-hydrazone dyads for optoelectronics

Simona Urnikaite, Tadas Malinauskas, Valentas Gaidelis, Robertas Maldzius, ... Vytautas Getautis

Pages 320-325

[View PDF](#)[Article preview](#) [Research article](#) [Full text access](#)

Highly reversible Co₃O₄/graphene hybrid anode for lithium rechargeable batteries

Haegyeom Kim, Dong-Hwa Seo, Sung-Wook Kim, Jongsoon Kim, Kisuk Kang

Pages 326-332

[View PDF](#)[Article preview](#) [Research article](#) [Full text access](#)

Effectiveness of sorting single-walled carbon nanotubes by diameter using polyfluorene derivatives

J. Gao, M. Kwak, J. Wildeman, A. Herrmann, M.A. Loi

Pages 333-338

[View PDF](#)[Article preview](#)

Letters to the Editor

[Correspondence](#) [Full text access](#)

An environmentally friendly route to prepare hierarchical carbon/carbon-SiC composites by carbothermal reduction

Jincao Zhang, Ruiying Luo

Pages 339-342

[View PDF](#)[Article preview](#) [Correspondence](#) [Full text access](#)

Comparative study of the stability of sulfide materials encapsulated in and expelled from multi-walled carbon nanotube capsules

Pedro M.F.J. Costa, Ujjal K. Gautam, Yoshio Bando, Dmitri Golberg
Pages 342-346

[View PDF](#)[Article preview](#)

[Correspondence](#) [Full text access](#)

Ball lightning plasma and plasma arc formation during the microwave heating of carbons

J.A. Menéndez, E.J. Juárez-Pérez, E. Ruisánchez, J.M. Bermúdez, A. Arenillas
Pages 346-349

[View PDF](#)[Article preview](#)

[Correspondence](#) [Full text access](#)

Structural changes in multi-walled carbon nanotubes caused by γ -ray irradiation

Zhiwei Xu, Lei Chen, Liangsen Liu, Xiaoqing Wu, Li Chen
Pages 350-351

[View PDF](#)[Article preview](#)

[Conference abstract](#) [Full text access](#)

Dissolution of poly(vinyl alcohol)-modified carbon nanotubes in a buffer solution

Fa-ming Zhang, Jiang Chang, Eberhard Burkel
Page 352

[View PDF](#)

[Conference abstract](#) [Full text access](#)

Effect of the surface chemistry of activated carbon on its electrochemical properties in electric double layer capacitors

Ying-bo Xie, Wen-ming Qiao, Wei-yan Zhang, Gang-wei Sun, Li-cheng Ling
Page 352

[View PDF](#)

[Conference abstract](#) [Full text access](#)

Production and structure of exfoliated graphite/coke composites modified by ZrO_2 nanoparticles

Ivan M. Afanasov, Gustaaf Van Tendeloo, Andrei T. Matveev
Page 352

[View PDF](#)

[Conference abstract](#) [Full text access](#)

Molecular dynamics simulation of a single graphene sheet under tension

Tong-wei Han, Peng-fei He, Jian Wang, Ai-hui Wu

Page 353



[Conference abstract](#) [Full text access](#)

Synthesis of single-wall and cup-stacked carbon nanotubes by methane decomposition using constrained thermal plasma jet

Jian-cheng Wang, Zi-ping Zhu, Li-ping Chang, Wei-ren Bao

Page 353



[Conference abstract](#) [Full text access](#)

Preparation and performance of carbon composite membranes with ordered mesopores

Hua-wei Jiang, Tong-hua Wang, Lin Li, Ying Liu, Xue-kai Song

Page 353



[Conference abstract](#) [Full text access](#)

Anti-oxidation property of a multi-layer coating for carbon/carbon composites in a wind tunnel at 1500°C

Qian-gang Fu, Hui Xue, He-jun Li, Ke-zhi Li, ... Hua Zhao

Page 353



[Conference abstract](#) [Full text access](#)

Preparation of high-performance activated carbons for electric double layer capacitors by KOH activation of mesophase pitches

Mei-xian Wang, Cheng-yang Wang, Ming-ming Chen, Yan-su Wang, ... Zi-jun Hu

Page 354



[Conference abstract](#) [Full text access](#)

Functionization of carbon nanotubes by plasma and the formation of their composites with polyaniline

Jie Zhang, Jun-he Yang, Run-ping Jia, Xia Wang, Jie Huang

Page 354



[Conference abstract](#) [Full text access](#)

Pyrocarbon transition layer and microstructure of mesophase pitch based carbon/carbon fiber composites

Hao Liu, Ke-zhi Li, He-jun Li, Jin-hua Lu, Yan-qiang Zhai

Page 354



[View PDF](#)

[Conference abstract](#) [Full text access](#)

Effect of pre-oxidation on microcracks in graphite foams

Juan Li, Can Wang, Cui-cui Zhang, Liang Zhan, ... Li-Cheng Ling

Page 354



[View PDF](#)

[Conference abstract](#) [Full text access](#)

Stability of multi-wall carbon nanotubes in air

Shuang-mei Zhu, Jun-qing Li, Jin-hui Pang, Hua-shun Zhang, Er-jun Liang

Pages 354-355



[View PDF](#)

[Conference abstract](#) [Full text access](#)

Influence of filler type on the performance and microstructure of a carbon/graphite material

Zhan-Jun Liu, Quan-Gui Guo, Lang Liu, Jing-Li Shi, Geng-Tai Zhai

Page 355



[View PDF](#)

[Conference abstract](#) [Full text access](#)

Effect of hydrogen plasma treatment on the field emission of diamond-like films deposited by high power excimer laser ablation

Li-xin Zhao, Hong-yan Peng, Yu-qiang Chen, Yu-jie Luo, ... Zeng-sun Jin

Page 355



[View PDF](#)

[Full text access](#)

Calendar

Page I



[View PDF](#)

ISSN: 0008-6223

Copyright © 2024 Elsevier Ltd. All rights are reserved, including those for text and data mining, AI training, and similar technologies.

[< Previous vol/issue](#)[Next vol/issue >](#)

All content on this site: Copyright © 2024 Elsevier B.V., its licensors, and contributors. All rights are reserved, including those for text and data mining, AI training, and similar technologies. For all open access content, the Creative Commons licensing terms apply.



APPENDIX WEPASNICK02

available at www.sciencedirect.comjournal homepage: www.elsevier.com/locate/carbon

Surface and structural characterization of multi-walled carbon nanotubes following different oxidative treatments

Kevin A. Wepasnick^a, Billy A. Smith^a, Kaitlin E. Schrote^b, Hannah K. Wilson^c,
Stephen R. Diegelmann^{a,d}, D. Howard Fairbrother^{a,d,e,*}

^a Department of Chemistry, Johns Hopkins University, 3400 North Charles Street, Baltimore, MD 21218, United States

^b Department of Chemistry, College of Notre Dame of Maryland, 4701 North Charles Street, Baltimore, MD 21210, United States

^c Department of Chemical and Biochemical Engineering, University of Maryland, Baltimore County, 1000 Hilltop Circle, Baltimore, MD 21250, United States

^d Institute for NanoBioTechnology, Johns Hopkins University, 3400 North Charles Street, Baltimore, MD 21218, United States

^e Department of Materials Science and Engineering, Johns Hopkins University, 3400 North Charles Street, Baltimore, MD 21218, United States

ARTICLE INFO

Article history:

Received 28 May 2010

Accepted 13 August 2010

Available online 18 August 2010

ABSTRACT

Six commonly used wet chemical oxidants (HNO_3 , KMnO_4 , $\text{H}_2\text{SO}_4/\text{HNO}_3$, $(\text{NH}_4)_2\text{S}_2\text{O}_8$, H_2O_2 , and O_3) were evaluated in terms of their effects on the surface chemistry and structure of MWCNTs using a combination of analytical techniques. X-ray photoelectron spectroscopy (XPS) and energy dispersive spectroscopy (EDX) were used to characterize the extent of surface oxidation, while chemical derivatization techniques used in conjunction with XPS allowed the concentration of carboxyl, carbonyl, and hydroxyl groups at the surface to be quantified for each MWCNT sample. Our results indicate that the distribution of oxygen-containing functional groups was insensitive to the reaction conditions (e.g., w/w% of oxidant), but was sensitive to the identity of the oxidant. MWCNTs treated with $(\text{NH}_4)_2\text{S}_2\text{O}_8$, H_2O_2 , and O_3 yielded higher concentrations of carbonyl and hydroxyl functional groups, while more aggressive oxidants (e.g., HNO_3 , KMnO_4) formed higher fractional concentrations of carboxyl groups. IR spectroscopy was unable to identify oxygen-containing functional groups present on MWCNTs, while Raman spectra highlighted the frequently ambiguous nature of this technique for measuring CNT structural integrity. TEM was able to provide detailed structural information on oxidized MWCNT, including the extent of sidewall damage for different oxidative treatments.

© 2010 Elsevier Ltd. All rights reserved.

1. Introduction

Carbon nanotubes (CNTs) have enormous commercial potential in applications including polymer composites [1] and biomedical applications [2]. To be useful in these applications, it is necessary to overcome the CNTs' extreme hydrophobicity which leads to aggregation in polar liquids [3,4]. To improve the CNT's hydrophilicity, their surfaces are often tailored by

covalent or non-covalent modification strategies. Covalent surface modification involves the incorporation of hydrophilic substituents into the exterior CNT sidewalls [5]. In contrast, non-covalent surface modification involves adsorption of a surfactant (e.g., NaDBS [6]) onto the CNT so that properties can be tailored without affecting the intrinsic CNT structure [7]. Both covalent and non-covalent modification strategies have been used to prepare CNTs for consumer

* Corresponding author at: Department of Chemistry, Johns Hopkins University, 3400 North Charles Street, Baltimore, MD 21218, United States. Fax: +1 410 516 8420.

E-mail address: howardf@jhu.edu (D.H. Fairbrother).

0008-6223/\$ - see front matter © 2010 Elsevier Ltd. All rights reserved.

doi:10.1016/j.carbon.2010.08.034

applications [7–10]. For example, the surface of CNTs used in reinforced polymer composites are often modified covalently by the addition of polar functional groups, not only to improve dispersion properties but also to enhance chemical interactions with the resin matrix [1,3,4,11].

Among the various types of covalent surface modification strategies, deliberately grafting oxygen-containing functional groups at the open ends and sidewalls of CNTs is a popular and versatile approach [5]. Indeed, this strategy is often used to create CNTs that disperse in water [12–14]. Surface oxidation can also occur unintentionally after CNTs are released into the environment, either through exposure to natural oxidizing agents such as ozone and hydroxyl radicals [15,16], or as a result of common water treatment processes that employ UV irradiation and ozonolysis [17,18].

The deliberate incorporation of surface oxygen into CNTs has been achieved through a variety of methods, chiefly wet chemical oxidation [14,19–21], plasma treatments [22,23], and rational functionalization strategies involving synthetic organic chemistry [24]. Among these various treatment methods, wet chemical techniques using different oxidizing acids (e.g., HNO_3) and strong oxidants (e.g., O_3) tend to be the most prevalent due to their easy implementation in laboratory and industrial settings. These same oxidative treatments are also used to help remove amorphous carbon and metallic impurities from as-produced CNTs [25–27]. Despite the fact that a wide variety of oxidizing conditions (defined by the oxidant and the reaction conditions) are used to treat and modify CNTs, the rationale behind the choice of a particular set of oxidizing conditions is rarely discussed, with few exceptions [28]. Furthermore, the effect of different oxidizing conditions on CNT surface chemistry or structure is seldom considered.

Different oxidizing conditions are likely to affect both the concentration of oxygen atoms incorporated into the CNTs and the distribution of oxygen-containing functional groups. The importance of determining both of these parameters can be appreciated by considering the effect that surface chemistry exerts on a number of important properties. For example, surface oxidation has been shown to exert a pronounced effect on both the sorption properties and colloidal stability of CNTs [12,13,29,30]. Obtaining more detailed information on the effect that different oxidizing conditions have on the distribution of oxygen-containing functional groups will be important in optimizing the structure and function of more complex nanostructures, where CNT oxidation is often the first step. In functionalization strategies, the role of oxidation is to create “foothold” functional groups, such as carboxyl groups, which then serve as attachment points to anchor either larger biomolecular structures [31,32] or nanoparticles [19,28–32]. In rational functionalization strategies used to modify CNT surface chemistry, oxygen-containing functional groups are often subjected to chemical transformations; for example, COOH groups are transformed to acid chlorides as a route to create aminated CNTs [24]. Consequently, knowledge of the concentration and distribution of different oxygen functional groups on the CNT surface following wet chemical oxidative treatments would allow researchers to better control the ultimate structure and properties of the CNT-based materials.

One popular analytical method used to quantify the extent (or level) of surface oxidation following different oxidative treatments is X-ray photoelectron spectroscopy (XPS) [5,12,13,30]. With this technique, the distribution of oxygen-containing functional groups (e.g., C–O, C=O and O–C=O) is also often characterized by deconvoluting the C(1s) spectral envelope to obtain quantitative information, based on differences in binding energies [19]. However, the C(1s) spectral envelope is typically broad and featureless due to both the proximity of the binding energies associated with different oxygen-containing functional groups and the limited resolution of typical energy analyzers [5,33]. Furthermore, the presence of the π – π^* shake-up feature in materials such as CNTs with delocalized π -electron systems causes further congestion in the C(1s) region [5]. Consequently, peak-fitting the C(1s) region typically leads to misleading and ambiguous results in terms of the calculated distribution of oxygen-containing functional groups.

To overcome the limitations inherent in XPS peak-fitting, derivatization methods have been developed to characterize certain key oxygen-containing functional groups on plasma-treated polymer surfaces [34], and more recently on carbonaceous surfaces such as CNTs [23,30,35]. In these applications of chemical derivatization, a targeted oxygen-containing functional group reacts selectively with a specific derivatizing reagent that contains a unique chemical tag (e.g., fluorine atoms). After each derivatization reaction, the concentration of the chemical tags can be quantified, allowing the concentration of the targeted functional group to be determined. Chemical derivatization methods for quantifying the distribution of oxygen-containing functional groups on CNTs have been used in several recent studies. For example, Zschoerper et al. have used chemical derivatization reactions utilizing fluorine tags in conjunction with XPS to show that Ar/O_2 and $\text{Ar}/\text{H}_2\text{O}$ plasma treatment conditions (e.g., pressure, time) affect the distribution of oxygen-containing functional groups on SWCNTs and MWCNTs, primarily increasing the C=O functional groups [23]. In another type of chemical derivatization study, Masheter et al. derivatized COOH functional groups using a two-step method in which carboxyl groups were converted to an acid chloride and subsequently reacted with 4-nitrophenol to yield a nitro group. Analysis of the N(1s) region by XPS was then used to measure increases in the COOH group concentration of SWCNTs and MWCNTs after $\text{H}_2\text{SO}_4/\text{HNO}_3$ treatment [36]. The fluorescent labeling of oxygen-containing functional groups is another method of chemical derivatization that has been developed to examine oxidized CNTs. In this method, carboxyl, hydroxyl and carbonyl surface species are labeled with fluorescent tags [35]. Dementev et al., used this technique to determine the increase in COOH, C=O and C–OH group concentrations for commercially available HCl and HNO_3 treated SWCNTs. Results from these studies indicated that the carbonyl functional groups showed the greatest increase in concentration compared to the untreated material [35].

In this work, we have performed a systematic study of the effect that different oxidants and reaction conditions have on the surface chemistry and structure of MWCNTs. Specifically, the effects of six wet chemical oxidants (HNO_3 [13], $\text{H}_2\text{SO}_4/\text{HNO}_3$ [37], KMnO_4 [38], H_2O_2 [39], O_3 [40], and $(\text{NH}_4)_2\text{S}_2\text{O}_8$

[41]) used under different reaction conditions (e.g., w/w%) were examined. Our decision to focus on MWCNTs was based on the fact that they are less expensive to manufacture and, thus, more often incorporated into large scale commercial applications [11]. We also deliberately selected a single source of MWCNTs, allowing us to directly compare and contrast the effect of different oxidizing conditions on a common starting material. Changes in surface chemistry were studied using a combination of infrared (IR) spectroscopy, energy dispersive X-ray spectroscopy (EDX), XPS, and chemical derivatization. In addition to changes in surface chemistry, we also evaluated the effects of different oxidizing conditions on the MWCNT structure, using transmission electron microscopy (TEM) and Raman spectroscopy.

2. Experimental

2.1. Materials

MWCNTs (outer diameters 15 ± 5 nm, lengths 5–20 μm , 95% by TGA, PD15L520-21408) were purchased from Nanolab, Inc. (Newton, MA) and used as received. Poly(acrylic acid) (PAA) and benzoic acid (BA) were purchased from Sigma-Aldrich. Poly(4-vinyl benzoic acid) (PBA) was purchased from Polymer Source, Inc. Polyethyleneterephthalate (PET) and polyethylene (PE) were purchased from Goodfellow. Derivatizing reagents: 2,2,2-trifluoroacetic anhydride (TFAA), 2,2,2-trifluoroethanol (TFE), N,N'-di-tert-butyl-carbodiimide (DTBC), and 2,2,2-trifluoroethylhydrazine (TFH) were purchased from Sigma-Aldrich and used as received. All reagents were 99% pure, with the exception of TFH, which was obtained as a 70% solution (by volume) in water.

2.2. Wet chemical treatments

The experimental details of each wet chemical treatment were based upon established procedures used to either oxidize or purify CNTs [13,27,37–41]. At the conclusion of the oxidation process, excess oxidizing agents, dissolved salts, and reaction byproducts were removed by centrifugation, followed by repeated washing, decanting and further centrifugation of the CNTs in fresh Milli-Q water until the resistance of the supernatant exceeded 500 k Ω . At this stage, the residual acid or electrolyte concentration was deemed to be negligible. In the final step, the solution was evaporated by heating to 100 °C and the MWCNT powder was ball milled for 15 min. The ball milled samples were then stored in glass vials until surface or structural analysis was performed.

In the following text, we outline details specific to each oxidative method. However, it should be noted that in some cases, the reaction conditions for a particular oxidant were varied by using different ratios of oxidants to MWCNT. (i) HNO_3 [13]. MWCNTs (100 mg) were sonicated (70 W, Branson-ic) in 200 mL of 10–70% w/w HNO_3 for 1 h. Typical literature methods for CNT purification and oxidation use 70% [13], but lower percentages have also been reported [27]. To affect oxidation, the MWCNT/ HNO_3 mixture was refluxed for 1.5 h at 140 °C. (ii) KMnO_4 [38]. KMnO_4 (87–250 mg) was dissolved in 200 mL of 0.5 M H_2SO_4 . MWCNTs (100 mg) were sonicated

in 200 mL of 0.5 M H_2SO_4 for 30 min. The MWCNT/ H_2SO_4 mixture was then heated to 150 °C prior to the KMnO_4 solution being added dropwise. The resultant MWCNT/ KMnO_4 mixture was then refluxed for 5 h at 150 °C. When the reaction had cooled to room temperature, 10 mL of concentrated HCl was added to dissolve the MnO_2 byproduct. (iii) H_2O_2 [39]. MWCNTs (100 mg) were added to 15 mL of 30% H_2O_2 and the mixture heated to 70 °C for 4 days with continuous stirring. Every 24 h, 1–5 mL of 30% H_2O_2 was added to account for the volume lost to evaporation. (iv) $\text{H}_2\text{SO}_4/\text{HNO}_3$ [37]. H_2SO_4 and HNO_3 were combined in a 3:1 ratio to create a solution with a final volume of 8 mL. MWCNTs (100 mg) were added to this solution and the mixture was heated to 70 °C for 8 h without stirring. (v) O_3 [40]. MWCNTs (200 mg) were added to 200 mL of Milli-Q water, and the mixture was sonicated for 30 min. The gas phase effluent from an arc discharge O_3 source was then bubbled through the suspension for 1 h with vigorous stirring. The steady-state aqueous concentration of O_3 in solution was determined to be 12 mg/L as measured by a modified indigo colorimetric method [42]. (vi) $(\text{NH}_4)_2\text{S}_2\text{O}_8$ [41]. MWCNTs (50 mg) were added to 50 mL of piranha solution (4:1 96% H_2SO_4 :30% H_2O_2) at 80 °C. To the MWCNTs, 4–6 g of $(\text{NH}_4)_2\text{S}_2\text{O}_8$ dissolved in 50 mL of 96% H_2SO_4 was added and the resultant mixture stirred for 4 h. The reaction was then quenched by the addition of 250 mL iced Milli-Q water.

2.3. Surface analysis of oxidized MWCNTs

2.3.1. X-ray photoelectron spectroscopy (XPS)

For XPS analysis, a small quantity (~ 5 mg) of MWCNTs was dusted onto double sided copper tape ($1 \times 1 \text{ cm}^2$) such that no copper was visible. Samples were then loaded into a PHI 5400 XPS system ($P_{\text{base}} < 5 \times 10^{-9}$ Torr) and analyzed using Mg K α X-rays (1253.6 eV). Ejected photoelectrons were measured with a precision high energy electron analyzer operating at constant pass-energy. Two sets of parameters were used for the scans depending on the information required: elemental quantification was performed using a pass-energy of 178.95 eV with a scan rate of 0.250 eV/step, while high-resolution scans of individual spectral envelopes were performed with a pass-energy of 44.75 eV and a scan rate 0.125 eV/step. XP spectra were processed with commercially available software (CasaXPS), and atomic concentrations were quantified by integration of the relevant photoelectron peaks.

2.3.2. Energy dispersive X-ray spectroscopy (EDX)

To prepare samples for EDX, a film ($> 50 \mu\text{m}$) was created by pressing MWCNTs onto double sided copper tape. The samples were then placed into a JEOL JSM-6700F SEM and irradiated with a 10 keV electron beam. Compositional information on each MWCNT was acquired through EDX, using a Silicon SUTW-Sapphire EDAX detector to analyze the energy and relative intensity of emitted X-rays.

2.3.3. Chemical derivatization in conjunction with XPS analysis

Based on previously developed protocols [33,43], individual derivatizing reactions were performed using: (i) TFE (1.0 mL/pyridine (0.4 mL))/DTBC (0.2 mL) to quantify carboxylic

acid groups (COOH), (ii) TFAA (1.0 mL) to quantify hydroxyl groups (C–OH), and (iii) TFH (0.2 mL) to quantify carbonyl groups (C=O). Each derivatization reaction was carried out in a specially designed glass reaction vessel [33]. Two types of samples were used: 5 mg MWCNT powder or a $1 \times 1 \text{ cm}^2$ polymer substrate, the latter used in reference or control studies. For MWCNTs, separate 5-mg aliquots were used for each derivatization reaction. The MWCNT or polymer substrate was placed in a glass cup suspended within the reaction vessel. Once the sample had been placed in the cup, the liquid phase derivatization reagents were placed in the bottom of the reaction vessel in close spatial proximity ($\sim 2 \text{ cm}$) to the sample; our results have shown that this close physical proximity promoted the reaction efficiency. At this stage, the liquid phase derivatizing reagents were frozen with liquid nitrogen before the reaction vessel was evacuated to $<10 \text{ mTorr}$ and sealed. The reaction vessel was then allowed to thaw, filling the glass reaction vessel with vapor phase derivatizing reagents. Each derivatizing reaction was allowed to proceed for 18 h at room temperature. At the conclusion of each derivatization reaction, samples were removed from the sealed reaction vessel and promptly analyzed by XPS to quantify the surface composition.

2.3.3.1. Derivatization reactions.

2.3.3.1.1 TFE/DTBC As shown in Fig. 1, the reaction of TFE with carboxylic acid (COOH) groups, **1**, in the presence of DTBC can yield two surface products: the first is a trifluoroethyl ester, **4**, (containing a CF_3 group) whose formation releases the volatile 1,3-di-*tert*-butyl urea, **5**, as a byproduct; the second is a surface bound di-*tert*-butyl-N-acyl urea, **3**, containing two nitrogen atoms. Despite the popularity of carbodiimide activators in coupling reactions involving COOH groups in surface science [5,34,43] and organic synthesis [32,44], the nitrogen containing N-acyl urea has been largely ignored. However, evidence of N-acyl urea, **3**, formation has been observed in a number of coupling reactions between DTBC and carboxylic acid groups. For example, Nakajima and Ikada proposed that in the presence of excess DTBC, the N-acyl urea, **3**, is produced when the O-acyl isourea activated complex, **2**, that initially forms from the reaction of DTBC with carboxylic acid groups, undergoes an irreversible rearrangement [45]. Iwasawa et al. have suggested that the N-acyl urea, **3**, can also form by rearrangement of an O-acyl isourea activated complex, **2**, that is sterically hindered and inaccessible to nucleophilic attack [46]. As part of our present investigation, we performed an extensive set of experiments (detailed in Supporting Information) involving DTBC reactions with both MWCNT and polymer substrates. Results from these studies indicated that: (i) both reaction pathways detailed in Fig. 1 are possible, (ii) the N(1s) signal observed as a result of the TFE/DTBC reaction with MWCNTs is principally due to the formation of an N-acyl urea, and (iii) although the trifluoroethyl ester, **4**, is the dominant product, both the N(1s) and F(1s) signals must be considered to accurately quantify the concentration of COOH groups present.

2.3.3.1.2 TFAA As shown in Fig. 2, TFAA reacts selectively with hydroxyl (C–OH) groups to form a trifluoromethyl ester group and expels trifluoroacetic acid as a byproduct. This reaction has been previously studied using reference polymers in our research group and proceeds with high selectivity and efficiency [33].

2.3.3.1.3 TFH As shown in Fig. 3, the reaction of carbonyl (C=O) groups with TFH produces one exclusive surface product, a trifluorinated hydrazone, where the terminal nitrogen group in TFH forms a double bond with the carbonyl (C=O) carbon, and oxygen is expelled as H_2O . This reaction has been studied previously in our research group on reference polymers and proceeds with high selectivity and efficiency towards C=O groups [33].

2.3.3.2 Determining the extent of non-specific binding In any derivatizing reaction, non-specific binding of the derivatization reagents with the substrate (i.e., via physisorption) is possible. Under these circumstances, spectroscopic signatures of derivatization products (in the present case, F(1s) and N(1s) signals) would cause an overestimation of the functional group concentration. To quantify the extent of non-specific binding, a series of derivatization reactions were conducted on MWCNTs that had been thermally heat-treated (1800°C for 12 h under vacuum) to remove essentially all of their surface oxygen functional groups ($\sim 1\%$ oxygen as measured by XPS). The fluorine and nitrogen atomic concentrations measured on these heat-treated MWCNTs ($\leq 0.5\%$ for both fluorine and nitrogen) were used to quantify the extent non-specific binding. These quantities served as baseline values and were subtracted from all fluorine and nitrogen atomic concentrations measured on the MWCNTs studied in this investigation, following each derivatization reaction.

2.3.3.3 Quantifying functional group concentrations As shown in Figs. 1–3, derivatization reactions yield specific surface products with known stoichiometries. From the measured C(1s), F(1s), and N(1s) XPS peak areas measured before and after each derivatization reaction, as well as the oxygen XPS peak area prior to derivatization, it is possible to calculate the surface concentration of oxygen atoms contained in COOH ($[\text{O}]_{\text{COOH}}$), C–OH ($[\text{O}]_{\text{OH}}$), and C=O ($[\text{O}]_{\text{C=O}}$) groups at the MWCNT surface. The advantage of this approach is that it does not require the O(1s) XPS peak area to be measured after each derivatization reaction, which often exhibit non-systematic variations, probably due to water adsorption. The validity of ignoring the O(1s) signal after derivatizing reactions was verified by using this approach with reference polymers and calculating the correct concentration of functional groups. Thus, in the following sections, [F], [N] and [C] refer to the atomic concentrations of these three elements determined after each derivatization reaction, ignoring the O(1s) XPS signal.

2.3.3.3.1 Carboxyl groups Based on the stoichiometries of the two possible reaction products shown in Fig. 1, an analytical expression for the $[\text{O}]_{\text{COOH}}$ can be derived using [F] and [N] values measured after the TFE/DTBC reaction, along with the atomic concentration of carbon ($[\text{C}_0]$) measured prior to the derivatization reaction:




Fig. 1 – The selective reaction of carboxyl (COOH) groups, 1, with DTBC to form an O-acyl isourea intermediate, 2. Subsequent decomposition of the intermediate can produce either the fluorinated ester, 4, or the N-acyl urea, 3.




Fig. 2 – The selective reaction of hydroxyl (OH) groups with trifluoroacetic anhydride (TFAA) to form a fluorinated ester.




Fig. 3 – The selective reaction of carbonyl (C=O) groups with trifluoroethylhydrazine (TFH) to form a fluorinated hydrazone.

$$[O]_{\text{COOH}} = \frac{6[N][C_0]}{\epsilon_N(6 - 10[F] - 33[N])} + \frac{4[F][C_0]}{\epsilon_F(6 - 10[F] - 33[N])} \quad (1)$$

The derivation for Eq. (1) is outlined in the Supporting information.

It is important to note that there are two oxygen atoms for each COOH group and the values we report are for the atomic oxygen concentration, $[O]_{\text{COOH}}$, rather than the functional group concentration, $[COOH]$. The equation for the TFE/DTBC reaction has two efficiency factors, ϵ_F and ϵ_N , that correspond to the efficiency of the two possible reaction pathways that lead to fluorine and nitrogen incorporation, respectively. To test the ability of Eq. (1) to quantify $[O]_{\text{COOH}}$, $[F]$ and $[N]$ were measured on a COOH-containing reference polymer, polybenzoic acid (PBA – $(-\text{CH}_2\text{CH}-(\text{C}_6\text{H}_4\text{COOH}))_n$) following derivatization with TFE/DTBC. Data from these experiments revealed a

surface composition of 18.5%F and 1.3%N. Using Eq. (1) and $\epsilon_F = \epsilon_N = 1$ resulted in a value of $[O]_{\text{COOH}} = 17.8\%$ which is 98% of the expected value (18.2%). This supports the idea that $\epsilon_F = \epsilon_N = 1$ is correct. It should also be noted that if only $[F]$ is used, a value of $[O]_{\text{COOH}} = 14.5\%$ is calculated (80% of the expected value). This further supports the idea that both fluorine and nitrogen XPS signals are needed to accurately quantify $[O]_{\text{COOH}}$.

Eq. (1) can also be used on substrates that contain COOH groups, but where no nitrogen XPS signal was observed after reaction with TFE/DTBC, such as polyacrylic acid (PAA – $(-\text{CH}_2\text{CH}-(\text{COOH}))_n$). Thus, for PAA, the atomic concentration of fluorine was 37.7%, and if we apply Eq. (1) using $\epsilon_F = \epsilon_N = 1$, a value of $[O]_{\text{COOH}} = 42.7\%$ is obtained, 107% of the expected value (40%). This is identical to the value obtained when the possibility of N-acyl urea formation was excluded, demonstrating that Eq. (1) can be applied whether or not a nitrogen XPS signal is observed.

2.3.3.3.2 Hydroxyl groups For the TFAA reaction, the atomic concentration of fluorine measured after derivatization ($[F]$) and the initial atomic concentration of carbon ($[C_0]$) are sufficient to calculate the original concentration of C–OH groups present at the surface, using Eq. (2) [33]:

$$[O]_{\text{OH}} = \frac{[F][C_0]}{3\epsilon - 5\epsilon[F]} \quad (2)$$

The fact that $\epsilon \approx 1$ has been verified previously by reactions performed on reference polymers (e.g., polyvinyl alcohol, PVA – $(-\text{CH}_2\text{CH}(\text{OH}))_n$) [33].

2.3.3.3.3 Carbonyl groups For the TFH reaction, the measured fluorine and nitrogen atomic concentrations after derivatization ([F] and [N]), as well as the initial atomic concentration of carbon ([C₀]), are sufficient to calculate the original concentration of C=O groups present at the surface, using Eq. (3) [33]:

$$[\text{O}]_{\text{C=O}} = \frac{[\text{F}][\text{C}_0]}{3\epsilon - 6\epsilon[\text{F}]} \quad (3)$$

The fact that $\epsilon \approx 1$ has been verified in control studies performed on reference polymers (e.g., polyvinyl methyl ketone, PVMK – $(-\text{CH}_2\text{CH}(\text{C}(=\text{O})\text{CH}_3))_n$) [33].

2.3.3.3.4 Infrared (IR) spectroscopy Attenuated total reflectance-IR (ATR-IR) and transmission IR spectroscopies were used to study functional groups present on MWCNTs. All spectra were acquired using a Mattson Infinity Series FTIR spectrometer with a mercury cadmium telluride detector (4 cm⁻¹ resolution). ATR-IR spectra were collected with an attenuated total reflection device (Pike Technologies MIRacle) equipped with a diamond crystal in single reflection mode. Transmission IR spectra were collected from pressed KBr pellets loaded with MWCNT at a concentration of 4 mg MWCNT/400 mg of KBr. All IR spectra represent an average of 500 scans.

2.4. Structural analysis of MWCNTs

2.4.1. Transmission electron microscopy (TEM)

TEM was performed by dipping a holey-carbon TEM grid into a colloidal suspension of the MWCNTs. Samples were imaged using a Philips CM 300 field-emission gun, transmission electron microscope operating at 297 kV. Images were collected using a CCD camera mounted on a GIF 200 electron energy loss spectrometer.

2.4.2. Raman spectroscopy

MWCNT samples were analyzed with a Horiba LabRam HR800 system with a 15 mW 633 nm He-Ne laser with excitation line set to $\lambda = 514.57$ nm and magnification set to 40×. Detailed scans from 300 cm⁻¹ to 4000 cm⁻¹ were conducted on each MWCNT sample.

3. Results

3.1. Material assessment

A complication when studying CNTs is that the quality of the starting materials varies widely among commercial manufacturers, with the most notable difference being the presence of macroscopic amounts of residual amorphous carbon. To verify that the materials we investigated were primarily composed of CNTs, we performed low magnification TEM imaging of MWCNTs both before and after selective oxidative treatments. Results from this analysis are shown in Fig. 4 and reveal, in all cases, that the materials under investigation are predominately MWCNTs. This is in contrast to some MW and many SWCNT materials where the purity of the CNTs available from commercial sources can be less than 50%. It should be noted, however, that almost all commercial sources of CNTs also contain amorphous carbon adsorbed onto the side-walls. We consider that this type of amorphous carbon to be a component of the CNT and, thus, intrinsic to the surface chemistry of the CNT. More detailed, high magnification TEM images that compare the effect of different oxidative treatments on the MWCNTs structure and surface-bound amorphous carbon content can be found in Section 3.7.

3.2. Measuring the extent of oxidation

XPS and EDX were both used to quantify the atomic oxygen concentration following different oxidative treatments. These techniques provide complementary information: XPS is inherently surface sensitive, while EDX is more bulk sensitive. Results from these two techniques are compared in Fig. 5 for all of the MWCNTs analyzed as part of this study. As shown, XPS and EDX results are reasonably well correlated ($r^2 = 0.70$), demonstrating that either technique can provide a measure of oxygen incorporation. The close proximity of the absolute EDX and XPS values is a consequence of the fact that in MWCNTs, like all nanomaterials, a large fraction of the atoms are located at or near to the surface. Fig. 5 also shows that there is a positive, non-zero y-intercept, corresponding to ≈ 2 at.% oxygen (measured by EDX) for MWCNTs that would be considered “oxygen free” as determined by XPS. This is probably due to oxygen atoms associated with residual iron oxide particles present in the interior of the MWCNT, which would not be detected by XPS. In fact, EDX data shown in Fig. S3 reveals the presence of




Fig. 4 – Low magnification TEM micrographs (left to right): pristine MWCNTs (0.9% O), O₃ treated MWCNTs (4.7% O), H₂SO₄/HNO₃ treated MWCNTs (10.2% O).




Fig. 5 – Correlation between the at.% O measured by XPS and EDX for both pristine and oxidized MWCNTs.

iron in all MWCNTs studied, in the concentration range of 0.78–0.28 at.%. Fig. S3 also indicates that the imbedded metal nanoparticles are not removed to any significant extent by the oxidative treatments used in the present study based on the lack of correlation between the extent of oxidation and the iron atomic concentration ($r^2 = 0.06$). This inability to remove the internal metal nanoparticles is a consequence of the fact that the effects of the oxidative treatments are dominated by changes to the CNT surface.

In many studies, CNT oxidation is assumed to be localized at the tip ends. A simple geometric calculation reveals that there are ~20 million carbon atoms in a 15 nm diameter MWCNT that has nine walls and is 1 μ m long, comparable to the CNTs used in the present investigation. Even if all MWCNTs are open at each end, then only 3000 of the 20 million total carbon atoms are located at the ends. If each carbon atom at the exposed ends is oxidized, this would only correspond to ≈ 0.0003 at.% oxygen. Based on our XPS and EDX results, this simple calculation demonstrates that the vast majority of the oxygen atoms reside on the CNT sidewalls, likely located at defect sites [47].

3.3. Influence of commonly used oxidative methods on the extent of MWCNT oxidation

Among common oxidizing methods (defined by the identity of the oxidant and the reaction conditions) used to treat CNTs, we observed marked differences in the extent of MWCNT oxidation as illustrated in Table 1. The extent of surface oxidation, as measured by XPS, varies from 0.9% for pristine MWCNTs to 10.2% for the $\text{H}_2\text{SO}_4/\text{HNO}_3$ treated MWCNTs. The most commonly used oxidants/reaction conditions ($\text{H}_2\text{SO}_4/\text{HNO}_3$, HNO_3 , and KMnO_4) typically resulted in the highest levels of oxidation (>8%). In contrast, oxidation with H_2O_2 , $(\text{NH}_4)_2\text{S}_2\text{O}_8$, and O_3 generally resulted in lower levels of oxidation (4.2–5.1%).

3.4. Controlling the level of oxidation using w/w% HNO_3

The easiest and most reliable way to control the extent of MWCNT oxidation was to vary the oxidant concentration,

Table 1 – Extent of MWCNT oxidation after common oxidative treatments.

Oxidative method	Oxidation level (measured by XPS) (%)	Ref.
Pristine (“as received”)	~1	n.a.
$(\text{NH}_4)_2\text{S}_2\text{O}_8$	4.5	[41]
H_2O_2	4.5	[39]
O_3	4.7	[40]
20% HNO_3	4.3	[27]
70% HNO_3	9.5	[13]
KMnO_4	9.0	[38]
$\text{H}_2\text{SO}_4/\text{HNO}_3$	10.2	[37]

specifically the w/w% HNO_3 (from 0–70%). Using XPS analysis, the increase in oxidation as the w/w% HNO_3 increases is clearly observed by comparing changes in the intensity of the O(1s) spectral envelope (Fig. 6). The inserts in Fig. 6 also show that the π - π' shake-up transition, associated with the delocalized π -electrons in CNTs, is attenuated as the level of oxidation increases. The disappearance of this spectral feature for increasingly aggressive reaction conditions can be ascribed to the increased disruption of the π -electron system, indicating a significant change to the electronic structure of the CNT sidewalls. Fig. 6 also highlights the broad and featureless nature of the C(1s) spectral envelope that, even for highly oxidized CNTs, makes meaningful spectral deconvolution extremely difficult.

Fig. 7 shows the effect of varying the w/w% HNO_3 on both the overall atomic oxygen concentration and the distribution of hydroxyl, carbonyl and carboxylic acid groups. The atomic oxygen concentration increases linearly with increasing HNO_3 concentration, while chemical derivatization results indicate that $[\text{O}]_{\text{COOH}}$ also increases linearly with increasing w/w% HNO_3 . Regardless of the oxidant concentration, however, $[\text{O}]_{\text{C-OH}}$ and $[\text{O}]_{\text{C=O}}$ groups remains relatively low and constant. Thus, although the level of oxidation can be tuned by varying the w/w% HNO_3 , the distribution of surface oxygen functional groups is relatively invariant to the reaction conditions. For HNO_3 treatments, the functional group distribution is determined by the oxidant.

In a related study, Dementev et al. found that, using fluorescent labeling to derivatize hydroxyl, carbonyl and carboxylic acid groups on commercially available SWCNTs that had been oxidized with HNO_3 , the concentration of all three functional groups increased compared to the untreated SWCNTs [35]. In contrast to our results, Dementev found that the largest increase in functional groups was associated with the carbonyl groups, although roughly half of the oxygen atoms were present in COOH groups, similar to our results. However, a more direct comparison between these studies is not merited due to differences in the both the detailed oxidizing conditions and the base material (SWCNT vs. MWCNT).

3.5. Influence of the oxidant on functional group distribution

In Table 1, we compared the effect that different commonly used oxidizing conditions have on the total amount of oxygen imparted to the MWCNTs. However, to compare the effect




Fig. 6 – C(1s) and O(1s) XPS regions of MWCNTs oxidized by varying concentrations of HNO_3 . It should be noted that the O(1s) peaks have been normalized to the accompanying C(1s) peak areas in each case. The insert in the C(1s) region shows the π - π^* transition at ≈ 291 eV.




Fig. 7 – Influence of %w/w HNO_3 on the level of oxidation, as well as the distribution of oxygen-containing functional groups.

that different oxidants have on the distribution of oxygen-containing functional groups, we adjusted the reaction conditions by changing the oxidant concentrations in such a way that the overall level of oxidation was comparable (4.5–5.5 at.% O based on integration of the O(1s) and C(1s) spectral envelopes as shown in Fig. 8), irrespective of the oxidant. For example, we oxidized one sample of MWCNTs with 40% HNO_3 and another sample with 87 mg of KMnO_4 (as opposed to the normally used 250 mg) to achieve a level of oxidation comparable to that observed with O_3 and H_2O_2 treatments.

Derivatization results for the suite of MWCNTs shown in Fig. 8 are presented in Fig. 9a. These results indicate that the distribution of oxygen-containing functional groups is sensitive to the oxidant with the largest concentration of COOH groups found on KMnO_4 treated MWCNTs. Fig. 9a also shows that treatment with either HNO_3 or $\text{H}_2\text{SO}_4/\text{HNO}_3$ led to similar concentrations of $[\text{O}]_{\text{COOH}}$, but also a comparatively large fraction of residual (underivatizable) functional groups, such as ethers and esters. In contrast, the H_2O_2 and O_3




Fig. 8 – C(1s) and O(1s) XPS regions of MWCNTs treated using different oxidants. It should be noted that the O(1s) peaks have been normalized to the C(1s) peak areas in each case. The insets in the C(1s) region shows the π - π^* transition at ≈ 291 eV.

treatments yielded the smallest concentration of $[O]_{\text{COOH}}$, and also produced the largest fractional concentrations of $[O]_{\text{C=O}}$ and $[O]_{\text{C-OH}}$.

Fig. 9b shows the average fraction of oxygen contained in COOH groups for each of the six different oxidants. We have emphasized the COOH groups due to their importance in attachment strategies [22,44,47–50], rationale functionalization [24,31,51] and in determining environmental properties [30]. For the $(\text{NH}_4)_2\text{S}_2\text{O}_8$, HNO_3 , and KMnO_4 oxidants the fraction of COOH groups has been measured over a range of reaction conditions by varying the oxidant concentration. Analysis of Fig. 9b reveals that although the fraction of COOH groups among these different oxidants varied by more than a factor of two, the distribution of oxygen-containing functional groups remained relatively constant for a given oxidant, regardless of the reaction conditions. This result is analogous to the one observed for HNO_3 in Fig. 7, and highlights the fact that for a particular oxidant the distribution of oxygen-containing functional groups produced is largely insensitive to the reaction conditions. For the other three oxi-

dants used in Fig. 9b (O_3 , H_2O_2 , and $\text{H}_2\text{SO}_4/\text{HNO}_3$), multiple batches of MWCNTs were treated under the same oxidizing conditions. Derivatization results plotted in Fig. 9b indicate that there is a large degree of reproducibility in the functional group distribution when the same oxidizing conditions were used on different batches of MWCNTs. The lone exception to this trend was $\text{H}_2\text{SO}_4/\text{HNO}_3$, where the COOH fraction varied significantly ($54 \pm 15\%$) between different MWCNT samples prepared under the same oxidizing conditions. In contrast, the COOH concentration on HNO_3 treated MWCNTs was ($46 \pm 6\%$), irrespective of the oxidizing conditions.

A comparison of Table 1 and Fig. 9b also reveals that, in general, the higher $[O]_{\text{COOH}}$ concentrations are observed for MWCNTs treated with the most aggressive oxidants (as measured by the maximum amount of oxygen that can be incorporated) such as HNO_3 and KMnO_4 , while lower $[O]_{\text{COOH}}$ and higher $[O]_{\text{C=O}}$ are observed for weaker oxidants, such as H_2O_2 . In other words, more aggressive oxidants produced a larger fraction of highly oxidized functional groups, in line with the expectations of basic chemical principles.




Fig. 9 – (a) Influence of the oxidant on the distribution of oxygen-containing functional groups, measured on MWCNTs that exhibit similar total oxygen concentrations. (b) Average and standard deviation for the percentage of COOH groups measured for each of the six oxidants, using different batches of MWCNTs treated under a range of different reaction conditions. For each oxidant at least three different batches of MWCNTs were treated; for HNO_3 and $\text{H}_2\text{SO}_4/\text{HNO}_3$, 11 and 9 different batches were used, respectively.

In a previous study using chemical derivatization, we investigated the effect of (HNO_3 , O_3 , H_2O_2 , $(\text{NH}_4)_2\text{S}_2\text{O}_8$) under slightly different reaction conditions (e.g., not refluxing) on another type of BC material, natural char [52]. A comparison of the results from this study with those obtained in the present investigation indicates that the effect of a given oxidant, in terms of the change in atomic oxygen concentration and functional group distribution, is sensitive to the type of BC

material. This is perhaps not surprising given the significant differences in structure and initial surface chemistry exhibited by CNTs and chars.

3.6. IR analysis

All MWCNTs were analyzed by both ATR-IR and Transmission IR. However, no well-resolved spectral features could be




Fig. 10 – Representative TEM Micrographs (left to right): pristine MWCNTs (0.9% O), H_2O_2 treated MWCNTs (4.5% O), $\text{H}_2\text{SO}_4/\text{HNO}_3$ treated MWCNTs (5.1% O), KMnO_4 treated MWCNTs (5.3% O). Amorphous carbon is indicated with arrows, sidewall defects highlighted by circles.

discerned (Fig. S5). In some work with SWCNTs, researchers have found that IR can provide information on the surface functional groups present [47]. However, the added surface functionalities can be difficult to observe at loadings >5% due to contributions from the electronic and intrinsic IR modes of the SWCNT [53]. With MWCNTs, results from the present study and other related investigations of surface oxidation [54] have generally shown that IR spectra are not particularly informative in elucidating surface functionality. Another issue in the IR analysis of CNTs is that vibrational intensity observed at $\sim 3200\text{ cm}^{-1}$ is often erroneously assigned to hydroxyl stretching modes (νOH) associated with surface bound hydroxyl groups rather than water adsorbed onto CNT surfaces [55]. Thus, we have concluded that IR spectroscopy is not an effective technique for identifying the presence or concentration of functional groups on MWCNTs.

3.7. Effect of oxidative treatments on MWCNT structure

Raman and TEM were both used to examine the effect of different oxidative treatments on the structure of MWCNTs. From TEM micrographs it is possible to assess the diameter, number of walls, relative concentration of defect sites in the CNT sidewalls, as well as the presence of adsorbed amorphous carbon. Fig. 10 compares representative micrographs of pristine MWCNTs to ones that were exposed to mild (H_2O_2) and aggressive oxidants ($\text{H}_2\text{SO}_4/\text{HNO}_3$, KMnO_4) yet contain a similar amount of surface oxygen ($\sim 5\text{ at.}\%$). For the pristine MWCNTs, TEM images show the presence of amorphous carbon wrapped around the MWCNT. In addition, the outermost walls of the MWCNT were long and straight, indicative of a uniform and largely defect-free sidewall structure. Following H_2O_2 treatment, the overall level of amorphous carbon was reduced and a few defects were generated in the sidewall as evidenced by “breaks” in the outermost graphene sheets of the MWCNT. In stark contrast, treatment with $\text{H}_2\text{SO}_4/\text{HNO}_3$ produced a distortion in the linearity of the MWCNT structure due to damage that, in some cases, extends well beyond the outermost graphene sheet and into the underlying sidewalls. Interestingly, the KMnO_4 treated MWCNTs exhibited a larger fraction of COOH groups compared to the other oxidized MWCNTs, yet a relatively low amount of sidewall damage.

Raman spectra of carbonaceous materials exhibit two characteristic peaks at around 1330 cm^{-1} (D-band) and 1590 cm^{-1} (G-band), as shown in Fig. S6 [56]. The G-band is indicative of well ordered structure associated with sp^2 carbon atoms in the graphene sidewalls [56], while the D-band can be caused by either sp^3 carbon atoms at defect sites in the MWCNT sidewalls or amorphous carbon [57]. In principle, the $I_{\text{D}}:I_{\text{G}}$ band ratio can provide a metric of the overall CNT structure; however, this approach is complicated by the adsorbed amorphous carbon that is pervasive in almost all commercial sources of CNTs. Since the oxidative treatments used in this study remove amorphous carbon while simultaneously introducing sidewall defects, $I_{\text{D}}:I_{\text{G}}$ band ratio analysis is ambiguous in terms of the structural information that can be obtained. Consequently, analysis of Fig. S6 reveals little or no correlation between the $I_{\text{D}}:I_{\text{G}}$ band intensity ratio and the oxidant or the extent of oxidation. The one exception is for $\text{H}_2\text{SO}_4/\text{HNO}_3$ treated MWCNTs where the $I_{\text{D}}:I_{\text{G}}$ band intensity ratio decreases significantly compared to the pristine MWCNTs, presumably a reflection of the effective removal of amorphous carbon from the MWCNT surface, as shown by the TEM image in Fig. 10 (left), despite the extensive sidewall damage. In general, however, our results point to the limitation of Raman in providing unambiguous structural information on the effect of oxidation, unless the pristine CNTs are themselves completely free of amorphous carbon.

To facilitate a direct comparison between different oxidizing conditions, including the effects of different oxidants and reaction conditions, we have restricted the present study to a common source of MWCNTs. Minimally, the degree of surface-bound amorphous carbon is expected to vary between different sources. Regardless, we hypothesize that the qualitative trends observed in the extent of oxidation, functional group distributions, and structural transformation amongst the different oxidative treatments will hold true for other CNTs. However, it is likely that the absolute magnitude of the different chemical and structural changes will be sensitive to the specific CNT under investigation, due to the fact that the intrinsic reactivity of the sidewall carbon atoms is sensitive to the curvature of the CNT [58,59] as well as the defect density.

Acknowledgements

The authors acknowledge financial support from the National Science Foundation (Grant # BES0731147), the Environmental Protection Agency (Grant # RD-83385701-0), and the Institute for Nanobiotechnology (INBT) at Johns Hopkins University. Hanna K. Wilson acknowledges funding from the INBT REU program. The authors would also like to acknowledge the Material Science Department at Johns Hopkins University for use of the surface analysis laboratory, the contributions of Dr. Yo-Rhin Rhim in assisting with heat treatments and Raman spectroscopy as well as Dr. Ken Livi for TEM imaging.

Appendix A. Supplementary material

The supporting information contains three sections: Section S1 includes a full discussion of the TFE/DTBC reaction and characterization of the N-acyl urea surface product which includes one table, one reaction and two figures of NMR data. In Section S2, there is a discussion of the selectivity of the TFE/DTBC reaction towards carboxylic acid groups. Section S3 includes a derivation of Eq. (1). In Section S4, there are three figures on oxidized MWCNTs including EDX, IR, and Raman spectra. Supplementary data associated with this article can be found, in the online version, at [doi:10.1016/j.carbon.2010.08.034](https://doi.org/10.1016/j.carbon.2010.08.034).

REFERENCES

- [1] Spitalsky Z, Tasis D, Papagelis K, Galiotis C. Carbon nanotube–polymer composites: chemistry, processing, mechanical and electrical properties. *Prog Polym Sci* 2010;35(3):357–401.
- [2] Zhang Y, Bai Y, Yan B. Functionalized carbon nanotubes for potential medicinal applications. *Drug Discov Today* 2010;15(11–12):428–35.
- [3] Vaisman L, Marom G, Wagner HD. Dispersions of surface-modified carbon nanotubes in water-soluble and water-insoluble polymers. *Adv Funct Mater* 2006;16:357–63.
- [4] Breuer O, Sundararaj U. Big returns from small fibers: a review of polymer/carbon nanotube composites. *Polym Compos* 2004(25):630–45.
- [5] Wepasnick K, Smith B, Bitter J, Fairbrother DH. Chemical and structural characterization of carbon nanotube surfaces. *Anal Bioanal Chem* 2010;396(3):1003–14.
- [6] Matarredona O, Rhoads H, Li Z, Harwell J, Balzano L, Resasco D. Dispersion of single-walled carbon nanotubes in aqueous solutions of the anionic surfactant NaDDBS. *J Phys Chem B* 2003;107:13357–67.
- [7] Cheng J, Fernando KAS, Veca LM, Sun Y-P, Lamond AI, Lam YW, et al. Reversible accumulation of PEGylated single-walled carbon nanotubes in the mammalian nucleus. *ACS Nano* 2008;2(10):2085–94.
- [8] Chang TE, Jensen LR, Kisliuk A, Pipes RB, Pyrz R, Sokolov AP. Microscopic mechanism of reinforcement in single-wall carbon nanotube/polypropylene nanocomposite. *Polymer* 2005;46(2):439–44.
- [9] Chandra B, Bhattacharjee J, Purewal M, Son Y-W, Wu Y, Huang M, et al. Molecular-scale quantum dots from carbon nanotube heterojunctions. *Nano Lett* 2009;9(4):1544–8.
- [10] Martin CR, Kohli P. The emerging field of nanotube biotechnology. *Nature Rev* 2003;2:29–37.
- [11] Andrews R, Weisenberger MC. Carbon nanotube polymer composites. *Curr Opin Solid State Mater Sci* 2004;8(1):31–7.
- [12] Smith B, Wepasnick K, Schrote KE, Bertele AR, Ball WP, O'Melia C, et al. Colloidal properties of aqueous suspensions of acid-treated, multi-walled carbon nanotubes. *Environ Sci Technol* 2009;43:819–25.
- [13] Smith B, Wepasnick K, Schrote KE, Cho H-H, Ball WP, Fairbrother DH. Influence of surface oxides on the colloidal stability of multi-walled carbon nanotubes: a structure–property relationship. *Langmuir* 2009;25(17):9767–76.
- [14] Rosca ID, Watari F, Uo M, Akasaka T. Oxidation of multiwalled carbon nanotubes by nitric acid. *Carbon* 2005;43:3124–31.
- [15] Esteve W, Budzinski H, Villenave E. Relative rate constants for the heterogeneous reactions of OH, NO₂ and NO radicals with polycyclic aromatic hydrocarbons adsorbed on carbonaceous particles. Part 1: PAHs adsorbed on 1–2 μm calibrated graphite particles. *Atmos Environ* 2004;38:6063–72.
- [16] Vione D, Maurino V, Minero C, Pelizzetti E, Harrison MAJ, Olariu RI, et al. Photochemical reactions in the tropospheric aqueous phase and on particulate matter. *Chem Soc Rev* 2006;35:441–53.
- [17] Song C, Pehrsson PE, Zhao W. Recoverable solution reaction of HiPco carbon nanotubes with hydrogen peroxide. *J Phys Chem B* 2005;109:21634–9.
- [18] Savage T, Bhattacharya S, Sadanadan B, Gaillard J, Tritt TM, Sun Y-P, et al. Photoinduced oxidation of carbon nanotubes. *J Phys Condens Matter* 2003;15:5915–21.
- [19] Datsyuk V, Kalyva M, Papagelis K, Parthenios J, Tasis D, Siokou A, et al. Chemical oxidation of multiwalled carbon nanotubes. *Carbon* 2008;46:833–40.
- [20] Li M, Boggs M, Beebe TP, Huang CP. Oxidation of single-walled carbon nanotubes in dilute aqueous solutions by ozone as affected by ultrasound. *Carbon* 2008;46:466–75.
- [21] Osswald S, Havel M, Gogotsi Y. Monitoring oxidation of multiwalled carbon nanotubes by Raman spectroscopy. *J Raman Spectrosc* 2007;38:728–36.
- [22] Yang D-Q, Sacher E. Strongly enhanced interaction between evaporated Pt Nanoparticles and functionalized multiwalled carbon nanotubes via plasma surface modifications: effects of physical and chemical defects. *J Phys Chem C* 2008;112:4075–82.
- [23] Zschoerper NP, Katzenmaier V, Vohrer U, Haupt M, Oehr C, Hirth T. Analytical investigation of the composition of plasma-induced functional groups on carbon nanotube sheets. *Carbon* 2009;47:2174–85.
- [24] Gromov A, Dittmer S, Svensson J, Nerushev OA, Perez-Garcia SA, Licea-Jimenez L, et al. Covalent amino-functionalisation of single-wall carbon nanotubes. *J Mater Chem* 2005;15(32):3334–9.
- [25] Bergeret C, Cousseau J, Fernandez V, Mevellec J-Y, Lefrant S. Spectroscopic evidence of carbon nanotubes' metallic character loss induced by covalent functionalization via nitric acid purification. *J Phys Chem C* 2008;112:16411–6.
- [26] Hou PX, Bai S, Yang QH, Liu C, Cheng HM. Multi-step purification of carbon nanotubes. *Carbon* 2002;40:81–5.
- [27] Martinez MT, Callejas MA, Benito AM, Cochet M, Seeger T, Anson A, et al. Modifications of single-wall carbon nanotubes upon oxidative purification treatments. *Nanotechnology* 2003;14:691–5.
- [28] Avilés F, Cauich-Rodríguez JV, Moo-Tah L, May-Pat A, Vargas-Coronado R. Evaluation of mild acid oxidation treatments for MWCNT functionalization. *Carbon* 2009;47(13):2970–5.
- [29] Schierz A, Zanker H. Aqueous suspensions of carbon nanotubes: surface oxidation, colloidal stability and uranium sorption. *Environ Pollut* 2009;157:1088–94.

- [30] Cho H-H, Wepasnick K, Smith BA, Bangash FK, Fairbrother DH, Ball WP. Sorption of aqueous Zn[II] and Cd[II] by multiwall carbon nanotubes: the relative roles of oxygen-containing functional groups and graphenic carbon. *Langmuir* 2009;26(2):967–81.
- [31] Maehashi K, Katsura T, Kerman K, Takamura Y, Matsumoto K, Tamiya E. Label-free protein biosensor based on aptamer-modified carbon nanotube field-effect transistors. *Anal Chem* 2006;79(2):782–7.
- [32] Lynam C, Gilmartin N, Minett AI, O'Kennedy R, Wallace G. Carbon nanotube-based transducers for immunoassays. *Carbon* 2009;47(10):2337–43.
- [33] Langley LA, Villanueva DE, Fairbrother DH. Quantification of surface oxides on carbonaceous materials. *Chem Mater* 2006;18(1):169–78.
- [34] Povstugar VI, Mikhailova SS, Shakov AA. Chemical derivatization techniques in the determination of functional groups by X-ray photoelectron spectroscopy. *J Anal Chem* 2000;55(5):455–67.
- [35] Dementev N, Feng X, Borguet E. Fluorescence labeling and quantification of oxygen-containing functionalities on the surface of single-walled carbon nanotubes. *Langmuir* 2009;25(13):7573–7.
- [36] Masheter AT, Xiao L, Wildgoose GG, Crossley A, Jones JH, Compton RG. Voltammetric and X-ray photoelectron spectroscopic fingerprinting of carboxylic acid groups on the surface of carbon nanotubes via derivatisation with aryl nitro labels. *J Mater Chem* 2007;17:3515–24.
- [37] Blanchard NP, Hatton RA, Silva SRP. Tuning the work function of surface oxidized multi-wall carbon nanotubes via cation exchange. *Chem Phys Lett* 2007;434:92–5.
- [38] Hiura H, Ebbesen TW, Tanigaki K. Opening and purification of carbon nanotubes in high yields. *Adv Mater* 1995;7(3):275–6.
- [39] Peng Y, Liu H. Effects of oxidation by hydrogen peroxide on the structures of multiwalled carbon nanotubes. *Ind Eng Chem Res* 2006;45:6483–8.
- [40] Simmons JM, Nichols BM, Baker SE, Marcus MS, Castellini OM, Lee C-S, et al. Effect of ozone oxidation on single-walled carbon nanotubes. *J Phys Chem B* 2006;110:7113–8.
- [41] Kirk JZ et al. Cutting single-walled carbon nanotubes. *Nanotechnology* 2005;16(7):S539.
- [42] Chiou C-F, Mariñas BJ, Adams JQ. Modified indigo method for gaseous and aqueous ozone analyses. *Ozone: Sci Eng: J Int Ozone Assoc* 1995;17(3):329–44.
- [43] Chilkoti A, Ratner BD, Briggs D. Plasma-deposited polymeric films prepared from carbonyl-containing volatile precursors: XPS chemical derivatization and static SIMS surface characterization. *Chem Mater* 1991;3(1):51–61.
- [44] Bottini M, Tautz L, Huynh H, Monosov E, Bottini N, Dawson MI, et al. Covalent decoration of multi-walled carbon nanotubes with silica nanoparticles. *Chem Commun* 2005:758–60.
- [45] Nakajima N, Ikada Y. Mechanism of amide formation by carbodiimide for bioconjugation in aqueous media. *Bioconjugate Chem* 1995;6(1):123–30.
- [46] Iwasawa T, Wash P, Gibson C, Rebek Jr J. Reaction of an introverted carboxylic acid with carbodiimide. *Tetrahedron* 2007;63(28):6506–11.
- [47] Li X, Niu J, Zhang J, Li H, Liu Z. Labeling the defects of single-walled carbon nanotubes using titanium dioxide nanoparticles. *J Phys Chem B* 2003;107:2453–8.
- [48] Chetty R, Xia W, Kundu S, Bron M, Reinecke T, Schuhmann W, et al. Effect of reduction temperature on the preparation and characterization of Pt–Ru nanoparticles on multiwalled carbon nanotubes. *Langmuir* 2009;25:3853–60.
- [49] Xing Y. Synthesis and electrochemical characterization of uniformly-dispersed high loading Pt nanoparticles on sonochemically-treated carbon nanotubes. *J Phys Chem B* 2004;108(50):19255–9.
- [50] Nakamura T, Ohana T, Ishihara M, Tanaka A, Koga Y. Sidewall modification of single-walled carbon nanotubes with sulfur-containing functionalities and gold nanoparticle attachment. *Chem Lett* 2006;35:742–3.
- [51] Awasthi K, Singh DP, Singh SK, Dash D, Srivastava ON. Attachment of biomolecules (protein and DNA) to amino-functionalized carbon nanotubes. *New Carbon Mater* 2009;24(4):301–6.
- [52] Langley LA, Fairbrother DH. Effect of wet chemical treatments on the distribution of surface oxides on carbonaceous materials. *Carbon* 2007;45(1):47–54.
- [53] Kim UJ, Furtado CA, Liu X, Chen G, Eklund PC. Raman and IR spectroscopy of chemically processed single-walled carbon nanotubes. *J Am Chem Soc* 2005;127:15437–45.
- [54] Yang D-Q, Rochette J-F, Sacher E. Functionalization of multiwalled carbon nanotubes by mild aqueous sonication. *J Phys Chem B* 2005;109:7788–94.
- [55] Kovtyukhova NI, Mallouk TE, Pan L, Dickey EC. Individual single-walled nanotubes and hydrogels made by oxidative exfoliation of carbon nanotube ropes. *J Am Chem Soc* 2003;125(32):9761–9.
- [56] Osswald S, Flahaut E, Ye H, Gogotsi Y. Elimination of D-band in Raman spectra of double-wall carbon nanotubes by oxidation. *Chem Phys Lett* 2005;402:422–7.
- [57] Moonosawmy KR, Kruse P. Ambiguity in the characterization of chemically modified single-walled carbon nanotubes: a Raman and ultraviolet–visible–near-infrared study. *J Phys Chem C* 2009;113:5133–40.
- [58] Park S, Srivastava D, Cho K. Generalized chemical reactivity of curved surfaces: carbon nanotubes. *Nano Lett* 2003;3(9):1273–7.
- [59] Kausala M, Zhang LC. Deformation-promoted reactivity of single-walled carbon nanotubes. *Nanotechnology* 2006;17(2):410.