What Is Log P and How Does It Predict Chemical Behavior?

August 16, 2025

Log P is a fundamental property of chemical compounds that offers insights into how substances interact with diverse environments. It serves as a key indicator for predicting a compound's journey within biological systems or through the natural world. This physicochemical parameter quantifies a compound's lipophilicity, or fat-loving nature, versus its hydrophilicity, or water-loving tendency.

What is Log P?

Log P stands for the logarithm of the partition coefficient, abbreviated as P. The partition coefficient is a ratio that describes how a compound distributes itself between two immiscible phases, typically an oily phase and an aqueous phase. This ratio is usually expressed as the concentration of the compound in the organic phase divided by its concentration in the aqueous phase.

NEURELIS, INC., EX2071, page 1
PADAGIS US LLC v. NEURELIS, INC.
IPR2025-00464, U.S. PATENT 8,895,546

The two phases chosen for determining Log P are commonly 1-octanol, which mimics lipid environments like cell membranes, and water, representing bodily fluids. When a compound is introduced to a mixture of these two immiscible solvents and allowed to reach equilibrium, its concentration in each layer is measured. The resulting ratio, P, reflects the compound's preference for either the oily (lipophilic) or watery (hydrophilic) environment.

The "log" in Log P signifies that a logarithmic scale (base 10) is applied to this ratio. This is because the partition coefficient (P) can span a very wide range of values. Using a logarithmic scale compresses this wide range into a more manageable set of numbers, making it easier to compare compounds with vastly different partitioning behaviors.

Why Log P Matters

Log P is an important predictor for a substance's behavior in complex systems. Scientists across various fields, including pharmacology, environmental science, and toxicology, rely on this value to understand how chemicals interact with living organisms and the environment. It helps forecast a compound's movement, accumulation, and persistence.

In drug discovery, Log P plays a role in predicting how easily a drug can cross biological membranes, be absorbed into the bloodstream, or reach its intended target within the body. A compound's lipophilicity, as measured by Log P,

NEURELIS, INC., EX2071, page 2
PADAGIS US LLC v. NEURELIS, INC.
IPR2025-00464, U.S. PATENT 8,895,546

influences its solubility, distribution, metabolism, and excretion (ADME properties). For instance, it affects how well a drug can pass through the gut lining or penetrate the blood-brain barrier.

In environmental science, Log P helps predict how a chemical might move through soil and water systems. Chemicals with higher Log P values tend to accumulate in the fatty tissues of organisms, a process known as bioaccumulation. This parameter also offers insights into how persistent a chemical might be in the environment and its potential to leach into groundwater. Log P is also used in toxicology to understand the potential for chemicals to cause harm.

How Log P Predicts Behavior

Log P influences a substance's journey through biological and environmental systems. In biological contexts, compounds with a Log P value typically between 0 and 3 are often considered suitable for oral drug absorption. This range allows for a balance: the compound is soluble enough in the aqueous environment of the gut and blood, yet sufficiently lipophilic to cross lipid-rich cell membranes. Compounds with very high Log P values may exhibit poor aqueous solubility, leading to low bioavailability and potential sequestration in fatty tissues, which can hinder their therapeutic efficacy and excretion. Conversely, very low Log P

NEURELIS, INC., EX2071, page 3
PADAGIS US LLC v. NEURELIS, INC.
IPR2025-00464, U.S. PATENT 8,895,546

values indicate high water solubility, which can result in poor membrane permeability, as the compound struggles to pass through lipid barriers.

In environmental systems, Log P values predict how compounds interact with natural phases. High Log P values suggest a compound's tendency to bioaccumulate in the fatty tissues of living organisms, such as fish, and to persist in the environment. This is because these lipophilic compounds prefer to reside in organic matter rather than dissolve in water. For example, chemicals with a Log P greater than 5 are considered prone to bioaccumulation under the Stockholm Convention.

Conversely, compounds with low or negative Log P values are more water-soluble. This characteristic means they are less likely to accumulate in biological tissues and more prone to dissolving in water, potentially leading to leaching into groundwater or dispersal through waterways.

Interpreting Log P Values

Interpreting Log P values provides a practical understanding of a compound's preference for oily or watery environments. A Log P value of 0 indicates that a compound distributes equally between the octanol (oily) and water (aqu

NEURELIS, INC., EX2071, page 4
PADAGIS US LLC v. NEURELIS, INC.
IPR2025-00464, U.S. PATENT 8,895,546

phases. This means the compound has similar solubility characteristics in both types of environments.

Positive Log P values denote increasing lipophilicity, meaning the compound prefers the oily phase. For example, a Log P of 1 means the compound is 10 times more concentrated in octanol than in water. A Log P of 3 signifies that the compound is 1,000 times more concentrated in octanol, indicating a strong preference for lipid-like environments. Compounds with higher positive Log P values are often less soluble in water.

Negative Log P values indicate increasing hydrophilicity, where the compound prefers the water phase. A Log P of -1 means the compound is 10 times more concentrated in water than in octanol. A Log P of -2 implies it is 100 times more concentrated in water. This suggests that the compound is highly water-soluble and less likely to penetrate lipid membranes. For orally administered drugs, values between -1 and 5 are generally considered acceptable for drug-like properties.

NEURELIS, INC., EX2071, page 5
PADAGIS US LLC v. NEURELIS, INC.
IPR2025-00464, U.S. PATENT 8,895,546