
’296 Patent Claim Language	Exemplary Disclosure in US20090061890A1 (“Andreasson ’890”)
	 FIGURE 4 Andreasson ’890 at FIGURE 4. “As will be discussed further below with respect to FIGS. 1 through 4, some embodiments of the present invention provide methods, servers and portable electronic devices for downloading applications from the server to the portable electronic device. The server is configured to store one or more applications, each having an associated region and duration. Portable electronic devices according to some embodiments of the present invention may be associated with a unique device identifier. The portable electronic device may be configured to periodically obtain a current position of the portable electronic device and provide the current position and the unique device identifier to the server. If the portable electronic device is within a region associated with one of the stored applications, the server may determine if the unique identifier associated with the portable electronic device is also associated with the stored application for that region. If so, the server may download a link to the stored application to the portable electronic device so as to allow the portable electronic device to access the application while the portable electronic device is within the region and during the defined duration of the application as will be discussed further herein.” Andreasson ’890 at [0035]. “As further illustrated in FIG. 1, the server includes a communications circuit 115 and a storage device 120. The communications circuit 115 is configured to communicate with one or more portable electronic devices


’296 Patent Claim Language	Exemplary Disclosure in US20090061890A1 (“Andreasson ’890”)
	140 in accordance with some embodiments of the present invention. One or more applications 122, 124 and 126 are stored in a storage device 120 on the server 110. As used herein, “application” may refer to an application or a web page without departing from the scope of the present invention. Although only three applications 122, 124 and 126 are provided in FIG. 1, embodiments of the present invention are not limited to this configuration. For example, less or more than three applications may be stored at the server 110 without departing from the scope of the present application. Each of the applications may be associated with a certain geographic region and have a defined duration. As used herein, “geographic region” may be any region defined by the owner of the application. For example, if the application were associated with a baseball game, the region may be defined around the perimeter of the baseball stadium. Furthermore, as used herein the “duration” of the application defines a time period during which the application will be available to user's of portable electronic devices within the defined geographic region. For example, the duration may include a date and a time period, such as May 15, 2008 from 1:00 P.M. to 5:00 P.M.” Andreasson ’890 at [0037]. “As further illustrated in FIG. 1, the system 100 also includes a portable electronic device 140 associated with a user. As used herein, the term “portable electronic device” includes: a cellular radiotelephone with or without a multi-line display; a Personal Communications System (PCS) terminal that combines a cellular radiotelephone with data processing, facsimile and data communications capabilities; a Personal Data Assistant (PDA) that includes a radiotelephone, pager, Internet/intranet access, Web browser, organizer, calendar and/or a global positioning system (GPS) receiver; a gaming device, an audio video player, and a conventional laptop and/or palmtop portable computer that includes a radiotelephone transceiver. Any portable electronic device capable of operating in accordance with some embodiments of the present invention may be used without departing from the scope of the present invention.” Andreasson ’890 at [0039]. “Portable electronic devices 140 according to some embodiments of the present invention are configured to determine a current position thereof using any positioning device known to those having skill in the art, for example, a GPS receiver. Portable electronic devices 140 according to some embodiments of the present invention are also configured to download applications 122, 124 and 126 from the server based on the determined current position of the portable electronic device, for example, the presence of the portable electronic device 140 within a defined region, for example, region 130. As illustrated in FIG. 1, the portable electronic device 140 may move from a first position A, outside the region 130, to a second position B, inside the region 130. Movement from outside the region 130 to inside the region 130 may trigger downloading of one or more applications 122, 124 and 126 associated with the region 130 from the server 110 to the portable electronic device 140 as will be discussed further below. The portable electronic device 140 is configured to


’296 Patent Claim Language	Exemplary Disclosure in US20090061890A1 (“Andreasson ’890”)
	install and execute the downloaded applications 122, 124 and 126. In some embodiments, this installation and downloading may be performed automatically. The portable electronic device may also be configured to remove/uninstall the installed applications when it is determined that the portable electronic device has exited the region 130. This may also be performed automatically. Portable electronic devices and related operations thereof will be discussed further below with respect to FIGS. 2 through 4.” Andreasson ’890 at [0040]. “Referring now to FIG. 2, a schematic block diagram illustrating a portable electronic device 240 according to some embodiments of the present invention will be discussed. As further illustrated in FIG. 2, the portable electronic device 240 includes a portable housing 200 and may include a display 214, a man machine interface (MMI) 216, a speaker/microphone 217, a web browser 218, a transceiver 212 and a memory 280, any of which may communicate with a processor 290. Furthermore, portable electronic devices 240 according to embodiments of the present invention may further include a download control circuit 250 according to some embodiments of the present invention, which also communicates with the processor 290. The processor 290 can be any commercially available or custom microprocessor. As illustrated in FIG. 2, the portable electronic device communicates with a base station transceiver 260 connected to a mobile switching center (“MSC”) 270 in accordance with some embodiments of the present invention. The transceiver 212 typically includes a transmitter circuit and a receiver circuit, which respectively transmit outgoing radio frequency signals to the base station transceiver 260 and receive incoming radio frequency signals, such as voice and data signals, from the base station transceiver 260 via an antenna 205. The antenna 205 may be an embedded antenna, a retractable antenna or any antenna known to those having skill in the art without departing from the scope of the present invention. The radio frequency signals transmitted between the portable electronic device 240 and the base station transceiver 260 may include both traffic and control signals (e.g., paging signals/messages for incoming calls), which are used to establish and maintain communication with another party or destination. The processor 290 may support various functions of the portable electronic device, including a download control circuit 250 configured to download, install, execute and uninstall applications according to some embodiments of the present invention as will be discussed further herein.” Andreasson ’890 at [0047]–[0048]. “When the server 110 determines that a portable electronic device 140/240 has entered a new registered region 130, the server 110 may be configured to check that a unique device identifier associated with the portable electronic device 140/240 is associated with the application for this particular region 130. For example, the server 110 determines if the unique device identifier for this portable electronic device 140/240 is in the set of device identifiers associated with this particular application. If the unique device identifier of the portable electronic device 140/240 is present in the set of identifiers associated with the applications, the

’296 Patent Claim Language	Exemplary Disclosure in US20090061890A1 (“Andreasson ’890”)
	communication circuit 115 of the server 110 is configured to transmit a link (URL) to the application data and the duration data for the application for the region 130 to the portable electronic device 140/240. When the portable electronic device enters a new region 130, the portable electronic device may be configured to automatically download the data from the URL received from the server 110. In some embodiments of the present invention, the content of the URL may be a web page. The web browser 218 of the portable electronic device 140/240 may be started and the web page may be loaded on the display 214. In certain embodiments of the present invention, a bookmark for the web page may be created automatically so as to allow future access to the web page. In further embodiments of the present invention, the content of the URL may be an executable application, for example, a Java Midlet, it may be installed and automatically executed. In some embodiments of the present invention, a uninstall event may be scheduled based on the duration information provide from the server 110.” Andreasson ’890 at [0057]–[0058]. “In some embodiments of the present invention, the applications 122, 124 and 126 themselves may have unique application identifiers. These unique application identifiers may be used to let the owner of an application make updates to the application during the scheduled duration of the application. The server 110 may be configured to announce the updates to portable electronic devices 140/240 using the application. The announcement can be done, for example, as a push of information to the portable electronic device 140/240 or during an ordinary position update by the portable electronic device 140/240. In some embodiments of the present invention, the downloaded application running on the portable electronic device 140/240 may communicate directly with a server associated with an owner of the application and update itself if needed.” Andreasson ’890 at [0061]. “For each application in an update response, an application package including the following parameters may be present: 1. [UUID] A universal unique identifier (unique application identifier) for the application. The UUID may be used for future reference, for example, to tell the server 110 that the application has been removed or when the server tells the portable electronic device 140/240 to update or remove an application. 2. [MIME] A MIME type identifying the type of data in the application, for example, a Java MIDLET (e.g. application/java-archive), a picture file (e.g. image/jpeg), a sound file (e.g. audio/mp4) and the like. The MIME can also be empty, indicating that the application is a web page, and that it should be handled by the web browser 218 rather than the content handler 257.

’296 Patent Claim Language	Exemplary Disclosure in US20090061890A1 (“Andreasson ’890”)
	3. [URL] A uniform resource locator indicating where the application is available, for example, the Java JAR or JAD files, the web page content and the like. 4. [REGION] The geographical region 130 within which the application should be available for the portable electronic device 140/240. 5. [DURATION] The time period during which the application should be available for the portable electronic device 140/240. For example, the duration may include the start of the time period is PERIOD_START and the end is PERIOD_END. 6. [AUTO] A flag determining if the application should be automatically started after installation.” Andreasson ’890 at [0063]–[0069]. To the extent that Andreasson ’890 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Andreasson ’890 by itself, Andreasson ’890 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Andreasson ’890, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
[11a] at least one instruction to register a plurality of application programs for use with a content delivery platform, wherein the plurality of registered application programs are each associated with	Andreasson ’890 expressly or inherently discloses and renders obvious “at least one instruction to register a plurality of application programs for use with a content delivery platform, wherein the plurality of registered application programs are each associated with at least one application program type.” For example: *See* above at row [6d]. To the extent that Andreasson ’890 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Andreasson ’890 by itself, Andreasson ’890 combined with the knowledge of a

’296 Patent Claim Language	Exemplary Disclosure in US20090061890A1 (“Andreasson ’890”)
at least one application program type;	person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Andreasson ’890, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
[11b] at least one instruction to establish a plurality of perimeters defining respective geographic areas;	Andreasson ’890 expressly or inherently discloses and renders obvious “at least one instruction to establish a plurality of perimeters defining respective geographic areas.” For example: *See* above at row [1b]. To the extent that Andreasson ’890 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Andreasson ’890 by itself, Andreasson ’890 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Andreasson ’890, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.

’296 Patent Claim Language	Exemplary Disclosure in US20090061890A1 (“Andreasson ’890”)
[11c] at least one instruction to maintain at least one record indicating content delivery reservations associating each of a plurality of sponsors with specific registered application program types and at least one of the plurality of geographic areas;	Andreasson ’890 expressly or inherently discloses and renders obvious “at least one instruction to maintain at least one record indicating content delivery reservations associating each of a plurality of sponsors with specific registered application program types and at least one of the plurality of geographic areas.” For example:  FIGURE 2 Andreasson ’890 at FIGURE 2.

’296 Patent Claim Language	Exemplary Disclosure in US20090061890A1 (“Andreasson ’890”)
	 FIGURE 4 Andreasson ’890 at FIGURE 4. “One or more application owners, for example, trade fair organizers or travel agents, register an application 122, 124 and 126 with and store an application 122, 124 and 126 on the server 110 as discussed above. Each application has an associated region 130 and duration, which is also stored on the server 110. The portable electronic device 140/240 includes a download control circuit 250 that is configured to periodically check the position of the portable electronic device 140/240 using an absolute positioning device, for example, a GPS receiver or Cell ID, or a relative positioning device such as discovery of Bluetooth devices and the like. The position data, for example, geographical coordinates, is sent to the system server 110 in addition to a unique device identifier associated with the portable electronic device 140/240. The server 110 then determines if the portable electronic device 140/240 has entered a new region or a new region has been registered where the portable electronic device 140/240 is located. The periodical check of the position of the portable electronic device 140/240 may be quite frequent while the actual transmitting of position data to the server 110 may be less frequent. For example, the portable electronic device 140/240 can determine that a small position change is reported only once during a longer time period, for example, a day or an hour, while a larger position change is reported directly. The user of the portable electronic device 140/240 may also manually issue a

’296 Patent Claim Language	Exemplary Disclosure in US20090061890A1 (“Andreasson ’890”)
	position check and report without departing from the scope of the present invention.” Andreasson ’890 at [0056]. “When the server 110 determines that a portable electronic device 140/240 has entered a new registered region 130, the server 110 may be configured to check that a unique device identifier associated with the portable electronic device 140/240 is associated with the application for this particular region 130. For example, the server 110 determines if the unique device identifier for this portable electronic device 140/240 is in the set of device identifiers associated with this particular application. If the unique device identifier of the portable electronic device 140/240 is present in the set of identifiers associated with the applications, the communication circuit 115 of the server 110 is configured to transmit a link (URL) to the application data and the duration data for the application for the region 130 to the portable electronic device 140/240. When the portable electronic device enters a new region 130, the portable electronic device may be configured to automatically download the data from the URL received from the server 110. In some embodiments of the present invention, the content of the URL may be a web page. The web browser 218 of the portable electronic device 140/240 may be started and the web page may be loaded on the display 214. In certain embodiments of the present invention, a bookmark for the web page may be created automatically so as to allow future access to the web page. In further embodiments of the present invention, the content of the URL may be an executable application, for example, a Java Midlet, it may be installed and automatically executed. In some embodiments of the present invention, a uninstall event may be scheduled based on the duration information provide from the server 110.” Andreasson ’890 at [0057]–[0058]. To the extent that Andreasson ’890 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Andreasson ’890 by itself, Andreasson ’890 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Andreasson ’890, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions

’296 Patent Claim Language	Exemplary Disclosure in US20090061890A1 (“Andreasson ’890”)
	with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
[11d] at least one instruction to receive, from a sponsor, a request to obtain an interest in a selected one of the plurality of geographic areas;	Andreasson ’890 expressly or inherently discloses and renders obvious “at least one instruction to receive, from a sponsor, a request to obtain an interest in a selected one of the plurality of geographic areas.” For example: *See* above at row [1d]. To the extent that Andreasson ’890 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Andreasson ’890 by itself, Andreasson ’890 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Andreasson ’890, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
[11e] at least one instruction to provide the sponsor a response to the request;	Andreasson ’890 expressly or inherently discloses and renders obvious “at least one instruction to provide the sponsor a response to the request.” For example: *See* above at row [1e]. To the extent that Andreasson ’890 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Andreasson ’890 by itself, Andreasson ’890 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not

’296 Patent Claim Language	Exemplary Disclosure in US20090061890A1 (“Andreasson ’890”)
	have required undue effort, would have been compatible with the functionality of Andreasson ’890, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
[11f] at least one instruction to store a record of the interest in the selected one of the plurality of geographic areas;	Andreasson ’890 expressly or inherently discloses and renders obvious “at least one instruction to store a record of the interest in the selected one of the plurality of geographic areas.” For example: *See* above at row [1f]. To the extent that Andreasson ’890 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Andreasson ’890 by itself, Andreasson ’890 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Andreasson ’890, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
[11g] at least one instruction to receive, from the sponsor, content to be delivered to application programs having target locations contained within the selected one	Andreasson ’890 expressly or inherently discloses and renders obvious “at least one instruction to receive, from the sponsor, content to be delivered to application programs having target locations contained within the selected one of the plurality of geographic areas.” For example: *See* above at row [1g].

’296 Patent Claim Language	Exemplary Disclosure in US20090061890A1 (“Andreasson ’890”)
of the plurality of geographic areas;	To the extent that Andreasson ’890 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Andreasson ’890 by itself, Andreasson ’890 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Andreasson ’890, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
[11h] at least one instruction to receive a request from a registered application program for content to be used within the registered application program;	Andreasson ’890 expressly or inherently discloses and renders obvious “at least one instruction to receive a request from a registered application program for content to be used within the registered application program.” For example: *See* above at row [1h]. To the extent that Andreasson ’890 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Andreasson ’890 by itself, Andreasson ’890 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Andreasson ’890, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions

’296 Patent Claim Language	Exemplary Disclosure in US20090061890A1 (“Andreasson ’890”)
	with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
[11i] at least one instruction to select content associated with at least one of the plurality of sponsors to be delivered to the registered application program of a specific type, in accordance with a content delivery reservation associating the at least one sponsor with a geographic area and a registered application program type; and	Andreasson ’890 expressly or inherently discloses and renders obvious “at least one instruction to select content associated with at least one of the plurality of sponsors to be delivered to the registered application program of a specific type, in accordance with a content delivery reservation associating the at least one sponsor with a geographic area and a registered application program type.” For example: *See* above at row [1j]. To the extent that Andreasson ’890 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Andreasson ’890 by itself, Andreasson ’890 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Andreasson ’890, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
[11j] at least one instruction to provide the selected content to the registered application program.	Andreasson ’890 expressly or inherently discloses and renders obvious “at least one instruction to provide the selected content to the registered application program.” For example: *See* above at row [1k]. To the extent that Andreasson ’890 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Andreasson ’890 by itself, Andreasson ’890 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the

’296 Patent Claim Language	Exemplary Disclosure in US20090061890A1 (“Andreasson ’890”)
	knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Andreasson ’890, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
12[pre]. The non-transitory computer readable medium of claim 11, wherein the program of instructions further comprises:	Andreasson ’890 expressly or inherently discloses and renders obvious “[t]he non-transitory computer readable medium of claim 11.” *See* claim 11 limitations above. *See* above at row 1[pre].
[12a] at least one instruction to record a request identifier associated with the request; and	Andreasson ’890 expressly or inherently discloses and renders obvious “at least one instruction to record a request identifier associated with the request.” For example: *See* above at row [2a]. To the extent that Andreasson ’890 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Andreasson ’890 by itself, Andreasson ’890 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Andreasson ’890, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.

’296 Patent Claim Language	Exemplary Disclosure in US20090061890A1 (“Andreasson ’890”)
[12b] at least one instruction to provide the request identifier to the registered application program.	Andreasson ’890 expressly or inherently discloses and renders obvious “at least one instruction to provide the request identifier to the registered application program.” For example: *See* above at row [2b]. To the extent that Andreasson ’890 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Andreasson ’890 by itself, Andreasson ’890 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Andreasson ’890, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
13[pre]. The non-transitory computer readable medium of claim 12, wherein the program of instructions further comprises:	Andreasson ’890 expressly or inherently discloses and renders obvious “[t]he non-transitory computer readable medium of claim 12.” *See* claim 12 limitations above. *See* above at row 1[pre].
[13a] at least one instruction to receive information related to user interaction with the provided content, the information including the request identifier; and	Andreasson ’890 expressly or inherently discloses and renders obvious “at least one instruction to receive information related to user interaction with the provided content, the information including the request identifier.” For example: *See* above at row [3a]. To the extent that Andreasson ’890 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Andreasson ’890 by itself, Andreasson ’890 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this

’296 Patent Claim Language	Exemplary Disclosure in US20090061890A1 (“Andreasson ’890”)
	limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Andreasson ’890, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
[13b] at least one instruction to provide additional content to the registered application in response to the received information.	Andreasson ’890 expressly or inherently discloses and renders obvious “at least one instruction to provide additional content to the registered application in response to the received information.” For example: *See* above at row [3b]. To the extent that Andreasson ’890 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Andreasson ’890 by itself, Andreasson ’890 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Andreasson ’890, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
14[pre]. The non-transitory computer readable medium of	Andreasson ’890 expressly or inherently discloses and renders obvious “[t]he non-transitory computer readable medium of claim 11.” *See* claim 11 limitations above.

’296 Patent Claim Language	Exemplary Disclosure in US20090061890A1 (“Andreasson ’890”)
claim 11, wherein the program of instructions further comprises:	*See* above at row 1[pre].
[14a] at least one instruction to determine whether at least one of the plurality of sponsors is associated with a geographical representation lying at least partially within a predetermined radial distance of a target location; and	Andreasson ’890 expressly or inherently discloses and renders obvious “at least one instruction to determine whether at least one of the plurality of sponsors is associated with a geographical representation lying at least partially within a predetermined radial distance of a target location.” For example: *See* above at row [4a]. To the extent that Andreasson ’890 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Andreasson ’890 by itself, Andreasson ’890 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Andreasson ’890, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
[14b] at least one instruction to increase the predetermined radial distance in response to a negative determination.	Andreasson ’890 expressly or inherently discloses and renders obvious “at least one instruction to increase the predetermined radial distance in response to a negative determination.” For example: *See* above at row [4b]. To the extent that Andreasson ’890 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Andreasson ’890 by itself, Andreasson ’890 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not

H2 Intellect - Exhibit 2010
Home Depot v. H2 Intellect - IPR2025-00480
Page 3374 of 5585

’296 Patent Claim Language	Exemplary Disclosure in US20090061890A1 (“Andreasson ’890”)
	have required undue effort, would have been compatible with the functionality of Andreasson ’890, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
15[pre]. The non-transitory computer readable medium of claim 11, wherein the program of instructions further comprises:	Andreasson ’890 expressly or inherently discloses and renders obvious “[t]he non-transitory computer readable medium of claim 11.” *See* claim 11 limitations above. *See* above at row 1[pre]. To the extent that Andreasson ’890 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Andreasson ’890 by itself, Andreasson ’890 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Andreasson ’890, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
[15a] at least one instruction to reserve a specific one of the plurality of geographic areas for exclusive delivery of content associated with a particular one of	Andreasson ’890 expressly or inherently discloses and renders obvious “at least one instruction to reserve a specific one of the plurality of geographic areas for exclusive delivery of content associated with a particular one of the plurality of sponsors to application programs and having a target location contained within the specific one of the plurality of geographic areas.” For example:

’296 Patent Claim Language	Exemplary Disclosure in US20090061890A1 (“Andreasson ’890”)
the plurality of sponsors to application programs and having a target location contained within the specific one of the plurality of geographic areas.	*See* above at row 5[a]. To the extent that Andreasson ’890 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Andreasson ’890 by itself, Andreasson ’890 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Andreasson ’890, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.

Exhibit 296.J – Invalidity of U.S. Patent No. 8,433,296 in view of Andreasson ’890, Macaluso ’238, Kinoshita ’866, Smith ’558, Sato ’965, Ahn ’281, Begum ’880, Begum ’606, Levkovitz ’852, Sanctis ’837, Bussmann ’294, Mello ’479, Busch ’815, Svendsen ’073, Xtify, and/or AppLoop

Andreasson ’890 qualifies as prior art to U.S. Patent No. 8,433,296 (“the ’296 patent”) as shown in Exhibit 296.I. To the extent it is found that Andreasson ’890 does not expressly disclose certain limitations in the Asserted Claims, such limitations are disclosed, for example, in one or more of Macaluso ’238, Kinoshita ’866, Smith ’558, Sato ’965, Ahn ’281, Begum ’880, Begum ’606, Levkovitz ’852, Sanctis ’837, Bussmann ’294, Mello ’479, Busch ’815, Svendsen ’073, Xtify, and/or AppLoop.

This combination renders obvious the Asserted Claims of the ’296 patent (claims 1–15, as set forth in Plaintiff’s preliminary infringement contentions served on November 1, 2024) either alone or in combination with one or more of the prior art references identified in the cover pleading and other claim charts, and/or in combination with the general knowledge of a person having ordinary skill in the art. To the extent it is found that no reference expressly discloses certain limitations in the Asserted Claims, such limitations are at least implicitly or inherently disclosed.

Home Depot’s invalidity contentions, including this chart, are based in part on H2’s infringement contentions and apparent claim interpretations. In some instances, certain claim limitations are expressly or inherently present in the prior art in light of H2’s apparent claim interpretations in its infringement contentions. Home Depot offers these contentions without prejudice to any position Home Depot may later take as to any claim construction issues. To the extent these contentions reflect claim constructions consistent with H2’s infringement contentions, no implication is intended, nor should any inference be drawn, that Home Depot agrees with any construction implied by H2’s infringement contentions.


The citations provided are exemplary and do not necessarily include each and every disclosure of a limitation in the charted references. Home Depot has endeavored to cite the most relevant portions of the charted references, but other portions of the charted references may additionally disclose, either expressly or inherently, and/or render obvious, one or more limitations of the asserted claims. Home Depot reserves the right to rely on (1) uncited portions of the charted references, including documents referenced within the charted references; (2) other prior art not identified herein; (3) references that show the state of the art and the knowledge of a person of skill in the art, irrespective of whether such references themselves qualify as prior art to the asserted patents; (4) factual testimony from the inventors or authors of the prior art references, or purveyors of prior art devices; and/or (5) expert testimony, to provide context to or aid in understanding the prior art, the state of the art, and/or the knowledge of a person of ordinary skill in the art. To the extent Home Depot asserts that a claim limitation is indefinite, Home Depot has used its best efforts to interpret the claims to fulfill its duties in charting the prior art references.


Where Home Depot cites to a particular drawing or figure in the accompanying charts, the citation encompasses the description of the drawing or figure, as well as any text associated with the drawing or figure. Similarly, where Home Depot cites the text concerning a figure, the citation encompasses that figure. This prior art at least inherently discloses certain claim limitations, and Home Depot reserves the right to rely on inherency to demonstrate the invalidity of the asserted claims. Home Depot may rely on cited or uncited portions of the prior art, other documents, factual testimony, and expert testimony to invalidate the asserted claims.


If H2 contends that this reference does not disclose any particular limitation of the asserted claims of this patent, it would have been obvious to a person of ordinary skill in the art to modify this reference and/or to combine the teachings of this reference with other prior art references in a manner that renders such claims invalid.


Discovery is ongoing and Home Depot will update this chart pursuant to Federal Rule of Civil Procedure 26(e), the Local Rules, and the Orders of record in this matter, subject to further investigation and discovery regarding the reference, the Court's construction of the claims at issue, and discovery generally, including third-party discovery.

This chart is subject to all reservations, objections, and disclaimers in Home Depot's Invalidity Contentions and any amendment, supplement, or modification thereof incorporated herein by reference in their entirety.



'296 Patent Claim Language	**Exemplary Disclosures**
1[pre]. A method comprising:	To the extent the preamble is limiting, the following prior art expressly or inherently discloses and renders obvious "[a] method." *See* limitations [1a]–[1k] below.  Figure 1 Andreasson '890 at Figure 1.

’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 2 Andreasson ’890 at FIGURE 2.



’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 3 Andreasson ’890 at FIGURE 3.



’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 4 Andreasson ’890 at FIGURE 4. “As further illustrated in FIG. 1, the system 100 also includes a portable electronic device 140 associated with a user. As used herein, the term “portable electronic device” includes: a cellular radiotelephone with or without a multi-line display; a Personal Communications System (PCS) terminal that combines a cellular radiotelephone with data processing, facsimile and data communications capabilities; a Personal Data Assistant (PDA) that includes a radiotelephone, pager, Internet/intranet access, Web browser, organizer, calendar and/or a global positioning system (GPS) receiver; a gaming device, an audio video player, and a conventional laptop and/or palmtop portable computer that includes a radiotelephone transceiver. Any portable electronic device capable of operating in accordance with some embodiments of the present invention may be used without departing from the scope of the present invention.” Andreasson ’890 at [0039]. “Portable electronic devices 140 according to some embodiments of the present invention are configured to determine a current position thereof using any positioning device known to those having skill in the art, for example, a GPS receiver. Portable electronic devices 140 according to some embodiments of the present invention are also configured to download applications 122, 124 and 126 from the server based on the determined current position of the portable electronic device, for example, the presence of the portable



’296 Patent Claim Language	Exemplary Disclosures
	electronic device 140 within a defined region, for example, region 130. As illustrated in FIG. 1, the portable electronic device 140 may move from a first position A, outside the region 130, to a second position B, inside the region 130. Movement from outside the region 130 to inside the region 130 may trigger downloading of one or more applications 122, 124 and 126 associated with the region 130 from the server 110 to the portable electronic device 140 as will be discussed further below. The portable electronic device 140 is configured to install and execute the downloaded applications 122, 124 and 126. In some embodiments, this installation and downloading may be performed automatically. The portable electronic device may also be configured to remove/uninstall the installed applications when it is determined that the portable electronic device has exited the region 130. This may also be performed automatically. Portable electronic devices and related operations thereof will be discussed further below with respect to FIGS. 2 through 4.” Andreasson ’890 at [0040]. “Referring now to FIG. 2, a schematic block diagram illustrating a portable electronic device 240 according to some embodiments of the present invention will be discussed. As further illustrated in FIG. 2, the portable electronic device 240 includes a portable housing 200 and may include a display 214, a man machine interface (MMI) 216, a speaker/microphone 217, a web browser 218, a transceiver 212 and a memory 280, any of which may communicate with a processor 290. Furthermore, portable electronic devices 240 according to embodiments of the present invention may further include a download control circuit 250 according to some embodiments of the present invention, which also communicates with the processor 290. The processor 290 can be any commercially available or custom microprocessor. As illustrated in FIG. 2, the portable electronic device communicates with a base station transceiver 260 connected to a mobile switching center (“MSC”) 270 in accordance with some embodiments of the present invention. The transceiver 212 typically includes a transmitter circuit and a receiver circuit, which respectively transmit outgoing radio frequency signals to the base station transceiver 260 and receive incoming radio frequency signals, such as voice and data signals, from the base station transceiver 260 via an antenna 205. The antenna 205 may be an embedded antenna, a retractable antenna or any antenna known to those having skill in the art without departing from the scope of the present invention. The radio frequency signals transmitted between the portable electronic device 240 and the base station transceiver 260 may include both traffic and control signals (e.g., paging signals/messages for incoming calls), which are used to establish and maintain communication with another party or destination. The processor 290 may support various functions of the portable electronic device, including a download control circuit 250 configured to download, install, execute and uninstall applications according to some embodiments of the present invention as will be discussed further herein.” Andreasson ’890 at [0047]–[0048].



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 FIG. 2 Macaluso ’238 at FIG. 2.  FIG. 3 Macaluso ’238 at FIG. 3.


’296 Patent Claim Language	Exemplary Disclosures
	“FIG. 2 is a block diagram of a mobile phone 200 that may be used in connection with the described techniques. The mobile phone 200 includes a transceiver 205 connected to an antenna 210 for communicating voice and data to and from a remote server, wireline telephone connection, and/or another mobile device through a wireless communication system in accordance with conventional techniques. For example, the wireless communication system may be a CDMA, GSM, or UMTS network, or any other type of mobile network. The transceiver 205 is connected to a processor 215 that controls the operation of the mobile phone 200, including the operation of the transceiver 205. A storage medium 220, which may be removable, read-only, or read/write media and may be magnetic-based, optical-based, semiconductor-based media, or a combination of these, may store operating system software for the mobile phone 200. A memory 225 may store additional, less vital information, such as applications that may be loaded into the mobile phone 200, including an application for displaying advertisements on the mobile phone 200. In addition, a cache containing one or more advertisements may be stored in the memory 225. Both the memory 225 and the storage medium 220 are connected to the processor 215. The processor 215 may operate in accordance with software, applications, or other instructions stored in the memory 225 and/or the storage medium 220.” Macaluso ’238 at [0025]. “A service providing method, wherein a mobile communication device changes surveyed questionnaire data to upper level category data and transfers the changed data to service processing device and Web server, the service processing device transfers place data around the service processing device to the Web server, the Web server selects advertisement data that matches user's attitudes and the place, based upon the surveyed questionnaire data and the place data, and the service processing device and the mobile communication device displays advertisement images corresponding to the advertisement data received from the Web server on a display.” Kinoshita ’866 at Abstract.

’296 Patent Claim Language	Exemplary Disclosures
	FIG. 1  Kinoshita ’866 at Fig. 1.  Kinoshita ’866 at Fig. 5.


’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 6.  Kinoshita ’866 at Fig. 7.

’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 8.  Kinoshita ’866 at Fig. 9.

’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 10.  Kinoshita ’866 at Fig. 11.



’296 Patent Claim Language	Exemplary Disclosures
	FIG. 12  Kinoshita ’866 at Fig. 12. “The present invention relates to a service providing method, a service processing device, and a mobile communication device that are used in a system to provide recommendation data such as advertisement data.” Kinoshita ’866 at [0002]. “FIG. 1 is a schematic view of a communication system 1 in accordance with the first embodiment of the present invention.” Kinoshita ’866 at [0025]. “This embodiment will explain processes in which advertisement video is displayed on the displays of the cellular phone 12-1 and the service device 14 while they are communicating with each other.” Kinoshita ’866 at [0085]. “In the second process, the cellular phone 12-1 communicates with the Web server 24 after completion of the above-mentioned first process. FIG. 9 is a flowchart of a second process of a communication system 1 in accordance with a second embodiment of the present invention.” Kinoshita ’866 at [0113].


H2 Intellect - Exhibit 2010
Home Depot v. H2 Intellect - IPR2025-00480
Page 3389 of 5585


’296 Patent Claim Language	Exemplary Disclosures
	 **FIG. 38** Smith ’558 at Fig. 38. “As used in this application, the terms “component,” “module,” “system,” and the like are intended to refer to a computer-related entity, either hardware, a combination of hardware and software, software, or software in execution. For example, a component may be, but is not limited to being, a process running on a processor, a processor, an object, an executable, a thread of execution, a program, and/or a computer. By way of illustration, both an application running on a server and the server can be a component. One or more components may reside within a process and/or thread of execution and a component may be localized on one computer and/or distributed between two or more computers.” Smith ’558 at [0058]. “Generally, program modules include routines, programs, components, data structures, etc., that perform particular tasks or implement particular abstract data types. Moreover, those skilled in the art will appreciate that the inventive methods can be practiced with other computer system configurations, including single-processor or multiprocessor computer systems, minicomputers, mainframe computers, as well as personal computers, hand-held computing devices, microprocessor-based or programmable consumer electronics, and the like, each of which can be operatively coupled to one or more associated devices.


H2 Intellect - Exhibit 2010
Home Depot v. H2 Intellect - IPR2025-00480
Page 3390 of 5585


’296 Patent Claim Language	Exemplary Disclosures
	The illustrated aspects may also be practiced in distributed computing environments where certain tasks are performed by remote processing devices that are linked through a communications network. In a distributed computing environment, program modules can be located in both local and remote memory storage devices. A computer typically includes a variety of computer-readable media. Computer-readable media can be any available media that can be accessed by the computer and includes both volatile and nonvolatile media, removable and non-removable media. By way of example, and not limitation, computer-readable media can comprise computer storage media and communication media. Computer storage media includes both volatile and nonvolatile, removable and non-removable media implemented in any method or technology for storage of information such as computer-readable instructions, data structures, program modules or other data. Computer storage media includes, but is not limited to, RAM, ROM, EEPROM, flash memory or other memory technology, CD-ROM, digital video disk (DVD) or other optical disk storage, magnetic cassettes, magnetic tape, magnetic disk storage or other magnetic storage devices, or any other medium which can be used to store the desired information and which can be accessed by the computer. Communication media typically embodies computer-readable instructions, data structures, program modules or other data in a modulated data signal such as a carrier wave or other transport mechanism, and includes any information delivery media. The term “modulated data signal” means a signal that has one or more of its characteristics set or changed in such a manner as to encode information in the signal. By way of example, and not limitation, communication media includes wired media such as a wired network or direct-wired connection, and wireless media such as acoustic, RF, infrared and other wireless media. Combinations of the any of the above should also be included within the scope of computer-readable media.” Smith ’558 at [0249]–[0252].


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Sato ’965 at Fig. 1.  FIG. 2 Sato ’965 at Fig. 2.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 6 Sato ’965 at Fig. 6. “Systems and methods are described for managing geographically referenced data (GRD). The systems and methods are configured to receive a search request that includes a defined search area. An extended map is provided based on the search request. The extended map includes geographic areas within the defined search area and outside the defined search area. The systems and methods provide the GRD, which includes advertisements, contact information, review information for one or more entities, and the like. Map reference information of the GRD is provided on the extended map.” Ahn ’281 at Abstract. *See also* Begum ’880 at Fig. 1, 1:18–38, 1:57–59, 1:60–2:5, 2:6–12, 2:13–22, 5:65–6:4, 9:12–16, 9:16–29, 9:66–10:15, and 10:16–31.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Begum ’606 at FIG. 1. “The customer display device 12 is part of a portable communication unit 14 having a control panel 15 with a display screen 16 and easily operated user controls 18, such as complementary up and down scroll buttons 20, 22, and select buttons 24” Begum ’606 at 4:17–21.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Levkovitz ’852 at Fig. 1. “FIG. 2 is a schematic flow-chart of a method of wireless content delivery in accordance with an embodiment of the invention. Operations of the method may be implemented, for example, by system 100 of FIG. 1, by ad server 110 of FIG. 1, by communicator 150 of FIG. 1, by device 170 of FIG. 1, by control server 120 of FIG. 1, and/or by other suitable devices and/or systems.” Levkovitz ’852 at [0178]. “FIG. 10 is a schematic illustration of a wireless communication device 1070 in accordance with some embodiments of the invention.” Levkovitz ’852 at [0259]. “FIG. 11 is a schematic flow-chart of a method of content delivery and presentation in accordance with some embodiments of the invention.” Levkovitz ’852 at [0276]. *See also* Levkovitz ’852 at Abstract. “Product or service information in the form of selected wireless e-commerce content is transmitted from a server to a mobile device, such as mobile telephone or personal digital assistant. The e-commerce content is transmitted either in response to an explicit user request for communication of the e-commerce content, or, in the alternative, is “pushed” to the mobile device as permitted by a user but in the absence of a specific

’296 Patent Claim Language	Exemplary Disclosures
	request. The e-commerce content received at the mobile device is presented to a user by the mobile device in textual or graphical format in conjunction with an indication of a communication needed to consummate an e-commerce transaction. If the user desires to purchase the good or service represented by the e-commerce content, the user initiates the communication indicated by the e-commerce content.” Sanctis ’837 at Abstract. “ In view of the foregoing and in accordance with various embodiments of the present invention, selected wireless mobile e-commerce (hereinafter, “m-commerce”) content, such as product or service information, is transmitted from a server to a mobile device, such as a mobile telephone or personal digital assistant (“PDA”). In one embodiment, for example, the m-commerce content is transmitted in response to an explicit user request for communication of the m-commerce content. The user is permitted to view an item on his or her mobile device and prompted to make a purchase (e.g., via a “buy” key or selecting an icon or toolbar on the mobile device). In another embodiment, the m-commerce content is “pushed” to the mobile device in the absence of a specific request. For example, such solicitations may occur multiple times per day, prompt the user to browse various “departments” or categories of goods or services, walk a user through a form for shopping, or combinations thereof.” Sanctis ’837 at [0008].  FIG. 1 Bussmann ’294 at FIG. 1.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 2 Bussmann ’294 at FIG. 2. “FIG. 1 shows a flow diagram depicting an embodiment of a method 100 of providing location-based advertising services. Method 100 comprises, at 102, receiving advertising content and pricing bids from each of a plurality of advertising publishers. As explained in more detail below, the pricing bids comprise an offer to pay a specified amount of money in exchange for having the advertising content of the bidder sent to a device for presentation to a user. Further, the advertising content and bid are associated with a specific bounded geographic area defined in a geographic region. Therefore, the advertising content is sent to devices located within, or within some distance adjacent to, the bounded area. Next, method 100 comprises, at 104, receiving a request from a device for advertising content associated with the bounded area. Then, method 100 comprises, at 106, sending advertising content associated with the top N bids to the device for presentation to a user of the device, wherein N may be zero (in the case of no bids) or a positive integer. In this manner, advertising publishers may bid a specific price to pay for the distribution of advertising content in a specified geographic area, and the highest bidder or bidders win priority to have advertising content items presented to a device user over other lower bidders. Depending upon various device-specific parameters of the device and the nature of the advertising content sent to the device, one or more items of advertising content may be presented on the device at any one time.


’296 Patent Claim Language	Exemplary Disclosures
	Therefore, in some circumstances, the highest bidder's advertising content alone may be sent to a requesting device, while in other circumstances, more than one item of advertising content may be sent to a requesting device. Where more than one item of advertising content is sent to a device, the items of advertising content may be selected based upon descending order of bids. As a specific example, a GPS-enabled smart phone may allow a map to be displayed at various levels of zoom. In one example, for a specific level of zoom in a specific geographic region, the smart phone may be able to display three items of advertising content on a map. In this case, the device may be sent items of advertising content for the top three bidders for the geographic area displayed on the map. Therefore, advertising publishers who wish to have advertising content sent to mobile phones have an incentive to bid close to or above a highest bid for a desired bounded geographic area. This may help to obtain higher bids for distributing the advertising content items, and therefore may contribute to greater economic returns per advertisement view. More detailed implementations of method 100 are discussed in more detail below.” Bussmann ’294 at [0010]–[0011]. “FIG. 2 shows an example embodiment of a location-based advertising use environment 200. Use environment 200 comprises an advertising server 202 in communication with a plurality of advertising publisher computing devices 204, 206, 208, and also with a plurality of devices 210, 212, 214 that request and receive advertising content from the advertising server 202. In the depicted embodiment, the number of advertising publisher client computing devices in communication with the advertising server 202 is illustrated as a generic number X, and the number of requesting/receiving devices is illustrated as a generic number Y, indicating that any suitable number of advertising publisher client computing devices and requesting/receiving devices may be in communication with the advertising server 202 at any time. The advertising server 202 comprises memory 216 and a processor 218, wherein the memory 216 comprises instructions stored thereon that are executable by the processor 218 to perform the various methods of operating an advertising server disclosed herein. The advertising server 202 further comprises a database 220 that stores various items of information related to the provision of location-based advertising services. For example, the database 220 may store user account information related to the advertising publishers and/or consumer devices that utilize the system. The database 220 also may store advertising content provided by each advertising publisher, and bid information related to the advertising content. The term “updated bid information” may be used herein to describe such current bid information, as bids may be submitted and/or modified by advertising publishers on a continuous, rolling basis. The updated bid information may include such information as the geographic locations and time intervals selected by each advertising publisher for the distribution of advertising content, category information related to the type of advertising content provided by each advertising publisher and to the specific distribution services requested by the advertising publisher,

’296 Patent Claim Language	Exemplary Disclosures
	pricing information related to the price paid by each advertising publisher for a desired transaction type (per view, per click-through, etc.), payment information related to the method of payment used by each advertising publisher (pre-paid credits, debit/credit card info, etc.), or any other suitable information.” Bussmann ’294 at [0012]–[0013]. FIG. 2  Mello ’479 at FIG. 2. “FIG. 2 is a detailed block diagram of an example implementation of the PPM 30 of FIG. 1. As discussed above, the PPM 30 may be used to monitor the use of a location-based web service application by a monitored person (e.g., the monitored person 32 of FIG. 1). It may also be used to collect location information and/or motion information associated with the use of the location-based web application. In general, the PPM 30 includes electronic components configured to detect and/or collect media monitoring information, location information, and/or motion information, and to communicate the information to the central facility 60 of FIG. 1 for subsequent analyses. As shown in FIG. 2, the PPM 30 includes a processor 100, a voice coder/decoder (CODEC) 102, a memory 104, a communication interface 106, a plurality of media monitoring sensors 108, a plurality of location and motion sensors 110, an input interface 114, a visual

’296 Patent Claim Language	Exemplary Disclosures
	interface 116 and a timer/counter 118, all of which are communicatively coupled as shown.” Mello ’479 at [0036]. “It is to be understood that the example machine accessible instructions of the flow diagrams of FIGS. 5A, 5B, 6-9, 10A, 10B, 11A, 11B, and 12-16 may be executed by a processor, a controller and/or any other suitable processing device. For example, the example machine accessible instructions of FIGS. 5A, 5B, 6-9, 10A, 10B, 11A, 11B, and 12-16 may be embodied in coded instructions stored on a tangible medium such as a flash memory, or random access memory (RAM) associated with a processor. Alternatively, some or all of the example flow diagrams of FIGS. 5A, 5B, 6-9, 10A, 10B, 11A, 11B, and 12-16 may be implemented using an application specific integrated circuit (ASIC), a programmable logic device (PLD), a field programmable logic device (FPLD), discrete logic, hardware, firmware, etc. ” Mello ’479 at [0118].  FIG. 1 Busch ’815 at Fig. 1. “The present invention provides among other things methods and systems to obtain data relating to location from mobile devices, processing this data, sending content to a mobile device based at least in part on location data, integration of location data associated with a mobile device with web based applications accessed with a standard computer or laptop, integration of location data with conversion tracking systems,

’296 Patent Claim Language	Exemplary Disclosures
	integration of location data with customer relationship management systems and systems to determining retail business location performance, integration with social uses of location data of mobile devices, and integration with navigation uses of location data associated with mobile devices.” Busch ’815 at [0159]. “With reference to FIG. 1 GPS satellites 100 operate to determine the location of a mobile device 140 that has a number of features available based upon the location data. The mobile device 140 provides a user interface 142, GPS receiver 144, CPU and memory 146, and radio 148. Examples of mobile device 140 include cellular phones, personal digital assistants, pagers, laptop computers, automobile navigation systems, among others. Mobile device 140 receives GPS signals and determines its location. For purposes of illustration and without limitation, this may occur solely through using the GPS system, or may occur by using a filter to combine location data from the GPS system and another system such as cell-tower-triangulation in order to obtain a more accurate location. The mobile device 140 is wirelessly coupled to an access point 102 with a built in radio 148. The access point 102 is coupled to the Internet 104 or other network. A number of other systems or services are available to the device over the Internet 104 or other network optionally including but not limited to an inventory system 106, advertisement system 108, search engine 110, mapping, business location, GIS, and routing database 112, user information database 114, advertiser information database 116, payment system 118, and phone system 120.” Busch ’815 at [0334]. “Methods and systems are disclosed for providing customized content to users based on their location. In one embodiment, for each of one or more content providers, a customized content delivery function receives information from the content provider defining a number of geographic shapes selecting corresponding geographic areas. Preferably, each of the geographic shapes overlaps at least one other of the geographic shapes and is assigned an importance level. For each geographic shape, the content provider defines one or more tags for the geographic shape and assigns a weight to each of the one or more tags. Thereafter, when a request is received from a requestor, one or more content items are selected for delivery to the requestor based on the geographic shapes, the tags and corresponding weights for the geographic shapes, and the location of the requestor.” Svendsen ’073 at Abstract.


’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 1* Svendsen ’073 at Fig. 1.


’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 11* Svendsen ’073 at Fig. 11. “The present invention relates to providing customized content to users based on their location.” Svendsen ’073 at 1:22–23. “FIG. 1 is a flow chart illustrating a process for delivering customized content, or data, based on the location of a requestor according to one embodiment of the present invention.” Svendsen ’073 at 2:61–64. “FIG. 11 illustrates a system 68 for customized content delivery according to one embodiment of the present invention. In general, the system 68 includes a central server 70 and a number of user devices 72-1 through 72-N having associated users 74-1 through 74-N. The central server 70 and the user devices 72-1 through 72-N are enabled to communicate via a network 76. The network 76 may be any type of Wide Area Network (WAN), Local Area Network (LAN), or the like, or any combination thereof. In addition, the network 76 may include wired components, wireless components, or both wired and wireless components. As an example, the network 76 may be the Internet.” Svendsen ’073 at 13:27–38.


’296 Patent Claim Language	Exemplary Disclosures
	“The system 68 of FIG. 11 may also be used for embodiments where the content providers are one or more media content providers or include both one or more advertisers and one or more media content providers.” Svendsen ’073 at 14:63–67. “FIG. 14 is a block diagram of the user device 72-1 of FIG. 11 according to one embodiment of the present invention. This discussion is equally applicable to the other user devices 72-2 through 72-N. In general, the user device 72-1 includes a control system 98 having associated memory 100. In this example, the rendering function 86-1 is implemented in software and stored in the memory 100. However, the present invention is not limited thereto. The rendering function 86-1 may be implemented in software, hardware, or a combination thereof. In this example, the location determination function 84-1 is implemented in hardware. For example, the location determination function 84-1 may be a GPS receiver associated with the control system 98. However, the present invention is not limited thereto. The location determination function 84-1 may be implemented in software, hardware, or a combination thereof. The user device 72-1 also includes a communication interface 102 communicatively coupling the user device 72-1 to the network 76 (FIG. 11). Lastly, the user device 72-1 includes a user interface 104, which may include components such as, for example, a display, one or more user input devices, or the like.” Svendsen ’073 at 15:47–67. “Last week, Steve Jobs announced that 60 million iPhone apps had been downloaded, averaging 2 million per day. While there are questions of whether these stratospheric download numbers translate to equally impressive usage numbers, some wondered how those apps will monetize (particularly the very popular free ones). The overwhelming case for most online applications, whether those featured on Facebook, or those syndicated through widgets throughout the blogosphere, is through ads. So how exactly do ads on iPhone apps work?” Menayan 2008 at 1. “There are already several ad network/platforms available for iPhone apps. Here’s the current list of offerings: • Crisp Wireless - currently creates banners + microsites; used by the New York Times and Washington Post apps • PurpleTalk - allows creation of customizable text banners; features ad exchange “Partner Network” • AppLoop - claims to be the first real-time, location-based mobile advertising network • Pinch Media - widely-used ad network on dozens of iPhone apps • Medialets - offers CPM, CPC and CPA advertising run natively through iPhone apps

’296 Patent Claim Language	Exemplary Disclosures
	• AdMob -offers rich-media (video-, map- and Apple App Store-integrated) banner ads on iPhone apps; also has an impressive list of signed clients” Menayan 2008 at 1. “Here’s an example of Crisp Wireless’s ad for Westin Hotels on the New York Times app: [Image] The banner shows up towards the bottom of the front page of the app, and 1s, at least in this case, visually contrastive.” Menayan 2008 at 1–2.  Menayan 2008 at 2. “About AppLoop AppLoop is an advertising and analytics solution for mobile iPhone applications. Founded by two regular guys in the Silicon Valley, AppLoop provides a rich, analytics-based service for advertisers and developers looking to engage with mobile platforms. AppLoop was founded in June of 2008 by Eric Kerr and Jacob Eiting with one simple goal in mind: Make advertising not suck.

’296 Patent Claim Language	Exemplary Disclosures
	Our blog is a great way to keep updated on AppLoop as we continually grow and add new features.” AppLoop.com: About at 1. “• Precisely Target your ads based on location and context. • Advanced Statistics report the performance of all your advertising campaigns. • Engage dedicated, valuable, and near-by users from the palm of their hand. Get Started • Bring your advertising strategy to the next level with location-based mobile advertising, Why spend money advertising to people sitting on their couch or at a computer desk? Mobile application users are active and ready to spend money.” AppLoop.com: Advertisers at 1. “AppLoop. On a phone near you. Posted by eric on Tuesday, July 15, 2008 at 5:39 AM It is with great pleasure that I announce our public launch on the iPhone. We have been hard at work since our announcement on TechCrunch. Today, we’re ready for business:Advertise in iPhone applications today.” AppLoop.com: Blog at 2. “Application Developers AppLoop Analytics The analytics service allows you to to track precisely where, when, and how your applications are being used. Track your earnings, growth, and engagement over time.” AppLoop.com: Developers at 1. “For Advertisers • Precisely Target your ads based on location and context to reach the most relevant users, and maximize click through rates. • Advanced Statistics report the performance of your advertising campaigns, keeping you informed. • Engage dedicated, valuable, near-by customers most relevant to your business.” AppLoop.com: Home at 1.

’296 Patent Claim Language	Exemplary Disclosures
[1a] registering a plurality of application programs for use with a content delivery platform, wherein the plurality of registered application programs are each associated with at least one application program type;	The following prior art expressly or inherently discloses and renders obvious “registering a plurality of application programs for use with a content delivery platform, wherein the plurality of registered application programs are each associated with at least one application program type.” For example:  FIGURE 2 Andreasson ’890 at FIGURE 2.

’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 3 Andreasson ’890 at FIGURE 3.


’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 4 Andreasson ’890 at FIGURE 4. “As will be discussed further below with respect to FIGS. 1 through 4, some embodiments of the present invention provide methods, servers and portable electronic devices for downloading applications from the server to the portable electronic device. The server is configured to store one or more applications, each having an associated region and duration. Portable electronic devices according to some embodiments of the present invention may be associated with a unique device identifier. The portable electronic device may be configured to periodically obtain a current position of the portable electronic device and provide the current position and the unique device identifier to the server. If the portable electronic device is within a region associated with one of the stored applications, the server may determine if the unique identifier associated with the portable electronic device is also associated with the stored application for that region. If so, the server may download a link to the stored application to the portable electronic device so as to allow the portable electronic device to access the application while the portable electronic device is within the region and during the defined duration of the application as will be discussed further herein.” Andreasson ’890 at [0035]. “One or more application owners, for example, trade fair organizers or travel agents, register an application 122, 124 and 126 with and store an application 122, 124 and 126 on the server 110 as discussed above. Each


’296 Patent Claim Language	Exemplary Disclosures
	application has an associated region 130 and duration, which is also stored on the server 110. The portable electronic device 140/240 includes a download control circuit 250 that is configured to periodically check the position of the portable electronic device 140/240 using an absolute positioning device, for example, a GPS receiver or Cell ID, or a relative positioning device such as discovery of Bluetooth devices and the like. The position data, for example, geographical coordinates, is sent to the system server 110 in addition to a unique device identifier associated with the portable electronic device 140/240. The server 110 then determines if the portable electronic device 140/240 has entered a new region or a new region has been registered where the portable electronic device 140/240 is located. The periodical check of the position of the portable electronic device 140/240 may be quite frequent while the actual transmitting of position data to the server 110 may be less frequent. For example, the portable electronic device 140/240 can determine that a small position change is reported only once during a longer time period, for example, a day or an hour, while a larger position change is reported directly. The user of the portable electronic device 140/240 may also manually issue a position check and report without departing from the scope of the present invention.” Andreasson ’890 at [0056]. “When the server 110 determines that a portable electronic device 140/240 has entered a new registered region 130, the server 110 may be configured to check that a unique device identifier associated with the portable electronic device 140/240 is associated with the application for this particular region 130. For example, the server 110 determines if the unique device identifier for this portable electronic device 140/240 is in the set of device identifiers associated with this particular application. If the unique device identifier of the portable electronic device 140/240 is present in the set of identifiers associated with the applications, the communication circuit 115 of the server 110 is configured to transmit a link (URL) to the application data and the duration data for the application for the region 130 to the portable electronic device 140/240. When the portable electronic device enters a new region 130, the portable electronic device may be configured to automatically download the data from the URL received from the server 110. In some embodiments of the present invention, the content of the URL may be a web page. The web browser 218 of the portable electronic device 140/240 may be started and the web page may be loaded on the display 214. In certain embodiments of the present invention, a bookmark for the web page may be created automatically so as to allow future access to the web page. In further embodiments of the present invention, the content of the URL may be an executable application, for example, a Java Midlet, it may be installed and automatically executed. In some embodiments of the present invention, a uninstall event may be scheduled based on the duration information provide from the server 110.” Andreasson ’890 at [0057]–[0058].


’296 Patent Claim Language	Exemplary Disclosures
	“In some embodiments of the present invention, the applications 122, 124 and 126 themselves may have unique application identifiers. These unique application identifiers may be used to let the owner of an application make updates to the application during the scheduled duration of the application. The server 110 may be configured to announce the updates to portable electronic devices 140/240 using the application. The announcement can be done, for example, as a push of information to the portable electronic device 140/240 or during an ordinary position update by the portable electronic device 140/240. In some embodiments of the present invention, the downloaded application running on the portable electronic device 140/240 may communicate directly with a server associated with an owner of the application and update itself if needed.” Andreasson ’890 at [0061]. “For each application in an update response, an application package including the following parameters may be present: 1. [UUID] A universal unique identifier (unique application identifier) for the application. The UUID may be used for future reference, for example, to tell the server 110 that the application has been removed or when the server tells the portable electronic device 140/240 to update or remove an application. 2. [MIME] A MIME type identifying the type of data in the application, for example, a Java MIDLET (e.g. application/java-archive), a picture file (e.g. image/jpeg), a sound file (e.g. audio/mp4) and the like. The MIME can also be empty, indicating that the application is a web page, and that it should be handled by the web browser 218 rather than the content handler 257. 3. [URL] A uniform resource locator indicating where the application is available, for example, the Java JAR or JAD files, the web page content and the like. 4. [REGION] The geographical region 130 within which the application should be available for the portable electronic device 140/240. 5. [DURATION] The time period during which the application should be available for the portable electronic device 140/240. For example, the duration may include the start of the time period is PERIOD_START and the end is PERIOD_END. 6. [AUTO] A flag determining if the application should be automatically started after installation.” Andreasson ’890 at [0063]–[0069]. “Implementations may include one or more of the following features. For example, the advertisement may be downloaded to the mobile device over a wireless interface. The wireless communication may include a

’296 Patent Claim Language	Exemplary Disclosures
	download of data to the mobile device. The download of data may involve data used by an application running on the mobile device. ” Macaluso ’238 at [0006]. “Applications stored on the mobile phone 200, such as the advertising application, may be written in Java code, C/C++ code, in accordance with a Binary Runtime Environment for Wireless (BREW) Software Development Kit (SDK), or some other appropriate format. The storage medium 220 in the mobile phone 200 may include a Java virtual machine. Alternatively or in addition, the storage medium 220 may include BREW client software. The BREW platform, which was developed by Qualcomm and is described in greater detail at “www.qualcomm.com/brew,” enables Java and BREW applications to be easily downloaded onto and executed on the mobile phone 200. As another alternative, the storage medium 220 may include software for implementing Motorola's iDEN technology. In general, a Java virtual machine maybe run on top of the BREW client or iDEN technology to support Java applications/applets, and other types of extensions may be run on top of the BREW client to support other types of applications. Applications, such as the advertising application mentioned above, may therefore be easily loaded onto the mobile phone 200.” Macaluso ’238 at [0026]. “A user can download content data from the R/W device 16.” Kinoshita ’866 at [0029]. “Referring to FIG. 2, the cellular phones 12-1 and 12-2 include, for example, a communication unit 52, a display 54, an operation unit 56, memory 58, and a processing circuit 59. The cellular phones 12-1 and 12-2 used in the present embodiment are operated by the processing circuit 59 that executes programs stored in the memory 58. At this time, data used in the execution is read out from or written to the memory 58.” Kinoshita ’866 at [0031]. “As shown in FIG. 1, the Web server 24 includes, for example, an APL member registration unit 31, an APL downloading unit 32, an APL particular service providing unit 33, an advertisement-member registration unit 34, an advertisement selecting unit 35, and a control unit 36. The APL member registration unit 31 performs member registration before an application program APL is downloaded, which will be described later. The APL downloading unit 32 downloads the above-mentioned application program APL.” Kinoshita ’866 at [0041]. “The advertisement-member registration unit 34 registers members that use digital content data.” Kinoshita ’866 at [0042]. “The service device 14 determines whether the cellular phone 12-1 has downloaded a predetermined application program APL through the R/W device 16. If the application program APL has not been



’296 Patent Claim Language	Exemplary Disclosures
	downloaded, URL for downloading the application program APL is transferred to the cellular phone 12-1. An application program APL is, for example, provided to each service of the service device 14.” Kinoshita ’866 at [0091]. “The cellular phone 12-1 accesses the Web server 24 by using the URL received in the step ST12 and downloads an application program APL. The cellular phone 12-1 transfers the application program APL to the memory 58 of FIG. 2. The application program APL includes a default advertisement video. In the present embodiment, the default advertisement video has no digital content data. In the present embodiment, the number of videos included in the cellular phones 12-1 and 12-2 is not limited.” Kinoshita ’866 at [0093]. “The cellular phone 12-1 transfers a member registration request to the Web server 24 in order to use digital content data associated with an advertisement video.” Kinoshita ’866 at [0117]. “The Web server 24 performs the member registration of the user or his cellular phone 12-1 according to the member registration request sent from the cellular phone 12-1.” Kinoshita ’866 at [0119]. “In this registration process, the cellular phone 12-1 transfers data such as age, gender, preference, and local information to the Web server 24 to register them.” Kinoshita ’866 at [0119]. “A user's friend, who is not in a shop, sends a member registration request to the web server 24 by using his cellular phone 12-2 in order to use an application program APL. If the cellular phone 12-2 has already downloaded the application program APL, the present process is not necessary.” Kinoshita ’866 at [0123]. “The Web server 24 performs member registration according to the above member registration request and uploads the application program APL to the cellular phone 12-2. The cellular phone 12-2 transfers the application program APL to the memory 58 of the FIG. 2.” Kinoshita ’866 at [0125]. “A user of the cellular phone 12-2 transfers a member registration request to the Web server 24 in order to use the digital video data received in the step ST 25.” Kinoshita ’866 at [0131]. “The Web server 24 performs member registration of the cellular phone 12-2 or its user according to the request from the cellular phone 12-2.” Kinoshita ’866 at [0133]. *See also* Kinoshita ’866 at Fig. 1, Fig. 2, Fig. 5, Fig. 6, Fig. 7, Fig. 8, Fig. 9, Fig. 10, Fig. 11, Fig. 12, [0011], and [0028].


’296 Patent Claim Language	Exemplary Disclosures
	“In a further embodiment, system 100 can facilitate real-time advertising and/or on-line advertising to one or more users based on various criteria including a user location, user preference, user request, advertiser location, advertiser rank, advertiser rating, etc.” Smith ’558 at [0073].  Fig. 5 Begum ’880 at Fig. 5. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22. “The user interface is designed to allow the user to access all of the available data including stored promotional graphics by a control system that is intuitive. Furthermore, the hybrid system devised for automatic display of promotional graphics, is designed to incorporate features that are beneficial in facilitating automatic update of the promotional advertisements.” Begum ’880 at 4:65–5:4. “In the simplest embodiment of the invention, the display screen automatically displays periodic promotional items and the user controlled feature is limited to a categorical product directory. The scroll buttons allow a user to scroll up or down the product category list to find the location of selected items in the product directory.” Begum ’880 at 5:65–6:4. “External components such as an IR beacon 64 and an IR trigger component 66 direct infrared data signals and wake-up signals to the IR photodiodes 68 of the radiation window 36a on the display unit 12. The data signals provide information for reprogramming the memory of inventory and sales information and screen



’296 Patent Claim Language	Exemplary Disclosures
	display of activated advertisement and promotional visuals. The IR beacon 64 may also emit a power transmission signal for charge maintenance of the battery pack 40. The IR beacon 64 and trigger component 66 form a transceiver unit 65 for receiving, storing and relaying trigger and data signals from a control unit 67, that centralizes the storewide operation of the system.” Begum ’880 at 8:36–47. “Customarily, each store would have a single control unit 67 that is the central computer for management of the stores inventory and accounting. The control unit 67 communicates with a plurality of transceiver units 65 located throughout the marketing area. Preferably, to minimize installation expenses and allow the plurality of transceiver units 65 to be repositioned in the marketing area as desired, each transceiver unit 65 is in wireless communication with the control unit 67 and has its own power supply. Essentially, the transceiver unit 65 includes the same electronic components as the display unit 12 which allows for independent processing of data and independent communication with a display unit 12 on a nearby shopping cart. ” Begum ’880 at 8:56–9:1. *See also* Begum ’880 at 1:60–2:5, 9:12–16, and 9:16–29.  FIG. 1 Begum ’606 at FIG. 1.

’296 Patent Claim Language	Exemplary Disclosures
	“In the preferred embodiment, the communication units are primarily portable and communicate with the coupon interface modules via wireless data transmissions. Furthermore, the discount coupons are preferably activated when the shopper is in the market area proximate the location of the discounted items. In this situation, a local message sending unit proximate the location of the item activates the display of the coupon graphic on the display screen of the communication unit carried by the shopper or mounted on the shopper's cart. ” Begum ’606 at 3:4–14. “As electronic coupon interface module 98 also shown in enlarged detail in FIG. 3 provides the chip set and specialty application programming necessary to adapt to the bar code scanner and checkout terminal at the checkout counter, and communicates with the store computer and systems controller. The central processor 71 utilizes a static 256K RAM 100 for random access memory 106 and a 64K EPROM for read only memory 102 under operation of an application program 105.” Begum ’606 at 8:24–33.  FIG. 2 Levkovitz ’852 at Fig. 2. “In some embodiments, previously-prepared applications, e.g., utilities or games for mobile phones, may be configured or adapted to include or embed a content client, e.g., using a Software Development Kit (SDK) or a Close Class.” Levkovitz ’852 at [0006].

’296 Patent Claim Language	Exemplary Disclosures
	“ In some embodiments, for example, the wireless communication device may include a content client running on the wireless communication device to present the one or more user-selectable operation; and/or a content client to present the one or more user-selectable operations in a context of an application running on the wireless communication device” Levkovitz ’852 at [0064]. “ In some embodiments, for example, a wireless communication device may include a wireless communication device to receive an advertisement selected in response to an application-initiated content request, to present the advertisement in a context of an application running on the wireless communication device, and to present one or more user-selectable operations selectively associated with the advertisement. The application may be, for example, a gaming application, a utility application, or the like.” Levkovitz ’852 at [0069]. “In accordance with some embodiments of the invention, device 170 may include an application 176 having a content client 174. The application 176 may be; for example, a game or a software application.” Levkovitz ’852 at [0095]. “Management server 130 may include one or more modules or components, for example, a traffic manager 131, an account manager 132, an inventory manager 133, a data analyzer 134, an administrator module 135, an optimizer 136, content adapter 137, and a Financial Transactions Module (FTM) 138.” Levkovitz ’852 at [0106]. “As indicated at box 210, the method may optionally include, for example, installing content client 174 on device 170, e.g., as a stand-alone module or as an embedded part, plug-in or component of application 176. The installing operation may optionally include, for example, downloading the content client 174 from an online source.” Levkovitz ’852 at [0179]. *See also* Levkovitz ’852 at Fig. 1, [0099], [0147], [0148], and [0155].


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Sanctis ’837 at Fig. 1.  FIG. 4 Sanctis ’837 at Fig. 4.


’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 5* Sanctis ’837 at Fig. 5.

’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 6* Sanctis ’837 at Fig. 6.  *FIG. 7* Sanctis ’837 at Fig. 7. “The mobile alert preferences 18 include at least contact information for at least one registered mobile device (e.g., a telephone number or email address of the mobile device) and can further include a designation of at

’296 Patent Claim Language	Exemplary Disclosures
	least one individual or group of products or services about which the user is interested in receiving alerts via the registered mobile device. The m-commerce server 10 accordingly preferably provides a subscriber interface through which the user can utilize a mobile device 30 and/or a conventional computer to designate a product or service of interest to that user. The designation can specify a range or group of products or services (e.g., automobiles, golf clubs, or discounted items) or can identify a specific product or service, for example, by catalog number, SKU, model number, or simply by description. The m-commerce server 10 can also store one or more designations individually for each user or can store such designations for groups of users.” Sanctis ’837 at [0028]. “Optionally, the account information stored within the user database 16 for each user can additionally include, for example, a user's login ID and associated password, physical mailing address, e-mail address, and payment information (e.g., bank account or credit card information). In addition, the account information can describe the hardware, software, and/or program products within the user's registered mobile device and a commerce history indicating what products and services have been advertised to the user via the registered mobile device and the user's previous m-commerce purchases.” Sanctis ’837 at [0029]. “Also, as shown in FIG. 7, and as will be understood by those skilled in the art, the mobile devices 30 can download client application software 41 to be stored in memory, e.g., flash memory 40, of the mobile device 30 and can include mobile device enhancement program product 42 or software and application program interface program product or software from an input/output having download 48, e.g., wireless or hardwire, capabilities associated with the mobile device 30 via a communication link 26 with another computer or the server 10, or be provided with client application program product or software upon purchase of the mobile device, to enhance client communication capabilities to the m-server 10, to enhance GUI displays to the user, and to enhance other features 44 for the user as a set of program instruction as understood by those skilled in the art and as described herein, such as mobile alerts, make purchase consummation, gathering account information, viewing detail on product, viewing past orders, shipment tracking, and security encryption.” Sanctis ’837 at [0038]. “Because this embodiment of the invention only transmits mobile alerts to users that have subscribed to the mobile alert service and have indicated a preference for receiving information about the featured product(s), user response to receipt of the mobile alert is likely to be favorable.” Sanctis ’837 at [0039]. “Application programming interfaces (APIs) to existing relational database and mass email sender of product or service suppliers can allow the Mobile Alert system to get subscriber email addresses and product information. Features Consumer Features” Sanctis ’837 at [0058].

’296 Patent Claim Language	Exemplary Disclosures
	“After subscribing for mobile alerts, members can be sent the next regularly scheduled alert(s). Subscription cancellations can be processed as quickly as possible. Members, however, can receive that day's alert, depending on the time of the cancellation relative to the when the mailing list is collected.” Sanctis ’837 at [0061]. “The method yet further can include utilizing the server 10 to provide a user interface through which the user can utilize the mobile device 30 to establish a user account having a user login ID and associated password, a shipping address, and payment information, and storing commerce history of the user indicating what products have been solicited to and purchased by the user via the mobile device 30.” Sanctis ’837 at [0116]. “FIG. 6 illustrates another embodiment of a method of facilitating wireless mobile e-commerce. The method, for example, starts as indicated at step 601, and includes registering a user (step 603) at a mobile server 10 via a mobile device 30 to provide a registered user interface through which the user establishes a registered user account having a user login ID and associated password, a shipping address, payment information. As illustrated at step 605, a mobile server 10 is used to establish an encrypted, direct link with the registered user starting an application on the mobile device 30 and automatically sizing a mobile e-commerce content for display on the mobile device 30.” Sanctis ’837 at [0117]. “Step 605 may include utilizing an application programming interface at the mobile device 30 and encrypting the mobile e-commerce content, while step 609 can include browsing images, data, and pricing for products.” Sanctis ’837 at [0118]. “The wireless carrier can further incentivize its customers to subscribe to the Mobile Alert service by offering discounted communication services for subscribers to the Mobile Alert service.” Sanctis ’837 at [0120]. *See also* Sanctis ’837 at [0032] and [0036].

’296 Patent Claim Language	Exemplary Disclosures
	 **FIG. 16A** Busch ’815 at Fig. 16A. “Significant benefit is provided by a content targeting methods and systems usable with mobile devices that provide feedback to the advertisers—especially those advertisers that have brick and mortar businesses—to help them judge the effectiveness of their targeted content. The effectiveness of a business' advertising effort may be measured by determining with regard to a user of a device that has received targeted content one or more of: whether the user visits a business location of a content producer after their content has been delivered to the device; the time spent at the location; and, how much money was spent at the business by that user (especially in the case where the user pays through an online payment service utilizing the mobile device).” Busch ’815 at [0008]. “For purposes of illustration and without limitation, if the mobile device is interfaced with Starbucks'® payment system or if the mobile device recently visited the Starbucks® website (or a computer operated by the user under an account associated with the mobile device) and subsequently it appears that the mobile device's location may correspond to Starbucks® or one of several stores adjacent to the particular Starbucks® location, it may be determined that the user is currently visiting the Starbucks® near their reported location. Alternatively, the system may provide increased weighting to Starbucks® when determining the location of the mobile device.” Busch ’815 at [0348].


’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 11* Svendsen ’073 at Fig. 11. “In another exemplary embodiment, the user device 72-1 may be a set-top box, and the request may be an automatic request by the user device 72-1 for advertisements to late-bind to video content being viewed or requested by the user 74-1. The customized content delivery function 78 may then select one or more advertisements and deliver or cause delivery of the advertisements to the user device 72-1. The rendering function 86-1 may then perform a late-binding process to insert the advertisements into the video content presented to the user 74-1. In this example, the advertisements may be commercials such as those included in traditional television programming. Note that these two exemplary embodiments are illustrative and not intended to limit the scope of the present invention. ” Svendsen ’073 at 14:44–57. *See also* Svendsen ’073 at Fig. 14, 3:64–4:23, 14:10–17, 14:35–39, and 15:47–67. “The Xtify API provides a simple interface for a web content provider to access a user's location. This API uses a REST interface and XML as the message format. The method for querying a user's location requires the content provider to include two parameters, one identifying the application and the other identifying the particular user associated with the location query.” Xtify - API Overview at 1.


’296 Patent Claim Language	Exemplary Disclosures
	“The API allows a web application to query Xtify for a particular user's location. Therefore, there are two preparatory steps to use the API: register an application and add users to that application.” Xtify - API Overview at 1. “Profiles and App Registration The very first step is to provide an email address and create an Xtify account. Doing so activates the fifth link of the top navigation bar: My Profile. This page is the central repository of all your information: any detail you provide about yourself and a list of your registered applications. You can add, delete, edit, or just track any of those applications from within your profile. Of course, the application listing will be empty at the start. So the next step is to register your first web app. We ask for a handful of identifying items of information: the application's name, its URL, the IP range from which all queries will be made, and any description you want to add. Here the fields we require and the reasons for each. As soon as the registration goes through, the application appears in your profile listing with all its info and one more line: the Application Key. This is a string of alphanumeric characters that uniquely identifies your application and is crucial in using the API — our next topic.” Xtify - Xtify Overview at 1. “Xtify is a REST web service, so you can access its functionality with a single URL query. You provide just two identifiers: the Application Key we provided and an ID for the user whose location you need. And in keeping with the goal of simplicity, you get to define every user ID. If your site already maintains unique login names, there is no reason to add another layer of data; just use those.” Xtify - Xtify Overview at 1. “With all their troubles, mobile software has at least one advantage over its web-based brethren: desktop presence. That is, a mobile program has an icon right on each phone's screen, giving it a visual presence far stronger than any web application that depends on a browser. When you register your application for Xtify, though, you can also upload an icon of your own. When your users download the Xtify client (that tracks location), they also receive your icon on their phone's desktop as a mobile bookmark to your web application. The result is that the download appears branded as your application, not ours. We give you the Xtify software, and you get to wrap it as your own.” Xtify - Why Xtify at 1. “Step 2: Register Your Application Once you register your application, you will be given a unique key that you will use to query the Xtify Location API.” Xtify - QuickStart at 1.


’296 Patent Claim Language	Exemplary Disclosures
	“Step 3: Provide a link for users to download the Xtify client. You will place a special download link on your website that includes your Application ID and a UNIQUE identifier you provide for each user download. Be sure not to use the same user key for every download as this will disable all previous users with that key.” Xtify - QuickStart at 1. “Last week, Steve Jobs announced that 60 million iPhone apps had been downloaded, averaging 2 million per day. While there are questions of whether these stratospheric download numbers translate to equally impressive usage numbers, some wondered how those apps will monetize (particularly the very popular free ones). The overwhelming case for most online applications, whether those featured on Facebook, or those syndicated through widgets throughout the blogosphere, is through ads. So how exactly do ads on iPhone apps work?” Menayan 2008 at 1. “There are already several ad network/platforms available for iPhone apps. Here’s the current list of offerings: • Crisp Wireless - currently creates banners + microsites; used by the New York Times and Washington Post apps • PurpleTalk - allows creation of customizable text banners; features ad exchange “Partner Network” • AppLoop - claims to be the first real-time, location-based mobile advertising network • Pinch Media - widely-used ad network on dozens of iPhone apps • Medialets - offers CPM, CPC and CPA advertising run natively through iPhone apps • AdMob -offers rich-media (video-, map- and Apple App Store-integrated) banner ads on iPhone apps; also has an impressive list of signed clients” Menayan 2008 at 1. “Here’s an example of Crisp Wireless’s ad for Westin Hotels on the New York Times app: [Image] The banner shows up towards the bottom of the front page of the app, and 1s, at least in this case, visually contrastive.” Menayan 2008 at 1–2.


’296 Patent Claim Language	Exemplary Disclosures
	 Menayan 2008 at 2. “About AppLoop AppLoop is an advertising and analytics solution for mobile iPhone applications. Founded by two regular guys in the Silicon Valley, AppLoop provides a rich, analytics-based service for advertisers and developers looking to engage with mobile platforms. AppLoop was founded in June of 2008 by Eric Kerr and Jacob Eiting with one simple goal in mind: Make advertising not suck. Our blog is a great way to keep updated on AppLoop as we continually grow and add new features.” AppLoop.com: About at 1. “• Precisely Target your ads based on location and context. • Advanced Statistics report the performance of all your advertising campaigns. • Engage dedicated, valuable, and near-by users from the palm of their hand. Get Started

’296 Patent Claim Language	Exemplary Disclosures
	• Bring your advertising strategy to the next level with location-based mobile advertising, Why spend money advertising to people sitting on their couch or at a computer desk? Mobile application users are active and ready to spend money.” AppLoop.com: Advertisers at 1. “AppLoop. On a phone near you. Posted by eric on Tuesday, July 15, 2008 at 5:39 AM It is with great pleasure that I announce our public launch on the iPhone. We have been hard at work since our announcement on TechCrunch. Today, we’re ready for business:Advertise in iPhone applications today.” AppLoop.com: Blog at 2. “Application Developers AppLoop Analytics The analytics service allows you to to track precisely where, when, and how your applications are being used. Track your earnings, growth, and engagement over time.” AppLoop.com: Developers at 1. “For Advertisers • Precisely Target your ads based on location and context to reach the most relevant users, and maximize click through rates. • Advanced Statistics report the performance of your advertising campaigns, keeping you informed. • Engage dedicated, valuable, near-by customers most relevant to your business.” AppLoop.com: Home at 1. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.

’296 Patent Claim Language	Exemplary Disclosures
[1b] establishing a plurality of perimeters defining a plurality of geographic areas;	The following prior art expressly or inherently discloses and renders obvious “establishing a plurality of perimeters defining a plurality of geographic areas.” For example:  Figure 1 Andreasson ’890 at Figure 1.



’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 2 Andreasson ’890 at FIGURE 2.



’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 3 Andreasson ’890 at FIGURE 3.



’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 4 Andreasson ’890 at FIGURE 4. “As will be discussed further below with respect to FIGS. 1 through 4, some embodiments of the present invention provide methods, servers and portable electronic devices for downloading applications from the server to the portable electronic device. The server is configured to store one or more applications, each having an associated region and duration. Portable electronic devices according to some embodiments of the present invention may be associated with a unique device identifier. The portable electronic device may be configured to periodically obtain a current position of the portable electronic device and provide the current position and the unique device identifier to the server. If the portable electronic device is within a region associated with one of the stored applications, the server may determine if the unique identifier associated with the portable electronic device is also associated with the stored application for that region. If so, the server may download a link to the stored application to the portable electronic device so as to allow the portable electronic device to access the application while the portable electronic device is within the region and during the defined duration of the application as will be discussed further herein.” Andreasson ’890 at [0035]. “As further illustrated in FIG. 1, the server includes a communications circuit 115 and a storage device 120. The communications circuit 115 is configured to communicate with one or more portable electronic devices

’296 Patent Claim Language	Exemplary Disclosures
	140 in accordance with some embodiments of the present invention. One or more applications 122, 124 and 126 are stored in a storage device 120 on the server 110. As used herein, “application” may refer to an application or a web page without departing from the scope of the present invention. Although only three applications 122, 124 and 126 are provided in FIG. 1, embodiments of the present invention are not limited to this configuration. For example, less or more than three applications may be stored at the server 110 without departing from the scope of the present application. Each of the applications may be associated with a certain geographic region and have a defined duration. As used herein, “geographic region” may be any region defined by the owner of the application. For example, if the application were associated with a baseball game, the region may be defined around the perimeter of the baseball stadium. Furthermore, as used herein the “duration” of the application defines a time period during which the application will be available to user's of portable electronic devices within the defined geographic region. For example, the duration may include a date and a time period, such as May 15, 2008 from 1:00 P.M. to 5:00 P.M.” Andreasson ’890 at [0037]. “One or more application owners, for example, trade fair organizers or travel agents, register an application 122, 124 and 126 with and store an application 122, 124 and 126 on the server 110 as discussed above. Each application has an associated region 130 and duration, which is also stored on the server 110. The portable electronic device 140/240 includes a download control circuit 250 that is configured to periodically check the position of the portable electronic device 140/240 using an absolute positioning device, for example, a GPS receiver or Cell ID, or a relative positioning device such as discovery of Bluetooth devices and the like. The position data, for example, geographical coordinates, is sent to the system server 110 in addition to a unique device identifier associated with the portable electronic device 140/240. The server 110 then determines if the portable electronic device 140/240 has entered a new region or a new region has been registered where the portable electronic device 140/240 is located. The periodical check of the position of the portable electronic device 140/240 may be quite frequent while the actual transmitting of position data to the server 110 may be less frequent. For example, the portable electronic device 140/240 can determine that a small position change is reported only once during a longer time period, for example, a day or an hour, while a larger position change is reported directly. The user of the portable electronic device 140/240 may also manually issue a position check and report without departing from the scope of the present invention.” Andreasson ’890 at [0056]. “When the server 110 determines that a portable electronic device 140/240 has entered a new registered region 130, the server 110 may be configured to check that a unique device identifier associated with the portable electronic device 140/240 is associated with the application for this particular region 130. For example, the server 110 determines if the unique device identifier for this portable electronic device 140/240



’296 Patent Claim Language	Exemplary Disclosures
	is in the set of device identifiers associated with this particular application. If the unique device identifier of the portable electronic device 140/240 is present in the set of identifiers associated with the applications, the communication circuit 115 of the server 110 is configured to transmit a link (URL) to the application data and the duration data for the application for the region 130 to the portable electronic device 140/240. When the portable electronic device enters a new region 130, the portable electronic device may be configured to automatically download the data from the URL received from the server 110. In some embodiments of the present invention, the content of the URL may be a web page. The web browser 218 of the portable electronic device 140/240 may be started and the web page may be loaded on the display 214. In certain embodiments of the present invention, a bookmark for the web page may be created automatically so as to allow future access to the web page. In further embodiments of the present invention, the content of the URL may be an executable application, for example, a Java Midlet, it may be installed and automatically executed. In some embodiments of the present invention, a uninstall event may be scheduled based on the duration information provide from the server 110.” Andreasson ’890 at [0057]–[0058]. “For each application in an update response, an application package including the following parameters may be present: 1. [UUID] A universal unique identifier (unique application identifier) for the application. The UUID may be used for future reference, for example, to tell the server 110 that the application has been removed or when the server tells the portable electronic device 140/240 to update or remove an application. 2. [MIME] A MIME type identifying the type of data in the application, for example, a Java MIDLET (e.g. application/java-archive), a picture file (e.g. image/jpeg), a sound file (e.g. audio/mp4) and the like. The MIME can also be empty, indicating that the application is a web page, and that it should be handled by the web browser 218 rather than the content handler 257. 3. [URL] A uniform resource locator indicating where the application is available, for example, the Java JAR or JAD files, the web page content and the like. 4. [REGION] The geographical region 130 within which the application should be available for the portable electronic device 140/240. 5. [DURATION] The time period during which the application should be available for the portable electronic device 140/240. For example, the duration may include the start of the time period is PERIOD_START and the end is PERIOD_END.



’296 Patent Claim Language	Exemplary Disclosures
	6. [AUTO] A flag determining if the application should be automatically started after installation.” Andreasson ’890 at [0063]–[0069]. FIG. 3  Kinoshita ’866 at Fig. 3. FIG. 4  Kinoshita ’866 at Fig. 4.

’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 5.  Kinoshita ’866 at Fig. 6.

’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 7.  Kinoshita ’866 at Fig. 8.


H2 Intellect - Exhibit 2010
Home Depot v. H2 Intellect - IPR2025-00480
Page 3437 of 5585


’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 9.  Kinoshita ’866 at Fig. 10.


’296 Patent Claim Language	Exemplary Disclosures
	FIG. 11  Kinoshita ’866 at Fig. 11. FIG. 12  Kinoshita ’866 at Fig. 12. “The second aspect of the present invention is a service processing device comprising: an interface that performs short-range communication with a mobile communication device directly or indirectly; a memory that stores place data; and a controller that receives attribute data of a user or user's mobile communication device from user's mobile communication device, transfers the attribute data and the place data read out from



H2 Intellect - Exhibit 2010
Home Depot v. H2 Intellect - IPR2025-00480
Page 3439 of 5585


’296 Patent Claim Language	Exemplary Disclosures
	the memory to the server, and performs announcement based upon recommendation data corresponding to the place data received from the server.” Kinoshita ’866 at [0010]. “The fourth aspect of the present invention is a server for providing information associated with a mobile communication device that performs short-range communication with a service processing device installed at a predetermined place, the server comprising: an interface that receives attribute data of a user or his mobile communication device and place data of a place where the service processing device is installed from the mobile communication device or the service processing device; a memory that stores recommendation data which is associated with the attribute data and the place data; and a controller that reads out, from the memory, the recommendation data which is associated with the attribute data received by the interface and the place data, and transfers the recommendation data to the mobile communication device or the service processing device through the interface.” Kinoshita ’866 at [0012]. “The cellular phones 12-1 and 12-2 can perform short-range communication with the R/W device 16 at shops or venues where the R/W devices are installed if the cellular phone is put near the R/W device.” Kinoshita ’866 at [0029]. “The service device 14 is installed at a place such as a shop, and communicates with the cellular phone 12-1 via the R/W device 16. ” Kinoshita ’866 at [0037]. *See also* Kinoshita ’866 at Fig. 1, [0009], [0043], and [0100].


’296 Patent Claim Language	Exemplary Disclosures
	 **FIG. 14** Smith ’558 at Fig. 14.



’296 Patent Claim Language	Exemplary Disclosures
	 **FIG. 17** Smith ’558 at Fig. 17. “The parameter component 304 (or rendering component 302) can present the user configured information and the specific geographic area to a user. In such a manner, the information presented to the user can be selectively configured based on the one or more user parameters.” Smith ’558 at [0097]. “Also included in system 500 can be a boundary component 508 that can be configured to determine a boundary or perimeter of an object or point of interest.” Smith ’558 at [0103]. “Boundary component can also ascertain a boundary or perimeter of the object or area of interest. The perimeter can be, for example, the footprint of the object (e.g. roof, sides of a structure). According to some embodiments, the perimeter or boundary information can be ascertained from an algorithm. For example, a parcel polygon or geometric figure (e.g., circle, rectangle, square, cube, . . .) that defines a rooftop or viewable surface can be received by receiver component 502. Such geometric information can be uploaded by a business, for example, that defines the rooftop. Boundary component 508 can utilize that parcel polygon information and infer that there is potentially only one building (or other area of interest) inside that parcel polygon area. Based on the inference, the edges or perimeters of the area of interest (e.g., structure) can be computed to ascertain a built-up area (e.g., side of a structure) that includes the area of interest. It should be



’296 Patent Claim Language	Exemplary Disclosures
	understood that various algorithms, methods, and/or techniques can be employed to ascertain the object shape, size, or area.” Smith ’558 at [0105]. “For example, a building owner or other authorized person can submit or upload a polygon that defines the rooftop.” Smith ’558 at [0125]. “ For these areas of interest, the parcel polygon module 810 can ascertain that the area of the object of interest is the perimeter of the parcel (e.g., park, zoo, . . .). The edge detection module 812 can be configured to render the information viewable within the area of the object of interest.” Smith ’558 at [0126]. “FIG. 16 illustrates a methodology 1600 for associating information with an object of interest. Method 1600 begins at 1602 where object information is received from one or more users and/or entities. The object information can include an image or picture depicting an object of interest. The image can be a three-dimensional image of a particular location, place, etc. The object information can include geo-coded information (e.g., longitude, latitude, street information, and the like).” Smith ’558 at [0163].  FIG. 1 Sato ’965 at Fig. 1.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 7 Sato ’965 at Fig. 7.  FIG. 8



’296 Patent Claim Language	Exemplary Disclosures
	Sato ’965 at Fig. 8.  FIG. 9 Sato ’965 at Fig. 9.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG.10 Sato ’965 at Fig. 10. “Mobile unit 143 moves inside predetermined region 146. For example, the region 146 is a nation, Kanto area, Kansai are, prefecture, city, town or village. Further, the region 146 may be a specific area determined independently of governmental classification. Furthermore, when path 144 is planned in advance, region 146 may be determined to a region around path 144.” Sato ’965 at [0048]. “In the example as shown in FIG. 8, content data acquisition region 501 is determined as a region in the form of a circle with mobile unit 143 as its center.” Sato ’965 at [0123]. “Content data acquisition region 501 as shown in FIG. 9 is determined as a circular region with the center positioned forward of mobile unit 143.” Sato ’965 at [0128]. *See also* Sato ’965 at Fig. 3, Fig. 4, Fig. 5, Fig. 6, Fig. 26, [0054], [0079], [0080], [0119], and [0284].



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 4 Ahn ’281 at Fig. 4.  FIG. 5C Ahn ’281 at Fig. 5C.



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5D Ahn ’281 at Fig. 5D.  FIG. 6 Ahn ’281 at Fig. 6.



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 7A Ahn ’281 at Fig. 7A.



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 7B Ahn ’281 at Fig, 7B.  FIG. 8A Ahn ’281 at Fig. 8A.

H2 Intellect - Exhibit 2010
Home Depot v. H2 Intellect - IPR2025-00480
Page 3450 of 5585


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 9 Ahn ’281 at Fig. 9.  FIG. 10 Ahn ’281 at Fig. 10.

’296 Patent Claim Language	Exemplary Disclosures
	 Fig. 11A Ahn ’281 at Fig. 11A.  Fig. 11B Ahn ’281 at Fig. 11B.


’296 Patent Claim Language	Exemplary Disclosures
	 Fig. 11C Ahn ’281 at Fig. 11C.  Fig. 11D Ahn ’281 at Fig. 11D.

’296 Patent Claim Language	Exemplary Disclosures
	 Fig. 12 Ahn ’281 at Fig. 12.  FIG. 13 Ahn ’281 at Fig. 13. “In addition to the extended map sent back to the user, map-advertising information is also sent back in accordance with an embodiment of the invention. The map-advertising information is a set of information that generally is used by the local map handler 302 to decide which set of advertisements is presented to the user.” Ahn ’281 at [0055].


’296 Patent Claim Language	Exemplary Disclosures
	“n another embodiment, a user may enter a query by specifying a geographic area, for example, by entering city and state, or zip code 538. Thus, a user may request a search area based on such input information and thus request information entirely or partially outside of the extended search area available. A user may also be conducting searches on the available map information locally available. The searches of an embodiment include for example two box and one box searches, but are not so limited. In a two box search a user inputs “what” and “where”, and “where” can be city, state and/or zip, lat/lon, landmark, airport code, etc. The one box search allows a user to type in a string like “restaurants in Beverly Hills, Calif.” Ahn ’281 at [0062]. “FIG. 10 is an example flowchart of a method by which the advertising feature of the present invention is provided, according to an embodiment of the invention. In the first operation, an advertising scheme is defined which is based on the association of advertising regions of a map to advertisements (step 1002). Next, the map presented to the user and, optionally, the cursor position, (step 1004) is used to determine the one or more advertisements to be displayed or presented to the user (step 1006). Marketing-related information, such as the advertisements presented and whether there was a click through, and other information are captured and stored (step 1014). This is captured on the client device 110 and alternatively also sent to the map manager 102 (step 1020). This marketing-related information may be used to help in soliciting more advertising revenues or to tailor the advertising scheme to obtain a better stream of revenue.” Ahn ’281 at [0095]. “The geographic information knowledge (GIK) systems of an embodiment include a method for managing geographically referenced data (GRD). The method of an embodiment includes receiving a search request that includes a defined search area. The method of an embodiment includes providing an extended map based on the search request. The extended map includes geographic areas within the defined search area and outside the defined search area. The method of an embodiment includes providing the GRD. The GRD includes one or more of advertisements, contact information, and review information for one or more entities. The method of an embodiment includes providing map reference information of the GRD on the extended map.” Ahn ’281 at [0178]. “The GIK systems of an embodiment include computer readable medium including executable instructions which, when executed in a processing system, manage geographically referenced data (GRD), by receiving a search request that includes a defined search area. The computer readable medium of an embodiment provides an extended map based on the search request. The extended map of an embodiment includes geographic areas within the defined search area and outside the defined search area. The computer readable medium of an embodiment provides the GRD. The GRD includes one or more of advertisements, contact

’296 Patent Claim Language	Exemplary Disclosures
	information, and review information for one or more entities. The computer readable medium of an embodiment provides map reference information of the GRD on the extended map.” Ahn ’281 at [0205]. *See also* Ahn ’281 at Fig. 1 and [0077].  **Fig. 5** Begum ’880 at Fig. 5. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22. “Since the point of purchase promotion is most effective when the customer is at ground zero, that is, proximate the shelf location of the promoted item, the graphic must be transmitted, received and formatted for display in the brief time that the shopper is strolling past the promoted item.” Begum ’880 at 4:33–38. “The infrared or radio frequency receiver in the handle, used for an alarm when the cart or handle leaves a prescribed area, also be used to receive an advertisement signal by appropriate programming as described.” Begum ’880 at 4:59–63. “The display device 12 also includes a radiation window 34 centrally located above display screen 24. The radiation window includes multiple cells 36, which may comprise receivers for receiving microwave, infrared or other air propagated radiation energy for power supplementation or for reception of external data or control signals transmitted by microwave, infrared or radio signals. For example, in the device of FIG. 2, end cells


’296 Patent Claim Language	Exemplary Disclosures
	36a are utilized for receiving trigger signals emitted from signal transmitters positioned at strategic locations at the perimeter of a shopping establishment to trigger an alarm on the cart and at a central monitoring station in the establishment. Also, the cells 36a may be used to receive trigger or message signals from transmitters positioned strategically along each side of grocery aisles. These signals activate display of select promotional advertisements on the display screen as described in the referenced patent. The cells 36a are preferably used to receive digital message signals from the strategically positioned transmitters as described in greater detail with reference to the operation of the preferred embodiments.” Begum ’880 at 6:18–37. “External components such as an IR beacon 64 and an IR trigger component 66 direct infrared data signals and wake-up signals to the IR photodiodes 68 of the radiation window 36a on the display unit 12. The data signals provide information for reprogramming the memory of inventory and sales information and screen display of activated advertisement and promotional visuals. The IR beacon 64 may also emit a power transmission signal for charge maintenance of the battery pack 40. The IR beacon 64 and trigger component 66 form a transceiver unit 65 for receiving, storing and relaying trigger and data signals from a control unit 67, that centralizes the storewide operation of the system.” Begum ’880 at 8:36–47. “Customarily, each store would have a single control unit 67 that is the central computer for management of the stores inventory and accounting. The control unit 67 communicates with a plurality of transceiver units 65 located throughout the marketing area. Preferably, to minimize installation expenses and allow the plurality of transceiver units 65 to be repositioned in the marketing area as desired, each transceiver unit 65 is in wireless communication with the control unit 67 and has its own power supply. Essentially, the transceiver unit 65 includes the same electronic components as the display unit 12 which allows for independent processing of data and independent communication with a display unit 12 on a nearby shopping cart. ” Begum ’880 at 8:56–9:1. “To conserve power in the transceiver unit 65, the transceiver unit includes a proximity sensor 69 that detects the presence of a shopping cart within range and initiates transmission of the trigger and data signals to the unit 12 on the cart handle. The transceiver unit 65 also includes an RF receiver 71 to receive FM radio frequency transmissions from the central control” Begum ’880 at 9:1–7. “Each transceiver unit 65 can have a separate identification such that data transmitted from the control unit 67 is transmitted store wide but is processed and stored only by the transceiver unit to which the data is intended.” Begum ’880 at 9:8–11.

’296 Patent Claim Language	Exemplary Disclosures
	“In the preferred embodiment, the transceiver unit 65 upon detection of a proximately located shopping cart transmits a trigger signal to wake-up the display unit on the shopping cart if not already in an activated state, then sends the data signal.” Begum ’880 at 9:12–16. “The trigger and data signals, together with a converted D.C. power potentials are delivered to the power control circuit for system wakeup, and trickle feed of energy to the battery pack 40. The trigger signal is passed to the cue output circuit 73, which may be one or more of an audible chime, a handle vibration or a light. Certain IR triggers 66 at the store perimeter may not only trigger an audible alarm in the display unit 12, but include a sound or ultrasound receiver for activating an alarm in the store office when a select frequency emitted by the display unit is detected.” Begum ’880 at 9:56–65. *See also* Begum ’880 at 1:60–2:5, 5:65–6:4, and 9:16–29.  FIG. 1 Begum ’606 at FIG. 1. “ The terminal is connected to a store computer which provides a central location for accessed product data for the many checkout terminals in the store.” Begum ’606 at 2:54–57.


’296 Patent Claim Language	Exemplary Disclosures
	“ In some embodiments, for example, the application-initiated content request may include a data item selected, e.g., taking into account the capabilities of the device, from a group consisting of: a data item representing an available memory of the wireless communication device, a data item representing an audio capability of the wireless communication device, a data item representing a video capability of the wireless communication device, a data item representing a screen size of the wireless communication device, a data item representing a content item type that the wireless communication device is able to present, and a data item representing a location of the wireless communication device.” Levkovitz ’852 at [0010]. “In some embodiments, for example, the modifier is to select the advertisement based on a location of the second wireless communication device.” Levkovitz ’852 at [0045]. “A fifth presentation rule may require, for example, that a certain content item, e.g., an advertisement for a certain shop, be presented when device 170 is geographically located within a pre-defined distance (e.g., 300 meters) of the address of that shop.” Levkovitz ’852 at [0159]. “The SMSC 311 may utilize a Home Location Register (HLR) 313 to determine (e.g., using interrogation) whether recipient device 302 is active, and/or to determine the roaming location of recipient device 302; and may deliver the modified SMS message to recipient device 302, e.g., optionally utilizing a Mobile Switching Center (MSC) 312.” Levkovitz ’852 at [0195]. “In some embodiments, user-selectable operations may be associated with an incoming content item based on one or more properties or characteristics, for example, of the device 1070 and/or its user, and/or other data or parameters (e.g., date, time, location, or the like).” Levkovitz ’852 at [0272]. “a fourth user-selectable operation may be available only when the user or the device 1070 meets certain conditions, e.g., if the device 1070 is within a certain location (e.g., in proximity to a certain restaurant)” Levkovitz ’852 at [0272]. “For example, a first user-selectable action associated with a first incoming content item, may be available only during a certain time and/or while the recipient device is within a certain geographical location.” Levkovitz ’852 at [0273]. *See also* Levkovitz ’852 at [0026].

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Bussmann ’294 at FIG. 1.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 3 Bussmann ’294 at FIG. 3.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 4 Bussmann ’294 at FIG. 4.


H2 Intellect - Exhibit 2010
Home Depot v. H2 Intellect - IPR2025-00480
Page 3462 of 5585

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5 Bussmann ’294 at FIG 5. “FIG. 1 shows a flow diagram depicting an embodiment of a method 100 of providing location-based advertising services. Method 100 comprises, at 102, receiving advertising content and pricing bids from each of a plurality of advertising publishers. As explained in more detail below, the pricing bids comprise an offer to pay a specified amount of money in exchange for having the advertising content of the bidder sent to a device for presentation to a user. Further, the advertising content and bid are associated with a specific bounded geographic area defined in a geographic region. Therefore, the advertising content is sent to devices located within, or within some distance adjacent to, the bounded area. Next, method 100 comprises, at 104, receiving a request from a device for advertising content associated with the bounded area. Then, method 100 comprises, at 106, sending advertising content associated with the top N bids to the device for presentation to a user of the device, wherein N may be zero (in the case of no bids) or a positive integer. In this manner, advertising publishers may bid a specific price to pay for the distribution of advertising content in a specified geographic area, and the highest bidder or bidders win priority to have advertising content items presented to a device user over other lower bidders. Depending upon various device-specific parameters of the device and the nature of the advertising content sent to the device, one or more items of advertising content may be presented on the device at any one time.



’296 Patent Claim Language	Exemplary Disclosures
	Therefore, in some circumstances, the highest bidder's advertising content alone may be sent to a requesting device, while in other circumstances, more than one item of advertising content may be sent to a requesting device. Where more than one item of advertising content is sent to a device, the items of advertising content may be selected based upon descending order of bids. As a specific example, a GPS-enabled smart phone may allow a map to be displayed at various levels of zoom. In one example, for a specific level of zoom in a specific geographic region, the smart phone may be able to display three items of advertising content on a map. In this case, the device may be sent items of advertising content for the top three bidders for the geographic area displayed on the map. Therefore, advertising publishers who wish to have advertising content sent to mobile phones have an incentive to bid close to or above a highest bid for a desired bounded geographic area. This may help to obtain higher bids for distributing the advertising content items, and therefore may contribute to greater economic returns per advertisement view. More detailed implementations of method 100 are discussed in more detail below.” Bussmann ’294 at [0010]–[0011]. “As described above, the bids submitted by each advertising publisher related to a specific bounded area or areas in a geographic region of interest. To enable the solicitation and receipt of such bids, the advertising server 202 may be configured to send each advertising publisher computing device 204, 206, 208 a map showing a geographic region of interest divided into one or more bounded areas. Such bounded areas may be referred to herein as “tiles” defined on the map, and a map that is divided into such bounded areas may be referred to as a “tiled map.” FIG. 3 is an example of map 300 showing a geographic region divided into a plurality of tiles 302. The number and size of tiles into which a geographic region is divided may be selected in any suitable manner. For example, dense urban areas with many businesses per map unit area may be divided into smaller tiles, while less dense rural areas may be divided into larger tiles. In this manner, each individual tile may be separately priced depending upon demand for the distribution of location-based advertising content items in that tile. Likewise, the tiles may have any suitable shape. In the depicted embodiment, the tiles are rectangular in shape and are of equal size. However, in other embodiments, the tiles may have any other suitable shape, and may be of unequal size. Furthermore, while the depicted map is shown as a two-dimensional representation of a geographic area, it will be understood that the map may support either fewer or more dimensions. For example, some maps may be tiled along a third physical dimension. An example of such a scenario is a city with high-rise buildings, wherein different advertising content items may be displayed at different elevations within buildings in the area.” Bussmann ’294 at [0015]. “Upon receipt of such a map, an advertising publisher computing device 204 may receive an input of a selection of one or more tiles in which the publisher wishes to have its advertising content distributed, and then send the selection to the advertising server along with the item or items of advertising content the

’296 Patent Claim Language	Exemplary Disclosures
	publisher wishes to distribute. The advertising publisher computing device 204 also may send other advertising information, such as advertising category information and desired advertising times, to the advertising server 202. This information is collectively referred to as “ad info” in FIG. 2. Upon receipt of this information, the advertising server 202 may provide pricing information to the advertising publisher computing device 204. In some embodiments, the pricing information may comprise a “future price”, as opposed to the current price reflected by the map, and may be determined by a highest existing bid or bids for each selected tile over the requested time interval in light of the category information provided by the advertising publisher. In some embodiments, the total price for a multi-tile area may be lower than a sum of the highest bids for each requested tile for the requested time interval, while in other embodiments, the price for a multi-tile area may have any other suitable relationship to the sum of the individual tile pricings. As described below, the pricing information may be continuously updated as bids are received from various users and demand for the tiles increases or decreases. Further, where no bids have been made on a selected tile, the pricing information may comprise a preselected minimum price for a tile.” Bussmann ’294 at [0017]. “Next, method 400 comprises, at 404, receiving a tiled map from the server and displaying the tiled map on a graphical user interface, wherein the tiled map shows an N-dimensional view of a geographic region divided into one or more tiles. In this manner, an advertising publisher may select tiles corresponding to geographic areas in which (or in connection with which) the publisher wishes to have an item of advertising content displayed. As described above, each tile may have any suitable shape and size. For example, dense urban areas may be divided into more tiles than less dense rural areas. Further, each tile may have a size and shape similar to the other tiles, or one or more tiles may have different sizes and shapes compared to the other tiles. In some embodiments, the tiles may have arbitrary polygonal (or polycurved, etc.) shapes that do not correspond to geographic features of the region represented by the map. In other embodiments, the tiles may have boundaries that follow geographic features of the region represented by the map. Further, the map may be displayed in colors or other visual indicators of the relative demand and/or cost of each tile displayed.” Bussmann ’294 at [0026]. “Method 400 next comprises, at 406, receiving a selection of tiles from a user via the graphical user interface, and then sending the selection of tiles to the advertising server. In addition to the selection of tiles, advertising content for the selection of tiles also may be sent to the advertising server, as indicated at 408. In some embodiments, as indicated at 410, the advertising content may then be viewed in a preview feature offered by the advertising content server. Such a preview may allow an advertising publisher to view a representation of how advertising content may appear to users of different types of devices, at different levels of zoom and/or


’296 Patent Claim Language	Exemplary Disclosures
	panning, etc. In this manner, an advertising publisher may use the preview process as an aid to developing effective advertising content for specific devices, locations, etc.” Bussmann ’294 at [0027]. “Continuing with the figures, FIG. 5 shows a method 500 of operating an advertising server. Method 500 illustrates various details of method 400 from the advertising server's point of view, where communications with an advertising publisher client are shown in a left-hand side of the figure and communications with a device are shown in a right-hand side of the figure. Method 500 first comprises, at 502, receiving a logon request from an advertising publisher client, and connecting to the client. Next, at 504, a tiled map is sent to the client to allow the advertising publisher to select tiles in which it is interested in having its advertising content distributed. After sending the tiled map, a selection of tiles on the map is received from the client at 506, and advertising content is received from the client at 508. As described above, in some embodiments, an advertising server may be configured to allow an advertising publisher to view a preview of advertising content in the tiles selected by the advertising publisher. Therefore, method 500 comprises, at 510, sending an advertising content preview to the client. In some embodiments, the advertising content preview may be an interactive preview configured to allow an advertising publisher to view an item of advertising content on different types of devices, at different levels of zoom, panning, etc. to see how the item of advertising content will appear to a user in various specific geographic locations. In this manner, an advertising publisher may be able to tailor an appearance of an item of advertising content to a desired appearance in a specific device and/or location. Method 500 next comprises, at 512, receiving advertising category and advertising display time information from the client. Examples of category and display time information are discussed in detail above. While the depicted embodiment shows the category and time information appearing in a later step than the receipt of the ad content and selection of tiles, it will be understood that these items may be received in any suitable order. Upon receipt of the selection of tiles, ad content, and category and time information, method 500 comprises, at 514, sending price information to the client, and then at 516, receiving a bid from a client. The bid is then stored in an updated bid information database, as indicated at 518. It will be understood that processes 502-518 may be performed by a plurality of different publishers on a continuous, rolling basis as clients wish to submit bid information. Further, the advertising server also may interact with requesting devices on a continuous, rolling basis to provide items of advertising content to the devices. An example of a transaction with a device such as a PND or the like is shown in FIG. 5 at 520-526. First, at 520, method 500 comprises receiving from a device a request for advertising content. Upon receipt of this request, it is determined, at 522, a number N of items of advertising content to send to the device. The number N of items of advertising



’296 Patent Claim Language	Exemplary Disclosures
	content may vary depending upon a number of factors, including but not limited to, a type/brand/model of device that sent the request, a current level of zoom currently shown on the device display, and/or whether any advertising publishers have paid for exclusive advertising rights to a tile that is within the relevant geographic area.” Bussmann ’294 at [0035]–[0038].  FIG. 5A Mello ’479 at FIG. 5A. “The example geographic area 10, in which the example methods and apparatus described herein may be implemented, includes an example business 12, which may sell products and/or services. The example geographic area 10 also includes various media that may be used to present advertisements or other information (e.g., product/services information, entertainment audio/video, etc.).” Mello ’479 at [0028]. “After the web event data collector 166 stores the query string search criteria and associated information (block 510) or if the web event data collector 166 determines that a query has not been submitted (block 508), the media capture data collector 168 (FIG. 3) determines whether a media signal (e.g., an audio signal, a video signal, an RF signal, etc.) has been captured (block 512). For example, the media signal may be an audio signal associated with an advertisement presented by the audio device 16 or the video device 18 (FIG.


’296 Patent Claim Language	Exemplary Disclosures
	1), a video signal presented by the video device 18 (FIG. 1), or an RF signal emitted by the RF transceiver 22 of the billboard 20 (FIG. 1). The media capture data collector 168 then determines whether the captured media signal includes a code (block 514). If the captured media signal includes a code, the media capture data collector 168 extracts (or creates a copy of) the code (block 516). If the captured media signal does not include a code (block 514), the media capture data collector 168 generates a signature of the captured media signal (block 518). Alternatively, a signature can always be collected regardless of whether a code was collected. After the media capture data collector 168 extracts a code (block 516) and/or generates a signature (block 518), the media capture data collector 168 stores the media representation information (e.g., the code and/or the signature) (block 520) in the media data log file 184 (FIG. 3). After the media capture data collector 168 stores the media representation information (block 520) or if the media capture data collector 168 determines that a media signal has not been captured (block 512), the consumer purchase data collector 170 determines whether any input data relating to potential purchases have been received (block 522) (FIG. 5B). In the illustrated example, the potential purchase data is data indicative of a product or a service such as, for example, bar code information read using the bar code reader 136 (FIG. 2) or RFID information received via the RF transceiver 134 (FIG. 2) in response to the monitored person 32 scanning a product or a service document. If the consumer purchase data collector 170 determines that potential purchase data has been received (block 522), the consumer purchase data collector 170 determines whether the monitored person 32 purchased the product or service corresponding to the received potential purchase data (block 524). For example, the consumer purchase data collector 170 may receive subsequent information or the potential purchase information received at block 522 may have a corresponding purchase confirmation flag indicating that the monitored person 32 purchased the related product or service. If the consumer purchase data collector 170 determines that the monitored person 32 made the purchase (block 524), the consumer purchase data collector 170 stores the purchase information (block 526) in association with a corresponding timestamp and location identifier in the purchase data log file 186 (FIG. 3).” Mello ’479 at [0082]–[0084].

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 2A Busch ’815 at Fig. 2A.  FIG. 16A

’296 Patent Claim Language	Exemplary Disclosures
	Busch ’815 at Fig. 16A. “Significant benefit is provided by a content targeting methods and systems usable with mobile devices that provide feedback to the advertisers—especially those advertisers that have brick and mortar businesses—to help them judge the effectiveness of their targeted content. The effectiveness of a business' advertising effort may be measured by determining with regard to a user of a device that has received targeted content one or more of: whether the user visits a business location of a content producer after their content has been delivered to the device; the time spent at the location; and, how much money was spent at the business by that user (especially in the case where the user pays through an online payment service utilizing the mobile device).” Busch ’815 at [0008]. “The present invention provides among other things methods and systems to obtain data relating to location from mobile devices, processing this data, sending content to a mobile device based at least in part on location data, integration of location data associated with a mobile device with web based applications accessed with a standard computer or laptop, integration of location data with conversion tracking systems, integration of location data with customer relationship management systems and systems to determining retail business location performance, integration with social uses of location data of mobile devices, and integration with navigation uses of location data associated with mobile devices.” Busch ’815 at [0159]. “The location is a specific business locations defined by a coordinate or a perimeter; however, the location may also be a group of businesses defined by a list of different geographic locations.” Busch ’815 at [0286]. “Methods and systems are disclosed for providing customized content to users based on their location. In one embodiment, for each of one or more content providers, a customized content delivery function receives information from the content provider defining a number of geographic shapes selecting corresponding geographic areas. Preferably, each of the geographic shapes overlaps at least one other of the geographic shapes and is assigned an importance level. For each geographic shape, the content provider defines one or more tags for the geographic shape and assigns a weight to each of the one or more tags. Thereafter, when a request is received from a requestor, one or more content items are selected for delivery to the requestor based on the geographic shapes, the tags and corresponding weights for the geographic shapes, and the location of the requestor.” Svendsen ’073 at Abstract.

’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 1* Svendsen ’073 at Fig. 1.

’296 Patent Claim Language	Exemplary Disclosures
	 ***FIG. 2A*** Svendsen ’073 at Fig. 2A.  ***FIG. 4A*** Svendsen ’073 at Fig. 4A.

’296 Patent Claim Language	Exemplary Disclosures
	 ***FIG. 4B*** Svendsen ’073 at Fig. 4B.

’296 Patent Claim Language	Exemplary Disclosures

SHAPE	Z-ORDER	KEYWORDS
26	0	Change = 80, NAFTA = 30, election = 100, experience = 20
28	1	job loss = 50, trade deficit
30	2	Iraq = 90, oil prices = 70
32	0	Change = 80, NAFTA = 30, election = 100, experience = 20
34	1	trade deficit = 80
36	2	Iraq = 90
38	3	job loss = 50
40	4	oil prices = 70



FIG. 4C



Svendsen ’073 at Fig. 4C.


POINT	INTERSECTING SHAPES	KEYWORDS	BID
42	26, 28	Change = 80, NAFTA = 30, election = 100, experience = 20, job loss = 50, trade deficit = 25	305
44	32, 34	Change = 80, NAFTA = 30, election = 100, experience = 20, trade deficit = 80	310


FIG. 4D


Svendsen ’073 at Fig. 4D.


’296 Patent Claim Language	Exemplary Disclosures
	 ***FIG. 6A*** Svendsen ’073 at Fig. 6A. SHAPE | Z-ORDER | KEYWORDS 46 | 0 | Rock = 80, Country = 30, Pop = 30 48 | 1 | Alternative = 50 50 | 2 | Polka = 200 52 | 3 | Rap = 80 54 | 4 | Jazz = 10 56 | 5 | Beach = 95 ***FIG. 6B*** Svendsen ’073 at Fig. 6B.  ***FIG. 7A*** Svendsen ’073 at Fig. 7A.


’296 Patent Claim Language	Exemplary Disclosures
	 ***FIG. 7B*** Svendsen ’073 at Fig. 7B.  ***FIG. 9*** Svendsen ’073 at Fig. 9.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 10A Svendsen ’073 at Fig. 10A.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 10B Svendsen ’073 at Fig. 10B.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 10C Svendsen ’073 at Fig. 10C.


’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 10D* Svendsen ’073 at Fig. 10D.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 12 Svendsen ’073 at Fig. 12. “For each content provider, the central custom content delivery function also receives information from the content provider defining a number of geographic shapes selecting corresponding geographic areas. For each geographic shape, the content provider defines one or more tags for the geographic shape, or the geographic area selected by the geographic shape, and assigns a weight to each of the one or more tags. Like the tags assigned to the content items of the content provider, the tags assigned to the geographic shapes defined by the content provider may each be, for example, a keyword, a demographic criterion, or the like.” Svendsen ’073 at 1:31–41. “In addition, for each content provider, information defining a number of geographic shapes selecting corresponding geographic areas is received from the content provider (step 102). Preferably, the geographic shapes are user-defined shapes defined by a user associated with the content provider. For example, a user associated with a content provider may provide a center point and radius defining a circle that selects a desired geographic area; four points defining a square or rectangular shape that selects a desired geographic area; a number of points, curves, or lines defining an arbitrary shape that selects a desired geographic area; or the like. As another example, the user may provide a line or curve and a distance (d) defining a shape selecting a geographic area within the distance (d) from the line or curve. Preferably, each of the geographic

’296 Patent Claim Language	Exemplary Disclosures
	shapes defined by a content provider completely or partially overlaps at least one other of the geographic shapes. In addition, the geographic shapes defined for a content provider are preferably hierarchical in that the geographic shapes are assigned importance levels, which are referred to herein as z-order values. For each geographic shape of each content provider, information is received from the content provider defining one or more keywords and corresponding weights assigned to the geographic shape (step 104).” Svendsen ’073 at 3:11–34. “As an example, FIG. 2A illustrates exemplary geographic shapes 10 through 16 defined by a content provider according to one embodiment of the present invention. While not shown, the geographic shapes 10 through 16 are combined with or overlaid upon a map or similar data structure to identify the corresponding geographic areas. Each one of the geographic shapes 10 through 16 overlaps or intersects at least one other one of the geographic shapes 10 through 16, and each one of the geographic shapes 10 through 16 is assigned an importance level, or z-order value. In this example, the content provider has assigned the keyword Red with a weight of 80 and the keyword Blue with a weight of 30 to the geographic shape 10, which is also referred to as Shape A. In other words, the content provider has tagged the geographic shape 10 with the keywords Red and Blue. The content provider has assigned the geographic shape 10 a z-order value of 0, thereby setting the geographic shape 10 to a lowest importance level. Likewise, the content provider has assigned the keyword White with a weight of 50 to the geographic shape 12, which is also referred to herein as Shape B, and assigned the geographic shape 12 a z-order value of 1. The content provider has assigned the keyword Blue with a weight of 90 to the geographic shape 14, which is also referred to herein as Shape C, and assigned the geographic shape 14 a z-order value of 2. Lastly, the content provider has assigned the keyword Green with a weight of 10 and the keyword Red with a weight of 20 to the geographic shape 16, which is also referred to herein as Shape D, and assigned the geographic shape 16 a z-order value of 3.” Svendsen ’073 at 3:35–63. “IGS. 4A through 4D graphically illustrate the process of FIG. 3 with respect to one advertiser according to one embodiment of the present invention. FIGS. 4A and 4B illustrate geographic shapes defined by the advertiser to select geographic areas of interest to the advertiser. More specifically, as illustrated in FIG. 4A, the advertiser has defined a geographic shape 26 selecting the state of Ohio, a geographic shape 28 selecting a geographic area within the state of Ohio, and a geographic shape 30 selecting a geographic area including part of the state of Ohio as well as part of the states of Kentucky and West Virginia (not shown). In addition, as illustrated in FIG. 4B, the advertiser has defined a geographic shape 32 selecting the state of Texas and geographic shapes 34 through 40 selecting corresponding geographic areas within the state of Texas.” Svendsen ’073 at 7:49–63.

’296 Patent Claim Language	Exemplary Disclosures
	“FIGS. 6A through 6C graphically illustrate the process of FIG. 5 according to one embodiment of the present invention. FIG. 6A illustrates geographic shapes defined by a content provider to select geographic areas of interest to the content provider.” Svendsen ’073 at 9:62–66. “More specifically, as illustrated in FIG. 6A, the audio provider has defined a geographic shape 46 selecting the state of North Carolina and geographic shapes 48 through 56 selecting corresponding geographic areas within the state of North Carolina. FIG. 6B illustrates keywords and corresponding weights assigned to each of the geographic areas 46 through 56 by the audio provider as well as z-order values, or importance levels, assigned to the geographic shapes 46 through 56 by the audio provider. Note that in this example, the keywords are music genres.” Svendsen ’073 at 10:3–12. “As discussed above, an account of a content provider includes information defining geographic shapes defined by the content provider and, for each content item of the content provider, one or more keywords assigned to the content item. In addition, for each geographic shape defined by the content provider, the account of the content provider includes keywords assigned to the geographic shape as well as weights for those keywords. Lastly, the account may include a z-order, or importance level, for each of the geographic shapes.” Svendsen ’073 at 13:52–60. “Using advertisers as an example, in operation, one or more advertisers register with the customized content delivery function 78. As discussed above, each advertiser defines a number of geographic shapes selecting corresponding geographic areas.” Svendsen ’073 at 14:19–23. “It should be noted that due to the arbitrary nature of the geographic shapes that may be defined by the content providers, it could become computationally expensive to sift through all geographic shapes given a request from a requester located at a specific position. Thus, in one embodiment, an overall geographic area from which the content providers may select may be divided into a number of cells as illustrated in FIG. 12.” Svendsen ’073 at 15:1–8. *See also* Svendsen ’073 at 4:48–67. “There are already several ad network/platforms available for iPhone apps. Here’s the current list of offerings: • Crisp Wireless - currently creates banners + microsites; used by the New York Times and Washington Post apps • PurpleTalk - allows creation of customizable text banners; features ad exchange “Partner Network”

’296 Patent Claim Language	Exemplary Disclosures
	• AppLoop - claims to be the first real-time, location-based mobile advertising network • Pinch Media - widely-used ad network on dozens of iPhone apps • Medialets - offers CPM, CPC and CPA advertising run natively through iPhone apps • AdMob -offers rich-media (video-, map- and Apple App Store-integrated) banner ads on iPhone apps; also has an impressive list of signed clients” Menayan 2008 at 1. “• Precisely Target your ads based on location and context. • Advanced Statistics report the performance of all your advertising campaigns. • Engage dedicated, valuable, and near-by users from the palm of their hand. Get Started • Bring your advertising strategy to the next level with location-based mobile advertising, Why spend money advertising to people sitting on their couch or at a computer desk? Mobile application users are active and ready to spend money.” AppLoop.com: Advertisers at 1. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[1c] reserving delivery of content from a plurality of sponsors to the plurality of registered application programs on the basis of both a geographic area and an application program type associated with each of the plurality of registered application programs;	The following prior art expressly or inherently discloses and renders obvious “reserving delivery of content from a plurality of sponsors to the plurality of registered application programs on the basis of both a geographic area and an application program type associated with each of the plurality of registered application programs.” For example:


’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 2 Andreasson ’890 at FIGURE 2.



’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 4 Andreasson ’890 at FIGURE 4. “One or more application owners, for example, trade fair organizers or travel agents, register an application 122, 124 and 126 with and store an application 122, 124 and 126 on the server 110 as discussed above. Each application has an associated region 130 and duration, which is also stored on the server 110. The portable electronic device 140/240 includes a download control circuit 250 that is configured to periodically check the position of the portable electronic device 140/240 using an absolute positioning device, for example, a GPS receiver or Cell ID, or a relative positioning device such as discovery of Bluetooth devices and the like. The position data, for example, geographical coordinates, is sent to the system server 110 in addition to a unique device identifier associated with the portable electronic device 140/240. The server 110 then determines if the portable electronic device 140/240 has entered a new region or a new region has been registered where the portable electronic device 140/240 is located. The periodical check of the position of the portable electronic device 140/240 may be quite frequent while the actual transmitting of position data to the server 110 may be less frequent. For example, the portable electronic device 140/240 can determine that a small position change is reported only once during a longer time period, for example, a day or an hour, while a larger position change is reported directly. The user of the portable electronic device 140/240 may also manually issue a



’296 Patent Claim Language	Exemplary Disclosures
	position check and report without departing from the scope of the present invention.” Andreasson ’890 at [0056]. “When the server 110 determines that a portable electronic device 140/240 has entered a new registered region 130, the server 110 may be configured to check that a unique device identifier associated with the portable electronic device 140/240 is associated with the application for this particular region 130. For example, the server 110 determines if the unique device identifier for this portable electronic device 140/240 is in the set of device identifiers associated with this particular application. If the unique device identifier of the portable electronic device 140/240 is present in the set of identifiers associated with the applications, the communication circuit 115 of the server 110 is configured to transmit a link (URL) to the application data and the duration data for the application for the region 130 to the portable electronic device 140/240. When the portable electronic device enters a new region 130, the portable electronic device may be configured to automatically download the data from the URL received from the server 110. In some embodiments of the present invention, the content of the URL may be a web page. The web browser 218 of the portable electronic device 140/240 may be started and the web page may be loaded on the display 214. In certain embodiments of the present invention, a bookmark for the web page may be created automatically so as to allow future access to the web page. In further embodiments of the present invention, the content of the URL may be an executable application, for example, a Java Midlet, it may be installed and automatically executed. In some embodiments of the present invention, a uninstall event may be scheduled based on the duration information provide from the server 110.” Andreasson ’890 at [0057]–[0058]. “As shown in FIG. 1, the Web server 24 includes, for example, an APL member registration unit 31, an APL downloading unit 32, an APL particular service providing unit 33, an advertisement-member registration unit 34, an advertisement selecting unit 35, and a control unit 36. The APL member registration unit 31 performs member registration before an application program APL is downloaded, which will be described later. The APL downloading unit 32 downloads the above-mentioned application program APL.” Kinoshita ’866 at [0041]. “The APL particular-service providing unit 33 provides services such as content selling service, shop searching service, and photo printing service by using the application program APL.” Kinoshita ’866 at [0042]. “The cellular phone 12-1 accesses the Web server 24 by using the URL received in the step ST12 and downloads an application program APL. The cellular phone 12-1 transfers the application program APL to the memory 58 of FIG. 2. The application program APL includes a default advertisement video. In the present



’296 Patent Claim Language	Exemplary Disclosures
	embodiment, the default advertisement video has no digital content data. In the present embodiment, the number of videos included in the cellular phones 12-1 and 12-2 is not limited.” Kinoshita ’866 at [0093]. “When a user receives a particular service from the service device 14 by using the cellular phone 12-1, the processing circuit 59 reads out the application program APL from the memory 58 and starts it. Staring the application program APL, the processing circuit 59 reads out an advertisement video from the memory 58 and plays it on the display 54.” Kinoshita ’866 at [0094]. “The cellular phone 12-1 communicates with the service device 14 via the R/W device 16 by using the function of the application program APL. At this time, the cellular phone 12-1 transfers attribute data and a list of advertisement videos and digital content data, which are stored in the memory 58 of FIG. 2, to the service device 14, as well as given service requests. The service device 14 transfers the above things received from the cellular phone 12-1 to the memory 68 of FIG. 3. The attribute data includes, for example, user's age, gender, and preferences.” Kinoshita ’866 at [0096]. “The cellular phone 12-1 transfers a member registration request to the Web server 24 in order to use digital content data associated with an advertisement video.” Kinoshita ’866 at [0117]. “The Web server 24 performs the member registration of the user or his cellular phone 12-1 according to the member registration request sent from the cellular phone 12-1.” Kinoshita ’866 at [0119]. “In this registration process, the cellular phone 12-1 transfers data such as age, gender, preference, and local information to the Web server 24 to register them.” Kinoshita ’866 at [0119]. “A user's friend, who is not in a shop, sends a member registration request to the web server 24 by using his cellular phone 12-2 in order to use an application program APL. If the cellular phone 12-2 has already downloaded the application program APL, the present process is not necessary.” Kinoshita ’866 at [0123]. “The Web server 24 performs member registration according to the above member registration request and uploads the application program APL to the cellular phone 12-2. The cellular phone 12-2 transfers the application program APL to the memory 58 of the FIG. 2.” Kinoshita ’866 at [0125]. “A user of the cellular phone 12-2 transfers a member registration request to the Web server 24 in order to use the digital video data received in the step ST 25.” Kinoshita ’866 at [0131]. “The Web server 24 performs member registration of the cellular phone 12-2 or its user according to the request from the cellular phone 12-2.” Kinoshita ’866 at [0133].

’296 Patent Claim Language	Exemplary Disclosures
	See also Kinoshita ’866 at Fig. 1, Fig. 2, Fig. 3, Fig. 4, Fig. 5, Fig. 6, Fig. 7, Fig. 8, Fig. 9, Fig. 10, Fig. 11, Fig. 12, [0011], [0043], [0091], and [0109]. “Data communicated to the receiver component 102 from a user generally is associated with a particular entity or object (e.g., building, landscape, house, street corner, landmark, . . .) or a specific geographic location (address, geographic coordinates).” Smith ’558 at [0069]. “Other information can be provided from commercial organizations, such as shopping malls that upload mall layout information and individual stores that provide information about sales or other relevant data. It should be noted that this information can be collected worldwide and the data associated with the disclosed embodiments is not limited to one area or country. Additionally or alternatively, the information relating to the businesses can be presented to the user based on the user's actual location or based on a mapping area viewed by the user. In such a manner, a user can receive business information for a geographic region of interest to the user (e.g., planning a vacation or business trip).” Smith ’558 at [0079]. “Overwrite component 604 might further be configured to modify map features based on advertiser information 610. Advertisers can purchase advertisements in the display space utilizing a per diem scheme, a click through scheme, any other scheme or combination of schemes. Advertisements can also be purchased based on geographic location. Such geographic location can be the actual physical location of the user or alternatively can be the geographic area that the user is viewing, which may not be the same as the physical location of the user.” Smith ’558 at [0117]. “With reference now to FIG. 36, illustrated is a system 3600 that facilitates on-line or real-time advertising and can also be referred to as geo-diluted advertising. Geo-diluted advertising is geared toward commercial establishments or others that desire to advertise using the map features and associated geographic area(s), which might be at an extreme the entire world or more focused, such as two city blocks.” Smith ’558 at [0236]. “An advertiser may want to advertise in a specific area and is willing to spend a particular amount of money (e.g., $2.00, $4.00, $10.00, . . .) per click-through by a user, for example. A coverage component 3602 can be a tool or wizard that creates a layer for the desired geography. The coverage component 3602 receives information relating to advertisement coverage desired by advertisers for a particular geographic location or area 3604.” Smith ’558 at [0236].


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Sato ’965 at Fig. 1. ““Position” field 202 stores a position inside region 146 (see FIG. 1) to which is related the content expressed by content data 152.” Sato ’965 at [0079]. “In the example as shown in FIG. 3, the position inside region 146 is represented by the latitude and longitude. In addition, a mode for representing a position inside region 146 is not limited to the foregoing. Further, a position inside region 146 to which content is related is called a “content position” in this specification.” Sato ’965 at [0080]. “The content of content data 152 is displayed in region 1108. In the example as shown in FIG. 20, content data 152 is advertising information of a restaurant.” Sato ’965 at [0240]. *See also* Sato ’965 at Fig. 6, Fig. 7, Fig. 8, Fig. 9, Fig. 10, [0054], and [0284].

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Ahn ’281 at Fig. 1.  FIG. 4 Ahn ’281 at Fig. 4.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5C Ahn ’281 at Fig. 5C.  FIG. 5D Ahn ’281 at Fig. 5D.



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 6 Ahn ’281 at Fig. 6.  FIG. 9 Ahn ’281 at Fig. 9.



’296 Patent Claim Language	Exemplary Disclosures
	“In addition to the extended map sent back to the user, map-advertising information is also sent back in accordance with an embodiment of the invention. The map-advertising information is a set of information that generally is used by the local map handler 302 to decide which set of advertisements is presented to the user.” Ahn ’281 at [0055]. “FIG. 10 is an example flowchart of a method by which the advertising feature of the present invention is provided, according to an embodiment of the invention. In the first operation, an advertising scheme is defined which is based on the association of advertising regions of a map to advertisements (step 1002). Next, the map presented to the user and, optionally, the cursor position, (step 1004) is used to determine the one or more advertisements to be displayed or presented to the user (step 1006). Marketing-related information, such as the advertisements presented and whether there was a click through, and other information are captured and stored (step 1014). This is captured on the client device 110 and alternatively also sent to the map manager 102 (step 1020). This marketing-related information may be used to help in soliciting more advertising revenues or to tailor the advertising scheme to obtain a better stream of revenue.” Ahn ’281 at [0095]. “The geographic information knowledge (GIK) systems of an embodiment include a method for managing geographically referenced data (GRD). The method of an embodiment includes receiving a search request that includes a defined search area. The method of an embodiment includes providing an extended map based on the search request. The extended map includes geographic areas within the defined search area and outside the defined search area. The method of an embodiment includes providing the GRD. The GRD includes one or more of advertisements, contact information, and review information for one or more entities. The method of an embodiment includes providing map reference information of the GRD on the extended map.” Ahn ’281 at [0178]. “The GIK systems of an embodiment include computer readable medium including executable instructions which, when executed in a processing system, manage geographically referenced data (GRD), by receiving a search request that includes a defined search area. The computer readable medium of an embodiment provides an extended map based on the search request. The extended map of an embodiment includes geographic areas within the defined search area and outside the defined search area. The computer readable medium of an embodiment provides the GRD. The GRD includes one or more of advertisements, contact information, and review information for one or more entities. The computer readable medium of an embodiment provides map reference information of the GRD on the extended map.” Ahn ’281 at [0205].

’296 Patent Claim Language	Exemplary Disclosures
	 **Fig. 5** Begum ’880 at Fig. 5. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22. “Since the point of purchase promotion is most effective when the customer is at ground zero, that is, proximate the shelf location of the promoted item, the graphic must be transmitted, received and formatted for display in the brief time that the shopper is strolling past the promoted item.” Begum ’880 at 4:33–38. “The infrared or radio frequency receiver in the handle, used for an alarm when the cart or handle leaves a prescribed area, also be used to receive an advertisement signal by appropriate programming as described.” Begum ’880 at 4:59–63. “The user interface is designed to allow the user to access all of the available data including stored promotional graphics by a control system that is intuitive. Furthermore, the hybrid system devised for automatic display of promotional graphics, is designed to incorporate features that are beneficial in facilitating automatic update of the promotional advertisements.” Begum ’880 at 4:65–5:4. “External components such as an IR beacon 64 and an IR trigger component 66 direct infrared data signals and wake-up signals to the IR photodiodes 68 of the radiation window 36a on the display unit 12. The data signals provide information for reprogramming the memory of inventory and sales information and screen display of activated advertisement and promotional visuals. The IR beacon 64 may also emit a power

’296 Patent Claim Language	Exemplary Disclosures
	transmission signal for charge maintenance of the battery pack 40. The IR beacon 64 and trigger component 66 form a transceiver unit 65 for receiving, storing and relaying trigger and data signals from a control unit 67, that centralizes the storewide operation of the system.” Begum ’880 at 8:36–47. “Customarily, each store would have a single control unit 67 that is the central computer for management of the stores inventory and accounting. The control unit 67 communicates with a plurality of transceiver units 65 located throughout the marketing area. Preferably, to minimize installation expenses and allow the plurality of transceiver units 65 to be repositioned in the marketing area as desired, each transceiver unit 65 is in wireless communication with the control unit 67 and has its own power supply. Essentially, the transceiver unit 65 includes the same electronic components as the display unit 12 which allows for independent processing of data and independent communication with a display unit 12 on a nearby shopping cart. ” Begum ’880 at 8:56–9:1. “To conserve power in the transceiver unit 65, the transceiver unit includes a proximity sensor 69 that detects the presence of a shopping cart within range and initiates transmission of the trigger and data signals to the unit 12 on the cart handle. The transceiver unit 65 also includes an RF receiver 71 to receive FM radio frequency transmissions from the central control” Begum ’880 at 9:1–7. “The digitized screen graphic is stored in a file in the memory of the transceiver unit 65, and is periodically updated or replaced by transmissions from the control unit 67.” Begum ’880 at 9:52–55. *See also* Begum ’880 at 1:60–2:5, 5:65–6:4, 6:18–37, 9:12–16, 9:16–29, 9:56–65, 10:16–31, and 10:41–51.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Begum ’606 at FIG. 1. “In the preferred embodiment, the communication units are primarily portable and communicate with the coupon interface modules via wireless data transmissions. Furthermore, the discount coupons are preferably activated when the shopper is in the market area proximate the location of the discounted items. In this situation, a local message sending unit proximate the location of the item activates the display of the coupon graphic on the display screen of the communication unit carried by the shopper or mounted on the shopper's cart. ” Begum ’606 at 3:4–14. “In addition to the remote loading and discontinuance, the use of a transceiver enables the display of coupons to be generated proximate the store location of the item that is the subject of the coupon. ” Begum ’606 at 5:56–59. “Each message sending unit 58 is locationally identified and loaded with locationally specific data by the storewide systems controller 50 that remotely transmits storewide transmission signals. In this embodiment, the product control data accompanying the coupon display data includes the identity, hence location, of the transmitting message sending unit 58. T” Begum ’606 at 5:63–6:2.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 11 Levkovitz ’852 at Fig. 11.  FIG. 12 Levkovitz ’852 at Fig. 12.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 13 Levkovitz ’852 at Fig. 13.  FIG. 14 Levkovitz ’852 at Fig. 14. “In some embodiments, previously-prepared applications, e.g., utilities or games for mobile phones, may be configured or adapted to include or embed a content client, e.g., using a Software Development Kit (SDK) or a Close Class.” Levkovitz ’852 at [0006].

’296 Patent Claim Language	Exemplary Disclosures
	“ In some embodiments, for example, the application-initiated content request may include a data item selected, e.g., taking into account the capabilities of the device, from a group consisting of: a data item representing an available memory of the wireless communication device, a data item representing an audio capability of the wireless communication device, a data item representing a video capability of the wireless communication device, a data item representing a screen size of the wireless communication device, a data item representing a content item type that the wireless communication device is able to present, and a data item representing a location of the wireless communication device.” Levkovitz ’852 at [0010]. “In some embodiments, for example, the plurality of content items may include at least a first version of the content item adapted for presentation using a first type of wireless communication device, and a second version of the content item adapted for presentation using a second type of wireless communication device.” Levkovitz ’852 at [0030]. “In some embodiments, for example, the message may include a message selected from a group consisting of: a Short Message Service (SMS) message, a Multimedia Messaging Service (MMS) message, an Instant Messaging (IM) message, and an Electronic Mail (Email) message.” Levkovitz ’852 at [0039]. “In some embodiments, for example, the modifier is to select the advertisement based on a location of the second wireless communication device.” Levkovitz ’852 at [0045]. “ In some embodiments, for example, a wireless communication device may include a wireless communication device to receive an advertisement selected in response to an application-initiated content request, to present the advertisement in a context of an application running on the wireless communication device, and to present one or more user-selectable operations selectively associated with the advertisement. The application may be, for example, a gaming application, a utility application, or the like.” Levkovitz ’852 at [0069]. “In accordance with some embodiments of the invention, device 170 may include an application 176 having a content client 174. The application 176 may be; for example, a game or a software application.” Levkovitz ’852 at [0095]. “The content client 174 may be a module of application 176, a plug-in of application 176, or an external module operatively associated application 176. Content client 174 may be able to send a wireless signal indicating a request (“content request”) to receive one or more content items, e.g., textual content, audio content, video content, advertisement, informational items, or the like. The content request may include, for example, data indicating properties of device 170, e.g., handset manufacturer, handset model, screen


’296 Patent Claim Language	Exemplary Disclosures
	resolution, screen color depth, audio capabilities, total memory, available memory, types of content items which the device 170 is capable to present, or the like; data indicating properties of the user of device 170, e.g., age, age group, gender, occupation, profession, areas of interest, income, usage habits, usage patterns, usage time, or the like; and/or other suitable information, e.g., data indicating the type of application associated with application 176, data identifying application 176, or the like.” Levkovitz ’852 at [0095]. “ In some embodiments, ad servers 150 may include multiple servers which may be shared among multiple campaigns or may be dedicated for a specific campaign or type of operation. For example, in one embodiment, a first ad server. 150 may serve content items directed for presentation using a first application 176 (e.g., a chess game), whereas a second ad server 150 may serve content items directed for presentation using a second application 176 (e.g., a racing game). In another embodiment, a first ad server 150 may serve content items directed for presentation using a first type of applications 176 (e.g., games), whereas a second ad server 150 may serve content items directed for presentation using a second type of applications 176 (e.g., utility applications). In yet another embodiment, a first ad server 150 may serve content items of a first type (e.g., images in JPG format, images having a first file size, or the like), whereas a second ad server 150 may serve content items of a second type (e.g., images in GIF format, images having a second file size, or the like). In still another embodiment, a first ad server 150 may serve content items for SMS-related applications, a second ad server 150 may serve content items for MMS-related applications, a third ad server 150 may serve content items for IM-related applications, a fourth ad server 150 may serve content items for Email-related applications, and a fifth ad server 150 may serve content items for other types of applications. In some embodiments, a single ad server 150 may serve content items to multiple applications (e.g., SMS-related applications and/or MMS-related applications and/or IM-related applications and/or Email-related applications, or a combination of some of these applications). Other suitable combinations and configurations may be used. In another embodiment, a first ad server 150 may be dedicated to serve content items associated with a first advertiser, whereas a second ad server may be dedicated to serve content items associated with a second advertiser or with a group of multiple advertisers. Other suitable configurations may be used.” Levkovitz ’852 at [0099]. “A content adapter 137 of management server 140 may create multiple versions of content item, for example, having various dimensions, various color depth, various sizes in bytes, various file formats (e.g., JPG, GIF, TIF, BMP, AVI, MPG, MOV, TXT, or the like), various codec sets, or differing in other properties. In one embodiment, for example, content items may have multiple versions corresponding to a descriptive property of device 170, e.g., a full-size content item which may fill the entire screen of device 170, a half-screen size content item which may occupy approximately one half of the screen of device 170, a quarter-screen size


’296 Patent Claim Language	Exemplary Disclosures
	content item which may include a square-shaped or rectangular content item which may occupy approximately one quarter of the screen of device 170, or the like. ” Levkovitz ’852 at [0105]. “ Inventory manager 133 may estimate or predict usage of content items inventory, and may be used to categorize inventory content items. For example, a gaming content item may be added to an inventory list, stored in database 140, and categorized according to various criteria, e.g., game type, relevant ad types, or the like.” Levkovitz ’852 at [0109]. “ In some embodiments, a first ad server 110 may be assigned to serve a first content item or a first group of content items (e.g., associated with a first advertiser, or having a first type or size), and a second, different ad server 110 may be assigned to serve a second content item or a second group of content items (e.g., associated with a second advertiser, or having a second type or size).” Levkovitz ’852 at [0120]. “For example, ad selector 113 may determine that the content request originates from device 170 associated with user who is a 22 year old male student who lives in London and is interested in sports, and may select content items intended to be presented to such user, e.g., an advertisement of a sporting event in London.” Levkovitz ’852 at [0131]. “In accordance with some embodiments of the invention, device 170 may include application 176 having a content client 174. The application 176 may be, for example, a game or a software application. The content client 174 may be a module of application 170, a plug-in of application 170, or an external module operatively associated application 170. Content client 174 may be able to send a wireless signal indicating a request (“content request”) to receive one or more content items, e.g., textual content, audio content, video content, advertisement, informational items, or the like. The content request may be transmitted to communicator 150, for example, using communication handler 173. In one embodiment, transmission of the content request may be triggered by a user command or a user command, e.g., a signal entered by a user utilizing the input unit 186 and indicating that the user requests one or more content items.” Levkovitz ’852 at [0155]. “A fifth presentation rule may require, for example, that a certain content item, e.g., an advertisement for a certain shop, be presented when device 170 is geographically located within a pre-defined distance (e.g., 300 meters) of the address of that shop.” Levkovitz ’852 at [0159]. “System 100 may optionally include other suitable components, for example, an MMS Center (MMSC) 161, an SMS interceptor 162, an SMS gateway 163, an Instant Messaging (IM) server 166, an Email server 167, and/or other servers or components (e.g., touters, switches, gateways, proxies, or the like) which may be

’296 Patent Claim Language	Exemplary Disclosures
	operatively associated with communicator 150 and/or ad server 110, and may be used to send and/or receive SMS items and/or MMS items and/or IM items and/or Email items having embedded therein a content item served by ad server 110. For example, in one embodiment, a first wireless communication device 170 may send a SMS or MMS or IM or Email message intended to be received by a second wireless communication device 170; system 100 may intercept the message, and may modify the message, e.g., by adding, inserting, augmenting, appending or embedding into the message a content item stored in ad server 110; and the modified SMS or MMS or IM or Email message may be transmitted to the second wireless communication device 170. In one embodiment, for example, the appended content item may be an selected advertisement which may be added to a user-created SMS or MMS or IM or Email, for example, thereby reducing the cost or price that the sending user and/or the receiving user are required to pay to their service provider(s) in order to send or receive the SMS or MMS or IM or Email message.” Levkovitz ’852 at [0170]. “In some embodiments, optionally, a content item may be selectively inserted into, or appended to, a SMS or MMS or TM or Email message or other message (e.g., textual message, audio clip, video clip, image, or the like) sent by a first user to a second user. The content item may be selected, for example, based on properties of the sending user and/or based on properties of the receiving party. Additionally or alternatively, in one embodiment, the content item may be selected based on an analysis (e.g., textual analysis, keyword analysis, image recognition analysis, sound recognition analysis, or the like) of the content item; for example, if the sending user sends a textual SMS item containing the word “chocolate” or “love”, then a content item having an advertisement for a chocolate product or a flowers delivery service may be selectively added to the SMS item. Other suitable criteria may be used to selectively serve content items.” Levkovitz ’852 at [0171]. “In some embodiments, optionally, local repository 172 may be shared by multiple applications 176 within device 170. For example, a first application 176 may include a first game, and a second application 176 may include a second game. Device 170 may include the first and second applications 176, having embedded therein first and second content clients 174, respectively. Local repository 172 may optionally be shared by the first and second applications 170 and/or by the first and second content clients 174 of device 170. For example, the first application 176 may be executed and may transmit a content request; in response, multiple content items may be received by receiver 192 and may be stored in local repository 171; one or more content items may be presented by the first application 176. Then, the second application 176 may be executed, and may utilize, e.g., may present, one or more content items which may already be stored in local repository 176. In another embodiment, multiple separate caches or multiple separate local repositories 171 may be used by multiple applications 176 of device 170. In some embodiments, optionally, the second application 176 may


’296 Patent Claim Language	Exemplary Disclosures
	report to communicator 150 about presentation performed by the second application and/or the first application, or vice versa Other suitable configurations may be used.” Levkovitz ’852 at [0176]. “The SMSC 311 may utilize a Home Location Register (HLR) 313 to determine (e.g., using interrogation) whether recipient device 302 is active, and/or to determine the roaming location of recipient device 302; and may deliver the modified SMS message to recipient device 302, e.g., optionally utilizing a Mobile Switching Center (MSC) 312.” Levkovitz ’852 at [0195]. “In some embodiments, the system may map SMS/MMS/IM/Email context text to keywords. For example, a user may create and send a textual message “How about we see The Last Samurai tonight?”. Based on textual analysis, and/or identification of the phrase “The Last Samurai”, the system may map the textual message to a “movies” category, and/or to an “action movies” sub-category, thereby selecting advertisement that are related to this category or sub-category. Additionally or alternatively, based on identification of the word “tonight”, the advertisement selection process may be further fined-tuned, e.g., to select an advertisement for an action movie which is expected to play tonight (e.g., in the night-time of the current date), optionally in the geographical region in which the user is currently located and/or in the geographical region in which the user resides (e.g., based on subscriber's personal information). For example, the user may be presented with the message, or the original message may be modified to include the message, “See this movie tonight at 19:30 at the Paragon Theater in Times Square”. Optionally, the embedded message may include a reward or an incentive for the user, e.g., to act on the presented message, for example, by adding the message “Get free popcorn”.” Levkovitz ’852 at [0223]. “Device 1070 may further include a content items browser 1098, for example, a software (e.g., embedded or non-embedded) client application allowing the user to selectively browse and/or view (e.g., present) one or more content items that are stored in content repository 1099, for example, to browse and/or view incoming commercial content item/advertisement/SMS/MMS/IM/Email messages (or portions thereof) that are stored in content repository 1099. In some embodiments, the content items browser 1098 may operate while device 1070 is online and/or while device 1070 is offline, e.g., may allow a user to selectively browse and/or view stored content items without dependence on the operational status or location of device 1070. Content items browser 1098 may further allow the user, for example, to selectively delete one or more content items stored in content repository. Content items browser 1098 may further allow the user, for example, to selectively send (e.g., forward) to another wireless communication device one or more content items stored in content repository.” Levkovitz ’852 at [0262].

’296 Patent Claim Language	Exemplary Disclosures
	“In some embodiments, user-selectable operations may be associated with an incoming content item based on one or more properties or characteristics, for example, of the device 1070 and/or its user, and/or other data or parameters (e.g., date, time, location, or the like).” Levkovitz ’852 at [0272]. “a fourth user-selectable operation may be available only when the user or the device 1070 meets certain conditions, e.g., if the device 1070 is within a certain location (e.g., in proximity to a certain restaurant)” Levkovitz ’852 at [0272]. “For example, a first user-selectable action associated with a first incoming content item, may be available only during a certain time and/or while the recipient device is within a certain geographical location.” Levkovitz ’852 at [0273]. “As indicated at box 1105, a user may operate the wireless communication device to launch an application, for example, a gaming application. As indicated at box 1110, while the gaming application is loading, the wireless communication device may present a first advertisement, for example, a substantially full-screen advertisement or an advertisement occupying more than 80 percent or more than 90 percent of the available screen size. ” Levkovitz ’852 at [0277]–[0278]. “As indicated at box 1170, the game may be loaded and may be ready for playing by the user. As indicated by arrow 1172, the operations of boxes 1120, 1130, 1140, 1145, 1150 and 1155 may be performed substantially in parallel to the loading process of the gaming application, and may not stop or delay the loading process.” Levkovitz ’852 at [0285]. “ In some embodiments, for example, if the loading of the gaming application is completed while the user views a presented advertisement, or while the user views a menu of options, the gaming application may wait for the user to select that the user wishes to resume the gaming application and play, and the gaming application need not interrupt the user. In other embodiments, for example, if the loading of the gaming application is completed while the user views a presented advertisement, e.g., if the user does not actively select an option associated with the advertisement but rather views the advertisement passively, then the gaming application may automatically begin. In one embodiment, even if the loading of the application is completed, the gaming application may utilize a delay period before it begins, e.g., to allow a minimum viewing time (e.g., five seconds) of the presented advertisement.” Levkovitz ’852 at [0286]. “As indicated at box 1175, once the gaming application begins, for example, a game menu may be presented. For example, box 1180 shows a demonstrative screen-shot of the presented game menu. The game menu may

’296 Patent Claim Language	Exemplary Disclosures
	include game-related options (e.g., start a new game, view high scores table, read instructions how to play the game, exit the gaming application, or the like). The screen-shot of box 1180 may optionally include a second advertisement, which may occupy only a portion of the screen of the wireless communication device, e.g., approximately 50 percent of the available screen of the wireless communication device. Optionally, a user-selectable “options” action 1182 may be included, for example, to allow presentation of one or more additional user-selectable actions that the user may perform in relation to or in connection with the second advertisement.” Levkovitz ’852 at [0287]. *See also* Levkovitz ’852 at [0026]. “As shown in FIG. 5, one embodiment of a method of facilitating wireless mobile e-commerce constructed in accordance with the present invention starts as indicated at step 501, and permits users to designate user preferences in a data storage (e.g., having one or more databases 14) associated with a server 10 having a program product, as depicted at step 503. ” Sanctis ’837 at [0112]. *See also* Sanctis ’837 at [0040] and [0044].  FIG. 1 Bussmann ’294 at FIG. 1.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 4 Bussmann ’294 at FIG. 4.


H2 Intellect - Exhibit 2010
Home Depot v. H2 Intellect - IPR2025-00480
Page 3507 of 5585

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5 Bussmann ’294 at FIG 5. “FIG. 1 shows a flow diagram depicting an embodiment of a method 100 of providing location-based advertising services. Method 100 comprises, at 102, receiving advertising content and pricing bids from each of a plurality of advertising publishers. As explained in more detail below, the pricing bids comprise an offer to pay a specified amount of money in exchange for having the advertising content of the bidder sent to a device for presentation to a user. Further, the advertising content and bid are associated with a specific bounded geographic area defined in a geographic region. Therefore, the advertising content is sent to devices located within, or within some distance adjacent to, the bounded area. Next, method 100 comprises, at 104, receiving a request from a device for advertising content associated with the bounded area. Then, method 100 comprises, at 106, sending advertising content associated with the top N bids to the device for presentation to a user of the device, wherein N may be zero (in the case of no bids) or a positive integer. In this manner, advertising publishers may bid a specific price to pay for the distribution of advertising content in a specified geographic area, and the highest bidder or bidders win priority to have advertising content items presented to a device user over other lower bidders. Depending upon various device-specific parameters of the device and the nature of the advertising content sent to the device, one or more items of advertising content may be presented on the device at any one time.



’296 Patent Claim Language	Exemplary Disclosures
	Therefore, in some circumstances, the highest bidder's advertising content alone may be sent to a requesting device, while in other circumstances, more than one item of advertising content may be sent to a requesting device. Where more than one item of advertising content is sent to a device, the items of advertising content may be selected based upon descending order of bids. As a specific example, a GPS-enabled smart phone may allow a map to be displayed at various levels of zoom. In one example, for a specific level of zoom in a specific geographic region, the smart phone may be able to display three items of advertising content on a map. In this case, the device may be sent items of advertising content for the top three bidders for the geographic area displayed on the map. Therefore, advertising publishers who wish to have advertising content sent to mobile phones have an incentive to bid close to or above a highest bid for a desired bounded geographic area. This may help to obtain higher bids for distributing the advertising content items, and therefore may contribute to greater economic returns per advertisement view. More detailed implementations of method 100 are discussed in more detail below.” Bussmann ’294 at [0010]–[0011]. “Upon receipt of such a map, an advertising publisher computing device 204 may receive an input of a selection of one or more tiles in which the publisher wishes to have its advertising content distributed, and then send the selection to the advertising server along with the item or items of advertising content the publisher wishes to distribute. The advertising publisher computing device 204 also may send other advertising information, such as advertising category information and desired advertising times, to the advertising server 202. This information is collectively referred to as “ad info” in FIG. 2. Upon receipt of this information, the advertising server 202 may provide pricing information to the advertising publisher computing device 204. In some embodiments, the pricing information may comprise a “future price”, as opposed to the current price reflected by the map, and may be determined by a highest existing bid or bids for each selected tile over the requested time interval in light of the category information provided by the advertising publisher. In some embodiments, the total price for a multi-tile area may be lower than a sum of the highest bids for each requested tile for the requested time interval, while in other embodiments, the price for a multi-tile area may have any other suitable relationship to the sum of the individual tile pricings. As described below, the pricing information may be continuously updated as bids are received from various users and demand for the tiles increases or decreases. Further, where no bids have been made on a selected tile, the pricing information may comprise a preselected minimum price for a tile.” Bussmann ’294 at [0017]. “Continuing with FIG. 2, the advertising server 202 is also configured to provide advertising content to devices 210, 212, 214 that request content for specified locations. When requesting advertising content, a device (such as device 210) sends information regarding its geographic location to the advertising server 202. The device 210 also may send other information. For example, the device 210 may send information

’296 Patent Claim Language	Exemplary Disclosures
	regarding its type, manufacturer and/or model identity. Such information may allow the advertising server 202 to select items of advertising content intended for that type of device. The device 210 also may send information regarding a current zoom level at which the display on the device is currently being viewed. Such information may allow the advertising server to select items of advertising content configured to trigger at the specified level of zoom, and/or to determine how many items of advertising content can be viewed at one time on the device display and therefore to select how many advertising content items to send to the device.” Bussmann ’294 at [0023]. “Next, method 400 comprises, at 404, receiving a tiled map from the server and displaying the tiled map on a graphical user interface, wherein the tiled map shows an N-dimensional view of a geographic region divided into one or more tiles. In this manner, an advertising publisher may select tiles corresponding to geographic areas in which (or in connection with which) the publisher wishes to have an item of advertising content displayed. As described above, each tile may have any suitable shape and size. For example, dense urban areas may be divided into more tiles than less dense rural areas. Further, each tile may have a size and shape similar to the other tiles, or one or more tiles may have different sizes and shapes compared to the other tiles. In some embodiments, the tiles may have arbitrary polygonal (or polycurved, etc.) shapes that do not correspond to geographic features of the region represented by the map. In other embodiments, the tiles may have boundaries that follow geographic features of the region represented by the map. Further, the map may be displayed in colors or other visual indicators of the relative demand and/or cost of each tile displayed.” Bussmann ’294 at [0026]. “Method 400 next comprises, at 406, receiving a selection of tiles from a user via the graphical user interface, and then sending the selection of tiles to the advertising server. In addition to the selection of tiles, advertising content for the selection of tiles also may be sent to the advertising server, as indicated at 408. In some embodiments, as indicated at 410, the advertising content may then be viewed in a preview feature offered by the advertising content server. Such a preview may allow an advertising publisher to view a representation of how advertising content may appear to users of different types of devices, at different levels of zoom and/or panning, etc. In this manner, an advertising publisher may use the preview process as an aid to developing effective advertising content for specific devices, locations, etc.” Bussmann ’294 at [0027]. “Continuing with the figures, FIG. 5 shows a method 500 of operating an advertising server. Method 500 illustrates various details of method 400 from the advertising server's point of view, where communications with an advertising publisher client are shown in a left-hand side of the figure and communications with a device are shown in a right-hand side of the figure. Method 500 first comprises, at 502, receiving a logon request from an advertising publisher client, and connecting to the client. Next, at 504, a tiled map is sent to

’296 Patent Claim Language	Exemplary Disclosures
	the client to allow the advertising publisher to select tiles in which it is interested in having its advertising content distributed. After sending the tiled map, a selection of tiles on the map is received from the client at 506, and advertising content is received from the client at 508. As described above, in some embodiments, an advertising server may be configured to allow an advertising publisher to view a preview of advertising content in the tiles selected by the advertising publisher. Therefore, method 500 comprises, at 510, sending an advertising content preview to the client. In some embodiments, the advertising content preview may be an interactive preview configured to allow an advertising publisher to view an item of advertising content on different types of devices, at different levels of zoom, panning, etc. to see how the item of advertising content will appear to a user in various specific geographic locations. In this manner, an advertising publisher may be able to tailor an appearance of an item of advertising content to a desired appearance in a specific device and/or location. Method 500 next comprises, at 512, receiving advertising category and advertising display time information from the client. Examples of category and display time information are discussed in detail above. While the depicted embodiment shows the category and time information appearing in a later step than the receipt of the ad content and selection of tiles, it will be understood that these items may be received in any suitable order. Upon receipt of the selection of tiles, ad content, and category and time information, method 500 comprises, at 514, sending price information to the client, and then at 516, receiving a bid from a client. The bid is then stored in an updated bid information database, as indicated at 518. It will be understood that processes 502-518 may be performed by a plurality of different publishers on a continuous, rolling basis as clients wish to submit bid information. Further, the advertising server also may interact with requesting devices on a continuous, rolling basis to provide items of advertising content to the devices. An example of a transaction with a device such as a PND or the like is shown in FIG. 5 at 520-526. First, at 520, method 500 comprises receiving from a device a request for advertising content. Upon receipt of this request, it is determined, at 522, a number N of items of advertising content to send to the device. The number N of items of advertising content may vary depending upon a number of factors, including but not limited to, a type/brand/model of device that sent the request, a current level of zoom currently shown on the device display, and/or whether any advertising publishers have paid for exclusive advertising rights to a tile that is within the relevant geographic area.” Bussmann ’294 at [0035]–[0038].



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5A Mello ’479 at FIG. 5A. “After the web event data collector 166 stores the query string search criteria and associated information (block 510) or if the web event data collector 166 determines that a query has not been submitted (block 508), the media capture data collector 168 (FIG. 3) determines whether a media signal (e.g., an audio signal, a video signal, an RF signal, etc.) has been captured (block 512). For example, the media signal may be an audio signal associated with an advertisement presented by the audio device 16 or the video device 18 (FIG. 1), a video signal presented by the video device 18 (FIG. 1), or an RF signal emitted by the RF transceiver 22 of the billboard 20 (FIG. 1). The media capture data collector 168 then determines whether the captured media signal includes a code (block 514). If the captured media signal includes a code, the media capture data collector 168 extracts (or creates a copy of) the code (block 516). If the captured media signal does not include a code (block 514), the media capture data collector 168 generates a signature of the captured media signal (block 518). Alternatively, a signature can always be collected regardless of whether a code was collected. After the media capture data collector 168 extracts a code (block 516) and/or generates a signature (block 518), the media


’296 Patent Claim Language	Exemplary Disclosures
	capture data collector 168 stores the media representation information (e.g., the code and/or the signature) (block 520) in the media data log file 184 (FIG. 3). After the media capture data collector 168 stores the media representation information (block 520) or if the media capture data collector 168 determines that a media signal has not been captured (block 512), the consumer purchase data collector 170 determines whether any input data relating to potential purchases have been received (block 522) (FIG. 5B). In the illustrated example, the potential purchase data is data indicative of a product or a service such as, for example, bar code information read using the bar code reader 136 (FIG. 2) or RFID information received via the RF transceiver 134 (FIG. 2) in response to the monitored person 32 scanning a product or a service document. If the consumer purchase data collector 170 determines that potential purchase data has been received (block 522), the consumer purchase data collector 170 determines whether the monitored person 32 purchased the product or service corresponding to the received potential purchase data (block 524). For example, the consumer purchase data collector 170 may receive subsequent information or the potential purchase information received at block 522 may have a corresponding purchase confirmation flag indicating that the monitored person 32 purchased the related product or service. If the consumer purchase data collector 170 determines that the monitored person 32 made the purchase (block 524), the consumer purchase data collector 170 stores the purchase information (block 526) in association with a corresponding timestamp and location identifier in the purchase data log file 186 (FIG. 3).” Mello ’479 at [0082]–[0084].

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 2A Busch ’815 at Fig. 2A.  FIG. 16A

’296 Patent Claim Language	Exemplary Disclosures
	Busch ’815 at Fig. 16A. “Significant benefit is provided by a content targeting methods and systems usable with mobile devices that provide feedback to the advertisers—especially those advertisers that have brick and mortar businesses—to help them judge the effectiveness of their targeted content. The effectiveness of a business' advertising effort may be measured by determining with regard to a user of a device that has received targeted content one or more of: whether the user visits a business location of a content producer after their content has been delivered to the device; the time spent at the location; and, how much money was spent at the business by that user (especially in the case where the user pays through an online payment service utilizing the mobile device).” Busch ’815 at [0008]. “The present invention provides among other things methods and systems to obtain data relating to location from mobile devices, processing this data, sending content to a mobile device based at least in part on location data, integration of location data associated with a mobile device with web based applications accessed with a standard computer or laptop, integration of location data with conversion tracking systems, integration of location data with customer relationship management systems and systems to determining retail business location performance, integration with social uses of location data of mobile devices, and integration with navigation uses of location data associated with mobile devices.” Busch ’815 at [0159]. “Then the mobile device may be configured to report the information describing whether or not the user responded to the content by going to the geographic location indicated back to the advertiser associated with corresponding element of the content result set. The system may also report the duration or period of time the geographic location of the mobile device corresponded to the geographic location corresponding to the element of the content result set, or a business location of the advertiser. This allows advertisers to see the different periods of time people spend at their business locations.” Busch ’815 at [0278]. “Alternatively, one or more destinations may be determined and the current geographic location information along with a proposed destination is routed to a routing program to obtain a path of travel. Next, a content result set is obtained that contains one or more elements selected based upon at least the likely course or area of travel, specific destination, or specific destinations so that information pertaining to businesses along the course of travel are available to the user. Any number of these results are displayed on the mobile device at appropriate times (e.g., when the user is approaching a business location along a path, when a user is walking around a shopping area, when the user is driving along a highway, when the user performs a search for content or a business, when a user requests route guidance, not when the user is in a movie theater, not when the user is eating dinner, not when the user is at work, etc.).” Busch ’815 at [0280].

’296 Patent Claim Language	Exemplary Disclosures
	“In some forms of the invention, location information describing the perimeters of business locations are sent to the mobile device and the mobile device communicates with the server if the location of the mobile device is located within the perimeter of the business location. In other forms of the invention, the location information of the mobile device is sent to the system and compared with information describing the perimeters of business locations. Alternatively, the business locations may be defined by a point and radius, or mathematical formula. This is exemplary and is not intended to limit the scope of the invention. As shown and described, a person having ordinary skill in the art is able to implement the invention in any number of varying forms.” Busch ’815 at [0338]. “Methods and systems are disclosed for providing customized content to users based on their location. In one embodiment, for each of one or more content providers, a customized content delivery function receives information from the content provider defining a number of geographic shapes selecting corresponding geographic areas. Preferably, each of the geographic shapes overlaps at least one other of the geographic shapes and is assigned an importance level. For each geographic shape, the content provider defines one or more tags for the geographic shape and assigns a weight to each of the one or more tags. Thereafter, when a request is received from a requestor, one or more content items are selected for delivery to the requestor based on the geographic shapes, the tags and corresponding weights for the geographic shapes, and the location of the requestor.” Svendsen ’073 at Abstract.

’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 1* Svendsen ’073 at Fig. 1.  ***FIG. 4A*** Svendsen ’073 at Fig. 4A.

’296 Patent Claim Language	Exemplary Disclosures
	 ***FIG. 4B*** Svendsen ’073 at Fig. 4B.

’296 Patent Claim Language	Exemplary Disclosures

SHAPE	Z-ORDER	KEYWORDS
26	0	Change = 80, NAFTA = 30, election = 100, experience = 20
28	1	job loss = 50, trade deficit
30	2	Iraq = 90, oil prices = 70
32	0	Change = 80, NAFTA = 30, election = 100, experience = 20
34	1	trade deficit = 80
36	2	Iraq = 90
38	3	job loss = 50
40	4	oil prices = 70

FIG. 4C

Svendsen ’073 at Fig. 4C.

POINT	INTERSECTING SHAPES	KEYWORDS	BID
42	26, 28	Change = 80, NAFTA = 30, election = 100, experience = 20, job loss = 50, trade deficit = 25	305
44	32, 34	Change = 80, NAFTA = 30, election = 100, experience = 20, trade deficit = 80	310

FIG. 4D

Svendsen ’073 at Fig. 4D.

“For each content provider, the central custom content delivery function also receives information from the content provider defining a number of geographic shapes selecting corresponding geographic areas. For each geographic shape, the content provider defines one or more tags for the geographic shape, or the geographic area selected by the geographic shape, and assigns a weight to each of the one or more tags. Like the tags

’296 Patent Claim Language	Exemplary Disclosures
	assigned to the content items of the content provider, the tags assigned to the geographic shapes defined by the content provider may each be, for example, a keyword, a demographic criterion, or the like.” Svendsen ’073 at 1:31–41. “In addition, for each content provider, information defining a number of geographic shapes selecting corresponding geographic areas is received from the content provider (step 102). Preferably, the geographic shapes are user-defined shapes defined by a user associated with the content provider. For example, a user associated with a content provider may provide a center point and radius defining a circle that selects a desired geographic area; four points defining a square or rectangular shape that selects a desired geographic area; a number of points, curves, or lines defining an arbitrary shape that selects a desired geographic area; or the like. As another example, the user may provide a line or curve and a distance (d) defining a shape selecting a geographic area within the distance (d) from the line or curve. Preferably, each of the geographic shapes defined by a content provider completely or partially overlaps at least one other of the geographic shapes. In addition, the geographic shapes defined for a content provider are preferably hierarchical in that the geographic shapes are assigned importance levels, which are referred to herein as z-order values. For each geographic shape of each content provider, information is received from the content provider defining one or more keywords and corresponding weights assigned to the geographic shape (step 104).” Svendsen ’073 at 3:11–34. “As an example, FIG. 2A illustrates exemplary geographic shapes 10 through 16 defined by a content provider according to one embodiment of the present invention. While not shown, the geographic shapes 10 through 16 are combined with or overlaid upon a map or similar data structure to identify the corresponding geographic areas. Each one of the geographic shapes 10 through 16 overlaps or intersects at least one other one of the geographic shapes 10 through 16, and each one of the geographic shapes 10 through 16 is assigned an importance level, or z-order value. In this example, the content provider has assigned the keyword Red with a weight of 80 and the keyword Blue with a weight of 30 to the geographic shape 10, which is also referred to as Shape A. In other words, the content provider has tagged the geographic shape 10 with the keywords Red and Blue. The content provider has assigned the geographic shape 10 a z-order value of 0, thereby setting the geographic shape 10 to a lowest importance level. Likewise, the content provider has assigned the keyword White with a weight of 50 to the geographic shape 12, which is also referred to herein as Shape B, and assigned the geographic shape 12 a z-order value of 1. The content provider has assigned the keyword Blue with a weight of 90 to the geographic shape 14, which is also referred to herein as Shape C, and assigned the geographic shape 14 a z-order value of 2. Lastly, the content provider has assigned the keyword Green with a weight of 10 and the keyword Red with a weight of 20 to the geographic shape 16,


’296 Patent Claim Language	Exemplary Disclosures
	which is also referred to herein as Shape D, and assigned the geographic shape 16 a z-order value of 3.” Svendsen ’073 at 3:35–63. “FIGS. 6A through 6C graphically illustrate the process of FIG. 5 according to one embodiment of the present invention. FIG. 6A illustrates geographic shapes defined by a content provider to select geographic areas of interest to the content provider.” Svendsen ’073 at 9:62–66. “More specifically, as illustrated in FIG. 6A, the audio provider has defined a geographic shape 46 selecting the state of North Carolina and geographic shapes 48 through 56 selecting corresponding geographic areas within the state of North Carolina. FIG. 6B illustrates keywords and corresponding weights assigned to each of the geographic areas 46 through 56 by the audio provider as well as z-order values, or importance levels, assigned to the geographic shapes 46 through 56 by the audio provider. Note that in this example, the keywords are music genres.” Svendsen ’073 at 10:3–12. “As discussed above, an account of a content provider includes information defining geographic shapes defined by the content provider and, for each content item of the content provider, one or more keywords assigned to the content item. In addition, for each geographic shape defined by the content provider, the account of the content provider includes keywords assigned to the geographic shape as well as weights for those keywords. Lastly, the account may include a z-order, or importance level, for each of the geographic shapes.” Svendsen ’073 at 13:52–60. “Using advertisers as an example, in operation, one or more advertisers register with the customized content delivery function 78. As discussed above, each advertiser defines a number of geographic shapes selecting corresponding geographic areas.” Svendsen ’073 at 14:19–23. “In another exemplary embodiment, the user device 72-1 may be a set-top box, and the request may be an automatic request by the user device 72-1 for advertisements to late-bind to video content being viewed or requested by the user 74-1. The customized content delivery function 78 may then select one or more advertisements and deliver or cause delivery of the advertisements to the user device 72-1. The rendering function 86-1 may then perform a late-binding process to insert the advertisements into the video content presented to the user 74-1. In this example, the advertisements may be commercials such as those included in traditional television programming. Note that these two exemplary embodiments are illustrative and not intended to limit the scope of the present invention. ” Svendsen ’073 at 14:44–57. *See also* Svendsen ’073 at Fig. 14, 2:64–3:10, 3:64–4:23, 4:48–67, 7:63–8:4, 13:41–52, 14:10–17, 14:35–39, and 15:47–67.



’296 Patent Claim Language	Exemplary Disclosures
	“There are already several ad network/platforms available for iPhone apps. Here’s the current list of offerings: • Crisp Wireless - currently creates banners + microsites; used by the New York Times and Washington Post apps • PurpleTalk - allows creation of customizable text banners; features ad exchange “Partner Network” • AppLoop - claims to be the first real-time, location-based mobile advertising network • Pinch Media - widely-used ad network on dozens of iPhone apps • Medialets - offers CPM, CPC and CPA advertising run natively through iPhone apps • AdMob -offers rich-media (video-, map- and Apple App Store-integrated) banner ads on iPhone apps; also has an impressive list of signed clients” Menayan 2008 at 1. “Here’s an example of Crisp Wireless’s ad for Westin Hotels on the New York Times app: [Image] The banner shows up towards the bottom of the front page of the app, and 1s, at least in this case, visually contrastive.” Menayan 2008 at 1–2.


’296 Patent Claim Language	Exemplary Disclosures
	 Menayan 2008 at 2. “• Precisely Target your ads based on location and context. • Advanced Statistics report the performance of all your advertising campaigns. • Engage dedicated, valuable, and near-by users from the palm of their hand. Get Started • Bring your advertising strategy to the next level with location-based mobile advertising, Why spend money advertising to people sitting on their couch or at a computer desk? Mobile application users are active and ready to spend money.” AppLoop.com: Advertisers at 1. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art,


’296 Patent Claim Language	Exemplary Disclosures
	would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[1d] receiving, from a sponsor, a request to obtain an interest in a selected one of the plurality of geographic areas;	The following prior art expressly or inherently discloses and renders obvious “receiving, from a sponsor, a request to obtain an interest in a selected one of the plurality of geographic areas.” For example: “As will be discussed further below with respect to FIGS. 1 through 4, some embodiments of the present invention provide methods, servers and portable electronic devices for downloading applications from the server to the portable electronic device. The server is configured to store one or more applications, each having an associated region and duration. Portable electronic devices according to some embodiments of the present invention may be associated with a unique device identifier. The portable electronic device may be configured to periodically obtain a current position of the portable electronic device and provide the current position and the unique device identifier to the server. If the portable electronic device is within a region associated with one of the stored applications, the server may determine if the unique identifier associated with the portable electronic device is also associated with the stored application for that region. If so, the server may download a link to the stored application to the portable electronic device so as to allow the portable electronic device to access the application while the portable electronic device is within the region and during the defined duration of the application as will be discussed further herein.” Andreasson ’890 at [0035]. “One or more application owners, for example, trade fair organizers or travel agents, register an application 122, 124 and 126 with and store an application 122, 124 and 126 on the server 110 as discussed above. Each application has an associated region 130 and duration, which is also stored on the server 110. The portable electronic device 140/240 includes a download control circuit 250 that is configured to periodically check the position of the portable electronic device 140/240 using an absolute positioning device, for example, a GPS receiver or Cell ID, or a relative positioning device such as discovery of Bluetooth devices and the like. The position data, for example, geographical coordinates, is sent to the system server 110 in addition to a unique device identifier associated with the portable electronic device 140/240. The server 110 then determines if the portable electronic device 140/240 has entered a new region or a new region has been registered where the portable electronic device 140/240 is located. The periodical check of the position of the portable electronic device 140/240 may be quite frequent while the actual transmitting of position data to the server 110 may be less frequent. For example, the portable electronic device 140/240 can determine that a small position change is reported only once during a longer time period, for example, a day or an hour, while a larger position change is reported directly. The user of the portable electronic device 140/240 may also manually issue a

’296 Patent Claim Language	Exemplary Disclosures
	position check and report without departing from the scope of the present invention.” Andreasson ’890 at [0056]. *See also* Kinoshita ’866 at Fig. 1, Fig. 3, Fig. 4, Fig. 5, Fig. 6, Fig. 7, Fig. 8, Fig. 9, Fig. 10, Fig. 11, Fig. 12, and [0043]. “Other information can be provided from commercial organizations, such as shopping malls that upload mall layout information and individual stores that provide information about sales or other relevant data. It should be noted that this information can be collected worldwide and the data associated with the disclosed embodiments is not limited to one area or country. Additionally or alternatively, the information relating to the businesses can be presented to the user based on the user's actual location or based on a mapping area viewed by the user. In such a manner, a user can receive business information for a geographic region of interest to the user (e.g., planning a vacation or business trip).” Smith ’558 at [0079]. “In some embodiments, an advertisement can overlay various objects (e.g., buildings, houses, streets, parks, vacant land, vehicles) in the mapping application. The various objects with the overlaid advertisement need not have previously been overlaid with an advertisement. However, based on the user preferences and the desires of the advertiser, the objects might have the advertisement overlaid based on the user preferences.” Smith ’558 at [0115]. “An advertiser may want to advertise in a specific area and is willing to spend a particular amount of money (e.g., $2.00, $4.00, $10.00, . . .) per click-through by a user, for example. A coverage component 3602 can be a tool or wizard that creates a layer for the desired geography. The coverage component 3602 receives information relating to advertisement coverage desired by advertisers for a particular geographic location or area 3604.” Smith ’558 at [0236]. *See also* Sato ’965 at Fig. 3, Fig. 4, Fig. 5, Fig. 6, Fig. 26, [0079], [0080], [0240], and [0284].


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 7A Ahn ’281 at Fig. 7A.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 7B Ahn ’281 at Fig, 7B.  FIG. 8A Ahn ’281 at Fig. 8A. *See also* Ahn ’281 at [0095].

’296 Patent Claim Language	Exemplary Disclosures
	“The system of this invention utilizes similar components with the locationally specific transmitting unit transmitting a digitized message signal representing the screen graphic together with other product control signals related to the promoted item such as the universal product identification number, bar code, date or iteration of the promotional graphic, and the identity of the transmitting unit. The transmitted screen graphic signal is compared with a memory file of stored screen graphics and if a match is found, the stored memory graphic or the signal transmitted graphic is displayed. Often, using the standard checksum procedure, the stored memory graphic can be validated and displayed before completion of transmission of the message signal.” Begum ’880 at 1:60–2:5. “The digitized screen graphic is stored in a file in the memory of the transceiver unit 65, and is periodically updated or replaced by transmissions from the control unit 67.” Begum ’880 at 9:52–55. *See also* Begum ’880 at Fig. 5, 2:6–12, 2:13–22, 4:59–63, 4:65–5:4, 6:18–37, 8:36–47, 8:56–9:1, 9:1–7, 9:12–16, 9:16–29, 9:56–65, and 10:16–31. *See also* Levkovitz ’852 at [0026], [0045], [0159], [0195], [0272], and [0273].  FIG. 1 Bussmann ’294 at FIG. 1.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5 Bussmann ’294 at FIG 5. “FIG. 1 shows a flow diagram depicting an embodiment of a method 100 of providing location-based advertising services. Method 100 comprises, at 102, receiving advertising content and pricing bids from each of a plurality of advertising publishers. As explained in more detail below, the pricing bids comprise an offer to pay a specified amount of money in exchange for having the advertising content of the bidder sent to a device for presentation to a user. Further, the advertising content and bid are associated with a specific bounded geographic area defined in a geographic region. Therefore, the advertising content is sent to devices located within, or within some distance adjacent to, the bounded area. Next, method 100 comprises, at 104, receiving a request from a device for advertising content associated with the bounded area. Then, method 100 comprises, at 106, sending advertising content associated with the top N bids to the device for presentation to a user of the device, wherein N may be zero (in the case of no bids) or a positive integer. In this manner, advertising publishers may bid a specific price to pay for the distribution of advertising content in a specified geographic area, and the highest bidder or bidders win priority to have advertising content items presented to a device user over other lower bidders. Depending upon various device-specific parameters of the device and the nature of the advertising content sent to the device, one or more items of advertising content may be presented on the device at any one time.



’296 Patent Claim Language	Exemplary Disclosures
	Therefore, in some circumstances, the highest bidder's advertising content alone may be sent to a requesting device, while in other circumstances, more than one item of advertising content may be sent to a requesting device. Where more than one item of advertising content is sent to a device, the items of advertising content may be selected based upon descending order of bids. As a specific example, a GPS-enabled smart phone may allow a map to be displayed at various levels of zoom. In one example, for a specific level of zoom in a specific geographic region, the smart phone may be able to display three items of advertising content on a map. In this case, the device may be sent items of advertising content for the top three bidders for the geographic area displayed on the map. Therefore, advertising publishers who wish to have advertising content sent to mobile phones have an incentive to bid close to or above a highest bid for a desired bounded geographic area. This may help to obtain higher bids for distributing the advertising content items, and therefore may contribute to greater economic returns per advertisement view. More detailed implementations of method 100 are discussed in more detail below.” Bussmann ’294 at [0010]–[0011]. “Continuing with the figures, FIG. 5 shows a method 500 of operating an advertising server. Method 500 illustrates various details of method 400 from the advertising server's point of view, where communications with an advertising publisher client are shown in a left-hand side of the figure and communications with a device are shown in a right-hand side of the figure. Method 500 first comprises, at 502, receiving a logon request from an advertising publisher client, and connecting to the client. Next, at 504, a tiled map is sent to the client to allow the advertising publisher to select tiles in which it is interested in having its advertising content distributed. After sending the tiled map, a selection of tiles on the map is received from the client at 506, and advertising content is received from the client at 508. As described above, in some embodiments, an advertising server may be configured to allow an advertising publisher to view a preview of advertising content in the tiles selected by the advertising publisher. Therefore, method 500 comprises, at 510, sending an advertising content preview to the client. In some embodiments, the advertising content preview may be an interactive preview configured to allow an advertising publisher to view an item of advertising content on different types of devices, at different levels of zoom, panning, etc. to see how the item of advertising content will appear to a user in various specific geographic locations. In this manner, an advertising publisher may be able to tailor an appearance of an item of advertising content to a desired appearance in a specific device and/or location. Method 500 next comprises, at 512, receiving advertising category and advertising display time information from the client. Examples of category and display time information are discussed in detail above. While the


’296 Patent Claim Language	Exemplary Disclosures
	depicted embodiment shows the category and time information appearing in a later step than the receipt of the ad content and selection of tiles, it will be understood that these items may be received in any suitable order. Upon receipt of the selection of tiles, ad content, and category and time information, method 500 comprises, at 514, sending price information to the client, and then at 516, receiving a bid from a client. The bid is then stored in an updated bid information database, as indicated at 518. It will be understood that processes 502-518 may be performed by a plurality of different publishers on a continuous, rolling basis as clients wish to submit bid information. Further, the advertising server also may interact with requesting devices on a continuous, rolling basis to provide items of advertising content to the devices. An example of a transaction with a device such as a PND or the like is shown in FIG. 5 at 520-526. First, at 520, method 500 comprises receiving from a device a request for advertising content. Upon receipt of this request, it is determined, at 522, a number N of items of advertising content to send to the device. The number N of items of advertising content may vary depending upon a number of factors, including but not limited to, a type/brand/model of device that sent the request, a current level of zoom currently shown on the device display, and/or whether any advertising publishers have paid for exclusive advertising rights to a tile that is within the relevant geographic area.” Bussmann ’294 at [0035]–[0038].  FIG. 5A

’296 Patent Claim Language	Exemplary Disclosures
	Mello ’479 at FIG. 5A. “After the web event data collector 166 stores the query string search criteria and associated information (block 510) or if the web event data collector 166 determines that a query has not been submitted (block 508), the media capture data collector 168 (FIG. 3) determines whether a media signal (e.g., an audio signal, a video signal, an RF signal, etc.) has been captured (block 512). For example, the media signal may be an audio signal associated with an advertisement presented by the audio device 16 or the video device 18 (FIG. 1), a video signal presented by the video device 18 (FIG. 1), or an RF signal emitted by the RF transceiver 22 of the billboard 20 (FIG. 1). The media capture data collector 168 then determines whether the captured media signal includes a code (block 514). If the captured media signal includes a code, the media capture data collector 168 extracts (or creates a copy of) the code (block 516). If the captured media signal does not include a code (block 514), the media capture data collector 168 generates a signature of the captured media signal (block 518). Alternatively, a signature can always be collected regardless of whether a code was collected. After the media capture data collector 168 extracts a code (block 516) and/or generates a signature (block 518), the media capture data collector 168 stores the media representation information (e.g., the code and/or the signature) (block 520) in the media data log file 184 (FIG. 3). After the media capture data collector 168 stores the media representation information (block 520) or if the media capture data collector 168 determines that a media signal has not been captured (block 512), the consumer purchase data collector 170 determines whether any input data relating to potential purchases have been received (block 522) (FIG. 5B). In the illustrated example, the potential purchase data is data indicative of a product or a service such as, for example, bar code information read using the bar code reader 136 (FIG. 2) or RFID information received via the RF transceiver 134 (FIG. 2) in response to the monitored person 32 scanning a product or a service document. If the consumer purchase data collector 170 determines that potential purchase data has been received (block 522), the consumer purchase data collector 170 determines whether the monitored person 32 purchased the product or service corresponding to the received potential purchase data (block 524). For example, the consumer purchase data collector 170 may receive subsequent information or the potential purchase information received at block 522 may have a corresponding purchase confirmation flag indicating that the monitored person 32 purchased the related product or service. If the consumer purchase data collector 170 determines that the monitored person 32 made the purchase (block 524), the consumer purchase data collector 170 stores the purchase information (block 526) in association

’296 Patent Claim Language	Exemplary Disclosures
	with a corresponding timestamp and location identifier in the purchase data log file 186 (FIG. 3).” Mello ’479 at [0082]–[0084]. “Significant benefit is provided by a content targeting methods and systems usable with mobile devices that provide feedback to the advertisers—especially those advertisers that have brick and mortar businesses—to help them judge the effectiveness of their targeted content. The effectiveness of a business' advertising effort may be measured by determining with regard to a user of a device that has received targeted content one or more of: whether the user visits a business location of a content producer after their content has been delivered to the device; the time spent at the location; and, how much money was spent at the business by that user (especially in the case where the user pays through an online payment service utilizing the mobile device).” Busch ’815 at [0008]. “The act of processing the data involves first comparing the data set to a collection of other data sets associated with the user and then determining a set of previously traveled courses including at least a most likely course of travel. Alternatively, the act of processing may involve comparing the data set to a database of businesses and their locations, and then determining a set of likely locations that have previously been visited by the user of the mobile device.” Busch ’815 at [0272]. “Then the mobile device may be configured to report the information describing whether or not the user responded to the content by going to the geographic location indicated back to the advertiser associated with corresponding element of the content result set. The system may also report the duration or period of time the geographic location of the mobile device corresponded to the geographic location corresponding to the element of the content result set, or a business location of the advertiser. This allows advertisers to see the different periods of time people spend at their business locations.” Busch ’815 at [0278]. “Methods and systems are disclosed for providing customized content to users based on their location. In one embodiment, for each of one or more content providers, a customized content delivery function receives information from the content provider defining a number of geographic shapes selecting corresponding geographic areas. Preferably, each of the geographic shapes overlaps at least one other of the geographic shapes and is assigned an importance level. For each geographic shape, the content provider defines one or more tags for the geographic shape and assigns a weight to each of the one or more tags. Thereafter, when a request is received from a requestor, one or more content items are selected for delivery to the requestor based on the geographic shapes, the tags and corresponding weights for the geographic shapes, and the location of the requestor.” Svendsen ’073 at Abstract.

’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 1* Svendsen ’073 at Fig. 1.

’296 Patent Claim Language	Exemplary Disclosures
	 ***FIG. 2A*** Svendsen ’073 at Fig. 2A.  ***FIG. 4A*** Svendsen ’073 at Fig. 4A.

’296 Patent Claim Language	Exemplary Disclosures
	 ***FIG. 4B*** Svendsen ’073 at Fig. 4B.

’296 Patent Claim Language	Exemplary Disclosures

SHAPE	Z-ORDER	KEYWORDS
26	0	Change = 80, NAFTA = 30, election = 100, experience = 20
28	1	job loss = 50, trade deficit
30	2	Iraq = 90, oil prices = 70
32	0	Change = 80, NAFTA = 30, election = 100, experience = 20
34	1	trade deficit = 80
36	2	Iraq = 90
38	3	job loss = 50
40	4	oil prices = 70

FIG. 4C

Svendsen ’073 at Fig. 4C.

POINT	INTERSECTING SHAPES	KEYWORDS	BID
42	26, 28	Change = 80, NAFTA = 30, election = 100, experience = 20, job loss = 50, trade deficit = 25	305
44	32, 34	Change = 80, NAFTA = 30, election = 100, experience = 20, trade deficit = 80	310

FIG. 4D


Svendsen ’073 at Fig. 4D.

“For each content provider, the central custom content delivery function also receives information from the content provider defining a number of geographic shapes selecting corresponding geographic areas. For each geographic shape, the content provider defines one or more tags for the geographic shape, or the geographic area selected by the geographic shape, and assigns a weight to each of the one or more tags. Like the tags


’296 Patent Claim Language	Exemplary Disclosures
	assigned to the content items of the content provider, the tags assigned to the geographic shapes defined by the content provider may each be, for example, a keyword, a demographic criterion, or the like.” Svendsen ’073 at 1:31–41. “In addition, for each content provider, information defining a number of geographic shapes selecting corresponding geographic areas is received from the content provider (step 102). Preferably, the geographic shapes are user-defined shapes defined by a user associated with the content provider. For example, a user associated with a content provider may provide a center point and radius defining a circle that selects a desired geographic area; four points defining a square or rectangular shape that selects a desired geographic area; a number of points, curves, or lines defining an arbitrary shape that selects a desired geographic area; or the like. As another example, the user may provide a line or curve and a distance (d) defining a shape selecting a geographic area within the distance (d) from the line or curve. Preferably, each of the geographic shapes defined by a content provider completely or partially overlaps at least one other of the geographic shapes. In addition, the geographic shapes defined for a content provider are preferably hierarchical in that the geographic shapes are assigned importance levels, which are referred to herein as z-order values. For each geographic shape of each content provider, information is received from the content provider defining one or more keywords and corresponding weights assigned to the geographic shape (step 104).” Svendsen ’073 at 3:11–34. “As an example, FIG. 2A illustrates exemplary geographic shapes 10 through 16 defined by a content provider according to one embodiment of the present invention. While not shown, the geographic shapes 10 through 16 are combined with or overlaid upon a map or similar data structure to identify the corresponding geographic areas. Each one of the geographic shapes 10 through 16 overlaps or intersects at least one other one of the geographic shapes 10 through 16, and each one of the geographic shapes 10 through 16 is assigned an importance level, or z-order value. In this example, the content provider has assigned the keyword Red with a weight of 80 and the keyword Blue with a weight of 30 to the geographic shape 10, which is also referred to as Shape A. In other words, the content provider has tagged the geographic shape 10 with the keywords Red and Blue. The content provider has assigned the geographic shape 10 a z-order value of 0, thereby setting the geographic shape 10 to a lowest importance level. Likewise, the content provider has assigned the keyword White with a weight of 50 to the geographic shape 12, which is also referred to herein as Shape B, and assigned the geographic shape 12 a z-order value of 1. The content provider has assigned the keyword Blue with a weight of 90 to the geographic shape 14, which is also referred to herein as Shape C, and assigned the geographic shape 14 a z-order value of 2. Lastly, the content provider has assigned the keyword Green with a weight of 10 and the keyword Red with a weight of 20 to the geographic shape 16,

’296 Patent Claim Language	Exemplary Disclosures
	which is also referred to herein as Shape D, and assigned the geographic shape 16 a z-order value of 3.” Svendsen ’073 at 3:35–63. “FIGS. 6A through 6C graphically illustrate the process of FIG. 5 according to one embodiment of the present invention. FIG. 6A illustrates geographic shapes defined by a content provider to select geographic areas of interest to the content provider.” Svendsen ’073 at 9:62–66. “More specifically, as illustrated in FIG. 6A, the audio provider has defined a geographic shape 46 selecting the state of North Carolina and geographic shapes 48 through 56 selecting corresponding geographic areas within the state of North Carolina. FIG. 6B illustrates keywords and corresponding weights assigned to each of the geographic areas 46 through 56 by the audio provider as well as z-order values, or importance levels, assigned to the geographic shapes 46 through 56 by the audio provider. Note that in this example, the keywords are music genres.” Svendsen ’073 at 10:3–12. *See also* Svendsen ’073 at 4:48–67, 7:63–8:4, 13:41–52, and 13:52–60. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[1e] providing the sponsor a response to the request;	The following prior art expressly or inherently discloses and renders obvious “providing the sponsor a response to the request.” For example: “One or more application owners, for example, trade fair organizers or travel agents, register an application 122, 124 and 126 with and store an application 122, 124 and 126 on the server 110 as discussed above. Each application has an associated region 130 and duration, which is also stored on the server 110. The portable electronic device 140/240 includes a download control circuit 250 that is configured to periodically check the position of the portable electronic device 140/240 using an absolute positioning device, for example, a GPS receiver or Cell ID, or a relative positioning device such as discovery of Bluetooth devices and the like. The position data, for example, geographical coordinates, is sent to the system server 110 in addition to a unique device identifier associated with the portable electronic device 140/240. The server 110 then determines if the


’296 Patent Claim Language	Exemplary Disclosures
	portable electronic device 140/240 has entered a new region or a new region has been registered where the portable electronic device 140/240 is located. The periodical check of the position of the portable electronic device 140/240 may be quite frequent while the actual transmitting of position data to the server 110 may be less frequent. For example, the portable electronic device 140/240 can determine that a small position change is reported only once during a longer time period, for example, a day or an hour, while a larger position change is reported directly. The user of the portable electronic device 140/240 may also manually issue a position check and report without departing from the scope of the present invention.” Andreasson ’890 at [0056]. *See also* Kinoshita ’866 at Fig. 1, Fig. 3, Fig. 4, Fig. 5, Fig. 6, Fig. 7, Fig. 8, Fig. 9, Fig. 10, Fig. 11, Fig. 12, and [0043]. “Other information can be provided from commercial organizations, such as shopping malls that upload mall layout information and individual stores that provide information about sales or other relevant data. It should be noted that this information can be collected worldwide and the data associated with the disclosed embodiments is not limited to one area or country. Additionally or alternatively, the information relating to the businesses can be presented to the user based on the user's actual location or based on a mapping area viewed by the user. In such a manner, a user can receive business information for a geographic region of interest to the user (e.g., planning a vacation or business trip).” Smith ’558 at [0079]. *See also* Sato ’965 at Fig. 6, [0240], and [0284]. “The system of this invention utilizes similar components with the locationally specific transmitting unit transmitting a digitized message signal representing the screen graphic together with other product control signals related to the promoted item such as the universal product identification number, bar code, date or iteration of the promotional graphic, and the identity of the transmitting unit. The transmitted screen graphic signal is compared with a memory file of stored screen graphics and if a match is found, the stored memory graphic or the signal transmitted graphic is displayed. Often, using the standard checksum procedure, the stored memory graphic can be validated and displayed before completion of transmission of the message signal.” Begum ’880 at 1:60–2:5. *See also* Begum ’880 at Fig. 5, 2:13–22, 6:18–37, 8:36–47, 8:56–9:1, 9:1–7, 9:12–16, 9:16–29, and 9:52–55. *See also* Levkovitz ’852 at [0045], [0159], [0195], [0272], and [0273].

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5 Bussmann ’294 at FIG 5. “Continuing with the figures, FIG. 5 shows a method 500 of operating an advertising server. Method 500 illustrates various details of method 400 from the advertising server's point of view, where communications with an advertising publisher client are shown in a left-hand side of the figure and communications with a device are shown in a right-hand side of the figure. Method 500 first comprises, at 502, receiving a logon request from an advertising publisher client, and connecting to the client. Next, at 504, a tiled map is sent to the client to allow the advertising publisher to select tiles in which it is interested in having its advertising content distributed. After sending the tiled map, a selection of tiles on the map is received from the client at 506, and advertising content is received from the client at 508. As described above, in some embodiments, an advertising server may be configured to allow an advertising publisher to view a preview of advertising content in the tiles selected by the advertising publisher. Therefore, method 500 comprises, at 510, sending an advertising content preview to the client. In some embodiments, the advertising content preview may be an interactive preview configured to allow an advertising publisher to view an item of advertising content on different types of devices, at different levels of zoom, panning, etc. to see how the item of advertising content will appear to


’296 Patent Claim Language	Exemplary Disclosures
	a user in various specific geographic locations. In this manner, an advertising publisher may be able to tailor an appearance of an item of advertising content to a desired appearance in a specific device and/or location. Method 500 next comprises, at 512, receiving advertising category and advertising display time information from the client. Examples of category and display time information are discussed in detail above. While the depicted embodiment shows the category and time information appearing in a later step than the receipt of the ad content and selection of tiles, it will be understood that these items may be received in any suitable order. Upon receipt of the selection of tiles, ad content, and category and time information, method 500 comprises, at 514, sending price information to the client, and then at 516, receiving a bid from a client. The bid is then stored in an updated bid information database, as indicated at 518. It will be understood that processes 502-518 may be performed by a plurality of different publishers on a continuous, rolling basis as clients wish to submit bid information. Further, the advertising server also may interact with requesting devices on a continuous, rolling basis to provide items of advertising content to the devices. An example of a transaction with a device such as a PND or the like is shown in FIG. 5 at 520-526. First, at 520, method 500 comprises receiving from a device a request for advertising content. Upon receipt of this request, it is determined, at 522, a number N of items of advertising content to send to the device. The number N of items of advertising content may vary depending upon a number of factors, including but not limited to, a type/brand/model of device that sent the request, a current level of zoom currently shown on the device display, and/or whether any advertising publishers have paid for exclusive advertising rights to a tile that is within the relevant geographic area.” Bussmann ’294 at [0035]–[0038].



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5A Mello ’479 at FIG. 5A. “After the web event data collector 166 stores the query string search criteria and associated information (block 510) or if the web event data collector 166 determines that a query has not been submitted (block 508), the media capture data collector 168 (FIG. 3) determines whether a media signal (e.g., an audio signal, a video signal, an RF signal, etc.) has been captured (block 512). For example, the media signal may be an audio signal associated with an advertisement presented by the audio device 16 or the video device 18 (FIG. 1), a video signal presented by the video device 18 (FIG. 1), or an RF signal emitted by the RF transceiver 22 of the billboard 20 (FIG. 1). The media capture data collector 168 then determines whether the captured media signal includes a code (block 514). If the captured media signal includes a code, the media capture data collector 168 extracts (or creates a copy of) the code (block 516). If the captured media signal does not include a code (block 514), the media capture data collector 168 generates a signature of the captured media signal (block 518). Alternatively, a signature can always be collected regardless of whether a code was collected. After the media capture data collector 168 extracts a code (block 516) and/or generates a signature (block 518), the media


’296 Patent Claim Language	Exemplary Disclosures
	capture data collector 168 stores the media representation information (e.g., the code and/or the signature) (block 520) in the media data log file 184 (FIG. 3). After the media capture data collector 168 stores the media representation information (block 520) or if the media capture data collector 168 determines that a media signal has not been captured (block 512), the consumer purchase data collector 170 determines whether any input data relating to potential purchases have been received (block 522) (FIG. 5B). In the illustrated example, the potential purchase data is data indicative of a product or a service such as, for example, bar code information read using the bar code reader 136 (FIG. 2) or RFID information received via the RF transceiver 134 (FIG. 2) in response to the monitored person 32 scanning a product or a service document. If the consumer purchase data collector 170 determines that potential purchase data has been received (block 522), the consumer purchase data collector 170 determines whether the monitored person 32 purchased the product or service corresponding to the received potential purchase data (block 524). For example, the consumer purchase data collector 170 may receive subsequent information or the potential purchase information received at block 522 may have a corresponding purchase confirmation flag indicating that the monitored person 32 purchased the related product or service. If the consumer purchase data collector 170 determines that the monitored person 32 made the purchase (block 524), the consumer purchase data collector 170 stores the purchase information (block 526) in association with a corresponding timestamp and location identifier in the purchase data log file 186 (FIG. 3).” Mello ’479 at [0082]–[0084]. “Methods and systems are disclosed for providing customized content to users based on their location. In one embodiment, for each of one or more content providers, a customized content delivery function receives information from the content provider defining a number of geographic shapes selecting corresponding geographic areas. Preferably, each of the geographic shapes overlaps at least one other of the geographic shapes and is assigned an importance level. For each geographic shape, the content provider defines one or more tags for the geographic shape and assigns a weight to each of the one or more tags. Thereafter, when a request is received from a requestor, one or more content items are selected for delivery to the requestor based on the geographic shapes, the tags and corresponding weights for the geographic shapes, and the location of the requestor.” Svendsen ’073 at Abstract. “FIGS. 6A through 6C graphically illustrate the process of FIG. 5 according to one embodiment of the present invention. FIG. 6A illustrates geographic shapes defined by a content provider to select geographic areas of interest to the content provider.” Svendsen ’073 at 9:62–66.




’296 Patent Claim Language	Exemplary Disclosures
	See also Svendsen ’073 at Fig. 1, Fig. 4A, Fig. 4B, Fig. 4C, 1:31–41, 3:11–34, 3:35–63, 4:48–67, 7:63–8:4, 10:3–12, 13:41–52, and 13:52–60. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[1f] storing a record of the interest in the selected one of the plurality of geographic areas;	The following prior art expressly or inherently discloses and renders obvious “storing a record of the interest in the selected one of the plurality of geographic areas.” For example:  FIGURE 4 Andreasson ’890 at FIGURE 4.


’296 Patent Claim Language	Exemplary Disclosures
	“As will be discussed further below with respect to FIGS. 1 through 4, some embodiments of the present invention provide methods, servers and portable electronic devices for downloading applications from the server to the portable electronic device. The server is configured to store one or more applications, each having an associated region and duration. Portable electronic devices according to some embodiments of the present invention may be associated with a unique device identifier. The portable electronic device may be configured to periodically obtain a current position of the portable electronic device and provide the current position and the unique device identifier to the server. If the portable electronic device is within a region associated with one of the stored applications, the server may determine if the unique identifier associated with the portable electronic device is also associated with the stored application for that region. If so, the server may download a link to the stored application to the portable electronic device so as to allow the portable electronic device to access the application while the portable electronic device is within the region and during the defined duration of the application as will be discussed further herein.” Andreasson ’890 at [0035]. “As further illustrated in FIG. 1, the server includes a communications circuit 115 and a storage device 120. The communications circuit 115 is configured to communicate with one or more portable electronic devices 140 in accordance with some embodiments of the present invention. One or more applications 122, 124 and 126 are stored in a storage device 120 on the server 110. As used herein, “application” may refer to an application or a web page without departing from the scope of the present invention. Although only three applications 122, 124 and 126 are provided in FIG. 1, embodiments of the present invention are not limited to this configuration. For example, less or more than three applications may be stored at the server 110 without departing from the scope of the present application. Each of the applications may be associated with a certain geographic region and have a defined duration. As used herein, “geographic region” may be any region defined by the owner of the application. For example, if the application were associated with a baseball game, the region may be defined around the perimeter of the baseball stadium. Furthermore, as used herein the “duration” of the application defines a time period during which the application will be available to user's of portable electronic devices within the defined geographic region. For example, the duration may include a date and a time period, such as May 15, 2008 from 1:00 P.M. to 5:00 P.M.” Andreasson ’890 at [0037]. “One or more application owners, for example, trade fair organizers or travel agents, register an application 122, 124 and 126 with and store an application 122, 124 and 126 on the server 110 as discussed above. Each application has an associated region 130 and duration, which is also stored on the server 110. The portable electronic device 140/240 includes a download control circuit 250 that is configured to periodically check the position of the portable electronic device 140/240 using an absolute positioning device, for example, a GPS

’296 Patent Claim Language	Exemplary Disclosures
	receiver or Cell ID, or a relative positioning device such as discovery of Bluetooth devices and the like. The position data, for example, geographical coordinates, is sent to the system server 110 in addition to a unique device identifier associated with the portable electronic device 140/240. The server 110 then determines if the portable electronic device 140/240 has entered a new region or a new region has been registered where the portable electronic device 140/240 is located. The periodical check of the position of the portable electronic device 140/240 may be quite frequent while the actual transmitting of position data to the server 110 may be less frequent. For example, the portable electronic device 140/240 can determine that a small position change is reported only once during a longer time period, for example, a day or an hour, while a larger position change is reported directly. The user of the portable electronic device 140/240 may also manually issue a position check and report without departing from the scope of the present invention.” Andreasson ’890 at [0056]. FIG. 1  Kinoshita ’866 at Fig. 1.


’296 Patent Claim Language	Exemplary Disclosures
	FIG. 3  Kinoshita ’866 at Fig. 3. FIG. 4  Kinoshita ’866 at Fig. 4. “The advertisement selecting unit 35 selects suitable advertisement data from the advertisement data stored in the memory 78 based upon both the changed questionnaire data and place data that are transferred from the cellular phone 12-1. Specifically, the advertisement selecting unit 35 designates a tag corresponding to user's preference based upon the prepared correspondence table, in which tags are beforehand associated with user's


’296 Patent Claim Language	Exemplary Disclosures
	preferences based upon the changed questionnaire data. And the advertisement selecting unit 35 also designates a tag corresponding to the above place based upon the prepared correspondence table. Then the advertisement selecting unit 35 selects a plurality of advertisement items having the above tags by searching advertisement data stored in the memory 78. The advertisement selecting unit 35 also selects advertisement data based upon both the place data and the environment data around the service device 14, as will be described later.” Kinoshita ’866 at [0043]. *See also* Kinoshita ’866 at Fig. 5, Fig. 6, Fig. 7, Fig. 8, Fig. 9, Fig. 10, Fig. 11, Fig. 12, and [0100]. “Other information can be provided from commercial organizations, such as shopping malls that upload mall layout information and individual stores that provide information about sales or other relevant data. It should be noted that this information can be collected worldwide and the data associated with the disclosed embodiments is not limited to one area or country. Additionally or alternatively, the information relating to the businesses can be presented to the user based on the user's actual location or based on a mapping area viewed by the user. In such a manner, a user can receive business information for a geographic region of interest to the user (e.g., planning a vacation or business trip).” Smith ’558 at [0079]. “In some embodiments, an advertisement can overlay various objects (e.g., buildings, houses, streets, parks, vacant land, vehicles) in the mapping application. The various objects with the overlaid advertisement need not have previously been overlaid with an advertisement. However, based on the user preferences and the desires of the advertiser, the objects might have the advertisement overlaid based on the user preferences.” Smith ’558 at [0115]. “Overwrite component 604 might further be configured to modify map features based on advertiser information 610. Advertisers can purchase advertisements in the display space utilizing a per diem scheme, a click through scheme, any other scheme or combination of schemes. Advertisements can also be purchased based on geographic location. Such geographic location can be the actual physical location of the user or alternatively can be the geographic area that the user is viewing, which may not be the same as the physical location of the user.” Smith ’558 at [0117].  FIG. 3

’296 Patent Claim Language	Exemplary Disclosures
	Sato ’965 at Fig. 3.  FIG. 4 Sato ’965 at Fig. 4.  FIG. 5 Sato ’965 at Fig. 5.  FIG.26 Sato ’965 at Fig. 26. ““Position” field 202 stores a position inside region 146 (see FIG. 1) to which is related the content expressed by content data 152.” Sato ’965 at [0079]. “In the example as shown in FIG. 3, the position inside region 146 is represented by the latitude and longitude. In addition, a mode for representing a position inside region 146 is not limited to the foregoing. Further, a position inside region 146 to which content is related is called a “content position” in this specification.” Sato ’965 at [0080].

’296 Patent Claim Language	Exemplary Disclosures
	“Content data 152 is first stored in content server 103 (stage 1000)” Sato ’965 at [0284]. *See also* Sato ’965 at Fig. 6, Fig. 7, Fig. 8, Fig. 9, Fig. 10, [0172], and [0240].  **Fig. 5** Begum ’880 at Fig. 5. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22. “The infrared or radio frequency receiver in the handle, used for an alarm when the cart or handle leaves a prescribed area, also be used to receive an advertisement signal by appropriate programming as described.” Begum ’880 at 4:59–63. “External components such as an IR beacon 64 and an IR trigger component 66 direct infrared data signals and wake-up signals to the IR photodiodes 68 of the radiation window 36a on the display unit 12. The data signals provide information for reprogramming the memory of inventory and sales information and screen display of activated advertisement and promotional visuals. The IR beacon 64 may also emit a power transmission signal for charge maintenance of the battery pack 40. The IR beacon 64 and trigger component 66 form a transceiver unit 65 for receiving, storing and relaying trigger and data signals from a control unit 67, that centralizes the storewide operation of the system.” Begum ’880 at 8:36–47.


’296 Patent Claim Language	Exemplary Disclosures
	“Customarily, each store would have a single control unit 67 that is the central computer for management of the stores inventory and accounting. The control unit 67 communicates with a plurality of transceiver units 65 located throughout the marketing area. Preferably, to minimize installation expenses and allow the plurality of transceiver units 65 to be repositioned in the marketing area as desired, each transceiver unit 65 is in wireless communication with the control unit 67 and has its own power supply. Essentially, the transceiver unit 65 includes the same electronic components as the display unit 12 which allows for independent processing of data and independent communication with a display unit 12 on a nearby shopping cart. ” Begum ’880 at 8:56–9:1. “To conserve power in the transceiver unit 65, the transceiver unit includes a proximity sensor 69 that detects the presence of a shopping cart within range and initiates transmission of the trigger and data signals to the unit 12 on the cart handle. The transceiver unit 65 also includes an RF receiver 71 to receive FM radio frequency transmissions from the central control” Begum ’880 at 9:1–7. “Each transceiver unit 65 can have a separate identification such that data transmitted from the control unit 67 is transmitted store wide but is processed and stored only by the transceiver unit to which the data is intended.” Begum ’880 at 9:8–11. “The digitized screen graphic is stored in a file in the memory of the transceiver unit 65, and is periodically updated or replaced by transmissions from the control unit 67.” Begum ’880 at 9:52–55. “With the display unit 12 awakened, the data signals are processed by the central processor 58 and the data relating to the screen graphic is compared with existing promotional screen graphics stored in RAM 74. The comparison of digitized screen graphics may be accomplished with a rapid checksum procedure. If a match is found, the screen graphic data is passed from a temporary storage buffer in the central processor 58 to the LCD driver 72 for display on the display screen 24. In the event that there is no match, the processor 58 processes the formatted screen data to the LCD driver 72 for display on the display screen 24 and contemporaneously passes the screen graphic display data together with the accompanying product control data to RAM 74. The screen graphic data and product control data are stored in memory for future comparison with received screen display signals or retrieval by a shopper reviewing the file of product promotions.” Begum ’880 at 9:66–10:15. *See also* Begum ’880 at Fig. 9, 1:60–2:5, 2:6–12, 4:33–38, 4:65–5:4, 5:65–6:4, 6:18–37, 9:12–16, 9:16–29, 9:56–65, 10:16–31, 10:41–51, and 10:52–11:3. *See also* Levkovitz ’852 at [0045], [0159], [0195], [0272], and [0273].

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Bussmann ’294 at FIG. 1.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5 Bussmann ’294 at FIG 5. “FIG. 1 shows a flow diagram depicting an embodiment of a method 100 of providing location-based advertising services. Method 100 comprises, at 102, receiving advertising content and pricing bids from each of a plurality of advertising publishers. As explained in more detail below, the pricing bids comprise an offer to pay a specified amount of money in exchange for having the advertising content of the bidder sent to a device for presentation to a user. Further, the advertising content and bid are associated with a specific bounded geographic area defined in a geographic region. Therefore, the advertising content is sent to devices located within, or within some distance adjacent to, the bounded area. Next, method 100 comprises, at 104, receiving a request from a device for advertising content associated with the bounded area. Then, method 100 comprises, at 106, sending advertising content associated with the top N bids to the device for presentation to a user of the device, wherein N may be zero (in the case of no bids) or a positive integer. In this manner, advertising publishers may bid a specific price to pay for the distribution of advertising content in a specified geographic area, and the highest bidder or bidders win priority to have advertising content items presented to a device user over other lower bidders. Depending upon various device-specific parameters of the device and the nature of the advertising content sent to the device, one or more items of advertising content may be presented on the device at any one time.


’296 Patent Claim Language	Exemplary Disclosures
	Therefore, in some circumstances, the highest bidder's advertising content alone may be sent to a requesting device, while in other circumstances, more than one item of advertising content may be sent to a requesting device. Where more than one item of advertising content is sent to a device, the items of advertising content may be selected based upon descending order of bids. As a specific example, a GPS-enabled smart phone may allow a map to be displayed at various levels of zoom. In one example, for a specific level of zoom in a specific geographic region, the smart phone may be able to display three items of advertising content on a map. In this case, the device may be sent items of advertising content for the top three bidders for the geographic area displayed on the map. Therefore, advertising publishers who wish to have advertising content sent to mobile phones have an incentive to bid close to or above a highest bid for a desired bounded geographic area. This may help to obtain higher bids for distributing the advertising content items, and therefore may contribute to greater economic returns per advertisement view. More detailed implementations of method 100 are discussed in more detail below.” Bussmann ’294 at [0010]–[0011]. “Continuing with FIG. 2, the advertising server 202 is also configured to provide advertising content to devices 210, 212, 214 that request content for specified locations. When requesting advertising content, a device (such as device 210) sends information regarding its geographic location to the advertising server 202. The device 210 also may send other information. For example, the device 210 may send information regarding its type, manufacturer and/or model identity. Such information may allow the advertising server 202 to select items of advertising content intended for that type of device. The device 210 also may send information regarding a current zoom level at which the display on the device is currently being viewed. Such information may allow the advertising server to select items of advertising content configured to trigger at the specified level of zoom, and/or to determine how many items of advertising content can be viewed at one time on the device display and therefore to select how many advertising content items to send to the device.” Bussmann ’294 at [0023]. “Continuing with the figures, FIG. 5 shows a method 500 of operating an advertising server. Method 500 illustrates various details of method 400 from the advertising server's point of view, where communications with an advertising publisher client are shown in a left-hand side of the figure and communications with a device are shown in a right-hand side of the figure. Method 500 first comprises, at 502, receiving a logon request from an advertising publisher client, and connecting to the client. Next, at 504, a tiled map is sent to the client to allow the advertising publisher to select tiles in which it is interested in having its advertising content distributed. After sending the tiled map, a selection of tiles on the map is received from the client at 506, and advertising content is received from the client at 508. As described above, in some embodiments, an advertising server


’296 Patent Claim Language	Exemplary Disclosures
	may be configured to allow an advertising publisher to view a preview of advertising content in the tiles selected by the advertising publisher. Therefore, method 500 comprises, at 510, sending an advertising content preview to the client. In some embodiments, the advertising content preview may be an interactive preview configured to allow an advertising publisher to view an item of advertising content on different types of devices, at different levels of zoom, panning, etc. to see how the item of advertising content will appear to a user in various specific geographic locations. In this manner, an advertising publisher may be able to tailor an appearance of an item of advertising content to a desired appearance in a specific device and/or location. Method 500 next comprises, at 512, receiving advertising category and advertising display time information from the client. Examples of category and display time information are discussed in detail above. While the depicted embodiment shows the category and time information appearing in a later step than the receipt of the ad content and selection of tiles, it will be understood that these items may be received in any suitable order. Upon receipt of the selection of tiles, ad content, and category and time information, method 500 comprises, at 514, sending price information to the client, and then at 516, receiving a bid from a client. The bid is then stored in an updated bid information database, as indicated at 518. It will be understood that processes 502-518 may be performed by a plurality of different publishers on a continuous, rolling basis as clients wish to submit bid information. Further, the advertising server also may interact with requesting devices on a continuous, rolling basis to provide items of advertising content to the devices. An example of a transaction with a device such as a PND or the like is shown in FIG. 5 at 520-526. First, at 520, method 500 comprises receiving from a device a request for advertising content. Upon receipt of this request, it is determined, at 522, a number N of items of advertising content to send to the device. The number N of items of advertising content may vary depending upon a number of factors, including but not limited to, a type/brand/model of device that sent the request, a current level of zoom currently shown on the device display, and/or whether any advertising publishers have paid for exclusive advertising rights to a tile that is within the relevant geographic area.” Bussmann ’294 at [0035]–[0038].

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5A Mello ’479 at FIG. 5A. “After the web event data collector 166 stores the query string search criteria and associated information (block 510) or if the web event data collector 166 determines that a query has not been submitted (block 508), the media capture data collector 168 (FIG. 3) determines whether a media signal (e.g., an audio signal, a video signal, an RF signal, etc.) has been captured (block 512). For example, the media signal may be an audio signal associated with an advertisement presented by the audio device 16 or the video device 18 (FIG. 1), a video signal presented by the video device 18 (FIG. 1), or an RF signal emitted by the RF transceiver 22 of the billboard 20 (FIG. 1). The media capture data collector 168 then determines whether the captured media signal includes a code (block 514). If the captured media signal includes a code, the media capture data collector 168 extracts (or creates a copy of) the code (block 516). If the captured media signal does not include a code (block 514), the media capture data collector 168 generates a signature of the captured media signal (block 518). Alternatively, a signature can always be collected regardless of whether a code was collected. After the media capture data collector 168 extracts a code (block 516) and/or generates a signature (block 518), the media


’296 Patent Claim Language	Exemplary Disclosures
	capture data collector 168 stores the media representation information (e.g., the code and/or the signature) (block 520) in the media data log file 184 (FIG. 3). After the media capture data collector 168 stores the media representation information (block 520) or if the media capture data collector 168 determines that a media signal has not been captured (block 512), the consumer purchase data collector 170 determines whether any input data relating to potential purchases have been received (block 522) (FIG. 5B). In the illustrated example, the potential purchase data is data indicative of a product or a service such as, for example, bar code information read using the bar code reader 136 (FIG. 2) or RFID information received via the RF transceiver 134 (FIG. 2) in response to the monitored person 32 scanning a product or a service document. If the consumer purchase data collector 170 determines that potential purchase data has been received (block 522), the consumer purchase data collector 170 determines whether the monitored person 32 purchased the product or service corresponding to the received potential purchase data (block 524). For example, the consumer purchase data collector 170 may receive subsequent information or the potential purchase information received at block 522 may have a corresponding purchase confirmation flag indicating that the monitored person 32 purchased the related product or service. If the consumer purchase data collector 170 determines that the monitored person 32 made the purchase (block 524), the consumer purchase data collector 170 stores the purchase information (block 526) in association with a corresponding timestamp and location identifier in the purchase data log file 186 (FIG. 3).” Mello ’479 at [0082]–[0084]. “Significant benefit is provided by a content targeting methods and systems usable with mobile devices that provide feedback to the advertisers—especially those advertisers that have brick and mortar businesses—to help them judge the effectiveness of their targeted content. The effectiveness of a business' advertising effort may be measured by determining with regard to a user of a device that has received targeted content one or more of: whether the user visits a business location of a content producer after their content has been delivered to the device; the time spent at the location; and, how much money was spent at the business by that user (especially in the case where the user pays through an online payment service utilizing the mobile device).” Busch ’815 at [0008]. “The present invention provides among other things methods and systems to obtain data relating to location from mobile devices, processing this data, sending content to a mobile device based at least in part on location data, integration of location data associated with a mobile device with web based applications accessed with a standard computer or laptop, integration of location data with conversion tracking systems, integration of location data with customer relationship management systems and systems to determining retail


’296 Patent Claim Language	Exemplary Disclosures
	business location performance, integration with social uses of location data of mobile devices, and integration with navigation uses of location data associated with mobile devices.” Busch ’815 at [0159]. “Then the mobile device may be configured to report the information describing whether or not the user responded to the content by going to the geographic location indicated back to the advertiser associated with corresponding element of the content result set. The system may also report the duration or period of time the geographic location of the mobile device corresponded to the geographic location corresponding to the element of the content result set, or a business location of the advertiser. This allows advertisers to see the different periods of time people spend at their business locations.” Busch ’815 at [0278]. “Methods and systems are disclosed for providing customized content to users based on their location. In one embodiment, for each of one or more content providers, a customized content delivery function receives information from the content provider defining a number of geographic shapes selecting corresponding geographic areas. Preferably, each of the geographic shapes overlaps at least one other of the geographic shapes and is assigned an importance level. For each geographic shape, the content provider defines one or more tags for the geographic shape and assigns a weight to each of the one or more tags. Thereafter, when a request is received from a requestor, one or more content items are selected for delivery to the requestor based on the geographic shapes, the tags and corresponding weights for the geographic shapes, and the location of the requestor.” Svendsen ’073 at Abstract.



’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 1* Svendsen ’073 at Fig. 1.




’296 Patent Claim Language	Exemplary Disclosures
	 ***FIG. 2A*** Svendsen ’073 at Fig. 2A. POINT / INTERSECTING SHAPES / KEYWORDS / BID 42 / 26, 28 / Change = 80, NAFTA = 30, election = 100, experience = 20, job loss = 50, trade deficit = 25 / 305 44 / 32, 34 / Change = 80, NAFTA = 30, election = 100, experience = 20, trade deficit = 80 / 310 ***FIG. 4D*** Svendsen ’073 at Fig. 4D. “As an example, FIG. 2A illustrates exemplary geographic shapes 10 through 16 defined by a content provider according to one embodiment of the present invention. While not shown, the geographic shapes 10 through 16 are combined with or overlaid upon a map or similar data structure to identify the corresponding geographic areas. Each one of the geographic shapes 10 through 16 overlaps or intersects at least one other


’296 Patent Claim Language	Exemplary Disclosures
	one of the geographic shapes 10 through 16, and each one of the geographic shapes 10 through 16 is assigned an importance level, or z-order value. In this example, the content provider has assigned the keyword Red with a weight of 80 and the keyword Blue with a weight of 30 to the geographic shape 10, which is also referred to as Shape A. In other words, the content provider has tagged the geographic shape 10 with the keywords Red and Blue. The content provider has assigned the geographic shape 10 a z-order value of 0, thereby setting the geographic shape 10 to a lowest importance level. Likewise, the content provider has assigned the keyword White with a weight of 50 to the geographic shape 12, which is also referred to herein as Shape B, and assigned the geographic shape 12 a z-order value of 1. The content provider has assigned the keyword Blue with a weight of 90 to the geographic shape 14, which is also referred to herein as Shape C, and assigned the geographic shape 14 a z-order value of 2. Lastly, the content provider has assigned the keyword Green with a weight of 10 and the keyword Red with a weight of 20 to the geographic shape 16, which is also referred to herein as Shape D, and assigned the geographic shape 16 a z-order value of 3.” Svendsen ’073 at 3:35–63. “FIGS. 6A through 6C graphically illustrate the process of FIG. 5 according to one embodiment of the present invention. FIG. 6A illustrates geographic shapes defined by a content provider to select geographic areas of interest to the content provider.” Svendsen ’073 at 9:62–66. “As discussed above, an account of a content provider includes information defining geographic shapes defined by the content provider and, for each content item of the content provider, one or more keywords assigned to the content item. In addition, for each geographic shape defined by the content provider, the account of the content provider includes keywords assigned to the geographic shape as well as weights for those keywords. Lastly, the account may include a z-order, or importance level, for each of the geographic shapes.” Svendsen ’073 at 13:52–60. *See also* Svendsen ’073 at Fig. 4A, Fig. 4B, Fig. 4C, 3:11–34, 4:48–67, 7:63–8:4, 10:3–12, 13:41–52, and 14:19–23. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art,



’296 Patent Claim Language	Exemplary Disclosures
	would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[1g] receiving, from the sponsor, content to be delivered to registered application programs having target locations contained within the selected one of the plurality of geographic areas;	The following prior art expressly or inherently discloses and renders obvious “receiving, from the sponsor, content to be delivered to registered application programs having target locations contained within the selected one of the plurality of geographic areas.” For example:  FIGURE 3 Andreasson ’890 at FIGURE 3.

’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 4 Andreasson ’890 at FIGURE 4. *See also* Kinoshita ’866 at Fig. 1, Fig. 3, Fig. 4, Fig. 5, Fig. 6, Fig. 7, Fig. 8, Fig. 9, Fig. 10, Fig. 11, Fig. 12, [0043], and [0100]. “Other information can be provided from commercial organizations, such as shopping malls that upload mall layout information and individual stores that provide information about sales or other relevant data. It should be noted that this information can be collected worldwide and the data associated with the disclosed embodiments is not limited to one area or country. Additionally or alternatively, the information relating to the businesses can be presented to the user based on the user's actual location or based on a mapping area viewed by the user. In such a manner, a user can receive business information for a geographic region of interest to the user (e.g., planning a vacation or business trip).” Smith ’558 at [0079]. “Overwrite component 604 might further be configured to modify map features based on advertiser information 610. Advertisers can purchase advertisements in the display space utilizing a per diem scheme, a click through scheme, any other scheme or combination of schemes. Advertisements can also be purchased based on geographic location. Such geographic location can be the actual physical location of the user or


’296 Patent Claim Language	Exemplary Disclosures
	alternatively can be the geographic area that the user is viewing, which may not be the same as the physical location of the user.” Smith ’558 at [0117].  FIG. 1 Sato ’965 at Fig. 1.  FIG. 2 Sato ’965 at Fig. 2.

’296 Patent Claim Language	Exemplary Disclosures
	 201 202 203 153 ADDRESS | POSITION | SISE http://www.sample1.com/index.html | N34.44.26.8 E135.34.22.6 | 473 — RECORD # 1 http://www.sample2.org/index.html | N35.39.26.5 E139.45.17.9 | 1152 — RECORD # 2 FIG. 3 Sato ’965 at Fig. 3.  201 202 203 153 ADDRESS | POSITION | SIZE http://www.sample1.com/index.html | N34.44.26.8 E135.34.22.6 | 10439 — RECORD # 1 http://www.sample2.org/index.html | N35.39.26.5 E139.45.17.9 | 5460 — RECORD # 2 FIG. 4 Sato ’965 at Fig. 4.  201 202 203 153 ADDRESS | POSITION | SIZE http://www.sample1.com/index.html | N34.44.26.8 E135.34.22.6 | 473 — RECORD # 1 http://www.sample1.com/images/photo1.jpg | N34.44.26.8 E135.34.22.6 | 4755 — RECORD # 1 – 1 http://www.sample1.com/images/photo2.jpg | N34.44.26.8 E135.34.22.6 | 5211 — RECORD # 1 – 2 http://www.sample2.org/index.html | N35.39.26.5 E139.45.17.9 | 1152 — RECORD # 2 http://www.sample2.org/image1.jpg | N35.39.26.5 E139.45.17.9 | 2153 — RECORD # 2 – 1 http://www.sample2.org/image2.jpg | N35.39.26.5 E139.45.17.9 | 2155 — RECORD # 2 – 2 FIG. 5 Sato ’965 at Fig. 5.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 6 Sato ’965 at Fig. 6.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG.11 Sato ’965 at Fig. 11.  852 853 854 855 856 857 858 FILE NAME / ADDRESS / TYPE / PRESENCE OR ABSENCE AND FILE / REFERENCE TIME / POSITION / DELETION PRIORITY foo.html / http://www..../foo.html / PREFETCH / – / Thu Jul 5 18:14:35 JST 2001 / N34.44.26.8 E135.34.22.6 / LOW bar.mpg / http://www..../bar.mpg / FIRST HALF / bar – 2.mpg / Thu Jul 5 18:38:40 JST 2001 / N34.39.26.5 E139.45.17.9 / LOW bar_2.mpg / http://www..../bar.mpg / LATTER HALF / bar.mpg / Thu Jul 5 18:38:40 JST 2001 / N34.39.26.5 E139.45.17.9 / HIGH 851 FIG.26 Sato ’965 at Fig. 26. “Content server 103 transmits content data (see FIG. 2) to terminal apparatus 101. The content data expresses content related to positions of facilities 145. For example, such content may be advertising information of facilities 145. Content may be road information or sightseeing information that is not related to facilities 145. In other words, the content is in relation to a position (for example, position in which each of facilities 145 is present) inside predetermined region 146.” Sato ’965 at [0054].


’296 Patent Claim Language	Exemplary Disclosures
	“Terminal apparatus 101 receives the content data that expresses such content to display.” Sato ’965 at [0055]. “A plurality of records is described in content list 153. Each of the records corresponds to an item of content data.” Sato ’965 at [0074]. ““Address” field 201 stores an address of content data 152. The address of the content indicates, for example, a storage location of the content in content server 103 (FIG. 1). Otherwise, when a network such as the Internet exists between terminal apparatus 101 and content server 103, an address of content data 152 is an address for uniquely specifying a storage location of content data 152 on the network, for example, a URL address.” Sato ’965 at [0076]. “In the example as shown in FIG. 3, an address of a top page is described in “address” field 201. When content data 152 includes part of images or the like, prefetch scheduler 104 (see FIG. 2) acquires content list 153, and obtains an address of the part by analyzing the top page.” Sato ’965 at [0078]. ““Position” field 202 stores a position inside region 146 (see FIG. 1) to which is related the content expressed by content data 152.” Sato ’965 at [0079]. “In the example as shown in FIG. 3, the position inside region 146 is represented by the latitude and longitude. In addition, a mode for representing a position inside region 146 is not limited to the foregoing. Further, a position inside region 146 to which content is related is called a “content position” in this specification.” Sato ’965 at [0080]. “Prefetch section 105 in terminal apparatus 101 acquires non-stored content data from content server 103.” Sato ’965 at [0114]. “The content of content data 152 is displayed in region 1108. In the example as shown in FIG. 20, content data 152 is advertising information of a restaurant.” Sato ’965 at [0240]. “Content data 152 is first stored in content server 103 (stage 1000)” Sato ’965 at [0284]. *See also* Sato ’965 at Fig. 7, Fig. 8, Fig. 9, Fig. 10, and [0172]. *See also* Ahn ’281 at [0095].


’296 Patent Claim Language	Exemplary Disclosures
	 **Fig. 5** Begum ’880 at Fig. 5. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22. “External components such as an IR beacon 64 and an IR trigger component 66 direct infrared data signals and wake-up signals to the IR photodiodes 68 of the radiation window 36a on the display unit 12. The data signals provide information for reprogramming the memory of inventory and sales information and screen display of activated advertisement and promotional visuals. The IR beacon 64 may also emit a power transmission signal for charge maintenance of the battery pack 40. The IR beacon 64 and trigger component 66 form a transceiver unit 65 for receiving, storing and relaying trigger and data signals from a control unit 67, that centralizes the storewide operation of the system.” Begum ’880 at 8:36–47. “The trigger and data signals are demodulated in a converter circuit 70 and passed to the central processor 58 for reprogramming the memory or activating retrieval of memory packets for display of advertising information in the display screen 24 under control of the LCD driver and controller circuit 72.” Begum ’880 at 8:48–53. “Customarily, each store would have a single control unit 67 that is the central computer for management of the stores inventory and accounting. The control unit 67 communicates with a plurality of transceiver units 65 located throughout the marketing area. Preferably, to minimize installation expenses and allow the plurality of

’296 Patent Claim Language	Exemplary Disclosures
	transceiver units 65 to be repositioned in the marketing area as desired, each transceiver unit 65 is in wireless communication with the control unit 67 and has its own power supply. Essentially, the transceiver unit 65 includes the same electronic components as the display unit 12 which allows for independent processing of data and independent communication with a display unit 12 on a nearby shopping cart. ” Begum ’880 at 8:56–9:1. “To conserve power in the transceiver unit 65, the transceiver unit includes a proximity sensor 69 that detects the presence of a shopping cart within range and initiates transmission of the trigger and data signals to the unit 12 on the cart handle. The transceiver unit 65 also includes an RF receiver 71 to receive FM radio frequency transmissions from the central control” Begum ’880 at 9:1–7. “The digitized screen graphic is stored in a file in the memory of the transceiver unit 65, and is periodically updated or replaced by transmissions from the control unit 67.” Begum ’880 at 9:52–55. “With the display unit 12 awakened, the data signals are processed by the central processor 58 and the data relating to the screen graphic is compared with existing promotional screen graphics stored in RAM 74. The comparison of digitized screen graphics may be accomplished with a rapid checksum procedure. If a match is found, the screen graphic data is passed from a temporary storage buffer in the central processor 58 to the LCD driver 72 for display on the display screen 24. In the event that there is no match, the processor 58 processes the formatted screen data to the LCD driver 72 for display on the display screen 24 and contemporaneously passes the screen graphic display data together with the accompanying product control data to RAM 74. The screen graphic data and product control data are stored in memory for future comparison with received screen display signals or retrieval by a shopper reviewing the file of product promotions.” Begum ’880 at 9:66–10:15. *See also* Begum ’880 at Fig. 9, 1:60–2:5, 2:6–12, 4:33–38, 4:65–5:4, 5:65–6:4, 6:18–37, 9:8–11, 9:12–16, 9:16–29, 9:46–51, 9:56–65, 10:16–31, 10:32–35, 10:41–51, and 10:52–11:3.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Begum ’606 at FIG. 1. “Traffic manager 131 may receive, for example, data representing definitions of a campaign of serving content items, and may generate campaign-related data. Traffic manager 131 may control and manage one or more campaigns of serving content items, including content items (“creatives”) provided by one or more users, e.g., advertisers, advertising agencies, customers, or the like.” Levkovitz ’852 at [0107]. “As indicated at box 220, the method may optionally include, for example, receiving the content request by communicator 150. This may include, for example, storing the content request in volatile memory 159 of communicator 150. Optionally, multiple content requests may be stored and/or processed using one or more queues.” Levkovitz ’852 at [0181]. *See also* Levkovitz ’852 at [0159], [0272], and [0273]. “Operator Features Create Text Alerts Operator enters Daily Deal information for each product category. A single template for text messages is used for all carrier/device/category combinations.

’296 Patent Claim Language	Exemplary Disclosures
	Save Alert Once the Operator has created a text alert, the data can be saved as a draft. For example, only one draft can be saved for each category. Preview Text Alerts The Operator is required to preview the text message before publishing it for distribution. The Operator can preview each text alert on a web page. The Operator shall be able to preview both newly created alerts and saved alerts. Edit Text Alerts Operators shall be able to view saved alerts and edit them prior to the preview/publish process. Publish Text Alerts By clicking a “Publish” button for each text alert, the Operator indicates that content has been finalized and is ready for distribution to subscribers. The system automatically suppresses old alerts from the Operator user interface, so only a single alert can be saved for each category at one time. Operators, for example, may not be able to set publish dates. The system will not notify the Operator if they forget to publish saved alerts or if they forget to publish all categories.” Sanctis ’837 at [0086]–[0099]. *See also* Sanctis ’837 at Fig. 1.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Bussmann ’294 at FIG. 1.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5 Bussmann ’294 at FIG 5. “FIG. 1 shows a flow diagram depicting an embodiment of a method 100 of providing location-based advertising services. Method 100 comprises, at 102, receiving advertising content and pricing bids from each of a plurality of advertising publishers. As explained in more detail below, the pricing bids comprise an offer to pay a specified amount of money in exchange for having the advertising content of the bidder sent to a device for presentation to a user. Further, the advertising content and bid are associated with a specific bounded geographic area defined in a geographic region. Therefore, the advertising content is sent to devices located within, or within some distance adjacent to, the bounded area. Next, method 100 comprises, at 104, receiving a request from a device for advertising content associated with the bounded area. Then, method 100 comprises, at 106, sending advertising content associated with the top N bids to the device for presentation to a user of the device, wherein N may be zero (in the case of no bids) or a positive integer. In this manner, advertising publishers may bid a specific price to pay for the distribution of advertising content in a specified geographic area, and the highest bidder or bidders win priority to have advertising content items presented to a device user over other lower bidders. Depending upon various device-specific parameters of the device and the nature of the advertising content sent to the device, one or more items of advertising content may be presented on the device at any one time.


’296 Patent Claim Language	Exemplary Disclosures
	Therefore, in some circumstances, the highest bidder's advertising content alone may be sent to a requesting device, while in other circumstances, more than one item of advertising content may be sent to a requesting device. Where more than one item of advertising content is sent to a device, the items of advertising content may be selected based upon descending order of bids. As a specific example, a GPS-enabled smart phone may allow a map to be displayed at various levels of zoom. In one example, for a specific level of zoom in a specific geographic region, the smart phone may be able to display three items of advertising content on a map. In this case, the device may be sent items of advertising content for the top three bidders for the geographic area displayed on the map. Therefore, advertising publishers who wish to have advertising content sent to mobile phones have an incentive to bid close to or above a highest bid for a desired bounded geographic area. This may help to obtain higher bids for distributing the advertising content items, and therefore may contribute to greater economic returns per advertisement view. More detailed implementations of method 100 are discussed in more detail below.” Bussmann ’294 at [0010]–[0011]. “Continuing with the figures, FIG. 5 shows a method 500 of operating an advertising server. Method 500 illustrates various details of method 400 from the advertising server's point of view, where communications with an advertising publisher client are shown in a left-hand side of the figure and communications with a device are shown in a right-hand side of the figure. Method 500 first comprises, at 502, receiving a logon request from an advertising publisher client, and connecting to the client. Next, at 504, a tiled map is sent to the client to allow the advertising publisher to select tiles in which it is interested in having its advertising content distributed. After sending the tiled map, a selection of tiles on the map is received from the client at 506, and advertising content is received from the client at 508. As described above, in some embodiments, an advertising server may be configured to allow an advertising publisher to view a preview of advertising content in the tiles selected by the advertising publisher. Therefore, method 500 comprises, at 510, sending an advertising content preview to the client. In some embodiments, the advertising content preview may be an interactive preview configured to allow an advertising publisher to view an item of advertising content on different types of devices, at different levels of zoom, panning, etc. to see how the item of advertising content will appear to a user in various specific geographic locations. In this manner, an advertising publisher may be able to tailor an appearance of an item of advertising content to a desired appearance in a specific device and/or location. Method 500 next comprises, at 512, receiving advertising category and advertising display time information from the client. Examples of category and display time information are discussed in detail above. While the

’296 Patent Claim Language	Exemplary Disclosures
	depicted embodiment shows the category and time information appearing in a later step than the receipt of the ad content and selection of tiles, it will be understood that these items may be received in any suitable order. Upon receipt of the selection of tiles, ad content, and category and time information, method 500 comprises, at 514, sending price information to the client, and then at 516, receiving a bid from a client. The bid is then stored in an updated bid information database, as indicated at 518. It will be understood that processes 502-518 may be performed by a plurality of different publishers on a continuous, rolling basis as clients wish to submit bid information. Further, the advertising server also may interact with requesting devices on a continuous, rolling basis to provide items of advertising content to the devices. An example of a transaction with a device such as a PND or the like is shown in FIG. 5 at 520-526. First, at 520, method 500 comprises receiving from a device a request for advertising content. Upon receipt of this request, it is determined, at 522, a number N of items of advertising content to send to the device. The number N of items of advertising content may vary depending upon a number of factors, including but not limited to, a type/brand/model of device that sent the request, a current level of zoom currently shown on the device display, and/or whether any advertising publishers have paid for exclusive advertising rights to a tile that is within the relevant geographic area.” Bussmann ’294 at [0035]–[0038].  FIG. 5A


’296 Patent Claim Language	Exemplary Disclosures
	Mello ’479 at FIG. 5A. “After the web event data collector 166 stores the query string search criteria and associated information (block 510) or if the web event data collector 166 determines that a query has not been submitted (block 508), the media capture data collector 168 (FIG. 3) determines whether a media signal (e.g., an audio signal, a video signal, an RF signal, etc.) has been captured (block 512). For example, the media signal may be an audio signal associated with an advertisement presented by the audio device 16 or the video device 18 (FIG. 1), a video signal presented by the video device 18 (FIG. 1), or an RF signal emitted by the RF transceiver 22 of the billboard 20 (FIG. 1). The media capture data collector 168 then determines whether the captured media signal includes a code (block 514). If the captured media signal includes a code, the media capture data collector 168 extracts (or creates a copy of) the code (block 516). If the captured media signal does not include a code (block 514), the media capture data collector 168 generates a signature of the captured media signal (block 518). Alternatively, a signature can always be collected regardless of whether a code was collected. After the media capture data collector 168 extracts a code (block 516) and/or generates a signature (block 518), the media capture data collector 168 stores the media representation information (e.g., the code and/or the signature) (block 520) in the media data log file 184 (FIG. 3). After the media capture data collector 168 stores the media representation information (block 520) or if the media capture data collector 168 determines that a media signal has not been captured (block 512), the consumer purchase data collector 170 determines whether any input data relating to potential purchases have been received (block 522) (FIG. 5B). In the illustrated example, the potential purchase data is data indicative of a product or a service such as, for example, bar code information read using the bar code reader 136 (FIG. 2) or RFID information received via the RF transceiver 134 (FIG. 2) in response to the monitored person 32 scanning a product or a service document. If the consumer purchase data collector 170 determines that potential purchase data has been received (block 522), the consumer purchase data collector 170 determines whether the monitored person 32 purchased the product or service corresponding to the received potential purchase data (block 524). For example, the consumer purchase data collector 170 may receive subsequent information or the potential purchase information received at block 522 may have a corresponding purchase confirmation flag indicating that the monitored person 32 purchased the related product or service. If the consumer purchase data collector 170 determines that the monitored person 32 made the purchase (block 524), the consumer purchase data collector 170 stores the purchase information (block 526) in association


’296 Patent Claim Language	Exemplary Disclosures
	with a corresponding timestamp and location identifier in the purchase data log file 186 (FIG. 3).” Mello ’479 at [0082]–[0084]. “Significant benefit is provided by a content targeting methods and systems usable with mobile devices that provide feedback to the advertisers—especially those advertisers that have brick and mortar businesses—to help them judge the effectiveness of their targeted content. The effectiveness of a business' advertising effort may be measured by determining with regard to a user of a device that has received targeted content one or more of: whether the user visits a business location of a content producer after their content has been delivered to the device; the time spent at the location; and, how much money was spent at the business by that user (especially in the case where the user pays through an online payment service utilizing the mobile device).” Busch ’815 at [0008]. “The present invention provides among other things methods and systems to obtain data relating to location from mobile devices, processing this data, sending content to a mobile device based at least in part on location data, integration of location data associated with a mobile device with web based applications accessed with a standard computer or laptop, integration of location data with conversion tracking systems, integration of location data with customer relationship management systems and systems to determining retail business location performance, integration with social uses of location data of mobile devices, and integration with navigation uses of location data associated with mobile devices.” Busch ’815 at [0159]. “Then the mobile device may be configured to report the information describing whether or not the user responded to the content by going to the geographic location indicated back to the advertiser associated with corresponding element of the content result set. The system may also report the duration or period of time the geographic location of the mobile device corresponded to the geographic location corresponding to the element of the content result set, or a business location of the advertiser. This allows advertisers to see the different periods of time people spend at their business locations.” Busch ’815 at [0278]. “Methods and systems are disclosed for providing customized content to users based on their location. In one embodiment, for each of one or more content providers, a customized content delivery function receives information from the content provider defining a number of geographic shapes selecting corresponding geographic areas. Preferably, each of the geographic shapes overlaps at least one other of the geographic shapes and is assigned an importance level. For each geographic shape, the content provider defines one or more tags for the geographic shape and assigns a weight to each of the one or more tags. Thereafter, when a request is received from a requestor, one or more content items are selected for delivery to the requestor based


’296 Patent Claim Language	Exemplary Disclosures
	on the geographic shapes, the tags and corresponding weights for the geographic shapes, and the location of the requestor.” Svendsen ’073 at Abstract.  *FIG. 1* Svendsen ’073 at Fig. 1.



’296 Patent Claim Language	Exemplary Disclosures
	 ***FIG. 2A*** Svendsen ’073 at Fig. 2A. POINT / INTERSECTING SHAPES / KEYWORDS / BID 42 / 26, 28 / Change = 80, NAFTA = 30, election = 100, experience = 20, job loss = 50, trade deficit = 25 / 305 44 / 32, 34 / Change = 80, NAFTA = 30, election = 100, experience = 20, trade deficit = 80 / 310 ***FIG. 4D*** Svendsen ’073 at Fig. 4D. “In one embodiment, for each of one or more content providers, a central custom content delivery function obtains information defining one or more tags assigned to each of a number of content items provided by the content provider. Each content item may be an advertisement such as a text-based or video advertisement, a



’296 Patent Claim Language	Exemplary Disclosures
	media item such as an audio item or video item, or the like. Each tag may be, for example, a keyword, a demographic criterion, or the like.” Svendsen ’073 at 1:23–31. “First, for each of one or more content providers, information identifying one or more keywords associated with each of a number of content items provided by the content provider is received or otherwise obtained (step 100). Thus, for each content item for each content provider, one or more keywords associated with that content item are defined. As used herein, a content provider may be an advertiser or a media content provider. Similarly, as used herein, a content item may be an advertisement such as, but not limited to, a text-based advertisement, an audio advertisement, or a video advertisement; a media item such as, but not limited to, an audio item such as a song, audio book, or audio clip or a video item such as a movie, television program, or video clip; or the like.” Svendsen ’073 at 2:64–3:10. “FIG. 4C illustrates keywords and corresponding weights assigned by the advertiser to each of the geographic areas 26 through 40 shown in FIGS. 4A and 4B. Note that keywords, such as the keyword “trade deficit” assigned to the geographic shape 28, that have not been assigned a weight by the advertiser may be assigned a default weight. The default weight may be a user-defined value or a system-defined value. In this example, the default weight is 25.” Svendsen ’073 at 7:63–8:4. “FIGS. 6A through 6C graphically illustrate the process of FIG. 5 according to one embodiment of the present invention. FIG. 6A illustrates geographic shapes defined by a content provider to select geographic areas of interest to the content provider.” Svendsen ’073 at 9:62–66. “In addition, the central server 70 may include a content repository 80. For each of a number of content providers, the content repository 80 may store the content items or references to the content items provided by each of the content providers. As discussed above, the content providers may be advertisers, media content providers, or the like. As such, the content items provided by the content providers may be advertisements, media items, or the like. Lastly, the central server 70 hosts or otherwise has access to a provider accounts repository 82, which includes a provider account, or account, for each of the content providers.” Svendsen ’073 at 13:41–52. “As discussed above, an account of a content provider includes information defining geographic shapes defined by the content provider and, for each content item of the content provider, one or more keywords assigned to the content item. In addition, for each geographic shape defined by the content provider, the account of the content provider includes keywords assigned to the geographic shape as well as weights for



’296 Patent Claim Language	Exemplary Disclosures
	those keywords. Lastly, the account may include a z-order, or importance level, for each of the geographic shapes.” Svendsen ’073 at 13:52–60. *See also* Svendsen ’073 at Fig. 4A, Fig. 4B, Fig. 4C, 3:35–63, 4:48–67, 10:3–12, and 14:19–23. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[1h] receiving, from a registered application program, a request for content to be used within the registered application program;	The following prior art expressly or inherently discloses and renders obvious “receiving, from a registered application program, a request for content to be used within the registered application program.” For example:  FIGURE 4 Andreasson ’890 at FIGURE 4.



’296 Patent Claim Language	Exemplary Disclosures
	“The application circuit 251 may be configured to request application updates from the server 110 periodically based on the a current location of the portable electronic device 140/240. Each update response may include a set of applications that should be updated by the device. ” Andreasson ’890 at [0062].  FIG. 5 Macaluso ’238 at FIG. 5. “Implementations may include one or more of the following features. For example, the advertisement may be downloaded to the mobile device over a wireless interface. The wireless communication may include a download of data to the mobile device. The download of data may involve data used by an application running on the mobile device. ” Macaluso ’238 at [0006]. “Rather than simply displaying a status dialogue, an application that is running on the mobile device may send a function call to the advertising application or extension. The advertising application may then display an advertisement and possibly other information. For example, a display screen on the mobile device may display two bitmap sections and a text section. One bitmap section may display the advertisement, while the second bitmap section and the text section may be specified by the calling application.” Macaluso ’238 at [0030].



’296 Patent Claim Language	Exemplary Disclosures
	“The process 500 is illustrated and described as performing a check for expired advertisements, determining whether to download a new advertisement, and requesting a new advertisement after displaying a selected advertisement. In some implementations, however, it may be desirable to download the new advertisement before selecting and displaying an advertisement. Accordingly, the new advertisement may be downloaded at the beginning of the underlying data communication. The process 500 may also be rearranged and performed in a number of different sequences.” Macaluso ’238 at [0037]. “A service providing method, wherein a mobile communication device changes surveyed questionnaire data to upper level category data and transfers the changed data to service processing device and Web server, the service processing device transfers place data around the service processing device to the Web server, the Web server selects advertisement data that matches user's attitudes and the place, based upon the surveyed questionnaire data and the place data, and the service processing device and the mobile communication device displays advertisement images corresponding to the advertisement data received from the Web server on a display.” Kinoshita ’866 at Abstract. FIG. 1  Kinoshita ’866 at Fig. 1.

’296 Patent Claim Language	Exemplary Disclosures
	FIG. 3  Kinoshita ’866 at Fig. 3. FIG. 4  Kinoshita ’866 at Fig. 4.

’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 5.  Kinoshita ’866 at Fig. 6.



’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 7.  Kinoshita ’866 at Fig. 8.



’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 9.  Kinoshita ’866 at Fig. 10.


’296 Patent Claim Language	Exemplary Disclosures
	FIG. 11  Kinoshita ’866 at Fig. 11. FIG. 12  Kinoshita ’866 at Fig. 12. “The first aspect of the present invention is a service providing method using a mobile communication device having a short-range communication function, comprising the steps of: a first step in which the mobile communication device transfers user's or the mobile communication device's attribute data stored in the mobile communication device to a service processing device by performing short-range communication with the service processing device installed at a predetermined place.” Kinoshita ’866 at [0009].



’296 Patent Claim Language	Exemplary Disclosures
	“The second aspect of the present invention is a service processing device comprising: an interface that performs short-range communication with a mobile communication device directly or indirectly; a memory that stores place data; and a controller that receives attribute data of a user or user's mobile communication device from user's mobile communication device, transfers the attribute data and the place data read out from the memory to the server, and performs announcement based upon recommendation data corresponding to the place data received from the server.” Kinoshita ’866 at [0010]. “The third aspect of the present invention is a mobile communication device for performing short-range-communication with a service processing device installed at predetermined place, the mobile communication device comprising: a short-range communication interface that performs short-range-communication with the service processing device; a memory that stores attribute data of a user or his mobile communication device; and a controller that transfers the attribute data read out from the memory to the service processing device, receives recommendation data associated with the attribute data and a place of the service processing device, and performs announcement according to the recommendation data.” Kinoshita ’866 at [0011]. “The fourth aspect of the present invention is a server for providing information associated with a mobile communication device that performs short-range communication with a service processing device installed at a predetermined place, the server comprising: an interface that receives attribute data of a user or his mobile communication device and place data of a place where the service processing device is installed from the mobile communication device or the service processing device; a memory that stores recommendation data which is associated with the attribute data and the place data; and a controller that reads out, from the memory, the recommendation data which is associated with the attribute data received by the interface and the place data, and transfers the recommendation data to the mobile communication device or the service processing device through the interface.” Kinoshita ’866 at [0012]. “The cellular phones 12-1 and 12-2 include an IC chip 55 that performs short-range communication by using a non-contact method, and the IC chip is given ICID that is unique identification information. In the present embodiment, for example, the cellular phones 12-1 and 12-2 perform short-range communication by using the IC chip 55. The IC chip 55 is a short-wave-resistant module. The IC chip 55 is removably or fixedly built in the cellular phones 12-1 and 12-2.” Kinoshita ’866 at [0032]. “The R/W device 16 performs short-range communication with the cellular phone 12-1. Standards of protocol used in short-range communication include, for example, NFC (Near Field Communication), ISO/IEC 14443, Bluetooth, UWB (Ultra Wide Band), and IEEE802.11b. A method of the short-range communication in the


’296 Patent Claim Language	Exemplary Disclosures
	present embodiment may be a contact method, or a non-contact method. The R/W device 16 is installed at a shop and other places.” Kinoshita ’866 at [0039]. “When a user goes to a shop or a station, he can approach the R/W device 16 installed there and make the cellular phone 12-1 contact with the R/W device 16. By doing this, the R/W device 16 can communicate with the cellular phone 12-1 through short-range communication.” Kinoshita ’866 at [0089]. “The cellular phone 12-1 communicates with the service device 14 via the R/W device 16 by using the function of the application program APL. At this time, the cellular phone 12-1 transfers attribute data and a list of advertisement videos and digital content data, which are stored in the memory 58 of FIG. 2, to the service device 14, as well as given service requests. The service device 14 transfers the above things received from the cellular phone 12-1 to the memory 68 of FIG. 3. The attribute data includes, for example, user's age, gender, and preferences.” Kinoshita ’866 at [0096]. “If digital content data that a user of the cellular phone 12-2 is interested in is stored in the cellular phone 12-1, short-range communication is performed by contacting the cellular phone 12-1 and the cellular phone 12-2. At this time, the cellular phone 12-1 designates the advertisement video and digital content data to send them to the cellular phone 12-2.” Kinoshita ’866 at [0127]. *See also* Kinoshita ’866 at Fig. 2, [0028], [0037], and [0100]. “In some embodiments, system 600 can be configured to provide advertising content in a tool tip (or mouse hover). Thus, rather than having the advertisement or other text automatically displayed, system 600 can display such information when the user hovers over a particular area of the map. This can be utilized in a top-view, a ground level view, or other views. When the user hovers over a particular area of the map, such as a clothing store, system 600 can display different information based in part on user preferences 608. For example, if a store is displayed, system 600 can provide a link to the store allowing the user to automatically be presented with a website or other information relating to that particular store. If the user is a woman, the system 600 may display items that are on sale in the store such as perfumes or dresses. However, if the user is a male, the system 600 can display different sale items, such as ties. In such a manner, the user is navigating through virtual space and system 600 is automatically annotating the map area with individual preferences as related to advertising.” Smith ’558 at [0113]. “In some embodiments, an advertisement can overlay various objects (e.g., buildings, houses, streets, parks, vacant land, vehicles) in the mapping application. The various objects with the overlaid advertisement need not have previously been overlaid with an advertisement. However, based on the user preferences and the

’296 Patent Claim Language	Exemplary Disclosures
	desires of the advertiser, the objects might have the advertisement overlaid based on the user preferences.” Smith ’558 at [0115].  FIG. 1 Sato ’965 at Fig. 1.  FIG. 2 Sato ’965 at Fig. 2.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 6 Sato ’965 at Fig. 6.  FIG. 7


’296 Patent Claim Language	Exemplary Disclosures
	Sato ’965 at Fig. 7.  FIG. 8 Sato ’965 at Fig. 8.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 9 Sato ’965 at Fig. 9.  FIG.10

’296 Patent Claim Language	Exemplary Disclosures
	Sato ’965 at Fig. 10.  FIG.11 Sato ’965 at Fig. 11. “Display control section 109 acquires contend data 152 from content server 103 via communication interface 111.” Sato ’965 at [0063]. “In terminal apparatus 101, prefetch scheduler 104 determines whether the position (content position) to which is related the content data 152 noted in step S305 is included in the content data acquisition region determined in step S304 (step S306).” Sato ’965 at [0106]. “In step 307, prefetch scheduler 104 in terminal apparatus 101 designates the noted content data 152 as a candidate for content data to acquire.” Sato ’965 at [0108]. “Prefetch section 105 in terminal apparatus 101 acquires non-stored content data from content server 103.” Sato ’965 at [0114]. “Content data acquisition region 501 is determined as a region, along passage expected road 502, with a predetermined length L forward of mobile unit 143. The length L may be measured along passage expected


’296 Patent Claim Language	Exemplary Disclosures
	road 502, or may be the direct distance between opposite ends of content data acquisition region 501.” Sato ’965 at [0119]. “Referring to FIG. 11, processing will be described below where terminal apparatus 101 acquires non-stored content data from content server 103 (step S310 in FIG. 6). FIG. 11 is a flowchart illustrating processing procedures for acquiring non-stored content data from the content server according to the above embodiment.” Sato ’965 at [0134]. “Specifically, prefetch section 105 transmits request 151 (see FIG. 2) to request the first half of the noted content data 152 to content server 103. In response to request 151, content server 103 transmits the first half of the content data 152 to terminal apparatus 101. In this way, prefetch section 105 (acquiring section) acquires part (first half) of the content data 152 via wireless communication path 141.” Sato ’965 at [0144]. “Position detecting section 110 in terminal apparatus 101 detects the position of mobile unit 143 (step S323). In step S323, position detecting section 110 detects the moving direction and moving speed of mobile unit 143, in addition to the position of mobile unit 143.” Sato ’965 at [0153]. “In step S330, using prefetch section 105, terminal apparatus 101 acquires the latter half of the noted non-stored content data (content data 152) from content server 103.” Sato ’965 at [0162]. “As described above, terminal apparatus 101 acquires non-stored content data from content server 103.” Sato ’965 at [0169]. “Referring to FIG. 13, request 151 will be described below that terminal apparatus 101 transmits to content server 103 in step S324 (FIG. 11). Request 151 as shown in FIG. 13 is a request in the case of using the HTTP protocol. Request 151 is generated in prefetch section 105 (FIG. 2), and is transmitted to content server 103 via wireless communication path 141. In response to request 151, content server 103 transmits content data 152 to terminal apparatus 101. Row 481 in request 151 indicates that terminal apparatus 101 requests content server 103 to transmit 1 MB: 0th byte to 949999th byte of content data 152.” Sato ’965 at [0174]–[0176]. “As described above, in step S309 (FIG. 6), prefetch scheduler 104 issues command A to determine non-stored content data among candidates for content data to acquire to storage managing section 112.” Sato ’965 at [0181].



’296 Patent Claim Language	Exemplary Disclosures
	“Storage managing section 112 designates content data that is not stored in storage section 113 as non-stored content data among candidates for content data to acquire described in the list of the candidates for content data to acquire (step S602).” Sato ’965 at [0183]. *See also* Sato ’965 at [0054], [0059]–[0060], and [0100].  FIG. 10 Ahn ’281 at Fig. 10. “FIG. 10 is an example flowchart of a method by which the advertising feature of the present invention is provided, according to an embodiment of the invention. In the first operation, an advertising scheme is defined which is based on the association of advertising regions of a map to advertisements (step 1002). Next, the map presented to the user and, optionally, the cursor position, (step 1004) is used to determine the one or more advertisements to be displayed or presented to the user (step 1006). Marketing-related information, such as the advertisements presented and whether there was a click through, and other information are captured and stored (step 1014). This is captured on the client device 110 and alternatively also sent to the map manager 102 (step 1020). This marketing-related information may be used to help in soliciting more advertising revenues or to tailor the advertising scheme to obtain a better stream of revenue.” Ahn ’281 at [0095].


’296 Patent Claim Language	Exemplary Disclosures
	“The GIK systems of an embodiment include computer readable medium including executable instructions which, when executed in a processing system, manage geographically referenced data (GRD), by receiving a search request that includes a defined search area. The computer readable medium of an embodiment provides an extended map based on the search request. The extended map of an embodiment includes geographic areas within the defined search area and outside the defined search area. The computer readable medium of an embodiment provides the GRD. The GRD includes one or more of advertisements, contact information, and review information for one or more entities. The computer readable medium of an embodiment provides map reference information of the GRD on the extended map.” Ahn ’281 at [0205].  Fig. 5 Begum ’880 at Fig. 5. “If there is no match, the signal transmitted graphic is stored into the memory of the display unit and the signal transmitted graphic is simultaneously displayed on the screen of the display unit. Similarly, if there is a match but the transmitted graphic is an updated version, then the stored memory graphic is dated and replaced with the updated signal transmitted graphic.” Begum ’880 at 2:6–12. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22.

’296 Patent Claim Language	Exemplary Disclosures
	“Since the point of purchase promotion is most effective when the customer is at ground zero, that is, proximate the shelf location of the promoted item, the graphic must be transmitted, received and formatted for display in the brief time that the shopper is strolling past the promoted item.” Begum ’880 at 4:33–38. “The user interface is designed to allow the user to access all of the available data including stored promotional graphics by a control system that is intuitive. Furthermore, the hybrid system devised for automatic display of promotional graphics, is designed to incorporate features that are beneficial in facilitating automatic update of the promotional advertisements.” Begum ’880 at 4:65–5:4. “External components such as an IR beacon 64 and an IR trigger component 66 direct infrared data signals and wake-up signals to the IR photodiodes 68 of the radiation window 36a on the display unit 12. The data signals provide information for reprogramming the memory of inventory and sales information and screen display of activated advertisement and promotional visuals. The IR beacon 64 may also emit a power transmission signal for charge maintenance of the battery pack 40. The IR beacon 64 and trigger component 66 form a transceiver unit 65 for receiving, storing and relaying trigger and data signals from a control unit 67, that centralizes the storewide operation of the system.” Begum ’880 at 8:36–47. “Customarily, each store would have a single control unit 67 that is the central computer for management of the stores inventory and accounting. The control unit 67 communicates with a plurality of transceiver units 65 located throughout the marketing area. Preferably, to minimize installation expenses and allow the plurality of transceiver units 65 to be repositioned in the marketing area as desired, each transceiver unit 65 is in wireless communication with the control unit 67 and has its own power supply. Essentially, the transceiver unit 65 includes the same electronic components as the display unit 12 which allows for independent processing of data and independent communication with a display unit 12 on a nearby shopping cart. ” Begum ’880 at 8:56–9:1. “To conserve power in the transceiver unit 65, the transceiver unit includes a proximity sensor 69 that detects the presence of a shopping cart within range and initiates transmission of the trigger and data signals to the unit 12 on the cart handle. The transceiver unit 65 also includes an RF receiver 71 to receive FM radio frequency transmissions from the central control” Begum ’880 at 9:1–7. “Each transceiver unit 65 can have a separate identification such that data transmitted from the control unit 67 is transmitted store wide but is processed and stored only by the transceiver unit to which the data is intended.” Begum ’880 at 9:8–11.


’296 Patent Claim Language	Exemplary Disclosures
	“In the preferred embodiment, the transceiver unit 65 upon detection of a proximately located shopping cart transmits a trigger signal to wake-up the display unit on the shopping cart if not already in an activated state, then sends the data signal.” Begum ’880 at 9:12–16. “The data signal is a digital signal that includes both the product control signals and the screen graphic signal. The product control signals include data about the promotion that is not in the screen graphic and that does not appear on the display screen 24 of the display unit 12. This data may include the universal product identification number, the date or iteration number of the promotional graphic, and, the identification number of the transceiver unit, which is useful in tracking the path of a shopper through the market area. The screen graphic signal contains the digitized data that is received by the display unit 12 and formatted for display on the display screen. For example, a compressed screen graphic signal must be decompressed by the central processor before it is relayed to the LCD controller and driver 72. ” Begum ’880 at 9:16–29. “The digitized screen graphic is stored in a file in the memory of the transceiver unit 65, and is periodically updated or replaced by transmissions from the control unit 67.” Begum ’880 at 9:52–55. “The trigger and data signals, together with a converted D.C. power potentials are delivered to the power control circuit for system wakeup, and trickle feed of energy to the battery pack 40. The trigger signal is passed to the cue output circuit 73, which may be one or more of an audible chime, a handle vibration or a light. Certain IR triggers 66 at the store perimeter may not only trigger an audible alarm in the display unit 12, but include a sound or ultrasound receiver for activating an alarm in the store office when a select frequency emitted by the display unit is detected.” Begum ’880 at 9:56–65. “With the display unit 12 awakened, the data signals are processed by the central processor 58 and the data relating to the screen graphic is compared with existing promotional screen graphics stored in RAM 74. The comparison of digitized screen graphics may be accomplished with a rapid checksum procedure. If a match is found, the screen graphic data is passed from a temporary storage buffer in the central processor 58 to the LCD driver 72 for display on the display screen 24. In the event that there is no match, the processor 58 processes the formatted screen data to the LCD driver 72 for display on the display screen 24 and contemporaneously passes the screen graphic display data together with the accompanying product control data to RAM 74. The screen graphic data and product control data are stored in memory for future comparison with received screen display signals or retrieval by a shopper reviewing the file of product promotions.” Begum ’880 at 9:66–10:15. “The product control signals may be utilized in this compare process for rapidly locating the presence or absence of a particular promotional screen graphic in memory and initiating display of either the screen



’296 Patent Claim Language	Exemplary Disclosures
	graphic in memory or the screen graphic formatted from the screen graphic signal transmitted by the transceiver unit 65. In this manner, the shopping carts that are in use, are continually updated as they pass a transceiver unit 65, such that even if an outdated ad is stored in memory, the updated ad will be presented once the shopper has arrived at the location of the promoted item. Although this system has the minor drawback of potentially storing an outdated promotional graphic in memory that is accessible by a shopper during review of the product promotion file using the display unit in an interactive mode, the system is self-correcting at the promoted product location.” Begum ’880 at 10:16–31. *See also* Begum ’880 at Fig. 9, 1:60–2:5, 5:65–6:4, 6:18–37, 9:46–51, 10:41–51, and 10:52–11:3.  FIG. 1 Levkovitz ’852 at Fig. 1.



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 2 Levkovitz ’852 at Fig. 2.  FIG. 11 Levkovitz ’852 at Fig. 11.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 14 Levkovitz ’852 at Fig. 14. “In some embodiments, for example, a method may include receiving an application-initiated content request from a wireless communication device; and selectively serving to the wireless communication device a content item based on data included in the application-initiated content request, wherein the application-initiated content request may include data identifying at least a manufacturer of the wireless communication device and a model of the wireless communication device.” Levkovitz ’852 at [0025]. “In some embodiments, for example, the application-initiated content request may include a data item selected from a group consisting of: a data item representing an available memory of the wireless communication device, a data item representing an audio capability of the wireless communication device, a data item representing a video capability of the wireless communication device, a data item representing a screen size of the wireless communication device, a data item representing a content item type that the wireless communication device is able to present, and a data item representing a location of the wireless communication device.” Levkovitz ’852 at [0026]. “Some embodiments may include, for example, a machine-readable medium having stored thereon a set of instructions that, if executed by a machine, result in: receiving an application-initiated content request from a


’296 Patent Claim Language	Exemplary Disclosures
	wireless communication device; and selectively serving to the wireless communication device a content item based on data included in the application-initiated content request, wherein the application-initiated content request may include data identifying at least a manufacturer of the wireless communication device and a model of the wireless communication device.” Levkovitz ’852 at [0036]. “The content client 174 may be a module of application 176, a plug-in of application 176, or an external module operatively associated application 176. Content client 174 may be able to send a wireless signal indicating a request (“content request”) to receive one or more content items, e.g., textual content, audio content, video content, advertisement, informational items, or the like. The content request may include, for example, data indicating properties of device 170, e.g., handset manufacturer, handset model, screen resolution, screen color depth, audio capabilities, total memory, available memory, types of content items which the device 170 is capable to present, or the like; data indicating properties of the user of device 170, e.g., age, age group, gender, occupation, profession, areas of interest, income, usage habits, usage patterns, usage time, or the like; and/or other suitable information, e.g., data indicating the type of application associated with application 176, data identifying application 176, or the like.” Levkovitz ’852 at [0095]. “In some embodiments, the content request may be application-initiated, automatically-initiated, computer-initiated, periodically-initiated, user-initiated, non-user-initiated, or the like. ” Levkovitz ’852 at [0096]. “Device 170 may receive from communicator 150 one or more content items (“content response”), e.g., in response to the content request. The content response may be received from communicator 150, for example, using communication handler 173.” Levkovitz ’852 at [0156]. “In some embodiments, optionally, one or more components of system 100 may remotely, directly or indirectly trigger device 170 to transmit a content request. For example, in one embodiment, device 170 may be remotely triggered using a “ping” or a ping-like message or packet, a “wake up” message or packet, or the like. In some embodiments, for example, communicator 150, SMS gateway 163, or other component of system 100 may send to device 170 a data item or a message, e.g., having a link or a shortcut which may trigger a content request by device 170. In some embodiments, device 170 may transmit a content request in response to an incoming signal or message, a background incoming signal or message, a user-transparent incoming signal or message, a remote signal or message, or the like.” Levkovitz ’852 at [0175]. “As indicated at box 215, the method may optionally include, for example, transmitting a content request from device 170 to communicator 150. This may include, for example, creating a content request having data


’296 Patent Claim Language	Exemplary Disclosures
	representing, for example, properties of device 170, properties of the user of device 170, properties of prior usage of device 170, or the like.” Levkovitz ’852 at [0180]. “a fourth user-selectable operation may be available only when the user or the device 1070 meets certain conditions, e.g., if the device 1070 is within a certain location (e.g., in proximity to a certain restaurant)” Levkovitz ’852 at [0272]. “For example, a first user-selectable action associated with a first incoming content item, may be available only during a certain time and/or while the recipient device is within a certain geographical location.” Levkovitz ’852 at [0273]. *See also* Levkovitz ’852 at [0147], [0148], and [0159]. “Product or service information in the form of selected wireless e-commerce content is transmitted from a server to a mobile device, such as mobile telephone or personal digital assistant. The e-commerce content is transmitted either in response to an explicit user request for communication of the e-commerce content, or, in the alternative, is “pushed” to the mobile device as permitted by a user but in the absence of a specific request. The e-commerce content received at the mobile device is presented to a user by the mobile device in textual or graphical format in conjunction with an indication of a communication needed to consummate an e-commerce transaction. If the user desires to purchase the good or service represented by the e-commerce content, the user initiates the communication indicated by the e-commerce content.” Sanctis ’837 at Abstract.  *FIG. 1*

’296 Patent Claim Language	Exemplary Disclosures
	Sanctis ’837 at Fig. 1.  *FIG. 2* Sanctis ’837 at Fig. 2.  *FIG. 4* Sanctis ’837 at Fig. 4.


’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 5* Sanctis ’837 at Fig. 5.  *FIG. 7* Sanctis ’837 at Fig. 7. “ In view of the foregoing and in accordance with various embodiments of the present invention, selected wireless mobile e-commerce (hereinafter, “m-commerce”) content, such as product or service information, is

’296 Patent Claim Language	Exemplary Disclosures
	transmitted from a server to a mobile device, such as a mobile telephone or personal digital assistant (“PDA”). In one embodiment, for example, the m-commerce content is transmitted in response to an explicit user request for communication of the m-commerce content. The user is permitted to view an item on his or her mobile device and prompted to make a purchase (e.g., via a “buy” key or selecting an icon or toolbar on the mobile device). In another embodiment, the m-commerce content is “pushed” to the mobile device in the absence of a specific request. For example, such solicitations may occur multiple times per day, prompt the user to browse various “departments” or categories of goods or services, walk a user through a form for shopping, or combinations thereof.” Sanctis ’837 at [0008]. “In accordance with embodiments of the present invention, the e-commerce content can be transmitted either in response to an explicit user request for communication of the e-commerce content or, in the alternative, can be “pushed” to the mobile device in the absence of a specific request.” Sanctis ’837 at [0033]. “The process then passes from block 56 to block 58, which illustrates the m-commerce server 10 transmitting an advertisement for the featured product to the mobile devices 30 selected at block 56. The mobile alert preferably includes a description of the product, the price of the product and, optionally, an image or picture of the product and/or the quantity in stock. The mobile alert preferably also includes an indication of a communication that the user can initiate from the mobile device 30 in order to facilitate purchase of the featured product. The mobile alert can be transmitted in a variety of different formats depending upon the bandwidth of the communication technology and the capabilities of the target mobile devices. For example, if the target mobile devices 30 are conventional mobile telephones, the mobile alert can include a Short Message Service (SMS) message. If, however, the target mobile devices are third generation (3G) binary runtime environment for wireless-enabled (BREW-enabled) 46 (such as store in read only memory (ROM) 45 in communication with a processor 47) mobile telephones, as understood by those skilled in the art, the mobile alert can include a graphics-rich “page” in the product database 14 that describes the featured product(s). Following the transmission of the mobile alert to the selected users, the process depicted in FIG. 2 terminates at block 60.” Sanctis ’837 at [0040].


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Bussmann ’294 at FIG. 1.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5 Bussmann ’294 at FIG 5. “FIG. 1 shows a flow diagram depicting an embodiment of a method 100 of providing location-based advertising services. Method 100 comprises, at 102, receiving advertising content and pricing bids from each of a plurality of advertising publishers. As explained in more detail below, the pricing bids comprise an offer to pay a specified amount of money in exchange for having the advertising content of the bidder sent to a device for presentation to a user. Further, the advertising content and bid are associated with a specific bounded geographic area defined in a geographic region. Therefore, the advertising content is sent to devices located within, or within some distance adjacent to, the bounded area. Next, method 100 comprises, at 104, receiving a request from a device for advertising content associated with the bounded area. Then, method 100 comprises, at 106, sending advertising content associated with the top N bids to the device for presentation to a user of the device, wherein N may be zero (in the case of no bids) or a positive integer. In this manner, advertising publishers may bid a specific price to pay for the distribution of advertising content in a specified geographic area, and the highest bidder or bidders win priority to have advertising content items presented to a device user over other lower bidders. Depending upon various device-specific parameters of the device and the nature of the advertising content sent to the device, one or more items of advertising content may be presented on the device at any one time.

’296 Patent Claim Language	Exemplary Disclosures
	Therefore, in some circumstances, the highest bidder's advertising content alone may be sent to a requesting device, while in other circumstances, more than one item of advertising content may be sent to a requesting device. Where more than one item of advertising content is sent to a device, the items of advertising content may be selected based upon descending order of bids. As a specific example, a GPS-enabled smart phone may allow a map to be displayed at various levels of zoom. In one example, for a specific level of zoom in a specific geographic region, the smart phone may be able to display three items of advertising content on a map. In this case, the device may be sent items of advertising content for the top three bidders for the geographic area displayed on the map. Therefore, advertising publishers who wish to have advertising content sent to mobile phones have an incentive to bid close to or above a highest bid for a desired bounded geographic area. This may help to obtain higher bids for distributing the advertising content items, and therefore may contribute to greater economic returns per advertisement view. More detailed implementations of method 100 are discussed in more detail below.” Bussmann ’294 at [0010]–[0011]. “Continuing with the figures, FIG. 5 shows a method 500 of operating an advertising server. Method 500 illustrates various details of method 400 from the advertising server's point of view, where communications with an advertising publisher client are shown in a left-hand side of the figure and communications with a device are shown in a right-hand side of the figure. Method 500 first comprises, at 502, receiving a logon request from an advertising publisher client, and connecting to the client. Next, at 504, a tiled map is sent to the client to allow the advertising publisher to select tiles in which it is interested in having its advertising content distributed. After sending the tiled map, a selection of tiles on the map is received from the client at 506, and advertising content is received from the client at 508. As described above, in some embodiments, an advertising server may be configured to allow an advertising publisher to view a preview of advertising content in the tiles selected by the advertising publisher. Therefore, method 500 comprises, at 510, sending an advertising content preview to the client. In some embodiments, the advertising content preview may be an interactive preview configured to allow an advertising publisher to view an item of advertising content on different types of devices, at different levels of zoom, panning, etc. to see how the item of advertising content will appear to a user in various specific geographic locations. In this manner, an advertising publisher may be able to tailor an appearance of an item of advertising content to a desired appearance in a specific device and/or location. Method 500 next comprises, at 512, receiving advertising category and advertising display time information from the client. Examples of category and display time information are discussed in detail above. While the


’296 Patent Claim Language	Exemplary Disclosures
	depicted embodiment shows the category and time information appearing in a later step than the receipt of the ad content and selection of tiles, it will be understood that these items may be received in any suitable order. Upon receipt of the selection of tiles, ad content, and category and time information, method 500 comprises, at 514, sending price information to the client, and then at 516, receiving a bid from a client. The bid is then stored in an updated bid information database, as indicated at 518. It will be understood that processes 502-518 may be performed by a plurality of different publishers on a continuous, rolling basis as clients wish to submit bid information. Further, the advertising server also may interact with requesting devices on a continuous, rolling basis to provide items of advertising content to the devices. An example of a transaction with a device such as a PND or the like is shown in FIG. 5 at 520-526. First, at 520, method 500 comprises receiving from a device a request for advertising content. Upon receipt of this request, it is determined, at 522, a number N of items of advertising content to send to the device. The number N of items of advertising content may vary depending upon a number of factors, including but not limited to, a type/brand/model of device that sent the request, a current level of zoom currently shown on the device display, and/or whether any advertising publishers have paid for exclusive advertising rights to a tile that is within the relevant geographic area.” Bussmann ’294 at [0035]–[0038].  FIG. 5A


’296 Patent Claim Language	Exemplary Disclosures
	Mello ’479 at FIG. 5A. “The central facility 60 may obtain media exposure data, consumption data, media monitoring data, location data, motion data, and/or any other monitoring data that are collected by the media monitoring devices such as, for example, the PPM 30. In the illustrated example, the PPM 30 may transmit data to a local relay device 64 which, in turn, transmits data to the central facility 60 to extend the range of the examined or monitored geographic area. The example system 10 may be provided with multiple local relay devices 64 that serve as access points for the PPM 30 and other devices to the network 62 and the central facility 60.” Mello ’479 at [0032]. “The RF location interface 148 may also be configured to broadcast location-related information such as, for example, time-stamped PPM identification codes. The time-stamped PPM identification codes may be received by, for example, three or more of the relay devices such as the relay device 64, which may process the codes cooperatively using triangulation techniques to determine the location of the PPM 30. The relay devices 64 may communicate the received time-stamped PPM identification codes to the central facility 60 along with information relating to the times at which the codes were received by each of the relay devices 64. The central facility 60 may then determine the location of the PPM 30 based on this information.” Mello ’479 at [0048]. “After the web event data collector 166 stores the query string search criteria and associated information (block 510) or if the web event data collector 166 determines that a query has not been submitted (block 508), the media capture data collector 168 (FIG. 3) determines whether a media signal (e.g., an audio signal, a video signal, an RF signal, etc.) has been captured (block 512). For example, the media signal may be an audio signal associated with an advertisement presented by the audio device 16 or the video device 18 (FIG. 1), a video signal presented by the video device 18 (FIG. 1), or an RF signal emitted by the RF transceiver 22 of the billboard 20 (FIG. 1). The media capture data collector 168 then determines whether the captured media signal includes a code (block 514). If the captured media signal includes a code, the media capture data collector 168 extracts (or creates a copy of) the code (block 516). If the captured media signal does not include a code (block 514), the media capture data collector 168 generates a signature of the captured media signal (block 518). Alternatively, a signature can always be collected regardless of whether a code was collected. After the media capture data collector 168 extracts a code (block 516) and/or generates a signature (block 518), the media capture data collector 168 stores the media representation information (e.g., the code and/or the signature) (block 520) in the media data log file 184 (FIG. 3).



’296 Patent Claim Language	Exemplary Disclosures
	After the media capture data collector 168 stores the media representation information (block 520) or if the media capture data collector 168 determines that a media signal has not been captured (block 512), the consumer purchase data collector 170 determines whether any input data relating to potential purchases have been received (block 522) (FIG. 5B). In the illustrated example, the potential purchase data is data indicative of a product or a service such as, for example, bar code information read using the bar code reader 136 (FIG. 2) or RFID information received via the RF transceiver 134 (FIG. 2) in response to the monitored person 32 scanning a product or a service document. If the consumer purchase data collector 170 determines that potential purchase data has been received (block 522), the consumer purchase data collector 170 determines whether the monitored person 32 purchased the product or service corresponding to the received potential purchase data (block 524). For example, the consumer purchase data collector 170 may receive subsequent information or the potential purchase information received at block 522 may have a corresponding purchase confirmation flag indicating that the monitored person 32 purchased the related product or service. If the consumer purchase data collector 170 determines that the monitored person 32 made the purchase (block 524), the consumer purchase data collector 170 stores the purchase information (block 526) in association with a corresponding timestamp and location identifier in the purchase data log file 186 (FIG. 3).” Mello ’479 at [0082]–[0084].  FIG. 2A

’296 Patent Claim Language	Exemplary Disclosures
	Busch ’815 at Fig. 2A. “Significant benefit is provided by a content targeting methods and systems usable with mobile devices that provide feedback to the advertisers—especially those advertisers that have brick and mortar businesses—to help them judge the effectiveness of their targeted content. The effectiveness of a business' advertising effort may be measured by determining with regard to a user of a device that has received targeted content one or more of: whether the user visits a business location of a content producer after their content has been delivered to the device; the time spent at the location; and, how much money was spent at the business by that user (especially in the case where the user pays through an online payment service utilizing the mobile device).” Busch ’815 at [0008]. “The present invention provides among other things methods and systems to obtain data relating to location from mobile devices, processing this data, sending content to a mobile device based at least in part on location data, integration of location data associated with a mobile device with web based applications accessed with a standard computer or laptop, integration of location data with conversion tracking systems, integration of location data with customer relationship management systems and systems to determining retail business location performance, integration with social uses of location data of mobile devices, and integration with navigation uses of location data associated with mobile devices.” Busch ’815 at [0159]. “In alternative forms of the invention, information is sent to the mobile device describing the location and a radius, or a perimeter, of businesses in a certain geographic area. When the user is within the areas defined by the data sent to the mobile device, then the mobile device reports the location of the device to a remote portion of the system or records the location of the device to a local portion of the system. Alternatively, the mobile device only reports that it is located at the particular business. The mobile device may also report other information such as the time spent at the business location.” Busch ’815 at [0346]. “In some forms of the invention, the anticipated route 402 or destination information is referenced against a database of targeted content that includes business locations and information in order to determine if there is any content of interest to the user of the mobile device along the anticipated route 402. If there is appropriate targeted content, this information is sent to the mobile device in order to inform the user of the mobile device of business and events of interest that are easily accessible from their current route. For purposes of illustration and without limitation, referring again to FIG. 5, if the user frequents office supply stores, an advertisement indicating that Office Max 510 on the West side of Hayden Road 500 may be sent to the mobile device to be displayed at an appropriate time.” Busch ’815 at [0355].

’296 Patent Claim Language	Exemplary Disclosures
	“The likely or anticipated route that the user of the mobile device is currently taking may be based upon their current location information and the historical location information. Based upon this information, targeted content is sent to the user. The targeted content is any type of information including but not limited to advertisements, traffic information, danger warnings, or any other type of information that pertains to a geographic location.” Busch ’815 at [0357]. “The user of the mobile device is not limited to receiving only the targeted content received unsolicited at the mobile device; the user of the mobile device may also initiate searches for terms of interest.” Busch ’815 at [0378]. “Methods and systems are disclosed for providing customized content to users based on their location. In one embodiment, for each of one or more content providers, a customized content delivery function receives information from the content provider defining a number of geographic shapes selecting corresponding geographic areas. Preferably, each of the geographic shapes overlaps at least one other of the geographic shapes and is assigned an importance level. For each geographic shape, the content provider defines one or more tags for the geographic shape and assigns a weight to each of the one or more tags. Thereafter, when a request is received from a requestor, one or more content items are selected for delivery to the requestor based on the geographic shapes, the tags and corresponding weights for the geographic shapes, and the location of the requestor.” Svendsen ’073 at Abstract.

’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 1* Svendsen ’073 at Fig. 1. | POINT	INTERSECTING SHAPES	KEYWORDS
---	---	---
18	A	RED=80, BLUE=30
20	A,B	RED=80, BLUE=30, WHITE=50
22	A,B,C,D	RED=20, BLUE=90, WHITE=50, GREEN=10
24	A,C,D	RED=20, BLUE=90, GREEN=10	 ***FIG. 2B*** Svendsen ’073 at Fig. 2B.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 3 Svendsen ’073 at Fig. 3.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5 Svendsen ’073 at Fig. 5.  FIG. 6A Svendsen ’073 at Fig. 6A.

’296 Patent Claim Language	Exemplary Disclosures

SHAPE	Z-ORDER	KEYWORDS
46	0	Rock = 80, Country = 30, Pop = 30
48	1	Alternative = 50
50	2	Polka = 200
52	3	Rap = 80
54	4	Jazz = 10
56	5	Beach = 95


FIG. 6B


Svendsen ’073 at Fig. 6B.

POINT	INTERSECTING SHAPES	KEYWORDS
58	46, 54	Rock = 80, Country = 30, Pop = 30, Jazz = 10

FIG. 6C

Svendsen ’073 at Fig. 6C.

’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 11* Svendsen ’073 at Fig. 11.


’296 Patent Claim Language	Exemplary Disclosures
	 ***FIG. 14*** Svendsen ’073 at Fig. 14. “The present invention relates to customized content delivery based on location.” Svendsen ’073 at 1:7–8. “The present invention relates to providing customized content to users based on their location.” Svendsen ’073 at 1:22–23. “Thereafter, when a request is received from a requestor, one or more of the content items of one or more of the content providers are selected for delivery to the requester based on the geographic shapes defined by the one or more content providers, the tags and corresponding weights for the geographic shapes defined by the one or more content providers, and the location of the requestor.” Svendsen ’073 at 1:42–48. “Returning to FIG. 1, at some point in time after the content providers have defined their geographic shapes and assigned keywords and corresponding weights to their geographic shapes, a request is received from a requestor (step 106). The requestor may be a requesting user such as, for example, a user associated with a user device such as a personal computer, set-top box, mobile smart phone, or the like. Alternatively, the requester may be a device or system such as, for example, a personal computer, set-top box, mobile smart phone, cable television headend, or the like. The request may be a specific request for content or a request that triggers the selection and delivery of content to the requestor. For example, in one embodiment, the


’296 Patent Claim Language	Exemplary Disclosures
	request is an Internet search request including a number of keywords entered by a requesting user as search terms. In another embodiment, the request is a specific request for content. For example, the request may be a request for one or more advertisements issued by a cable television headend, a set-top box associated with a customer of a cable television service, or the like, where the advertisement(s) delivered in response to the request may be inserted to television content at the cable television headend or set-top box in a late-binding process. Note that these two examples are for illustrative purposes and are not intended to limit the scope of the present invention. Numerous variations will be apparent to one of ordinary skill in the art upon reading this disclosure and are to be considered within the scope of the present invention.” Svendsen ’073 at 3:64–4:23. “In response to the request, a location of the requestor is determined (step 108). Numerous schemes may be used to determine the location of the requestor. For example, the request may be issued from a location-aware device such as, but not limited to, a mobile smart phone. The mobile smart phone may obtain its location from an associated Global Positioning System (GPS) receiver, from the mobile telecommunications network which determines the location of the mobile smart phone using a technique such as triangulation, or the like. Then, whether the requester is the user of the location-aware device or the location-aware device itself, the location of the location-aware device may be provided in association with the request and utilized as the location of the requestor. As another example, the request may include an Internet Protocol (IP) address of a device issuing the request. Using known techniques, the location of the requestor may then be determined based on the IP address of the device issuing the request. Again, these examples are for illustrative purposes and are not intended to limit the scope of the present invention. Numerous techniques for determining the location of the requestor will be apparent to one of ordinary skill in the art upon reading this disclosure and are to be considered within the scope of the present invention.” Svendsen ’073 at 4:25–47. “Then, based on the location of the requestor and the geographic shapes defined by the one or more content providers, a content provider is selected if necessary, and one or more content items of the content provider are selected for delivery to the requestor (step 110). Once selected, the one or more content items are delivered or caused to be delivered to the requester (step 112). As an example, returning to FIG. 2A, if the requestor is located at point 18, then, as shown in FIG. 2B, the requestor is located within the geographic shape 10 (Shape A) of this particular content provider. As such, the keywords and corresponding weights for the geographic shape 10 (Shape A) may then be utilized to select one or more content items of the corresponding content provider to deliver to the requestor. Note that if there are multiple content providers and the requester is located within geographic shapes of two or more content providers, one of the content providers is preferably selected as the content provider for which content is to be delivered to the requestor.


’296 Patent Claim Language	Exemplary Disclosures
	An exemplary scheme for selecting the content provider from multiple content providers is discussed below with respect to FIG. 3.” Svendsen ’073 at 4:48–67. “If instead requestor is located at point 22, then the requestor is located within the geographic shapes 10 through 16 (Shapes A, B, C, and D). As such, as illustrated in FIG. 2B, the keywords and weights for the geographic shapes 10 through 16 are aggregated according to the z-order values of the geographic shapes 10 through 16 to provide an aggregate list of keywords and corresponding weights to be used to select one or more content items to be delivered to the requester. Note that, in this case, the keyword Red is assigned to both the geographic shape 10 (Shape A) and the geographic shape 16 (Shape D). However, the weight assigned to the keyword Red is 80 in the geographic shape 10 (Shape A) and 20 in the geographic shape 16 (Shape D). Since the z-order value, or importance level, assigned to the geographic shape 16 (Shape D) is higher than that assigned to the geographic shape 10 (Shape A), the weight assigned to the keyword Red in the geographic shape 16 (Shape D) overrides the weight assigned to the keyword Red in the geographic shape 10 (Shape A). Similarly, the keyword Blue is assigned to both the geographic shape 10 (Shape A) and the geographic shape 14 (Shape C). However, the weight assigned to the keyword Blue is 30 in the geographic shape 10 (Shape A) and 90 in the geographic shape 14 (Shape C). Since the z-order value, or importance level, assigned to the geographic shape 14 (Shape C) is higher than that assigned to the geographic shape 10 (Shape A), the weight assigned to the keyword Blue in the geographic shape 14 (Shape C) overrides the weight assigned to the keyword Blue in the geographic shape 10 (Shape A). Thus, the aggregate list of keywords and corresponding weights for the requestor located at point 22 is Red with a weight of 20, Blue with a weight of 90, White with a weight of 50, and Green with a weight of 10. This aggregate list of keywords and corresponding weights may then be utilized to select content items of the corresponding content provider to be delivered to the requester.” Svendsen ’073 at 5:14–48. “FIG. 3 is a more detailed illustration of step 110 of FIG. 1 according to one embodiment of the present invention. In this example, the one or more content providers are advertisers. However, again, the present invention is not limited thereto. First, a high bid is reset (step 200). Then, an account is obtained for a next advertiser (step 202). For the first iteration, the next advertiser is the first advertiser. The account of the advertiser includes information identifying the geographic shapes defined by the advertiser, the keywords and corresponding weights assigned to each of the geographic shapes, and the keywords assigned to the content items of the advertiser, which in this example are advertisements. Next, an aggregate list of keywords and corresponding weights for the advertiser is reset (step 204).” Svendsen ’073 at 6:16–29. “At this point whether proceeding from step 306 or step 308, a determination is made as to whether there are more keywords assigned to the geographic shape (step 310). If so, steps 304 through 310 are repeated until all



’296 Patent Claim Language	Exemplary Disclosures
	of the keywords assigned to the geographic shape have been processed. Once all of the keywords for the geographic shape have been processed, a determination is made as to whether there are more geographic shapes for the content provider (step 312). If so, steps 300 through 312 are repeated until all of the geographic shapes for the content provider have been processed. At that point, one or more content items of the content provider are selected based on the aggregate list of the keywords (step 314). More specifically, in one embodiment, each of the content items of the content provider may be scored as a function of the keywords in the aggregate list of keywords and corresponding weights for the keywords in the aggregate list of keywords as compared to the keywords assigned to the content items of the content provider. One or more content items having the highest score(s) may then be selected as content items to be delivered to the requestor.” Svendsen ’073 at 9:42–61. “FIG. 6C illustrates an aggregate list of keywords and corresponding weights generated using the process of FIG. 5 in response to a request from a requestor located at a point 58 (FIG. 6A). The point 58, and thus the requestor, is located within the geographic shapes 46 and 54. Therefore, using the process of FIG. 5, the keywords assigned to the geographic shapes 46 and 54 are aggregated to provide the following aggregate list of keywords: Rock with a weight of 80, Country with a weight of 30, Pop with a weight of 30, and Jazz with a weight of 10. Based on the aggregate list of keywords, a number of songs provided by the audio provider are selected and utilized to provide a customized audio stream for the requestor. More specifically, in one embodiment, songs made available by the audio provider may be scored based on the aggregate list of keywords including the weights assigned to the keywords in the aggregate list of keywords as compared to the keywords assigned to the songs of the content provider. Then, one or more songs having the highest score(s) are selected as songs for the customized audio stream for the requestor.” Svendsen ’073 at 10:13–32. “Each of the user devices 72-1 through 72-N may be, for example, a personal computer, a set-top box, a mobile smart phone, a gaming console, or the like. The user device 72-1 optionally includes a location determination function 84-1. The location determination function 84-1 may be implemented in software, hardware, or a combination thereof and generally operates to determine or otherwise obtain a geographic location of the user device 72-1. For example, the location determination function 84-1 may be a GPS receiver. As another example, the user device 72-1 may be a mobile smart phone or similar mobile telecommunications device where the location of the user device 72-1 is determined using mobile base station triangulation. As a final example, the location determination function 84-1 may enable the user 74-1 to manually enter the location of the user device 72-1 by, for example, entering a street address, zip code, or the like.” Svendsen ’073 at 13:61–14:9.



’296 Patent Claim Language	Exemplary Disclosures
	“Thereafter, a request is sent to the central server 70 from, for example, the user device 72-1. The request may be initiated by the user device 72-1 or the user 74-1. In one exemplary embodiment, the request is an Internet search request initiated by the user 74-1.” Svendsen ’073 at 14:35–39. “As such, in response to the request and a location of the user 74-1, the customized content delivery function 78 selects one or more advertisements for the user 74-1 in the manner discussed above.” Svendsen ’073 at 14:39–42. *See also* Svendsen ’073 at 15:47–67. “http://query.xtify.com/api/1.0/xml/location?cpid=XXX&userkey;=XXX cpid = The Application ID for the application that is making the query. userkey = The unique identifier for the user to query location for.” Xtify - API Overview at 1. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[1i] in response to receiving the request:	See claim limitations [1j]–[1k] below.
[1j] selecting content from at least one sponsor to be delivered to the registered application program, subject to the reserving; and	The following prior art expressly or inherently discloses and renders obvious “selecting content from at least one sponsor to be delivered to the registered application program, subject to the reserving.” For example:



’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 4 Andreasson ’890 at FIGURE 4. “The application circuit 251 may be configured to request application updates from the server 110 periodically based on the a current location of the portable electronic device 140/240. Each update response may include a set of applications that should be updated by the device. ” Andreasson ’890 at [0062].



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5 Macaluso ’238 at FIG. 5. “Implementations may include one or more of the following features. For example, the advertisement may be downloaded to the mobile device over a wireless interface. The wireless communication may include a download of data to the mobile device. The download of data may involve data used by an application running on the mobile device. ” Macaluso ’238 at [0006]. “Rather than simply displaying a status dialogue, an application that is running on the mobile device may send a function call to the advertising application or extension. The advertising application may then display an advertisement and possibly other information. For example, a display screen on the mobile device may display two bitmap sections and a text section. One bitmap section may display the advertisement, while the second bitmap section and the text section may be specified by the calling application.” Macaluso ’238 at [0030]. “The process 500 is illustrated and described as performing a check for expired advertisements, determining whether to download a new advertisement, and requesting a new advertisement after displaying a selected advertisement. In some implementations, however, it may be desirable to download the new advertisement before selecting and displaying an advertisement. Accordingly, the new advertisement may be downloaded at



’296 Patent Claim Language	Exemplary Disclosures
	the beginning of the underlying data communication. The process 500 may also be rearranged and performed in a number of different sequences.” Macaluso ’238 at [0037]. “A service providing method, wherein a mobile communication device changes surveyed questionnaire data to upper level category data and transfers the changed data to service processing device and Web server, the service processing device transfers place data around the service processing device to the Web server, the Web server selects advertisement data that matches user's attitudes and the place, based upon the surveyed questionnaire data and the place data, and the service processing device and the mobile communication device displays advertisement images corresponding to the advertisement data received from the Web server on a display.” Kinoshita ’866 at Abstract. FIG. 1  Kinoshita ’866 at Fig. 1.

’296 Patent Claim Language	Exemplary Disclosures
	FIG. 3  Kinoshita ’866 at Fig. 3. FIG. 4  Kinoshita ’866 at Fig. 4.



’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 5.  Kinoshita ’866 at Fig. 6.



’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 7.  Kinoshita ’866 at Fig. 8.


’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 9.  Kinoshita ’866 at Fig. 10.



’296 Patent Claim Language	Exemplary Disclosures
	FIG. 11  Kinoshita ’866 at Fig. 11. FIG. 12  Kinoshita ’866 at Fig. 12. “The advertisement selecting unit 35 selects suitable advertisement data from the advertisement data stored in the memory 78 based upon both the changed questionnaire data and place data that are transferred from the cellular phone 12-1. Specifically, the advertisement selecting unit 35 designates a tag corresponding to user's preference based upon the prepared correspondence table, in which tags are beforehand associated with user's preferences based upon the changed questionnaire data. And the advertisement selecting unit 35 also designates a tag corresponding to the above place based upon the prepared correspondence table. Then the


’296 Patent Claim Language	Exemplary Disclosures
	advertisement selecting unit 35 selects a plurality of advertisement items having the above tags by searching advertisement data stored in the memory 78. The advertisement selecting unit 35 also selects advertisement data based upon both the place data and the environment data around the service device 14, as will be described later.” Kinoshita ’866 at [0043]. “The processing circuit 79 of the Web server 24 selects suitable advertisement data from the advertisement data stored in the memory 78, based upon the changed questionnaire data and the place data.” Kinoshita ’866 at [0058]. “The processing circuit 79 of the Web server 24 selects suitable advertisement data from the advertisement data stored in the memory 78 based upon the APL-IDs, environment data, and the place data, which are read out from the memory 78. Specifically, the processing circuit 79 designates the corresponding tags based upon the prepared correspondence table, in which tags are beforehand associated with kinds of application program being implemented in the cellular phone 12-1, environments around the service device 14, and place data. And the processing circuit 79 selects a plurality of advertisements with the above tags by searching advertisement items stored in the memory 78.” Kinoshita ’866 at [0080]. “The processing circuit 79 of the Web server 24 reads out APL-IDs and the place data from the memory 78, and based upon both of them the processing circuit 79 selects suitable advertisement from the advertisement stored in the memory 78. That is, the processing circuit 79, based upon both of a type of application program being implemented by the cellular phone 12-1 and a place of the service device 14, searches the corresponding advertisement videos and digital content data in the memory 78. The advertisement video is associated with the digital content data in a one-to-one correspondence, and both are assigned a type of application program and place data.” Kinoshita ’866 at [0100]. “If digital content data that a user of the cellular phone 12-2 is interested in is stored in the cellular phone 12-1, short-range communication is performed by contacting the cellular phone 12-1 and the cellular phone 12-2. At this time, the cellular phone 12-1 designates the advertisement video and digital content data to send them to the cellular phone 12-2.” Kinoshita ’866 at [0127]. “In some embodiments, system 600 can be configured to provide advertising content in a tool tip (or mouse hover). Thus, rather than having the advertisement or other text automatically displayed, system 600 can display such information when the user hovers over a particular area of the map. This can be utilized in a top-view, a ground level view, or other views. When the user hovers over a particular area of the map, such as a clothing store, system 600 can display different information based in part on user preferences 608. For example, if a store is displayed, system 600 can provide a link to the store allowing the user to automatically

’296 Patent Claim Language	Exemplary Disclosures
	be presented with a website or other information relating to that particular store. If the user is a woman, the system 600 may display items that are on sale in the store such as perfumes or dresses. However, if the user is a male, the system 600 can display different sale items, such as ties. In such a manner, the user is navigating through virtual space and system 600 is automatically annotating the map area with individual preferences as related to advertising.” Smith ’558 at [0113].  FIG. 1 Sato ’965 at Fig. 1.  FIG. 2 Sato ’965 at Fig. 2.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 6 Sato ’965 at Fig. 6.  FIG. 7



’296 Patent Claim Language	Exemplary Disclosures
	Sato ’965 at Fig. 7.  FIG. 8 Sato ’965 at Fig. 8.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 9 Sato ’965 at Fig. 9.  FIG.10

’296 Patent Claim Language	Exemplary Disclosures
	Sato ’965 at Fig. 10.  FIG.11 Sato ’965 at Fig. 11. “Display control section 109 acquires contend data 152 from content server 103 via communication interface 111.” Sato ’965 at [0063]. “In step 307, prefetch scheduler 104 in terminal apparatus 101 designates the noted content data 152 as a candidate for content data to acquire.” Sato ’965 at [0108]. “Prefetch section 105 in terminal apparatus 101 acquires non-stored content data from content server 103.” Sato ’965 at [0114]. “Content data acquisition region 501 determined in the processing of step S304 as shown in FIG. 6 will be described next with reference to FIG. 7. FIG. 7 is a view showing an example of content acquisition region 501.” Sato ’965 at [0117]. “Content data acquisition region 501 is determined as a region, along passage expected road 502, with a predetermined length L forward of mobile unit 143. The length L may be measured along passage expected

’296 Patent Claim Language	Exemplary Disclosures
	road 502, or may be the direct distance between opposite ends of content data acquisition region 501.” Sato ’965 at [0119]. “Referring to FIG. 11, processing will be described below where terminal apparatus 101 acquires non-stored content data from content server 103 (step S310 in FIG. 6). FIG. 11 is a flowchart illustrating processing procedures for acquiring non-stored content data from the content server according to the above embodiment.” Sato ’965 at [0134]. “Specifically, prefetch section 105 transmits request 151 (see FIG. 2) to request the first half of the noted content data 152 to content server 103. In response to request 151, content server 103 transmits the first half of the content data 152 to terminal apparatus 101. In this way, prefetch section 105 (acquiring section) acquires part (first half) of the content data 152 via wireless communication path 141.” Sato ’965 at [0144]. “A situation where it is determined that the latter half of non-stored content data should not be acquired occurs, for example, in cases that it has taken a long time to acquire the first half of the non-stored content data in step S324 due to deterioration of communication state of the wireless communication path, etc. and that the speed of mobile unit 143 is high.” Sato ’965 at [0160]. “In step S330, using prefetch section 105, terminal apparatus 101 acquires the latter half of the noted non-stored content data (content data 152) from content server 103.” Sato ’965 at [0162]. “As described above, terminal apparatus 101 acquires non-stored content data from content server 103.” Sato ’965 at [0169]. “A command as shown in FIG. 12 is a command to acquire content of WWW according to the HTTP protocol. The HTTP protocol is described in a web page of http://www.ietf.org/rfc/rfc2616.txt provided by the Internet Engineering Task Force.” Sato ’965 at [0172]. “The content of content data 152 is displayed in region 1108. In the example as shown in FIG. 20, content data 152 is advertising information of a restaurant.” Sato ’965 at [0240]. *See also* Sato ’965 at Fig. 3, Fig. 4, Fig. 5, Fig. 26, [0054], [0064], and [0163].


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 10 Ahn ’281 at Fig. 10. “FIG. 10 is an example flowchart of a method by which the advertising feature of the present invention is provided, according to an embodiment of the invention. In the first operation, an advertising scheme is defined which is based on the association of advertising regions of a map to advertisements (step 1002). Next, the map presented to the user and, optionally, the cursor position, (step 1004) is used to determine the one or more advertisements to be displayed or presented to the user (step 1006). Marketing-related information, such as the advertisements presented and whether there was a click through, and other information are captured and stored (step 1014). This is captured on the client device 110 and alternatively also sent to the map manager 102 (step 1020). This marketing-related information may be used to help in soliciting more advertising revenues or to tailor the advertising scheme to obtain a better stream of revenue.” Ahn ’281 at [0095]. “The GIK systems of an embodiment include computer readable medium including executable instructions which, when executed in a processing system, manage geographically referenced data (GRD), by receiving a search request that includes a defined search area. The computer readable medium of an embodiment provides an extended map based on the search request. The extended map of an embodiment includes geographic areas within the defined search area and outside the defined search area. The computer readable



’296 Patent Claim Language	Exemplary Disclosures
	medium of an embodiment provides the GRD. The GRD includes one or more of advertisements, contact information, and review information for one or more entities. The computer readable medium of an embodiment provides map reference information of the GRD on the extended map.” Ahn ’281 at [0205].  Fig. 5 Begum ’880 at Fig. 5.  Fig. 9 Begum ’880 at Fig. 9. “If there is no match, the signal transmitted graphic is stored into the memory of the display unit and the signal transmitted graphic is simultaneously displayed on the screen of the display unit. Similarly, if there is a match but the transmitted graphic is an updated version, then the stored memory graphic is dated and replaced with the updated signal transmitted graphic.” Begum ’880 at 2:6–12. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the


’296 Patent Claim Language	Exemplary Disclosures
	advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22. “Since the point of purchase promotion is most effective when the customer is at ground zero, that is, proximate the shelf location of the promoted item, the graphic must be transmitted, received and formatted for display in the brief time that the shopper is strolling past the promoted item.” Begum ’880 at 4:33–38. “The infrared or radio frequency receiver in the handle, used for an alarm when the cart or handle leaves a prescribed area, also be used to receive an advertisement signal by appropriate programming as described.” Begum ’880 at 4:59–63. “The user interface is designed to allow the user to access all of the available data including stored promotional graphics by a control system that is intuitive. Furthermore, the hybrid system devised for automatic display of promotional graphics, is designed to incorporate features that are beneficial in facilitating automatic update of the promotional advertisements.” Begum ’880 at 4:65–5:4. “In the simplest embodiment of the invention, the display screen automatically displays periodic promotional items and the user controlled feature is limited to a categorical product directory. The scroll buttons allow a user to scroll up or down the product category list to find the location of selected items in the product directory.” Begum ’880 at 5:65–6:4. “External components such as an IR beacon 64 and an IR trigger component 66 direct infrared data signals and wake-up signals to the IR photodiodes 68 of the radiation window 36a on the display unit 12. The data signals provide information for reprogramming the memory of inventory and sales information and screen display of activated advertisement and promotional visuals. The IR beacon 64 may also emit a power transmission signal for charge maintenance of the battery pack 40. The IR beacon 64 and trigger component 66 form a transceiver unit 65 for receiving, storing and relaying trigger and data signals from a control unit 67, that centralizes the storewide operation of the system.” Begum ’880 at 8:36–47. “Customarily, each store would have a single control unit 67 that is the central computer for management of the stores inventory and accounting. The control unit 67 communicates with a plurality of transceiver units 65 located throughout the marketing area. Preferably, to minimize installation expenses and allow the plurality of transceiver units 65 to be repositioned in the marketing area as desired, each transceiver unit 65 is in wireless communication with the control unit 67 and has its own power supply. Essentially, the transceiver unit 65 includes the same electronic components as the display unit 12 which allows for independent processing of

’296 Patent Claim Language	Exemplary Disclosures
	data and independent communication with a display unit 12 on a nearby shopping cart. ” Begum ’880 at 8:56–9:1. “To conserve power in the transceiver unit 65, the transceiver unit includes a proximity sensor 69 that detects the presence of a shopping cart within range and initiates transmission of the trigger and data signals to the unit 12 on the cart handle. The transceiver unit 65 also includes an RF receiver 71 to receive FM radio frequency transmissions from the central control” Begum ’880 at 9:1–7. “Each transceiver unit 65 can have a separate identification such that data transmitted from the control unit 67 is transmitted store wide but is processed and stored only by the transceiver unit to which the data is intended.” Begum ’880 at 9:8–11. “In the preferred embodiment, the transceiver unit 65 upon detection of a proximately located shopping cart transmits a trigger signal to wake-up the display unit on the shopping cart if not already in an activated state, then sends the data signal.” Begum ’880 at 9:12–16. “The data signal is a digital signal that includes both the product control signals and the screen graphic signal. The product control signals include data about the promotion that is not in the screen graphic and that does not appear on the display screen 24 of the display unit 12. This data may include the universal product identification number, the date or iteration number of the promotional graphic, and, the identification number of the transceiver unit, which is useful in tracking the path of a shopper through the market area. The screen graphic signal contains the digitized data that is received by the display unit 12 and formatted for display on the display screen. For example, a compressed screen graphic signal must be decompressed by the central processor before it is relayed to the LCD controller and driver 72. ” Begum ’880 at 9:16–29. “The screen graphic is preferably promotional information that is related to the promotional item located proximate the transceiver unit that is transmitting the screen graphic signal. A typical screen graphic displayed in the display screen 24 is shown in FIG. 9.” Begum ’880 at 9:46–51. “The digitized screen graphic is stored in a file in the memory of the transceiver unit 65, and is periodically updated or replaced by transmissions from the control unit 67.” Begum ’880 at 9:52–55. “The trigger and data signals, together with a converted D.C. power potentials are delivered to the power control circuit for system wakeup, and trickle feed of energy to the battery pack 40. The trigger signal is passed to the cue output circuit 73, which may be one or more of an audible chime, a handle vibration or a light. Certain IR triggers 66 at the store perimeter may not only trigger an audible alarm in the display unit 12,



’296 Patent Claim Language	Exemplary Disclosures
	but include a sound or ultrasound receiver for activating an alarm in the store office when a select frequency emitted by the display unit is detected.” Begum ’880 at 9:56–65. “With the display unit 12 awakened, the data signals are processed by the central processor 58 and the data relating to the screen graphic is compared with existing promotional screen graphics stored in RAM 74. The comparison of digitized screen graphics may be accomplished with a rapid checksum procedure. If a match is found, the screen graphic data is passed from a temporary storage buffer in the central processor 58 to the LCD driver 72 for display on the display screen 24. In the event that there is no match, the processor 58 processes the formatted screen data to the LCD driver 72 for display on the display screen 24 and contemporaneously passes the screen graphic display data together with the accompanying product control data to RAM 74. The screen graphic data and product control data are stored in memory for future comparison with received screen display signals or retrieval by a shopper reviewing the file of product promotions.” Begum ’880 at 9:66–10:15. “The product control signals may be utilized in this compare process for rapidly locating the presence or absence of a particular promotional screen graphic in memory and initiating display of either the screen graphic in memory or the screen graphic formatted from the screen graphic signal transmitted by the transceiver unit 65. In this manner, the shopping carts that are in use, are continually updated as they pass a transceiver unit 65, such that even if an outdated ad is stored in memory, the updated ad will be presented once the shopper has arrived at the location of the promoted item. Although this system has the minor drawback of potentially storing an outdated promotional graphic in memory that is accessible by a shopper during review of the product promotion file using the display unit in an interactive mode, the system is self-correcting at the promoted product location.” Begum ’880 at 10:16–31. *See also* Begum ’880 at 1:60–2:5, 6:18–37, 9:38–44, 10:32–35, 10:41–51, and 10:52–11:3.



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Levkovitz ’852 at Fig. 1.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 2 Levkovitz ’852 at Fig. 2.  FIG. 11 Levkovitz ’852 at Fig. 11.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 14 Levkovitz ’852 at Fig. 14. “In some embodiments, for example, a method may include receiving an application-initiated content request from a wireless communication device; and selectively serving to the wireless communication device a content item based on data included in the application-initiated content request, wherein the application-initiated content request may include data identifying at least a manufacturer of the wireless communication device and a model of the wireless communication device.” Levkovitz ’852 at [0025]. “Some embodiments may include, for example, a machine-readable medium having stored thereon a set of instructions that, if executed by a machine, result in: receiving an application-initiated content request from a wireless communication device; and selectively serving to the wireless communication device a content item based on data included in the application-initiated content request, wherein the application-initiated content request may include data identifying at least a manufacturer of the wireless communication device and a model of the wireless communication device.” Levkovitz ’852 at [0036]. “The content client 174 may be a module of application 176, a plug-in of application 176, or an external module operatively associated application 176. Content client 174 may be able to send a wireless signal indicating a request (“content request”) to receive one or more content items, e.g., textual content, audio


’296 Patent Claim Language	Exemplary Disclosures
	content, video content, advertisement, informational items, or the like. The content request may include, for example, data indicating properties of device 170, e.g., handset manufacturer, handset model, screen resolution, screen color depth, audio capabilities, total memory, available memory, types of content items which the device 170 is capable to present, or the like; data indicating properties of the user of device 170, e.g., age, age group, gender, occupation, profession, areas of interest, income, usage habits, usage patterns, usage time, or the like; and/or other suitable information, e.g., data indicating the type of application associated with application 176, data identifying application 176, or the like.” Levkovitz ’852 at [0095]. “Device 170 may receive from communicator 150 one or more content items (“content response”), e.g., in response to the content request. The content response may be received from communicator 150, for example, using communication handler 173.” Levkovitz ’852 at [0156]. “As indicated at box 230, the method may optionally include, for example, selecting one or more content items matching the content request, e.g., by ad server 110. In one embodiment, this may include selecting from a volatile repository of content items within ad server 110. The selection may include, for example, filtering-in or filtering-out content items based on pre-defined rules or criteria, e.g., capping or quota rules, campaign-related definitions, or the like.” Levkovitz ’852 at [0183]. “a fourth user-selectable operation may be available only when the user or the device 1070 meets certain conditions, e.g., if the device 1070 is within a certain location (e.g., in proximity to a certain restaurant)” Levkovitz ’852 at [0272]. “For example, a first user-selectable action associated with a first incoming content item, may be available only during a certain time and/or while the recipient device is within a certain geographical location.” Levkovitz ’852 at [0273]. *See also* Levkovitz ’852 at [0159]. “Product or service information in the form of selected wireless e-commerce content is transmitted from a server to a mobile device, such as mobile telephone or personal digital assistant. The e-commerce content is transmitted either in response to an explicit user request for communication of the e-commerce content, or, in the alternative, is “pushed” to the mobile device as permitted by a user but in the absence of a specific request. The e-commerce content received at the mobile device is presented to a user by the mobile device in textual or graphical format in conjunction with an indication of a communication needed to consummate an e-commerce transaction. If the user desires to purchase the good or service represented by the e-commerce content, the user initiates the communication indicated by the e-commerce content.” Sanctis ’837 at Abstract.

’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 1* Sanctis ’837 at Fig. 1.  *FIG. 2* Sanctis ’837 at Fig. 2.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 4 Sanctis ’837 at Fig. 4.  FIG. 5 Sanctis ’837 at Fig. 5.

’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 7* Sanctis ’837 at Fig. 7. “ In view of the foregoing and in accordance with various embodiments of the present invention, selected wireless mobile e-commerce (hereinafter, “m-commerce”) content, such as product or service information, is transmitted from a server to a mobile device, such as a mobile telephone or personal digital assistant (“PDA”). In one embodiment, for example, the m-commerce content is transmitted in response to an explicit user request for communication of the m-commerce content. The user is permitted to view an item on his or her mobile device and prompted to make a purchase (e.g., via a “buy” key or selecting an icon or toolbar on the mobile device). In another embodiment, the m-commerce content is “pushed” to the mobile device in the absence of a specific request. For example, such solicitations may occur multiple times per day, prompt the user to browse various “departments” or categories of goods or services, walk a user through a form for shopping, or combinations thereof.” Sanctis ’837 at [0008]. “FIG. 2 illustrates a high level logical flowchart of a process by which the m-commerce server 10 transmits e-commerce content to mobile devices in a mobile alert in accordance with one embodiment of the present invention. The illustrated process can be executed by the m-commerce server 10 with or without administrative intervention, and can further be executed periodically, for example, daily or weekly. Hereafter, for ease of description, it will be assumed that the mobile alerts feature products rather than services. It will be appreciated by those skilled in the art, however, that the present invention is also applicable to mobile alerts featuring services.” Sanctis ’837 at [0037]. “The process then passes from block 56 to block 58, which illustrates the m-commerce server 10 transmitting an advertisement for the featured product to the mobile devices 30 selected at block 56. The mobile alert


’296 Patent Claim Language	Exemplary Disclosures
	preferably includes a description of the product, the price of the product and, optionally, an image or picture of the product and/or the quantity in stock. The mobile alert preferably also includes an indication of a communication that the user can initiate from the mobile device 30 in order to facilitate purchase of the featured product. The mobile alert can be transmitted in a variety of different formats depending upon the bandwidth of the communication technology and the capabilities of the target mobile devices. For example, if the target mobile devices 30 are conventional mobile telephones, the mobile alert can include a Short Message Service (SMS) message. If, however, the target mobile devices are third generation (3G) binary runtime environment for wireless-enabled (BREW-enabled) 46 (such as store in read only memory (ROM) 45 in communication with a processor 47) mobile telephones, as understood by those skilled in the art, the mobile alert can include a graphics-rich “page” in the product database 14 that describes the featured product(s). Following the transmission of the mobile alert to the selected users, the process depicted in FIG. 2 terminates at block 60.” Sanctis ’837 at [0040].  FIG. 1 Bussmann ’294 at FIG. 1.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5 Bussmann ’294 at FIG 5. “FIG. 1 shows a flow diagram depicting an embodiment of a method 100 of providing location-based advertising services. Method 100 comprises, at 102, receiving advertising content and pricing bids from each of a plurality of advertising publishers. As explained in more detail below, the pricing bids comprise an offer to pay a specified amount of money in exchange for having the advertising content of the bidder sent to a device for presentation to a user. Further, the advertising content and bid are associated with a specific bounded geographic area defined in a geographic region. Therefore, the advertising content is sent to devices located within, or within some distance adjacent to, the bounded area. Next, method 100 comprises, at 104, receiving a request from a device for advertising content associated with the bounded area. Then, method 100 comprises, at 106, sending advertising content associated with the top N bids to the device for presentation to a user of the device, wherein N may be zero (in the case of no bids) or a positive integer. In this manner, advertising publishers may bid a specific price to pay for the distribution of advertising content in a specified geographic area, and the highest bidder or bidders win priority to have advertising content items presented to a device user over other lower bidders. Depending upon various device-specific parameters of the device and the nature of the advertising content sent to the device, one or more items of advertising content may be presented on the device at any one time.

’296 Patent Claim Language	Exemplary Disclosures
	Therefore, in some circumstances, the highest bidder's advertising content alone may be sent to a requesting device, while in other circumstances, more than one item of advertising content may be sent to a requesting device. Where more than one item of advertising content is sent to a device, the items of advertising content may be selected based upon descending order of bids. As a specific example, a GPS-enabled smart phone may allow a map to be displayed at various levels of zoom. In one example, for a specific level of zoom in a specific geographic region, the smart phone may be able to display three items of advertising content on a map. In this case, the device may be sent items of advertising content for the top three bidders for the geographic area displayed on the map. Therefore, advertising publishers who wish to have advertising content sent to mobile phones have an incentive to bid close to or above a highest bid for a desired bounded geographic area. This may help to obtain higher bids for distributing the advertising content items, and therefore may contribute to greater economic returns per advertisement view. More detailed implementations of method 100 are discussed in more detail below.” Bussmann ’294 at [0010]–[0011]. “Continuing with the figures, FIG. 5 shows a method 500 of operating an advertising server. Method 500 illustrates various details of method 400 from the advertising server's point of view, where communications with an advertising publisher client are shown in a left-hand side of the figure and communications with a device are shown in a right-hand side of the figure. Method 500 first comprises, at 502, receiving a logon request from an advertising publisher client, and connecting to the client. Next, at 504, a tiled map is sent to the client to allow the advertising publisher to select tiles in which it is interested in having its advertising content distributed. After sending the tiled map, a selection of tiles on the map is received from the client at 506, and advertising content is received from the client at 508. As described above, in some embodiments, an advertising server may be configured to allow an advertising publisher to view a preview of advertising content in the tiles selected by the advertising publisher. Therefore, method 500 comprises, at 510, sending an advertising content preview to the client. In some embodiments, the advertising content preview may be an interactive preview configured to allow an advertising publisher to view an item of advertising content on different types of devices, at different levels of zoom, panning, etc. to see how the item of advertising content will appear to a user in various specific geographic locations. In this manner, an advertising publisher may be able to tailor an appearance of an item of advertising content to a desired appearance in a specific device and/or location. Method 500 next comprises, at 512, receiving advertising category and advertising display time information from the client. Examples of category and display time information are discussed in detail above. While the


’296 Patent Claim Language	Exemplary Disclosures
	depicted embodiment shows the category and time information appearing in a later step than the receipt of the ad content and selection of tiles, it will be understood that these items may be received in any suitable order. Upon receipt of the selection of tiles, ad content, and category and time information, method 500 comprises, at 514, sending price information to the client, and then at 516, receiving a bid from a client. The bid is then stored in an updated bid information database, as indicated at 518. It will be understood that processes 502-518 may be performed by a plurality of different publishers on a continuous, rolling basis as clients wish to submit bid information. Further, the advertising server also may interact with requesting devices on a continuous, rolling basis to provide items of advertising content to the devices. An example of a transaction with a device such as a PND or the like is shown in FIG. 5 at 520-526. First, at 520, method 500 comprises receiving from a device a request for advertising content. Upon receipt of this request, it is determined, at 522, a number N of items of advertising content to send to the device. The number N of items of advertising content may vary depending upon a number of factors, including but not limited to, a type/brand/model of device that sent the request, a current level of zoom currently shown on the device display, and/or whether any advertising publishers have paid for exclusive advertising rights to a tile that is within the relevant geographic area.” Bussmann ’294 at [0035]–[0038].  FIG. 5A


’296 Patent Claim Language	Exemplary Disclosures
	Mello ’479 at FIG. 5A. “The central facility 60 may obtain media exposure data, consumption data, media monitoring data, location data, motion data, and/or any other monitoring data that are collected by the media monitoring devices such as, for example, the PPM 30. In the illustrated example, the PPM 30 may transmit data to a local relay device 64 which, in turn, transmits data to the central facility 60 to extend the range of the examined or monitored geographic area. The example system 10 may be provided with multiple local relay devices 64 that serve as access points for the PPM 30 and other devices to the network 62 and the central facility 60.” Mello ’479 at [0032]. “After the web event data collector 166 stores the query string search criteria and associated information (block 510) or if the web event data collector 166 determines that a query has not been submitted (block 508), the media capture data collector 168 (FIG. 3) determines whether a media signal (e.g., an audio signal, a video signal, an RF signal, etc.) has been captured (block 512). For example, the media signal may be an audio signal associated with an advertisement presented by the audio device 16 or the video device 18 (FIG. 1), a video signal presented by the video device 18 (FIG. 1), or an RF signal emitted by the RF transceiver 22 of the billboard 20 (FIG. 1). The media capture data collector 168 then determines whether the captured media signal includes a code (block 514). If the captured media signal includes a code, the media capture data collector 168 extracts (or creates a copy of) the code (block 516). If the captured media signal does not include a code (block 514), the media capture data collector 168 generates a signature of the captured media signal (block 518). Alternatively, a signature can always be collected regardless of whether a code was collected. After the media capture data collector 168 extracts a code (block 516) and/or generates a signature (block 518), the media capture data collector 168 stores the media representation information (e.g., the code and/or the signature) (block 520) in the media data log file 184 (FIG. 3). After the media capture data collector 168 stores the media representation information (block 520) or if the media capture data collector 168 determines that a media signal has not been captured (block 512), the consumer purchase data collector 170 determines whether any input data relating to potential purchases have been received (block 522) (FIG. 5B). In the illustrated example, the potential purchase data is data indicative of a product or a service such as, for example, bar code information read using the bar code reader 136 (FIG. 2) or RFID information received via the RF transceiver 134 (FIG. 2) in response to the monitored person 32 scanning a product or a service document. If the consumer purchase data collector 170 determines that potential purchase data has been received (block 522), the consumer purchase data collector 170 determines



’296 Patent Claim Language	Exemplary Disclosures
	whether the monitored person 32 purchased the product or service corresponding to the received potential purchase data (block 524). For example, the consumer purchase data collector 170 may receive subsequent information or the potential purchase information received at block 522 may have a corresponding purchase confirmation flag indicating that the monitored person 32 purchased the related product or service. If the consumer purchase data collector 170 determines that the monitored person 32 made the purchase (block 524), the consumer purchase data collector 170 stores the purchase information (block 526) in association with a corresponding timestamp and location identifier in the purchase data log file 186 (FIG. 3).” Mello ’479 at [0082]–[0084].  FIG. 2A Busch ’815 at Fig. 2A. “Significant benefit is provided by a content targeting methods and systems usable with mobile devices that provide feedback to the advertisers—especially those advertisers that have brick and mortar businesses—to help them judge the effectiveness of their targeted content. The effectiveness of a business' advertising effort may be measured by determining with regard to a user of a device that has received targeted content one or more of: whether the user visits a business location of a content producer after their content has been delivered to the device; the time spent at the location; and, how much money was spent at the business by that

’296 Patent Claim Language	Exemplary Disclosures
	user (especially in the case where the user pays through an online payment service utilizing the mobile device).” Busch ’815 at [0008]. “The present invention provides among other things methods and systems to obtain data relating to location from mobile devices, processing this data, sending content to a mobile device based at least in part on location data, integration of location data associated with a mobile device with web based applications accessed with a standard computer or laptop, integration of location data with conversion tracking systems, integration of location data with customer relationship management systems and systems to determining retail business location performance, integration with social uses of location data of mobile devices, and integration with navigation uses of location data associated with mobile devices.” Busch ’815 at [0159]. “The act of processing the data involves first comparing the data set to a collection of other data sets associated with the user and then determining a set of previously traveled courses including at least a most likely course of travel. Alternatively, the act of processing may involve comparing the data set to a database of businesses and their locations, and then determining a set of likely locations that have previously been visited by the user of the mobile device.” Busch ’815 at [0272]. “Alternatively, one or more destinations may be determined and the current geographic location information along with a proposed destination is routed to a routing program to obtain a path of travel. Next, a content result set is obtained that contains one or more elements selected based upon at least the likely course or area of travel, specific destination, or specific destinations so that information pertaining to businesses along the course of travel are available to the user. Any number of these results are displayed on the mobile device at appropriate times (e.g., when the user is approaching a business location along a path, when a user is walking around a shopping area, when the user is driving along a highway, when the user performs a search for content or a business, when a user requests route guidance, not when the user is in a movie theater, not when the user is eating dinner, not when the user is at work, etc.).” Busch ’815 at [0280]. “In some forms of the invention, the anticipated route 402 or destination information is referenced against a database of targeted content that includes business locations and information in order to determine if there is any content of interest to the user of the mobile device along the anticipated route 402. If there is appropriate targeted content, this information is sent to the mobile device in order to inform the user of the mobile device of business and events of interest that are easily accessible from their current route. For purposes of illustration and without limitation, referring again to FIG. 5, if the user frequents office supply stores, an advertisement indicating that Office Max 510 on the West side of Hayden Road 500 may be sent to the mobile device to be displayed at an appropriate time.” Busch ’815 at [0355].

’296 Patent Claim Language	Exemplary Disclosures
	“The likely or anticipated route that the user of the mobile device is currently taking may be based upon their current location information and the historical location information. Based upon this information, targeted content is sent to the user. The targeted content is any type of information including but not limited to advertisements, traffic information, danger warnings, or any other type of information that pertains to a geographic location.” Busch ’815 at [0357]. “ If the user is moving slowly, many elements of targeted content associated with the nearby area are sent to the mobile device or retrieved from the memory of the mobile device. If the user is moving faster (For purposes of illustration and without limitation, if they are in a car, on a motorcycle, on a high speed train, etc.) then targeted content associated with businesses in a wider area are sent to the user or retrieved from the memory of the mobile device. This allows the mobile device to display the most relevant content to the user of the mobile device while allowing the content to be displayed a sufficient amount of time so that the user is able to see and react to the content before the content is replaced with more relevant information based upon updated location information available to the mobile device.” Busch ’815 at [0363]. “Methods and systems are disclosed for providing customized content to users based on their location. In one embodiment, for each of one or more content providers, a customized content delivery function receives information from the content provider defining a number of geographic shapes selecting corresponding geographic areas. Preferably, each of the geographic shapes overlaps at least one other of the geographic shapes and is assigned an importance level. For each geographic shape, the content provider defines one or more tags for the geographic shape and assigns a weight to each of the one or more tags. Thereafter, when a request is received from a requestor, one or more content items are selected for delivery to the requestor based on the geographic shapes, the tags and corresponding weights for the geographic shapes, and the location of the requestor.” Svendsen ’073 at Abstract.

’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 1* Svendsen ’073 at Fig. 1. | POINT	INTERSECTING SHAPES	KEYWORDS
---	---	---
18	A	RED=80, BLUE=30
20	A,B	RED=80, BLUE=30, WHITE=50
22	A,B,C,D	RED=20, BLUE=90, WHITE=50, GREEN=10
24	A,C,D	RED=20, BLUE=90, GREEN=10	 ***FIG. 2B*** Svendsen ’073 at Fig. 2B.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 3 Svendsen ’073 at Fig. 3.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5 Svendsen ’073 at Fig. 5.  FIG. 6A Svendsen ’073 at Fig. 6A.

’296 Patent Claim Language	Exemplary Disclosures

SHAPE	Z-ORDER	KEYWORDS
46	0	Rock = 80, Country = 30, Pop = 30
48	1	Alternative = 50
50	2	Polka = 200
52	3	Rap = 80
54	4	Jazz = 10
56	5	Beach = 95


FIG. 6B


Svendsen ’073 at Fig. 6B.

POINT	INTERSECTING SHAPES	KEYWORDS
58	46, 54	Rock = 80, Country = 30, Pop = 30, Jazz = 10

FIG. 6C


Svendsen ’073 at Fig. 6C.

’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 11* Svendsen ’073 at Fig. 11.


’296 Patent Claim Language	Exemplary Disclosures
	 ***FIG. 14*** Svendsen ’073 at Fig. 14. “The present invention relates to customized content delivery based on location.” Svendsen ’073 at 1:7–8. “The present invention relates to providing customized content to users based on their location.” Svendsen ’073 at 1:22–23. “Thereafter, when a request is received from a requestor, one or more of the content items of one or more of the content providers are selected for delivery to the requester based on the geographic shapes defined by the one or more content providers, the tags and corresponding weights for the geographic shapes defined by the one or more content providers, and the location of the requestor.” Svendsen ’073 at 1:42–48. “Then, based on the location of the requestor and the geographic shapes defined by the one or more content providers, a content provider is selected if necessary, and one or more content items of the content provider are selected for delivery to the requestor (step 110). Once selected, the one or more content items are delivered or caused to be delivered to the requester (step 112). As an example, returning to FIG. 2A, if the requestor is located at point 18, then, as shown in FIG. 2B, the requestor is located within the geographic shape 10 (Shape A) of this particular content provider. As such, the keywords and corresponding weights for the geographic shape 10 (Shape A) may then be utilized to select one or more content items of the


’296 Patent Claim Language	Exemplary Disclosures
	corresponding content provider to deliver to the requestor. Note that if there are multiple content providers and the requester is located within geographic shapes of two or more content providers, one of the content providers is preferably selected as the content provider for which content is to be delivered to the requestor. An exemplary scheme for selecting the content provider from multiple content providers is discussed below with respect to FIG. 3.” Svendsen ’073 at 4:48–67. “If instead requestor is located at point 22, then the requestor is located within the geographic shapes 10 through 16 (Shapes A, B, C, and D). As such, as illustrated in FIG. 2B, the keywords and weights for the geographic shapes 10 through 16 are aggregated according to the z-order values of the geographic shapes 10 through 16 to provide an aggregate list of keywords and corresponding weights to be used to select one or more content items to be delivered to the requester. Note that, in this case, the keyword Red is assigned to both the geographic shape 10 (Shape A) and the geographic shape 16 (Shape D). However, the weight assigned to the keyword Red is 80 in the geographic shape 10 (Shape A) and 20 in the geographic shape 16 (Shape D). Since the z-order value, or importance level, assigned to the geographic shape 16 (Shape D) is higher than that assigned to the geographic shape 10 (Shape A), the weight assigned to the keyword Red in the geographic shape 16 (Shape D) overrides the weight assigned to the keyword Red in the geographic shape 10 (Shape A). Similarly, the keyword Blue is assigned to both the geographic shape 10 (Shape A) and the geographic shape 14 (Shape C). However, the weight assigned to the keyword Blue is 30 in the geographic shape 10 (Shape A) and 90 in the geographic shape 14 (Shape C). Since the z-order value, or importance level, assigned to the geographic shape 14 (Shape C) is higher than that assigned to the geographic shape 10 (Shape A), the weight assigned to the keyword Blue in the geographic shape 14 (Shape C) overrides the weight assigned to the keyword Blue in the geographic shape 10 (Shape A). Thus, the aggregate list of keywords and corresponding weights for the requestor located at point 22 is Red with a weight of 20, Blue with a weight of 90, White with a weight of 50, and Green with a weight of 10. This aggregate list of keywords and corresponding weights may then be utilized to select content items of the corresponding content provider to be delivered to the requester.” Svendsen ’073 at 5:14–48. “FIG. 3 is a more detailed illustration of step 110 of FIG. 1 according to one embodiment of the present invention. In this example, the one or more content providers are advertisers. However, again, the present invention is not limited thereto. First, a high bid is reset (step 200). Then, an account is obtained for a next advertiser (step 202). For the first iteration, the next advertiser is the first advertiser. The account of the advertiser includes information identifying the geographic shapes defined by the advertiser, the keywords and corresponding weights assigned to each of the geographic shapes, and the keywords assigned to the content



’296 Patent Claim Language	Exemplary Disclosures
	items of the advertiser, which in this example are advertisements. Next, an aggregate list of keywords and corresponding weights for the advertiser is reset (step 204).” Svendsen ’073 at 6:16–29. “At this point whether proceeding from step 306 or step 308, a determination is made as to whether there are more keywords assigned to the geographic shape (step 310). If so, steps 304 through 310 are repeated until all of the keywords assigned to the geographic shape have been processed. Once all of the keywords for the geographic shape have been processed, a determination is made as to whether there are more geographic shapes for the content provider (step 312). If so, steps 300 through 312 are repeated until all of the geographic shapes for the content provider have been processed. At that point, one or more content items of the content provider are selected based on the aggregate list of the keywords (step 314). More specifically, in one embodiment, each of the content items of the content provider may be scored as a function of the keywords in the aggregate list of keywords and corresponding weights for the keywords in the aggregate list of keywords as compared to the keywords assigned to the content items of the content provider. One or more content items having the highest score(s) may then be selected as content items to be delivered to the requestor.” Svendsen ’073 at 9:42–61. “FIG. 6C illustrates an aggregate list of keywords and corresponding weights generated using the process of FIG. 5 in response to a request from a requestor located at a point 58 (FIG. 6A). The point 58, and thus the requestor, is located within the geographic shapes 46 and 54. Therefore, using the process of FIG. 5, the keywords assigned to the geographic shapes 46 and 54 are aggregated to provide the following aggregate list of keywords: Rock with a weight of 80, Country with a weight of 30, Pop with a weight of 30, and Jazz with a weight of 10. Based on the aggregate list of keywords, a number of songs provided by the audio provider are selected and utilized to provide a customized audio stream for the requestor. More specifically, in one embodiment, songs made available by the audio provider may be scored based on the aggregate list of keywords including the weights assigned to the keywords in the aggregate list of keywords as compared to the keywords assigned to the songs of the content provider. Then, one or more songs having the highest score(s) are selected as songs for the customized audio stream for the requestor.” Svendsen ’073 at 10:13–32. “As such, in response to the request and a location of the user 74-1, the customized content delivery function 78 selects one or more advertisements for the user 74-1 in the manner discussed above.” Svendsen ’073 at 14:39–42. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity



’296 Patent Claim Language	Exemplary Disclosures
	contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[1k] providing the content from the at least one sponsor to the registered application program.	The following prior art expressly or inherently discloses and renders obvious “providing the content from the at least one sponsor to the registered application program.” For example:  FIGURE 4 Andreasson ’890 at FIGURE 4. “One or more application owners, for example, trade fair organizers or travel agents, register an application 122, 124 and 126 with and store an application 122, 124 and 126 on the server 110 as discussed above. Each application has an associated region 130 and duration, which is also stored on the server 110. The portable electronic device 140/240 includes a download control circuit 250 that is configured to periodically check the position of the portable electronic device 140/240 using an absolute positioning device, for example, a GPS receiver or Cell ID, or a relative positioning device such as discovery of Bluetooth devices and the like. The position data, for example, geographical coordinates, is sent to the system server 110 in addition to a unique



’296 Patent Claim Language	Exemplary Disclosures
	device identifier associated with the portable electronic device 140/240. The server 110 then determines if the portable electronic device 140/240 has entered a new region or a new region has been registered where the portable electronic device 140/240 is located. The periodical check of the position of the portable electronic device 140/240 may be quite frequent while the actual transmitting of position data to the server 110 may be less frequent. For example, the portable electronic device 140/240 can determine that a small position change is reported only once during a longer time period, for example, a day or an hour, while a larger position change is reported directly. The user of the portable electronic device 140/240 may also manually issue a position check and report without departing from the scope of the present invention.” Andreasson ’890 at [0056]. “When the server 110 determines that a portable electronic device 140/240 has entered a new registered region 130, the server 110 may be configured to check that a unique device identifier associated with the portable electronic device 140/240 is associated with the application for this particular region 130. For example, the server 110 determines if the unique device identifier for this portable electronic device 140/240 is in the set of device identifiers associated with this particular application. If the unique device identifier of the portable electronic device 140/240 is present in the set of identifiers associated with the applications, the communication circuit 115 of the server 110 is configured to transmit a link (URL) to the application data and the duration data for the application for the region 130 to the portable electronic device 140/240. When the portable electronic device enters a new region 130, the portable electronic device may be configured to automatically download the data from the URL received from the server 110. In some embodiments of the present invention, the content of the URL may be a web page. The web browser 218 of the portable electronic device 140/240 may be started and the web page may be loaded on the display 214. In certain embodiments of the present invention, a bookmark for the web page may be created automatically so as to allow future access to the web page. In further embodiments of the present invention, the content of the URL may be an executable application, for example, a Java Midlet, it may be installed and automatically executed. In some embodiments of the present invention, a uninstall event may be scheduled based on the duration information provide from the server 110.” Andreasson ’890 at [0057]–[0058]. “The application circuit 251 may be configured to request application updates from the server 110 periodically based on the a current location of the portable electronic device 140/240. Each update response may include a set of applications that should be updated by the device. ” Andreasson ’890 at [0062].



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5 Macaluso ’238 at FIG. 5. “Implementations may include one or more of the following features. For example, the advertisement may be downloaded to the mobile device over a wireless interface. The wireless communication may include a download of data to the mobile device. The download of data may involve data used by an application running on the mobile device. ” Macaluso ’238 at [0006]. “Rather than simply displaying a status dialogue, an application that is running on the mobile device may send a function call to the advertising application or extension. The advertising application may then display an advertisement and possibly other information. For example, a display screen on the mobile device may display two bitmap sections and a text section. One bitmap section may display the advertisement, while the second bitmap section and the text section may be specified by the calling application.” Macaluso ’238 at [0030]. “The process 500 is illustrated and described as performing a check for expired advertisements, determining whether to download a new advertisement, and requesting a new advertisement after displaying a selected advertisement. In some implementations, however, it may be desirable to download the new advertisement before selecting and displaying an advertisement. Accordingly, the new advertisement may be downloaded at



’296 Patent Claim Language	Exemplary Disclosures
	the beginning of the underlying data communication. The process 500 may also be rearranged and performed in a number of different sequences.” Macaluso ’238 at [0037]. “A service providing method, wherein a mobile communication device changes surveyed questionnaire data to upper level category data and transfers the changed data to service processing device and Web server, the service processing device transfers place data around the service processing device to the Web server, the Web server selects advertisement data that matches user's attitudes and the place, based upon the surveyed questionnaire data and the place data, and the service processing device and the mobile communication device displays advertisement images corresponding to the advertisement data received from the Web server on a display.” Kinoshita ’866 at Abstract. FIG. 1  Kinoshita ’866 at Fig. 1.

’296 Patent Claim Language	Exemplary Disclosures
	FIG. 3  Kinoshita ’866 at Fig. 3. FIG. 4  Kinoshita ’866 at Fig. 4.

’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 5.  Kinoshita ’866 at Fig. 6.


’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 7.  Kinoshita ’866 at Fig. 8.



’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 9.  Kinoshita ’866 at Fig. 10.



’296 Patent Claim Language	Exemplary Disclosures
	FIG. 11  Kinoshita ’866 at Fig. 11. FIG. 12  Kinoshita ’866 at Fig. 12. “The processing circuit 69 of the service device 14 reads out the advertisement data recorded in the step ST6 and displays the corresponding images on the display 64.” Kinoshita ’866 at [0064]. “Based upon user's personal information, user's preference information, and the pre-changed questionnaire data stored in the memory 58, the processing circuit 59 selects advertisement data suitable for the present user


’296 Patent Claim Language	Exemplary Disclosures
	from the advertisement data downloaded in the step ST9. The processing circuit 59 displays images corresponding to the selected advertisement data on the display 54.” Kinoshita ’866 at [0068]. “When a user receives a particular service from the service device 14 by using the cellular phone 12-1, the processing circuit 59 reads out the application program APL from the memory 58 and starts it. Staring the application program APL, the processing circuit 59 reads out an advertisement video from the memory 58 and plays it on the display 54.” Kinoshita ’866 at [0094]. “The processing circuit 79 of the Web server 24 transfers the advertisement videos and the digital content data selected in the step ST26 to the service device 14 via the interface 72. The processing circuit 69 of the service device 14 transfers the received advertisement videos and the digital content data to the memory 68.” Kinoshita ’866 at [0102]. “The service device 14 selects advertisement videos and digital content data to be transferred to the cellular phone 12 based upon the attribute data and the list of advertisement videos and digital content data received in the step ST24. Specifically, the processing circuit 69 of the service device 14, based upon the attribute data received from the cellular phone 12-1, makes a list satisfying preferences of the user carrying the cellular phone 12-1 by searching the list of the advertisement videos and digital content data that are stored in the memory 68. Then, from the list made in this step, the processing circuit 69 selects advertisement videos and digital content data that are not found in the list received from the cellular phone 12-1.” Kinoshita ’866 at [0106]. “The processing circuit 69 of the service device 14 reads out, from the memory 68, data necessary for answering the service requests received in the step ST24. Then the service device 14 transfers the data necessary for the service requests and both the advertisement videos and digital content data selected in the step ST29 to the cellular phone 12-1 via the R/W device 16. At this time the advertisement videos are associated with the digital content data in one-to-one correspondence. The digital content data includes, for example, live videos, animation videos, ring tones, and standby screens. The digital video data is available on condition that users of the cellular phones 12-1 and 12-2 are registered as a member in the Web server 24. Transferring data to the cellular phone 12-1, the service device 14 displays an advertisement video on the display 64.” Kinoshita ’866 at [0108]. “The processing circuit 59 of the cellular phone 12-1 displays the default advertisement video on the display 54 until the processing circuit 59 completes the reception of advertisement videos from the service device 14.” Kinoshita ’866 at [0111].



’296 Patent Claim Language	Exemplary Disclosures
	“The processing circuit 59 displays the received advertisement video on the display 54 when the reception of the advertisement video completes. The processing circuit 59 displays a plurality of advertisement videos in predetermined order when a plurality of advertisement videos are stored in the memory 58. In this case the processing circuit 59 may display a plurality of advertisement videos in priority order that is based upon the attribute data of the user carrying the cellular phone 12-1.” Kinoshita ’866 at [0111]. “The cellular phone 12-1 accesses, for example, the Web server 24 according to user's operation of the operation unit 56. This access makes the processing circuit 79 of the Web server 24 read out the default video from the memory 78 and transfer it to the cellular phone 12-1. In the default video, an advertising area on the screen is located at, for example, the top of a page. At this time, the Web server 24 receives the attribute data from the cellular phone 12-1 and selects a default video that matches user's preference based upon the attribute data, and transfers the default video to the cellular phone 12-1. The cellular phone 12-1 transfers the default video, which is received from the Web server 24, to the memory 58 of FIG. 2.” Kinoshita ’866 at [0115]. “During this registration process, the processing circuit 59 of the cellular phone 12-1 reads out the advertisement video from the memory 58 and plays it on the display 54.” Kinoshita ’866 at [0119]. “If digital content data that a user of the cellular phone 12-2 is interested in is stored in the cellular phone 12-1, short-range communication is performed by contacting the cellular phone 12-1 and the cellular phone 12-2. At this time, the cellular phone 12-1 designates the advertisement video and digital content data to send them to the cellular phone 12-2.” Kinoshita ’866 at [0127]. “The cellular phone 12-1 reads out the designated advertisement video and digital content data from the memory 58 of FIG. 2 and transfers them to the cellular phone 12-2 via short-range communication. The cellular phone 12-2 transfers the received advertisement video and digital content data to the memory 58 of FIG. 2. During this communication, the cellular phone 12-1 reads out an advertisement video from the memory 58 and plays it on the display 54. Also during this communication, the cellular phone 12-2 reads out default images from the memory 58 and plays it on the display 54.” Kinoshita ’866 at [0129]. *See also* Kinoshita ’866 at [0031]. “Information received by receiver component 502 can include identification of the object (e.g., name, address, . . .) and/or geo-coded information 514 (e.g., geographic coordinates, latitude, longitude, street location, and the like).” Smith ’558 at [0104].

’296 Patent Claim Language	Exemplary Disclosures
	“In some embodiments, system 600 can be configured to provide advertising content in a tool tip (or mouse hover). Thus, rather than having the advertisement or other text automatically displayed, system 600 can display such information when the user hovers over a particular area of the map. This can be utilized in a top-view, a ground level view, or other views. When the user hovers over a particular area of the map, such as a clothing store, system 600 can display different information based in part on user preferences 608. For example, if a store is displayed, system 600 can provide a link to the store allowing the user to automatically be presented with a website or other information relating to that particular store. If the user is a woman, the system 600 may display items that are on sale in the store such as perfumes or dresses. However, if the user is a male, the system 600 can display different sale items, such as ties. In such a manner, the user is navigating through virtual space and system 600 is automatically annotating the map area with individual preferences as related to advertising.” Smith ’558 at [0113].  FIG. 1 Sato ’965 at Fig. 1.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 2 Sato ’965 at Fig. 2.  FIG. 6 Sato ’965 at Fig. 6.



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 7 Sato ’965 at Fig. 7.  FIG. 8

’296 Patent Claim Language	Exemplary Disclosures
	Sato ’965 at Fig. 8.  FIG. 9 Sato ’965 at Fig. 9.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG.10 Sato ’965 at Fig. 10.  FIG.11

’296 Patent Claim Language	Exemplary Disclosures
	Sato ’965 at Fig. 11. “Content server 103 transmits content data (see FIG. 2) to terminal apparatus 101. The content data expresses content related to positions of facilities 145. For example, such content may be advertising information of facilities 145. Content may be road information or sightseeing information that is not related to facilities 145. In other words, the content is in relation to a position (for example, position in which each of facilities 145 is present) inside predetermined region 146.” Sato ’965 at [0054]. “Display control section 109 acquires contend data 152 from content server 103 via communication interface 111.” Sato ’965 at [0063]. “Prefetch section 105 in terminal apparatus 101 acquires non-stored content data from content server 103.” Sato ’965 at [0114]. “Referring to FIG. 11, processing will be described below where terminal apparatus 101 acquires non-stored content data from content server 103 (step S310 in FIG. 6). FIG. 11 is a flowchart illustrating processing procedures for acquiring non-stored content data from the content server according to the above embodiment.” Sato ’965 at [0134]. “Prefetch section 105 transmits request 151 (FIG. 2) to request the latter half of the noted content data 152 to content server 103. In response to request 151, content server 103 transmits the latter half of the content data 152 to terminal apparatus 101.” Sato ’965 at [0163]. “Prefetch scheduler 104 in terminal apparatus 101 determines whether or not the processing of steps S327 to S331 is completed on all the items of non-stored content data (step S332). When a result of the determination in step S332 is “Yes”, terminal apparatus 101 finishes the processing. Meanwhile, when a result of the determination in step S332 is “No”, terminal apparatus 101 returns to the processing of step S327.” Sato ’965 at [0168]. “As described above, terminal apparatus 101 acquires non-stored content data from content server 103.” Sato ’965 at [0169]. *See also* Sato ’965 at Fig. 3, Fig. 4, Fig. 5, Fig. 26, [0064], and [0144].


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 10 Ahn ’281 at Fig. 10. “FIG. 10 is an example flowchart of a method by which the advertising feature of the present invention is provided, according to an embodiment of the invention. In the first operation, an advertising scheme is defined which is based on the association of advertising regions of a map to advertisements (step 1002). Next, the map presented to the user and, optionally, the cursor position, (step 1004) is used to determine the one or more advertisements to be displayed or presented to the user (step 1006). Marketing-related information, such as the advertisements presented and whether there was a click through, and other information are captured and stored (step 1014). This is captured on the client device 110 and alternatively also sent to the map manager 102 (step 1020). This marketing-related information may be used to help in soliciting more advertising revenues or to tailor the advertising scheme to obtain a better stream of revenue.” Ahn ’281 at [0095]. “The GIK systems of an embodiment include computer readable medium including executable instructions which, when executed in a processing system, manage geographically referenced data (GRD), by receiving a search request that includes a defined search area. The computer readable medium of an embodiment provides an extended map based on the search request. The extended map of an embodiment includes geographic areas within the defined search area and outside the defined search area. The computer readable


’296 Patent Claim Language	Exemplary Disclosures
	medium of an embodiment provides the GRD. The GRD includes one or more of advertisements, contact information, and review information for one or more entities. The computer readable medium of an embodiment provides map reference information of the GRD on the extended map.” Ahn ’281 at [0205].  Fig. 5 Begum ’880 at Fig. 5.  Fig. 9 Begum ’880 at Fig. 9. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22.



’296 Patent Claim Language	Exemplary Disclosures
	“Since the point of purchase promotion is most effective when the customer is at ground zero, that is, proximate the shelf location of the promoted item, the graphic must be transmitted, received and formatted for display in the brief time that the shopper is strolling past the promoted item.” Begum ’880 at 4:33–38. “The infrared or radio frequency receiver in the handle, used for an alarm when the cart or handle leaves a prescribed area, also be used to receive an advertisement signal by appropriate programming as described.” Begum ’880 at 4:59–63. “The user interface is designed to allow the user to access all of the available data including stored promotional graphics by a control system that is intuitive. Furthermore, the hybrid system devised for automatic display of promotional graphics, is designed to incorporate features that are beneficial in facilitating automatic update of the promotional advertisements.” Begum ’880 at 4:65–5:4. “In the simplest embodiment of the invention, the display screen automatically displays periodic promotional items and the user controlled feature is limited to a categorical product directory. The scroll buttons allow a user to scroll up or down the product category list to find the location of selected items in the product directory.” Begum ’880 at 5:65–6:4. “The display device 12 also includes a radiation window 34 centrally located above display screen 24. The radiation window includes multiple cells 36, which may comprise receivers for receiving microwave, infrared or other air propagated radiation energy for power supplementation or for reception of external data or control signals transmitted by microwave, infrared or radio signals. For example, in the device of FIG. 2, end cells 36a are utilized for receiving trigger signals emitted from signal transmitters positioned at strategic locations at the perimeter of a shopping establishment to trigger an alarm on the cart and at a central monitoring station in the establishment. Also, the cells 36a may be used to receive trigger or message signals from transmitters positioned strategically along each side of grocery aisles. These signals activate display of select promotional advertisements on the display screen as described in the referenced patent. The cells 36a are preferably used to receive digital message signals from the strategically positioned transmitters as described in greater detail with reference to the operation of the preferred embodiments.” Begum ’880 at 6:18–37. “External components such as an IR beacon 64 and an IR trigger component 66 direct infrared data signals and wake-up signals to the IR photodiodes 68 of the radiation window 36a on the display unit 12. The data signals provide information for reprogramming the memory of inventory and sales information and screen display of activated advertisement and promotional visuals. The IR beacon 64 may also emit a power transmission signal for charge maintenance of the battery pack 40. The IR beacon 64 and trigger component


’296 Patent Claim Language	Exemplary Disclosures
	66 form a transceiver unit 65 for receiving, storing and relaying trigger and data signals from a control unit 67, that centralizes the storewide operation of the system.” Begum ’880 at 8:36–47. “Customarily, each store would have a single control unit 67 that is the central computer for management of the stores inventory and accounting. The control unit 67 communicates with a plurality of transceiver units 65 located throughout the marketing area. Preferably, to minimize installation expenses and allow the plurality of transceiver units 65 to be repositioned in the marketing area as desired, each transceiver unit 65 is in wireless communication with the control unit 67 and has its own power supply. Essentially, the transceiver unit 65 includes the same electronic components as the display unit 12 which allows for independent processing of data and independent communication with a display unit 12 on a nearby shopping cart. ” Begum ’880 at 8:56–9:1. “To conserve power in the transceiver unit 65, the transceiver unit includes a proximity sensor 69 that detects the presence of a shopping cart within range and initiates transmission of the trigger and data signals to the unit 12 on the cart handle. The transceiver unit 65 also includes an RF receiver 71 to receive FM radio frequency transmissions from the central control” Begum ’880 at 9:1–7. “Each transceiver unit 65 can have a separate identification such that data transmitted from the control unit 67 is transmitted store wide but is processed and stored only by the transceiver unit to which the data is intended.” Begum ’880 at 9:8–11. “In the preferred embodiment, the transceiver unit 65 upon detection of a proximately located shopping cart transmits a trigger signal to wake-up the display unit on the shopping cart if not already in an activated state, then sends the data signal.” Begum ’880 at 9:12–16. “The data signal is a digital signal that includes both the product control signals and the screen graphic signal. The product control signals include data about the promotion that is not in the screen graphic and that does not appear on the display screen 24 of the display unit 12. This data may include the universal product identification number, the date or iteration number of the promotional graphic, and, the identification number of the transceiver unit, which is useful in tracking the path of a shopper through the market area. The screen graphic signal contains the digitized data that is received by the display unit 12 and formatted for display on the display screen. For example, a compressed screen graphic signal must be decompressed by the central processor before it is relayed to the LCD controller and driver 72. ” Begum ’880 at 9:16–29. “The product control data is a short alphanumeric string which in seven bit ASCHII code can be transmitted in a small fraction of a second. Using standard compression algorithms for the bit-mapped screen graphic, the

’296 Patent Claim Language	Exemplary Disclosures
	product control data and the promotional screen graphic can be transmitted well within the two second permissible time frame.” Begum ’880 at 9:38–44. “The screen graphic is preferably promotional information that is related to the promotional item located proximate the transceiver unit that is transmitting the screen graphic signal. A typical screen graphic displayed in the display screen 24 is shown in FIG. 9.” Begum ’880 at 9:46–51. “The digitized screen graphic is stored in a file in the memory of the transceiver unit 65, and is periodically updated or replaced by transmissions from the control unit 67.” Begum ’880 at 9:52–55. “The trigger and data signals, together with a converted D.C. power potentials are delivered to the power control circuit for system wakeup, and trickle feed of energy to the battery pack 40. The trigger signal is passed to the cue output circuit 73, which may be one or more of an audible chime, a handle vibration or a light. Certain IR triggers 66 at the store perimeter may not only trigger an audible alarm in the display unit 12, but include a sound or ultrasound receiver for activating an alarm in the store office when a select frequency emitted by the display unit is detected.” Begum ’880 at 9:56–65. “With the display unit 12 awakened, the data signals are processed by the central processor 58 and the data relating to the screen graphic is compared with existing promotional screen graphics stored in RAM 74. The comparison of digitized screen graphics may be accomplished with a rapid checksum procedure. If a match is found, the screen graphic data is passed from a temporary storage buffer in the central processor 58 to the LCD driver 72 for display on the display screen 24. In the event that there is no match, the processor 58 processes the formatted screen data to the LCD driver 72 for display on the display screen 24 and contemporaneously passes the screen graphic display data together with the accompanying product control data to RAM 74. The screen graphic data and product control data are stored in memory for future comparison with received screen display signals or retrieval by a shopper reviewing the file of product promotions.” Begum ’880 at 9:66–10:15. “The product control signals may be utilized in this compare process for rapidly locating the presence or absence of a particular promotional screen graphic in memory and initiating display of either the screen graphic in memory or the screen graphic formatted from the screen graphic signal transmitted by the transceiver unit 65. In this manner, the shopping carts that are in use, are continually updated as they pass a transceiver unit 65, such that even if an outdated ad is stored in memory, the updated ad will be presented once the shopper has arrived at the location of the promoted item. Although this system has the minor drawback of potentially storing an outdated promotional graphic in memory that is accessible by a shopper


’296 Patent Claim Language	Exemplary Disclosures
	during review of the product promotion file using the display unit in an interactive mode, the system is self-correcting at the promoted product location.” Begum ’880 at 10:16–31. “Referring now to FIG. 6, on activation the display screen 24 first displays a directory menu allowing selection of a directory listing to be reviewed. Selection is accomplished using the selection bar 32, which highlights the heading in some manner, as by the box 80 enclosing the “BRAND NAME ITEMS” indicia in FIG. 6. On touching a scroll button 30, an alphabetical listing of items by brand name will be displayed for the user to scroll through to locate a particular item. Items 82 are shown with size and price for convenience as illustrated in FIG. 7.” Begum ’880 at 10:41–51. *See also* Begum ’880 at 1:60–2:5, 10:32–35, and 10:52–11:3.  FIG. 1 Begum ’606 at FIG. 1.



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Levkovitz ’852 at Fig. 1.



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 2 Levkovitz ’852 at Fig. 2.  FIG. 11 Levkovitz ’852 at Fig. 11.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 14 Levkovitz ’852 at Fig. 14. “Some embodiments may provide, for example, contextual and/or non-contextual placement of content, e.g., advertisements or banners, within an application executed by a cellular phone, a mobile phone, or other wireless communication device.” Levkovitz ’852 at [0005]. “In some embodiments, for example, a method may include receiving an application-initiated content request from a wireless communication device; and selectively serving to the wireless communication device a content item based on data included in the application-initiated content request, wherein the application-initiated content request may include data identifying at least a manufacturer of the wireless communication device and a model of the wireless communication device.” Levkovitz ’852 at [0025]. “Some embodiments may include, for example, a machine-readable medium having stored thereon a set of instructions that, if executed by a machine, result in: receiving an application-initiated content request from a wireless communication device; and selectively serving to the wireless communication device a content item based on data included in the application-initiated content request, wherein the application-initiated content request may include data identifying at least a manufacturer of the wireless communication device and a model of the wireless communication device.” Levkovitz ’852 at [0036].


’296 Patent Claim Language	Exemplary Disclosures
	“The content client 174 may be a module of application 176, a plug-in of application 176, or an external module operatively associated application 176. Content client 174 may be able to send a wireless signal indicating a request (“content request”) to receive one or more content items, e.g., textual content, audio content, video content, advertisement, informational items, or the like. The content request may include, for example, data indicating properties of device 170, e.g., handset manufacturer, handset model, screen resolution, screen color depth, audio capabilities, total memory, available memory, types of content items which the device 170 is capable to present, or the like; data indicating properties of the user of device 170, e.g., age, age group, gender, occupation, profession, areas of interest, income, usage habits, usage patterns, usage time, or the like; and/or other suitable information, e.g., data indicating the type of application associated with application 176, data identifying application 176, or the like.” Levkovitz ’852 at [0095]. “Device 170 may receive from communicator 150 one or more content items (“content response”), e.g., in response to the content request. The content response may be received from communicator 150, for example, using communication handler 173.” Levkovitz ’852 at [0156]. “As indicated at box 240, the method may optionally include, for example, transmitting the selected content item(s) to device 170.” Levkovitz ’852 at [0185]. “In some embodiments, device 1070 may operate as a recipient device and may receive, for example, a commercial content item, an advertisement, or an incoming SMS/MMS/IM/Email message having embedded therein a commercial content item or an advertisement (“incoming SMS/MMS/IM/Email message”). Device 1070 may present (e.g., display, show, play, playback, or the like) the incoming commercial content item/advertisement/SMS/MMS/IM/Email message, for example, using output unit 185. Device 1070 may include, for example, a content repository 1099 allowing the device 1070 to store, or allowing the user of device 1070 to selectively store, incoming commercial content item/advertisement/SMS/MMS/IM/Email messages in their entirety, or portions or a selected portion of incoming commercial content item/advertisement/SMS/MMS/IM/Email message (e.g., a coupon, a discount coupon, a code, a barcode, or the like).” Levkovitz ’852 at [0260]. “a fourth user-selectable operation may be available only when the user or the device 1070 meets certain conditions, e.g., if the device 1070 is within a certain location (e.g., in proximity to a certain restaurant)” Levkovitz ’852 at [0272].


’296 Patent Claim Language	Exemplary Disclosures
	“For example, a first user-selectable action associated with a first incoming content item, may be available only during a certain time and/or while the recipient device is within a certain geographical location.” Levkovitz ’852 at [0273]. *See also* Levkovitz ’852 at [0159]. “Product or service information in the form of selected wireless e-commerce content is transmitted from a server to a mobile device, such as mobile telephone or personal digital assistant. The e-commerce content is transmitted either in response to an explicit user request for communication of the e-commerce content, or, in the alternative, is “pushed” to the mobile device as permitted by a user but in the absence of a specific request. The e-commerce content received at the mobile device is presented to a user by the mobile device in textual or graphical format in conjunction with an indication of a communication needed to consummate an e-commerce transaction. If the user desires to purchase the good or service represented by the e-commerce content, the user initiates the communication indicated by the e-commerce content.” Sanctis ’837 at Abstract.  *FIG. 1* Sanctis ’837 at Fig. 1.

’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 2* Sanctis ’837 at Fig. 2.  *FIG. 4* Sanctis ’837 at Fig. 4.

’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 5* Sanctis ’837 at Fig. 5.  *FIG. 7* Sanctis ’837 at Fig. 7. “ In view of the foregoing and in accordance with various embodiments of the present invention, selected wireless mobile e-commerce (hereinafter, “m-commerce”) content, such as product or service information, is

’296 Patent Claim Language	Exemplary Disclosures
	transmitted from a server to a mobile device, such as a mobile telephone or personal digital assistant (“PDA”). In one embodiment, for example, the m-commerce content is transmitted in response to an explicit user request for communication of the m-commerce content. The user is permitted to view an item on his or her mobile device and prompted to make a purchase (e.g., via a “buy” key or selecting an icon or toolbar on the mobile device). In another embodiment, the m-commerce content is “pushed” to the mobile device in the absence of a specific request. For example, such solicitations may occur multiple times per day, prompt the user to browse various “departments” or categories of goods or services, walk a user through a form for shopping, or combinations thereof.” Sanctis ’837 at [0008]. “The e-commerce content received at the mobile device 30 is preferably presented within display 32 in textual or graphical format in conjunction with an indication of a communication need to consummate an e-commerce transaction.” Sanctis ’837 at [0033]. “FIG. 2 illustrates a high level logical flowchart of a process by which the m-commerce server 10 transmits e-commerce content to mobile devices in a mobile alert in accordance with one embodiment of the present invention. The illustrated process can be executed by the m-commerce server 10 with or without administrative intervention, and can further be executed periodically, for example, daily or weekly. Hereafter, for ease of description, it will be assumed that the mobile alerts feature products rather than services. It will be appreciated by those skilled in the art, however, that the present invention is also applicable to mobile alerts featuring services.” Sanctis ’837 at [0037]. “The process then passes from block 56 to block 58, which illustrates the m-commerce server 10 transmitting an advertisement for the featured product to the mobile devices 30 selected at block 56. The mobile alert preferably includes a description of the product, the price of the product and, optionally, an image or picture of the product and/or the quantity in stock. The mobile alert preferably also includes an indication of a communication that the user can initiate from the mobile device 30 in order to facilitate purchase of the featured product. The mobile alert can be transmitted in a variety of different formats depending upon the bandwidth of the communication technology and the capabilities of the target mobile devices. For example, if the target mobile devices 30 are conventional mobile telephones, the mobile alert can include a Short Message Service (SMS) message. If, however, the target mobile devices are third generation (3G) binary runtime environment for wireless-enabled (BREW-enabled) 46 (such as store in read only memory (ROM) 45 in communication with a processor 47) mobile telephones, as understood by those skilled in the art, the mobile alert can include a graphics-rich “page” in the product database 14 that describes the featured


’296 Patent Claim Language	Exemplary Disclosures
	product(s). Following the transmission of the mobile alert to the selected users, the process depicted in FIG. 2 terminates at block 60.” Sanctis ’837 at [0040].  FIG. 1 Bussmann ’294 at FIG. 1.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5 Bussmann ’294 at FIG 5. “FIG. 1 shows a flow diagram depicting an embodiment of a method 100 of providing location-based advertising services. Method 100 comprises, at 102, receiving advertising content and pricing bids from each of a plurality of advertising publishers. As explained in more detail below, the pricing bids comprise an offer to pay a specified amount of money in exchange for having the advertising content of the bidder sent to a device for presentation to a user. Further, the advertising content and bid are associated with a specific bounded geographic area defined in a geographic region. Therefore, the advertising content is sent to devices located within, or within some distance adjacent to, the bounded area. Next, method 100 comprises, at 104, receiving a request from a device for advertising content associated with the bounded area. Then, method 100 comprises, at 106, sending advertising content associated with the top N bids to the device for presentation to a user of the device, wherein N may be zero (in the case of no bids) or a positive integer. In this manner, advertising publishers may bid a specific price to pay for the distribution of advertising content in a specified geographic area, and the highest bidder or bidders win priority to have advertising content items presented to a device user over other lower bidders. Depending upon various device-specific parameters of the device and the nature of the advertising content sent to the device, one or more items of advertising content may be presented on the device at any one time.


’296 Patent Claim Language	Exemplary Disclosures
	Therefore, in some circumstances, the highest bidder's advertising content alone may be sent to a requesting device, while in other circumstances, more than one item of advertising content may be sent to a requesting device. Where more than one item of advertising content is sent to a device, the items of advertising content may be selected based upon descending order of bids. As a specific example, a GPS-enabled smart phone may allow a map to be displayed at various levels of zoom. In one example, for a specific level of zoom in a specific geographic region, the smart phone may be able to display three items of advertising content on a map. In this case, the device may be sent items of advertising content for the top three bidders for the geographic area displayed on the map. Therefore, advertising publishers who wish to have advertising content sent to mobile phones have an incentive to bid close to or above a highest bid for a desired bounded geographic area. This may help to obtain higher bids for distributing the advertising content items, and therefore may contribute to greater economic returns per advertisement view. More detailed implementations of method 100 are discussed in more detail below.” Bussmann ’294 at [0010]–[0011]. “Continuing with the figures, FIG. 5 shows a method 500 of operating an advertising server. Method 500 illustrates various details of method 400 from the advertising server's point of view, where communications with an advertising publisher client are shown in a left-hand side of the figure and communications with a device are shown in a right-hand side of the figure. Method 500 first comprises, at 502, receiving a logon request from an advertising publisher client, and connecting to the client. Next, at 504, a tiled map is sent to the client to allow the advertising publisher to select tiles in which it is interested in having its advertising content distributed. After sending the tiled map, a selection of tiles on the map is received from the client at 506, and advertising content is received from the client at 508. As described above, in some embodiments, an advertising server may be configured to allow an advertising publisher to view a preview of advertising content in the tiles selected by the advertising publisher. Therefore, method 500 comprises, at 510, sending an advertising content preview to the client. In some embodiments, the advertising content preview may be an interactive preview configured to allow an advertising publisher to view an item of advertising content on different types of devices, at different levels of zoom, panning, etc. to see how the item of advertising content will appear to a user in various specific geographic locations. In this manner, an advertising publisher may be able to tailor an appearance of an item of advertising content to a desired appearance in a specific device and/or location. Method 500 next comprises, at 512, receiving advertising category and advertising display time information from the client. Examples of category and display time information are discussed in detail above. While the

’296 Patent Claim Language	Exemplary Disclosures
	depicted embodiment shows the category and time information appearing in a later step than the receipt of the ad content and selection of tiles, it will be understood that these items may be received in any suitable order. Upon receipt of the selection of tiles, ad content, and category and time information, method 500 comprises, at 514, sending price information to the client, and then at 516, receiving a bid from a client. The bid is then stored in an updated bid information database, as indicated at 518. It will be understood that processes 502-518 may be performed by a plurality of different publishers on a continuous, rolling basis as clients wish to submit bid information. Further, the advertising server also may interact with requesting devices on a continuous, rolling basis to provide items of advertising content to the devices. An example of a transaction with a device such as a PND or the like is shown in FIG. 5 at 520-526. First, at 520, method 500 comprises receiving from a device a request for advertising content. Upon receipt of this request, it is determined, at 522, a number N of items of advertising content to send to the device. The number N of items of advertising content may vary depending upon a number of factors, including but not limited to, a type/brand/model of device that sent the request, a current level of zoom currently shown on the device display, and/or whether any advertising publishers have paid for exclusive advertising rights to a tile that is within the relevant geographic area.” Bussmann ’294 at [0035]–[0038]. “The central facility 60 may obtain media exposure data, consumption data, media monitoring data, location data, motion data, and/or any other monitoring data that are collected by the media monitoring devices such as, for example, the PPM 30. In the illustrated example, the PPM 30 may transmit data to a local relay device 64 which, in turn, transmits data to the central facility 60 to extend the range of the examined or monitored geographic area. The example system 10 may be provided with multiple local relay devices 64 that serve as access points for the PPM 30 and other devices to the network 62 and the central facility 60.” Mello ’479 at [0032]. “After the web event data collector 166 stores the query string search criteria and associated information (block 510) or if the web event data collector 166 determines that a query has not been submitted (block 508), the media capture data collector 168 (FIG. 3) determines whether a media signal (e.g., an audio signal, a video signal, an RF signal, etc.) has been captured (block 512). For example, the media signal may be an audio signal associated with an advertisement presented by the audio device 16 or the video device 18 (FIG. 1), a video signal presented by the video device 18 (FIG. 1), or an RF signal emitted by the RF transceiver 22 of the billboard 20 (FIG. 1). The media capture data collector 168 then determines whether the captured media signal includes a code (block 514). If the captured media signal includes a code, the media capture data collector 168 extracts (or

’296 Patent Claim Language	Exemplary Disclosures
	creates a copy of) the code (block 516). If the captured media signal does not include a code (block 514), the media capture data collector 168 generates a signature of the captured media signal (block 518). Alternatively, a signature can always be collected regardless of whether a code was collected. After the media capture data collector 168 extracts a code (block 516) and/or generates a signature (block 518), the media capture data collector 168 stores the media representation information (e.g., the code and/or the signature) (block 520) in the media data log file 184 (FIG. 3). After the media capture data collector 168 stores the media representation information (block 520) or if the media capture data collector 168 determines that a media signal has not been captured (block 512), the consumer purchase data collector 170 determines whether any input data relating to potential purchases have been received (block 522) (FIG. 5B). In the illustrated example, the potential purchase data is data indicative of a product or a service such as, for example, bar code information read using the bar code reader 136 (FIG. 2) or RFID information received via the RF transceiver 134 (FIG. 2) in response to the monitored person 32 scanning a product or a service document. If the consumer purchase data collector 170 determines that potential purchase data has been received (block 522), the consumer purchase data collector 170 determines whether the monitored person 32 purchased the product or service corresponding to the received potential purchase data (block 524). For example, the consumer purchase data collector 170 may receive subsequent information or the potential purchase information received at block 522 may have a corresponding purchase confirmation flag indicating that the monitored person 32 purchased the related product or service. If the consumer purchase data collector 170 determines that the monitored person 32 made the purchase (block 524), the consumer purchase data collector 170 stores the purchase information (block 526) in association with a corresponding timestamp and location identifier in the purchase data log file 186 (FIG. 3).” Mello ’479 at [0082]–[0084].

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 2A Busch ’815 at Fig. 2A. “Significant benefit is provided by a content targeting methods and systems usable with mobile devices that provide feedback to the advertisers—especially those advertisers that have brick and mortar businesses—to help them judge the effectiveness of their targeted content. The effectiveness of a business' advertising effort may be measured by determining with regard to a user of a device that has received targeted content one or more of: whether the user visits a business location of a content producer after their content has been delivered to the device; the time spent at the location; and, how much money was spent at the business by that user (especially in the case where the user pays through an online payment service utilizing the mobile device).” Busch ’815 at [0008]. “The present invention provides among other things methods and systems to obtain data relating to location from mobile devices, processing this data, sending content to a mobile device based at least in part on location data, integration of location data associated with a mobile device with web based applications accessed with a standard computer or laptop, integration of location data with conversion tracking systems, integration of location data with customer relationship management systems and systems to determining retail

’296 Patent Claim Language	Exemplary Disclosures
	business location performance, integration with social uses of location data of mobile devices, and integration with navigation uses of location data associated with mobile devices.” Busch ’815 at [0159]. “The act of processing the data involves first comparing the data set to a collection of other data sets associated with the user and then determining a set of previously traveled courses including at least a most likely course of travel. Alternatively, the act of processing may involve comparing the data set to a database of businesses and their locations, and then determining a set of likely locations that have previously been visited by the user of the mobile device.” Busch ’815 at [0272]. “In some forms of the invention, the anticipated route 402 or destination information is referenced against a database of targeted content that includes business locations and information in order to determine if there is any content of interest to the user of the mobile device along the anticipated route 402. If there is appropriate targeted content, this information is sent to the mobile device in order to inform the user of the mobile device of business and events of interest that are easily accessible from their current route. For purposes of illustration and without limitation, referring again to FIG. 5, if the user frequents office supply stores, an advertisement indicating that Office Max 510 on the West side of Hayden Road 500 may be sent to the mobile device to be displayed at an appropriate time.” Busch ’815 at [0355]. “The likely or anticipated route that the user of the mobile device is currently taking may be based upon their current location information and the historical location information. Based upon this information, targeted content is sent to the user. The targeted content is any type of information including but not limited to advertisements, traffic information, danger warnings, or any other type of information that pertains to a geographic location.” Busch ’815 at [0357]. “ If the user is moving slowly, many elements of targeted content associated with the nearby area are sent to the mobile device or retrieved from the memory of the mobile device. If the user is moving faster (For purposes of illustration and without limitation, if they are in a car, on a motorcycle, on a high speed train, etc.) then targeted content associated with businesses in a wider area are sent to the user or retrieved from the memory of the mobile device. This allows the mobile device to display the most relevant content to the user of the mobile device while allowing the content to be displayed a sufficient amount of time so that the user is able to see and react to the content before the content is replaced with more relevant information based upon updated location information available to the mobile device.” Busch ’815 at [0363]. “Methods and systems are disclosed for providing customized content to users based on their location. In one embodiment, for each of one or more content providers, a customized content delivery function receives information from the content provider defining a number of geographic shapes selecting corresponding

’296 Patent Claim Language	Exemplary Disclosures
	geographic areas. Preferably, each of the geographic shapes overlaps at least one other of the geographic shapes and is assigned an importance level. For each geographic shape, the content provider defines one or more tags for the geographic shape and assigns a weight to each of the one or more tags. Thereafter, when a request is received from a requestor, one or more content items are selected for delivery to the requestor based on the geographic shapes, the tags and corresponding weights for the geographic shapes, and the location of the requestor.” Svendsen ’073 at Abstract.  *FIG. 1* Svendsen ’073 at Fig. 1.

’296 Patent Claim Language	Exemplary Disclosures

POINT	INTERSECTING SHAPES	KEYWORDS
18	A	RED=80, BLUE=30
20	A,B	RED=80, BLUE=30, WHITE=50
22	A,B,C,D	RED=20, BLUE=90, WHITE=50, GREEN=10
24	A,C,D	RED=20, BLUE=90, GREEN=10

FIG. 2B

Svendsen ’073 at Fig. 2B.






FIG. 3

Svendsen ’073 at Fig. 3.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5 Svendsen ’073 at Fig. 5.  FIG. 6A Svendsen ’073 at Fig. 6A.

’296 Patent Claim Language	Exemplary Disclosures

SHAPE	Z-ORDER	KEYWORDS
46	0	Rock = 80, Country = 30, Pop = 30
48	1	Alternative = 50
50	2	Polka = 200
52	3	Rap = 80
54	4	Jazz = 10
56	5	Beach = 95


FIG. 6B


Svendsen ’073 at Fig. 6B.

POINT	INTERSECTING SHAPES	KEYWORDS
58	46, 54	Rock = 80, Country = 30, Pop = 30, Jazz = 10

FIG. 6C

Svendsen ’073 at Fig. 6C.

’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 11* Svendsen ’073 at Fig. 11.

’296 Patent Claim Language	Exemplary Disclosures
	 ***FIG. 14*** Svendsen ’073 at Fig. 14. “The present invention relates to customized content delivery based on location.” Svendsen ’073 at 1:7–8. “The present invention relates to providing customized content to users based on their location.” Svendsen ’073 at 1:22–23. “Thereafter, when a request is received from a requestor, one or more of the content items of one or more of the content providers are selected for delivery to the requester based on the geographic shapes defined by the one or more content providers, the tags and corresponding weights for the geographic shapes defined by the one or more content providers, and the location of the requestor.” Svendsen ’073 at 1:42–48. “Then, based on the location of the requestor and the geographic shapes defined by the one or more content providers, a content provider is selected if necessary, and one or more content items of the content provider are selected for delivery to the requestor (step 110). Once selected, the one or more content items are delivered or caused to be delivered to the requester (step 112). As an example, returning to FIG. 2A, if the requestor is located at point 18, then, as shown in FIG. 2B, the requestor is located within the geographic shape 10 (Shape A) of this particular content provider. As such, the keywords and corresponding weights for the geographic shape 10 (Shape A) may then be utilized to select one or more content items of the

’296 Patent Claim Language	Exemplary Disclosures
	corresponding content provider to deliver to the requestor. Note that if there are multiple content providers and the requester is located within geographic shapes of two or more content providers, one of the content providers is preferably selected as the content provider for which content is to be delivered to the requestor. An exemplary scheme for selecting the content provider from multiple content providers is discussed below with respect to FIG. 3.” Svendsen ’073 at 4:48–67. “If instead requestor is located at point 22, then the requestor is located within the geographic shapes 10 through 16 (Shapes A, B, C, and D). As such, as illustrated in FIG. 2B, the keywords and weights for the geographic shapes 10 through 16 are aggregated according to the z-order values of the geographic shapes 10 through 16 to provide an aggregate list of keywords and corresponding weights to be used to select one or more content items to be delivered to the requester. Note that, in this case, the keyword Red is assigned to both the geographic shape 10 (Shape A) and the geographic shape 16 (Shape D). However, the weight assigned to the keyword Red is 80 in the geographic shape 10 (Shape A) and 20 in the geographic shape 16 (Shape D). Since the z-order value, or importance level, assigned to the geographic shape 16 (Shape D) is higher than that assigned to the geographic shape 10 (Shape A), the weight assigned to the keyword Red in the geographic shape 16 (Shape D) overrides the weight assigned to the keyword Red in the geographic shape 10 (Shape A). Similarly, the keyword Blue is assigned to both the geographic shape 10 (Shape A) and the geographic shape 14 (Shape C). However, the weight assigned to the keyword Blue is 30 in the geographic shape 10 (Shape A) and 90 in the geographic shape 14 (Shape C). Since the z-order value, or importance level, assigned to the geographic shape 14 (Shape C) is higher than that assigned to the geographic shape 10 (Shape A), the weight assigned to the keyword Blue in the geographic shape 14 (Shape C) overrides the weight assigned to the keyword Blue in the geographic shape 10 (Shape A). Thus, the aggregate list of keywords and corresponding weights for the requestor located at point 22 is Red with a weight of 20, Blue with a weight of 90, White with a weight of 50, and Green with a weight of 10. This aggregate list of keywords and corresponding weights may then be utilized to select content items of the corresponding content provider to be delivered to the requester.” Svendsen ’073 at 5:14–48. “FIG. 3 is a more detailed illustration of step 110 of FIG. 1 according to one embodiment of the present invention. In this example, the one or more content providers are advertisers. However, again, the present invention is not limited thereto. First, a high bid is reset (step 200). Then, an account is obtained for a next advertiser (step 202). For the first iteration, the next advertiser is the first advertiser. The account of the advertiser includes information identifying the geographic shapes defined by the advertiser, the keywords and corresponding weights assigned to each of the geographic shapes, and the keywords assigned to the content


’296 Patent Claim Language	Exemplary Disclosures
	items of the advertiser, which in this example are advertisements. Next, an aggregate list of keywords and corresponding weights for the advertiser is reset (step 204).” Svendsen ’073 at 6:16–29. “At this point whether proceeding from step 306 or step 308, a determination is made as to whether there are more keywords assigned to the geographic shape (step 310). If so, steps 304 through 310 are repeated until all of the keywords assigned to the geographic shape have been processed. Once all of the keywords for the geographic shape have been processed, a determination is made as to whether there are more geographic shapes for the content provider (step 312). If so, steps 300 through 312 are repeated until all of the geographic shapes for the content provider have been processed. At that point, one or more content items of the content provider are selected based on the aggregate list of the keywords (step 314). More specifically, in one embodiment, each of the content items of the content provider may be scored as a function of the keywords in the aggregate list of keywords and corresponding weights for the keywords in the aggregate list of keywords as compared to the keywords assigned to the content items of the content provider. One or more content items having the highest score(s) may then be selected as content items to be delivered to the requestor.” Svendsen ’073 at 9:42–61. “FIG. 6C illustrates an aggregate list of keywords and corresponding weights generated using the process of FIG. 5 in response to a request from a requestor located at a point 58 (FIG. 6A). The point 58, and thus the requestor, is located within the geographic shapes 46 and 54. Therefore, using the process of FIG. 5, the keywords assigned to the geographic shapes 46 and 54 are aggregated to provide the following aggregate list of keywords: Rock with a weight of 80, Country with a weight of 30, Pop with a weight of 30, and Jazz with a weight of 10. Based on the aggregate list of keywords, a number of songs provided by the audio provider are selected and utilized to provide a customized audio stream for the requestor. More specifically, in one embodiment, songs made available by the audio provider may be scored based on the aggregate list of keywords including the weights assigned to the keywords in the aggregate list of keywords as compared to the keywords assigned to the songs of the content provider. Then, one or more songs having the highest score(s) are selected as songs for the customized audio stream for the requestor.” Svendsen ’073 at 10:13–32. “As such, in response to the request and a location of the user 74-1, the customized content delivery function 78 selects one or more advertisements for the user 74-1 in the manner discussed above.” Svendsen ’073 at 14:39–42. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity

’296 Patent Claim Language	Exemplary Disclosures
	contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
2[pre]. The method of claim 1, further comprising:	The following prior art expressly or inherently discloses and renders obvious “[t]he method of claim 1.” *See* claim 1 limitations above. *See* above at row 1[pre]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[2a] recording a request identifier associated with the request; and	The following prior art expressly or inherently discloses and renders obvious “recording a request identifier associated with the request.” For example: “In further embodiments of the present invention, the portable electronic device may be associated with a unique device identifier. The location circuit may be further configured to periodically determine a current position of the portable electronic device and transmit the current position of the portable electronic device and the unique device identifier to the server.” Andreasson ’890 at [0004]. “In still further embodiments of the present invention, the data manager may be further configured to transmit the current position of the portable electronic device and the unique device identifier to the server and receive the link to the at least one application and the associated duration of the at least one application from the server if it is determined that the unique device identifier of the portable electronic device is associated with the at least one application.” Andreasson ’890 at [0005]. “In further embodiments of the present invention, the communications circuit may be further configured to receive the current position of the portable electronic device and a unique device identifier from the portable

’296 Patent Claim Language	Exemplary Disclosures
	electronic device; determine if the unique device identifier of the portable electronic device is associated with the at least one application; and download the link to the at least one application and the associated duration of the at least one application to the portable electronic device if it is determined that the unique device identifier of the portable electronic device is associated with the at least one application.” Andreasson ’890 at [0013]. “In still further embodiments of the present invention, the at least one application may have an associated unique application identifier. The communications circuit may be further configured to receive updates for the at least one application during the associated duration of the at least one application, the updates being associated with the unique application identifier; and announce the received updates to users of the at least one application having the unique application identifier.” Andreasson ’890 at [0014]. “at least one client identifier that identifies users allowed to access the at least one application.” Andreasson ’890 at [0019]. “In still further embodiments of the present invention, the portable electronic device is associated with a unique device identifier. A current position of the portable electronic device may be periodically determined at the portable electronic device. The current position of the portable electronic device and the unique device identifier may be transmitted from the portable electronic device to the server. A link to the at least one application and the associated duration of the at least one application may be downloaded from the server if it is determined that the unique device identifier of the portable electronic device is associated with the at least one application.” Andreasson ’890 at [0021]. “As will be discussed further below with respect to FIGS. 1 through 4, some embodiments of the present invention provide methods, servers and portable electronic devices for downloading applications from the server to the portable electronic device. The server is configured to store one or more applications, each having an associated region and duration. Portable electronic devices according to some embodiments of the present invention may be associated with a unique device identifier. The portable electronic device may be configured to periodically obtain a current position of the portable electronic device and provide the current position and the unique device identifier to the server. If the portable electronic device is within a region associated with one of the stored applications, the server may determine if the unique identifier associated with the portable electronic device is also associated with the stored application for that region. If so, the server may download a link to the stored application to the portable electronic device so as to allow the portable electronic device to access the application while the portable electronic device is within the region

’296 Patent Claim Language	Exemplary Disclosures
	and during the defined duration of the application as will be discussed further herein.” Andreasson ’890 at [0035]. “The list of portable electronic devices 140 that may access the application may be provided by a set of device identifiers associated with the portable electronic devices.” Andreasson ’890 at [0038]. “One or more application owners, for example, trade fair organizers or travel agents, register an application 122, 124 and 126 with and store an application 122, 124 and 126 on the server 110 as discussed above. Each application has an associated region 130 and duration, which is also stored on the server 110. The portable electronic device 140/240 includes a download control circuit 250 that is configured to periodically check the position of the portable electronic device 140/240 using an absolute positioning device, for example, a GPS receiver or Cell ID, or a relative positioning device such as discovery of Bluetooth devices and the like. The position data, for example, geographical coordinates, is sent to the system server 110 in addition to a unique device identifier associated with the portable electronic device 140/240. The server 110 then determines if the portable electronic device 140/240 has entered a new region or a new region has been registered where the portable electronic device 140/240 is located. The periodical check of the position of the portable electronic device 140/240 may be quite frequent while the actual transmitting of position data to the server 110 may be less frequent. For example, the portable electronic device 140/240 can determine that a small position change is reported only once during a longer time period, for example, a day or an hour, while a larger position change is reported directly. The user of the portable electronic device 140/240 may also manually issue a position check and report without departing from the scope of the present invention.” Andreasson ’890 at [0056]. “When the server 110 determines that a portable electronic device 140/240 has entered a new registered region 130, the server 110 may be configured to check that a unique device identifier associated with the portable electronic device 140/240 is associated with the application for this particular region 130. For example, the server 110 determines if the unique device identifier for this portable electronic device 140/240 is in the set of device identifiers associated with this particular application. If the unique device identifier of the portable electronic device 140/240 is present in the set of identifiers associated with the applications, the communication circuit 115 of the server 110 is configured to transmit a link (URL) to the application data and the duration data for the application for the region 130 to the portable electronic device 140/240. When the portable electronic device enters a new region 130, the portable electronic device may be configured to automatically download the data from the URL received from the server 110. In some embodiments of the present invention, the content of the URL may be a web page. The web browser 218 of


’296 Patent Claim Language	Exemplary Disclosures
	the portable electronic device 140/240 may be started and the web page may be loaded on the display 214. In certain embodiments of the present invention, a bookmark for the web page may be created automatically so as to allow future access to the web page. In further embodiments of the present invention, the content of the URL may be an executable application, for example, a Java Midlet, it may be installed and automatically executed. In some embodiments of the present invention, a uninstall event may be scheduled based on the duration information provide from the server 110.” Andreasson ’890 at [0057]–[0058]. “In some embodiments of the present invention, the applications 122, 124 and 126 themselves may have unique application identifiers. These unique application identifiers may be used to let the owner of an application make updates to the application during the scheduled duration of the application. The server 110 may be configured to announce the updates to portable electronic devices 140/240 using the application. The announcement can be done, for example, as a push of information to the portable electronic device 140/240 or during an ordinary position update by the portable electronic device 140/240. In some embodiments of the present invention, the downloaded application running on the portable electronic device 140/240 may communicate directly with a server associated with an owner of the application and update itself if needed.” Andreasson ’890 at [0061]. “The portable electronic device may be associated with a unique device identifier. A current position of the portable electronic device may be periodically determined at the portable electronic device (block 422). The current position of the portable electronic device and the unique device identifier may be transmitted from the portable electronic device to the server (block 424).” Andreasson ’890 at [0130]. *See also* Andreasson ’890 at [0078]–[0080].

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5 Macaluso ’238 at FIG. 5. “The notification may represent a request for a new advertisement or a request for new expiration data and may be sent to a remote server. ” Macaluso ’238 at [0006]. “The advertising application may also manage and maintain a cache of one or more advertisements. In addition to a cache of downloadable advertisements, the advertising application may include a default advertisement that is never deleted. The advertising application may track the respective advertisements' lifetimes. For example, it may be desirable for advertisements to have a specified expiration date and time and/or a specified number of times to be displayed. The advertising application may also keep track of statistics relating to the advertisement, such as the number of times displayed and frequency of display” Macaluso ’238 at [0032]. “Each advertisement may have an associated expiration date and time that is assigned to and downloaded with the advertisement. If the date and time have passed, the advertisement may be considered to have expired. If the advertisement has expired, a new advertisement may be requested (step 535) by, for example, sending a request to a remote server that stores a library of advertisements.” Macaluso ’238 at [0035].

’296 Patent Claim Language	Exemplary Disclosures
	“When a new advertisement is downloaded, an AdCounter value representing the number of times the advertisement is to be displayed may also be sent with the advertisement. The use of expiration data and a counter value are not necessarily mutually exclusive. In some implementations, it may be desirable to use both techniques for determining whether a new advertisement should be downloaded. For example, a new advertisement may be downloaded in connection with the earlier of the expiration date or the advertisement having been displayed a specified number of times.” Macaluso ’238 at [0038]. “The advertising extension 802 maintains status information relating to the advertisements stored on the mobile device. This status information includes an update flag and an indication of whether an advertisement is stored in an advertisement cache of the mobile device, which are set to respective initial values (step 810). ” Macaluso ’238 at [0045]. “The client request may use an HTTP POST method. The HTTP header of the request may contain HTTP header tags along with specially defined header tags for communicating data relevant to the described advertising techniques. The data specifying the necessary format of the requested advertisement may be set forth in request tags, which may be sent in the body of the request. The request tags may HTML format tags. Accordingly, each tag may be separated from its value by an equal sign (‘=’) and each tag/value pair may be separated by an ampersand (‘&’). The response from the server may use the HTTP status technique along with specially defined header tags. The response tags may be in the HTML header, each may appear on its own line and may be separated from its value by a colon (‘:’).” Macaluso ’238 at [0051]. “The response tags of the above illustrative response include an “AW-Title” tag, which allows the server to inform the client of the advertisement that is sent. An “AW-Frames” tag allows the server to indicate how many frames are in the animated bitmap. Using the information about the number of frames, the client may compute the width of each frame by dividing the width of the received bitmap by the number of frames. An “AW-Expiration” tag indicates that the advertisement is valid only until the time specified in the “AW-Expiration” tag.” Macaluso ’238 at [0057]. “The server may also store a database table for each mobile device. The mobile device database table may include a phone number or other unique identifier for the mobile device, a number of views for the last advertisement assigned to the mobile device as reported by the mobile device (e.g., a “Views” field), a time period in which the views occurred, the title of the last advertisement assigned to the mobile device (e.g., a “Last_assignment_title” field), the number of views assigned for the last advertisement assigned to the mobile device (e.g., a “Last_assignment_views” field), and the time period in which the mobile device is requested to perform the assigned number of views for the last advertisement assigned to the mobile device (e.g., a

’296 Patent Claim Language	Exemplary Disclosures
	“Last_assignment_time” field). In some implementations, the mobile device database table may store additional historical information regarding advertisements that were previously assigned to the mobile device to allow the server to more efficiently determine which advertisements should be assigned to the mobile device” Macaluso ’238 at [0061]. “The cellular phones 12-1 and 12-2 include an IC chip 55 that performs short-range communication by using a non-contact method, and the IC chip is given ICID that is unique identification information. In the present embodiment, for example, the cellular phones 12-1 and 12-2 perform short-range communication by using the IC chip 55. The IC chip 55 is a short-wave-resistant module. The IC chip 55 is removably or fixedly built in the cellular phones 12-1 and 12-2.” Kinoshita ’866 at [0032]. “The processing circuit 79 of the Web server 24 designates IDs of a plurality of advertisement items which are selected in step ST5, and transfers these IDs to the service device 14 via the interface 72. The processing circuit 69 of the service device 14 transfers a plurality of received IDs to the memory 68. In addition to the ID data, the processing circuit 79 reads out the advertisement data associated with the place data and transfers it to the service device 14. The processing circuit 69 of the service device 14 transfers received advertisement data to the memory 68.” Kinoshita ’866 at [0060]. “The processing circuit 69 of the service device 14 reads out the plurality of IDs and transfers them to the cellular phone 12-1 via the short-range communication unit 65. The processing circuit 59 of the cellular phone 12-1 transfers the plurality of received IDs to the memory 58.” Kinoshita ’866 at [0062]. “By using the plurality of IDs received in step ST7, the processing circuit 59 of the cellular phone 12-1 downloads all the corresponding advertisement data from the Web server 24. It is possible to download them from servers other than the Web server 24.” Kinoshita ’866 at [0066]. “Further according to the first process, while the cellular phone 12-1 has not so much communication capacity, it is merely necessary to communicate only small-capacity ID data between the cellular phone 12-1 and the service device 14. Therefore communication time becomes shorter. According to the first process, the cellular phone 12-1 receives the advertisement data from the Web server 24 via large-capacity transmission according to the received IDs from the service device 14, and the cellular phone 12-1 selects the advertisement data suitable for the user from the received advertisement data. Therefore, the Web server 24 does not accumulate information regarding treated advertisement data.” Kinoshita ’866 at [0069].

’296 Patent Claim Language	Exemplary Disclosures
	“The processing circuit 69 of the service device 14 of FIG. 3 reads out APL-IDs and the place data from the memory 68 and transfers them to the Web server 24 via the interface 62. The processing 79 of the Web server 24 of FIG. 4 receives APL-IDs and transfers them to the memory 78.” Kinoshita ’866 at [0098]. “The processing circuit 79 of the Web server 24 reads out APL-IDs and the place data from the memory 78, and based upon both of them the processing circuit 79 selects suitable advertisement from the advertisement stored in the memory 78. That is, the processing circuit 79, based upon both of a type of application program being implemented by the cellular phone 12-1 and a place of the service device 14, searches the corresponding advertisement videos and digital content data in the memory 78. The advertisement video is associated with the digital content data in a one-to-one correspondence, and both are assigned a type of application program and place data.” Kinoshita ’866 at [0100]. “In the present embedment, the cellular phone 12-1 or 12-2 generates and stores content-transfer history data TD in which a history of digital content data transferred between the above two cellular phones and other cellular phones is recorded. The content-transfer history data TD is finally stored in the Web server 24.” Kinoshita ’866 at [0145]. “Specifically, when the cellular phone 12-1 or 12-2 transfers digital content data to other cellular phone, and vice versa, its transfer history is added to the content-transfer history data TD stored in the memory 58.” Kinoshita ’866 at [0146]. “When the cellular phone 12-1 or 12-2 accesses the Web server 24, the cellular phone 12-1 or 12-2 reads out the content-transfer history data TD and transfers it to the Web server 24. This transfer is performed, for example, at the time when an application program APL is downloaded, or when advertisement member registration is performed. When the cellular phone 12-1 or 12-2 transfers the content-transfer history data TD to the Web server 24, this transfer may be implemented after the original content-transfer history data has been changed to the upper-level category data. When the change to the upper-level category data is performed, for example, each ID of cellular phone is changed to classified ID that is classified to a given ID, or each due date is changed to a given period of the due date that covers a certain period of due data. Here, the classified ID is, for example, an ID assigned to a type of cellular phone.” Kinoshita ’866 at [0147]. “Information received by receiver component 502 can include identification of the object (e.g., name, address, . . .) and/or geo-coded information 514 (e.g., geographic coordinates, latitude, longitude, street location, and the like).” Smith ’558 at [0104].


’296 Patent Claim Language	Exemplary Disclosures
	 **Fig. 5** Begum ’880 at Fig. 5. “The system of this invention utilizes similar components with the locationally specific transmitting unit transmitting a digitized message signal representing the screen graphic together with other product control signals related to the promoted item such as the universal product identification number, bar code, date or iteration of the promotional graphic, and the identity of the transmitting unit. The transmitted screen graphic signal is compared with a memory file of stored screen graphics and if a match is found, the stored memory graphic or the signal transmitted graphic is displayed. Often, using the standard checksum procedure, the stored memory graphic can be validated and displayed before completion of transmission of the message signal.” Begum ’880 at 1:60–2:5. “If there is no match, the signal transmitted graphic is stored into the memory of the display unit and the signal transmitted graphic is simultaneously displayed on the screen of the display unit. Similarly, if there is a match but the transmitted graphic is an updated version, then the stored memory graphic is dated and replaced with the updated signal transmitted graphic.” Begum ’880 at 2:6–12. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22. “The data signal is a digital signal that includes both the product control signals and the screen graphic signal. The product control signals include data about the promotion that is not in the screen graphic and that does

’296 Patent Claim Language	Exemplary Disclosures
	not appear on the display screen 24 of the display unit 12. This data may include the universal product identification number, the date or iteration number of the promotional graphic, and, the identification number of the transceiver unit, which is useful in tracking the path of a shopper through the market area. The screen graphic signal contains the digitized data that is received by the display unit 12 and formatted for display on the display screen. For example, a compressed screen graphic signal must be decompressed by the central processor before it is relayed to the LCD controller and driver 72. ” Begum ’880 at 9:16–29. “The digitized screen graphic is stored in a file in the memory of the transceiver unit 65, and is periodically updated or replaced by transmissions from the control unit 67.” Begum ’880 at 9:52–55. “With the display unit 12 awakened, the data signals are processed by the central processor 58 and the data relating to the screen graphic is compared with existing promotional screen graphics stored in RAM 74. The comparison of digitized screen graphics may be accomplished with a rapid checksum procedure. If a match is found, the screen graphic data is passed from a temporary storage buffer in the central processor 58 to the LCD driver 72 for display on the display screen 24. In the event that there is no match, the processor 58 processes the formatted screen data to the LCD driver 72 for display on the display screen 24 and contemporaneously passes the screen graphic display data together with the accompanying product control data to RAM 74. The screen graphic data and product control data are stored in memory for future comparison with received screen display signals or retrieval by a shopper reviewing the file of product promotions.” Begum ’880 at 9:66–10:15. *See also* Begum ’880 at 8:36–47 and 10:16–31. “The content client may periodically connect to a content server or ad server and request content: The ad server may selectively serve content items to the content client, based on parameters related to the mobile phone, e.g., manufacturer identifier, model identifier, available memory, presentation capabilities, or the like, and/or based on parameters related to a user of the mobile phone, e.g., age, age group, gender, marital status, profession, occupation, geographical location, proximity to geographical places, or the like.” Levkovitz ’852 at [0006]. “Data loader 111 may obtain one or more parameters to allow ad server 110 to process the content request from communicator 150. Such parameters may include, for example, parameters representing properties of various content items, e.g., a content item identifier, a group identifier (e.g., identifying a group to which the content item belongs), an update time, priority data, a time period during which the content item may be served, a presentation template associated with the content item, an alternate text associated with the content item, a broadcast mode associated with the content item (e.g., “live broadcast” mode, “test” mode, “stop”

’296 Patent Claim Language	Exemplary Disclosures
	mode, or the like), a cost or a price associated with a serving of the content item, capping or quota data, attribute data, data representing a target user or a group of target users to which the content item is intended to be presented (e.g., defined by age, by age range, by location, by gender, by occupation, by profession, or the like), or other parameters. In one embodiment, for example, data loader 111 may have a relatively fast access to data, and/or a read-only authorization.” Levkovitz ’852 at [0129]. “A content request created by content client 174 may include data representing one or more properties of device 170 and/or one or more properties of the user of device 170, for example, a version identifier of content client 174, an identifier of application 176, an identifier of device 170 (e.g., manufacturer, model, or the like), local time, installation time, last connection time, Operating System (OS) type and version, total memory size of device 170, free or available memory of device 170, free or available memory in local repository 171, screen dimensions (e.g., height and width, by pixels), color depth (e.g., as a number of bits available to represent color information), user information, user name, cache content (e.g., list of previous-stored content items within local repository 171), previous presentations data, or the like.” Levkovitz ’852 at [0165]. “In some embodiments, optionally, a “cookie” or a cookie-like mechanism may be used by system 100, for example, to identify device 170, to store in device 170 data which may be unique to device 170, to store in device 170 data related to prior communications between device 170 and other components of system 100, to store in device 170 personal information about a user of device 170, or the like. The cookie may be stored, for example, in memory unit 187, and may be periodically read or updated.” Levkovitz ’852 at [0177]. *See also* Levkovitz ’852 at Fig. 2, [0007], [0008], [0104], [0161], and [0162]. *See also* Sanctis ’837 at [0063] and [0067]. “Media monitoring information may be generated based on, for example, audio codes, signatures (e.g., a representation of any characteristic of monitored audio such as, for example, a characteristic of a program signal), radio frequency (RF) codes, and/or any other codes, information, or identifiers that may be extracted from and/or otherwise associated with a media presentation to which a monitored person is exposed. ” Mello ’479 at [0027]. “The RF location interface 148 may also be configured to broadcast location-related information such as, for example, time-stamped PPM identification codes. The time-stamped PPM identification codes may be received by, for example, three or more of the relay devices such as the relay device 64, which may process the codes cooperatively using triangulation techniques to determine the location of the PPM 30. The relay

’296 Patent Claim Language	Exemplary Disclosures
	devices 64 may communicate the received time-stamped PPM identification codes to the central facility 60 along with information relating to the times at which the codes were received by each of the relay devices 64. The central facility 60 may then determine the location of the PPM 30 based on this information.” Mello ’479 at [0048]. “The PPM 30 may collect/generate and store media monitoring information (e.g., audience measurement codes (e.g., codes inserted to identify media, sometimes referred to as “ancillary codes”), signatures, etc.) associated with any media (e.g., video, audio, movies, music, still pictures, advertising, etc.) to which the monitored person 32 is exposed. For example, the PPM 30 may be configured to obtain codes (e.g., audio codes), generate or collect signatures, etc. that may be used to identify video programs (e.g., DVD movies, television programming, etc.), audio programs (e.g., CD audio, radio programming, etc.), and/or any other media. Using one or more media detection devices described above in connection with FIG. 2, the PPM 30 may collect media monitoring information associated with presented or delivered media to which the monitored person 32 may be exposed. Additionally, the PPM 30 may be configured to receive codes (e.g., audio codes and/or RF codes) associated with other forms of media such as, for example, billboards or any other form of publicly viewable advertising or media. For example, each billboard (e.g., the billboard 20) may include an audio broadcasting device and/or an RF broadcasting device such as, for example, the transceiver 22 of FIG. 1, configured to emit a billboard code that uniquely identifies that billboard. If the PPM 30 is proximate to a billboard, the PPM 30 may obtain the billboard code as media monitoring information, thereby indicating that the monitored person 32 was exposed to the billboard. In addition, the PPM 30 may be configured to obtain direction information via, for example, the compass 150, and log the direction in which the monitored person 32 is facing or traveling so that subsequent data analyses may determine if the monitored person 32 was likely facing the billboard.” Mello ’479 at [0060]–[0061]. “The reference media codes/signatures database 211 is configured to store advertisement identifiers in association with respective media representation information such as codes or signatures that are known to be associated with, correspond to, or that otherwise identify those advertisements. For example, the reference media codes/signatures database 211 can store reference audio codes or signatures that identify respective audio advertisements, reference video codes, or signatures that identify respective video advertisements, and/or RF codes or signatures that identify respective advertisements (e.g., the billboard 20 of FIG. 1) having RF transmitters (e.g., the RF transmitter 22 of FIG. 1) that emit codes or unique RF signals. The data analyzer 208 can compare codes or signatures collected by the PPM's 30, 34, and 36 (FIG. 1) to the known codes or signatures in the reference media codes/signatures database 211 to determine audio, video, or other stationary

’296 Patent Claim Language	Exemplary Disclosures
	advertisements to which the monitored persons 32, 38, and 40 were exposed. In addition, the data analyzer 208 can use the advertisement identifier information in the reference media codes/signatures database 211 in connection with the geo-coded advertisement database 210 to determine the locations at which the advertisements were presented. In the illustrated example, the data analyzer 208 can retrieve information from the database 72 to perform analyses and can store analysis results in the database 72 for subsequent retrieval by a metering entity or a business interested in receiving the analysis results. In the illustrated example, the database 72 includes a storefront and product geo-coded knowledgebase 212 and a consumer behavior knowledgebase 214. The storefront and product geo-coded knowledgebase 212 stores retail establishment identifiers and product/service identifiers in association with respective location identifiers indicative of the locations of those retail establishments and products/services. In some example implementations, the data analyzer 208 can retrieve the associated identifiers from the storefront and product geo-coded knowledgebase 212 to determine whether a user visited a particular retail establishment and/or purchased a product or service at a particular retail establishment. The storefront and product geo-coded knowledgebase 212 can be setup and configured by a metering entity (e.g., a metering business implementing the example methods and apparatus described herein) upon initial system setup to associate location identifiers with respective retail establishments and/or products/services. The knowledgebase 212 is maintained thereafter to keep location identifier associations up to date. In some example implementations, the storefront and product geo-coded knowledgebase 212 is updated based on data collected by the PPM 30. For example, purchase data stored by the PPM 30 in association with location information may include a retail establishment name or identifier that the storefront and product geo-coded knowledgebase 212 can use to update location identifier associations and/or add new location identifier associations.” Mello ’479 at [0076]–[0077].


’296 Patent Claim Language	Exemplary Disclosures
	 **FIG. 16A** Busch ’815 at Fig. 16A. “ For purposes of illustration and without limitation, a list of RFID numbers associated with merchant ID numbers is maintained and coupon identification number or value for coupons that have been sent to the mobile phone with the particular RFID number. When the merchant ID scans the RFID chip and obtains the RFID number then the merchant submits a query with the RFID number and their merchant ID number and the coupon identification number or value is returned. This invention may also be used with any other wireless identification number such as the Media Access Control (MAC) address of a Bluetooth or Wi-Fi radio, or any unique identification number.” Busch ’815 at [0374]. “Content producers may also look at various statistics associated with their various advertisement campaigns. With reference to FIG. 16B, the user interface includes an identification of the content ID 1620 and a table of data 1622.” Busch ’815 at [0424]. “The user is associated with an identifier on a website that hosts the video content, the identifier is either associated with the user's mobile device or the identifier is coupled to a second identifier in another system that is associated with the user's mobile device. When the video advertisement is played, an indication that the advertisement was displayed to the user is recorded.” Busch ’815 at [0426]. “The advertisement 1700 is associated with a particular advertiser through the identification number on the near field identification tag 1702. The near field identification tag 1702 may contain an identification number

’296 Patent Claim Language	Exemplary Disclosures
	unique to the advertiser or one that is unique for each advertisement. Instead of near field identification, a barcode or other coded image may be used. A user may use the camera on their mobile device to take a picture of the coded image. The picture of the coded image is processed to obtain the encoded identifying information which is then reported to system 1704.” Busch ’815 at [0428]. *See also* Svendsen ’073 at 11:17–32. “The Xtify API provides a simple interface for a web content provider to access a user's location. This API uses a REST interface and XML as the message format. The method for querying a user's location requires the content provider to include two parameters, one identifying the application and the other identifying the particular user associated with the location query.” Xtify - API Overview at 1. “Step 3: Provide a link for users to download the Xtify client. You will place a special download link on your website that includes your Application ID and a UNIQUE identifier you provide for each user download. Be sure not to use the same user key for every download as this will disable all previous users with that key.” Xtify - QuickStart at 1. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[2b] providing the request identifier to the registered application program.	The following prior art expressly or inherently discloses and renders obvious “providing the request identifier to the registered application program.” For example: “In further embodiments of the present invention, the portable electronic device may be associated with a unique device identifier. The location circuit may be further configured to periodically determine a current position of the portable electronic device and transmit the current position of the portable electronic device and the unique device identifier to the server.” Andreasson ’890 at [0004]. “In still further embodiments of the present invention, the data manager may be further configured to transmit the current position of the portable electronic device and the unique device identifier to the server and receive

’296 Patent Claim Language	Exemplary Disclosures
	the link to the at least one application and the associated duration of the at least one application from the server if it is determined that the unique device identifier of the portable electronic device is associated with the at least one application.” Andreasson ’890 at [0005]. “In further embodiments of the present invention, the communications circuit may be further configured to receive the current position of the portable electronic device and a unique device identifier from the portable electronic device; determine if the unique device identifier of the portable electronic device is associated with the at least one application; and download the link to the at least one application and the associated duration of the at least one application to the portable electronic device if it is determined that the unique device identifier of the portable electronic device is associated with the at least one application.” Andreasson ’890 at [0013]. “In still further embodiments of the present invention, the at least one application may have an associated unique application identifier. The communications circuit may be further configured to receive updates for the at least one application during the associated duration of the at least one application, the updates being associated with the unique application identifier; and announce the received updates to users of the at least one application having the unique application identifier.” Andreasson ’890 at [0014]. “at least one client identifier that identifies users allowed to access the at least one application.” Andreasson ’890 at [0019]. “In still further embodiments of the present invention, the portable electronic device is associated with a unique device identifier. A current position of the portable electronic device may be periodically determined at the portable electronic device. The current position of the portable electronic device and the unique device identifier may be transmitted from the portable electronic device to the server. A link to the at least one application and the associated duration of the at least one application may be downloaded from the server if it is determined that the unique device identifier of the portable electronic device is associated with the at least one application.” Andreasson ’890 at [0021]. “As will be discussed further below with respect to FIGS. 1 through 4, some embodiments of the present invention provide methods, servers and portable electronic devices for downloading applications from the server to the portable electronic device. The server is configured to store one or more applications, each having an associated region and duration. Portable electronic devices according to some embodiments of the present invention may be associated with a unique device identifier. The portable electronic device may be configured to periodically obtain a current position of the portable electronic device and provide the current position and the unique device identifier to the server. If the portable electronic device is within a region

’296 Patent Claim Language	Exemplary Disclosures
	associated with one of the stored applications, the server may determine if the unique identifier associated with the portable electronic device is also associated with the stored application for that region. If so, the server may download a link to the stored application to the portable electronic device so as to allow the portable electronic device to access the application while the portable electronic device is within the region and during the defined duration of the application as will be discussed further herein.” Andreasson ’890 at [0035]. “The list of portable electronic devices 140 that may access the application may be provided by a set of device identifiers associated with the portable electronic devices.” Andreasson ’890 at [0038]. “One or more application owners, for example, trade fair organizers or travel agents, register an application 122, 124 and 126 with and store an application 122, 124 and 126 on the server 110 as discussed above. Each application has an associated region 130 and duration, which is also stored on the server 110. The portable electronic device 140/240 includes a download control circuit 250 that is configured to periodically check the position of the portable electronic device 140/240 using an absolute positioning device, for example, a GPS receiver or Cell ID, or a relative positioning device such as discovery of Bluetooth devices and the like. The position data, for example, geographical coordinates, is sent to the system server 110 in addition to a unique device identifier associated with the portable electronic device 140/240. The server 110 then determines if the portable electronic device 140/240 has entered a new region or a new region has been registered where the portable electronic device 140/240 is located. The periodical check of the position of the portable electronic device 140/240 may be quite frequent while the actual transmitting of position data to the server 110 may be less frequent. For example, the portable electronic device 140/240 can determine that a small position change is reported only once during a longer time period, for example, a day or an hour, while a larger position change is reported directly. The user of the portable electronic device 140/240 may also manually issue a position check and report without departing from the scope of the present invention.” Andreasson ’890 at [0056]. “When the server 110 determines that a portable electronic device 140/240 has entered a new registered region 130, the server 110 may be configured to check that a unique device identifier associated with the portable electronic device 140/240 is associated with the application for this particular region 130. For example, the server 110 determines if the unique device identifier for this portable electronic device 140/240 is in the set of device identifiers associated with this particular application. If the unique device identifier of the portable electronic device 140/240 is present in the set of identifiers associated with the applications, the


’296 Patent Claim Language	Exemplary Disclosures
	communication circuit 115 of the server 110 is configured to transmit a link (URL) to the application data and the duration data for the application for the region 130 to the portable electronic device 140/240. When the portable electronic device enters a new region 130, the portable electronic device may be configured to automatically download the data from the URL received from the server 110. In some embodiments of the present invention, the content of the URL may be a web page. The web browser 218 of the portable electronic device 140/240 may be started and the web page may be loaded on the display 214. In certain embodiments of the present invention, a bookmark for the web page may be created automatically so as to allow future access to the web page. In further embodiments of the present invention, the content of the URL may be an executable application, for example, a Java Midlet, it may be installed and automatically executed. In some embodiments of the present invention, a uninstall event may be scheduled based on the duration information provide from the server 110.” Andreasson ’890 at [0057]–[0058]. “In some embodiments of the present invention, the applications 122, 124 and 126 themselves may have unique application identifiers. These unique application identifiers may be used to let the owner of an application make updates to the application during the scheduled duration of the application. The server 110 may be configured to announce the updates to portable electronic devices 140/240 using the application. The announcement can be done, for example, as a push of information to the portable electronic device 140/240 or during an ordinary position update by the portable electronic device 140/240. In some embodiments of the present invention, the downloaded application running on the portable electronic device 140/240 may communicate directly with a server associated with an owner of the application and update itself if needed.” Andreasson ’890 at [0061]. “The portable electronic device may be associated with a unique device identifier. A current position of the portable electronic device may be periodically determined at the portable electronic device (block 422). The current position of the portable electronic device and the unique device identifier may be transmitted from the portable electronic device to the server (block 424).” Andreasson ’890 at [0130]. *See also* Andreasson ’890 at [0078]–[0080].

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5 Macaluso ’238 at FIG. 5. “The notification may represent a request for a new advertisement or a request for new expiration data and may be sent to a remote server. ” Macaluso ’238 at [0006]. “The advertising application may also manage and maintain a cache of one or more advertisements. In addition to a cache of downloadable advertisements, the advertising application may include a default advertisement that is never deleted. The advertising application may track the respective advertisements' lifetimes. For example, it may be desirable for advertisements to have a specified expiration date and time and/or a specified number of times to be displayed. The advertising application may also keep track of statistics relating to the advertisement, such as the number of times displayed and frequency of display” Macaluso ’238 at [0032]. “Each advertisement may have an associated expiration date and time that is assigned to and downloaded with the advertisement. If the date and time have passed, the advertisement may be considered to have expired. If the advertisement has expired, a new advertisement may be requested (step 535) by, for example, sending a request to a remote server that stores a library of advertisements.” Macaluso ’238 at [0035].

’296 Patent Claim Language	Exemplary Disclosures
	“When a new advertisement is downloaded, an AdCounter value representing the number of times the advertisement is to be displayed may also be sent with the advertisement. The use of expiration data and a counter value are not necessarily mutually exclusive. In some implementations, it may be desirable to use both techniques for determining whether a new advertisement should be downloaded. For example, a new advertisement may be downloaded in connection with the earlier of the expiration date or the advertisement having been displayed a specified number of times.” Macaluso ’238 at [0038]. “The advertising extension 802 maintains status information relating to the advertisements stored on the mobile device. This status information includes an update flag and an indication of whether an advertisement is stored in an advertisement cache of the mobile device, which are set to respective initial values (step 810). ” Macaluso ’238 at [0045]. “The client request may use an HTTP POST method. The HTTP header of the request may contain HTTP header tags along with specially defined header tags for communicating data relevant to the described advertising techniques. The data specifying the necessary format of the requested advertisement may be set forth in request tags, which may be sent in the body of the request. The request tags may HTML format tags. Accordingly, each tag may be separated from its value by an equal sign (‘=’) and each tag/value pair may be separated by an ampersand (‘&’). The response from the server may use the HTTP status technique along with specially defined header tags. The response tags may be in the HTML header, each may appear on its own line and may be separated from its value by a colon (‘:’).” Macaluso ’238 at [0051]. “The response tags of the above illustrative response include an “AW-Title” tag, which allows the server to inform the client of the advertisement that is sent. An “AW-Frames” tag allows the server to indicate how many frames are in the animated bitmap. Using the information about the number of frames, the client may compute the width of each frame by dividing the width of the received bitmap by the number of frames. An “AW-Expiration” tag indicates that the advertisement is valid only until the time specified in the “AW-Expiration” tag.” Macaluso ’238 at [0057]. “The server may also store a database table for each mobile device. The mobile device database table may include a phone number or other unique identifier for the mobile device, a number of views for the last advertisement assigned to the mobile device as reported by the mobile device (e.g., a “Views” field), a time period in which the views occurred, the title of the last advertisement assigned to the mobile device (e.g., a “Last_assignment_title” field), the number of views assigned for the last advertisement assigned to the mobile device (e.g., a “Last_assignment_views” field), and the time period in which the mobile device is requested to perform the assigned number of views for the last advertisement assigned to the mobile device (e.g., a

’296 Patent Claim Language	Exemplary Disclosures
	“Last_assignment_time” field). In some implementations, the mobile device database table may store additional historical information regarding advertisements that were previously assigned to the mobile device to allow the server to more efficiently determine which advertisements should be assigned to the mobile device” Macaluso ’238 at [0061]. “The cellular phones 12-1 and 12-2 include an IC chip 55 that performs short-range communication by using a non-contact method, and the IC chip is given ICID that is unique identification information. In the present embodiment, for example, the cellular phones 12-1 and 12-2 perform short-range communication by using the IC chip 55. The IC chip 55 is a short-wave-resistant module. The IC chip 55 is removably or fixedly built in the cellular phones 12-1 and 12-2.” Kinoshita ’866 at [0032]. “The processing circuit 79 of the Web server 24 designates IDs of a plurality of advertisement items which are selected in step ST5, and transfers these IDs to the service device 14 via the interface 72. The processing circuit 69 of the service device 14 transfers a plurality of received IDs to the memory 68. In addition to the ID data, the processing circuit 79 reads out the advertisement data associated with the place data and transfers it to the service device 14. The processing circuit 69 of the service device 14 transfers received advertisement data to the memory 68.” Kinoshita ’866 at [0060]. “The processing circuit 69 of the service device 14 reads out the plurality of IDs and transfers them to the cellular phone 12-1 via the short-range communication unit 65. The processing circuit 59 of the cellular phone 12-1 transfers the plurality of received IDs to the memory 58.” Kinoshita ’866 at [0062]. “By using the plurality of IDs received in step ST7, the processing circuit 59 of the cellular phone 12-1 downloads all the corresponding advertisement data from the Web server 24. It is possible to download them from servers other than the Web server 24.” Kinoshita ’866 at [0066]. “Further according to the first process, while the cellular phone 12-1 has not so much communication capacity, it is merely necessary to communicate only small-capacity ID data between the cellular phone 12-1 and the service device 14. Therefore communication time becomes shorter. According to the first process, the cellular phone 12-1 receives the advertisement data from the Web server 24 via large-capacity transmission according to the received IDs from the service device 14, and the cellular phone 12-1 selects the advertisement data suitable for the user from the received advertisement data. Therefore, the Web server 24 does not accumulate information regarding treated advertisement data.” Kinoshita ’866 at [0069]. “The processing circuit 79 of the Web server 24 reads out APL-IDs and the place data from the memory 78, and based upon both of them the processing circuit 79 selects suitable advertisement from the advertisement

’296 Patent Claim Language	Exemplary Disclosures
	stored in the memory 78. That is, the processing circuit 79, based upon both of a type of application program being implemented by the cellular phone 12-1 and a place of the service device 14, searches the corresponding advertisement videos and digital content data in the memory 78. The advertisement video is associated with the digital content data in a one-to-one correspondence, and both are assigned a type of application program and place data.” Kinoshita ’866 at [0100]. “The processing circuit 69 of the service device 14 reads out, from the memory 68, data necessary for answering the service requests received in the step ST24. Then the service device 14 transfers the data necessary for the service requests and both the advertisement videos and digital content data selected in the step ST29 to the cellular phone 12-1 via the R/W device 16. At this time the advertisement videos are associated with the digital content data in one-to-one correspondence. The digital content data includes, for example, live videos, animation videos, ring tones, and standby screens. The digital video data is available on condition that users of the cellular phones 12-1 and 12-2 are registered as a member in the Web server 24. Transferring data to the cellular phone 12-1, the service device 14 displays an advertisement video on the display 64.” Kinoshita ’866 at [0108]. “When the cellular phone 12-1 or 12-2 accesses the Web server 24, the cellular phone 12-1 or 12-2 reads out the content-transfer history data TD and transfers it to the Web server 24. This transfer is performed, for example, at the time when an application program APL is downloaded, or when advertisement member registration is performed. When the cellular phone 12-1 or 12-2 transfers the content-transfer history data TD to the Web server 24, this transfer may be implemented after the original content-transfer history data has been changed to the upper-level category data. When the change to the upper-level category data is performed, for example, each ID of cellular phone is changed to classified ID that is classified to a given ID, or each due date is changed to a given period of the due date that covers a certain period of due data. Here, the classified ID is, for example, an ID assigned to a type of cellular phone.” Kinoshita ’866 at [0147].

’296 Patent Claim Language	Exemplary Disclosures
	 **Fig. 5** Begum ’880 at Fig. 5. “The system of this invention utilizes similar components with the locationally specific transmitting unit transmitting a digitized message signal representing the screen graphic together with other product control signals related to the promoted item such as the universal product identification number, bar code, date or iteration of the promotional graphic, and the identity of the transmitting unit. The transmitted screen graphic signal is compared with a memory file of stored screen graphics and if a match is found, the stored memory graphic or the signal transmitted graphic is displayed. Often, using the standard checksum procedure, the stored memory graphic can be validated and displayed before completion of transmission of the message signal.” Begum ’880 at 1:60–2:5. “If there is no match, the signal transmitted graphic is stored into the memory of the display unit and the signal transmitted graphic is simultaneously displayed on the screen of the display unit. Similarly, if there is a match but the transmitted graphic is an updated version, then the stored memory graphic is dated and replaced with the updated signal transmitted graphic.” Begum ’880 at 2:6–12. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22. “The data signal is a digital signal that includes both the product control signals and the screen graphic signal. The product control signals include data about the promotion that is not in the screen graphic and that does

’296 Patent Claim Language	Exemplary Disclosures
	not appear on the display screen 24 of the display unit 12. This data may include the universal product identification number, the date or iteration number of the promotional graphic, and, the identification number of the transceiver unit, which is useful in tracking the path of a shopper through the market area. The screen graphic signal contains the digitized data that is received by the display unit 12 and formatted for display on the display screen. For example, a compressed screen graphic signal must be decompressed by the central processor before it is relayed to the LCD controller and driver 72. ” Begum ’880 at 9:16–29. “The product control data is a short alphanumeric string which in seven bit ASCHII code can be transmitted in a small fraction of a second. Using standard compression algorithms for the bit-mapped screen graphic, the product control data and the promotional screen graphic can be transmitted well within the two second permissible time frame.” Begum ’880 at 9:38–44. “The digitized screen graphic is stored in a file in the memory of the transceiver unit 65, and is periodically updated or replaced by transmissions from the control unit 67.” Begum ’880 at 9:52–55. “With the display unit 12 awakened, the data signals are processed by the central processor 58 and the data relating to the screen graphic is compared with existing promotional screen graphics stored in RAM 74. The comparison of digitized screen graphics may be accomplished with a rapid checksum procedure. If a match is found, the screen graphic data is passed from a temporary storage buffer in the central processor 58 to the LCD driver 72 for display on the display screen 24. In the event that there is no match, the processor 58 processes the formatted screen data to the LCD driver 72 for display on the display screen 24 and contemporaneously passes the screen graphic display data together with the accompanying product control data to RAM 74. The screen graphic data and product control data are stored in memory for future comparison with received screen display signals or retrieval by a shopper reviewing the file of product promotions.” Begum ’880 at 9:66–10:15. *See also* Begum ’880 at 8:36–47 and 10:16–31. “After viewing the coupon, the shopper may elect to select the displayed coupon by pressing one of the select buttons 24 on the control panel 15 of the portable communication unit 14, while the coupon is being displayed, or within an additional short period of time after display. The relevant product control data relating to the selected coupon and the related product, such as the coupon identification number, product identification number, bar code number, and savings amount, are then stored in a coupon exception file 36 in the memory 34 of the communication unit 14. The product identification number will customarily correspond to the universal product code (UPC).

’296 Patent Claim Language	Exemplary Disclosures
	The portable communication unit 14 has an internal wireless communicator 38, in the form of an infrared or radio frequency transmitter 39, schematically represented in FIG. 1. When the communication unit 14 is prompted at a checkout counter 41, for example, manually by the checkout person 43 manipulating a reset switch 42 on the communication unit 14, the coupon exception file 36 is transmitted by the transmitter 39 to a receiver 44 in an electronic coupon interface unit 45 at the checkout counter, and the file in the communication unit 14 is cleared for reuse” Begum ’606 at 4:50–5:5. “Data loader 111 may obtain one or more parameters to allow ad server 110 to process the content request from communicator 150. Such parameters may include, for example, parameters representing properties of various content items, e.g., a content item identifier, a group identifier (e.g., identifying a group to which the content item belongs), an update time, priority data, a time period during which the content item may be served, a presentation template associated with the content item, an alternate text associated with the content item, a broadcast mode associated with the content item (e.g., “live broadcast” mode, “test” mode, “stop” mode, or the like), a cost or a price associated with a serving of the content item, capping or quota data, attribute data, data representing a target user or a group of target users to which the content item is intended to be presented (e.g., defined by age, by age range, by location, by gender, by occupation, by profession, or the like), or other parameters. In one embodiment, for example, data loader 111 may have a relatively fast access to data, and/or a read-only authorization.” Levkovitz ’852 at [0129]. “A content request created by content client 174 may include data representing one or more properties of device 170 and/or one or more properties of the user of device 170, for example, a version identifier of content client 174, an identifier of application 176, an identifier of device 170 (e.g., manufacturer, model, or the like), local time, installation time, last connection time, Operating System (OS) type and version, total memory size of device 170, free or available memory of device 170, free or available memory in local repository 171, screen dimensions (e.g., height and width, by pixels), color depth (e.g., as a number of bits available to represent color information), user information, user name, cache content (e.g., list of previous-stored content items within local repository 171), previous presentations data, or the like.” Levkovitz ’852 at [0165]. “In some embodiments, optionally, a “cookie” or a cookie-like mechanism may be used by system 100, for example, to identify device 170, to store in device 170 data which may be unique to device 170, to store in device 170 data related to prior communications between device 170 and other components of system 100, to store in device 170 personal information about a user of device 170, or the like. The cookie may be stored, for example, in memory unit 187, and may be periodically read or updated.” Levkovitz ’852 at [0177].


’296 Patent Claim Language	Exemplary Disclosures
	See also Levkovitz ’852 at Fig. 2, [0007], [0008], [0104], [0161], and [0162]. *See also* Sanctis ’837 at [0063] and [0067]. “Media monitoring information may be generated based on, for example, audio codes, signatures (e.g., a representation of any characteristic of monitored audio such as, for example, a characteristic of a program signal), radio frequency (RF) codes, and/or any other codes, information, or identifiers that may be extracted from and/or otherwise associated with a media presentation to which a monitored person is exposed. ” Mello ’479 at [0027]. “The RF location interface 148 may also be configured to broadcast location-related information such as, for example, time-stamped PPM identification codes. The time-stamped PPM identification codes may be received by, for example, three or more of the relay devices such as the relay device 64, which may process the codes cooperatively using triangulation techniques to determine the location of the PPM 30. The relay devices 64 may communicate the received time-stamped PPM identification codes to the central facility 60 along with information relating to the times at which the codes were received by each of the relay devices 64. The central facility 60 may then determine the location of the PPM 30 based on this information.” Mello ’479 at [0048]. “The PPM 30 may collect/generate and store media monitoring information (e.g., audience measurement codes (e.g., codes inserted to identify media, sometimes referred to as “ancillary codes”), signatures, etc.) associated with any media (e.g., video, audio, movies, music, still pictures, advertising, etc.) to which the monitored person 32 is exposed. For example, the PPM 30 may be configured to obtain codes (e.g., audio codes), generate or collect signatures, etc. that may be used to identify video programs (e.g., DVD movies, television programming, etc.), audio programs (e.g., CD audio, radio programming, etc.), and/or any other media. Using one or more media detection devices described above in connection with FIG. 2, the PPM 30 may collect media monitoring information associated with presented or delivered media to which the monitored person 32 may be exposed. Additionally, the PPM 30 may be configured to receive codes (e.g., audio codes and/or RF codes) associated with other forms of media such as, for example, billboards or any other form of publicly viewable advertising or media. For example, each billboard (e.g., the billboard 20) may include an audio broadcasting device and/or an RF broadcasting device such as, for example, the transceiver 22 of FIG. 1, configured to emit a billboard code that uniquely identifies that billboard. If the PPM 30 is proximate to a billboard, the PPM 30 may obtain the billboard code as media monitoring information, thereby indicating that the monitored person 32 was exposed to the billboard. In addition, the PPM 30 may be configured to obtain direction information

’296 Patent Claim Language	Exemplary Disclosures
	via, for example, the compass 150, and log the direction in which the monitored person 32 is facing or traveling so that subsequent data analyses may determine if the monitored person 32 was likely facing the billboard.” Mello ’479 at [0060]–[0061]. “The reference media codes/signatures database 211 is configured to store advertisement identifiers in association with respective media representation information such as codes or signatures that are known to be associated with, correspond to, or that otherwise identify those advertisements. For example, the reference media codes/signatures database 211 can store reference audio codes or signatures that identify respective audio advertisements, reference video codes, or signatures that identify respective video advertisements, and/or RF codes or signatures that identify respective advertisements (e.g., the billboard 20 of FIG. 1) having RF transmitters (e.g., the RF transmitter 22 of FIG. 1) that emit codes or unique RF signals. The data analyzer 208 can compare codes or signatures collected by the PPM's 30, 34, and 36 (FIG. 1) to the known codes or signatures in the reference media codes/signatures database 211 to determine audio, video, or other stationary advertisements to which the monitored persons 32, 38, and 40 were exposed. In addition, the data analyzer 208 can use the advertisement identifier information in the reference media codes/signatures database 211 in connection with the geo-coded advertisement database 210 to determine the locations at which the advertisements were presented. In the illustrated example, the data analyzer 208 can retrieve information from the database 72 to perform analyses and can store analysis results in the database 72 for subsequent retrieval by a metering entity or a business interested in receiving the analysis results. In the illustrated example, the database 72 includes a storefront and product geo-coded knowledgebase 212 and a consumer behavior knowledgebase 214. The storefront and product geo-coded knowledgebase 212 stores retail establishment identifiers and product/service identifiers in association with respective location identifiers indicative of the locations of those retail establishments and products/services. In some example implementations, the data analyzer 208 can retrieve the associated identifiers from the storefront and product geo-coded knowledgebase 212 to determine whether a user visited a particular retail establishment and/or purchased a product or service at a particular retail establishment. The storefront and product geo-coded knowledgebase 212 can be setup and configured by a metering entity (e.g., a metering business implementing the example methods and apparatus described herein) upon initial system setup to associate location identifiers with respective retail establishments and/or products/services. The knowledgebase 212 is maintained thereafter to keep location identifier associations up to date. In some example implementations, the storefront and product geo-coded knowledgebase 212 is updated based on data collected by the PPM 30. For example, purchase data stored by the PPM 30 in association with location information may include a retail establishment name or identifier that

’296 Patent Claim Language	Exemplary Disclosures
	the storefront and product geo-coded knowledgebase 212 can use to update location identifier associations and/or add new location identifier associations.” Mello ’479 at [0076]–[0077]. “ For purposes of illustration and without limitation, a list of RFID numbers associated with merchant ID numbers is maintained and coupon identification number or value for coupons that have been sent to the mobile phone with the particular RFID number. When the merchant ID scans the RFID chip and obtains the RFID number then the merchant submits a query with the RFID number and their merchant ID number and the coupon identification number or value is returned. This invention may also be used with any other wireless identification number such as the Media Access Control (MAC) address of a Bluetooth or Wi-Fi radio, or any unique identification number.” Busch ’815 at [0374]. “The user is associated with an identifier on a website that hosts the video content, the identifier is either associated with the user's mobile device or the identifier is coupled to a second identifier in another system that is associated with the user's mobile device. When the video advertisement is played, an indication that the advertisement was displayed to the user is recorded.” Busch ’815 at [0426]. *See also* Svendsen ’073 at 11:17–32. “The Xtify API provides a simple interface for a web content provider to access a user's location. This API uses a REST interface and XML as the message format. The method for querying a user's location requires the content provider to include two parameters, one identifying the application and the other identifying the particular user associated with the location query.” Xtify - API Overview at 1. “Step 3: Provide a link for users to download the Xtify client. You will place a special download link on your website that includes your Application ID and a UNIQUE identifier you provide for each user download. Be sure not to use the same user key for every download as this will disable all previous users with that key.” Xtify - QuickStart at 1. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.

’296 Patent Claim Language	Exemplary Disclosures
3[pre]. The method of claim 2, further comprising:	The following prior art expressly or inherently discloses and renders obvious “[t]he method of claim 2.” *See* claim 2 limitations above. *See* above at row 1[pre].
[3a] receiving information related to user interaction with the provided content, the information including the request identifier; and	The following prior art expressly or inherently discloses and renders obvious “receiving information related to user interaction with the provided content, the information including the request identifier.” For example: “In still further embodiments of the present invention, the at least one application may have an associated unique application identifier. The communications circuit may be further configured to receive updates for the at least one application during the associated duration of the at least one application, the updates being associated with the unique application identifier; and announce the received updates to users of the at least one application having the unique application identifier.” Andreasson ’890 at [0014]. “As will be discussed further below with respect to FIGS. 1 through 4, some embodiments of the present invention provide methods, servers and portable electronic devices for downloading applications from the server to the portable electronic device. The server is configured to store one or more applications, each having an associated region and duration. Portable electronic devices according to some embodiments of the present invention may be associated with a unique device identifier. The portable electronic device may be configured to periodically obtain a current position of the portable electronic device and provide the current position and the unique device identifier to the server. If the portable electronic device is within a region associated with one of the stored applications, the server may determine if the unique identifier associated with the portable electronic device is also associated with the stored application for that region. If so, the server may download a link to the stored application to the portable electronic device so as to allow the portable electronic device to access the application while the portable electronic device is within the region and during the defined duration of the application as will be discussed further herein.” Andreasson ’890 at [0035]. “When the server 110 determines that a portable electronic device 140/240 has entered a new registered region 130, the server 110 may be configured to check that a unique device identifier associated with the portable electronic device 140/240 is associated with the application for this particular region 130. For example, the server 110 determines if the unique device identifier for this portable electronic device 140/240 is in the set of device identifiers associated with this particular application. If the unique device identifier of the portable electronic device 140/240 is present in the set of identifiers associated with the applications, the

’296 Patent Claim Language	Exemplary Disclosures
	communication circuit 115 of the server 110 is configured to transmit a link (URL) to the application data and the duration data for the application for the region 130 to the portable electronic device 140/240. When the portable electronic device enters a new region 130, the portable electronic device may be configured to automatically download the data from the URL received from the server 110. In some embodiments of the present invention, the content of the URL may be a web page. The web browser 218 of the portable electronic device 140/240 may be started and the web page may be loaded on the display 214. In certain embodiments of the present invention, a bookmark for the web page may be created automatically so as to allow future access to the web page. In further embodiments of the present invention, the content of the URL may be an executable application, for example, a Java Midlet, it may be installed and automatically executed. In some embodiments of the present invention, a uninstall event may be scheduled based on the duration information provide from the server 110.” Andreasson ’890 at [0057]–[0058]. “When the duration of the application elapses, the application is uninstalled and removed from the portable electronic device 140/240. In some embodiments of the present invention, when one application is uninstalled, the portable electronic device 140/240 may be configured to provide a current position to the server 110 to determine if a new application is available for the region 130.” Andreasson ’890 at [0059]. “In some embodiments of the present invention, the applications 122, 124 and 126 themselves may have unique application identifiers. These unique application identifiers may be used to let the owner of an application make updates to the application during the scheduled duration of the application. The server 110 may be configured to announce the updates to portable electronic devices 140/240 using the application. The announcement can be done, for example, as a push of information to the portable electronic device 140/240 or during an ordinary position update by the portable electronic device 140/240. In some embodiments of the present invention, the downloaded application running on the portable electronic device 140/240 may communicate directly with a server associated with an owner of the application and update itself if needed.” Andreasson ’890 at [0061]. “1. AC sends its client identifier and the UUID of the removed application in an application removal request to the server. 2. The server removes the application from the record of sent application of the client.” Andreasson ’890 at [0117]–[0118]. “The portable electronic device may be associated with a unique device identifier. A current position of the portable electronic device may be periodically determined at the portable electronic device (block 422). The

’296 Patent Claim Language	Exemplary Disclosures
	current position of the portable electronic device and the unique device identifier may be transmitted from the portable electronic device to the server (block 424).” Andreasson ’890 at [0130]. *See also* Andreasson ’890 at [0046], [0062], and [0078]–[0080].  FIG. 5 Macaluso ’238 at FIG. 5. “When a new advertisement is downloaded, an AdCounter value representing the number of times the advertisement is to be displayed may also be sent with the advertisement. The use of expiration data and a counter value are not necessarily mutually exclusive. In some implementations, it may be desirable to use both techniques for determining whether a new advertisement should be downloaded. For example, a new advertisement may be downloaded in connection with the earlier of the expiration date or the advertisement having been displayed a specified number of times.” Macaluso ’238 at [0038]. “The second aspect of the present invention is a service processing device comprising: an interface that performs short-range communication with a mobile communication device directly or indirectly; a memory that stores place data; and a controller that receives attribute data of a user or user's mobile communication device from user's mobile communication device, transfers the attribute data and the place data read out from


’296 Patent Claim Language	Exemplary Disclosures
	the memory to the server, and performs announcement based upon recommendation data corresponding to the place data received from the server.” Kinoshita ’866 at [0010]. “The processing circuit 59 displays a questionnaire page on the display 54 when a user operates the operation unit 56. The processing circuit 59 updates the questionnaire page according to user's filling of the questionnaire. The questionnaire contents include items useful for judging user's emotions.” Kinoshita ’866 at [0033]. “The processing circuit 59 performs the process of changing the surveyed questionnaire data to upper level category data. Specifically, the processing circuit 59 changes the current-level data into upper level category data for the surveyed questionnaire data. For example, if the surveyed data is “address: Los Angels, favorite singer: Japanese rock singer, and favorite food: sushi”, then it is changed to upper level category data like this, “address: west coast, favorite singer: rock singer, and favorite food: Japanese food”. The above-mentioned category-level change, which is made by the processing circuit 59, uses a prepared correspondence table in which each word is associated with its upper level category word. The processing circuit 59, if desired, may also use one of a plurality of correspondence tables wherein each table has a different category level data. Thus a user can select a category level when he changes the present category level into an upper category level. Instead of using the cellular phones 12-1 and 12-2, mobile information devices such as mobile game machines and PDAs may also be used.” Kinoshita ’866 at [0035]. “The advertisement selecting unit 35 selects suitable advertisement data from the advertisement data stored in the memory 78 based upon both the changed questionnaire data and place data that are transferred from the cellular phone 12-1. Specifically, the advertisement selecting unit 35 designates a tag corresponding to user's preference based upon the prepared correspondence table, in which tags are beforehand associated with user's preferences based upon the changed questionnaire data. And the advertisement selecting unit 35 also designates a tag corresponding to the above place based upon the prepared correspondence table. Then the advertisement selecting unit 35 selects a plurality of advertisement items having the above tags by searching advertisement data stored in the memory 78. The advertisement selecting unit 35 also selects advertisement data based upon both the place data and the environment data around the service device 14, as will be described later.” Kinoshita ’866 at [0043]. “The first process is a process in which the communication system 1 of FIG. 1 performs delivery of advertisement content based upon the changed questionnaire data. FIG. 5 is a flowchart of the first process of the communication system 1 of FIG. 1.” Kinoshita ’866 at [0048].

’296 Patent Claim Language	Exemplary Disclosures
	“The processing circuit 59 of the cellular phone 12-1 of FIG. 2 displays a questionnaire page on the display 54 when a user operates the operation unit 56. The processing circuit 59 updates the questionnaire page according to the progress of user's entry operation. The processing circuit 59 stores the entered questionnaire data in the memory 58.” Kinoshita ’866 at [0050]. “The processing circuit 59 reads out the surveyed questionnaire data from the memory 58 and changes the words to upper level category words, as described above.” Kinoshita ’866 at [0052]. “The processing circuit 59 transfers the changed questionnaire data produced in the step ST2 to the service device 14 through short-range communication operated by the IC chip 55. Then the service device 14 in FIG. 3 transfers the received changed-questionnaire data to the memory 68.” Kinoshita ’866 at [0054]. “The processing circuit 69 of the service device 14 of FIG. 3 reads out the changed questionnaire data and the place data from the memory 68, and transfers them to the Web server 24 via the interface 62. Then the processing circuit 79 of the Web server 24 of FIG. 4 transfers the received changed-questionnaire data and the place data to the memory 68.” Kinoshita ’866 at [0056]. “The processing circuit 79 of the Web server 24 selects suitable advertisement data from the advertisement data stored in the memory 78, based upon the changed questionnaire data and the place data.” Kinoshita ’866 at [0058]. “Based upon user's personal information, user's preference information, and the pre-changed questionnaire data stored in the memory 58, the processing circuit 59 selects advertisement data suitable for the present user from the advertisement data downloaded in the step ST9. The processing circuit 59 displays images corresponding to the selected advertisement data on the display 54.” Kinoshita ’866 at [0068]. “According to the above-mentioned first process, since the questionnaire data is sent to the service device 14 and the Web server 24 after the questionnaire data stored in the cellular phone 12-1 has been changed to the upper level category data, the selected advertisement data is not necessarily known to others, so that users can protect their privacy. Users also can get suitable advertisement data which reflects the surveyed questionnaire.” Kinoshita ’866 at [0069]. “The processing circuit 79 of the Web server 24 selects suitable advertisement data from the advertisement data stored in the memory 78 based upon the APL-IDs, environment data, and the place data, which are read out from the memory 78. Specifically, the processing circuit 79 designates the corresponding tags based upon the prepared correspondence table, in which tags are beforehand associated with kinds of application program being implemented in the cellular phone 12-1, environments around the service device 14, and place data.


’296 Patent Claim Language	Exemplary Disclosures
	And the processing circuit 79 selects a plurality of advertisements with the above tags by searching advertisement items stored in the memory 78.” Kinoshita ’866 at [0080]. “In the first process and the second process, though the advertisement data is used as recommendation data, the following data may be used as recommendation data. For example, the processing circuit 79 of the Web server 24 designates degree of fatigue, or kinds of emotions such as delight, anger, sorrow, and pleasure based upon the changed questionnaire data. And the processing circuit 79 selects various recommendation data based upon a kind of application program, the designated degree of fatigue, the designated kind of the emotion, and place data. Further, in the case where the cellular phone 12-1 is implementing a karaoke application, if user's feeling is designated as “pleasure”, the processing circuit 79 may recommend a pleasurable music. Further, in the case where the cellular phone 12-1 is implementing an application regarding transportation, if user's feeling is designated as “fatigue”, the processing circuit 79 may recommend a transportation route that probably provides a train seat on the way to home. Further, in the case where the cellular phone 12-1 is implementing an application regarding a theme park, if user's feeling is designated as “anger”, the processing circuit 79 may recommend a ride on which a user can blow off anger. Further, in the case where the cellular phone 12-1 is implementing an application regarding DVD rental, if user's feeling is designated as “fatigue”, the processing circuit 79 may recommend an easy movie. And if user's feeling is designated as “anger”, the processing circuit 79 may recommend a violent movie. Further, in addition to the emotions such as delight, anger, sorrow, and pleasure, atmosphere may be used when the processing circuit 79 recommends something. The processing circuit 79 may also recommend a thing suitable for going-home time based upon the place data and the time data.” Kinoshita ’866 at [0082]. “The cellular phone 12-1 communicates with the service device 14 via the R/W device 16 by using the function of the application program APL. At this time, the cellular phone 12-1 transfers attribute data and a list of advertisement videos and digital content data, which are stored in the memory 58 of FIG. 2, to the service device 14, as well as given service requests. The service device 14 transfers the above things received from the cellular phone 12-1 to the memory 68 of FIG. 3. The attribute data includes, for example, user's age, gender, and preferences.” Kinoshita ’866 at [0096]. “The processing circuit 69 of the service device 14 of FIG. 3 reads out APL-IDs and the place data from the memory 68 and transfers them to the Web server 24 via the interface 62. The processing 79 of the Web server 24 of FIG. 4 receives APL-IDs and transfers them to the memory 78.” Kinoshita ’866 at [0098]. “The processing circuit 79 of the Web server 24 reads out APL-IDs and the place data from the memory 78, and based upon both of them the processing circuit 79 selects suitable advertisement from the advertisement

’296 Patent Claim Language	Exemplary Disclosures
	stored in the memory 78. That is, the processing circuit 79, based upon both of a type of application program being implemented by the cellular phone 12-1 and a place of the service device 14, searches the corresponding advertisement videos and digital content data in the memory 78. The advertisement video is associated with the digital content data in a one-to-one correspondence, and both are assigned a type of application program and place data.” Kinoshita ’866 at [0100]. “The service device 14 selects advertisement videos and digital content data to be transferred to the cellular phone 12 based upon the attribute data and the list of advertisement videos and digital content data received in the step ST24. Specifically, the processing circuit 69 of the service device 14, based upon the attribute data received from the cellular phone 12-1, makes a list satisfying preferences of the user carrying the cellular phone 12-1 by searching the list of the advertisement videos and digital content data that are stored in the memory 68. Then, from the list made in this step, the processing circuit 69 selects advertisement videos and digital content data that are not found in the list received from the cellular phone 12-1.” Kinoshita ’866 at [0106]. “The processing circuit 59 displays the received advertisement video on the display 54 when the reception of the advertisement video completes. The processing circuit 59 displays a plurality of advertisement videos in predetermined order when a plurality of advertisement videos are stored in the memory 58. In this case the processing circuit 59 may display a plurality of advertisement videos in priority order that is based upon the attribute data of the user carrying the cellular phone 12-1.” Kinoshita ’866 at [0111]. “The cellular phone 12-1 accesses, for example, the Web server 24 according to user's operation of the operation unit 56. This access makes the processing circuit 79 of the Web server 24 read out the default video from the memory 78 and transfer it to the cellular phone 12-1. In the default video, an advertising area on the screen is located at, for example, the top of a page. At this time, the Web server 24 receives the attribute data from the cellular phone 12-1 and selects a default video that matches user's preference based upon the attribute data, and transfers the default video to the cellular phone 12-1. The cellular phone 12-1 transfers the default video, which is received from the Web server 24, to the memory 58 of FIG. 2.” Kinoshita ’866 at [0115]. “In this registration process, the cellular phone 12-1 transfers data such as age, gender, preference, and local information to the Web server 24 to register them.” Kinoshita ’866 at [0119]. “Further, in accordance with the communication system 1 of the present invention, the advertisement videos are selected based upon attributes of the cellular phone 12-1 and are transferred from the cellular phone 12-1

’296 Patent Claim Language	Exemplary Disclosures
	to the service device 14 in order to store them. Therefore, it is possible to display advertisement videos matching the preference of the user of the cellular phone 12-1.” Kinoshita ’866 at [0135]. “Further, when the cellular phone 12-1 communicates with the service device 14 via R/W device 16, the service device 14 transfers optimum-timing combination data to the cellular phone 12-1. The cellular phone 12-1 or 12-2 displays an advertisement video based upon the default combination data for the first time. However, next time, the cellular phone 12-1 or 12-2 displays advertisement data based upon a new combination data received through communication with the service device 14.” Kinoshita ’866 at [0142]. “In the present embedment, the cellular phone 12-1 or 12-2 generates and stores content-transfer history data TD in which a history of digital content data transferred between the above two cellular phones and other cellular phones is recorded. The content-transfer history data TD is finally stored in the Web server 24.” Kinoshita ’866 at [0145]. “Specifically, when the cellular phone 12-1 or 12-2 transfers digital content data to other cellular phone, and vice versa, its transfer history is added to the content-transfer history data TD stored in the memory 58.” Kinoshita ’866 at [0146]. “When the cellular phone 12-1 or 12-2 accesses the Web server 24, the cellular phone 12-1 or 12-2 reads out the content-transfer history data TD and transfers it to the Web server 24. This transfer is performed, for example, at the time when an application program APL is downloaded, or when advertisement member registration is performed. When the cellular phone 12-1 or 12-2 transfers the content-transfer history data TD to the Web server 24, this transfer may be implemented after the original content-transfer history data has been changed to the upper-level category data. When the change to the upper-level category data is performed, for example, each ID of cellular phone is changed to classified ID that is classified to a given ID, or each due date is changed to a given period of the due date that covers a certain period of due data. Here, the classified ID is, for example, an ID assigned to a type of cellular phone.” Kinoshita ’866 at [0147].

’296 Patent Claim Language	Exemplary Disclosures
	 **Fig. 5** Begum ’880 at Fig. 5. “If there is no match, the signal transmitted graphic is stored into the memory of the display unit and the signal transmitted graphic is simultaneously displayed on the screen of the display unit. Similarly, if there is a match but the transmitted graphic is an updated version, then the stored memory graphic is dated and replaced with the updated signal transmitted graphic.” Begum ’880 at 2:6–12. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22. “The data signal is a digital signal that includes both the product control signals and the screen graphic signal. The product control signals include data about the promotion that is not in the screen graphic and that does not appear on the display screen 24 of the display unit 12. This data may include the universal product identification number, the date or iteration number of the promotional graphic, and, the identification number of the transceiver unit, which is useful in tracking the path of a shopper through the market area. The screen graphic signal contains the digitized data that is received by the display unit 12 and formatted for display on the display screen. For example, a compressed screen graphic signal must be decompressed by the central processor before it is relayed to the LCD controller and driver 72. ” Begum ’880 at 9:16–29. “The digitized screen graphic is stored in a file in the memory of the transceiver unit 65, and is periodically updated or replaced by transmissions from the control unit 67.” Begum ’880 at 9:52–55.

’296 Patent Claim Language	Exemplary Disclosures
	“With the display unit 12 awakened, the data signals are processed by the central processor 58 and the data relating to the screen graphic is compared with existing promotional screen graphics stored in RAM 74. The comparison of digitized screen graphics may be accomplished with a rapid checksum procedure. If a match is found, the screen graphic data is passed from a temporary storage buffer in the central processor 58 to the LCD driver 72 for display on the display screen 24. In the event that there is no match, the processor 58 processes the formatted screen data to the LCD driver 72 for display on the display screen 24 and contemporaneously passes the screen graphic display data together with the accompanying product control data to RAM 74. The screen graphic data and product control data are stored in memory for future comparison with received screen display signals or retrieval by a shopper reviewing the file of product promotions.” Begum ’880 at 9:66–10:15. “To assist a user in locating items, the generic names are listed with an aisle directory listing for each category as shown in FIG. 8. In one embodiment of operation, an updatable series of advertisements, particularly select sales items for which the product producers or distributors have paid advertisement fees to the system operator, is retained in memory. Periodically, during a state of activation of the display device when the shopper is not using the display unit, the display screen is activated for a set time, for example ten seconds, and a select product advertisement is displayed as shown in FIG. 9. Preferably, the advertisement contains a sale price, as shoppers prefer not to refer to simple product name advertisements. To alert the shopper that a promotional message is being displayed, a cue signal, such as a pleasant chime, light or handle vibration is generated at the beginning of the message. The cue signal is also generated when the promotional message is activated by the transceiver units 65 located proximate the promoted product.” Begum ’880 at 10:52–11:3. “To improve the likelihood that the shopper will look at the display screen when cued, a prize code is intermittently flashed on the screen instead of a scheduled advertisement. This code may be in the form of an automatically reprogrammable four digit number as shown in FIG. 10. When the number is related to the check-out clerk, a monetary coupon or reduction in the check-out tally is granted.” Begum ’880 at 11:11–17. *See also* Begum ’880 at 8:36–47 and 10:16–31.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Begum ’606 at FIG. 1. “After viewing the coupon, the shopper may elect to select the displayed coupon by pressing one of the select buttons 24 on the control panel 15 of the portable communication unit 14, while the coupon is being displayed, or within an additional short period of time after display. The relevant product control data relating to the selected coupon and the related product, such as the coupon identification number, product identification number, bar code number, and savings amount, are then stored in a coupon exception file 36 in the memory 34 of the communication unit 14. The product identification number will customarily correspond to the universal product code (UPC). The portable communication unit 14 has an internal wireless communicator 38, in the form of an infrared or radio frequency transmitter 39, schematically represented in FIG. 1. When the communication unit 14 is prompted at a checkout counter 41, for example, manually by the checkout person 43 manipulating a reset switch 42 on the communication unit 14, the coupon exception file 36 is transmitted by the transmitter 39 to a receiver 44 in an electronic coupon interface unit 45 at the checkout counter, and the file in the communication unit 14 is cleared for reuse” Begum ’606 at 4:50–5:5.

’296 Patent Claim Language	Exemplary Disclosures
	“In some embodiments, for example, the method may include selectively serving the content item based on a personal data item representing a property of a user of said wireless communication device. In some embodiments, for example, the data item is selected from a group consisting of: a data item representing an age of the user, a data item representing an age group of the user, a data item representing a gender of the user, a data item representing an occupation of the user, a data item representing a profession of the user, and a data item representing usage pattern associated with the user.” Levkovitz ’852 at [0027]. “Device 170 may store or otherwise log information related to presentations performed by device 170, e.g., data indicating the content item(s) presented, data the starting time and/or ending time of the presentations, data indicating operations performed by device 170 and/or the user of device 170 during or after the presentation (e.g., pressing a button, dialing, sending a SMS or MMS message, placing a call, or the like). Device 170 may periodically upload the logged data, e.g., to communicator 150, which may aggregate such data from multiple wireless communication devices.” Levkovitz ’852 at [0104]. “Data analyzer 134 may analyze inventory data and campaign-related data and may produce reports, e.g., statistical reports for advertisers and/or an administrator of system 100, market research reports, data mining reports, On-Line Analytical Processing (OLAP) reports, or the like.” Levkovitz ’852 at [0110]. “Together with or upon presentation of a content item, device 170 may register or log, for example, in memory unit 187, properties related to that presentation, e.g., an identifier of application 176, a location identifier, a presentation starting time, a presentation ending time, the total presentation time, a user's response to the presentation (e.g., user viewed the presentation, user aborted or interrupted or paused the presentation, user pressed a button, user initiated a call or sent a SMS item, user interacted with the presented content item, or the like), and other data. Presentation-related data may be reported by reporter 181 to communicator 150, e.g., periodically, upon demand, together with a subsequent content request, when a pre-defined condition is met, upon presenting a certain number of content items, or the like. In one embodiment, reporter 181 may be triggered or activated by content client 174, presentation service 182, server communicator 177, or other components of device 170.” Levkovitz ’852 at [0161]. “In some embodiments, for example, a presentation report or presentation-related data may be transmitted by device 170 substantially together with a subsequent content request; for example, a second content request may include a presentation report related to content items presented since a previous report was transmitted, since a previous content request was transmitted, or the like. This may, for example, allow utilizing a single communication session to transmit both a content request and a presentation report. This may, for example, obviate the need to open a first communication session to transmit the content request and a second

’296 Patent Claim Language	Exemplary Disclosures
	communication session to transmit the presentation report, or reduce the number of communication transactions required.” Levkovitz ’852 at [0162]. “A content request created by content client 174 may include data representing one or more properties of device 170 and/or one or more properties of the user of device 170, for example, a version identifier of content client 174, an identifier of application 176, an identifier of device 170 (e.g., manufacturer, model, or the like), local time, installation time, last connection time, Operating System (OS) type and version, total memory size of device 170, free or available memory of device 170, free or available memory in local repository 171, screen dimensions (e.g., height and width, by pixels), color depth (e.g., as a number of bits available to represent color information), user information, user name, cache content (e.g., list of previous-stored content items within local repository 171), previous presentations data, or the like.” Levkovitz ’852 at [0165]. “As indicated at box 255, the method may optionally include, for example, transmitting by device 170 to communicator 150 an activity report indicating properties of, or data related to, presentations presented by device 170.” Levkovitz ’852 at [0188]. “Some embodiments may utilize a taxonomy, for example, a pre-defined classification into categories, e.g., in a tree structure having “branches”, or other hierarchical structure. For example, a branch may be “games”, having sub-branches of “sports” and “arcade”; and the “sports” sub-branch may have sub-sub-branches of “basketball”, “football” and “tennis”. In some embodiments, an advertisement presented to a user, or inserted into a SMS/MMS/IM/Email message, may be selected based on taxonomy-based analysis. For example, if a user played a football game on his mobile phone, and further played a basketball game on his mobile phone, the system may present to this user, or insert into SMS/MMS/IM/Email messages that this user sends and/or receives, advertisements or content items which may be sports-related.” Levkovitz ’852 at [0221]. *See also* Levkovitz ’852 at Fig. 2, [0007], and [0008]. *See also* Sanctis ’837 at [0063] and [0067]. “Media monitoring information may be generated based on, for example, audio codes, signatures (e.g., a representation of any characteristic of monitored audio such as, for example, a characteristic of a program signal), radio frequency (RF) codes, and/or any other codes, information, or identifiers that may be extracted from and/or otherwise associated with a media presentation to which a monitored person is exposed. ” Mello ’479 at [0027].

’296 Patent Claim Language	Exemplary Disclosures
	“The RF location interface 148 may also be configured to broadcast location-related information such as, for example, time-stamped PPM identification codes. The time-stamped PPM identification codes may be received by, for example, three or more of the relay devices such as the relay device 64, which may process the codes cooperatively using triangulation techniques to determine the location of the PPM 30. The relay devices 64 may communicate the received time-stamped PPM identification codes to the central facility 60 along with information relating to the times at which the codes were received by each of the relay devices 64. The central facility 60 may then determine the location of the PPM 30 based on this information.” Mello ’479 at [0048]. “The PPM 30 may collect/generate and store media monitoring information (e.g., audience measurement codes (e.g., codes inserted to identify media, sometimes referred to as “ancillary codes”), signatures, etc.) associated with any media (e.g., video, audio, movies, music, still pictures, advertising, etc.) to which the monitored person 32 is exposed. For example, the PPM 30 may be configured to obtain codes (e.g., audio codes), generate or collect signatures, etc. that may be used to identify video programs (e.g., DVD movies, television programming, etc.), audio programs (e.g., CD audio, radio programming, etc.), and/or any other media. Using one or more media detection devices described above in connection with FIG. 2, the PPM 30 may collect media monitoring information associated with presented or delivered media to which the monitored person 32 may be exposed. Additionally, the PPM 30 may be configured to receive codes (e.g., audio codes and/or RF codes) associated with other forms of media such as, for example, billboards or any other form of publicly viewable advertising or media. For example, each billboard (e.g., the billboard 20) may include an audio broadcasting device and/or an RF broadcasting device such as, for example, the transceiver 22 of FIG. 1, configured to emit a billboard code that uniquely identifies that billboard. If the PPM 30 is proximate to a billboard, the PPM 30 may obtain the billboard code as media monitoring information, thereby indicating that the monitored person 32 was exposed to the billboard. In addition, the PPM 30 may be configured to obtain direction information via, for example, the compass 150, and log the direction in which the monitored person 32 is facing or traveling so that subsequent data analyses may determine if the monitored person 32 was likely facing the billboard.” Mello ’479 at [0060]–[0061]. “The reference media codes/signatures database 211 is configured to store advertisement identifiers in association with respective media representation information such as codes or signatures that are known to be associated with, correspond to, or that otherwise identify those advertisements. For example, the reference media codes/signatures database 211 can store reference audio codes or signatures that identify respective audio advertisements, reference video codes, or signatures that identify respective video advertisements,

’296 Patent Claim Language	Exemplary Disclosures
	and/or RF codes or signatures that identify respective advertisements (e.g., the billboard 20 of FIG. 1) having RF transmitters (e.g., the RF transmitter 22 of FIG. 1) that emit codes or unique RF signals. The data analyzer 208 can compare codes or signatures collected by the PPM's 30, 34, and 36 (FIG. 1) to the known codes or signatures in the reference media codes/signatures database 211 to determine audio, video, or other stationary advertisements to which the monitored persons 32, 38, and 40 were exposed. In addition, the data analyzer 208 can use the advertisement identifier information in the reference media codes/signatures database 211 in connection with the geo-coded advertisement database 210 to determine the locations at which the advertisements were presented. In the illustrated example, the data analyzer 208 can retrieve information from the database 72 to perform analyses and can store analysis results in the database 72 for subsequent retrieval by a metering entity or a business interested in receiving the analysis results. In the illustrated example, the database 72 includes a storefront and product geo-coded knowledgebase 212 and a consumer behavior knowledgebase 214. The storefront and product geo-coded knowledgebase 212 stores retail establishment identifiers and product/service identifiers in association with respective location identifiers indicative of the locations of those retail establishments and products/services. In some example implementations, the data analyzer 208 can retrieve the associated identifiers from the storefront and product geo-coded knowledgebase 212 to determine whether a user visited a particular retail establishment and/or purchased a product or service at a particular retail establishment. The storefront and product geo-coded knowledgebase 212 can be setup and configured by a metering entity (e.g., a metering business implementing the example methods and apparatus described herein) upon initial system setup to associate location identifiers with respective retail establishments and/or products/services. The knowledgebase 212 is maintained thereafter to keep location identifier associations up to date. In some example implementations, the storefront and product geo-coded knowledgebase 212 is updated based on data collected by the PPM 30. For example, purchase data stored by the PPM 30 in association with location information may include a retail establishment name or identifier that the storefront and product geo-coded knowledgebase 212 can use to update location identifier associations and/or add new location identifier associations.” Mello ’479 at [0076]–[0077]. “Significant benefit is provided by a content targeting methods and systems usable with mobile devices that provide feedback to the advertisers—especially those advertisers that have brick and mortar businesses—to help them judge the effectiveness of their targeted content. The effectiveness of a business' advertising effort may be measured by determining with regard to a user of a device that has received targeted content one or more of: whether the user visits a business location of a content producer after their content has been delivered to the device; the time spent at the location; and, how much money was spent at the business by that

’296 Patent Claim Language	Exemplary Disclosures
	user (especially in the case where the user pays through an online payment service utilizing the mobile device).” Busch ’815 at [0008]. “In some forms of the invention, a user's favorite businesses and attractions are determined. For purposes of illustration and without limitation, these locations may be determined by analyzing the location information to determine the frequency with which the user of the mobile device visits particular businesses or particular types of businesses; the amount of time spent at the business location; by reference to positive or negative or numerical ratings the user associates with particular businesses or business types (such ratings can be entered via a menu on a mobile device or through an application or webpage associated with the user's profile). The ratings are positive or negative such as thumbs up and thumb down but may also be numerical such as a rating one through five.” Busch ’815 at [0364]. “For purposes of illustration and without limitation, information is sent to the mobile device containing points that correspond to locations where if the user is in proximity to the point, the mobile device takes an action, or manifests an intent to take an action. The action is displaying targeted content but it may also be responding with additional information, changing the behavior of the mobile device (e.g., location reporting frequency, content display settings, etc.), or any other action desired or combination of actions desired.” Busch ’815 at [0372]. “As such, in response to the request and a location of the user 74-1, the customized content delivery function 78 selects one or more advertisements for the user 74-1 in the manner discussed above.” Svendsen ’073 at 14:39–42. “The selected advertisements may then be delivered to the user 74-1 in association with results of the Internet search request.” Svendsen ’073 at 14:42–44. *See also* Svendsen ’073 at 11:17–32. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.

’296 Patent Claim Language	Exemplary Disclosures
[3b] providing additional content to the registered application in response to the received information.	The following prior art expressly or inherently discloses and renders obvious “providing additional content to the registered application in response to the received information.” For example: “In still further embodiments of the present invention, the at least one application may have an associated unique application identifier. The communications circuit may be further configured to receive updates for the at least one application during the associated duration of the at least one application, the updates being associated with the unique application identifier; and announce the received updates to users of the at least one application having the unique application identifier.” Andreasson ’890 at [0014]. “When the server 110 determines that a portable electronic device 140/240 has entered a new registered region 130, the server 110 may be configured to check that a unique device identifier associated with the portable electronic device 140/240 is associated with the application for this particular region 130. For example, the server 110 determines if the unique device identifier for this portable electronic device 140/240 is in the set of device identifiers associated with this particular application. If the unique device identifier of the portable electronic device 140/240 is present in the set of identifiers associated with the applications, the communication circuit 115 of the server 110 is configured to transmit a link (URL) to the application data and the duration data for the application for the region 130 to the portable electronic device 140/240. When the portable electronic device enters a new region 130, the portable electronic device may be configured to automatically download the data from the URL received from the server 110. In some embodiments of the present invention, the content of the URL may be a web page. The web browser 218 of the portable electronic device 140/240 may be started and the web page may be loaded on the display 214. In certain embodiments of the present invention, a bookmark for the web page may be created automatically so as to allow future access to the web page. In further embodiments of the present invention, the content of the URL may be an executable application, for example, a Java Midlet, it may be installed and automatically executed. In some embodiments of the present invention, a uninstall event may be scheduled based on the duration information provide from the server 110.” Andreasson ’890 at [0057]–[0058]. “When the duration of the application elapses, the application is uninstalled and removed from the portable electronic device 140/240. In some embodiments of the present invention, when one application is uninstalled, the portable electronic device 140/240 may be configured to provide a current position to the server 110 to determine if a new application is available for the region 130.” Andreasson ’890 at [0059]. “In some embodiments of the present invention, the applications 122, 124 and 126 themselves may have unique application identifiers. These unique application identifiers may be used to let the owner of an application make updates to the application during the scheduled duration of the application. The server 110


’296 Patent Claim Language	Exemplary Disclosures
	may be configured to announce the updates to portable electronic devices 140/240 using the application. The announcement can be done, for example, as a push of information to the portable electronic device 140/240 or during an ordinary position update by the portable electronic device 140/240. In some embodiments of the present invention, the downloaded application running on the portable electronic device 140/240 may communicate directly with a server associated with an owner of the application and update itself if needed.” Andreasson ’890 at [0061]. “1. AC sends its client identifier and the UUID of the removed application in an application removal request to the server. 2. The server removes the application from the record of sent application of the client.” Andreasson ’890 at [0117]–[0118]. “A link to the at least one application and the associated duration of the at least one application may be downloaded from the server if it is determined that the unique device identifier of the portable electronic device is associated with the at least one application (block 440)” Andreasson ’890 at [0131]. *See also* Andreasson ’890 at [0035], [0046], [0062], and [0078]–[0080]. “The processing circuit 59 displays a questionnaire page on the display 54 when a user operates the operation unit 56. The processing circuit 59 updates the questionnaire page according to user's filling of the questionnaire. The questionnaire contents include items useful for judging user's emotions.” Kinoshita ’866 at [0033]. “The advertisement selecting unit 35 selects suitable advertisement data from the advertisement data stored in the memory 78 based upon both the changed questionnaire data and place data that are transferred from the cellular phone 12-1. Specifically, the advertisement selecting unit 35 designates a tag corresponding to user's preference based upon the prepared correspondence table, in which tags are beforehand associated with user's preferences based upon the changed questionnaire data. And the advertisement selecting unit 35 also designates a tag corresponding to the above place based upon the prepared correspondence table. Then the advertisement selecting unit 35 selects a plurality of advertisement items having the above tags by searching advertisement data stored in the memory 78. The advertisement selecting unit 35 also selects advertisement data based upon both the place data and the environment data around the service device 14, as will be described later.” Kinoshita ’866 at [0043].

’296 Patent Claim Language	Exemplary Disclosures
	“The first process is a process in which the communication system 1 of FIG. 1 performs delivery of advertisement content based upon the changed questionnaire data. FIG. 5 is a flowchart of the first process of the communication system 1 of FIG. 1.” Kinoshita ’866 at [0048]. “The processing circuit 59 of the cellular phone 12-1 of FIG. 2 displays a questionnaire page on the display 54 when a user operates the operation unit 56. The processing circuit 59 updates the questionnaire page according to the progress of user's entry operation. The processing circuit 59 stores the entered questionnaire data in the memory 58.” Kinoshita ’866 at [0050]. “The processing circuit 59 reads out the surveyed questionnaire data from the memory 58 and changes the words to upper level category words, as described above.” Kinoshita ’866 at [0052]. “The processing circuit 59 transfers the changed questionnaire data produced in the step ST2 to the service device 14 through short-range communication operated by the IC chip 55. Then the service device 14 in FIG. 3 transfers the received changed-questionnaire data to the memory 68.” Kinoshita ’866 at [0054]. “The processing circuit 69 of the service device 14 of FIG. 3 reads out the changed questionnaire data and the place data from the memory 68, and transfers them to the Web server 24 via the interface 62. Then the processing circuit 79 of the Web server 24 of FIG. 4 transfers the received changed-questionnaire data and the place data to the memory 68.” Kinoshita ’866 at [0056]. “The processing circuit 79 of the Web server 24 selects suitable advertisement data from the advertisement data stored in the memory 78, based upon the changed questionnaire data and the place data.” Kinoshita ’866 at [0058]. “The processing circuit 69 of the service device 14 reads out the advertisement data recorded in the step ST6 and displays the corresponding images on the display 64.” Kinoshita ’866 at [0064]. “Based upon user's personal information, user's preference information, and the pre-changed questionnaire data stored in the memory 58, the processing circuit 59 selects advertisement data suitable for the present user from the advertisement data downloaded in the step ST9. The processing circuit 59 displays images corresponding to the selected advertisement data on the display 54.” Kinoshita ’866 at [0068]. “According to the above-mentioned first process, since the questionnaire data is sent to the service device 14 and the Web server 24 after the questionnaire data stored in the cellular phone 12-1 has been changed to the upper level category data, the selected advertisement data is not necessarily known to others, so that users can

’296 Patent Claim Language	Exemplary Disclosures
	protect their privacy. Users also can get suitable advertisement data which reflects the surveyed questionnaire.” Kinoshita ’866 at [0069]. “The processing circuit 79 of the Web server 24 selects suitable advertisement data from the advertisement data stored in the memory 78 based upon the APL-IDs, environment data, and the place data, which are read out from the memory 78. Specifically, the processing circuit 79 designates the corresponding tags based upon the prepared correspondence table, in which tags are beforehand associated with kinds of application program being implemented in the cellular phone 12-1, environments around the service device 14, and place data. And the processing circuit 79 selects a plurality of advertisements with the above tags by searching advertisement items stored in the memory 78.” Kinoshita ’866 at [0080]. “In the first process and the second process, though the advertisement data is used as recommendation data, the following data may be used as recommendation data. For example, the processing circuit 79 of the Web server 24 designates degree of fatigue, or kinds of emotions such as delight, anger, sorrow, and pleasure based upon the changed questionnaire data. And the processing circuit 79 selects various recommendation data based upon a kind of application program, the designated degree of fatigue, the designated kind of the emotion, and place data. Further, in the case where the cellular phone 12-1 is implementing a karaoke application, if user's feeling is designated as “pleasure”, the processing circuit 79 may recommend a pleasurable music. Further, in the case where the cellular phone 12-1 is implementing an application regarding transportation, if user's feeling is designated as “fatigue”, the processing circuit 79 may recommend a transportation route that probably provides a train seat on the way to home. Further, in the case where the cellular phone 12-1 is implementing an application regarding a theme park, if user's feeling is designated as “anger”, the processing circuit 79 may recommend a ride on which a user can blow off anger. Further, in the case where the cellular phone 12-1 is implementing an application regarding DVD rental, if user's feeling is designated as “fatigue”, the processing circuit 79 may recommend an easy movie. And if user's feeling is designated as “anger”, the processing circuit 79 may recommend a violent movie. Further, in addition to the emotions such as delight, anger, sorrow, and pleasure, atmosphere may be used when the processing circuit 79 recommends something. The processing circuit 79 may also recommend a thing suitable for going-home time based upon the place data and the time data.” Kinoshita ’866 at [0082]. “The cellular phone 12-1 communicates with the service device 14 via the R/W device 16 by using the function of the application program APL. At this time, the cellular phone 12-1 transfers attribute data and a list of advertisement videos and digital content data, which are stored in the memory 58 of FIG. 2, to the service device 14, as well as given service requests. The service device 14 transfers the above things received

’296 Patent Claim Language	Exemplary Disclosures
	from the cellular phone 12-1 to the memory 68 of FIG. 3. The attribute data includes, for example, user's age, gender, and preferences.” Kinoshita ’866 at [0096]. “The processing circuit 79 of the Web server 24 reads out APL-IDs and the place data from the memory 78, and based upon both of them the processing circuit 79 selects suitable advertisement from the advertisement stored in the memory 78. That is, the processing circuit 79, based upon both of a type of application program being implemented by the cellular phone 12-1 and a place of the service device 14, searches the corresponding advertisement videos and digital content data in the memory 78. The advertisement video is associated with the digital content data in a one-to-one correspondence, and both are assigned a type of application program and place data.” Kinoshita ’866 at [0100]. “The processing circuit 79 of the Web server 24 transfers the advertisement videos and the digital content data selected in the step ST26 to the service device 14 via the interface 72. The processing circuit 69 of the service device 14 transfers the received advertisement videos and the digital content data to the memory 68.” Kinoshita ’866 at [0102]. “The service device 14 selects advertisement videos and digital content data to be transferred to the cellular phone 12 based upon the attribute data and the list of advertisement videos and digital content data received in the step ST24. Specifically, the processing circuit 69 of the service device 14, based upon the attribute data received from the cellular phone 12-1, makes a list satisfying preferences of the user carrying the cellular phone 12-1 by searching the list of the advertisement videos and digital content data that are stored in the memory 68. Then, from the list made in this step, the processing circuit 69 selects advertisement videos and digital content data that are not found in the list received from the cellular phone 12-1.” Kinoshita ’866 at [0106]. “The processing circuit 69 of the service device 14 reads out, from the memory 68, data necessary for answering the service requests received in the step ST24. Then the service device 14 transfers the data necessary for the service requests and both the advertisement videos and digital content data selected in the step ST29 to the cellular phone 12-1 via the R/W device 16. At this time the advertisement videos are associated with the digital content data in one-to-one correspondence. The digital content data includes, for example, live videos, animation videos, ring tones, and standby screens. The digital video data is available on condition that users of the cellular phones 12-1 and 12-2 are registered as a member in the Web server 24. Transferring data to the cellular phone 12-1, the service device 14 displays an advertisement video on the display 64.” Kinoshita ’866 at [0108].

’296 Patent Claim Language	Exemplary Disclosures
	“The processing circuit 59 displays the received advertisement video on the display 54 when the reception of the advertisement video completes. The processing circuit 59 displays a plurality of advertisement videos in predetermined order when a plurality of advertisement videos are stored in the memory 58. In this case the processing circuit 59 may display a plurality of advertisement videos in priority order that is based upon the attribute data of the user carrying the cellular phone 12-1.” Kinoshita ’866 at [0111]. “The cellular phone 12-1 accesses, for example, the Web server 24 according to user's operation of the operation unit 56. This access makes the processing circuit 79 of the Web server 24 read out the default video from the memory 78 and transfer it to the cellular phone 12-1. In the default video, an advertising area on the screen is located at, for example, the top of a page. At this time, the Web server 24 receives the attribute data from the cellular phone 12-1 and selects a default video that matches user's preference based upon the attribute data, and transfers the default video to the cellular phone 12-1. The cellular phone 12-1 transfers the default video, which is received from the Web server 24, to the memory 58 of FIG. 2.” Kinoshita ’866 at [0115]. “Further, in accordance with the communication system 1 of the present invention, the advertisement videos are selected based upon attributes of the cellular phone 12-1 and are transferred from the cellular phone 12-1 to the service device 14 in order to store them. Therefore, it is possible to display advertisement videos matching the preference of the user of the cellular phone 12-1.” Kinoshita ’866 at [0135]. “Further, when the cellular phone 12-1 communicates with the service device 14 via R/W device 16, the service device 14 transfers optimum-timing combination data to the cellular phone 12-1. The cellular phone 12-1 or 12-2 displays an advertisement video based upon the default combination data for the first time. However, next time, the cellular phone 12-1 or 12-2 displays advertisement data based upon a new combination data received through communication with the service device 14.” Kinoshita ’866 at [0142]. “By using the content-transfer history data TD, the Web server 24 can have a network of preference based upon the attributes of the digital content data.” Kinoshita ’866 at [0148]. *See also* Ahn ’281 at [0077] and [0078].

’296 Patent Claim Language	Exemplary Disclosures
	 **Fig. 5** Begum ’880 at Fig. 5. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22. “The data signal is a digital signal that includes both the product control signals and the screen graphic signal. The product control signals include data about the promotion that is not in the screen graphic and that does not appear on the display screen 24 of the display unit 12. This data may include the universal product identification number, the date or iteration number of the promotional graphic, and, the identification number of the transceiver unit, which is useful in tracking the path of a shopper through the market area. The screen graphic signal contains the digitized data that is received by the display unit 12 and formatted for display on the display screen. For example, a compressed screen graphic signal must be decompressed by the central processor before it is relayed to the LCD controller and driver 72. ” Begum ’880 at 9:16–29. “The product control data is a short alphanumeric string which in seven bit ASCHII code can be transmitted in a small fraction of a second. Using standard compression algorithms for the bit-mapped screen graphic, the product control data and the promotional screen graphic can be transmitted well within the two second permissible time frame.” Begum ’880 at 9:38–44. “The digitized screen graphic is stored in a file in the memory of the transceiver unit 65, and is periodically updated or replaced by transmissions from the control unit 67.” Begum ’880 at 9:52–55.

’296 Patent Claim Language	Exemplary Disclosures
	“With the display unit 12 awakened, the data signals are processed by the central processor 58 and the data relating to the screen graphic is compared with existing promotional screen graphics stored in RAM 74. The comparison of digitized screen graphics may be accomplished with a rapid checksum procedure. If a match is found, the screen graphic data is passed from a temporary storage buffer in the central processor 58 to the LCD driver 72 for display on the display screen 24. In the event that there is no match, the processor 58 processes the formatted screen data to the LCD driver 72 for display on the display screen 24 and contemporaneously passes the screen graphic display data together with the accompanying product control data to RAM 74. The screen graphic data and product control data are stored in memory for future comparison with received screen display signals or retrieval by a shopper reviewing the file of product promotions.” Begum ’880 at 9:66–10:15. “To assist a user in locating items, the generic names are listed with an aisle directory listing for each category as shown in FIG. 8. In one embodiment of operation, an updatable series of advertisements, particularly select sales items for which the product producers or distributors have paid advertisement fees to the system operator, is retained in memory. Periodically, during a state of activation of the display device when the shopper is not using the display unit, the display screen is activated for a set time, for example ten seconds, and a select product advertisement is displayed as shown in FIG. 9. Preferably, the advertisement contains a sale price, as shoppers prefer not to refer to simple product name advertisements. To alert the shopper that a promotional message is being displayed, a cue signal, such as a pleasant chime, light or handle vibration is generated at the beginning of the message. The cue signal is also generated when the promotional message is activated by the transceiver units 65 located proximate the promoted product.” Begum ’880 at 10:52–11:3. “To improve the likelihood that the shopper will look at the display screen when cued, a prize code is intermittently flashed on the screen instead of a scheduled advertisement. This code may be in the form of an automatically reprogrammable four digit number as shown in FIG. 10. When the number is related to the check-out clerk, a monetary coupon or reduction in the check-out tally is granted.” Begum ’880 at 11:11–17. *See also* Begum ’880 at 8:36–47 and 10:16–31. “In some embodiments, for example, the method may include selectively serving the content item based on a personal data item representing a property of a user of said wireless communication device. In some embodiments, for example, the data item is selected from a group consisting of: a data item representing an age of the user, a data item representing an age group of the user, a data item representing a gender of the

’296 Patent Claim Language	Exemplary Disclosures
	user, a data item representing an occupation of the user, a data item representing a profession of the user, and a data item representing usage pattern associated with the user.” Levkovitz ’852 at [0027]. “Together with or upon presentation of a content item, device 170 may register or log, for example, in memory unit 187, properties related to that presentation, e.g., an identifier of application 176, a location identifier, a presentation starting time, a presentation ending time, the total presentation time, a user's response to the presentation (e.g., user viewed the presentation, user aborted or interrupted or paused the presentation, user pressed a button, user initiated a call or sent a SMS item, user interacted with the presented content item, or the like), and other data. Presentation-related data may be reported by reporter 181 to communicator 150, e.g., periodically, upon demand, together with a subsequent content request, when a pre-defined condition is met, upon presenting a certain number of content items, or the like. In one embodiment, reporter 181 may be triggered or activated by content client 174, presentation service 182, server communicator 177, or other components of device 170.” Levkovitz ’852 at [0161]. “In some embodiments, content client 174 may periodically establish a connection with ad sever 110, e.g., directly or through communicator 150, to upload data about presented content items, to refresh or update content items stored in local repository 171, to update or upgrade the installed version of content client 174, to upload technical information about device 170 and/or personal information about a user of device 170 to allow improved targeting of content items, or the like.” Levkovitz ’852 at [0166]. “Some embodiments may utilize a taxonomy, for example, a pre-defined classification into categories, e.g., in a tree structure having “branches”, or other hierarchical structure. For example, a branch may be “games”, having sub-branches of “sports” and “arcade”; and the “sports” sub-branch may have sub-sub-branches of “basketball”, “football” and “tennis”. In some embodiments, an advertisement presented to a user, or inserted into a SMS/MMS/IM/Email message, may be selected based on taxonomy-based analysis. For example, if a user played a football game on his mobile phone, and further played a basketball game on his mobile phone, the system may present to this user, or insert into SMS/MMS/IM/Email messages that this user sends and/or receives, advertisements or content items which may be sports-related.” Levkovitz ’852 at [0221]. *See also* Levkovitz ’852 at Fig. 2, [0007], and [0008]. *See also* Sanctis ’837 at [0063]. “Media monitoring information may be generated based on, for example, audio codes, signatures (e.g., a representation of any characteristic of monitored audio such as, for example, a characteristic of a program signal), radio frequency (RF) codes, and/or any other codes, information, or identifiers that may be extracted

’296 Patent Claim Language	Exemplary Disclosures
	from and/or otherwise associated with a media presentation to which a monitored person is exposed. ” Mello ’479 at [0027]. “The RF location interface 148 may also be configured to broadcast location-related information such as, for example, time-stamped PPM identification codes. The time-stamped PPM identification codes may be received by, for example, three or more of the relay devices such as the relay device 64, which may process the codes cooperatively using triangulation techniques to determine the location of the PPM 30. The relay devices 64 may communicate the received time-stamped PPM identification codes to the central facility 60 along with information relating to the times at which the codes were received by each of the relay devices 64. The central facility 60 may then determine the location of the PPM 30 based on this information.” Mello ’479 at [0048]. “The PPM 30 may collect/generate and store media monitoring information (e.g., audience measurement codes (e.g., codes inserted to identify media, sometimes referred to as “ancillary codes”), signatures, etc.) associated with any media (e.g., video, audio, movies, music, still pictures, advertising, etc.) to which the monitored person 32 is exposed. For example, the PPM 30 may be configured to obtain codes (e.g., audio codes), generate or collect signatures, etc. that may be used to identify video programs (e.g., DVD movies, television programming, etc.), audio programs (e.g., CD audio, radio programming, etc.), and/or any other media. Using one or more media detection devices described above in connection with FIG. 2, the PPM 30 may collect media monitoring information associated with presented or delivered media to which the monitored person 32 may be exposed. Additionally, the PPM 30 may be configured to receive codes (e.g., audio codes and/or RF codes) associated with other forms of media such as, for example, billboards or any other form of publicly viewable advertising or media. For example, each billboard (e.g., the billboard 20) may include an audio broadcasting device and/or an RF broadcasting device such as, for example, the transceiver 22 of FIG. 1, configured to emit a billboard code that uniquely identifies that billboard. If the PPM 30 is proximate to a billboard, the PPM 30 may obtain the billboard code as media monitoring information, thereby indicating that the monitored person 32 was exposed to the billboard. In addition, the PPM 30 may be configured to obtain direction information via, for example, the compass 150, and log the direction in which the monitored person 32 is facing or traveling so that subsequent data analyses may determine if the monitored person 32 was likely facing the billboard.” Mello ’479 at [0060]–[0061]. “The reference media codes/signatures database 211 is configured to store advertisement identifiers in association with respective media representation information such as codes or signatures that are known to be


’296 Patent Claim Language	Exemplary Disclosures
	associated with, correspond to, or that otherwise identify those advertisements. For example, the reference media codes/signatures database 211 can store reference audio codes or signatures that identify respective audio advertisements, reference video codes, or signatures that identify respective video advertisements, and/or RF codes or signatures that identify respective advertisements (e.g., the billboard 20 of FIG. 1) having RF transmitters (e.g., the RF transmitter 22 of FIG. 1) that emit codes or unique RF signals. The data analyzer 208 can compare codes or signatures collected by the PPM's 30, 34, and 36 (FIG. 1) to the known codes or signatures in the reference media codes/signatures database 211 to determine audio, video, or other stationary advertisements to which the monitored persons 32, 38, and 40 were exposed. In addition, the data analyzer 208 can use the advertisement identifier information in the reference media codes/signatures database 211 in connection with the geo-coded advertisement database 210 to determine the locations at which the advertisements were presented. In the illustrated example, the data analyzer 208 can retrieve information from the database 72 to perform analyses and can store analysis results in the database 72 for subsequent retrieval by a metering entity or a business interested in receiving the analysis results. In the illustrated example, the database 72 includes a storefront and product geo-coded knowledgebase 212 and a consumer behavior knowledgebase 214. The storefront and product geo-coded knowledgebase 212 stores retail establishment identifiers and product/service identifiers in association with respective location identifiers indicative of the locations of those retail establishments and products/services. In some example implementations, the data analyzer 208 can retrieve the associated identifiers from the storefront and product geo-coded knowledgebase 212 to determine whether a user visited a particular retail establishment and/or purchased a product or service at a particular retail establishment. The storefront and product geo-coded knowledgebase 212 can be setup and configured by a metering entity (e.g., a metering business implementing the example methods and apparatus described herein) upon initial system setup to associate location identifiers with respective retail establishments and/or products/services. The knowledgebase 212 is maintained thereafter to keep location identifier associations up to date. In some example implementations, the storefront and product geo-coded knowledgebase 212 is updated based on data collected by the PPM 30. For example, purchase data stored by the PPM 30 in association with location information may include a retail establishment name or identifier that the storefront and product geo-coded knowledgebase 212 can use to update location identifier associations and/or add new location identifier associations.” Mello ’479 at [0076]–[0077]. “Alternatively, one or more destinations may be determined and the current geographic location information along with a proposed destination is routed to a routing program to obtain a path of travel. Next, a content result set is obtained that contains one or more elements selected based upon at least the likely course or area


’296 Patent Claim Language	Exemplary Disclosures
	of travel, specific destination, or specific destinations so that information pertaining to businesses along the course of travel are available to the user. Any number of these results are displayed on the mobile device at appropriate times (e.g., when the user is approaching a business location along a path, when a user is walking around a shopping area, when the user is driving along a highway, when the user performs a search for content or a business, when a user requests route guidance, not when the user is in a movie theater, not when the user is eating dinner, not when the user is at work, etc.).” Busch ’815 at [0280]. “ If the user is moving slowly, many elements of targeted content associated with the nearby area are sent to the mobile device or retrieved from the memory of the mobile device. If the user is moving faster (For purposes of illustration and without limitation, if they are in a car, on a motorcycle, on a high speed train, etc.) then targeted content associated with businesses in a wider area are sent to the user or retrieved from the memory of the mobile device. This allows the mobile device to display the most relevant content to the user of the mobile device while allowing the content to be displayed a sufficient amount of time so that the user is able to see and react to the content before the content is replaced with more relevant information based upon updated location information available to the mobile device.” Busch ’815 at [0363]. “In some forms of the invention, a user's favorite businesses and attractions are determined. For purposes of illustration and without limitation, these locations may be determined by analyzing the location information to determine the frequency with which the user of the mobile device visits particular businesses or particular types of businesses; the amount of time spent at the business location; by reference to positive or negative or numerical ratings the user associates with particular businesses or business types (such ratings can be entered via a menu on a mobile device or through an application or webpage associated with the user's profile). The ratings are positive or negative such as thumbs up and thumb down but may also be numerical such as a rating one through five.” Busch ’815 at [0364]. “For purposes of illustration and without limitation, information is sent to the mobile device containing points that correspond to locations where if the user is in proximity to the point, the mobile device takes an action, or manifests an intent to take an action. The action is displaying targeted content but it may also be responding with additional information, changing the behavior of the mobile device (e.g., location reporting frequency, content display settings, etc.), or any other action desired or combination of actions desired.” Busch ’815 at [0372]. “As such, in response to the request and a location of the user 74-1, the customized content delivery function 78 selects one or more advertisements for the user 74-1 in the manner discussed above.” Svendsen ’073 at 14:39–42.

’296 Patent Claim Language	Exemplary Disclosures
	“The selected advertisements may then be delivered to the user 74-1 in association with results of the Internet search request.” Svendsen ’073 at 14:42–44. *See also* Svendsen ’073 at 11:17–32. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
4[pre]. The method of claim 1, further comprising:	The following prior art expressly or inherently discloses and renders obvious “[t]he method of claim 1.” *See* claim 1 limitations above. *See* above at row 1[pre]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[4a] determining whether at least one of the plurality of sponsors is associated with a geographical representation lying at least partially within a predetermined radial distance of a target location;	The following prior art expressly or inherently discloses and renders obvious “determining whether at least one of the plurality of sponsors is associated with a geographical representation lying at least partially within a predetermined radial distance of a target location.” For example: “As will be discussed further below with respect to FIGS. 1 through 4, some embodiments of the present invention provide methods, servers and portable electronic devices for downloading applications from the server to the portable electronic device. The server is configured to store one or more applications, each having an associated region and duration. Portable electronic devices according to some embodiments of the



’296 Patent Claim Language	Exemplary Disclosures
	present invention may be associated with a unique device identifier. The portable electronic device may be configured to periodically obtain a current position of the portable electronic device and provide the current position and the unique device identifier to the server. If the portable electronic device is within a region associated with one of the stored applications, the server may determine if the unique identifier associated with the portable electronic device is also associated with the stored application for that region. If so, the server may download a link to the stored application to the portable electronic device so as to allow the portable electronic device to access the application while the portable electronic device is within the region and during the defined duration of the application as will be discussed further herein.” Andreasson ’890 at [0035]. “One or more application owners, for example, trade fair organizers or travel agents, register an application 122, 124 and 126 with and store an application 122, 124 and 126 on the server 110 as discussed above. Each application has an associated region 130 and duration, which is also stored on the server 110. The portable electronic device 140/240 includes a download control circuit 250 that is configured to periodically check the position of the portable electronic device 140/240 using an absolute positioning device, for example, a GPS receiver or Cell ID, or a relative positioning device such as discovery of Bluetooth devices and the like. The position data, for example, geographical coordinates, is sent to the system server 110 in addition to a unique device identifier associated with the portable electronic device 140/240. The server 110 then determines if the portable electronic device 140/240 has entered a new region or a new region has been registered where the portable electronic device 140/240 is located. The periodical check of the position of the portable electronic device 140/240 may be quite frequent while the actual transmitting of position data to the server 110 may be less frequent. For example, the portable electronic device 140/240 can determine that a small position change is reported only once during a longer time period, for example, a day or an hour, while a larger position change is reported directly. The user of the portable electronic device 140/240 may also manually issue a position check and report without departing from the scope of the present invention.” Andreasson ’890 at [0056]. “When the duration of the application elapses, the application is uninstalled and removed from the portable electronic device 140/240. In some embodiments of the present invention, when one application is uninstalled, the portable electronic device 140/240 may be configured to provide a current position to the server 110 to determine if a new application is available for the region 130.” Andreasson ’890 at [0059]. *See also* Andreasson ’890 at [0040], [0046], [0053], and [0057]–[0058].


’296 Patent Claim Language	Exemplary Disclosures
	“The R/W device 16 performs short-range communication with the cellular phone 12-1. Standards of protocol used in short-range communication include, for example, NFC (Near Field Communication), ISO/IEC 14443, Bluetooth, UWB (Ultra Wide Band), and IEEE802.11b. A method of the short-range communication in the present embodiment may be a contact method, or a non-contact method. The R/W device 16 is installed at a shop and other places.” Kinoshita ’866 at [0039]. “The service device 14 selects advertisement videos and digital content data to be transferred to the cellular phone 12 based upon the attribute data and the list of advertisement videos and digital content data received in the step ST24. Specifically, the processing circuit 69 of the service device 14, based upon the attribute data received from the cellular phone 12-1, makes a list satisfying preferences of the user carrying the cellular phone 12-1 by searching the list of the advertisement videos and digital content data that are stored in the memory 68. Then, from the list made in this step, the processing circuit 69 selects advertisement videos and digital content data that are not found in the list received from the cellular phone 12-1.” Kinoshita ’866 at [0106]. “A community search can be broadened or narrowed depending on user requirements. The broadest spectrum is the entire community (city), a middle spectrum is a user's own community (frequent contacts), and the narrowest is associated with the specific user or that user's saved bookmarks. The user is able to go back and forth from narrowest to broadest search and additionally can search any spectrum between the narrowest and broadest. It is also possible for the user to request a search for, or based upon such user's contact(s), those contacts' contact(s), or those contacts' contacts' contact(s), etc. in an ever expanding and/or distant range of contacts away from the user.” Smith ’558 at [0137]. “The present invention is to store a content list that stores at least one pair of content related to a position and the position in relation to the content, determine a content acquisition region to acquire the content based on a current position, select content in relation to a position associated with the determined content acquisition region from the content list, acquire part of the selected content in advance, determine whether remaining part of the selected content will be referred to based on a position subsequent to the part of the selected content being acquired, thereby determining whether or not to acquire the remaining part of the selected content, and when determining to acquire the remaining part of the selected content, acquire the remaining part of the selected content.” Sato ’965 at Abstract.



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 8 Sato ’965 at Fig. 8.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG.19 Sato ’965 at Fig. 19. “The radius of content data acquisition region 501 may be increased corresponding to the moving speed of mobile unit 143. In this case, content data acquisition region 501 is determined based on the moving speed of mobile unit 143 and the position of mobile unit 143.” Sato ’965 at [0126]. “Content data acquisition region 501 as shown in FIG. 10 is an oval region extending in the direction in which mobile unit 143 travels. In other words, content data acquisition region 501 as shown in FIG. 10 is determined based on the traveling direction of mobile unit 143 and the moving speed of mobile unit 143.” Sato ’965 at [0129]. “Sizes of content data acquisition regions 501 as shown in FIGS. 7 to 10 may have a constant value always, or may be varied corresponding to the speed of mobile unit 143.” Sato ’965 at [0131]. “Further, the size of content data acquisition region 501 may be determined to keep the number of items of content data (candidates for content data to acquire) with content positions included in content data acquisition region 501 less than a predetermined limit value.” Sato ’965 at [0132]. *See also* Sato ’965 at Fig. 6 and Fig. 24.

H2 Intellect - Exhibit 2010
Home Depot v. H2 Intellect - IPR2025-00480
Page 3778 of 5585




’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 4 Ahn ’281 at Fig. 4.  FIG. 6 Ahn ’281 at Fig. 6.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 7A Ahn ’281 at Fig. 7A.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 7B Ahn ’281 at Fig, 7B.  FIG. 8A Ahn ’281 at Fig. 8A.

H2 Intellect - Exhibit 2010
Home Depot v. H2 Intellect - IPR2025-00480
Page 3781 of 5585

’296 Patent Claim Language	Exemplary Disclosures
	“Systems and methods are described below for managing geographically referenced data (GRD). The systems and methods, collectively referred to herein as geographic information knowledge (GIK) systems, are configured to receive a search request that includes a defined search area. An extended map is provided based on the search request. The extended map includes geographic areas within the defined search area and outside the defined search area. The systems and methods provide the GRD, which includes advertisements, contact information, review information for one or more entities, and the like. Map reference information of the GRD is provided on the extended map.” Ahn ’281 at [0024]. “The extended map is generally bigger or wider than the area requested by the user. In one embodiment, the size of the extended search area may depend on one or more attributes, such as: (a) whether the requested area is a commuting area, for example, surveys may indicate that most people in Los Angeles would not mind driving another ten minutes to seek a better restaurant, (b) the number of advertisers that are outside of the user search area, (c) the usual miles people would drive within the area, (d) the scarcity of establishments requested by the user within the search area, (e) the data communication speed between the client device 110 and the map manager 102, and (f) the type of user client device, e.g., wireless. Map updates may also pertain to additional extended map area, for example, if the user is scrolling or searching already within the edge of the requested search area, it is feasible that the user may next request an area particularly outside of the extended area already available. Thus, incremental updates of extended areas may also be provided.” Ahn ’281 at [0052]. “In addition to the extended map sent back to the user, map-advertising information is also sent back in accordance with an embodiment of the invention. The map-advertising information is a set of information that generally is used by the local map handler 302 to decide which set of advertisements is presented to the user.” Ahn ’281 at [0055]. *See also* Ahn ’281 at Abstract, [0062], [0071], [0077], [0078], [0185], [0196], and [0205].

’296 Patent Claim Language	Exemplary Disclosures
	 Fig. 5 Begum ’880 at Fig. 5.  Fig. 6 Begum ’880 at Fig. 6.  Fig. 7 Begum ’880 at Fig. 7.

’296 Patent Claim Language	Exemplary Disclosures
	 Fig. 8 Begum ’880 at Fig. 8. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22. “Since the point of purchase promotion is most effective when the customer is at ground zero, that is, proximate the shelf location of the promoted item, the graphic must be transmitted, received and formatted for display in the brief time that the shopper is strolling past the promoted item.” Begum ’880 at 4:33–38. “The infrared or radio frequency receiver in the handle, used for an alarm when the cart or handle leaves a prescribed area, also be used to receive an advertisement signal by appropriate programming as described.” Begum ’880 at 4:59–63. “Certain features are also beneficial to the user who has an opportunity to voluntarily scroll through the promotional items to determine if there is anything of particular interest. ” Begum ’880 at 5:5–7. “To conserve power in the transceiver unit 65, the transceiver unit includes a proximity sensor 69 that detects the presence of a shopping cart within range and initiates transmission of the trigger and data signals to the unit 12 on the cart handle. The transceiver unit 65 also includes an RF receiver 71 to receive FM radio frequency transmissions from the central control” Begum ’880 at 9:1–7. “Each transceiver unit 65 can have a separate identification such that data transmitted from the control unit 67 is transmitted store wide but is processed and stored only by the transceiver unit to which the data is intended.” Begum ’880 at 9:8–11.


’296 Patent Claim Language	Exemplary Disclosures
	“The data signal is a digital signal that includes both the product control signals and the screen graphic signal. The product control signals include data about the promotion that is not in the screen graphic and that does not appear on the display screen 24 of the display unit 12. This data may include the universal product identification number, the date or iteration number of the promotional graphic, and, the identification number of the transceiver unit, which is useful in tracking the path of a shopper through the market area. The screen graphic signal contains the digitized data that is received by the display unit 12 and formatted for display on the display screen. For example, a compressed screen graphic signal must be decompressed by the central processor before it is relayed to the LCD controller and driver 72. ” Begum ’880 at 9:16–29. “The digitized screen graphic is stored in a file in the memory of the transceiver unit 65, and is periodically updated or replaced by transmissions from the control unit 67.” Begum ’880 at 9:52–55. “To assist a user in locating items, the generic names are listed with an aisle directory listing for each category as shown in FIG. 8. In one embodiment of operation, an updatable series of advertisements, particularly select sales items for which the product producers or distributors have paid advertisement fees to the system operator, is retained in memory. Periodically, during a state of activation of the display device when the shopper is not using the display unit, the display screen is activated for a set time, for example ten seconds, and a select product advertisement is displayed as shown in FIG. 9. Preferably, the advertisement contains a sale price, as shoppers prefer not to refer to simple product name advertisements. To alert the shopper that a promotional message is being displayed, a cue signal, such as a pleasant chime, light or handle vibration is generated at the beginning of the message. The cue signal is also generated when the promotional message is activated by the transceiver units 65 located proximate the promoted product.” Begum ’880 at 10:52–11:3. *See also* Begum ’880 at 5:65–6:4, 6:5–13, 8:36–47, 9:56–65, 9:66–10:15, 10:16–31, and 10:41–51. “Significant benefit is provided by a content targeting methods and systems usable with mobile devices that provide feedback to the advertisers—especially those advertisers that have brick and mortar businesses—to help them judge the effectiveness of their targeted content. The effectiveness of a business' advertising effort may be measured by determining with regard to a user of a device that has received targeted content one or more of: whether the user visits a business location of a content producer after their content has been delivered to the device; the time spent at the location; and, how much money was spent at the business by that user (especially in the case where the user pays through an online payment service utilizing the mobile device).” Busch ’815 at [0008].


’296 Patent Claim Language	Exemplary Disclosures
	“Alternatively, one or more destinations may be determined and the current geographic location information along with a proposed destination is routed to a routing program to obtain a path of travel. Next, a content result set is obtained that contains one or more elements selected based upon at least the likely course or area of travel, specific destination, or specific destinations so that information pertaining to businesses along the course of travel are available to the user. Any number of these results are displayed on the mobile device at appropriate times (e.g., when the user is approaching a business location along a path, when a user is walking around a shopping area, when the user is driving along a highway, when the user performs a search for content or a business, when a user requests route guidance, not when the user is in a movie theater, not when the user is eating dinner, not when the user is at work, etc.).” Busch ’815 at [0280]. “ If the user is moving slowly, many elements of targeted content associated with the nearby area are sent to the mobile device or retrieved from the memory of the mobile device. If the user is moving faster (For purposes of illustration and without limitation, if they are in a car, on a motorcycle, on a high speed train, etc.) then targeted content associated with businesses in a wider area are sent to the user or retrieved from the memory of the mobile device. This allows the mobile device to display the most relevant content to the user of the mobile device while allowing the content to be displayed a sufficient amount of time so that the user is able to see and react to the content before the content is replaced with more relevant information based upon updated location information available to the mobile device.” Busch ’815 at [0363]. “A next geographic shape for the advertiser is then obtained from the account of the advertiser (step 206). For the first iteration, the next geographic shape is the first geographic shape for the advertiser. Next, a determination is made as to whether the requestor is located within the geographic shape or, more specifically, the geographic area selected by the geographic shape (step 208). If not, the process proceeds to step 218. Otherwise, a next keyword assigned to the geographic shape is obtained from the account of the advertiser (step 210). For the first iteration, the next keyword is the first keyword. Then, a determination is made as to whether the keyword is new or has a higher z-order than another instance of the keyword already included in the aggregate list of keywords for the advertiser (step 212).” Svendsen ’073 at 6:30–43. “At this point whether proceeding from step 212 or step 214, a determination is made as to whether there are more keywords assigned to the geographic shape (step 216). If so, steps 210 through 216 are repeated until all of the keywords assigned to the geographic shape have been processed. Once all of the keywords for the geographic shape have been processed, a determination is made as to whether there are more geographic shapes for the advertiser (step 218). If so, steps 206 through 218 are repeated until all of the geographic shapes for the advertiser have been processed. At that point, a bid for the advertiser is calculated based on the



’296 Patent Claim Language	Exemplary Disclosures
	aggregate list of keywords for the advertiser generated in steps 206 through 218 (step 220).” Svendsen ’073 at 7:12–24. “First, a next geographic shape for the content provider is obtained (step 300). For the first iteration, the next geographic shape is the first geographic shape for the content provider. A determination is then made as to whether the requestor is located within the geographic shape or, more specifically, the geographic area selected by the geographic shape (step 302). If not, the process proceeds to step 312. ” Svendsen ’073 at 9:3–9. “FIG. 7B illustrates a circle 66 selecting a corresponding geographic area. In addition, in this embodiment, a damping factor is associated with the circle 66. Alternatively, a separate damping factor may be assigned to each keyword associated with the circle 66. The damping factor operates to reduce the weights assigned to the keywords associated with the circle 66 as a function of a distance of a requestor located outside of the circle 66 from the circle 66. Thus, if a request is received from a requestor located inside the circle 66, the weights assigned to the keywords are unchanged. However, if a request is received from a requestor located outside of the circle 66, then the weights assigned to the keywords are reduced as a function of the distance of the requestor from the circle 66. The damping factor effectively enlarges the geographic area selected by the circle 66 to include an additional geographic area defined by a distance (d) from the circle 66. The distance (d) is indirectly defined by the damping factor.” Svendsen ’073 at 10:51–67. “FIG. 9 illustrates a process for recommending changes or alterations to a geographic shape defined by a content provider. This process may be utilized in combination with the process of FIG. 1, as a standalone process, or as part of a process other than that shown in FIG. 1. Note that this example focuses on an advertiser. However, the process is not limited thereto and may also be used or other types of content providers. First, user input is received from an advertiser defining a geographic shape selecting a geographic area desired by the advertiser (step 500). In addition, user input is received from the advertiser defining one or more criteria identifying target users for an advertisement campaign of the advertiser (step 502). The one or more criteria may be, for example, demographic criteria such as, but not limited to, an income level, age or age range, gender, or the like. In addition or alternatively, the one or more criteria may include one or more media preferences of target users (e.g., preferred music genres, preferred music artists, etc.), one or more items recently purchased, one or more websites recently visited, or the like. Note that the exemplary criteria given above for identifying target users is not intended to limit the scope of the present invention. Any other criteria for identifying target users may be used.” Svendsen ’073 at 11:64–12:19.


’296 Patent Claim Language	Exemplary Disclosures
	“Then, a revised geographic shape selecting a revised geographic area associated with users better satisfying the one or more criteria identifying target users is generated and recommended to the content provider (step 504). The content provider can then choose to reject or accept the revised geographic shape. ” Svendsen ’073 at 12:20–25. “For example, if 10% of the target users in the geographic area selected by the revised geographic shape frequently visit another geographic area, another geographic shape selecting that other geographic area may be recommended to the content provider as illustrated in FIG. 10D. The content provider may then choose to accept or reject the recommendation.” Svendsen ’073 at 13:17–23. “As a final example, a content provider may define a geographic shape such that the boundaries of the geographic shape vary based on time or in response to triggering events. More specifically, the boundaries of the geographic shape may vary based on time of day, day of the week, month of the year, or the like.” Svendsen ’073 at 16:27–32. *See also* Svendsen ’073 at Fig. 9. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[4b] in response to a negative determination, increasing the predetermined radial distance.	The following prior art expressly or inherently discloses and renders obvious “in response to a negative determination, increasing the predetermined radial distance.” For example: “One or more application owners, for example, trade fair organizers or travel agents, register an application 122, 124 and 126 with and store an application 122, 124 and 126 on the server 110 as discussed above. Each application has an associated region 130 and duration, which is also stored on the server 110. The portable electronic device 140/240 includes a download control circuit 250 that is configured to periodically check the position of the portable electronic device 140/240 using an absolute positioning device, for example, a GPS receiver or Cell ID, or a relative positioning device such as discovery of Bluetooth devices and the like. The position data, for example, geographical coordinates, is sent to the system server 110 in addition to a unique



’296 Patent Claim Language	Exemplary Disclosures
	device identifier associated with the portable electronic device 140/240. The server 110 then determines if the portable electronic device 140/240 has entered a new region or a new region has been registered where the portable electronic device 140/240 is located. The periodical check of the position of the portable electronic device 140/240 may be quite frequent while the actual transmitting of position data to the server 110 may be less frequent. For example, the portable electronic device 140/240 can determine that a small position change is reported only once during a longer time period, for example, a day or an hour, while a larger position change is reported directly. The user of the portable electronic device 140/240 may also manually issue a position check and report without departing from the scope of the present invention.” Andreasson ’890 at [0056]. “When the duration of the application elapses, the application is uninstalled and removed from the portable electronic device 140/240. In some embodiments of the present invention, when one application is uninstalled, the portable electronic device 140/240 may be configured to provide a current position to the server 110 to determine if a new application is available for the region 130.” Andreasson ’890 at [0059]. *See also* Andreasson ’890 at [0040], [0046], [0053], and [0057]–[0058]. “The service device 14 selects advertisement videos and digital content data to be transferred to the cellular phone 12 based upon the attribute data and the list of advertisement videos and digital content data received in the step ST24. Specifically, the processing circuit 69 of the service device 14, based upon the attribute data received from the cellular phone 12-1, makes a list satisfying preferences of the user carrying the cellular phone 12-1 by searching the list of the advertisement videos and digital content data that are stored in the memory 68. Then, from the list made in this step, the processing circuit 69 selects advertisement videos and digital content data that are not found in the list received from the cellular phone 12-1.” Kinoshita ’866 at [0106]. “A community search can be broadened or narrowed depending on user requirements. The broadest spectrum is the entire community (city), a middle spectrum is a user's own community (frequent contacts), and the narrowest is associated with the specific user or that user's saved bookmarks. The user is able to go back and forth from narrowest to broadest search and additionally can search any spectrum between the narrowest and broadest. It is also possible for the user to request a search for, or based upon such user's contact(s), those contacts' contact(s), or those contacts' contacts' contact(s), etc. in an ever expanding and/or distant range of contacts away from the user.” Smith ’558 at [0137]. “The present invention is to store a content list that stores at least one pair of content related to a position and the position in relation to the content, determine a content acquisition region to acquire the content based on a

’296 Patent Claim Language	Exemplary Disclosures
	current position, select content in relation to a position associated with the determined content acquisition region from the content list, acquire part of the selected content in advance, determine whether remaining part of the selected content will be referred to based on a position subsequent to the part of the selected content being acquired, thereby determining whether or not to acquire the remaining part of the selected content, and when determining to acquire the remaining part of the selected content, acquire the remaining part of the selected content.” Sato ’965 at Abstract.  FIG. 8 Sato ’965 at Fig. 8.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG.19 Sato ’965 at Fig. 19. “The radius of content data acquisition region 501 may be increased corresponding to the moving speed of mobile unit 143. In this case, content data acquisition region 501 is determined based on the moving speed of mobile unit 143 and the position of mobile unit 143.” Sato ’965 at [0126]. “Content data acquisition region 501 as shown in FIG. 10 is an oval region extending in the direction in which mobile unit 143 travels. In other words, content data acquisition region 501 as shown in FIG. 10 is determined based on the traveling direction of mobile unit 143 and the moving speed of mobile unit 143.” Sato ’965 at [0129]. “Sizes of content data acquisition regions 501 as shown in FIGS. 7 to 10 may have a constant value always, or may be varied corresponding to the speed of mobile unit 143.” Sato ’965 at [0131]. “Further, the size of content data acquisition region 501 may be determined to keep the number of items of content data (candidates for content data to acquire) with content positions included in content data acquisition region 501 less than a predetermined limit value.” Sato ’965 at [0132]. *See also* Sato ’965 at Fig. 6 and Fig. 24.




’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 4 Ahn ’281 at Fig. 4.  FIG. 6 Ahn ’281 at Fig. 6.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 7A Ahn ’281 at Fig. 7A.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 7B Ahn ’281 at Fig, 7B.  FIG. 8A Ahn ’281 at Fig. 8A.

H2 Intellect - Exhibit 2010
Home Depot v. H2 Intellect - IPR2025-00480
Page 3794 of 5585

’296 Patent Claim Language	Exemplary Disclosures
	“Systems and methods are described below for managing geographically referenced data (GRD). The systems and methods, collectively referred to herein as geographic information knowledge (GIK) systems, are configured to receive a search request that includes a defined search area. An extended map is provided based on the search request. The extended map includes geographic areas within the defined search area and outside the defined search area. The systems and methods provide the GRD, which includes advertisements, contact information, review information for one or more entities, and the like. Map reference information of the GRD is provided on the extended map.” Ahn ’281 at [0024]. “The extended map is generally bigger or wider than the area requested by the user. In one embodiment, the size of the extended search area may depend on one or more attributes, such as: (a) whether the requested area is a commuting area, for example, surveys may indicate that most people in Los Angeles would not mind driving another ten minutes to seek a better restaurant, (b) the number of advertisers that are outside of the user search area, (c) the usual miles people would drive within the area, (d) the scarcity of establishments requested by the user within the search area, (e) the data communication speed between the client device 110 and the map manager 102, and (f) the type of user client device, e.g., wireless. Map updates may also pertain to additional extended map area, for example, if the user is scrolling or searching already within the edge of the requested search area, it is feasible that the user may next request an area particularly outside of the extended area already available. Thus, incremental updates of extended areas may also be provided.” Ahn ’281 at [0052]. “In addition to the extended map sent back to the user, map-advertising information is also sent back in accordance with an embodiment of the invention. The map-advertising information is a set of information that generally is used by the local map handler 302 to decide which set of advertisements is presented to the user.” Ahn ’281 at [0055]. *See also* Ahn ’281 at Abstract, [0062], [0071], [0185], [0196], and [0205].

’296 Patent Claim Language	Exemplary Disclosures
	 Fig. 5 Begum ’880 at Fig. 5.  Fig. 6 Begum ’880 at Fig. 6.  Fig. 7 Begum ’880 at Fig. 7.



’296 Patent Claim Language	Exemplary Disclosures
	 Fig. 8 Begum ’880 at Fig. 8. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22. “Certain features are also beneficial to the user who has an opportunity to voluntarily scroll through the promotional items to determine if there is anything of particular interest. ” Begum ’880 at 5:5–7. “Each transceiver unit 65 can have a separate identification such that data transmitted from the control unit 67 is transmitted store wide but is processed and stored only by the transceiver unit to which the data is intended.” Begum ’880 at 9:8–11. “The digitized screen graphic is stored in a file in the memory of the transceiver unit 65, and is periodically updated or replaced by transmissions from the control unit 67.” Begum ’880 at 9:52–55. “The random access memory (RAM) 74 and read only memory (ROM) 76 store the systems operations data and reprogrammable user data for displaying store directory and product information in the display screen 24.” Begum ’880 at 10:32–35. “To assist a user in locating items, the generic names are listed with an aisle directory listing for each category as shown in FIG. 8. In one embodiment of operation, an updatable series of advertisements, particularly select sales items for which the product producers or distributors have paid advertisement fees to the system operator, is retained in memory. Periodically, during a state of activation of the display device when the shopper is not using the display unit, the display screen is activated for a set time, for example ten

’296 Patent Claim Language	Exemplary Disclosures
	seconds, and a select product advertisement is displayed as shown in FIG. 9. Preferably, the advertisement contains a sale price, as shoppers prefer not to refer to simple product name advertisements. To alert the shopper that a promotional message is being displayed, a cue signal, such as a pleasant chime, light or handle vibration is generated at the beginning of the message. The cue signal is also generated when the promotional message is activated by the transceiver units 65 located proximate the promoted product.” Begum ’880 at 10:52–11:3. *See also* Begum ’880 at 5:65–6:4, 6:5–13, 8:36–47, 9:16–29, 9:56–65, and 10:41–51. “Alternatively, one or more destinations may be determined and the current geographic location information along with a proposed destination is routed to a routing program to obtain a path of travel. Next, a content result set is obtained that contains one or more elements selected based upon at least the likely course or area of travel, specific destination, or specific destinations so that information pertaining to businesses along the course of travel are available to the user. Any number of these results are displayed on the mobile device at appropriate times (e.g., when the user is approaching a business location along a path, when a user is walking around a shopping area, when the user is driving along a highway, when the user performs a search for content or a business, when a user requests route guidance, not when the user is in a movie theater, not when the user is eating dinner, not when the user is at work, etc.).” Busch ’815 at [0280]. “ If the user is moving slowly, many elements of targeted content associated with the nearby area are sent to the mobile device or retrieved from the memory of the mobile device. If the user is moving faster (For purposes of illustration and without limitation, if they are in a car, on a motorcycle, on a high speed train, etc.) then targeted content associated with businesses in a wider area are sent to the user or retrieved from the memory of the mobile device. This allows the mobile device to display the most relevant content to the user of the mobile device while allowing the content to be displayed a sufficient amount of time so that the user is able to see and react to the content before the content is replaced with more relevant information based upon updated location information available to the mobile device.” Busch ’815 at [0363]. “The system may expand the geographic area of targeted content associated with the user based on the numbers the user dials. For purposes of illustration and without limitation, if the user dials a phone number of a business off the path of the user's typical travels, results for other businesses in that area are weighed more so than it would have prior to the user calling the business in the new area.” Busch ’815 at [0408]. “A next geographic shape for the advertiser is then obtained from the account of the advertiser (step 206). For the first iteration, the next geographic shape is the first geographic shape for the advertiser. Next, a determination is made as to whether the requestor is located within the geographic shape or, more

’296 Patent Claim Language	Exemplary Disclosures
	specifically, the geographic area selected by the geographic shape (step 208). If not, the process proceeds to step 218. Otherwise, a next keyword assigned to the geographic shape is obtained from the account of the advertiser (step 210). For the first iteration, the next keyword is the first keyword. Then, a determination is made as to whether the keyword is new or has a higher z-order than another instance of the keyword already included in the aggregate list of keywords for the advertiser (step 212).” Svendsen ’073 at 6:30–43. “At this point whether proceeding from step 212 or step 214, a determination is made as to whether there are more keywords assigned to the geographic shape (step 216). If so, steps 210 through 216 are repeated until all of the keywords assigned to the geographic shape have been processed. Once all of the keywords for the geographic shape have been processed, a determination is made as to whether there are more geographic shapes for the advertiser (step 218). If so, steps 206 through 218 are repeated until all of the geographic shapes for the advertiser have been processed. At that point, a bid for the advertiser is calculated based on the aggregate list of keywords for the advertiser generated in steps 206 through 218 (step 220).” Svendsen ’073 at 7:12–24. “First, a next geographic shape for the content provider is obtained (step 300). For the first iteration, the next geographic shape is the first geographic shape for the content provider. A determination is then made as to whether the requestor is located within the geographic shape or, more specifically, the geographic area selected by the geographic shape (step 302). If not, the process proceeds to step 312. ” Svendsen ’073 at 9:3–9. “FIG. 7B illustrates a circle 66 selecting a corresponding geographic area. In addition, in this embodiment, a damping factor is associated with the circle 66. Alternatively, a separate damping factor may be assigned to each keyword associated with the circle 66. The damping factor operates to reduce the weights assigned to the keywords associated with the circle 66 as a function of a distance of a requestor located outside of the circle 66 from the circle 66. Thus, if a request is received from a requestor located inside the circle 66, the weights assigned to the keywords are unchanged. However, if a request is received from a requestor located outside of the circle 66, then the weights assigned to the keywords are reduced as a function of the distance of the requestor from the circle 66. The damping factor effectively enlarges the geographic area selected by the circle 66 to include an additional geographic area defined by a distance (d) from the circle 66. The distance (d) is indirectly defined by the damping factor.” Svendsen ’073 at 10:51–67. “FIG. 9 illustrates a process for recommending changes or alterations to a geographic shape defined by a content provider. This process may be utilized in combination with the process of FIG. 1, as a standalone process, or as part of a process other than that shown in FIG. 1. Note that this example focuses on an

’296 Patent Claim Language	Exemplary Disclosures
	advertiser. However, the process is not limited thereto and may also be used or other types of content providers. First, user input is received from an advertiser defining a geographic shape selecting a geographic area desired by the advertiser (step 500). In addition, user input is received from the advertiser defining one or more criteria identifying target users for an advertisement campaign of the advertiser (step 502). The one or more criteria may be, for example, demographic criteria such as, but not limited to, an income level, age or age range, gender, or the like. In addition or alternatively, the one or more criteria may include one or more media preferences of target users (e.g., preferred music genres, preferred music artists, etc.), one or more items recently purchased, one or more websites recently visited, or the like. Note that the exemplary criteria given above for identifying target users is not intended to limit the scope of the present invention. Any other criteria for identifying target users may be used.” Svendsen ’073 at 11:64–12:19. “Then, a revised geographic shape selecting a revised geographic area associated with users better satisfying the one or more criteria identifying target users is generated and recommended to the content provider (step 504). The content provider can then choose to reject or accept the revised geographic shape. ” Svendsen ’073 at 12:20–25. “For example, if 10% of the target users in the geographic area selected by the revised geographic shape frequently visit another geographic area, another geographic shape selecting that other geographic area may be recommended to the content provider as illustrated in FIG. 10D. The content provider may then choose to accept or reject the recommendation.” Svendsen ’073 at 13:17–23. “As a final example, a content provider may define a geographic shape such that the boundaries of the geographic shape vary based on time or in response to triggering events. More specifically, the boundaries of the geographic shape may vary based on time of day, day of the week, month of the year, or the like.” Svendsen ’073 at 16:27–32. *See also* Svendsen ’073 at Fig. 9. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.


’296 Patent Claim Language	Exemplary Disclosures
5[pre]. The method of claim 1, further comprising:	The following prior art expressly or inherently discloses and renders obvious “[t]he method of claim 1.” *See* claim 1 limitations above. *See* above at row 1[pre].
[5a] reserving a specific one of the plurality of geographic areas for exclusive delivery of content associated with a particular one of the plurality of sponsors to registered application programs and having a target location contained within the specific one of the plurality of geographic areas.	The following prior art expressly or inherently discloses and renders obvious “reserving a specific one of the plurality of geographic areas for exclusive delivery of content associated with a particular one of the plurality of sponsors to registered application programs and having a target location contained within the specific one of the plurality of geographic areas.” For example: *See also* Andreasson ’890 at [0038], [0046], [0056], and [0057]–[0058]. “The processing circuit 59 of the cellular phone 12-1 displays the default advertisement video on the display 54 until the processing circuit 59 completes the reception of advertisement videos from the service device 14.” Kinoshita ’866 at [0111]. “During this registration process, the processing circuit 59 of the cellular phone 12-1 reads out the advertisement video from the memory 58 and plays it on the display 54.” Kinoshita ’866 at [0119]. “Further, in accordance with the communication system 1 of the present invention, while the cellular phone 12-1 is receiving advertisement videos from the service device 14, the cellular phone 12-1 displays a default advertisement video received from the Web server 24 previously. Therefore a period of no displaying advertisement video can be shrunk. Further, when the cellular phone 12-1 starts to communicate with the service device 14, the above default advertisement video is always displayed. This means that the default advertisement video is highly effective.” Kinoshita ’866 at [0136]. *See also* Kinoshita ’866 at [0115]. “Choosing the advertisement at 3704 can also include receiving from a multitude of advertisers a request to advertise in a particular geographic area. A determination is made as to which advertiser has priority in the particular geographic area.” Smith ’558 at [0245]. *See also* Sato ’965 at Fig. 3, Fig. 4, Fig. 5, and Fig. 26. “In one embodiment, advertisers also interface with the map manager to define and subscribe, e.g., bid or purchase, advertising schemes. ” Ahn ’281 at [0097].

’296 Patent Claim Language	Exemplary Disclosures
	“The method of an embodiment includes providing the advertisements under one or more of an advertisement purchase and an advertisement auction.” Ahn ’281 at [0184]. *See also* Ahn ’281 at Fig. 11D and Fig. 13.  Fig. 5 Begum ’880 at Fig. 5.  Fig. 9 Begum ’880 at Fig. 9. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22.


’296 Patent Claim Language	Exemplary Disclosures
	“Since the point of purchase promotion is most effective when the customer is at ground zero, that is, proximate the shelf location of the promoted item, the graphic must be transmitted, received and formatted for display in the brief time that the shopper is strolling past the promoted item.” Begum ’880 at 4:33–38. “The display device 12 also includes a radiation window 34 centrally located above display screen 24. The radiation window includes multiple cells 36, which may comprise receivers for receiving microwave, infrared or other air propagated radiation energy for power supplementation or for reception of external data or control signals transmitted by microwave, infrared or radio signals. For example, in the device of FIG. 2, end cells 36a are utilized for receiving trigger signals emitted from signal transmitters positioned at strategic locations at the perimeter of a shopping establishment to trigger an alarm on the cart and at a central monitoring station in the establishment. Also, the cells 36a may be used to receive trigger or message signals from transmitters positioned strategically along each side of grocery aisles. These signals activate display of select promotional advertisements on the display screen as described in the referenced patent. The cells 36a are preferably used to receive digital message signals from the strategically positioned transmitters as described in greater detail with reference to the operation of the preferred embodiments.” Begum ’880 at 6:18–37. “Customarily, each store would have a single control unit 67 that is the central computer for management of the stores inventory and accounting. The control unit 67 communicates with a plurality of transceiver units 65 located throughout the marketing area. Preferably, to minimize installation expenses and allow the plurality of transceiver units 65 to be repositioned in the marketing area as desired, each transceiver unit 65 is in wireless communication with the control unit 67 and has its own power supply. Essentially, the transceiver unit 65 includes the same electronic components as the display unit 12 which allows for independent processing of data and independent communication with a display unit 12 on a nearby shopping cart. ” Begum ’880 at 8:56–9:1. “To conserve power in the transceiver unit 65, the transceiver unit includes a proximity sensor 69 that detects the presence of a shopping cart within range and initiates transmission of the trigger and data signals to the unit 12 on the cart handle. The transceiver unit 65 also includes an RF receiver 71 to receive FM radio frequency transmissions from the central control” Begum ’880 at 9:1–7. “Each transceiver unit 65 can have a separate identification such that data transmitted from the control unit 67 is transmitted store wide but is processed and stored only by the transceiver unit to which the data is intended.” Begum ’880 at 9:8–11.



’296 Patent Claim Language	Exemplary Disclosures
	“In the preferred embodiment, the transceiver unit 65 upon detection of a proximately located shopping cart transmits a trigger signal to wake-up the display unit on the shopping cart if not already in an activated state, then sends the data signal.” Begum ’880 at 9:12–16. “The data signal is a digital signal that includes both the product control signals and the screen graphic signal. The product control signals include data about the promotion that is not in the screen graphic and that does not appear on the display screen 24 of the display unit 12. This data may include the universal product identification number, the date or iteration number of the promotional graphic, and, the identification number of the transceiver unit, which is useful in tracking the path of a shopper through the market area. The screen graphic signal contains the digitized data that is received by the display unit 12 and formatted for display on the display screen. For example, a compressed screen graphic signal must be decompressed by the central processor before it is relayed to the LCD controller and driver 72. ” Begum ’880 at 9:16–29. “The screen graphic is preferably promotional information that is related to the promotional item located proximate the transceiver unit that is transmitting the screen graphic signal. A typical screen graphic displayed in the display screen 24 is shown in FIG. 9.” Begum ’880 at 9:46–51. “The digitized screen graphic is stored in a file in the memory of the transceiver unit 65, and is periodically updated or replaced by transmissions from the control unit 67.” Begum ’880 at 9:52–55. “With the display unit 12 awakened, the data signals are processed by the central processor 58 and the data relating to the screen graphic is compared with existing promotional screen graphics stored in RAM 74. The comparison of digitized screen graphics may be accomplished with a rapid checksum procedure. If a match is found, the screen graphic data is passed from a temporary storage buffer in the central processor 58 to the LCD driver 72 for display on the display screen 24. In the event that there is no match, the processor 58 processes the formatted screen data to the LCD driver 72 for display on the display screen 24 and contemporaneously passes the screen graphic display data together with the accompanying product control data to RAM 74. The screen graphic data and product control data are stored in memory for future comparison with received screen display signals or retrieval by a shopper reviewing the file of product promotions.” Begum ’880 at 9:66–10:15. “The product control signals may be utilized in this compare process for rapidly locating the presence or absence of a particular promotional screen graphic in memory and initiating display of either the screen graphic in memory or the screen graphic formatted from the screen graphic signal transmitted by the transceiver unit 65. In this manner, the shopping carts that are in use, are continually updated as they pass a transceiver unit 65, such that even if an outdated ad is stored in memory, the updated ad will be presented


’296 Patent Claim Language	Exemplary Disclosures
	once the shopper has arrived at the location of the promoted item. Although this system has the minor drawback of potentially storing an outdated promotional graphic in memory that is accessible by a shopper during review of the product promotion file using the display unit in an interactive mode, the system is self-correcting at the promoted product location.” Begum ’880 at 10:16–31. *See also* Begum ’880 at 1:60–2:5, 5:65–6:4, 8:36–47, 9:56–65, and 10:52–11:3. “In the preferred embodiment, the communication units are primarily portable and communicate with the coupon interface modules via wireless data transmissions. Furthermore, the discount coupons are preferably activated when the shopper is in the market area proximate the location of the discounted items. In this situation, a local message sending unit proximate the location of the item activates the display of the coupon graphic on the display screen of the communication unit carried by the shopper or mounted on the shopper's cart. ” Begum ’606 at 3:4–14. “Prioritizer 115 may calculate or otherwise determine or set a priority value associated with content items, for example, based on one or more parameters, e.g., a priority requirement included in the campaign data or campaign-related definitions, a price or profit associated with presenting the content item, a fulfillment factor, a value indicating the probability that the content item matches its target audience, a value indicating the relative size (e.g., dimensions or bytes), a content item type identifier, or the like. For example, in one embodiment, prioritizer 115 may determine a priority value of “7” for a first content item, which may be associated with a price of 17 cents per serving and with a campaign which is expected to terminate within 8 hours, and may determine a priority value of “2” for a second content item, which may be associated with a price of 12 cents per serving and with a campaign which is expected to terminate within 6 days. In another embodiment, for example, prioritizer 115 may determine a priority value of “8” for a first content item associated with a “sporting events” type, and may determine a priority value of “3” for a second content item associated with a “restaurants” type. In yet another embodiment, for example, prioritizer 115 may determine a priority value of “6” for a first content item having a half-screen size or having a 35 Kilobytes data size, and may determine a priority value of “4” for a second content item having a quarter-screen size or having a 24 Kilobytes data size. Other suitable data or rules may be used to determine absolute or relative priorities of content items.” Levkovitz ’852 at [0135]. “In some embodiments, the system may determine to insert an advertisement to a message, or to refrain from inserting an advertisement to a message (e.g., to maintain the original message unmodified), based on an analysis taking into account whether one or more users is a subscriber of certain services. In one embodiment, for example, advertisements may be added to messages sent by devices owned by subscribers of a certain


’296 Patent Claim Language	Exemplary Disclosures
	operator. In another embodiment, for example, advertisements may be not be added to messages sent by devices owned by subscribers of a certain operator, or messages sent by devices owned by subscribers of a certain operator may be maintained and delivered unmodified.” Levkovitz ’852 at [0230]. *See also* Sanctis ’837 at [0120].  FIG. 1 Bussmann ’294 at FIG. 1. “FIG. 1 shows a flow diagram depicting an embodiment of a method 100 of providing location-based advertising services. Method 100 comprises, at 102, receiving advertising content and pricing bids from each of a plurality of advertising publishers. As explained in more detail below, the pricing bids comprise an offer to pay a specified amount of money in exchange for having the advertising content of the bidder sent to a device for presentation to a user. Further, the advertising content and bid are associated with a specific bounded geographic area defined in a geographic region. Therefore, the advertising content is sent to devices located within, or within some distance adjacent to, the bounded area. Next, method 100 comprises, at 104, receiving a request from a device for advertising content associated with the bounded area. Then, method 100 comprises, at 106, sending advertising content associated with the top N bids to the device for presentation to a user of the device, wherein N may be zero (in the case of no bids) or a positive integer. In this manner,

’296 Patent Claim Language	Exemplary Disclosures
	advertising publishers may bid a specific price to pay for the distribution of advertising content in a specified geographic area, and the highest bidder or bidders win priority to have advertising content items presented to a device user over other lower bidders. Depending upon various device-specific parameters of the device and the nature of the advertising content sent to the device, one or more items of advertising content may be presented on the device at any one time. Therefore, in some circumstances, the highest bidder's advertising content alone may be sent to a requesting device, while in other circumstances, more than one item of advertising content may be sent to a requesting device. Where more than one item of advertising content is sent to a device, the items of advertising content may be selected based upon descending order of bids. As a specific example, a GPS-enabled smart phone may allow a map to be displayed at various levels of zoom. In one example, for a specific level of zoom in a specific geographic region, the smart phone may be able to display three items of advertising content on a map. In this case, the device may be sent items of advertising content for the top three bidders for the geographic area displayed on the map. Therefore, advertising publishers who wish to have advertising content sent to mobile phones have an incentive to bid close to or above a highest bid for a desired bounded geographic area. This may help to obtain higher bids for distributing the advertising content items, and therefore may contribute to greater economic returns per advertisement view. More detailed implementations of method 100 are discussed in more detail below.” Bussmann ’294 at [0010]–[0011]. “In yet other embodiments, the category information may include a selection of whether to request exclusive or non-exclusive advertising rights in one or more selected tiles. Such “exclusive” rights may include the right to exclude other advertising content items from being displayed in connection with the exclusive tile for a designated period of exclusivity, or to exclude advertising content items from other advertisers offering a same or similar type of goods or services for the period of exclusivity. In the latter example, advertising publishers may provide, as additional category information, a type of goods or services being advertised. In either example, the tile or tiles subject to the exclusive rights may be blacked out on the tiled map for the duration of the exclusive rights. Other forms of exclusive rights may include, but are not limited to, any suitable type of higher-value rights or premium service, such as the display of a larger icon relative to other advertisers, etc.” Bussmann ’294 at [0020]. “In some forms of the invention, location information describing the perimeters of business locations are sent to the mobile device and the mobile device communicates with the server if the location of the mobile device is located within the perimeter of the business location. In other forms of the invention, the location information of the mobile device is sent to the system and compared with information describing the perimeters of business locations. Alternatively, the business locations may be defined by a point and radius,

’296 Patent Claim Language	Exemplary Disclosures
	or mathematical formula. This is exemplary and is not intended to limit the scope of the invention. As shown and described, a person having ordinary skill in the art is able to implement the invention in any number of varying forms.” Busch ’815 at [0338].  *FIG. 1* Svendsen ’073 at Fig. 1.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 3 Svendsen ’073 at Fig. 3.  FIG. 4A Svendsen ’073 at Fig. 4A.


’296 Patent Claim Language	Exemplary Disclosures
	 ***FIG. 4B*** Svendsen ’073 at Fig. 4B.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5 Svendsen ’073 at Fig. 5. SHAPE | Z-ORDER | KEYWORDS 46 | 0 | Rock = 80, Country = 30, Pop = 30 48 | 1 | Alternative = 50 50 | 2 | Polka = 200 52 | 3 | Rap = 80 54 | 4 | Jazz = 10 56 | 5 | Beach = 95 FIG. 6B Svendsen ’073 at Fig. 6B.

’296 Patent Claim Language	Exemplary Disclosures
	“Thereafter, when a request is received from a requestor, one or more of the content items of one or more of the content providers are selected for delivery to the requester based on the geographic shapes defined by the one or more content providers, the tags and corresponding weights for the geographic shapes defined by the one or more content providers, and the location of the requestor.” Svendsen ’073 at 1:42–48. “Then, based on the location of the requestor and the geographic shapes defined by the one or more content providers, a content provider is selected if necessary, and one or more content items of the content provider are selected for delivery to the requestor (step 110). Once selected, the one or more content items are delivered or caused to be delivered to the requester (step 112). As an example, returning to FIG. 2A, if the requestor is located at point 18, then, as shown in FIG. 2B, the requestor is located within the geographic shape 10 (Shape A) of this particular content provider. As such, the keywords and corresponding weights for the geographic shape 10 (Shape A) may then be utilized to select one or more content items of the corresponding content provider to deliver to the requestor. Note that if there are multiple content providers and the requester is located within geographic shapes of two or more content providers, one of the content providers is preferably selected as the content provider for which content is to be delivered to the requestor. An exemplary scheme for selecting the content provider from multiple content providers is discussed below with respect to FIG. 3.” Svendsen ’073 at 4:48–67. “If instead requestor is located at point 22, then the requestor is located within the geographic shapes 10 through 16 (Shapes A, B, C, and D). As such, as illustrated in FIG. 2B, the keywords and weights for the geographic shapes 10 through 16 are aggregated according to the z-order values of the geographic shapes 10 through 16 to provide an aggregate list of keywords and corresponding weights to be used to select one or more content items to be delivered to the requester. Note that, in this case, the keyword Red is assigned to both the geographic shape 10 (Shape A) and the geographic shape 16 (Shape D). However, the weight assigned to the keyword Red is 80 in the geographic shape 10 (Shape A) and 20 in the geographic shape 16 (Shape D). Since the z-order value, or importance level, assigned to the geographic shape 16 (Shape D) is higher than that assigned to the geographic shape 10 (Shape A), the weight assigned to the keyword Red in the geographic shape 16 (Shape D) overrides the weight assigned to the keyword Red in the geographic shape 10 (Shape A). Similarly, the keyword Blue is assigned to both the geographic shape 10 (Shape A) and the geographic shape 14 (Shape C). However, the weight assigned to the keyword Blue is 30 in the geographic shape 10 (Shape A) and 90 in the geographic shape 14 (Shape C). Since the z-order value, or importance level, assigned to the geographic shape 14 (Shape C) is higher than that assigned to the geographic shape 10 (Shape A), the weight assigned to the keyword Blue in the geographic shape 14 (Shape C) overrides the weight assigned to the keyword Blue in the geographic shape 10 (Shape A). Thus, the aggregate list of



’296 Patent Claim Language	Exemplary Disclosures
	keywords and corresponding weights for the requestor located at point 22 is Red with a weight of 20, Blue with a weight of 90, White with a weight of 50, and Green with a weight of 10. This aggregate list of keywords and corresponding weights may then be utilized to select content items of the corresponding content provider to be delivered to the requester.” Svendsen ’073 at 5:14–48. “FIG. 3 is a more detailed illustration of step 110 of FIG. 1 according to one embodiment of the present invention. In this example, the one or more content providers are advertisers. However, again, the present invention is not limited thereto. First, a high bid is reset (step 200). Then, an account is obtained for a next advertiser (step 202). For the first iteration, the next advertiser is the first advertiser. The account of the advertiser includes information identifying the geographic shapes defined by the advertiser, the keywords and corresponding weights assigned to each of the geographic shapes, and the keywords assigned to the content items of the advertiser, which in this example are advertisements. Next, an aggregate list of keywords and corresponding weights for the advertiser is reset (step 204).” Svendsen ’073 at 6:16–29. “At this point whether proceeding from step 212 or step 214, a determination is made as to whether there are more keywords assigned to the geographic shape (step 216). If so, steps 210 through 216 are repeated until all of the keywords assigned to the geographic shape have been processed. Once all of the keywords for the geographic shape have been processed, a determination is made as to whether there are more geographic shapes for the advertiser (step 218). If so, steps 206 through 218 are repeated until all of the geographic shapes for the advertiser have been processed. At that point, a bid for the advertiser is calculated based on the aggregate list of keywords for the advertiser generated in steps 206 through 218 (step 220).” Svendsen ’073 at 7:12–24. “At this point, whether proceeding from step 222 or step 224, a determination is made as to whether there are more advertisers (step 226). If so, steps 202 through 226 are repeated until all advertisers have been processed. Once all of the advertisers have been processed, one or more advertisements of the advertiser having the highest bid are selected based on the aggregate list of the keywords for that advertiser (step 228). More specifically, in one embodiment, each of the advertisements of the advertiser having the highest bid may be scored as a function of the keywords in the aggregate list of keywords and the corresponding weights for the advertiser as compared to the keywords assigned to the advertisements of the advertiser. One or more advertisements having the highest score(s) may then be selected as advertisements to be delivered to the requestor. Once the advertisements are selected, the account of the advertiser may then be debited based on a predefined fee (step 230).” Svendsen ’073 at 7:32–48.


’296 Patent Claim Language	Exemplary Disclosures
	“FIG. 5 is a more detailed illustration of step 110 of FIG. 1 according to another embodiment of the present invention. In this embodiment, there is only one content provider. However, this process is equally applicable to an embodiment where there are multiple content providers. If there are multiple content providers, content from each content provider having defined a geographic shape in which the requestor is located may be selected and delivered to the requestor.” Svendsen ’073 at 8:62–9:2. “FIGS. 6A through 6C graphically illustrate the process of FIG. 5 according to one embodiment of the present invention. FIG. 6A illustrates geographic shapes defined by a content provider to select geographic areas of interest to the content provider.” Svendsen ’073 at 9:62–66. “More specifically, as illustrated in FIG. 6A, the audio provider has defined a geographic shape 46 selecting the state of North Carolina and geographic shapes 48 through 56 selecting corresponding geographic areas within the state of North Carolina. FIG. 6B illustrates keywords and corresponding weights assigned to each of the geographic areas 46 through 56 by the audio provider as well as z-order values, or importance levels, assigned to the geographic shapes 46 through 56 by the audio provider. Note that in this example, the keywords are music genres.” Svendsen ’073 at 10:3–12. *See also* Svendsen ’073 at Fig. 6A, Fig. 6C, 3:11–34, and 3:35–63. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
6[pre]. A system comprising:	To the extent the preamble is limiting, the following prior art expressly or inherently discloses and renders obvious “[a] system.” *See* limitations [6a]–[6m] below. *See* above at row 1[pre].
[6a] memory;	The following prior art expressly or inherently discloses and renders obvious “memory.” For example:



’296 Patent Claim Language	Exemplary Disclosures
	 Figure 1 Andreasson ’890 at Figure 1.



’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 2 Andreasson ’890 at FIGURE 2. “As will be discussed further below with respect to FIGS. 1 through 4, some embodiments of the present invention provide methods, servers and portable electronic devices for downloading applications from the server to the portable electronic device. The server is configured to store one or more applications, each having an associated region and duration. Portable electronic devices according to some embodiments of the present invention may be associated with a unique device identifier. The portable electronic device may be configured to periodically obtain a current position of the portable electronic device and provide the current position and the unique device identifier to the server. If the portable electronic device is within a region associated with one of the stored applications, the server may determine if the unique identifier associated with the portable electronic device is also associated with the stored application for that region. If so, the server may download a link to the stored application to the portable electronic device so as to allow the portable electronic device to access the application while the portable electronic device is within the region and during the defined duration of the application as will be discussed further herein.” Andreasson ’890 at [0035]. “As further illustrated in FIG. 1, the system 100 also includes a portable electronic device 140 associated with a user. As used herein, the term “portable electronic device” includes: a cellular radiotelephone with or



’296 Patent Claim Language	Exemplary Disclosures
	without a multi-line display; a Personal Communications System (PCS) terminal that combines a cellular radiotelephone with data processing, facsimile and data communications capabilities; a Personal Data Assistant (PDA) that includes a radiotelephone, pager, Internet/intranet access, Web browser, organizer, calendar and/or a global positioning system (GPS) receiver; a gaming device, an audio video player, and a conventional laptop and/or palmtop portable computer that includes a radiotelephone transceiver. Any portable electronic device capable of operating in accordance with some embodiments of the present invention may be used without departing from the scope of the present invention.” Andreasson ’890 at [0039]. “Portable electronic devices 140 according to some embodiments of the present invention are configured to determine a current position thereof using any positioning device known to those having skill in the art, for example, a GPS receiver. Portable electronic devices 140 according to some embodiments of the present invention are also configured to download applications 122, 124 and 126 from the server based on the determined current position of the portable electronic device, for example, the presence of the portable electronic device 140 within a defined region, for example, region 130. As illustrated in FIG. 1, the portable electronic device 140 may move from a first position A, outside the region 130, to a second position B, inside the region 130. Movement from outside the region 130 to inside the region 130 may trigger downloading of one or more applications 122, 124 and 126 associated with the region 130 from the server 110 to the portable electronic device 140 as will be discussed further below. The portable electronic device 140 is configured to install and execute the downloaded applications 122, 124 and 126. In some embodiments, this installation and downloading may be performed automatically. The portable electronic device may also be configured to remove/uninstall the installed applications when it is determined that the portable electronic device has exited the region 130. This may also be performed automatically. Portable electronic devices and related operations thereof will be discussed further below with respect to FIGS. 2 through 4.” Andreasson ’890 at [0040]. “Referring now to FIG. 2, a schematic block diagram illustrating a portable electronic device 240 according to some embodiments of the present invention will be discussed. As further illustrated in FIG. 2, the portable electronic device 240 includes a portable housing 200 and may include a display 214, a man machine interface (MMI) 216, a speaker/microphone 217, a web browser 218, a transceiver 212 and a memory 280, any of which may communicate with a processor 290. Furthermore, portable electronic devices 240 according to embodiments of the present invention may further include a download control circuit 250 according to some embodiments of the present invention, which also communicates with the processor 290. The processor 290 can be any commercially available or custom microprocessor.



’296 Patent Claim Language	Exemplary Disclosures
	As illustrated in FIG. 2, the portable electronic device communicates with a base station transceiver 260 connected to a mobile switching center (“MSC”) 270 in accordance with some embodiments of the present invention. The transceiver 212 typically includes a transmitter circuit and a receiver circuit, which respectively transmit outgoing radio frequency signals to the base station transceiver 260 and receive incoming radio frequency signals, such as voice and data signals, from the base station transceiver 260 via an antenna 205. The antenna 205 may be an embedded antenna, a retractable antenna or any antenna known to those having skill in the art without departing from the scope of the present invention. The radio frequency signals transmitted between the portable electronic device 240 and the base station transceiver 260 may include both traffic and control signals (e.g., paging signals/messages for incoming calls), which are used to establish and maintain communication with another party or destination. The processor 290 may support various functions of the portable electronic device, including a download control circuit 250 configured to download, install, execute and uninstall applications according to some embodiments of the present invention as will be discussed further herein.” Andreasson ’890 at [0047]–[0048].  FIG. 1  FIG. 2 Macaluso ’238 at FIG. 2.



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 3 Macaluso ’238 at FIG. 3. “FIG. 2 is a block diagram of a mobile phone 200 that may be used in connection with the described techniques. The mobile phone 200 includes a transceiver 205 connected to an antenna 210 for communicating voice and data to and from a remote server, wireline telephone connection, and/or another mobile device through a wireless communication system in accordance with conventional techniques. For example, the wireless communication system may be a CDMA, GSM, or UMTS network, or any other type of mobile network. The transceiver 205 is connected to a processor 215 that controls the operation of the mobile phone 200, including the operation of the transceiver 205. A storage medium 220, which may be removable, read-only, or read/write media and may be magnetic-based, optical-based, semiconductor-based media, or a combination of these, may store operating system software for the mobile phone 200. A memory 225 may store additional, less vital information, such as applications that may be loaded into the mobile phone 200, including an application for displaying advertisements on the mobile phone 200. In addition, a cache containing one or more advertisements may be stored in the memory 225. Both the memory 225 and the storage medium 220 are connected to the processor 215. The processor 215 may operate in accordance with software, applications, or other instructions stored in the memory 225 and/or the storage medium 220.” Macaluso ’238 at [0025].


’296 Patent Claim Language	Exemplary Disclosures
	FIG. 1  Kinoshita ’866 at Fig. 1. FIG. 3  Kinoshita ’866 at Fig. 3.

’296 Patent Claim Language	Exemplary Disclosures
	FIG. 4  Kinoshita ’866 at Fig. 4.  Kinoshita ’866 at Fig. 5.


’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 6.  Kinoshita ’866 at Fig. 7.

’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 8.  Kinoshita ’866 at Fig. 9.



’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 10.  Kinoshita ’866 at Fig. 11.


’296 Patent Claim Language	Exemplary Disclosures
	FIG. 12  Kinoshita ’866 at Fig. 12. “The second aspect of the present invention is a service processing device comprising: an interface that performs short-range communication with a mobile communication device directly or indirectly; a memory that stores place data; and a controller that receives attribute data of a user or user's mobile communication device from user's mobile communication device, transfers the attribute data and the place data read out from the memory to the server, and performs announcement based upon recommendation data corresponding to the place data received from the server.” Kinoshita ’866 at [0010]. “The fourth aspect of the present invention is a server for providing information associated with a mobile communication device that performs short-range communication with a service processing device installed at a predetermined place, the server comprising: an interface that receives attribute data of a user or his mobile communication device and place data of a place where the service processing device is installed from the mobile communication device or the service processing device; a memory that stores recommendation data which is associated with the attribute data and the place data; and a controller that reads out, from the memory, the recommendation data which is associated with the attribute data received by the interface and the place data, and transfers the recommendation data to the mobile communication device or the service processing device through the interface.” Kinoshita ’866 at [0012]. “The service device 14 includes, for example, a device environment detecting unit 61, an interface 62, a display 64, a short-range communication unit 65, a memory 68, and a processing circuit 69. ” Kinoshita ’866 at [0037].

H2 Intellect - Exhibit 2010
Home Depot v. H2 Intellect - IPR2025-00480
Page 3825 of 5585

’296 Patent Claim Language	Exemplary Disclosures
	“Referring to FIG. 4, the Web server 24 includes, for example, an interface 62, a memory 68, and a processing circuit 69.” Kinoshita ’866 at [0041].  **FIG. 38** Smith ’558 at Fig. 38. “As used in this application, the terms “component,” “module,” “system,” and the like are intended to refer to a computer-related entity, either hardware, a combination of hardware and software, software, or software in execution. For example, a component may be, but is not limited to being, a process running on a processor, a processor, an object, an executable, a thread of execution, a program, and/or a computer. By way of illustration, both an application running on a server and the server can be a component. One or more components may reside within a process and/or thread of execution and a component may be localized on one computer and/or distributed between two or more computers.” Smith ’558 at [0058]. “Furthermore, the one or more embodiments may be implemented as a method, apparatus, or article of manufacture using standard programming and/or engineering techniques to produce software, firmware, hardware, or any combination thereof to control a computer to implement the disclosed embodiments. The term “article of manufacture” (or alternatively, “computer program product”) as used herein is intended to encompass a computer program accessible from any computer-readable device, carrier, or media. For


’296 Patent Claim Language	Exemplary Disclosures
	example, computer readable media can include but are not limited to magnetic storage devices (e.g., hard disk, floppy disk, magnetic strips . . .), optical disks (e.g., compact disk (CD), digital versatile disk (DVD) . . . smart cards, and flash memory devices (e.g., card, stick).” Smith ’558 at [0060]. “Generally, program modules include routines, programs, components, data structures, etc., that perform particular tasks or implement particular abstract data types. Moreover, those skilled in the art will appreciate that the inventive methods can be practiced with other computer system configurations, including single-processor or multiprocessor computer systems, minicomputers, mainframe computers, as well as personal computers, hand-held computing devices, microprocessor-based or programmable consumer electronics, and the like, each of which can be operatively coupled to one or more associated devices. The illustrated aspects may also be practiced in distributed computing environments where certain tasks are performed by remote processing devices that are linked through a communications network. In a distributed computing environment, program modules can be located in both local and remote memory storage devices. A computer typically includes a variety of computer-readable media. Computer-readable media can be any available media that can be accessed by the computer and includes both volatile and nonvolatile media, removable and non-removable media. By way of example, and not limitation, computer-readable media can comprise computer storage media and communication media. Computer storage media includes both volatile and nonvolatile, removable and non-removable media implemented in any method or technology for storage of information such as computer-readable instructions, data structures, program modules or other data. Computer storage media includes, but is not limited to, RAM, ROM, EEPROM, flash memory or other memory technology, CD-ROM, digital video disk (DVD) or other optical disk storage, magnetic cassettes, magnetic tape, magnetic disk storage or other magnetic storage devices, or any other medium which can be used to store the desired information and which can be accessed by the computer. Communication media typically embodies computer-readable instructions, data structures, program modules or other data in a modulated data signal such as a carrier wave or other transport mechanism, and includes any information delivery media. The term “modulated data signal” means a signal that has one or more of its characteristics set or changed in such a manner as to encode information in the signal. By way of example, and not limitation, communication media includes wired media such as a wired network or direct-wired connection, and wireless media such as acoustic, RF, infrared and other wireless media. Combinations of the any of the above should also be included within the scope of computer-readable media.” Smith ’558 at [0249]–[0252].


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Sato ’965 at Fig. 1.  FIG. 2 Sato ’965 at Fig. 2. “Terminal apparatus 101 is, for example, a car navigation system with communication function, PDA (Personal Data Assist), notebook personal computer or the like. Further, terminal apparatus 101 may be a portable communication terminal such as a cellular telephone and PHS.” Sato ’965 at [0045]. “Wide-area road information server 102 and content server 103 are, for example, server computers with arbitrary configurations.” Sato ’965 at [0050].

’296 Patent Claim Language	Exemplary Disclosures
	“Storage section 113 may be a hard disk, for example, or any memory.” Sato ’965 at [0067].  Fig. 5 Begum ’880 at Fig. 5. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22. “The electronic shopping cart handle of the preferred embodiment includes an internal operating system that enables the device to incorporate efficient power management in order to maximize the life of the power pack that is provided for each device. ” Begum ’880 at 4:10–14. “Because of improved design of compact integrated chip technologies use of an integrated chip incorporating an entire computer on a chip is preferred. This selection allows the essential processor and memory unit to be extremely compact allowing the low-profile configuration of the electronic shopping cart handle described in this specification” Begum ’880 at 4:39–44. “The invented device is a dedicated appliance computer that is capable of being reprogrammed in order to add additional features to the device as users become more sophisticated. Such features as the automatic display of advertisements at select store locations and the global updating of displayable data by wireless transmissions are described in the referenced application.” Begum ’880 at 4:53–59.


’296 Patent Claim Language	Exemplary Disclosures
	“The user interface is designed to allow the user to access all of the available data including stored promotional graphics by a control system that is intuitive. Furthermore, the hybrid system devised for automatic display of promotional graphics, is designed to incorporate features that are beneficial in facilitating automatic update of the promotional advertisements.” Begum ’880 at 4:65–5:4. “Referring to the schematic illustration of FIG. 5, the display unit 12 contains a central processor 58 which is an integrated circuit chip for programs to control the system operation. The processor receives and directs data for operation of the display unit, and is preferably a state of the art chip, such as an Intel 286 or more expensive 386 chip. Although more advanced logic circuits are not necessary for the contemplated informational and operational tasks involved in the shopping cart handle, advanced state of the art processors can be used to advantage for power management. The processor 58 connects to a standard keyboard chip 60, which as noted, may be integrated into the processor chip. The keyboard chip 60 includes the circuity necessary to interpret signals from the scroll buttons 30 or the selection bar 32.” Begum ’880 at 8:10–24. “External components such as an IR beacon 64 and an IR trigger component 66 direct infrared data signals and wake-up signals to the IR photodiodes 68 of the radiation window 36a on the display unit 12. The data signals provide information for reprogramming the memory of inventory and sales information and screen display of activated advertisement and promotional visuals. The IR beacon 64 may also emit a power transmission signal for charge maintenance of the battery pack 40. The IR beacon 64 and trigger component 66 form a transceiver unit 65 for receiving, storing and relaying trigger and data signals from a control unit 67, that centralizes the storewide operation of the system.” Begum ’880 at 8:36–47. “The trigger and data signals are demodulated in a converter circuit 70 and passed to the central processor 58 for reprogramming the memory or activating retrieval of memory packets for display of advertising information in the display screen 24 under control of the LCD driver and controller circuit 72.” Begum ’880 at 8:48–53. “Customarily, each store would have a single control unit 67 that is the central computer for management of the stores inventory and accounting. The control unit 67 communicates with a plurality of transceiver units 65 located throughout the marketing area. Preferably, to minimize installation expenses and allow the plurality of transceiver units 65 to be repositioned in the marketing area as desired, each transceiver unit 65 is in wireless communication with the control unit 67 and has its own power supply. Essentially, the transceiver unit 65 includes the same electronic components as the display unit 12 which allows for independent processing of data and independent communication with a display unit 12 on a nearby shopping cart. ” Begum ’880 at 8:56–9:1.


’296 Patent Claim Language	Exemplary Disclosures
	“To conserve power in the transceiver unit 65, the transceiver unit includes a proximity sensor 69 that detects the presence of a shopping cart within range and initiates transmission of the trigger and data signals to the unit 12 on the cart handle. The transceiver unit 65 also includes an RF receiver 71 to receive FM radio frequency transmissions from the central control” Begum ’880 at 9:1–7. “The digitized screen graphic is stored in a file in the memory of the transceiver unit 65, and is periodically updated or replaced by transmissions from the control unit 67.” Begum ’880 at 9:52–55. “With the display unit 12 awakened, the data signals are processed by the central processor 58 and the data relating to the screen graphic is compared with existing promotional screen graphics stored in RAM 74. The comparison of digitized screen graphics may be accomplished with a rapid checksum procedure. If a match is found, the screen graphic data is passed from a temporary storage buffer in the central processor 58 to the LCD driver 72 for display on the display screen 24. In the event that there is no match, the processor 58 processes the formatted screen data to the LCD driver 72 for display on the display screen 24 and contemporaneously passes the screen graphic display data together with the accompanying product control data to RAM 74. The screen graphic data and product control data are stored in memory for future comparison with received screen display signals or retrieval by a shopper reviewing the file of product promotions.” Begum ’880 at 9:66–10:15. “The product control signals may be utilized in this compare process for rapidly locating the presence or absence of a particular promotional screen graphic in memory and initiating display of either the screen graphic in memory or the screen graphic formatted from the screen graphic signal transmitted by the transceiver unit 65. In this manner, the shopping carts that are in use, are continually updated as they pass a transceiver unit 65, such that even if an outdated ad is stored in memory, the updated ad will be presented once the shopper has arrived at the location of the promoted item. Although this system has the minor drawback of potentially storing an outdated promotional graphic in memory that is accessible by a shopper during review of the product promotion file using the display unit in an interactive mode, the system is self-correcting at the promoted product location.” Begum ’880 at 10:16–31. “The random access memory (RAM) 74 and read only memory (ROM) 76 store the systems operations data and reprogrammable user data for displaying store directory and product information in the display screen 24.” Begum ’880 at 10:32–35.

’296 Patent Claim Language	Exemplary Disclosures
	“Although the devised shopping cart display handle will have the capabilities of a personal computer, a dedicated informational format, as schematically illustrated in FIGS. 6-10, is incorporated to ease user familiarization and encourage adoption as a shopping aid.” Begum ’880 at 10:37–41. *See also* Begum ’880 at Abstract, Fig. 1, 1:60–2:5, 4:33–38, 5:65–6:4, 9:12–16, 9:16–29, and 9:56–65.  FIG. 1 Begum ’606 at FIG. 1. “The customer display device 12 is part of a portable communication unit 14 having a control panel 15 with a display screen 16 and easily operated user controls 18, such as complementary up and down scroll buttons 20, 22, and select buttons 24” Begum ’606 at 4:17–21.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Levkovitz ’852 at Fig. 1. “In some embodiments, for example, the server may include a memory unit to store a plurality of content items from which the content item is selected. In some embodiments, for example, the memory unit may include a volatile memory or a non-volatile memory. In some embodiments, for example, the server is to periodically copy the content of the volatile memory into a non-volatile memory.” Levkovitz ’852 at [0012]–[0014]. “FIG. 1 schematically illustrates a block diagram of a wireless communication system 100 able to deliver content in accordance with an embodiment of the invention. System 100 may include, for example, an ad server 110, a control server 120, a management server 130, a database 140, a communicator 150, and one or more wireless communication devices, e.g., a wireless communication device 170.” Levkovitz ’852 at [0094]. “Ad server 110 may include one or more servers, or a “server farm”, which may be operatively connected to communicator 150. Ad server 110 may process content requests stored in the queue 158 of communicator 150, e.g., in accordance with a pre-defined order or algorithm.” Levkovitz ’852 at [0098].


’296 Patent Claim Language	Exemplary Disclosures
	“In one embodiment, memory unit 118 may include a non-volatile memory, for example, a long term memory unit, a disk, a hard disk drive, or the like. In another embodiment, memory unit 118 may include a volatile memory, for example, a Random Access Memory (RAM), a Dynamic RAM (DRAM), a Synchronous DRAM (SD-RAM), a Flash memory, a cache memory, a buffer, a stack, a short term memory unit, or the like.” Levkovitz ’852 at [0125]. “In one embodiment, memory unit 159 may include a non-volatile memory, for example, a long term memory unit, a disk, a hard disk drive, or the like. In another embodiment, memory unit 159 may include a volatile memory, for example, a Random Access Memory (RAM), a Dynamic RAM (DRAM), a Synchronous DRAM (SD-RAM), a Flash memory, a cache memory, a buffer, a stack, a short term memory unit, or the like.” Levkovitz ’852 at [0142]. “Management server 130, control server 120, ad server 110, communicator 150, and/or other components of system 100, may be implemented, for example, using one or more computing platforms or computing devices, e.g., one or more computers or servers including a processor, a memory unit, a storage unit, an input unit, an output unit, a transmitter, a receiver, an antenna, a power source, an Operating System, software applications, and/or other suitable software components and/or hardware components.” Levkovitz ’852 at [0173]. “The mobile devices 30 within the m-commerce environment 8 can be implemented with any portable communication device capable of over-the-air or through-the-air radio frequency (“RF”) communication, as understood by those skilled in the art, with the m-commerce server 10. For example, the mobile device 30 can be a mobile telephone, an email communication device (e.g., such as those sold under the trademark BLACKBERRY), a personal digital assistant (PDA), or other mobile device. Regardless of the embodiment, each of the mobile devices 30 preferably includes a display 32 (e.g., a liquid crystal display (“LCD”)) capable of displaying the textual and/or graphical e-commerce content distributed by the m-commerce server 10.” Sanctis ’837 at [0030]. “Also, as shown in FIG. 7, and as will be understood by those skilled in the art, the mobile devices 30 can download client application software 41 to be stored in memory, e.g., flash memory 40, of the mobile device 30 and can include mobile device enhancement program product 42 or software and application program interface program product or software from an input/output having download 48, e.g., wireless or hardwire, capabilities associated with the mobile device 30 via a communication link 26 with another computer or the server 10, or be provided with client application program product or software upon purchase of the mobile device, to enhance client communication capabilities to the m-server 10, to enhance GUI displays to the user,


’296 Patent Claim Language	Exemplary Disclosures
	and to enhance other features 44 for the user as a set of program instruction as understood by those skilled in the art and as described herein, such as mobile alerts, make purchase consummation, gathering account information, viewing detail on product, viewing past orders, shipment tracking, and security encryption.” Sanctis ’837 at [0038].  FIG. 2 Bussmann ’294 at FIG. 2. “FIG. 2 shows an example embodiment of a location-based advertising use environment 200. Use environment 200 comprises an advertising server 202 in communication with a plurality of advertising publisher computing devices 204, 206, 208, and also with a plurality of devices 210, 212, 214 that request and receive advertising content from the advertising server 202. In the depicted embodiment, the number of advertising publisher client computing devices in communication with the advertising server 202 is illustrated as a generic number X, and the number of requesting/receiving devices is illustrated as a generic number Y, indicating that any suitable number of advertising publisher client computing devices and requesting/receiving devices may be in communication with the advertising server 202 at any time. The advertising server 202 comprises memory 216 and a processor 218, wherein the memory 216 comprises instructions stored thereon that are executable by the processor 218 to perform the various methods of

’296 Patent Claim Language	Exemplary Disclosures
	operating an advertising server disclosed herein. The advertising server 202 further comprises a database 220 that stores various items of information related to the provision of location-based advertising services. For example, the database 220 may store user account information related to the advertising publishers and/or consumer devices that utilize the system. The database 220 also may store advertising content provided by each advertising publisher, and bid information related to the advertising content. The term “updated bid information” may be used herein to describe such current bid information, as bids may be submitted and/or modified by advertising publishers on a continuous, rolling basis. The updated bid information may include such information as the geographic locations and time intervals selected by each advertising publisher for the distribution of advertising content, category information related to the type of advertising content provided by each advertising publisher and to the specific distribution services requested by the advertising publisher, pricing information related to the price paid by each advertising publisher for a desired transaction type (per view, per click-through, etc.), payment information related to the method of payment used by each advertising publisher (pre-paid credits, debit/credit card info, etc.), or any other suitable information.” Bussmann ’294 at [0012]–[0013]. FIG. 2  Mello ’479 at FIG. 2.


’296 Patent Claim Language	Exemplary Disclosures
	“FIG. 2 is a detailed block diagram of an example implementation of the PPM 30 of FIG. 1. As discussed above, the PPM 30 may be used to monitor the use of a location-based web service application by a monitored person (e.g., the monitored person 32 of FIG. 1). It may also be used to collect location information and/or motion information associated with the use of the location-based web application. In general, the PPM 30 includes electronic components configured to detect and/or collect media monitoring information, location information, and/or motion information, and to communicate the information to the central facility 60 of FIG. 1 for subsequent analyses. As shown in FIG. 2, the PPM 30 includes a processor 100, a voice coder/decoder (CODEC) 102, a memory 104, a communication interface 106, a plurality of media monitoring sensors 108, a plurality of location and motion sensors 110, an input interface 114, a visual interface 116 and a timer/counter 118, all of which are communicatively coupled as shown.” Mello ’479 at [0036]. “It is to be understood that the example machine accessible instructions of the flow diagrams of FIGS. 5A, 5B, 6-9, 10A, 10B, 11A, 11B, and 12-16 may be executed by a processor, a controller and/or any other suitable processing device. For example, the example machine accessible instructions of FIGS. 5A, 5B, 6-9, 10A, 10B, 11A, 11B, and 12-16 may be embodied in coded instructions stored on a tangible medium such as a flash memory, or random access memory (RAM) associated with a processor. Alternatively, some or all of the example flow diagrams of FIGS. 5A, 5B, 6-9, 10A, 10B, 11A, 11B, and 12-16 may be implemented using an application specific integrated circuit (ASIC), a programmable logic device (PLD), a field programmable logic device (FPLD), discrete logic, hardware, firmware, etc. ” Mello ’479 at [0118].


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Busch ’815 at Fig. 1. “The present invention provides among other things methods and systems to obtain data relating to location from mobile devices, processing this data, sending content to a mobile device based at least in part on location data, integration of location data associated with a mobile device with web based applications accessed with a standard computer or laptop, integration of location data with conversion tracking systems, integration of location data with customer relationship management systems and systems to determining retail business location performance, integration with social uses of location data of mobile devices, and integration with navigation uses of location data associated with mobile devices.” Busch ’815 at [0159]. “With reference to FIG. 1 GPS satellites 100 operate to determine the location of a mobile device 140 that has a number of features available based upon the location data. The mobile device 140 provides a user interface 142, GPS receiver 144, CPU and memory 146, and radio 148. Examples of mobile device 140 include cellular phones, personal digital assistants, pagers, laptop computers, automobile navigation systems, among others. Mobile device 140 receives GPS signals and determines its location. For purposes of illustration and without limitation, this may occur solely through using the GPS system, or may occur by using a filter to combine location data from the GPS system and another system such as cell-tower-triangulation in order to obtain a more accurate location. The mobile device 140 is wirelessly coupled to an access point 102 with a built in

’296 Patent Claim Language	Exemplary Disclosures
	radio 148. The access point 102 is coupled to the Internet 104 or other network. A number of other systems or services are available to the device over the Internet 104 or other network optionally including but not limited to an inventory system 106, advertisement system 108, search engine 110, mapping, business location, GIS, and routing database 112, user information database 114, advertiser information database 116, payment system 118, and phone system 120.” Busch ’815 at [0334].  FIG. 11 Svendsen ’073 at Fig. 11.



’296 Patent Claim Language	Exemplary Disclosures
	 ***FIG. 13*** Svendsen ’073 at Fig. 13. “FIG. 11 illustrates a system 68 for customized content delivery according to one embodiment of the present invention. In general, the system 68 includes a central server 70 and a number of user devices 72-1 through 72-N having associated users 74-1 through 74-N. The central server 70 and the user devices 72-1 through 72-N are enabled to communicate via a network 76. The network 76 may be any type of Wide Area Network (WAN), Local Area Network (LAN), or the like, or any combination thereof. In addition, the network 76 may include wired components, wireless components, or both wired and wireless components. As an example, the network 76 may be the Internet.” Svendsen ’073 at 13:27–38. “The central server 70 includes a customized content delivery function 78, which may be implemented in software, hardware, or a combination thereof.” Svendsen ’073 at 13:39–41. “In addition, the central server 70 may include a content repository 80. For each of a number of content providers, the content repository 80 may store the content items or references to the content items provided by each of the content providers. As discussed above, the content providers may be advertisers, media content providers, or the like. As such, the content items provided by the content providers may be advertisements, media items, or the like. Lastly, the central server 70 hosts or otherwise has access to a provider accounts


’296 Patent Claim Language	Exemplary Disclosures
	repository 82, which includes a provider account, or account, for each of the content providers.” Svendsen ’073 at 13:41–52. “FIG. 13 is a block diagram of the central server 70 of FIG. 11 according to one embodiment of the present invention. In general, the central server 70 includes a control system 88 having associated memory 90. In this example, the customized content delivery function 78 is implemented in software and stored in the memory 90. However, the present invention is not limited thereto. The customized content delivery function 78 may be implemented in software, hardware, or a combination thereof. In addition, the central server 70 may include one or more digital storage devices 92 such as one or more hard disk drives or the like. The provider accounts repository 82 and the content repository 80 may be stored in the one or more digital storage devices 92, the memory 90, or a combination thereof. The central server 70 also includes a communication interface 94 communicatively coupling the central server 70 to the network 76 (FIG. 11). Lastly, the central server 70 may include a user interface 96, which may include components such as a display, one or more user input devices, or the like.” Svendsen ’073 at 15:28–46. *See also* Svendsen ’073 at Fig. 1 and 4:48–67. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[6b] a communications interface operably coupled to the memory; and	The following prior art expressly or inherently discloses and renders obvious “a communications interface operably coupled to the memory.” For example:



’296 Patent Claim Language	Exemplary Disclosures
	 Figure 1 Andreasson ’890 at Figure 1.



’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 2 Andreasson ’890 at FIGURE 2. “As will be discussed further below with respect to FIGS. 1 through 4, some embodiments of the present invention provide methods, servers and portable electronic devices for downloading applications from the server to the portable electronic device. The server is configured to store one or more applications, each having an associated region and duration. Portable electronic devices according to some embodiments of the present invention may be associated with a unique device identifier. The portable electronic device may be configured to periodically obtain a current position of the portable electronic device and provide the current position and the unique device identifier to the server. If the portable electronic device is within a region associated with one of the stored applications, the server may determine if the unique identifier associated with the portable electronic device is also associated with the stored application for that region. If so, the server may download a link to the stored application to the portable electronic device so as to allow the portable electronic device to access the application while the portable electronic device is within the region and during the defined duration of the application as will be discussed further herein.” Andreasson ’890 at [0035]. “As further illustrated in FIG. 1, the system 100 also includes a portable electronic device 140 associated with a user. As used herein, the term “portable electronic device” includes: a cellular radiotelephone with or



’296 Patent Claim Language	Exemplary Disclosures
	without a multi-line display; a Personal Communications System (PCS) terminal that combines a cellular radiotelephone with data processing, facsimile and data communications capabilities; a Personal Data Assistant (PDA) that includes a radiotelephone, pager, Internet/intranet access, Web browser, organizer, calendar and/or a global positioning system (GPS) receiver; a gaming device, an audio video player, and a conventional laptop and/or palmtop portable computer that includes a radiotelephone transceiver. Any portable electronic device capable of operating in accordance with some embodiments of the present invention may be used without departing from the scope of the present invention.” Andreasson ’890 at [0039]. “Portable electronic devices 140 according to some embodiments of the present invention are configured to determine a current position thereof using any positioning device known to those having skill in the art, for example, a GPS receiver. Portable electronic devices 140 according to some embodiments of the present invention are also configured to download applications 122, 124 and 126 from the server based on the determined current position of the portable electronic device, for example, the presence of the portable electronic device 140 within a defined region, for example, region 130. As illustrated in FIG. 1, the portable electronic device 140 may move from a first position A, outside the region 130, to a second position B, inside the region 130. Movement from outside the region 130 to inside the region 130 may trigger downloading of one or more applications 122, 124 and 126 associated with the region 130 from the server 110 to the portable electronic device 140 as will be discussed further below. The portable electronic device 140 is configured to install and execute the downloaded applications 122, 124 and 126. In some embodiments, this installation and downloading may be performed automatically. The portable electronic device may also be configured to remove/uninstall the installed applications when it is determined that the portable electronic device has exited the region 130. This may also be performed automatically. Portable electronic devices and related operations thereof will be discussed further below with respect to FIGS. 2 through 4.” Andreasson ’890 at [0040]. “Referring now to FIG. 2, a schematic block diagram illustrating a portable electronic device 240 according to some embodiments of the present invention will be discussed. As further illustrated in FIG. 2, the portable electronic device 240 includes a portable housing 200 and may include a display 214, a man machine interface (MMI) 216, a speaker/microphone 217, a web browser 218, a transceiver 212 and a memory 280, any of which may communicate with a processor 290. Furthermore, portable electronic devices 240 according to embodiments of the present invention may further include a download control circuit 250 according to some embodiments of the present invention, which also communicates with the processor 290. The processor 290 can be any commercially available or custom microprocessor.



’296 Patent Claim Language	Exemplary Disclosures
	As illustrated in FIG. 2, the portable electronic device communicates with a base station transceiver 260 connected to a mobile switching center (“MSC”) 270 in accordance with some embodiments of the present invention. The transceiver 212 typically includes a transmitter circuit and a receiver circuit, which respectively transmit outgoing radio frequency signals to the base station transceiver 260 and receive incoming radio frequency signals, such as voice and data signals, from the base station transceiver 260 via an antenna 205. The antenna 205 may be an embedded antenna, a retractable antenna or any antenna known to those having skill in the art without departing from the scope of the present invention. The radio frequency signals transmitted between the portable electronic device 240 and the base station transceiver 260 may include both traffic and control signals (e.g., paging signals/messages for incoming calls), which are used to establish and maintain communication with another party or destination. The processor 290 may support various functions of the portable electronic device, including a download control circuit 250 configured to download, install, execute and uninstall applications according to some embodiments of the present invention as will be discussed further herein.” Andreasson ’890 at [0047]–[0048].  FIG. 1  FIG. 2 Macaluso ’238 at FIG. 2.



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 3 Macaluso ’238 at FIG. 3. “FIG. 2 is a block diagram of a mobile phone 200 that may be used in connection with the described techniques. The mobile phone 200 includes a transceiver 205 connected to an antenna 210 for communicating voice and data to and from a remote server, wireline telephone connection, and/or another mobile device through a wireless communication system in accordance with conventional techniques. For example, the wireless communication system may be a CDMA, GSM, or UMTS network, or any other type of mobile network. The transceiver 205 is connected to a processor 215 that controls the operation of the mobile phone 200, including the operation of the transceiver 205. A storage medium 220, which may be removable, read-only, or read/write media and may be magnetic-based, optical-based, semiconductor-based media, or a combination of these, may store operating system software for the mobile phone 200. A memory 225 may store additional, less vital information, such as applications that may be loaded into the mobile phone 200, including an application for displaying advertisements on the mobile phone 200. In addition, a cache containing one or more advertisements may be stored in the memory 225. Both the memory 225 and the storage medium 220 are connected to the processor 215. The processor 215 may operate in accordance with software, applications, or other instructions stored in the memory 225 and/or the storage medium 220.” Macaluso ’238 at [0025].


’296 Patent Claim Language	Exemplary Disclosures
	FIG. 1  Kinoshita ’866 at Fig. 1. FIG. 3  Kinoshita ’866 at Fig. 3.

’296 Patent Claim Language	Exemplary Disclosures
	FIG. 4  Kinoshita ’866 at Fig. 4.  Kinoshita ’866 at Fig. 5.


’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 6.  Kinoshita ’866 at Fig. 7.

’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 8.  Kinoshita ’866 at Fig. 9.



’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 10.  Kinoshita ’866 at Fig. 11.


’296 Patent Claim Language	Exemplary Disclosures
	FIG. 12  Kinoshita ’866 at Fig. 12. “The first aspect of the present invention is a service providing method using a mobile communication device having a short-range communication function, comprising the steps of: a first step in which the mobile communication device transfers user's or the mobile communication device's attribute data stored in the mobile communication device to a service processing device by performing short-range communication with the service processing device installed at a predetermined place.” Kinoshita ’866 at [0009]. “The second aspect of the present invention is a service processing device comprising: an interface that performs short-range communication with a mobile communication device directly or indirectly; a memory that stores place data; and a controller that receives attribute data of a user or user's mobile communication device from user's mobile communication device, transfers the attribute data and the place data read out from the memory to the server, and performs announcement based upon recommendation data corresponding to the place data received from the server.” Kinoshita ’866 at [0010]. “The third aspect of the present invention is a mobile communication device for performing short-range-communication with a service processing device installed at predetermined place, the mobile communication device comprising: a short-range communication interface that performs short-range-communication with the service processing device; a memory that stores attribute data of a user or his mobile communication device; and a controller that transfers the attribute data read out from the memory to the service processing device, receives recommendation data associated with the attribute data and a place of the service processing device, and performs announcement according to the recommendation data.” Kinoshita ’866 at [0011].

’296 Patent Claim Language	Exemplary Disclosures
	“The fourth aspect of the present invention is a server for providing information associated with a mobile communication device that performs short-range communication with a service processing device installed at a predetermined place, the server comprising: an interface that receives attribute data of a user or his mobile communication device and place data of a place where the service processing device is installed from the mobile communication device or the service processing device; a memory that stores recommendation data which is associated with the attribute data and the place data; and a controller that reads out, from the memory, the recommendation data which is associated with the attribute data received by the interface and the place data, and transfers the recommendation data to the mobile communication device or the service processing device through the interface.” Kinoshita ’866 at [0012]. “The cellular phones 12-1 and 12-2 can perform short-range communication with the R/W device 16 at shops or venues where the R/W devices are installed if the cellular phone is put near the R/W device.” Kinoshita ’866 at [0029]. “The cellular phones 12-1 and 12-2 include an IC chip 55 that performs short-range communication by using a non-contact method, and the IC chip is given ICID that is unique identification information. In the present embodiment, for example, the cellular phones 12-1 and 12-2 perform short-range communication by using the IC chip 55. The IC chip 55 is a short-wave-resistant module. The IC chip 55 is removably or fixedly built in the cellular phones 12-1 and 12-2.” Kinoshita ’866 at [0032]. “The service device 14 includes, for example, a device environment detecting unit 61, an interface 62, a display 64, a short-range communication unit 65, a memory 68, and a processing circuit 69. ” Kinoshita ’866 at [0037]. “The service device 14 is installed at a place such as a shop, and communicates with the cellular phone 12-1 via the R/W device 16. ” Kinoshita ’866 at [0037]. “The R/W device 16 performs short-range communication with the cellular phone 12-1. Standards of protocol used in short-range communication include, for example, NFC (Near Field Communication), ISO/IEC 14443, Bluetooth, UWB (Ultra Wide Band), and IEEE802.11b. A method of the short-range communication in the present embodiment may be a contact method, or a non-contact method. The R/W device 16 is installed at a shop and other places.” Kinoshita ’866 at [0039]. “Referring to FIG. 4, the Web server 24 includes, for example, an interface 62, a memory 68, and a processing circuit 69.” Kinoshita ’866 at [0041].

’296 Patent Claim Language	Exemplary Disclosures
	“When a user goes to a shop or a station, he can approach the R/W device 16 installed there and make the cellular phone 12-1 contact with the R/W device 16. By doing this, the R/W device 16 can communicate with the cellular phone 12-1 through short-range communication.” Kinoshita ’866 at [0089]. “The cellular phone 12-1 communicates with the service device 14 via the R/W device 16 by using the function of the application program APL. At this time, the cellular phone 12-1 transfers attribute data and a list of advertisement videos and digital content data, which are stored in the memory 58 of FIG. 2, to the service device 14, as well as given service requests. The service device 14 transfers the above things received from the cellular phone 12-1 to the memory 68 of FIG. 3. The attribute data includes, for example, user's age, gender, and preferences.” Kinoshita ’866 at [0096].  **FIG. 38** Smith ’558 at Fig. 38. “FIG. 12 illustrates components for creating mapping layers. As illustrated, a client web application 1202 communicates with a server farm 1204 through the Internet, for example, to request mapping information.” Smith ’558 at [0153]. “Generally, program modules include routines, programs, components, data structures, etc., that perform particular tasks or implement particular abstract data types. Moreover, those skilled in the art will appreciate

’296 Patent Claim Language	Exemplary Disclosures
	that the inventive methods can be practiced with other computer system configurations, including single-processor or multiprocessor computer systems, minicomputers, mainframe computers, as well as personal computers, hand-held computing devices, microprocessor-based or programmable consumer electronics, and the like, each of which can be operatively coupled to one or more associated devices. The illustrated aspects may also be practiced in distributed computing environments where certain tasks are performed by remote processing devices that are linked through a communications network. In a distributed computing environment, program modules can be located in both local and remote memory storage devices. A computer typically includes a variety of computer-readable media. Computer-readable media can be any available media that can be accessed by the computer and includes both volatile and nonvolatile media, removable and non-removable media. By way of example, and not limitation, computer-readable media can comprise computer storage media and communication media. Computer storage media includes both volatile and nonvolatile, removable and non-removable media implemented in any method or technology for storage of information such as computer-readable instructions, data structures, program modules or other data. Computer storage media includes, but is not limited to, RAM, ROM, EEPROM, flash memory or other memory technology, CD-ROM, digital video disk (DVD) or other optical disk storage, magnetic cassettes, magnetic tape, magnetic disk storage or other magnetic storage devices, or any other medium which can be used to store the desired information and which can be accessed by the computer. Communication media typically embodies computer-readable instructions, data structures, program modules or other data in a modulated data signal such as a carrier wave or other transport mechanism, and includes any information delivery media. The term “modulated data signal” means a signal that has one or more of its characteristics set or changed in such a manner as to encode information in the signal. By way of example, and not limitation, communication media includes wired media such as a wired network or direct-wired connection, and wireless media such as acoustic, RF, infrared and other wireless media. Combinations of the any of the above should also be included within the scope of computer-readable media.” Smith ’558 at [0249]–[0252]. “When used in a LAN networking environment, the computer 3802 is connected to the local network 3852 through a wired and/or wireless communication network interface or adapter 3856. The adaptor 3856 may facilitate wired or wireless communication to the LAN 3852, which may also include a wireless access point disposed thereon for communicating with the wireless adaptor 3856.” Smith ’558 at [0261].


’296 Patent Claim Language	Exemplary Disclosures
	“When used in a WAN networking environment, the computer 3802 can include a modem 3858, or is connected to a communications server on the WAN 3854, or has other means for establishing communications over the WAN 3854, such as by way of the Internet.” Smith ’558 at [0262].  FIG. 1 Sato ’965 at Fig. 1.  FIG. 2 Sato ’965 at Fig. 2.


’296 Patent Claim Language	Exemplary Disclosures
	“Terminal apparatus 101 is, for example, a car navigation system with communication function, PDA (Personal Data Assist), notebook personal computer or the like. Further, terminal apparatus 101 may be a portable communication terminal such as a cellular telephone and PHS.” Sato ’965 at [0045]. “Terminal apparatus 101 is connected to wide-area road information server 102 by wireless communication path 140. Terminal apparatus 101 is further connected to content server 103 by wireless communication path 141.” Sato ’965 at [0049]. “Wide-area road information server 102 and content server 103 are, for example, server computers with arbitrary configurations.” Sato ’965 at [0050]. “It is not indispensable that terminal apparatus 101 is directly connected to wide-area road information server 102 via wireless communication path 140. Any network (for example, internet) and/or wired communication path may be present between terminal apparatus 101 and wide-area road information server 102 in addition to wireless communication path 140. The same situation may exist between terminal apparatus 101 and content server 103.” Sato ’965 at [0053]. “Communication interface 111 communicates with wide-area road information server 102 via wireless communication path 140, and further communicates with content server 103 via wireless communication path 141.” Sato ’965 at [0058].  **Fig. 5** Begum ’880 at Fig. 5. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the

’296 Patent Claim Language	Exemplary Disclosures
	advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22. “The electronic shopping cart handle of the preferred embodiment includes an internal operating system that enables the device to incorporate efficient power management in order to maximize the life of the power pack that is provided for each device. ” Begum ’880 at 4:10–14. “The invented device is a dedicated appliance computer that is capable of being reprogrammed in order to add additional features to the device as users become more sophisticated. Such features as the automatic display of advertisements at select store locations and the global updating of displayable data by wireless transmissions are described in the referenced application.” Begum ’880 at 4:53–59. “The user interface is designed to allow the user to access all of the available data including stored promotional graphics by a control system that is intuitive. Furthermore, the hybrid system devised for automatic display of promotional graphics, is designed to incorporate features that are beneficial in facilitating automatic update of the promotional advertisements.” Begum ’880 at 4:65–5:4. “Referring to the schematic illustration of FIG. 5, the display unit 12 contains a central processor 58 which is an integrated circuit chip for programs to control the system operation. The processor receives and directs data for operation of the display unit, and is preferably a state of the art chip, such as an Intel 286 or more expensive 386 chip. Although more advanced logic circuits are not necessary for the contemplated informational and operational tasks involved in the shopping cart handle, advanced state of the art processors can be used to advantage for power management. The processor 58 connects to a standard keyboard chip 60, which as noted, may be integrated into the processor chip. The keyboard chip 60 includes the circuity necessary to interpret signals from the scroll buttons 30 or the selection bar 32.” Begum ’880 at 8:10–24. “External components such as an IR beacon 64 and an IR trigger component 66 direct infrared data signals and wake-up signals to the IR photodiodes 68 of the radiation window 36a on the display unit 12. The data signals provide information for reprogramming the memory of inventory and sales information and screen display of activated advertisement and promotional visuals. The IR beacon 64 may also emit a power transmission signal for charge maintenance of the battery pack 40. The IR beacon 64 and trigger component 66 form a transceiver unit 65 for receiving, storing and relaying trigger and data signals from a control unit 67, that centralizes the storewide operation of the system.” Begum ’880 at 8:36–47.


’296 Patent Claim Language	Exemplary Disclosures
	“The trigger and data signals are demodulated in a converter circuit 70 and passed to the central processor 58 for reprogramming the memory or activating retrieval of memory packets for display of advertising information in the display screen 24 under control of the LCD driver and controller circuit 72.” Begum ’880 at 8:48–53. “Customarily, each store would have a single control unit 67 that is the central computer for management of the stores inventory and accounting. The control unit 67 communicates with a plurality of transceiver units 65 located throughout the marketing area. Preferably, to minimize installation expenses and allow the plurality of transceiver units 65 to be repositioned in the marketing area as desired, each transceiver unit 65 is in wireless communication with the control unit 67 and has its own power supply. Essentially, the transceiver unit 65 includes the same electronic components as the display unit 12 which allows for independent processing of data and independent communication with a display unit 12 on a nearby shopping cart. ” Begum ’880 at 8:56–9:1. “To conserve power in the transceiver unit 65, the transceiver unit includes a proximity sensor 69 that detects the presence of a shopping cart within range and initiates transmission of the trigger and data signals to the unit 12 on the cart handle. The transceiver unit 65 also includes an RF receiver 71 to receive FM radio frequency transmissions from the central control” Begum ’880 at 9:1–7. “The data signal is a digital signal that includes both the product control signals and the screen graphic signal. The product control signals include data about the promotion that is not in the screen graphic and that does not appear on the display screen 24 of the display unit 12. This data may include the universal product identification number, the date or iteration number of the promotional graphic, and, the identification number of the transceiver unit, which is useful in tracking the path of a shopper through the market area. The screen graphic signal contains the digitized data that is received by the display unit 12 and formatted for display on the display screen. For example, a compressed screen graphic signal must be decompressed by the central processor before it is relayed to the LCD controller and driver 72. ” Begum ’880 at 9:16–29. “The digitized screen graphic is stored in a file in the memory of the transceiver unit 65, and is periodically updated or replaced by transmissions from the control unit 67.” Begum ’880 at 9:52–55. “The trigger and data signals, together with a converted D.C. power potentials are delivered to the power control circuit for system wakeup, and trickle feed of energy to the battery pack 40. The trigger signal is passed to the cue output circuit 73, which may be one or more of an audible chime, a handle vibration or a light. Certain IR triggers 66 at the store perimeter may not only trigger an audible alarm in the display unit 12,

’296 Patent Claim Language	Exemplary Disclosures
	but include a sound or ultrasound receiver for activating an alarm in the store office when a select frequency emitted by the display unit is detected.” Begum ’880 at 9:56–65. “With the display unit 12 awakened, the data signals are processed by the central processor 58 and the data relating to the screen graphic is compared with existing promotional screen graphics stored in RAM 74. The comparison of digitized screen graphics may be accomplished with a rapid checksum procedure. If a match is found, the screen graphic data is passed from a temporary storage buffer in the central processor 58 to the LCD driver 72 for display on the display screen 24. In the event that there is no match, the processor 58 processes the formatted screen data to the LCD driver 72 for display on the display screen 24 and contemporaneously passes the screen graphic display data together with the accompanying product control data to RAM 74. The screen graphic data and product control data are stored in memory for future comparison with received screen display signals or retrieval by a shopper reviewing the file of product promotions.” Begum ’880 at 9:66–10:15. “The product control signals may be utilized in this compare process for rapidly locating the presence or absence of a particular promotional screen graphic in memory and initiating display of either the screen graphic in memory or the screen graphic formatted from the screen graphic signal transmitted by the transceiver unit 65. In this manner, the shopping carts that are in use, are continually updated as they pass a transceiver unit 65, such that even if an outdated ad is stored in memory, the updated ad will be presented once the shopper has arrived at the location of the promoted item. Although this system has the minor drawback of potentially storing an outdated promotional graphic in memory that is accessible by a shopper during review of the product promotion file using the display unit in an interactive mode, the system is self-correcting at the promoted product location.” Begum ’880 at 10:16–31. “The random access memory (RAM) 74 and read only memory (ROM) 76 store the systems operations data and reprogrammable user data for displaying store directory and product information in the display screen 24.” Begum ’880 at 10:32–35. “Although the devised shopping cart display handle will have the capabilities of a personal computer, a dedicated informational format, as schematically illustrated in FIGS. 6-10, is incorporated to ease user familiarization and encourage adoption as a shopping aid.” Begum ’880 at 10:37–41. *See also* Begum ’880 at Abstract, Fig. 1, Fig. 9, 1:60–2:5, 4:33–38, 5:65–6:4, and 9:12–16.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Begum ’606 at FIG. 1. “The customer display device 12 is part of a portable communication unit 14 having a control panel 15 with a display screen 16 and easily operated user controls 18, such as complementary up and down scroll buttons 20, 22, and select buttons 24” Begum ’606 at 4:17–21.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Levkovitz ’852 at Fig. 1. “In some embodiments, for example, the server may include a memory unit to store a plurality of content items from which the content item is selected. In some embodiments, for example, the memory unit may include a volatile memory or a non-volatile memory. In some embodiments, for example, the server is to periodically copy the content of the volatile memory into a non-volatile memory.” Levkovitz ’852 at [0012]–[0014]. “FIG. 1 schematically illustrates a block diagram of a wireless communication system 100 able to deliver content in accordance with an embodiment of the invention. System 100 may include, for example, an ad server 110, a control server 120, a management server 130, a database 140, a communicator 150, and one or more wireless communication devices, e.g., a wireless communication device 170.” Levkovitz ’852 at [0094]. “Ad server 110 may include one or more servers, or a “server farm”, which may be operatively connected to communicator 150. Ad server 110 may process content requests stored in the queue 158 of communicator 150, e.g., in accordance with a pre-defined order or algorithm.” Levkovitz ’852 at [0098].


’296 Patent Claim Language	Exemplary Disclosures
	“In one embodiment, memory unit 118 may include a non-volatile memory, for example, a long term memory unit, a disk, a hard disk drive, or the like. In another embodiment, memory unit 118 may include a volatile memory, for example, a Random Access Memory (RAM), a Dynamic RAM (DRAM), a Synchronous DRAM (SD-RAM), a Flash memory, a cache memory, a buffer, a stack, a short term memory unit, or the like.” Levkovitz ’852 at [0125]. “Management server 130, control server 120, ad server 110, communicator 150, and/or other components of system 100, may be implemented, for example, using one or more computing platforms or computing devices, e.g., one or more computers or servers including a processor, a memory unit, a storage unit, an input unit, an output unit, a transmitter, a receiver, an antenna, a power source, an Operating System, software applications, and/or other suitable software components and/or hardware components.” Levkovitz ’852 at [0173]. “Device 170 may communicate with communicator 150 and/or ad sever 110 using wireless medium 165, for example, in accordance with one or more standards or protocols, e.g., Transmission Control Protocol (TCP), Internet Protocol (IP), TCP/IP, Session Initiation Protocol (SIP), Signaling System 7 (SS7), Push protocol, SMS protocol, MMS protocol, IM protocol, Code-Division Multiple Access (CDMA), Wideband CDMA (W-CDMA), Time-Division Multiple Access (TDMA), Post Office Protocol 3 (POP3), Internet Message Access Protocol IMAP), Simple Mail Transfer Protocol (SMTP), User Datagram Protocol (UDP), High-Speed Circuit-Switched Data (HSCSD), Wireless Village Protocol, XMPP Protocol, PAM/Parlay Protocol, SMPP Protocol, UCP Protocol, CIMD2 Protocol, CAMEL Protocol, SIGTRAN Protocol, or the like.” Levkovitz ’852 at [0174]. “The mobile devices 30 within the m-commerce environment 8 can be implemented with any portable communication device capable of over-the-air or through-the-air radio frequency (“RF”) communication, as understood by those skilled in the art, with the m-commerce server 10. For example, the mobile device 30 can be a mobile telephone, an email communication device (e.g., such as those sold under the trademark BLACKBERRY), a personal digital assistant (PDA), or other mobile device. Regardless of the embodiment, each of the mobile devices 30 preferably includes a display 32 (e.g., a liquid crystal display (“LCD”)) capable of displaying the textual and/or graphical e-commerce content distributed by the m-commerce server 10.” Sanctis ’837 at [0030]. “Also, as shown in FIG. 7, and as will be understood by those skilled in the art, the mobile devices 30 can download client application software 41 to be stored in memory, e.g., flash memory 40, of the mobile device 30 and can include mobile device enhancement program product 42 or software and application program


’296 Patent Claim Language	Exemplary Disclosures
	interface program product or software from an input/output having download 48, e.g., wireless or hardwire, capabilities associated with the mobile device 30 via a communication link 26 with another computer or the server 10, or be provided with client application program product or software upon purchase of the mobile device, to enhance client communication capabilities to the m-server 10, to enhance GUI displays to the user, and to enhance other features 44 for the user as a set of program instruction as understood by those skilled in the art and as described herein, such as mobile alerts, make purchase consummation, gathering account information, viewing detail on product, viewing past orders, shipment tracking, and security encryption.” Sanctis ’837 at [0038].  FIG. 2 Bussmann ’294 at FIG. 2. “FIG. 2 shows an example embodiment of a location-based advertising use environment 200. Use environment 200 comprises an advertising server 202 in communication with a plurality of advertising publisher computing devices 204, 206, 208, and also with a plurality of devices 210, 212, 214 that request and receive advertising content from the advertising server 202. In the depicted embodiment, the number of advertising publisher client computing devices in communication with the advertising server 202 is illustrated as a generic number X, and the number of requesting/receiving devices is illustrated as a generic number Y,

’296 Patent Claim Language	Exemplary Disclosures
	indicating that any suitable number of advertising publisher client computing devices and requesting/receiving devices may be in communication with the advertising server 202 at any time. The advertising server 202 comprises memory 216 and a processor 218, wherein the memory 216 comprises instructions stored thereon that are executable by the processor 218 to perform the various methods of operating an advertising server disclosed herein. The advertising server 202 further comprises a database 220 that stores various items of information related to the provision of location-based advertising services. For example, the database 220 may store user account information related to the advertising publishers and/or consumer devices that utilize the system. The database 220 also may store advertising content provided by each advertising publisher, and bid information related to the advertising content. The term “updated bid information” may be used herein to describe such current bid information, as bids may be submitted and/or modified by advertising publishers on a continuous, rolling basis. The updated bid information may include such information as the geographic locations and time intervals selected by each advertising publisher for the distribution of advertising content, category information related to the type of advertising content provided by each advertising publisher and to the specific distribution services requested by the advertising publisher, pricing information related to the price paid by each advertising publisher for a desired transaction type (per view, per click-through, etc.), payment information related to the method of payment used by each advertising publisher (pre-paid credits, debit/credit card info, etc.), or any other suitable information.” Bussmann ’294 at [0012]–[0013].


’296 Patent Claim Language	Exemplary Disclosures
	FIG. 2  Mello ’479 at FIG. 2. “FIG. 2 is a detailed block diagram of an example implementation of the PPM 30 of FIG. 1. As discussed above, the PPM 30 may be used to monitor the use of a location-based web service application by a monitored person (e.g., the monitored person 32 of FIG. 1). It may also be used to collect location information and/or motion information associated with the use of the location-based web application. In general, the PPM 30 includes electronic components configured to detect and/or collect media monitoring information, location information, and/or motion information, and to communicate the information to the central facility 60 of FIG. 1 for subsequent analyses. As shown in FIG. 2, the PPM 30 includes a processor 100, a voice coder/decoder (CODEC) 102, a memory 104, a communication interface 106, a plurality of media monitoring sensors 108, a plurality of location and motion sensors 110, an input interface 114, a visual interface 116 and a timer/counter 118, all of which are communicatively coupled as shown.” Mello ’479 at [0036]. “It is to be understood that the example machine accessible instructions of the flow diagrams of FIGS. 5A, 5B, 6-9, 10A, 10B, 11A, 11B, and 12-16 may be executed by a processor, a controller and/or any other suitable processing device. For example, the example machine accessible instructions of FIGS. 5A, 5B, 6-9, 10A, 10B, 11A, 11B, and 12-16 may be embodied in coded instructions stored on a tangible medium such as


’296 Patent Claim Language	Exemplary Disclosures
	a flash memory, or random access memory (RAM) associated with a processor. Alternatively, some or all of the example flow diagrams of FIGS. 5A, 5B, 6-9, 10A, 10B, 11A, 11B, and 12-16 may be implemented using an application specific integrated circuit (ASIC), a programmable logic device (PLD), a field programmable logic device (FPLD), discrete logic, hardware, firmware, etc. ” Mello ’479 at [0118].  FIG. 1 Busch ’815 at Fig. 1. “The present invention provides among other things methods and systems to obtain data relating to location from mobile devices, processing this data, sending content to a mobile device based at least in part on location data, integration of location data associated with a mobile device with web based applications accessed with a standard computer or laptop, integration of location data with conversion tracking systems, integration of location data with customer relationship management systems and systems to determining retail business location performance, integration with social uses of location data of mobile devices, and integration with navigation uses of location data associated with mobile devices.” Busch ’815 at [0159]. “With reference to FIG. 1 GPS satellites 100 operate to determine the location of a mobile device 140 that has a number of features available based upon the location data. The mobile device 140 provides a user interface 142, GPS receiver 144, CPU and memory 146, and radio 148. Examples of mobile device 140 include cellular


’296 Patent Claim Language	Exemplary Disclosures
	phones, personal digital assistants, pagers, laptop computers, automobile navigation systems, among others. Mobile device 140 receives GPS signals and determines its location. For purposes of illustration and without limitation, this may occur solely through using the GPS system, or may occur by using a filter to combine location data from the GPS system and another system such as cell-tower-triangulation in order to obtain a more accurate location. The mobile device 140 is wirelessly coupled to an access point 102 with a built in radio 148. The access point 102 is coupled to the Internet 104 or other network. A number of other systems or services are available to the device over the Internet 104 or other network optionally including but not limited to an inventory system 106, advertisement system 108, search engine 110, mapping, business location, GIS, and routing database 112, user information database 114, advertiser information database 116, payment system 118, and phone system 120.” Busch ’815 at [0334].  *FIG. 11* Svendsen ’073 at Fig. 11.

’296 Patent Claim Language	Exemplary Disclosures
	 ***FIG. 13*** Svendsen ’073 at Fig. 13. “FIG. 11 illustrates a system 68 for customized content delivery according to one embodiment of the present invention. In general, the system 68 includes a central server 70 and a number of user devices 72-1 through 72-N having associated users 74-1 through 74-N. The central server 70 and the user devices 72-1 through 72-N are enabled to communicate via a network 76. The network 76 may be any type of Wide Area Network (WAN), Local Area Network (LAN), or the like, or any combination thereof. In addition, the network 76 may include wired components, wireless components, or both wired and wireless components. As an example, the network 76 may be the Internet.” Svendsen ’073 at 13:27–38. “The central server 70 includes a customized content delivery function 78, which may be implemented in software, hardware, or a combination thereof.” Svendsen ’073 at 13:39–41. “In addition, the central server 70 may include a content repository 80. For each of a number of content providers, the content repository 80 may store the content items or references to the content items provided by each of the content providers. As discussed above, the content providers may be advertisers, media content providers, or the like. As such, the content items provided by the content providers may be advertisements, media items, or the like. Lastly, the central server 70 hosts or otherwise has access to a provider accounts

’296 Patent Claim Language	Exemplary Disclosures
	repository 82, which includes a provider account, or account, for each of the content providers.” Svendsen ’073 at 13:41–52. “FIG. 13 is a block diagram of the central server 70 of FIG. 11 according to one embodiment of the present invention. In general, the central server 70 includes a control system 88 having associated memory 90. In this example, the customized content delivery function 78 is implemented in software and stored in the memory 90. However, the present invention is not limited thereto. The customized content delivery function 78 may be implemented in software, hardware, or a combination thereof. In addition, the central server 70 may include one or more digital storage devices 92 such as one or more hard disk drives or the like. The provider accounts repository 82 and the content repository 80 may be stored in the one or more digital storage devices 92, the memory 90, or a combination thereof. The central server 70 also includes a communication interface 94 communicatively coupling the central server 70 to the network 76 (FIG. 11). Lastly, the central server 70 may include a user interface 96, which may include components such as a display, one or more user input devices, or the like.” Svendsen ’073 at 15:28–46. *See also* Svendsen ’073 at Fig. 1 and 4:48–67. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[6c] at least one processor operably coupled to the memory and the communications interface, the processor configured to execute a program of instructions, the program of instructions comprising:	The following prior art expressly or inherently discloses and renders obvious “at least one processor operably coupled to the memory and the communications interface, the processor configured to execute a program of instructions, the program of instructions.” For example:

’296 Patent Claim Language	Exemplary Disclosures
	 Figure 1 Andreasson ’890 at Figure 1.



’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 2 Andreasson ’890 at FIGURE 2.


’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 3 Andreasson ’890 at FIGURE 3. “As will be discussed further below with respect to FIGS. 1 through 4, some embodiments of the present invention provide methods, servers and portable electronic devices for downloading applications from the server to the portable electronic device. The server is configured to store one or more applications, each having an associated region and duration. Portable electronic devices according to some embodiments of the present invention may be associated with a unique device identifier. The portable electronic device may be configured to periodically obtain a current position of the portable electronic device and provide the current position and the unique device identifier to the server. If the portable electronic device is within a region associated with one of the stored applications, the server may determine if the unique identifier associated with the portable electronic device is also associated with the stored application for that region. If so, the server may download a link to the stored application to the portable electronic device so as to allow the portable electronic device to access the application while the portable electronic device is within the region and during the defined duration of the application as will be discussed further herein.” Andreasson ’890 at [0035]. “As further illustrated in FIG. 1, the server includes a communications circuit 115 and a storage device 120. The communications circuit 115 is configured to communicate with one or more portable electronic devices



’296 Patent Claim Language	Exemplary Disclosures
	140 in accordance with some embodiments of the present invention. One or more applications 122, 124 and 126 are stored in a storage device 120 on the server 110. As used herein, “application” may refer to an application or a web page without departing from the scope of the present invention. Although only three applications 122, 124 and 126 are provided in FIG. 1, embodiments of the present invention are not limited to this configuration. For example, less or more than three applications may be stored at the server 110 without departing from the scope of the present application. Each of the applications may be associated with a certain geographic region and have a defined duration. As used herein, “geographic region” may be any region defined by the owner of the application. For example, if the application were associated with a baseball game, the region may be defined around the perimeter of the baseball stadium. Furthermore, as used herein the “duration” of the application defines a time period during which the application will be available to user's of portable electronic devices within the defined geographic region. For example, the duration may include a date and a time period, such as May 15, 2008 from 1:00 P.M. to 5:00 P.M.” Andreasson ’890 at [0037]. “As further illustrated in FIG. 1, the system 100 also includes a portable electronic device 140 associated with a user. As used herein, the term “portable electronic device” includes: a cellular radiotelephone with or without a multi-line display; a Personal Communications System (PCS) terminal that combines a cellular radiotelephone with data processing, facsimile and data communications capabilities; a Personal Data Assistant (PDA) that includes a radiotelephone, pager, Internet/intranet access, Web browser, organizer, calendar and/or a global positioning system (GPS) receiver; a gaming device, an audio video player, and a conventional laptop and/or palmtop portable computer that includes a radiotelephone transceiver. Any portable electronic device capable of operating in accordance with some embodiments of the present invention may be used without departing from the scope of the present invention.” Andreasson ’890 at [0039]. “Portable electronic devices 140 according to some embodiments of the present invention are configured to determine a current position thereof using any positioning device known to those having skill in the art, for example, a GPS receiver. Portable electronic devices 140 according to some embodiments of the present invention are also configured to download applications 122, 124 and 126 from the server based on the determined current position of the portable electronic device, for example, the presence of the portable electronic device 140 within a defined region, for example, region 130. As illustrated in FIG. 1, the portable electronic device 140 may move from a first position A, outside the region 130, to a second position B, inside the region 130. Movement from outside the region 130 to inside the region 130 may trigger downloading of one or more applications 122, 124 and 126 associated with the region 130 from the server 110 to the portable electronic device 140 as will be discussed further below. The portable electronic device 140 is configured to



’296 Patent Claim Language	Exemplary Disclosures
	install and execute the downloaded applications 122, 124 and 126. In some embodiments, this installation and downloading may be performed automatically. The portable electronic device may also be configured to remove/uninstall the installed applications when it is determined that the portable electronic device has exited the region 130. This may also be performed automatically. Portable electronic devices and related operations thereof will be discussed further below with respect to FIGS. 2 through 4.” Andreasson ’890 at [0040]. “Referring now to FIG. 2, a schematic block diagram illustrating a portable electronic device 240 according to some embodiments of the present invention will be discussed. As further illustrated in FIG. 2, the portable electronic device 240 includes a portable housing 200 and may include a display 214, a man machine interface (MMI) 216, a speaker/microphone 217, a web browser 218, a transceiver 212 and a memory 280, any of which may communicate with a processor 290. Furthermore, portable electronic devices 240 according to embodiments of the present invention may further include a download control circuit 250 according to some embodiments of the present invention, which also communicates with the processor 290. The processor 290 can be any commercially available or custom microprocessor. As illustrated in FIG. 2, the portable electronic device communicates with a base station transceiver 260 connected to a mobile switching center (“MSC”) 270 in accordance with some embodiments of the present invention. The transceiver 212 typically includes a transmitter circuit and a receiver circuit, which respectively transmit outgoing radio frequency signals to the base station transceiver 260 and receive incoming radio frequency signals, such as voice and data signals, from the base station transceiver 260 via an antenna 205. The antenna 205 may be an embedded antenna, a retractable antenna or any antenna known to those having skill in the art without departing from the scope of the present invention. The radio frequency signals transmitted between the portable electronic device 240 and the base station transceiver 260 may include both traffic and control signals (e.g., paging signals/messages for incoming calls), which are used to establish and maintain communication with another party or destination. The processor 290 may support various functions of the portable electronic device, including a download control circuit 250 configured to download, install, execute and uninstall applications according to some embodiments of the present invention as will be discussed further herein.” Andreasson ’890 at [0047]–[0048]. “When the server 110 determines that a portable electronic device 140/240 has entered a new registered region 130, the server 110 may be configured to check that a unique device identifier associated with the portable electronic device 140/240 is associated with the application for this particular region 130. For example, the server 110 determines if the unique device identifier for this portable electronic device 140/240 is in the set of device identifiers associated with this particular application. If the unique device identifier of the portable electronic device 140/240 is present in the set of identifiers associated with the applications, the



’296 Patent Claim Language	Exemplary Disclosures
	communication circuit 115 of the server 110 is configured to transmit a link (URL) to the application data and the duration data for the application for the region 130 to the portable electronic device 140/240. When the portable electronic device enters a new region 130, the portable electronic device may be configured to automatically download the data from the URL received from the server 110. In some embodiments of the present invention, the content of the URL may be a web page. The web browser 218 of the portable electronic device 140/240 may be started and the web page may be loaded on the display 214. In certain embodiments of the present invention, a bookmark for the web page may be created automatically so as to allow future access to the web page. In further embodiments of the present invention, the content of the URL may be an executable application, for example, a Java Midlet, it may be installed and automatically executed. In some embodiments of the present invention, a uninstall event may be scheduled based on the duration information provide from the server 110.” Andreasson ’890 at [0057]–[0058]. “In some embodiments of the present invention, the applications 122, 124 and 126 themselves may have unique application identifiers. These unique application identifiers may be used to let the owner of an application make updates to the application during the scheduled duration of the application. The server 110 may be configured to announce the updates to portable electronic devices 140/240 using the application. The announcement can be done, for example, as a push of information to the portable electronic device 140/240 or during an ordinary position update by the portable electronic device 140/240. In some embodiments of the present invention, the downloaded application running on the portable electronic device 140/240 may communicate directly with a server associated with an owner of the application and update itself if needed.” Andreasson ’890 at [0061]. “For each application in an update response, an application package including the following parameters may be present: 1. [UUID] A universal unique identifier (unique application identifier) for the application. The UUID may be used for future reference, for example, to tell the server 110 that the application has been removed or when the server tells the portable electronic device 140/240 to update or remove an application. 2. [MIME] A MIME type identifying the type of data in the application, for example, a Java MIDLET (e.g. application/java-archive), a picture file (e.g. image/jpeg), a sound file (e.g. audio/mp4) and the like. The MIME can also be empty, indicating that the application is a web page, and that it should be handled by the web browser 218 rather than the content handler 257.



’296 Patent Claim Language	Exemplary Disclosures
	3. [URL] A uniform resource locator indicating where the application is available, for example, the Java JAR or JAD files, the web page content and the like. 4. [REGION] The geographical region 130 within which the application should be available for the portable electronic device 140/240. 5. [DURATION] The time period during which the application should be available for the portable electronic device 140/240. For example, the duration may include the start of the time period is PERIOD_START and the end is PERIOD_END. 6. [AUTO] A flag determining if the application should be automatically started after installation.” Andreasson ’890 at [0063]–[0069].  FIG. 1  FIG. 2 Macaluso ’238 at FIG. 2.



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 3 Macaluso ’238 at FIG. 3. “FIG. 2 is a block diagram of a mobile phone 200 that may be used in connection with the described techniques. The mobile phone 200 includes a transceiver 205 connected to an antenna 210 for communicating voice and data to and from a remote server, wireline telephone connection, and/or another mobile device through a wireless communication system in accordance with conventional techniques. For example, the wireless communication system may be a CDMA, GSM, or UMTS network, or any other type of mobile network. The transceiver 205 is connected to a processor 215 that controls the operation of the mobile phone 200, including the operation of the transceiver 205. A storage medium 220, which may be removable, read-only, or read/write media and may be magnetic-based, optical-based, semiconductor-based media, or a combination of these, may store operating system software for the mobile phone 200. A memory 225 may store additional, less vital information, such as applications that may be loaded into the mobile phone 200, including an application for displaying advertisements on the mobile phone 200. In addition, a cache containing one or more advertisements may be stored in the memory 225. Both the memory 225 and the storage medium 220 are connected to the processor 215. The processor 215 may operate in accordance with software, applications, or other instructions stored in the memory 225 and/or the storage medium 220.” Macaluso ’238 at [0025].


’296 Patent Claim Language	Exemplary Disclosures
	FIG. 1  Kinoshita ’866 at Fig. 1. FIG. 3  Kinoshita ’866 at Fig. 3.


’296 Patent Claim Language	Exemplary Disclosures
	FIG. 4  Kinoshita ’866 at Fig. 4.  Kinoshita ’866 at Fig. 5.

’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 6.  Kinoshita ’866 at Fig. 7.



’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 8.  Kinoshita ’866 at Fig. 9.

’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 10.  Kinoshita ’866 at Fig. 11.


’296 Patent Claim Language	Exemplary Disclosures
	FIG. 12  Kinoshita ’866 at Fig. 12. “The second aspect of the present invention is a service processing device comprising: an interface that performs short-range communication with a mobile communication device directly or indirectly; a memory that stores place data; and a controller that receives attribute data of a user or user's mobile communication device from user's mobile communication device, transfers the attribute data and the place data read out from the memory to the server, and performs announcement based upon recommendation data corresponding to the place data received from the server.” Kinoshita ’866 at [0010]. “The fourth aspect of the present invention is a server for providing information associated with a mobile communication device that performs short-range communication with a service processing device installed at a predetermined place, the server comprising: an interface that receives attribute data of a user or his mobile communication device and place data of a place where the service processing device is installed from the mobile communication device or the service processing device; a memory that stores recommendation data which is associated with the attribute data and the place data; and a controller that reads out, from the memory, the recommendation data which is associated with the attribute data received by the interface and the place data, and transfers the recommendation data to the mobile communication device or the service processing device through the interface.” Kinoshita ’866 at [0012]. “The service device 14 includes, for example, a device environment detecting unit 61, an interface 62, a display 64, a short-range communication unit 65, a memory 68, and a processing circuit 69. ” Kinoshita ’866 at [0037].

’296 Patent Claim Language	Exemplary Disclosures
	“Referring to FIG. 4, the Web server 24 includes, for example, an interface 62, a memory 68, and a processing circuit 69.” Kinoshita ’866 at [0041].  **FIG. 38** Smith ’558 at Fig. 38. “As used in this application, the terms “component,” “module,” “system,” and the like are intended to refer to a computer-related entity, either hardware, a combination of hardware and software, software, or software in execution. For example, a component may be, but is not limited to being, a process running on a processor, a processor, an object, an executable, a thread of execution, a program, and/or a computer. By way of illustration, both an application running on a server and the server can be a component. One or more components may reside within a process and/or thread of execution and a component may be localized on one computer and/or distributed between two or more computers.” Smith ’558 at [0058]. “Furthermore, the one or more embodiments may be implemented as a method, apparatus, or article of manufacture using standard programming and/or engineering techniques to produce software, firmware, hardware, or any combination thereof to control a computer to implement the disclosed embodiments. The term “article of manufacture” (or alternatively, “computer program product”) as used herein is intended to encompass a computer program accessible from any computer-readable device, carrier, or media. For

’296 Patent Claim Language	Exemplary Disclosures
	example, computer readable media can include but are not limited to magnetic storage devices (e.g., hard disk, floppy disk, magnetic strips . . .), optical disks (e.g., compact disk (CD), digital versatile disk (DVD) . . . smart cards, and flash memory devices (e.g., card, stick).” Smith ’558 at [0060]. “Generally, program modules include routines, programs, components, data structures, etc., that perform particular tasks or implement particular abstract data types. Moreover, those skilled in the art will appreciate that the inventive methods can be practiced with other computer system configurations, including single-processor or multiprocessor computer systems, minicomputers, mainframe computers, as well as personal computers, hand-held computing devices, microprocessor-based or programmable consumer electronics, and the like, each of which can be operatively coupled to one or more associated devices. The illustrated aspects may also be practiced in distributed computing environments where certain tasks are performed by remote processing devices that are linked through a communications network. In a distributed computing environment, program modules can be located in both local and remote memory storage devices. A computer typically includes a variety of computer-readable media. Computer-readable media can be any available media that can be accessed by the computer and includes both volatile and nonvolatile media, removable and non-removable media. By way of example, and not limitation, computer-readable media can comprise computer storage media and communication media. Computer storage media includes both volatile and nonvolatile, removable and non-removable media implemented in any method or technology for storage of information such as computer-readable instructions, data structures, program modules or other data. Computer storage media includes, but is not limited to, RAM, ROM, EEPROM, flash memory or other memory technology, CD-ROM, digital video disk (DVD) or other optical disk storage, magnetic cassettes, magnetic tape, magnetic disk storage or other magnetic storage devices, or any other medium which can be used to store the desired information and which can be accessed by the computer. Communication media typically embodies computer-readable instructions, data structures, program modules or other data in a modulated data signal such as a carrier wave or other transport mechanism, and includes any information delivery media. The term “modulated data signal” means a signal that has one or more of its characteristics set or changed in such a manner as to encode information in the signal. By way of example, and not limitation, communication media includes wired media such as a wired network or direct-wired connection, and wireless media such as acoustic, RF, infrared and other wireless media. Combinations of the any of the above should also be included within the scope of computer-readable media.” Smith ’558 at [0249]–[0252].


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Sato ’965 at Fig. 1.  FIG. 2 Sato ’965 at Fig. 2. “Terminal apparatus 101 is, for example, a car navigation system with communication function, PDA (Personal Data Assist), notebook personal computer or the like. Further, terminal apparatus 101 may be a portable communication terminal such as a cellular telephone and PHS.” Sato ’965 at [0045]. “Wide-area road information server 102 and content server 103 are, for example, server computers with arbitrary configurations.” Sato ’965 at [0050].


H2 Intellect - Exhibit 2010
Home Depot v. H2 Intellect - IPR2025-00480
Page 3887 of 5585

’296 Patent Claim Language	Exemplary Disclosures
	 **Fig. 5** Begum ’880 at Fig. 5. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22. “The electronic shopping cart handle of the preferred embodiment includes an internal operating system that enables the device to incorporate efficient power management in order to maximize the life of the power pack that is provided for each device. ” Begum ’880 at 4:10–14. “Because of improved design of compact integrated chip technologies use of an integrated chip incorporating an entire computer on a chip is preferred. This selection allows the essential processor and memory unit to be extremely compact allowing the low-profile configuration of the electronic shopping cart handle described in this specification” Begum ’880 at 4:39–44. “The invented device is a dedicated appliance computer that is capable of being reprogrammed in order to add additional features to the device as users become more sophisticated. Such features as the automatic display of advertisements at select store locations and the global updating of displayable data by wireless transmissions are described in the referenced application.” Begum ’880 at 4:53–59. “The user interface is designed to allow the user to access all of the available data including stored promotional graphics by a control system that is intuitive. Furthermore, the hybrid system devised for


’296 Patent Claim Language	Exemplary Disclosures
	automatic display of promotional graphics, is designed to incorporate features that are beneficial in facilitating automatic update of the promotional advertisements.” Begum ’880 at 4:65–5:4. “Referring to the schematic illustration of FIG. 5, the display unit 12 contains a central processor 58 which is an integrated circuit chip for programs to control the system operation. The processor receives and directs data for operation of the display unit, and is preferably a state of the art chip, such as an Intel 286 or more expensive 386 chip. Although more advanced logic circuits are not necessary for the contemplated informational and operational tasks involved in the shopping cart handle, advanced state of the art processors can be used to advantage for power management. The processor 58 connects to a standard keyboard chip 60, which as noted, may be integrated into the processor chip. The keyboard chip 60 includes the circuity necessary to interpret signals from the scroll buttons 30 or the selection bar 32.” Begum ’880 at 8:10–24. “External components such as an IR beacon 64 and an IR trigger component 66 direct infrared data signals and wake-up signals to the IR photodiodes 68 of the radiation window 36a on the display unit 12. The data signals provide information for reprogramming the memory of inventory and sales information and screen display of activated advertisement and promotional visuals. The IR beacon 64 may also emit a power transmission signal for charge maintenance of the battery pack 40. The IR beacon 64 and trigger component 66 form a transceiver unit 65 for receiving, storing and relaying trigger and data signals from a control unit 67, that centralizes the storewide operation of the system.” Begum ’880 at 8:36–47. “The trigger and data signals are demodulated in a converter circuit 70 and passed to the central processor 58 for reprogramming the memory or activating retrieval of memory packets for display of advertising information in the display screen 24 under control of the LCD driver and controller circuit 72.” Begum ’880 at 8:48–53. “Customarily, each store would have a single control unit 67 that is the central computer for management of the stores inventory and accounting. The control unit 67 communicates with a plurality of transceiver units 65 located throughout the marketing area. Preferably, to minimize installation expenses and allow the plurality of transceiver units 65 to be repositioned in the marketing area as desired, each transceiver unit 65 is in wireless communication with the control unit 67 and has its own power supply. Essentially, the transceiver unit 65 includes the same electronic components as the display unit 12 which allows for independent processing of data and independent communication with a display unit 12 on a nearby shopping cart. ” Begum ’880 at 8:56–9:1. “To conserve power in the transceiver unit 65, the transceiver unit includes a proximity sensor 69 that detects the presence of a shopping cart within range and initiates transmission of the trigger and data signals to the


’296 Patent Claim Language	Exemplary Disclosures
	unit 12 on the cart handle. The transceiver unit 65 also includes an RF receiver 71 to receive FM radio frequency transmissions from the central control” Begum ’880 at 9:1–7. “The digitized screen graphic is stored in a file in the memory of the transceiver unit 65, and is periodically updated or replaced by transmissions from the control unit 67.” Begum ’880 at 9:52–55. “With the display unit 12 awakened, the data signals are processed by the central processor 58 and the data relating to the screen graphic is compared with existing promotional screen graphics stored in RAM 74. The comparison of digitized screen graphics may be accomplished with a rapid checksum procedure. If a match is found, the screen graphic data is passed from a temporary storage buffer in the central processor 58 to the LCD driver 72 for display on the display screen 24. In the event that there is no match, the processor 58 processes the formatted screen data to the LCD driver 72 for display on the display screen 24 and contemporaneously passes the screen graphic display data together with the accompanying product control data to RAM 74. The screen graphic data and product control data are stored in memory for future comparison with received screen display signals or retrieval by a shopper reviewing the file of product promotions.” Begum ’880 at 9:66–10:15. “The product control signals may be utilized in this compare process for rapidly locating the presence or absence of a particular promotional screen graphic in memory and initiating display of either the screen graphic in memory or the screen graphic formatted from the screen graphic signal transmitted by the transceiver unit 65. In this manner, the shopping carts that are in use, are continually updated as they pass a transceiver unit 65, such that even if an outdated ad is stored in memory, the updated ad will be presented once the shopper has arrived at the location of the promoted item. Although this system has the minor drawback of potentially storing an outdated promotional graphic in memory that is accessible by a shopper during review of the product promotion file using the display unit in an interactive mode, the system is self-correcting at the promoted product location.” Begum ’880 at 10:16–31. “The random access memory (RAM) 74 and read only memory (ROM) 76 store the systems operations data and reprogrammable user data for displaying store directory and product information in the display screen 24.” Begum ’880 at 10:32–35. “Although the devised shopping cart display handle will have the capabilities of a personal computer, a dedicated informational format, as schematically illustrated in FIGS. 6-10, is incorporated to ease user familiarization and encourage adoption as a shopping aid.” Begum ’880 at 10:37–41. *See also* Begum ’880 at Abstract, Fig. 1, 1:60–2:5, 4:33–38, 5:65–6:4, 9:12–16, 9:16–29, and 9:56–65.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Begum ’606 at FIG. 1. “The customer display device 12 is part of a portable communication unit 14 having a control panel 15 with a display screen 16 and easily operated user controls 18, such as complementary up and down scroll buttons 20, 22, and select buttons 24” Begum ’606 at 4:17–21.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Levkovitz ’852 at Fig. 1. “In some embodiments, for example, the server may include a memory unit to store a plurality of content items from which the content item is selected. In some embodiments, for example, the memory unit may include a volatile memory or a non-volatile memory. In some embodiments, for example, the server is to periodically copy the content of the volatile memory into a non-volatile memory.” Levkovitz ’852 at [0012]–[0014]. “FIG. 1 schematically illustrates a block diagram of a wireless communication system 100 able to deliver content in accordance with an embodiment of the invention. System 100 may include, for example, an ad server 110, a control server 120, a management server 130, a database 140, a communicator 150, and one or more wireless communication devices, e.g., a wireless communication device 170.” Levkovitz ’852 at [0094]. “Ad server 110 may include one or more servers, or a “server farm”, which may be operatively connected to communicator 150. Ad server 110 may process content requests stored in the queue 158 of communicator 150, e.g., in accordance with a pre-defined order or algorithm.” Levkovitz ’852 at [0098].


’296 Patent Claim Language	Exemplary Disclosures
	“In one embodiment, memory unit 118 may include a non-volatile memory, for example, a long term memory unit, a disk, a hard disk drive, or the like. In another embodiment, memory unit 118 may include a volatile memory, for example, a Random Access Memory (RAM), a Dynamic RAM (DRAM), a Synchronous DRAM (SD-RAM), a Flash memory, a cache memory, a buffer, a stack, a short term memory unit, or the like.” Levkovitz ’852 at [0125]. “Management server 130, control server 120, ad server 110, communicator 150, and/or other components of system 100, may be implemented, for example, using one or more computing platforms or computing devices, e.g., one or more computers or servers including a processor, a memory unit, a storage unit, an input unit, an output unit, a transmitter, a receiver, an antenna, a power source, an Operating System, software applications, and/or other suitable software components and/or hardware components.” Levkovitz ’852 at [0173]. “The mobile devices 30 within the m-commerce environment 8 can be implemented with any portable communication device capable of over-the-air or through-the-air radio frequency (“RF”) communication, as understood by those skilled in the art, with the m-commerce server 10. For example, the mobile device 30 can be a mobile telephone, an email communication device (e.g., such as those sold under the trademark BLACKBERRY), a personal digital assistant (PDA), or other mobile device. Regardless of the embodiment, each of the mobile devices 30 preferably includes a display 32 (e.g., a liquid crystal display (“LCD”)) capable of displaying the textual and/or graphical e-commerce content distributed by the m-commerce server 10.” Sanctis ’837 at [0030]. “Also, as shown in FIG. 7, and as will be understood by those skilled in the art, the mobile devices 30 can download client application software 41 to be stored in memory, e.g., flash memory 40, of the mobile device 30 and can include mobile device enhancement program product 42 or software and application program interface program product or software from an input/output having download 48, e.g., wireless or hardwire, capabilities associated with the mobile device 30 via a communication link 26 with another computer or the server 10, or be provided with client application program product or software upon purchase of the mobile device, to enhance client communication capabilities to the m-server 10, to enhance GUI displays to the user, and to enhance other features 44 for the user as a set of program instruction as understood by those skilled in the art and as described herein, such as mobile alerts, make purchase consummation, gathering account information, viewing detail on product, viewing past orders, shipment tracking, and security encryption.” Sanctis ’837 at [0038].


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 2 Bussmann ’294 at FIG. 2. “FIG. 2 shows an example embodiment of a location-based advertising use environment 200. Use environment 200 comprises an advertising server 202 in communication with a plurality of advertising publisher computing devices 204, 206, 208, and also with a plurality of devices 210, 212, 214 that request and receive advertising content from the advertising server 202. In the depicted embodiment, the number of advertising publisher client computing devices in communication with the advertising server 202 is illustrated as a generic number X, and the number of requesting/receiving devices is illustrated as a generic number Y, indicating that any suitable number of advertising publisher client computing devices and requesting/receiving devices may be in communication with the advertising server 202 at any time. The advertising server 202 comprises memory 216 and a processor 218, wherein the memory 216 comprises instructions stored thereon that are executable by the processor 218 to perform the various methods of operating an advertising server disclosed herein. The advertising server 202 further comprises a database 220 that stores various items of information related to the provision of location-based advertising services. For example, the database 220 may store user account information related to the advertising publishers and/or consumer devices that utilize the system. The database 220 also may store advertising content provided by each advertising publisher, and bid information related to the advertising content. The term “updated bid

’296 Patent Claim Language	Exemplary Disclosures
	information” may be used herein to describe such current bid information, as bids may be submitted and/or modified by advertising publishers on a continuous, rolling basis. The updated bid information may include such information as the geographic locations and time intervals selected by each advertising publisher for the distribution of advertising content, category information related to the type of advertising content provided by each advertising publisher and to the specific distribution services requested by the advertising publisher, pricing information related to the price paid by each advertising publisher for a desired transaction type (per view, per click-through, etc.), payment information related to the method of payment used by each advertising publisher (pre-paid credits, debit/credit card info, etc.), or any other suitable information.” Bussmann ’294 at [0012]–[0013]. FIG. 2  Mello ’479 at FIG. 2. “FIG. 2 is a detailed block diagram of an example implementation of the PPM 30 of FIG. 1. As discussed above, the PPM 30 may be used to monitor the use of a location-based web service application by a monitored person (e.g., the monitored person 32 of FIG. 1). It may also be used to collect location information and/or motion information associated with the use of the location-based web application. In general, the PPM 30 includes electronic components configured to detect and/or collect media monitoring information, location information, and/or motion information, and to communicate the information to the


’296 Patent Claim Language	Exemplary Disclosures
	central facility 60 of FIG. 1 for subsequent analyses. As shown in FIG. 2, the PPM 30 includes a processor 100, a voice coder/decoder (CODEC) 102, a memory 104, a communication interface 106, a plurality of media monitoring sensors 108, a plurality of location and motion sensors 110, an input interface 114, a visual interface 116 and a timer/counter 118, all of which are communicatively coupled as shown.” Mello ’479 at [0036]. “It is to be understood that the example machine accessible instructions of the flow diagrams of FIGS. 5A, 5B, 6-9, 10A, 10B, 11A, 11B, and 12-16 may be executed by a processor, a controller and/or any other suitable processing device. For example, the example machine accessible instructions of FIGS. 5A, 5B, 6-9, 10A, 10B, 11A, 11B, and 12-16 may be embodied in coded instructions stored on a tangible medium such as a flash memory, or random access memory (RAM) associated with a processor. Alternatively, some or all of the example flow diagrams of FIGS. 5A, 5B, 6-9, 10A, 10B, 11A, 11B, and 12-16 may be implemented using an application specific integrated circuit (ASIC), a programmable logic device (PLD), a field programmable logic device (FPLD), discrete logic, hardware, firmware, etc. ” Mello ’479 at [0118].  FIG. 1 Busch ’815 at Fig. 1.


’296 Patent Claim Language	Exemplary Disclosures
	“The present invention provides among other things methods and systems to obtain data relating to location from mobile devices, processing this data, sending content to a mobile device based at least in part on location data, integration of location data associated with a mobile device with web based applications accessed with a standard computer or laptop, integration of location data with conversion tracking systems, integration of location data with customer relationship management systems and systems to determining retail business location performance, integration with social uses of location data of mobile devices, and integration with navigation uses of location data associated with mobile devices.” Busch ’815 at [0159]. “With reference to FIG. 1 GPS satellites 100 operate to determine the location of a mobile device 140 that has a number of features available based upon the location data. The mobile device 140 provides a user interface 142, GPS receiver 144, CPU and memory 146, and radio 148. Examples of mobile device 140 include cellular phones, personal digital assistants, pagers, laptop computers, automobile navigation systems, among others. Mobile device 140 receives GPS signals and determines its location. For purposes of illustration and without limitation, this may occur solely through using the GPS system, or may occur by using a filter to combine location data from the GPS system and another system such as cell-tower-triangulation in order to obtain a more accurate location. The mobile device 140 is wirelessly coupled to an access point 102 with a built in radio 148. The access point 102 is coupled to the Internet 104 or other network. A number of other systems or services are available to the device over the Internet 104 or other network optionally including but not limited to an inventory system 106, advertisement system 108, search engine 110, mapping, business location, GIS, and routing database 112, user information database 114, advertiser information database 116, payment system 118, and phone system 120.” Busch ’815 at [0334]. “When the user is viewing an area of the map without driving directions, the mapping website or software displays locations of interest in the current view of the map. When the mapping website or software is showing search results, and the user selects a specific business location, locations of other types of businesses of interest appear on the map around the location selected.” Busch ’815 at [0379].


’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 11* Svendsen ’073 at Fig. 11.

’296 Patent Claim Language	Exemplary Disclosures
	 ***FIG. 13*** Svendsen ’073 at Fig. 13. “FIG. 11 illustrates a system 68 for customized content delivery according to one embodiment of the present invention. In general, the system 68 includes a central server 70 and a number of user devices 72-1 through 72-N having associated users 74-1 through 74-N. The central server 70 and the user devices 72-1 through 72-N are enabled to communicate via a network 76. The network 76 may be any type of Wide Area Network (WAN), Local Area Network (LAN), or the like, or any combination thereof. In addition, the network 76 may include wired components, wireless components, or both wired and wireless components. As an example, the network 76 may be the Internet.” Svendsen ’073 at 13:27–38. “The central server 70 includes a customized content delivery function 78, which may be implemented in software, hardware, or a combination thereof.” Svendsen ’073 at 13:39–41. “In addition, the central server 70 may include a content repository 80. For each of a number of content providers, the content repository 80 may store the content items or references to the content items provided by each of the content providers. As discussed above, the content providers may be advertisers, media content providers, or the like. As such, the content items provided by the content providers may be advertisements, media items, or the like. Lastly, the central server 70 hosts or otherwise has access to a provider accounts

’296 Patent Claim Language	Exemplary Disclosures
	repository 82, which includes a provider account, or account, for each of the content providers.” Svendsen ’073 at 13:41–52. “FIG. 13 is a block diagram of the central server 70 of FIG. 11 according to one embodiment of the present invention. In general, the central server 70 includes a control system 88 having associated memory 90. In this example, the customized content delivery function 78 is implemented in software and stored in the memory 90. However, the present invention is not limited thereto. The customized content delivery function 78 may be implemented in software, hardware, or a combination thereof. In addition, the central server 70 may include one or more digital storage devices 92 such as one or more hard disk drives or the like. The provider accounts repository 82 and the content repository 80 may be stored in the one or more digital storage devices 92, the memory 90, or a combination thereof. The central server 70 also includes a communication interface 94 communicatively coupling the central server 70 to the network 76 (FIG. 11). Lastly, the central server 70 may include a user interface 96, which may include components such as a display, one or more user input devices, or the like.” Svendsen ’073 at 15:28–46. *See also* Svendsen ’073 at Fig. 1 and 4:48–67. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[6d] at least one instruction to register a plurality of application programs for use with a content delivery platform, wherein the plurality of registered application programs are each associated with at least one application program type;	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to register a plurality of application programs for use with a content delivery platform, wherein the plurality of registered application programs are each associated with at least one application program type.” For example:

’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 2 Andreasson ’890 at FIGURE 2.

’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 3 Andreasson ’890 at FIGURE 3.

’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 4 Andreasson ’890 at FIGURE 4. “As will be discussed further below with respect to FIGS. 1 through 4, some embodiments of the present invention provide methods, servers and portable electronic devices for downloading applications from the server to the portable electronic device. The server is configured to store one or more applications, each having an associated region and duration. Portable electronic devices according to some embodiments of the present invention may be associated with a unique device identifier. The portable electronic device may be configured to periodically obtain a current position of the portable electronic device and provide the current position and the unique device identifier to the server. If the portable electronic device is within a region associated with one of the stored applications, the server may determine if the unique identifier associated with the portable electronic device is also associated with the stored application for that region. If so, the server may download a link to the stored application to the portable electronic device so as to allow the portable electronic device to access the application while the portable electronic device is within the region and during the defined duration of the application as will be discussed further herein.” Andreasson ’890 at [0035]. “As further illustrated in FIG. 1, the server includes a communications circuit 115 and a storage device 120. The communications circuit 115 is configured to communicate with one or more portable electronic devices


’296 Patent Claim Language	Exemplary Disclosures
	140 in accordance with some embodiments of the present invention. One or more applications 122, 124 and 126 are stored in a storage device 120 on the server 110. As used herein, “application” may refer to an application or a web page without departing from the scope of the present invention. Although only three applications 122, 124 and 126 are provided in FIG. 1, embodiments of the present invention are not limited to this configuration. For example, less or more than three applications may be stored at the server 110 without departing from the scope of the present application. Each of the applications may be associated with a certain geographic region and have a defined duration. As used herein, “geographic region” may be any region defined by the owner of the application. For example, if the application were associated with a baseball game, the region may be defined around the perimeter of the baseball stadium. Furthermore, as used herein the “duration” of the application defines a time period during which the application will be available to user's of portable electronic devices within the defined geographic region. For example, the duration may include a date and a time period, such as May 15, 2008 from 1:00 P.M. to 5:00 P.M.” Andreasson ’890 at [0037]. “One or more application owners, for example, trade fair organizers or travel agents, register an application 122, 124 and 126 with and store an application 122, 124 and 126 on the server 110 as discussed above. Each application has an associated region 130 and duration, which is also stored on the server 110. The portable electronic device 140/240 includes a download control circuit 250 that is configured to periodically check the position of the portable electronic device 140/240 using an absolute positioning device, for example, a GPS receiver or Cell ID, or a relative positioning device such as discovery of Bluetooth devices and the like. The position data, for example, geographical coordinates, is sent to the system server 110 in addition to a unique device identifier associated with the portable electronic device 140/240. The server 110 then determines if the portable electronic device 140/240 has entered a new region or a new region has been registered where the portable electronic device 140/240 is located. The periodical check of the position of the portable electronic device 140/240 may be quite frequent while the actual transmitting of position data to the server 110 may be less frequent. For example, the portable electronic device 140/240 can determine that a small position change is reported only once during a longer time period, for example, a day or an hour, while a larger position change is reported directly. The user of the portable electronic device 140/240 may also manually issue a position check and report without departing from the scope of the present invention.” Andreasson ’890 at [0056]. “When the server 110 determines that a portable electronic device 140/240 has entered a new registered region 130, the server 110 may be configured to check that a unique device identifier associated with the portable electronic device 140/240 is associated with the application for this particular region 130. For example, the server 110 determines if the unique device identifier for this portable electronic device 140/240

’296 Patent Claim Language	Exemplary Disclosures
	is in the set of device identifiers associated with this particular application. If the unique device identifier of the portable electronic device 140/240 is present in the set of identifiers associated with the applications, the communication circuit 115 of the server 110 is configured to transmit a link (URL) to the application data and the duration data for the application for the region 130 to the portable electronic device 140/240. When the portable electronic device enters a new region 130, the portable electronic device may be configured to automatically download the data from the URL received from the server 110. In some embodiments of the present invention, the content of the URL may be a web page. The web browser 218 of the portable electronic device 140/240 may be started and the web page may be loaded on the display 214. In certain embodiments of the present invention, a bookmark for the web page may be created automatically so as to allow future access to the web page. In further embodiments of the present invention, the content of the URL may be an executable application, for example, a Java Midlet, it may be installed and automatically executed. In some embodiments of the present invention, a uninstall event may be scheduled based on the duration information provide from the server 110.” Andreasson ’890 at [0057]–[0058]. “In some embodiments of the present invention, the applications 122, 124 and 126 themselves may have unique application identifiers. These unique application identifiers may be used to let the owner of an application make updates to the application during the scheduled duration of the application. The server 110 may be configured to announce the updates to portable electronic devices 140/240 using the application. The announcement can be done, for example, as a push of information to the portable electronic device 140/240 or during an ordinary position update by the portable electronic device 140/240. In some embodiments of the present invention, the downloaded application running on the portable electronic device 140/240 may communicate directly with a server associated with an owner of the application and update itself if needed.” Andreasson ’890 at [0061]. “For each application in an update response, an application package including the following parameters may be present: 1. [UUID] A universal unique identifier (unique application identifier) for the application. The UUID may be used for future reference, for example, to tell the server 110 that the application has been removed or when the server tells the portable electronic device 140/240 to update or remove an application. 2. [MIME] A MIME type identifying the type of data in the application, for example, a Java MIDLET (e.g. application/java-archive), a picture file (e.g. image/jpeg), a sound file (e.g. audio/mp4) and the like. The


’296 Patent Claim Language	Exemplary Disclosures
	MIME can also be empty, indicating that the application is a web page, and that it should be handled by the web browser 218 rather than the content handler 257. 3. [URL] A uniform resource locator indicating where the application is available, for example, the Java JAR or JAD files, the web page content and the like. 4. [REGION] The geographical region 130 within which the application should be available for the portable electronic device 140/240. 5. [DURATION] The time period during which the application should be available for the portable electronic device 140/240. For example, the duration may include the start of the time period is PERIOD_START and the end is PERIOD_END. 6. [AUTO] A flag determining if the application should be automatically started after installation.” Andreasson ’890 at [0063]–[0069]. “Implementations may include one or more of the following features. For example, the advertisement may be downloaded to the mobile device over a wireless interface. The wireless communication may include a download of data to the mobile device. The download of data may involve data used by an application running on the mobile device. ” Macaluso ’238 at [0006]. “Applications stored on the mobile phone 200, such as the advertising application, may be written in Java code, C/C++ code, in accordance with a Binary Runtime Environment for Wireless (BREW) Software Development Kit (SDK), or some other appropriate format. The storage medium 220 in the mobile phone 200 may include a Java virtual machine. Alternatively or in addition, the storage medium 220 may include BREW client software. The BREW platform, which was developed by Qualcomm and is described in greater detail at “www.qualcomm.com/brew,” enables Java and BREW applications to be easily downloaded onto and executed on the mobile phone 200. As another alternative, the storage medium 220 may include software for implementing Motorola's iDEN technology. In general, a Java virtual machine maybe run on top of the BREW client or iDEN technology to support Java applications/applets, and other types of extensions may be run on top of the BREW client to support other types of applications. Applications, such as the advertising application mentioned above, may therefore be easily loaded onto the mobile phone 200.” Macaluso ’238 at [0026]. “A user can download content data from the R/W device 16.” Kinoshita ’866 at [0029].



’296 Patent Claim Language	Exemplary Disclosures
	“Referring to FIG. 2, the cellular phones 12-1 and 12-2 include, for example, a communication unit 52, a display 54, an operation unit 56, memory 58, and a processing circuit 59. The cellular phones 12-1 and 12-2 used in the present embodiment are operated by the processing circuit 59 that executes programs stored in the memory 58. At this time, data used in the execution is read out from or written to the memory 58.” Kinoshita ’866 at [0031]. “As shown in FIG. 1, the Web server 24 includes, for example, an APL member registration unit 31, an APL downloading unit 32, an APL particular service providing unit 33, an advertisement-member registration unit 34, an advertisement selecting unit 35, and a control unit 36. The APL member registration unit 31 performs member registration before an application program APL is downloaded, which will be described later. The APL downloading unit 32 downloads the above-mentioned application program APL.” Kinoshita ’866 at [0041]. “The APL particular-service providing unit 33 provides services such as content selling service, shop searching service, and photo printing service by using the application program APL.” Kinoshita ’866 at [0042]. “The advertisement-member registration unit 34 registers members that use digital content data.” Kinoshita ’866 at [0042]. “The service device 14 determines whether the cellular phone 12-1 has downloaded a predetermined application program APL through the R/W device 16. If the application program APL has not been downloaded, URL for downloading the application program APL is transferred to the cellular phone 12-1. An application program APL is, for example, provided to each service of the service device 14.” Kinoshita ’866 at [0091]. “The cellular phone 12-1 accesses the Web server 24 by using the URL received in the step ST12 and downloads an application program APL. The cellular phone 12-1 transfers the application program APL to the memory 58 of FIG. 2. The application program APL includes a default advertisement video. In the present embodiment, the default advertisement video has no digital content data. In the present embodiment, the number of videos included in the cellular phones 12-1 and 12-2 is not limited.” Kinoshita ’866 at [0093]. “When a user receives a particular service from the service device 14 by using the cellular phone 12-1, the processing circuit 59 reads out the application program APL from the memory 58 and starts it. Staring the application program APL, the processing circuit 59 reads out an advertisement video from the memory 58 and plays it on the display 54.” Kinoshita ’866 at [0094].



’296 Patent Claim Language	Exemplary Disclosures
	“The cellular phone 12-1 communicates with the service device 14 via the R/W device 16 by using the function of the application program APL. At this time, the cellular phone 12-1 transfers attribute data and a list of advertisement videos and digital content data, which are stored in the memory 58 of FIG. 2, to the service device 14, as well as given service requests. The service device 14 transfers the above things received from the cellular phone 12-1 to the memory 68 of FIG. 3. The attribute data includes, for example, user's age, gender, and preferences.” Kinoshita ’866 at [0096]. “The cellular phone 12-1 transfers a member registration request to the Web server 24 in order to use digital content data associated with an advertisement video.” Kinoshita ’866 at [0117]. “The Web server 24 performs the member registration of the user or his cellular phone 12-1 according to the member registration request sent from the cellular phone 12-1.” Kinoshita ’866 at [0119]. “In this registration process, the cellular phone 12-1 transfers data such as age, gender, preference, and local information to the Web server 24 to register them.” Kinoshita ’866 at [0119]. “A user's friend, who is not in a shop, sends a member registration request to the web server 24 by using his cellular phone 12-2 in order to use an application program APL. If the cellular phone 12-2 has already downloaded the application program APL, the present process is not necessary.” Kinoshita ’866 at [0123]. “The Web server 24 performs member registration according to the above member registration request and uploads the application program APL to the cellular phone 12-2. The cellular phone 12-2 transfers the application program APL to the memory 58 of the FIG. 2.” Kinoshita ’866 at [0125]. “A user of the cellular phone 12-2 transfers a member registration request to the Web server 24 in order to use the digital video data received in the step ST 25.” Kinoshita ’866 at [0131]. “The Web server 24 performs member registration of the cellular phone 12-2 or its user according to the request from the cellular phone 12-2.” Kinoshita ’866 at [0133]. *See also* Kinoshita ’866 at Fig. 1, Fig. 2, Fig. 5, Fig. 6, Fig. 7, Fig. 8, Fig. 9, Fig. 10, Fig. 11, Fig. 12, [0011], [0028], and [0109]. “In a further embodiment, system 100 can facilitate real-time advertising and/or on-line advertising to one or more users based on various criteria including a user location, user preference, user request, advertiser location, advertiser rank, advertiser rating, etc.” Smith ’558 at [0073]. “Many applications can be location-enabled by the disclosed embodiment(s) including news events, office related information, shopping, city guides, vacations. Examples of each type of application and available data


’296 Patent Claim Language	Exemplary Disclosures
	are detailed below and the disclosed embodiment(s) are not meant to be limited to the following examples.” Smith ’558 at [0196]. “Further, display section 114 outputs audio as well as video. In other words, display section 114 is capable of responding to content data including audio, as well as video.” Sato ’965 at [0070].  **Fig. 5** Begum ’880 at Fig. 5. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22. “The user interface is designed to allow the user to access all of the available data including stored promotional graphics by a control system that is intuitive. Furthermore, the hybrid system devised for automatic display of promotional graphics, is designed to incorporate features that are beneficial in facilitating automatic update of the promotional advertisements.” Begum ’880 at 4:65–5:4. “In the simplest embodiment of the invention, the display screen automatically displays periodic promotional items and the user controlled feature is limited to a categorical product directory. The scroll buttons allow a user to scroll up or down the product category list to find the location of selected items in the product directory.” Begum ’880 at 5:65–6:4.

’296 Patent Claim Language	Exemplary Disclosures
	“External components such as an IR beacon 64 and an IR trigger component 66 direct infrared data signals and wake-up signals to the IR photodiodes 68 of the radiation window 36a on the display unit 12. The data signals provide information for reprogramming the memory of inventory and sales information and screen display of activated advertisement and promotional visuals. The IR beacon 64 may also emit a power transmission signal for charge maintenance of the battery pack 40. The IR beacon 64 and trigger component 66 form a transceiver unit 65 for receiving, storing and relaying trigger and data signals from a control unit 67, that centralizes the storewide operation of the system.” Begum ’880 at 8:36–47. “Customarily, each store would have a single control unit 67 that is the central computer for management of the stores inventory and accounting. The control unit 67 communicates with a plurality of transceiver units 65 located throughout the marketing area. Preferably, to minimize installation expenses and allow the plurality of transceiver units 65 to be repositioned in the marketing area as desired, each transceiver unit 65 is in wireless communication with the control unit 67 and has its own power supply. Essentially, the transceiver unit 65 includes the same electronic components as the display unit 12 which allows for independent processing of data and independent communication with a display unit 12 on a nearby shopping cart. ” Begum ’880 at 8:56–9:1. *See also* Begum ’880 at 1:60–2:5, 9:1–7, 9:12–16, and 9:16–29.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Begum ’606 at FIG. 1. “In the preferred embodiment, the communication units are primarily portable and communicate with the coupon interface modules via wireless data transmissions. Furthermore, the discount coupons are preferably activated when the shopper is in the market area proximate the location of the discounted items. In this situation, a local message sending unit proximate the location of the item activates the display of the coupon graphic on the display screen of the communication unit carried by the shopper or mounted on the shopper's cart. ” Begum ’606 at 3:4–14. “As electronic coupon interface module 98 also shown in enlarged detail in FIG. 3 provides the chip set and specialty application programming necessary to adapt to the bar code scanner and checkout terminal at the checkout counter, and communicates with the store computer and systems controller. The central processor 71 utilizes a static 256K RAM 100 for random access memory 106 and a 64K EPROM for read only memory 102 under operation of an application program 105.” Begum ’606 at 8:24–33.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 2 Levkovitz ’852 at Fig. 2.  FIG. 11 Levkovitz ’852 at Fig. 11.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 12 Levkovitz ’852 at Fig. 12.  FIG. 13 Levkovitz ’852 at Fig. 13.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 14 Levkovitz ’852 at Fig. 14. “In some embodiments, previously-prepared applications, e.g., utilities or games for mobile phones, may be configured or adapted to include or embed a content client, e.g., using a Software Development Kit (SDK) or a Close Class.” Levkovitz ’852 at [0006]. “In some embodiments, for example, the plurality of content items may include at least a first version of the content item adapted for presentation using a first type of wireless communication device, and a second version of the content item adapted for presentation using a second type of wireless communication device.” Levkovitz ’852 at [0030]. “In some embodiments, for example, the message may include a message selected from a group consisting of: a Short Message Service (SMS) message, a Multimedia Messaging Service (MMS) message, an Instant Messaging (IM) message, and an Electronic Mail (Email) message.” Levkovitz ’852 at [0039]. “ In some embodiments, for example, the wireless communication device may include a content client running on the wireless communication device to present the one or more user-selectable operation; and/or a



’296 Patent Claim Language	Exemplary Disclosures
	content client to present the one or more user-selectable operations in a context of an application running on the wireless communication device” Levkovitz ’852 at [0064]. “ In some embodiments, for example, a wireless communication device may include a wireless communication device to receive an advertisement selected in response to an application-initiated content request, to present the advertisement in a context of an application running on the wireless communication device, and to present one or more user-selectable operations selectively associated with the advertisement. The application may be, for example, a gaming application, a utility application, or the like.” Levkovitz ’852 at [0069]. “In accordance with some embodiments of the invention, device 170 may include an application 176 having a content client 174. The application 176 may be; for example, a game or a software application.” Levkovitz ’852 at [0095]. “The content client 174 may be a module of application 176, a plug-in of application 176, or an external module operatively associated application 176. Content client 174 may be able to send a wireless signal indicating a request (“content request”) to receive one or more content items, e.g., textual content, audio content, video content, advertisement, informational items, or the like. The content request may include, for example, data indicating properties of device 170, e.g., handset manufacturer, handset model, screen resolution, screen color depth, audio capabilities, total memory, available memory, types of content items which the device 170 is capable to present, or the like; data indicating properties of the user of device 170, e.g., age, age group, gender, occupation, profession, areas of interest, income, usage habits, usage patterns, usage time, or the like; and/or other suitable information, e.g., data indicating the type of application associated with application 176, data identifying application 176, or the like.” Levkovitz ’852 at [0095]. “ In some embodiments, ad servers 150 may include multiple servers which may be shared among multiple campaigns or may be dedicated for a specific campaign or type of operation. For example, in one embodiment, a first ad server. 150 may serve content items directed for presentation using a first application 176 (e.g., a chess game), whereas a second ad server 150 may serve content items directed for presentation using a second application 176 (e.g., a racing game). In another embodiment, a first ad server 150 may serve content items directed for presentation using a first type of applications 176 (e.g., games), whereas a second ad server 150 may serve content items directed for presentation using a second type of applications 176 (e.g., utility applications). In yet another embodiment, a first ad server 150 may serve content items of a first type (e.g., images in JPG format, images having a first file size, or the like), whereas a second ad server 150 may serve content items of a second type (e.g., images in GIF format, images having a second file size, or the


’296 Patent Claim Language	Exemplary Disclosures
	like). In still another embodiment, a first ad server 150 may serve content items for SMS-related applications, a second ad server 150 may serve content items for MMS-related applications, a third ad server 150 may serve content items for IM-related applications, a fourth ad server 150 may serve content items for Email-related applications, and a fifth ad server 150 may serve content items for other types of applications. In some embodiments, a single ad server 150 may serve content items to multiple applications (e.g., SMS-related applications and/or MMS-related applications and/or IM-related applications and/or Email-related applications, or a combination of some of these applications). Other suitable combinations and configurations may be used. In another embodiment, a first ad server 150 may be dedicated to serve content items associated with a first advertiser, whereas a second ad server may be dedicated to serve content items associated with a second advertiser or with a group of multiple advertisers. Other suitable configurations may be used.” Levkovitz ’852 at [0099]. “A content adapter 137 of management server 140 may create multiple versions of content item, for example, having various dimensions, various color depth, various sizes in bytes, various file formats (e.g., JPG, GIF, TIF, BMP, AVI, MPG, MOV, TXT, or the like), various codec sets, or differing in other properties. In one embodiment, for example, content items may have multiple versions corresponding to a descriptive property of device 170, e.g., a full-size content item which may fill the entire screen of device 170, a half-screen size content item which may occupy approximately one half of the screen of device 170, a quarter-screen size content item which may include a square-shaped or rectangular content item which may occupy approximately one quarter of the screen of device 170, or the like. ” Levkovitz ’852 at [0105]. “Management server 130 may include one or more modules or components, for example, a traffic manager 131, an account manager 132, an inventory manager 133, a data analyzer 134, an administrator module 135, an optimizer 136, content adapter 137, and a Financial Transactions Module (FTM) 138.” Levkovitz ’852 at [0106]. “ Inventory manager 133 may estimate or predict usage of content items inventory, and may be used to categorize inventory content items. For example, a gaming content item may be added to an inventory list, stored in database 140, and categorized according to various criteria, e.g., game type, relevant ad types, or the like.” Levkovitz ’852 at [0109]. “ In some embodiments, a first ad server 110 may be assigned to serve a first content item or a first group of content items (e.g., associated with a first advertiser, or having a first type or size), and a second, different ad server 110 may be assigned to serve a second content item or a second group of content items (e.g., associated with a second advertiser, or having a second type or size).” Levkovitz ’852 at [0120].



’296 Patent Claim Language	Exemplary Disclosures
	“In accordance with some embodiments of the invention, device 170 may include application 176 having a content client 174. The application 176 may be, for example, a game or a software application. The content client 174 may be a module of application 170, a plug-in of application 170, or an external module operatively associated application 170. Content client 174 may be able to send a wireless signal indicating a request (“content request”) to receive one or more content items, e.g., textual content, audio content, video content, advertisement, informational items, or the like. The content request may be transmitted to communicator 150, for example, using communication handler 173. In one embodiment, transmission of the content request may be triggered by a user command or a user command, e.g., a signal entered by a user utilizing the input unit 186 and indicating that the user requests one or more content items.” Levkovitz ’852 at [0155]. “System 100 may optionally include other suitable components, for example, an MMS Center (MMSC) 161, an SMS interceptor 162, an SMS gateway 163, an Instant Messaging (IM) server 166, an Email server 167, and/or other servers or components (e.g., touters, switches, gateways, proxies, or the like) which may be operatively associated with communicator 150 and/or ad server 110, and may be used to send and/or receive SMS items and/or MMS items and/or IM items and/or Email items having embedded therein a content item served by ad server 110. For example, in one embodiment, a first wireless communication device 170 may send a SMS or MMS or IM or Email message intended to be received by a second wireless communication device 170; system 100 may intercept the message, and may modify the message, e.g., by adding, inserting, augmenting, appending or embedding into the message a content item stored in ad server 110; and the modified SMS or MMS or IM or Email message may be transmitted to the second wireless communication device 170. In one embodiment, for example, the appended content item may be an selected advertisement which may be added to a user-created SMS or MMS or IM or Email, for example, thereby reducing the cost or price that the sending user and/or the receiving user are required to pay to their service provider(s) in order to send or receive the SMS or MMS or IM or Email message.” Levkovitz ’852 at [0170]. “In some embodiments, optionally, a content item may be selectively inserted into, or appended to, a SMS or MMS or TM or Email message or other message (e.g., textual message, audio clip, video clip, image, or the like) sent by a first user to a second user. The content item may be selected, for example, based on properties of the sending user and/or based on properties of the receiving party. Additionally or alternatively, in one embodiment, the content item may be selected based on an analysis (e.g., textual analysis, keyword analysis, image recognition analysis, sound recognition analysis, or the like) of the content item; for example, if the sending user sends a textual SMS item containing the word “chocolate” or “love”, then a content item having

’296 Patent Claim Language	Exemplary Disclosures
	an advertisement for a chocolate product or a flowers delivery service may be selectively added to the SMS item. Other suitable criteria may be used to selectively serve content items.” Levkovitz ’852 at [0171]. “In some embodiments, optionally, local repository 172 may be shared by multiple applications 176 within device 170. For example, a first application 176 may include a first game, and a second application 176 may include a second game. Device 170 may include the first and second applications 176, having embedded therein first and second content clients 174, respectively. Local repository 172 may optionally be shared by the first and second applications 170 and/or by the first and second content clients 174 of device 170. For example, the first application 176 may be executed and may transmit a content request; in response, multiple content items may be received by receiver 192 and may be stored in local repository 171; one or more content items may be presented by the first application 176. Then, the second application 176 may be executed, and may utilize, e.g., may present, one or more content items which may already be stored in local repository 176. In another embodiment, multiple separate caches or multiple separate local repositories 171 may be used by multiple applications 176 of device 170. In some embodiments, optionally, the second application 176 may report to communicator 150 about presentation performed by the second application and/or the first application, or vice versa Other suitable configurations may be used.” Levkovitz ’852 at [0176]. “As indicated at box 210, the method may optionally include, for example, installing content client 174 on device 170, e.g., as a stand-alone module or as an embedded part, plug-in or component of application 176. The installing operation may optionally include, for example, downloading the content client 174 from an online source.” Levkovitz ’852 at [0179]. “Device 1070 may further include a content items browser 1098, for example, a software (e.g., embedded or non-embedded) client application allowing the user to selectively browse and/or view (e.g., present) one or more content items that are stored in content repository 1099, for example, to browse and/or view incoming commercial content item/advertisement/SMS/MMS/IM/Email messages (or portions thereof) that are stored in content repository 1099. In some embodiments, the content items browser 1098 may operate while device 1070 is online and/or while device 1070 is offline, e.g., may allow a user to selectively browse and/or view stored content items without dependence on the operational status or location of device 1070. Content items browser 1098 may further allow the user, for example, to selectively delete one or more content items stored in content repository. Content items browser 1098 may further allow the user, for example, to selectively send (e.g., forward) to another wireless communication device one or more content items stored in content repository.” Levkovitz ’852 at [0262].

’296 Patent Claim Language	Exemplary Disclosures
	“As indicated at box 1105, a user may operate the wireless communication device to launch an application, for example, a gaming application. As indicated at box 1110, while the gaming application is loading, the wireless communication device may present a first advertisement, for example, a substantially full-screen advertisement or an advertisement occupying more than 80 percent or more than 90 percent of the available screen size. ” Levkovitz ’852 at [0277]–[0278]. “As indicated at box 1170, the game may be loaded and may be ready for playing by the user. As indicated by arrow 1172, the operations of boxes 1120, 1130, 1140, 1145, 1150 and 1155 may be performed substantially in parallel to the loading process of the gaming application, and may not stop or delay the loading process.” Levkovitz ’852 at [0285]. “ In some embodiments, for example, if the loading of the gaming application is completed while the user views a presented advertisement, or while the user views a menu of options, the gaming application may wait for the user to select that the user wishes to resume the gaming application and play, and the gaming application need not interrupt the user. In other embodiments, for example, if the loading of the gaming application is completed while the user views a presented advertisement, e.g., if the user does not actively select an option associated with the advertisement but rather views the advertisement passively, then the gaming application may automatically begin. In one embodiment, even if the loading of the application is completed, the gaming application may utilize a delay period before it begins, e.g., to allow a minimum viewing time (e.g., five seconds) of the presented advertisement.” Levkovitz ’852 at [0286]. “As indicated at box 1175, once the gaming application begins, for example, a game menu may be presented. For example, box 1180 shows a demonstrative screen-shot of the presented game menu. The game menu may include game-related options (e.g., start a new game, view high scores table, read instructions how to play the game, exit the gaming application, or the like). The screen-shot of box 1180 may optionally include a second advertisement, which may occupy only a portion of the screen of the wireless communication device, e.g., approximately 50 percent of the available screen of the wireless communication device. Optionally, a user-selectable “options” action 1182 may be included, for example, to allow presentation of one or more additional user-selectable actions that the user may perform in relation to or in connection with the second advertisement.” Levkovitz ’852 at [0287]. *See also* Levkovitz ’852 at Fig. 1, [0026], [0147], and [0148].


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Sanctis ’837 at Fig. 1.  FIG. 4 Sanctis ’837 at Fig. 4.


’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 5* Sanctis ’837 at Fig. 5.

’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 6* Sanctis ’837 at Fig. 6.  *FIG. 7* Sanctis ’837 at Fig. 7. “The mobile alert preferences 18 include at least contact information for at least one registered mobile device (e.g., a telephone number or email address of the mobile device) and can further include a designation of at

’296 Patent Claim Language	Exemplary Disclosures
	least one individual or group of products or services about which the user is interested in receiving alerts via the registered mobile device. The m-commerce server 10 accordingly preferably provides a subscriber interface through which the user can utilize a mobile device 30 and/or a conventional computer to designate a product or service of interest to that user. The designation can specify a range or group of products or services (e.g., automobiles, golf clubs, or discounted items) or can identify a specific product or service, for example, by catalog number, SKU, model number, or simply by description. The m-commerce server 10 can also store one or more designations individually for each user or can store such designations for groups of users.” Sanctis ’837 at [0028]. “Optionally, the account information stored within the user database 16 for each user can additionally include, for example, a user's login ID and associated password, physical mailing address, e-mail address, and payment information (e.g., bank account or credit card information). In addition, the account information can describe the hardware, software, and/or program products within the user's registered mobile device and a commerce history indicating what products and services have been advertised to the user via the registered mobile device and the user's previous m-commerce purchases.” Sanctis ’837 at [0029]. “Also, as shown in FIG. 7, and as will be understood by those skilled in the art, the mobile devices 30 can download client application software 41 to be stored in memory, e.g., flash memory 40, of the mobile device 30 and can include mobile device enhancement program product 42 or software and application program interface program product or software from an input/output having download 48, e.g., wireless or hardwire, capabilities associated with the mobile device 30 via a communication link 26 with another computer or the server 10, or be provided with client application program product or software upon purchase of the mobile device, to enhance client communication capabilities to the m-server 10, to enhance GUI displays to the user, and to enhance other features 44 for the user as a set of program instruction as understood by those skilled in the art and as described herein, such as mobile alerts, make purchase consummation, gathering account information, viewing detail on product, viewing past orders, shipment tracking, and security encryption.” Sanctis ’837 at [0038]. “Because this embodiment of the invention only transmits mobile alerts to users that have subscribed to the mobile alert service and have indicated a preference for receiving information about the featured product(s), user response to receipt of the mobile alert is likely to be favorable.” Sanctis ’837 at [0039]. “Application programming interfaces (APIs) to existing relational database and mass email sender of product or service suppliers can allow the Mobile Alert system to get subscriber email addresses and product information. Features Consumer Features” Sanctis ’837 at [0058].

’296 Patent Claim Language	Exemplary Disclosures
	“After subscribing for mobile alerts, members can be sent the next regularly scheduled alert(s). Subscription cancellations can be processed as quickly as possible. Members, however, can receive that day's alert, depending on the time of the cancellation relative to the when the mailing list is collected.” Sanctis ’837 at [0061]. “As shown in FIG. 5, one embodiment of a method of facilitating wireless mobile e-commerce constructed in accordance with the present invention starts as indicated at step 501, and permits users to designate user preferences in a data storage (e.g., having one or more databases 14) associated with a server 10 having a program product, as depicted at step 503. ” Sanctis ’837 at [0112]. “The method yet further can include utilizing the server 10 to provide a user interface through which the user can utilize the mobile device 30 to establish a user account having a user login ID and associated password, a shipping address, and payment information, and storing commerce history of the user indicating what products have been solicited to and purchased by the user via the mobile device 30.” Sanctis ’837 at [0116]. “FIG. 6 illustrates another embodiment of a method of facilitating wireless mobile e-commerce. The method, for example, starts as indicated at step 601, and includes registering a user (step 603) at a mobile server 10 via a mobile device 30 to provide a registered user interface through which the user establishes a registered user account having a user login ID and associated password, a shipping address, payment information. As illustrated at step 605, a mobile server 10 is used to establish an encrypted, direct link with the registered user starting an application on the mobile device 30 and automatically sizing a mobile e-commerce content for display on the mobile device 30.” Sanctis ’837 at [0117]. “Step 605 may include utilizing an application programming interface at the mobile device 30 and encrypting the mobile e-commerce content, while step 609 can include browsing images, data, and pricing for products.” Sanctis ’837 at [0118]. “The wireless carrier can further incentivize its customers to subscribe to the Mobile Alert service by offering discounted communication services for subscribers to the Mobile Alert service.” Sanctis ’837 at [0120]. *See also* Sanctis ’837 at [0032], [0036], [0040], and [0044].

’296 Patent Claim Language	Exemplary Disclosures
	 **FIG. 16A** Busch ’815 at Fig. 16A. “Significant benefit is provided by a content targeting methods and systems usable with mobile devices that provide feedback to the advertisers—especially those advertisers that have brick and mortar businesses—to help them judge the effectiveness of their targeted content. The effectiveness of a business' advertising effort may be measured by determining with regard to a user of a device that has received targeted content one or more of: whether the user visits a business location of a content producer after their content has been delivered to the device; the time spent at the location; and, how much money was spent at the business by that user (especially in the case where the user pays through an online payment service utilizing the mobile device).” Busch ’815 at [0008]. “For purposes of illustration and without limitation, if the mobile device is interfaced with Starbucks'® payment system or if the mobile device recently visited the Starbucks® website (or a computer operated by the user under an account associated with the mobile device) and subsequently it appears that the mobile device's location may correspond to Starbucks® or one of several stores adjacent to the particular Starbucks® location, it may be determined that the user is currently visiting the Starbucks® near their reported location. Alternatively, the system may provide increased weighting to Starbucks® when determining the location of the mobile device.” Busch ’815 at [0348].

’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 11* Svendsen ’073 at Fig. 11. “In another exemplary embodiment, the user device 72-1 may be a set-top box, and the request may be an automatic request by the user device 72-1 for advertisements to late-bind to video content being viewed or requested by the user 74-1. The customized content delivery function 78 may then select one or more advertisements and deliver or cause delivery of the advertisements to the user device 72-1. The rendering function 86-1 may then perform a late-binding process to insert the advertisements into the video content presented to the user 74-1. In this example, the advertisements may be commercials such as those included in traditional television programming. Note that these two exemplary embodiments are illustrative and not intended to limit the scope of the present invention. ” Svendsen ’073 at 14:44–57. *See also* Svendsen ’073 at Fig. 14, 3:64–4:23, 14:10–17, 14:35–39, and 15:47–67. “The Xtify API provides a simple interface for a web content provider to access a user's location. This API uses a REST interface and XML as the message format. The method for querying a user's location requires the content provider to include two parameters, one identifying the application and the other identifying the particular user associated with the location query.” Xtify - API Overview at 1.

’296 Patent Claim Language	Exemplary Disclosures
	“The API allows a web application to query Xtify for a particular user's location. Therefore, there are two preparatory steps to use the API: register an application and add users to that application.” Xtify - API Overview at 1. “Profiles and App Registration The very first step is to provide an email address and create an Xtify account. Doing so activates the fifth link of the top navigation bar: My Profile. This page is the central repository of all your information: any detail you provide about yourself and a list of your registered applications. You can add, delete, edit, or just track any of those applications from within your profile. Of course, the application listing will be empty at the start. So the next step is to register your first web app. We ask for a handful of identifying items of information: the application's name, its URL, the IP range from which all queries will be made, and any description you want to add. Here the fields we require and the reasons for each. As soon as the registration goes through, the application appears in your profile listing with all its info and one more line: the Application Key. This is a string of alphanumeric characters that uniquely identifies your application and is crucial in using the API — our next topic.” Xtify - Xtify Overview at 1. “Xtify is a REST web service, so you can access its functionality with a single URL query. You provide just two identifiers: the Application Key we provided and an ID for the user whose location you need. And in keeping with the goal of simplicity, you get to define every user ID. If your site already maintains unique login names, there is no reason to add another layer of data; just use those.” Xtify - Xtify Overview at 1. “With all their troubles, mobile software has at least one advantage over its web-based brethren: desktop presence. That is, a mobile program has an icon right on each phone's screen, giving it a visual presence far stronger than any web application that depends on a browser. When you register your application for Xtify, though, you can also upload an icon of your own. When your users download the Xtify client (that tracks location), they also receive your icon on their phone's desktop as a mobile bookmark to your web application. The result is that the download appears branded as your application, not ours. We give you the Xtify software, and you get to wrap it as your own.” Xtify - Why Xtify at 1. “Step 2: Register Your Application Once you register your application, you will be given a unique key that you will use to query the Xtify Location API.” Xtify - QuickStart at 1.

’296 Patent Claim Language	Exemplary Disclosures
	“Step 3: Provide a link for users to download the Xtify client. You will place a special download link on your website that includes your Application ID and a UNIQUE identifier you provide for each user download. Be sure not to use the same user key for every download as this will disable all previous users with that key.” Xtify - QuickStart at 1. “Last week, Steve Jobs announced that 60 million iPhone apps had been downloaded, averaging 2 million per day. While there are questions of whether these stratospheric download numbers translate to equally impressive usage numbers, some wondered how those apps will monetize (particularly the very popular free ones). The overwhelming case for most online applications, whether those featured on Facebook, or those syndicated through widgets throughout the blogosphere, is through ads. So how exactly do ads on iPhone apps work?” Menayan 2008 at 1. “There are already several ad network/platforms available for iPhone apps. Here’s the current list of offerings: • Crisp Wireless - currently creates banners + microsites; used by the New York Times and Washington Post apps • PurpleTalk - allows creation of customizable text banners; features ad exchange “Partner Network” • AppLoop - claims to be the first real-time, location-based mobile advertising network • Pinch Media - widely-used ad network on dozens of iPhone apps • Medialets - offers CPM, CPC and CPA advertising run natively through iPhone apps • AdMob -offers rich-media (video-, map- and Apple App Store-integrated) banner ads on iPhone apps; also has an impressive list of signed clients” Menayan 2008 at 1. “Here’s an example of Crisp Wireless’s ad for Westin Hotels on the New York Times app: [Image] The banner shows up towards the bottom of the front page of the app, and 1s, at least in this case, visually contrastive.” Menayan 2008 at 1–2.

’296 Patent Claim Language	Exemplary Disclosures
	 Menayan 2008 at 2. “About AppLoop AppLoop is an advertising and analytics solution for mobile iPhone applications. Founded by two regular guys in the Silicon Valley, AppLoop provides a rich, analytics-based service for advertisers and developers looking to engage with mobile platforms. AppLoop was founded in June of 2008 by Eric Kerr and Jacob Eiting with one simple goal in mind: Make advertising not suck. Our blog is a great way to keep updated on AppLoop as we continually grow and add new features.” AppLoop.com: About at 1. “• Precisely Target your ads based on location and context. • Advanced Statistics report the performance of all your advertising campaigns. • Engage dedicated, valuable, and near-by users from the palm of their hand. Get Started

’296 Patent Claim Language	Exemplary Disclosures
	• Bring your advertising strategy to the next level with location-based mobile advertising, Why spend money advertising to people sitting on their couch or at a computer desk? Mobile application users are active and ready to spend money.” AppLoop.com: Advertisers at 1. “AppLoop. On a phone near you. Posted by eric on Tuesday, July 15, 2008 at 5:39 AM It is with great pleasure that I announce our public launch on the iPhone. We have been hard at work since our announcement on TechCrunch. Today, we’re ready for business:Advertise in iPhone applications today.” AppLoop.com: Blog at 2. “Application Developers AppLoop Analytics The analytics service allows you to to track precisely where, when, and how your applications are being used. Track your earnings, growth, and engagement over time.” AppLoop.com: Developers at 1. “For Advertisers • Precisely Target your ads based on location and context to reach the most relevant users, and maximize click through rates. • Advanced Statistics report the performance of your advertising campaigns, keeping you informed. • Engage dedicated, valuable, near-by customers most relevant to your business.” AppLoop.com: Home at 1. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.

’296 Patent Claim Language	Exemplary Disclosures
[6e] at least one instruction to establish a plurality of perimeters defining a plurality of geographic areas;	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to establish a plurality of perimeters defining a plurality of geographic areas.” For example: *See* above at row [1b]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[6f] at least one instruction to maintain at least one record indicating content delivery reservations associating each of a plurality of sponsors with specific registered application program types and at least one of the plurality of geographic areas;	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to maintain at least one record indicating content delivery reservations associating each of a plurality of sponsors with specific registered application program types and at least one of the plurality of geographic areas.” For example: *See* above at row [1c]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[6g] at least one instruction to receive, from a sponsor, a request to obtain an interest in a selected one of the plurality of geographic areas;	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to receive, from a sponsor, a request to obtain an interest in a selected one of the plurality of geographic areas.” For example: *See* above at row [1d].

’296 Patent Claim Language	Exemplary Disclosures
	To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[6h] at least one instruction to provide the sponsor a response to the request;	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to provide the sponsor a response to the request.” For example: *See* above at row [1e]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[6i] at least one instruction to store a record of the interest in the selected one of the plurality of geographic areas;	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to store a record of the interest in the selected one of the plurality of geographic areas.” For example: *See* above at row [1f]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.


’296 Patent Claim Language	Exemplary Disclosures
[6j] at least one instruction to receive, from the sponsor, content to be delivered to registered application programs having target locations contained within the selected one of the plurality of geographic areas;	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to receive, from the sponsor, content to be delivered to registered application programs having target locations contained within the selected one of the plurality of geographic areas.” For example: *See* above at row [1g]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[6k] at least one instruction to receive a request from a registered application program for content to be used within the registered application program;	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to receive a request from a registered application program for content to be used within the registered application program.” For example: *See* above at row [1h]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[6l] at least one instruction to select content associated with at least one of the plurality of sponsors, to be delivered to the registered application program of a specific type, in accordance with a	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to select content associated with at least one of the plurality of sponsors, to be delivered to the registered application program of a specific type, in accordance with a content delivery reservation associating the at least one sponsor with a geographic area and a registered application program type.” For example: *See* above at row [1j].


’296 Patent Claim Language	Exemplary Disclosures
content delivery reservation associating the at least one sponsor with a geographic area and a registered application program type; and	To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[6m] at least one instruction to provide the selected content to the registered application program.	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to provide the selected content to the registered application program.” For example: *See* above at row [1k]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
7[pre]. The system of claim 6, wherein the program of instructions further comprises:	The following prior art expressly or inherently discloses and renders obvious “[t]he system of claim 6.” *See* claim 6 limitations above. *See* above at row 1[pre].
[7a] at least one instruction to record a request identifier associated with the request; and	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to record a request identifier associated with the request.” For example: *See* above at row [2a]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity


’296 Patent Claim Language	Exemplary Disclosures
	contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[7b] at least one instruction to provide the request identifier to the registered application program.	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to provide the request identifier to the registered application program.” For example: *See* above at row [2b]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
8[pre]. The system of claim 7, wherein the program of instructions further comprises:	The following prior art expressly or inherently discloses and renders obvious “[t]he system of claim 7.” *See* claim 7 limitations above. *See* above at row 1[pre].
[8a] at least one instruction to receive information related to user interaction with the provided content, the information including the request identifier; and	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to receive information related to user interaction with the provided content, the information including the request identifier.” For example: *See* above at row [3a]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been


’296 Patent Claim Language	Exemplary Disclosures
	within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[8b] at least one instruction to provide additional content to the registered application in response to the received information.	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to provide additional content to the registered application in response to the received information.” For example: *See* above at row [3b]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
9[pre]. The system of claim 6, wherein the program of instructions further comprises:	The following prior art expressly or inherently discloses and renders obvious “[t]he system of claim 6.” *See* claim 6 limitations above. *See* above at row 1[pre].
[9a] at least one instruction to determine whether at least one of the plurality of sponsors is associated with a geographical representation lying at least partially within a predetermined radial distance of a target location; and	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to determine whether at least one of the plurality of sponsors is associated with a geographical representation lying at least partially within a predetermined radial distance of a target location.” For example: *See* above at row [4a]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art,

’296 Patent Claim Language	Exemplary Disclosures
	would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[9b] at least one instruction to increase the predetermined radial distance in response to the at least one instruction to determine.	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to increase the predetermined radial distance in response to the at least one instruction to determine.” For example: *See* above at row [4b]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
10[pre]. The system of claim 6, wherein the program of instructions further comprises:	The following prior art expressly or inherently discloses and renders obvious “[t]he system of claim 6.” *See* claim 6 limitations above. *See* above at row 1[pre].
[10a] at least one instruction to reserve a specific one of the plurality of geographic areas for exclusive delivery of content associated with a particular one of the plurality of sponsors to registered application programs and having a target location contained within the specific one of the plurality of geographic areas.	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to reserve a specific one of the plurality of geographic areas for exclusive delivery of content associated with a particular one of the plurality of sponsors to registered application programs and having a target location contained within the specific one of the plurality of geographic areas.” For example: *See* above at row [5a]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art,

’296 Patent Claim Language	Exemplary Disclosures
	would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
11[pre]. A non-transitory computer readable medium tangibly embodying a program of computer executable instructions, the program of instructions comprising:	To the extent the preamble is limiting, the following prior art expressly or inherently discloses and renders obvious “[a] non-transitory computer readable medium tangibly embodying a program of computer executable instructions, the program of instructions.” See limitations [11a] – [11j] below. Also, for example:  Figure 1 Andreasson ’890 at Figure 1.

’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 2 Andreasson ’890 at FIGURE 2.



’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 3 Andreasson ’890 at FIGURE 3.


’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 4 Andreasson ’890 at FIGURE 4. “As will be discussed further below with respect to FIGS. 1 through 4, some embodiments of the present invention provide methods, servers and portable electronic devices for downloading applications from the server to the portable electronic device. The server is configured to store one or more applications, each having an associated region and duration. Portable electronic devices according to some embodiments of the present invention may be associated with a unique device identifier. The portable electronic device may be configured to periodically obtain a current position of the portable electronic device and provide the current position and the unique device identifier to the server. If the portable electronic device is within a region associated with one of the stored applications, the server may determine if the unique identifier associated with the portable electronic device is also associated with the stored application for that region. If so, the server may download a link to the stored application to the portable electronic device so as to allow the portable electronic device to access the application while the portable electronic device is within the region and during the defined duration of the application as will be discussed further herein.” Andreasson ’890 at [0035]. “As further illustrated in FIG. 1, the server includes a communications circuit 115 and a storage device 120. The communications circuit 115 is configured to communicate with one or more portable electronic devices



’296 Patent Claim Language	Exemplary Disclosures
	140 in accordance with some embodiments of the present invention. One or more applications 122, 124 and 126 are stored in a storage device 120 on the server 110. As used herein, “application” may refer to an application or a web page without departing from the scope of the present invention. Although only three applications 122, 124 and 126 are provided in FIG. 1, embodiments of the present invention are not limited to this configuration. For example, less or more than three applications may be stored at the server 110 without departing from the scope of the present application. Each of the applications may be associated with a certain geographic region and have a defined duration. As used herein, “geographic region” may be any region defined by the owner of the application. For example, if the application were associated with a baseball game, the region may be defined around the perimeter of the baseball stadium. Furthermore, as used herein the “duration” of the application defines a time period during which the application will be available to user's of portable electronic devices within the defined geographic region. For example, the duration may include a date and a time period, such as May 15, 2008 from 1:00 P.M. to 5:00 P.M.” Andreasson ’890 at [0037]. “As further illustrated in FIG. 1, the system 100 also includes a portable electronic device 140 associated with a user. As used herein, the term “portable electronic device” includes: a cellular radiotelephone with or without a multi-line display; a Personal Communications System (PCS) terminal that combines a cellular radiotelephone with data processing, facsimile and data communications capabilities; a Personal Data Assistant (PDA) that includes a radiotelephone, pager, Internet/intranet access, Web browser, organizer, calendar and/or a global positioning system (GPS) receiver; a gaming device, an audio video player, and a conventional laptop and/or palmtop portable computer that includes a radiotelephone transceiver. Any portable electronic device capable of operating in accordance with some embodiments of the present invention may be used without departing from the scope of the present invention.” Andreasson ’890 at [0039]. “Portable electronic devices 140 according to some embodiments of the present invention are configured to determine a current position thereof using any positioning device known to those having skill in the art, for example, a GPS receiver. Portable electronic devices 140 according to some embodiments of the present invention are also configured to download applications 122, 124 and 126 from the server based on the determined current position of the portable electronic device, for example, the presence of the portable electronic device 140 within a defined region, for example, region 130. As illustrated in FIG. 1, the portable electronic device 140 may move from a first position A, outside the region 130, to a second position B, inside the region 130. Movement from outside the region 130 to inside the region 130 may trigger downloading of one or more applications 122, 124 and 126 associated with the region 130 from the server 110 to the portable electronic device 140 as will be discussed further below. The portable electronic device 140 is configured to



’296 Patent Claim Language	Exemplary Disclosures
	install and execute the downloaded applications 122, 124 and 126. In some embodiments, this installation and downloading may be performed automatically. The portable electronic device may also be configured to remove/uninstall the installed applications when it is determined that the portable electronic device has exited the region 130. This may also be performed automatically. Portable electronic devices and related operations thereof will be discussed further below with respect to FIGS. 2 through 4.” Andreasson ’890 at [0040]. “Referring now to FIG. 2, a schematic block diagram illustrating a portable electronic device 240 according to some embodiments of the present invention will be discussed. As further illustrated in FIG. 2, the portable electronic device 240 includes a portable housing 200 and may include a display 214, a man machine interface (MMI) 216, a speaker/microphone 217, a web browser 218, a transceiver 212 and a memory 280, any of which may communicate with a processor 290. Furthermore, portable electronic devices 240 according to embodiments of the present invention may further include a download control circuit 250 according to some embodiments of the present invention, which also communicates with the processor 290. The processor 290 can be any commercially available or custom microprocessor. As illustrated in FIG. 2, the portable electronic device communicates with a base station transceiver 260 connected to a mobile switching center (“MSC”) 270 in accordance with some embodiments of the present invention. The transceiver 212 typically includes a transmitter circuit and a receiver circuit, which respectively transmit outgoing radio frequency signals to the base station transceiver 260 and receive incoming radio frequency signals, such as voice and data signals, from the base station transceiver 260 via an antenna 205. The antenna 205 may be an embedded antenna, a retractable antenna or any antenna known to those having skill in the art without departing from the scope of the present invention. The radio frequency signals transmitted between the portable electronic device 240 and the base station transceiver 260 may include both traffic and control signals (e.g., paging signals/messages for incoming calls), which are used to establish and maintain communication with another party or destination. The processor 290 may support various functions of the portable electronic device, including a download control circuit 250 configured to download, install, execute and uninstall applications according to some embodiments of the present invention as will be discussed further herein.” Andreasson ’890 at [0047]–[0048]. “When the server 110 determines that a portable electronic device 140/240 has entered a new registered region 130, the server 110 may be configured to check that a unique device identifier associated with the portable electronic device 140/240 is associated with the application for this particular region 130. For example, the server 110 determines if the unique device identifier for this portable electronic device 140/240 is in the set of device identifiers associated with this particular application. If the unique device identifier of the portable electronic device 140/240 is present in the set of identifiers associated with the applications, the



’296 Patent Claim Language	Exemplary Disclosures
	communication circuit 115 of the server 110 is configured to transmit a link (URL) to the application data and the duration data for the application for the region 130 to the portable electronic device 140/240. When the portable electronic device enters a new region 130, the portable electronic device may be configured to automatically download the data from the URL received from the server 110. In some embodiments of the present invention, the content of the URL may be a web page. The web browser 218 of the portable electronic device 140/240 may be started and the web page may be loaded on the display 214. In certain embodiments of the present invention, a bookmark for the web page may be created automatically so as to allow future access to the web page. In further embodiments of the present invention, the content of the URL may be an executable application, for example, a Java Midlet, it may be installed and automatically executed. In some embodiments of the present invention, a uninstall event may be scheduled based on the duration information provide from the server 110.” Andreasson ’890 at [0057]–[0058]. “In some embodiments of the present invention, the applications 122, 124 and 126 themselves may have unique application identifiers. These unique application identifiers may be used to let the owner of an application make updates to the application during the scheduled duration of the application. The server 110 may be configured to announce the updates to portable electronic devices 140/240 using the application. The announcement can be done, for example, as a push of information to the portable electronic device 140/240 or during an ordinary position update by the portable electronic device 140/240. In some embodiments of the present invention, the downloaded application running on the portable electronic device 140/240 may communicate directly with a server associated with an owner of the application and update itself if needed.” Andreasson ’890 at [0061]. “For each application in an update response, an application package including the following parameters may be present: 1. [UUID] A universal unique identifier (unique application identifier) for the application. The UUID may be used for future reference, for example, to tell the server 110 that the application has been removed or when the server tells the portable electronic device 140/240 to update or remove an application. 2. [MIME] A MIME type identifying the type of data in the application, for example, a Java MIDLET (e.g. application/java-archive), a picture file (e.g. image/jpeg), a sound file (e.g. audio/mp4) and the like. The MIME can also be empty, indicating that the application is a web page, and that it should be handled by the web browser 218 rather than the content handler 257.



’296 Patent Claim Language	Exemplary Disclosures
	3. [URL] A uniform resource locator indicating where the application is available, for example, the Java JAR or JAD files, the web page content and the like. 4. [REGION] The geographical region 130 within which the application should be available for the portable electronic device 140/240. 5. [DURATION] The time period during which the application should be available for the portable electronic device 140/240. For example, the duration may include the start of the time period is PERIOD_START and the end is PERIOD_END. 6. [AUTO] A flag determining if the application should be automatically started after installation.” Andreasson ’890 at [0063]–[0069].  FIG. 1  FIG. 2 Macaluso ’238 at FIG. 2.



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 3 Macaluso ’238 at FIG. 3. “FIG. 2 is a block diagram of a mobile phone 200 that may be used in connection with the described techniques. The mobile phone 200 includes a transceiver 205 connected to an antenna 210 for communicating voice and data to and from a remote server, wireline telephone connection, and/or another mobile device through a wireless communication system in accordance with conventional techniques. For example, the wireless communication system may be a CDMA, GSM, or UMTS network, or any other type of mobile network. The transceiver 205 is connected to a processor 215 that controls the operation of the mobile phone 200, including the operation of the transceiver 205. A storage medium 220, which may be removable, read-only, or read/write media and may be magnetic-based, optical-based, semiconductor-based media, or a combination of these, may store operating system software for the mobile phone 200. A memory 225 may store additional, less vital information, such as applications that may be loaded into the mobile phone 200, including an application for displaying advertisements on the mobile phone 200. In addition, a cache containing one or more advertisements may be stored in the memory 225. Both the memory 225 and the storage medium 220 are connected to the processor 215. The processor 215 may operate in accordance with software, applications, or other instructions stored in the memory 225 and/or the storage medium 220.” Macaluso ’238 at [0025]. “A service providing method, wherein a mobile communication device changes surveyed questionnaire data to upper level category data and transfers the changed data to service processing device and Web server, the service processing device transfers place data around the service processing device to the Web server, the


’296 Patent Claim Language	Exemplary Disclosures
	Web server selects advertisement data that matches user's attitudes and the place, based upon the surveyed questionnaire data and the place data, and the service processing device and the mobile communication device displays advertisement images corresponding to the advertisement data received from the Web server on a display.” Kinoshita ’866 at Abstract. FIG. 1  Kinoshita ’866 at Fig. 1. FIG. 3  Kinoshita ’866 at Fig. 3.


’296 Patent Claim Language	Exemplary Disclosures
	FIG. 4  Kinoshita ’866 at Fig. 4.  Kinoshita ’866 at Fig. 5.

’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 6.  Kinoshita ’866 at Fig. 7.


’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 8.  Kinoshita ’866 at Fig. 9.



’296 Patent Claim Language	Exemplary Disclosures
	 Kinoshita ’866 at Fig. 10.  Kinoshita ’866 at Fig. 11.


’296 Patent Claim Language	Exemplary Disclosures
	FIG. 12  Kinoshita ’866 at Fig. 12. “The present invention relates to a service providing method, a service processing device, and a mobile communication device that are used in a system to provide recommendation data such as advertisement data.” Kinoshita ’866 at [0002]. “The second aspect of the present invention is a service processing device comprising: an interface that performs short-range communication with a mobile communication device directly or indirectly; a memory that stores place data; and a controller that receives attribute data of a user or user's mobile communication device from user's mobile communication device, transfers the attribute data and the place data read out from the memory to the server, and performs announcement based upon recommendation data corresponding to the place data received from the server.” Kinoshita ’866 at [0010]. “The fourth aspect of the present invention is a server for providing information associated with a mobile communication device that performs short-range communication with a service processing device installed at a predetermined place, the server comprising: an interface that receives attribute data of a user or his mobile communication device and place data of a place where the service processing device is installed from the mobile communication device or the service processing device; a memory that stores recommendation data which is associated with the attribute data and the place data; and a controller that reads out, from the memory, the recommendation data which is associated with the attribute data received by the interface and the place data, and transfers the recommendation data to the mobile communication device or the service processing device through the interface.” Kinoshita ’866 at [0012].

’296 Patent Claim Language	Exemplary Disclosures
	“FIG. 1 is a schematic view of a communication system 1 in accordance with the first embodiment of the present invention.” Kinoshita ’866 at [0025]. “The service device 14 includes, for example, a device environment detecting unit 61, an interface 62, a display 64, a short-range communication unit 65, a memory 68, and a processing circuit 69. ” Kinoshita ’866 at [0037]. “Referring to FIG. 4, the Web server 24 includes, for example, an interface 62, a memory 68, and a processing circuit 69.” Kinoshita ’866 at [0041]. “This embodiment will explain processes in which advertisement video is displayed on the displays of the cellular phone 12-1 and the service device 14 while they are communicating with each other.” Kinoshita ’866 at [0085]. “In the second process, the cellular phone 12-1 communicates with the Web server 24 after completion of the above-mentioned first process. FIG. 9 is a flowchart of a second process of a communication system 1 in accordance with a second embodiment of the present invention.” Kinoshita ’866 at [0113].  **FIG. 38** Smith ’558 at Fig. 38.

’296 Patent Claim Language	Exemplary Disclosures
	“As used in this application, the terms “component,” “module,” “system,” and the like are intended to refer to a computer-related entity, either hardware, a combination of hardware and software, software, or software in execution. For example, a component may be, but is not limited to being, a process running on a processor, a processor, an object, an executable, a thread of execution, a program, and/or a computer. By way of illustration, both an application running on a server and the server can be a component. One or more components may reside within a process and/or thread of execution and a component may be localized on one computer and/or distributed between two or more computers.” Smith ’558 at [0058]. “Furthermore, the one or more embodiments may be implemented as a method, apparatus, or article of manufacture using standard programming and/or engineering techniques to produce software, firmware, hardware, or any combination thereof to control a computer to implement the disclosed embodiments. The term “article of manufacture” (or alternatively, “computer program product”) as used herein is intended to encompass a computer program accessible from any computer-readable device, carrier, or media. For example, computer readable media can include but are not limited to magnetic storage devices (e.g., hard disk, floppy disk, magnetic strips . . .), optical disks (e.g., compact disk (CD), digital versatile disk (DVD) . . . smart cards, and flash memory devices (e.g., card, stick).” Smith ’558 at [0060]. “Generally, program modules include routines, programs, components, data structures, etc., that perform particular tasks or implement particular abstract data types. Moreover, those skilled in the art will appreciate that the inventive methods can be practiced with other computer system configurations, including single-processor or multiprocessor computer systems, minicomputers, mainframe computers, as well as personal computers, hand-held computing devices, microprocessor-based or programmable consumer electronics, and the like, each of which can be operatively coupled to one or more associated devices. The illustrated aspects may also be practiced in distributed computing environments where certain tasks are performed by remote processing devices that are linked through a communications network. In a distributed computing environment, program modules can be located in both local and remote memory storage devices. A computer typically includes a variety of computer-readable media. Computer-readable media can be any available media that can be accessed by the computer and includes both volatile and nonvolatile media, removable and non-removable media. By way of example, and not limitation, computer-readable media can comprise computer storage media and communication media. Computer storage media includes both volatile and nonvolatile, removable and non-removable media implemented in any method or technology for storage of information such as computer-readable instructions, data structures, program modules or other data. Computer storage media includes, but is not limited to, RAM, ROM, EEPROM, flash memory or other


’296 Patent Claim Language	Exemplary Disclosures
	memory technology, CD-ROM, digital video disk (DVD) or other optical disk storage, magnetic cassettes, magnetic tape, magnetic disk storage or other magnetic storage devices, or any other medium which can be used to store the desired information and which can be accessed by the computer. Communication media typically embodies computer-readable instructions, data structures, program modules or other data in a modulated data signal such as a carrier wave or other transport mechanism, and includes any information delivery media. The term “modulated data signal” means a signal that has one or more of its characteristics set or changed in such a manner as to encode information in the signal. By way of example, and not limitation, communication media includes wired media such as a wired network or direct-wired connection, and wireless media such as acoustic, RF, infrared and other wireless media. Combinations of the any of the above should also be included within the scope of computer-readable media.” Smith ’558 at [0249]–[0252].  FIG. 1 Sato ’965 at Fig. 1.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 2 Sato ’965 at Fig. 2.  FIG. 6 Sato ’965 at Fig. 6.

’296 Patent Claim Language	Exemplary Disclosures
	“Terminal apparatus 101 is, for example, a car navigation system with communication function, PDA (Personal Data Assist), notebook personal computer or the like. Further, terminal apparatus 101 may be a portable communication terminal such as a cellular telephone and PHS.” Sato ’965 at [0045]. “Wide-area road information server 102 and content server 103 are, for example, server computers with arbitrary configurations.” Sato ’965 at [0050]. “Systems and methods are described for managing geographically referenced data (GRD). The systems and methods are configured to receive a search request that includes a defined search area. An extended map is provided based on the search request. The extended map includes geographic areas within the defined search area and outside the defined search area. The systems and methods provide the GRD, which includes advertisements, contact information, review information for one or more entities, and the like. Map reference information of the GRD is provided on the extended map.” Ahn ’281 at Abstract.  Fig. 5 Begum ’880 at Fig. 5. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22.

’296 Patent Claim Language	Exemplary Disclosures
	“The electronic shopping cart handle of the preferred embodiment includes an internal operating system that enables the device to incorporate efficient power management in order to maximize the life of the power pack that is provided for each device. ” Begum ’880 at 4:10–14. “Because of improved design of compact integrated chip technologies use of an integrated chip incorporating an entire computer on a chip is preferred. This selection allows the essential processor and memory unit to be extremely compact allowing the low-profile configuration of the electronic shopping cart handle described in this specification” Begum ’880 at 4:39–44. “The invented device is a dedicated appliance computer that is capable of being reprogrammed in order to add additional features to the device as users become more sophisticated. Such features as the automatic display of advertisements at select store locations and the global updating of displayable data by wireless transmissions are described in the referenced application.” Begum ’880 at 4:53–59. “The user interface is designed to allow the user to access all of the available data including stored promotional graphics by a control system that is intuitive. Furthermore, the hybrid system devised for automatic display of promotional graphics, is designed to incorporate features that are beneficial in facilitating automatic update of the promotional advertisements.” Begum ’880 at 4:65–5:4. “Referring to the schematic illustration of FIG. 5, the display unit 12 contains a central processor 58 which is an integrated circuit chip for programs to control the system operation. The processor receives and directs data for operation of the display unit, and is preferably a state of the art chip, such as an Intel 286 or more expensive 386 chip. Although more advanced logic circuits are not necessary for the contemplated informational and operational tasks involved in the shopping cart handle, advanced state of the art processors can be used to advantage for power management. The processor 58 connects to a standard keyboard chip 60, which as noted, may be integrated into the processor chip. The keyboard chip 60 includes the circuity necessary to interpret signals from the scroll buttons 30 or the selection bar 32.” Begum ’880 at 8:10–24. “External components such as an IR beacon 64 and an IR trigger component 66 direct infrared data signals and wake-up signals to the IR photodiodes 68 of the radiation window 36a on the display unit 12. The data signals provide information for reprogramming the memory of inventory and sales information and screen display of activated advertisement and promotional visuals. The IR beacon 64 may also emit a power transmission signal for charge maintenance of the battery pack 40. The IR beacon 64 and trigger component 66 form a transceiver unit 65 for receiving, storing and relaying trigger and data signals from a control unit 67, that centralizes the storewide operation of the system.” Begum ’880 at 8:36–47.


’296 Patent Claim Language	Exemplary Disclosures
	“The trigger and data signals are demodulated in a converter circuit 70 and passed to the central processor 58 for reprogramming the memory or activating retrieval of memory packets for display of advertising information in the display screen 24 under control of the LCD driver and controller circuit 72.” Begum ’880 at 8:48–53. “Customarily, each store would have a single control unit 67 that is the central computer for management of the stores inventory and accounting. The control unit 67 communicates with a plurality of transceiver units 65 located throughout the marketing area. Preferably, to minimize installation expenses and allow the plurality of transceiver units 65 to be repositioned in the marketing area as desired, each transceiver unit 65 is in wireless communication with the control unit 67 and has its own power supply. Essentially, the transceiver unit 65 includes the same electronic components as the display unit 12 which allows for independent processing of data and independent communication with a display unit 12 on a nearby shopping cart. ” Begum ’880 at 8:56–9:1. “To conserve power in the transceiver unit 65, the transceiver unit includes a proximity sensor 69 that detects the presence of a shopping cart within range and initiates transmission of the trigger and data signals to the unit 12 on the cart handle. The transceiver unit 65 also includes an RF receiver 71 to receive FM radio frequency transmissions from the central control” Begum ’880 at 9:1–7. “The digitized screen graphic is stored in a file in the memory of the transceiver unit 65, and is periodically updated or replaced by transmissions from the control unit 67.” Begum ’880 at 9:52–55. “With the display unit 12 awakened, the data signals are processed by the central processor 58 and the data relating to the screen graphic is compared with existing promotional screen graphics stored in RAM 74. The comparison of digitized screen graphics may be accomplished with a rapid checksum procedure. If a match is found, the screen graphic data is passed from a temporary storage buffer in the central processor 58 to the LCD driver 72 for display on the display screen 24. In the event that there is no match, the processor 58 processes the formatted screen data to the LCD driver 72 for display on the display screen 24 and contemporaneously passes the screen graphic display data together with the accompanying product control data to RAM 74. The screen graphic data and product control data are stored in memory for future comparison with received screen display signals or retrieval by a shopper reviewing the file of product promotions.” Begum ’880 at 9:66–10:15. “The product control signals may be utilized in this compare process for rapidly locating the presence or absence of a particular promotional screen graphic in memory and initiating display of either the screen graphic in memory or the screen graphic formatted from the screen graphic signal transmitted by the


’296 Patent Claim Language	Exemplary Disclosures
	transceiver unit 65. In this manner, the shopping carts that are in use, are continually updated as they pass a transceiver unit 65, such that even if an outdated ad is stored in memory, the updated ad will be presented once the shopper has arrived at the location of the promoted item. Although this system has the minor drawback of potentially storing an outdated promotional graphic in memory that is accessible by a shopper during review of the product promotion file using the display unit in an interactive mode, the system is self-correcting at the promoted product location.” Begum ’880 at 10:16–31. “The random access memory (RAM) 74 and read only memory (ROM) 76 store the systems operations data and reprogrammable user data for displaying store directory and product information in the display screen 24.” Begum ’880 at 10:32–35. “Although the devised shopping cart display handle will have the capabilities of a personal computer, a dedicated informational format, as schematically illustrated in FIGS. 6-10, is incorporated to ease user familiarization and encourage adoption as a shopping aid.” Begum ’880 at 10:37–41. *See also* Begum ’880 at Abstract, Fig. 1, 1:18–38, 1:57–59, 1:60–2:5, 2:6–12, 4:33–38, 5:65–6:4, 9:12–16, 9:16–29, and 9:56–65.  FIG. 1

’296 Patent Claim Language	Exemplary Disclosures
	Begum ’606 at FIG. 1. “The customer display device 12 is part of a portable communication unit 14 having a control panel 15 with a display screen 16 and easily operated user controls 18, such as complementary up and down scroll buttons 20, 22, and select buttons 24” Begum ’606 at 4:17–21.  FIG. 1 Levkovitz ’852 at Fig. 1. “In some embodiments, for example, the server may include a memory unit to store a plurality of content items from which the content item is selected. In some embodiments, for example, the memory unit may include a volatile memory or a non-volatile memory. In some embodiments, for example, the server is to periodically copy the content of the volatile memory into a non-volatile memory.” Levkovitz ’852 at [0012]–[0014]. “FIG. 1 schematically illustrates a block diagram of a wireless communication system 100 able to deliver content in accordance with an embodiment of the invention. System 100 may include, for example, an ad


’296 Patent Claim Language	Exemplary Disclosures
	server 110, a control server 120, a management server 130, a database 140, a communicator 150, and one or more wireless communication devices, e.g., a wireless communication device 170.” Levkovitz ’852 at [0094]. “Ad server 110 may include one or more servers, or a “server farm”, which may be operatively connected to communicator 150. Ad server 110 may process content requests stored in the queue 158 of communicator 150, e.g., in accordance with a pre-defined order or algorithm.” Levkovitz ’852 at [0098]. “In one embodiment, memory unit 118 may include a non-volatile memory, for example, a long term memory unit, a disk, a hard disk drive, or the like. In another embodiment, memory unit 118 may include a volatile memory, for example, a Random Access Memory (RAM), a Dynamic RAM (DRAM), a Synchronous DRAM (SD-RAM), a Flash memory, a cache memory, a buffer, a stack, a short term memory unit, or the like.” Levkovitz ’852 at [0125]. “Management server 130, control server 120, ad server 110, communicator 150, and/or other components of system 100, may be implemented, for example, using one or more computing platforms or computing devices, e.g., one or more computers or servers including a processor, a memory unit, a storage unit, an input unit, an output unit, a transmitter, a receiver, an antenna, a power source, an Operating System, software applications, and/or other suitable software components and/or hardware components.” Levkovitz ’852 at [0173]. “FIG. 2 is a schematic flow-chart of a method of wireless content delivery in accordance with an embodiment of the invention. Operations of the method may be implemented, for example, by system 100 of FIG. 1, by ad server 110 of FIG. 1, by communicator 150 of FIG. 1, by device 170 of FIG. 1, by control server 120 of FIG. 1, and/or by other suitable devices and/or systems.” Levkovitz ’852 at [0178]. “FIG. 10 is a schematic illustration of a wireless communication device 1070 in accordance with some embodiments of the invention.” Levkovitz ’852 at [0259]. “FIG. 11 is a schematic flow-chart of a method of content delivery and presentation in accordance with some embodiments of the invention.” Levkovitz ’852 at [0276]. *See also* Levkovitz ’852 at Abstract. “Product or service information in the form of selected wireless e-commerce content is transmitted from a server to a mobile device, such as mobile telephone or personal digital assistant. The e-commerce content is transmitted either in response to an explicit user request for communication of the e-commerce content, or, in the alternative, is “pushed” to the mobile device as permitted by a user but in the absence of a specific


’296 Patent Claim Language	Exemplary Disclosures
	request. The e-commerce content received at the mobile device is presented to a user by the mobile device in textual or graphical format in conjunction with an indication of a communication needed to consummate an e-commerce transaction. If the user desires to purchase the good or service represented by the e-commerce content, the user initiates the communication indicated by the e-commerce content.” Sanctis ’837 at Abstract. “ In view of the foregoing and in accordance with various embodiments of the present invention, selected wireless mobile e-commerce (hereinafter, “m-commerce”) content, such as product or service information, is transmitted from a server to a mobile device, such as a mobile telephone or personal digital assistant (“PDA”). In one embodiment, for example, the m-commerce content is transmitted in response to an explicit user request for communication of the m-commerce content. The user is permitted to view an item on his or her mobile device and prompted to make a purchase (e.g., via a “buy” key or selecting an icon or toolbar on the mobile device). In another embodiment, the m-commerce content is “pushed” to the mobile device in the absence of a specific request. For example, such solicitations may occur multiple times per day, prompt the user to browse various “departments” or categories of goods or services, walk a user through a form for shopping, or combinations thereof.” Sanctis ’837 at [0008]. “The mobile devices 30 within the m-commerce environment 8 can be implemented with any portable communication device capable of over-the-air or through-the-air radio frequency (“RF”) communication, as understood by those skilled in the art, with the m-commerce server 10. For example, the mobile device 30 can be a mobile telephone, an email communication device (e.g., such as those sold under the trademark BLACKBERRY), a personal digital assistant (PDA), or other mobile device. Regardless of the embodiment, each of the mobile devices 30 preferably includes a display 32 (e.g., a liquid crystal display (“LCD”)) capable of displaying the textual and/or graphical e-commerce content distributed by the m-commerce server 10.” Sanctis ’837 at [0030]. “Also, as shown in FIG. 7, and as will be understood by those skilled in the art, the mobile devices 30 can download client application software 41 to be stored in memory, e.g., flash memory 40, of the mobile device 30 and can include mobile device enhancement program product 42 or software and application program interface program product or software from an input/output having download 48, e.g., wireless or hardwire, capabilities associated with the mobile device 30 via a communication link 26 with another computer or the server 10, or be provided with client application program product or software upon purchase of the mobile device, to enhance client communication capabilities to the m-server 10, to enhance GUI displays to the user, and to enhance other features 44 for the user as a set of program instruction as understood by those skilled in the art and as described herein, such as mobile alerts, make purchase consummation, gathering account

’296 Patent Claim Language	Exemplary Disclosures
	information, viewing detail on product, viewing past orders, shipment tracking, and security encryption.” Sanctis ’837 at [0038].  FIG. 1 Bussmann ’294 at FIG. 1.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 2 Bussmann ’294 at FIG. 2. “FIG. 1 shows a flow diagram depicting an embodiment of a method 100 of providing location-based advertising services. Method 100 comprises, at 102, receiving advertising content and pricing bids from each of a plurality of advertising publishers. As explained in more detail below, the pricing bids comprise an offer to pay a specified amount of money in exchange for having the advertising content of the bidder sent to a device for presentation to a user. Further, the advertising content and bid are associated with a specific bounded geographic area defined in a geographic region. Therefore, the advertising content is sent to devices located within, or within some distance adjacent to, the bounded area. Next, method 100 comprises, at 104, receiving a request from a device for advertising content associated with the bounded area. Then, method 100 comprises, at 106, sending advertising content associated with the top N bids to the device for presentation to a user of the device, wherein N may be zero (in the case of no bids) or a positive integer. In this manner, advertising publishers may bid a specific price to pay for the distribution of advertising content in a specified geographic area, and the highest bidder or bidders win priority to have advertising content items presented to a device user over other lower bidders. Depending upon various device-specific parameters of the device and the nature of the advertising content sent to the device, one or more items of advertising content may be presented on the device at any one time.


’296 Patent Claim Language	Exemplary Disclosures
	Therefore, in some circumstances, the highest bidder's advertising content alone may be sent to a requesting device, while in other circumstances, more than one item of advertising content may be sent to a requesting device. Where more than one item of advertising content is sent to a device, the items of advertising content may be selected based upon descending order of bids. As a specific example, a GPS-enabled smart phone may allow a map to be displayed at various levels of zoom. In one example, for a specific level of zoom in a specific geographic region, the smart phone may be able to display three items of advertising content on a map. In this case, the device may be sent items of advertising content for the top three bidders for the geographic area displayed on the map. Therefore, advertising publishers who wish to have advertising content sent to mobile phones have an incentive to bid close to or above a highest bid for a desired bounded geographic area. This may help to obtain higher bids for distributing the advertising content items, and therefore may contribute to greater economic returns per advertisement view. More detailed implementations of method 100 are discussed in more detail below.” Bussmann ’294 at [0010]–[0011]. “FIG. 2 shows an example embodiment of a location-based advertising use environment 200. Use environment 200 comprises an advertising server 202 in communication with a plurality of advertising publisher computing devices 204, 206, 208, and also with a plurality of devices 210, 212, 214 that request and receive advertising content from the advertising server 202. In the depicted embodiment, the number of advertising publisher client computing devices in communication with the advertising server 202 is illustrated as a generic number X, and the number of requesting/receiving devices is illustrated as a generic number Y, indicating that any suitable number of advertising publisher client computing devices and requesting/receiving devices may be in communication with the advertising server 202 at any time. The advertising server 202 comprises memory 216 and a processor 218, wherein the memory 216 comprises instructions stored thereon that are executable by the processor 218 to perform the various methods of operating an advertising server disclosed herein. The advertising server 202 further comprises a database 220 that stores various items of information related to the provision of location-based advertising services. For example, the database 220 may store user account information related to the advertising publishers and/or consumer devices that utilize the system. The database 220 also may store advertising content provided by each advertising publisher, and bid information related to the advertising content. The term “updated bid information” may be used herein to describe such current bid information, as bids may be submitted and/or modified by advertising publishers on a continuous, rolling basis. The updated bid information may include such information as the geographic locations and time intervals selected by each advertising publisher for the distribution of advertising content, category information related to the type of advertising content provided by each advertising publisher and to the specific distribution services requested by the advertising publisher,


’296 Patent Claim Language	Exemplary Disclosures
	pricing information related to the price paid by each advertising publisher for a desired transaction type (per view, per click-through, etc.), payment information related to the method of payment used by each advertising publisher (pre-paid credits, debit/credit card info, etc.), or any other suitable information.” Bussmann ’294 at [0012]–[0013]. FIG. 2  Mello ’479 at FIG. 2. “FIG. 2 is a detailed block diagram of an example implementation of the PPM 30 of FIG. 1. As discussed above, the PPM 30 may be used to monitor the use of a location-based web service application by a monitored person (e.g., the monitored person 32 of FIG. 1). It may also be used to collect location information and/or motion information associated with the use of the location-based web application. In general, the PPM 30 includes electronic components configured to detect and/or collect media monitoring information, location information, and/or motion information, and to communicate the information to the central facility 60 of FIG. 1 for subsequent analyses. As shown in FIG. 2, the PPM 30 includes a processor 100, a voice coder/decoder (CODEC) 102, a memory 104, a communication interface 106, a plurality of media monitoring sensors 108, a plurality of location and motion sensors 110, an input interface 114, a visual

’296 Patent Claim Language	Exemplary Disclosures
	interface 116 and a timer/counter 118, all of which are communicatively coupled as shown.” Mello ’479 at [0036]. “It is to be understood that the example machine accessible instructions of the flow diagrams of FIGS. 5A, 5B, 6-9, 10A, 10B, 11A, 11B, and 12-16 may be executed by a processor, a controller and/or any other suitable processing device. For example, the example machine accessible instructions of FIGS. 5A, 5B, 6-9, 10A, 10B, 11A, 11B, and 12-16 may be embodied in coded instructions stored on a tangible medium such as a flash memory, or random access memory (RAM) associated with a processor. Alternatively, some or all of the example flow diagrams of FIGS. 5A, 5B, 6-9, 10A, 10B, 11A, 11B, and 12-16 may be implemented using an application specific integrated circuit (ASIC), a programmable logic device (PLD), a field programmable logic device (FPLD), discrete logic, hardware, firmware, etc. ” Mello ’479 at [0118].  FIG. 1 Busch ’815 at Fig. 1. “The present invention provides among other things methods and systems to obtain data relating to location from mobile devices, processing this data, sending content to a mobile device based at least in part on location data, integration of location data associated with a mobile device with web based applications accessed with a standard computer or laptop, integration of location data with conversion tracking systems,

’296 Patent Claim Language	Exemplary Disclosures
	integration of location data with customer relationship management systems and systems to determining retail business location performance, integration with social uses of location data of mobile devices, and integration with navigation uses of location data associated with mobile devices.” Busch ’815 at [0159]. “With reference to FIG. 1 GPS satellites 100 operate to determine the location of a mobile device 140 that has a number of features available based upon the location data. The mobile device 140 provides a user interface 142, GPS receiver 144, CPU and memory 146, and radio 148. Examples of mobile device 140 include cellular phones, personal digital assistants, pagers, laptop computers, automobile navigation systems, among others. Mobile device 140 receives GPS signals and determines its location. For purposes of illustration and without limitation, this may occur solely through using the GPS system, or may occur by using a filter to combine location data from the GPS system and another system such as cell-tower-triangulation in order to obtain a more accurate location. The mobile device 140 is wirelessly coupled to an access point 102 with a built in radio 148. The access point 102 is coupled to the Internet 104 or other network. A number of other systems or services are available to the device over the Internet 104 or other network optionally including but not limited to an inventory system 106, advertisement system 108, search engine 110, mapping, business location, GIS, and routing database 112, user information database 114, advertiser information database 116, payment system 118, and phone system 120.” Busch ’815 at [0334]. “When the user is viewing an area of the map without driving directions, the mapping website or software displays locations of interest in the current view of the map. When the mapping website or software is showing search results, and the user selects a specific business location, locations of other types of businesses of interest appear on the map around the location selected.” Busch ’815 at [0379]. “Methods and systems are disclosed for providing customized content to users based on their location. In one embodiment, for each of one or more content providers, a customized content delivery function receives information from the content provider defining a number of geographic shapes selecting corresponding geographic areas. Preferably, each of the geographic shapes overlaps at least one other of the geographic shapes and is assigned an importance level. For each geographic shape, the content provider defines one or more tags for the geographic shape and assigns a weight to each of the one or more tags. Thereafter, when a request is received from a requestor, one or more content items are selected for delivery to the requestor based on the geographic shapes, the tags and corresponding weights for the geographic shapes, and the location of the requestor.” Svendsen ’073 at Abstract.

’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 1* Svendsen ’073 at Fig. 1.

’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 11* Svendsen ’073 at Fig. 11.

’296 Patent Claim Language	Exemplary Disclosures
	 ***FIG. 13*** Svendsen ’073 at Fig. 13. “The present invention relates to providing customized content to users based on their location.” Svendsen ’073 at 1:22–23. “FIG. 1 is a flow chart illustrating a process for delivering customized content, or data, based on the location of a requestor according to one embodiment of the present invention.” Svendsen ’073 at 2:61–64. “FIG. 11 illustrates a system 68 for customized content delivery according to one embodiment of the present invention. In general, the system 68 includes a central server 70 and a number of user devices 72-1 through 72-N having associated users 74-1 through 74-N. The central server 70 and the user devices 72-1 through 72-N are enabled to communicate via a network 76. The network 76 may be any type of Wide Area Network (WAN), Local Area Network (LAN), or the like, or any combination thereof. In addition, the network 76 may include wired components, wireless components, or both wired and wireless components. As an example, the network 76 may be the Internet.” Svendsen ’073 at 13:27–38. “The central server 70 includes a customized content delivery function 78, which may be implemented in software, hardware, or a combination thereof.” Svendsen ’073 at 13:39–41.


’296 Patent Claim Language	Exemplary Disclosures
	“In addition, the central server 70 may include a content repository 80. For each of a number of content providers, the content repository 80 may store the content items or references to the content items provided by each of the content providers. As discussed above, the content providers may be advertisers, media content providers, or the like. As such, the content items provided by the content providers may be advertisements, media items, or the like. Lastly, the central server 70 hosts or otherwise has access to a provider accounts repository 82, which includes a provider account, or account, for each of the content providers.” Svendsen ’073 at 13:41–52. “The system 68 of FIG. 11 may also be used for embodiments where the content providers are one or more media content providers or include both one or more advertisers and one or more media content providers.” Svendsen ’073 at 14:63–67. “FIG. 13 is a block diagram of the central server 70 of FIG. 11 according to one embodiment of the present invention. In general, the central server 70 includes a control system 88 having associated memory 90. In this example, the customized content delivery function 78 is implemented in software and stored in the memory 90. However, the present invention is not limited thereto. The customized content delivery function 78 may be implemented in software, hardware, or a combination thereof. In addition, the central server 70 may include one or more digital storage devices 92 such as one or more hard disk drives or the like. The provider accounts repository 82 and the content repository 80 may be stored in the one or more digital storage devices 92, the memory 90, or a combination thereof. The central server 70 also includes a communication interface 94 communicatively coupling the central server 70 to the network 76 (FIG. 11). Lastly, the central server 70 may include a user interface 96, which may include components such as a display, one or more user input devices, or the like.” Svendsen ’073 at 15:28–46. “FIG. 14 is a block diagram of the user device 72-1 of FIG. 11 according to one embodiment of the present invention. This discussion is equally applicable to the other user devices 72-2 through 72-N. In general, the user device 72-1 includes a control system 98 having associated memory 100. In this example, the rendering function 86-1 is implemented in software and stored in the memory 100. However, the present invention is not limited thereto. The rendering function 86-1 may be implemented in software, hardware, or a combination thereof. In this example, the location determination function 84-1 is implemented in hardware. For example, the location determination function 84-1 may be a GPS receiver associated with the control system 98. However, the present invention is not limited thereto. The location determination function 84-1 may be implemented in software, hardware, or a combination thereof. The user device 72-1 also includes a communication interface 102 communicatively coupling the user device 72-1 to the network 76 (FIG. 11).


’296 Patent Claim Language	Exemplary Disclosures
	Lastly, the user device 72-1 includes a user interface 104, which may include components such as, for example, a display, one or more user input devices, or the like.” Svendsen ’073 at 15:47–67. *See also* Svendsen ’073 at 4:48–67. “Last week, Steve Jobs announced that 60 million iPhone apps had been downloaded, averaging 2 million per day. While there are questions of whether these stratospheric download numbers translate to equally impressive usage numbers, some wondered how those apps will monetize (particularly the very popular free ones). The overwhelming case for most online applications, whether those featured on Facebook, or those syndicated through widgets throughout the blogosphere, is through ads. So how exactly do ads on iPhone apps work?” Menayan 2008 at 1. “There are already several ad network/platforms available for iPhone apps. Here’s the current list of offerings: • Crisp Wireless - currently creates banners + microsites; used by the New York Times and Washington Post apps • PurpleTalk - allows creation of customizable text banners; features ad exchange “Partner Network” • AppLoop - claims to be the first real-time, location-based mobile advertising network • Pinch Media - widely-used ad network on dozens of iPhone apps • Medialets - offers CPM, CPC and CPA advertising run natively through iPhone apps • AdMob -offers rich-media (video-, map- and Apple App Store-integrated) banner ads on iPhone apps; also has an impressive list of signed clients” Menayan 2008 at 1. “Here’s an example of Crisp Wireless’s ad for Westin Hotels on the New York Times app: [Image] The banner shows up towards the bottom of the front page of the app, and 1s, at least in this case, visually contrastive.” Menayan 2008 at 1–2.

’296 Patent Claim Language	Exemplary Disclosures
	 Menayan 2008 at 2. “About AppLoop AppLoop is an advertising and analytics solution for mobile iPhone applications. Founded by two regular guys in the Silicon Valley, AppLoop provides a rich, analytics-based service for advertisers and developers looking to engage with mobile platforms. AppLoop was founded in June of 2008 by Eric Kerr and Jacob Eiting with one simple goal in mind: Make advertising not suck. Our blog is a great way to keep updated on AppLoop as we continually grow and add new features.” AppLoop.com: About at 1. “• Precisely Target your ads based on location and context. • Advanced Statistics report the performance of all your advertising campaigns. • Engage dedicated, valuable, and near-by users from the palm of their hand. Get Started


’296 Patent Claim Language	Exemplary Disclosures
	• Bring your advertising strategy to the next level with location-based mobile advertising, Why spend money advertising to people sitting on their couch or at a computer desk? Mobile application users are active and ready to spend money.” AppLoop.com: Advertisers at 1. “AppLoop. On a phone near you. Posted by eric on Tuesday, July 15, 2008 at 5:39 AM It is with great pleasure that I announce our public launch on the iPhone. We have been hard at work since our announcement on TechCrunch. Today, we’re ready for business:Advertise in iPhone applications today.” AppLoop.com: Blog at 2. “Application Developers AppLoop Analytics The analytics service allows you to to track precisely where, when, and how your applications are being used. Track your earnings, growth, and engagement over time.” AppLoop.com: Developers at 1. “For Advertisers • Precisely Target your ads based on location and context to reach the most relevant users, and maximize click through rates. • Advanced Statistics report the performance of your advertising campaigns, keeping you informed. • Engage dedicated, valuable, near-by customers most relevant to your business.” AppLoop.com: Home at 1. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.


’296 Patent Claim Language	Exemplary Disclosures
[11a] at least one instruction to register a plurality of application programs for use with a content delivery platform, wherein the plurality of registered application programs are each associated with at least one application program type;	The following prior art expressly expressly or inherently discloses and renders obvious “at least one instruction to register a plurality of application programs for use with a content delivery platform, wherein the plurality of registered application programs are each associated with at least one application program type.” For example: *See* above at row [6d]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[11b] at least one instruction to establish a plurality of perimeters defining respective geographic areas;	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to establish a plurality of perimeters defining respective geographic areas.” For example: *See* above at row [1b]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[11c] at least one instruction to maintain at least one record indicating content delivery reservations associating each of a plurality of sponsors with specific registered application program	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to maintain at least one record indicating content delivery reservations associating each of a plurality of sponsors with specific registered application program types and at least one of the plurality of geographic areas.” For example:



’296 Patent Claim Language	Exemplary Disclosures
types and at least one of the plurality of geographic areas;	 FIGURE 2 Andreasson ’890 at FIGURE 2.



’296 Patent Claim Language	Exemplary Disclosures
	 FIGURE 4 Andreasson ’890 at FIGURE 4. “One or more application owners, for example, trade fair organizers or travel agents, register an application 122, 124 and 126 with and store an application 122, 124 and 126 on the server 110 as discussed above. Each application has an associated region 130 and duration, which is also stored on the server 110. The portable electronic device 140/240 includes a download control circuit 250 that is configured to periodically check the position of the portable electronic device 140/240 using an absolute positioning device, for example, a GPS receiver or Cell ID, or a relative positioning device such as discovery of Bluetooth devices and the like. The position data, for example, geographical coordinates, is sent to the system server 110 in addition to a unique device identifier associated with the portable electronic device 140/240. The server 110 then determines if the portable electronic device 140/240 has entered a new region or a new region has been registered where the portable electronic device 140/240 is located. The periodical check of the position of the portable electronic device 140/240 may be quite frequent while the actual transmitting of position data to the server 110 may be less frequent. For example, the portable electronic device 140/240 can determine that a small position change is reported only once during a longer time period, for example, a day or an hour, while a larger position change is reported directly. The user of the portable electronic device 140/240 may also manually issue a

’296 Patent Claim Language	Exemplary Disclosures
	position check and report without departing from the scope of the present invention.” Andreasson ’890 at [0056]. “When the server 110 determines that a portable electronic device 140/240 has entered a new registered region 130, the server 110 may be configured to check that a unique device identifier associated with the portable electronic device 140/240 is associated with the application for this particular region 130. For example, the server 110 determines if the unique device identifier for this portable electronic device 140/240 is in the set of device identifiers associated with this particular application. If the unique device identifier of the portable electronic device 140/240 is present in the set of identifiers associated with the applications, the communication circuit 115 of the server 110 is configured to transmit a link (URL) to the application data and the duration data for the application for the region 130 to the portable electronic device 140/240. When the portable electronic device enters a new region 130, the portable electronic device may be configured to automatically download the data from the URL received from the server 110. In some embodiments of the present invention, the content of the URL may be a web page. The web browser 218 of the portable electronic device 140/240 may be started and the web page may be loaded on the display 214. In certain embodiments of the present invention, a bookmark for the web page may be created automatically so as to allow future access to the web page. In further embodiments of the present invention, the content of the URL may be an executable application, for example, a Java Midlet, it may be installed and automatically executed. In some embodiments of the present invention, a uninstall event may be scheduled based on the duration information provide from the server 110.” Andreasson ’890 at [0057]–[0058]. *See also* Kinoshita ’866 at Fig. 1, Fig. 3, Fig. 4, Fig. 5, Fig. 6, Fig. 7, Fig. 8, Fig. 9, Fig. 10, Fig. 11, Fig. 12, and [0043]. “Data communicated to the receiver component 102 from a user generally is associated with a particular entity or object (e.g., building, landscape, house, street corner, landmark, . . .) or a specific geographic location (address, geographic coordinates).” Smith ’558 at [0069]. “Other information can be provided from commercial organizations, such as shopping malls that upload mall layout information and individual stores that provide information about sales or other relevant data. It should be noted that this information can be collected worldwide and the data associated with the disclosed embodiments is not limited to one area or country. Additionally or alternatively, the information relating to the businesses can be presented to the user based on the user's actual location or based on a mapping area


’296 Patent Claim Language	Exemplary Disclosures
	viewed by the user. In such a manner, a user can receive business information for a geographic region of interest to the user (e.g., planning a vacation or business trip).” Smith ’558 at [0079]. “Overwrite component 604 might further be configured to modify map features based on advertiser information 610. Advertisers can purchase advertisements in the display space utilizing a per diem scheme, a click through scheme, any other scheme or combination of schemes. Advertisements can also be purchased based on geographic location. Such geographic location can be the actual physical location of the user or alternatively can be the geographic area that the user is viewing, which may not be the same as the physical location of the user.” Smith ’558 at [0117]. “With reference now to FIG. 36, illustrated is a system 3600 that facilitates on-line or real-time advertising and can also be referred to as geo-diluted advertising. Geo-diluted advertising is geared toward commercial establishments or others that desire to advertise using the map features and associated geographic area(s), which might be at an extreme the entire world or more focused, such as two city blocks.” Smith ’558 at [0236]. “An advertiser may want to advertise in a specific area and is willing to spend a particular amount of money (e.g., $2.00, $4.00, $10.00, . . .) per click-through by a user, for example. A coverage component 3602 can be a tool or wizard that creates a layer for the desired geography. The coverage component 3602 receives information relating to advertisement coverage desired by advertisers for a particular geographic location or area 3604.” Smith ’558 at [0236].  FIG. 1 Sato ’965 at Fig. 1.


’296 Patent Claim Language	Exemplary Disclosures
	““Position” field 202 stores a position inside region 146 (see FIG. 1) to which is related the content expressed by content data 152.” Sato ’965 at [0079]. “In the example as shown in FIG. 3, the position inside region 146 is represented by the latitude and longitude. In addition, a mode for representing a position inside region 146 is not limited to the foregoing. Further, a position inside region 146 to which content is related is called a “content position” in this specification.” Sato ’965 at [0080]. “The content of content data 152 is displayed in region 1108. In the example as shown in FIG. 20, content data 152 is advertising information of a restaurant.” Sato ’965 at [0240]. *See also* Sato ’965 at Fig. 6, Fig. 7, Fig. 8, Fig. 9, Fig. 10, [0054], and [0284].  FIG. 1 Ahn ’281 at Fig. 1.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 4 Ahn ’281 at Fig. 4.  FIG. 5C Ahn ’281 at Fig. 5C.


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5D Ahn ’281 at Fig. 5D.  FIG. 6 Ahn ’281 at Fig. 6.

H2 Intellect - Exhibit 2010
Home Depot v. H2 Intellect - IPR2025-00480
Page 3984 of 5585

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 9 Ahn ’281 at Fig. 9. “In addition to the extended map sent back to the user, map-advertising information is also sent back in accordance with an embodiment of the invention. The map-advertising information is a set of information that generally is used by the local map handler 302 to decide which set of advertisements is presented to the user.” Ahn ’281 at [0055]. “FIG. 10 is an example flowchart of a method by which the advertising feature of the present invention is provided, according to an embodiment of the invention. In the first operation, an advertising scheme is defined which is based on the association of advertising regions of a map to advertisements (step 1002). Next, the map presented to the user and, optionally, the cursor position, (step 1004) is used to determine the one or more advertisements to be displayed or presented to the user (step 1006). Marketing-related information, such as the advertisements presented and whether there was a click through, and other information are captured and stored (step 1014). This is captured on the client device 110 and alternatively also sent to the map manager 102 (step 1020). This marketing-related information may be used to help in soliciting more advertising revenues or to tailor the advertising scheme to obtain a better stream of revenue.” Ahn ’281 at [0095]. “The geographic information knowledge (GIK) systems of an embodiment include a method for managing geographically referenced data (GRD). The method of an embodiment includes receiving a search request that includes a defined search area. The method of an embodiment includes providing an extended map based on


’296 Patent Claim Language	Exemplary Disclosures
	the search request. The extended map includes geographic areas within the defined search area and outside the defined search area. The method of an embodiment includes providing the GRD. The GRD includes one or more of advertisements, contact information, and review information for one or more entities. The method of an embodiment includes providing map reference information of the GRD on the extended map.” Ahn ’281 at [0178]. “The GIK systems of an embodiment include computer readable medium including executable instructions which, when executed in a processing system, manage geographically referenced data (GRD), by receiving a search request that includes a defined search area. The computer readable medium of an embodiment provides an extended map based on the search request. The extended map of an embodiment includes geographic areas within the defined search area and outside the defined search area. The computer readable medium of an embodiment provides the GRD. The GRD includes one or more of advertisements, contact information, and review information for one or more entities. The computer readable medium of an embodiment provides map reference information of the GRD on the extended map.” Ahn ’281 at [0205].  **Fig. 5** Begum ’880 at Fig. 5. “The advantage of this system is that each display unit on each shopping cart is updated as it passes within range of the locationally specific transmitting unit. When promotional items are replaced or updated, only the promotional graphic of the specific transmitting unit being updated need be replaced. This system also has the advantage of enabling a shopper to access the memory file of stored screen graphics in his shopping cart display unit and scrolling through the promotional graphics to review the items that may be on sale.” Begum ’880 at 2:13–22.


’296 Patent Claim Language	Exemplary Disclosures
	“Since the point of purchase promotion is most effective when the customer is at ground zero, that is, proximate the shelf location of the promoted item, the graphic must be transmitted, received and formatted for display in the brief time that the shopper is strolling past the promoted item.” Begum ’880 at 4:33–38. “The infrared or radio frequency receiver in the handle, used for an alarm when the cart or handle leaves a prescribed area, also be used to receive an advertisement signal by appropriate programming as described.” Begum ’880 at 4:59–63. “The user interface is designed to allow the user to access all of the available data including stored promotional graphics by a control system that is intuitive. Furthermore, the hybrid system devised for automatic display of promotional graphics, is designed to incorporate features that are beneficial in facilitating automatic update of the promotional advertisements.” Begum ’880 at 4:65–5:4. “External components such as an IR beacon 64 and an IR trigger component 66 direct infrared data signals and wake-up signals to the IR photodiodes 68 of the radiation window 36a on the display unit 12. The data signals provide information for reprogramming the memory of inventory and sales information and screen display of activated advertisement and promotional visuals. The IR beacon 64 may also emit a power transmission signal for charge maintenance of the battery pack 40. The IR beacon 64 and trigger component 66 form a transceiver unit 65 for receiving, storing and relaying trigger and data signals from a control unit 67, that centralizes the storewide operation of the system.” Begum ’880 at 8:36–47. “Customarily, each store would have a single control unit 67 that is the central computer for management of the stores inventory and accounting. The control unit 67 communicates with a plurality of transceiver units 65 located throughout the marketing area. Preferably, to minimize installation expenses and allow the plurality of transceiver units 65 to be repositioned in the marketing area as desired, each transceiver unit 65 is in wireless communication with the control unit 67 and has its own power supply. Essentially, the transceiver unit 65 includes the same electronic components as the display unit 12 which allows for independent processing of data and independent communication with a display unit 12 on a nearby shopping cart. ” Begum ’880 at 8:56–9:1. “To conserve power in the transceiver unit 65, the transceiver unit includes a proximity sensor 69 that detects the presence of a shopping cart within range and initiates transmission of the trigger and data signals to the unit 12 on the cart handle. The transceiver unit 65 also includes an RF receiver 71 to receive FM radio frequency transmissions from the central control” Begum ’880 at 9:1–7.

’296 Patent Claim Language	Exemplary Disclosures
	“The digitized screen graphic is stored in a file in the memory of the transceiver unit 65, and is periodically updated or replaced by transmissions from the control unit 67.” Begum ’880 at 9:52–55. *See also* Begum ’880 at 1:60–2:5, 5:65–6:4, 6:18–37, 9:12–16, 9:16–29, 9:56–65, 10:16–31, and 10:41–51.  FIG. 1 Begum ’606 at FIG. 1. “In the preferred embodiment, the communication units are primarily portable and communicate with the coupon interface modules via wireless data transmissions. Furthermore, the discount coupons are preferably activated when the shopper is in the market area proximate the location of the discounted items. In this situation, a local message sending unit proximate the location of the item activates the display of the coupon graphic on the display screen of the communication unit carried by the shopper or mounted on the shopper's cart. ” Begum ’606 at 3:4–14. “In addition to the remote loading and discontinuance, the use of a transceiver enables the display of coupons to be generated proximate the store location of the item that is the subject of the coupon. ” Begum ’606 at 5:56–59.


’296 Patent Claim Language	Exemplary Disclosures
	“Each message sending unit 58 is locationally identified and loaded with locationally specific data by the storewide systems controller 50 that remotely transmits storewide transmission signals. In this embodiment, the product control data accompanying the coupon display data includes the identity, hence location, of the transmitting message sending unit 58. T” Begum ’606 at 5:63–6:2. “In some embodiments, previously-prepared applications, e.g., utilities or games for mobile phones, may be configured or adapted to include or embed a content client, e.g., using a Software Development Kit (SDK) or a Close Class.” Levkovitz ’852 at [0006]. “ In some embodiments, for example, the application-initiated content request may include a data item selected, e.g., taking into account the capabilities of the device, from a group consisting of: a data item representing an available memory of the wireless communication device, a data item representing an audio capability of the wireless communication device, a data item representing a video capability of the wireless communication device, a data item representing a screen size of the wireless communication device, a data item representing a content item type that the wireless communication device is able to present, and a data item representing a location of the wireless communication device.” Levkovitz ’852 at [0010]. “In some embodiments, for example, the modifier is to select the advertisement based on a location of the second wireless communication device.” Levkovitz ’852 at [0045]. “For example, ad selector 113 may determine that the content request originates from device 170 associated with user who is a 22 year old male student who lives in London and is interested in sports, and may select content items intended to be presented to such user, e.g., an advertisement of a sporting event in London.” Levkovitz ’852 at [0131]. “A fifth presentation rule may require, for example, that a certain content item, e.g., an advertisement for a certain shop, be presented when device 170 is geographically located within a pre-defined distance (e.g., 300 meters) of the address of that shop.” Levkovitz ’852 at [0159]. “The SMSC 311 may utilize a Home Location Register (HLR) 313 to determine (e.g., using interrogation) whether recipient device 302 is active, and/or to determine the roaming location of recipient device 302; and may deliver the modified SMS message to recipient device 302, e.g., optionally utilizing a Mobile Switching Center (MSC) 312.” Levkovitz ’852 at [0195]. “In some embodiments, the system may map SMS/MMS/IM/Email context text to keywords. For example, a user may create and send a textual message “How about we see The Last Samurai tonight?”. Based on textual analysis, and/or identification of the phrase “The Last Samurai”, the system may map the textual message to a

’296 Patent Claim Language	Exemplary Disclosures
	“movies” category, and/or to an “action movies” sub-category, thereby selecting advertisement that are related to this category or sub-category. Additionally or alternatively, based on identification of the word “tonight”, the advertisement selection process may be further fined-tuned, e.g., to select an advertisement for an action movie which is expected to play tonight (e.g., in the night-time of the current date), optionally in the geographical region in which the user is currently located and/or in the geographical region in which the user resides (e.g., based on subscriber's personal information). For example, the user may be presented with the message, or the original message may be modified to include the message, “See this movie tonight at 19:30 at the Paragon Theater in Times Square”. Optionally, the embedded message may include a reward or an incentive for the user, e.g., to act on the presented message, for example, by adding the message “Get free popcorn”.” Levkovitz ’852 at [0223]. “In some embodiments, user-selectable operations may be associated with an incoming content item based on one or more properties or characteristics, for example, of the device 1070 and/or its user, and/or other data or parameters (e.g., date, time, location, or the like).” Levkovitz ’852 at [0272]. “a fourth user-selectable operation may be available only when the user or the device 1070 meets certain conditions, e.g., if the device 1070 is within a certain location (e.g., in proximity to a certain restaurant)” Levkovitz ’852 at [0272]. “For example, a first user-selectable action associated with a first incoming content item, may be available only during a certain time and/or while the recipient device is within a certain geographical location.” Levkovitz ’852 at [0273]. *See also* Levkovitz ’852 at [0026].

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 1 Bussmann ’294 at FIG. 1.

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 4 Bussmann ’294 at FIG. 4.

H2 Intellect - Exhibit 2010
Home Depot v. H2 Intellect - IPR2025-00480
Page 3992 of 5585


’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5 Bussmann ’294 at FIG 5. “FIG. 1 shows a flow diagram depicting an embodiment of a method 100 of providing location-based advertising services. Method 100 comprises, at 102, receiving advertising content and pricing bids from each of a plurality of advertising publishers. As explained in more detail below, the pricing bids comprise an offer to pay a specified amount of money in exchange for having the advertising content of the bidder sent to a device for presentation to a user. Further, the advertising content and bid are associated with a specific bounded geographic area defined in a geographic region. Therefore, the advertising content is sent to devices located within, or within some distance adjacent to, the bounded area. Next, method 100 comprises, at 104, receiving a request from a device for advertising content associated with the bounded area. Then, method 100 comprises, at 106, sending advertising content associated with the top N bids to the device for presentation to a user of the device, wherein N may be zero (in the case of no bids) or a positive integer. In this manner, advertising publishers may bid a specific price to pay for the distribution of advertising content in a specified geographic area, and the highest bidder or bidders win priority to have advertising content items presented to a device user over other lower bidders. Depending upon various device-specific parameters of the device and the nature of the advertising content sent to the device, one or more items of advertising content may be presented on the device at any one time.

’296 Patent Claim Language	Exemplary Disclosures
	Therefore, in some circumstances, the highest bidder's advertising content alone may be sent to a requesting device, while in other circumstances, more than one item of advertising content may be sent to a requesting device. Where more than one item of advertising content is sent to a device, the items of advertising content may be selected based upon descending order of bids. As a specific example, a GPS-enabled smart phone may allow a map to be displayed at various levels of zoom. In one example, for a specific level of zoom in a specific geographic region, the smart phone may be able to display three items of advertising content on a map. In this case, the device may be sent items of advertising content for the top three bidders for the geographic area displayed on the map. Therefore, advertising publishers who wish to have advertising content sent to mobile phones have an incentive to bid close to or above a highest bid for a desired bounded geographic area. This may help to obtain higher bids for distributing the advertising content items, and therefore may contribute to greater economic returns per advertisement view. More detailed implementations of method 100 are discussed in more detail below.” Bussmann ’294 at [0010]–[0011]. “Upon receipt of such a map, an advertising publisher computing device 204 may receive an input of a selection of one or more tiles in which the publisher wishes to have its advertising content distributed, and then send the selection to the advertising server along with the item or items of advertising content the publisher wishes to distribute. The advertising publisher computing device 204 also may send other advertising information, such as advertising category information and desired advertising times, to the advertising server 202. This information is collectively referred to as “ad info” in FIG. 2. Upon receipt of this information, the advertising server 202 may provide pricing information to the advertising publisher computing device 204. In some embodiments, the pricing information may comprise a “future price”, as opposed to the current price reflected by the map, and may be determined by a highest existing bid or bids for each selected tile over the requested time interval in light of the category information provided by the advertising publisher. In some embodiments, the total price for a multi-tile area may be lower than a sum of the highest bids for each requested tile for the requested time interval, while in other embodiments, the price for a multi-tile area may have any other suitable relationship to the sum of the individual tile pricings. As described below, the pricing information may be continuously updated as bids are received from various users and demand for the tiles increases or decreases. Further, where no bids have been made on a selected tile, the pricing information may comprise a preselected minimum price for a tile.” Bussmann ’294 at [0017]. “Continuing with FIG. 2, the advertising server 202 is also configured to provide advertising content to devices 210, 212, 214 that request content for specified locations. When requesting advertising content, a device (such as device 210) sends information regarding its geographic location to the advertising server 202. The device 210 also may send other information. For example, the device 210 may send information



’296 Patent Claim Language	Exemplary Disclosures
	regarding its type, manufacturer and/or model identity. Such information may allow the advertising server 202 to select items of advertising content intended for that type of device. The device 210 also may send information regarding a current zoom level at which the display on the device is currently being viewed. Such information may allow the advertising server to select items of advertising content configured to trigger at the specified level of zoom, and/or to determine how many items of advertising content can be viewed at one time on the device display and therefore to select how many advertising content items to send to the device.” Bussmann ’294 at [0023]. “Next, method 400 comprises, at 404, receiving a tiled map from the server and displaying the tiled map on a graphical user interface, wherein the tiled map shows an N-dimensional view of a geographic region divided into one or more tiles. In this manner, an advertising publisher may select tiles corresponding to geographic areas in which (or in connection with which) the publisher wishes to have an item of advertising content displayed. As described above, each tile may have any suitable shape and size. For example, dense urban areas may be divided into more tiles than less dense rural areas. Further, each tile may have a size and shape similar to the other tiles, or one or more tiles may have different sizes and shapes compared to the other tiles. In some embodiments, the tiles may have arbitrary polygonal (or polycurved, etc.) shapes that do not correspond to geographic features of the region represented by the map. In other embodiments, the tiles may have boundaries that follow geographic features of the region represented by the map. Further, the map may be displayed in colors or other visual indicators of the relative demand and/or cost of each tile displayed.” Bussmann ’294 at [0026]. “Method 400 next comprises, at 406, receiving a selection of tiles from a user via the graphical user interface, and then sending the selection of tiles to the advertising server. In addition to the selection of tiles, advertising content for the selection of tiles also may be sent to the advertising server, as indicated at 408. In some embodiments, as indicated at 410, the advertising content may then be viewed in a preview feature offered by the advertising content server. Such a preview may allow an advertising publisher to view a representation of how advertising content may appear to users of different types of devices, at different levels of zoom and/or panning, etc. In this manner, an advertising publisher may use the preview process as an aid to developing effective advertising content for specific devices, locations, etc.” Bussmann ’294 at [0027]. “Continuing with the figures, FIG. 5 shows a method 500 of operating an advertising server. Method 500 illustrates various details of method 400 from the advertising server's point of view, where communications with an advertising publisher client are shown in a left-hand side of the figure and communications with a device are shown in a right-hand side of the figure. Method 500 first comprises, at 502, receiving a logon request from an advertising publisher client, and connecting to the client. Next, at 504, a tiled map is sent to

’296 Patent Claim Language	Exemplary Disclosures
	the client to allow the advertising publisher to select tiles in which it is interested in having its advertising content distributed. After sending the tiled map, a selection of tiles on the map is received from the client at 506, and advertising content is received from the client at 508. As described above, in some embodiments, an advertising server may be configured to allow an advertising publisher to view a preview of advertising content in the tiles selected by the advertising publisher. Therefore, method 500 comprises, at 510, sending an advertising content preview to the client. In some embodiments, the advertising content preview may be an interactive preview configured to allow an advertising publisher to view an item of advertising content on different types of devices, at different levels of zoom, panning, etc. to see how the item of advertising content will appear to a user in various specific geographic locations. In this manner, an advertising publisher may be able to tailor an appearance of an item of advertising content to a desired appearance in a specific device and/or location. Method 500 next comprises, at 512, receiving advertising category and advertising display time information from the client. Examples of category and display time information are discussed in detail above. While the depicted embodiment shows the category and time information appearing in a later step than the receipt of the ad content and selection of tiles, it will be understood that these items may be received in any suitable order. Upon receipt of the selection of tiles, ad content, and category and time information, method 500 comprises, at 514, sending price information to the client, and then at 516, receiving a bid from a client. The bid is then stored in an updated bid information database, as indicated at 518. It will be understood that processes 502-518 may be performed by a plurality of different publishers on a continuous, rolling basis as clients wish to submit bid information. Further, the advertising server also may interact with requesting devices on a continuous, rolling basis to provide items of advertising content to the devices. An example of a transaction with a device such as a PND or the like is shown in FIG. 5 at 520-526. First, at 520, method 500 comprises receiving from a device a request for advertising content. Upon receipt of this request, it is determined, at 522, a number N of items of advertising content to send to the device. The number N of items of advertising content may vary depending upon a number of factors, including but not limited to, a type/brand/model of device that sent the request, a current level of zoom currently shown on the device display, and/or whether any advertising publishers have paid for exclusive advertising rights to a tile that is within the relevant geographic area.” Bussmann ’294 at [0035]–[0038].

H2 Intellect - Exhibit 2010
Home Depot v. H2 Intellect - IPR2025-00480
Page 3996 of 5585



’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 5A Mello ’479 at FIG. 5A. “After the web event data collector 166 stores the query string search criteria and associated information (block 510) or if the web event data collector 166 determines that a query has not been submitted (block 508), the media capture data collector 168 (FIG. 3) determines whether a media signal (e.g., an audio signal, a video signal, an RF signal, etc.) has been captured (block 512). For example, the media signal may be an audio signal associated with an advertisement presented by the audio device 16 or the video device 18 (FIG. 1), a video signal presented by the video device 18 (FIG. 1), or an RF signal emitted by the RF transceiver 22 of the billboard 20 (FIG. 1). The media capture data collector 168 then determines whether the captured media signal includes a code (block 514). If the captured media signal includes a code, the media capture data collector 168 extracts (or creates a copy of) the code (block 516). If the captured media signal does not include a code (block 514), the media capture data collector 168 generates a signature of the captured media signal (block 518). Alternatively, a signature can always be collected regardless of whether a code was collected. After the media capture data collector 168 extracts a code (block 516) and/or generates a signature (block 518), the media


’296 Patent Claim Language	Exemplary Disclosures
	capture data collector 168 stores the media representation information (e.g., the code and/or the signature) (block 520) in the media data log file 184 (FIG. 3). After the media capture data collector 168 stores the media representation information (block 520) or if the media capture data collector 168 determines that a media signal has not been captured (block 512), the consumer purchase data collector 170 determines whether any input data relating to potential purchases have been received (block 522) (FIG. 5B). In the illustrated example, the potential purchase data is data indicative of a product or a service such as, for example, bar code information read using the bar code reader 136 (FIG. 2) or RFID information received via the RF transceiver 134 (FIG. 2) in response to the monitored person 32 scanning a product or a service document. If the consumer purchase data collector 170 determines that potential purchase data has been received (block 522), the consumer purchase data collector 170 determines whether the monitored person 32 purchased the product or service corresponding to the received potential purchase data (block 524). For example, the consumer purchase data collector 170 may receive subsequent information or the potential purchase information received at block 522 may have a corresponding purchase confirmation flag indicating that the monitored person 32 purchased the related product or service. If the consumer purchase data collector 170 determines that the monitored person 32 made the purchase (block 524), the consumer purchase data collector 170 stores the purchase information (block 526) in association with a corresponding timestamp and location identifier in the purchase data log file 186 (FIG. 3).” Mello ’479 at [0082]–[0084].

’296 Patent Claim Language	Exemplary Disclosures
	 FIG. 2A Busch ’815 at Fig. 2A.  FIG. 16A

’296 Patent Claim Language	Exemplary Disclosures
	Busch ’815 at Fig. 16A. “Significant benefit is provided by a content targeting methods and systems usable with mobile devices that provide feedback to the advertisers—especially those advertisers that have brick and mortar businesses—to help them judge the effectiveness of their targeted content. The effectiveness of a business' advertising effort may be measured by determining with regard to a user of a device that has received targeted content one or more of: whether the user visits a business location of a content producer after their content has been delivered to the device; the time spent at the location; and, how much money was spent at the business by that user (especially in the case where the user pays through an online payment service utilizing the mobile device).” Busch ’815 at [0008]. “The present invention provides among other things methods and systems to obtain data relating to location from mobile devices, processing this data, sending content to a mobile device based at least in part on location data, integration of location data associated with a mobile device with web based applications accessed with a standard computer or laptop, integration of location data with conversion tracking systems, integration of location data with customer relationship management systems and systems to determining retail business location performance, integration with social uses of location data of mobile devices, and integration with navigation uses of location data associated with mobile devices.” Busch ’815 at [0159]. “Then the mobile device may be configured to report the information describing whether or not the user responded to the content by going to the geographic location indicated back to the advertiser associated with corresponding element of the content result set. The system may also report the duration or period of time the geographic location of the mobile device corresponded to the geographic location corresponding to the element of the content result set, or a business location of the advertiser. This allows advertisers to see the different periods of time people spend at their business locations.” Busch ’815 at [0278]. “Alternatively, one or more destinations may be determined and the current geographic location information along with a proposed destination is routed to a routing program to obtain a path of travel. Next, a content result set is obtained that contains one or more elements selected based upon at least the likely course or area of travel, specific destination, or specific destinations so that information pertaining to businesses along the course of travel are available to the user. Any number of these results are displayed on the mobile device at appropriate times (e.g., when the user is approaching a business location along a path, when a user is walking around a shopping area, when the user is driving along a highway, when the user performs a search for content or a business, when a user requests route guidance, not when the user is in a movie theater, not when the user is eating dinner, not when the user is at work, etc.).” Busch ’815 at [0280].

’296 Patent Claim Language	Exemplary Disclosures
	“In some forms of the invention, location information describing the perimeters of business locations are sent to the mobile device and the mobile device communicates with the server if the location of the mobile device is located within the perimeter of the business location. In other forms of the invention, the location information of the mobile device is sent to the system and compared with information describing the perimeters of business locations. Alternatively, the business locations may be defined by a point and radius, or mathematical formula. This is exemplary and is not intended to limit the scope of the invention. As shown and described, a person having ordinary skill in the art is able to implement the invention in any number of varying forms.” Busch ’815 at [0338]. “Methods and systems are disclosed for providing customized content to users based on their location. In one embodiment, for each of one or more content providers, a customized content delivery function receives information from the content provider defining a number of geographic shapes selecting corresponding geographic areas. Preferably, each of the geographic shapes overlaps at least one other of the geographic shapes and is assigned an importance level. For each geographic shape, the content provider defines one or more tags for the geographic shape and assigns a weight to each of the one or more tags. Thereafter, when a request is received from a requestor, one or more content items are selected for delivery to the requestor based on the geographic shapes, the tags and corresponding weights for the geographic shapes, and the location of the requestor.” Svendsen ’073 at Abstract.

’296 Patent Claim Language	Exemplary Disclosures
	 *FIG. 1* Svendsen ’073 at Fig. 1.  ***FIG. 4A*** Svendsen ’073 at Fig. 4A.

’296 Patent Claim Language	Exemplary Disclosures
	 ***FIG. 4B*** Svendsen ’073 at Fig. 4B.

’296 Patent Claim Language	Exemplary Disclosures

SHAPE	Z-ORDER	KEYWORDS
26	0	Change = 80, NAFTA = 30, election = 100, experience = 20
28	1	job loss = 50, trade deficit
30	2	Iraq = 90, oil prices = 70
32	0	Change = 80, NAFTA = 30, election = 100, experience = 20
34	1	trade deficit = 80
36	2	Iraq = 90
38	3	job loss = 50
40	4	oil prices = 70

FIG. 4C

Svendsen ’073 at Fig. 4C.

POINT	INTERSECTING SHAPES	KEYWORDS	BID
42	26, 28	Change = 80, NAFTA = 30, election = 100, experience = 20, job loss = 50, trade deficit = 25	305
44	32, 34	Change = 80, NAFTA = 30, election = 100, experience = 20, trade deficit = 80	310

FIG. 4D

Svendsen ’073 at Fig. 4D.

“For each content provider, the central custom content delivery function also receives information from the content provider defining a number of geographic shapes selecting corresponding geographic areas. For each geographic shape, the content provider defines one or more tags for the geographic shape, or the geographic area selected by the geographic shape, and assigns a weight to each of the one or more tags. Like the tags

’296 Patent Claim Language	Exemplary Disclosures
	assigned to the content items of the content provider, the tags assigned to the geographic shapes defined by the content provider may each be, for example, a keyword, a demographic criterion, or the like.” Svendsen ’073 at 1:31–41. “In addition, for each content provider, information defining a number of geographic shapes selecting corresponding geographic areas is received from the content provider (step 102). Preferably, the geographic shapes are user-defined shapes defined by a user associated with the content provider. For example, a user associated with a content provider may provide a center point and radius defining a circle that selects a desired geographic area; four points defining a square or rectangular shape that selects a desired geographic area; a number of points, curves, or lines defining an arbitrary shape that selects a desired geographic area; or the like. As another example, the user may provide a line or curve and a distance (d) defining a shape selecting a geographic area within the distance (d) from the line or curve. Preferably, each of the geographic shapes defined by a content provider completely or partially overlaps at least one other of the geographic shapes. In addition, the geographic shapes defined for a content provider are preferably hierarchical in that the geographic shapes are assigned importance levels, which are referred to herein as z-order values. For each geographic shape of each content provider, information is received from the content provider defining one or more keywords and corresponding weights assigned to the geographic shape (step 104).” Svendsen ’073 at 3:11–34. “As an example, FIG. 2A illustrates exemplary geographic shapes 10 through 16 defined by a content provider according to one embodiment of the present invention. While not shown, the geographic shapes 10 through 16 are combined with or overlaid upon a map or similar data structure to identify the corresponding geographic areas. Each one of the geographic shapes 10 through 16 overlaps or intersects at least one other one of the geographic shapes 10 through 16, and each one of the geographic shapes 10 through 16 is assigned an importance level, or z-order value. In this example, the content provider has assigned the keyword Red with a weight of 80 and the keyword Blue with a weight of 30 to the geographic shape 10, which is also referred to as Shape A. In other words, the content provider has tagged the geographic shape 10 with the keywords Red and Blue. The content provider has assigned the geographic shape 10 a z-order value of 0, thereby setting the geographic shape 10 to a lowest importance level. Likewise, the content provider has assigned the keyword White with a weight of 50 to the geographic shape 12, which is also referred to herein as Shape B, and assigned the geographic shape 12 a z-order value of 1. The content provider has assigned the keyword Blue with a weight of 90 to the geographic shape 14, which is also referred to herein as Shape C, and assigned the geographic shape 14 a z-order value of 2. Lastly, the content provider has assigned the keyword Green with a weight of 10 and the keyword Red with a weight of 20 to the geographic shape 16,

’296 Patent Claim Language	Exemplary Disclosures
	which is also referred to herein as Shape D, and assigned the geographic shape 16 a z-order value of 3.” Svendsen ’073 at 3:35–63. “FIGS. 6A through 6C graphically illustrate the process of FIG. 5 according to one embodiment of the present invention. FIG. 6A illustrates geographic shapes defined by a content provider to select geographic areas of interest to the content provider.” Svendsen ’073 at 9:62–66. “More specifically, as illustrated in FIG. 6A, the audio provider has defined a geographic shape 46 selecting the state of North Carolina and geographic shapes 48 through 56 selecting corresponding geographic areas within the state of North Carolina. FIG. 6B illustrates keywords and corresponding weights assigned to each of the geographic areas 46 through 56 by the audio provider as well as z-order values, or importance levels, assigned to the geographic shapes 46 through 56 by the audio provider. Note that in this example, the keywords are music genres.” Svendsen ’073 at 10:3–12. “As discussed above, an account of a content provider includes information defining geographic shapes defined by the content provider and, for each content item of the content provider, one or more keywords assigned to the content item. In addition, for each geographic shape defined by the content provider, the account of the content provider includes keywords assigned to the geographic shape as well as weights for those keywords. Lastly, the account may include a z-order, or importance level, for each of the geographic shapes.” Svendsen ’073 at 13:52–60. “Using advertisers as an example, in operation, one or more advertisers register with the customized content delivery function 78. As discussed above, each advertiser defines a number of geographic shapes selecting corresponding geographic areas.” Svendsen ’073 at 14:19–23. *See also* Svendsen ’073 at 4:48–67, 7:63–8:4, and 13:41–52. “There are already several ad network/platforms available for iPhone apps. Here’s the current list of offerings: • Crisp Wireless - currently creates banners + microsites; used by the New York Times and Washington Post apps • PurpleTalk - allows creation of customizable text banners; features ad exchange “Partner Network” • AppLoop - claims to be the first real-time, location-based mobile advertising network • Pinch Media - widely-used ad network on dozens of iPhone apps

’296 Patent Claim Language	Exemplary Disclosures
	• Medialets - offers CPM, CPC and CPA advertising run natively through iPhone apps • AdMob -offers rich-media (video-, map- and Apple App Store-integrated) banner ads on iPhone apps; also has an impressive list of signed clients” Menayan 2008 at 1. “• Precisely Target your ads based on location and context. • Advanced Statistics report the performance of all your advertising campaigns. • Engage dedicated, valuable, and near-by users from the palm of their hand. Get Started • Bring your advertising strategy to the next level with location-based mobile advertising, Why spend money advertising to people sitting on their couch or at a computer desk? Mobile application users are active and ready to spend money.” AppLoop.com: Advertisers at 1. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[11d] at least one instruction to receive, from a sponsor, a request to obtain an interest in a selected one of the plurality of geographic areas;	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to receive, from a sponsor, a request to obtain an interest in a selected one of the plurality of geographic areas.” For example: *See* above at row [1d]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art,

’296 Patent Claim Language	Exemplary Disclosures
	would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[11e] at least one instruction to provide the sponsor a response to the request;	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to provide the sponsor a response to the request.” For example: *See* above at row [1e]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[11f] at least one instruction to store a record of the interest in the selected one of the plurality of geographic areas;	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to store a record of the interest in the selected one of the plurality of geographic areas.” For example: *See* above at row [1f]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[11g] at least one instruction to receive, from the sponsor, content to be delivered to application programs having target locations contained within the selected one	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to receive, from the sponsor, content to be delivered to application programs having target locations contained within the selected one of the plurality of geographic areas.” For example: *See* above at row [1g].

’296 Patent Claim Language	Exemplary Disclosures
of the plurality of geographic areas;	To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[11h] at least one instruction to receive a request from a registered application program for content to be used within the registered application program;	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to receive a request from a registered application program for content to be used within the registered application program.” For example: *See* above at row [1h]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[11i] at least one instruction to select content associated with at least one of the plurality of sponsors to be delivered to the registered application program of a specific type, in accordance with a content delivery reservation associating the at least one sponsor with a geographic area and a	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to select content associated with at least one of the plurality of sponsors to be delivered to the registered application program of a specific type, in accordance with a content delivery reservation associating the at least one sponsor with a geographic area and a registered application program type.” For example: *See* above at row [1j]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been

’296 Patent Claim Language	Exemplary Disclosures
registered application program type; and	within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[11j] at least one instruction to provide the selected content to the registered application program.	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to provide the selected content to the registered application program.” For example: *See* above at row [1k]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
12[pre]. The non-transitory computer readable medium of claim 11, wherein the program of instructions further comprises:	The following prior art expressly or inherently discloses and renders obvious “[t]he non-transitory computer readable medium of claim 11.” *See* claim 11 limitations above. *See* above at row 1[pre].
[12a] at least one instruction to record a request identifier associated with the request; and	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to record a request identifier associated with the request.” For example: *See* above at row [2a]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.

’296 Patent Claim Language	Exemplary Disclosures
[12b] at least one instruction to provide the request identifier to the registered application program.	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to provide the request identifier to the registered application program.” For example: *See* above at row [2b]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
13[pre]. The non-transitory computer readable medium of claim 12, wherein the program of instructions further comprises:	The following prior art expressly or inherently discloses and renders obvious “[t]he non-transitory computer readable medium of claim 12.” *See* claim 12 limitations above. *See* above at row 1[pre].
[13a] at least one instruction to receive information related to user interaction with the provided content, the information including the request identifier; and	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to receive information related to user interaction with the provided content, the information including the request identifier.” For example: *See* above at row [3a]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.

’296 Patent Claim Language	Exemplary Disclosures
[13b] at least one instruction to provide additional content to the registered application in response to the received information.	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to provide additional content to the registered application in response to the received information.” For example: *See* above at row [3b]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
14[pre]. The non-transitory computer readable medium of claim 11, wherein the program of instructions further comprises:	The following prior art expressly or inherently discloses and renders obvious “[t]he non-transitory computer readable medium of claim 11.” *See* claim 11 limitations above. *See* above at row 1[pre].
[14a] at least one instruction to determine whether at least one of the plurality of sponsors is associated with a geographical representation lying at least partially within a predetermined radial distance of a target location; and	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to determine whether at least one of the plurality of sponsors is associated with a geographical representation lying at least partially within a predetermined radial distance of a target location.” For example: *See* above at row [4a]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.

’296 Patent Claim Language	Exemplary Disclosures
[14b] at least one instruction to increase the predetermined radial distance in response to a negative determination.	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to increase the predetermined radial distance in response to a negative determination.” For example: *See* above at row [4b]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
15[pre]. The non-transitory computer readable medium of claim 11, wherein the program of instructions further comprises:	The following prior art expressly or inherently discloses and renders obvious “[t]he non-transitory computer readable medium of claim 11.” *See* claim 11 limitations above. *See* above at row 1[pre]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.
[15a] at least one instruction to reserve a specific one of the plurality of geographic areas for exclusive delivery of content associated with a particular one of the plurality of sponsors to application programs and having a target location contained within	The following prior art expressly or inherently discloses and renders obvious “at least one instruction to reserve a specific one of the plurality of geographic areas for exclusive delivery of content associated with a particular one of the plurality of sponsors to application programs and having a target location contained within the specific one of the plurality of geographic areas.” For example: *See* above at row [5a]. To the extent that the charted references do not disclose any elements of this claim limitation, this limitation is rendered obvious in light of the charted reference by itself, the charted reference combined with the

’296 Patent Claim Language	Exemplary Disclosures
the specific one of the plurality of geographic areas.	knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of the charted references, and would have led to expected results.

Exhibit 296.K – Invalidity of U.S. Patent No. 8,433,296 in view of Vela ’724

Vela ’724 qualifies as prior art to U.S. Patent No. 8,433,296 (“the ’296 patent”) under at least pre-AIA 35 U.S.C. §§102(a), (b), and (e). Vela ’724 was filed on October 14, 1987, and originally published on November 21, 1989.

Vela ’724 anticipates the Asserted Claims of the ’296 patent (claims 1–15, as set forth in Plaintiff’s preliminary infringement contentions served on November 1, 2024). To the extent it is found Vela ’724 does not expressly disclose certain limitations in the Asserted Claims, such limitations are at least implicitly or inherently disclosed. Moreover, to the extent it is found that Vela ’724 does not anticipate the Asserted Claims, Vela ’724 renders obvious the Asserted Claims, either alone or in combination with one or more of the prior art references identified in the cover pleading and other claim charts, and/or in combination with the general knowledge of a person having ordinary skill in the art.

Home Depot’s invalidity contentions, including this chart, are based in part on H2’s infringement contentions and apparent claim interpretations. In some instances, certain claim limitations are expressly or inherently present in the prior art in light of H2’s apparent claim interpretations in its infringement contentions. Home Depot offers these contentions without prejudice to any position Home Depot may later take as to any claim construction issues. To the extent these contentions reflect claim constructions consistent with H2’s infringement contentions, no implication is intended, nor should any inference be drawn, that Home Depot agrees with any construction implied by H2’s infringement contentions.


The citations provided are exemplary and do not necessarily include each and every disclosure of a limitation in Vela ’724. Home Depot has endeavored to cite the most relevant portions of Vela ’724, but other portions of Vela ’724 may additionally disclose, either expressly or inherently, and/or render obvious, one or more limitations of the asserted claims. Home Depot reserves the right to rely on (1) uncited portions of Vela ’724, including documents referenced within Vela ’724; (2) other prior art not identified herein; (3) references that show the state of the art and the knowledge of a person of skill in the art, irrespective of whether such references themselves qualify as prior art to the asserted patents; (4) factual testimony from the inventors or authors of the prior art references, or purveyors of prior art devices; and/or (5) expert testimony, to provide context to or aid in understanding the prior art, the state of the art, and/or the knowledge of a person of ordinary skill in the art. To the extent Home Depot asserts that a claim limitation is indefinite, Home Depot has used its best efforts to interpret the claims to fulfill its duties in charting the prior art references.


Where Home Depot cites to a particular drawing or figure in the accompanying charts, the citation encompasses the description of the drawing or figure, as well as any text associated with the drawing or figure. Similarly, where Home Depot cites the text concerning a figure, the citation encompasses that figure. This prior art at least inherently discloses certain claim limitations, and Home Depot reserves the right to rely on inherency to demonstrate the invalidity of the asserted claims. Home Depot may rely on cited or uncited portions of the prior art, other documents, factual testimony, and expert testimony to invalidate the asserted claims.


If H2 contends that this reference does not disclose any particular limitation of the asserted claims of this patent, it would have been obvious to a person of ordinary skill in the art to modify this reference and/or to combine the teachings of this reference with other prior art references in a manner that renders such claims invalid.


Discovery is ongoing and Home Depot will update this chart pursuant to Federal Rule of Civil Procedure 26(e), the Local Rules, and the Orders of record in this matter, subject to further investigation and discovery regarding the reference, the Court's construction of the claims at issue, and discovery generally, including third-party discovery.

This chart is subject to all reservations, objections, and disclaimers in Home Depot's Invalidity Contentions and any amendment, supplement, or modification thereof incorporated herein by reference in their entirety.



'296 Patent Claim Language	**Exemplary Disclosure in US4882724A ("Vela '724")**
1[pre]. A method comprising:	To the extent the preamble is limiting, Vela '724 expressly or inherently discloses and renders obvious "[a] method." *See* limitations [1a]–[1k] below. "A communication system for a marketing area locates a light signal generating system and a master computer at a control center and delivers message bearing light signals over optical channels to predetermined subdivisions of the marketing area." Vela '724 at Abstract.  FIG I Vela '724 at Fig. 1.



’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	 FIG 2 Vela ’724 at Fig. 2. “This invention relates to systems and processes for communicating with shoppers in marketing areas and includes processes for guiding and delivering messages to shoppers in marketing areas, as well as to certain apparatus combinations that may be used in such systems and processes.” Vela ’724 at 1:5–10. “The invention has various aspects but is based on providing a shopper with a message relay unit that includes a computer controlled visual display device which is used in communicating with the shopper in the marketing area. The relay unit may be simply carried around the marketing area by and on the person of the shopper. On the other hand, in the preferred practice of the invention, the relay unit is mounted and transported about the marketing area on a shopping cart used by the shopper.” Vela ’724 at 2:15–24. “Reference is now made to the drawings and more particularly to FIG. 1. Here, a system for communicating with shoppers is generally designated at 22.” Vela ’724 at 5:50–52. “In an area control center 23, it includes a computer 24 and a light signal generating system 25 that is controlled by the computer 24 for generating message bearing signals for delivery to the marketing area. The system 22 has a signal delivery system 26 which is connected with the generating system 25 and which is used for passing the generated signals to a marketing area that is generally designated at 33 in FIG. 1 and show in greated detail in FIG. 5.” Vela ’724 at 5:52–61. *See also* Vela ’724 at Fig. 3, Figs. 4–4D, Fig. 6, Fig, 7, Fig. 7A, Fig. 7B, Fig. 11, Fig. 12, Fig. 13, Fig. 14, Fig. 15, Fig. 16, Fig. 17, Fig. 18, Fig. 19, 2:47–53, 2:64–68, 3:10–29, 3:38–49, 3:50–61, 5:62–6:9, 6:10–23, 6:39–49, 6:52–59, 7:67–8:19, 8:20–30, 16:43–60, 18:4–22, 18:49–57, and 27:50–64.



’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
[1a] registering a plurality of application programs for use with a content delivery platform, wherein the plurality of registered application programs are each associated with at least one application program type;	Vela ’724 expressly or inherently discloses and renders obvious “registering a plurality of application programs for use with a content delivery platform, wherein the plurality of registered application programs are each associated with at least one application program type.” For example: “Message relay units are provided on the shopping carts in the marketing area for transmitting audio and/or visual messages to the shopper. Among the visual messages transmitted are those which visually display a list of items available for purchase and or display in the marketing area, a graphics display of the marketing area and the merchandise display facilities therein, a video picture which is often of a product or item available for purchase in the marketing area and a traveling word message.” Vela ’724 at Abstract.  FIG 1 Vela ’724 at Fig. 1.



’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	 FIG 3 Vela ’724 at Fig. 3. “In accord with certain aspects of the invention, the communication system has a signal generating system which is isolated from the message relay units and which is provided for generating message bearing signals that are receivable by the relay units.” Vela ’724 at 2:25–29. “In an area control center 23, it includes a computer 24 and a light signal generating system 25 that is controlled by the computer 24 for generating message bearing signals for delivery to the marketing area. The system 22 has a signal delivery system 26 which is connected with the generating system 25 and which is used for passing the generated signals to a marketing area that is generally designated at 33 in FIG. 1 and show in greated detail in FIG. 5.” Vela ’724 at 5:52–61. “In the illustration, the shopping carts which are not in use are retained and stored in one of the storage areas 225. A shopper, after entering the marketing area 33 through entrance 226, withdraws a shopping cart from a storage area 225 and depresses the on/off switch 104 of the relay unit mounted on the cart so as to energize the unit. This is done from prior experience or pursuant to instructions imprinted on the card 147 located at the viewing side 246 of the case 245 for the unit (FIG. 10) in the current embodiment. However, initiation of the unit's operation may be cause to take place automatically if desired.” Vela ’724 at 37:12–23. “When the relay unit is energized, the Shopping List Data File and the Graphics Display Data File are immediately received and stored in the on-board computer memory as previously indicated. As soon as this happens, the shopping list 132 and arrows 133 appear on the screen 77 of the visual display device 72 (FIG. 12). This happens while the shopper and cart are still within the audio message zone 276, such as at position


’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	297 in FIG. 11. Here, the shopper may select those items from the list 132 which are being considered for purchase and enter the items in the Selected Product Record as previously indicated.” Vela ’724 at 37:30–41. “Thereafter, as the shopper enters the zone designated at 295, a traveling word message is superimposed on the graphics display of the marketing area 33 and which may advertise a product in the proximity of the zone. Within this zone 295, the shopper in the illustrations stops at position 309 to remove from the display area a previously selected item that is designated on the total area view of the graphics display of the marketing area shown thereon.” Vela ’724 at 39:10–18. *See also* Vela ’724 at Abstract, Fig. 2, Fig. 10, Fig. 12, Fig. 16, Fig. 17, Fig. 18, Fig. 19, 2:34–46, 3:1–9, 3:10–29, 3:38–49, 5:62–6:9, 9:10–24, 9:67–10:6, 14:29–39, 16:43–60, 24:50–64, 27:43–49, 27:50–64, 28:1–37, 29:52–65, 30:24–35, 31:1–16, 35:58–63, 36:63–37:2, 38:51–55, 39:19–29, and 40:40–48. To the extent that Vela ’724 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Vela ’724 by itself, Vela ’724 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Vela ’724, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
[1b] establishing a plurality of perimeters defining a plurality of geographic areas;	Vela ’724 expressly or inherently discloses and renders obvious “establishing a plurality of perimeters defining a plurality of geographic areas.” For example: “A communication system for a marketing area locates a light signal generating system and a master computer at a control center and delivers message bearing light signals over optical channels to predetermined subdivisions of the marketing area.” Vela ’724 at Abstract.



’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	“Message relay units are provided on the shopping carts in the marketing area for transmitting audio and/or visual messages to the shopper. Among the visual messages transmitted are those which visually display a list of items available for purchase and or display in the marketing area, a graphics display of the marketing area and the merchandise display facilities therein, a video picture which is often of a product or item available for purchase in the marketing area and a traveling word message.” Vela ’724 at Abstract.  Fig. 5 Vela ’724 at Fig. 5.  Fig. 6


’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	Vela ’724 at Fig. 6.  Fig. 7 Vela ’724 at Fig, 7.  Fig. 7A Vela ’724 at Fig. 7A.


’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	 Fig. 7B Vela ’724 at Fig. 7B.  Vela ’724 at Fig. 11.

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	 FIG 13 Vela ’724 at Fig. 13.  FIG 14

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	Vela ’724 at Fig. 14.  FIG 15 Vela ’724 at Fig. 15.

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	 FIG 16 Vela ’724 at Fig. 16.  FIG 17

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	Vela ’724 at Fig. 17.  FIG 18 Vela ’724 at Fig. 18.

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	 FIG 19 Vela ’724 at Fig. 19. “Certain aspects of the invention have to do with providing a visually displayable message bearing signal with a data component that includes a visually displayable message such as contained in a list of displayed items that are available for purchase in the marketing area, a graphics display of the marketing area and the merchandising display facilities used therein, a video picture of a fixed or moving product that is available for purchase and on display in the marketing area, and/or a traveling word message, an audio message being also contemplated for transmission, if desired, and either with or without the transmission of a visually displayable message.” Vela ’724 at 2:34–46. “Other aspects, permit the shopper to control the size of the marketing area represented by the graphics display, thus enabling the shopper to limit the area shown on the graphics display to that in the proximate area of the shopper.” Vela ’724 at 2:54–58. “The generation on the visual display device of a list of items which are available for purchase and on display in the marketing area is contemplated in accord with certain of these process aspects. In accord with other process aspects, the generation of certain indicia on the display device and which are indicative of the

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	locations in the marketing area of the items on the list is contemplated while the items on the list are being generated thereon.” Vela ’724 at 3:1–9. “With the shopper guiding thoughts in mind, certain process aspects of the invention contemplate the generation on the display device of a graphics display of the marketing area and which illustrated the floor plan of the marketing area and the layout of the merchandise display facilities thereon. Still other procedural aspects contemplate the generation of indicia on the visual display while the graphics display of the marketing area is being generated thereon, the indicia in such cases being associated with items available for selection in the marketing area and so located in the marketing area depicted by the graphics display as to be indicative therein of the locations thereof. Yet other process aspect contemplate the generation of indicia on the visual display while the graphics display of the marketing area is being generated thereon, the indicia in this instance being so located in relation to the marketing area depicted by the graphics display as to be indicative therein of the location of the shopping cart on which the visual display is mounted.” Vela ’724 at 3:10–29. “Still another procedural aspect with a view to guiding the shopper in the shopping area involves the generation on the visual display device of a graphics display which depicts a local area of the marketing area which is proximate to the location of the shopping cart therein and all in contrast to the depiction of the total or substantially entire marketing area. Other procedural aspects contemplate switching between steps which generate the graphics display of the total marketing area and those which generate the graphics display of a local subdivision thoeof.” Vela ’724 at 3:38–49. “Other process aspects of the invention have to do with communicating with the shopper with the view to promoting product items that are on display and available for purchase in the marketing area. Here provisions are made for passing the message bearing signals into a predetermined zone in which they are detectable by the relay units and whereat the message is thereby transmitted at the point of product selection. Certain aspects of the invention here have to do with the generation of the message bearing signals as light signals and with the passing of such light signals into the predetermined zones.” Vela ’724 at 3:50–61. “In an area control center 23, it includes a computer 24 and a light signal generating system 25 that is controlled by the computer 24 for generating message bearing signals for delivery to the marketing area. The system 22 has a signal delivery system 26 which is connected with the generating system 25 and which is used for passing the generated signals to a marketing area that is generally designated at 33 in FIG. 1 and show in greated detail in FIG. 5.” Vela ’724 at 5:52–61. “The light signal delivery system 26 includes a network 60 of optical channels 61 which comprise optical fibers 78. Each fiber 78 is optically connected to a light emitting diode of the signal generating system 25. In

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	the marketing area 33, these fibers 78 are offset and overlie the floor of the marketing area 33, as will be more evident from a subsequent consideration of FIGS. 6 and 7. The arrangement is such that each fiber 78 forms a component of an optical channel 61 that is arranged to transmit signals between the generating system and a predetermined subdivision of the marketing area. Each channel is thus arranged to service a predetermined subdivision of the marketing area and serves to pass or deliver the light signals it receives from the generating system 25 to a predetermined subdivision in the marketing area and with which it is obviously associated. Each channel 61 is also capable of receiving a light signal that is generated by a relay unit in the subdivision serviced by the channel and of returning the thus generated light signal, with the aid of an auxiliary light channel, to the area control center 23, as will be subsequently seen.” Vela ’724 at 7:13–33. “Any signal handled by the system 22 may be delivered to any one or more of the subdivisions serviced by the optical channel network 60 in the marketing area 33. As a signal from one of the storage files is being delivered to the light signal generating system 25, it passes via lead 56 to the amplifier 58 and the amplified signal is then passes via lead 57 to the channel selector circuit network 62 of the light signal generating system 25.” Vela ’724 at 7:34–41. “Computer 24 has a Signal Address Record File that is copied into main memory 37 from disk storage unit 30 when operation of the system 22 is initiated. As a message bearing signal is about to be delivered to the amplifier 58, the Signal Address Record File copy in main memory 37 is addressed by the computer operation to determine the subdivision address or addresses to which the signal is destined for delivery. Based on this information, a signal is sent from the computer 24 by lead 68 to the encoder 34 and the encoder 34 generates a codified component bearing the destination subdivision addresses for the signal. This address bearing component is delivered via lead 59 to the amplifier 58 for amplification and passes via lead 57 to the signal generating system 25 and as a component which leads the signal in time of delivery to the light generating system 25.” Vela ’724 at 7:42–57. “The signal generating system 25 includes a network 62 of channel selector circuits and an array 63 of light emitting diodes that are optically connected to the respective optical channels 61 of the signal delivery system 26. Each address provided by the encoder 34 represents a subdivision in the marketing area that is serviced by one of the light channels 61, as will be more evident from a consideration below of FIGS. 5-7. Each subdivision address in the marketing area is associated with a specific circuit in the channel selector circuit network 62 and which, upon being enabled and rendered operational, is capable of being energized to light a light emitting diode that is also associated with the address. The diode is optically connected to a specific light channel that is similarly associated with the address and services one of the subdivision in the marketing area 33. As such, each address is associated with a specific circuit in the selector network 62, with a specific

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	diode in the array 63, with a specific light channel 61 in the network 60 and with a specific subdivision in the marketing area.” Vela ’724 at 7:67–8:19. “In the cyclic operation of the signal generating process, the addressed electronic signal is passed via lead 57 to the signal generating system 25. Although other systems may be used, the generating system 25 depicted is a light generating system which generates light signals under the control of the master computer 24 and which are based on the electronic signal that is delivered to it from the amplifier 58 during the interval between the leading and trailing electronic components that are added through the operation of the encoder to enable and reset the circuit selectors in the network 62.” Vela ’724 at 8:20–30. “At the channel selector circuit network 62, the coded component serves to select and enable those circuits of the network 62 which upon being energized will energize those light emitting diodes of the array 63 that are associated with the subdivision destination addresses in the marketing area. These diodes are optically connected to the optical channels 61 that service the subdivisions contemplated by the code component. Thereafter, as the electronic data component of the signal arrives at the network 62, the thus selected circuits of the network 62 are energized in accord with the data provided by the message bearing data component to generate a light signal which is commensurate with the data fed to the enabled circuits.” Vela ’724 at 8:34–48. “As will be seen subsequently, each of the relay units 27 is capable of generating a light signal which is picked up and returned by the optical channel that is serving the subdivision of the marketing area 33 in which the relay unit is then located. This light signal is used to determine the location of the shopping cart in the shopping area. This is done by detecting the light channel 61 over which the signal is returned to the area control center 23 and by generating the address (x,y coordinates) of the subdivision served by the light channel 61. This all happens during a time slot or frame devoted to ascertaining the location in the marketing area of the shopping cart and the particular relay unit mounted thereon.” Vela ’724 at 8:53–66. “This detection is all done by a detector/generator circuit 64 which provides a means remote from the message relay unites 27 for detecting the light signals that are generated by the signal generating circuits of the relay units 27 and for generating data signals which are indicative of the subdivision addresses (x,y coordinates) of the units in the marketing area at the time the light signals are generated.” Vela ’724 at 8:67–9:6. “When a return signal reaches one of the taps 66, it is shunted by the optical tap 66 over the auxiliary light channel 65 associated with the tap and the returning optical channel 61 to the detector/generator circuit 64. Here, the circuit 64 generates data, preferable in binary code, which represents the x,y coordinates of the

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	subdivision serviced by the optical channel 61 that delivered the return signal from the marketing area 33. These data are passed by lead 67 to the computer input/output system 39 and where, during each operating cycle of the system 22, the data are recorded in and used to update the recorded location of the cart in a Carts Location Data File that is copied into main memory 37 from the disk storage 30 when operation of the system 22 is initiated.” Vela ’724 at 9:10–24. “The data in the Carts Location Data File is used in accord with the operating program for the computer to maintain an updated location file for all carts in the marketing area. These data coordinates are also passed via lead 56 to the amplifier 58 and therefrom via lead 57 to the signal generator 25 during each operating cycle for redistribution to the respective shopping cart mounted units 27 in the marketing area. As will be seen, when received, the data coordinates are used for updating a Cart Location Data Record that is maintained in each unit's computer memory.” Vela ’724 at 9:25–35. “Under one mode of operation, the total marketing area 33, such as illustrated in FIG. 13, is seen on the screen 77 of the display device 72. In the other mode of operation, only a local portion of the marketing area, i.e. in the proximity of the shopping cart, is seen on the screen 77 of the visual display device 72, such as illustrated in FIGS. 14-19).” Vela ’724 at 13:45–51. “In the local mode of operation, the circuit 146 adds data to the signal that preferrably provides the name (or other suitable indicia) of each selected item at the appropriate display location for the item in the depicted marketing area as indicated by its subdivision address in the Selected Product Record. In the total mode of operation, the circuit 146 adds data to the signal that provides a simple mark (or other suitable indicia) for each selected item at the appropriate display location for the item as indicated by the subdivision address of the item in the Selected Product Record. ” Vela ’724 at 14:29–39. “The item location signal generator 146 is connected to the computer input/output system 79 via lead 148 so as to receive data from the Selected Product Record in memory 82 and which, with respect to each item that has been previosly selected from the list by the shopper, is indicative of the name and display address (x,y coordinates) of the item in the marketing area. Each time an enabling signal is sent to the size modifying circuit 136, the item location signal generator 146 is placed in a local area mode of operation. Under such circumstances, data relating to the name and location in the market area of each item that has been selected by the shopper is generated and added to the signal sent to the visual display device 72. This added data provides for the generation of the name of each selected item in the Selected Product Record and at the display location in the marketing area contemplated therefor by the recorded address (x,y coordinates) for the item. Indicia, other than the names of the items, may, of course, be generated to indicate the items.” Vela ’724 at 15:29–48.

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	“When the size modifying circuit 136 is disabled, the item location signal generator 146 is placed in the total area mode of operation and data relating to the location in the market area of each item that has been selected by the shopper is generated by the circuit and added to the signal sent to the control circuit 73. This added data provides for the generation in the graphics display of a mark that is indicative of each selected item in the Selected Product Record and located at the display location in the depicted marketing area which is contemplated therefor by the recorded subdivision address (x,y coordinates) for the item. Indicia, other than simple marks may, of course, be generated and used to indicate the selected items.” Vela ’724 at 15:49–62. “The signal bears data representing the display address (x, y coordinates) in the marketing area and the name of each item which has been selected by the shopper and entered in the Selected Product Record by the process previous discussed. The generator 146 in this local area mode of operation generates and passes a data component to the graphics display signal being delivered to the control circuit 73 and which causes the control circuit 73 to generate the name of each selected item on the screen of the visual display device 72 and at the relative location in the marketing area 33 indicated by the address (x,y coordinates) for the selection item, as the location in the market area come into view on the screen during the shoppers traversal of the shopping area. (FIGS. 14·19). The names of some items generated this way are illustrated at 135 in FIGS. 16 and 17. It will be appreciated, however, that other forms of indicia may be generated.” Vela ’724 at 16:43–60. “The file in addition has an addressable Product Location Record containing data indicative of the "name" of each item on the list of the Shopping List Display Record and of the "x,y coordinate" location in the marketing area of each such item on the list. It also has an addressable Selected Product Record for recording data related to each item that is selected by a shopper from the Shopping List Data File. For each item selected, it records the item "name" and the "x,y coordinate" location of the display for the item in the marketing area.” Vela ’724 at 18:24–34. “4. Cart Location Data Record Each relay unit has an addressable Cart Location Data Record which is maintained in the permanent memory of the relay unit computer as part of the computer operating program. This record relates solely to the cart (relay unit) location on which the relay unit is mounted and contains data indicative of the current x,y coordinate location of the cart (relay unit) in the marketing area. The record is updated each cycle of signal generation.” Vela ’724 at 18:59–68. “6. Signal Address Record File

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	This file is stored on the disk storage of the control center computer and is copied into main memory of the master computer as soon as operation of the system operating program for the master computer is initiated. It contains data identifying each signal that is contemplated for delivery to the signal generating system in the control center area and also contains data indicating each and every subdivision address (x,y coordinates) in the marketing area to which the signal is contemplated for distribution during the operating cycle.” Vela ’724 at 19:12–22. “When an operating cycle 159 begins, the general time slot or frame 160 (FIG. 4) in which the sync pulse is generated also begins. Thereafter and following the commencement of the general time frame 160, a time frame 162 (FIG. 4A) commences and which is dedicated to the generation of the subdivision addresses to which the sync pulse is destined for delivery in the marketing area. When time frame 162 commences the operating program calls for the computer 24 to address the Signal Address Record File in memory 37 and to copy and pass the destination subdivision addresses for the sync pulse to the encoder 34 via lead 68. Time frame 162 (FIG. 4A) is a specific time frame within the general time slot 160 for generation of the sync pulse and follows the initiation of the cycle 159 and the time slot 160 by a predetermined time interval. The encoder 34 upon receipt of the address data, generates the destination subdivision addresses in code and delivers the codified address data via lead 59 to the amplifier 58 where the codified address data is amplified and passed via lead 57 to the light generating system 25.” Vela ’724 at 19:44–64. “The data component in the leading time frame 162 is decoded by the channel selector circuit network 62 and used to enable those circuits which are associated with the subdivision addresses contemplated by the address data borne by the component. The addresses in the leading frame 162 would normally include all subdivisions in the marketing area which are traversable by the shopping carts in this case.” Vela ’724 at 20:20–27. “At the channel selector circuit network, once the circuits associated with the subdivision address for the sync signal are enabled, the sync signal component is received at the network 62. This energizes those diodes of the array 63 which are associated with the circuits that have been enabled by the address data component of the signal and the sync pulse is passed to the marketing area 33 over each optical channel 61 that is associated with an enabled circuit of the network 62. Thus, the character of the sync pulse delivered to the generating system 25 differs from that of the sync pulse which passes therefrom to the subdivisions, in that, the former bears an address component and a reset component while the latter does not. This is, of course, in addition to the obvious difference in the nature of the signals, with the former being an electronic signal and the latter a light signal in the embodiment under consideration.” Vela ’724 at 20:43–59.


’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	“When the cart finder signal is passed by the sequencer 90, it passes via lead 92 to the input/output system 79 and where in accord with the operating program for the computer 74, a signal is sent through the input/output system 79 via lead 109 to amplifier 108. Here, the signal is amplified and passed via lead 110 to the output diode 107. This energizes the output diode 107 and emits a light signal in the subdivision where the unit 70 and cart are located in the marketing area.” Vela ’724 at 22:50–58. “Once the Carts Location Date File is updated during a cycle 159, the updated location of each cart is returned to the cart relay unit and recorded in its Cart Location Data Record in the computer memory thereof. Thereafter, it is used in modifying the data used for the graphics display of the marketing area 33 by the relay unit on the chart as previously indicated.” Vela ’724 at 23:19–25. “Consider the cart location signal for Cart #1, as indicated in FIG. 4C. When the general time slot or frame 171 for the cart location signals commences in the operating cycle 159, the general time frame 172 that is dedicated to Cart #1 also commences as seen in FIG. 4C. Thereafter, as the time frame 173 commences, the operating program for the computer system calls for the computer to address the Signal Address Record File in memory 37 and to copy and pass the destined marketing area address data for the cart location signals therein to the encoder 34. This data is passed to the encoder 34 via lead 68 and whereat it serves to instruct the encoder 34 to generates a coded data signal indicative of the destined marketing area addresses and to pass the generated data signal via lead 59 to the amplifier 58. Here, the data signal is amplified and passed via lead 57 to the channel selector circuit network 62 of the signal generating system 25.” Vela ’724 at 23:44–61. “For illustration purposes, it will again be assumed that the relay unit 70 seen in FIG. 3 is mounted on the shopping cart which is designated as Cart #1 in FIG. 4C and that the unit 70 is operational and in use by a shopper. Under such circumstances, when the cart location signal in the form of the light signal that is generated by the array diode reaches the subdivision at which the shopping cart is located, the signal is received and picked up by the input diode 87. The input diode responds to the light signal by generating an electronic output which is passed by lead 88 to amplifier 89. Here the signal is amplified and passed via lead 91 to sequencer 90.” Vela ’724 at 24:37–49. “Sequencer 90 is, again, specifically designed to handle signals intended for reception by the unit 70 in which it is installed. As such, its design is such as to only pass a cart location signal that is generated in the time frame which is dedicated to the cart on which it is mounted. In this case, the sequencer 90 is designed to pass the cart location signal generated in the time frame 172 for Cart #1 and to block the passage of all other cart location signals, such as those which are generated in the general time frames 172 dedicated to Cart #2, Cart #3, etc. as seen in FIG. 4C. The sequencer installed in each of the other relay units is similarly specific in its



’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	handling of the cart location signals and will only pass the cart location signal which is generated in the proper time frame for the unit in which the sequencer is installed.” Vela ’724 at 24:50–64. “The Shopping List Data File is copied into memory 37 of the main or master computer 24 by the operating program when the system 22 is first brought "on line". Thereafter, as soon as a relay unit is energized and is in or enters a subdivision to which the shopping list signals are sent, the Shopping List Data File is totally copied into main memory of the unit computer.” Vela ’724 at 25:6–12. “When the time frame 178 for the shopping list signals commences in the operating cycle 159, the operating program for the computer calls for the computer 24 to address the Signal Address Record File in memory 37 and to copy and pass the destined marketing area address data for the shopping list signal to the encoder 34 via lead 68. Here, the encoder 34 generates the destination subdivision addresses in a code designed to enable the appropriate circuits of network 62 and passes the generated address data component to the amplifier 58 via lead 59 where the address data component is amplified and passed via lead 57 to the channel selector circuit network 62. This data component of the signal, of course, enables the appropriate circuits contemplated in the network 62 and thus conditions the network for reception of the shopping list data component. Here again the subdivision destination addresses will normally include all subdivisions that are traversible by the shopping carts.” Vela ’724 at 25:32–50. “Here, it may be pointed out that the primary purpose of each video production and its transmission to and reproduction and display in the marketing area 33 is to create product awareness in the mind of the shopper and to do this in the proximity of the display point for the product in the marketing area. Thus, it may involve the transmission and reproduction of one or more transient images of a fixed or moving item that is on display in the marketing area so as to to create such awareness. In the preferred embodiment, each video picture signal is of relatively short duration (preferrable less than 30 sec.) and is delivered into a predetermined area or zone in the marketing area which is in the proximity of the display point for the product involved in the video production.” Vela ’724 at 27:50–64. “As far as video signals generated by the communication system 22 are concerned, a zone being used for reception of a video production so as to advertise a product located in the proximity of the zone is, by preference in the preferred embodiment, basically dedicated solely to the reception of the video picture signal associated with the product and its video production until such time as reception of the video picture signal within the zone is discontinued in accord with the program governing the operation of the system 22. For example, in accord with the operating program the video signal representing a first video production for a first product having a display point in a first zone consisting of 30 contiguous subdivisions in the marketing area



’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	may be continuously fed into each subdivision of the first zone during the time frame 188 of each operating cycle 159 over a period of time lasting for four hours. At the end of this four hour period, the operating program for the system 22 may contemplate a discontinuance of the video signal representing the first video production and the initiation of a video signal which represents a second video production in this time slot 188 of the operating cycle and for a product that is located in a second zone having a plurality of contiguous subdivisions that include one or more of the subdivisions of the first zone. Under such circumstances, the first zone is, by preference, dedicated to the receipt of video signals that are solely associated with the first video production during the four hour period and no other video signal generated during any of the time slots dedicated to the generation of the video signals is delivered into the subdivisions of the first zone during this four hour period. Thereafter, the subdivisions comprising the second zone become dedicated to the reception of video signals that are solely associated with the second video production until such time as viewing of the second production in the second zone is programmed to end.” Vela ’724 at 28:1–37. “The handling of the video signal increment by the relay units is evident from a consideration of FIG. 3 and unit 70. If the shopping cart on which the relay unit 70 is outside of the zone to which the video signal is addressed, the signal never reaches the unit 70. On the other hand, if the shopping cart on which the unit 70 is mounted is located within the zone or has entered the zone during the cyclic interval following the last time slot for the transmission of a video signal bearing an increment of the video production data, the light signal bearing the data for the increment is picked up by the input diode 87 and passed as an electronic signal via lead 88 to amplifier 89. Here, the signal is amplified and passed via lead 91 to sequencer 90.” Vela ’724 at 29:52–65. “The traveling message feature of the system is intended in the embodiment of the invention shown herein primarily as an means for displaying messages as an overlay on the graphics displays of the marketing areas, although it will be evident that the feature may be used independently of any other display or as an overlay of other displays, if desired.” Vela ’724 at 30:51–57. “In the embodiment illustrated, the entire traveling message display data is transmitted to the viewing zone in data increments which are generated during time slots dedicated to the message display and in successive operating cycles. Each data increment covers the increment of viewing time in the zone for the traveling message display which transpires during the time interval between the time slots dedicated to the message display in successive operating cycles. Thus, an increment of data transmitted to the viewing zone during a time frame (such as time frame 198) dedicated to traveling message No. N is in the burst mode and covers the needs for operating and viewing the message display by the relay unit until the arrival of the next time frame


’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	(such as time frame 198) dedicated to the message display in the next cycle 159 of operation.” Vela ’724 at 31:1–16. “If the shopping cart on which the relay unit 70 is outside of the zone to which the traveling message increment is addressed, the signal never reaches the unit 70. On the other hand, if the shopping cart on which the unit 70 is mounted is located within the zone, or has entered the zone during the interval following the last time slot for the transmission of an increment of the message display, the light signal bearing the data for the increment is picked up by the input diode 87 and passed as an electronic signal via lead 88 to amplifier 89. Here the signal is amplified and passed via lead 91 to sequencer 90.” Vela ’724 at 32:8–19. “Reference is made to FIG. 5 and wherein the floor plan and product merchandising or display facilities in the marketing area of a supermarket equipped with the communication system 22 are diagrammatically depicted. The aisles and areas in the marketing area which are traversable by the shopping carts are designated as #1 thru #20 inclusive. The product display facilities include open shelves 213, deep freezers or lockers 214 for frozen foods, produce displays 215, refrigerated meat and dairy product displays 216 and 217, and display facilities 218 for live plants. The marketing area is also depicted as having a deli 219, a bakery 220, a pharmacy 221 and magazine display facilities 222. The check out counters 223 are located at the front of the marketing area 33, as is the customer service counter 224. Here, at the front of the area 33 and in the proximity of the entrance and exit ways 226 and 227, conviently accessible storage areas 225 are provided for the shopping carts.” Vela ’724 at 34:42–60. “FIGS. 6 and 7 generally show the arrangement of the optical channel network 60 in the marketing area 33. Here it will be seen that the components of the network 60 are housed in elongated fixtures 230. These fixtures 230 are arranged in parallel and suspended from the ceiling (not shown) in the marketing area 33 by wires 231 so that the optical network components are offset from and overlie the floor 229 of the marketing area 33. These elongated fixtures 230 are spaced apart by spacers that are designated at 232. The structure of the fixtures 230 and the structure arrangement at the terminal ends of the optical channels 61 is evident from FIGS. 7A and 7B. Each fixture 230 is involved in supporting optical channel components of the network 60 that service two contiguous rows of subdivisions in the marketing areas, the rows in each case being such as to extend from the front to the rear extremities of the marketing area 33 that is traversable by a shopping cart under the fixture. Each fixture 230 includes an elongated H-shaped structural member 233 with a horizontal portion 234 on which the optical fibers 78 that are involved in servicing the subdivisions are supported and an inverted channel member 235 which covers the optical fibers 78 in their resting place on

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	portion 234 and embraces the vertical side portions 237 of the H-shaped member 233.” Vela ’724 at 34:61–35:18. “FIG. 11 shows certain zones in the marketing area which in accord with the operating program are dedicated during the time period of the shopping tour to be considered below to the reception of predetermined messages and into which signals bearing such messages are delivered. Within the zones, the messages are relayed to the shoppers by means of the relay units 27 that are mounted on the shopping carts 28.” Vela ’724 at 36:63–37:2. “These zones are seen in FIG. 11 and include zones 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, and 281 which are dedicated to receiving audio message productions, zones 282, 283, 284, 285, 286 and 287 which are dedicated to receiving vidio message productions, zones 288, 289, 290 and 291 which are dedicated to the reception of both audio and video messages, and zones 292, 293, 294 and 295 which are dedicated to the reception of traveling word messages.” Vela ’724 at 37:3–11. “Upon withdrawal from the storage area 225, the cart enters a zone 276 which is dedicated to the reception of an audio message in the illustrated embodiment. The message transmitted and relayed in this zone 276 may be one which is primarily instructive as to the operation of the message relay unit.” Vela ’724 at 37:24–29. “When the relay unit is energized, the Shopping List Data File and the Graphics Display Data File are immediately received and stored in the on-board computer memory as previously indicated. As soon as this happens, the shopping list 132 and arrows 133 appear on the screen 77 of the visual display device 72 (FIG. 12). This happens while the shopper and cart are still within the audio message zone 276, such as at position 297 in FIG. 11. Here, the shopper may select those items from the list 132 which are being considered for purchase and enter the items in the Selected Product Record as previously indicated.” Vela ’724 at 37:30–41. “In the preferred embodiment disclosed herein, the various signals are generated and transmitted as light signals. It will be evident to those skilled in the art, however, that radio frequency (rf) generation and transmission techniques may be used in lieu thereof in accord with certain aspects of the invention.” Vela ’724 at 40:51–56. *See also* Vela ’724 at Fig. 1, Fig. 2, Figs. 4–4D, Fig. 12, 2:64–68, 6:10–23, 18:49–57, 30:24–35, 32:46–52, 32:53–68, 38:30–36, and 39:19–29. To the extent that Vela ’724 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Vela ’724 by itself, Vela ’724 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Vela ’724, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
[1c] reserving delivery of content from a plurality of sponsors to the plurality of registered application programs on the basis of both a geographic area and an application program type associated with each of the plurality of registered application programs;	Vela ’724 expressly or inherently discloses and renders obvious “reserving delivery of content from a plurality of sponsors to the plurality of registered application programs on the basis of both a geographic area and an application program type associated with each of the plurality of registered application programs.” For example: “A communication system for a marketing area locates a light signal generating system and a master computer at a control center and delivers message bearing light signals over optical channels to predetermined subdivisions of the marketing area.” Vela ’724 at Abstract.  FIG 1 Vela ’724 at Fig. 1.

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	 Vela ’724 at Fig. 5.  Vela ’724 at Fig. 16.

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	 FIG 17 Vela ’724 at Fig. 17.  FIG 18

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	Vela ’724 at Fig. 18.  FIG 19 Vela ’724 at Fig. 19. “The generation on the visual display device of a list of items which are available for purchase and on display in the marketing area is contemplated in accord with certain of these process aspects. In accord with other process aspects, the generation of certain indicia on the display device and which are indicative of the locations in the marketing area of the items on the list is contemplated while the items on the list are being generated thereon.” Vela ’724 at 3:1–9. “With the shopper guiding thoughts in mind, certain process aspects of the invention contemplate the generation on the display device of a graphics display of the marketing area and which illustrated the floor plan of the marketing area and the layout of the merchandise display facilities thereon. Still other procedural aspects contemplate the generation of indicia on the visual display while the graphics display of the marketing area is being generated thereon, the indicia in such cases being associated with items available for selection in the marketing area and so located in the marketing area depicted by the graphics display as to be indicative therein of the locations thereof. Yet other process aspect contemplate the generation of indicia on the visual display while the graphics display of the marketing area is being generated thereon, the indicia in this instance


’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	being so located in relation to the marketing area depicted by the graphics display as to be indicative therein of the location of the shopping cart on which the visual display is mounted.” Vela ’724 at 3:10–29. “Still another procedural aspect with a view to guiding the shopper in the shopping area involves the generation on the visual display device of a graphics display which depicts a local area of the marketing area which is proximate to the location of the shopping cart therein and all in contrast to the depiction of the total or substantially entire marketing area. Other procedural aspects contemplate switching between steps which generate the graphics display of the total marketing area and those which generate the graphics display of a local subdivision thoeof.” Vela ’724 at 3:38–49. “Other process aspects of the invention have to do with communicating with the shopper with the view to promoting product items that are on display and available for purchase in the marketing area. Here provisions are made for passing the message bearing signals into a predetermined zone in which they are detectable by the relay units and whereat the message is thereby transmitted at the point of product selection. Certain aspects of the invention here have to do with the generation of the message bearing signals as light signals and with the passing of such light signals into the predetermined zones.” Vela ’724 at 3:50–61. “The center 23 also has a direct access disk storage unit 30 and a keyboard 31. The keyboard and disk storage are used, among other things, in initiating operation of the system 22, providing file and marketing area addresses for the various message bearing files that are stored in the storage facilities 29, and in modifying program and data files as the needs arise. For example, they are used to provide and update the marketing area addresses in a Signal Address Record File that is provided to govern the signal addressing function of the encoder 34 and thus where the message bearing light signals are sent.” Vela ’724 at 6:27–38. “The light signal delivery system 26 includes a network 60 of optical channels 61 which comprise optical fibers 78. Each fiber 78 is optically connected to a light emitting diode of the signal generating system 25. In the marketing area 33, these fibers 78 are offset and overlie the floor of the marketing area 33, as will be more evident from a subsequent consideration of FIGS. 6 and 7. The arrangement is such that each fiber 78 forms a component of an optical channel 61 that is arranged to transmit signals between the generating system and a predetermined subdivision of the marketing area. Each channel is thus arranged to service a predetermined subdivision of the marketing area and serves to pass or deliver the light signals it receives from the generating system 25 to a predetermined subdivision in the marketing area and with which it is obviously associated. Each channel 61 is also capable of receiving a light signal that is generated by a relay unit in the subdivision serviced by the channel and of returning the thus generated light signal, with the aid of an auxiliary light channel, to the area control center 23, as will be subsequently seen.” Vela ’724 at 7:13–33.


’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	“Any signal handled by the system 22 may be delivered to any one or more of the subdivisions serviced by the optical channel network 60 in the marketing area 33. As a signal from one of the storage files is being delivered to the light signal generating system 25, it passes via lead 56 to the amplifier 58 and the amplified signal is then passes via lead 57 to the channel selector circuit network 62 of the light signal generating system 25.” Vela ’724 at 7:34–41. “In the cyclic operation of the signal generating process, the addressed electronic signal is passed via lead 57 to the signal generating system 25. Although other systems may be used, the generating system 25 depicted is a light generating system which generates light signals under the control of the master computer 24 and which are based on the electronic signal that is delivered to it from the amplifier 58 during the interval between the leading and trailing electronic components that are added through the operation of the encoder to enable and reset the circuit selectors in the network 62.” Vela ’724 at 8:20–30. “At the channel selector circuit network 62, the coded component serves to select and enable those circuits of the network 62 which upon being energized will energize those light emitting diodes of the array 63 that are associated with the subdivision destination addresses in the marketing area. These diodes are optically connected to the optical channels 61 that service the subdivisions contemplated by the code component. Thereafter, as the electronic data component of the signal arrives at the network 62, the thus selected circuits of the network 62 are energized in accord with the data provided by the message bearing data component to generate a light signal which is commensurate with the data fed to the enabled circuits.” Vela ’724 at 8:34–48. “The file in addition has an addressable Product Location Record containing data indicative of the "name" of each item on the list of the Shopping List Display Record and of the "x,y coordinate" location in the marketing area of each such item on the list. It also has an addressable Selected Product Record for recording data related to each item that is selected by a shopper from the Shopping List Data File. For each item selected, it records the item "name" and the "x,y coordinate" location of the display for the item in the marketing area.” Vela ’724 at 18:24–34. “When an operating cycle 159 begins, the general time slot or frame 160 (FIG. 4) in which the sync pulse is generated also begins. Thereafter and following the commencement of the general time frame 160, a time frame 162 (FIG. 4A) commences and which is dedicated to the generation of the subdivision addresses to which the sync pulse is destined for delivery in the marketing area. When time frame 162 commences the operating program calls for the computer 24 to address the Signal Address Record File in memory 37 and to copy and pass the destination subdivision addresses for the sync pulse to the encoder 34 via lead 68. Time


’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	frame 162 (FIG. 4A) is a specific time frame within the general time slot 160 for generation of the sync pulse and follows the initiation of the cycle 159 and the time slot 160 by a predetermined time interval. The encoder 34 upon receipt of the address data, generates the destination subdivision addresses in code and delivers the codified address data via lead 59 to the amplifier 58 where the codified address data is amplified and passed via lead 57 to the light generating system 25.” Vela ’724 at 19:44–64. “The Shopping List Data File is copied into memory 37 of the main or master computer 24 by the operating program when the system 22 is first brought "on line". Thereafter, as soon as a relay unit is energized and is in or enters a subdivision to which the shopping list signals are sent, the Shopping List Data File is totally copied into main memory of the unit computer.” Vela ’724 at 25:6–12. “Here, it may be pointed out that the primary purpose of each video production and its transmission to and reproduction and display in the marketing area 33 is to create product awareness in the mind of the shopper and to do this in the proximity of the display point for the product in the marketing area. Thus, it may involve the transmission and reproduction of one or more transient images of a fixed or moving item that is on display in the marketing area so as to to create such awareness. In the preferred embodiment, each video picture signal is of relatively short duration (preferrable less than 30 sec.) and is delivered into a predetermined area or zone in the marketing area which is in the proximity of the display point for the product involved in the video production.” Vela ’724 at 27:50–64. “As far as video signals generated by the communication system 22 are concerned, a zone being used for reception of a video production so as to advertise a product located in the proximity of the zone is, by preference in the preferred embodiment, basically dedicated solely to the reception of the video picture signal associated with the product and its video production until such time as reception of the video picture signal within the zone is discontinued in accord with the program governing the operation of the system 22. For example, in accord with the operating program the video signal representing a first video production for a first product having a display point in a first zone consisting of 30 contiguous subdivisions in the marketing area may be continuously fed into each subdivision of the first zone during the time frame 188 of each operating cycle 159 over a period of time lasting for four hours. At the end of this four hour period, the operating program for the system 22 may contemplate a discontinuance of the video signal representing the first video production and the initiation of a video signal which represents a second video production in this time slot 188 of the operating cycle and for a product that is located in a second zone having a plurality of contiguous subdivisions that include one or more of the subdivisions of the first zone. Under such circumstances, the first zone is, by preference, dedicated to the receipt of video signals that are solely associated with the first video production during the four hour period and no other video signal generated during any of the time slots



’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	dedicated to the generation of the video signals is delivered into the subdivisions of the first zone during this four hour period. Thereafter, the subdivisions comprising the second zone become dedicated to the reception of video signals that are solely associated with the second video production until such time as viewing of the second production in the second zone is programmed to end.” Vela ’724 at 28:1–37. “Here, it may be pointed out that an audio message may be delivered to any zone or subdivision in the marketing area without regard for the use being given to the visual display device in the zone or subdivision at the time the audio message is presented. However, in accord with the preferred embodiment, and to avoid the mixing of audio messages, only one audio message is delivered to a subdivision for reception by a relay unit therein at any one time. Accordingly, each audio message signal is preferrabley delivered into a predetermined area or zone composed of a plurality of contiguous subdivisions in the marketing area. Such a zone may be in the proximity of the display point for an item on display in the marketing area if the message relates thereto. On the other hand, the zone may be otherwise situated if the message is general in nature.” Vela ’724 at 32:53–68. “These zones are seen in FIG. 11 and include zones 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, and 281 which are dedicated to receiving audio message productions, zones 282, 283, 284, 285, 286 and 287 which are dedicated to receiving vidio message productions, zones 288, 289, 290 and 291 which are dedicated to the reception of both audio and video messages, and zones 292, 293, 294 and 295 which are dedicated to the reception of traveling word messages.” Vela ’724 at 37:3–11. “When the relay unit is energized, the Shopping List Data File and the Graphics Display Data File are immediately received and stored in the on-board computer memory as previously indicated. As soon as this happens, the shopping list 132 and arrows 133 appear on the screen 77 of the visual display device 72 (FIG. 12). This happens while the shopper and cart are still within the audio message zone 276, such as at position 297 in FIG. 11. Here, the shopper may select those items from the list 132 which are being considered for purchase and enter the items in the Selected Product Record as previously indicated.” Vela ’724 at 37:30–41. “It will also be noted in FIG. 11, that upon reaching position 301, the cart has entered an audio message zone 273. This audio message may advertise some special low pricing or other attractive purchasing feature for certain products that are located in the dairy products display 217 as the shopper continues on the shopping tour from position 301 to position 302” Vela ’724 at 38:30–36. “Thereafter, as the shopper enters the zone designated at 295, a traveling word message is superimposed on the graphics display of the marketing area 33 and which may advertise a product in the proximity of the zone. Within this zone 295, the shopper in the illustrations stops at position 309 to remove from the display area a


’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	previously selected item that is designated on the total area view of the graphics display of the marketing area shown thereon.” Vela ’724 at 39:10–18. *See also* Vela ’724 at Abstract, Fig. 2, Figs. 4–4D, Fig. 6, Fig, 7, Fig. 7A, Fig. 7B, Fig. 10, Fig. 11, Fig. 12, Fig. 13, Fig. 14, Fig. 15, 2:34–46, 2:54–58, 5:52–61, 5:62–6:9, 6:10–23, 6:39–49, 6:60–63, 7:42–57, 7:67–8:19, 8:53–66, 8:67–9:6, 9:10–24, 9:67–10:6, 13:45–51, 14:29–39, 15:29–48, 15:49–62, 16:43–60, 18:49–57, 20:20–27, 23:44–61, 24:50–64, 27:43–49, 29:52–65, 30:24–35, 30:51–57, 31:1–16, 32:46–52, 35:58–63, 36:63–37:2, 37:24–29, 38:51–55, and 39:19–29. To the extent that Vela ’724 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Vela ’724 by itself, Vela ’724 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Vela ’724, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
[1d] receiving, from a sponsor, a request to obtain an interest in a selected one of the plurality of geographic areas;	Vela ’724 expressly or inherently discloses and renders obvious “receiving, from a sponsor, a request to obtain an interest in a selected one of the plurality of geographic areas.” For example:

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	 FIG 1 Vela ’724 at Fig. 1. “The Shopping List Data File is copied into memory 37 of the main or master computer 24 by the operating program when the system 22 is first brought "on line". Thereafter, as soon as a relay unit is energized and is in or enters a subdivision to which the shopping list signals are sent, the Shopping List Data File is totally copied into main memory of the unit computer.” Vela ’724 at 25:6–12. *See also* Vela ’724 at Abstract, Fig. 2, Fig. 5, Fig. 6, Fig, 7, Fig. 7A, Fig. 7B, Fig. 12, Fig. 13, Fig. 14, Fig. 15, Fig. 16, Fig. 17, Fig. 18, Fig. 19, 2:34–46, 2:54–58, 3:1–9, 3:10–29, 3:38–49, 5:52–61, 6:10–23, 6:27–38, 6:39–49, 6:60–63, 7:13–33, 7:34–41, 7:42–57, 7:67–8:19, 8:34–48, 8:53–66, 8:67–9:6, 9:10–24, 13:45–51, 14:29–39, 15:29–48, 15:49–62, 16:43–60, 18:24–34, 25:32–50, 27:43–49, 27:50–64, 28:1–37, 29:52–65, 30:24–35, 30:51–57, 31:1–16, 32:8–19, 32:46–52, 32:53–68, 37:24–29, and 38:30–36. To the extent that Vela ’724 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Vela ’724 by itself, Vela ’724 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA. Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Vela ’724, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
[1e] providing the sponsor a response to the request;	Vela ’724 expressly or inherently discloses and renders obvious “providing the sponsor a response to the request.” For example:  FIG 1 Vela ’724 at Fig. 1. *See also* Vela ’724 at Abstract, Fig. 2, Figs. 4–4D, Fig. 6, Fig, 7, Fig. 7A, Fig. 7B, Fig. 11, Fig. 12, Fig. 13, Fig. 14, Fig. 15, Fig. 16, Fig. 17, Fig. 18, Fig. 19, 2:34–46, 2:54–58, 3:10–29, 3:38–49, 5:52–61, 6:10–23, 6:27–38, 6:39–49, 7:13–33, 7:34–41, 7:42–57, 7:67–8:19, 8:34–48, 8:53–66, 9:10–24, 13:45–51, 14:29–39, 15:29–48, 15:49–62, 16:43–60, 18:24–34, 25:32–50, 27:50–64, 28:1–37, 29:52–65, 30:24–35, 30:51–57, 31:1–16, 32:8–19, 32:46–52, and 32:53–68. To the extent that Vela ’724 does not disclose any elements of this claim limitation, this limitation is rendered obvious in light of Vela ’724 by itself, Vela ’724 combined with the knowledge of a person or ordinary skill in the art, and/or the references disclosed in these invalidity contentions, including one or more of the references charted. How each of these references discloses and/or renders obvious this limitation is set forth in these claim charts. All of these disclosures also would have been within the knowledge of a POSITA.

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	Doing so would have been within the abilities of one of skill in the art, would not have required undue effort, would have been compatible with the functionality of Vela ’724, and would have led to expected results. Motivation to do so arises from the teachings of these references, a desire to overcome known problems, and the knowledge and common sense of a person of skill in the art. Additional motivation arises from combining prior art elements according to known methods to yield predictable results to improve a similar device. Practicing this limitation amounts to merely choosing from a finite number of identified, predictable solutions with a reasonable expectation of success. Moreover, these references are all in comparable fields and have compatible disclosures that are readily combinable.
[1f] storing a record of the interest in the selected one of the plurality of geographic areas;	Vela ’724 expressly or inherently discloses and renders obvious “storing a record of the interest in the selected one of the plurality of geographic areas.” For example:  FIG 1 Vela ’724 at Fig. 1.

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	 FIG 16 Vela ’724 at Fig. 16.  FIG 17

’296 Patent Claim Language	Exemplary Disclosure in US4882724A (“Vela ’724”)
	Vela ’724 at Fig. 17.  FIG 18 Vela ’724 at Fig. 18.