




(56)

## References Cited

## U.S. PATENT DOCUMENTS

|             |         |                  |             |         |                   |
|-------------|---------|------------------|-------------|---------|-------------------|
| 4,011,571 A | 3/1977  | Okuzawa          | 4,972,495 A | 11/1990 | Blike et al.      |
| 4,017,680 A | 4/1977  | Anderson et al.  | 4,974,151 A | 11/1990 | Advani            |
| 4,057,830 A | 11/1977 | Adcock           | 4,982,291 A | 1/1991  | Kurahashi         |
| 4,081,752 A | 3/1978  | Sumi             | 4,992,887 A | 2/1991  | Aragaki           |
| 4,125,111 A | 11/1978 | Hudspeth et al.  | 4,996,714 A | 2/1991  | Desjardins et al. |
| 4,131,919 A | 12/1978 | Lloyd et al.     | 5,001,697 A | 3/1991  | Torres            |
| 4,158,208 A | 6/1979  | Dischert         | 5,007,027 A | 4/1991  | Shimoi            |
| 4,168,488 A | 9/1979  | Evans            | 5,014,193 A | 5/1991  | Garner et al.     |
| 4,172,327 A | 10/1979 | Kuehn et al.     | 5,016,107 A | 5/1991  | Sasson            |
| 4,183,645 A | 1/1980  | Ohmura           | 5,018,017 A | 5/1991  | Sasaki et al.     |
| 4,195,317 A | 3/1980  | Stratton         | 5,020,012 A | 5/1991  | Stockberger       |
| 4,234,890 A | 11/1980 | Astle            | 5,021,989 A | 6/1991  | Fujisawa et al.   |
| 4,253,756 A | 3/1981  | Kurei            | 5,027,150 A | 6/1991  | Inoue             |
| 4,267,555 A | 5/1981  | Boyd et al.      | 5,027,227 A | 6/1991  | Kita              |
| 4,306,793 A | 12/1981 | Date et al.      | 5,030,944 A | 7/1991  | Masimo et al.     |
| 4,325,080 A | 4/1982  | Satoh            | 5,031,329 A | 7/1991  | Smallidge         |
| 4,329,029 A | 5/1982  | Haskell          | 5,032,918 A | 7/1991  | Ota et al.        |
| 4,337,479 A | 6/1982  | Tomimoto et al.  | 5,032,926 A | 7/1991  | Imai et al.       |
| 4,347,618 A | 8/1982  | Kavouras et al.  | 5,034,804 A | 7/1991  | Sasaki et al.     |
| 4,359,222 A | 11/1982 | Smith et al.     | 5,038,320 A | 8/1991  | Heath et al.      |
| 4,364,650 A | 12/1982 | Terashita et al. | 5,040,068 A | 8/1991  | Parulski          |
| 4,403,303 A | 9/1983  | Howes et al.     | 5,040,070 A | 8/1991  | Higashitsutsumi   |
| 4,416,282 A | 11/1983 | Saulson          | 5,043,801 A | 8/1991  | Watanabe          |
| 4,423,934 A | 1/1984  | Lambeth et al.   | 5,043,816 A | 8/1991  | Nakano            |
| 4,456,931 A | 6/1984  | Toyoda et al.    | 5,049,916 A | 9/1991  | O'Such et al.     |
| 4,466,230 A | 8/1984  | Osselaere        | 5,050,098 A | 9/1991  | Brown et al.      |
| 4,470,067 A | 9/1984  | Mino             | 5,057,924 A | 10/1991 | Yamada            |
| 4,471,382 A | 9/1984  | Toyoda et al.    | 5,063,600 A | 11/1991 | Norwood           |
| 4,477,164 A | 10/1984 | Nakai et al.     | 5,065,246 A | 11/1991 | Takemoto et al.   |
| 4,519,692 A | 5/1985  | Michalik         | 5,067,029 A | 11/1991 | Takahashi         |
| 4,531,161 A | 7/1985  | Murakoshi        | 5,070,406 A | 12/1991 | Kinoshita         |
| 4,540,276 A | 9/1985  | Ost              | 5,073,823 A | 12/1991 | Yamada et al.     |
| 4,542,377 A | 9/1985  | Hagen et al.     | 5,077,582 A | 12/1991 | Kravette et al.   |
| 4,554,638 A | 11/1985 | Iida             | 5,083,383 A | 1/1992  | Heger             |
| 4,570,158 A | 2/1986  | Bleich et al.    | 5,093,716 A | 3/1992  | Kondo et al.      |
| 4,574,319 A | 3/1986  | Konishi          | 5,099,262 A | 3/1992  | Tanaka et al.     |
| 4,601,055 A | 7/1986  | Kent             | 5,101,225 A | 3/1992  | Wash              |
| 4,603,966 A | 8/1986  | Brownstein       | 5,101,364 A | 3/1992  | Davenport         |
| 4,623,930 A | 11/1986 | Oshima et al.    | 5,106,107 A | 4/1992  | Justus            |
| 4,641,198 A | 2/1987  | Ohta et al.      | 5,122,827 A | 6/1992  | Saegusa et al.    |
| 4,674,107 A | 6/1987  | Urban et al.     | 5,123,088 A | 6/1992  | Kasahara et al.   |
| 4,691,253 A | 9/1987  | Silver           | 5,124,537 A | 6/1992  | Chandler et al.   |
| 4,698,685 A | 10/1987 | Beaverson        | 5,124,814 A | 6/1992  | Takahashi et al.  |
| 4,723,169 A | 2/1988  | Kaji             | 5,130,812 A | 7/1992  | Yamaoka           |
| 4,736,224 A | 4/1988  | Watanabe         | 5,133,076 A | 7/1992  | Hawkins et al.    |
| 4,739,409 A | 4/1988  | Baumeister       | 5,134,390 A | 7/1992  | Kishimoto et al.  |
| 4,772,941 A | 9/1988  | Noble            | 5,134,431 A | 7/1992  | Ishimura et al.   |
| 4,774,600 A | 9/1988  | Baumeister       | 5,134,434 A | 7/1992  | Inoue et al.      |
| 4,791,477 A | 12/1988 | Blazek et al.    | 5,138,459 A | 8/1992  | Roberts           |
| 4,794,465 A | 12/1988 | Van Luyt et al.  | 5,138,460 A | 8/1992  | Egawa             |
| 4,797,836 A | 1/1989  | Witek et al.     | 5,140,358 A | 8/1992  | Tokunaga          |
| 4,801,793 A | 1/1989  | Vaynshteyn       | 5,142,319 A | 8/1992  | Wakabayashi       |
| 4,806,920 A | 2/1989  | Sawada           | 5,142,680 A | 8/1992  | Ottman et al.     |
| 4,816,855 A | 3/1989  | Kitaura et al.   | 5,144,358 A | 9/1992  | Tsuru et al.      |
| 4,823,283 A | 4/1989  | Diehm            | 5,144,445 A | 9/1992  | Higashitsutsumi   |
| 4,825,324 A | 4/1989  | Miyake et al.    | 5,146,259 A | 9/1992  | Kobayashi et al.  |
| 4,827,347 A | 5/1989  | Bell             | 5,146,353 A | 9/1992  | Isoguchi et al.   |
| 4,851,897 A | 7/1989  | Inuma            | 5,153,729 A | 10/1992 | Saito             |
| 4,853,733 A | 8/1989  | Watanabe et al.  | 5,153,730 A | 10/1992 | Nagasaki          |
| 4,855,831 A | 8/1989  | Miyamoto         | 5,159,364 A | 10/1992 | Yanagisawa et al. |
| 4,866,292 A | 9/1989  | Takemoto et al.  | 5,161,012 A | 11/1992 | Choi              |
| 4,882,683 A | 11/1989 | Rupp et al.      | 5,161,025 A | 11/1992 | Nakao             |
| 4,887,161 A | 12/1989 | Watanabe et al.  | 5,161,026 A | 11/1992 | Mabuchi et al.    |
| 4,888,812 A | 12/1989 | Dinan et al.     | 5,161,535 A | 11/1992 | Short             |
| 4,893,198 A | 1/1990  | Little           | 5,164,751 A | 11/1992 | Weyer             |
| 4,907,089 A | 3/1990  | Yamaguchi        | 5,164,831 A | 11/1992 | Kuchta            |
| 4,916,435 A | 4/1990  | Fuller           | 5,172,103 A | 12/1992 | Kita              |
| 4,931,960 A | 6/1990  | Morikawa         | 5,179,653 A | 1/1993  | Fuller            |
| 4,935,809 A | 6/1990  | Hayashi et al.   | 5,184,169 A | 2/1993  | Nishitani         |
| 4,937,676 A | 6/1990  | Finelli et al.   | 5,185,667 A | 2/1993  | Zimmermann        |
| 4,937,685 A | 6/1990  | Barker et al.    | 5,187,517 A | 2/1993  | Miyasaka          |
| 4,942,417 A | 7/1990  | Miyazawa         | 5,187,776 A | 2/1993  | Yanker            |
| 4,952,920 A | 8/1990  | Hayashi          | 5,189,404 A | 2/1993  | Masimo et al.     |
| 4,965,675 A | 10/1990 | Hori             | 5,189,408 A | 2/1993  | Teicher           |
| 4,969,647 A | 11/1990 | Mical et al.     | 5,189,466 A | 2/1993  | Yasukawa          |
|             |         |                  | 5,189,490 A | 2/1993  | Shetty            |
|             |         |                  | 5,193,538 A | 3/1993  | Ekwall            |
|             |         |                  | 5,194,944 A | 3/1993  | Uchiyama          |
|             |         |                  | 5,198,851 A | 3/1993  | Ogawa             |

(56)

## References Cited

## U.S. PATENT DOCUMENTS

|           |   |         |                  |           |   |         |                     |
|-----------|---|---------|------------------|-----------|---|---------|---------------------|
| 5,199,101 | A | 3/1993  | Cusick et al.    | 5,404,316 | A | 4/1995  | Klingler et al.     |
| 5,200,818 | A | 4/1993  | Neta et al.      | 5,404,505 | A | 4/1995  | Levinson            |
| 5,202,767 | A | 4/1993  | Dozier           | 5,408,265 | A | 4/1995  | Sasaki              |
| 5,202,844 | A | 4/1993  | Kamio et al.     | 5,414,811 | A | 5/1995  | Parulski et al.     |
| 5,204,916 | A | 4/1993  | Hamilton et al.  | 5,416,556 | A | 5/1995  | Suzuki et al.       |
| 5,218,459 | A | 6/1993  | Parulski et al.  | 5,420,635 | A | 5/1995  | Konishi et al.      |
| 5,218,647 | A | 6/1993  | Blonstein        | 5,425,137 | A | 6/1995  | Mohan et al.        |
| 5,220,420 | A | 6/1993  | Hoarty et al.    | 5,428,733 | A | 6/1995  | Carr                |
| 5,220,614 | A | 6/1993  | Crain            | 5,432,720 | A | 7/1995  | Lucente et al.      |
| 5,223,935 | A | 6/1993  | Tsuji            | 5,432,871 | A | 7/1995  | Novik               |
| 5,224,207 | A | 6/1993  | Filion et al.    | 5,432,900 | A | 7/1995  | Rhodes et al.       |
| 5,227,835 | A | 7/1993  | Anagnostopoulos  | 5,434,618 | A | 7/1995  | Hayashi et al.      |
| 5,227,863 | A | 7/1993  | Bilbrey et al.   | 5,434,958 | A | 7/1995  | Surma et al.        |
| 5,227,889 | A | 7/1993  | Yoneyama et al.  | 5,434,964 | A | 7/1995  | Moss                |
| 5,229,856 | A | 7/1993  | Koshiishi        | 5,434,969 | A | 7/1995  | Heilveil et al.     |
| 5,231,511 | A | 7/1993  | Kodama et al.    | 5,436,657 | A | 7/1995  | Fukuoka             |
| 5,231,651 | A | 7/1993  | Ozaki            | 5,436,659 | A | 7/1995  | Vincent             |
| 5,237,648 | A | 8/1993  | Mills            | 5,440,401 | A | 8/1995  | Parulski et al.     |
| 5,237,650 | A | 8/1993  | Priem et al.     | 5,442,465 | A | 8/1995  | Compton             |
| 5,239,419 | A | 8/1993  | Kim              | 5,444,482 | A | 8/1995  | Misawa et al.       |
| 5,241,334 | A | 8/1993  | Kobayashi et al. | 5,448,372 | A | 9/1995  | Axman et al.        |
| 5,241,659 | A | 8/1993  | Parulski et al.  | 5,452,145 | A | 9/1995  | Wakui et al.        |
| 5,247,321 | A | 9/1993  | Kazami           | 5,459,830 | A | 10/1995 | Ohba et al.         |
| 5,247,327 | A | 9/1993  | Suzuka           | 5,461,429 | A | 10/1995 | Konishi et al.      |
| 5,247,682 | A | 9/1993  | Kondou et al.    | 5,463,728 | A | 10/1995 | Blahut              |
| 5,247,683 | A | 9/1993  | Holmes et al.    | 5,463,729 | A | 10/1995 | Kitaguchi           |
| 5,253,071 | A | 10/1993 | MacKay           | 5,465,133 | A | 11/1995 | Aoki et al.         |
| 5,258,795 | A | 11/1993 | Lucas            | 5,467,152 | A | 11/1995 | Wilson              |
| 5,260,795 | A | 11/1993 | Sakai            | 5,467,288 | A | 11/1995 | Fasciano et al.     |
| 5,262,863 | A | 11/1993 | Okada            | 5,473,370 | A | 12/1995 | Moronaga et al.     |
| 5,262,867 | A | 11/1993 | Kojima           | 5,473,371 | A | 12/1995 | Choi                |
| 5,262,868 | A | 11/1993 | Kaneko et al.    | 5,473,740 | A | 12/1995 | Kasson              |
| 5,262,869 | A | 11/1993 | Hong             | 5,475,428 | A | 12/1995 | Hintz et al.        |
| 5,265,238 | A | 11/1993 | Canova et al.    | 5,475,441 | A | 12/1995 | Parulski et al.     |
| 5,270,821 | A | 12/1993 | Samuels          | 5,475,812 | A | 12/1995 | Corona et al.       |
| 5,270,831 | A | 12/1993 | Parulski et al.  | 5,477,264 | A | 12/1995 | Sarbadhikari et al. |
| 5,274,458 | A | 12/1993 | Kondo et al.     | 5,479,206 | A | 12/1995 | Ueno et al.         |
| 5,276,563 | A | 1/1994  | Ogawa            | 5,481,330 | A | 1/1996  | Yamasaki            |
| 5,278,604 | A | 1/1994  | Nakamura         | 5,481,667 | A | 1/1996  | Bieniek et al.      |
| 5,282,187 | A | 1/1994  | Lee              | 5,485,200 | A | 1/1996  | Shimizu             |
| 5,283,560 | A | 2/1994  | Bartlett         | 5,486,853 | A | 1/1996  | Baxter              |
| 5,283,792 | A | 2/1994  | Davies           | 5,488,414 | A | 1/1996  | Hirasawa            |
| 5,287,192 | A | 2/1994  | Iizuka           | 5,489,945 | A | 2/1996  | Kannegundla         |
| 5,297,051 | A | 3/1994  | Arakawa et al.   | 5,489,955 | A | 2/1996  | Satoh               |
| 5,298,936 | A | 3/1994  | Akitake et al.   | 5,493,332 | A | 2/1996  | Dalton et al.       |
| 5,301,026 | A | 4/1994  | Lee              | 5,493,335 | A | 2/1996  | Parulski et al.     |
| 5,302,997 | A | 4/1994  | Cocca            | 5,495,342 | A | 2/1996  | Harigaya            |
| 5,307,318 | A | 4/1994  | Nemoto           | 5,495,559 | A | 2/1996  | Makino              |
| 5,309,243 | A | 5/1994  | Tsai             | 5,496,106 | A | 3/1996  | Anderson            |
| 5,311,240 | A | 5/1994  | Wheeler          | 5,497,193 | A | 3/1996  | Mitsuhashi          |
| 5,329,289 | A | 7/1994  | Sakamoto et al.  | 5,497,490 | A | 3/1996  | Harada et al.       |
| 5,331,366 | A | 7/1994  | Tokunaga         | 5,499,294 | A | 3/1996  | Friedman            |
| 5,335,072 | A | 8/1994  | Tanaka et al.    | 5,500,936 | A | 3/1996  | Allen et al.        |
| 5,339,432 | A | 8/1994  | Crick            | 5,502,486 | A | 3/1996  | Ueda                |
| 5,341,466 | A | 8/1994  | Perlin           | 5,504,550 | A | 4/1996  | Takagi et al.       |
| 5,343,246 | A | 8/1994  | Arai et al.      | 5,506,617 | A | 4/1996  | Parulski et al.     |
| 5,343,267 | A | 8/1994  | Kazumi           | 5,510,830 | A | 4/1996  | Ohia et al.         |
| 5,343,386 | A | 8/1994  | Barber           | 5,512,941 | A | 4/1996  | Takahashi           |
| 5,343,509 | A | 8/1994  | Dounies          | 5,513,306 | A | 4/1996  | Mills               |
| 5,345,552 | A | 9/1994  | Brown            | 5,513,342 | A | 4/1996  | Leong et al.        |
| 5,359,427 | A | 10/1994 | Sato             | 5,515,101 | A | 5/1996  | Yoshida             |
| 5,359,728 | A | 10/1994 | Rusnack          | 5,517,606 | A | 5/1996  | Matheny et al.      |
| 5,367,318 | A | 11/1994 | Beaudin et al.   | 5,519,815 | A | 5/1996  | Klassen             |
| 5,367,332 | A | 11/1994 | Kerns et al.     | 5,521,639 | A | 5/1996  | Tomura              |
| 5,373,153 | A | 12/1994 | Cumberledge      | 5,521,663 | A | 5/1996  | Norris              |
| 5,375,160 | A | 12/1994 | Guidon et al.    | 5,521,717 | A | 5/1996  | Maeda               |
| 5,386,111 | A | 1/1995  | Zimmerman        | 5,521,841 | A | 5/1996  | Arman et al.        |
| 5,386,177 | A | 1/1995  | Uhm              | 5,523,786 | A | 6/1996  | Parulski            |
| 5,386,552 | A | 1/1995  | Garney           | 5,523,857 | A | 6/1996  | Fukushima           |
| 5,390,026 | A | 2/1995  | Lim              | 5,525,957 | A | 6/1996  | Tanaka              |
| 5,390,314 | A | 2/1995  | Swanson          | 5,526,812 | A | 6/1996  | Dumoulin et al.     |
| 5,392,462 | A | 2/1995  | Komaki           | 5,528,293 | A | 6/1996  | Watanabe            |
| 5,396,343 | A | 3/1995  | Hanselman        | 5,528,315 | A | 6/1996  | Sugiyama            |
| 5,402,170 | A | 3/1995  | Parulski et al.  | 5,530,235 | A | 6/1996  | Stefik et al.       |
| 5,402,171 | A | 3/1995  | Tagami et al.    | 5,530,517 | A | 6/1996  | Patton et al.       |
|           |   |         |                  | 5,532,740 | A | 7/1996  | Wakui               |
|           |   |         |                  | 5,534,975 | A | 7/1996  | Stefik et al.       |
|           |   |         |                  | 5,537,151 | A | 7/1996  | Orr                 |
|           |   |         |                  | 5,537,530 | A | 7/1996  | Edgar               |

(56)

**References Cited**

## U.S. PATENT DOCUMENTS

|             |         |                  |             |         |                    |
|-------------|---------|------------------|-------------|---------|--------------------|
| 5,539,528 A | 7/1996  | Tawa             | 5,640,204 A | 6/1997  | Tsutsui            |
| 5,539,535 A | 7/1996  | Aizawa et al.    | 5,640,627 A | 6/1997  | Nakano             |
| 5,539,658 A | 7/1996  | Mccullough       | 5,640,635 A | 6/1997  | Fullam             |
| 5,541,656 A | 7/1996  | Kare et al.      | 5,644,653 A | 7/1997  | Sunakawa et al.    |
| 5,543,925 A | 8/1996  | Timmermans       | 5,644,694 A | 7/1997  | Appleton           |
| 5,548,371 A | 8/1996  | Kawahara         | 5,648,816 A | 7/1997  | Wakui              |
| 5,548,409 A | 8/1996  | Ohta et al.      | 5,649,032 A | 7/1997  | Burt et al.        |
| 5,550,646 A | 8/1996  | Hassan et al.    | 5,649,186 A | 7/1997  | Ferguson           |
| 5,550,938 A | 8/1996  | Hayakawa et al.  | 5,649,245 A | 7/1997  | Inoue              |
| 5,552,806 A | 9/1996  | Lenchik          | 5,651,107 A | 7/1997  | Frank et al.       |
| 5,553,277 A | 9/1996  | Hirano et al.    | 5,656,804 A | 8/1997  | Barkan et al.      |
| 5,555,193 A | 9/1996  | Tsinberg et al.  | 5,656,957 A | 8/1997  | Marlow             |
| 5,557,329 A | 9/1996  | Lim              | 5,659,547 A | 8/1997  | Scarr et al.       |
| 5,559,554 A | 9/1996  | Uekane et al.    | 5,659,729 A | 8/1997  | Nielsen            |
| 5,559,946 A | 9/1996  | Porter           | 5,659,805 A | 8/1997  | Furlani et al.     |
| 5,560,022 A | 9/1996  | Dunstan et al.   | 5,661,519 A | 8/1997  | Franetzki          |
| 5,561,493 A | 10/1996 | Takahashi        | 5,661,632 A | 8/1997  | Register           |
| 5,563,655 A | 10/1996 | Lathrop          | 5,664,087 A | 9/1997  | Tani et al.        |
| 5,565,957 A | 10/1996 | Goto             | 5,666,580 A | 9/1997  | Ito et al.         |
| 5,566,098 A | 10/1996 | Lucente et al.   | 5,668,639 A | 9/1997  | Martin             |
| 5,568,167 A | 10/1996 | Galbi            | 5,671,378 A | 9/1997  | Acker et al.       |
| 5,568,192 A | 10/1996 | Hannah           | 5,671,440 A | 9/1997  | Curry              |
| 5,572,233 A | 11/1996 | Kakegawa         | 5,672,840 A | 9/1997  | Sage et al.        |
| 5,574,933 A | 11/1996 | Horst            | 5,673,304 A | 9/1997  | Connor et al.      |
| 5,576,757 A | 11/1996 | Roberts et al.   | 5,674,003 A | 10/1997 | Andersen           |
| 5,576,759 A | 11/1996 | Kawamura et al.  | 5,675,139 A | 10/1997 | Fama               |
| 5,577,190 A | 11/1996 | Peters           | 5,675,358 A | 10/1997 | Bullock et al.     |
| 5,577,220 A | 11/1996 | Combs et al.     | 5,675,752 A | 10/1997 | Scott et al.       |
| 5,578,757 A | 11/1996 | Roth             | 5,680,533 A | 10/1997 | Yamato             |
| 5,579,029 A | 11/1996 | Arai et al.      | 5,680,534 A | 10/1997 | Yamato et al.      |
| 5,579,048 A | 11/1996 | Hirasawa         | 5,682,197 A | 10/1997 | Moghadam et al.    |
| 5,579,450 A | 11/1996 | Hanyu            | 5,682,207 A | 10/1997 | Takeda et al.      |
| 5,581,311 A | 12/1996 | Kuroiwa          | 5,682,326 A | 10/1997 | Klingler et al.    |
| 5,583,791 A | 12/1996 | Harigaya et al.  | 5,682,441 A | 10/1997 | Ligtenberg et al.  |
| 5,585,845 A | 12/1996 | Kawamura         | 5,684,511 A | 11/1997 | Westerink et al.   |
| 5,587,740 A | 12/1996 | Brennan          | 5,684,542 A | 11/1997 | Tsukagoshi         |
| 5,589,902 A | 12/1996 | Gruel et al.     | 5,687,376 A | 11/1997 | Celi, Jr. et al.   |
| 5,590,306 A | 12/1996 | Watanabe et al.  | 5,687,408 A | 11/1997 | Park               |
| 5,592,301 A | 1/1997  | Shimada          | 5,697,004 A | 12/1997 | Saegusa            |
| 5,594,524 A | 1/1997  | Sasagaki         | 5,699,109 A | 12/1997 | Nishimura et al.   |
| 5,597,193 A | 1/1997  | Conner           | 5,701,433 A | 12/1997 | Moriarty et al.    |
| 5,598,181 A | 1/1997  | Kermisch         | 5,701,900 A | 12/1997 | Shehada            |
| 5,600,371 A | 2/1997  | Arai et al.      | 5,703,644 A | 12/1997 | Mori et al.        |
| 5,602,566 A | 2/1997  | Motosyuku et al. | 5,704,029 A | 12/1997 | Wright, Jr.        |
| 5,603,053 A | 2/1997  | Gough et al.     | 5,706,049 A | 1/1998  | Moghadam et al.    |
| 5,606,365 A | 2/1997  | Maurinus         | 5,706,097 A | 1/1998  | Schelling et al.   |
| 5,608,490 A | 3/1997  | Ogawa            | 5,706,457 A | 1/1998  | Dwyer et al.       |
| 5,608,491 A | 3/1997  | Sasagaki         | 5,708,561 A | 1/1998  | Huilgol et al.     |
| 5,610,653 A | 3/1997  | Abecassis        | 5,708,810 A | 1/1998  | Kern et al.        |
| 5,610,654 A | 3/1997  | Parulski         | 5,710,572 A | 1/1998  | Nihei              |
| 5,614,946 A | 3/1997  | Fukuoka          | 5,711,330 A | 1/1998  | Nelson             |
| 5,614,981 A | 3/1997  | Bryant           | 5,714,973 A | 2/1998  | Takahashi et al.   |
| 5,619,738 A | 4/1997  | Petruchik        | 5,715,524 A | 2/1998  | Jambhekar et al.   |
| 5,621,459 A | 4/1997  | Ueda             | 5,719,799 A | 2/1998  | Isashi             |
| 5,621,906 A | 4/1997  | O'Neill          | 5,719,967 A | 2/1998  | Sekine             |
| 5,625,412 A | 4/1997  | Acui et al.      | 5,719,978 A | 2/1998  | Kakii et al.       |
| 5,627,623 A | 5/1997  | Sasagaki         | 5,719,987 A | 2/1998  | Kawamura           |
| 5,630,017 A | 5/1997  | Gasper et al.    | 5,721,908 A | 2/1998  | Lagarde            |
| 5,630,185 A | 5/1997  | Kawamura         | 5,721,909 A | 2/1998  | Oulid-Aissa et al. |
| 5,631,701 A | 5/1997  | Miyake           | 5,724,070 A | 3/1998  | Denninghoff et al. |
| 5,631,871 A | 5/1997  | Park et al.      | 5,724,475 A | 3/1998  | Kirsten            |
| 5,633,573 A | 5/1997  | Van Phuoc et al. | 5,724,579 A | 3/1998  | Suzuki             |
| 5,633,678 A | 5/1997  | Parulski et al.  | 5,727,112 A | 3/1998  | Kellar et al.      |
| 5,633,976 A | 5/1997  | Ogino            | 5,727,159 A | 3/1998  | Kikinis            |
| 5,634,000 A | 5/1997  | Wicht            | 5,729,289 A | 3/1998  | Etoh               |
| 5,634,144 A | 5/1997  | Mauro            | 5,734,425 A | 3/1998  | Takizawa et al.    |
| 5,634,154 A | 5/1997  | Sasagaki         | 5,734,427 A | 3/1998  | Hayashi            |
| 5,635,983 A | 6/1997  | Ohmori           | 5,734,436 A | 3/1998  | Abe                |
| 5,635,984 A | 6/1997  | Lee              | 5,734,875 A | 3/1998  | Cheng              |
| 5,637,871 A | 6/1997  | Piety et al.     | 5,734,915 A | 3/1998  | Roewer             |
| 5,638,123 A | 6/1997  | Yamaguchi        | 5,737,032 A | 4/1998  | Stenzel            |
| 5,638,498 A | 6/1997  | Tyler et al.     | 5,737,476 A | 4/1998  | Kim                |
| 5,638,501 A | 6/1997  | Gough et al.     | 5,737,491 A | 4/1998  | Allen et al.       |
| 5,640,193 A | 6/1997  | Wellner          | 5,740,267 A | 4/1998  | Echerer            |
| 5,640,202 A | 6/1997  | Kondo            | 5,740,436 A | 4/1998  | Davis et al.       |
|             |         |                  | 5,740,801 A | 4/1998  | Branson            |
|             |         |                  | 5,742,331 A | 4/1998  | Uomori et al.      |
|             |         |                  | 5,742,339 A | 4/1998  | Wakui              |
|             |         |                  | 5,742,435 A | 4/1998  | Nagashima et al.   |

(56)

**References Cited**

## U.S. PATENT DOCUMENTS

|           |   |         |                      |           |   |         |                    |
|-----------|---|---------|----------------------|-----------|---|---------|--------------------|
| 5,742,436 | A | 4/1998  | Furter               | 5,831,590 | A | 11/1998 | Ikedo              |
| 5,742,475 | A | 4/1998  | Riddiford            | 5,831,872 | A | 11/1998 | Pan                |
| 5,742,504 | A | 4/1998  | Meyer et al.         | 5,835,761 | A | 11/1998 | Ishii et al.       |
| 5,742,659 | A | 4/1998  | Atac                 | 5,835,772 | A | 11/1998 | Thurlo             |
| 5,742,698 | A | 4/1998  | Minami et al.        | 5,838,325 | A | 11/1998 | Deen et al.        |
| 5,745,097 | A | 4/1998  | Cappels              | 5,841,422 | A | 11/1998 | Shyu               |
| 5,745,175 | A | 4/1998  | Anderson             | 5,841,471 | A | 11/1998 | Endsley et al.     |
| 5,745,808 | A | 4/1998  | Tintera              | 5,845,166 | A | 12/1998 | Fellegara          |
| 5,748,326 | A | 5/1998  | Thompson-Bell et al. | 5,847,698 | A | 12/1998 | Reavey             |
| 5,748,831 | A | 5/1998  | Kubo                 | 5,847,706 | A | 12/1998 | Kingsley           |
| 5,751,350 | A | 5/1998  | Tanaka               | 5,848,193 | A | 12/1998 | Garcia             |
| 5,752,089 | A | 5/1998  | Miyazawa et al.      | 5,848,420 | A | 12/1998 | Xu                 |
| 5,752,244 | A | 5/1998  | Rose                 | 5,850,483 | A | 12/1998 | Takabatake et al.  |
| 5,754,227 | A | 5/1998  | Fukuoka              | 5,852,502 | A | 12/1998 | Beckett            |
| 5,754,873 | A | 5/1998  | Nolan                | 5,854,641 | A | 12/1998 | Howard et al.      |
| 5,757,354 | A | 5/1998  | Kawamura             | 5,861,918 | A | 1/1999  | Anderson           |
| 5,757,418 | A | 5/1998  | Inagaki              | 5,862,218 | A | 1/1999  | Steinberg          |
| 5,757,427 | A | 5/1998  | Miyaguchi            | 5,862,297 | A | 1/1999  | Timmermans         |
| 5,757,468 | A | 5/1998  | Patton et al.        | 5,867,214 | A | 2/1999  | Anderson           |
| 5,758,180 | A | 5/1998  | Duffy et al.         | 5,867,686 | A | 2/1999  | Conner et al.      |
| 5,760,767 | A | 6/1998  | Shore et al.         | 5,870,143 | A | 2/1999  | Suzuki             |
| 5,761,655 | A | 6/1998  | Hoffman              | 5,870,464 | A | 2/1999  | Brewster et al.    |
| 5,761,686 | A | 6/1998  | Bloomberg            | 5,870,549 | A | 2/1999  | Bobo, II           |
| 5,764,276 | A | 6/1998  | Martin et al.        | 5,870,756 | A | 2/1999  | Nakata             |
| 5,764,278 | A | 6/1998  | Nagao                | 5,873,007 | A | 2/1999  | Ferrada suarez     |
| 5,764,291 | A | 6/1998  | Fullam               | 5,874,959 | A | 2/1999  | Rowe               |
| 5,767,897 | A | 6/1998  | Howell               | 5,874,967 | A | 2/1999  | West et al.        |
| 5,767,904 | A | 6/1998  | Miyake               | 5,876,351 | A | 3/1999  | Rohde              |
| 5,769,713 | A | 6/1998  | Katayama             | 5,877,214 | A | 3/1999  | Kim                |
| 5,771,034 | A | 6/1998  | Gibson               | 5,877,746 | A | 3/1999  | Parks et al.       |
| 5,773,810 | A | 6/1998  | Hussey               | 5,881,205 | A | 3/1999  | Andrew             |
| 5,774,131 | A | 6/1998  | Kim                  | 5,883,610 | A | 3/1999  | Jeon               |
| 5,774,233 | A | 6/1998  | Sakamoto             | 5,890,014 | A | 3/1999  | Long               |
| 5,777,876 | A | 7/1998  | Beauchesne           | 5,892,511 | A | 4/1999  | Gelsinger et al.   |
| 5,781,175 | A | 7/1998  | Hara                 | 5,892,847 | A | 4/1999  | Johnson            |
| 5,781,650 | A | 7/1998  | Lobo                 | 5,896,131 | A | 4/1999  | Alexander          |
| 5,781,798 | A | 7/1998  | Beatty et al.        | 5,896,166 | A | 4/1999  | D'Alfonso et al.   |
| 5,784,177 | A | 7/1998  | Sanchez et al.       | 5,896,203 | A | 4/1999  | Shibata            |
| 5,784,525 | A | 7/1998  | Bell                 | 5,898,434 | A | 4/1999  | Small et al.       |
| 5,784,629 | A | 7/1998  | Anderson             | 5,898,779 | A | 4/1999  | Squilla et al.     |
| 5,786,851 | A | 7/1998  | Kondo                | 5,898,833 | A | 4/1999  | Kidder             |
| D396,853  | S | 8/1998  | Cooper et al.        | 5,899,851 | A | 5/1999  | Koninckx           |
| 5,790,094 | A | 8/1998  | Tanigawa et al.      | 5,900,909 | A | 5/1999  | Parulski et al.    |
| 5,790,193 | A | 8/1998  | Ohmori               | 5,901,303 | A | 5/1999  | Chew               |
| 5,790,418 | A | 8/1998  | Roberts              | 5,903,309 | A | 5/1999  | Anderson           |
| 5,790,800 | A | 8/1998  | Gauvin et al.        | 5,903,700 | A | 5/1999  | Fukushima          |
| 5,790,878 | A | 8/1998  | Anderson             | 5,903,786 | A | 5/1999  | Goto               |
| 5,796,428 | A | 8/1998  | Matsumoto et al.     | 5,907,315 | A | 5/1999  | Vlahos et al.      |
| 5,796,875 | A | 8/1998  | Read                 | 5,910,805 | A | 6/1999  | Hickey             |
| 5,797,051 | A | 8/1998  | Mcintyre             | 5,917,488 | A | 6/1999  | Anderson et al.    |
| 5,798,750 | A | 8/1998  | Ozaki                | 5,920,688 | A | 7/1999  | Cooper et al.      |
| 5,801,685 | A | 9/1998  | Miller et al.        | 5,920,726 | A | 7/1999  | Anderson           |
| 5,801,770 | A | 9/1998  | Paff et al.          | 5,926,208 | A | 7/1999  | Noonen et al.      |
| 5,801,773 | A | 9/1998  | Ikeda                | 5,929,904 | A | 7/1999  | Uchida             |
| 5,803,565 | A | 9/1998  | McIntyre et al.      | 5,933,137 | A | 8/1999  | Anderson           |
| 5,805,153 | A | 9/1998  | Nielsen              | 5,935,259 | A | 8/1999  | Anderson           |
| 5,805,163 | A | 9/1998  | Bagnas               | 5,936,619 | A | 8/1999  | Nagasaki et al.    |
| 5,805,829 | A | 9/1998  | Cohen et al.         | 5,937,106 | A | 8/1999  | Murayama           |
| 5,806,005 | A | 9/1998  | Hull                 | 5,937,213 | A | 8/1999  | Wakabayashi et al. |
| 5,806,072 | A | 9/1998  | Kuba et al.          | 5,938,764 | A | 8/1999  | Klein              |
| 5,809,345 | A | 9/1998  | Numako               | 5,938,766 | A | 8/1999  | Anderson           |
| 5,812,736 | A | 9/1998  | Anderson             | 5,940,080 | A | 8/1999  | Ruehle             |
| 5,815,160 | A | 9/1998  | Kikuchi              | 5,940,121 | A | 8/1999  | Mcintyre           |
| 5,815,201 | A | 9/1998  | Hashimoto            | 5,943,050 | A | 8/1999  | Bullock et al.     |
| 5,815,205 | A | 9/1998  | Hashimoto et al.     | 5,943,093 | A | 8/1999  | Anderson et al.    |
| 5,818,925 | A | 10/1998 | Anders et al.        | 5,943,332 | A | 8/1999  | Liu et al.         |
| 5,818,977 | A | 10/1998 | Tansley              | 5,948,091 | A | 9/1999  | Kerigan et al.     |
| 5,819,103 | A | 10/1998 | Endoh et al.         | 5,949,408 | A | 9/1999  | Kang et al.        |
| 5,819,107 | A | 10/1998 | Lichtman et al.      | 5,949,432 | A | 9/1999  | Gough et al.       |
| 5,821,997 | A | 10/1998 | Kawamura             | 5,949,474 | A | 9/1999  | Gerszberg et al.   |
| 5,822,492 | A | 10/1998 | Wakui et al.         | 5,949,496 | A | 9/1999  | Kim                |
| 5,822,581 | A | 10/1998 | Christeson           | 5,949,950 | A | 9/1999  | Kubo               |
| 5,825,675 | A | 10/1998 | Want et al.          | 5,956,049 | A | 9/1999  | Cheng              |
| 5,828,406 | A | 10/1998 | Parulski             | 5,956,084 | A | 9/1999  | Moronaga et al.    |
| 5,828,793 | A | 10/1998 | Mann                 | 5,963,255 | A | 10/1999 | Anderson et al.    |
|           |   |         |                      | 5,963,670 | A | 10/1999 | Lipson et al.      |
|           |   |         |                      | 5,966,116 | A | 10/1999 | Wakeland           |
|           |   |         |                      | 5,966,122 | A | 10/1999 | Itoh               |
|           |   |         |                      | 5,969,718 | A | 10/1999 | Mills              |

(56)

## References Cited

## U.S. PATENT DOCUMENTS

|           |     |         |                            |           |      |         |                             |
|-----------|-----|---------|----------------------------|-----------|------|---------|-----------------------------|
| 5,969,761 | A   | 10/1999 | Takahashi et al.           | 6,115,025 | A    | 9/2000  | Buxton et al.               |
| 5,973,664 | A   | 10/1999 | Badger                     | 6,118,480 | A    | 9/2000  | Anderson et al.             |
| 5,973,691 | A   | 10/1999 | Servan-schreiber           | 6,122,003 | A    | 9/2000  | Anderson                    |
| 5,973,694 | A   | 10/1999 | Steele et al.              | 6,122,005 | A    | 9/2000  | Sasaki                      |
| 5,973,734 | A   | 10/1999 | Anderson                   | 6,122,409 | A    | 9/2000  | Boggs et al.                |
| 5,974,386 | A   | 10/1999 | Ejima et al.               | 6,128,013 | A    | 10/2000 | Prabhu                      |
| 5,977,975 | A   | 11/1999 | Mugura et al.              | 6,128,413 | A    | 10/2000 | Benamara                    |
| 5,977,976 | A   | 11/1999 | Maeda                      | 6,131,125 | A    | 10/2000 | Rostoker et al.             |
| 5,977,985 | A   | 11/1999 | Ishii                      | 6,134,606 | A    | 10/2000 | Anderson et al.             |
| 5,978,016 | A   | 11/1999 | Lourette et al.            | 6,137,468 | A    | 10/2000 | Martinez                    |
| 5,978,020 | A   | 11/1999 | Watanabe et al.            | 6,137,534 | A    | 10/2000 | Anderson                    |
| 5,978,607 | A   | 11/1999 | Teremy                     | 6,141,044 | A    | 10/2000 | Anderson                    |
| 5,982,350 | A   | 11/1999 | Hekmatpour et al.          | 6,141,052 | A    | 10/2000 | Fukumitsu et al.            |
| 5,982,429 | A   | 11/1999 | Kamamoto et al.            | 6,144,362 | A    | 11/2000 | Kawai                       |
| 5,983,073 | A   | 11/1999 | Ditzik                     | 6,147,703 | A    | 11/2000 | Miller                      |
| 5,983,297 | A   | 11/1999 | Noble et al.               | 6,147,709 | A    | 11/2000 | Martin et al.               |
| 5,986,634 | A   | 11/1999 | Alioshin et al.            | 6,148,149 | A    | 11/2000 | Kagle                       |
| 5,986,701 | A   | 11/1999 | Anderson                   | 6,151,450 | A    | 11/2000 | Numako                      |
| 5,987,223 | A   | 11/1999 | Narukawa et al.            | 6,154,210 | A    | 11/2000 | Anderson                    |
| 5,991,465 | A   | 11/1999 | Anderson                   | 6,154,576 | A    | 11/2000 | Anderson et al.             |
| 5,991,515 | A   | 11/1999 | Fall et al.                | 6,157,394 | A    | 12/2000 | Anderson                    |
| 5,993,137 | A   | 11/1999 | Harr                       | 6,161,131 | A    | 12/2000 | Garfinkle                   |
| 5,999,173 | A   | 12/1999 | Ubillos                    | 6,163,722 | A    | 12/2000 | Magin                       |
| 5,999,191 | A   | 12/1999 | Frank et al.               | 6,163,816 | A    | 12/2000 | Anderson et al.             |
| 5,999,207 | A   | 12/1999 | Rodriguez et al.           | 6,167,469 | A    | 12/2000 | Safai                       |
| 5,999,213 | A   | 12/1999 | Tsushima et al.            | 6,169,575 | B1   | 1/2001  | Anderson                    |
| 5,999,740 | A   | 12/1999 | Rowley                     | 6,169,725 | B1   | 1/2001  | Gibbs et al.                |
| 5,999,989 | A   | 12/1999 | Patel                      | 6,175,663 | B1   | 1/2001  | Huang                       |
| 6,003,093 | A   | 12/1999 | Kester                     | 6,177,956 | B1   | 1/2001  | Anderson et al.             |
| 6,005,613 | A   | 12/1999 | Endsley et al.             | 6,177,957 | B1   | 1/2001  | Anderson                    |
| 6,005,618 | A   | 12/1999 | Fukui                      | 6,177,958 | B1   | 1/2001  | Anderson                    |
| 6,006,039 | A   | 12/1999 | Steinberg et al.           | 6,188,431 | B1   | 2/2001  | Oie                         |
| 6,009,336 | A   | 12/1999 | Harris et al.              | 6,188,432 | B1   | 2/2001  | Ejima                       |
| 6,011,585 | A   | 1/2000  | Anderson                   | 6,188,782 | B1   | 2/2001  | Le beux                     |
| 6,011,926 | A   | 1/2000  | Cockell                    | 6,204,877 | B1   | 3/2001  | Kiyokawa                    |
| 6,012,088 | A   | 1/2000  | Li et al.                  | 6,205,485 | B1   | 3/2001  | Kikinis                     |
| 6,015,093 | A   | 1/2000  | Barrett                    | 6,208,429 | B1   | 3/2001  | Anderson                    |
| 6,020,920 | A   | 2/2000  | Anderson                   | 6,209,048 | B1   | 3/2001  | Wolff                       |
| 6,020,982 | A   | 2/2000  | Yamauchi et al.            | 6,211,870 | B1   | 4/2001  | Foster                      |
| 6,022,315 | A   | 2/2000  | Iliff                      | 6,212,632 | B1   | 4/2001  | Surine                      |
| 6,023,241 | A   | 2/2000  | Clapper                    | 6,215,523 | B1   | 4/2001  | Anderson                    |
| 6,023,697 | A   | 2/2000  | Bates et al.               | 6,222,538 | B1   | 4/2001  | Anderson                    |
| 6,025,827 | A   | 2/2000  | Bullock et al.             | 6,222,584 | B1   | 4/2001  | Pan                         |
| 6,028,603 | A   | 2/2000  | Wang et al.                | 6,223,190 | B1   | 4/2001  | Aihara et al.               |
| 6,028,611 | A   | 2/2000  | Anderson et al.            | 6,226,449 | B1   | 5/2001  | Inoue et al.                |
| 6,029,214 | A * | 2/2000  | Dorfman et al. .... 710/73 | 6,229,566 | B1   | 5/2001  | Matsumoto et al.            |
| 6,031,964 | A   | 2/2000  | Anderson                   | 6,230,307 | B1   | 5/2001  | Davis et al.                |
| 6,035,323 | A   | 3/2000  | Narayan et al.             | 6,232,932 | B1   | 5/2001  | Thorner                     |
| 6,035,359 | A   | 3/2000  | Enoki                      | 6,233,015 | B1   | 5/2001  | Miller                      |
| 6,037,972 | A   | 3/2000  | Horiuchi et al.            | 6,233,016 | B1   | 5/2001  | Anderson                    |
| 6,038,545 | A   | 3/2000  | Mandeberg et al.           | 6,237,010 | B1   | 5/2001  | Hui                         |
| 6,052,508 | A * | 4/2000  | Mincey et al. .... 386/281 | 6,239,794 | B1   | 5/2001  | Yuen et al.                 |
| 6,052,555 | A   | 4/2000  | Ferguson                   | 6,239,837 | B1   | 5/2001  | Yamada et al.               |
| 6,052,692 | A   | 4/2000  | Anderson                   | 6,246,430 | B1   | 6/2001  | Peters                      |
| 6,058,268 | A   | 5/2000  | Maeno                      | 6,249,316 | B1   | 6/2001  | Anderson                    |
| 6,058,428 | A   | 5/2000  | Wang et al.                | 6,256,063 | B1   | 7/2001  | Saito et al.                |
| 6,072,479 | A   | 6/2000  | Ogawa                      | 6,260,102 | B1   | 7/2001  | Robinson                    |
| 6,072,480 | A   | 6/2000  | Gorbet et al.              | 6,262,769 | B1   | 7/2001  | Anderson                    |
| 6,072,489 | A   | 6/2000  | Gough et al.               | 6,263,421 | B1   | 7/2001  | Anderson                    |
| 6,075,905 | A   | 6/2000  | Herman et al.              | 6,263,453 | B1   | 7/2001  | Anderson                    |
| 6,078,005 | A   | 6/2000  | Kurakake                   | 6,275,260 | B1   | 8/2001  | Anderson                    |
| 6,078,756 | A   | 6/2000  | Squilla et al.             | 6,275,622 | B1   | 8/2001  | Krtolica                    |
| 6,082,827 | A   | 7/2000  | Mcfall                     | 6,278,447 | B1   | 8/2001  | Anderson                    |
| 6,084,990 | A   | 7/2000  | Suzuki et al.              | 6,285,398 | B1   | 9/2001  | Shinsky et al.              |
| 6,091,377 | A   | 7/2000  | Kawai                      | 6,292,215 | B1   | 9/2001  | Vincent                     |
| 6,091,846 | A   | 7/2000  | Lin et al.                 | 6,292,218 | B1   | 9/2001  | Parulski et al.             |
| 6,091,956 | A   | 7/2000  | Hollenberg                 | RE37,431  | E    | 10/2001 | Lanier et al.               |
| 6,094,221 | A   | 7/2000  | Anderson                   | 6,298,197 | B1   | 10/2001 | Wain et al.                 |
| 6,097,389 | A   | 8/2000  | Morris et al.              | 6,300,950 | B1   | 10/2001 | Clark et al.                |
| 6,097,423 | A   | 8/2000  | Mattsson-Boze et al.       | 6,302,698 | B1 * | 10/2001 | Ziv-El ..... 434/323        |
| 6,097,430 | A   | 8/2000  | Komiya et al.              | 6,304,851 | B1   | 10/2001 | Kmack et al.                |
| 6,097,431 | A   | 8/2000  | Anderson                   | 6,307,544 | B1   | 10/2001 | Harding                     |
| 6,097,855 | A   | 8/2000  | Levien                     | 6,307,552 | B1 * | 10/2001 | DeStefano ..... 345/419     |
| 6,104,430 | A   | 8/2000  | Fukuoka                    | 6,310,647 | B1   | 10/2001 | Parulski et al.             |
| 6,111,604 | A   | 8/2000  | Hashimoto                  | 6,310,648 | B1   | 10/2001 | Miller et al.               |
|           |     |         |                            | 6,317,141 | B1   | 11/2001 | Pavley                      |
|           |     |         |                            | 6,321,158 | B1 * | 11/2001 | DeLorme et al. .... 701/426 |
|           |     |         |                            | 6,334,025 | B1   | 12/2001 | Yamagami                    |
|           |     |         |                            | 6,353,848 | B1   | 3/2002  | Morris                      |

(56)

## References Cited

## U.S. PATENT DOCUMENTS

6,356,281 B1 3/2002 Isenman  
 6,356,357 B1 3/2002 Anderson  
 6,362,850 B1 3/2002 Alsing  
 6,370,282 B1 4/2002 Pavley et al.  
 6,377,302 B1 4/2002 Ozaki  
 6,380,972 B1 4/2002 Suga et al.  
 6,400,375 B1 6/2002 Okudaira  
 6,400,471 B1 6/2002 Kuo et al.  
 6,414,696 B1\* 7/2002 Ellenby et al. .... 715/762  
 6,426,771 B1 7/2002 Kosugi  
 6,429,896 B1 8/2002 Aruga  
 6,437,829 B1 8/2002 Webb  
 6,441,828 B1 8/2002 Oba et al.  
 6,441,854 B2 8/2002 Fellegara et al.  
 6,441,927 B1 8/2002 Dow et al.  
 6,445,412 B1 9/2002 Shiohara  
 6,473,123 B1 10/2002 Anderson  
 6,483,602 B1 11/2002 Haneda  
 6,486,914 B1 11/2002 Anderson  
 6,493,028 B1 12/2002 Anderson  
 6,504,575 B1 1/2003 Ramirez et al.  
 6,507,362 B1 1/2003 Akerib  
 6,507,363 B1 1/2003 Anderson  
 6,512,548 B1 1/2003 Anderson  
 6,515,704 B1 2/2003 Sato  
 6,532,039 B2 3/2003 Anderson  
 6,536,357 B1 3/2003 Hiestand  
 6,538,698 B1 3/2003 Anderson  
 6,546,430 B2 4/2003 Gray, III et al.  
 6,563,535 B1 5/2003 Anderson  
 6,563,542 B1 5/2003 Hatakenaka et al.  
 6,563,961 B1 5/2003 Murayama  
 6,567,101 B1 5/2003 Thomas  
 6,567,122 B1 5/2003 Anderson et al.  
 6,571,271 B1 5/2003 Savitzky et al.  
 6,587,119 B1 7/2003 Anderson et al.  
 6,597,384 B1 7/2003 Harrison  
 6,597,817 B1 7/2003 Silverbrook  
 6,608,650 B1 8/2003 Torres  
 6,608,965 B1\* 8/2003 Tobimatsu et al. .... 386/278  
 6,624,824 B1 9/2003 Tognazzini et al.  
 6,642,956 B1 11/2003 Safai  
 6,654,050 B2 11/2003 Karube et al.  
 6,657,667 B1 12/2003 Anderson  
 6,680,749 B1 1/2004 Anderson et al.  
 6,682,207 B2 1/2004 Weber et al.  
 6,683,649 B1 1/2004 Anderson  
 6,687,453 B1\* 2/2004 Sakamoto et al. .... 386/225  
 6,700,612 B1 3/2004 Anderson  
 6,738,075 B1 5/2004 Torres  
 6,738,091 B1 5/2004 Eouzan  
 6,747,692 B2 6/2004 Patel et al.  
 6,765,581 B2 7/2004 Cheng  
 6,765,612 B1 7/2004 Anderson et al.  
 6,779,153 B1 8/2004 Kagle  
 6,785,019 B2 8/2004 Anderson  
 6,803,945 B1 10/2004 Needham  
 6,803,950 B2 10/2004 Miyamoto et al.  
 6,806,906 B1 10/2004 Soga et al.  
 6,809,737 B1 10/2004 Lee et al.  
 6,833,867 B1 12/2004 Anderson  
 6,847,388 B2 1/2005 Anderson  
 6,873,357 B2 3/2005 Fuchimukai  
 6,897,891 B2 5/2005 Itsukaichi  
 6,903,762 B2 6/2005 Prabhu et al.  
 6,906,751 B1 6/2005 Norita et al.  
 6,937,356 B1 8/2005 Ito et al.  
 RE38,896 E 11/2005 Anderson  
 6,965,400 B1 11/2005 Haba et al.  
 7,030,860 B1\* 4/2006 Hsu et al. .... 345/173  
 7,039,873 B2 5/2006 Morris  
 7,050,143 B1 5/2006 Silverbrook  
 7,079,177 B2 7/2006 Okazaki et al.  
 RE39,213 E 8/2006 Anderson  
 7,092,024 B2 8/2006 Kawamura et al.

7,106,376 B1 9/2006 Anderson  
 7,107,516 B1 9/2006 Anderson  
 7,113,208 B1 9/2006 Saga  
 7,133,845 B1\* 11/2006 Ginter et al. .... 705/51  
 7,215,371 B2 5/2007 Fellegara et al.  
 7,259,783 B2 8/2007 Anderson  
 7,262,769 B2 8/2007 Hoppe et al.  
 7,292,267 B2 11/2007 Prentice et al.  
 7,337,403 B2 2/2008 Pavley  
 7,379,097 B2 5/2008 Anderson  
 RE40,865 E 8/2009 Anderson  
 RE41,014 E 11/2009 Anderson  
 RE41,088 E 1/2010 Anderson  
 2001/0010543 A1 8/2001 Ward et al.  
 2001/0012062 A1 8/2001 Anderson  
 2001/0014910 A1 8/2001 Bobo  
 2001/0014968 A1 8/2001 Mohammed  
 2001/0049758 A1 12/2001 Shigetomi et al.  
 2001/0050711 A1 12/2001 Karube et al.  
 2002/0054116 A1 5/2002 Pavley et al.  
 2002/0105582 A1 8/2002 Ikeda  
 2002/0109782 A1 8/2002 Ejima  
 2002/0110354 A1\* 8/2002 Ikeda et al. .... 386/52  
 2003/0169350 A1 9/2003 Wiesel  
 2006/0174326 A1 8/2006 Ginter et al.  
 2006/0200260 A1 9/2006 Hoffberg  
 2007/0061594 A1 3/2007 Ginter et al.

## FOREIGN PATENT DOCUMENTS

EP 0122094 A2 10/1984  
 EP 0149196 A2 7/1985  
 EP 0361739 A2 4/1990  
 EP 0421769 A2 4/1991  
 EP 0422447 A2 4/1991  
 EP 0431581 A2 6/1991  
 EP 0439087 A2 7/1991  
 EP 0463856 A2 1/1992  
 EP 0481145 A2 4/1992  
 EP 0519379 A2 6/1992  
 EP 0528084 A1 2/1993  
 EP 0542377 A2 5/1993  
 EP 0543414 A2 5/1993  
 EP 0555048 A2 8/1993  
 EP 0568468 A2 11/1993  
 EP 0587161 A2 3/1994  
 EP 0617542 A2 9/1994  
 EP 0650125 A1 4/1995  
 EP 0651553 A1 5/1995  
 EP 0659017 A2 6/1995  
 EP 0661658 A2 7/1995  
 EP 0664475 A1 7/1995  
 EP 0664526 A2 7/1995  
 EP 0664527 A1 7/1995  
 EP 0675648 A2 10/1995  
 EP 0549689 B1 12/1995  
 EP 0729271 A2 8/1996  
 EP 0730368 A2 9/1996  
 EP 0736841 A2 10/1996  
 EP 0738075 A2 10/1996  
 EP 0449106 B1 12/1996  
 EP 0549684 B1 2/1997  
 EP 0786688 A2 7/1997  
 EP 0817476 A2 1/1998  
 EP 0821522 A2 1/1998  
 EP 0835011 A1 4/1998  
 EP 0851277 A2 7/1998  
 EP 0851675 A2 7/1998  
 EP 0860735 A2 8/1998  
 EP 0860982 A2 8/1998  
 EP 0767941 B1 10/1998  
 EP 0890919 A1 1/1999  
 EP 0600410 B1 6/2001  
 GB 2211707 A 7/1989  
 GB 2245749 A 1/1992  
 GB 2289555 A 11/1995  
 GB 2295936 A 6/1996  
 GB 2307371 A 5/1997  
 JP S54-087128 A 7/1979

(56)

## References Cited

## FOREIGN PATENT DOCUMENTS

|    |            |   |         |    |            |   |         |
|----|------------|---|---------|----|------------|---|---------|
| JP | 55-142470  | A | 11/1980 | JP | 6-265794   | A | 9/1994  |
| JP | 55-142471  | A | 11/1980 | JP | H06-273819 | A | 9/1994  |
| JP | S57-013479 | A | 1/1982  | JP | 6-290103   | A | 10/1994 |
| JP | S58-182976 | A | 10/1983 | JP | H06-301341 | A | 10/1994 |
| JP | S58-222382 | A | 12/1983 | JP | 6-348467   | A | 12/1994 |
| JP | S59-062891 | A | 4/1984  | JP | 6-350949   | A | 12/1994 |
| JP | S60-053379 | A | 3/1985  | JP | 7-6028     | A | 1/1995  |
| JP | S60-067981 | A | 4/1985  | JP | H07-005601 | A | 1/1995  |
| JP | S61-062281 | A | 3/1986  | JP | H07-023280 | A | 1/1995  |
| JP | S62-067981 | A | 3/1987  | JP | H07-028757 | A | 1/1995  |
| JP | S62-173509 | A | 7/1987  | JP | H07-036422 | A | 2/1995  |
| JP | 62-271178  | A | 11/1987 | JP | H07-075048 | A | 3/1995  |
| JP | S62-299881 | A | 12/1987 | JP | H07-079375 | A | 3/1995  |
| JP | S63-303583 | A | 12/1988 | JP | H07-095466 | A | 4/1995  |
| JP | 1-132173   | A | 5/1989  | JP | H07-104889 | A | 4/1995  |
| JP | H01-130675 | A | 5/1989  | JP | H07-128702 | A | 5/1995  |
| JP | H01-180532 | A | 7/1989  | JP | H07-128792 | A | 5/1995  |
| JP | H01-277285 | A | 7/1989  | JP | 7-160842   | A | 6/1995  |
| JP | 1-238382   | A | 9/1989  | JP | H07-143434 | A | 6/1995  |
| JP | H01-306973 | A | 11/1989 | JP | 7-168852   | A | 7/1995  |
| JP | 1-319870   | A | 12/1989 | JP | 7-184160   | A | 7/1995  |
| JP | H01-314382 | A | 12/1989 | JP | H07-168529 | A | 7/1995  |
| JP | 2-42489    | A | 2/1990  | JP | 7-221911   | A | 8/1995  |
| JP | H02-056532 | A | 2/1990  | JP | 07221911   |   | 8/1995  |
| JP | H02-058737 | A | 2/1990  | JP | 7-245723   | A | 9/1995  |
| JP | 2-162420   | A | 6/1990  | JP | 7-274060   | A | 10/1995 |
| JP | 2-257262   | A | 10/1990 | JP | 7-274108   | A | 10/1995 |
| JP | 2-280484   | A | 11/1990 | JP | H07-284050 | A | 10/1995 |
| JP | H02-278973 | A | 11/1990 | JP | H07-287689 | A | 10/1995 |
| JP | 3-117181   | S | 5/1991  | JP | 7-295873   | A | 11/1995 |
| JP | 3-231574   | A | 10/1991 | JP | H07-311402 | A | 11/1995 |
| JP | H03-222582 | A | 10/1991 | JP | H07-311403 | A | 11/1995 |
| JP | 3-246766   | A | 11/1991 | JP | 08-022343  |   | 1/1996  |
| JP | 3-506111   | A | 12/1991 | JP | H08-019023 | A | 1/1996  |
| JP | H04-036644 | A | 2/1992  | JP | H08-022343 | A | 1/1996  |
| JP | 4-115788   | A | 4/1992  | JP | 8-32847    | A | 2/1996  |
| JP | 4-120889   | A | 4/1992  | JP | H08-056323 | A | 2/1996  |
| JP | H04-120889 | A | 4/1992  | JP | 8-502840   | A | 3/1996  |
| JP | 4-230517   | A | 8/1992  | JP | 8-111845   | A | 4/1996  |
| JP | H04-236588 | A | 8/1992  | JP | H08-088870 | A | 4/1996  |
| JP | H04-243487 | A | 8/1992  | JP | H08-095111 | A | 4/1996  |
| JP | 4-302886   | A | 10/1992 | JP | H08-097854 | A | 4/1996  |
| JP | 4-506144   | A | 10/1992 | JP | 8-114849   | A | 5/1996  |
| JP | 4-372070   | A | 12/1992 | JP | 8-116476   | A | 5/1996  |
| JP | 5-14847    | A | 1/1993  | JP | 8-140025   | A | 5/1996  |
| JP | H05-037887 | A | 2/1993  | JP | H08-129216 | A | 5/1996  |
| JP | H05-064062 | A | 3/1993  | JP | H08-129438 | A | 5/1996  |
| JP | H05-073011 | A | 3/1993  | JP | H08-129557 | A | 5/1996  |
| JP | 5-91452    | A | 4/1993  | JP | 8-147952   | A | 6/1996  |
| JP | 5-108785   | A | 4/1993  | JP | H08-184892 | A | 7/1996  |
| JP | 5-115027   | A | 5/1993  | JP | H08-190145 | A | 7/1996  |
| JP | 5-131779   | A | 5/1993  | JP | 8-205014   | A | 8/1996  |
| JP | 5-150308   | A | 6/1993  | JP | 8-223524   | A | 8/1996  |
| JP | H5-183789  |   | 7/1993  | JP | H08-223520 | A | 8/1996  |
| JP | H05-183789 | A | 7/1993  | JP | 8-249450   | A | 9/1996  |
| JP | 5-207343   | A | 8/1993  | JP | 8-279034   | A | 10/1996 |
| JP | H5-207343  |   | 8/1993  | JP | H08-256325 | A | 10/1996 |
| JP | H05-219422 | A | 8/1993  | JP | H08-317276 | A | 11/1996 |
| JP | H05-219429 | A | 8/1993  | JP | 8-331495   | A | 12/1996 |
| JP | H05-219430 | A | 8/1993  | JP | 8-339297   | A | 12/1996 |
| JP | 5-260351   | A | 10/1993 | JP | H08-336069 | A | 12/1996 |
| JP | H05-260398 | A | 10/1993 | JP | 9-27939    | A | 1/1997  |
| JP | 5-289838   | A | 11/1993 | JP | H09-018813 | A | 1/1997  |
| JP | 5-290143   | A | 11/1993 | JP | H09-027939 | A | 1/1997  |
| JP | 5-308617   | A | 11/1993 | JP | 9-37139    | A | 2/1997  |
| JP | 5-314093   | A | 11/1993 | JP | H09-044143 | A | 2/1997  |
| JP | 6-57612    | A | 3/1994  | JP | H09-046776 | A | 2/1997  |
| JP | 6-60078    | A | 3/1994  | JP | H09-065345 | A | 3/1997  |
| JP | 6-78260    | A | 3/1994  | JP | H09-069972 | A | 3/1997  |
| JP | H6-086107  |   | 3/1994  | JP | H09-083853 | A | 3/1997  |
| JP | H06-086107 | A | 3/1994  | JP | H09-083981 | A | 3/1997  |
| JP | 6-103352   | A | 4/1994  | JP | H09-098373 | A | 4/1997  |
| JP | 6-105266   | A | 4/1994  | JP | 9-163275   | A | 6/1997  |
| JP | 6-178261   | A | 6/1994  | JP | 9-171213   | A | 6/1997  |
| JP | 6-197299   | A | 7/1994  | JP | H09-197547 | A | 7/1997  |
|    |            |   |         | JP | H9-0266561 |   | 10/1997 |
|    |            |   |         | JP | H09-266561 | A | 10/1997 |
|    |            |   |         | JP | H09-307803 | A | 11/1997 |
|    |            |   |         | JP | H09-307804 | A | 11/1997 |

(56)

**References Cited**

## FOREIGN PATENT DOCUMENTS

|    |             |    |         |
|----|-------------|----|---------|
| JP | 9-311850    | A  | 12/1997 |
| JP | 10-4535     | A  | 1/1998  |
| JP | 10-162020   | A  | 6/1998  |
| JP | H10-164401  | A  | 6/1998  |
| JP | H10-164426  | A  | 6/1998  |
| JP | H10-336503  | A  | 7/1998  |
| JP | H10-210405  | A  | 8/1998  |
| JP | 10-243331   | A  | 9/1998  |
| JP | 11032173    |    | 2/1999  |
| JP | H11-191858  | A  | 7/1999  |
| JP | H11-196397  | A  | 7/1999  |
| JP | 2000-92439  | A  | 3/2000  |
| JP | 2000-510616 | A  | 8/2000  |
| JP | 2000-287110 | A  | 10/2000 |
| JP | 2001-501416 | A  | 1/2001  |
| WO | 90/09717    | A1 | 8/1990  |
| WO | 91/00586    | A1 | 1/1991  |
| WO | WO-91/14334 | A1 | 9/1991  |
| WO | 9205655     | A1 | 4/1992  |
| WO | WO-92/05652 | A2 | 4/1992  |
| WO | WO-92/05655 | A  | 4/1992  |
| WO | WO-92/09169 | A1 | 5/1992  |
| WO | 92/10063    | A1 | 6/1992  |
| WO | WO-92/20186 | A1 | 11/1992 |
| WO | WO-94/23375 | A1 | 10/1994 |
| WO | WO-95/32583 | A1 | 11/1995 |
| WO | 96/00952    | A1 | 1/1996  |
| WO | WO-96/02106 | A1 | 1/1996  |
| WO | 96/24216    | A1 | 8/1996  |
| WO | WO-96/29818 | A1 | 9/1996  |
| WO | WO-97/17669 | A1 | 5/1997  |
| WO | 97/28516    | A1 | 8/1997  |
| WO | WO-97/38510 | A1 | 10/1997 |
| WO | 98/14863    | A1 | 4/1998  |
| WO | WO-98/14887 | A1 | 4/1998  |

## OTHER PUBLICATIONS

PC Watch Article (and Machine Translation), "Buy Sony Cyber-Shot Live-Action Report and DSC-F1," Oct. 25, 1996, 12 pages.

PC Watch Article (and Machine Translation), "Released 10/10 the Two Models of Digital Camera," Aug. 22, 1996, 7 pages.

PC Watch Article (and Machine Translation), "Sony DSC-F1," Oct. 10, 1996, 5 pages.

Sony DSC-F1 Manual (English Version, Part No. 3-858-410-12), Copyright 1996, 59 pages.

Sony DSC-F1 Manual (Japanese Version, Part No. 3-858-410-02), Copyright 1996, 25 pages.

Sony Press Release (and Machine Translation), "New Products: Digital Color Printer Model and Two Digital Still Cameras, Digital Picture Album Release," Aug. 22, 1996, 6 pages.

Non-Final Office Action for U.S. Appl. No. 09/973,128, mailed Jul. 30, 2004, 7 pages.

Final Office Action for U.S. Appl. No. 09/973,128, mailed Apr. 6, 2005, 8 pages.

Non-Final Office Action for U.S. Appl. No. 09/973,128, mailed Jan. 12, 2006, 5 pages.

Final Office Action for U.S. Appl. No. 09/973,128, mailed Jun. 21, 2006, 6 pages.

Non-Final Office Action for U.S. Appl. No. 09/973,128, mailed Oct. 2, 2006, 7 pages.

Final Office Action for U.S. Appl. No. 09/973,128, mailed Mar. 23, 2007, 8 pages.

Advisory Action for U.S. Appl. No. 09/973,128, mailed Jun. 8, 2007, 2 pages.

Notice of Allowance for U.S. Appl. No. 09/973,128, mailed Sep. 20, 2007, 6 pages.

Non-Final Office Action for U.S. Appl. No. 11/963,018, mailed Mar. 7, 2011, 9 pages.

Notice of Allowance for U.S. Appl. No. 11/963,018, mailed Sep. 16, 2011, 7 pages.

Non-Final Office Action for U.S. Appl. No. 09/223,960, mailed Dec. 11, 2000, 7 pages.

Notice of Allowance for U.S. Appl. No. 09/223,960, mailed Jun. 5, 2001, 4 pages.

Summons to Oral Proceedings for European Patent Application No. 98925090.7, mailed Dec. 17, 2013, 11 pages.

Summons to Oral Proceedings for European Patent Application No. 99905540.3, mailed Jan. 16, 2014, 7 pages.

MacNeil, David, "Digital Camera Guide to Electronic Photography and Imaging," Dec. 1998, Digital Camera Magazine, 2 pages.

Telek, M. et al., "DC 220/260 Twain User Interface (UI) Specification: Document Version 2.6," Kodak, last updated May 15, 1998, 62 pages.

Telek, M. et al., "DC 220/260 Twain User Interface (UI) Specification: Document Version 2.4," Kodak, last updated Apr. 23, 1998, 61 pages.

"Service Manual for the Kodak Digital Science DC220/260 Cameras Service Code 3195," Eastman Kodak Company, Aug. 14, 1998, 108 pages.

"Kodak Digital Zoom Camera Twain Acquire Module—Plain Text," Eastman Kodak Company, 1997, 43 pages.

"Kodak Digital Science DC260 Zoom Camera Product and General Information (Beta)," Eastman Kodak Company, May 1998, 9 pages.

"Kodak Digital Science DC220 Zoom Camera Product and General Information," Eastman Kodak Company, May 1998, 12 pages.

"Kodak DC265 Zoom Digital Camera User's Guide for the Camera and Kodak Software," Eastman Kodak Company, 146 pages.

"DC220/DC260 Zoom Camera Firmware Update v1.0.4," Kodak, Aug. 1998, 2 pages.

"Electromagnetic Compatibility Emissions Test Report: QuickTake 100 Digital Camera," Apple Computer, Inc., Nov. 29, 1993, 13 pages.

Trumble, Ann, "QuickTake 150 User's Guide (for Macintosh) Alpha Draft and Memo," Apple Computer, Inc., Dec. 5, 1994, 60 pages.

"Apple Image Capture Platform Presentation: Apple Image Capture Team," Apple, 13 pages.

"Virtual Network Computing," AT&T Laboratories Cambridge, 1999, 11 pages.

Lampmann, Michelle, "Kodak's Patents: Market Impact," InfoTrends Research Group, Inc., Mar. 2001, 7 pages.

"Camera Capabilities Parameters," Digita by FlashPoint, 105 pages.

"FlashPoint History," FlashPoint, 3 pages.

Eggars, Ron, "Petersen's Digital Photo: Eliminating the Computer for Special Effects," Digital Effects How to, A Supplement to Petersen's Photographic Magazine, 1 page.

"Design Rule for Camera File System," JEIDA Standard, Version 1.0, English Draft, Dec. 24, 1998, Japan Electronic Industry Development Association, 45 pages.

Telek, M. et al., "DC 220/260 Twain User Interface (UI) Specification: Document Version 1.8," Kodak, last updated Feb. 20, 1998, 57 pages.

Telek, M. et al., "DC 220/260 Twain User Interface (UI) Specification: Document Version 2.3," Kodak, last updated Apr. 17, 1998, 61 pages.

"Kodak Digital Science DC220 Zoom Camera Product and General Information Version 1.2," Eastman Kodak Company, Nov. 1998, 11 pages.

"Kodak Digital Zoom Camera Twain Acquire Module," Eastman Kodak Company, 1997, 16 pages.

"Kodak Digital Science DC260 Zoom Camera Product and General Information Version 1.0.1.0," Eastman Kodak Company, Aug. 1998, 12 pages.

"About Kodak Digital Access Software (TWAIN Acquire)," 4 pages.

"Definitions," 19 pages.

Richter, Jake, "Curriculum Vitae," 23 pages.

"Leadership in Personal Imaging—Presentations," Apple Image Capture Group, 20 pages.

Grotta, Daniel, et al. "Kodak DC-50: Point-and-Shoot Simplicity for the PC," PC Magazine, Mar. 12, 1996, 2 pages.

"Summary of DC220/DC260 USB Performance Spreadsheet," 2 pages.

"Kodak Digital Science DC210 Plus Zoom/DC200 Cameras User's Guide," Eastman Kodak Company, 1996, 85 pages.

(56)

**References Cited****OTHER PUBLICATIONS**

- Henning, Tony, "FlashPoint History Draft," FlashPoint Technology, Inc., 16 pages.
- "Eastman Kodak Company Software License Agreement Software Developer's Kit Kodak DC220/DC260-Script," Eastman Kodak Company, 2 pages.
- "Data Link Card AC-2E Instruction Manual," Nikon Corporation, 95 pages.
- "Sony PC Connecting Kit Operating Instructions," Sony Corporation, 1997, 127 pages.
- "Sony Digital Still Camera Operating Instructions DSC-F1," Sony Corporation, 1996, 60 pages.
- "Sony Digital Still Camera Digital Mavica MVC-FD5/MVC-FD7," Sony Corporation, 1997, 136 pages.
- "Minolta Digital Camera Dimage V E Instructional Manual," Minolta Company, Ltd., 1997, 85 pages.
- "TIFF Revision 6.0 Final Specification," Adobe Developers Association, Jun. 3, 1992, 121 pages.
- Want, Roy et al., "An Overview of the ParTab Ubiquitous Computing Experiment," IEEE Personal Communications, Dec. 1995, 16 pages.
- Wetzel, Alan T., "Consumer Applications of the IEEE 1394 Serial Bus, and a 1394/DV Video Editing System," The Institute of Electrical and Electronic Engineers, Inc., 1996, 12 pages.
- Yamashita, Tomokuni et al., "High Quality Digital Camera," ITE Technical Report, vol. 20 No. 58, pp. 75-78.
- Matsuda, S. et al., "Digital Communication Camera System," Toshiba Review, vol. 51 No. 2, 1996, pp. 27-30.
- Gerard, Alexis, "Interview Live Picture CEO John Sculley," The Future Image Report, vol. 3, Issue 7, Dec. 1995, 12 pages.
- Gerard, Alexis, "Interview Live Picture CEO John Sculley—Part 2," The Future Image Report, vol. 3, Issue 8, Jan./Feb. 1996, 12 pages.
- "Kodak Digital Science: DC120 Zoom Digital Camera User's Guide," Eastman Kodak Company, 1997, 62 pages.
- "Kodak DC25 Digital Camera User's Guide for Camera and Software," Eastman Kodak Company, 47 pages.
- "Chinon ES-3000 User's Guide PC and Mac," Chinon Industries, Inc., 1995, 112 pages.
- "Dimage V Digital Camera E Software Instruction manual Macintosh Version," Minolta, Company, Ltd., 1997, 44 pages.
- "Dimage V Digital Camera E Software Instruction manual Macintosh Version (CD-ROM)," Minolta, Company, Ltd., 1997, 45 pages.
- Kikuchi, Kazuo et al., "Recording Medium for Digital Still Cameras," VLSI Design Department, Fujifilm Microdevices Co., Ltd., 4 pages.
- "Kodak Digital Science: DC120 Zoom Digital Camera Product Page," Web Archive, <http://web.archive.org/web/19970523032812/www.kodak.com/daiHome/dc120/>, visited Nov. 29, 2010, 2 pages.
- "Kodak Digital Science DC120 Zoom Digital Camera: General README Topics," Eastman Kodak Company, Mar. 1997, 3 pages.
- "Kodak Selects SanDisk CompactFlash as the Removable Memory for New Kodak DC120 'MegaPix' Digital Camera," High Beam Research Website, Apr. 14, 1997 <http://www.highbeam.com/doc/1G1-19306123.html>, visited Nov. 29, 2010.
- "Slide Shows: The Minolta Dimage V," Minolta Co., Ltd., 1997, 21 pages.
- "Kodak Digital Science DC120 Zoom Digital Camera Connecting the Camera to the Computer (Windows 95)," Eastman Kodak Company, Mar. 1997, 4 pages.
- "Kodak Digital Science DC120 Zoom Digital Camera Windows 95 README," Eastman Kodak Company, Mar. 1997, 5 pages.
- "DC120 Flash Sync Cable Instructions," Eastman Kodak Company, 3 pages.
- Wherry, Phil, "Casio QV-10," Photo.net Website <http://photo.net/equipment/casio/>, visited Oct. 29, 2010, 12 pages.
- "Sony's DSC-F1—User Information FAQ," Inference Website, Jul. 25, 2003, <http://www.inference.phy.cam.ac.uk/mackay/dscf1.html>, visited Oct. 29, 2010, 12 pages.
- "Dimage V Rotating Images Instructions," Image Panel Presentation, 25 pages.
- "Photo Secretary for Nikon F5—Index Page," Mir.com Website, 2002, <http://www.mir.com.my/rb/photography/hardwares/classics/NikonF5/accessories/PhotoS>, visited Nov. 24, 2010.
- "Kodak Digital Science: DC 120 Zoom Camera," Web Archive, <http://web.archive.org/web/19970605073556/www.kodak.com/productInfo/technicalInfo/>, visited Nov. 29, 2010, 3 pages.
- PC Watch Article (and Machine Translation), "Released 10/10 the Two Models of Digital Camera," Aug. 22, 1996.
- PC Watch Article (and Machine Translation), "Buy Sony Cyber-Shot Live-Action Report and DSC-F1," Oct. 25, 1996.
- "Kodak Digital Science DC50 Zoom Camera User's Guide," published Jan. 1996.
- Certified English Translation of JP-5183789 (Jul. 1993).
- Certified English Translation of JP9266561 (Oct. 1997).
- Bing-You, Patty, Ed., "Apple Directions: The Developer Business Report," Jul. 1997, 16 pages.
- Gerard, Alexis, "FlashPix Takes the Lead in Cross-Media Print and Web Document Publishing," The Future Image Report, Aug./Sep. 1998 vol. 6, Issue 4, 16 pages.
- "Nikon F5 User's Guide (1996-2004)," KenRockwell.com, 2010, website <http://www.kenrockwell.com/nikon/f5/users-guide.htm>, visited Nov. 24, 2010, 18 pages.
- "Kodak Digital Science: DC120 Zoom Digital Camera Software," Eastman Kodak Company, 1997, 4 pages.
- "Nikon F5 Instruction Manual," Nikon Corporation, 170 pages.
- "Motorola's MPC823 Microprocessor Provides Enhanced Capabilities for Apple's Image Capture Platform," PR Newswire May 14, 1996, The Free Library by Farlex, website <http://www.thefreelibrary.com/MOTOROLA'S+MPC823+MICROPROCESSOR>, visited Dec. 17, 2010, 4 pages.
- "Instructions from Dimage V Main Panel," Dimage V Main Panel, pp. 29-60.
- "Dimage V Viewer Panel Instructions," Viewer and Image Panel Functions, pp. 25-48.
- "1394-based Digital Camera Specification," 1394 Trade Association, Version 1.04, Aug. 9, 1996, pp. 1-20.
- "TWIN Toolkit, Edition 2," Feb. 1996 (TWIN Version 1.6), pp. 1-345.
- Paskins, Adrian, "The IEEE 1394 Bus," May 12, 1997, IEE Half-Day Colloquium on New High Capacity Digital Media and Their Applications (Digest No. 1997/114), pp. 4/1-4/6, IEEE.
- "TWIN Working Group Releases TWIN 1.6 Specification," TWIN Press Release dated Apr. 16, 1996, accessed online on Aug. 16, 2010 from <http://web.archive.org/web/19970418013323/www.twain.org>.
- Yoshida, Reiji, "Digital Cameras Claim Ever Bigger Chunk of Market," The Japan Times, Aug. 21, 2003.
- "Nikon Digital Still Camera E2/E2s Instruction Manual," Nikon Corporation, 51 pages.
- "Sharp Model VL-DC1H Operation Manual," Sharp Corporation, Osaka, Japan, 91 pages.
- Lim, Sukhwan et al., "Integration of Image Capture and Processing—Beyond Single Chip Digital Camera," Proceedings of the SPIE, vol. 4306, pp. 219-226 (2001).
- Azinger, Eric, "Radius Display Can Fit Different Orientations," InfoWorld Magazine, vol. 13, No. 29, Jul. 22, 1991, p. 69.
- "Report Card—Macintosh Monitor—Radius Pivot Monitor," InfoWorld Magazine, vol. 12, No. 17, Apr. 23, 1990, p. 87.
- Lewis, Peter H., "Personal Computers: Looking at Life from Both Sides," New York Times, at C7, Apr. 17, 1990.
- Busch, David D., "Swivel Your Image with Portrait Display Labs' Pivot 1700," Computer Shopper Magazine, p. 545, Dec. 1, 1995.
- U.S. Appl. No. 60/067,310, filed Dec. 4, 1997.
- "Mac Nut News," Newsletter, May 1996.
- "Sony DSC-F1 Manual," (Japanese Version), Part No. 3-858-410-02, Copyright 1996.
- Cohen, Kevin, "Digital Still Camera Forensics," Small Scale Digital Device Forensics Journal, vol. 1, No. 1, Jun. 2007.
- Severance, Charles, "Linking Computers and Consumer Electronics," IEEE Computer, Feb. 1997, pp. 119-120.

(56)

## References Cited

## OTHER PUBLICATIONS

- Wickelgren, Ingrid J., "The Facts About Firewire," IEE Spectrum, Apr. 1997, pp. 19-25.
- "Image Orientation Sensing and Correction for Notepads," Research Disclosure No. 34788, p. 217, Mar. 1993.
- "QV-10B Liquid Crystal Digital Camera Owner's Manual," Casio Computer Co. Ltd, 1995, 23 pages.
- "A Monitor to Flip Over," Byte Magazine, Oct. 1991, vol. 16, No. 10, p. 42.
- "MessagePad 2000 User's Manual," 1997, Apple Computer Inc., 34 pages.
- U.S. Appl. No. 08/384,012.
- "Digital Still Camera EI-C90," Operations Guide, 1997.
- "Digital Camera RD-175," Specifications, Minolta Co., Ltd.
- "Digital Camera RD-175 Software Installation Manual," 1995, Minolta Co., Ltd.
- "Digital Camera RD-175 Software Instruction Manual," 2001, Minolta Co., Ltd.
- "Sony Parts for Professional Products," Sony website (<https://www.servicesplus.sel.sony.com/PartsPlusResults.aspx?stype=parts>), accessed online Nov. 2, 2010.
- "ISO 12232: Photography—Electronic still-picture cameras—Determination of ISO Speed," 1998, ISO.
- "Digital Still Camera Image File Format Standard (Exif)," Version 2.1 Standard, Japan Electronic Industry Development Association, Jun. 12, 1998.
- "Photography—Electronic still picture imaging—Removable memory—Part 2: Image data format—TIFF/EP," ISO Technical Committee 42 Photography, ISO/DIS 12234-2, ISO/TC 42/WG 18, Jan. 12, 1998.
- Sony Press Release (and Machine Translation), "New Products: Digital Color Printer Model and Two Digital Still Cameras, Digital Picture Album Release," Aug. 22, 1996.
- PC Watch Article (and Machine Translation), "Sony DSC-F1," Oct. 10, 1996.
- "QuickTime Image Capture Application Interface Specifications for Macintosh," v. 1.0, Apple Computer, Inc.
- Steinfeld, Edward, "Leveraging Browsers as Universal GUIs," EETimes, Dec. 16, 1996, Issue 932, <http://www.techweb.com/se/directlink.cgi?EET19961216SO093>.
- Summons to Attend Oral Proceedings Pursuant to Rule 115(1) EPC, received in EP 98925090.7, mailed Feb. 15, 2012.
- "Digital Imaging Devices," 1 page.
- "Parameter and Tag Information," FlashPoint, 11 pages.
- Anderson, Eric, "Resume, Autobiography, and Articles," Apr. 3, 2001, Web.Archive.org website <http://web.archive.org/web/20010421163105/http://www.2live4.com/resume.htm>, 196 pages.
- "Welcome to the World of PC Photography: MGI PhotoSuite III SE," MGI Software Corp., 2000, 13 pages.
- Telek, M. et al., "DC 220/260 Twain User Interface (UI) Specification: Document Version 2.5," Kodak, last updated May 6, 1998, 63 pages.
- "Service Manual for the Kodak Digital Science DC220/260/265 Cameras Service Code 3195," Eastman Kodak Company, Apr. 8, 1999, 129 pages.
- "Kodak Digital Science DC220 Zoom Camera Product and General Information Version 1.0.1.0," Eastman Kodak Company, Aug. 1998, 12 pages.
- "Kodak Digital Science DC260 Zoom Camera Product and General Information," Eastman Kodak Company, May 1998, 12 pages.
- "Kodak Digital Science DC220 Zoom Camera Product and General Information (Beta)," Eastman Kodak Company, May 1998, 8 pages.
- "Kodak DC220/260 Camera Twain Acquire Module," Eastman Kodak Company, 1998, 4 pages.
- Fujiwara, Y., "Kodak DC220/260 TWAIN for 32Bit Windows Release Note Version 1.2.0100.0," Kodak, Sep. 28, 1998, 8 pages.
- "Measurement/Technical Report: Apple QuickTake 100," Apple Computer, Inc., Nov. 12, 1993, 37 pages.
- Trumble, Ann, "QuickTake 150 User's Guide (for Windows) Alpha Draft and Memo," Apple Computer, Inc., Dec. 12, 1994, 40 pages.
- Coleman, Dale, "Kodak's Digital Camera 40 Eyes Apple QuickTake Users," Reviews in MacWeek, Aug. 7, 1995, 2 pages.
- "Nikon E2 Series: Nikon Digital Still Cameras," Nikon Corporation, Aug. 1996, 6 pages.
- Ostrovsky, Olga et al., "FlashPoint Quality Assurance: Ultra265 Summary Test Report Version 1.0.0," FlashPoint, Jun. 21, 1999, 10 pages.
- "Company/Model Spreadsheet," 1 page.
- Huske, Gibboney, "Pixels & Profit\$ (The Economics of the Transition to Digital Imaging)," vol. 1, No. 3, Desk Notes, Credit Suisse First Boston Corporation, 6 pages.
- "Digital Desktop Acquire Testing," 2 pages.
- "Apple Announces Apple Image Capture Platform," Press Release, May 13, 1996, 4 pages.
- Degan, N. Dal, et al., "Still Images Retrieval from a Remote Database: The System Imagine," Signal Processing: Image Communication 5, 1993, pp. 219-234.
- Hauf, C. R., et al., "The FlashPix™ Image File Format," The Fourth Color Imaging Conference: Color Science, Systems and Applications, 1996, pp. 234-238.
- Decision of Technical Board of Appeal for European Patent Application No. 98925090.7, mailed Jun. 17, 2014, 19 pages.
- Doyle, B., "Windows Video Capture Cards," New Media, Nov. 1994, pp. 77-94.
- Foley et al., *Computer Graphics—Principles and Practice, Second Edition in C*, Addison-Wesley Publishing Company, New York, 1996, pp. 132-137, 506-509, 755-759.
- Buderi, Robert, "Photos That Talk," *Upside Today*, Jan. 27, 1999, <<http://www.uspside.com/taxis/mvm/story?id=36b0cb860>>.
- Sony Digital Still Camera DSC-F1 Operating Instructions*, pp. 1-6, 16-17, 22-25, and 57-58, published 1996.
- "Laboratory Analysis—Data Link: The Future of Camera Technology," *Popular Photography*, Sep. 1993, p. 48.
- "PCMCIA for PowerBook 500 Series Computers," *AppleFacts Online*, 1994, <<http://product.info.apple.com/productinfo/factsheets/pcmcia.html>>.
- "YCC Color Space," Oct. 3, 2000, <<http://www.aols.com/colorite/yccspace.html>>.
- "MM4850: Image: Representation," Nov. 4, 1996, <<http://www.mcs.csueastbay.edu/~tebo/Classes/4850/Image/representation.html>>.
- "What Isn't Obvious in the Patent World," PATNEWS, Jan. 30, 1998, email correspondence.
- Laura Lemay's Guide to Sizzling Web Site Design*, Sans.net Publishing, Indianapolis, 1997, pp. 75-77.
- "Digitella Technology Solutions Announces ScriptGenerator 1.0, Enabling Users to Easily Develop Software Scripts that Run on Digital Cameras," *PR Newswire*, Oct. 7, 1998.
- Grimm, Leigh, "The Manipulation Proclamation," *Photo Trade News*, Feb. 1997, p. 66.
- "Kodak DC3400 Zoom—Distinctive New Kodak DC3400 Zoom Digital Camera Offers Easy-to-Use Features, Stylish New Look, All at Affordable Price," *Kodak Press Release*, Aug. 1, 2000.
- Hauf et al., "The FlashPix™ Image File Format," *The Fourth Color Imaging Conference: Color Science, Systems and Applications*, 1996, pp. 234-238.
- Watanabe et al., "An Image Data File Format for Digital Still Camera," *IS&T's 48th Annual Conference Proceedings*, May 1995, vol. 48, pp. 421-424.
- "Disk Drive with Embedded Hyper-Text Markup Language Server," *IBM Technical Disclosure Bulletin*, vol. 38, No. 12, Dec. 1995, p. 479.
- "Phaser® 740L Color-Capable Laser Printer," printed Apr. 15, 1999, <[http://www.tek.com/Color\\_Printers/products/740L/740Lfe.htm](http://www.tek.com/Color_Printers/products/740L/740Lfe.htm)>.
- "What is PhaserLink Software?," printed Apr. 15, 1999, <[http://www.tek.com/Color\\_Printers/userdoc/PShare3/phlink1.htm](http://www.tek.com/Color_Printers/userdoc/PShare3/phlink1.htm)>.
- Corcoran et al., "A Portable Java API Interface to Simplify User Access to Digital Cameras," *IEEE Transactions on Consumer Electronics*, vol. 44, No. 3, Aug. 1998, pp. 686-691.
- Mann, Steve, "Headmounted Wireless Video: Computer-Supported Collaboration for Photojournalism and Everyday Use," *IEEE Communications Magazine*, vol. 36, No. 6, Jun. 1998, pp. 144-151.
- Williams, Martyn, "Review—NEC PC-DC401 Digital Still Camera," *AppleLink Newbytes*, Mar. 15, 1996.

(56)

## References Cited

## OTHER PUBLICATIONS

- Peisel, Bill, "Designing the Next Step in Internet Appliances," *Electronic Design*, Mar. 23, 1998, pp. 50, 52, and 56.
- Steinfeld, Edward, "Leveraging Browsers as Universal GUIs," *EE Times*, Issue 932, Dec. 16, 1996, 4 pages.
- Newby, Kris, "Apple's New Image-Capture Platform," *Apple Directions*, Aug. 1996.
- "Device Drivers via the Access Bus," *IBM Technical Disclosure Bulletin*, vol. 39, No. 1, Jan. 1996, pp. 135-136.
- Degann et al., "Still Images Retrieval from a Remote Database: The System *Imagine*," *Signal Processing: Image Communication*, vol. 5, No. 3, May 1993, pp. 219-234.
- "Getting Started With Your Macintosh LC III," cover and inside cover page, p. 21, 1992.
- "Users Guide Microsoft Windows & MS-DOS 6," Microsoft Corporation, pp. iii and 71-75, 1993.
- Ide, K., "Color Zaurus," Soft Bank KK, Japan, Aug. 15, 1996, pp. 1-111.
- Kodak Professional Digital Camera System (DSC100) User's Manual, Eastman Kodak Company, 1991-1992.
- Nikon Digital Camera E100 brochure, Nikon Corporation, Electronic Imaging Division, Sep. 1996.
- Canon PowerShot 600 Digital Camera brochure, Canon Computer Systems, Inc., 1996.
- Canon PowerShot 350 Digital Camera brochure, Canon Computer Systems, Inc., 1997.
- Fujix Digital Card Camera DS-220 brochure, Fuji Photo Film Co., Ltd., 1995.
- Epson PhotoPC 500 Color Digital Camera brochure, Seiko Epson Corporation, Oct. 3, 1995.
- Okachi et al., "Clear! Simple! Upgraded Digital Photography," *Nikkei Personal Computing*, Nikkei Business Publications, Inc., Japan, Aug. 26, 1996, vol. 271, pp. 236-264.
- Kurzidim, "Bildersafari: Foto-Und Videodatenbanken von 100 bis 100000 OM", vol. 9, 1994, pp. 112-114, 116-117, 120-121.
- Aker et al., *The Macintosh Bible*, Third Edition, Nov. 1991, pp. 63-64, 324, 931, 945, Goldstein & Blair, Berkeley, California.
- Liquid Crystal Digital Camera QV-10B Owner's Manual*, Casio, 1995, pp. 1-89, Casio Computer Co., Ltd.
- Foley et al., *Introduction to Computer Graphics*, 1994, 1990, pp. 505-509, Addison-Wesley Publishing Company, Inc.
- Foley et al., *Computer Graphics—Principles and Practice, Second Edition*, Jun. 15, 1990, pp. 754-759, Addison-Wesley Publication Company, Inc.
- Inside Macintosh*, Apple Computer, 1993, pp. 1-5 to 1-8 and 4-1 to 4-46, Apple Computer Inc., Cupertino, California.
- Kroiak et al., "A Declaration of Device Independence," *ESD: The Electronic System Design Magazine*, May 1988, pp. 63-65, vol. 18, No. 5.
- Melville et al., "An Application Programmer's Interface for Digital Cameras," *Imaging Science and Technology's 49<sup>th</sup> Annual Conference*, May 19-24, 1996, The Society for Imaging Science and Technology.
- Picona PC-DC200 PC-DC200K User's Manual*, Feb. 1997, NEC Corporation.
- Posnak et al., "An Adaptive Framework for Developing Multimedia Software Components," *Communications of the ACM*, Oct. 1997, pp. 43-47, vol. 40, No. 10, ACM.
- Ricoh Digital Camera RDC-1 Instruction Manual*, Ricoh, Ricoh Americas Corp., Ricoh Co., Ltd Japan.
- Shimizu et al., "The Digital Camera Using New Compression and Interpolation Algorithm," *IS&T 49<sup>th</sup> Annual Conference*, May 19-24, 1996, pp. 268-272, IS&T, Springfield, Virginia.
- Skelton et al., "Design and Development of a Transportable Image Processing and GIS System," *Infrared Image Processing and Enhancement*, May 20-21, 1987, pp. 187-191, vol. 781, SPIE, Bellingham, Washington.
- Texas Instruments TI-85 Guidebook*, 1993, Texas Instruments Incorporated.
- Texas Instruments TI-92 Guidebook*, 1995, Texas Instruments Incorporated.
- VxWorks Programmer's Guide*, 1984-1999, Wind River Systems, Inc.
- "Apple Quick Take 100: User's Guide for Macintosh," Apple Computer, Inc., 1994, 79 pages.
- Apple Quick Take 200: User's Guide for Mac OS Users, 1997, 98 pages.
- "Canon EOS A2E Instructions," Canon Inc., 1992, 80 pages.
- "EOS ELAN II & ELAN II E Instructions," Canon Inc., 1995, 99 pages.
- Naitou, Akira, "Image Front-Line Report: Chinon Digital Still Camera ES-3000," *Photo Industry*, Apr. 1996, 2 pages.
- "Product Descriptions and Specifications: Kodak Professional DCS 460 Digital Camera," Eastman Kodak Company, 1994, 2 pages.
- Schmidt, Albrecht et al., "Advanced Interaction in Context," *HLJC Proc. of the First International Symposium on Handheld & Ubiquitous Computing*, 1999, 13 pages.
- Prasad, B. E. et al., "A Microcomputer-Based Image Database Management System," *IEEE Transactions on Industrial Electronics*, Feb. 1987, 44 pages.
- Schilit, Bill N. et al. "Context-Aware Computing Applications," *Mobile Computing Systems & Applications*, Dec. 1994, 7 pages.
- Foxlin, Eric et al., "An Inertia Head-Orientation Tracker with Automatic Drift Compensation for use with HMD's," *Virtual Reality Software & Technology Proceedings of the VRST 1994 Conference*, Aug. 23-26, 1994, pp. 158-173.
- Schilit, William Noah, "A System Architecture for Context-Aware Mobile Computing," Degree Requirement for Doctor of Philosophy, Columbia University, 1995, 153 pages.
- "Debut of Nikon F5," Nikon Imaging Products, from Nikon website <http://imaging.nikon.com/products/imaging/technology/d-archives/history-f5/index.htm>, visited on Dec. 17, 2010, 9 pages.
- "Best of Comdex 1996" Archive Computer Chronicles website [http://www.archive.org/details/CC1417\\_best\\_of\\_comdex](http://www.archive.org/details/CC1417_best_of_comdex), visited on Dec. 19, 2010, 2 pages.
- Wallis, Jerold W. et al., "Use of Volume-Rendered Images in Registration of Nuclear Medicine Studies," *IEEE Transactions on Nuclear Science*, vol. 42, No. 4, Aug. 1995, pp. 1297-1300.
- "Minolta Digital Camera Dimage V Software Instruction Manual (Macintosh Version)", 1997, 30 pages.
- "History of Kodak," Kodak website <http://www.kodak.com/global/en/corp/historyofKodak/1990.html>, visited Nov. 29, 2010, 2 pages.
- Small, David et al., "Design of Spatially Aware Graspable Displays," Published in the Extended Abstracts of CHI '97, Mar. 22-27, 1997 ACM, 2 pages.
- "Sony DSC-F1 PMP Format," Tempest Solutions website <http://www.klingeibel.com/tempest/hd/pmp.html>, visited Oct. 29, 2010, 2 pages.
- "Kodak Introduces New Solutions that Let People Capture, Create and Share Digital Pictures with Ease," Apr. 14, 1997, Web Archive Kodak Digital Science Solutions Press Release, <http://web.archive.org/web/19970523081822/www.kodak.com/aboutKodak/corpInfo/>, visited Nov. 29, 2010, 2 pages.
- Fitzmaurice, George W., "Situating Information Spaces and Spatially Aware Palmtop Computers," *Communications of the ACM* vol. 36, No. 7, Jul. 1993 11 pages.
- "Sony Digital Still Camera Utility Software for Windows and Macintosh" Version 1.5a, 1996, 1 page.
- "Custom Setting Pocket Guide," Nikon F5, 4 pages.
- "QuickTime Image Capture Panel Interface Specifications for Macintosh v1.0," Apple Computer, Inc., Apr. 25, 1997, 13 pages.
- Harrison, Beverly L. et al. "Squeeze Me, Hold Me, Tilt Me! An Exploration of Manipulative User Interfaces," *CHI +98 Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, Apr. 18, 1998, 8 pages.
- Bartlett, Joel F. et al., "The Itsy Pocket Computer," *WRL Research Report 2000/6*, Oct. 2000, 24 pages.
- "Kodak's Strategy Makes Digital Imaging Easy, Fun and Affordable for All," Web Archive Kodak Digital Science Solutions Press Release, Apr. 30, 1997 <http://web.archive.org/web/19970523081904/www.kodak.com/aboutKodak/corpInfo/>, visited Nov. 29, 2010, 3 pages.

(56)

**References Cited****OTHER PUBLICATIONS**

Melville, John H. et al., "An Application Programmer's Interface for Digital Cameras," IS&Ts 49th Annual Conference, Eastman Kodak Company, 4 pages.

Chen, Shenchang Eric, "QuickTime VR—An Image-Based Approach to Virtual Environmental Navigation," Apple Computer, Inc., ACM International Conference on Computer Graphics and Interactive Techniques, 1995, 10 pages.

"Sony DSC-F1 Digital Still Camera," Sony Brochure, Feb. 1997, 2 pages.

"Kodak Digital Science DC 120 Zoom Digital Camera Specification Sheet," Kodak, Feb. 1997, 2 pages.

"Kodak: Press Releases for New Digital Products," <http://web.archive.org/web/19970524105457/www.kodak.com/daiHome/hub/pressReleases>, visited Nov. 29, 2010, 2 pages.

"Minolta Digital Camera Dimage V Software Instruction Manual (Windows Version)", 1997, 25 pages.

"Photography—Colour Negative Films for Still Photography—Determination of ISO Speed," International Standard Organization 5800, Nov. 11, 1987, 8 pages.

"Kodak Introduces First-Ever 1.2 Million Pixel, Point-and-Shoot Digital Camera," Apr. 14, 1997, <http://web.archive.org/web/19970523081829/www.kodak.com/aboutKodak/corpInfo/>, visited Nov. 29, 2010, 3 pages.

"Nikon AC-2E Card for Nikon Data Link System," Nikon Packaging, 1993, 3 pages.

"Nikon F5 Instruction Manual," Photo Secretary for Nikon F5—Index Page, <http://www.mir.com.my/rb/photography/hardwares/classics/NikonF5/accessories/PhotoS>, visited Nov. 24, 2010, 3 pages.

Hunke, Martin et al., "Face Locating and Tracking for Human-Computer Interaction," Asilomar Conference on Signals, Systems and Computers, 1994, 5 pages.

Boyle, W. S. et al., "Charge Coupled Semiconductor Devices," Bell Systems Technical Journal, Manuscript Received Jan. 29, 1970, 9 pages.

Gliedman, John, "A Monitor that Does the Twist: Whichever Way You Turn It," Computer Shopper, Nov. 1993, pp. 388-390.

"Kodak Digital Science: DC220 Zoom Camera with Picture Easy Software 3.0," Kodak Release, 1998, 4 pages.

"Kodak Digital Science DC260 Zoom Camera Product and General Information Version 1.2," Eastman Kodak Company, Nov. 1998, 12 pages.

"Kodak Digital Science: DC220 Zoom Camera with Picture Easy Software 3.0," Kodak Specification, 1998, 2 pages.

"About Kodak Digital Access TWIN Acquire Software," 5 pages.

Moss, Michael et al., "Letter: CB Certificate and Test Report for Apple Quick Take 100 (Camera) Model M2613," Underwriters Laboratories, Inc., Dec. 15, 1993, 4 pages.

"Digital Get Directory List," Digita by FlashPoint, 1 page.

"Kodak DC40," Future Image Report, Nov. 1995, 2 pages.

"Welcome to the Digita Desktop SDK Index," Digita by FlashPoint, 2 pages.

"Photography—Electronic still picture imaging—Requirements for communication with digital photography devices," ISO Technical Committee 42—Photography, ISO/TC42N 4387, Working Draft #3, Jan. 28, 1999.

"Kodak Digital Science DC210 Plus Zoom Camera: User's Guide," Kodak Website, [www.kodak.com](http://www.kodak.com), 1998, 60 pages.

"Getting Started With DigitaTM FX," FlashPoint Technology, Inc., 1999, 3 pages.

Klein, W. F., "Cathode-Ray Tube Rotating Apparatus," IBM Technical Disclosure Bulletin, vol. 18, No. 11, Apr. 1976, 3 pages.

Hiroshi, Hiraku, "Personal Digital Cameras for Sale Later this Year that Minolta," PC Watch, Sep. 2, 1996, from <http://translate.googleusercontent.com/translate>, visited Dec. 17, 2010, 2 pages.

Kelly-Mahaffey, L., "Graph Data Structure for Digital Camera User Interface," original publication date May 1, 1994, IP.com Prior Art Database, IPCOM000112537D, IP.com electronic publication date Mar. 27, 2005, 2 pages.

Alexander, J. F. et al., "Multi-Function Digital Camera Information Method," original publication date Aug. 1, 1994, IP.com Prior Art Database, IPCOM000113280D, IP.com electronic publication date Mar. 27, 2005, 2 pages.

Mosley, J. et al., "Projection Means for Displaying Horizontal and Vertical Images," original publication date Dec. 1, 1995, IP.com Prior Art Database, IPCOM000117074D, IP.com electronic publication date Mar. 31, 2005, 3 pages.

Gerard, Alexis, "A Conversation with Don Strickland—Part 1," The Future Image Report, vol. 4, Issue 7, Dec. 1996, 12 pages.

Newby, Kris, "Apple's New Image-Capture Platform," Apple Directions, 2000, Web.Archive.org website <http://web.archive.org/web/20000418124226/devworld.apple.com/mkt/informed>, visited Oct. 15, 2010, 9 pages.

"Liquid Crystal Digital Camera QV-120 Owner's Manual," Casio, 35 pages.

"QV-Link for Macintosh LK-2V & QV-Link for Windows LK-10V: Connection Kit of the Casio Liquid Crystal Digital Camera," Casio Computer Company, Ltd., 57 pages.

"Casio Digital Cameras Owner's Manual: For Acquisition Module TWIN Data Source for Windows," Casio, 14 pages.

"Liquid Crystal Digital Camera QV-10A Owner's Manual," Casio, 41 pages.

"Liquid Crystal Digital Camera QV-11 Owner's Manual," Casio, 37 pages.

"A Monitor to Flip Over," Byte, A McGraw-Hill Publication, Oct. 1991, vol. 16, No. 10, 13 pages.

Castleman, Kenneth R., "Digital Image Processing," Prentice Hall, Inc., 1996, 671 pages.

Richter, Gunter, "Magic Lantern Guide to Nikon F5," Silver Pixel Press, 1997, 194 pages.

Huber, Michael, et al., "Magic Lantern Guide to Nikon N90s F90X," Silver Pixel Press, 1995, 202 pages.

London, Barbara et al., "Photography," Fifth Edition, HarperCollins College Publishers, 1994, 434 pages.

London, Barbara et al., "Photography," Sixth Edition, Addison Wesley Longman, Inc., 1998, 411 pages.

"Kodak: How to Take Good Pictures," Silver Pixel Press, Sep. 1995, 98 pages.

Adams, Ansel, "The Camera: The Ansel Adams Photography Series 1", Little, Brown and Company, 2009, 219 pages.

Adams, Ansel, "The Negative: The Ansel Adams Photography Series 2", Little, Brown and Company, 2010, 288 pages.

Adams, Ansel, "The Print: The Ansel Adams Photography Series 3", Little, Brown and Company, 2009, 222 pages.

"Nikon Photo Secretary for F5 AC-1WE/AC-1ME" Nikon Website, [http://www.nikon.com/about/news/1997/may02\\_97.htm](http://www.nikon.com/about/news/1997/may02_97.htm), visited Nov. 24, 2010, 2 pages.

Lee, Danny, "Pivot 1700: A New Pivoting Monitor," Macworld Magazine, Mar. 1, 1996, 4 pages.

"Reviews Pivot Monitors for Mac," Info World: The Weekly for Personal Computing Professionals, vol. 12, Issue 17, Apr. 23, 1990, 4 pages.

"Kodak Digital Science: Kodak Imaging Software Available with Kodak Digital Science Products," Apr. 14, 1997, Web Archive, <http://web.archive.org/web/19970523081910/www.kodak.com/aboutKodak/corpInfo/>, visited Nov. 29, 2010, 5 pages.

"Kodak Digital Science: Kodak Point-and-Shoot Digital Cameras at a Glance," Apr. 14, 1997, Web Archive, <http://web.archive.org/web/19970523081916/www.kodak.com/aboutKodak/corpInfo/>, visited Nov. 29, 2010, 4 pages.

"Personal Workstation User Guide: The Corvus Concept," Corvus Systems, Inc., Feb. 1983, 26 pages.

Russell, Desiree, "Apple\_MPC823 Final.txt Press Release," Cunningham Communication, Inc., Apple, and Motorola, May 15, 1996, 2 pages.

Baker, R. G. et al., "Enhanced Electronic Camera," original publication date Mar. 1, 1995, IP.com Prior Art Database, IPOCOM000115024D, IP.com electronic publication date Mar. 30, 2005, 3 pages.

"Apple Directions: Aug. 1996," Web.Archive.org Website last modified Jan. 23, 1997, <http://web.archive.org/web/19970615222044/www.devworld.apple.com/mkt/informed>, visited Oct. 15, 2010.

(56)

**References Cited**

## OTHER PUBLICATIONS

"Nikon AC-1 WE Photo Secretary for F5 for Windows 95," Floppy Disk Package, Nikon Corporation, 1997, 6 pages.

"Nikon AC-1WE (Ver.1.01) Photo Secretary for F5 for Windows 95 Disk 1 and Disk 2," Nikon Corporation, 1997, 2 pages.

"Dimage V Digital Image Camera," Packaging, Minolta, 7 pages.

"Kodak Digital Science DC120 Zoom Digital Camera," Packaging, Eastman Kodak Company, 1997, 6 pages.

"DSC-F1 Service Manual US Model and Canadian Model," Sony Digital Still Camera, 49 pages.

"Sharp Electronic Organizer Wizard Model OZ-8000/OZ-8200 Operation Manual," Sharp Corporation, 1990, 121 pages.

"Kodak Digital Science DC120 Zoom Digital Camera User's Guide for Camera and Software," Eastman Kodak Company, 110 pages.

"Nikon AC-1WE Photo Secretary for F5 Instruction Manual," Nikon Corporation, 28 pages.

"Nikon N90s AF Instruction Manual," Nikon Corporation, 148 pages.

Blickenstorfer, Conrad H. Ed., "Pen Computing: Covering Mobile Computing & Communications," Group Publisher Howard Borgen, Apr. 1997, vol. 4, No. 15, 104 pages.

Blickenstorfer, Conrad H. Ed., "Pen Computing: Covering Mobile Computing & Communications," Group Publisher Howard Borgen, Nov. 1995, vol. 2, No. 7, 100 pages.

"Data Link Card AC-2E," Packaging, Nikon Corporation, 1993, 6 pages.

"Nikon N90 AF Instruction Manual," Nikon Corporation, Distributed by www.lensinc.net, 148 pages.

Toyoda, Kenji, "Digital Still Cameras at a Glance," Taylor & Francis Group, LLC, 2006, 19 pages.

Vizard, Frank et al., "Shutterbugs, It May Be Time to Go Digital," BusinessWeek, Sep. 1998, 2 pages.

"Welcome to the World of PC Photography: MGI PhotoSuite 4 SE," MGI Software Corp., 2000, 11 pages.

"Welcome to the Digita Desktop SDK," Digita by FlashPoint, 2000, 257 pages.

"DC220/DC260 Zoom Camera Firmware Update v1.0.4," Kodak, Oct. 1998, 2 pages.

"Kodak Digital Science: DC260 Zoom Camera with Picture Easy Software 3.0," Kodak Specification, 1998, 2 pages.

\* cited by examiner




FIG. 1





FIG. 2B



| Icon                                                                                | Media Types         |
|-------------------------------------------------------------------------------------|---------------------|
|    | Single Still Image  |
|    | Burst or Time Lapse |
|   | Panorama            |
|  | Video               |
|  | Audio Clip          |
|  | Text File           |
| ⋮                                                                                   | ⋮                   |

FIG. 3




FIG. 4A




FIG. 4B




FIG 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9A




FIG. 9B




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21

1

## METHOD AND APPARATUS FOR EDITING HETEROGENEOUS MEDIA OBJECTS IN A DIGITAL IMAGING DEVICE

### CROSS-REFERENCE TO RELATED APPLICATIONS

The present application is a continuation of U.S. patent application Ser. No. 11/963,018, filed Dec. 21, 2007, which is a continuation of U.S. patent application Ser. No. 09/973,128, filed Oct. 9, 2001, now U.S. Pat. No. 7,337,403, issued Feb. 26, 2008, which was a continuation of U.S. patent application Ser. No. 09/223,960, filed Dec. 31, 1998, now U.S. Pat. No. 6,317,141, issued Nov. 13, 2001. The disclosures of these applications are hereby incorporated by reference in their entireties.

The present invention is related to the following U.S. Patents: U.S. Pat. No. 5,903,309, entitled "Method and System For Displaying Images And Associated Multimedia Types In The Interface Of A Digital Camera," issued May 11, 1999; U.S. Pat. No. 6,249,316, entitled "Method and System For Creating A Temporary Group Of Images On A Digital Camera," issued Jun. 19, 2001; U.S. Pat. No. 6,683,649, entitled "Method And Apparatus For Creating A Multimedia Presentation From Heterogeneous Media Objects In A Digital Imaging Device," issued Jan. 27, 2004; and U.S. Pat. No. 6,738,075, entitled "Method And Apparatus For Creating An Interactive Slide Show In A Digital Imaging Device," issued May 18, 2004.

### FIELD OF THE INVENTION

The present invention relates generally to a digital imaging device and more particularly to a method and apparatus for creating, editing and presenting a multimedia presentation comprising heterogeneous media objects in the digital imaging device.

### BACKGROUND OF THE INVENTION

The use of digital cameras is rapidly proliferating and they may one day overtake 35 mm SLR's in terms of worldwide sales. There are basically three types of digital cameras; digital still cameras, digital video cameras, and hybrid digital-video cameras.

Still digital cameras are used primarily for capturing high quality static photographs, and offer a less expensive alternative to digital video cameras. Still digital cameras are typically less expensive because they have far less processing power and memory capacity than digital video cameras.

Digital video cameras differ from digital still cameras in a number of respects. Digital video cameras are used to capture video at approximately thirty frames per second at the expense of image quality. Digital video cameras are more expensive than still cameras because of the extra hardware needed. The uncompressed digital video signals from all the low-resolution images require huge amounts memory storage, and high-ratio real-time compression schemes, such as MPEG, are essential for providing digital video for today's computers. Until recently, most digital video recorders used digital magnetic tape as the primary storage media, which has the disadvantage of not allowing random access to the data.

Hybrid digital-video cameras, also referred to as multimedia recorders, are capable of capturing both still JPEG images and video clips, with or without sound. One such camera, the M2 Multimedia Recorder by Hitachi America, Ltd., Bris-

2

bane, Calif., stores the images on a PC card hard disk (PCMCIA Type III), which provides random access to the recorded video data.

All three types of cameras typically include a liquid-crystal display (LCD) or other type of display screen on the back of the camera. Through the use of the LCD, the digital cameras operate in one of two modes, record and play. In record mode, the display is used as a viewfinder in which the user may view an object or scene before taking a picture. In play mode, the display is used a playback screen for allowing the user to review previously captured images and/or video. The camera may also be connected to a television for displaying the images on a larger screen.

Since digital cameras capture images and sound in digital format, their use for creation of multimedia presentations is ideal. However, despite their capability to record still images, audio, and video, today's digital cameras require the user to be very technologically proficient in order to create multimedia presentations.

For example, in order to create a multimedia presentation, the user first captures desired images and video with the camera, and then downloads the images to a personal computer or notebook computer. There, the user may import the images and video directly into a presentation program, such as Microsoft PowerPoint™. The user may also edit the images and video using any one of a number of image editing software applications. After the PowerPoint presentation has been created, the user must connect the PC or notebook to a projector to display the presentation. Finally, the user typically controls the play back of the presentation using a remote control.

Due to the limitations of today's digital cameras in terms of capabilities and features, the user is forced to learn how to operate a computer, image editing software, and a presentation program in order to effectively create and display the multimedia presentation. As the use of digital cameras becomes increasingly mainstream, however, the number of novice computer users will increase. Indeed, many users will not even own a computer at all. Therefore, many camera owners will be precluded from taking advantage of the multimedia capabilities provided by digital cameras.

What is needed is an improved method for creating, editing, and displaying a multimedia presentation using images and/or video from a digital imaging device. The present invention addresses such a need.

### SUMMARY OF THE INVENTION

The present invention provides a method and apparatus for editing heterogeneous media objects in a digital imaging device having a display screen, where each one of the media objects has one or more media types associated therewith, such as a still image, a sequential image, video, audio, and text. The method aspect of the present invention begins by displaying a representation of each one of the media objects on the display screen to allow a user to randomly select a particular media object to edit. In response to a user pressing a key to edit a selected media object, one or more specialized edit screens is invoked for editing the media types associated with the selected media object. If the media object includes a still or a sequential image, then an image editing screen is invoked. If the media object includes a video clip, then a video editing screen is invoked. If the media object includes an audio clip, then an audio editing screen is invoked. And If the media object includes a text clip, then a text editing screen is invoked.

3

According to the present invention, each one of the specialized editing screens operates in a similar manner to ease use and operation of the digital imaging device and to facilitate creation of multimedia presentations on the digital imaging device, without the need to download the contents of the camera to a PC for editing.

#### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram illustrating of one preferred embodiment of a digital video camera (DVC) for use in accordance with the present invention.

FIGS. 2A and 2B are diagrams depicting an exemplary form factor design for the DVC.

FIG. 3 is a table listing example media types that may be captured and stored by the DVC.

FIG. 4A is a diagram illustrating one preferred embodiment of a review mode screen.

FIG. 4B illustrates another preferred embodiment of a review mode screen.

FIG. 5 is a flowchart depicting the process of creating an ordered group of heterogeneous media objects in accordance with the present invention.

FIGS. 6-8 are diagrams illustrating examples of marking heterogeneous media objects.

FIG. 9A is a diagram illustrating a slide show object implemented as a metadata file.

FIG. 9B is a diagram illustrating a slide show object implemented as a file directory.

FIG. 10 is a diagram illustrating the DVC connected to external projector, and alternatively to a television.

FIG. 11 is a diagram illustrating the components of the slide-show edit screen in accordance with the present invention.

FIG. 12 is a diagram illustrating the image editing screen.

FIG. 13 is a diagram illustrating the video editing screen.

FIGS. 14-17 are diagrams illustrating the process of editing a video on the DVC by creating and moving a video clip.

FIG. 18 is a diagram illustrating an audio editing screen for editing audio media types.

FIG. 19 is a diagram illustrating a text editing screen for editing text media types.

FIG. 20 is a diagram illustrating the mapping of the four-way control during slide show presentation.

FIG. 21 is a diagram illustrating the properties page of a media object.

#### DETAILED DESCRIPTION OF THE INVENTION

The present invention is a method and apparatus for creating and presenting a multimedia presentation comprising heterogeneous media objects stored in a digital imaging device. The following description is presented to enable one of ordinary skill in the art to make and use the invention and is provided in the context of a patent application and its requirements. Although the present invention will be described in the context of a digital video camera, various modifications to the preferred embodiment will be readily apparent to those skilled in the art and the generic principles herein may be applied to other embodiments. That is, any digital imaging device used to store and display and/or video, could incorporate the features described hereinbelow and that device would be within the spirit and scope of the present invention. Thus, the present invention is not intended to be limited to the embodiment shown but is to be accorded the widest scope consistent with the principles and features described herein.

4

Referring now to FIG. 1, a block diagram of one preferred embodiment of a digital video camera (DVC) is shown for use in accordance with the present invention. The DVC 100 is preferably capable of capturing and displaying various types of image data including digital video and high-resolution still images.

The DVC 100 comprises an imaging device 110, a computer 112, and a hardware user interface 114. The Imaging device 110 includes an image sensor (not shown), such as a charged coupled device (CCD) or a CMOS sensor, for capturing frames of image data in bayer format. The image frames are transferred from the imaging device 110 to the computer 112 for processing, storage, and display on the hardware user interface 114.

The computer 112 includes an image processing digital-signal-processor (DSP) 116, a video codec 132, an audio codec 132, a mass storage device 122, a CPU 124, a DRAM 126, an internal nonvolatile memory, a mixer, and a video control 132. The computer 112 also includes a power supply 134, a power manager 136, and a system bus 138 for connecting the main components of the computer 112.

The hardware interface 114 for interacting with the user includes a display screen 140 for displaying the digital video and still images, an audio subsystem 142 for playing and recording audio, buttons and dials 146 for operating the DVC 100, and an optional status display 148.

The CPU 124 may include a conventional microprocessor device for controlling the overall operation of camera. In the preferred embodiment, The CPU 124 is capable of concurrently running multiple software routines to control the various processes of camera within a multithreaded environment. In a preferred embodiment, The CPU 124 runs an operating system that includes a menu-driven GUI. An example of such software is the Digita™ Operating Environment by Flash-Point Technology of San Jose, Calif. Although the CPU 124 is preferably a microprocessor, one or more DSP 116's (digital signal processor) or ASIC's (Application Specific Integrated Circuit) could also be used.

Non-volatile memory 128, which may typically comprise a conventional read-only memory or flash memory, stores a set of computer readable program instructions that are executed by the CPU 124. Input/Output interface (I/O) 150 is an interface device allowing communications to and from computer 112. For example, I/O 150 permits an external host computer (not shown) to connect to and communicate with computer 118.

Dynamic Random-Access-Memory (DRAM) 126 is a contiguous block of dynamic memory that may be selectively allocated for various storage functions. DRAM 126 temporarily stores both raw and compressed image data and is also used by CPU 124 while executing the software routines used within computer 112. The raw image data received from imaging device 110 is temporarily stored in several input buffers (not shown) within DRAM 126. A frame buffer (not shown) is used to store still image and graphics data via the video control 132 and/or the mixer.

Power supply 134 supplies operating power to the various components of camera. Power manager 136 communicates via line with power supply 134 and coordinates power management operations for camera. In the preferred embodiment, power supply 134 provides operating power to a main power bus 152 and also to a secondary power bus 154. The main power bus 152 provides power to imaging device 110, I/O 150, Non-volatile memory 128 and removable memory. The secondary power bus 154 provides power to power manager 136, CPU 124 and DRAM 126.

5

Power supply **134** is connected to main batteries and also to backup batteries **360**. In the preferred embodiment, a camera user may also connect power supply **134** to an external power source. During normal operation of power supply **134**, the main batteries (not shown) provide operating power to power supply **134** which then provides the operating power to camera via both main power bus **152** and secondary power bus **154**. During a power failure mode in which the main batteries have failed (when their output voltage has fallen below a minimum operational voltage level) the backup batteries provide operating power to power supply **134** which then provides the operating power only to the secondary power bus **154** of camera.

FIGS. 2A and 2B are diagrams depicting an exemplary form factor design for the DVC **100**, shown, here as a clamshell design having a rotatable imaging device **110**. FIG. 2A is a top view of the DVC **100** in an opened position, while FIG. 2B is a top view of the DVC **100** in a closed position. FIG. 2A shows the display screen **140**, a four-way navigation control **200**, a mode dial **202**, a display button **204**, a set of programmable soft keys **206**, a shutter button **208**, a menu button **210**, and an audio record button **212**.

The mode dial **202** is used to select the operating modes for DVC **100**, which include a capture mode (C) for recording video clips and for capturing images, a review mode (R) for quickly viewing the video clips and images on the display screen **140**, and a play mode (P) for viewing full-sized images on the display screen **140**.

When the DVC **100** is placed into capture mode and the display screen **140** is activated, the camera displays a "live view" of the scene viewed through the camera lens on the display screen **140** as a successive series of real-time frames. If the display screen **140** is not activated, then the user may view the scene through a conventional optical viewfinder (not shown).

Referring to FIGS. 1 and 2A, during live view, the imaging device **110** transfers raw image data to the image processing DSP **116** at 30 frames per second (fps), or 60 fields per second. The DSP **116** performs gamma correction and color conversion, and extracts exposure, focus, and white balance settings from the image data and converts the data into CCIR **650** streaming video, (CCIR **650** is an international standard for digital video designed to encompass both NTSC and PAL analog signals, providing an NTSC-equivalent resolution of 720×466 pixels at 30 fps. It requires 27 MB per second and uses three signals: one 13.5 MB/sec luminance (gray scale) and two 6.75 MB/sec chrominance (color)).

After processing, the streaming video from the DSP **116** is transferred to the mixer for the overlay of optional graphics and/or images onto the video. The graphics data from the DRAM's **126** frame buffer is transferred to the mixer in synch with streaming video, where the mixer combines the graphic data with the video. After the streaming video and the graphics are combined, the video is displayed on the display screen **140** via the video control **132**. A video out port is also provided to display the video on an external display device.

When the user initiates the video capture function to record the digital video, the streaming video output from the DSP **116** is also transferred to the video codec **132** for compression and storage. The video codec **132** performs MPEG-2 encoding on the streaming video during recording, and performs MPEG-2 decoding during playback. The video codec **132** may include local memory, such as 32 Mbits of SDRAM **126** for example, for MPEG-2 motion estimation between frames. Such video codecs **132** are commercially available from Sony Electronics (CXD1922Q0) and Matsushita Electronics Corp.

6

As the video codec **132** compresses the digital video, the compressed video stream is transferred to a temporary buffer in DRAM **126**. Simultaneously, audio is recorded by the audio subsystem **142** and transferred to the audio codec **132** for compression into a compressed audio format, such as MPEG Audio Layer 3 (MP3), which is common internet format. In an alternative embodiment, the audio could be compressed into AC-3 format, a well-known Dolby Digital audio recording technology that provides six surround-sound audio channels.

The CPU **124** mixes the compressed video and audio into a specified format, such as MPEG-2, for example. After the compressed MPEG-2 data is generated, the CPU **124** transfers the MPEG-2 data to the removable mass-storage device **122** for storage. In a preferred embodiment, the mass storage device **122** comprises a randomly accessible 3-inch recordable DVD drive from Toshiba/Panasonic, or a one-inch 340 MB MicroDrive™ from IBM, for example.

The video architecture inputs the video stream from the DSP **116** directly into the mixer, rather than first storing the video in memory and then inputting the video to the mixer, in order to save bus bandwidth. However, if sufficient bus bandwidth is provided (e.g., 100 MHz), the video stream could be first stored in memory.

Although the resolution of the display screen **140** may vary, the display screen **140** resolution is usually much less than the resolution of the image data that's produced by imaging device **110** when the user captures a still image at full resolution. Typically, the resolution of display screen **140** is ¼ the video resolution of a full resolution image. Since the display screen **140** is capable of only displaying images at ¼ resolution, the images generated during the live view process are also ¼ resolution.

As stated above, the DVC **100** is capable of capturing high-resolution still images in addition to video. When the user initiates the capture function to capture a still or sequential image, the image device captures a frame of image data at a resolution set by user. The DSP **116** performs image processing on the raw CCD data to convert the frame of data into YCC color format, typically YCC 2:2:2 format (YCC is an abbreviation for Luminance, Chrominance-red and Chrominance-blue). Alternatively, the data could be converted into RGB format (Red, Green, Blue).

After the still image has been processed, the image is compressed, typically in JPEG format, and stored as an image file on the mass storage device **122**. A JPEG engine (not shown) for compressing and decompressing the still images may be provided in the image processing DSP **116**, the video codec **132**, provided as a separate unit, or performed in software by the CPU **124**.

After the image has been compressed and stored, live view resumes to allow the capture of another image. The user may continue to either capture still images, capture video, or switch to play or review mode to playback and view the previously stored video and images on the display screen **140**. In a preferred embodiment, the DVC **100** is capable of capturing several different media types, as shown in FIG. 3.

FIG. 3 is a table listing example media types that may be captured and stored by the DVC **100**. Also shown are the corresponding icons that are used to indicate to the media type. The media types include a single still image, a time lapse or burst image, a panorama, a video segment, an audio clip, and a text file.

A still image is a high-quality, single image that may have a resolution of 1536×1024 pixels, for example. A time-lapse image is a series of images automatically captured by the DVC **100** at predefined time intervals for a defined duration

7

(e.g. capturing a picture every five minutes for an hour). A burst image is similar to a time-lapse, but instead of capturing images for defined period of time, the DVC 100 captures as many images as possible in a brief time frame (e.g., a couple seconds). A panorama image is an image comprising several overlapping images of a larger scene that have been stitched together. A burst image, a time-lapse image, and a panorama image are each objects that include multiple still images, therefore, they may be referred to as a sequential images.

In addition to capturing different image-based media types, the DVC 100 can capture other media types, such as audio clips and text. The user can record a voice message to create a stand-alone audio clip, or the user may record a voice message and have it attached to an image to annotate the image. Audio clips may also be downloaded from an external source to add sound tracks to the captured objects.

A text media type is created by entering letters through the buttons on the user interface. The text along with graphics can be overlaid as watermarks on the images or, the text can be saved in a file to create a text-based media type.

In a preferred embodiment, one or more of the different media types can be combined to form a single media object. Since various combinations may be formed, such as single image with sound, or burst image with text, etc, the DVC 100 can be described at storing heterogeneous media objects, each comprising a particular combination of media types, such as images, video, sound, and text/graphics. Some types of media objects are formed automatically by the DVC 100, such as a captured image or an annotated image, others are formed manually by the user.

After media objects are created and stored, the user may view the media objects by switching the camera to play mode or review mode. In play mode, the camera 100 allows the user to view screen-sized images in the display screen 140 in the orientation that the image was captured. Play mode also allows the user to hear recorded sound associated with a displayed image, and to play back sequential groups of images (time lapse, burst, and panorama images) and to view movies from the video.

In review mode, the DVC 100 enables the user to rapidly review the contents of the DVC. In addition, the media objects may be edited, sorted, printed, and transferred to an external source.

Referring now to FIG. 4A, a diagram illustrating one preferred embodiment of the review mode screen is shown. Moving the mode dial 202 (FIG. 2) to access the review mode enables the user to view all the media objects in the camera along with the specific media types associated with each of the objects.

The first embodiment of the review mode screen displays a series of object cells 300 that represent the media objects stored on the DVC 100, and a command bar 310. The display screen 140 is shown here as displaying nine object cells 300, although other numbers are also suitable.

The user may navigate through a series of displayed object cells 300 in the display screen 140 using the four-way navigation control 200. The object cell 300 currently selected by the four-way navigation control 200 is indicated by a highlighted area 302, which in this embodiment is shown as selection rectangle. Other shapes or indications that a object cell 300 is the currently active object cell are also suitable.

Each object cell 300 includes an image area 304 and an icon/information area 306. In the case of a still image, the image area 304 of a object cell 300 displays a thumbnail of the media object, which in the case of an image-based media object is a small, low-resolution version of the image. In the case of sequential images and video segments, the image area

8

304 of a object cell 300 displays a representative thumbnail or frame from the image sequence or video, respectively, typically the first one.

The icon/information area 306 displays one or more graphical icons and/or text information indicating to the user what media types have been associated with the media object displayed in the image area 304. The icon/information area 306 may be placed in various positions relative to the image area 304. However, in a preferred embodiment, the icon/information area 306 is displayed on the right-hand side of each object cell 300, as shown.

Referring now to FIG. 4B a diagram illustrating a second preferred embodiment of the review mode screen is shown, where like components share like reference numerals. In the second preferred embodiment, the review mode screen includes a filmstrip 352, the icon/information area 306 for displaying the media type icons associated with the active media object 302, a large thumbnail 354 showing a larger view of the active media object 302, and the command bar 310.

In a preferred embodiment, the filmstrip 352 displays four thumbnail images 350 at a time, although other numbers are also suitable. The user may navigate through the series of displayed thumbnails 350 in the display screen 140 using the four-way navigation control 200 (FIG. 2A). When the user holds down the left/right buttons on the four-way control 200, the thumbnails 350 are scrolled-off the display screen 140 and replaced by new thumbnails 350 representing other stored media objects to provide for fast browsing of the camera contents. As the user presses the buttons on the four-way control 200 and the thumbnails 350 scroll across the display screen 140, the thumbnail 350 that is positioned over a notch in the selection arrow line 356 is considered the active media object 302. When there are more than four media objects in the camera, the selection arrow line 356 displays arrowheads to indicate movement in that direction is possible with the left/right navigation buttons.

When a thumbnail 350 becomes the active media object 302, the media type icons corresponding to that media object are automatically displayed in the icon/information area 306, along with the large thumbnail 354. Other information can also be displayed, such as the name or number of the media object, and the date and time the media object was captured or created, for example.

In both the first and second embodiments of the review screen layout, displaying icons and text information in the icon/information area 306 according to the present invention provides the user with an automatic method identifying common groups of media objects. This also reduces the need for the user to switch to play mode to view the full-sized view of the object in order to recall the object's subject matter, which eliminates the need for decompressing the objects for display.

In a first aspect of the present invention, a method and apparatus is provided for creating and presenting a multimedia presentation from the heterogeneous group of media objects stored and displayed on the DVC 100. This is accomplished by navigating through several displays showing the heterogeneous media objects, selecting and marking the desired objects in the preferred order to create an ordered list of objects, and then saving the ordered list of objects as a slide show, thereby creating a new type of media object. After the slide show is created, the user may present the slide show wherein each media object comprising the slide show is automatically played back to the user in sequence that it was selected. The slide show may be played back on the display screen 140 and/or on an external television via the video out port.

In a second aspect of the present invention, each media object may be edited before or after incorporation into the slideshow, where each media object is edited using different media types editors designed to edit the media types associated with that particular object.

In a third aspect of the present invention, the user may specify parameters for slide show so that the objects in the slide show are not displayed linearly, but are displayed in an order that is dependent upon user defined events, thus creating an interactive slide show.

Each aspect of the present invention will now be explained in the sections below.

#### Slide Show Creation From Heterogeneous Media Objects

In a preferred embodiment, a slide show is generated by providing the DVC 100 with a marking and unmarking function within the user interface 114 that simultaneously provides for the selection and order of the heterogeneous media objects in the slide show.

Referring again to FIGS. 4A and 4B, in a preferred embodiment, the marking and unmarking function is implemented through the use of the soft keys 206a, 206b, and 206c displayed in the command bar 310, which are programmable, i.e., they may be assigned predefined functions. Hence, the name “soft” keys.

The function currently assigned to a respective soft key 206 is indicated by several soft key labels 308a, 308b, and 308c displayed in the command bar 310 on the display screen 140. In an alternative embodiment, the display screen 140 may be a touch-screen wherein each soft key 206 and corresponding label are implemented as distinct touch-sensitive areas in the command bar 310.

After a soft key label 308 has been displayed, the user may press the corresponding soft key 206 to have the function indicated by its label 308 applied to the current image. The functions assigned to the soft keys 206 may be changed in response to several different factors. The soft 206 keys may change automatically either in response to user actions, or based on predetermined conditions existing in the camera, such as the current operating mode, the image type of the media object, and so on. The soft keys 206 may also be changed manually by the user by pressing the menu button 210. Providing programmable soft keys 206 increases the number of functions that may be performed by the camera, while both minimizing the number of buttons required on the user interface 114, and reducing the need to access hierarchical menus.

In the first embodiment of the present invention, the soft keys 206 are “Mark”, “Edit”, and “Save”. Although not shown, other levels of soft key functions may be provided to increase the number of functions the user could apply to the media objects.

In general, the mark function indicated by soft key label 308a enables a user to create a temporary group of media objects. After a group of media objects is created, the user may then perform functions on the group other than transforming the temporary group into a permanent slide show, such as deleting the group and copying, for example.

To create an ordered group of images, the user navigates to a particular media object using the four way control 200 and presses the “Mark” soft key 206a corresponding to the mark function indicated by soft key label 308a. In response, a mark number is displayed in the object cell 300 of the highlighted image 302 and the highlighted image 302 becomes a marked image. After an image is marked, the “Mark” soft key label 308a is updated to “Unmark”. The “Unmark” function allows

the user remove an image from the group, which removes the mark number from the object cell 300 of the highlighted image.

According to the present invention, a user may randomly create an ordered group of heterogeneous media objects using the four-way navigation control 200, and the programmable function keys 206, as shown in FIG. 5.

FIG. 5 is a flowchart depicting the process of creating an ordered group of heterogeneous media objects in accordance with the present invention.

The process begins when a user selects a media object by positioning the highlight area 302 over the object cell 300, or otherwise selects the object cell 300, using the four-way navigational control 200 in step 500. The user then presses the function key corresponding to the Mark soft key label 308a in step 502. After the “Mark” soft key 206a is depressed, the object cell 300 is updated to display the number of images that have been marked during the current sequence in step 504. The object cell 300 may also be updated to display an optional graphic, such as a dog-ear corner or a check mark, for example. After the object cell 300 has been updated, the “Mark” soft key in the command bar is updated to “Unmark” in step 506.

Next, the user decides whether to add more media objects to the temporary set of marked media objects in step 508. If the user decides to add more media objects, then the user selects the next media object using the four-way navigational control 200, and the “Unmark” soft key in the command bar is updated to “Mark” in step 510.

If the user decides not to add more media objects to the temporary group of marked media objects in step 508, then the user decides whether to remove any of the marked media objects from the group in step 512. If the user decides not to remove any of the marked media objects from the group, then the user may select a function, such as “Save” or “Delete” to apply to the group in step 514.

If the user decides to remove a marked media object from the group, then the group is dynamically modified as follows. The user first selects the media object to be removed by selecting the marked media object using the four-way navigational control 200 in step 516. The user then presses the function key corresponding to the “Unmark” soft key in step 518.

After the “Unmark” key is depressed, the object cells 300 for the remaining marked media objects may be renumbered. This is accomplished by determining whether the selected media object is the highest numbered media object in the marked group in step 522. If the selected media object is not the highest numbered media object in the marked group, then the marked media objects having a higher number are renumbered by subtracting one from the respective mark number and displaying the result in their object cells 300 in step 524. After the mark number is removed from the unmarked media object and the other mark numbers renumbered if required, the “Unmark” soft key in the command bar is updated to “Mark” in step 526. The user may then continue to modify the group by marking and/or unmarking other media objects accordingly.

The process of grouping media objects in the digital camera will now be explained by way of a specific example with reference to FIGS. 4A, 4B, and 6-8.

Referring again to FIG. 4A, assume that the user wishes to create a slide show beginning with the selected media object 302. At this point, the soft keys displayed in the command bar are prompts to the user that the user may perform the displayed functions, such as “Mark”, on the highlighted media

## 11

object. The mark function is then performed by the user pressing the Mark function key **206a**.

Referring now to FIG. 6 a diagram illustrating the result of the user pressing the Mark function key is shown. The selected media object cell **302** is updated with the number “1”, which indicates that the media object is the first to be marked. FIG. 7 is a diagram showing the user marking another media object by selecting a second media object cell **322** and pressing the Mark function key. This causes the media object cell **322** to be updated with the number “2”. FIG. 8 is a diagram showing a third media object being selected and marked, as described above, in which case, the icon area of the media object **342** is updated with the number “3”.

Referring again to FIG. 5, while marking media objects, the method for removing media objects in the group (steps **512-524**) also allows a user to dynamically reorder or resequence the media objects in the group. For example, assume the user has marked five media objects, labeled as “1”, “2”, “3”, “4”, “5”, and wants to make media object “3” the last media object in the group. This can be accomplished by unmarking media object “3”, which results in media objects “4”, and “5” being renumbered “3” and “4”, respectively. Thereafter, the user may mark the original media object “3”, which results in the media object being labeled with the number “5”.

Referring again to FIG. 4, after the group has been created with the chosen media objects in the desired sequence, the user saves the ordered group to create a slide show media object. In a preferred embodiment, the slide show media object is created using “Save” function shown in the command bar **310**.

In one preferred embodiment, pressing the soft key **206c** assigned the “Save” function creates a metadata file, which is a file containing data that describes other data.

Referring to FIG. 9A, a diagram illustrating a slide show object **360** implemented as an exemplary metadata file is shown. The metadata file includes a series of fields that acts a play list when the file is read by identifying one or more of the following attributes for each media object:

- a) A pointer to, or the address of, the media object,
- b) An identification of each media object’s associated media types; and
- c) A duration of play.

Creating a metadata file that simply points to the real media objects saves storage space since the original media objects do not have to be duplicated.

In a second preferred embodiment, pressing the soft key **206c** assigned the “Save” function (FIGS. 4A and 4B) creates a permanent group of media objects by copying all of the marked media objects either into a file, a folder, or a directory on the DVC’s mass storage device **122**. A dialog box or other type of prompt appears asking the user to name the new file, folder, or directory.

Referring to FIG. 9B, a diagram illustrating a slide show object **360'** implemented as a file directory is shown. A directory named “slide show” is created for the slide show **360'**, where the name of the directory may be input by the user. After the directory is created, each marked media object is then copied to the directory as shown. Since the media objects are copied, the original media objects are left in tact, and the new slide show object **360'** may be transferred to an external source.

After the slide show **360** has been created using any of the described embodiments, it is displayed as a new media object cell **300** on the display screen **140** along with an icon indicating that the media object is a slide show. Selecting the new slide show object cell **300** and pressing the display button **204**

## 12

or switching to play mode causes each of the media objects included in the “slide show” to be individually played back on the display screen **140** in the sequence that they were marked without user intervention.

In the case of a slide show **360** created as metadata file, the slide show is played by executing the metadata file, causing each media object listed to be fetched from memory and played in the order listed in the file. In the case of a slide show **360'** created as a standard file or directory, the slide show **360'** is played by displaying each media object in the order and listed.

When the slide show is presented, each media object therein is played by playing each of the media types comprising the object. For example, a still image is played by displaying the image for a predefined time on the display screen **140** while playing any associated audio. Sequential images are played by displaying each still comprising the sequential image while playing any associated audio. Video segments are played as a convention movie. A text-based object is played by displaying the text on the display screen **140**. And a stand-alone audio clip is played by displaying a blank screen or the name of the clip while the audio is played through the DVC’s **100** speakers.

According to the present invention, by connecting the DVC **100** to an external projector or television via the video output port, and playing the slide show **360**, the camera can be used as a presentation device in place of a notebook computer, as shown in FIG. 10.

FIG. 10 is a diagram illustrating the DVC **100** connected to external projector **380**, and alternatively to a large television **382**. When the slide show **360** is played, the images, video and audio are automatically displayed directly on the large screen **384** or on the screen of the television **382** from the DVC **100**. Thus, the present invention enables a novice user to show multimedia presentations without the need for downloading images and/or video to a computer for incorporation into presentation software to create a multimedia presentation.

#### Editing Media Objects

Referring again to FIG. 8 in a second aspect of the present invention, the DVC **100** is provided with an advanced feature that allows the user to edit the media objects either before or after incorporation into the slide show **360** using specialized media type editors. In one preferred embodiment, the user edits the slide show **360** by selecting the slide show object in either review or play mode, and then pressing the “Edit” soft key **206b**. In response a slide show edit screen appears displaying the thumbnail images of all the media objects in the slide show.

Referring now to FIG. 11, a diagram illustrating the components of the slide show edit screen is shown in accordance with the present invention. The slide show edit screen is based on the review screen layout of FIG. 4B, where like components share like reference numerals. The slide show edit screen **400** includes, the filmstrip **352**, a list page **402**, and the command bar **310**. The filmstrip **352** displays a scrollable series of thumbnails representing all the media objects in the slide show. The list page **402** displays a scrollable list of menu items that can be applied to the selected media object. And the command bar **310** displays several of soft key functions **308**.

In the implementation shown in FIG. 11, the user may move a target cursor to discrete cursor locations **404** within the screen **400**, shown here as diamond shapes, using the four-way navigational control **200**. The cursor is active at any given time in either the filmstrip **352** or the list page **402**. The current target-cursor location is shown as a black diamond, and the element associated with the current cursor location is

## 13

the target element. In a preferred embodiment, the soft key labels **308** displayed in the command bar **310** are only associated with the target element.

To edit the slide show, the user navigates to the media object of interest in the filmstrip **352** and presses the “Choose” function **308a** to select the targeted media object. In response, the target cursor location in the now inactive filmstrip **352** changes to a white diamond to show that the selection of the selected media object **302** is persistent. At the same time, the black diamond cursor appears in the active list page **402**.

When in the list page **402**, the item associated with the current cursor location becomes the target item and the recipient of the functions in the command bar **310**. While the list page **402** is active, the “Exit” function saves the state of the list page **402** and moves the target cursor back to the selected media object **302** in filmstrip **352**. The “Help” function offers assistance with the target item.

From the list page **402**, the user may choose the “Edit Object” item **406** for editing the selected media object **302**, or choose the “Properties” item **408** to change the properties associated with the selected media object **302**. Choosing the “Edit Object” item **406** invokes an edit screen for editing the selected media object’s content, which means editing the media types associated with the selected media object. In a preferred embodiment, for editing still image and sequential image media types, an image editor appears to enable the user to change the appearance of the image(s). For video, a video editor appears to enable the user to edit and rearrange scenes. For the audio, a sound editor appears to enable the user to edit the sound. And for text, such as a list of email addresses for example, a text editor appears to enable the user to modify the text.

According to the present invention, all four editing screens operate similar to the slide show editing screen **400** to ease the use and operation of the editing functions and facilitate the creation of multimedia presentations by non-computer savvy users.

Referring now to FIG. **12**, a diagram illustrating the image editing screen **420** is shown. The image editing screen **420** displays the thumbnail image **422** of the selected media object in the filmstrip **352** along with a real time preview of the modified image **424**. The user may select which editing function to apply to the selected media image **422** by moving the target cursor to the item in the list page **402** and pressing the “Choose” softkey **206a**. In response, a menu or screen showing modifiable parameters for the selected item is displayed. When the parameters are changed, the results are applied to the selected image and displayed as the modified image **424**. The user may then choose to keep or discard the changes.

Referring now to FIG. **13**, a diagram illustrating the video editing screen is shown. The video editing screen **430** displays a movie graph **432** in the filmstrip **352** showing a pictorial representation of a video’s duration, a position of a playback head **434**, and cue locations **436** and **438** that mark significant moments in the video. The video’s duration can be sized to fit the length of the movie graph **432** or scaled up and down via the “Zoom In” and Zoom Out” soft key functions **308a** and **308b**. A preview pane **440** is provided to play back that portion of the video shown in the filmstrip **352**.

The position of the playback head **434** is preferably located in the center of the movie graph **432** and marks the current frame. The movie scrolls forwards and backwards under the playback head **434**. The cursor locations **436** (diamonds) on the left and right sides of the movie graph **432** control scrolling. The user may play back the video by navigating to the

## 14

“Preview” item in the list page **402**, causing that portion of the video to play in the preview pane **440**.

The cues **438** displayed across the top of the movie graph **432** are associated with the visible video duration. The user may define clips within the video by marking begin and end frames with cues **438**. After defining the clip, the user may copy, move, or delete the clip.

FIGS. **14-17** are diagrams illustrating the process of editing a video on the DVC **100** by creating and moving a clip.

Referring to FIG. **14**, the process of creating a clip begins by defining and inserting a new cue by navigating to the “Cue” item in the list page **402** and pressing the “Insert” softkey **206a**.

FIG. **15** shows that by default the inserted cue **442** is positioned along the movie graph **432** on the current frame marked by the playback head **434**. When a cue is inserted, or otherwise targeted by the cursor, the command bar **310** is updated enable the user to select, move, or delete the cue. Pressing the “Choose” soft key **206a** marks the current cue position as the beginning frame of the video clip.

Referring now to FIG. **16**, after defining the start of the clip, the user navigates left or right to another cue location **438**, and presses the “Choose” soft key **206a** again to define the end frame of the clip. The duration of the video between the two clips becomes a selected clip **444**, as shown in FIG. **16**. After the clip **444** is created, the command bar **310** is updated to enable the user to copy, move, or delete the clip. To move the clip **444**, the user presses the “Move” soft key **206b**.

Referring now to FIG. **17**, in move mode, the user may drag the clip **444** left and right to the desired location in the video using the navigation control **200**. The video will scroll if required. The user can choose to insert the clip **444** at its new location by pressing the “Insert” soft key **206a** (which “offsets” the video content underneath it), or replace the video content with the clip content by pressing the “Replace” soft key **206a**. If the user inserts the clip **444**, all cues downstream are preferably offset by the duration of the clip. Once the clip **444** is dropped into its new position, the move mode is turned off, and the user may edit the clip, navigate to another clip, or navigate to the list page to perform other operations.

According to the video editing screen **430** of the present invention, novice users are provided with a way to edit digital video directly on the DVC. Thus the present invention eliminates need for downloading the video to a PC and editing the video with some complex video editing package geared towards expert videophiles.

Referring now to FIG. **18**, a diagram illustrating an audio editing screen for editing audio media types is shown. The audio editing screen **450** appears and operates like the video editing screen **430**, except that a waveform **452** depicting the recorded audio is displayed in the filmstrip **352**. The user may hear the audio by selecting the “Play” item in the list page **402**, or insert cues as described above by selecting the “Cue” item.

Referring now to FIG. **19**, a diagram illustrating a text editing screen for editing text media types is shown. The text editing screen **460** allows the user to edit text-based media objects. The text editing screen **460** uses the filmstrip **352** for displaying text that is to be edited, and includes a keyboard **462** in the list page **402**, and an edit field **464**.

To enter text, the user navigates to a desired character in the keyboard **462** and presses the “Type” soft key **206a** whereupon the letter appears in the both the filmstrip **352** and the edit field **464**. The user may edit a current word **466** by press the “up” button twice on the four-way navigational control **200** to enter the filmstrip **352**. A cursor may be moved back and forth using the navigational control **200** to select a word

15

466, causing the word to appear in the edit field 464. The word may then be edited using the key board 462.

Modifying the Slide Show to Create an Interactive Presentation

Referring again to FIG. 11, after creating and/or editing the slide show, the slide show is ready to present. According to a third aspect of the present invention, the user may choose different presentation styles to apply to the slide show to create interactive presentations. In addition, the user may change the properties of media objects so that the objects in the slide show are not displayed linearly during playback, but rather are displayed in an order that is dependent upon user defined events.

In a preferred embodiment of the present invention, three presentation styles are provided. The first presentation style is to play back the media objects in the order that they were marked by the user during slide show creation. This is the default style. After creating the slide show, all the user need do is press the display button 204 and the slide show will present itself automatically.

The second presentation style is random access, where the play back order is controlled manually by the user using the four-way navigational control 200 (FIG. 2). According to the present invention, the functions of the four-way navigational control 200 are changed during slide show presentation

FIG. 19 is a diagram illustrating the mapping of functions to the four-way control during slide show presentation. The function mapped to the right (or forward) button 200a is to display the next media object in the slide show when the button 200a is pressed. The function mapped to the left button 200b is to display the next media object in the slide show when the button 200b is pressed. And the function mapped to either the up or down buttons 200c and 200d is to display a list of media objects in the slide show when either the up or down buttons 200c and 200d is pressed. Once the list is displayed, the user can scroll to a desired media object and select that media object to cause it to be displayed, thus providing random access to the objects in the slide show during presentation.

The third presentation style is branching, which allows the user to associate branches to a particular media object that indicate which media object in the slide show will be played after the current media object. During playback, the user controls whether or not the branch should be taken.

Referring again to FIG. 11, in a preferred embodiment, the user establishes the branch associations by navigating to a desired media object in the slide show and selecting the "Properties" item 408 from the list page 402. In response, a properties page is displayed.

Referring now to FIG. 21, a diagram illustrating the properties page of the current media object 482 is shown. The properties page 480 displays the thumbnail of the current media object 482 in the filmstrip 352. The list page 402 displays a scrollable list of user-defined properties associated with the current media object 482 that control how and when the media object is played back during the slide show presentation. The user chooses which property to change by moving the target cursor to the discrete cursor locations 404 using the four-way navigational control 200.

As shown, the first property the user may change is the media object's position in the slide show. This property allows the user to manually change the media object's order of play in the slide show. As an example, the number three indicates the current media object 482 is the third object that will be played during the presentation of the slide show.

The second property the user may change is the duration the media object will be played back before the next media

16

object is played. In a preferred embodiment, three types of duration settings are provided. The first duration type is a predefined fixed duration, such as 3 seconds, for example. The second duration type is automatic and is used when the media object includes audio. The automatic setting causes the media object to be played for the duration of the associated audio. The third type of duration is random, where the user overrides the duration setting by manually playing the next media object using the navigation control during slide show presentation, as described with reference to FIG. 20.

As stated above, another property the user may change is branching, which causes the slide show to branch to predefined media objects during presentation. In a preferred embodiment, the user specifies which media objects may be branched to by associating the media objects to the soft keys 206. When the edited media object is subsequently played in the slide show, the soft key labels 308 display the names of the specified media objects that may be branched to. When the user presses one of the soft keys 206, the slide show jumps to the specified media object and the presentation continues.

The example of FIG. 21 shows that the user has associated media object #8 with the first soft key 206a, and has associated media object #20 with the second soft key 206b. After the user has defined all the properties, the user may exit the properties screen 480 and edit the other media objects or play the newly created interactive slide show presentation.

When the slide show is presented, and the media object 482 edited in FIG. 21 is played, the user will have the options of allowing the slide show to play in the defined order or change the order of playback. The order of playback may be changed by playing adjacent media objects using the navigational control, or by using the soft keys 206 to branch to the media objects displayed in the command bar 310.

In accordance with the present invention, the properties screen 480, the text editing screen 460, the audio editing screen 450, the video editing screen 430, and the image editing screen 420 have been provided with an integrated user interface so that all the screens operate similarly, thus making the advance editing functions easy to learn by novice users. In addition, the variety of functions provided by the editing screens enable the user to edit the text, audio, video, and image media types all within a DVC.

In summary, a method and apparatus for creating and presenting a multimedia presentation comprising heterogeneous media objects in the digital imaging device has been disclosed. Although the present invention has been described in accordance with the embodiments shown, one of ordinary skill in the art will readily recognize that there could be variations to the embodiments and those variations would be within the spirit and scope of the present invention.

For example, the functions of creating the slide show, editing the heterogeneous media objects, and changing the properties of the heterogeneous media objects, may be included as part of the operating system, or be implemented as an application or applet that runs on top, or in place, of the operating system. In addition, the present invention may be implemented in other types of digital imaging devices, such as an electronic device for archiving images that displays the stored images on a television, for instance. In addition, software written according to the present invention may be stored on a computer-readable medium, such as a removable memory, or transmitted over a network, and loaded into the digital camera for execution. Accordingly, many modifications may be made by one of ordinary skill in the art without departing from the spirit and scope of the appended claims.

17

What is claimed is:

1. A method for editing a plurality of media objects in a hand-held image capture device having a display screen, the method comprising the steps of:

- a) displaying a representation of each one of the media objects on the display screen, each one of the media objects having a plurality of media types associated therewith, wherein the plurality of media types includes at least two of a still image, a sequential image, and a video clip;
- b) enabling a user to randomly select a particular media object to edit; and
- c) in response to the user pressing a key to edit the selected media object, invoking a plurality of specialized edit screens for editing the plurality of media types associated with the selected media object, wherein in each one of the plurality of the specialized edit screens, a representation of the selected media object's content, and items to be applied to the selected media object are displayed, whereby each one of the plurality of the specialized edit screens invokes a plurality of soft keys to ease use and operation of the hand-held image capture device and to facilitate creation of multimedia presentations on the hand-held image capture device.

2. The method as recited in claim 1, wherein each of the plurality of soft keys are programmable and assigned a predefined function.

3. The method as recited in claim 2, wherein the predefined function assigned to each of the plurality of soft keys is indicated by soft key labels.

4. The method as recited in claim 3, wherein the plurality of soft keys and the soft key labels are implemented as touch sensitive areas on each of the plurality of the specialized edit screens.

5. The method as recited in claim 2, wherein the predefined function corresponds to editing functions that are applied to the selected media object.

6. The method as recited in claim 1, wherein the plurality of soft keys correspond to physical keys on the handheld device.

7. A method for editing a plurality of media objects in a hand-held image capture device having a display screen, the method comprising the steps of:

- a) displaying a representation of each one of the media objects on the display screen, each one of the media objects having a plurality of media types associated therewith, wherein the plurality of media types includes a sequential image and a video clip;
- b) enabling a user to randomly select a particular media object to edit; and
- c) in response to the user pressing a key to edit the selected media object, invoking a plurality of specialized edit screens for editing the plurality of media types associated with the selected media object, wherein in each one of the plurality of the specialized edit screens, a representation of the selected media object's content, and items to be applied to the selected media object are displayed, whereby each one of the plurality of the specialized edit screens invokes a plurality of soft keys to ease use and operation of the hand-held image capture device and to facilitate creation of multimedia presentations on the hand-held image capture device.

8. The method as recited in claim 7, wherein each of the plurality of soft keys are programmable and assigned a predefined function.

9. The method as recited in claim 8, wherein the predefined function assigned to each of the plurality of soft keys is indicated by soft key labels.

18

10. The method as recited in claim 9, wherein the plurality of soft keys and the soft key labels are implemented as touch sensitive areas on each of the plurality of the specialized edit screens.

11. The method as recited in claim 8, wherein the predefined function corresponds to editing functions that are applied to the selected media object.

12. The method as recited in claim 7, wherein the plurality of soft keys correspond to physical keys on the handheld device.

13. A method for editing a plurality of media objects in a hand-held image capture device having a display screen, the method comprising the steps of:

- a) displaying a representation of each one of the media objects on the display screen, each one of the media objects having a plurality of media types associated therewith, wherein the plurality of media types includes a still image and a video clip;
- b) enabling a user to randomly select a particular media object to edit; and
- c) in response to the user pressing a key to edit the selected media object, invoking a plurality of specialized edit screens for editing the plurality of media types associated with the selected media object, wherein in each one of the plurality of the specialized edit screens, a representation of the selected media object's content, and items to be applied to the selected media object are displayed, whereby each one of the plurality of the specialized edit screens invokes a plurality of soft keys to ease use and operation of the hand-held image capture device and to facilitate creation of multimedia presentations on the hand-held image capture device.

14. The method as recited in claim 13, wherein each of the plurality of soft keys are programmable and assigned a predefined function.

15. The method as recited in claim 14, wherein the predefined function assigned to each of the plurality of soft keys is indicated by soft key labels.

16. The method as recited in claim 15, wherein the plurality of soft keys and the soft key labels are implemented as touch sensitive areas on each of the plurality of the specialized edit screens.

17. The method as recited in claim 14, wherein the predefined function corresponds to editing functions that are applied to the selected media object.

18. The method as recited in claim 13, wherein the plurality of soft keys correspond to physical keys on the handheld device.

19. A hand-held image capture device comprising:

- a display screen; and
- a processor associated with the display screen, the processor configured to:

display a representation of media objects on the display screen, each one of the media objects having a plurality of media types associated therewith, wherein the plurality of media types includes at least two of a still image, a sequential image, and a video clip;

enable a user to randomly select a particular media object to edit; and

in response to the user pressing a key to edit the selected media object, invoke a plurality of specialized edit screens for editing the plurality of media types associated with the selected media object, wherein in each one of the plurality of the specialized edit screens, a representation of the selected media object's content, and items to be applied to the selected media object are displayed, whereby each one of the plurality of the

19

specialized edit screens invokes a plurality of soft keys to ease use and operation of the hand-held image capture device and to facilitate creation of multimedia presentations on the hand-held image capture device.

20. The hand-held image capture device as recited in claim 19, wherein each of the plurality of soft keys are programmable and assigned a predefined function. 5

21. The hand-held image capture device as recited in claim 20, wherein the predefined function assigned to each of the plurality of soft keys is indicated by soft key labels displayed on the display screen. 10

22. The hand-held image capture device as recited in claim 21, wherein the plurality of soft keys and the soft key labels are implemented as touch sensitive areas on each of the plurality of the specialized edit screens. 15

23. The hand-held image capture device as recited in claim 20, wherein the predefined function corresponds to editing functions that are applied to the selected media object.

24. The hand-held image capture device as recited in claim 19, wherein the hand-held image capture device further comprises physical keys and the plurality of soft keys correspond to the physical keys. 20

\* \* \* \* \*

20