

[Skip to main content](#)

> [cs](#) > arXiv:1703.06870

quick links

- [Login](#)
- [Help Pages](#)
- [About](#)

Computer Science > Computer Vision and Pattern Recognition

arXiv:1703.06870 (cs)

[Submitted on 20 Mar 2017 ([v1](#)), last revised 24 Jan 2018 (this version, v3)]

Mask R-CNN

[Kaiming He](#), [Georgia Gkioxari](#), [Piotr Dollár](#), [Ross Girshick](#)

[View PDF](#)

We present a conceptually simple, flexible, and general framework for object instance segmentation. Our approach efficiently detects objects in an image while simultaneously generating a high-quality segmentation mask for each instance. The method, called Mask R-CNN, extends Faster R-CNN by adding a branch for predicting an object mask in parallel with the existing branch for bounding box recognition. Mask R-CNN is simple to train and adds only a small overhead to Faster R-CNN, running at 5 fps. Moreover, Mask R-CNN is easy to generalize to other tasks, e.g., allowing us to estimate human poses in the same framework. We show top results in all three tracks of the COCO suite of challenges, including instance segmentation, bounding-box object detection, and person keypoint detection. Without bells and whistles, Mask R-CNN outperforms all existing, single-model entries on every task, including the COCO 2016 challenge winners. We hope our simple and effective approach will serve as a solid baseline and help ease future research in instance-level recognition. Code has been made available at: [this https URL](#)

Comments: open source; appendix on more results

Subjects: **Computer Vision and Pattern Recognition (cs.CV)**

Cite as: **arXiv:1703.06870 [cs.CV]**

(or **arXiv:1703.06870v3 [cs.CV]** for this version)

<https://doi.org/10.48550/arXiv.1703.06870>

 Focus to learn more

arXiv-issued DOI via DataCite

Submission history

From: Kaiming He [\[view email\]](#)

[\[v1\]](#) Mon, 20 Mar 2017 17:53:38 UTC (6,270 KB)

[\[v2\]](#) Wed, 5 Apr 2017 20:14:55 UTC (7,041 KB)

[\[v3\]](#) Wed, 24 Jan 2018 07:54:08 UTC (7,061 KB)

☐ Bibliographic Tools

Bibliographic and Citation Tools

☐ Bibliographic Explorer Toggle

Bibliographic Explorer ([What is the Explorer?](#))

☐ Connected Papers Toggle

Connected Papers ([What is Connected Papers?](#))

☐ Litmaps Toggle

Litmaps ([What is Litmaps?](#))

☐ scite.ai Toggle
scite Smart Citations ([What are Smart Citations?](#))

☐ Code, Data, Media

Code, Data and Media Associated with this Article

☐ alphaXiv Toggle
alphaXiv ([What is alphaXiv?](#))
☐ Links to Code Toggle
CatalyzeX Code Finder for Papers ([What is CatalyzeX?](#))
☐ DagsHub Toggle
DagsHub ([What is DagsHub?](#))
☐ GotitPub Toggle
Gotit.pub ([What is GotitPub?](#))
☐ Huggingface Toggle
Hugging Face ([What is Huggingface?](#))
☐ Links to Code Toggle
Papers with Code ([What is Papers with Code?](#))
☐ ScienceCast Toggle
ScienceCast ([What is ScienceCast?](#))
☐ Demos

Demos

☐ Replicate Toggle
Replicate ([What is Replicate?](#))
☐ Spaces Toggle
Hugging Face Spaces ([What is Spaces?](#))
☐ Spaces Toggle
TXYZ.AI ([What is TXYZ.AI?](#))
☒ Related Papers

Recommenders and Search Tools

☐ Link to Influence Flower
Influence Flower ([What are Influence Flowers?](#))
☐ Core recommender toggle
CORE Recommender ([What is CORE?](#))


Influence flowers are visualizations for citation influences among academic entities, including papers, authors, institutions, and research topics. See [here](#) for more detail.

Author

Venue

Institution

Topic



The Influence Flowers are generated from 4 matching papers (124 references and 28191 citations), from academic data as of November 2024.

Blue arcs denote incoming influence from the authors to the paper, with their thickness proportional to the number of references made.

CORE

Loading suggested articles...



Red arcs denote *outgoing* influence from the paper to the authors, with their thickness proportional to the number of *citations* received.


☐ About arXivLabs

arXivLabs: experimental projects with community collaborators

arXivLabs is a framework that allows collaborators to develop and share new arXiv features directly on our website.

Both individuals and organizations that work with arXivLabs have embraced and accepted our values of openness, community, excellence, and user data privacy. arXiv is committed to these values and only works with partners that adhere to them.

Have an idea for a project that will add value for arXiv's community? [Learn more about arXivLabs.](#)



[Which authors of this paper are endorsers?](#) | [Disable MathJax](#) ([What is MathJax?](#))