



APPLIED
PHYSICS
LETTERS


98
JAN 3-17
2011
1-3

QC 1
.A74
Set 1

Applied physics letters. (American Institute of Physics
Knoxville. 1962-
QC1 .A74 v. 98, no. 5 (2011 Jan. 24) FRD
64-006603

Articles published week of 10 JANUARY 2011
Volume 98 Number 2

APPLIED PHYSICS LETTERS



AIP

- **Cover image** from Amit Choubey, Mohammad Vedadi, Ken-ichi Nomura, Rajiv K. Kalia, Aiichiro Nakano, and Priya Vashishta, *Appl. Phys. Lett.* **98**, 023701 (2011).

LASERS, OPTICS, AND OPTOELECTRONICS

- 021101 **Directional single mode quantum cascade laser emission using second-order metal grating coupler** (3 pages)
G. Maisons, M. Carras, M. Garcia, B. Simozrag, X. Marcadet
- 021102 **High internal and external quantum efficiency InGaN/GaN solar cells** (3 pages)
Elison Matioli, Carl Neufeld, Michael Iza, Samantha C. Cruz, Ali A. Al-Heji, Xu Chen, Robert M. Farrell, Stacia Keller, Steven DenBaars, Umesh Mishra, Shuji Nakamura, James Speck, Claude Weisbuch
- 021103 **Temperature tunability of photonic crystal fiber filled with Fe₃O₄ nanoparticle fluid** (3 pages)
Yinping Miao, Bo Liu, Kaifang Zhang, Yan Liu, Hao Zhang
- 021104 **Deformation-immunized optical deposition of graphene for ultrafast pulsed lasers** (3 pages)
Hyungseok Kim, Junhyun Cho, Sung-Yeon Jang, Yong-Won Song
- 021105 **Coupling of a surface plasmon with localized subwavelength microcavity modes** (3 pages)
P. Jouy, Y. Todorov, A. Vasanelli, R. Colombelli, I. Sagnes, C. Sirtori
- 021106 **Midinfrared electroluminescence from PbTe/CdTe quantum dot light-emitting diodes** (3 pages)
A. Hochreiner, T. Schwarzl, M. Eibelhuber, W. Heiss, G. Springholz, V. Kolkovsky, G. Karczewski, T. Wojtowicz
- 021107 **Fully complementary metal-oxide-semiconductor compatible nanoplasmonic slot waveguides for silicon electronic photonic integrated circuits** (3 pages)
Shiyang Zhu, T. Y. Liow, G. Q. Lo, D. L. Kwong
- 021108 **The effect of intensity of excitation on CdSe/ZnS quantum dots: Opportunities in luminescence sensing** (3 pages)
Jens U. Sutter, David J. S. Birch, Olaf J. Rolinski
- 021109 **Optical racetrack ring-resonator based on two U-bent microfibers** (3 pages)
Yongmin Jung, Gilberto Brambilla, Ganapathy Senthil Murugan, David J. Richardson
- 021110 **Monolithic single GaN nanowire laser with photonic crystal microcavity on silicon** (3 pages)
Junseok Heo, Wei Guo, Pallab Bhattacharya
- 021111 **Polarization-independent filters for luminescent solar concentrators** (3 pages)
Dick K. G. de Boer, Chi-Wen Lin, Merijn P. Giesbers, Hugo J. Cornelissen, Michael G. Debije, Paul P. C. Verbunt, Dirk J. Broer
- 021112 **Topology optimized low-contrast all-dielectric optical cloak** (3 pages)
Jacob Andkjær, Ole Sigmund
- 021113 **Theoretical and experimental studies of surface plasmons excited at metal-uniaxial dielectric interface** (3 pages)
Xiaolei Wang, Pei Wang, Junxue Chen, Yonghua Lu, Hai Ming, Qiwen Zhan
- 021114 **Photo-Dember terahertz emitter excited with an Er: fiber laser** (3 pages)
G. Klatt, B. Surrer, D. Stephan, O. Schubert, M. Fischer, J. Faist, A. Leitenstorfer, R. Huber, T. Dekorsy
- 021115 **Gain of blue and cyan InGaN laser diodes** (3 pages)
T. Lermer, A. Gomez-Iglesias, M. Sabathil, J. Müller, S. Lutgen, U. Strauss, B. Pasenow, J. Hader, J. V. Moloney, S. W. Koch, W. Scheibenzuber, U. T. Schwarz

- 021116 **Experimental observation of Fano resonance in a single whispering-gallery microresonator** (3 pages)

Bei-Bei Li, Yun-Feng Xiao,
Chang-Ling Zou, Yong-Chun Liu,
Xue-Feng Jiang, You-Ling Chen,
Yan Li, Qihuang Gong

PLASMAS AND ELECTRICAL DISCHARGES

- 021501 **Atmospheric pressure cold plasma as an antifungal therapy** (3 pages)
- 021502 **Influence of annular magnet on discharge characteristics in enhanced glow discharge plasma immersion ion implantation** (3 pages)
- 021503 **Diffuse discharge, runaway electron, and x-ray in atmospheric pressure air in an inhomogeneous electrical field in repetitive pulsed modes** (3 pages)

Peng Sun, Yi Sun, Haiyan Wu,
Weidong Zhu, Jose L. Lopez,
Wei Liu, Jue Zhang, Ruoyu Li,
Jing Fang

Liu He Li, Zhuo Wang,
Qiu Yuan Lu, En Jing Pang,
Dan Dan Dun, Fu Shun He,
Fen Li, Ricky K. Y. Fu,
Paul K. Chu

Tao Shao (邵涛),
Cheng Zhang (章程),
Zheng Niu (牛铮), Ping Yan (严萍),
Victor F. Tarasenko,
Evgenii Kh. Baksht,
Alexander G. Burahenko,
Yuliya V. Shut'ko

STRUCTURAL, MECHANICAL, THERMODYNAMIC, AND OPTICAL PROPERTIES OF CONDENSED MATTER

- 021901 **Evidence of tetragonal nanodomains in the high-pressure polymorph of BaTiO₃** (3 pages)
- 021902 **Hybrid exchange-correlation functional study of the structural, electronic, and mechanical properties of the MAX phases** (3 pages)
- 021903 **Correlating structure, strain, and morphology of self-assembled InAs quantum dots on GaAs** (3 pages)
- 021904 **Bond-specific reaction kinetics during the oxidation of (111) Si: Effect of *n*-type doping** (3 pages)
- 021905 **Low aspect-ratio hemispherical nanopit surface texturing for enhancing light absorption in crystalline Si thin film-based solar cells** (3 pages)
- 021906 **Fourier transformation infrared spectrum studies on the role of fluorine in SnO₂:F films** (3 pages)
- 021907 **Implications of elastic constants, fragility, and bonding on permanent deformation in metallic glass** (3 pages)
- 021908 **Improving stability of photoluminescence of ZnSe thin films grown by molecular beam epitaxy by incorporating Cl dopant** (3 pages)
- 021909 **Upper bounds on the electrocaloric effect in polar solids** (3 pages)
- 021910 **Silicon concentration dependence of optical polarization in AlGaIn epitaxial layers** (3 pages)
- 021911 **Electromagnetic nonreciprocity and gyrotropy of graphene** (3 pages)
- 021912 **Grazing-incidence x-ray diffraction from GaN epitaxial layers with threading dislocations** (3 pages)

L. Ehm, L. A. Borkowski,
J. B. Parise, S. Ghose, Z. Chen

M. Ramzan, S. Lebègue, R. Ahuja

D. P. Kumah, J. H. Wu,
N. S. Hussein, V. D. Dasika,
R. S. Goldman, Y. Yacoby,
R. Clarke

B. Gokce, D. E. Aspnes,
G. Lucovsky, K. Gundogdu

Junshuai Li, Hongyu Yu, Yali Li,
Fei Wang, Mingfei Yang,
She Mein Wong

B. Zhang, Y. Tian, J. X. Zhang,
W. Cai

J. D. Plummer, I. Todd

J. S. Wang, W. J. Chen,
C. S. Yang, Y. H. Tsai,
H. H. Wang, R. H. Chen,
J. L. Shen, C. D. Tsai

R. Pirc, Z. Kutnjak, R. Blinc,
Q. M. Zhang

Hideaki Murotani, Yoichi Yamada,
Hideto Miyake,
Kazumasa Hiramatsu

Dimitrios L. Sounas,
Christophe Caloz

M. Barchuk, V. Holý, B. Miljević,
B. Krause, T. Baumbach

(Continued)

ELECTRONIC TRANSPORT AND SEMICONDUCTORS

- 022101 **Stability and electronic structure of two dimensional $C_x(BN)_y$ compound (3 pages)** Kai-Tak Lam, Yunhao Lu, Yuan Ping Feng, Gengchiao Liang
- 022102 **Simultaneous gettering and emitter formation in multicrystalline-Si wafers by annealing phosphorus doped amorphous silicon compounds (3 pages)** Rafel Ferré, Isidro Martín, Roland Trassl, Ramon Alcubilla, Rolf Brendel
- 022103 **Extremely low temperature coefficient of resistance in antiperovskite $Mn_3Ag_{1-x}Cu_xN$ (3 pages)** K. Takenaka, A. Ozawa, T. Shibayama, N. Kaneko, T. Oe, C. Urano
- 022104 **Enhanced thermoelectric performance in p-type BiSbTe bulk alloy with nano-inclusion of ZnAlO (3 pages)** Ting Zhang, Qiushi Zhang, Jun Jiang, Zhen Xiong, Jianmin Chen, Yulong Zhang, Wei Li, Gaojie Xu
- 022105 **Epitaxial VO_2/Cr_2O_3 /sapphire heterostructure for multifunctional applications (3 pages)** Tsung-Han Yang, S. Mal, C. Jin, R. J. Narayan, J. Narayan
- 022106 **Role of oxygen for highly conducting and transparent gallium-doped zinc oxide electrode deposited at room temperature (3 pages)** L. M. Wong, S. Y. Chiam, J. Q. Huang, S. J. Wang, J. S. Pan, W. K. Chim
- 022107 **Tunneling transport of electrons on the surface of a topological insulator attached with a spiral multiferroic oxide (3 pages)** Feng Zhai, Peiyan Mu
- 022108 **Anisotropic scattering of surface state electrons at a point defect on Bi(111) (3 pages)** M. C. Cottin, C. A. Bobisch, J. Schaffert, G. Jnawali, A. Sonntag, G. Bihlmayer, R. Möller
- 022109 **Charged basal stacking fault scattering in nitride semiconductors (3 pages)** Aniruddha Konar, Tian Fang, Nan Sun, Debdeep Jena

MAGNETISM AND SUPERCONDUCTIVITY

- 022501 **Spin torque switching of perpendicular Ta|CoFeB|MgO-based magnetic tunnel junctions (3 pages)** D. C. Worledge, G. Hu, David W. Abraham, J. Z. Sun, P. L. Trouilloud, J. Nowak, S. Brown, M. C. Gaidis, E. J. O'Sullivan, R. P. Robertazzi
- 022502 **Stability of magnetic nanoparticles inside ferromagnetic nanotubes (3 pages)** R. F. Neumann, M. Bahiana, J. Escrig, S. Allende, K. Nielsch, D. Altbir
- 022503 **Magnetism and carrier modulation in (Ga,Mn)As/organic-dye hybrid devices (3 pages)** L. Herrera Diez, M. Konuma, E. Placidi, F. Arciprete, A. W. Rushforth, R. P. Campion, B. L. Gallagher, J. Honolka, K. Kern
- 022504 **Band gap parameters of one-dimensional bicomponent nanostructured magnonic crystals (3 pages)** C. S. Lin, H. S. Lim, Z. K. Wang, S. C. Ng, M. H. Kuok

DIELECTRICS AND FERROELECTRICITY

- 022901 **Effects of Ti incorporation on the interface properties and band alignment of $HfTaO_x$ thin films on sulfur passivated GaAs (3 pages)** T. Das, C. Mahata, C. K. Maiti, E. Miranda, G. Sutradhar, P. K. Bose
- 022902 **Ferroelectric, piezoelectric, and leakage current properties of $(K_{0.48}Na_{0.48}Li_{0.04})(Nb_{0.775}Ta_{0.225})O_3$ thin films grown by pulsed laser deposition (3 pages)** D. Y. Wang, D. M. Lin, K. W. Kwok, N. Y. Chan, J. Y. Dai, S. Li, H. L. W. Chan
- 022903 **Effect of annealing temperature on microstructural evolution and electrical properties of sol-gel processed ZrO_2/Si films (3 pages)** Soo Min Hwang, Seung Muk Lee, Kyung Park, Myung Soo Lee, Jinho Joo, Jun Hyung Lim, Hyounsub Kim, Jae Jin Yoon, Young Dong Kim

(Continued)

- 022904 **Step bunching-induced vertical lattice mismatch and crystallographic tilt in vicinal BiFeO₃(001) films** (3 pages)
T. H. Kim, S. H. Baek, S. Y. Jang, S. M. Yang, S. H. Chang, T. K. Song, J.-G. Yoon, C. B. Eom, J.-S. Chung, T. W. Noh
- 022905 **Optical properties of nonvolatile memory capacitors based on gold nanoparticles and SiO₂-HfO₂ sublayers** (3 pages)
V. Mikhelashvili, B. Meyler, M. Garbrecht, S. Yofis, J. Salzman, T. Cohen-Hyams, W. D. Kaplan, Y. Roizin, M. Lisiansky, G. Eisenstein
- NANOSCALE SCIENCE AND DESIGN**
- 023101 **Formation and evolution of self-organized Au nanorings on indium-tin-oxide surface** (3 pages)
F. Ruffino, I. Crupi, F. Simone, M. G. Grimaldi
- 023102 **Influence of surface roughness of aluminum-doped zinc oxide buffer layers on the performance of inverted organic solar cells** (3 pages)
Sung-Woo Cho, Young Tae Kim, Won Hyun Shim, Sun-Young Park, Kwang-Dae Kim, Hyun Ook Seo, Nilay Kumar Dey, Jae-Hong Lim, Yongsoo Jeong, Kyu Hwan Lee, Young Dok Kim, Dong Chan Lim
- 023103 **Proposal for a topological plasmon spin rectifier** (3 pages)
Ian Appelbaum, H. D. Drew, M. S. Fuhrer
- 023104 **Enhanced intermixing in Ge nanoprisms on groove-patterned Si(1 1 10) substrates** (3 pages)
G. Chen, G. Vastola, J. J. Zhang, B. Sanduijav, G. Springholz, W. Jantsch, F. Schäffler
- 023105 **Band gap engineering in graphene and hexagonal BN antidot lattices: A first principles study** (3 pages)
Aihua Zhang, Hao Fatt Teoh, Zhenxiang Dai, Yuan Ping Feng, Chun Zhang
- 023106 **A spin-filter device based on armchair graphene nanoribbons** (3 pages)
A. Saffarzadeh, R. Farghadan
- 023107 **High-capacity hydrogen storage medium: Ti doped fullerene** (3 pages)
Jun Guo, Zhiguo Liu, Suqin Liu, Xuehui Zhao, Kelong Huang
- 023108 **Absolute deformation potentials and robust *ab initio* model for band shifts induced by (001) biaxial strain in group IIIA-VA semiconductors** (3 pages)
Eugene S. Kadantsev, Pawel Hawrylak
- 023109 **Direct observation of dynamic surface acoustic wave controlled carrier injection into single quantum posts using phase-resolved optical spectroscopy** (3 pages)
S. Völkl, F. Knall, F. J. R. Schüleln, T. A. Truong, H. Kim, P. M. Petroff, A. Wixforth, H. J. Krenner
- 023110 **Reversibly phototunable TiO₂ photonic crystal modulated by Ag nanoparticles' oxidation/reduction** (3 pages)
Jian Liu, Mingzhu Li, Jinming Zhou, Changqing Ye, Jingxia Wang, Lei Jiang, Yanlin Song
- 023111 **Stacked optical antennas** (3 pages)
Dieter W. Pohl, Sergio G. Rodrigo, Lukas Novotny
- 023112 **Strain modulated band gap of edge passivated armchair graphene nanoribbons** (3 pages)
Xihong Peng, Selina Velasquez
- 023113 **Single-layer metallicity and interface magnetism of epitaxial graphene on SiC(0001)** (3 pages)
I. Deretzis, A. La Magna
- 023114 **Enhanced figure of merit of a porous thin film of bismuth antimony telluride** (3 pages)
Makoto Kashiwagi, Shuzo Hirata, Kentaro Harada, Yanqiong Zheng, Koji Miyazaki, Masayuki Yahiro, Chihaya Adachi
- 023115 **Embedded voids approach for low defect density in epitaxial GaN films** (3 pages)
P. Frajtag, N. A. El-Masry, N. Nepal, S. M. Bedair

(Continued)

ORGANIC ELECTRONICS AND PHOTONICS

- 023301 **Organic solar cells with a multicharge separation structure consisting of a thin rubrene fluorescent dye for open circuit voltage enhancement (3 pages)**
Jiang Huang (黄江), Junsheng Yu (于军胜), Wan Wang (王婉), Yadong Jiang (蒋亚东)
- 023302 **Near infrared light driven organic *p-i-n* solar cells incorporating phthalocyanine J-aggregate (3 pages)**
Masahiro Hiramoto, Keitaro Kitada, Kai Iketaki, Toshihiko Kaji
- 023303 **Driving vertical phase separation in a bulk-heterojunction by inserting a poly(3-hexylthiophene) layer for highly efficient organic solar cells (3 pages)**
Jin Young Oh, Woo Soon Jang, Tae Il Lee, Jae-Min Myoung, Hong Koo Baik
- 023304 **Photonic crystal slot waveguide absorption spectrometer for on-chip near-infrared spectroscopy of xylene in water (3 pages)**
Wei-Cheng Lai, Swapnajit Chakravarty, Xiaolong Wang, Cheyun Lin, Ray T. Chen
- 023305 **Field effect mobility model in organic thin film transistor (3 pages)**
Ling Li, Kwan-Soo Chung, Jin Jang
- 023306 ***In situ* vacuum measurement of the thickness dependence of electron mobility in naphthalenetetracarboxylic diimide-based field-effect transistors (3 pages)**
Shun-Wei Liu (劉舜維), Chih-Chien Lee (李志堅), Je-Min Wen (溫哲民), Chin-Ti Chen (陳錦地)
- 023307 **An electrospun fiber phototransistor by the conjugated polymer poly[2-methoxy-5-(2'-ethylhexyloxy)-1,4-phenylene-vinylene] (3 pages)**
Deyu Tu, Stefano Pagliara, Roberto Cingolani, Dario Pisignano

DEVICE PHYSICS

- 023501 **Observation of a large gate-controlled persistent photoconduction in single crystal ZnO at room temperature (3 pages)**
Shahnewaz Mondal, A. K. Raychaudhuri
- 023502 **Electro-optic Kerr effect in polymer-stabilized isotropic liquid crystals (3 pages)**
Young-Cheol Yang, Deng-Ke Yang
- 023503 **Characteristics of dotlike green satellite emission in GaInN light emitting diodes (3 pages)**
An Mao, Jaehee Cho, Qi Dai, E. Fred Schubert, Joong Kon Son, Yongjo Park
- 023504 **Voltage-induced recovery of dielectric breakdown (high current resistance switching) in HfO₂ (3 pages)**
F. El Kamel, P. Gonon, C. Vallée, V. Jousseau, H. Grampeix
- 023505 **Accurate extraction of ΔIII due to random telegraph noise in gate edge current of high-k *n*-type metal-oxide-semiconductor field-effect transistors under accumulation mode (3 pages)**
Ju-Wan Lee, Chan Hyeong Park, Hyungcheol Shin, Byung-Gook Park, Jong-Ho Lee
- 023506 **Atomic layer deposited Ta₂O₅ gate insulation for enhancing breakdown voltage of AlN/GaN high electron mobility transistors (3 pages)**
D. A. Deen, D. F. Storm, R. Bass, D. J. Meyer, D. S. Katzer, S. C. Binari, J. W. Lacis, T. Gougousi
- 023507 **The effects of device geometry on the negative bias temperature instability of Hf-In-Zn-O thin film transistors under light illumination (3 pages)**
Jeong Hwan Kim, Un Ki Kim, Yoon Jang Chung, Ji Sim Jung, Sang Ho Ra, Hyung Suk Jung, Cheol Seong Hwang, Jae Kyeong Jeong, Sang Yoon Lee

BIOPHYSICS AND BIO-INSPIRED SYSTEMS

- 023701 **Poration of lipid bilayers by shock-induced nanobubble collapse (3 pages)**
Amit Choubey, Mohammad Vedadi, Ken-ichi Nomura, Rajiv K. Kalia, Aichiro Nakano, Priya Vashishta
- 023702 **Thicker, more efficient superconducting strip-line detectors for high throughput macromolecules analysis (3 pages)**
A. Casaburi, M. Ejrnaes, N. Zen, M. Ohkubo, S. Pagano, R. Cristiano

(Continued)

- 023703 **Magnetoacoustic imaging of human liver tumor with magnetic induction** (3 pages)

Gang Hu, Erik Cressman, Bin He

INTERDISCIPLINARY AND GENERAL PHYSICS

- 024101 **Magnetically uniform and tunable Janus particles** (3 pages)

Irene Sinn, Paavo Kinnunen,
Shao Ning Pei, Roy Clarke,
Brandon H. McNaughton,
Raoul Kopelman

ERRATA

- 029901 **Retraction: "High quantum efficiency of depth grade doping negative-electron-affinity GaN photocathode"** [Appl. Phys. Lett. 97, 063104 (2010)] (1 page)

Xiangyang Guo, Xiaohui Wang,
BenKang Chang, Yijun Zhang,
Pin Gao

EDITOR

Nghi Q. Lam
Argonne National Laboratory, Argonne, Illinois 60439-4843, USA

SENIOR ASSOCIATE EDITOR

Jules L. Routbort
Argonne National Laboratory, Argonne, Illinois 60439-4843, USA

ASSOCIATE EDITORS

Orlando Auciello
Argonne National Laboratory, Argonne, Illinois, USA
Samuel D. Bader
Argonne National Laboratory, Argonne, Illinois, USA
Dongmin Chen
Beijing National Laboratory for Condensed Matter Physics, PR China
Fabrizio Cleri
Université des Sciences et Technologies de Lille, France
Hong-Jun Gao
Chinese Academy of Sciences, Beijing, PR China
Christoph H. Grein
University of Illinois at Chicago, Chicago, Illinois, USA
Qing Hu
Massachusetts Institute of Technology, Cambridge, Massachusetts, USA
David S. Kupperman
Argonne National Laboratory, Argonne, Illinois, USA
Shuit-Tong Lee
City University of Hong-Kong, Hong Kong
Kenjiro Miyano
The University of Tokyo, Tokyo, Japan
F. Paul Mooring
Argonne National Laboratory, Argonne, Illinois, USA
Paul R. Okamoto
Argonne National Laboratory, Argonne, Illinois, USA
David Long Price
CEMHTI-CNRS, Orleans, France
Lynn E. Rehn
Argonne National Laboratory, Argonne, Illinois, USA
Susan E. Trolter-McKinstry
Pennsylvania State University, University Park, Pennsylvania, USA
Linda Young
Argonne National Laboratory, Argonne, Illinois, USA

EDITORIAL OFFICE STAFF

Diane Kurtz, Kathleen O'Hare, Catherine Dial, Laura Rempel,
Kelly Shaeffer, Leslie Weltmeyer, Emily Wurtz
Applied Physics Letters
Argonne National Laboratory
Building 203, Room R-127
9700 South Cass Avenue
Argonne, Illinois 60439-4843, USA
Phone: 630-252-4200
Fax: 630-252-4937
E-mail: apl@anl.gov

EDITORIAL BOARD

André Anders
Lawrence Berkeley National Laboratory, Berkeley, California, USA
David G. Cahill
University of Illinois, Urbana, Illinois, USA
Shangji Gwo
National Tsing-Hua University, Hsinchu, Taiwan
John B. Ketterson
Northwestern University, Evanston, Illinois, USA
Mark J. Kushner
University of Michigan, Ann Arbor, Michigan, USA
Judith L. MacManus-Driscoll
University of Cambridge, Cambridge, United Kingdom
Tae Won Noh
Seoul National University, Seoul, Republic of Korea
Alain Polian
Université Pierre et Marie Curie, Paris, France
Caroline A. Ross
Massachusetts Institute of Technology, Cambridge, Massachusetts, USA
Victor Ryzhii
University of Aizu, Aizu-Wakamatsu, Japan
James S. Speck
University of California, Santa Barbara, California, USA
Maria Varela
Oak Ridge National Laboratory, Oak Ridge, Tennessee, USA
Andrew T. S. Wee
National University of Singapore, Singapore
Qi-Kun Xue
Tsinghua University, Beijing, PR China

Applied Physics Letters features concise, up-to-date reports of new findings in applied physics. Emphasizing rapid dissemination of key data, the Journal offers prompt publication of significant experimental and theoretical papers bearing on applications of physics to all branches of science, engineering, and modern technology. Content is published online daily and collected into weekly online and printed issues (52 issues per year).

Submissions: Submit manuscripts at apl.peerx-press.org. Submission implies that the manuscript has not been published previously and is not currently submitted for publication elsewhere. For specific editorial format requirements and submission information, visit apl.aip.org/authors.

Publication Charge: To support the cost of wide dissemination of research results through publication of journal pages and production of a database of articles, the author's institution is requested to pay a page charge of \$115 per page (with a one-page minimum) and an article charge of \$20 per article. For Errata the minimum page charge is \$115, with no article charge.

Open Access: Through participation in *Author Select*® and payment of a \$1800 fee, authors may choose open access publication for their accepted papers. Authors will receive information during the production process. More details about this option may be found at apl.aip.org/authors.

Color Figures: If authors supply usable color graphics files in time for the production process, color will appear in the online journal free of charge. Authors or their institutions must bear the cost of any color they wish to use in print. A fixed rate of \$325 for each color figure applies for color in print. For multipart figures, a single charge will apply only if all parts are submitted as a single piece of artwork.

Reprints: Authors will be contacted about reprint orders during the production process; all orders are placed through Rightslink. Direct questions to pcr@aip.org.

2011 Subscription Prices:

Institutions: For information and rates, visit librarians.aip.org or contact subs@aip.org.

Members: For information and rates, visit journals.aip.org/2011MemberRate.pdf or contact subs@aip.org.

Additional Availability:

Microform: *Applied Physics Letters* is available on microfiche issued at the same frequency as the printed journal, and annually on microfilm. Direct requests to AIP, Circulation & Fulfillment/Single Copy Sales, Suite 1N01, 2 Huntington Quadrangle, Melville, NY 11747-4502, USA; Fax: +1 516-349-9704; Tel.: 1-800-344-6902 (U.S. & Canada), or +1 516-576-2270.

Document Delivery: Copies of journal articles can be ordered for online delivery from www.documentstore.org.

Advertising: For print advertisement reservations and information, please contact: Mary Ellen Mormile, Advertising Sales Representative, AIP, 2 Huntington Quadrangle, Suite 1N01, Melville, NY 11747-4502, USA; Tel.: 1-800-247-2442 or Tel.: +1 516-576-2461; Fax: +1 516-576-2327; E-mail: mmormile@aip.org. Find Online advertising information at scitation.aip.org/apl/aplmediakit.pdf. For advertisement production inquiries, please contact and e-mail files to: Christine DiPasca, Sr. Advertising Production Manager; Tel.: +1 516-576-2434; E-mail: cdipasca@aip.org.

Rights and Permissions

Copying: Single copies of individual articles may be made for private use or research. Authorization is given to copy articles beyond the free use permitted under Sections 107 and 108 of the U.S. Copyright Law, provided that the copying fee of \$30.00 per copy per article is paid to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, USA, www.copyright.com. For classroom use fees, contact CCC's Academic Permission Service. (Note: The ISSN for this journal is 0021-9606.) Authorization does not extend to systematic or multiple reproduction, to copying for promotional purposes, to electronic storage or distribution, or to republication in any form. In all such cases, specific written permission from AIP must be obtained.

Other Use: See author's web posting guidelines at apl.aip.org/authors. Permission is granted to quote from the journal with the customary acknowledgment of the source. Republication of an article or portions thereof requires formal permission from AIP and may be subject to fees. Permission may be obtained online using Rightslink. Simply click on the Tools icon in the abstract, then select the Permissions/Reprints link. You may also address requests to rights@aip.org.

POSTMASTER: Send address changes to *Applied Physics Letters*, AIP, Suite 1N01, 2 Huntington Quadrangle, Melville, NY 11747-4502, USA. The 2011 print+online base price is US\$3500. Periodicals postage paid at Huntington Station, NY 11746, and additional mailing offices.

Simultaneous gettering and emitter formation in multicrystalline-Si wafers by annealing phosphorus doped amorphous silicon compounds

Rafel Ferré,^{1,a)} Isidro Martín,² Roland Trassl,³ Ramon Alcubilla,² and Rolf Brendel^{1,4}

¹*Institute for Solar Energy Research Hamelin (ISFH), Am Ohrberg 1, Emmerthal D-31860, Germany*

²*Departament d'Enginyeria Electrònica, Universitat Politècnica de Catalunya (UPC), Jordi Girona 1-3, Campus Nord C-4, Barcelona E-08034, Spain*

³*Applied Materials GmbH and Co. KG, Siemensstrasse 100, Alzenau D-63755, Germany*

⁴*Institute of Solid-State Physics, University of Hannover, Appelstrasse 2, Hannover D-30167, Germany*

(Received 6 December 2010; accepted 16 December 2010; published online 10 January 2011)

We demonstrate gettering of metal impurities in p-type multicrystalline silicon (mc-Si) wafers by annealing wafers that are surface passivated by double layers of amorphous silicon-based compounds acting as gettering sites. As inner layer we use a phosphorus-doped amorphous silicon-carbon-nitrogen alloy, providing surface passivation and acting as dopant source for the emitter formation during subsequent anneal. The outer layer is silicon nitride with antireflective properties. Anneals are done at 750, 800, and 850 °C for 30 and 60 min. The gettering effect is as good as for a conventional POCl₃ diffusion followed by extended gettering at low temperature, and it is weakly influenced by the temperature step chosen. In the range explored, the sheet resistances of the emitters and the junction depths lay between 3000 to 60 Ω/sq. and 100–300 nm, respectively. © 2011 American Institute of Physics. [doi:10.1063/1.3535616]

Multicrystalline silicon wafers are commonly used in the solar industry for the production of wafer-based solar cells. Metal impurities such as iron are present in the wafers due to the manufacturing process of the multicrystalline silicon (mc-Si) ingots and reduce the carrier bulk lifetime. These metal impurities are gettered during the formation of the emitter, conventionally done by diffusion at 800–900 °C in POCl₃ atmosphere to form an n⁺-type emitter on a p-type substrate.¹ After that, a HF dip is necessary to remove the phosphosilicate glass (PSG) grown on the wafer surface. The emitter is subsequently passivated by amorphous silicon nitride (SiN), serving at the same time as antireflective coating.

In this work we suggest an alternative way of emitter formation and gettering for p-type mc-Si solar cells. It consists of the deposition of double layers of phosphorus-doped amorphous silicon-based compounds followed by annealing. Gettering of metal impurities from deposited amorphous silicon (a-Si) was already reported in patents^{2–4} and in a publication.⁵ Emitter diffusion from phosphorus doped amorphous layers was demonstrated⁶ without analyzing the gettering performance. Our process provides the simultaneous formation of an emitter and getters metallic impurities and will eventually also provide antireflection properties.⁷ As an additional advantage, a posterior HF dip to remove the PSG is not necessary. This paper concentrates on the gettering performance and the sheet resistance of the emitter. Surface passivation and optical properties will be discussed elsewhere.

Neighboring p-type mc-Si wafers with 1.3 ± 0.1 Ω cm resistivity are selected from middle positions of a mc-Si ingot. We select two different regions A and B on each wafer to explore the dependence of gettering on the grain size. Region A has a grain size that is around five times that of region B.

Etching for 3 min in an acidic CP4 solution removes the saw damage. The final wafer thickness is 155 μm. After-

wards we perform a RCA cleaning and an HF dip. Then we split the wafers in three groups: the first for depositing doped a-Si double layers that are annealed, the second for reference POCl₃ diffusions, and the third to be well passivated with silicon nitride for measuring the bulk lifetime before gettering.

Amorphous silicon films are deposited by means of a RF parallel plate plasma enhanced chemical vapor deposition at a frequency of 13.27 MHz. The process temperature is 400 °C and the total gas pressure 0.4 bar. We coat both surfaces of each wafer symmetrically with double layers.

The first and inner layer is a phosphorus-doped silicon-carbon-nitrogen alloy [SiCN(n)] that is rich in silicon and has a refractive index of 3.7–4.0 and a thickness of 50 nm. This layer is the phosphorus source for the emitter formation during the subsequent annealing. We use silane [SiH₄, 28 SCCM (SCCM denotes cubic centimeter per minute at STP)], methane (CH₄, 21 SCCM), molecular nitrogen (N₂, 32 SCCM), and phosphine (PH₃, 1.5 SCCM) as precursor gases. These deposition parameters demonstrated excellent surface passivation for p-type⁸ and n-type⁹ crystalline silicon. The presence of carbon in phosphorus-doped amorphous silicon films reduces drastically the surface recombination when compared to films without carbon deposited at identical conditions.¹⁰ It also permits to work at deposition temperatures almost two times higher than those for a-Si films and consequently reduce the content of hydrogen.

The second and outer layer is nominally intrinsic (not doped) silicon nitride with a refractive index of 2.1 and a thickness of 70–80 nm. This layer is conceived to provide the antireflection properties and to prevent the out-diffusion of phosphorus. We use silane (SiH₄, 15 SCCM) and ammonia (NH₃, 18 SCCM) as precursor gases.

We anneal samples at 750, 800, and 850 °C for 30 and 60 min, respectively, in a conventional tube furnace under N₂ atmosphere. In order to facilitate slow effusion of hydrogen out of the amorphous films without producing blistering, we

^{a)}Electronic mail: ferre@isfh.de.




FIG. 1. Demonstration of gettering in region A after annealing a-Si stacks at 850 °C for 30 min. Once the wafer is annealed, bulk lifetime increases from around 55 μs (before gettering) to around 220 μs (after gettering) at $\Delta n = 5 \times 10^{14} \text{ cm}^{-3}$. The corresponding neighboring wafer with POCl_3 reference process reaches similar values.

introduce a preannealing at 500 °C for 30 min. Scanning electron microscope images show that both outer and inner layer remain after annealing as distinct films on the wafer surface.

As a reference for the gettering experiments, we diffuse a 70 Ω/sq . phosphorus emitter under POCl_3 atmosphere at 865 °C during 30 min, followed by further extended gettering¹¹ step at 500 °C during 1.5 h under N_2 atmosphere. We perform an HF dip to remove the silicon nitride outer layer of the samples with an annealed a-Si compounds and to remove the PSG from the POCl_3 -diffused samples. Afterwards we etch off 6 μm of Si with a CP4 solution to fully remove the inner layer and the diffused emitter. Then we RCA-clean the samples and deposit passivating SiN on both sides.

We determine the gettering quality by measuring the minority carrier lifetimes before and after annealing applying the steady state photoconductance technique.¹² Infrared light




FIG. 2. Spatially resolved PL image of two passivated, emitter-free mc-Si neighboring wafers before and after annealing at 850 °C for 30 min.




FIG. 3. Measured lifetime at $\Delta n = 5 \times 10^{14} \text{ cm}^{-3}$ for mc-Si samples as a function of the ingot position. Labels for squares indicate the annealings as follows: (a) 750 °C, 30 min, (b) 750 °C, 60 min, (c) 800 °C, 30 min, (d) 850 °C, 30 min, (e) 850 °C, 60 min, and (f) 800 °C, 60 min. Variation (d) corresponds to samples used in Figs. 1 and 2.

illuminates the sample to ensure a close to uniform charge carrier generation rate in the wafers.

Figure 1 shows the injection dependences of the carrier lifetime for region A that we annealed at 850 °C for 30 min. Also shown is the POCl_3 -diffused reference that experienced a postdiffusion low-temperature anneal.

Both annealing treatments enhance the lifetime by about a factor 4 at an excess carrier density of $\Delta n = 10^{14} - 10^{15} \text{ cm}^{-3}$. This reflects a reduction of Shockley-Read-Hall recombination in the bulk since (i) the emitter is etched and the surface is repassivated, (ii) Auger recombination¹³ is negligible, and (iii) lifetime artifacts due to trapping¹⁴ or depletion region modulation¹⁵⁻¹⁷ are present only at lower injection densities.

Figure 2 shows spatially resolved photoluminescence images of neighboring wafers before and after annealing the amorphous double layer with the annealing conditions used in Fig. 1. The image is taken once the emitter is etched-off and the surface is repassivated. The signal, proportional to the carrier lifetime, enhances at the grain boundaries and in the volume of the crystal grains. The same enhancement seems to occur either for big grains, like in region A, or for small grains observed in region B. This suggests a mechanism involving the presence of gettering sites produced by the phosphorus emitter¹⁸ and uniformly distributed, rather than a internal gettering¹⁹ produced by the migration of impurities to already existing gettering sites.




FIG. 4. Phosphorus profiles measured with ECV for annealed samples. Measurements are done after etching the SiN outer layer with HF solution.

Figure 3 displays the lifetimes (taken at $\Delta n = 5 \times 10^{14} \text{ cm}^{-3}$) of the bulk mc-Si wafers before and after gettering processes as a function of the ingot position for both regions A and B. Efficient gettering is achieved, yielding equivalent final bulk lifetime level regardless of the process performed (annealing of a-Si compounds or POCl_3 diffusion), or the region analyzed. This indicates that metallic impurities are effectively gettering and that the final lifetime in region B is limited by crystallographic defects. To support this hypothesis, we determine the interstitial iron concentration from lifetime measurements in the dissociate and associate states of the Fe-B pairs as described in Ref. 20. Samples not gettering contain interstitial iron concentrations of around 10^{11} cm^{-3} , while the measured values are below the detection limit (10^{10} cm^{-3}) in gettering samples from a-Si and from POCl_3 diffusion.

Figure 4 shows the electrically active phosphorus profiles determined by electrochemical capacitance voltage (ECV) technique. Prior to this measurement it is necessary to etch off the nonconducting SiN outer layer with HF solution. We measure then the sheet resistances with a four point probe directly on the crystallized inner layer. ECV measurements allow us to determine junction depths of 100–300 nm

and sheet resistances between 3000 and 60 Ω/sq . for the samples with lowest and highest thermal budget explored, respectively.

In conclusion, in this work we have demonstrated a method of gettering impurities in multicrystalline silicon wafers. It is based on depositing amorphous silicon carbide-nitride/silicon nitride double layers, the inner ones being phosphorus-doped, and annealing them between 750 and 850 °C during 30 or 60 min. The gettering effect is as good as for the POCl_3 diffusion when the latter is followed by extended gettering at 500 °C. Besides gettering, emitter formation with attractive sheet resistances was demonstrated.

Authors acknowledge M. Feinäugle and S. Musial for technical support. U.P.C. acknowledges the funding under Contract Nos. TEC 2008-02520 and PSE 120000-2007-7.

¹D. Macdonald, A. Cuevas, and F. Ferrazza, *Solid-State Electron.* **43**, 575 (1999).

²M. Nishiura and H. Haruki, U.S. Patent No. 4,692,345, 1987.

³S. Takamizawa and N. Kobayashi, U.S. Patent No. 5,970,365, 1999.

⁴K. Saino, U.S. Patent No. 6,830,991 B2, 2004.

⁵B. Wang and Y. S. Wu, *J. Electron. Mater.* **38**, 767 (2009).

⁶A. Orpella, D. Bardes, R. Alcubilla, L. F. Marsal, and J. Pallares, *IEEE Electron Device Lett.* **20**, 592 (1999).

⁷R. Ferré i Tomàs, U.S. Patent Application No. 2010/0105190, 2010.

⁸R. Ferré, A. Orpella, D. Muñoz, I. Martín, F. Recart, C. Voz, J. Puigdollers, P. Roca, and R. Alcubilla, *Prog. Photovolt. Res. Appl.* **16**, 123 (2008).

⁹R. Ferré, Ph.D. thesis, Universitat Politècnica de Catalunya, 2008.

¹⁰I. Martín, M. Vetter, A. Orpella, J. Puigdollers, C. Voz, R. Alcubilla, J. Damon Lacoste, and P. Roca i Cabarrocas, *Proceedings of the 17th European Photovoltaic Solar Energy Conference, Munich, Germany (WIP, Munich, 2004)*, p. 1185.

¹¹P. Manshanden and L. J. Geerligs, *Sol. Energy Mater. Sol. Cells* **90**, 998 (2006).

¹²R. A. Sinton and A. Cuevas, *Appl. Phys. Lett.* **69**, 2510 (1996).

¹³M. J. Kerr and A. Cuevas, *J. Appl. Phys.* **91**, 2473 (2002).

¹⁴D. Macdonald and A. Cuevas, *Appl. Phys. Lett.* **74**, 1710 (1999).

¹⁵M. Bail, M. Schulz, and R. Brendel, *Appl. Phys. Lett.* **82**, 757 (2003).

¹⁶P. J. Cousins, D. H. Neuhaus, and J. E. Cotter, *J. Appl. Phys.* **95**, 1854 (2004).

¹⁷M. Garín, I. Martín, S. Bermejo, and R. Alcubilla, *J. Appl. Phys.* **101**, 123716 (2007).

¹⁸W. Schröter and R. Kuhnappel, *Appl. Phys. Lett.* **56**, 2207 (1990).

¹⁹R. Krain, S. Herlufsen, and J. Schmidt, *Appl. Phys. Lett.* **93**, 152108 (2008).

²⁰G. Zoth and W. Bergholz, *J. Appl. Phys.* **67**, 6764 (1990).