



US010698989B2

(12) **United States Patent**
Giobbi

(10) **Patent No.:** **US 10,698,989 B2**
(45) **Date of Patent:** ***Jun. 30, 2020**

(54) **BIOMETRIC PERSONAL DATA KEY (PDK)
AUTHENTICATION**

(71) Applicant: **Proxense, LLC**, Bend, OR (US)

(72) Inventor: **John J. Giobbi**, Bend, OR (US)

(73) Assignee: **Proxense, LLC**, Bend, OR (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **15/049,060**

(22) Filed: **Feb. 20, 2016**

(65) **Prior Publication Data**

US 2016/0171200 A1 Jun. 16, 2016

Related U.S. Application Data

(63) Continuation of application No. 14/521,982, filed on Oct. 23, 2014, now Pat. No. 9,298,905, which is a (Continued)

(51) **Int. Cl.**
G06F 21/00 (2013.01)
G06F 21/32 (2013.01)
(Continued)

(52) **U.S. Cl.**
CPC **G06F 21/32** (2013.01); **G05B 1/00** (2013.01); **G06F 21/35** (2013.01); **G07C 9/257** (2020.01); **H04L 9/321** (2013.01)

(58) **Field of Classification Search**
CPC combination set(s) only.
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,739,329 A 6/1973 Lester
3,761,883 A 9/1973 Alvarez et al.
(Continued)

FOREIGN PATENT DOCUMENTS

JP H10-49604 2/1998
WO 0062505 A1 10/2000
(Continued)

OTHER PUBLICATIONS

"Rajendran Jeyaprakash, Jin Lee, Subir Biswas, Jae Mook Kim, Secured Smart Card Using Palm Vein Biometric On-card-Process, Aug. 28-30, 2008, IEEE Xplore, INSPEC #10205191" (Year: 2008).*

(Continued)

Primary Examiner — Phy Anh T Vu


(74) *Attorney, Agent, or Firm* — Patent Law Works LLP

(57) **ABSTRACT**

Systems and methods verifying a user during authentication of an integrated device. In one embodiment, the system includes an integrated device and an authentication unit. The integrated device stores biometric data of a user and a plurality of codes and other data values comprising a device ID code uniquely identifying the integrated device and a secret decryption value in a tamper proof format, and when scan data is verified by comparing the scan data to the biometric data, wirelessly sends one or more codes and other data values including the device ID code. The authentication unit receives and sends the one or more codes and the other data values to an agent for authentication, and receives an access message from the agent indicating that the agent successfully authenticated the one or more codes and other data values and allows the user to access an application.

9 Claims, 6 Drawing Sheets

600



US 10,698,989 B2

Page 2

Related U.S. Application Data

continuation of application No. 13/710,109, filed on Dec. 10, 2012, now Pat. No. 8,886,954, which is a continuation of application No. 11/314,199, filed on Dec. 20, 2005, now Pat. No. 8,352,730.

- (60) Provisional application No. 60/652,765, filed on Feb. 14, 2005, provisional application No. 60/637,538, filed on Dec. 20, 2004.

(51) Int. Cl.

G07C 9/25 (2020.01)
G06F 21/35 (2013.01)
G05B 1/00 (2006.01)
H04L 9/32 (2006.01)

(56) References Cited

U.S. PATENT DOCUMENTS

4,430,705 A 2/1984 Cannavino et al.
4,661,821 A 4/1987 Smith
4,759,060 A 7/1988 Hayashi et al.
4,993,068 A 2/1991 Piosenka et al.
5,187,352 A 2/1993 Blair et al.
5,224,164 A 6/1993 Elsner
5,296,641 A 3/1994 Stelzel
5,307,349 A 4/1994 Shloss et al.
5,317,572 A 5/1994 Satoh
5,325,285 A 6/1994 Araki
5,392,287 A 2/1995 Tiedemann, Jr. et al.
5,392,433 A 2/1995 Hammersley et al.
5,410,588 A 4/1995 Ito
5,416,780 A 5/1995 Patel
5,422,632 A 6/1995 Bucholtz et al.
5,428,684 A 6/1995 Akiyama et al.
5,450,489 A 9/1995 Ostrover et al.
5,473,690 A 12/1995 Grimonprez et al.
5,481,265 A 1/1996 Russell
5,506,863 A 4/1996 Meidan et al.
5,517,502 A 5/1996 Bestler et al.
5,541,583 A 7/1996 Mandelbaum
5,563,947 A 10/1996 Kikinis
5,589,838 A 12/1996 McEwan
5,594,227 A 1/1997 Deo
5,598,474 A * 1/1997 Johnson G06F 21/32
713/186
5,611,050 A 3/1997 Theimer et al.
5,619,251 A 4/1997 Kuroiwa et al.
5,623,552 A 4/1997 Lane
5,629,980 A 5/1997 Stefik et al.
5,644,354 A 7/1997 Thompson et al.
5,666,412 A 9/1997 Handelman et al.
5,689,529 A 11/1997 Johnson
5,692,049 A 11/1997 Johnson et al.
5,719,387 A 2/1998 Fujioka
5,729,237 A 3/1998 Webb
5,760,705 A 6/1998 Glessner et al.
5,760,744 A 6/1998 Sauer
5,773,954 A 6/1998 VanHorn
5,784,464 A 7/1998 Akiyama et al.
5,799,085 A 8/1998 Shona
5,825,876 A 10/1998 Peterson, Jr.
5,835,595 A 11/1998 Fraser et al.
5,838,306 A 11/1998 O'Connor et al.
5,854,891 A 12/1998 Postlewaite et al.
5,857,020 A 1/1999 Peterson, Jr.
5,886,634 A 3/1999 Muhme
5,892,825 A 4/1999 Mages et al.
5,892,900 A 4/1999 Ginter et al.
5,894,551 A 4/1999 Huggins et al.
5,898,880 A 4/1999 Ryu
5,910,776 A 6/1999 Black
5,917,913 A 6/1999 Wang
5,928,327 A 7/1999 Wang et al.
5,991,399 A 11/1999 Graunke et al.

5,991,749 A 11/1999 Morrill, Jr.
6,016,476 A 1/2000 Maes et al.
6,018,739 A 1/2000 McCoy
6,025,780 A 2/2000 Bowers
6,035,038 A 3/2000 Campinos et al.
6,035,329 A 3/2000 Mages et al.
6,038,334 A 3/2000 Hamid
6,040,786 A 3/2000 Fujioka
6,041,410 A * 3/2000 Hsu G06K 9/00013
380/285
6,042,006 A 3/2000 Van Tilburg et al.
6,055,314 A 4/2000 Spies et al.
6,070,796 A 6/2000 Sirbu
6,088,730 A 7/2000 Kato et al.
6,104,290 A 8/2000 Naguleswaran
6,104,334 A 8/2000 Allport
6,110,041 A 8/2000 Walker et al.
6,121,544 A 9/2000 Petsinger
6,134,283 A 10/2000 Sands et al.
6,138,010 A 10/2000 Rabe et al.
6,148,142 A 11/2000 Anderson
6,148,210 A 11/2000 Elwin et al.
6,161,179 A 12/2000 Seidel
6,177,887 B1 1/2001 Jerome
6,185,316 B1 2/2001 Buffam
6,209,089 B1 3/2001 Selitrennikoff et al.
6,219,109 B1 4/2001 Raynesford et al.
6,219,439 B1 4/2001 Burger
6,219,553 B1 4/2001 Panasik
6,237,848 B1 5/2001 Everett
6,240,076 B1 5/2001 Kanerva et al.
6,247,130 B1 6/2001 Fritsch
6,249,869 B1 6/2001 Drupsteen et al.
6,256,737 B1 7/2001 Bianco et al.
6,266,415 B1 7/2001 Campinos et al.
6,270,011 B1 * 8/2001 Gottfried G06F 21/32
235/379
6,279,111 B1 8/2001 Jensenworth et al.
6,279,146 B1 8/2001 Evans et al.
6,295,057 B1 9/2001 Rosin et al.
6,325,285 B1 12/2001 Baratelli
6,336,121 B1 1/2002 Lyson et al.
6,336,142 B1 1/2002 Kato et al.
6,343,280 B2 1/2002 Clark
6,345,347 B1 2/2002 Biran
6,363,485 B1 3/2002 Adams et al.
6,367,019 B1 4/2002 Ansell et al.
6,369,693 B1 4/2002 Gibson
6,370,376 B1 4/2002 Sheath
6,381,747 B1 4/2002 Wonfor et al.
6,385,596 B1 5/2002 Wiser et al.
6,392,664 B1 5/2002 White et al.
6,397,387 B1 5/2002 Rosin et al.
6,401,059 B1 6/2002 Shen et al.
6,411,307 B1 6/2002 Rosin et al.
6,424,249 B1 7/2002 Houvener
6,424,715 B1 7/2002 Saito
6,425,084 B1 7/2002 Rallis et al.
6,434,403 B1 8/2002 Ausems et al.
6,434,535 B1 8/2002 Kupka et al.
6,446,130 B1 9/2002 Grapes
6,463,534 B1 10/2002 Geiger et al.
6,480,101 B1 11/2002 Kelly et al.
6,480,188 B1 11/2002 Horsley
6,484,946 B2 11/2002 Matsumoto et al.
6,487,663 B1 11/2002 Jaisimha et al.
6,490,443 B1 12/2002 Freeny, Jr.
6,510,350 B1 1/2003 Steen, III et al.
6,522,253 B1 2/2003 Saltus
6,523,113 B1 2/2003 Wehrenberg
6,529,949 B1 3/2003 Getsin et al.
6,546,418 B2 4/2003 Schena et al.
6,550,011 B1 4/2003 Sims, III
6,563,465 B2 5/2003 Frecska
6,563,805 B1 5/2003 Ma et al.
6,564,380 B1 5/2003 Murphy
6,577,238 B1 6/2003 Whitesmith et al.
6,593,887 B2 7/2003 Luk et al.
6,597,680 B1 7/2003 Lindskog et al.

US 10,698,989 B2

Page 3

(56)

References Cited

U.S. PATENT DOCUMENTS

6,607,136	B1	8/2003	Atsmon et al.	7,167,797	B2	2/2007	Zai et al.
6,628,302	B2	9/2003	White et al.	7,191,466	B1	3/2007	Hamid et al.
6,632,992	B2	10/2003	Hasegawa	7,209,955	B1	4/2007	Major et al.
6,633,981	B1	10/2003	Davis	7,218,944	B2	5/2007	Cromer et al.
6,645,077	B2	11/2003	Rowe	7,225,161	B2	5/2007	Lam et al.
6,647,417	B1	11/2003	Hunter et al.	7,230,908	B2	6/2007	Vanderaar et al.
6,657,538	B1	12/2003	Ritter	7,231,068	B2	6/2007	Tibor
6,658,566	B1	12/2003	Hazard	7,231,451	B2	6/2007	Law et al.
6,667,684	B1	12/2003	Waggamon et al.	7,242,923	B2	7/2007	Perera et al.
6,669,096	B1	12/2003	Saphar et al.	7,249,177	B1	7/2007	Miller
6,671,808	B1	12/2003	Abbott et al.	7,272,723	B1	9/2007	Abbott et al.
6,683,954	B1	1/2004	Searle	7,277,737	B1	10/2007	Vollmer et al.
6,697,944	B1	2/2004	Jones et al.	7,278,025	B2	10/2007	Saito
6,709,333	B1	3/2004	Bradford et al.	7,295,119	B2	11/2007	Rappaport et al.
6,711,464	B1	3/2004	Yap et al.	7,305,560	B2	12/2007	Giobbi
6,714,168	B2	3/2004	Berenbaum	7,310,042	B2	12/2007	Seifert
6,715,246	B1	4/2004	Frecska et al.	7,314,164	B2	1/2008	Bonalle
6,728,397	B2	4/2004	McNeal	7,317,799	B2	1/2008	Hammersmith et al.
6,737,955	B2	5/2004	Ghabra et al.	7,319,395	B2	1/2008	Puzio et al.
6,758,394	B2	7/2004	Maskatiya et al.	7,330,108	B2	2/2008	Thomas
6,771,969	B1	8/2004	Chinoy et al.	7,333,002	B2	2/2008	Bixler et al.
6,775,655	B1	8/2004	Peinado et al.	7,336,181	B2	2/2008	Nowak et al.
6,785,474	B2	8/2004	Hirt et al.	7,336,182	B1	2/2008	Baranowski et al.
6,788,640	B2	9/2004	Celeste	7,337,326	B2	2/2008	Palmer et al.
6,788,924	B1	9/2004	Knutson et al.	7,341,181	B2	3/2008	Bonalle
6,795,425	B1	9/2004	Raith	7,349,557	B2	3/2008	Tibor
6,804,825	B1	10/2004	White et al.	7,356,393	B1	4/2008	Schlatre et al.
6,806,887	B2	10/2004	Chernock et al.	7,356,706	B2	4/2008	Scheurich
6,839,542	B2	1/2005	Sibecas et al.	7,361,919	B2	4/2008	Setlak
6,850,147	B2	2/2005	Prokoski et al.	7,370,366	B2	5/2008	Lacan et al.
6,853,988	B1	2/2005	Dickinson et al.	7,380,202	B1	5/2008	Lindhorst et al.
6,859,812	B1	2/2005	Poynor	7,382,799	B1	6/2008	Young et al.
6,861,980	B1	3/2005	Rowitch et al.	7,387,235	B2	6/2008	Gilbert et al.
6,873,975	B1	3/2005	Hatakeyama et al.	7,401,731	B1	7/2008	Pletz et al.
6,879,567	B2	4/2005	Callaway et al.	7,424,134	B2	9/2008	Chou
6,879,966	B1	4/2005	Lapsley et al.	7,447,911	B2	11/2008	Chou et al.
6,886,741	B1	5/2005	Salveson	7,458,510	B1	12/2008	Zhou
6,889,067	B2	5/2005	Willey	7,460,836	B2	12/2008	Smith et al.
6,891,822	B1	5/2005	Gubbi et al.	7,461,444	B2	12/2008	Deaett et al.
6,892,307	B1	5/2005	Wood et al.	7,466,232	B2	12/2008	Neuwirth
6,930,643	B2	8/2005	Byrne et al.	7,472,280	B2	12/2008	Giobbi
6,947,003	B2	9/2005	Fluor	7,512,806	B2	3/2009	Lemke
6,950,941	B1	9/2005	Lee et al.	7,525,413	B2	4/2009	Jung et al.
6,957,086	B2	10/2005	Bahl et al.	7,529,944	B2	5/2009	Hamid
6,963,270	B1	11/2005	Gallagher, III et al.	7,545,312	B2	6/2009	Kiang et al.
6,963,971	B1	11/2005	Bush et al.	7,565,329	B2	7/2009	Lapsley et al.
6,973,576	B2	12/2005	Giobbi	7,573,382	B2	8/2009	Choubey et al.
6,975,202	B1	12/2005	Rodriguez et al.	7,573,841	B2	8/2009	Lee et al.
6,980,087	B2	12/2005	Zukowski	7,574,734	B2	8/2009	Fedronic et al.
6,983,882	B2	1/2006	Cassone	7,583,238	B2	9/2009	Cassen et al.
6,999,032	B2	2/2006	Pakray et al.	7,583,643	B2	9/2009	Smith et al.
7,012,503	B2	3/2006	Nielsen	7,587,611	B2	9/2009	Johnson et al.
7,031,945	B1	4/2006	Donner	7,595,765	B1	9/2009	Hirsch
7,049,963	B2	5/2006	Waterhouse et al.	7,603,564	B2	10/2009	Adachi
7,055,171	B1	5/2006	Martin et al.	7,606,733	B2	10/2009	Shmueli et al.
7,058,806	B2	6/2006	Smeets et al.	7,617,523	B2	11/2009	Das et al.
7,061,380	B1	6/2006	Orlando et al.	7,620,184	B2	11/2009	Marque Pucheu
7,068,623	B1	6/2006	Barany et al.	7,624,417	B2	11/2009	Dua
7,072,900	B2	7/2006	Sweitzer et al.	7,640,273	B2	12/2009	Wallmeier et al.
7,079,079	B2	7/2006	Jo et al.	7,644,443	B2	1/2010	Matsuyama et al.
7,090,126	B2	8/2006	Kelly et al.	7,646,307	B2	1/2010	Plocher et al.
7,100,053	B1	8/2006	Brown et al.	7,652,892	B2	1/2010	Shiu et al.
7,111,789	B2	9/2006	Rajasekaran et al.	7,676,380	B2	3/2010	Graves et al.
7,112,138	B2	9/2006	Hedrick et al.	7,711,152	B1	5/2010	Davida et al.
7,119,659	B2	10/2006	Bonalle et al.	7,715,593	B1	5/2010	Adams et al.
7,123,149	B2	10/2006	Nowak et al.	7,724,717	B2	5/2010	Porras et al.
7,130,668	B2	10/2006	Chang et al.	7,724,720	B2	5/2010	Korpela et al.
7,137,008	B1	11/2006	Hamid	7,764,236	B2	7/2010	Hill et al.
7,137,012	B1	11/2006	Kamibayashi et al.	7,765,181	B2	7/2010	Thomas et al.
7,139,914	B2	11/2006	Arnouse	7,773,754	B2	8/2010	Buer et al.
7,155,416	B2	12/2006	Shatford	7,774,613	B2	8/2010	Lemke
7,159,114	B1	1/2007	Zajkowski et al.	7,780,082	B2	8/2010	Handa et al.
7,159,765	B2	1/2007	Frerking	7,796,551	B1	9/2010	Machiraju et al.
7,167,987	B2	1/2007	Angelo	7,813,822	B1	10/2010	Hoffberg
7,168,089	B2	1/2007	Nguyen et al.	7,865,448	B2	1/2011	Pizarro
				7,883,417	B2	2/2011	Bruzzese et al.
				7,904,718	B2	3/2011	Giobbi et al.
				7,943,868	B2	5/2011	Anders et al.
				7,957,536	B2	6/2011	Nolte

US 10,698,989 B2

Page 4

(56)	References Cited			2002/0023217	A1 *	2/2002	Wheeler	G06F 21/32 713/171
U.S. PATENT DOCUMENTS				2002/0026424	A1	2/2002	Akashi	
7,961,078	B1	6/2011	Reynolds et al.	2002/0037732	A1	3/2002	Gous et al.	
7,984,064	B2	7/2011	Fusari	2002/0052193	A1	5/2002	Chetty	
7,996,514	B2	8/2011	Baumert et al.	2002/0055908	A1	5/2002	Di Giorgio et al.	
8,026,821	B2	9/2011	Reeder et al.	2002/0056043	A1	5/2002	Glass	
8,036,152	B2	10/2011	Brown et al.	2002/0062249	A1	5/2002	Iannacci	
8,077,041	B2	12/2011	Stern et al.	2002/0068605	A1	6/2002	Stanley	
8,081,215	B2	12/2011	Kuo et al.	2002/0071559	A1	6/2002	Christensen	
8,082,160	B2	12/2011	Collins, Jr. et al.	2002/0073042	A1	6/2002	Maritzen et al.	
8,089,354	B2	1/2012	Perkins	2002/0080969	A1	6/2002	Giobbi	
8,112,066	B2	2/2012	Ben Ayed	2002/0083318	A1	6/2002	Larose	
8,135,624	B1	3/2012	Ramalingam et al.	2002/0086690	A1	7/2002	Takahashi et al.	
8,171,528	B1	5/2012	Brown	2002/0089890	A1	7/2002	Fibranz et al.	
8,193,923	B2	6/2012	Rork et al.	2002/0091646	A1	7/2002	Lake	
8,215,552	B1	7/2012	Rambadt	2002/0095586	A1 *	7/2002	Doyle	G06F 21/32 713/186
8,248,263	B2	8/2012	Shervey et al.	2002/0095587	A1 *	7/2002	Doyle	G07F 7/1008 713/186
8,258,942	B1	9/2012	Lanzzone et al.					
8,294,554	B2	10/2012	Shoarinejad et al.	2002/0098888	A1	7/2002	Rowe et al.	
8,296,573	B2	10/2012	Bolle et al.	2002/0100798	A1	8/2002	Farrugia et al.	
8,307,414	B2	11/2012	Zerfos et al.	2002/0103027	A1	8/2002	Rowe et al.	
8,325,011	B2	12/2012	Butler et al.	2002/0104006	A1	8/2002	Boate	
8,340,672	B2	12/2012	Brown et al.	2002/0104019	A1	8/2002	Chatani	
8,352,730	B2	1/2013	Giobbi	2002/0105918	A1	8/2002	Yamada et al.	
8,373,562	B1	2/2013	Heinze et al.	2002/0108049	A1	8/2002	Xu et al.	
8,387,124	B2	2/2013	Smetters et al.	2002/0109580	A1 *	8/2002	Shreve	G07C 9/00103 340/5.61
8,390,456	B2	3/2013	Puleston et al.					
8,395,484	B2	3/2013	Fullerton	2002/0111919	A1	8/2002	Weller et al.	
8,410,906	B1	4/2013	Dacus et al.	2002/0116615	A1	8/2002	Nguyen	
8,421,606	B2	4/2013	Collins, Jr. et al.	2002/0124251	A1	9/2002	Hunter et al.	
8,424,079	B2	4/2013	Adams et al.	2002/0128017	A1	9/2002	Virtanen	
8,432,262	B2	4/2013	Talty et al.	2002/0129262	A1 *	9/2002	Kutaragi	G06F 21/10 713/193
8,433,919	B2	4/2013	Giobbi et al.					
8,484,696	B2	7/2013	Gatto et al.	2002/0138438	A1 *	9/2002	Bardwell	G06F 21/32 705/51
8,494,576	B1	7/2013	Bye et al.					
8,508,336	B2	8/2013	Giobbi et al.	2002/0138767	A1	9/2002	Hamid et al.	
8,519,823	B2	8/2013	Rinkes	2002/0140542	A1	10/2002	Prokoski et al.	
8,522,019	B2	8/2013	Michaelis	2002/0141586	A1	10/2002	Margalit et al.	
8,558,699	B2	10/2013	Butler et al.	2002/0143623	A1	10/2002	Dayley	
8,577,091	B2	11/2013	Ivanov et al.	2002/0143655	A1	10/2002	Elston et al.	
8,646,042	B1	2/2014	Brown	2002/0144117	A1	10/2002	Faigle	
8,678,273	B2	3/2014	McNeal	2002/0147653	A1	10/2002	Shmueli et al.	
8,738,925	B1	5/2014	Park et al.	2002/0148892	A1 *	10/2002	Bardwell	G06F 21/32 235/380
8,799,574	B2	8/2014	Corda					
8,856,539	B2	10/2014	Weiss	2002/0150282	A1	10/2002	Kinsella	
8,914,477	B2	12/2014	Gammon	2002/0152391	A1	10/2002	Willins et al.	
8,918,854	B1	12/2014	Giobbi	2002/0153996	A1	10/2002	Chan et al.	
8,931,698	B2	1/2015	Ishikawa et al.	2002/0158121	A1 *	10/2002	Stanford-Clark	G06Q 20/341 235/375
8,979,646	B2	3/2015	Moser et al.					
9,037,140	B1	5/2015	Brown	2002/0158750	A1	10/2002	Almalik	
9,049,188	B1	6/2015	Brown	2002/0158765	A1	10/2002	Pape et al.	
9,230,399	B2	1/2016	Yacenda	2002/0160820	A1	10/2002	Winkler	
9,235,700	B1	1/2016	Brown	2002/0174348	A1	11/2002	Ting	
9,276,914	B2	3/2016	Woodward et al.	2002/0177460	A1	11/2002	Beasley et al.	
9,305,312	B2	4/2016	Kountotsis et al.	2002/0178063	A1	11/2002	Gravelle et al.	
9,405,898	B2	8/2016	Giobbi	2002/0191816	A1	12/2002	Maritzen et al.	
9,418,205	B2	8/2016	Giobbi	2002/0196963	A1 *	12/2002	Bardwell	G06F 21/32 382/124
9,542,542	B2	1/2017	Giobbi et al.					
9,679,289	B1	6/2017	Brown	2002/0199120	A1	12/2002	Schmidt	
9,892,250	B2	2/2018	Giobbi	2003/0022701	A1	1/2003	Gupta	
10,073,960	B1	9/2018	Brown	2003/0034877	A1	2/2003	Miller et al.	
10,110,385	B1	10/2018	Rush et al.	2003/0036416	A1	2/2003	Pattabiraman et al.	
2001/0024428	A1	9/2001	Onouchi	2003/0036425	A1	2/2003	Kaminkow et al.	
2001/0026619	A1	10/2001	Howard	2003/0046228	A1	3/2003	Berney	
2001/0027121	A1	10/2001	Boesen	2003/0046552	A1	3/2003	Hamid	
2001/0027439	A1	10/2001	Holtzman et al.	2003/0051173	A1 *	3/2003	Krueger	G06F 21/32 726/21
2001/0044337	A1	11/2001	Rowe et al.					
2002/0004783	A1	1/2002	Paltenghe et al.	2003/0054868	A1	3/2003	Paulsen et al.	
2002/0007456	A1	1/2002	Peinado et al.	2003/0054881	A1	3/2003	Hedrick et al.	
2002/0010679	A1	1/2002	Felsher	2003/0055689	A1	3/2003	Block et al.	
2002/0013772	A1	1/2002	Peinado	2003/0063619	A1	4/2003	Montano et al.	
2002/0014954	A1	2/2002	Fitzgibbon et al.	2003/0079133	A1	4/2003	Breiter et al.	
2002/0015494	A1	2/2002	Nagai et al.	2003/0088441	A1	5/2003	McNerney	
2002/0019811	A1	2/2002	Lapsley et al.	2003/0109274	A1	6/2003	Budka et al.	
2002/0022455	A1	2/2002	Salokannel et al.	2003/0115351	A1	6/2003	Giobbi	
2002/0023032	A1	2/2002	Pearson	2003/0115474	A1	6/2003	Khan	

Page 5

References Cited

U.S. PATENT DOCUMENTS

2004/0137912	A1	7/2004	Lin
2004/0158746	A1	8/2004	Hu et al.
2004/0166875	A1	8/2004	Jenkins et al.
2004/0167465	A1	8/2004	Mihai et al.
2004/0193925	A1	9/2004	Safriel
2004/0203923	A1	10/2004	Mullen
2004/0208139	A1	10/2004	Iwamura
2004/0209690	A1	10/2004	Bruzzese et al.
2004/0209692	A1	10/2004	Schober et al.
2004/0214582	A1	10/2004	Lan et al.
2004/0215615	A1	10/2004	Larsson et al.
2004/0217859	A1	11/2004	Pucci et al.
2004/0218581	A1	11/2004	Cattaneo
2004/0222877	A1	11/2004	Teramura et al.
2004/0230488	A1	11/2004	Beenau et al.
2004/0234117	A1	11/2004	Tibor
2004/0243519	A1	12/2004	Perttila et al.
2004/0246103	A1	12/2004	Zukowski
2004/0246950	A1	12/2004	Parker et al.
2004/0252659	A1	12/2004	Yun et al.
2004/0253996	A1	12/2004	Chen et al.

2005/0215233	A1	9/2005	Perera et al.
2005/0216313	A1	9/2005	Claud et al.
2005/0216639	A1	9/2005	Sparer et al.
2005/0220046	A1	10/2005	Falck et al.
2005/0229007	A1	10/2005	Bolle et al.
2005/0229240	A1	10/2005	Nanba
2005/0242921	A1	11/2005	Zimmerman et al.
2005/0243787	A1	11/2005	Hong et al.
2005/0251688	A1	11/2005	Nanavati et al.
2005/0253683	A1	11/2005	Lowe
2005/0264416	A1	12/2005	Maurer
2005/0269401	A1	12/2005	Spitzer et al.
2005/0272403	A1	12/2005	Ryu et al.
2005/0281320	A1	12/2005	Neugebauer
2005/0282558	A1	12/2005	Choi et al.
2005/0284932	A1	12/2005	Sukeda et al.
2006/0001525	A1	1/2006	Nitzan et al.
2006/0014430	A1	1/2006	Liang et al.
2006/0022042	A1	2/2006	Smets et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2006/0022046 A1	2/2006	Iwamura	2007/0136407 A1	6/2007	Rudelic
2006/0022800 A1	2/2006	Krishna et al.	2007/0152826 A1	7/2007	August et al.
2006/0025180 A1	2/2006	Rajkotia et al.	2007/0156850 A1	7/2007	Corrion
2006/0026673 A1	2/2006	Tsuchida	2007/0158411 A1	7/2007	Krieg, Jr.
2006/0030353 A1	2/2006	Jun	2007/0159301 A1	7/2007	Hirt et al.
2006/0034250 A1	2/2006	Kim et al.	2007/0159994 A1	7/2007	Brown et al.
2006/0041746 A1	2/2006	Kirkup et al.	2007/0169121 A1	7/2007	Hunt et al.
2006/0058102 A1	3/2006	Nguyen et al.	2007/0174809 A1	7/2007	Brown et al.
2006/0063575 A1	3/2006	Gatto et al.	2007/0176756 A1	8/2007	Friedrich
2006/0069814 A1	3/2006	Abraham et al.	2007/0187266 A1	8/2007	Porter et al.
2006/0072586 A1	4/2006	Callaway, Jr. et al.	2007/0192601 A1	8/2007	Spain et al.
2006/0074713 A1	4/2006	Conry et al.	2007/0194882 A1	8/2007	Yokota et al.
2006/0076401 A1	4/2006	Frerking	2007/0204078 A1	8/2007	Boccon-Gibod et al.
2006/0078176 A1	4/2006	Abiko et al.	2007/0205860 A1	9/2007	Jones et al.
2006/0087407 A1	4/2006	Stewart et al.	2007/0205861 A1	9/2007	Nair et al.
2006/0089138 A1	4/2006	Smith et al.	2007/0213048 A1	9/2007	Trauberg
2006/0097949 A1	5/2006	Luebke et al.	2007/0214492 A1	9/2007	Gopi et al.
2006/0111955 A1	5/2006	Winter et al.	2007/0218921 A1	9/2007	Lee et al.
2006/0113381 A1	6/2006	Hochstein et al.	2007/0219926 A1	9/2007	Korn
2006/0136728 A1	6/2006	Gentry et al.	2007/0220272 A1	9/2007	Campisi et al.
2006/0136742 A1	6/2006	Giobbi	2007/0229268 A1	10/2007	Swan et al.
2006/0143441 A1	6/2006	Giobbi	2007/0245157 A1	10/2007	Giobbi et al.
2006/0144943 A1	7/2006	Kim	2007/0245158 A1	10/2007	Giobbi et al.
2006/0156027 A1	7/2006	Blake	2007/0247366 A1	10/2007	Smith et al.
2006/0158308 A1	7/2006	McMullen et al.	2007/0260883 A1	11/2007	Giobbi et al.
2006/0165060 A1	7/2006	Dua	2007/0260888 A1	11/2007	Giobbi et al.
2006/0170565 A1	8/2006	Husak et al.	2007/0266257 A1	11/2007	Camaisa et al.
2006/0173991 A1	8/2006	Piikivi	2007/0268862 A1	11/2007	Singh et al.
2006/0187029 A1	8/2006	Thomas	2007/0271194 A1	11/2007	Walker et al.
2006/0190348 A1	8/2006	Ofar et al.	2007/0271433 A1	11/2007	Takemura
2006/0190413 A1	8/2006	Harper	2007/0277044 A1	11/2007	Graf et al.
2006/0194598 A1	8/2006	Kim et al.	2007/0285212 A1	12/2007	Rotzoll
2006/0195576 A1	8/2006	Rinne et al.	2007/0285238 A1	12/2007	Batra
2006/0198337 A1	9/2006	Hoang et al.	2007/0288263 A1	12/2007	Rodgers
2006/0205408 A1	9/2006	Nakagawa et al.	2007/0288752 A1	12/2007	Chan
2006/0208066 A1	9/2006	Finn et al.	2007/0293155 A1	12/2007	Liao et al.
2006/0208853 A1	9/2006	Kung et al.	2007/0294755 A1	12/2007	Dadhia et al.
2006/0222042 A1	10/2006	Teramura et al.	2007/0296544 A1	12/2007	Beenau et al.
2006/0229909 A1	10/2006	Kaila et al.	2008/0001783 A1	1/2008	Cargonja et al.
2006/0237528 A1	10/2006	Bishop et al.	2008/0005432 A1	1/2008	Kagawa
2006/0238305 A1	10/2006	Loving et al.	2008/0008359 A1	1/2008	Beenau et al.
2006/0268891 A1	11/2006	Heidari-Bateni et al.	2008/0011842 A1	1/2008	Curry et al.
2006/0273176 A1	12/2006	Audebert et al.	2008/0012685 A1	1/2008	Friedrich et al.
2006/0274711 A1	12/2006	Nelson, Jr. et al.	2008/0012767 A1	1/2008	Caliri et al.
2006/0279412 A1	12/2006	Holland et al.	2008/0016004 A1	1/2008	Kurasaki et al.
2006/0286969 A1	12/2006	Talmor et al.	2008/0019578 A1	1/2008	Saito et al.
2006/0290580 A1	12/2006	Noro et al.	2008/0028453 A1	1/2008	Nguyen et al.
2006/0293925 A1	12/2006	Flom	2008/0046715 A1	2/2008	Balazs et al.
2006/0294388 A1	12/2006	Abraham et al.	2008/0061941 A1	3/2008	Fischer et al.
2007/0005403 A1	1/2007	Kennedy et al.	2008/0071577 A1	3/2008	Highley
2007/0007331 A1	1/2007	Jasper et al.	2008/0072063 A1	3/2008	Takahashi et al.
2007/0008070 A1	1/2007	Friedrich	2008/0088475 A1	4/2008	Martin
2007/0008916 A1	1/2007	Haugli et al.	2008/0090548 A1	4/2008	Ramalingam
2007/0016800 A1	1/2007	Spottswood et al.	2008/0095359 A1	4/2008	Schreyer et al.
2007/0019845 A1	1/2007	Kato	2008/0109895 A1	5/2008	Janevski
2007/0029381 A1	2/2007	Braiman	2008/0111752 A1	5/2008	Lindackers et al.
2007/0032288 A1	2/2007	Nelson et al.	2008/0129450 A1	6/2008	Riegebauer
2007/0033072 A1	2/2007	Bildirici	2008/0148351 A1	6/2008	Bhatia et al.
2007/0033150 A1	2/2007	Nwosu	2008/0149705 A1	6/2008	Giobbi et al.
2007/0038751 A1	2/2007	Jorgensen	2008/0150678 A1	6/2008	Giobbi et al.
2007/0050259 A1	3/2007	Wesley	2008/0156866 A1	7/2008	McNeal
2007/0060095 A1	3/2007	Subrahmanya et al.	2008/0164997 A1	7/2008	Aritsuka et al.
2007/0060319 A1	3/2007	Block et al.	2008/0169909 A1	7/2008	Park et al.
2007/0064742 A1	3/2007	Shvodian	2008/0186166 A1	8/2008	Zhou et al.
2007/0069852 A1	3/2007	Mo et al.	2008/0188308 A1	8/2008	Shepherd et al.
2007/0072636 A1	3/2007	Worfolk et al.	2008/0201768 A1	8/2008	Koo et al.
2007/0073553 A1	3/2007	Flinn et al.	2008/0209571 A1	8/2008	Bhaskar et al.
2007/0084523 A1	4/2007	McLean	2008/0218416 A1	9/2008	Handy et al.
2007/0087682 A1	4/2007	DaCosta	2008/0222701 A1	9/2008	Saaranen et al.
2007/0087834 A1	4/2007	Moser et al.	2008/0228524 A1	9/2008	Brown
2007/0100939 A1	5/2007	Bagley et al.	2008/0235144 A1	9/2008	Phillips
2007/0109117 A1	5/2007	Heitzmann et al.	2008/0238625 A1	10/2008	Rofougaran et al.
2007/0112676 A1	5/2007	Kontio et al.	2008/0250388 A1	10/2008	Meyer et al.
2007/0118891 A1	5/2007	Buer	2008/0251579 A1	10/2008	Larsen
2007/0133478 A1	6/2007	Armbruster et al.	2008/0278325 A1	11/2008	Zimman et al.
			2008/0289032 A1	11/2008	Aoki et al.
			2008/0313728 A1	12/2008	Pandurangi et al.
			2008/0314971 A1	12/2008	Faith et al.
			2008/0316045 A1	12/2008	Sriharto et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2009/0002134	A1	1/2009	McAllister
2009/0016573	A1	1/2009	McAfee, II et al.
2009/0024584	A1	1/2009	Dharap et al.
2009/0033464	A1	2/2009	Friedrich
2009/0033485	A1	2/2009	Naeve et al.
2009/0036164	A1	2/2009	Rowley
2009/0045916	A1	2/2009	Nitzan et al.
2009/0052389	A1	2/2009	Qin et al.
2009/0076849	A1	3/2009	Diller
2009/0081996	A1	3/2009	Duggal et al.
2009/0096580	A1	4/2009	Paananen
2009/0140045	A1	6/2009	Evans
2009/0157512	A1	6/2009	King
2009/0176566	A1	7/2009	Kelly
2009/0199206	A1	8/2009	Finkenzeller et al.
2009/0237245	A1	9/2009	Brinton et al.
2009/0237253	A1	9/2009	Neuwirth
2009/0239667	A1	9/2009	Rowe et al.
2009/0310514	A1	12/2009	Jeon et al.
2009/0313689	A1	12/2009	Nystrom et al.
2009/0319788	A1	12/2009	Zick et al.
2009/0320118	A1	12/2009	Muller et al.
2009/0322510	A1	12/2009	Berger et al.
2009/0328182	A1	12/2009	Malakapalli et al.
2010/0007498	A1	1/2010	Jackson
2010/0023074	A1	1/2010	Powers et al.
2010/0037255	A1	2/2010	Sheehan et al.
2010/0077214	A1	3/2010	Jogand-Coulomb et al.
2010/0117794	A1	5/2010	Adams et al.
2010/0134257	A1	6/2010	Puleston et al.
2010/0169442	A1	7/2010	Liu et al.
2010/0169964	A1	7/2010	Liu et al.
2010/0174911	A1	7/2010	Isshiki
2010/0188226	A1	7/2010	Seder et al.
2010/0277283	A1	11/2010	Burkart et al.
2010/0277286	A1	11/2010	Burkart et al.
2010/0291896	A1	11/2010	Corda
2010/0305843	A1	12/2010	Yan et al.
2010/0328033	A1	12/2010	Kamei
2011/0072034	A1	3/2011	Sly et al.
2011/0072132	A1	3/2011	Shafer et al.
2011/0082735	A1	4/2011	Kannan et al.
2011/0116358	A9	5/2011	Li et al.
2011/0126188	A1	5/2011	Bernstein et al.
2011/0227740	A1	9/2011	Wohltjen
2011/0238517	A1	9/2011	Ramalingam et al.
2011/0246790	A1	10/2011	Koh et al.
2011/0266348	A1	11/2011	Denniston, Jr.
2011/0307599	A1	12/2011	Saretto et al.
2012/0086571	A1	4/2012	Scalisi et al.
2012/0182123	A1	7/2012	Butler et al.
2012/0212322	A1	8/2012	Idsoe
2012/0226907	A1	9/2012	Hohberger
2013/0019295	A1	1/2013	Park et al.
2013/0019323	A1	1/2013	Arvidsson et al.
2013/0044111	A1	2/2013	VanGilder et al.
2013/0111543	A1	5/2013	Brown et al.
2013/0276140	A1	10/2013	Coffing et al.
2013/0331063	A1	12/2013	Cormier et al.
2014/0074696	A1	3/2014	Glaser
2014/0266713	A1	9/2014	Sehgal et al.
2016/0210614	A1	7/2016	Hall
2017/0085564	A1	3/2017	Giobbi et al.

FOREIGN PATENT DOCUMENTS

WO	0122724	A1	3/2001
WO	0135334	A1	5/2001
WO	0175876	A1	10/2001
WO	0177790	A1	10/2001
WO	05050450		10/2001
WO	05086802		10/2001
WO	2004/038563		5/2004
WO	2007/087558		8/2007

OTHER PUBLICATIONS

"Geetha Govindan, Suresh Kumar Bakakrishnan, Rejith Lalitha Ratheendran, Saji Koyippurathu Sivasadan, Real time security management using RFID, Biometric and Smart Messages, Aug. 20-22, 2009, IEEE Xplore, INSPEC # 10906130" (Year: 2009).*

"Sweta Singh, Akhilesh Singh, Rakesh Kumar, A constraint-based biometric scheme on ATM and swiping machine, Mar. 11-13, 2016, IEEE Xplore, INSPEC \$ 16156324" (Year: 2016).*

Vainio, Juha., "Bluetooth Security", dated 2000, Helsinki University of Technology, p. 1-20.

Katz et al., "Smart Cards and Biometrics in Privacy-Sensitive Secure Personal Identification System", dated 2002, Smart Card Alliance, p. 1-29.

Dai et al., "Toward Blockchain-Based Accounting and Assurance", 2017, Journal of Information Systems, pp. 5-21 (Year: 2017).

Alliance Activities: Publications: Identity-Smart Card Alliance, Smart Card Alliance, 1997-2007, [online] [Retrieved on Jan. 7, 2007] Retrieved from the Internet, <https://www.smartcardalliance.org/pages/publications-identity>.

Antonoff, Michael, Visiting Video Valley, Sound Vision, pp. 116 and 118-119, Nov. 2001.

Applying Biometrics to Door Access, Security Magazine, Sep. 26, 2002 [online] [Retrieved on Jan. 7, 2007] Retrieved from the Internet <http://www.securitymagazine.com/CDA/Articles/Technologies/3ae610eaa34d8010VgnVCM100000f932a8c0>.

BioPay, LLC, Frequently Asked Questions (FAQs) About BioPay, BioPay, LLC, 2007, [online] [Retrieved on Jan. 1, 2007] Retrieved from the Internet <http://www.biopay.com/faqs-lowes.asp>.

Bluetooth, www.bluetooth.com, Printed J1111e 1, 2000.

Blum, Jonathan, Digital Rights Managment May Solve The Napster Problem, Technoloav Investor Industrvsector (Oct. 2000),24-27.

Content protection plan targets wireless home networks, www.eetimes.com, Jan. 11, 2002.

Debow, Credit/Debit Debuts in Midwest Smart Card Test, Computers in Banking, v6, n11, p. 10, Nov. 1989.

Dennis, Digital Passports Need Not Infringe Civil Liberties, Newsbytes, Dec. 2, 1999, 2 pages.

Farouk, Authentication Mechanisms in Grid Computing Environment Comparative Study, 2012, IEEE, p. 1-6.

Fasca, Chad, The Circuit, Electronic News 45(45). (Nov. 8, 1999),20.

Firecrest Shows How Truly Commercially-Minded Companies Will Exploit the Internet, Computergram International, Jan. 18, 1996, 2pgs.

Kontzer, Tony, Thomson Bets on Smart Cards for Video Encryption, www.informationweek.com, Jun. 7, 2001 (Also listed under Press Release).

Lake, Matt, Downloading for Dollars, Sound Vision. (Nov. 2000),137-138.

Lewis, Sony and Visa in On-Line Entertainment Venture, New York Times, v145, Nov. 16, 1995. 1 pg.

Liu et al. 2001. A Practical Guide to Biometric Security Technology. IT Professional 3, 1 (Jan. 2001), 27-32. DOI=10.1109/6294_899930 <http://dx.doi.org/10.1109/6294.899930>.

McIver, R. et al., Identification and Verification Working Together, BioscryptTM, Aug. 27, 2004, [online] [Retrieved on Jan. 7, 2007] Retrieved from the Internet <http://www.ibia.org/membersadmin/whitepapers/pdf/15/Identification%20and%20Verification%20Working%20Together.pdf>.

Micronas and Thomson multimedia Showcase a New Copy Protection System That Will Drive the Future of Digital Television, www.micronas.com, Jan. 8, 2002.

Nilsson, J. et al., Match-On-Card for Java Cards, Precise Biometrics, White Paper, Apr. 2004, [online] [Retrieved on Jan. 7, 2007] Retrieved from the Internet <http://www.ibia.org/membersadmin/whitepapers/pdf/17/Precise%20Match-on-Card%20for%20Java%20Cards.pdf>.

Nordin, B., Match-On-Card Technology, PreciseTM Biometrics, White Paper, Apr. 2004, [online] [Retrieved on Jan. 7, 2007] Retrieved from the Internet <http://www.ibia.org/membersadmin/whitepapers/pdf/17/Precise%20Match-on-Card%20technology.pdf>.

(56)

References Cited

OTHER PUBLICATIONS

- Paget, Paul, The Security Behind Secure Extranets, Enterprise Systems Journal, (Dec. 1999), 4 pgs.
- PCT International Search Report and Written Opinion, PCT/US04/38124, dated Apr. 7, 2005, 10 pages.
- PCT International Search Report and Written Opinion, PCT/US05/07535, dated Dec. 6, 2005, 6 pages.
- PCT International Search Report and Written Opinion, PCT/US05/43447, dated Feb. 22, 2007, 7 pages.
- PCT International Search Report and Written Opinion, PCT/US05/46843, dated Mar. 1, 2007, 10 pages.
- PCT International Search Report and Written Opinion, PCT/US07/11103, dated Apr. 23, 2008, 9 pages.
- PCT International Search Report and Written Opinion, PCT/US07/11105, dated Oct. 20, 2008, 10 pages.
- PCT International Search Report PCT/US07/11104, Jun. 26, 2008, 9 pages.
- PCT International Search Report, PCT/US07/11102, dated Oct. 3, 2008, 11 pages.
- Pope, Oasis Digital Signature Services: Digital Signing without the Headaches, Internet Computing IEEE, vol. 10, 2006, pp. 81-84.
- SAFModuleTM: A Look Into Strong Authentication, saflink Corporation, [online] [Retrieved on Jan. 7, 2007] Retrieved from the Internet http://www.ibia.org/membersadmin/whitepapers/pdf/6/SAFmod_WP.pdf.
- Sapsford, Jathon, E-Business: Sound Waves Could Help Ease Web-Fraud Woes, Wall Street Journal, (Aug. 14, 2000), B1.
- Say Hello to Bluetooth, Bluetooth Web site 4 pages.
- Smart Card Alliance Report, Contactless Technology for Secure Physical Access: Technology and Standards Choices, Smart Card Alliance, Oct. 2002, p. 1-48.
- Smart Cards and Biometrics White Paper, Smart Card Alliance, May 2002, [online] [Retrieved on Jan. 7, 2007] Retrieved from the Internet http://www.securitymanagement.com/library/smartcard_faqtch0802.pdf.
- Thomson multimedia unveils copy protection proposal designed to provide additional layer of digital content security, www.thomson-multimedia.com, May 30, 2001, 2 pgs.
- Van Winkle, William, Bluetooth the King of Connectivity, Laptop Buyers Guide and Handbook (Jan. 2000), 148-153.
- Wade, W., Using Fingerprints to Make Payments at POS Slowly Gaining Popularity, Credit Union Journal, International Biometric Group, Apr. 21, 2003, online. Retrieved on Jan. 7, 2007. http://www.biometricgroup.com/in_the_news/04.21.03.html.
- Wallace, Bob, The Internet Unplugged, InformationWeek, 765(22), (Dec. 13, 1999), 22-24.
- Weber, Thomas E., In the Age of Napster, Protecting Copyright is a Digital Arms Race, Wall Street Journal, (Jul. 24, 2000), B1.
- What is a File, Apr. 30, 1998, <http://unixhelp.ed.ac.uk/editors/whatisafile.html>. accessed Mar. 11, 2010 via http://waybackmachine.org/19980615000000*/http://unixhelp.ed.ac.uk/editors/whatisafile.html.
- Yoshida, Junko, Content Protection Plan Targets Wireless Home Networks, www.eetimes.com, Jan. 11, 2002, 2 pgs.
- Chen, et al. "On Enhancing Biometric Authentication with Data Protection." KES2000. Fourth International Conference on Knowledge-Based Intelligent Engineering Systems and Allied Technologies. Proceedings (Cat. No. 00TH8516), vol. 1, 2000, pp. 249-252 vol. 1.
- Noore, A. "Highly Robust Biometric Smart Card Design." IEEE Transactions on Consumer Electronics, vol. 46, No. 4, 2000, pp. 1059-1063.
- Anonymous, "Applying Biometrics to Door Access," Security Magazine, Sep. 26, 2002, retrieved from http://www.securitymagazine.com/CDA/Articles/Technologies/3ac610eaa34d8010VgnVCM100000f932a8c0_ on Jan. 7, 2007, 5 pgs.
- Anonymous, "IEEE 802.15.4-2006—Wikipedia, the free encyclopedia," Wikipedia, last modified Mar. 21, 2009, retrieved from http://en.wikipedia.org/wiki/IEEE_802.15.4-2006 on Apr. 30, 2009, 5 pgs.
- Apple et al., "Smart Card Setup Guide," 2006, downloaded from http://manuals.info.apple.com/en_US/Smart_Card_Setup_Guide.pdf on or before May 3, 2012, 16 pgs.
- Balanis, "Antenna Theory: A Review," Jan. 1992, Proceedings of the IEEE, vol. 80, No. 1, p. 13.
- Beaufour, "Personal Servers as Digital Keys," Proceedings of the Second IEEE Annual Conference on Pervasive Computing and Communications (PERCOM'04), Mar. 14-17, 2004, pp. 319-328.
- Blueproximity, "BlueProximity—Leave it—it's locked, come back, it's back too . . ." Aug. 26, 2007, retrieved from <http://blueproximity.sourceforge.net/> via <http://www.archive.org/> on or before Oct. 11, 2011, 1 pg.
- Bohratom et al., "Automatically unlock PC when entering proximity," Dec. 7, 2005, retrieved from <http://salling.com/forums/viewtopic.php?t=3190> on or before Oct. 11, 2011, 3 pgs.
- Brown, "Techniques for Privacy and Authentication in Personal Communication Systems," Personal Communications, IEEE, Aug. 1995, vol. 2, No. 4, pp. 6-10.
- Cisco Systems, Inc., "Antenna Patterns and Their Meaning," 1992-2007, p. 10.
- Costa, "Imation USB 2.0 Micro Hard Drive," Nov. 22, 2005, retrieved from <http://www.pcmag.com/article2/0,2817,1892209,00.asp> on or before Oct. 11, 2011, 2 pgs.
- Dagan, "Power over Ethernet (PoE) Midspan—The Smart Path to Providign Power for IP Telephony," Product Manager, Systems, Aug. 2005, Power Dsine Inc., 28 pgs.
- Derfler, "How Networks Work," Bestseller Edition, 1996, Ziff-Davis Press, Emeryville, CA, all pages.
- Giobbi, Specification of U.S. Appl. No. 60/824,758, filed Sep. 6, 2006, all pages.
- Gralla, "How the Internet Works," Millennium Edition, 1999, Que Corporation, Indianapolis, IN, all pages.
- Hendron, "File Security, Keychains, Encryption, and More with Mac OS X (10.3+)" Apr. 4, 2005, downloaded from http://www.johnhendron.net/documents/OSX_Security.pdf on or before May 3, 2012, 30 pgs.
- International Search Report and Written Opinion for International Application No. PCT/US07/00349, dated Mar. 19, 2008, 10 pgs.
- International Search Report and Written Opinion for International Application No. PCT/US08/83060, dated Dec. 29, 2008, 9 pgs.
- International Search Report and Written Opinion for International Application No. PCT/US08/87835, dated Feb. 11, 2009, 8 pgs.
- International Search Report and Written Opinion for International Application No. PCT/US09/34095, dated Mar. 25, 2009, 11 pgs.
- International Search Report and Written Opinion for International Application No. PCT/US2009/039943, dated Jun. 1, 2009, 9 pgs.
- International Search Report and Written Opinion for International Application No. PCT/US2014/037609, dated Dec. 9, 2014, 13 pgs.
- Lee et al., "Effects of dielectric superstrates on a two-layer electromagnetically coupled patch antenna," Antennas and Propagation Society International Symposium, Jun. 1989, AP-S. Digest, vol. 2, pp. 26-30, found at <http://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=1347>.
- Muller, "Desktop Encyclopedia of the Internet," 1999, Artech House Inc., Norwood, MA, all pages.
- National Criminal Justice Reference Service, "Antenna Types," Dec. 11, 2006, online at <http://ncjrs.gov/pdffiles1/nij/185030b.pdf>, retrieved from http://web.archive.org/web/*http://www.ncjrs.gov/pdffiles1/nij/185030b.pdf on Jan. 12, 2011, 1 pg.
- Nel et al., "Generation of Keys for use with the Digital Signature Standard (DSS)," Communications and Signal Processing, Proceedings of the 1993 IEEE South African Symposium, Aug. 6, 1993, pp. 6-11.
- Nerd Vittles, "magicJack: Could It Be the Asterisk Killer?" Aug. 1, 2007, retrieved from <http://nerdvittles.com/index.php?p=187> on or before Oct. 11, 2011, 2 pgs.
- Nordin, "Match-on-Card Technology," Precise Biometrics, white paper, Apr. 2004, retrieved from www.ibia.org/membersadmin/whitepapers/pdf/17/Precise%20Match-on-Card%20technology.pdf on Jan. 7, 2007, 7 pgs.

(56)

References Cited

OTHER PUBLICATIONS

Pash, "Automate proximity and location-based computer actions," Jun. 5, 2007, retrieved from <http://lifehacker.com/265822/automate-proximity-and-location+based-computer-actions> on or before Oct. 11, 2011, 3 pgs.

SplashID, "SplashID—Secure Password Manager for PDAs and Smartphones," Mar. 8, 2007, retrieved from <http://www.splashdata.com/splashid/> via <http://www.archive.org/> on or before Oct. 11, 2011, 2 pgs.

Srivastava, "Is Internet security a major issue with respect to the slow acceptance rate of digital signatures," Jan. 2, 2005, Computer Law & Security Report, pp. 392-404.

White, "How computers Work," Millennium Edition, 1999, Que Corporation, Indianapolis, IN, all pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4


500

FIG. 5


600

FIG. 6


700

FIG. 7

1

BIOMETRIC PERSONAL DATA KEY (PDK) AUTHENTICATION

CROSS-REFERENCE TO RELATED APPLICATIONS

The present application claims priority, under 35 U.S.C. § 120, to U.S. patent application Ser. No. 14/521,982, filed Oct. 23, 2014, entitled “Biometric Personal Data Key (PDK) Authentication, which claims priority to U.S. patent application Ser. No. 13/710,109 filed Dec. 10, 2012 and entitled “Biometric Personal Data Key (PDK) Authentication,” which claims priority to U.S. patent application Ser. No. 11/314,199, filed Dec. 20, 2005 and entitled “Biometric Personal Data Key (PDK) Authentication,” which claims the benefit of U.S. Provisional Application No. 60/637,538, filed on Dec. 20, 2004, and of U.S. Provisional Application No. 60/652,765, filed on Feb. 14, 2005, the entireties of which are hereby incorporated by reference.

Applicants hereby notify the USPTO that the claims of the present application are different from those of the aforementioned related applications. Therefore, Applicant rescinds any disclaimer of claim scope made in the parent application or any other predecessor application in relation to the present application. The Examiner is therefore advised that any such disclaimer and the cited reference that it was made to avoid may need to be revisited at this time. Furthermore, the Examiner is also reminded that any disclaimer made in the present application should not be read into or against the parent application, the grandparent application or any other related application.

FIELD OF THE INVENTION

The present invention relates generally to computerized authentication, and more specifically, to an authentication responsive to biometric verification of a user being authenticated.

BACKGROUND

Conventional user authentication techniques are designed to prevent access by unauthorized users. One technique is to require a user being authenticated to provide secret credentials, such as a password, before allowing access. Similarly, a PIN number can be required by an ATM machine before allowing a person to perform automated bank transactions. A difficulty with this technique is that it requires the user to memorize or otherwise keep track of the credentials. A user often has multiple sets of credentials (e.g., passwords and PINs) and it can be quite difficult to keep track of them all.

Another technique that does not require the user to memorize credentials is to provide the user with an access object such as a key (e.g., an electronic key) that the user can present to obtain access. For example, a user can be provided with a small electronic key fob that allows access to a building or other secured location. A difficulty with using access objects is that authentication merely proves that the access object itself is valid; it does not verify that the legitimate user is using the access object. That is, illegitimate user can use a stolen access object to enter a secured location because the user's identity is never checked.

Some hybrid authentication techniques require the user to provide both an access object and credentials. The user is authenticated only upon providing both items. Of course, this solution does not resolve the problem of making the user memorize credentials.

2

Therefore, there is a need for systems and methods for verifying a user that is being authenticated that does not suffer from the limitations described above. Moreover, the solution should ease authentications by wirelessly providing an identification of the user.

SUMMARY

The present invention addresses the above needs by providing systems and methods for authentication responsive to biometric verification of a user being authenticated. In one embodiment, an integrated device includes a persistent storage to persistently stores a code such as a device identifier (ID) and biometric data for a user in a tamper-resistant format, and a verification module, in communication with the persistent storage, to receive scan data from a biometric scan for comparison against the biometric data, and if the scan data matches the biometric data, wirelessly sending a code for authentication.

In one embodiment, a method for verifying a user during authentication of an integrated device, includes persistently storing biometric data for the user in a tamper-resistant format; responsive to receiving a request for biometric verification of the user, receiving scan data from a biometric scan; comparing the scan data to the biometric data to determine whether the data match; and responsive to a determination that the scan data matches the biometric data, wirelessly sending a code for authentication.

Other embodiments include corresponding systems, apparatus, and computer programming products, configured to perform the actions of the methods, encoded on computer storage devices. These and other embodiments may each optionally include one or more of the following features. For instance the operations further include registering an age verification for the user in association with the code. For instance the operations further include establishing a secure communication channel prior to sending the code for authentication. For instance the operations further include receiving a request for the code without a request for biometric verification, and responsive to receiving the request for the code without a request for biometric verification, sending the code without requesting the scan data. For instance, the features include: the code is registered with a trusted authority, and the code can be authenticated to a third party by the trusted authority; the code uniquely identifies the integrated device; the code indicates that the biometric verification was successful; persistently storing biometric data includes permanently storing biometric data; the biometric data and the scan data are both based on a fingerprint scan by the user, an LED to be activated for requesting the biometric scan.

In one embodiment, a method for authenticating a verified user, includes receiving a code associated with a biometrically verified user; requesting authentication of the code; receiving an authentication result; and in response to the authentication result being positive, providing access to an application.

In one embodiment, a system includes an integrated device (e.g. a biometric key) to store biometric data for a user in a tamper resistant format, and if scan data can be verified as being from the user by comparing the scan data to the biometric data, wirelessly sending a code; and an authentication module to receive the code and send the code to a trusted authority for authentication, and responsive to the code being authenticated, allowing the user to access an application.

3

Other embodiments include corresponding systems, apparatus, and computer programming products, configured to perform the actions of the methods, encoded on computer storage devices. These and other embodiments may each optionally include one or more of the following features. For instance, the operations further include registering the code with a trusted authority, wherein requesting authentication of the code includes providing the code to the trusted authority and wherein receiving an authentication result comprises receiving the authentication result from the trusted authority. For instance the operations further include registering a date of birth or age with the trusted authority. For instance the operations further include establishing a secure communications channel with an integrated device, wherein the code associated with the biometrically verified user is received from the integrated device. For instance the features include: the integrated device receives an authentication request from the authentication module, and in response, requests a biometric scan from the user to generate the scan data; when the integrated device cannot verify the scan data as being from the user, it does not send the code.

Advantageously, user authentication is bolstered with highly reliable biometric verification of the user in an integrated device. Furthermore, a keyless environment relieves authorized users from having to memorize credentials, and of having to physically enter credentials or keys. In addition, the integrated device can be authenticated for an application that is open to the public (i.e., in an open loop system).

The features and advantages described in the specification are not all inclusive and, in particular, many additional features and advantages will be apparent to one of ordinary skill in the art in view of the drawings, specifications, and claims. Moreover, it should be noted that the language used in the specification has been principally selected for readability and instructional purposes and may not have been selected to delineate or circumscribe the inventive matter.

BRIEF DESCRIPTION OF THE DRAWINGS

The teachings of the present invention can be readily understood by considering the following detailed description in conjunction with the accompanying drawings.

FIG. 1 is a schematic diagram illustrating a biometric key for providing authentication information for a biometrically verified user according to one embodiment of the present invention.

FIG. 2 is a block diagram illustrating functional modules within the biometric key according to one embodiment of the present invention.

FIG. 3 is a block diagram illustrating a system for providing authentication information for a biometrically verified user.

FIG. 4 is a flow chart illustrating a method for providing authentication information for a biometrically verified user.

FIG. 5 is a flow chart illustrating a method for enrolling biometric data of the user with the biometric key.

FIG. 6 is a flow chart illustrating a method for verifying a subject presenting the biometric key according to one embodiment of the present invention.

FIG. 7 is a flow chart illustrating a method for authenticating a verified user of the biometric key according to one embodiment of the present invention.

DETAILED DESCRIPTION

Systems and methods for authentication responsive to biometric verification of a user being authenticated are

4

described. Generally, biometric verification uses biometric data to ensure that the user of, for example, a biometric key, is the person registered as an owner. Biometric data is a digital or analog representation of characteristics unique to the user's body. For example, a fingerprint of a subject can be compared against previously-recorded biometric data for verification that the subject is the registered owner of the biometric key. Then, the biometric key itself can be authenticated.

Although the embodiments below are described using the example of biometric verification using a fingerprint, other embodiments within the spirit of the present invention can perform biometric verification using other types of biometric data. For example, the biometric data can include a palm print, a retinal scan, an iris scan, hand geometry recognition, facial recognition, signature recognition, or voice recognition.

FIG. 1 is a schematic diagram illustrating an example of a biometric key **100** for providing authentication information for a biometrically verified user according to one embodiment of the present invention. In one embodiment, the biometric key **100** comprises a frame **110**, a scan pad **120**, and an LED **130**. In one embodiment, biometric key **100** has a small form factor (e.g., the size of an automobile remote control) such that it can be unobtrusively carried by a user. In one embodiment, the biometric key **100** is integrated into another object or device. A device having an integrated biometric key **100** is occasionally referred to herein as an "integrated device." For example, in one embodiment, the biometric key **100** is integrated into a mobile phone (e.g. a cellular phone or smartphone), tablet, laptop, mp3 player, mobile gaming device, watch, key fob or other mobile device, thereby making the biometric key **100** unobtrusive to carry.

Frame **110** can be formed by plastic, metal or another suitable material. Frame **110** is shaped to secure scan pad **120**, and includes a perforation for attachment to, for example a key chain or clip. In one embodiment, frame **110** is formed from a unitary molding to protect biometric data. Accordingly, frame **110** cannot be opened to expose the underlying components unless it is broken.

Scan pad **120** can be, for example, an optical scanner using a charge coupled device, or a capacitive scanner. Scan pad **120** can be sized to fit a thumb or other finger. Biometric key **100** of the present embodiment includes LED **130** that lights up to request a fingerprint scan from a user. In one embodiment, LED **130** can also confirm that user verification and/or authentication has completed.

Biometric key **100** can authenticate a user for various purposes. For example, biometric key **100** can allow keyless entry into homes and autos. In another example, biometric key **100** can log a user onto a computer system or point of sale register without typing in credentials. In still another example, biometric key **100** can verify that an enrolled user is above a certain age (e.g., before allowing access to a slot machine in a casino). In some embodiments, biometric key **100** operates without biometric verification, and request a fingerprint scan from a user only when biometric verification is needed for the particular use.

FIG. 2 is a block diagram illustrating biometric key **100** according to one embodiment of the present invention. Biometric key **100** comprises control module **210**, biometric portion **220**, RF communication module **230**, persistent storage **240**, and battery **250**. Biometric key **100** can be formed from a combination of hardware and software components as described above. In one embodiment, biometric key **100** comprises a modified key fob.

Control module 210 coordinates between several functions of biometric key 100. In one embodiment, control module 210 provides a verification code upon successful verification of the user. More specifically, once biometric portion 220 indicates that a fingerprint scan matches biometric data that was collected during enrollment, control module 210 can trigger RF communication module 230 for sending a code indicating that the user was verified. In another embodiment, control module 210 can work in the opposite direction by detecting a request for verification from RF communication module 230, and then requesting verification of the user from biometric portion 210. Note that control module 210 of FIG. 2 is merely a grouping of control functions in a central architecture, and in other embodiments, the control functions can be distributed between several modules around biometric key 100.

Biometric portion 220 comprises enrollment module 222, validation module 224, and biometric data base 226. In one embodiment, enrollment module 222 registers a user with biometric key 100 by persistently storing biometric data associated with the user. Further, enrollment module 222 registers biometric key 100 with a trusted authority by providing the code (e.g., device ID) to the trusted authority. Or conversely, the trusted authority can provide the code to biometric key 100 to be stored therein.

Validation module 224 can comprise scan pad 120 (FIG. 1) to capture scan data from a user's fingerprint (e.g., a digital or analog representation of the fingerprint). Using the scan data, validation module 214 determines whether the user's fingerprint matches the stored biometric data from enrollment. Conventional techniques for comparing fingerprints can be used. For example, the unique pattern of ridges and valleys of the fingerprints can be compared. A statistical model can be used to determine comparison results. Validation module 224 can send comparison results to control module 210.

In other embodiments, validation module 224 can be configured to capture biometric data for other human characteristics. For example, a digital image of a retina, iris, and/or handwriting sample can be captured. In another example, a microphone can capture a voice sample.

Persistent storage 226 persistently stores biometric data from one or more users which can be provided according to specific implementations. In one embodiment, at least some of persistent storage 226 is a memory element that can be written to once but cannot subsequently be altered. Persistent storage 226 can include, for example, a ROM element, a flash memory element, or any other type of non-volatile storage element. Persistent storage 226 is itself, and stores data in, a tamper-proof format to prevent any changes to the stored data. Tamper-proofing increases reliability of authentication because it does not allow any changes to biometric data (i.e., allows reads of stored data, but not writes to store new data or modify existing data). Furthermore, data can be stored in an encrypted form.

In one embodiment, persistent storage 226 also stores the code that is provided by the key 100 responsive to successful verification of the user. As described above, in one embodiment the code is a device ID or other value that uniquely identifies biometric key 100. In one embodiment, the code is provided during the manufacturing process and the biometric data are provided during an enrollment of the user. In other embodiments, the code is provided during enrollment and/or the biometric data are provided during manufacturing. Further, in some embodiments persistent storage 226 stores other data utilized during the operation of biometric

key 100. For example, persistent storage 226 can store encryption/decryption keys utilized to establish secure communications links.

Radio frequency (RF) communication module 230 is, for example, a transceiver or other mechanism for wireless communication. RF communication module 230 can send and receive data (e.g., the code) as modulated electromagnetic signals. In one embodiment, RF communication 220 can be optimized for low-power usage by, for example, using short-range transceivers. RF communication module 230 can actively send out connection requests, or passively detect connection requests.

Battery 260 can be a conventional power source suitable for the components of biometric key 100. Battery 260 can be either replaceable or rechargeable. Alternatively, battery 260 can be embedded within key 100 such that the key must be discarded or recycled upon expiration of the battery.

FIG. 3 is a block diagram illustrating a system 300 for providing authentication information for a biometrically verified user. System 300 comprises an authentication module 310 in communication with biometric key 100, a trusted key authority 320, and an application 330.

Authentication module 310 is coupled in communication with biometric key via line 311 (i.e., a wireless medium such as EM signals), and with trusted key authority 320 via line 312 (e.g., a secure data network such as the Internet, or a cell network). Authentication module 310 can include one or more of, for example, a computerized device, software executing on a computerized device, and/or a reader/decoder circuit. In one embodiment, authentication module 310 servers as a gatekeeper to application 330 by requiring the code indicating successful biometric verification of the user prior to allowing access to the application. Further, in one embodiment, authentication module 310 provides the code to trusted key authority 320 in order to verify that it belongs to a legitimate key (e.g., when application 330 is security-critical). Authentication module 310 can send a message to application 330, or otherwise allow access to the application, responsive to a successful authentication by trusted key authority 320.

Application 330 is a resource that can be accessed by a verified and authenticated user. Application 330 can be, for example, a casino machine, a keyless lock, a garage door opener, an ATM machine, a hard drive, computer software, a web site, a file, a financial account (e.g. a savings account, checking account, brokerage account, credit card account, credit line, etc.) and the like. In one embodiment, a file includes medical information such as a medical record, insurance information or other healthcare information. Application 330 can execute on the same system as authentication module 310 or on another system in communication with the system of the authentication module. In one embodiment, application module 330 allows access by a user after receiving a message from authentication module 310. At that point, application 330 can allow direct use by the user, or require that communications continue to pass through authentication module 310 for continued authentication.

Trusted key authority 320 is a third-party authority that is present in some embodiments in order to provide enhanced security. In one embodiment, trusted key authority 320 verifies that a code from a biometric key is legitimate. To do so, the trusted key authority 320 stores a list of codes for legitimate biometric keys. The list can be batched or updated each time a new user/key is enrolled. In one embodiment, trusted key authority 320 can also store a profile associated with a biometric key. The profile describes the user associ-

7

ated with the key, the key itself, the trusted key authority, and/or other relevant information. In one embodiment, the functionality of trusted key authority 320 is provided by a server or other computerized device.

In an open system, where unknown users can attempt authentication (e.g., in a public grocery store), trusted key authority 320 provides verification that a key presenting a certain code is legitimate. By contrast, in a closed system, only known users are legitimate (e.g., owners of a home), the trusted key authority 320 can be maintained locally and serves to verify that the key belongs to one of the limited number of users that can use the system.

FIG. 4 is a flow chart illustrating a method 400 for authenticating a biometrically verified user using a trusted key authority (e.g., authority 320). A biometric key (e.g., biometric key 100) is registered 410 with the trusted key authority. The code (e.g., device ID) of the key is stored by the trusted key authority. Additionally, a user is enrolled 420 with the biometric key as described below with reference to FIG. 5.

In various situations, authentication of the key is needed 430 (e.g., by authentication module 310). In one embodiment, authentication can be required prior to allowing access to an application (e.g., application 330). For example, a user can be standing proximate to a slot machine in a casino which requires that a user be over the age of 21. The slot machine can detect the biometric key in the user's pocket, and, in response, spawn a conspicuous pop-up window on the slot machine requesting age verification. Alternatively, the biometric key can blink an LED. In other embodiments, biometric verification is not necessary and only the key itself is authenticated.

The biometric key establishes communication with the authentication module using various techniques. In one embodiment, the key and authentication module engage in preliminary data exchanges to determine who and/or what they are (e.g., to ascertain that they belong to the same system). These data exchanges can include challenge-response dialogs, hashing algorithms, and the like in order to ensure that the biometric key and authentication module are themselves legitimate. Further, in one embodiment the key and authentication module establish a secure communications channel. The key performs the biometric verification of the user 440 as described below with reference to FIG. 6. If the biometric verification of the user is successful, the key provides its code over the secure communications channel.

The code is utilized to authenticate the biometric key itself 450, 460 as described below with reference to FIG. 7 and profile information is received. Responsive to successful authentication of the key, access is allowed 470 to the application. In the slot machine example, a new pop-up window can be spawned to indicate a successful age verification.

FIG. 5 is a flow chart illustrating a method 500 for enrolling biometric data of the user with the biometric key according to one embodiment of the present invention. An agent checks 510 an identification of the user and establishes a profile. The agent can be, for example, a government official, a notary, and/or an employee of a third party which operates the trusted key authority, or another form of witness. The agent can follow standardized procedures such as requiring identification based on a state issued driver license, or a federally issued passport in order to establish a true identity of the user.

The profile describes the user and can include, for example, the user's name, date of birth, age, passwords, account numbers, preferences etc. In some embodiments,

8

the profile stores no or only limited information about the user. For example, the agent might store the date of birth of the user in the profile, but not store any other information about the user. In addition, the profile describes the biometric key and/or key authority. For the biometric key, the profile can store a value indicating the status of the key, such as whether the key is in-service, out-of-service, abandoned, lost, stolen etc. For the key authority, the profile can store a value identifying the key authority.

The agent also collects and persistently stores 520 biometric data from the user. To do so, a fingerprint or eye retina can be scanned and converted to data which is then persistently stored in the biometric key. In one embodiment, the agent does not retain the biometric data. Since this step occurs under control of the agent, the agent can be certain that the biometric data stored within the key matches the user who presented the identification. The agent also obtains the code (e.g., device ID) from the biometric key in which the biometric data was stored. The agent associates the code and the profile using a table and/or other data structure.

FIG. 6 is a flow chart illustrating a method 600 for verifying a subject presenting the biometric key according to one embodiment of the present invention. In response to an authentication request, a user scan is requested 610 (e.g., by a blinking LED). Once the subject provides a fingerprint, scan data is received 620. Scan data is compared for a match 630 to previously-stored biometric data. If there is no match, then verification fails 650.

If there is a match, the subject is verified 640 as the user. The code indicating a successful verification is wirelessly sent 650 from the biometric key (e.g., by RF communication module 230).

FIG. 7 is a flow chart illustrating a method 700 for authenticating a biometric key according to one embodiment of the present invention. The code is wirelessly received 710. A request for authentication of the code is sent to the trusted key authority 720. The trusted key authority determines whether the code is authentic 730 (i.e., it was created through an established enrollment process) and has a valid status (e.g., has not expired). If authentication is successful, the trusted key authority sends an access message to the application to allow user access and/or provide additional information from the profile 740 (such as the user's age). If authentication is not successful, authentication fails 750 and the message to the application indicates that the user should be denied access.

In some embodiments, the biometric key provides multiple codes and/or other data values. For example, the key can provide a device ID code that the authentication module can provide to the trusted key authority in order to authenticate the key, and the key can provide a secret decryption value that can be used to communicate with the biometric key. As used herein, the term "code" is intended to include one or more of these values, depending upon the specific embodiment.

The order in which the steps of the methods of the present invention are performed is purely illustrative in nature. The steps can be performed in any order or in parallel, unless otherwise indicated by the present disclosure. The methods of the present invention may be performed in hardware, firmware, software, or any combination thereof operating on a single computer or multiple computers of any type. Software embodying the present invention may comprise computer instructions in any form (e.g., source code, object code, interpreted code, etc.) stored in any computer-readable storage medium (e.g., a ROM, a RAM, a magnetic media, a compact disc, a DVD, etc.). Such software may also be in

the form of an electrical data signal embodied in a carrier wave propagating on a conductive medium or in the form of light pulses that propagate through an optical fiber.

While particular embodiments of the present invention have been shown and described, it will be apparent to those skilled in the art that changes and modifications may be made without departing from this invention in its broader aspect and, therefore, the appended claims are to encompass within their scope all such changes and modifications, as fall within the true spirit of this invention.

In the above description, for purposes of explanation, numerous specific details are set forth in order to provide a thorough understanding of the invention. It will be apparent, however, to one skilled in the art that the invention can be practiced without these specific details. In other instances, structures and devices are shown in block diagram form in order to avoid obscuring the invention.

Reference in the specification to “one embodiment” or “an embodiment” means that a particular feature, structure, or characteristic described in connection with the embodiment is included in at least one embodiment of the invention. The appearances of the phrase “in one embodiment” in various places in the specification are not necessarily all referring to the same embodiment.

Some portions of the detailed description are presented in terms of algorithms and symbolic representations of operations on data bits within a computer memory. These algorithmic descriptions and representations are the means used by those skilled in the data processing arts to most effectively convey the substance of their work to others skilled in the art. An algorithm is here, and generally, conceived to be a self-consistent sequence of steps leading to a desired result. The steps are those requiring physical manipulations of physical quantities. Usually, though not necessarily, these quantities take the form of electrical or magnetic signals capable of being stored, transferred, combined, compared, and otherwise manipulated. It has proven convenient at times, principally for reasons of common usage, to refer to these signals as bits, values, elements, symbols, characters, terms, numbers, or the like.

It should be borne in mind, however, that all of these and similar terms are to be associated with the appropriate physical quantities and are merely convenient labels applied to these quantities. Unless specifically stated otherwise as apparent from the discussion, it is appreciated that throughout the description, discussions utilizing terms such as “processing” or “computing” or “calculating” or “determining” or “displaying” or the like, refer to the action and processes of a computer system, or similar electronic computing device, that manipulates and transforms data represented as physical (electronic) quantities within the computer system’s registers and memories into other data similarly represented as physical quantities within the computer system memories or registers or other such information storage, transmission or display devices.

The present invention also relates to an apparatus for performing the operations herein. This apparatus can be specially constructed for the required purposes, or it can comprise a general-purpose computer selectively activated or reconfigured by a computer program stored in the computer. Such a computer program can be stored in a computer readable storage medium, such as, but is not limited to, any type of disk including floppy disks, optical disks, CD-ROMs, and magnetic-optical disks, read-only memories (ROMs), random access memories (RAMs), EPROMs,

EEPROMs, magnetic or optical cards, or any type of media suitable for storing electronic instructions, and each coupled to a computer system bus.

The algorithms and modules presented herein are not inherently related to any particular computer or other apparatus. Various general-purpose systems can be used with programs in accordance with the teachings herein, or it may prove convenient to construct more specialized apparatuses to perform the method steps. The required structure for a variety of these systems will appear from the description below. In addition, the present invention is not described with reference to any particular programming language. It will be appreciated that a variety of programming languages can be used to implement the teachings of the invention as described herein. Furthermore, as will be apparent to one of ordinary skill in the relevant art, the modules, features, attributes, methodologies, and other aspects of the invention can be implemented as software, hardware, firmware or any combination of the three. Of course, wherever a component of the present invention is implemented as software, the component can be implemented as a standalone program, as part of a larger program, as a plurality of separate programs, as a statically or dynamically linked library, as a kernel loadable module, as a device driver, and/or in every and any other way known now or in the future to those of skill in the art of computer programming. Additionally, the present invention is in no way limited to implementation in any specific operating system or environment.

It will be understood by those skilled in the relevant art that the above-described implementations are merely exemplary, and many changes can be made without departing from the true spirit and scope of the present invention. Therefore, it is intended by the appended claims to cover all such changes and modifications that come within the true spirit and scope of this invention.

What is claimed is:

1. A method comprising:

receiving, at a smartphone, an identification (ID) code from a third-party trusted authority, the ID code uniquely identifying the smartphone among a plurality of smartphones;

persistently storing biometric data and the ID code on the smartphone, wherein the biometric data is one selected from a group consisting of facial recognition, a fingerprint scan, and a retinal scan of a legitimate user;

receiving, at the smartphone, scan data from a biometric scan using the smartphone;

comparing, using the smartphone, the scan data to the biometric data;

determining whether the scan data matches the biometric data; and

responsive to a determination that the scan data matches the biometric data, wirelessly sending, from the smartphone, the ID code for comparison by the third-party trusted authority against one or more previously registered ID codes maintained by the third-party trusted authority, a transaction being completed responsive to the third-party trusted authority successfully authenticating the ID code, wherein the transaction being completed includes accessing one or more from a group consisting of a casino machine, a keyless lock, an ATM machine, a web site, a file and a financial account.

2. The method of claim 1, further comprising:

Receiving a request for biometric verification, and responsive to a determination that the scan data does not match the biometric data, indicating the smartphone

11

cannot verify the scan data as being from the legitimate user, the smartphone does not send the ID code.

3. The method of claim 1, wherein completing the transaction includes accessing an application.

4. The method of claim 1, wherein the transaction being completed responsive to the third-party trusted authority successfully authenticating the ID code includes the third-party trusted authority sending an indication that the third-party trusted authority authenticated the ID code to another party.

5. A smartphone comprising:

a persistent storage having an input that receives an identification (ID) code from a third-party trusted authority, and biometric data, wherein the biometric data is one selected from a group consisting of facial recognition, a fingerprint scan, and a retinal scan, of a legitimate user, the ID code uniquely identifying the smartphone among a plurality of smartphones, the persistent storage storing the biometric data and the ID code, the persistent storage having an output configured to provide a first set of biometric data and the ID code for use on the smartphone;

a validation module, coupled to communicate with the persistent storage to receive the biometric data from the persistent storage, the validation module having a scan pad to capture scan data from a biometric scan, the validation module comparing the scan data to the biometric data to determine whether the scan data matches the biometric data; and

a wireless transceiver that, responsive to a determination that the scan data matches the biometric data, sends the ID code for comparison by the third-party trusted authority against one or more previously registered ID codes maintained by the third-party trusted authority, a transaction being completed responsive to the third-party trusted authority successfully authenticating the ID code, wherein the transaction being completed includes accessing one or more from a group consisting of a casino machine, a keyless lock, an ATM machine, a web site, a file and a financial account.

12

6. The smartphone of claim 5, wherein the ID code is transmitted to the third-party trusted authority over a network.

7. A system, comprising:

a smartphone that persistently stores biometric data and an ID code, wherein the biometric data is one selected from a group consisting of facial recognition, a fingerprint scan, and a retinal scan data of a legitimate user, and the ID code is received from a third-party trusted authority, the ID code uniquely identifying the smartphone among a plurality of smartphones, the smartphone configured to indicate that a biometric authentication is requested, the smartphone configured to wirelessly send the ID code to the third-party trusted authority for authentication responsive to determining that scan data from a biometric scan performed using the smartphone matches the biometric data of the legitimate user, wherein a transaction is completed responsive to successful authentication of the ID code by the third-party trusted authority, wherein the transaction being completed includes accessing one or more from a group consisting of a casino machine, a keyless lock, an ATM machine, a web site, a file and a financial account; and

the third-party trusted authority operated by a third party, the third-party trusted authority storing a plurality of legitimate ID codes and authenticating the ID code received based on a comparison of the ID code received and the legitimate ID codes included in the plurality of the legitimate ID codes.

8. The system of claim 7, wherein the smartphone receives an authentication request, and in response, requests biometric scan from a user to generate the scan data and, when the smartphone cannot verify the scan data as being from the legitimate user, the smartphone does not send the ID code.

9. The system of claim 7, wherein completing the transaction includes accessing an application.

* * * * *