
EXHIBIT 3

Plaintiffs' Initial Infringement Contentions – HIGHLY CONFIDENTIAL UNDER PROTECTIVE ORDER
Exhibit 3 (supplemental) – Revvo's Infringement of U.S. Patent No. 11,835,421 (exemplary evidence)
Cerebrum Sensor Technologies, Inc. et al. v. Revvo Technologies, Inc., Case No. 1:24-cv-00245-JLH-SRF (D. Del.)

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
1. A sensor assembly configured for attachment with an object that is rotated in use, the sensor assembly comprising:	


[1] During a meet and confer September 27, 2024, Revvo represented that Revvo's core technical document production on October 4, 2024 would include technical documents such as schematics or specifications that depict and describe the Revvo sensor board fitted within the yellow housing (what Revvo referred to as the yellow cup) of both the Accused Revvo Tire Sensor Products and the Accused Revvo Wheel Sensor Products. However, Revvo did not produce such documents for the Accused Revvo Wheel Sensor Products on October 4, 2024. During that same meet and confer on September 27, 2024, Revvo represented that the sensor board is fitted within the yellow housing (yellow cup) in the same way for both the Accused Revvo Wheel Sensor Products and the Accused Revvo Tire Sensor

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 002


U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	Exhibit G (CER_001343-CER_001349)  **Exhibit K (CER_001356-CER_001369)**

Products. Therefore, this chart treats the sensor board fitted within the yellow housing (yellow cup) of the Accused Revvo Tire Sensor Products as representative of the Accused Revvo Wheel Sensor Products.


Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 003

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	 **Exhibit H (CER_001350-CER_001351)**

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 004

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	 ***WHEEL*** Revvo Wheel uses Revvo's PRO sensor and a modified case to fit on the wheel of any vehicle. This mounting option provides a one time installation of sensors on a vehicle and provides data for tire pressure, temperature, wheel security, position, predicted tread, and more. All data from Wheel sensors are sent to Revvo in vehicle gateways or vehicle telematics via BLE. Sensors are automatically detected and registered to vehicles, no need for additional hardware or apps to setup! **Exhibit G (CER_001343-CER_001349)**
a housing comprising an outer surface and an internal cavity that is enclosed within the housing;	The housing in the Accused Revvo Sensor Products is, for example, the yellow cup (as referred to by Revvo).

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 005

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	 **Exhibit H (CER_001350-CER_001351)**

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 006

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**





Exhibit G (CER_001343-CER_001349)



U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	


REVVO15643 (see also REVVO15703; REVVO15720)

Revvo has not produced discovery on the Accused Revvo Wheel Sensor Products, notwithstanding its promise to do so during a meet and confer on September 27, 2024.

Revvo, however, has represented during the meet and confer on September 27, 2024 that the inside of the yellow housing of the Accused Revvo Tire Sensor Products is materially the same as the inside of the yellow housing of the Accused Revvo Wheel Sensor Products.

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 008

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	 ***WHEEL*** Revvo Wheel uses Revvo's PRO sensor and a modified case to fit on the wheel of any vehicle. This mounting option provides a one time installation of sensors on a vehicle and provides data for tire pressure, temperature, wheel security, position, predicted tread, and more. All data from Wheel sensors are sent to Revvo in vehicle gateways or vehicle telematics via BLE. Sensors are automatically detected and registered to vehicles, no need for additional hardware or apps to setup! **Exhibit G (CER_001343-CER_001349)**
an electrical sensor device that is disposed within the internal cavity and attached therein to prevent movement of the device within the internal cavity,	

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	Exhibit H (CER_001350-CER_001351)  **Exhibit G (CER_001343-CER_001349)** The Accused Revvo Sensor Products include both a pressure sensor and an accelerometer.

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	
	For example, the pressure sensor is indicated below.

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 011

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	 **REVVO15637**

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	 **REVVO15642**


Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 013


U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	 **REVVO15644 (see also REVVO15704; REVVO15720)**

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 014


U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	 **REVVO15652** Revvo has not produced discovery on the Accused Revvo Wheel Sensor Products, notwithstanding its promise to do so during a meet and confer on September 27, 2024. Revvo, however, has represented during the meet and confer on September 27, 2024 that the inside of the yellow housing of the Accused Revvo Tire Sensor Products is materially the same as the inside of the yellow housing of the Accused Revvo Wheel Sensor Products.


Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 015

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	 ***WHEEL*** Revvo Wheel uses Revvo's PRO sensor and a modified case to fit on the wheel of any vehicle. This mounting option provides a one time installation of sensors on a vehicle and provides data for tire pressure, temperature, wheel security, position, predicted tread, and more. All data from Wheel sensors are sent to Revvo in vehicle gateways or vehicle telematics via BLE. Sensors are automatically detected and registered to vehicles, no need for additional hardware or apps to setup! **Exhibit G (CER_001343-CER_001349)**
wherein the internal cavity comprises an unfilled open space above or below the electrical sensor device in the housing,	Although Revvo has asserted during discovery that its Accused Revvo Sensor Products include "potting material" for the sensor, it is clear that the yellow housing of the Accused Revvo Sensor Products is not completely filled with such potting material, as seen, for example, in the holes in the yellow housing. Further documents, produced by Revvo, reveal that the Accused Revvo Sensor Products include [redacted]. For example, the Accused Revvo Tire Sensor Products [redacted] None of these unfilled

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	pen spaces are filled [redacted] in the Accused Revvo Tire Sensor Products, as shown below. In fact, Revvo's use of [redacted] The multiple unfilled open spaces [redacted] of the Revvo Pro Sensor are depicted below.  **PHOTO OF REVVO1** The [redacted] of the Revvo Pro Sensor [redacted] as depicted below.

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 017

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	 **REVVO15618**

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	 REVVO15621

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	 **REVVO15647 (see also REVVO15711; REVVO15721)**

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	 **REVVO15367 (see also REVVO15697; REVVO15718)**

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 021

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	 **REVVO15642 (see also REVVO15702)**


Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 022

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	 **REVVO15644 (see also REVVO15704; REVVO15720)**

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 023

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	 **REVVO15643 (see also REVVO15703; REVVO15720)** The antenna is depicted below.

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 024

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	 **REVVO15634 (see also REVVO15695)**


Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 025

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	

REVVO15613 (see also REVVO15720)

The unfilled open space above the pressure sensor and below the hole in the yellow housing (including [redacted] as depicted below.


Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 026

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 027

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	Exhibit K (CER_001356-CER_001369)


Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 028

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	 **REVVO15644 (see also REVVO15704; REVVO15720)**


Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 029

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 030




Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 031

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	REVVO15637 (see also REVVO15704; REVVO15718)  **REVVO15652 (see also REVVO15713)** Revvo has not produced discovery on the Accused Revvo Wheel Sensor Products, notwithstanding its promise to do so during a meet and confer on September 27, 2024. Revvo, however, has represented during the meet and confer on September 27, 2024 that the inside of the yellow housing of the Accused Revvo Tire Sensor Products is materially the same as the inside of the yellow housing of the Accused Revvo Wheel Sensor Products. Thus, for the reasons described above for the Accused Revvo Tire Sensor Products, the yellow housing of the

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 032


U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	Accused Revvo Wheel Sensor Products also includes multiple unfilled open spaces above or below the electrical sensor device in the yellow housing, including: an unfilled open space above the pressure sensor and below the hole in the yellow housing depicted previously (including [redacted] above the antenna of the Revvo Pro Sensor.  **WHEEL** Revvo Wheel uses Revvo's PRO sensor and a modified case to fit on the wheel of any vehicle. This mounting option provides a one time installation of sensors on a vehicle and provides data for tire pressure, temperature, wheel security, position, predicted tread, and more. All data from Wheel sensors are sent to Revvo in vehicle gateways or vehicle telematics via BLE. Sensors are automatically detected and registered to vehicles, no need for additional hardware or apps to setup! **Exhibit G (CER_001343-CER_001349)**

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 033

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
wherein the electrical sensor device is configured to sense, transmit and/or receive information regarding surrounding conditions, orientation and/or location when the sensor assembly is attached with the object and the object is rotated in use; and	 **Exhibit G (CER_001343-CER_001349)**

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 034

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	 **WHEEL** Revvo Wheel uses Revvo's PRO sensor and a modified case to fit on the wheel of any vehicle. This mounting option provides a one time installation of sensors on a vehicle and provides data for tire pressure, temperature, wheel security, position, predicted tread, and more. All data from Wheel sensors are sent to Revvo in vehicle gateways or vehicle telematics via BLE. Sensors are automatically detected and registered to vehicles, no need for additional hardware or apps to setup! **Exhibit G (CER_001343-CER_001349)**
a retaining member that is configured to accommodate attachment of the housing therewith, wherein the retaining member has an outside surface configured for attachment to rotate with the object when the object is rotated in use.	The retaining member of the Accused Revvo Tire Sensor Products includes wall edges of the dock which retain the sensor housing within the dock of the Accused Revvo Tire Sensor Products, as depicted below.

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	 **Exhibit H (CER_001350-CER_001351)**

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 036

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)






Exhibit H (CER_001350-CER_001351)

Like the retaining member of the dock of the Accused Revvo Tire Sensor Products, the retaining member of the Accused Revvo Wheel Sensor Products includes wall edges of the case which retain the sensor housing within the case of the Accused Revvo Wheel Sensor Products.


Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 037

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	 **Exhibit G (CER_001343-CER_001349)**

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 038

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	 **Picture supplied by Revvo (September 20, 2024)**
2. The sensor assembly as recited in claim 1, wherein the housing outer surface includes one or more display features or indicia that are viewable to a user when the housing is attached with the retaining member.	The housing includes a QR code that is visible when the housing is attached to to the dock.

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 039

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	 **Exhibit K (CER_001356-CER_001369)**

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	 **Exhibit H (CER_001350-CER_001351)**

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 041

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)




Exhibit H (CER_001350-CER_001351)

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	 ***WHEEL*** Revvo Wheel uses Revvo's PRO sensor and a modified case to fit on the wheel of any vehicle. This mounting option provides a one time installation of sensors on a vehicle and provides data for tire pressure, temperature, wheel security, position, predicted tread, and more. All data from Wheel sensors are sent to Revvo in vehicle gateways or vehicle telematics via BLE. Sensors are automatically detected and registered to vehicles, no need for additional hardware or apps to setup! **Exhibit G (CER_001343-CER_001349)**


Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 043

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	 **Picture supplied by Revvo (September 20, 2024)**
5. The sensor assembly as recited in claim 1, wherein the electrical sensor device is attached within the internal cavity by one or more surface features within the cavity that contact the electrical sensor device to retain its position	As can be seen below, the Revvo Accused Sensor Products include [redacted] in the yellow housing to retain the PCBA therein.

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 044


therein.	[redacted]

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 045


U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	REVVO_00015604 (see also REVVO15704; REVVO15720) Revvo has not produced discovery on the Accused Revvo Wheel Sensor Products, notwithstanding its promise to do so during a meet and confer on September 27, 2024. Revvo, however, has represented during the meet and confer on September 27, 2024 that the inside of the yellow housing of the Accused Revvo Tire Sensor Products is materially the same as the inside of the yellow housing of the Accused Revvo Wheel Sensor Products.  ***WHEEL*** Revvo Wheel uses Revvo's PRO sensor and a modified case to fit on the wheel of any vehicle. This mounting option provides a one time installation of sensors on a vehicle and provides data for tire pressure, temperature, wheel security, position, predicted tread, and more. All data from Wheel sensors are sent to Revvo in vehicle gateways or vehicle telematics via BLE. Sensors are automatically detected and registered to vehicles, no need for additional hardware or apps to setup!
7. The sensor assembly as recited in claim 1, wherein the housing and retaining member are configured having a complementary shape to facilitate attachment of the	The retaining member has a complementary shape to the yellow housing as the yellow housing fits within the dock of the Accused Revvo Tire Sensor Products.

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 047

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
housing with the retaining member.	 **Exhibit H (CER_001350-CER_001351)**

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 048

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	 **Exhibit H (CER_001350-CER_001351)**

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 049

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)





Exhibit H (CER_001350-CER_001351)

The retaining member has a complementary shape to the yellow housing as the yellow housing fits within the case of the Accused Revvo Wheel Sensor Products.


Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 050


U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	 ***WHEEL*** Revvo Wheel uses Revvo's PRO sensor and a modified case to fit on the wheel of any vehicle. This mounting option provides a one time installation of sensors on a vehicle and provides data for tire pressure, temperature, wheel security, position, predicted tread, and more. All data from Wheel sensors are sent to Revvo in vehicle gateways or vehicle telematics via BLE. Sensors are automatically detected and registered to vehicles, no need for additional hardware or apps to setup! **Exhibit G (CER_001343-CER_001349)**

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 051

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	
8. The sensor assembly as recited in claim 7, wherein the housing comprises a wall structure that surrounds the internal cavity, and wherein the retaining member comprises a wall structure having an open chamber that is configured to accommodate the housing wall structure	The housing has a wall structure that surrounds an internal cavity.

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 052

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
therein to provide attachment therewith.	 **REVVO15643 (see also REVVO15703; REVVO15720)** The retaining member of the dock has a wall structure having an open chamber into which the housing is placed and attached in the Accused Revvo Tire Sensor Products.

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	 **Exhibit H (CER_001350-CER_001351)**

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 054






Exhibit H (CER_001350-CER_001351)

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 055

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	The retaining member of the case has a wall structure having an open chamber into which the housing is placed and attached in the Accused Revvo Wheel Sensor Products.  ***WHEEL*** Revvo Wheel uses Revvo's PRO sensor and a modified case to fit on the wheel of any vehicle. This mounting option provides a one time installation of sensors on a vehicle and provides re, temperature, wheel security, position, predicted tread, and more. All data from Wheel sensors are sent to Revvo in vehicle gateways or vehicle telematics via BLE. Sensors are automatically detected and registered to vehicles, no need for additional hardware or apps to setup! **Exhibit G (CER_001343-CER_001349)**

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	
9. The sensor assembly as recited in claim 1, wherein the retaining member is formed from an elastomeric material that mitigates transmission of shock forces from the object to the housing when the retaining member is attached to the object and the housing is attached to the retaining	Comprised of rubber, the dock in the Accused Revvo Tire Sensor Products is elastomeric and mitigates transmission of shock forces from the tire to the housing when the dock retaining member is attached to the tire and the housing is attached to the dock retaining member.

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 057

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
member.	[redacted]


Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 058

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	REVVO15587

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 059


REVVO_00000008
HIGHLY CONFIDENTIAL


REVVO_00000008
HIGHLY CONFIDENTIAL

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	 **Exhibit H (CER_001350-CER_001351)**

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 062

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**





Exhibit H (CER_001350-CER_001351)

Comprised of rubber, the case in the Accused Revvo Wheel Sensor Products is elastomeric and mitigates transmission of shock forces from the wheel to the housing when the case retaining member is attached to the wheel and the housing is attached to the case retaining member.


Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 063

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	 ***WHEEL*** Revvo Wheel uses Revvo's PRO sensor and a modified case to fit on the wheel of any vehicle. This mounting option provides a one time installation of sensors on a vehicle and provides data for tire pressure, temperature, wheel security, position, predicted tread, and more. All data from Wheel sensors are sent to Revvo in vehicle gateways or vehicle telematics via BLE. Sensors are automatically detected and registered to vehicles, no need for additional hardware or apps to setup! **Exhibit G (CER_001343-CER_001349)**

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 064

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	 **Picture supplied by Revvo (September 20, 2024)**
10. The sensor assembly as recited in claim 1, wherein the housing includes an opening through the outside surface to the internal cavity, and further includes a filter that is positioned to filter air passing into the internal cavity before	The housing in the Accused Revvo Sensor Products includes a pressure hole in the housing that is through the outside surface of the housing to the internal cavity in the housing.


Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 065

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
reaching the electrical sensor device.	


U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	Exhibit K (CER_001356-CER_001369)  **REVVO15869**

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 067

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	 **REVVO15637** There is also a [redacted] applied to the pressure hole.




U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	REVVO15713-REVVO15714  **REVVO15722**

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	
11. A sensing system comprising the sensor assembly as recited in claim 1, wherein the sensing system comprises a receiver that is external from the object and that is configured to receive	Tire data is communicated via Bluetooth Low Energy (BLE) to a BLE receiver.


Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 072

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
data from the electrical sensor device by wireless communication.	 **Exhibit G (CER_001343-CER_001349)**

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 073

U.S. Patent No. 11,835,421 (Asserted Claims)	Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)
	 ***WHEEL*** Revvo Wheel uses Revvo's PRO sensor and a modified case to fit on the wheel of any vehicle. This mounting option provides a one time installation of sensors on a vehicle and provides data for tire pressure, temperature, wheel security, position, predicted tread, and more. All data from Wheel sensors are sent to Revvo in vehicle gateways or vehicle telematics via BLE. Sensors are automatically detected and registered to vehicles, no need for additional hardware or apps to setup! **Exhibit G (CER_001343-CER_001349)**

Revvo's REDACTED Exhibit 1015
Revvo v. Cerebrum
IPR2025-00632 - Page 074

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**
	 **Exhibit G (CER_001343-CER_001349)**

U.S. Patent No. 11,835,421 (Asserted Claims)	**Accused Revvo Sensor Products, including Accused Revvo Tire Sensor Products and Accused Revvo Wheel Sensor Products[1] (exemplary evidence – Exhibits G, H and K to the Complaint and Revvo's Core Technical Documents)**

