

**McGRAW-HILL
DICTIONARY OF
SCIENTIFIC AND
TECHNICAL
TERMS**

**Sixth
Edition**

McGraw-Hill

New York Chicago San Francisco
Lisbon London Madrid Mexico City
Milan New Delhi San Juan Seoul Singapore Sydney Toronto

On the cover: Representation of a fullerene molecule with a noble gas atom trapped inside. At the Permian-Triassic sedimentary boundary the noble gases helium and argon have been found trapped inside fullerenes. They exhibit isotope ratios quite similar to those found in meteorites, suggesting that a fireball meteorite or asteroid exploded when it hit the Earth, causing major changes in the environment. (Image copyright © Dr. Luann Becker. Reproduced with permission.)

Over the six editions of the Dictionary, material has been drawn from the following references: G. M. Garrity et al., *Taxonomic Outline of the Prokaryotes*, Release 2, Springer-Verlag, January 2002; D. W. Linzey, *Vertebrate Biology*, McGraw-Hill, 2001; J. A. Pechenik, *Biology of the Invertebrates*, 4th ed., McGraw-Hill, 2000; U.S. Air Force Glossary of Standardized Terms, AF Manual 11-1, vol. 1, 1972; F. Casey, ed., *Compilation of Terms in Information Sciences Technology*, Federal Council for Science and Technology, 1970; *Communications-Electronics Terminology*, AF Manual 11-1, vol. 3, 1970; P. W. Thrush, comp. and ed., *A Dictionary of Mining, Mineral, and Related Terms*, Bureau of Mines, 1968; A DOD Glossary of Mapping, Charting and Geodetic Terms, Department of Defense, 1967; J. M. Gilliland, *Solar-Terrestrial Physics: A Glossary of Terms and Abbreviations*, Royal Aircraft Establishment Technical Report 67158, 1967; W. H. Allen, ed., *Dictionary of Technical Terms for Aerospace Use*, National Aeronautics and Space Administration, 1965; *Glossary of Stinfo Terminology*, Office of Aerospace Research, U.S. Air Force, 1963; *Naval Dictionary of Electronic, Technical, and Imperative Terms*, Bureau of Naval Personnel, 1962; R. E. Huschke, *Glossary of Meteorology*, American Meteorological Society, 1959; *ADP Glossary*, Department of the Navy, NAVSO P-3097; *Glossary of Air Traffic Control Terms*, Federal Aviation Agency; *A Glossary of Range Terminology, White Sands Missile Range, New Mexico*, National Bureau of Standards, AD 467-424; *Nuclear Terms: A Glossary*, 2d ed., Atomic Energy Commission.

**McGRAW-HILL DICTIONARY OF SCIENTIFIC AND TECHNICAL TERMS,
Sixth Edition**

Copyright © 2003, 1994, 1989, 1984, 1978, 1976, 1974 by The McGraw-Hill Companies, Inc. All rights reserved. Printed in the United States of America. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

2 3 4 5 6 7 8 9 0 DOW/DOW 0 8 7 6 5 4 3

ISBN 0-07-042313-X

Library of Congress Cataloging-in-Publication Data

McGraw-Hill dictionary of scientific and technical terms--6th ed.

p. cm.

ISBN 0-07-042313-X (alk. paper)

1. Science--Dictionaries. 2. Technology--Dictionaries. I. Title: Dictionary of scientific and technical terms.

Q123.M15 2002
503--dc21

2002026436

A rounded eminence, such as a knoll, hillock, or small hill or mountain, and especially a prominent or isolated hill with steep sides. 2. A peak or other projection at the top of a hill or mountain. { 'nɒb }

knob-and-tube wiring [ELEC] An electric wiring method used for light and power circuits that uses open insulated wiring on solid insulators; now obsolete and illegal in most countries. { 'nɒb ɒn 'tʊb ,wɪr-ɪŋ }

knocker See shell knocker. { 'nɒk-ər }

knock intensity [ENG] The intensity of knock (detonation) recorded when testing a motor gasoline for octane or knock rating. { 'nɒk ɪn'ten-səd-ə }

knockmeter [ENG] A fuels-testing device used to measure the output of the detonation meter used in American Society for Testing and Materials knock-test ratings of motor fuels. { 'nɒk ,mɛd-ər }

knock-off [MECH ENG] 1. The automatic stopping of a machine when it is operating improperly. 2. The device that causes automatic stopping. { 'nɒk,ɒf }

knock-off bit See detachable bit. { 'nɒk,ɒf ,bit }

knock-on atom [SOLID STATE] An atom which is knocked out of its equilibrium position in a crystal lattice by an energetic bombarding particle, and is displaced many atomic distances away into an interstitial position, leaving behind a vacant lattice site. { 'nɒk,ɒn ,əd-əm }

knockout [ENG] A partially cutout piece in metal or plastic that can be forced out when a hole is needed. [GEN] Inactivation of a specific gene in a laboratory organism in order to study gene function. { 'nɒk,aʊt }

knockout pin See ejector pin. { 'nɒk,aʊt ,pin }

knockout vessel [CHEM ENG] A vessel, drum, or trap used to remove fluid droplets from flowing gases. { 'nɒk,aʊt ,ves-əl }

knock rating [ENG] Rating of gasolines according to knocking tendency. { 'nɒk,aʊt ,ræd-ɪŋ }

knock suppressor [MATER] A material added to motor fuel to retard or prevent detonation and resultant knock in reciprocating internal combustion engines; an example is tetraethyllead. { 'nɒk,aʊt sə,pres-ər }

Knoevenagel reaction [ORG CHEM] The condensation of aldehydes with compounds containing an activated methylene (=CH₂) group. { kə'niː-və,næg-əl rɛ,ak-shən }

knoll [GEOL] A mound rising less than 3300 feet (1000 meters) from the sea floor. Also known as sea knoll. { 'nɒl }

Knoop hardness [MET] The relative microhardness of a material, such as metal, determined by the Knoop indentation test. { 'nʊp ,hɑrd-nəs }

Knoop indentation test [MET] A diamond pyramid hardness test employing the Knoop indenter; hardness is determined by the depth to which the Knoop indenter penetrates. { 'nʊp ,ɪn,dent-ɪ'shən ,test }

Knoop indenter [MET] A diamond indenter which has a rhombic base with diagonals in a 1:7 ratio and included apical angles of 130° and 172°30'; used in the Knoop indentation test. { 'nʊp ɪn'dent-ər }

knop [TEXT] A yarn with pronounced knots of different color or of different material appearing at intervals. Also known as knotted yarn; nub yarn. { nɒp }

knopite [MINERAL] A cerium-bearing variety of perovskite. { 'nɒ,pɪt }

Knorr synthesis [ORG CHEM] A condensation reaction carried out in either glacial acetic acid or an aqueous alkali in which an α-aminoketone combines with an α-carbonyl compound to form a pyrrole; possibly the most versatile pyrrole synthesis. { 'nɒr ,sɪn-thə-səs }

knot [COMPUT SCI] See deadlock. [MATER] A scar on lumber marking a place where a branch grew out of the tree trunk. [MATH] In the general case, a knot consists of an embedding of an n-dimensional sphere in an (n + 2)-dimensional sphere; classically, it is an interlaced closed curve, homeomorphic to a circle. [ORG CHEM] A chiral structure in which rings containing 50 or more members have a knotlike configuration. [PHYS] A speed unit of 1 nautical mile (1.852 kilometers) per hour, equal to approximately 0.51444 meters per second. { nɒt }

knotted yarn See knop. { 'nɒd-əd 'jɑrn }

knot theory [MATH] The topological and algebraic study of knots emphasizing their classification and how one may be continuously deformed into another. { 'nɒt ,thɛ-ə-rɛ }

knowbot [COMPUT SCI] A program which, when given a request, searches and retrieves information on the Internet. Also known as intelligent agent, knowledge robot. { 'nə,bɒt }

knowledge base [COMPUT SCI] A collection of facts, assumptions, beliefs, and heuristics that are used in combination with a database to achieve desired results, such as a diagnosis, an interpretation, or a solution to a problem. { 'nɒl-ɪj ,bæs }

knowledge-based system [COMPUT SCI] A computer system whose usefulness derives primarily from a data base containing human knowledge in a computerized format. { 'nɒl-ɪj ,bæst ,sɪs-təm }

knowledge discovery in databases [COMPUT SCI] The process of identifying valid, novel, potentially useful, and ultimately understandable structure in data. Abbreviated KDD. { 'nɒl-ɪj dɪs'kʌv-ə-rɛ ɪn 'dɑd-ə,bæs-əs }

knowledge engineer [COMPUT SCI] An individual who constructs the knowledge base of an expert system. { 'nɒl-ɪj ,en-jɛ,nɪr }

knowledge robot See knowbot. { 'nɒl-ɪj ,rɒ,bɒt }

known-good die [ELECTR] An unpackaged, fully tested integrated circuit chip. { ,nɒn 'gʊd 'di }

Knox and Oxborne furnace [MIN ENG] A continuously working shaft furnace for roasting quicksilver ores, having the fireplace built in the masonry at one side; the fuel is wood. { 'nɒks ɒn 'ɒks-bɔrn ,fɔr-nəs }

knoxvillite See copiapite. { 'nɒks-vɪ,lɪt }

knuckle [MIN ENG] The place on an incline where there is a sudden change in grade. { 'nɒk-əl }

knuckle joint [DES ENG] A hinge joint between two rods in which an eye on one piece fits between two flat projections with eyes on the other piece and is retained by a round pin. { 'nɒk-əl ,dʒɔɪnt }

knuckle joint press [MECH ENG] A short-stroke press in which the slide is actuated by a crank attached to a knuckle joint hinge. { 'nɒk-əl ,dʒɔɪnt ,pres }

knuckle man [MIN ENG] A worker who connects mine cars to and disconnects them from cables and also couples cars into trains. { 'nɒk-əl ,man }

knuckle pin [DES ENG] The pin of a knuckle joint. { 'nɒk-əl ,pin }

knuckle post [MECH ENG] A post which acts as the pivot for the steering knuckle in an automobile. { 'nɒk-əl ,pɒst }

Knudsen cell [PHYS CHEM] A vessel used to measure very low vapor pressures by measuring the mass of vapor which escapes when the vessel contains a liquid in equilibrium with its vapor. { kə'nʊd-sən ,sel }

Knudsen cosine law [PHYS] A law which states that the probability of a gas molecule leaving a solid surface in a given direction within a solid angle dω is proportional to cos θ dω, where θ is the angle between the direction and the normal to the surface. { kə'nʊd-sən 'kɒs,ɪn ,lə }

Knudsen flow See free molecule flow. { kə'nʊd-sən ,flə }

Knudsen gage [ENG] An instrument for measuring very low pressures, which measures the force of a gas on a cold plate beside which there is an electrically heated plate. { kə'nʊd-sən ,gæj }

Knudsen-Langmuir equation [CHEM ENG] Relationship of molecular distillation rate to vapor saturation pressure, solution temperature, and molecular weight during evaporation and no-recycle condensation. { kə'nʊd-sən 'lɑŋ,mjʊr i,kwə-zən }


Knudsen number [FL MECH] The ratio of the mean free path length of the molecules of a fluid to a characteristic length; used to describe the flow of low-density gases. { kə'nʊd-sən ,nəm-bər }

Knudsen reversing water bottle [ENG] A type of frameless reversing bottle for collecting water samples; carries reversing thermometers. { kə'nʊd-sən rɪ'vɜrs-ɪŋ 'wɒd-ər ,bɑd-əl }

Knudsen's equation [PHYS] An equation for the amount of gas that flows through a tube in free molecule flow, $q\sqrt{2\pi\Delta p d^3/6l\rho}$, where q is the volume of gas measured at unit pressure that flows through the tube per second, Δp is the difference between the pressures at the ends of the tube, d is the inside diameter of the tube, l is the length of the tube, and ρ is the density of the gas at unit pressure. { kə'nʊd-sən z i,kwə-shən }

Knudsen's tables [OCEANOGR] Hydrographical tables published by Martin Knudsen in 1901 to facilitate the computation

KNORR SYNTHESIS



An α-aminoketone combines with an α-methylene carbonyl compound to form a pyrrole.