

TRANSMITTAL FOR POWER OF ATTORNEY TO ONE OR MORE REGISTERED PRACTITIONERS

NOTE: This form is to be submitted with the Power of Attorney by Applicant form (PTO/AIA/82B) to identify the application to which the Power of Attorney is directed, in accordance with 37 CFR 1.5, unless the application number and filing date are identified in the Power of Attorney by Applicant form. If neither form PTO/AIA/82A nor form PTO/AIA/82B identifies the application to which the Power of Attorney is directed, the Power of Attorney will not be recognized in the application.

Application Number	Continuation of U.S. 16/246,935
Filing Date	Herewith
First Named Inventor	Shantanu Deshpande
Title	SAFETY HELMET
Art Unit	Unassigned
Examiner Name	Unassigned
Attorney Docket Number	763379

SIGNATURE of Applicant or Patent Practitioner

Signature	/Elias P. Soupos/	Date (Optional)	
Name	Elias P. Soupos	Registration Number	57,375
Title (if Applicant is a juristic entity)	Attorney For Applicant		
Applicant Name (if Applicant is a juristic entity)	Klein Tools, Inc.		

NOTE: This form must be signed in accordance with 37 CFR 1.33. See 37 CFR 1.4(d) for signature requirements and certifications. If more than one applicant, use multiple forms.

☒ *Total of 1 forms are submitted.

This collection of information is required by 37 CFR 1.131, 1.32, and 1.33. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 3 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Doc Code: PA..

Document Description: Power of Attorney

PTO/AIA/82B (07-13)

Approved for use through 11/30/2014. OMB 0551-0051

U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

POWER OF ATTORNEY BY APPLICANT

I hereby revoke all previous powers of attorney given in the application identified in either the attached transmittal letter or the boxes below.

Application Number	Filing Date

(Note: The boxes above may be left blank if information is provided on form PTO/AIA/82A.)

☒ I hereby appoint the Patent Practitioner(s) associated with the following Customer Number as my/our attorney(s) or agent(s), and to transact all business in the United States Patent and Trademark Office connected therewith for the application referenced in the attached transmittal letter (form PTO/AIA/82A) or identified above:

23460

OR

☐ I hereby appoint Practitioner(s) named in the attached list (form PTO/AIA/82C) as my/our attorney(s) or agent(s), and to transact all business in the United States Patent and Trademark Office connected therewith for the patent application referenced in the attached transmittal letter (form PTO/AIA/82A) or identified above. (Note: Complete form PTO/AIA/82C.)

Please recognize or change the correspondence address for the application identified in the attached transmittal letter or the boxes above to:

☒ The address associated with the above-mentioned Customer Number

OR

☐ The address associated with Customer Number:

OR

Firm or Individual Name				
Address				
City	State	Zip		
Country				
Telephone	Email			


I am the Applicant (if the Applicant is a juristic entity, list the Applicant name in the box):

Klein Tools, Inc.

- ☐ Inventor or Joint Inventor (title not required below)
- ☐ Legal Representative of a Deceased or Legally Incapacitated Inventor (title not required below)
- ☒ Assignee or Person to Whom the inventor is Under an Obligation to Assign (provide signer's title if applicant is a juristic entity)
- ☐ Person Who Otherwise Shows Sufficient Proprietary Interest (e.g., a petition under 37 CFR 1.46(b)(2) was granted in the application or is concurrently being filed with this document) (provide signer's title if applicant is a juristic entity)

SIGNATURE of Applicant for Patent

The undersigned (whose title is supplied below) is authorized to act on behalf of the applicant (e.g., where the applicant is a juristic entity).

Signature		Date (Optional)
Name	MATTHEW THORNE	
Title	VP FOUNDRY	

NOTE: Signature - This form must be signed by the applicant in accordance with 37 CFR 1.33. See 37 CFR 1.4 for signature requirements and certifications. If more than one applicant, use multiple forms.

☒ Total of 1 forms are submitted.

This collection of information is required by 37 CFR 1.131, 1.32, and 1.33. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 3 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1480, Alexandria, VA 22313-1480.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Milwaukee Electric Tool Corporation

Ex-1019

Page 2 of 36

Electronic Patent Application Fee Transmittal				
Application Number:				
Filing Date:				
Title of Invention:		SAFETY HELMET		
First Named Inventor/Applicant Name:		Shantanu Deshpande		
Filer:		Salim A. Hasan/Judith Goldberg		
Attorney Docket Number:		763379		
Filed as Large Entity				
Filing Fees for Utility under 35 USC 111(a)				
Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Basic Filing:				
UTILITY APPLICATION FILING	1011	1	320	320
UTILITY SEARCH FEE	1111	1	700	700
UTILITY EXAMINATION FEE	1311	1	800	800
Pages:				
Claims:				
Miscellaneous-Filing:				
Petition:				
Patent-Appeals-and-Interference:				

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Post-Allowance-and-Post-Issuance:				
Extension-of-Time:				
Miscellaneous:				
Total in USD (\$)				1820

Electronic Acknowledgement Receipt	
EFS ID:	46105241
Application Number:	17856628
International Application Number:	
Confirmation Number:	4418
Title of Invention:	SAFETY HELMET
First Named Inventor/Applicant Name:	Shantanu Deshpande
Customer Number:	23460
Filer:	Salim A. Hasan/Judith Goldberg
Filer Authorized By:	Salim A. Hasan
Attorney Docket Number:	763379
Receipt Date:	01-JUL-2022
Filing Date:	
Time Stamp:	17:10:17
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	yes
Payment Type	DA
Payment was successfully received in RAM	\$ 1820
RAM confirmation Number	E202271H10402484
Deposit Account	
Authorized User	
The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows:	

File Listing:					
Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1	Transmittal of New Application	ApplicationTransmittal-Utility.pdf	127323	no	2
			6e2010afdaf5dfe2e4bb1b12bdb61c36ae8fc388		
Warnings:					
Information:					
2	Application Data Sheet	ADS.pdf	1914289	no	9
			db0e1bdd89b0c98573192715752c2f4231f4bdc9		
Warnings:					
Information:					
3		Application.pdf	101217	yes	16
			f2a0dc303f8edf30657290ec5601fb72ab4679ec		
	Multipart Description/PDF files in .zip description				
	Document Description		Start	End	
	Specification		1	11	
	Claims		12	15	
	Abstract		16	16	
Warnings:					
Information:					
4	Oath or Declaration filed	Declaration-Deshpande.pdf	152163	no	1
			a784515bdf11b4774f47c7442a26fcb9370a059d		
Warnings:					
Information:					
5	Oath or Declaration filed	Declaration-Wong.pdf	103343	no	1
			b1acfc84603c92bc5abb89d9d2f5d638ea656107		

Warnings:					
Information:					
6	Power of Attorney	POA.pdf	245693	no	2
			5ba5f754e7f5a971a1f839a8dd6aea6e8bf602d		
Warnings:					
Information:					
7	Fee Worksheet (SB06)	fee-info.pdf	44093	no	2
			70f1e872addb9f92e2b8c79d26004e86aedeb1ae		
Warnings:					
Information:					
Total Files Size (in bytes):			2688121		
<p>This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.</p> <p><u>New Applications Under 35 U.S.C. 111</u> If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.</p> <p><u>National Stage of an International Application under 35 U.S.C. 371</u> If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.</p> <p><u>New International Application Filed with the USPTO as a Receiving Office</u> If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.</p>					

UTILITY PATENT APPLICATION TRANSMITTAL <i>(Only for new nonprovisional applications under 37 CFR 1.53(b))</i>		Attorney Docket No. 763379	
		First Inventor	Shantanu Deshpande
		Title	SAFETY HELMET
APPLICATION ELEMENTS		Commissioner for Patents ADDRESS TO: P.O. Box 1450 Alexandria, VA 22313-1450	
1. ☒ Utility Patent Application Transmittal Form 2. ☐ Applicant asserts small entity status (37 CFR 1.27) 3. ☐ Applicant certifies micro entity status (37 CFR 1.29 – Form PTO/SB/15A or B must be submitted) 4. ☒ Specification (including claims and abstract) [Total Pages 16] 5. ☒ Drawings [Total Sheets 10] 6. ☒ Inventor Declaration(s) [Total Pages 2] a. ☐ Newly executed b. ☒ Copy from prior application 7. ☒ Application Data Sheet. See 37 CFR 1.76 8. ☐ CD-ROM or CD-R (Large Table or Computer Program (Appendix)) 9. Nucleotide and/or Amino Acid Sequence Submission a. ☐ Computer Readable Form (CRF) b. Specification Sequence Listing on: i. ☐ CD-ROM or CD-R (2 copies); or ii. ☐ Paper Copy c. ☐ Statement verifying identity of above copies		ACCOMPANYING APPLICATION PARTS 10. ☐ Applicant requests early publication (include publication fee under 37 CFR 1.18(d)) 11. ☐ 37 CFR 3.73(c) Statement (when there is an Assignee) 12. ☒ Power of Attorney 13. ☐ English Translation Document (if applicable) 14. ☐ Information Disclosure Statement (IDS) ☐ Form PTO-1449 ☐ Copies of References (except for U.S. patents and applications) 15. ☐ Preliminary Amendment 16. ☐ Return Receipt Postcard (should be specifically itemized) 17. ☐ Certified Copy of Priority Document(s) 18. ☐ Nonpublication Request Under 35 USC 122(b)(2)(B)(i) (Form PTO/SB/35 or its equivalent must be submitted with this application) 19. ☐ Other:	

APPLICATION FEES						
BASIC FILING FEE						\$320
UTILITY SEARCH FEE						\$700
UTILITY EXAMINATION FEE						\$800
CLAIM FEE	NUMBER FILED			NUMBER EXTRA	RATE	
TOTAL	20	MINUS	20	= 0	x \$100 =	\$0
INDEPENDENT	3	MINUS	3	= 0	x \$480 =	\$0
☐	FIRST PRESENTATION OF MULTIPLY DEPENDENT CLAIM					+ \$860 = \$0
☐	Application Size Fee – If the specification, claims, abstract, drawings, and preliminary amendment exceed 100 sheets of paper, enter number of sheets here: - If application is filed in paper form, enter this number in Total Sheets below. - If application is filed via EFS-Web, multiply this number by 0.75 and enter result in Total Sheets below.					
Total Sheets =		– 100 =		+ 50 = <small>(round up to a whole number)</small>	x 420 =	\$0
☐	Early Publication Fee					\$0
☐	Processing Fee for Late Filing of Inventor Declarations					\$0
SUBTOTAL (of all items above)						\$1820
☐	Small Entity Status – Fees Above Are Reduced by ½					(\$0)
☐	Small Entity Status – BASIC FILING FEE is reduced by an additional \$80 if EFS filing					(\$0)
☐	Micro Entity Status – Fees Above Are Reduced by ¾					(\$0)
TOTAL AMOUNT TO BE CHARGED TO DEPOSIT ACCOUNT						\$1820

UTILITY PATENT APPLICATION TRANSMITTAL		Attorney Docket No. 763379
<p>20. ☒ Please charge Deposit Account No. 12-1216 in the amount indicated above.</p> <p>21. The Commissioner is hereby authorized to credit overpayments or charge any additional fees of the following types to Deposit Account No. 12-1216:</p> <p style="margin-left: 20px;">a. ☐ Fees required under 37 CFR 1.16.</p> <p style="margin-left: 20px;">b. ☐ Fees required under 37 CFR 1.17.</p> <p>22. ☒ The Commissioner is hereby generally authorized under 37 CFR 1.136(a)(3) to treat any future reply in this or any related application filed pursuant to 37 CFR 1.53 requiring an extension of time as incorporating a request therefor, and the Commissioner is hereby specifically authorized to charge Deposit Account No. 12-1216 for any fee that may be due in connection with such a request for an extension of time.</p>		
CORRESPONDENCE ADDRESS		
☒ Customer No. 23460		
Name	Elias P. Soupos, Reg. No. 57,375	
Signature	/Elias P. Soupos/	
Contact Information	<div style="display: flex; align-items: center;"> <div style="font-size: 2em; font-weight: bold; margin-right: 20px;">Leydig</div> <div> <p>Telephone: 312-616-5600</p> <p>Facsimile: 312-616-5700</p> </div> </div>	
Date	July 1, 2022	

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76		Attorney Docket Number	763379
		Application Number	
Title of Invention	SAFETY HELMET		
The application data sheet is part of the provisional or nonprovisional application for which it is being submitted. The following form contains the bibliographic data arranged in a format specified by the United States Patent and Trademark Office as outlined in 37 CFR 1.76. This document may be completed electronically and submitted to the Office in electronic format using the Electronic Filing System (EFS) or the document may be printed and included in a paper filed application.			

Secrecy Order 37 CFR 5.2:

☐ Portions or all of the application associated with this Application Data Sheet may fall under a Secrecy Order pursuant to 37 CFR 5.2 (Paper filers only. Applications that fall under Secrecy Order may not be filed electronically.)

Inventor Information:

Inventor	1				Remove
Legal Name					
Prefix	Given Name	Middle Name	Family Name	Suffix	
	Shantanu		Deshpande		
Residence Information (Select One) • US Residency Non US Residency Active US Military Service					
City	Glenview	State/Province	IL	Country of Residence	US
Mailing Address of Inventor:					
Address 1	4311 Crescent Lane				
Address 2					
City	Glenview	State/Province	IL		
Postal Code	60026	Country	US		
Inventor	2				Remove
Legal Name					
Prefix	Given Name	Middle Name	Family Name	Suffix	
	Kingston		Wong		
Residence Information (Select One) • US Residency Non US Residency Active US Military Service					
City	Beach Park	State/Province	IL	Country of Residence	US
Mailing Address of Inventor:					
Address 1	12970 W. Wakefield Dr.				
Address 2					
City	Beach Park	State/Province	IL		
Postal Code	60083	Country	US		
All Inventors Must Be Listed - Additional Inventor Information blocks may be generated within this form by selecting the Add button.					
Add					

Correspondence Information:

Enter either Customer Number or complete the Correspondence Information section below.
For further information see 37 CFR 1.33(a).

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76		Attorney Docket Number	763379
		Application Number	
Title of Invention	SAFETY HELMET		

☐ An Address is being provided for the correspondence information of this application.

Customer Number	23460		
Email Address	docketingpatent@leydig.com	<input type="button" value="Add Email"/>	<input type="button" value="Remove Email"/>

Application Information:

Title of the Invention	SAFETY HELMET		
Attorney Docket Number	763379	Small Entity Status Claimed	☐
Application Type	Nonprovisional		
Subject Matter	Utility		
Total Number of Drawing Sheets (if any)	10	Suggested Figure for Publication (if any)	1

Filing By Reference:

Only complete this section when filing an application by reference under 35 U.S.C. 111(c) and 37 CFR 1.57(a). Do not complete this section if application papers including a specification and any drawings are being filed. Any domestic benefit or foreign priority information must be provided in the appropriate section(s) below (i.e., "Domestic Benefit/National Stage Information" and "Foreign Priority Information").

For the purposes of a filing date under 37 CFR 1.53(b), the description and any drawings of the present application are replaced by this reference to the previously filed application, subject to conditions and requirements of 37 CFR 1.57(a).

Application number of the previously filed application	Filing date (YYYY-MM-DD)	Intellectual Property Authority or Country

Publication Information:☐ Request Early Publication (Fee required at time of Request 37 CFR 1.219)

Request Not to Publish. I hereby request that the attached application not be published under 35 U.S.C. 122(b) and certify that the invention disclosed in the attached application **has not and will not** be the subject of an application filed in another country, or under a multilateral international agreement, that requires publication at eighteen months after filing.

Representative Information:

Representative information should be provided for all practitioners having a power of attorney in the application. Providing this information in the Application Data Sheet does not constitute a power of attorney in the application (see 37 CFR 1.32). Either enter Customer Number or complete the Representative Name section below. If both sections are completed the customer Number will be used for the Representative Information during processing.

Please Select One:	☒ Customer Number	US Patent Practitioner	☐ Limited Recognition (37 CFR 11.9)
Customer Number	23460		

Application Data Sheet 37 CFR 1.76		Attorney Docket Number	763379
		Application Number	
Title of Invention	SAFETY HELMET		

Domestic Benefit/National Stage Information:

This section allows for the applicant to either claim benefit under 35 U.S.C. 119(e), 120, 121, 365(c), or 386(c) or indicate National Stage entry from a PCT application. Providing benefit claim information in the Application Data Sheet constitutes the specific reference required by 35 U.S.C. 119(e) or 120, and 37 CFR 1.78. When referring to the current application, please leave the "Application Number" field blank.

Prior Application Status	Pending	Remove	
Application Number	Continuity Type	Prior Application Number	Filing or 371(c) Date (YYYY-MM-DD)
	Continuation of	16/246935	2019-01-14
Prior Application Status	Pending	Remove	
Application Number	Continuity Type	Prior Application Number	Filing or 371(c) Date (YYYY-MM-DD)
16/246935	Claims benefit of provisional	62/622472	2018-01-26
Prior Application Status	Expired	Remove	
Application Number	Continuity Type	Prior Application Number	Filing or 371(c) Date (YYYY-MM-DD)
16/246935	Claims benefit of provisional	62/645491	2018-03-20
Additional Domestic Benefit/National Stage Data may be generated within this form by selecting the Add button.			Add

Foreign Priority Information:

This section allows for the applicant to claim priority to a foreign application. Providing this information in the application data sheet constitutes the claim for priority as required by 35 U.S.C. 119(b) and 37 CFR 1.55. When priority is claimed to a foreign application that is eligible for retrieval under the priority document exchange program (PDX)¹ the information will be used by the Office to automatically attempt retrieval pursuant to 37 CFR 1.55(i)(1) and (2). Under the PDX program, applicant bears the ultimate responsibility for ensuring that a copy of the foreign application is received by the Office from the participating foreign intellectual property office, or a certified copy of the foreign priority application is filed, within the time period specified in 37 CFR 1.55(g)(1).

Application Number	Country ⁱ	Filing Date (YYYY-MM-DD)	Remove
			Access Code ^j (if applicable)
Additional Foreign Priority Data may be generated within this form by selecting the Add button.			Add

Statement under 37 CFR 1.55 or 1.78 for AIA (First Inventor to File) Transition Applications

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76		Attorney Docket Number	763379
		Application Number	
Title of Invention	SAFETY HELMET		

☐	<p>This application (1) claims priority to or the benefit of an application filed before March 16, 2013 and (2) also contains, or contained at any time, a claim to a claimed invention that has an effective filing date on or after March 16, 2013.</p> <p>NOTE: By providing this statement under 37 CFR 1.55 or 1.78, this application, with a filing date on or after March 16, 2013, will be examined under the first inventor to file provisions of the AIA.</p>
--------------------------	---

Application Data Sheet 37 CFR 1.76		Attorney Docket Number	763379
		Application Number	
Title of Invention	SAFETY HELMET		

Authorization or Opt-Out of Authorization to Permit Access:

When this Application Data Sheet is properly signed and filed with the application, applicant has provided written authority to permit a participating foreign intellectual property (IP) office access to the instant application-as-filed (see paragraph A in subsection 1 below) and the European Patent Office (EPO) access to any search results from the instant application (see paragraph B in subsection 1 below).

Should applicant choose not to provide an authorization identified in subsection 1 below, applicant **must opt-out** of the authorization by checking the corresponding box A or B or both in subsection 2 below.

NOTE: This section of the Application Data Sheet is **ONLY** reviewed and processed with the **INITIAL** filing of an application. After the initial filing of an application, an Application Data Sheet cannot be used to provide or rescind authorization for access by a foreign IP office(s). Instead, Form PTO/SB/39 or PTO/SB/69 must be used as appropriate.

1. Authorization to Permit Access by a Foreign Intellectual Property Office(s)

A. Priority Document Exchange (PDX) - Unless box A in subsection 2 (opt-out of authorization) is checked, the undersigned hereby **grants the USPTO authority** to provide the European Patent Office (EPO), the Japan Patent Office (JPO), the Korean Intellectual Property Office (KIPO), the State Intellectual Property Office of the People's Republic of China (SIPO), the World Intellectual Property Organization (WIPO), and any other foreign intellectual property office participating with the USPTO in a bilateral or multilateral priority document exchange agreement in which a foreign application claiming priority to the instant patent application is filed, access to: (1) the instant patent application-as-filed and its related bibliographic data, (2) any foreign or domestic application to which priority or benefit is claimed by the instant application and its related bibliographic data, and (3) the date of filing of this Authorization. See 37 CFR 1.14(h)(1).

B. Search Results from U.S. Application to EPO - Unless box B in subsection 2 (opt-out of authorization) is checked, the undersigned hereby **grants the USPTO authority** to provide the EPO access to the bibliographic data and search results from the instant patent application when a European patent application claiming priority to the instant patent application is filed. See 37 CFR 1.14(h)(2).

The applicant is reminded that the EPO's Rule 141(1) EPC (European Patent Convention) requires applicants to submit a copy of search results from the instant application without delay in a European patent application that claims priority to the instant application.

2. Opt-Out of Authorizations to Permit Access by a Foreign Intellectual Property Office(s)

☐ A. Applicant **DOES NOT** authorize the USPTO to permit a participating foreign IP office access to the instant application-as-filed. If this box is checked, the USPTO will not be providing a participating foreign IP office with any documents and information identified in subsection 1A above.

☐ B. Applicant **DOES NOT** authorize the USPTO to transmit to the EPO any search results from the instant patent application. If this box is checked, the USPTO will not be providing the EPO with search results from the instant application.

NOTE: Once the application has published or is otherwise publicly available, the USPTO may provide access to the application in accordance with 37 CFR 1.14.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76		Attorney Docket Number	763379
		Application Number	
Title of Invention	SAFETY HELMET		

Applicant Information:

Providing assignment information in this section does not substitute for compliance with any requirement of part 3 of Title 37 of CFR to have an assignment recorded by the Office.			
Applicant	1		<input type="button" value="Remove"/>
<p>If the applicant is the inventor (or the remaining joint inventor or inventors under 37 CFR 1.45), this section should not be completed. The information to be provided in this section is the name and address of the legal representative who is the applicant under 37 CFR 1.43; or the name and address of the assignee, person to whom the inventor is under an obligation to assign the invention, or person who otherwise shows sufficient proprietary interest in the matter who is the applicant under 37 CFR 1.46. If the applicant is an applicant under 37 CFR 1.46 (assignee, person to whom the inventor is obligated to assign, or person who otherwise shows sufficient proprietary interest) together with one or more joint inventors, then the joint inventor or inventors who are also the applicant should be identified in this section.</p>			
		<input type="button" value="Clear"/>	
☒ Assignee	Legal Representative under 35 U.S.C. 117		Joint Inventor
Person to whom the inventor is obligated to assign.		Person who shows sufficient proprietary interest	
If applicant is the legal representative, indicate the authority to file the patent application, the inventor is:			
<div style="border: 1px solid black; height: 20px; width: 100%;"></div>			
Name of the Deceased or Legally Incapacitated Inventor: <div style="border: 1px solid black; width: 400px; height: 20px;"></div>			
If the Applicant is an Organization check here. ☒			
Organization Name	Klein Tools, Inc.		
Mailing Address Information For Applicant:			
Address 1	450 Bond Street		
Address 2			
City	Lincolnshire	State/Province	IL
Country	US	Postal Code	60069
Phone Number		Fax Number	
Email Address			
Additional Applicant Data may be generated within this form by selecting the Add button. <input type="button" value="Add"/>			

Assignee Information including Non-Applicant Assignee Information:

Providing assignment information in this section does not substitute for compliance with any requirement of part 3 of Title 37 of CFR to have an assignment recorded by the Office.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76	Attorney Docket Number	763379
	Application Number	
Title of Invention	SAFETY HELMET	

Assignee	1		
Complete this section if assignee information, including non-applicant assignee information, is desired to be included on the patent application publication. An assignee-applicant identified in the "Applicant Information" section will appear on the patent application publication as an applicant. For an assignee-applicant, complete this section only if identification as an assignee is also desired on the patent application publication.			
<div>Remove</div>			
If the Assignee or Non-Applicant Assignee is an Organization check here. ☒			
Organization Name	Klein Tools, Inc.		
Mailing Address Information For Assignee including Non-Applicant Assignee:			
Address 1	450 Bond Street		
Address 2			
City	Lincolnshire	State/Province	IL
Country i	US	Postal Code	60069
Phone Number		Fax Number	
Email Address			
Additional Assignee or Non-Applicant Assignee Data may be generated within this form by selecting the Add button. <div>Add</div>			

Signature:

Remove

NOTE: This Application Data Sheet must be signed in accordance with 37 CFR 1.33(b). However, if this Application Data Sheet is submitted with the **INITIAL** filing of the application and either box A or B is not checked in subsection 2 of the "Authorization or Opt-Out of Authorization to Permit Access" section, then this form must also be signed in accordance with 37 CFR 1.14(c).

This Application Data Sheet **must** be signed by a patent practitioner if one or more of the applicants is a **juristic entity** (e.g., corporation or association). If the applicant is two or more joint inventors, this form must be signed by a patent practitioner, **all** joint inventors who are the applicant, or one or more joint inventor-applicants who have been given power of attorney (e.g., see USPTO Form PTO/AIA/81) on behalf of **all** joint inventor-applicants.

See 37 CFR 1.4(d) for the manner of making signatures and certifications.

Signature	/Elias P. Soupos/		Date (YYYY-MM-DD)	2022-07-01	
First Name	Elias P.	Last Name	Soupos	Registration Number	57375
Additional Signature may be generated within this form by selecting the Add button. <div>Add</div>					

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76		Attorney Docket Number	763379
		Application Number	
Title of Invention	SAFETY HELMET		

This collection of information is required by 37 CFR 1.76. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 23 minutes to complete, including gathering, preparing, and submitting the completed application data sheet form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

Privacy Act Statement

The Privacy Act of 1974 (P.L. 93-579) requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

1. The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C. 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether the Freedom of Information Act requires disclosure of these records.
2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspections or an issued patent.
9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

SAFETY HELMET

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] This patent application is a continuation of U.S. Patent Application No. 16/246,935, filed January 14, 2019, which claims the benefit of U.S. Provisional Application No. 62/622,472, filed January 26, 2018, and U.S. Provisional Application No. 62/645,491, filed March 20, 2018, each of which disclosure is incorporated herein by reference.

BACKGROUND OF THE DISCLOSURE

[0002] The present disclosure relates to personal protection devices and, more particularly, safety helmets for use to protect the wearer from falling objects. Such helmets are commonly also referred to as “hard hats.” Various types of safety helmets are commonly used in several industries, many of which include mounted personal illumination devices commonly called headlamps, typically powered by a direct current power source (either replaceable or rechargeable chemical cells). In the simplest of such devices, the headlamp is permanently mounted to the safety helmet in a fixed orientation at the front of the safety helmet. In other such devices, a mounting bracket is included at the front of the helmet to allow for a headlamp to be inserted.

[0003] One common method of mounting headlamps onto a safety helmet is by using an elastic band to conform and adhere to the exterior of the safety helmet, and then mounting the portable device onto the elastic band. While use of elastic bands can permit mounting of the headlamp at any orientation relative to the safety helmet, and also mounting of additional devices onto a single band, switching between orientations is difficult. Moreover, band-type mounting systems are prone to slipping off from the safety helmet, especially when lubricating fluids may fall on the helmet and enter the interface between the helmet’s exterior and the band, thus requiring constant readjustment by the user.

[0004] Another common issue with known safety helmet headlamp arrangements is the connection of a power source to the headlamp. Portable power sources such as batteries are known to be heavy and bulky. When integrated with the headlamp, which is worn on the front facing side of the helmet, headlamps with integrated

power sources tend to pull the helmet down, especially when the wearer is looking down. To reduce the weight of headlamps, manufacturers decrease the size of the batteries that are integrated therewith, which also decreases their useful life and will also decrease the lumen output of the headlamp. In certain applications where long life and higher light intensity is desired such as in underground mines, headlamps are typically connected to a power source via a wire, which leads to heavier and bulkier batteries worn around the user's waist. The wire leading to the batteries, however, can present a nuisance to the user and also increases the chances of unsafe conditions as it may become snagged as the user is moving around.

BRIEF SUMMARY OF THE DISCLOSURE

[0005] In one aspect, the present disclosure describes a safety helmet. The safety helmet includes an outer shell adapted to be worn by a user. The outer shell has a front side and a rear side, wherein the outer shell is reversible such that one of the front side or the rear side is oriented above a face of the user when the outer shell is worn by the user. A front receptacle is disposed on the front side of the outer shell, and a rear receptacle is disposed on the rear side of the outer shell. The front receptacle and the rear receptacle are of identical construction. An accessory device has a mating receptacle formed thereon, and is releasably mountable onto each of the front receptacle and the rear receptacle of the outer shell.

[0006] In another aspect, the disclosure describes a safety helmet, which includes an outer shell adapted to be worn by a user. The outer shell has a front side and a rear side. The outer shell is reversible such that one of the front side or the rear side is oriented above a face of the user when the outer shell is worn by the user. A front receptacle is disposed on the front side of the outer shell, and a rear receptacle is disposed on the rear side of the outer shell. A first accessory device has a first mating receptacle formed thereon and is releasably mountable onto each of the front receptacle or the rear receptacle of the outer shell, and a second accessory device has a second mating receptacle formed thereon and is releasably mountable onto each of the front receptacle or the rear receptacle of the outer shell.

[0007] In yet another aspect, the disclosure describes a safety helmet that includes an outer shell adapted to be worn by a user and having a front side and a rear side. The outer shell is reversible such that one of the front side or the rear side

is oriented above a face of the user when the outer shell is worn by the user. The safety helmet further includes a front receptacle disposed on the front side of the outer shell, and a rear receptacle disposed on the rear side of the outer shell. The front receptacle includes a front set of terminals associated therewith, the rear receptacle includes a rear set of terminals associated therewith, and a set of conductors is connected between the front set of terminals and the rear set of terminals.

[0008] In yet another aspect, the disclosure describes a method for using a protective device. The method includes providing an outer shell adapted to be worn by a user, the outer shell having a front side and a rear side, wherein the outer shell is reversible such that the front side or the rear side is oriented above a face of the user when the user wears the outer shell. The method further includes providing a front receptacle disposed on the front side of the outer shell, and providing a rear receptacle disposed on the rear side of the outer shell. The method also includes releasably attaching an accessory device having a mating receptacle formed thereon into one of the front or rear receptacle, detaching the accessory device, and reattaching the accessory device into another one of the front or rear receptacle.

BRIEF SUMMARY OF THE SEVERAL VIEWS OF THE DRAWINGS

[0009] FIGS. 1 and 2 are front and rear perspective views of a safety helmet in accordance with the disclosure.

[0010] FIG. 3 is a front view of the safety helmet of FIG. 1.

[0011] FIG. 4 is a rear view of a device that is connectable to the safety helmet of FIG. 1 in accordance with the disclosure.

[0012] FIG. 5 is a cross section of the safety helmet of FIG. 1.

[0013] FIG. 6 is an enlarged detail cross section of the helmet of FIG. 1.

[0014] FIG. 7 is a side view of an alternative embodiment.

[0014.1] FIG. 8 is a cross section of the safety helmet of FIG. 1 in an alternate configuration.

[0014.2] FIG. 9 is a rear top right perspective view of the safety helmet of FIG. 1 in another configuration wherein an electronic device is releasably mounted on the rear of the safety helmet.

[0014.3] FIG. 10 is a left side view of the safety helmet shown in FIG. 9 in yet another configuration wherein the electronic device is releasably mounted on the front of the safety helmet.

[0014.4] FIG. 11 is a left side view of the safety helmet shown in FIG. 9 in an alternate configuration wherein one of the electronic devices is releasably mounted on the front of the safety helmet and another of the electronic devices is releasably mounted on the rear of the helmet.

[0014.5] FIG. 12 is a rear to right perspective view of the safety helmet shown in FIG. 9 in yet another alternate configuration wherein the electronic device is releasably mounted on the front of the safety helmet and a different type of electronic device is releasably mounted on the rear of the safety helmet.

[0014.6] FIG. 13 is a rear to right perspective view of the embodiment shown in FIG. 9 in another alternate configuration wherein the electronic device is releasably mounted on the front of the safety helmet and another type of electronic device is releasably mounted on the rear of the safety helmet.

DETAILED DESCRIPTION OF A PREFERRED EMBODIMENT

[0015] The present invention relates to the field of personal protection devices and, more particularly, safety helmets. The safety helmets in accordance with the disclosure include two mounts, one on either the front or back facing sides of the helmet, which permit connection of removable modules onto the helmet such as headlamps, cameras, speakers, larger capacity batteries, cellphones, and the like. In one embodiment, the helmet includes an integrated, non-removable power source and integrated electrical leads or conductors to a port for a removable device. In this way, the removable device such as a headlamp can be made lighter without sacrificing battery power output or electrical potential. The headlamp, which may include its own power source that is chargeable by the helmet, may be removed and used as a flashlight before being replaced onto the helmet for charging.

[0016] A safety helmet 100 in accordance with one embodiment of the present disclosure is shown in FIG. 1. The safety helmet 100 includes a detachably mounted, headlamp device 200. The safety helmet 100 includes a hard outer shell 1 designed to protect the head of the wearer from injury and a brim 7 designed to shield the user's eyes from sunlight or falling debris. Accessory slots 6 may be present to

accept various accessories. The headlamp device 200 features a headlamp body 9, a light source 2, a power switch 3 to activate the light source 2, and a mounting bracket 4 to removeably attach the headlamp device 200 to the safety helmet 100.

[0017] Connection of the headlamp device 200, which is shown as one exemplary embodiment of a device that can be connected to the safety helmet 100, is accomplished by releasable engagement of the mounting bracket 4 to a front tapered receiver slot 5 of the safety helmet 100. The front tapered receiver slot 5 is disposed on the front of hard outer shell 1 of the safety helmet 100. In this configuration, the light emanating from the light source 2 projects forward from the safety helmet 100, illuminating the area in front of a user when the safety helmet is in its standard orientation in which the brim 7 is disposed over the wearer's face.

[0018] The mounting bracket 4 and front tapered receiver slot 5 are one exemplary embodiment for releasably connecting the device 200 to the safety helmet 100. As also shown in FIGS. 3 and 4, the front tapered receiver slot 5 includes a tapered channel 16 formed between a pair of raised sidewalls 18 and a stop, shown in the preferred embodiment as a protruding nub 17 extending from the surface of the hard outer shell 1 of the safety helmet 100. The mounting bracket 4 is in the form of a tapered clip 19 conforming to the tapered channel 16 such that it is retained by the raised sidewalls 18 when it is inserted into the tapered channel. A slot 20 in the tapered clip 19 receives the protruding nub 17 on the hard outer shell 1 of the safety helmet 100 locking it into place. The mounting bracket 4 can be detached from the front tapered receiver slot 5 by pulling on the release lever 21 of the tapered clip 19, which disengages the protruding nub 17 from the slot 20 to allow the headlamp device 200 to be lifted out of the tapered channel 16.

[0019] The safety helmet 100 is shown from a rear perspective in FIG. 2. As shown, the safety helmet 100 includes a second device 201 mounted on the rear side of the hard outer shell 1. While in certain embodiments the second device 201 may be releasably mounted to the safety helmet 100 using a second tapered receiver slot, similar to the front tapered receiver slot 5 on the front of the helmet (FIG. 1), in the illustrated embodiment of FIG. 2, the second device 201 is non-releasably or, generally permanently, mounted onto the safety helmet 100. The second device shown in FIG. 2 is a battery pack or power storage device that houses disposable or rechargeable battery power cells. The battery cells in the

second device 201 are configured to provide electrical potential in the form of a direct current (DC) electrical power output into two conductors, 203 and 204 (shown in FIG. 1), which are integrated into the hard outer shell 1. As shown in FIGS. 7 and 9-13 in two alternative embodiments, the safety helmet 100 includes a rear tapered slot 11 that is substantially identical to the front tapered receiver slot 5.

[0020] The conductors 203 and 204, which are shown in dashed lines in FIGS. 1 and 2, are metal conductors that can be made from copper, aluminum, steel, zinc or the like, and are molded into the thermoplastic material of the hard outer shell 1 of the safety helmet 100. In one embodiment, the conductors can be placed into a mold used for injection molding of the hard outer shell 1 such that the plastic used to construct the hard outer shell 1 can be over-molded around the conductors to conceal and protect the conductors as shown, for example, in FIG. 6. Placement of the conductors can be selected depending on the particular safety requirements of the helmet. As shown, the conductors are placed along an outer region of the helmet, away from the wearer's head.

[0021] At one end, the conductors 203 and 204 are permanently and electrically connected to two poles of the battery cells in the second device 201 such that an electrical potential created by the battery cells is available through the conductors. At another end the conductors 203 and 204 terminate at terminals 205 and 206, as shown in FIG. 3, which present bare surfaces for achieving a releasable electrical connection with corresponding terminals 207 and 208 formed on the back side of the device 200 that is connectable to the front tapered receiver slot 5, as shown in FIG. 4. In this way, when the device 200 is mechanically connected to the receiver slot, an electrical connection between the first device, for example, the headlamp device 200 and the second device 201 is also established and maintained while the device 200 is mounted onto the safety helmet 100.

[0022] FIG. 5 a side, section view through the safety helmet 100 shown in FIG. 1, and FIG. 6 is an enlarged detail view to illustrate the connections of the electrical conductors through the material of the hard outer shell 1 to the terminals 207 and 208 (only one visible) and also to the additional device 201. Also visible here are secondary, rechargeable batteries 212 used within the device 200, which can be charged through the conductors from the second device 201 and which also allow the device 200 to be used autonomously, if desired. In the embodiment shown, the

rechargeable batteries 212 used in the device 200 have a smaller electrical capacity than batteries in the second device 201 to allow the device to be recharged while connected to the safety helmet 100, provided that the electrical potential of the second device 201 is higher than the device 200 and charging of the device 200 can occur. The recharging of the device 200 advantageously permits use of the device to be used autonomously when separated from the safety helmet 100, and then reconnected to the helmet for charging from the second device 201. While charging, the device 200 can also operate, for example, to provide light, by drawing sufficient electrical power from the second device to both operate and charge the device 200 because of the larger electrical capacity of the second device 201. When the second device 201 is connected to a power source for charging, and while the device 201 is connected, both devices can be charged simultaneously to increase to the total charge available on the safety helmet 100. Moreover, the second device 201 can include a shutoff or diode integrated therewith, which only permits flow of electrical power in the form of electrical DC current from the second device 201 to the device 200, but not in the opposite direction.

[0023] The devices 200 and 201 may be embodied as various types of devices or accessories. For example, in addition to headlamps or battery packs, the devices may be embodied as a speaker, which can be connected to an audio player or similar device by known methods, a holder or bracket for another device such as a camera, smartphone or the like, a blinking or otherwise illuminated light that marks the location of the user, a GPS receiver or tag, and the like.

[0024] A first alternative embodiment is shown in FIG. 7, in which a plurality of electrical devices, in this case, illumination devices 210, are integrated around the helmet and connected to be powered by the second device 201. For example, the illumination devices 210 may be low-powered LED lights or strobes that can be illuminated and used as safety devices, in addition to reflective devices, in low light environments. The electrical connections to power the illumination devices 210 can be integrated into the hard outer shell in a fashion similar to the conductors 203 and 204, and be electrically connected therewith. A headlamp device 200 is shown mounted via the mounting bracket 4 to the front tapered receiver slot 5 formed by the hard outer shell 1". The second headlamp device 201 is mounted to a rear tapered

receiver slot 11 formed by the hard outer shell 1". In this embodiment, the front tapered receiver slot 5 is substantially identical to the rear tapered receiver slot 1".

[0024.1] FIG. 8 shows a cross section view through the safety helmet 100 shown in FIG. 1 in an alternate configuration. FIG. 8 shows the safety helmet 100 including the detachably mounted headlamp device 200. The headlamp device 200 includes the light source 2, the headlamp body 9, and the rechargeable batteries 212. The conductors 203 are shown integrated into the outer shell 1' and terminating at the terminal 205. The headlamp device 200 includes the terminal 207 for releasable electrical connection with terminal 205. The safety helmet 100 of Fig. 8 shows that the protruding nub 17 and the brim 7 are unitary features of the hard outer shell 1'. Stated in other words, the outer shell forms or defines the protruding nub 17 and the brim, which are integrally molded with the outer shell from a common material such as plastic. The venting holes 8 may be present for ventilation of the interior of the safety helmet 100. As shown in FIG. 3, the protruding nub 17 is centrally disposed relative to the external slot. In the illustrated embodiment of FIG. 3, the protruding nub 17 is disposed at an upward location away from the brim 7.

[0024.2] FIG. 9 shows a rear top right perspective view of the safety helmet 100 of FIG. 1 in an alternate configuration. The safety helmet features a detachable mounted headlamp device 200 mounted via the mounting bracket 4 in a rear tapered receiver slot 11 substantially identical to the front tapered receiver slot 5 disposed on the hard outer shell 1' of the safety helmet 100. In this configuration, the light emanating from the light source 2 projects rearward of the safety helmet 100, illuminating the area in front of a user when the safety helmet is in its reverse orientation, with the brim 7 behind the wearer's head.

[0024.3] FIG. 10 depicts a side view of the safety helmet 100 of FIG. 9, featuring the detachable mounted headlamp device 200 mounted via the mounting bracket 4 in the front tapered receiver slot 5 of the hard outer shell 1' of the safety helmet 100. In this configuration, the light emanating from the light source 2 projects forward of the safety helmet 100, illuminating the area in front of a user when the safety helmet is in its reverse orientation, with the brim 7 above the wearer's face. The rear tapered receiver slot 11 can be seen in this view, disposed on the hard outer shell 1' opposite from the front tapered receiver slot 5.

[0024.4] FIG. 11 depicts a side view of the safety helmet 100 of FIG. 9 with the front tapered receiver slot 5 and the rear tapered receiver slot 11 oppositely formed by the hard outer shell 1' of the safety helmet 100. In this view, a second headlamp device 201 is mounted via a second mounting bracket 10 to the rear tapered receiver slot 11, while the headlamp device 200 is mounted via the mounting bracket 4 to the front tapered receiver slot 5. In this configuration of the safety helmet 100, the headlamp device 200 and second headlamp device 201 can be used in various ways. Both the headlamp device 200 and the second headlamp device 201 could be powered on, such that the light source 2 illuminates the area in front of the user and a second light source 12 illuminates the area behind the user's head while the cap is in its standard orientation. Alternately, the light source 2 on the headlamp device 200 might be powered on illuminating the area in front of the user while the safety helmet 100 is in its standard orientation, with the brim 7 above the user's face, and if the user chooses to move the helmet to its reverse orientation, with the brim 7 behind the user's face, the light source 2 could be powered down by means of pressing the power switch 3 and the second light source 12 powered on by pushing the second power switch 13 on the second headlamp device 201, such that the second light source 12 illuminates the area in front of the user. The user might also store the second headlamp device 201 on the rear tapered receiver slot 11 as a backup to the headlamp device 200 on the front tapered receiver slot 11, switching the position of the headlamp device 200 and second headlamp device 201 as necessary, for example, to address a malfunction or low battery state of the headlamp device 200. If the headlamp device 200 and the second headlamp device 201 have a high and low setting for the light source 2 and the second light source 12, a user can quickly configure the safety helmet 100 such that in the standard orientation the light source 2 provides bright illumination while the second light source 12 provides only low brightness to allow for signaling and location of the wearer, and may be converted when in reverse orientation such that the second light source 12 provides bright illumination while the light source 2 provides only low brightness to allow for signaling and location of the wearer, without having to remove or reposition either the headlamp device 200 or the second headlamp device 201.

[0024.5] FIG. 12 shows the safety helmet 100 in a configuration with a speaker device 15 mounted to the receiver slot 11 and the headlamp device 200 mounted to

the receiver slot 5. FIG. 13 shows the safety helmet 100 in another configuration with a battery pack 14 mounted to the receiver slot 11 and the headlamp device 200 mounted to the receiver slot 5. As shown in FIGS. 12 and 13, the accessory slot(s) 6, the brim 7, the venting holes 8, and the receiver slot 11 are unitary features of the outer shell 1'. In other words, the outer shell 1' forms or defines the accessory slot(s) 6, the brim 7, the venting holes 8, and the receiver slot 11. The accessory slot(s) 6 are configured to accept various accessories. As shown in FIGS. 12 and 13, the accessory slot(s) 6 are integrated with the outer shell 1'. As shown in FIGS. 12 and 13, the brim 7 is integrated with the outer shell 1'. As shown in FIGS. 12 and 13, the venting holes 8 are integrated with the outer shell 1'. As shown in FIGS. 12 and 13, the receiver slot 11 is integrated with the outer shell 1'.

[0025] All references, including publications, patent applications, and patents, cited herein are hereby incorporated by reference to the same extent as if each reference were individually and specifically indicated to be incorporated by reference and were set forth in its entirety herein.

[0026] The use of the terms “a” and “an” and “the” and “at least one” and similar referents in the context of describing the invention (especially in the context of the following claims) are to be construed to cover both the singular and the plural, unless otherwise indicated herein or clearly contradicted by context. The use of the term “at least one” followed by a list of one or more items (for example, “at least one of A and B”) is to be construed to mean one item selected from the listed items (A or B) or any combination of two or more of the listed items (A and B), unless otherwise indicated herein or clearly contradicted by context. The terms “comprising,” “having,” “including,” and “containing” are to be construed as open-ended terms (i.e., meaning “including, but not limited to,”) unless otherwise noted. Recitation of ranges of values herein are merely intended to serve as a shorthand method of referring individually to each separate value falling within the range, unless otherwise indicated herein, and each separate value is incorporated into the specification as if it were individually recited herein. All methods described herein can be performed in any suitable order unless otherwise indicated herein or otherwise clearly contradicted by context. The use of any and all examples, or exemplary language (e.g., “such as”) provided herein, is intended merely to better illuminate the invention and does not pose a limitation on the scope of the invention unless otherwise claimed. No

language in the specification should be construed as indicating any non-claimed element as essential to the practice of the invention.

[0027] Preferred embodiments of this invention are described herein, including the best mode known to the inventors for carrying out the invention. Variations of those preferred embodiments may become apparent to those of ordinary skill in the art upon reading the foregoing description. The inventors expect skilled artisans to employ such variations as appropriate, and the inventors intend for the invention to be practiced otherwise than as specifically described herein. Accordingly, this invention includes all modifications and equivalents of the subject matter recited in the claims appended hereto as permitted by applicable law. Moreover, any combination of the above-described elements in all possible variations thereof is encompassed by the invention unless otherwise indicated herein or otherwise clearly contradicted by context.

CLAIMS

What is claimed is:

1. A safety helmet, comprising:
 - an outer shell adapted to be worn by a user, the outer shell having a front side and a rear side, wherein the outer shell is reversible such that one of the front side or the rear side is oriented above a face of the user when the outer shell is worn by the user;
 - a front receptacle disposed on the front side of the outer shell;
 - a rear receptacle disposed on the rear side of the outer shell, wherein the front receptacle and the rear receptacle are of identical construction;
 - an accessory device having a mating receptacle formed thereon, the accessory device being releasably mountable onto each of the front receptacle and the rear receptacle of the outer shell.
2. The safety helmet of claim 1, wherein the front receptacle includes a receiver slot flanked by raised walls and including a stop, wherein the accessory device includes a spring tab with a pawl, and wherein the receiver slot aligns the accessory device therein, the raised walls retain the accessory device therebetween, and the pawl engages the stop to releasably mount the accessory device in the front receptacle.
3. The safety helmet of claim 1, wherein the outer shell is made from a molded plastic material.
4. A safety helmet, comprising:
 - an outer shell adapted to be worn by a user, the outer shell having a front side and a rear side, wherein the outer shell is reversible such that one of the front side or the rear side is oriented above a face of the user when the outer shell is worn by the user;
 - a front receptacle disposed on the front side of the outer shell;
 - a rear receptacle disposed on the rear side of the outer shell;

a first accessory device having a first mating receptacle formed thereon, the first accessory device being releasably mountable onto each of the front receptacle or the rear receptacle of the outer shell; and

a second accessory device having a second mating receptacle formed thereon, the second accessory device being releasably mountable onto each of the front receptacle or the rear receptacle of the outer shell.

5. The safety helmet of claim 4, wherein the front receptacle includes a receiver slot flanked by raised walls and including a stop, wherein the first accessory device includes a spring tab with a pawl, and wherein the receiver slot aligns the first accessory device therein, the raised walls retain the first accessory device therebetween, and the pawl engages the stop to releasably mount the first accessory device in the front receptacle.

6. The safety helmet of claim 4, wherein the outer shell is made from a molded plastic material.

7. A safety helmet, comprising:
an outer shell adapted to be worn by a user, the outer shell having a front side and a rear side, wherein the outer shell is reversible such that one of the front side or the rear side is oriented above a face of the user when the outer shell is worn by the user;

a front receptacle disposed on the front side of the outer shell;
a rear receptacle disposed on the rear side of the outer shell;
wherein the front receptacle includes a front set of terminals associated therewith, and the rear receptacle includes a rear set of terminals associated therewith; and

wherein a set of conductors is connected between the front set of terminals and the rear set of terminals.

8. The safety helmet of claim 7, wherein the set of conductors are integrated into the outer shell.

9. The safety helmet of claim 7, wherein the outer shell is made from a molded plastic material, and wherein the front set of terminals and the rear set of terminals are molded into the outer shell.

10. The safety helmet of claim 7, wherein a first accessory device is connected to the front receptacle and is a consumer of power, wherein a second accessory device is connected to the rear receptacle and is a power storage device, and wherein a circuit providing power from the second accessory device to the first accessory device is created while the first accessory device and the second accessory device are mounted onto the front receptacle and rear receptacles.

11. The safety helmet of claim 10, wherein each of the first accessory device and the second accessory device is a consumer of power a having power source integrated therewith.

12. The safety helmet of claim 11, wherein the power source of the first accessory device and the power source of the second accessory device are in electrical contact with one another to share power through the circuit.

13. The safety helmet of claim 10, where in the front receptacle and the rear receptacle are of identical construction.

14. A method for using a protective device, comprising:
providing an outer shell adapted to be worn by a user, the outer shell having a front side and a rear side, wherein the outer shell is reversible such that the front side or the rear side is oriented above a face of the user when the user wears the outer shell;

providing a front receptacle disposed on the front side of the outer shell;

providing a rear receptacle disposed on the rear side of the outer shell;

releasably attaching an accessory device having a mating receptacle formed thereon into one of the front receptacle or the rear receptacle; and

detaching the accessory device and reattaching the accessory device into another one of the front receptacle or the rear receptacle.

15. The method of claim 14, further comprising electrically interconnecting terminals associated with the front and rear receptacles using a set of conductors.

16. The method of claim 15, wherein the outer shell is made from a molded plastic material, and wherein the terminals are molded into the outer shell.

17. The method of claim 15, further comprising:
connecting an additional accessory device into the front or rear receptacles;
and
transferring electrical power between the accessory device and the additional accessory device through the set of conductors.

18. The method of claim 17, wherein the accessory device is a lantern and wherein the additional accessory device includes one or more batteries.


19. The method of claim 15, wherein the set of conductors is molded into the outer shell.

20. The method of claim 14, where in the front receptacle and the rear receptacle are of identical construction.

ABSTRACT

A safety helmet includes an outer shell having a front receptacle disposed on a front side of the outer shell and a rear receptacle disposed on a rear side of the outer shell. A first accessory device having a first mating receptacle formed thereon is releasably mountable onto each of the front receptacle or the rear receptacle of the outer shell, and a second accessory device having a second mating receptacle formed thereon is releasably mountable onto each of the front receptacle or the rear receptacle of the outer shell.


**DECLARATION (37 CFR 1.63) FOR UTILITY OR DESIGN APPLICATION USING AN
APPLICATION DATA SHEET (37 CFR 1.76)**

Title of Invention	Safety Helmet
<p>As the below named inventor, I hereby declare that:</p> <p>This declaration is directed to: ☐ The attached application, or ☒ United States application or PCT international application number <u>16/246,935</u> filed on <u>January 14, 2019</u></p> <p>The above-identified application was made or authorized to be made by me.</p> <p>I believe that I am the original inventor or an original joint inventor of a claimed invention in the application.</p> <p>I hereby acknowledge that any willful false statement made in this declaration is punishable under 18 U.S.C. 1001 by fine or imprisonment of not more than five (5) years, or both.</p> <p>WARNING:</p> <p>Petitioner/applicant is cautioned to avoid submitting personal information in documents filed in a patent application that may contribute to identity theft. Personal information such as social security numbers, bank account numbers, or credit card numbers (other than a check or credit card authorization form PTO-2038 submitted for payment purposes) is never required by the USPTO to support a petition or an application. If this type of personal information is included in documents submitted to the USPTO, petitioners/applicants should consider redacting such personal information from the documents before submitting them to the USPTO. Petitioner/applicant is advised that the record of a patent application is available to the public after publication of the application (unless a non-publication request in compliance with 37 CFR 1.213(a) is made in the application) or issuance of a patent. Furthermore, the record from an abandoned application may also be available to the public if the application is referenced in a published application or an issued patent (see 37 CFR 1.14). Checks and credit card authorization forms PTO-2038 submitted for payment purposes are not retained in the application file and therefore are not publicly available.</p> <p>LEGAL NAME OF INVENTOR</p> <p>Inventor: <u>Shantanu Deshpande</u> Date (Optional): <u>7/15/19</u></p> <p>Signature: <u></u></p> <p>Note: An application data sheet (PTO/SB/14 or equivalent), including naming the entire inventive entity, must accompany this form. Use an additional PTO/AIA/01 form for each additional inventor.</p>	

This collection of information is required by 35 U.S.C. 115 and 37 CFR 1.63. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 1 minute to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

**DECLARATION (37 CFR 1.63) FOR UTILITY OR DESIGN APPLICATION USING AN
APPLICATION DATA SHEET (37 CFR 1.76)**

Title of Invention	Safety Helmet
<p>As the below named inventor, I hereby declare that:</p> <p>This declaration is directed to: ☐ The attached application, or ☒ United States application or PCT international application number <u>16/246,935</u> filed on <u>January 14, 2019</u></p> <p>The above-identified application was made or authorized to be made by me.</p> <p>I believe that I am the original inventor or an original joint inventor of a claimed invention in the application.</p> <p>I hereby acknowledge that any willful false statement made in this declaration is punishable under 18 U.S.C. 1001 by fine or imprisonment of not more than five (5) years, or both.</p> <p style="text-align: center;">WARNING:</p> <p>Petitioner/applicant is cautioned to avoid submitting personal information in documents filed in a patent application that may contribute to identity theft. Personal information such as social security numbers, bank account numbers, or credit card numbers (other than a check or credit card authorization form PTO-2038 submitted for payment purposes) is never required by the USPTO to support a petition or an application. If this type of personal information is included in documents submitted to the USPTO, petitioners/applicants should consider redacting such personal information from the documents before submitting them to the USPTO. Petitioner/applicant is advised that the record of a patent application is available to the public after publication of the application (unless a non-publication request in compliance with 37 CFR 1.213(a) is made in the application) or issuance of a patent. Furthermore, the record from an abandoned application may also be available to the public if the application is referenced in a published application or an issued patent (see 37 CFR 1.14). Checks and credit card authorization forms PTO-2038 submitted for payment purposes are not retained in the application file and therefore are not publicly available.</p> <p>LEGAL NAME OF INVENTOR</p> <p>Inventor: <u>Kingston Wong</u> Date (Optional): <u>07/16/2019</u></p> <p>Signature: <u></u></p> <p>Note: An application data sheet (PTO/SB/14 or equivalent), including naming the entire inventive entity, must accompany this form. Use an additional PTO/AIA/01 form for each additional inventor.</p>	

This collection of information is required by 35 U.S.C. 115 and 37 CFR 1.63. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 1 minute to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.