

Institute of Electrical and Electronics Engineers, Inc.

VTC '98

48th IEEE Vehicular Technology Conference Westin Hotel, Ottawa, Canada 18-21 May 1998

Pathway to a Global Wireless Revolution

Sponsored by:

IEEE Vehicular Technology Society
IEEE Canada
IEEE Ottawa Section

Samsung Exhibit 1016, Page 1 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

TK6570
.M6I23
1998
quart D

Responsibility for the contents of the papers published herein rests with the author(s) and not with the IEEE, the IEEE Vehicular Technology Society or their members.

Additional copies of this Conference Record may be obtained from: IEEE Order Dept, 445 Hoes Lane, Piscataway, NJ 08854.

Copyright and Reprint Permission

Abstracting is permitted with credit to the source. Libraries are permitted to photocopy without restriction for the private use of patrons those articles in this Conference Record that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. For other copying, reprint or re-publication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, PO Box 1331, Piscataway, NJ 08855-1331. All rights reserved. Copyright ©1998 by the Institute of Electrical and Electronics Engineers, Inc.

IEEE Catalog No: 98CH36151
ISBN: 0-7803-4320-4 (softbound)
ISBN: 0-7803-4321-2 (casebound)
ISBN: 0-7803-4322-0 (microfiche)
ISBN: 0-7803-4323-9 (CD version)
ISSN: 1090-3038

Samsung Exhibit 1016, Page 2 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

TABLE OF CONTENTS

VOLUME I

Session 01: *Propagation Measurements I*

Session Chair: Henry Bertoni, Polytechnic University, USA

01-1 **MEASUREMENTS OF THE VEHICLE PENETRATION LOSS CHARACTERISTICS AT 800 MHZ** 1
Ivica Kostanic, Chris Hall, John McCarthy, TEC Cellular, Inc., West Melbourne, USA

01-2 **MEASUREMENTS OF BASE STATION TWO-BRANCH SPACE AND POLARIZATION DIVERSITY RECEPTION AND A COMPARISON OF THE DIVERSITY GAIN BASED ON THE CDF OF THE SIGNAL LEVEL AND SIMULATIONS OF BER IN A GSM SYSTEM** 5
Dieter Emmer, Eduard Humburg, Peter Weber, Siemens AG, Mobile Networks, Munich, Germany
Christian Math, University of Kaiserslautern, Munich, Germany

01-3 **WIDEBAND MEASUREMENT AND SIMULATION OF THE DECT INDOOR PROPAGATION CHANNEL** 11
G. Lombardi, University of Trieste, Trieste, Italy

01-4 **EXPERIMENTAL EVALUATION OF POLARISATION DIVERSITY GAIN AT THE BASE STATION END IN A GSM900 NETWORK** 16
Jaana Laiho-Steffens, Jukka Lempiainen, Matti Salmenkaita, Nokia Telecommunications, Nokia Group,
Joni Siltaniemi, Olavi Jukarainen, Oy Radiolinja AB, Helsinki, Finland

01-5 **DYNAMIC WIDEBAND MEASUREMENT OF MOBILE RADIO CHANNEL WITH ADAPTIVE ANTENNAS** 21
Kimmo Kalliola, Hassan El-Sallabi, Pertti Vainikainen, Helsinki University of Technology, Helsinki, Finland

Session 02: *Multiuser Detector Systems*

Session Chair: Alexandra Duel-Hallen, N.C. State University, USA

02-1 **A DIVERSITY CO-CHANNEL INTERFERENCE CANCELLER FOR AMPS CELLULAR SYSTEMS** 26
Alan Carter, Derek Hilborn, Norman Secord, Adnan Abu-Dayya, Nortel, Ottawa, Canada

02-2 **SYSTEM CONCEPT COMPARISONS FOR MULTIRATE CDMA WITH MULTIUSER DETECTION** 31
Markku Juntti, University of Oulu, Oulu, Finland

02-3 **MULTIUSER DETECTOR PERFORMANCE COMPARISONS IN MULTIRATE CDMA SYSTEMS** 36
Markku Juntti, University of Oulu, Oulu, Finland

02-4 **ADAPTIVE MULTI-ELEMENT DFE RECEIVERS FOR NARROWBAND MULTIUSER DETECTION** 41
Tracy Fulghum, Alexandra Duel-Hallen, North Carolina State University, Raleigh, USA

02-5 **PERFORMANCE COMPARISON OF SOME MULTIUSER DETECTOR ALGORITHMS FOR WIDEBAND CDMA** 46
Tero Ojanpera, Nokia Research Center, Nokia Group, Finland
Hiroshi Harada, Ministry of Posts and Telecommunications, Tokyo, Japan
Ramjee Prasad, Delft University of Technology, Delft, The Netherlands

Session 03: *Coding I*

Session Chair: David Haccoun, École Polytechnique de Montreal, Canada

03-1 **DESIGN OF SOURCE-MATCHED BLOCKWISE DECODED CONVOLUTIONAL CODES FOR MOBILE COMMUNICATIONS** 51
Fulvio Babich, Guido Montorsi, Francesca Vatta, University of Trieste, Trieste, Italy

03-2 **PERFORMANCE OF TRELLIS-CODED MODULATION ON FREQUENCY-SELECTIVE RAYLEIGH FADING CHANNELS WITH SOFT-OUTPUT ALGORITHMS** 56
Nguyen Hoang Ha, R.M.A.P Rajatheva, Asian Institute of Technology, Klong Luang, Thailand

03-3 **PERFORMANCE OF TURBO CODES IN MULTIPATH FADING CHANNELS** 61
Yu T. Su, Li-Der Jeng, Da-Shang Jan, Jung-Tang Chiang, National Chiao Tung University, Hsinchu, Taiwan

Samsung Exhibit 1016, Page 3 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

03-4 PERFORMANCE OF TURBO CODES IN INTERLEAVED FLAT FADING CHANNELS WITH ESTIMATED CHANNEL STATE INFORMATION 66
Matthew C. Valenti, Brian D. Woerner, Virginia Tech, Blacksburg, USA

03-5 STREAM ORIENTED TURBO CODES 71
Eric K. Hall, Stephen G. Wilson, University of Virginia, Charlottesville, USA

Session 04: *Satellite Mobile Communications I*

Session Chair: John Sweitzer, Nortel , USA

04-1 A STUDY OF MULTIMEDIA CDMA SYSTEM FOR PERSONAL SATELLITE COMMUNICATION 76
Tetsushi Ikegami, Meiji University, Kawasaki, Japan

04-2 COMPARISON OF THE PROBABILITY OF VISIBILITY OF NEW PLANNED MOBILE SATELLITE SYSTEMS (MSTAR, CELESTRI, SKYBRIDGE) 81
Horst Salzwedel, Harald Keller, Technical University of Ilmenau, Ilmenau, Germany

04-3 PREDICTION AND MEASUREMENT OF EFFECTIVE STATISTICAL G/T IN SATELLITE PCN HANDHELDS 86
A.A.Agius, S.R. Saunders, University of Surrey, Guildford, UK

04-4 BURST RESERVATION CDMA PROTOCOL FOR MIXED SERVICES S-PCS 91
Pouya Taaghol, Payam Taaghol, Damon J. Birch, Rahim Tafazolli, University of Surrey, Guildford, UK

Session 05: *Media Access Control I*

Session Chair: K C Chen, Tsinghua University, Taiwan

05-1 R-ISMA WITH MULTIMEDIA TRAFFIC IN OVERLAPPING CELLULAR SYSTEMS 96
Fujio Watanabe, Gang Wu, Communications Research Laboratory, MPT, Tokyo, Japan

05-2 ON THE PERFORMANCE OF A ROUTING PROTOCOL FOR THE RECONFIGURABLE WIRELESS NETWORKS 102
Zygmunt J. Haas, Cornell University, Ithaca, USA

05-3 PROPOSAL OF AN RLC/MAC PROTOCOL FOR WIDE BAND CDMA CAPABLE OF HANDLING REAL TIME AND NON-REAL TIME SERVICES 107
Per Beming, Johan Lundsjo, Mathias Johansson, Christiaan Roobol, Ericsson Radio Systems AB, Stockholm, Sweden

05-4 A NOVEL RESERVATION TDMA BASED ACCESS SCHEME USING ADAPTIVE MODULATION FOR WIRELESS COMMUNICATION SYSTEMS 112
Masayuki Kawagishi, Seiichi Sampei, Norihiko Morinaga, Osaka University, Suita, Japan

05-5 UPLINK ACCESS PROTOCOL FOR MULTIMEDIA SYSTEMS BASED ON DECT/ATM LAYER 117
A. Salloum, N. Benvenuto, G. Pierobou, S. Pupoliu, G. Coppola, University of Padova, Padova, Italy

Session 06: *PCS Technologies*

Session Chair: Patrick O'Kelly, Nortel, Canada

06-1 SIGNALLING INTEROPERABILITY AS A KEY ENABLER TO GSM/PCS ROAMING WITH NORTH AMERICA 122
R. Beccaris, Omnitel Pronto Italia, Ivrea, Italy
X. Palacios Albacar, Servei de Telecommunicacions d' Andorra, Andorra la Vella, Andorra
M. Proulx, Microcell Connexions, Montreal, Canada
F. Settimo, Omnitel Pronto Italia, Ivrea, Italy

06-2 AN ADAPTIVE DIRECTION BIASED FUZZY HANDOFF ALGORITHM WITH UNIFIED HANDOFF CANDIDATE SELECTION CRITERION 127
Jeffrey H. Reed, Hugh F. VanLandingham, Virginia Tech, Blacksburg, USA
Nishith D. Tripathi, Nortel, Richardson, USA

06-3 AN AIR INTERFACE FOR HIGH BANDWIDTH CELLULAR DIGITAL COMMUNICATIONS ON MICROWAVE FREQUENCIES 132
J.D.Bakker, F.C. Schoute, R.Prasad, Delft University of Technology, GA Delft, The Netherlands

Samsung Exhibit 1016, Page 4 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

06-4 PERFORMANCE EVALUATION OF DIFFERENT FREQUENCY REUSE PATTERNS AND CHANNEL CODING SCHEMES IN GPRS 139
Per Larsson, Hakan Olofsson, Ericsson Radio Systems AB, Stockholm, Sweden

06-5 A PRACTICAL APPROACH TO 'CHANNEL FINDING' FOR MICROCELLS IN GSM SYSTEM 144
Dr. Volker Wille, Hannu Multimaki, Sean Irons, Nokia Telecommunications Ltd., Huntingdon, UK

Session 07: *Propagation Measurements II*

Session Chair: Robert Bultitude, CRC, Canada

07-1 WIDEBAND CHANNEL MODELING FOR LINE-OF-SIGHT MICROCELLULAR ENVIRONMENT WITH LOW BASE-STATION ANTENNA-HEIGHT 149
Kazumasa Taira, Shinya Sekizawa, Yoshihiro Hase, Ministry of Posts and Telecommunications, Koganei, Japan

07-2 ON MEASURING THE DELAY PROFILE AND THE DIRECTION OF ARRIVAL BY USING SUPER RESOLUTION ALGORITHM 154
Kei Sakaguchi, Jun-ichi Takada, Kiyomichi Araki, Tokyo Institute of Technology, Tokyo, Japan

07-3 A PATH LOSS FORMULATION FOR WIRELESS APPLICATIONS CONSIDERING TERRAIN EFFECTS FOR URBAN ENVIRONMENTS 159
Leonard Piazzi, Henry L. Bertoni, Polytechnic University, Brooklyn, USA

07-4 EFFICIENT HIGH-RESOLUTION 3-D CHANNEL SOUNDING 164
Martin Haardt, Siemens AG, Munich, Germany
Christopher Brunner, Siemens AG, Munich, Germany
Josef Nossek, Technical University of Munich, Munich, Germany

07-5 ESTIMATION OF MULTIPATH PROPAGATION PARAMETERS FROM MEASURED CHANNEL DATA 169
V.T.P Pham, A.-J. van der Veen, R.Prasad, Delft University of Technology, Delft, The Netherlands

Session 08: *Multiuser Detection Techniques I*

Session Chair: Josef Blanz, Qualcomm Inc., USA

08-1 OUTAGE PROBABILITY FOR A ZERO FORCING MULTIUSER DETECTOR WITH RANDOM SIGNATURE SEQUENCE 174
Salim Manji, Narayan B. Mandayam, WINLAB, Rutgers University, Piscataway, USA

08-2 ADAPTIVE ALGORITHM FOR THE MULTISHOT MATCHED FILTERING MULTIUSER DETECTOR IN A MULTIPATH RAYLEIGH FADING ENVIRONMENT 179
Y. Bar-Ness, N.J.M. van Waes, New Jersey Institute of Technology, Newark, USA

08-3 THE BOOTSTRAP ALGORITHM FOR A ONE-SHOT MATCHED FILTERING MULTIUSER DETECTOR IN A MULTIPATH ENVIRONMENT 184
N.J.M. van Waes, Y. Bar-Ness, New Jersey Institute of Technology, Newark, USA

08-4 GAUSSIAN MAXIMUM LIKELIHOOD BLIND MULTICHANNEL MULTIUSER IDENTIFICATION 189
Luc Deneire, Dirk T.M.Slock, Institut EURECOM, Sophia Antipolis, France

08-5 LOW COMPUTATIONAL COMPLEXITY MULTIUSE DETECTION USING MULTIBEAM ANTENNAS 194
Xiaoming Yu, John Litva, McMaster University, Hamilton, Canada

Session 09: *Satellite Mobile Communcations II*

Session Chair: Roger Fudge, Inmarsat, UK

09-1 GEOMETRIC ASPECTS OF POLAR AND NEAR POLAR CIRCULAR ORBITS FOR THE USE OF INTERSATELLITE LINKS FOR GLOBAL COMMUNICATIONS 199
Harald Keller, Horst Salzwedel, Gunar Schorcht, Volker Zerbe, Technical University of Ilmenau, Ilmenau, Germany

09-2 GLOBAL MOBILE N-ISDN SATELLITE COMMUNICATION SYSTEM 204
Masahiro Minomo, Hiroshi Kazama, Hideki Toshinaga, Toru Otsu, NTT Wireless Systems Laboratories, Yokosuka, Japan

Samsung Exhibit 1016, Page 5 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

09-3 EHF-BAND CHANNEL CHARACTERIZATION FOR MOBILE MULTIMEDIA SATELLITE 209
A. Jahn, Matthias Holzbock, German Aerospace Centre, Oberpfaffenhofen, Germany

09-4 A VERSATILE PROPAGATION CHANNEL SIMULATOR FOR LAND MOBILE SATELLITE APPLICATIONS 213
Martin Doettling, University of Karlsruhe, Karlsruhe, Germany
Axel Jahn, German Aerospace Center, Oberpfaffenhofen, Germany
Jurgen Kunisch, Institute of Mobile and Satellite Communication Techniques (IMST), Kamp-Lintfort, Germany
Sergio Buonomo, European Space Research and Technology Centre ESA/ESTEC, Nordwijk, The Netherlands

Session 10: *Media Access Control II*

Session Chair: Caroline Guillaume, Cable and Wireless, UK

10-1 CALL ADMISSION POLICIES FOR DATA USERS AND CAPACITY ANALYSIS OF A MULTI-SERVICE CDMA PERSONAL COMMUNICATIONS SYSTEM WITH DIFFERENT TRANSMISSION SCHEMES 218
Songsong Sun, Witold A. Krzymien, University of Alberta / TRLabs, Edmonton, Canada
Ahmad Jalali, Nortel, Richardson, USA

10-2 K-HOP CLUSTER-BASED DYNAMIC SOURCE ROUTING IN WIRELESS AD-HOC PACKET RADIO NETWORK 224
Dongkyun Kim, Yanghee Choi, Seoul National University, Seoul, Korea

10-3 A VARIABLE PARTITION DUPLEXING SCHEME WITH PACKET RESERVATION MULTIPLE ACCESS PROTOCOL 229
Cooper Chang, Chung-Ju Chang, National Chiao Tung University, Hsinchu, Taiwan

10-4 BASE STATION MAC WITH APRMA PROTOCOL FOR BROADBAND MULTIMEDIA ATM IN MICRO/PICO-CELLULAR MOBILE NETWORKS 234
K.H. Le, S. Norskov, L. Dittman, U. Gliese, Technical University of Denmark, Lyngby, Denmark

10-5 ADMISSION CONTROL FOR VSG-TDMA/SS MULTIMEDIA CELLULAR NETWORKS 239
Jui Teng Wang, Tsern-Huei Lee, National Chiao Tung University, Hsinchu, Taiwan

Session 11: *Mobile Location Techniques*

Session Chair: Sirin Tekinay, NJIT, USA

11-1 HISTORY-BASED LOCATION TRACKING FOR PERSONAL COMMUNICATIONS NETWORKS 244
Joseph S.M. Ho, Jim Xu, Nortel, Richardson, USA

11-2 POLLING STRATEGIES FOR MOBILE LOCATION ESTIMATION IN A CELLULAR SYSTEM 249
Pi-Chun Chen, Jack Holtzman, Rutgers University, Piscataway, USA

11-3 MOBILE STATION LOCATION IN A DS-CDMA SYSTEM 254
Amitava Ghosh, Robert Love, Motorola, Arlington Heights, USA

11-4 A DYNAMIC LOCATION TRACKING STRATEGY FOR MOBILE COMMUNICATION SYSTEMS 259
Daging Gu, Stephen S. Rappaport, State University of New York at Stony Brook, Stony Brook, USA

11-5 AUTOMATIC LOCATION IDENTIFICATION USING A HYBRID TECHNIQUE 264
George P. Yost, Shankari Panchapakesan, Ericsson Inc., Richardson, USA

Session 12: *Spectrum Mangement*

Session Chair: John Gilsenan, State Department, USA

12-1 STATISTICAL APPROACH TO THE SPECTRUM ENGINEERING PRACTICE 268
Abdelkrim Benamar, Dragan Boscovic, Nicolas Dubois, Chris Johnson, Centre de recherche de Motorola, Paris, France

12-2 ETIQUETTE MODIFICATION FOR UNLICENSED SPECTRUM: APPROACH AND IMPACT 272
Durga P. Satapathy, Jon M. Peha, Carnegie Mellon University, Pittsburgh, USA

12-3 MEASURES OF THE SPECTRUM UTILIZATION 277
Gerry Chan, Industry Canada, Ottawa, Canada
Roshdy Hafez, Carleton University, Ottawa, Canada

Samsung Exhibit 1016, Page 6 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

12-4 SPECTRUM ALLOCATION FOR FIXED WIRELESS ACCESS TECHNOLOGIES IN THE AMERICAS 282
Hector Salgado, Nortel, Sunrise, USA

12-5 INTERMODULATION AND HARMONIC ANALYSIS FOR LAND MOBILE RADIO COMMUNICATIONS 288
Salim A. Hanna, Industry Canada, Ottawa, Canada

Session 13: *Propagation Measurements III*

Session Chair: Masaharu Hata, NTT DoCoMo, Japan

13-1 SPATIO-TEMPORAL VARIABILITY ANALYSIS OF THE WIDEBAND MICROCELLULAR ENVIRONMENT 293
J.G.O Moss, A.M. Street, D.J. Edwards, University of Oxford, Oxford, UK
M.P Fitton, University of Bristol, Bristol, UK
K.M. Allen, BT Laboratories, Ipswich, UK
C.C. Constantinou, The University of Birmingham, Birmingham, UK

13-2 ANALYSIS OF WIDEBAND PROPAGATION CHARACTERISTICS FOR THE HIGH TRANSMISSION RATE IN INDOOR RADIO CHANNELS 298
Deock-Ho Ha, Pukyong National University, Pusan, Korea
Hee-Chang Jung, Electronics and Telecommuncations Research Institute, Dae-Jeon, Korea
Jin-Dam Mok, Electronics and Telecommuncations Research Institute, Dae-Jeon, Korea

13-3 THE USE OF MEASUREMENT DATA TO ANALYSE THE PERFORMANCE OF ROOFTOP DIFFRACTION AND FOLIAGE LOSS ALGORITHMS IN A 3-D INTEGRATED URBAN/RURAL PROPAGATION MODEL 303
Eustace K. Tameh, Andrew R. Nix, Mark A. Beach, University of Bristol, Bristol, UK

13-4 A THEORETICAL STUDY OF THE ULTRA-WIDEBAND WIRELESS PROPAGATION CHANNEL BASED ON THE CONCEPT OF THE SCATTERING CENTRES 308
Robert C. Qiu, GTE Laboratories, Waltham, USA

Session 14: *Multiuser Detection Techniques II*

Session Chair: Hakan Eriksson, Ericsson Radio Systems, Sweden

14-1 ADAPTIVE BLIND 2D RAKE RECEIVER FOR MULTIUSER DETECTION 313
Jaeyoung Kwak, I-Tai Lu, Polytechnic University, Farmindgale, USA

14-2 EAVESDROPPING STRATEGIES FOR CELLULAR CDMA 318
Andrew McKellips, Sergio Verdu, Princeton University, Princeton, USA

14-3 ON THE INTEGRATED POWER CONTROL AND CELL-SITE SELECTION PROBLEMS OF A CELLULAR DS/CDMA SYSTEM EMPLOYING MULTIUSER RECEIVERS 323
Zhang Wurong, Wu Weiling, Beijing University of Posts and Telecommunications, Beijing, China

14-4 A FREQUENCY DOMAIN APPROACH TO TIMING ESTIMATION IN MULTIUSER COMMUNICATIONS 328
Cha'o Ming Chang, Kwang-Cheng Chen, National Tsing Hua University, Hsin-Chu, Taiwan

14-5 A LOW COMPLEXITY THRESHOLD DETECTOR MAKING MLSD DECISIONS IN A MULTIUSER ENVIRONMENT 333
Rickard Nilsson, Frank Sjoberg, Per Ola Borjesson, Per Odling,Sarah Wilson, Lulea University of Technology, Lulea, Sweden
Ove Edfors, Lund University of Technology, Lund, Sweden
Hakan Eriksson, Ericsson Mobile Communications AB, Lund, Sweden

Session 15: *Coding II*

Session Chair: Hideki Imai, University of Tokyo, Japan

15-1 PERFORMANCE OF BLOCK CODES WITH PEAK POWER REDUCTION FOR INDOOR MULTICARRIER SYSTEMS 338
Hideki Ochiai, Hideki Imai, University of Tokyo, Tokyo, Japan

15-2 SOME NEW OUTLOOKS ON BURST ERROR CORRECTING CAPABILITIES OF REED-SOLOMON CODES WITH APPLICATIONS IN MOBILE COMMUNICATIONS 343
Behnam Kamali, Mercer University, Macon, USA

Samsung Exhibit 1016, Page 7 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

15-3 VARIABLE RATE ADAPTIVE TRELLIS CODED QAM FOR HIGH BANDWIDTH EFFICIENCY APPLICATIONS UNDER RAYLEIGH FADING CHANNELS 348
Vincent K.N. Lau, Malcolm D. Macleod, University of Cambridge, New Jersey, USA

15-4 ITERATIVE DECODING OF SERIALLY CONCATENATED CONVOLUTIONAL CODES APPLYING SOVA 353
Ha-young Yang, Suk-hyun Yoon, Chang-eon Kang, Yonsei University, Seoul, Korea

15-5 RATE-SELECTABLE MULTIMODE TRELLIS-CODED 8PSK SYSTEM 358
Shigeo Nakajima, Niigata Institute of Technology, Kashiwazaki, Japan

Session 16: *Distributed Systems*

Session Chair: Gisela Hertel, VEBA AG, Germany

16-1 PERFORMANCE OF TCP/RLP PROTOCOL STACK ON CORRELATED FADING DS-CDMA WIRELESS LINKS 363
A. Chockalingam, G. Bao, Qualcomm, Inc., San Diego, USA

16-2 MULTI-CHANNEL AD-HOC WIRELESS LOCAL AREA NETWORK 368
Yoshikatsu Nakagawa, Hiroaki Uchiyama, Harumi Kokaji, Satoshi Takahashi, Masamitsu Suzuki, Mitsushisa Kanaya, RICOH CO., Ltd., Yokohama, Japan

16-3 MULTICAST COMMUNICATION IN "AD HOC" NETWORKS 372
Jens Meggers, Georg Filios, Aachen University of Technology, Aachen, Germany

16-4 HIPERLAN TYPE 1: PERFORMANCE ANALYSIS OF THE CHANNEL ACCESS CONTROL PROTOCOL 377
Ivan Vukovic, Motorola, Schaumburg, USA

16-5 EXPERIMENTAL WIDEBAND CHARACTERIZATION OF A HYBRID FIBRE-COAX WIRELESS CHANNEL FOR MOBILE LOCAL ACCESS 382
V. Sampath, C. Despins, A. Beasley, A. Chow, J.Y. Bernard, Microcell Connexions, Montreal,
Vytas Kezys, John Litva, McMaster University, Hamilton, Canada

Session 17: *PCS System Performance*

Session Chair: Bruce Rodin, Bell Mobility, Canada

17-1 OPTIMIZATION METHODS FOR BASE STATION PLACEMENT IN WIRELESS APPLICATIONS 387
Margaret H. Wright, Bell Laboratories, Murray Hill, USA

17-2 PERFORMANCE OF RADIO ON FIBRE LINK FOR MICROCELLULAR GSM NETWORKS 392
H.S.Al-Raweshidy, D. Galbraith, The Manchester Metropolitan University, Manchester, UK
R.Prasad, Delft University of Technology, Delft, The Netherlands

17-3 TECHNO-ECONOMIC ANALYSIS OF BACKBONE INFRASTRUCTURES FOR METROPOLITAN MICRO/PICO-CELLULAR MOBILE NETWORKS 397
M. Bruun, TeleDenmark, Taastrup, Denmark
U. Gliese, Technical University of Denmark, Lyngby, Denmark

17-4 CORDLESS-CELLULAR NETWORK INTEGRATION FOR THIRD GENERATION PERSONAL COMMUNICATION SYSTEMS 402
Shahram Ghaheri-Niri, R. Tafazolli, University of Surrey, Guildford, UK

17-5 AN ALGORITHM TO REDUCE CALL DELIVERY COSTS IN THE PERSONAL COMMUNICATION SYSTEMS 408.1
Bongsue Suh, Jin-Seek Choi, Byung-Cheoi Shin, KAIST, Taejon, Korea

Session 18: *Equalization Techniques I*

Session Chair: Seiichi Sampei, Osaka University, Japan

18-1 ADAPTIVE FREQUENCY DOMAIN EQUALIZATION AND DIVERSITY COMBINING FOR BROADBAND WIRELESS COMMUNICATION 409
Martin V. Clark, AT&T Labs - Research, Red Bank, USA

18-2 NON-CAUSAL DECISION FEEDBACK EQUALIZER BASED ON SOFT DECISIONS 414
Elisabeth de Carvalho, Dirk T.M. Slock, EURECOM Institute, Sophia-Antipolis, France

Samsung Exhibit 1016, Page 8 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

18-3 COMBINED MLSE / FREQUENCY-DISCRIMINATOR DETECTION OF THE GSM SIGNAL 419
B. Rohani, K. S. Chung, University of Technology, Perth, Australia

18-4 DECISION FEEDBACK SEQUENCE ESTIMATION IN THE UNGERBOECK FORM FOR ISI CHANNELS 424
Abdulrauf Hafeez, Wayne E. Stark, University of Michigan, Ann Arbor, USA

18-5 APPLICATION OF PER-SURVIVOR PROCESSING FOR DIGITAL MOBILE RADIO 430
Joachim Habermann, University of Applied Science, Giessen-Friedberg, Germany
Sven Hischke, City University, London, England

Poster Session P01
Antennas and Propagation I

P01-1 A DIGITAL BEAMFORMER CONCEPT FOR GSM/DCS 1800 UPLINK: SIMULATION RESULTS FOR VARIOUS TEST ENVIRONMENTS 435
Juha Ylitalo, Nokia Telecommunications, Oulu, Finland

P01-2 MODELS AND METHODOLOGY OF COVERAGE VERIFICATION IN CELLULAR SYSTEMS 440
Ali Shah, Hossam H'mimy, Ericsson Inc., Richardson, USA

P01-3 A COMPARISON OF NEURAL NETWORK MODELS FOR PREDICTION OF RF PROPAGATION LOSS 445
Juan M. Bargallo, University of Kansas, Lawrence, USA

P01-4 HEALTH AND PENETRATION ISSUES IN BUILDINGS WITH GSM BASE STATION ANTENNAS ON TOP 450
Gerardo C. Angelo, Isabel Neto, Luis M. Correia, IST - Technical University of Lisbon, Lisbon, Portugal

P01-5 FADING DEPENDENCE ON SCENARIO AND ANTENNAS CHARACTERISTICS AT THE 60GHZ BAND 455
Pedro Vasconcelos, Luis M. Correia, IST - Technical University of Lisbon, Lisbon, Portugal

P01-6 WIDEBAND RADIO CHANNEL MEASUREMENTS FOR TRAIN TUNNELS 460
Pauli Aikio, Ralf Gruber, Pertti Vainikainen, Helsinki University of Technology, Espoo, Finland

P01-7 NARROWBEAM CYLINDRICAL ANTENNA WITH SPARSE ANTENNA SPACING 465
Veli Voipio, Pertti Vainikainen, Helsinki University of Technology, Mikkeli, Finland

P01-8 A NEW MLSE MULTIPLE SIGNALS DETECTION TECHNIQUE WITH ANTENNA ARRAYS 470
Jing Wang, Jim Cavers, Simon Fraser University, Burnaby, Canada

P01-9 ON DOWNLINK POWER CONTROL AND CAPACITY WITH MULTIANTENNA TRANSMISSION 475
Tiina Heikkinen, Ari Hottinen, Nokia Research Center, Helsinki, Finland

P01-10 MINIATURIZATION OF BASE STATION ANTENNAS BY USING ADAPTIVE ANTENNA TECHNIQUE FOR INDOOR HIGH-SPEED WIRELESS COMMUNICATION SYSTEMS 480
Yasushi Takatori, Kazuhiro Uehara, Kenichi Kagoshima, Nippon Telegraph and Telephone Corporation, Kangawa, Japan

P01-11 THE OPTIMAL POWER ASSIGNMENT FOR SMART ANTENNA DOWNLINK WEIGHTING VECTOR DESIGN 485
Weidong Yang, Guanghan Xu, The University of Texas at Austin, Austin, USA

P01-12 THE JAKES FADING MODEL INCORPORATING ANGULAR SPREAD FOR A DISK OF SCATTERERS 489
Tracy Fulghum, Dep. of Electrical and Computer Engineering, NCSU, Raleigh, USA

P01-13 SHOULD THE SMART ANTENNA BE A TRACKING BEAM ARRAY OR FIXED BEAM ARRAY? 494
Seungwon Choi, Hanyang University, Seoul, Korea

P01-14 COMPARING AND ESTIMATING THE UPPER BOUNDS OF THE CAPACITY GAIN WITH DIFFERENT SMART ANTENNA CONCEPTS FOR GSM MOBILE RADIO NETWORKS 499
K Ivanov, C. Luders, U. Rehfues, Siemens AG, Munich, Germany

P01-15 MEASURED VARIATION IN PERFORMANCE OF HANDHELD ANTENNAS FOR A LARGE NUMBER OF TEST PERSONS 505
Gert F. Pederson, Kim Olesen, Aalborg University, Aalborg, Denmark

P01-16 SIMULTANEOUS INDOOR PROPAGATION MEASUREMENTS AT 17 AND 60 GHZ FOR WIRELESS LOCAL AREA NETWORKS 510
M. Parks, S.R. Saunders, H. Radi, M. Fiacco, University of Surrey, Guildford, UK

P01-17 CORNER AND ROOFTOP DIFFRACTION IN RADIOWAVE PROPAGATION PREDICTION TOOLS: A REVIEW 515
C Demetrescu, Lucent Technologies, Wiltshire, UK
C. C. Constantinou, University of Birmingham, Birmingham, UK
M.J. Mehler, British Telecommunications Laboratories, Ipswich, UK

Samsung Exhibit 1016, Page 9 of 42

P01-18 EVALUATION OF OUTAGE PROBABILITY DUE TO COCHANNEL INTERFERENCE IN FADING FOR A TDMA SYSTEM WITH A BEAMFRONTER 520
Ivan Howitt, Yousef Hawwar, University of Wisconsin Milwaukee, Wisconsin, USA

P01-19 A PHYSICAL-STATISTICAL PROPAGATION MODEL FOR DIVERSITY IN MOBILE SATELLITE PCN 525
S.R. Saunders, B.G.Evans, University of Surrey, Guildford, UK

Poster Session P02
Antennas and Propagation II

P02-1 THEORY OF MILLIMETER-WAVE PROPAGATION IN RAILWAY TRAINS 530
Y. P. Zhang, City University of Hong Kong, Kowloon,
P. C. Ching, The Chinese University of Hong Kong, Shatin, N.T., China

P02-2 ALGORITHMS FOR COHERENT DIVERSITY COMBINING OF M-ARY ORTHOGONAL SIGNALS 534
John S. Thompson, Peter M. Grant, Bernard Mulgrew, University of Edinburgh, Edinburgh, UK

P02-3 INDOOR PROPAGATION PREDICTION ACCURACY AND SPEED VERSUS NUMBER OF REFLECTIONS IN IMAGE-BASED 3-D RAY TRACING 539
Reinaldo A. Valenzuela, Steve J. Fortune, Jonathan Ling, Bell Laboratories, Lucent Technologies, Holmdel, USA

P02-4 AN ADAPTIVE ANTENNA FOR SPATIAL-DOMAIN PATH-DIVERSITY 544
Yasutaka Ogawa, Ryuhei Sasaki, Takeo Ohgane, Kiyohiko Itoh, Hokkaido University, Sapporo, Japan

P02-5 STATISTICAL DISTRIBUTION OF PATH INTERARRIVAL TIMES IN INDOOR ENVIRONMENT 548
Ralf Kattenbach, University of Kassel, Kassel, Germany

P02-6 DOMINANT PATHS FOR THE FIELD STRENGTH PREDICTION 552
G. Wolfle, F.M. Landstorfer, University of Stuttgart, Stuttgart, Germany

P02-7 JOINT CARRIER OFFSET AND MULTIPATH CHANNEL ESTIMATION IN CDMA COMMUNICATIONS 557
Kemin Li, Hui Liu, University of Virginia, Charlottsville, USA

P02-8 AN INVESTIGATION OF MEASURED AND SIMULATED WIDEBAND CHANNELS WITH APPLICATIONS TO 1.25 AND 5MHZ CDMA SYSTEMS 562
Henrik Asplund, Andres Alayon Glasunov, Jan-Erik Berg, Ericsson Radio Systems AB, Stockholm, Sweden

P02-9 INDOOR AND OUTDOOR FREQUENCY DOMAIN MEASUREMENTS FOR MM-WAVES IN THE RANGE OF 60 GHZ 567
Dusan Matic, Hiroshi Harada, Ramjee Prasad, Delft University of Technology, Delft, The Netherlands

P02-10 TWO EFFICIENT GEOMETRIC ALGORITHMS FOR PREDICTION OF INDOOR RADIO PROPAGATION 572
Steven Fortune, Bell Laboratories , Murray Hill, USA

P02-11 INVESTIGATION OF A CALIBRATION CONCEPT FOR OPTIMUM PERFORMANCE OF ADAPTIVE ANTENNA SYSTEMS 577
Christian Passmann, Frank Hickel, Thomas Wixforth, Robert Bosch GmbH, Hildesheim, Germany

P02-12 COMPUTER TOOL TO ANALYZE RADIOCHANNEL IN ARBITRARY ENCLOSED SPACES USING RAY TRACING 581
Rafael Torres, Luis Valle, Marta Domingo, Universidad de Cantabaria, Santander, Spain

P02-13 IMPACT OF PATH LOSS ON THE DOPPLER SPECTRUM FOR THE GEOMETRICALLY BASED SINGLE BOUNCE VECTOR CHANNEL MODELS 586
Richard Ertel, Jeffrey Reed, Virginia Tech, Blacksburg, USA

P02-14 PREDICTION OF INDOOR WIRELESS COVERAGE BY LEAKY COAXIAL CABLE USING RAY TRACING 591
Samuel Morgan, Bell Labs, Lucent Technologies, Murray Hill, USA

P02-15 COVERAGE PREDICTION FOR 5 GHZ BAND HIGH SPEED DIGITAL SIGNAL TRANSMISSION IN URBAN STREET MICROCELLS 596
Tokio Taga, NTT Wireless Systems Labs, Kanagawa, Japan

P02-16 FORWARD LINK SMART ANTENNAS AND POWER CONTROL FOR IS-136 601
Jack Winters, Carol Martin, Nelson Sollenberger, AT&T Labs Research, Red Bank, USA

P02-17 ADAPTIVE ANTENNAS FOR OFDM 606
Fred W. Vook, Kevin Baum, Motorola Inc., Schaumburg, USA

P02-18 PREDICTION OF PROPAGATION CHARACTERISTICS USING A RIGOROUS UTD FORMULA 611
Y.P.Zhang, Y. Hwang, City University of Hong Kong, Kowloon, Hong Kong

Samsung Exhibit 1016, Page 10 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

P02-19 A STATISTICAL CHANNEL MODEL FOR INDOOR ENVIRONMENTS INCLUDING ANGLE OF ARRIVAL 615
Thomas Zwick, Christian Fischer, Werner Wiesbeck, University of Karlsruhe, Karlsruhe, Germany

P02-20 SAMPLING CRITERIA FOR MEASURED DATA INTEGRATION AND OPTIMIZATION OF LEE'S MACROSCOPIC PROPAGATION MODEL 620
Ivica Kostanic, Nikola Rudic, Mark Austin, TEC CELLULAR Inc., West Melbourne, USA

Poster Session P03
Wireless Technologies

P03-1 LOW POWER DATA TRANSFER AND MEMORY MANAGEMENT ARCHITECTURE FOR WIRELESS COMMUNICATIONS SIGNAL PROCESSING 625
T. Andy Lee, Stanford University, Stanford, USA
Donald C. Cox, Stanford University, Stanford, USA

P03-2 PERFORMANCE OF FAST FORWARD LINK POWER CONTROL FOR CDMA SYSTEMS 630
A. Jalali, M. Feeney, A. Cheda, Nortel, Richardson, USA

P03-4 INTERFERENCE MINIMIZATION USING AUTOMATIC DESIGN OF CELLULAR COMMUNICATION NETWORKS 634
Kurt Tutschku, Univrsity of Wurzburg, Wurzburg, Germany

P03-5 RANDOM WALK MODELING OF MOBILITY IN WIRELESS NETWORKS 639
Bijan Jabbari, Yong Zhou, George Mason University, Fairfax,
Frederick Hillier, Stanford University, Stanford, USA

P03-6 HIERARCHICAL ATM BASED LAN/MAN BACKBONE NETWORK FOR A PERSONAL COMMUNICATION NETWORK 644
Vincent W. Cheng, Jamil Y. Khan , Massey University, Palmerston North, New Zealand

P03-7 SIMULATION AND MEASUREMENT OF BIT ERROR RATES FOR A 2FSK-SYSTEM IN INDOOR ENVIRONMENTS 649
Thomas Zwick, Frank Demmerle, Werner Wiesbeck, University of Karlsruhe, Karlsruhe, Germany

P03-8 CORDLESS-CELLULAR INTER-SYSTEM HANDOVER OPTIMISATION 653
S.Ghaheri-Niri, R.Tafazolli, University of Surrey, Guildford, UK

P03-9 A DETERMINISTIC RAY-TRACING BASED MODEL FOR LAND MOBILE SATELLITE CHANNEL IN URBAN ENVIRONMENT 658
T. Sofos, I. Koutsopoulos, P. Constantinou, National Technical University of Athens, Athens, Greece

P03-10 LAND MOBILE RADIO SYSTEM OF THE HELLENIC GAS PIPELINE 661
D. Zahariades, DEPA/PLE, Athens, Greece
P. Contantinou, DEPA/PLE, Athens, Greece
R. Chatziapostolou, GENER S.A., Athens, Greece
P. Kaliatzopoulos, GENER S.A., Athens, Greece
P. Chatzopoulos, T. Sofos, National Technical University of Athens, Athens, Greece

P03-11 RADIO PERFORMANCE EVALUATION OF THE DECT FOR WPCN BASED ON ITU RECORDED CHANNEL MODELS 664
Y. Yuan-Wu, I. Siaud, D. Duponteil, FRANCE TELECOM, Belfort Cedex, France

P03-12 A PO APPROACH FOR A MORE ACCURATE CALCULATION OF THE REFLECTED FIELD IN INDOOR PROPAGATION 669
I. De Coster, E. Van Lil, Katholieke Universiteit Leuven, Heverlee, Belgium

P03-13 COMMENTS ON CIRCULAR VS. ELLIPTICAL ERRORS IN AUTOMATIC LOCATION IDENTIFICATION 673
George P. Yost, Shankari Panchapakesan, Ericsson Inc., Richardson, USA

P03-14 ENHANCED CONCEPTUAL DESIGN FORMULA FOR FREQUENCY CHANNEL DOUBLE REUSE DIGITAL SYSTEMS USING SECTORED CELLS 679
Yasuaki Kinoshita, David K. Asano, Shinshu University, Nagano, Japan

P03-15 DISCRETE CHANNEL MODELS FOR WIRELESS DATA SERVICES 683
Nikolai Nefedov, Nokia Research Center, Helsinki, Finland

P03-16 NOVEL RECURSIVE DECONVOLUTION NOISE COMPENSATION METHOD FOR DIRECT SEQUENCE RADIO CHANNEL SOUNDING 688
Timo Korhonen, Sven-Gustav Haggman, Helsinki University of Technology, Espoo, Finland

P03-18 EXACT ANALYSIS OF BINARY CYCLIC CODES IN SPREAD SPECTRUM COMMUNICATION SYSTEMS 693
Abdel-Ghani A. Daraiseh, Soloman Almadi, Mohamed Rowily, MCI Telecom, Richardson, USA

Samsung Exhibit 1016, Page 11 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

P03-19 URBAN WIDEBAND MEASUREMENTS AT 1.8 GHZ WITH DIFFERENT CHIRP BANDWIDTHS 697
S. Salous, N.F. Bajj, UMIST, Manchester, UK

VOLUME II

Session 19: *Propagation Modeling I*

Session Chair: Larry Greenstein, AT & T, USA

19-1 COMPLEX IMPULSE RESPONSE MODELING FOR WIDEBAND RADIO CHANNELS 702
Paulo Marques, Jose Fernandes, Jose Neves, University of Aveiro, Aveiro, Portugal

19-2 INTERFERENCE ANALYSIS IN AN ORIGINAL TDMA-BASED HIGH DENSITY CELLULAR RADIO NETWORK 707
Yann Begassat, Vinod Kumar, Alcatel, Nanterre, France

19-3 STATISTICAL PROPERTIES OF JAKES' FADING CHANNEL SIMULATOR 712
Mattias Patzold, Frank Laue, Technical University of Hamburg-Harburg, Hamburg, Germany

19-4 SPATIAL CHANNEL CHARACTERISTICS IN OUTDOOR ENVIRONMENTS AND ITS IMPACT ON SYSTEMS 719
Klaus I. Pedersen, Preben E. Mogensen, Bernard H. Fleury, Aalborg University, Aalborg, Denmark

19-5 PERFORMANCE STUDIES OF NARROW BEAM TRISECTOR CELLULAR SYSTEMS 724
L-C Wang, K. Chawla, L.J. Greenstein, AT&T Labs - Research, Red Bank, USA

Session 20: *Diversity Antennas I*

Session Chair: Khaled Ben Letaief, Hong Kong University of Science and Technology, China

20-1 OUTAGE PROBABILITY OF RADIO CELLULAR SYSTEMS USING MAXIMAL RATIO COMBINING IN THE PRESENCE OF MULTIPLE INTERFERERS 731
Jian Cui, Nortel, Ottawa, Canada
Asrar U. Sheikh, The Hong Kong Polytechnic University, Kowloon, Hong Kong

20-2 A COMBINING TECHNIQUE OF ARRAY ANTENNA AND INTERFERENCE CANCELLATION FOR WIDEBAND CDMA SYSTEMS 736
Tae-hyun Moon, Chang E. Kang, Yonsei University, Seoul, Korea

20-3 PERFORMANCE OF TWO-BRANCH POLARISATION ANTENNA DIVERSITY IN A REAL OPERATIONAL GSM NETWORK 741
Troels B. Sorensen, Anders O. Nielsen, Preben E. Mogensen, Aalbourg University, Aalborg, Denmark

20-4 ON THE APPLICATION OF UPLINK OPTIMUM COMBINING TO BASE STATION RECEPTION 747
Eric Villier, Luis Lopes, Steve Aftelak, Motorola, Swindon, UK

20-5 DIVERSITY COMBINING AND EQUALIZATION OF FREQUENCY SELECTIVE FADING SIGNALS WITH UNEQUAL MEAN STRENGTHS 753
Sheng-Chou Lin, Nortel, Richardson, USA
Vasant K. Prabhu, University of Texas at Arlington, Arlington, USA

Session 21: *OFDM Techniques I*

Session Chair: H. Rohling, University of Braunschweig, Germany

21-1 A BURST SYNCHRONIZATION SCHEME FOR OFDM-BASED CELLULAR SYSTEMS WITH SEPARATE SIGNALING CHANNEL 758
Branimir Stantchev, Gerhard Fettweis, Dresden University of Technology, Dresden, Germany

21-2 CODING STRATEGIES FOR OFDM WITH ANTENNA DIVERSITY FOR HIGH BIT-RATE MOBILE DATA APPLICATIONS 763
Joonsuk Kim, Stanford University, Stanford, USA
Leonard J. Cimini, Jr. and Justin C. Chuang, NSL, AT&T Labs-Research, Red Bank, USA

Samsung Exhibit 1016, Page 12 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

21-3 PERFORMANCE COMPARISON OF OFDM WITH MULTITONE AND POLYPHASE FILTER BANK FOR WIRELESS COMMUNICATIONS 768
Wonjong Rhee, Stanford University, Stanford, USA
Justin C. Chuang, Leonard J. Cimini, Jr., AT&T Labs - Research, Red Bank, USA

21-4 ADAPTIVE CODING AND MODULATION IN AN OFDM-TDMA COMMUNICATION SYSTEM 773
R. Grunheid, H. Rohling, Technical University Braunschweig, Braunschweig, Germany

21-5 FADING AND CARRIER FREQUENCY OFFSET ROBUSTNESS FOR DIFFERENT PULSE SHAPING FILTERS IN OFDM 777
Per Kristian Remvik, Nils Holte, NTNU, Trondheim, Norway
Anders Vahlin, Nera Research, Bergen, Norway

Session 22: *CDMA Techniques I*

Session Chair: Gerry Thompson, Bell Mobility, Canada

22-1 ADAPTIVE MULTI-RATE MULTI-CODE CDMA SYSTEMS 782
Hans Dieter Schotten, Harald Elders-Boll, Axel Busboom, Aachen University of Technology (RWTH), Aachen, Germany

22-2 CHANNEL CAPACITY IMPROVEMENT BY MEANS OF TWO-DIMENSIONAL RAKE FOR DS/CDMA SYSTEMS 786
Takashi Inoue, Yoshio Karasawa, ATR Adaptive Communications Research Laboratories, Kyoto, Japan

22-3 A COMPARISON BETWEEN SINGLE CODE AND MULTIPLE CODE TRANSMISSION SCHEMES IN A CDMA SYSTEM 791
Sudhir Ramakrishna, Jack M. Holtzman, Rutgers University, Piscataway, USA

22-4 SYMBOL-AIDED CHANNEL ESTIMATION AND MULTIUSER DETECTION FOR CDMA SYSTEMS USING A DECORRELATING DECISION-FEEDBACK DETECTOR 796
Mohsen Hosseinian, Michel Fattouche, Abu B. Sesay, TR Labs, Calgary, Canada

Session 23: *Wireless Packet Communication*

Session Chair: Christelle Boisseau, France Telecom, France

23-1 OPTIMIZATION OF GENERALIZED TREE PROTOCOLS WITH CAPTURE 801
Ya-Kun Sun, Kwang-Cheng Chen, National Tsing Hua University, Hsinchu, Taiwan

23-2 WIDEBAND CDMA WITH PACKET RESERVATION FOR WIRELESS COMMUNICATIONS 806
Yawgeng Chau, Ling-Chih Kao, Yuan-Ze University, Chung-Li, China

23-3 PERFORMANCE EVALUATION OF CELLULAR DIGITAL PACKET DATA (CDPD) SYSTEMS 810
Tao Wan, Carleton University, Ottawa, Canada
Asrar U. Sheikh, The Hong Kong Polytechnic University, Hong Kong, China
Paul Tse, Nortel, Ottawa, Canada
Abdulbaset Atweri, Nortel, Ottawa, Canada

23-4 PERFORMANCE ANALYSIS OF PACKET MOBILE RADIO NETWORKS WITH DIVERSITY 815
F. Graziosi, University of L Aquila, L'Aquila,
M. Ruggieri, University of Roma, Roma,
F. Santucci, University of L Aquila, L'Aquila, Italy

23-5 ENERGY CONSTRAINED MEDIA ACCESS PROTOCOLS FOR MOBILE DATA NETWORKS 820
A. Chockalingam, Michele Zorzi, University of California, La Jolla, USA

Session 24: *IMT-2000 Technologies I*

Session Chair: Jean-Louis Dornstetter, Nortel, France

24-1 ADVANCED SOFTWARE RADIO ARCHITECTURE FOR 3RD GENERATION MOBILE SYSTEMS 825
Heiko Erben, Kyriacos Sabatakakis, CSEM - Centre Suisse d Electronique et de Microtechnique SA, Sectio Datacommunication, Neuchatgel, Switzerland

24-2 THIRD GENERATION MOBILE SYSTEMS PLANNING ISSUES 830
Chiara Lepschy, Raffaele Menolascino, Centro Studi e Laboratori Telecommunicazioni, Torino, Italy
Marta Pizarroso, Bartolome Salas, Telefonica I+D, Madrid, Spain

Samsung Exhibit 1016, Page 13 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

24-3 A PROPOSAL FOR THE EVOLUTION OF IS-136 835
Sylvain Labonte, Ericsson Research Canada, Mount Royal, Canada

24-4 PERFORMANCE OF FRAMES NON-SPREAD MODE 1 (WB-TDMA) WITH TURBO CODES 840
Harri Holma, Nokia Research Center, Nokia Group, Finland
Jorg Plechinger, Markus Doetsch, Friedbert Berens, Peter Jung, University of Kaiserslautern, Kaiserslautern, Germany

24-5 WIDEBAND TDMA BASED RADIO INTERFACE FOR UMTS HIGH BIT RATE PACKET ACCESS 845
Eero Nikula, Nokia Research Center, Nokia Group, Finland
Markus Doetsch, University of Kaiserslautern, Kaiserslautern, Germany
Nils Edvardsson, Ericsson Radio Systems, Stockholm, Sweden

Session 25: *Propagation Modeling II*

Session Chair: Maria Luisa Merani, Universita'degli Studi di Modena, Italy

25-1 INFLUENCE OF IN-BUILDING CORRELATED SHADOWING FOR DIFFERENT BUILDINGS AND BASE STATION CONFIGURATIONS ON SYSTEM CAPACITY 850
Keith Butterworth, K.W. Sowerby, A.G.Williamson, M.J.Neve, University of Auckland, Auckland, New Zealand

25-2 BER ESTIMATION WITH RANDOM PHASE TECHNIQUE APPLIED TO RAY TRACING 855
Satoshi Takahashi, Yoshihide Yamada, Koji Ogura, YRP Mobile Telecommunications Key Technology Research Laboratories, Co., Ltd., Yokosuka, Japan

25-3 MOISTURE EFFECTS ON THE PENETRATION LOSS THROUGH EXTERIOR BUILDING WALLS 860
Sung Jin Hong, Kyung Jae Kim, Jeong Rhul Lee, LG Information and Communications, Ltd., Kyungki-do, Korea

25-4 A COMPARATIVE STUDY OF RAY TRACING AND FDTD FOR INDOOR PROPAGATION MODELING 865
A. Wiesshaar, K.A.Remley, Oregon State University, Corvallis, USA
H.R.Anderson, EDX Engineering, Eugene, USA

25-5 INVESTIGATION INTO THE SENSITIVITY OF A MICROCELLULAR RAY-TRACING MODEL AND COMPARISON OF THE PREDICTIONS WITH NARROWBAND MEASUREMENTS 870
G.E. Athanasiadou, A.R. Nix, J.P. McGeehan, University of Bristol, Bristol, UK

Session 26: *Smart Antennas*

Session Chair: John Litva, McMaster University, Canada

26-1 EVALUATION OF BEAMFRONTING ALGORITHM EFFECTIVENESS FOR THE SMART WIRELESS LAN SYSTEM 875
Garret Okamoto, The University of Texas at Austin, Austin, USA
Shiann-Shiun Jeng, Chung Yuan University, Chungli, China
Stone Tseng, Nortel, Richardson, USA
Guanghan Xu, The University of Texas at Austin, Austin, USA

26-2 INVESTIGATING THE PERFORMANCE OF SMART ANTENNA SYSTEMS AT THE MOBILE AND BASE STATIONS IN THE DOWN AND UPLINKS 880
K.K.Wong, K. Ben Letaief, R.D. Murch, The Hong Kong University of Science & Technology, Kowloon, Hong Kong

26-3 A TWO STEP SPATIO-TEMPORAL FILTERING SCHEME FOR SMART ANTENNAS COMPARED TO A MULTI-USER MAXIMUM LIKELIHOOD ALGORITHM 885
Christopher Brunner, Siemens AG, and Technical University of Munich, Munich, Germany
Martin Haardt, Siemens AG, Munich, Germany
Christof Farsakh, Ericsson Eurolab Deutschland, Nuernberg, Germany
Josef Nossek , Technical University of Munich, Munich, Germany

26-4 ARRAY BEAMFORMING BASED ON CYCLIC SIGNAL DETECTION 890
Jingmin Xin, H. Tsuji, Y. Hase, Communications Research Laboratory, MPT, Koganei, Japan
A. Sano, Keio University, Yokohama, Japan

26-5 ADAPTIVE ANTENNAS FOR UMTS MICROCELLULAR ENVIRONMENTS 895
G.V. Tsoulos , J.P. McGeehan, M.Beach, University of Bristol, Bristol, UK

Samsung Exhibit 1016, Page 14 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

Session 27: *System Capacity Analysis and Optimization I*

Session Chair: Ramjee Prasad, Delft University of Technology, Netherlands

27-1 **IMPACT OF RADIO INTERFACES ON MOBILE MULTIMEDIA SERVICES** 899
Dr. Brian G. Marchent, Fujitsu Europe Telecom R&D Centre, Middlesex, UK

27-2 **IMPLIED COSTS IN WIRELESS NETWORKS** 904
Cesar Vargas, Center for Electronics and Telecommunications, Monterrey, Mexico
M.V. Hegde, University of Washington, St. Louis, USA
M. Naraghi-Pour, Louisiana State University, Baton Rouge, USA

27-3 **AN APPROACH TO MAXIMIZE THE CAPACITY OF A MULTIMEDIA CDMA WIRELESS SYSTEM** 909
E. Cianca, F. Graziosi, Dr. Fortunato Santucci, University of L' Aquila, L' Aquila, Italy
M. Ruggieri, University of Roma Tor Vergata, Roma, Italy

27-4 **INTRA-CELL INTERFERENCE MANAGEMENT FOR FIXED BROADBAND WIRELESS SYSTEMS** 914
Xiaoxin Qiu, Kapil Chawla, AT&T Labs-Research, Red Bank, USA

27-5 **AN EFFECTIVE ALGORITHM FOR ACCESS WIRELESS NETWORK COST OPTIMIZATION** 919
Wei Yuan, Sairam Subramanian, Payam Maveddat, Nortel, Richardson, USA

Session 28: *Modulation*

Session Chair: Susumu Yoshida, Kyoto University, Japan

28-1 **CONSIDERATION ON SYSTEM CAPABILITY CHARACTERISTICS OF PORTABLE 2MBPS/8MCPS CDMA WITH PHASE CONTINUITY QPSK** 924
Masahichi Kishi, Aichi Institute of Technology, Toyota, Japan
Kuixi Yin, Nanjing University, Nanjing, China
Hiroshi Iwata, Hitachi Ltd., Yokohama, Japan
Yutaka Amano, Hitachi Ltd., Yokohama, Japan

28-2 **DATA CAPACITY OF FDMA/TDMA SYSTEMS WITH ADAPTIVE MODULATION** 929
Theresa Fry, C. C. Lee, M. Honig, Northwestern University, Evanston, USA

28-2 **EXPERIMENTAL RESULTS OF A MULTIMODE ADAPTIVE MODULATION/TDMA/TDD SYSTEM FOR HIGH QUALITY AND HIGH BIT RATE WIRELESS MULTIMEDIA COMMUNICATION SYSTEMS** 934
Seiichi Sampei, Norihiko Morinaga, Osaka University, Suita , Japan
Kiyoshi Hmaguchi, Ministry of Posts and Telecommunications, Tokyo, Japan

28-3 **AN ADAPTIVE MODULATION SCHEME FOR SIMULTANEOUS VOICE AND DATA TRANSMISSION OVER FADING CHANNELS** 939
Mohamed-Slim Alouini, Xiaoyi Tang, Andrea Goldsmith, California Institute of Technology, Pasadena. USA

28-5 **OPTIMUM NUMBER OF SIGNAL ALTERNATIVES IN MOBILE CELLULAR SYSTEMS** 944
Peter Malm, Torleiv Maseng, Lund University, Lund, Sweden

Session 29: *CDMA Techniques II*

Session Chair: Mark Epstein, Qualcomm, USA

29-1 **CONSTANT MODULUS ALGORITHM FOR CDMA COMMUNICATIONS SYSTEMS** 949
He Ping, T.T. Tjhung, Lars Rasmussen, National University of Singapore, Singapore, Singapore

29-2 **PERFORMANCE ANALYSIS OF FORWARD AND REVERSE CONTROL CHANNELS OF CDMA CELLULAR NETWORKS** 954
Guang Wan, Southern Methodist University, Dallas, USA
Mohamed A. Landolsi, Stone Tseng, Nortel, Dallas, USA

29-3 **ON THE USE OF CHIP-LEVEL DIFFERENTIAL ENCODING FOR THE UPLINK OF MC-CDMA SYSTEMS** 958
Luciano Tomba, Universita di Padova, Padova, Italy
Witold A. Krzymien, University of Alberta/TR Labs, Edmonton, Canada

Samsung Exhibit 1016, Page 15 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

29-4 TWO AND SIX MATCHED-FILTER ADAPTIVE DECORRELATORS FOR DOWNLINK MULTIPATH CDMA CHANNELS 963
P. Komulainen, New Jersey Institute of Technology, Newark, USA
Y. Bar-Ness, J. Lilleberg, Nokia Mobile Phones, Helsinki, Finland

29-5 OPTIMIZING THE PERFORMANCE OF LIMITED COMPLEXITY RAKE RECEIVERS 968
G. E. Bottomley, R. Ramesh, E. Sourour, Ericsson Inc., Research Triangle Park, USA

Session 30: *W-CDMA*

Session Chair: Greg Klowak, Nortel, Canada

30-1 CONFIGURATION AND CHARACTERISTICS ESTIMATION OF A W-CDMA EXPERIMENTAL SYSTEM FOR 3RD GENERATION MOBILE COMMUNICATIONS 973
Takehiro Nakamura, Jyunichiro Hagiwara, Etsuhiro Nakano, Koji Ohno, Seizo Onoe, NTT Mobile Communications Network Inc., Yokosuka, Japan

30-2 PHYSICAL LAYER OF FRAMES MODE-2 WIDEBAND CDMA 978
Harri Holma, Nokia Research Center, Helsinki, Finland
Fredrik Ovesjo, Ericsson Radio Systems AB, Stockholm, Sweden
Erik Dahlman, Ericsson Radio Systems AB, Stockholm, Sweden
Matti Latva-aho, University of Oulu, Oulu, Finland
Antti Toskala, Nokia Research Center, Helsinki, Finland

30-3 A TEST SYSTEM FOR EVALUATION OF THE W-CDMA TECHNOLOGY 983
Magnus Sundelin, Ericsson Radio System AB, Stockholm, Sweden
Wolfgang Granzow, Ericsson Eurolab Deutschland GmbH, Nuremberg, Germany
Henrik Olofsson, Ericsson Radio System AB, Stockholm, Sweden

30-4 MEDIUM ACCESS CONTROL FOR CELLULAR WIDE-BAND CDMA SYSTEMS WITH OPTIMAL THROUGHPUT. 988
Q. Cao, Lucent Technologies, Swindon, UK

Session 31: *Propagation Modeling III*

Session Chair: Werner Mohr, Siemens AG, Germany

31-1 EXPERIMENTAL CHARACTERIZATION OF DOA AT THE BASE STATION IN RURAL AND URBAN AREA 993
P. Pajusco, France Telecom CNET, Belfort, France

31-2 LATERAL FULL 3D AND VERTICAL PLANE PROPAGATION IN MICROCELLS AND SMALLER CELLS 998
Karim Rizk, Reinaldo Valenzuela, Bell Laboratories, Holmdel, USA

31-3 A STATISTICAL WIDEBAND PROPAGATION MODEL FOR SMART ANTENNA SYSTEMS 1004
Manouchehr Mahmoudi, Elvino Sousa, University of Toronto, Toronto, Canada

31-4 EFFECT OF PATH LOSS MODEL ON CDMA SYSTEM DESIGNS FOR HIGHWAY MICROCELLS 1009
Henry L. Bertoni, Seungwook Min, Polytechnic University, New York, USA

31-5 DELAY DOMAIN CORRELATION PROPERTIES FOR A WIDEBAND RADIO CHANNEL 1014
Anna Wik, Swedish Defence Research Establishment, Linkoping, Sweden
Michael Hall, Helsinki University of Technology, Helsinki, Finland

Session 32: *Adaptive Antennas I*

Session Chair: Greg Bottomley, Ericsson, USA

32-1 PERFORMANCE EVALUATION OF INTERFERENCE CANCELLATION TECHNIQUES USING ADAPTIVE ANTENNAS 1019
Carles Anton-Haro, Jose A.R. Fonollosa, Javier R. Fonollosa, Polytechnic University of Catalonia, Barcelona, Spain

32-2 BEAMFORMING PERFORMANCE MEASUREMENTS IN A DCS 1800 SMART ANTENNA TESTBED 1024
R. Weinmann, M. Dillenburger, S. Fritsch, C. Hoek, Alcatel Telecom Research Division, Stuttgart, Germany

32-3 ADAPTIVE ARRAYS FOR HIGH RATE DATA COMMUNICATIONS 1029
Yiping Wang, Henrik Scheving, Nortel, Richardson, USA

32-4 BEAM FALSING LOSS IN SWITCHED-BEAM SMART ANTENNA SYSTEMS 1034
D.D.N. Bevan, Nortel, Harlow, UK

Samsung Exhibit 1016, Page 16 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

32-5 PERFORMANCE ENHANCEMENT THROUGH JOINT DETECTION OF COCHANNEL SIGNALS USING DIVERSITY ARRAYS 1039
S.J. Grant, J.K. Cavers, Simon Fraser University, Burnaby, Canada

Session 33: *Handover Management and Techniques*

Session Chair: Ed O'Leary, Cantel, Canada

33-1 PICOCELLULAR SYSTEM PERFORMANCE ANALYSIS OF NEW DECISION AVOIDED HANDOVER ALGORITHM FOR DS-CDMA INDOOR 1044
Yasuaki Kinoshita, Hidetoki Ohno, David K. Asano, Shinshu University, Nagano, Japan

33-2 PERFORMANCE ESTIMATION OF PRIORITIZE QUEUEING HANDOFF SCHEME IN CDMA CELLULAR SYSTEMS 1049
Dong Myung Lee, Electronics and Telecommunications Research Institute, Taejon, Korea

33-3 JOINT CHARACTERIZATION OF OUTAGE PROBABILITY AND HANDOVER PERFORMANCE IN CELLULAR MOBILE NETWORKS 1054
F. Graziosi, University of L'Aquila, L'Aquila, Italy
M. Pratesi, M. Ruggieri, University of Roma, Roma, Italy
Fortunato Santucci, University of L'Aquila, L'Aquila, Italy

33-4 ANALYTICAL MODELING OF HANDOVER ALGORITHM PERFORMANCE IN A MULTICELL URBAN ENVIRONMENT WITH FREQUENCY HOPPING 1059
M. Chiani, University of Bologna, Bologna, Italy
G. Monguzzi, Italtel SpA, Bologna, Italy
R. Verdone, A. Zanella, University of Bologna, Bologna, Italy

Session 34: *Cellular System Enhancement*

Session Chair: Girish Patel, Nortel, USA

34-1 RADIO INTERFACE PERFORMANCE OF EDGE, A PROPOSAL FOR ENHANCED DATA RATES IN EXISTING DIGITAL CELLULAR SYSTEMS 1064
Peter Schramm, Ericsson Eurolab Deutschland GmbH, Nurnberg, Germany
Stefan Javerbring, Nils Edvardsson, Mikael Hook, Christer Edholm, Henrik Andreasson, Frank Muller, Johan Skold, Ericsson Radio Systems, Stockholm, Sweden

34-2 EXPERIMENTAL PERFORMANCE RESULTS OF AN INDOOR WIRELESS EXTENSION OF IS-136 BASED ON PI/8-8 DPSK AND CODED MODULATION 1069
Zoran Kostic, Bruce McNair, Nelson Sollenberger, AT&T Labs-Research, Red Bank, USA

34-3 AREA SPECTRAL EFFICIENCY OF THE MACROCELLULAR MOBILE COMMUNICATION SYSTEM IN SHADOWED ENVIRONMENT DEPLOYING ADAPTIVE CHANNEL MODULATION 1075
M Fahim Tariq, Andrew R Nix, University of Bristol, Bristol, UK

34-4 IMPROVING THE IS-54/136 PERFORMANCE THROUGH THE USE OF THE MDM SCHEME 1080
Chih-Peng Li, Lucent Technologies, Whippany, USA
Zygmunt J. Haas, Cornell University, Ithaca, USA

34-4 PERFORMANCE OF A DISTRIBUTED DCA ALGORITHM UNDER INHOMOGENEOUS TRAFFIC MODELLED FROM AN OPERATIONAL GSM NETWORK 1085
Kevin Kennedy, Elles de Vries, KPN Research , Leidschendam, The Netherlands
Perry Koorevaar, PTT Telecom, Den Haag, The Netherlands

Session 35: *CDMA Power Control*

Session Chair: Vijay Bhargava, University of Victoria, Canada

35-1 PREDICTIVE POWER ESTIMATORS IN CDMA CLOSED LOOP POWER CONTROL 1091
A. Huang, J. Tanskanen, I. Hartimo, Helsinki University of Technology, Espoo, Finland

35-2 A COMBINED POWER/RATE CONTROL SCHEME FOR DATA TRANSMISSION OVER A DS/CDMA SYSTEM .. 1096
Bassam Hashem, Elvino Sousa, University of Toronto, Toronto, Canada

Samsung Exhibit 1016, Page 17 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

35-3 CDMA DYNAMIC DOWNLINK POWER CONTROL 1101
L. Song, J. M. Holtzman, Rutgers University, Piscataway, USA

35-4 THE IMPACT OF SPREADING BANDWIDTH ON DS-CDMA POWER CONTROL REQUIREMENTS 1106
M.P. Fitton, University of Bristol, Bristol,
J.G.O. Moss, University of Oxford, Oxford,
M.A. Beach, University of Bristol, Bristol,
C.C. Constantinou, The University of Birmingham, Birmingham,
T. Widdowson, BT Laboratories, Ipswich, UK

Session 36: *Wireless ATM*

Session Chair: Stone Tseng, Nortel, USA

36-1 A NEW QOS-BASED HANDOFF MANAGEMENT SCHEME IN WIRELESS ATM NETWORKS 1111
Jung-hee Ryu, Byung-Cheol Shin, Dept. of EE, KAIST, Taejon, Korea

36-2 HANDOVER IN A BROADBAND CELLULAR ATM ACCESS SYSTEM 1116
H. Bakker, M. Litzenburger, W. Schodl, Alcatel SEL AG, Stuttgart, Germany

36-3 ON THE PERFORMANCE OF THE DYNAMIC PACKET RESERVATION MULTIPLE ACCESS SCHEMES IN THE PRESENCE OF FADING 1121
Deborah A. Dyson, 3Com Corporation, Ithaca, USA
Zygmunt J. Haas, Cornell University, Ithaca, USA

36-4 PRIME ARQ: A NOVEL ARQ SCHEME FOR HIGH-SPEED WIRELESS ATM - DESIGN, IMPLEMENTATION AND PERFORMANCE EVALUATION 1128
Atsushi Ohta, Masafumi Yoshioka, Takatoshi Sugiyama, Masahiro Umehira, NTT Wireless Systems Laboratories, Yokosuka, Japan

36-5 A WIRELESS ATM LAN WITH AN 802.11-LIKE DATA LINK LAYER 1135
Franco Callegati, M. Casoni, University of Bologna, Bologna,
M.L.Merani, University of Modena, Modena,
C. Raffaelli, University of Bologna, Bologna, Italy

Session 37: *Coverage Prediction*

Session Chair: Akira Hashimoto, NTT Mobile Communications Network Inc., Japan

37-1 ACCURACY OF LOCAL MEAN SIGNAL PREDICTION IN URBAN ENVIRONMENTS: INPUT DATABASE GRANULARITY ISSUES 1140
R. Hill, C. C. Constantinou, The University of Birmingham, Birmingham, UK

37-2 QUASI 3D PARFLOW ALGORITHM FOR COVERAGE PREDICTION IN URBAN ENVIRONMENTS 1145
Jingming Li, Jean-Frederic Wagen, Emmanuel Lachat, SWISSCOM, Corporate Technology, Bern, Switzerland

37-3 APPLICATION OF THE SLOPE-DIFFRACTION METHOD TO URBAN MICROWAVE PROPAGATION PREDICTION 1150
Karim Rizk, Reinaldo Valenzuela, Bell Laboratories, Holmdel, USA

37-4 CELL COVERAGE DETERMINATION USING OPTIMAL DETECTION 1156
Fernando Jaimes, Nortel, Monterrey, Mexico
David Munoz, Instituto Tecnologico y de Estudios Superiores de Monterrey, Monterrey, Mexico
Carlos Molina, Nortel, Richardson, USA

37-5 REPEATERS FOR CDMA SYSTEMS 1161
Moussa R. Bavafa, Howard H. Xia, AirTouch Communications, Inc., Walnut Creek, USA

Session 38: *Array Design*

Session Chair: Leo Ligthart, Delft University of Technology, Netherlands

38-1 EXPERIMENTAL INVESTIGATION OF ADAPTIVE ZONE CONFIGURATION BY USING A CIRCULAR 8-ELEMENT ARRAY ANTENNA 1166
Ami Kanazawa, Tsukasa Iwama, MPT of Japan, Koganei, Japan
Naoya Tsuzuki, Musashi Institute of Technology, Koganei, Japan
Naoki Ichikawa, Chuo University, Koganei, Japan

Samsung Exhibit 1016, Page 18 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

38-2 AN SDMA SYSTEM BASED ON SPATIAL COVARIANCES 1171
Christof Farsakh, Ericsson Eurolab Deutschland GmbH, Nuernberg, Germany
Karheinz Pensel, Josef A. Nossek, Technical University of Munich, Munich, Germany

38-3 PERFORMANCE ANALYSIS OF AN ADAPTIVE ANTENNA ARRAY FOR GSM/UMTS 1176
A.P. Ansbro, CSELT-Centro Studi e Laboratori Telecomunicazioni, S.p.A., Torino, Italy
S.L.Drakul, Politecnico di Torino, Torino, Italy
A. Fanigliulo, G. Fontana, CSELT-Centro Studi e Laboratori Telecomunicazioni, S.p.A., Torino, Italy

38-4 MUTUAL COUPLING COMPUTATION AND EFFECTS IN PHASED ARRAY MICROSTRIP ANTENNAS 1181
Martin Kuipers, University of Paderborn, Paderborn, Germany

38-5 RADIATION AND BANDWIDTH CHARACTERISTICS OF TWO PLANAR MULTISTRIP ANTENNAS FOR MOBILE COMMUNICATION SYSTEMS 1186
Jani Ollikainen, Helsinki University of Technology, Helinsinki, Finland

Session 39: *Fixed Wireless Access Technologies*

Session Chair: Sorin Cohn, Nortel, Canada

39-1 A NOVEL BROADBAND ALL-WIRELESS ACCESS NETWORK USING STRATOSPHERIC RADIO PLATFORM 1191
Yoshihiro Hase, Ryu Miura, Shingo Ohmori, Communications Research Laboratory, Yokosuka, Japan

39-2 AN IMPLEMENTATION OF WIRELESS LOCAL LOOP FIXED STATION 1196
Sang Sik Lim, Electronics and Telecommunications Research Institute, Taejon, Korea

39-3 UTILIZING WIRELESS ATM OVER OFDM FOR A RURAL COMMUNICATIONS INFRASTRUCTURE 1200
Ritchie L. West, USAF Academy, USAF Academy,
Mark A. Wickert, University of Colorado at Colorado Springs, Colorado Springs, USA

39-4 IMPLEMENTATION OF CODE ACQUISITION AND CODE TRACKING LOOP FOR CDMA WIRELESS LOCAL LOOP SYSTEM 1204
Jae W. Chung, Jin-Su Kim, Youeng-Gyun Jeong, Jung-Soek Ha, ETRI, Taejon, Korea

39-5 CAPACITY OF DECT WIRELESS LOCAL LOOP SYSTEM IN MULTI-CELL ENVIRONMENT 1209
Jonathan Ling, Chokri Trabelsi, Reinaldo Valenzuela, Lucent Technologies, Bell Laboratories, Whippany, USA

Session 40: *Source and Channel Coding*

Session Chair: Charles Despins, Microcell Connexions Inc., Canada

40-1 A VOICE ACTIVITY DETECTION ALGORITHM FOR COMMUNICATION SYSTEMS WITH DYNAMICALLY VARYING BACKGROUND ACOUSTIC NOISE 1214
Ick Don Lee, H.P. Stern, University of Alabama, Tuscaloosa, USA
S.A. Mahmoud, Carleton University, Ottawa, Canada

40-2 ON THE APPLICATION OF LINK ADAPTATION CONCEPTS TO GSM 1219
J.A.Pons, J. Dunlop, J. Kelliher, University of Strathclyde, Glasgow, Scotland

40-3 JOINT SOURCE AND CHANNEL CODING FOR MOBILE MULTIMEDIA COMMUNICATIONS 1224
Jianhua Lu, K. Ben Letaief, Ming L. Liou, HKUST, Kowloon, China
Justin C-I Chuang, AT&T Labs - Research, Red Bank, USA

40-4 CCI PERFORMANCE OF VOICE ACTIVITY DETECTION AND POWER-CONTROL IN CELLULAR SYSTEMS 1229
Man-Tat Cheung, Chin-Tau Lea, Hong Kong Telecom, Hong Kong, China

40-5 HIDDEN MARKOV MODELING OF FADING CHANNELS 1234
William Turin, Robert van Nobelen, AT&T Labs, Florham Park, USA

Samsung Exhibit 1016, Page 19 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

Session 41: *CDMA Synchronization and Channel Estimation I*

Session Chair: Jae Hong Lee, Seoul National University, Korea

41-1 ROOT-MUSIC BASED JOINT IDENTIFICATION AND TIMING ESTIMATION OF ASYNCHRONOUS CDMA SYSTEM OVER RAYLEIGH FADING CHANNEL 1239
Wei-Chiang Wu, Kwang-Cheng Chen, National Tsing-Hua University, Hsin-chu, Taiwan

41-2 PERFORMANCE EVALUATION OF PILOT CHANNEL ACQUISITION SYSTEM IN CDMA FORWARD LINK 1244
Gweon-Do Jo, ETRI, Taejon, South Korea

41-3 REFERENCE ASSISTED COHERENT CDMA COMMUNICATION -AN ANALYTICAL TREATMENT 1249
Fuyun Ling, Motorola Inc., Arlington Heights, USA

41-4 DIRECT ESTIMATION OF CHANNEL IMPULSE RESPONSE FOR CODE ACQUISITION AND TRACKING 1254
S. Moon-Ho Song, Jang-Suk Choi, Woonkyung M. Kim, Soo-Won Kim, Korea University, Seoul, Korea

Session 42: *Integrated Systems and Data Networks*

Session Chair: Shila Heeralall, Lucent Technologies, USA

42-1 VARIABLE CHANNEL RESERVATION MECHANISM FOR WIRELESS NETWORKS WITH MIXED TYPES OF MOBILITY PLATFORMS 1259
Miquel Oliver i Riera, Josep Paradells Aspas, University Polytecnic of Catalonia, Barcelona, Spain

42-2 CHANNEL STATE DEPENDENT RESOURCE SCHEDULING FOR WIRELESS MESSAGE TRANSPORT 1264
Masugi Inoue, Gang Wu, Yoshihiro Hase, Communications Research Laboratory, Ministry of Posts and Telecommunications, Tokyo, Japan

42-3 CDMA DYNAMIC CELL CONFIGURATION SCHEME FOR VOICE/DATA INTEGRATED TRAFFIC 1269
Kohji Takeo, YRP Mobile Telecomm. Key Tech. Research Laboratories, Yokosuka, Japan
Shinichi Sato, Oki Electric Industry, Yokosuka, Japan

42-4 HIGH SPEED CIRCUIT SWITCHED DATA OVER GSM: POTENTIAL TRAFFIC POLICIES 1274
Doru Calin, Djamal Zeghlache, Institut National des Telecommunications, Evry, France

42-5 MODELING AND RESOURCE ALLOCATION IN WIRELESS MULTIMEDIA CDMA SYSTEMS 1279
Majid Soleimanipour, Weihua Zhuang, George H. Freeman, University of Waterloo, Waterloo, Canada

Session 43: *IMT-2000 Technolgies II*

Session Chair: Salma Jalife Villalon, Comision General de Telecomincaciones, Mexico

43-1 SYSTEM PERFORMANCE OF EDGE, A PROPOSAL FOR ENHANCED DATA RATES IN EXISTING DIGITAL CELLULAR SYSTEMS 1284
Magnus Frodigh, Anders Furuskar, Hakan Olofsson, Johan Skold, Ericsson Radio Systems, Stockholm, Sweden

43-2 ON THE SYNCHRONIZATION OF A TDMA-OFDM FREQUENCY HOPPING SYSTEM FOR UMTS 1290
Jan-Jaap van de Beek , Per Ola Borjesson,Daniel Landstrom, Sarah Kate Wilson, Per Odling, Lulea University of Technology, Lulea, Sweden
Marie-Laure Boucheret, Julia Martinez Arenas, Ecole National Superieure de Telecommunications, Toulouse, France
Mattias Wahlqvist, Telia Research AB, Lulea, Sweden
Christer Ostberg, Ericsson Mobile Comm. AB, Lund, Sweden

43-3 A 20 MBIT/S OFDM DEMONSTRATOR AT 5 GHZ : SYSTEM DESIGN, IMPLEMENTATION AND EXPERIMENTAL RESULTS 1295
R. Castle, Hewlett-Packard Laboratories, Bristol, UK

43-4 2 MBPS DATA TRANSMISSION EXPERIMENTS OVER COHERENT W-CDMA RADIO CHANNELS 1300
Koichi Okawa, Yukihiko Okumura, Mamoru Sawahashi, Fumiyuki Adachi, NTT Mobile Communications Network Inc., Yokosuka, Japan

Samsung Exhibit 1016, Page 20 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

Poster Session P04
Wireless Access I

P04-1 THE EFFECTS OF MULTIPLE ACCESS SCHEMES ON EQUALIZATION FOR BROADBAND WIRELESS LOCAL LOOP SYSTEMS 1305
Christian Drewes, Technische Universitaet Muenchen, Muenchen, Germany
Ralph Hasholzner, Technische Universitaet Muenchen, Muenchen, Germany
Joachim S. Hammerschmidt, Technische Universitaet Muenchen, Muenchen, Germany

P04-2 STUDY OF INTERSYSTEM INTERFERENCE BETWEEN REGION ONE AND TWO CELLULAR TECHNOLOGIES IN THE 2 GHZ BAND 1310
A. Sathyendran, BellSouth New Zealand, Auckland, New Zealand
A R. Murch, BellSouth New Zealand, Auckland, New Zealand
M. Shafi, Telecom Corp. of New Zealand, Auckland, New Zealand

P04-3 THE PRUDENCE TRANSMISSION METHOD II (PTM II): ON THE MAXIMUM AND MINIMUM VALUES OF THE RETRANSMISSION CUT-OFF PROCEDURE FOR SLOTTED ALOHA 1315
Jahangir H. Sarker, Seppo J. Halme, Helsinki University of Technology, Espoo, Finland

P04-4 SLOW FREQUENCY HOPPING IN BAND LIMITED GSM SYSTEMS USING MAIO-MANAGEMENT 1321
Thomas Toftegard Nielsen, Jeroen Wigard, Per Henrik Michaelsen, Preben Mogensen, Center for PersonKommunikation, Aalborg, Denmark

P04-5 BAND DIVISION MULTIPLE ACCESS (BDMA) SYSTEM. A NOVEL APPROACH FOR NEXT GENERATION MOBILE TELECOMMUNICATION SYSTEM, BASED ON OFDM AND SFH-TDMA. 1326
Mitsuhiro Suzuki, SONY Corporation Shibaura Technology Center, Tokyo, Japan
R. Boehnke, SONY International GmbH Stuttgart Technology Center, Fellbach, Germany
Kazuyuki Sakoda, SONY Corporation Shibaura Technology Center, Tokyo, Japan

P04-6 DOWNLINK PERFORMANCE OF A DS-CDMA WIRELESS LOCAL LOOP SYSTEM 1331
Steiner Bernd, Deutsche Telekom AG, Darmstadt, Germany

P04-7 NEW CELL SEARCH ALGORITHM FOR INTER-CELL ASYNCHRONOUS MODE DS-CDMA MOBILE RADIO SYSTEM. 1336
Jun-kui Ahn, Yonsei University, Seoul, Korea
Seung-hoon Hwang, Yonsei University, Seoul, Korea
Een-kee Hong, SK-Telecom, Taejeon, Korea
Jun-mo Goo, SK-Telecom, Seoul, Korea
Keum-chan Whang, Yonsei University, Seoul, Korea

P04-8 AN EFFICIENT COLLISION RESOLUTION SCHEME FOR WIRELESS MULTIPLE ACCESS. 1341
Chiung-Shien Wu, Computer and Communication Research Labs, Chutung, Taiwan
Po-Ning Chen, National Chiao Tung University, Chutung, Taiwan
Gin-Kou Ma, Computer and Communication Research Labs, Chutung, Taiwan

P04-9 HANDOFF MANAGEMENT IN CDMA SYSTEMS WITH A MIXTURE OF DIFFERENT TYPES OF TRAFFICS 1346
Duk Kyung Kim, Dan Keun Sung, Dept. of EE KAIST, Taejon, Korea

P04-10 NEW FREQUENCY PLANNING OF CDMA SYSTEM FOR ADAPTIVE TRAFFIC CONTROL 1351
Won S. Kim, Nortel, Richardson, USA

P04-11 SEMI-BLIND CDMA SYMBOL ESTIMATION 1356
Jyrki Joutsensalo, Helsinki University of Technology, Helsinki, Finland

P04-12 DISTRIBUTED CALL ADMISSION CONTROL AND ACCOMMODATION OF HOT SPOTS IN PARTIALLY LOADED TDMA SYSTEMS 1361
Antonio Arregui, John Dunlop, University of Strathclyde, Glasgow, Scotland

P04-13 ASYMMETRIC CARRIER-FREQUENCY ALLOCATION TO FREQUENCY-DIVISION-DUPLEX LINKS IN MULTIMEDIA CELLULAR SYSTEMS 1366
Kojiro Hamabe, Aachen University of Technology, Kopernikusstr, Germany

P04-14 TIME DIVISION MULTIPLEXING FOR INFOSTATIONS 1370
F. Babich, University of Trieste, Trieste, Italy

P04-15 AN EVALUATION OF TRANSMISSION CAPACITY OF AIR INTERFACE FOR PDC PACKET COMMUNICATION SYSTEM 1375
Akihiro Maebara, Norihiro Sekizaki, Ichiro Okajima, NTT Mobile Communications Network Inc., Yokosuka, Japan

P04-16 PERFORMANCE OF URBAN MICROCELLULAR COMMUNICATION SYSTEMS WITH OVERLAPPING COVERAGE 1380
Mohammed H. Ahmed, Samy A. Mahmoud, Carleton University, Ottawa, Canada

Samsung Exhibit 1016, Page 21 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

P04-17 PERFORMANCE OF A DYNAMIC CHANNEL ALLOCATION TECHNIQUE BASED ON SIGNAL STRENGTH MEASURES 1385
Flaminio Borgonovo, Antonio Capone, Antonella Molinaro, DEI - Politecnico di Milano, Milan, Italy

P04-18 COMPARING GAMST ALGORITHM AND SIMULATED ANNEALING FOR FREQUENCY ASSIGNMENT
Karim Chtourou, Sami Tabbane, École Superieure des Postes et Telecommunications de Tunis, Cite El Ghazala, Tunisia

P04-19 PERFORMANCE OF FEC AND ARQ ERROR CONTROL IN WIRELESS CHANNELS UNDER DELAY CONSTRAINTS 1390
Michele Zorzi, University of California, San Diego, USA

Poster Session P05
Wireless Access II

P05-1 A MICROCELLULAR DCA SCHEME USING VARIABLE CHANNEL EXCLUSION ZONES 1395
Ignacio Rivas, Luis Lopes, The University of Leeds, Leeds, UK

P05-2 ON THE PARAMETER OPTIMIZATION IN HANDOVER ALGORITHMS 1400
O. Andrisano, University of Bologna, Bologna, Italy
M. Dell'Acqua, Italtel SpA, Bologna, Italy
G. Mazzini, University of Ferrara and CSITE-CNR, Bologna, Italy
R. Verdone, A. Zanella, University of Bologna, Bologna, Italy

P05-4 NEIGHBOR MONITORING IN A 3RD GENERATION WB-TDMA 1405
Mika Raitola, Pekka Ranta, Nokia Research Center, Helsinki, Finland

P05-5 GENERALIZED LAPPED TRANSFORM (GLT) BASED HIGH-SPEED TRANSMISSION FOR WIRELESS MOBILE COMMUNICATIONS 1409
A. Nallanathan, S.C. Chan, T.S. Ng, The University of Hong Kong, Hong Kong, Hong Kong

P05-6 PERFORMANCE OF A FAST FORWARD POWER CONTROL BITS FOR THE REVERSE POWER CONTROL AS POWER MEASUREMENT IN DS-CDMA SYSTEM 1414
Seung Chan Bang, Youngnam Han, Electronics Telecommunications Research Institute (ETRI), Taejon, Korea

P05-7 AN INTELLIGENT RADIO RESOURCE MANAGEMENT SCHEME FOR MULTILAYERED CELLULAR SYSTEM WITH DIFFERENT BANDWIDTHS 1419
Fumihide Kojima, Seiichi Sampei, Norihiko Morinaga, Osaka University, Suita, Japan

P05-9 DYNAMIC CHANNEL ALLOCATION ALGORITHMS SUITABLE FOR ASYMMETRIC TRAFFIC IN MULTIMEDIA TDMA CELLULAR RADIO 1424
Lan Chen, Susumu Yoshida, Hidekazu Murata, Shouichi Hirose, Kyoto University, Kyoto, Japan

P05-10 A SIMULATION OF A MOBILE HIGHWAY TRAFFIC 1429
Bobi Cvetkovski, Alumina-SkopjeMitropolit Teodosije Galaganov 164, Skopje, Republic of Macedonia
Liljana Gavrilovska, Faculty of Electrical Engineering, Karpos II bb, Skopje, Republic of Macedonia

P05-11 RADIO RESOURCE ASSIGNMENT FOR MULTIMEDIA SERVICES IN MULTIPLE CHIP RATE DS/CDMA SYSTEMS 1434
Y.W.Kim, S.J.Lee, M.Y.Chung, Y.H.Kwon, Dan Keun Sung, Korea Advanced Institute of Science and Technology, Taejon, Korea

P05-12 FULLY DISTRIBUTED WIRELESS TRANSMISSION OF HETEROGENEOUS REAL TIME DATA 1439
Micheal Markowski, Adarshpal Sethi, University of Delaware, Newark, USA

P05-13 CAPACITY OF LIVE GSM NETWORKS 1443
A. Gamst, U. Gotzner, E-Plus Mobilfunk GmbH, Dusseldorf, Germany

P05-14 MECHANISMS TO ENSURE A RELIABLE PACKET COMBINING OPERATION IN DS-CDMA RADIO NETWORKS WITH RETRANSMISSION DIVERSITY 1448
A. Annamalai, Vijay K. Bhargava, University of Victoria, Victoria, Canada

P05-15 EVALUATION OF ADMISSION CONTROL ALGORITHMS FOR CDMA SYSTEMS IN A MANHATTAN ENVIRONMENT 1453
Jens Knutsson, Peter Butovitsch, Magnus Persson, Ericsson Radio Systems AB, Stockholm, Sweden

P05-16 HIGH CAPACITY CELL PLANNING BASED ON FRACTIONAL FREQUENCY REUSE WITH OPTIMUM TRUNKING EFFICIENCY 1458
Saleh Faruque, Nortel, Richardson, USA

Samsung Exhibit 1016, Page 22 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

P05-17 PERFORMANCE ANALYSIS OF A DS-CDMA PACKET CELLULAR NETWORK IN A MULTI-USER ENVIRONMENT 1461
Manish Mangal, James A. Roberts, The University of Kansas, Lawrence, USA
D.L.Machamer, Sprint Corporation, Overland Park, USA

P05-18 PERFORMANCE COMPARISON OF NEW CENTRALIZED PRMA AND TDMA SYSTEMS FOR WIRELESS ATM NETWORKS 1466
Truong H. Le, Babak Jafarian, A. H. Aghvami, KingÕs College London, Strand, England

Poster Session P06
Wireless Access Including Satellites

P06-1 AVAILABILITY OF 1ST GENERATION SATELLITE PERSONAL COMMUNICATION NETWORK SERVICE IN URBAN ENVIRONMENTS 1471
C. Meenan, M. Parks, R. Tafazolli, B. Evans, University of Surrey, Surrey, UK

P06-2 PERFORMANCE EVALUATION OF PRIORITIZATION TECHNIQUES USED IN MOBILE SATELLITE NETWORKS BASED ON AN ITERATIVE METHOD 1476
Victor Santos, Universidade de Aveiro, Aveiro, Portugal
Jose Neves, Universidade de Aveiro, Aveiro, Portugal
Manuel Dinis, Portugal Telecom, Aveiro, Portugal

P06-3 DESIGN AND PERFORMANCE ANALYSIS OF A NONCOHERENT CODE TRACKING LOOP FOR DS-CDMA SYSTEMS 1481
Kyoung-Joon Lee, Hyung-Rae Park, Mobile Telecommun Div. ETRI, Korea
Soo-Whan Chae, Hankuk Aviation Univ, Kyungki-do, Korea

P06-4 PHOTOGRAMMETRIC SATELLITE SERVICE PREDICTION IN A ROADSIDE TREE SHADOWING ENVIRONMENT 1485
Hsin-Piao Lin, Wolfhard J. Vogel, The University of Austin at Texas, Austin, USA

P06-5 CODING WITH DYNAMIC RATE CONTROL FOR LOW-DELAY IMAGE TRANSMISSION OVER CDMA FADING CHANNELS 1488
Sonia Aissa, McGill University, Montreal,
Eric Dubois, INRS-Telecommunications, Verdun, Canada

P06-6 MULTI-USER DETECTION FOR UP-LINK THROUGHPUT ENHANCEMENT IN MOBILE PACKET COMMUNICATION 1493
Hiroshi Suzuki, Takeshi Shinomiya, Tokyo Institute of Technology, Tokyo, Japan

P06-7 A NEUTRAL NETWORK APPROACH TO DISTRIBUTED ADAPTIVE ROUTING OF LEO INTERSATELLITE LINK TRAFFIC 1498
Markus Werner, DLR Oberpfaffenhofen, Wessling, Germany
Christian Mayer, Siemens AG, Toulouse, France

P06-8 PERFORMANCE OF COFDM FOR LEO SATELLITE CHANNELS IN GLOBAL MOBILE COMMUNICATIONS 1503
W.A.C Fernando, R.M.A.P Rajatheva, Asian Institute of Technology, Klong Luang, Thailand

P06-9 INSURED PROJECT (INTEGRATED SATELLITE UMTS REAL ENVIRONMENT DEMONSTRATOR) 1508
D. Dres, G. Pantos, D.Vouyioukas, Prof. P. Constantinou, National Technical University of Athens, Athens, Greece

P06-10 TRAFFIC SIMULATOR FOR LEO AND ICO TYPE MOBILE SATELLITE NETWORKS 1512
Jose Ferriera, Portugal Telecom, Aveiro, Portugal
Pedro Tavares, Manuel Dinis, Victor Santos, Universidade de Aveiro, Aveiro, Portugal

P06-11 CAPACITY COMPARISON FOR FH/FDMA, CDMA AND FDMA/CDMA SCHEMES 1517
Alfonso Rojas, Juan-Luis Gorricho, Josep Paradells, Politechnical University of Catalonia (UPC), Barcelona, Spain

P06-12 ANALYSIS OF AN ADAPTIVE RANDOM/RESERVATION MAC PROTOCOLS FOR ATM OVER SATELLITE 1523
Tolga Ors, Z. Sun, B.G. Evans, University of Surrey, Guildford, UK

P06-13 MULTIPLE ACCESS PROTOCOL FOR AN UNDERGROUND WIRELESS COMMUNICATION NETWORK 1528
Jackson Z.J. Yin, K.S. Chung, Curtin University of Technology, Perth, Australia

P06-14 A DISCRETE MULTI CARRIER MULTIPLE ACCESS TECHNIQUE FOR WIRELESS COMMUNICATIONS 1533
H. Alasti, A. Chini, Isfahan University of Technology, Isfahan, Iran
M.S. El-Tanany, S.A. Mahmoud, Carleton University, Ottawa, Canada

P06-15 DYNAMIC CHANNEL ASSIGNMENT FOR MULTI-RATE CELLULAR NETWORKS 1538
Tsz-Mei Ko, Chi-Wai Lam, Hong Kong University of Science and Technology, Clear Water Bay, Hong Kong

Samsung Exhibit 1016, Page 23 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

P06-16 CODE ACQUISITION OF A DS/CDMA SYSTEM WITH IMPERFECT POWER CONTROL FOR LEO MOBILE SATELLITE COMMUNICATIONS 1543
Jin Young Kim, Jae Hong Lee, Seoul National University, Kwanak-gu, Korea

P06-17 OPTIMIZED CDMA FORWARD LINK POWER ALLOCATION DURING SOFT HANDOFF 1548
Andrew Sendonaris, Rice University, Houston, USA
Venu Veeravalli, Cornell University, Ithaca, USA
Mohamed Landolsi, Abdel-Ghani Daraiseh, Nortel, Richardson, USA

P06-18 COMBINED PAT ALGORITHMS FOR MOBILE MULTIMEDIA SATELLITE SERVICES 1553
M. Holzbock, A. Jahn, German Aerospace Center, Oberpfaffenhofen, Germany

P06-19 A BROADBAND MOBILE COMMUNICATION SYSTEM WITH TIME REUSE STRATEGY
Gang Wu, Masugi Inoue, Fujo Watanabe, Kazamasa Taira, Yoshihiro Hase, Yokosuka Radio Communications Research Laboratory, Koganei, Japan

P06-20 IMPACT OF MODELLING ASSUMPTIONS IN EVENT-DRIVEN SOFTWARE SIMULATION TOOLS FOR THE PERFORMANCE EVALUATION OF CELLULAR MOBILE SYSTEMS 1558
A-G Acx, France Telecom/CNET/DMR, Moulineaux Cedex, France
A. Rolando, CSELT (Centro Stude E Laboratori Telecommunicazioni), Torino, Italy

Poster Session P07
Transmission Technologies I

P07-1 SEMI-BLIND MAXIMUM LIKELIHOOD ESTIMATION WITH GAUSSIAN PRIOR FOR THE SYMBOLS 1563
Elisabeth de Carvalho, Dirk T.M. Slock, EURECOM Institute, Sophia-Antipolis, France

P07-2 PACKET ERROR RATE FOR BURST-ERROR CORRECTING CODES IN RAYLEIGH FADING CHANNELS 1568
Jie Lai, Narayan Mandayam, Rutgers University, Piscataway, USA

P07-3 LOW POWER VLSI DS/FH HYBRID CDMA IF/BASEBAND TRANSCEIVER DESIGN 1573
Sangjin Hong, Wayne Stark, University of Michigan, Ann Arbor, USA

P07-4 CDMA FORWARD LINK CAPACITY FOR HIGH-SPEED DATA TRAFFIC IN WIRELESS LOCAL LOOPS 1578
Jiandong Zhuang, M.E. Rollins, Nortel, Ottawa, Canada

P07-5 A DECISION THEORETIC FRAMEWORK FOR NLOS IDENTIFICATION 1583
Joan Borras, Paul Hatrack, Narayan B. Mandayam, Rutagers University, Piscataway, USA

P07-6 BER AND FER PREDICTION OF CONTROL AND TRAFFIC CHANNELS FOR A GSM TYPE OF INTERFACE 1588
Jeroen Wigard, Thomas Toftegard Nielsen, Aalborg University, Aalborg, Denmark

P07-7 EXPLOITING MULTIPATH ACTIVITIY USING LOW COMPLEXITY EQUALIZATION TECHNIQUES FOR HIGH SPEED INDOOR LANS 1593
Ismail Kaya, A. Nix, R. Benjamin, University of Bristol, Bristol, England

P07-8 AN ADAPTIVE FUZZY LOGIC ENHANCER FOR REJECTION OF NARROWBAND INTERFERENCE IN DS-SPREAD SPECTRUM 1598
A. Perez-Neira, J.Roca, M. A. Lagunas, Universitat Politecnica de Barcelona, Barcelona, Spain

P07-9 OPTIMUM HANDOFF ALGORITHMS BASED ON ADAPTIVE, ABSOLUTE AND RELATIVE THRESHOLDS FOR CELLULAR MOBILE COMMUNICATION SYSTEMS 1603
Gamani N. Senarath, Robert Matyas, Nortel, Ottawa, Canada

P07-10 CAPACITY GROWTH FOR CDMA SYSTEM: MULTIPLE SECTORS AND MULTIPLE CARRIERS DEPLOYMENT 1608
Tony W. Wong, University of Texas at Arlington, Carrollton, USA

P07-11 FINITE LENGTH PRODUCT CODES IN OPTIMAL PARTIAL BAND JAMMING 1613
Troy C. Nolan, University of Michigan, Ann Arbor, USA

P07-12 EFFECT OF TRANSCEIVER GENERATED PHASE NOISE ON TRANSMISSION AND RECEPTION OF CDMA SIGNALS 1618
J. Nielsen, S. Lai, C. Bedard, Nortel, Calgary, Canada

P07-13 PERFORMANCE OF MULTI-CARRIER POWER AMPLIFIERS IN HIERARCHICAL CELL STRUCTURE 1622
James Shi, Klas Arvidsson, Ericsson Inc., Richardson, USA

P07-14 SUITABILITY OF RZ SIGNALING IN INDOOR UNGUIDED OPTICAL LINKS AT HIGH BIT RATES 1626
Antonio Garcia-Zambrana, Antonio Puerta-Notario, E.T.S.I. Telecomunication, Malaga, Spain

Samsung Exhibit 1016, Page 24 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

P07-15 EVALUTION OF CODING AND MODULATION SCHEMES FOR EFFICIENT OFDM TRANSMISSION BASED ON GOLAY COMPLEMENTARY SEQUENCES 1631
T. Hunziker, U.P. Bernhard, Swiss Federal Institute of Technology, Zurich, Switzerland

P07-16 CO-CHANNEL INTERFERENCE CANCELLER FOR INTERLEAVED CODED MODULATION IN THE PRESENCE OF INTERSYMBOL INTERFERENCE 1636
Hidekazu Murata, Yoshihiro Matsumura, Susumu Yoshida, Kyoto University, Kyoto, Japan

P07-17 CDMA SOFT HANDOFF MODELLING: A NETWORKING APPROACH 1641
Rolando Miranda, Cesar Vargas Rosales, Centro de Electronica y Telecomunicaciones, ITESM-Monterrey, Monterrey, N.L., Mexico

P07-18 A NOVEL "CHANNEL DIVERSITY" APPROACH 1646
I-Tai Lu, Joon-Sang Choi, Polytechnic University, Farmingdale, USA

P07-19 NEAR FAR ROBUST TIME DELAY ESTIMATION FOR ASYNCHRONOUS DS-CDMA SYSTEMS WITH BANDLIMITED PULSE SHAPES 1651
Thomas Ostman, Bjorn Ottersten, Royal Institute of Technology, Stockholm, Sweden

VOLUME III

Session 44: *Adaptive Antennas II*

Session Chair: Preben Mogensen, Aalborg University, Denmark

44-1 A NEW ADAPTIVE ARRAY ALGORITHM FOR INTERFERENCE SUPPRESSION IN WIRELESS COMMUNICATIONS 1655
Xiaodong Wang, H. Vincent Poor, Princeton University, Princeton, USA

44-2 A NEW BLIND ADAPTIVE ALGORITHM BASED ON LAGRANGE'S FORMULA FOR A REAL-TIME DESIGN OF A SMART ANTENNA 1660
Seungwon Choi, Hanyang University, Seoul, Korea

44-3 EFFICIENT EVALUATION OF ADAPTIVE DIGITAL BEAMFORMING FOR MULTI-SERVICE PROVISION IN A CELLULAR CDMA SYSTEM 1665
A. Mark Earnshaw, Steven Blostein, Queen's University, Kingston, Canada

44-4 MIGRATION OF ADAPTIVE ANTENNAS INTO EXISTING NETWORKS 1670
Fredric Kronestedt, Soren Andersson, Ericsson Radio Systems AB, Stockholm, Sweden

44-5 EXPERIMENTAL EVALUATION OF FADING REDUCTION AND DIVERSITY GAIN FOR SMART ANTENNA SYSTEMS 1675
Shiann-Shiun Jeng, Chung Yuan University, Chungli, China
Garret Okamoto, Guanghan Xu, The University of Texas at Austin, Austin, USA

Session 45: *Radio Resource Mangement*

Session Chair: Edgar Lycksell, Telia Research AB, Sweden

45-1 SECTOR BASED RESOURCE ALLOCATION FOR FIXED BROADBAND WIRELESS NETWORKS 1680
Arty Srivastava, Kin K. Leung, N. K. Shankaranarayanan, AT&T Laboratories - Research, Red Bank, USA

45-2 BORROWING CHANNEL ASSIGNMENT STRATEGY USING COMPUTATIONAL INTELLIGENCE METHODS 1685
Harilaos G. Sandalidis, Peter P. Stavroulakis, Telecommunication Systems Institute of Crete , Chania, Greece
J. Rodriguez-Tellez, University of Bradford, Bradford, UK

45-3 A HEURISTIC ALGORITHM FOR CHANNEL ASSIGNMENT IN CELLULAR MOBILE SYSTEMS 1690
A Thavarajah, W. H. Lam, The University of Hong Kong, Hong Kong

45-4 DYNAMIC RESOURCE ALLOCATION IN LOCALLY CENTRALIZED CELLULAR SYSTEMS 1695
C. Mihailescu, X. Lagrange, PH. Godlewski, Ecole Nationale Superieure des Telecommunications (Telecom Paris), Paris Cedex,
A.G.Acx, France Telecom CNET/DMR, Issy les Moulineaux Cedex, France

45-5 DYNAMIC ENHANCED RADIO RESOURCE ALLOCATION FOR WIRELESS NETWORKS 1700
Will Egner, Nortel, Richardson, USA
Vasant Prabhu, University of Texas at Arlington, Arlington, USA

Samsung Exhibit 1016, Page 25 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

Session 46: *Multiuser Detection and Interference Rejection I*

Session Chair: Ryuji Kohno, Yokohama National University, Japan

46-1 ADAPTIVE MULTISTAGE RECEIVER FOR MULTIPATH SUPPRESSION DS-CDMA 1705
Young-Hoon Kim, Sanyogita Shamsunder, Colorado State University, Fort Collins, USA

46-2 PERFORMANCE OF TRUNCATED CO-CHANNEL INTERFERENCE CANCELLING MLSE RECEIVER FOR CELLULAR TDMA SYSTEMS 1710
Jinsoup Joung, Gordon Stuber, Georgia Institute of Technology, Atlanta, USA

46-3 ADJACENT CHANNEL INTERFERENCE REJECTION FOR LAND MOBILE RADIO SYSTEMS 1715
Jiann-Ching Guey, Ali Khayrallah, Gregory E. Bottomley, Ericsson Inc., Research Triangle Park, USA

46-4 SUCCESSIVE CANCELLATION OF ADJACENT CHANNEL SIGNALS IN FDMA/TDMA DIGITAL MOBILE RADIO SYSTEMS 1720
Huseyin Arslan, Someshwar C. Gupta, Southern Methodist University, Dallas,
G. E. Bottomley, Sandeep Chennakeshu, Ericsson Inc., Research Triangle Park, USA

46-5 PERFORMANCE OF FREQUENCY DOMAIN MULTIUSER DETECTOR FOR SYNCHRONOUS CDMA COMMUNICATION OVER A RICIAN FADING CHANNEL 1725
Wan Choi, Youngkwon Cho, Jae Hong Lee, Seoul National University, Seoul, Korea

Session 47: *CDMA Synchronization and Channel Estimation II*

Session Chair: Fran O'Brien, Lucent Technologies, USA

47-1 DETECTION AND DELAY ESTIMATION OF A NEW USER ENTERING IN A CDMA SYSTEM 1730
Carlos Rodriguez, Universidad Publica de Navarra, Navarra, Spain
Angel M. Bravo, Universidad de Valladolid, Valladolid, Spain
Vijay K. Bhargava, University of Victoria, Victoria, Canada

47-2 COMPARISON OF THRESHOLD SETTING RULES FOR THE MEAN ACQUISITION TIMES OF DS SPREAD SPECTRUM RECEIVER IN CERTAIN TYPE OF FADING 1735
Jari Iinatti, University of Oulu, Oulu, Finland

47-3 RECONFIGURABLE ADAPTIVE RAKE RECEIVER FOR WIDEBAND CDMA SYSTEMS 1740
Matti Latva-aho, Ian Oppermann, Markku Juntti, University of Oulu, Oulu, Finland

47-4 DECISION FEEDBACK FREQUENCY ESTIMATOR FOR THE COHERENT DS-CDMA SYSTEM 1745
Jan-Ryong Shim, Youngnam Han, Electronics and Telecommunications Research Institute, Taejon, Korea

Session 48: *Internet Wireless Access*

Session Chair: Leo Strawczynski, Nortel, Canada

48-1 POWER CONTROL FOR DYNAMIC PACKET ASSIGNMENT IN ADVANCED CELLULAR INTERNET SERVICE 1750
Justin C. Chuang, Nelson R. Sollenberger, Len Cimini, AT&T Labs - Research, Red Bank, USA

48-2 TCP/IP OVER WIRELESS LINK: PERFORMANCE EVALUATION 1755
Ana Calveras Auge, Josep Paradells Aspas, Universidad Politecnica de Cataluna, Barcelona, Spain

48-3 A PERFORMANCE EVALUATION OF INTERNET ACCESS VIA THE GENERAL PACKET RADIO SERVICE OF GSM 1760
Simon Hoff, Michael Meyer, Andreas Schieder, Ericsson Eurolab Deutschland, Herzogenrath, Germany

48-4 COMPARISON OF TWO DYNAMIC CHANNEL ASSIGNMENT SCHEMES UNDER PACKET DATA TRAFFIC 1765
Matthew Cheng, Li Fung Chang, Bellcore, Red Bank, USA

48-5 EXPLOITING OVERLAPPING COVERAGE AREA IN A PICO-CELLULAR NETWORK FOR WEB SUPPORT 1770
A.M. Chen, R.R. Rao, University of California, San Diego, USA

Samsung Exhibit 1016, Page 26 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

Session 49: *Transport Information and Control Systems*

Session Chair: Eric Schimmel, TIA, USA

49-1 VEHICLE-TO-VEHICLE COMMUNICATION AND LOCATION SYSTEM USING SPREAD SPECTRUM TECHNIQUE 1775
Sachie Masuda, Kiyoshi Mizui, Kanto Gakuin University, Yokohama, Japan

49-2 AUTOMATIC DEPENDENT SURVEILLANCE (ADS) MODE-S CHANNEL PERFORMANCE FOR AIRCRAFT SURVEILLANCE USING GPS POSITIONING 1780
Michael S., K. Sushko, Kensington & Icknield, Ltd., Minneapolis, USA

49-3 THE INFLUENCE OF VEHICLE DISTRIBUTION MODELS ON PACKET SUCCESS PROBABILITY ON A THREE LANE MOTORWAY 1785
Han Reijmers, Ramjee Prasad, Delft University of Technology, Delft, The Netherlands

49-4 FEATURE BASED RECOGNITION OF TRAFFIC VIDEO STREAMS FOR ONLINE ROUTE TRACING 1790
Christoph Busch, Ralf Dorner, Christian Freytag, Heike Kuhner, Visual Computing Group, Darmstadt, Germany

Session 50: *Millimeter Wave Propagation*

Session Chair: Luis Correia, Technical University of Lisbon, Portugal

50-1 ASSESSMENT OF DIVERSITY PERFORMANCE FROM MEASURED DATA AT THE MILLIMETER WAVEBAND 1795
Filippo Gaggioli, Universita degli Stude de Pisa, Pisa, Italy
Luis M. Correia, IST - Technical University of Lisbon, Lisbon, Portugal

50-2 AN INVESTIGATION OF MILLIMETER WAVE PROPAGATION MECHANISMS FOR MOBILE INTERVEHICLE COMMUNICATIONS AND OUTDOOR MBS 1800
D. Didascalou, F. Kuechen, W. Wiesbeck, University of Karlsruhe, Karlsruhe, Germany

50-3 A THREE DIMENSIONAL WIDEBAND PROPAGATION MODEL FOR THE STUDY OF BASE STATION ANTENNA ARRAYS WITH APPLICATION TO LMDS 1805
Sebastien Roy, D.D. Falconer, Carleton University, Ottawa, Canada

50-4 PERFORMANCE EVALUTION OF A DS-SPREAD SPECTRUM SYSTEM OVER A 60 GHZ MULTIPATH CHANNEL 1810
Carlo Caini, University of Bologna, Bologna, Italy
Maria Luisa Merani, University of Modena, Modena, Italy
Alessandro Vanelli Coralli, University of Bologna, Bologna, Italy

Session 51: *System Capacity Analysis and Optimization II*

Session Chair: Peter Jung, University of Kaiserslautern, Germany

51-1 PERFORMANCE OF ATDMA PROTOCOL IN A MICROCELLULAR ENVIRONMENT 1815
Yifan Li, Jamil Y. Khan, Massey University, Palmerston North, New Zealand

51-2 ON ANALYSIS AND CAPACITY ESTIMATION OF TDMA/FDMA SYSTEMS WITH INTERFERENCE ADAPTATION DYNAMIC CHANNEL ALLOCATION 1820
Ziqiang Xu, Ali Akansu, New Jersey Institute of Technology, Newark Heights, USA

51-3 UPLINK SPECTRAL CAPACITY OF AN MC/JD-CDMA MOBILE RADIO SYSTEM 1825
Friedbert Manfred Berens, University of Kaiserslautern, Research Group for RF Communications, Kaiserslautern, Germany
Peter Jung, Center for Mickroelectronics (ZMK), Kaiserslautern, Germany

51-3 PLANNING PROBLEMS FOR THE INTELLIGENT NETWORK SEGMENT OF FUTURE MOBILE NETWORKS 1830
P.P.Demestichas, V.P.Demesticha, E.C.Tzifa, M.E.Theologou, National Technical University of Athens, Athens, Greece

Samsung Exhibit 1016, Page 27 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

Session 52: *Multiuser Detection and Interference Rejection II*

Session Chair: Seung-Chan Bang, ETRI, Korea

52-1 MULTIUSER DETECTION USING BLOCKWISE SUCCESSIVE INTERFERENCE CANCELLATION IN DS-CDMA SYSTEMS 1835
Dae-Joong Kim, Sung-Jin Kang, Chang-Eon Kang, Yonsei University, Seoul, Korea

52-2 SOFT MULTIUSER DETECTION FOR DOWNLINK CDMA COMMUNICATIONS IN MULTIPATH FADING CHANNELS 1839
Risto Wichman, Ari Hottinen, Nokia Research Center, Helsinki, Finland

52-3 IMPACT OF ESTIMATION ERRORS ON MULTIUSER DETECTION IN CDMA 1844
S. Sun, L. K. Rasmussen, T.J.Lim, Centre for Wireless Communications, Singapore
H. Sugimoto, Oki Techno Centre, Singapore

52-4 IMPLEMENTATION OF LINEAR MULTIUSER DETECTORS FOR ASYNCHRONOUS CDMA SYSTEMS BY LINEAR INTERFERENCE CANCELLATION ALGORITHMS 1849
Harald Elders-Boll, Axel Busboom, Hans Dieter Schotten, Aachen University of Technology (RWTH), Aachen, Germany

52-5 PERFORMANCE COMPARISON OF MULTI-STAGE SIC AND LIMITED TREE-SEARCH DETECTION IN CDMA 1854
S. Sun, T.J.Lim, L.K. Rasmussen, Centre for Wireless Communications, Singapore
T. Oyama, H. Sugimoto, Y. Matsumoto, Oki Techno Centre, Singapore Science Park II, Singapore

Session 53: *CDMA System Performance I*

Session Chair: P. Frew, Motorola, Canada

53-1 CAPACITY ENHANCEMENT BY USING OPTIMUM STEP SIZES OF CONTROLLING TARGET SIR IN A CDMA SYSTEM 1859
Seok Ho Won, Electronics and Telecommunication Research Institute, Taejon, Korea
Whan Woo Kim, Chungnam National University, Taejon, Korea
In Myoung Jeong, Young In Oh, Electronics and Telecommunication Research, Taejon, Korea

53-2 INTERFERENCE IN CELLULAR JOINT DETECTION CODE DIVISION MULTIPLE ACCESS (JD-CDMA) MOBILE RADIO SYSTEMS 1864
Jorg Plechinger, Tideya Kella, Friedbert Manfred Berens, Peter Jung, University of Kaiserslautern, Kaiserslautern, Germany

53-3 PERFORMANCE OF CELLULAR CDMA SYSTEMS WITH SPACE DIVERSITY, FADING, AND IMPERFECT POWER CONTROL 1868
Weichen Ye, Alexander M. Haimovich, New Jersey Institute of Technology, Newark, USA

53-4 ON THE CAPACITY OF CELLULAR CDMA WITH CONTROLLED POWER DISPARITIES 1873
Dilip Warrier, Upamanyu Madhow, University of Illinois, Urbana, USA

53-5 PACKET DATA CAPACITY IN A WIDEBAND CDMA SYSTEM 1878
B.Christer V. Johansson, Ericsson Radio Systems AB, Stockholm, Sweden

Session 54: *Wireless Access to Multimedia Services I*

Session Chair: R H Hafez, Carleton University, Canada

54-1 QUALITY OF SERVICE DEGRADATION STRATEGIES IN MULTIMEDIA WIRELESS NETWORKS 1884
Sajal K. Das, University of North Texas, Denton, USA
Sanjoy K. Sen, Jastinder Jawanda, Kalyan Basu, Nortel, Richardson, USA

54-2 TERRESTRIAL NETWORK PLANNING FOR DIGITAL VIDEO BROADCASTING TO MOBILE RECEIVERS 1889
Frederik Kuechen, D. Didascalou, W. Wiesbeck, University of Karlsruhe, Karlsruhe, Germany

54-3 AGGREGATE FINITE-SOURCE MODELLING FOR MULTIMEDIA COMMUNICATION SYSTEMS 1894
Pouya Taaghol, Rahim Tafazolli, University of Surrey, Guildford, UK

Samsung Exhibit 1016, Page 28 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

54-4 CYCLIC EXTENDED SPREAD CODED MULTICARRIER CDMA/TDD TRANSMISSION SCHEME FOR WIRELESS BROADBAND MULTIMEDIA COMMUNICATIONS 1899
Hiroshi Harada, Ministry of Posts and Telecommunications, Tokyo, Japan
Ramjee Prasad, Delft University of Technology, Delft, The Netherlands

54-5 RATE CONTROL FOR ABR SERVICE IN WIRELESS ATM NETWORKS 1905
Malathi Francis, Weihua Zhuang, University of Waterloo, Waterloo, Canada

Session 55: *Coding III*

Session Chair: Norman Secord, Nortel, Canada

55-1 CONCATENATED CODED SPREADING WITH COHERENT DEMODULATION FOR DS-CDMA 1910
Thomas Frey, Universitaet Ulm, Ulm, Germany
Peter Schramm, Ericsson Eurolab Deutschland GmbH, R&D Radio Communication, Nuernberg, Germany

55-2 COMBINED MULTIUSER RECEPTION AND CHANNEL DECODING FOR TDMA CELLULAR SYSTEMS 1915
Matthew C. Valenti, Brian D. Woerner, Virginia Tech, Blacksburg, USA

55-3 COMBINED TURBO-CODE AND MODULATION FOR CDMA WIRELESS COMMUNICATIONS 1920
Atousa H.S. Mohammadi, Weihua Zhuang, University of Waterloo, Waterloo, Canada

55-4 ADAPTIVE CODING FOR FADING CHANNELS USING OUTDATED CHANNEL ESTIMATES 1925
Dennis L. Goeckel, University of Massachusetts, Amherst, USA

55-5 IMPROVED PERFORMANCE OF REED-SOLOMON DECODING WITH THE USE OF PILOT SIGNALS FOR ERASURE GENERATION 1930
Lisa Welburn, Jim Cavers, Simon Fraser University, Burnaby, Canada

Session 56: *Intelligent Highway Systems*

Session Chair: Hiroyuki Morikawa, University of Tokyo, Japan

56-1 SPREAD SPECTRUM JOINT COMMUNICATION AND RANGING SYSTEM BETWEEN A ROADSIDE AND A VEHICLE 1935
Masahiro Takeda, Ryuji Kohno, Yokohama National University, Yokohama, Japan

56-2 CALL ADMISSION CONTROL FOR MOBILE CELLULAR NETWORK BASED ON MACROSCOPIC MODELING OF VEHICULAR TRAFFIC 1940
Taekyoung Kwon, Yanghee Choi, Seoul National University, Seoul, Korea

56-3 POSITION LOCATION USING MULTIPLE SATELLITE BEAMS 1945
Karl Molnar, Havish Koorapaty, Ericsson Inc., Research Triangle Park, USA

56-4 INTEGRATING EMERGING TELECOMMUNICATION TECHNOLOGIES TO SUPPORT RAPID TRANSIT COMMUNICATIONS NEEDS 1950
W. Stanley Edwards, Parsons Brinckerhoff Tudor - Turner Associates, Lilburn, USA

56-5 ERRORS IN AUTOMATIC LOCATION IDENTIFICATION USING TIMING ADVANCE 1955
George P. Yost, Shankari Panchapakesan, Ericsson Inc., Richardson, USA

Session 57: *Antenna and Receiver Design*

Session Chair: Patrick Eggers, Aalborg University, Denmark

57-1 PENETRATION EFFECTS ON XPD WITH DCS1800 HANDSET ANTENNAS, RELEVANT FOR BS POLARISATION DIVERSITY FOR INDOOR COVERAGE 1959
Patrick C.F. Eggers, Istvan Kovacs, Kim Olesen, Aalborg University, Aalborg, Denmark

57-2 A ROBUST DETECTOR FOR TIME-VARYING, FREQUENCY-FLAT, RAYLEIGH FADING CHANNELS 1964
Deva K. Borah, Brian D. Hart, The Australian National University, Canberra, Australia

57-3 PERFORMANCE EVALUATION OF DIPOLE AND MICROSTRIP ANTENNA FOR A GSM MICROCELL BASE STATION 1969
J. de Kraker, M Hajian, L.P Lighthart, R. Prasad, R. van Muijen, Delft University of Technology, Delft, The Netherlands

Samsung Exhibit 1016, Page 29 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

57-4 COMPARISONS OF MEAN EFFECTIVE GAINS OF DIFFERENT DCS1800 HANDSET ANTENNAS IN URBAN AND SUBURBAN ENVIRONMENTS 1974
Istvan Z. Kovacs, Patrick C.F. Eggers, Aalborg University, Aalborg, Denmark

57-5 RECEIVER STRUCTURES AND PERFORMANCE FOR UNRESOLVED RICEAN/RAYLEIGH MULTIPATH FADING CHANNELS 1979
Florence Danilo, Harry Leib, McGill University, Montreal, Canada

Session 58: *Traffic and Spectrum Management*

Session Chair: H. Mennenga, BAPT, Germany

58-1 ANALYSIS OF TRAFFIC DISTRIBUTION IN CELLULAR NETWORKS 1984
G. W. Tunnicliffe, A. R. Murch, A. Sathyendran, BellSouth New Zealand, Auckland, New Zealand

58-2 INTEGRATION OF MIXED TRAFFIC BY USING R-ISMA/CR 1989
Fujio Watanabe, University of Electro-Communications, Koganei, Japan
Gang Wu, MPT, Koganei, Japan

58-3 SPATIAL TRAFFIC DISTRIBUTION IN CELLULAR NETWORKS 1994
A. Gamst, U. Gotzner, E-Plus Mobilfunk GmbH, Dusseldorf, Germany
R. Rathgeber, VIAG Interkom GmbH, Munich, Germany

58-4 IMPROVED ASSESSMENT OF THE SPECTRUM EFFICIENCY OF SDMA SYSTEMS 1999
W.S. Au, C.T.Lea, R.D. Murch, The Hong Kong University of Science & Technology, Kowloon, Hong Kong

58-5 MULTIPLE REUSE PATTERNS FOR FREQUENCY PLANNING IN GSM NETWORKS 2004
Per Walstrom, Ericsson Radio Systems AB, Stockholm, Sweden

Session 59: *Multiuser Detection and Interference Rejection III*

Session Chair: Z. Bar-Ness, NJIT, USA

59-1 A THREE-SHOT IMPROVEMENT SCHEME FOR HARD-DECISION BASED LINEAR DECORRELATING DETECTOR IN DS/CDMA 2009
Fu-chun Zheng, Victoria University of Technology, Melbourne, Australia

59-2 EQUALIZATION AND CCI CANCELLATION FOR WIRELESS COMMUNICATIONS USING BLIND TRELLIS SEARCH TECHNIQUES 2013
Ben C. W. Lo, K. Ben Letaief, The Hong Kong University of Science and Technology, Clear Water Bay, Hong Kong

59-3 BLIND ADAPTIVE MULTIUSER INTERFERENCE SUPPRESSION IN CDMA SYSTEMS 2018
Insoo Sohn, Someshwar C. Gupta, Southern Methodist University, Dallas, USA

59-5 SMOOTHED CALCULATION OF INTERFERENCE FROM AN ARRAY OF CELLS 2022
George P. Yost, Shankari Panchapakesan, Ericsson Inc., Richardson, USA

Session 60: *CDMA Performance II*

Session Chair: Chang-Eon Kang, Yonsei University, Korea

60-1 PERFORMANCE OF NONLINEARLY AMPLIFIED MULTICARRIER SPREAD SPECTRUM SYSTEMS IN THE PRESENCE OF MULTIPATH FADING 2027
Je-Hong Jong, Wayne E. Stark, The University of Michigan, Ann Arbor, USA

60-2 CAPACITY IMPROVEMENT OF MC-CDMA CELLULAR SYSTEMS WITH ANTENNA ARRAYS IN FADING CHANNEL 2032
Chan Kyu Kim, Electronics and Telecommunications Research Institute, Taejon, Korea
Yong Soo Cho, Chung-Ang University, Seoul, Korea

60-3 BER PERFORMANCE OF THE RAKE RECEIVER IN REALISTIC MOBILE RADIO CHANNELS 2037
S.A. Abbas, Nortel, Ottawa, Canada
Asrar U. Sheikh, Polytechnic University, Kowloon, Hong Kong

Samsung Exhibit 1016, Page 30 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

60-4 PERFORMANCE COMPARISON OF DIRECT SPREAD AND MULTICARRIER CDMA SYSTEMS 2042
A. Jalali, A. Gutierrez, Nortel, Richardson, USA

Session 61: *Wireless Access to Multimedia Services II*

Session Chair: Richard Nowak, Nortel, Canada

61-1 INTELLIGENT CONTROL OF MOBILE MULTIMEDIA SYSTEMS 2047
Dr. Brian G. Marchent, Fujitsu Europe Telecom R&D Centre, Middlesex, UK

61-2 SUPPORTING MOBILITY IN BROADBAND WIRELESS NETWORKS 2052
Antonio Iera, D.I.M.E.T. - University of Reggio Calabria, Reggio Calabria, Italy
Salvatore Marano, Antonella Molinaro, D.E.I.S. - University of Calabria, Cosenza, Italy

61-3 MILLIMETER-WAVE BROADBAND WIRELESS ACCESS SYSTEM WITH TRACKING TECHNOLOGY OF MOVING TARGETS 2057
Yoji Okada, Sumitomo Electric Industries Ltd, Osaka, Japan
Hiroyuki Tsuji, M.P.T., Koganei, Japan
Hajime Kagiwada, Akira Sano, Keio University, Yokohama, Japan

61-5 WIRELESS CHANNEL ACCESS FOR MULTIMEDIA PERSONAL COMMUNICATION SYSTEMS 2062
Mounir Hamdi, Lixin Wang, Felix L. K. Lung, Hong Kong University of Science and Technology, Clear Water Bay, Hong Kong

Session 62: *OFDM Techniques II*

Session Chair: L.J. Cimini, Jr., AT&T Research, USA

62-1 OFDM SCHEMES WITH NON-OVERLAPPING TIME WAVEFORMS 2067
Slimane Ben Slimane, Royal Institute of Technology, Stockholm, Sweden

62-2 REDUCING THE PEAK-TO-AVERAGE POWER RATIO OF OFDM 2072
Richard van Nee, Arnout de Wild, Lucent Technologies Bell Labs, Nieuwegein, The Netherlands

62-3 PILOT ASSISTED SYNCHRONIZATION FOR WIRELESS OFDM SYSTEMS OVER FAST TIME VARYING FADING CHANNELS 2077
Samir Kapoor, D. J. Marchok, Tellabs Research Center, Mishawaka,
Y. F. Huang, University of Notre Dame, Notre Dame, USA

62-4 EFFICIENT MAXIMUM LIKELIHOOD DECODING OF PEAK POWER LIMITING CODES FOR OFDM 2081
Alex J. Grant, Swiss Federal Institute of Technology (ETH), Zurich, Switzerland
Richard van Nee, Lucent Technologies Bell Labs, Nieuwgein, The Netherlands

Session 63: *Vehicle Control and Collision Avoidance*

Session Chair: Hugh Reekie, Maxwell Communications, Canada

63-1 VEHICULAR STEPPED-FM RADAR FOR COLLISION AVOIDANCE 2085
Akihiro Kajiwara, Ibaraki University, Hitachi, Japan

63-2 AN ELECTRICALLY ASSISTED, HYBRID VEHICLE 2089.1
Scott Aylor, Michael Parten, Tim Maxwell, Jesse Jones, Texas Tech University, Lubbock, USA

63-3 INTERMEDIATE BLOCK SIGNALLING (IBS) - A COST EFFECTIVE METHOD TO INCREASE THROUGHPUT OF RAILWAYS 2090
Raja Goundan, Ashok Jhun Jhunwala, Indian Railways, Secunderabad, India

63-4 ARCHITECTURE OF THE DEDICATED SHORT-RANGE COMMUNICATIONS (DSRC) PROTOCOL 2095
Christian Cseh, University of Technology Aachen (RWTH), Aachen, Germany

Samsung Exhibit 1016, Page 31 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

Session 64: *Indoor Propagation*

Session Chair: Javier Fonollosa, Universitat Politecnica de Catalunya, Spain

64-1 **MEASUREMENT OF ROTATION EFFECTS IN AN INDOOR INFRARED CHANNEL** 2100
M. R. Pakravan, University of Ottawa, Ottawa, Canada
H. Hashemi, Sharif University of Technology, Tehran, Iran
M. Kavehrad, The Pennsylvania State University, University Park, USA

64-2 **MEASURED AND PREDICTED CORRELATION BETWEEN LOCAL AVERAGE POWER AND SMALL SCALE FADING IN INDOOR WIRELESS COMMUNICATION CHANNELS** 2104
Reinaldo A. Valenzuela, Dmitry Chizhik, Jonathan Ling, Bell Laboratories, Lucent Technologies, Holmdel, USA

64-3 **ESTIMATION OF PROPAGATION PATH VISIBILITY FOR INDOOR WIRELESS LAN SYSTEMS UNDER SHADOWING CONDITIONS BY HUMAN BODIES** 2109
Katsuyoshi Sato, Takeshi Manabe, Communications Research Laboratory, Tokyo, Japan

64-4 **INVESTIGATION OF SHORT TERM STATISTICAL DISTRIBUTIONS FOR PATH AMPLITUDES AND PHASES IN INDOOR ENVIRONMENT** 2114
Ralf Kattenbach, Torsten Englert, University of Kassel, Kassel, Germany

Session 65: *Radio System Design*

Session Chair: Hang Gu Bahk, ETRI, Korea

65-1 **A COMPARISON OF MACRODIVERSITY AND GROSS RATE LINK ADAPTATION IN AN ADAPTIVE TDMA SYSTEM** 2119
J. Irvine, J. Dunlop, University of Strathclyde, Glasgow, Scotland

65-2 **STABILITY ANALYSIS OF THE CONTENTION MECHANISM OF THE PRMA++ PROTOCOL** 2124
Antonio Arregui, John Dunlop, University of Strathclyde, Glasgow, Scotland

65-3 **HYSTERESIS EFFECT ON DROPPED CALL PROBABILITY** 2129
Raul Enrique Diaz, David Munoz Rodriguez, ITESM, Monterrey, Mexico
Carlos Molina, Nortel, Richardson, USA

65-4 **FINDING BETTER CALL ADMISSION POLICIES IN WIRELESS NETWORKS** 2135
Chi-jui Ho, Georgia Institute of Technology, Atlanta, USA
Chin-Tau Lea, The Hong Kong Univ. of Science and Technology, Hong Kong, China

65-5 **MULTIBEAM CELLULAR COMMUNICATION SYSTEMS WITH DYNAMIC CHANNEL ASSIGNMENT** 2140
Jung-Lin Pan, Petar M. Djuric, Stephen S. Rappaport, State University of New York at Stony Brook, Stony Brook, USA

Session 66: *Transmission Technology and Equipment*

Session Chair: Jim Cavers, Simon Fraser University, Canada

66-1 **COMPENSATION OF NONLINEAR DISTORTION USING A PREDISTORTER BASED ON THE FIXED POINT APPROACH IN OFDM SYSTEMS** 2145
Man-Che Kim, Yoan Shin, Sungbin Im, Soongsil University, Seoul, Korea

66-2 **A BROADBAND LINEAR POWER AMPLIFIER FOR SOFTWARE RADIO APPLICATIONS** 2150
Kevin Morris, University of Bristol, Bristol, UK
Peter Kenington, Wireless Systems International Ltd, Bristol, UK

66-3 **IMPACT OF WIDEBAND ADC'S ON THE PERFORMANCE OF MULTI-CARRIER RADIO RECEIVERS** 2155
Kambiz C. Zangi, Ericsson Inc., Raleigh, USA

66-4 **NONLINEAR AMPLIFICATION OF CDMA WAVEFORMS: AN ANALYSIS OF SPECTRAL REGROWTH AND CODE DOMAIN INTERMODULATION** 2160
R. Neil Braithwaite, Nortel, Calgary, Canada

66-5 **FAST ADAPTIVE FEED-FORWARD LINEARIZER FOR A WIDE-BAND POWER AMPLIFIER** 2167
Jiunn-Tsair Chen, Stanford University, Stanford, USA
Huan-Shang Tsai, Young-Kai Chen, Bell Laboratories, Lucent Technologies, Murray Hill, USA

Samsung Exhibit 1016, Page 32 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

66-6 NON-COHERENT REAL-TIME DSP IMPLEMENTATION OF A PARALLEL PARTIAL INTERFERENCE CANCELLATION MULTIUSER RECEIVER FOR DS-CDMA 2172
Neiyer S. Correal, Brian D. Woerner, Virginia Polytechnic Institute and State University, Blacksburg, USA

Session 67: *CDMA Systems*

Session Chair: Shumin Cao, MPT, China

67-1 IMPACT OF HANDOFF BOUNDARIES ON CDMA NETWORK PERFORMANCE 2177
A. Jalali, Nortel, Richardson, USA

67-2 A NEW TIME-BASED OUTAGE CRITERION FOR THE FORWARD AND REVERSE LINKS OF DS-CDMA CELLULAR SYSTEMS 2182
Gerald P. Labedz, Robert T. Love, Motorola Cellular Infrastructure Group, Arlington Heights, USA

67-3 RATE DETERMINATION ALGORITHM IN IS-95 FORWARD TRAFFIC CHANNEL 2187
Roger Shu-Kwan Cheng, Sheung Chi Ng, The Hong Kong University of Science and Technology, Clear Water Bay, Hong Kong

67-4 EFFICIENT PACKETIZED CDMA SYSTEM FOR A HIGH MOBILITY URBAN ENVIRONMENT 2192
Ian Oppermann, Matti Latva-aho, University of Oulu, Oulu, Finland

67-5 ANALYSIS OF WIRELESS MULTIMEDIA DS/CDMA SYSTEM WITH HYBRID ARQ, DIVERSITY AND POWER CONTROL 2197
Y. F. Melanie Wong, K. Ben Letaief, The Hong Kong University of Science & Technology, Hong Kong, China

Session 68: *Frequency Hopping Techniques*

Session Chair: Abbas Yongacoglu, Ottawa University, Canada

68-1 SPECTRAL EFFICIENT MODULATION SCHEMES IN A SFH-TDMA ORTHOGONAL FREQUENCY DIVISION MULTIPLE ACCESS (OFDM) WIRELESS COMMUNICATION SYSTEM TO SUPPORT ADVANCED SERVICES 2202
Ralf Bohnke, Telecommunication Research & Development Europe, Tokyo, Japan
Kazuyuki Sakoda, Wireless Technology Lab. Median Processing Labs, Tokyo, Japan

68-2 A THEORETICAL STUDY OF THE PERFORMANCE IMPROVEMENT IN GSM NETWORKS DUE TO SLOW FREQUENCY HOPPING 2207
A. Sathyendran, BellSouth New Zealand, Auckland, New Zealand
P J Smith, Victoria University of Wellington, Wellington, New Zealand

68-3 ADAPTIVE FREQUENCY HOPPING FOR TDMA/CDMA WITH JOINT DETECTION 2212
Americo M. C. Correia, Antonio C.B. Rodrigues, Technical University of Lisbon, Lisboa, Portugal

68-4 PERFORMANCE ANALYSIS OF AN FH/SSMA NETWORK WITH ADAPTIVE ANTENNA ARRAY AND PACKET COMBINING 2217
Jin Young Kim, Jae Hong Lee, Seoul National University, Seoul, Korea

Session 69: *OFDM Techniques III*

Session Chair: Mitsuhiro Suzuki, Sony Corporation, Japan

69-1 A SYNCHRONOUS COHERENT OFDM AIR INTERFACE CONCEPT FOR HIGH DATA RATE CELLULAR SYSTEMS 2222
Kevin L. Baum, Motorola Inc., Schaumburg, USA

69-2 INVESTIGATION OF SINGLE FREQUENCY NETWORKS FOR DIGITAL MOBILE RADIO SYSTEMS BASED ON COFDM 2227
Ulrich Liebenow, Gerd Zimmermann, Technologiezentrum Darmstadt, Darmstadt, Germany

69-3 SPACE-TIME CODED OFDM FOR HIGH DATE-RATE WIRELESS COMMUNICATIONS OVER WIDEBAND CHANNELS 2232
Dakshi Agrawal, Vahid Tarokh, Ayman Naguib, Nambi Seshadri, AT&T Labs Research, Florham Park, USA

69-4 MULTICARRIER MODULATION FOR ADVANCED MESSAGING SYSTEMS 2237
Peter Okrah, Gary Stuck, Michael Newhouse, Motorola, Tempe, USA

Samsung Exhibit 1016, Page 33 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

69-5 IMPACT OF ADJACENT CHANNEL INTERFERENCE ON THE PERFORMANCE OF OFDM SYSTEMS OVER FREQUENCY SELECTIVE FADING CHANNELS 2241
M. El-Tanany, Yiyan Wu, Laszlo Hazy, Carleton University, Ottawa, Canada

Session 70: *Equalization Techniques II*

Session Chair: Fuyun Ling, Qualcomm, USA

70-1 NEAR-OPTIMUM ITERATIVE ESTIMATION OF DISPERSIVE MULTIPATH CHANNELS 2246
Carlos A. Montemayor, Paul G. Flikkema, University of South Florida, Tampa, USA

70-2 A NOVEL FRACTIONALLY-SPACED MLSE RECEIVER AND CHANNEL TRACKING WITH SIDE INFORMATION 2251
Karl J. Molnar, Gregory E. Bottomley, R. Ramesh, Ericsson Inc., Research Triangle Park, USA

70-3 JOINT CODING AND DECISION FEEDBACK EQUALIZATION FOR BROADBAND WIRELESS CHANNELS 2256
Sirikat Ariyavisitakul, Geoffrey Ye Li, AT&T Laboratories, Red Bank, USA

70-4 ITERATIVE EQUALIZATION AND DECODING FOR THE GSM-SYSTEM 2262
Gerhard Bauch, Technical University of Munich, Munich, Germany
Volker Franz, Siemens AG, Munich, Germany

Poster Session P08
Transmission Technologies II

P08-1 PERFORMANCE OF MULTICARRIER (PI/4 QDPSK RADIO LOCAL TRANSMISSION WITH FORWARD ERASURE CORRECTION OVER MULTIPATH CHANNELS 2267
Radhakrishna Canchi, Yoshihiko Akaiwa, Kyushu University, Fukuoka, Japan

P08-2 PERFORMANCE OF CPFSK IN DELAY AND DOPPLER SPREAD MULTIPATH 2272
Venkatesh Sunkad , Rodger E. Ziemer, University of Colorado, Colorado Springs, USA

P08-3 SYNCHRONIZATION FOR SINGLE CARRIER MODULATION WITH FREQUENCY DOMAIN EQUALIZATION 2277
Andreas Czylwik, Deutsche Telekom AG, Darmstadt, Germany

P08-4 ADAPTIVE ANTENNAS IN IS-136 SYSTEMS 2282
Sara Mazur, Bo Hagerman, Ericsson Radio Systems AB, Stockholm, Sweden

P08-5 PERFORMANCE ANALYSIS OF WIDEBAND M-ARY SYSTEMS IN LAND MOBILE CHANNELS 2287
Yeon Kyoon Jeong, Kwang Bok Lee, Seoul National University, Seoul, Korea

P08-6 OPTIMAL MULTIUSER DETECTION OF BANDLIMITED DS-CDMA SIGNALS, DISTORTED BY TIME-VARYING, FREQUENCY-SELECTIVE MULTIPATH CHANNELS 2292
Brian Hart, Rittwik Jana, The Australian National University, Canberra, Australia

P08-7 A ROBUST CODE ACQUISITION ARCHITECTURE FOR NON-COHERENT SYSTEMS USING DUAL DIGITAL MATCHED FILTERS 2297
Shanuj V. Sarin, University of Southwestern Louisiana, Lafayette, USA
Hyunseo Oh, Youngin Oh, Kyung Yeul Sohn, Electronics and Telecommunications Research Institute, Taejon, Korea
Jung H. Kim, University of Southwestern Louisiana, Lafayette, USA

P08-8 MAPPING FUNCTIONS FOR SUCCESSIVE INTERFERENCE CANCELLATION IN CDMA 2301
L. K. Rasmussen, T. J. Lim, Centre for Wireless Communications, Singapore
H. Sugimoto, T. Oyama, Oki Techno Centre, Singapore

P08-9 ANALYSIS OF DOWNLINK POWER CONTROL IN A GSM SYSTEM 2306
Jean-Frederic Wagen, Emmanuel Lachat , Jingming Li, Martin Schilling, SWISS Telecom PTT, Berne, Switzerland

P08-10 SIMULATION OF WIDEBAND MOBILE OFDM SYSTEMS FOR HARDWARE IMPLEMENTATION 2311
Shousheng He, Mats Torkelson, Lund University, Lund, Sweden

P08-11 JD-CDMA MOBILE STATION ENVELOPE CHARACTERISTICS AND SPECTRA RESULTS FORM A JD-CDMA TESTBED 2316
Stefan Bahrenburg, Siemens AG, Munchen, Germany

Samsung Exhibit 1016, Page 34 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

P08-13 FEASIBILITY OF TRANSMITTER DIVERSITY FOR IS-136 TDMA SYSTEMS 2321
Ying-Chang Liang, University of Maryland, College Park,
Ye Li, AT&T Labs-Research, Red Bank,
K. J. Ray Liu, University of Maryland, College Park, USA

P08-14 FREQUENCY OFFSET COMPENSATED RLS-MLSE FOR TDMA SYSTEMS IN FREQUENCY SELECTIVE RAYLEIGH FADING CHANNELS 2325
Eui Rim Jeong, Yong Hoon Lee, Korean Advanced Institute of Science and Technology, Taejon, Korea

P08-15 MULTI-CARRIER SPREAD SPECTRUM AND ITS RELATIONSHIP TO SINGLE CARRIER TRANSMISSION 2329
Karsten Bruninghaus, Hermann Rohling, Technical University of Braunschweig, Braunschweig, Germany

P08-16 CONVERGENCE ANALYSIS AND TRACKING ABILITY OF REDUCED DIMENSION BLIND SPACE-TIME RAKE RECEIVERS FOR DS-CDMA 2333
Yung-Fang Chen, Michael D. Zoltowski, Purdue University, West Lafayette, USA

P08-17 A BER ANALYSIS FOR A CANDIDATE CHANNEL MODEL FOR THE UMTS 2338
Mohammed Abdel Hafez, Mehmet Safak, Hacettepe University, Beytepe, Turkey

P08-18 POWER CONTROL FOR PRE-RAKE TIME-DIVISION DUPLEX CDMA RECEIVER 2343
Irfan Ghauri, Raymond Knopp, Eurecom Institute, Sophia Antipolis Cedex, France

P08-19 A SOFTWARE RADIO-BASED TRANSCEIVER FOR EXPERIMENTATION IN MOBILE WIRELESS SYSTEMS 2348
Steven W. Ellingson, M.P. Fitz, Ohio State University, Columbus, USA

P08-20 PERFORMANCE OF FAST FREQUENCY HOPPED MULTIPLE TONE FSK OVER RAYLEIGH FADING CHANNELS 2353
I.Ghareeb, A. Yongacoglu, University of Ottawa, Ottawa, Canada

Poster Session P09
Transmission Technologies III

P09-1 TRANSMISSION PERFORMANCE OF CDMA MOBILE PACKET COMMUNICATION SYSTEMS UNDER MICROCELL MULTIPATH ENVIRONMENT 2358
Terumi Sunaga, Hideshi Muraz, Hisao Tachika, YRP Mobile Telecommunications Key Technology Research Laboratories , Yokosuka, Japan

P09-2 SOFTWARE RADIO STRUCTURE FOR SECOND GENERATION MOBILE COMMUNICATION SYSTEMS 2363
Anne Wiesler, Friedrich Jondral, University of Karlsruhe, Karlsruhe, Germany

P09-3 A NOVEL DECENTRALIZED FORWARD LINK RECEIVER FOR B-CDMA SYSTEMS IN MULTIPATH CHANNELS 2368
Sung-Hyuk Shin, Peter J. Voltz, Polytechnic University, Brooklyn, USA

P09-4 DIFFERENTIAL PARALLEL COMBINATORIAL CDMA SYSTEMS IN MULTIPATH FADING CHANNELS 2373
Shigenobu Sasaki, Takashi Kon, Hisakazu Kikuchi, Niigata University, Niigata, Japan
Jinkang Zhu, University of Science and Technology of China, Anhui, China
Gen Marubayashi, Soka University, Tokyo, Japan

P09-5 DESIGN OF A VARIABLE RATE ALGORITHM FOR THE 8 KBPS CS-ACELP CODER 2378
Woo-Sung Chung, Sang-Won Kang, Ho-Sang Sung, Hanyang University,
Jae-Won Kim, Song-In Choi, ETRI, Taejon, Korea

P09-6 A CHANNEL ESTIMATION TECHNIQUE IN DS/CDMA SYSTEM WITH NONCOHERENT M-ARY ORTHOGONAL MODULATION IN MULTIPATH FADING CHANNELS 2383
Jin-il Kim, Suk-hyun Yoon, Chang-eon Kang, Yonsei University, Seoul, Korea

P09-7 SYMBOL RANKING TYPE INTERFERENCE CANCELLER(SRIC) FOR CDMA SYSTEM 2388
Mitsuru Uesugi, Osamu Kato, Kiochi Homma, Matsushita Communication, Yokohama, Japan

P09-8 AN EFFICIENT DATA TRANSMISSION POLICY IN AN INTEGRATED VOICE-DATA DS-CDMA NETWORK 2393
Oriol Sallent, Ramon Agusti, Universitat Politecnica de Catalunya, Barcelona, Spain

P09-9 FAST BLIND DECISION FEEDBACK EQUALIZER FOR MOBILE LINKS WITH SHORT BLOCKS 2398
Andreas Schmidbauer, Maximilian Schmautz, Rupert Herzog, Technical University of Munich, Munich, Germany

P09-10 TOWARDS HIGHER DATA RATES FOR IS-136 2403
Robert van Nobelen, AT&T Labs, Florham Park, USA

Samsung Exhibit 1016, Page 35 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

P09-11 COHERENT DLL CODE TRACKING AND BER EFFECT ON QPSK DEMODULATION IN WIDEBAND DS-CDMA REVERSE LINK 2408
Hyun-seo Oh, ETRI, Taejon, Korea

P09-12 LIMITED COMPLEXITY SOFT-DECISION DECODING OF BINARY LINEAR BLOCK CODES USING MODIFIED T-ALGORITHM 2411
Mikko Kokkonen, Kari Kalliojarvi, Nokia Research Center, Nokia Group, Finland

P09-13 EXPLICIT RATE CONTROLLER DESIGN FOR ABR SERVICES - AN H-INFINITY OPTIMIZATION APPROACH (SUMMARY) 2416
Xuemin Shen, Jon W. Mark, University of Waterloo, Waterloo, Canada

P09-14 PERFORMANCE ANALYSIS OF DIRECT-SEQUENCE CYCLIC COMMUTATION SPREADING IN SEVERELY DISPERSIVE MULTIPATH CHANNELS 2421
Natee Sukonrat, Paul G. Flikkema, University of South Florida, Tampa, USA

P09-15 OPTIMAL AND SUBOPTIMAL NONCOHERENT DETECTORS FOR PN CODE ACQUISITION IN THE PRESENCE OF DATA MODULATION 2426
Y. T. Su, W.-C. Lin, National Chiao Tung University, Hsinchu, Taiwan

P09-16 CODE ACQUISITION IN A CLASS OF TIME-VARYING CHANNELS 2431
Y. T. Su, Ru-Chen Wu, National Chiao Tung University, Hsinchu, Taiwan

P09-17 FAST SIR-BASED OPEN-LOOP POWER CONTROL SCHEME FOR THE REVERSE LINK DS/CDMA CELLULAR SYSTEM 2436
Seiichi Sampei, Masata Tanaka, Norihiko Moranaga, Osaka University, Suita, Japan

P09-18 PERFORMANCE STUDY OF MULTI-CHANNEL ACCESS SCHEMES IN TWO-TIER CDMA CELLULAR SYSTEMS 2441
Jung-Shyr Wu, Jen-Kung Chung, Yu-chuan Yang, National Central University, Chung-Li, China

Poster Session P10
Transmission Technologies IV

P10-1 ON THE PERFORMANCE OF SINGLE AND MULTI-CELL DS-CDMA SYSTEMS USING 'NON-OVERLAP CONSTELLATION ASSIGNMENT' TO THE DIFFERENT GROUPS OF SPREADING CODES 2446
M. R. Shikh-Banaei, A. H. Aghvami, University of London, London, UK

P10-2 EXTENDING DECT RAND THROUGH SPEECH CODING CONTROL 2449
Soledad Torres, Ramon Sanchez-Perez, F. Javier Casajus-Quiros, ETSI Telecomunicacion, UPM,

P10-3 AN APPROACH TO SIGNAL DETECTION IN CDMA SYSTEMS USING OPTIMAL LINEAR-QUADRATIC STATISTICAL PROCESSING 2454
M. R. Shikh-Bahaei, A. H. Aghvami, King's College London, London, UK

P10-4 COMPARISON OF MEASURED AND SIMULATED PI/4-DQPSK ADJACENT CHANNEL POWER USING FUNCTIONAL HIGH POWER AMPLIFIER MODEL 2459
Mauri Honkanen, Sven-Gustav Haggman, Helsinki University of Technology, Helsinki, Finland
Juha Tanskanen, Esko Jarvinen, Ossi Pollanen, Nokia Research Centre, Helsinki, Finland

P10-5 MULTI-USER INTERFERENCE EFFECTS ON TRACEABILITY-BASED OSCILLATOR SYNCHRONIZATION IN FREQUENCY HOPPED SPREAD SPECTRUM COMMUNICATIONS 2464
Lisa Ann Osadciw, Edward L. Titlebaum, University of Rochester, Rochester, USA

P10-6 PREDISTORTION TECHNIQUES FOR DECT SYSTEMS BASED ON LIMITER- DISCRIMINATOR RECEIVERS 2469
Francisco J. Casajus, Ciudad Universitaria,
Jose Manuel Paez, Alcatel Espana,
Ramon Sanchez, Ciudad Universitaria, Madrid, Spain

P10-7 REDUCING THE PEAK-TO-AVERAGE POWER RATIO IN OFDM RADIO TRANSMISSION SYSTEMS 2474
Thomas May, Hermann Rohling, Technical University of Braunschweig, Braunschweig, Germany

P10-8 AN UPLINK POWER CONTROL SCHEME IN CDMA MOBILE COMMUNICATION SYSTEM 2479
Lin Fuhua, Huang Xinyu, Wu Yue, Southeast University, Nanjing, China

P10-9 INFLUENCE OF PHASE ERROR ON M-QAM DEMODULATION IN A NON-GAUSSIAN ENVIRONMENT 2483
Huu Tue Huynh, Paul Fortier, Laval University, Ste-Foy, Canada

Samsung Exhibit 1016, Page 36 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

P10-10 A WIDEBAND ARCHITECTURE FOR ADAPTIVE FEEDFORWARD LINEARIZATION 2488
Alison M. Smith, James K. Cavers, Simon Fraser University, Burnaby, BC

P10-11 DS-SS CODE ACQUISITION BASED ON SIMULTANEOUS SEARCH AND VERIFICATION 2493
Hyon Sock Chang, Yong Hoon Lee, Korea Advanced Institute of Science and Technology, Taejon, Korea
Yong Wan Park, Yeungnam University , Kyungpook, Korea

P10-12 COMBINED CODING AND SPREADING IN CDMA SYSTEMS USING MAXIMUM FREE 2497
DISTANCE CONVOLUTIONAL CODES
Pal Frenger, Pal Orten, Tony Ottosson, Chalmers University of Technology, Gothenburg, Sweden

P10-13 IMPROVED PERFORMANCE OF A RANDOM OFDMA MOBILE COMMUNICATION SYSTEM 2502
R. Nogueroles, M. Bossert, A. Donder, University of Ulm, Ulm, Germany
V. Zyablov, Russian Academy of Science, Moscow, Russia

P10-14 PERFORMANCE OF DOUBLE DWELL ACQUISITION WITH CONTINUOUS INTEGRATION 2507
DETECTOR IN DS-CDMA SYSTEM
Hichan Moon, Sangbum Kim, Samsung Electronics Co., Suwon, Korea

P10-15 DOWN-LINK PERFORMANCE OF INTERFERENCE CANCELLER COMBINING PATH-SELECTING 2512
ADAPTIVE ARRAY AND CASCADED EQUALIZER
Yoshiharu Doi, SANYO Electric Co., Ltd.,
Takeo Ohgane, Hokkaido University,
Yoshio Karasawa, ATR Adaptive Communications Research, Anpachi-gun, Japan

P10-17 PERFORMANCE EVALUATION OF SOURCE-MATCHED CHANNEL CODING FOR 2517
MOBILE COMMUNICATIONS
F. Babich, G. Lombardi, F. Vatta, University of Trieste, Trieste, Italy

P10-18 SIGNAL DETECTION IN WIRELESS CDMA DOWNLINK 2522
Lin Yue, Don H. Johnson, Rice University, Houston, USA

Poster Session P11
Multimedia and TICS

P11-1 BYPASSING VOCODER IN CDMA MOBILE-TO-MOBILE CALLS 2527
S.H. (Diana) Zhou, Hosame H. Abu-Amara, Nortel, Richardson, USA

P11-3 EFFICIENT UMTS DATA SERVICE PROVISION USING INFOSTATIONS 2532
J. Irvine, D. Pesch, D. Robertson, D. Girma, J. Dunlop, University of Strathclyde,

P11-4 PERFORMANCE OF PACKET RESERVATION MAC PROTOCOLS FOR WIRELESS NETWORKS 2537
Chiung-Shien Wu, Gin-Kou Ma, Computer and Communication Research Labs, Chutung, Taiwan

P11-5 WATM OPERATION OPTIMISATION BASED ON EFFECTS OF FEC CODE RATE AND 2542
ARQ RETRANSMISSION
Moshe Zukerman, The University of Melbourne, Parkville, Vic.,
Pang Leang Hiew, Maxim Gitlits, Monash University, Australia

P11-6 QOS PROVISIONING IN A CDMA NETWORK 2547
Farid Khafizov, Nortel, Richardson, USA

P11-7 INTEGRATED DISTRIBUTED RADIO RESOURCE MANAGEMENT FOR BURSTY 2550
USER TRAFFIC IN MICROCELLULAR DQDB MAN BASED PCS
D. Pesch, D. Girma, J. Dunlop, University of Strathclyde, Glasgow, UK

P11-8 A SINGLE BASE STATION POSITION LOCATION APPROACH FOR ENHANCED-911 2555
Don R. Van Rheeden, Raytheon TI Systems, Lewisville,
S.C.Gupta, Southern Methodist University, Dallas, USA

P11-11 LOW POWER RECONFIGURABLE MACRO-OPERATION SIGNAL PROCESSING FOR 2560
MULTIPLE-STANDARD WIRELESS COMMUNICATIONS
T. Andy Lee, Donald C. Cox, Stanford University,
James Nichols, Saf Asghar, Advanced Micro Devices, Inc., USA

P11-12 IMAGE TRANSMISSION EFFICIENCY IMPROVEMENT IN A PERSONAL MOBILE RADIO 2565
Jun Horikoshi, Katsumi Sekiguchi, Gunma University, Kiryu, Japan

P11-13 CONNECTION ADMISSION CONTROL FOR INDOOR MULTIMEDIA WIRELESS COMMUNICATIONS 2570
Jean Chak, ADCOM Electronics Ltd , Toronto, Canada
Weihua Zhuang, University of Waterloo, Waterloo, Canada

Samsung Exhibit 1016, Page 37 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

P11-14 EQULIBRIUM TRAFFIC ASSIGNMENT USING RECURRENT BACKPROPAGATION 2575
Paul Mathias, Siemens AG and Aachen University of Technology, Aachen, Germany

P11-15 DDCA WITH VRP: A NEW FAMILY OF DISTRIBUTED DYNAMIC CHANNEL ASSIGNMENT ALGORITHMS FOR MICROCELLULAR SYSTEMS 2580
Felipe A. Cruz-Perez, Domingo Lara-Rodriguez, Domingo Lara-Rodriguez, CINVESTAV-IPN, San Pedro Zacatenco, Mexico

P11-16 RYNSORD: A NOVEL, DECENTRALIZED ALGORITHM FOR RAILWAY NETWORKS WITH "SOFT RESERVATION" 2585
Tony S. Lee, Sterling Software, Moffett Field,
Sumit Ghosh, Arizona State University, Tempe, USA

P11-17 AN ATM-BASED ACCESS NETWORK FOR 3RD GENERATION MOBILE COMMUNICATION NETWORKS 2590
Ulrich Weiss, Marco Boldt, Rolf Sigle, University of Stuttgart, Stuttgart, Germany
Ulrich Dropmann, Siemens AG, Munich, Germany

P11-18 AN ALGORITHM FOR MAXIMAL RESOURCE UTILIZATION IN WIRELESS MULTIMEDIA CDMA COMMUNICATIONS 2594
M. Soleimanipour, G.H. Freeman, W. Zhuang, University of Waterloo, Waterloo, Canada

Samsung Exhibit 1016, Page 38 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

MULTI-CARRIER SPREAD SPECTRUM AND ITS RELATIONSHIP TO SINGLE-CARRIER TRANSMISSION

Karsten Brüninghaus and Hermann Rohling

The authors are with the Institute of Telecommunications
Technical University of Braunschweig, Germany
rohling@ifn.ing.tu-bs.de

Abstract— **The combination of orthogonal frequency division multiplexing (OFDM) and code division multiplexing (CDM) has found great interest during the last few years. In contrast to a conventional OFDM system the information is spread over several subcarriers using orthogonal codes which leads to a diversity gain in frequency-selective channels. In this paper it is shown that such a system is technically equivalent to a single-carrier system with guard interval if the columns of a Fourier matrix are used as spreading codes. The pros and cons of such a system compared to an OFDM-CDM system with abritrary spreading matrix are described and discussed.**

I. Introduction

In the last years, multi-carrier transmission and especially OFDM (orthogonal frequency division multiplexing) have received much attention due to its ability of transmitting high data rates even in highly time dispersive radio channels with reasonable equalization effort. These systems are characterized by parallel data transmission over a number of generally narrowband subchannels. Recently, a combination of multi-carrier transmission and code division multiplexing (CDM) was proposed to improve the performance of multi-carrier systems [1], [2]. In this case every data symbol is spread over several subcarriers prior to subcarrier modulation and despread in the receiver, which is in fact a kind of frequency diversity. The same effect can be achieved with channel coding but it was shown in [3] that at least at code rates above 1/2 the combination of spreading and coding performs better than coding only.

In the literature, Walsh-Hadamard codes are generally used as spreading codes but in principle every other orthogonal code matrix can be applied. In this paper we will focus on the special case that the Fourier matrix is used as orthogonal code matrix. Since the multi-carrier transmission signal is generated by an inverse Fourier-transform (IFFT), both operations - spreading and IFFT - cancel each other resulting in a pure single-carrier system with blockwise processing. This fact was already mentioned in [4] but without noticing that this kind of processing combines the advantages of single-carrier transmission, like constant signal envelope, simple clock and frequency synchronization, with the advantages of OFDM-CDM like high performance in frequency-selective channels. In the following sections, a brief review of OFDM-CDM is given, followed by a detailed discussion of the resultant transmission technique and its advantages.

II. Principle of a Multi-Carrier CDM System

With OFDM-CDM the complex data symbols x_i, $i = 1, \ldots, M$, which can be elements of any arbitrary symbol set, e.g. PSK or QAM, are spread over N subcarriers using orthogonal codes. The spreading can be described analytically by a matrix operation

$$\mathbf{s} = [\mathbf{H}] \cdot \mathbf{x} \tag{1}$$

where $\mathbf{x} = (x_1, \ldots, x_M)^T$ is the vector of data symbols, $\mathbf{s} = (s_1, \ldots, s_N)^T$ is the vector of modulation symbols and $[\mathbf{H}]$ is the code matrix of dimension $N \times M$ ($M \leq N$). Apart from spreading, the transmitter is identical to a conventional OFDM transmitter, i.e. the resulting signal sequence is IFFT-processed, periodically extended (a guard interval is added) and D/A converted, see Fig. 1. In the receiver, the inverse processing is performed, see Fig. 2.

Since the orthogonality of the spreading codes is destroyed in frequency-selective radio channels, equalization has to be implemented. In the literature various kinds of equalizers are discussed [5]-[9]. To initialize equalization, the channel transfer function has to be known and therefore channel estimation has to be performed in the receiver, too.

Due to the periodic extension of the signal in the transmitter and windowing in the receiver, the channel influence can be modelled by a cyclic convolution in the time domain or, alternatively, by a multiplication at discrete points in the frequency domain. Moreover, successive symbols do not interfere if the length of the guard interval is longer than the maximal multipath




Fig. 1. Block diagram of a multi-carrier CDM transmitter




Fig. 2. Block diagram of a multi-carrier CDM receiver

0-7803-4320-4/98/$5.00 © 1998 IEEE

Samsung Exhibit 1016, Page 39 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC




Fig. 3. Model of a multi-carrier CDM system

delay. Thus, the transmission of each symbol can be described analytically by a series of matrix multiplications as depicted in Fig. 3.

The performance of the overall transmission system does not depend on the specific type of the orthogonal spreading matrix as long as every element of the matrix has the same magnitude which means that the energy is uniformly spread over all subcarriers [10]. Considering the case that all available orthogonal codes are used, i.e. the spreading matrix is a square matrix of dimension $N \times N$, the matrix of the Fast Fourier transform meets the above mentioned demands as well as the often proposed Walsh-Hadamard matrix. If such an FFT-matrix is used spreading and OFDM processing cancel each and the transmission system degenerates into a linearly modulated single-carrier system with guard interval, i.e

$$s(t) = \sum_n x_n \cdot p(t - nT) \quad \text{where} \quad x_n = x_{n-N} \quad \text{if}$$
$$i(N + N_G) - N_G \leq n < i(N + N_G) \quad i \in \mathbf{Z} \qquad (2)$$

In Eq. (2), the parameter N_G describes the length of the guard interval in number of data symbols spaced by the symbol duration T.

III. Consequences for the Transmitter

A. Dynamic of the signal envelope

It is well known that the envelope of an OFDM signal has a high dynamic which requires a linear power amplifier in the transmitter. A lot of studies have been performed with the aim to reduce the signal dynamic of multi-carrier systems but all methods known from literature [11] - [13] have certain drawbacks. These drawbacks are either high computation complexity, large memory requirements or signal distortions. At least in the case of absolute modulation (no differential encoding) these disadvantages can be overcome if the Fourier-matrix is used for spreading. Since the multi-carrier CDM system is thereby transformed into a single-carrier system with linear modulation the amplitude dynamic only depends on the pulse shape $p(t)$. In connection with second generation mobile systems this topic has been analyzed extensively and solutions are very well known: in case of binary transmission for example, MSK (minimum shift keying), which uses a sinusoidal pulse, can be applied leading to a constant envelope signal. Quaternary transmission can be realized with low amplitude dynamic using Offset-QPSK.

B. Computation complexity

The complexity of the equivalent single-carrier system is considerably lower since neither any matrix multiplications nor any measures for signal dynamic reduction are required, which makes it very attractive for mobile applications.

IV. Consequences for the Receiver

A. Synchronization

To avoid interchannel interferences, an OFDM-CDM system requires a precise frequency synchronization. Generally this is achieved by the help of special synchronization symbols in combination with sophisticated frequency synchronization circuits. The equivalent single-carrier system, however, is less sensitive to frequency errors allowing simpler and therefore cheaper synchronization circuits.

B. Performance

Since the single-carrier system which results from an OFDM-CDM system with Fourier spreading matrix is a special case of an OFDM-CDM system, the same detection algorithms can be applied and the same performance can be expected.

A general block diagram of an OFDM-CDM receiver with linear equalization [8] is depicted in Fig. 4. In case of a Fourier spreading matrix, despreading in the receiver is achieved by an inverse Fast-Fourier matrix, i.e. $[\mathbf{H}]^H = [\mathbf{IFFT}]$. The overall processing corresponds to a frequency domain equalization (FDE) since the received signal vector is first Fourier-transformed, multiplied by a diagonal equalization matrix and then transformed back into the time domain. Such an FDE was originally proposed in [17] to speed up the convergence of the equalizer coefficients in conjunction with the stochastic gradient method. In [18] the FDE was picked up again to compare single-carrier and multi-carrier (OFDM) transmission but without noticing that the considered single-carrier system is a special case of an OFDM-CDM system. Recently, the FDE was discussed for use in future mobile communication systems in combination with antenna diversity [20].

In contrast to a conventional single-carrier system, the single-carrier system resulting from OFDM-CDM with Fourier spreading matrix is characterized by a guard interval and the question arises why it should be advantageous to waste some part of the bandwidth. There are two reasons: the first one is the higher performance at the same number of equalizer coefficients in case of linear or decision feedback equalization. This results from the fact that the periodic extension of the data sequence in the transmitter in connection with the signal windowing the receiver leads to a cyclic convolution of the data sequence and the discrete-time channel impulse response. If the corresponding discrete-time channel transfer function contains no zeros, this cyclic convolution can be perfectly inverted in the receiver requiring not more than N(=length of data sequence) coefficients. To achieve the same effect with a conventional single-carrier system, generally an equalizer with an infinite number of taps is required, which cannot be implemented in a real system. Thus,




Fig. 4. Model of an OFDM-CDM receiver with linear equalization

0-7803-4320-4/98/$5.00 © 1998 IEEE

Samsung Exhibit 1016, Page 40 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC
VTC '98




Fig. 5. Shape of the covariance matrix $[\mathbf{\Gamma}]$ in single-carrier systems a) without and b) with periodic extension (guard interval)

an equalization error occurs, which limits the performance at high signal-to-noise-ratios.

The superiority of the single-carrier system with guard-interval is proved by evaluating the minimum mean square error $J_{\min}$ at the equalizer output [19]:

$$J_{\min} = 1 - \epsilon^H [\mathbf{\Gamma}]^{-1} \epsilon \qquad (3)$$
$$[\mathbf{\Gamma}] = E\{\mathbf{e}^* \mathbf{e}^T\} \qquad \epsilon = E\{\mathbf{e}^* x\}$$

In Eq. (3) the vector $\mathbf{e}$ describes the input sequence to be filtered and x describes the desired output data, respectively. The difference between both single-carrier systems reflects in different covariance matrices $[\mathbf{\Gamma}]$ as depicted in Fig. 5. Due to the periodic extension of the data in the transmitter the covariance matrix is periodically extended as well yielding the relation

$$[\mathbf{\Gamma}](\text{with guard}) = [\mathbf{\Gamma}](\text{without guard}) + [\mathbf{\Delta}] \qquad (4)$$

with $[\mathbf{\Gamma}]$ and $[\mathbf{\Delta}]$ being hermitian matrices.

Using the relationship given in Eq. (3) and (4) it can be shown that $J_{\min}(\text{with guard}) \leq J_{\min}(\text{without guard})$.

The performance difference between a single-carrier system with and without guard interval using a stochastic channel model was additionally evaluated by Monte Carlo simulation, see Fig. 6. The applied system and channel parameters are listed below.

System parameters:
- General
  - Bandwidth $B = 2$MHz
  - linear equalization based on MMSE criterion
- OFDM-CDM with Fourier spreading matrix
  - blocklength: $T_N = 32\mu s$
  - Guardlength: $T_G = 6.6\mu s$
  - Number of symbols per block: $N = 64$
- Single-carrier system without guard interval
  - pulse with raised cosine spectral characteristic and rolloff factor $\beta = 0.2$
  - Symbol length: $T_S = 600$ns

Channel parameters:
- Exponentially decreasing power delay profile from 0 to $5\mu s$
- Rayleigh channel
- time invariant

At low signal-to-noise ratios (SNR) both systems show similar performance whereas at high SNR values an error floor can be observed if no guard interval is used. The level of the error floor depends on the type of modulation and might be of minor importance if binary or quaternary modulation is used in combination with channel coding.




Fig. 6. Performance comparison of single-carrier systems with and without guard interval (linear equalization)




Fig. 7. Initialization effort of equalizer coefficients assuming that the channel impulse response spans 10% of the equalizer length

The second reason in favor of using a guard interval is the relatively low initialization effort of the equalizer. Since the optimum equalizer coefficients c_i, $i = 1, \ldots, N$, in case of a single-carrier system with guard interval and FDE are given by $k_i^*/(|k_i|^2 + \text{const})$ [20], only two multiplications are required per coefficient and the main effort is to estimate the channel transfer factors k_i. In contrast, initializing the filter coefficients in a single-carrier system without guard interval requires to solve the set of linear equation $[\mathbf{\Gamma}]\mathbf{c} = \epsilon$ (assuming equalization in the time domain). Due to the special form of this set ($[\mathbf{\Gamma}]$ is a hermitian and positive definite band matrix) the Cholesky decomposition can be applied efficiently [21]. However, if the number of filter coefficients is large, i.e. in highly time dispersive channels, the computation complexity of the initialization process is considerably bigger than for the system with guard interval, see Fig. 7. As a result, adding a guard interval allows even single-carrier systems to cope with very long channel impulse responses originally multi-carrier systems were designed for, since the computation complexity at least in the case of lin-

Samsung Exhibit 1016, Page 41 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC

0-7803-4320-4/98/$5.00 © 1998 IEEE

ear equalization is less than for conventional single-carrier systems without guard interval.

V. Conclusions

The special choice of an FFT matrix as spreading matrix for OFDM-CDM leads to a single-carrier system with guard interval. Such a single-carrier system has the same performance as the OFDM-CDM system but is less sensitive to nonlinear effects due to the reduced dynamic of the signal amplitude. In case of linear equalization, a single-carrier system with guard-interval yields the same (low S/N) or even a better (high S/N) performance than the corresponding system without guard interval at the same number of equalizer coefficients and data rate. Besides, in highly time dispersive channels the computation complexity of such a receiver structure with blockwise processing is considerably lower than with continuous processing.

References

[1] V.M. DaSilva, E.S. Sousa: Proc. of IEEE ICUPC'93, pp. 995-999, Ottawa, Canada, Oct. 1993

[2] N. Yee, J.P. Linnartz, G. Fettweis: "Multi-Carrier CDMA in Indoor Wireless Radio Networks". Proceedings PIMRC '93, Yokohama, Japan, 1993, pp. 109-113

[3] S. Kaiser: "Trade-off between Channel Coding and Spreading in Multi-Carrier CDMA Systems". Proceedings ISSSTA '96, Mainz, Germany, 1996, pp. 1366-1370

[4] J. Lindner: "Channel Coding and Modulation for Transmission over Multipath Channels". Archiv für Elektronik und Übertragungstechnik (AEÜ). Vol. 49, No. 3, 1995, pp. 111-119

[5] W.G. Teich: "Detection method for MC-CDMA based on a recurrent neural network structure". Multi-Carrier Spread Spectrum, Kluwer Academic Publishers, 1997, pp. 135-142

[6] M. Reinhardt et alii: "Transformation methods and iterative equalization and decoding for symbol spread transmission". 4th. Int. Symposium on Comm. Theory & Applications, Ambleside, UK, 1997, pp. 228-229

[7] M. Reinhardt, T. Huschka, J. Lindner: "Performance of combined equalization and TCM decoding for Rayleigh fading channels". Proceedings PIMRC'96, Taipei, Taiwan, 1996, pp. 1092-1096

[8] N. Yee, J.P. Linnartz: "Wiener Filtering of Multi-Carrier CDMA in Rayleigh Fading Channel". Proceedings PIMRC'94, pp. 1344-1347

[9] T. Müller, K. Brüninghaus, H. Rohling: "Performance of coherent OFDM-CDMA for broadband mobile communications". Wireless Personal Communications, Kluwer Academic Publischers, Vol. 2, No. 4, 1995/96, pp. 295-305

[10] D. Rainish: "Diversity transform for fading channels". IEEE Trans. on Comm., Vol. 44, No. 12, 1996, pp. 1653-1661

[11] A. E. Jones, T. A. Wilkinson: "Combined Coding for Error Control and Increased Robustness to System Nonlinearities in OFDM", Proc. IEEE VTC '96, Atlanta, 1996

[12] R. Dinis, A. Gusmao: "CEPB–OFDM: A New Technique for Multicarrier Transmission with saturated Power Amplifiers", Proc. IEEE ICCS '96, Singapore, Nov. 1996

[13] S. H. Müller, R. W. Bäuml, R. F. H. Fischer, J. B. Huber: "OFDM with Reduced Peak-to-Average Power Ratio by Multiple Signal Representation", Annals of Telecommunications, Vol. 52, pp. 58–67, Feb. 1997

[14] X. Li, L. J. Cimini: "Effects of Clipping and Filtering on the Performance of OFDM", Proc. IEEE VTC '97, Phoenix, May 1997

[15] M. Pauli, H.-P. Kuchenbecker: "Reduzierung der durch Nichtlinearitäten hervorgerufenen Außerbandstrahlung bei einem Mehrträgerverfahren." (in German), ITG Fachberichte 135 "Mobile Kommunikation", 1995

[16] M. Reinhardt, J. Lindner: "Transformation of a Rayleigh fading channel into a set of parallel AWGN channels and its advantages for coded transmission". Electronic Letters, December 1995, Vol. 31, No. 25, pp. 2154-2155

[17] T. Walzman, M. Schwartz: "Automatic equalization using the discrete Fourier domain". IEEE Trans. Inform. Theory, vol.IT-19, pp. 59-68, January 1973

[18] H. Sari, G. Karam, I. Jeanclaude: "An Analysis of orthogonal frequency division multiplexing for mobile radio applications". 1994 IEEE.

[19] J. G. Proakis: "Digital Communications". McGraw-Hill Book Company, 1989

[20] G. Kadel: "Diversity and Equalization in Frequency Domain - A robust and flexible receiver technology for broadband mobile communication systems". Proceedings VTC '97, Phoenix, USA, 1997, pp. 894-898

[21] H. R. Schwartz: "Numerical Analysis - A comprehensive Introduction". John Wiley & Sons, 1989

Samsung Exhibit 1016, Page 42 of 42
Samsung Electronics Co., Ltd. et al. v. Genghiscomm Holdings LLC