

- mxCalloc
 - allocating temporary arrays 5-6
 - freeing memory 4-37
 - using in place of calloc 4-11
- mxCopy routines 5-7
- mxCopyComplex16ToPtr 5-21
- mxCopyPtrToComplex16 5-21
- mxCopyPtrToReal8 5-18
- mxCreateDoubleMatrix
 - calling from gateway routine 5-6
 - creating arrays within a MES-file 5-16
- mxCreateNumericArray 4-23
- mxCreateSparse
 - calling from gateway routine 5-6
- mxCreateString 4-12
 - calling from gateway routine 5-6
- mxDestroyArray 3-36, 4-39, 5-36
- mxFree 3-37
- mxGetCell 4-16
- mxGetData 4-16, 4-23, 4-25
- mxGetField 4-16
- mxGetImagData 4-23, 4-25
- mxGetPi 4-20, 5-16
- mxGetPr 4-16, 4-20, 5-16
- mxGetScalar 4-9, 4-16
- mxMalloc 4-11, 4-37
- mxRealloc 4-11, 4-37
- mxSetCell 3-38, 4-39
- mxSetData 3-39, 3-40, 4-39
- mxSetField 3-38
- mxSetImagData 3-39, 3-40
- mxSetIr 3-40
- mxSetJc 3-40
- mxSetPi 3-39, 3-40
- mxSetPr 3-39, 4-39
- mxUNKNOWN_CLASS 4-35, 5-34

N

- Name
 - serial port property 9-90
- ndims
 - using with Java arrays 7-32
- nlhs 4-2, 4-4, 5-2, 5-5
- nrhs 4-2, 4-4, 5-2, 5-5
- null modem cable 9-6
- numeric matrix 3-6
- nzmax 3-7, 5-27

O

- objects 3-7
 - serial port 9-24
- objects, Java
 - accessing data within 7-15
 - concatenating 7-11
 - constructing 7-9
 - converting to MATLAB cell array 7-60
 - converting to MATLAB structures 7-59
 - identifying fieldnames 7-14
 - information about 7-17
 - class name 7-17
 - class type 7-17
 - passing by reference 7-11
 - saving and loading 7-13
- options file
 - creating new 3-19
 - modifying 3-19
 - preconfigured 3-16
 - specifying 3-16
 - when to specify 3-16
- OutputBufferSize 9-91
- OutputEmptyFcn 9-92
- overloading Java methods 7-54

P

- Parity 9-93
- parity bit 9-14
- passing data to Java methods 7-46
- passstr.f 5-14
- persistent arrays
 - exempting from cleanup 4-38
- phonebook.c 4-16
- pi 3-6
- PinStatus 9-94
- PinStatusFcn 9-95
- plhs 4-2, 4-4, 5-2, 5-5
- pointer 5-4
 - Fortran language MEX-file 5-16
- Port 9-96
- pr 3-6
- prhs 4-2, 4-4, 5-2, 5-5
- properties
 - serial port object 9-71
- protocol
 - DCOM 8-41

R

- read/write failures, checking for 1-10
- ReadAsyncMode 9-97
- reading
 - binary data from a device 9-41
 - text data from a device 9-39
- record file
 - serial port object
 - creating multiple files 9-63
 - filename 9-63
 - format 9-64
- RecordDetail 9-99
- RecordMode 9-100
- RecordName 9-102

- RecordStatus 9-103
- refbook directory 3-45
- references
 - to Java arrays 7-43
- RequestToSend 9-104
- revord.c 4-10
- revord.f 5-11
- routine
 - computational 4-2
 - mex 3-4
 - mx 3-3
- RS-232 standard 9-4

S

- save 1-4, 1-5
 - using with Java objects 7-13
- saving
 - serial port objects 9-68
- serial port
 - data format 9-11
 - devices,connecting 9-5
 - object creation 9-24
 - RS-232 standard 9-4
 - session 9-19
 - signal and pin assignments 9-6
- serial port object
 - array creation 9-26
 - callback properties 9-49
 - configuring communications 9-28
 - connecting to device 9-27
 - disconnecting 9-69
 - display 9-25
 - event types 9-49
 - handshaking 9-59
 - input buffer 9-38
 - output buffer 9-32

- properties 9-71
- reading binary data 9-41
- reading text data 9-39
- recording information to disk 9-62
- using control pins 9-56
- using events and callbacks 9-48
- writing and reading data 9-29
- writing binary data 9-36
- writing text data 9-34
- serializable interface 7-13
- service name 8-42, 8-43
- session
 - serial port 9-19
- shared libraries
 - data conversion 2-11
 - enumerated types 2-15
 - primitive types 2-11
 - reference pointers 2-25
 - references 2-21
 - strings 2-14
 - structures 2-15
 - library functions
 - getting information about 2-4
 - invoking functions 2-7
 - passing arguments 2-8
 - passing libstruct objects 2-18
 - passing references 2-10
 - passing structures 2-17
 - loading the library 2-3
 - MATLAB interface to 2-1
 - unloading the library 2-3
- shared libraries directory
 - UNIX 1-9
 - Windows 1-8
- sincall.c 4-33
- sincall.f 5-31

- size
 - using with Java arrays 7-31
- sparse matrices 3-6
 - C 4-29
 - Fortran 5-27
- start bit 9-13
- static data, Java
 - accessing 7-16
 - assigning 7-16
- static methods, Java 7-20
- Status 9-105
- stop bit 9-13
- StopBits 9-106
- storing data 3-5
- string 3-6
- struct 3-8
 - using with Java objects 7-59
- structures 4-16
- structures, MATLAB 3-7
 - converting from Java object 7-59
- subroutines
 - dynamically linked 3-2
- system configuration 3-10

T

- Tag
 - serial port property 9-107
- temporary arrays 4-37
 - automatic cleanup 4-37
 - destroying 3-40
- temporary memory
 - cleaning up 3-40
- Terminator 9-108
- text data
 - reading from a device 9-39
 - writing to a device 9-34

Timeout 9-109
TimerFcn 9-110
TimerPeriod 9-111
timestwo.c 4-7
timestwo.f 5-9
timestwoalt.c 4-9
TransferStatus 9-112
troubleshooting
 MEX-file creation 3-33
Type
 serial port property 9-113

U

uint8 3-8
UNIX
 directory organization 3-41
URL
 Java example 7-63
UserData
 serial port property 9-114

V

ValuesReceived 9-115
ValuesSent 9-117
variable scope 4-37
variables 3-5
versioning MEX-files 3-27
Visual Basic
 MATLAB DDE server example 8-48

W

wat11copts.bat 3-17
wat11engmatopts.bat 3-18

Watcom compiler
 debugging 4-50
watcopts.bat 3-17
watengmatopts.bat 3-17
which
 using with Java methods 7-24
Windows
 automation 8-36
 COM 8-36
 directory organization 3-43
 mex -setup 3-13
 selecting compiler 3-13
Windows clipboard format
 Metafilepict 8-44
 text 8-43
 XLTable 8-44
workspace
 caller 4-37, 5-35
 MEX-file function 4-37, 5-35
write/read failures, checking for 1-10
writing
 binary data to a device 9-36
 text data to a device 9-34
writing event handlers 8-26

X

xtimesy.c 4-14
xtimesy.f 5-19

Y

yprime.c 3-11, 3-15
yprimef.F 3-11
yprimef.f 3-15
yprimefg.F 3-11
yprimefg.f 3-15

