




US 20050060299A1

(19) **United States**(12) **Patent Application Publication**
Filley et al.(10) **Pub. No.: US 2005/0060299 A1**(43) **Pub. Date: Mar. 17, 2005**(54) **LOCATION-REFERENCED PHOTOGRAPH REPOSITORY**(52) **U.S. CL. 707/3**(76) **Inventors:** George Filley, Barrington, IL (US);
James Herbst, Chicago, IL (US); M.
Salahuddin Khan, Lake Forest, IL
(US); Robert Gourdine, Naperville, IL
(US); Timothy Gibson, Barrington, IL
(US); Jon Shutter, Chicago, IL (US);
Frank Kozak, Naperville, IL (US)(57) **ABSTRACT**

A photograph repository system includes data storage for storing photographs in the form of digital data files and a search feature that provides for searching for photographs by location and optionally by other search criteria. In one embodiment, a photograph repository service is accessible to users over a common data network, such as the Internet. In the photograph repository service, each stored photograph is associated with a location, i.e., where the photograph was taken and/or the location of an object in the photograph. Users can search for and obtain copies of their own photographs that they had stored previously with the photograph repository service. In addition, users can search for and obtain copies of photographs that had been taken by other users and stored with the photograph repository service. The photograph repository system can also be implemented as a standalone system, a hybrid system, or a peer-to-peer system.

Correspondence Address:
NAVIGATION TECHNOLOGIES
222 MERCHANDISE MART
SUITE 900, PATENT DEPT.
CHICAGO, IL 60654 (US)

(21) **Appl. No.: 10/665,736**(22) **Filed: Sep. 17, 2003****Publication Classification**(51) **Int. Cl.⁷ G06F 17/30**

Samsung v. Hermes
IPR2025-00953
Exhibit 1015





FIG. 2








FIG. 3

FIG. 4









FIG. 7



LOCATION-REFERENCED PHOTOGRAPH REPOSITORY

BACKGROUND OF THE INVENTION

[0001] The present invention relates to a system that enables persons to store and retrieve photographs and other images.

[0002] Digital photography has affected the ways that people take and use photographs. For example, because digital photographs exist as data files on computer-readable media, persons can easily exchange copies of digital photographs with friends and family members.

[0003] Digital cameras are expected to become more common as they become smaller and less expensive. As digital cameras become smaller and less expensive, they are being incorporated into other devices, such as PDAs ("personal digital assistants") and portable phones. As digital cameras become more available, people are expected to take more and more digital photographs.

[0004] Although digital photography has resulted in significant changes in the ways that people take and use photographs, there continues to be room for further improvements. One consideration associated with the large number of digital photographs being taken is how to organize them. Although taking photographs is easier and less expensive, it can be difficult to find a particular photograph because there are so many.

[0005] Accordingly, it is an objective to provide ways to organize photographs.

[0006] It is another objective to provide a way for users to exchange photographs.

SUMMARY OF THE INVENTION

[0007] To address these and other objectives, the present invention includes a photograph repository system. The photograph repository system includes data storage for storing photographs in the form of digital data files and a search feature that provides for searching for photographs by location and optionally by other search criteria. In one embodiment, the photograph repository system is a service accessible to users over a common data network, such as the Internet. In the photograph repository service, each stored photograph is associated with a location, i.e., where the photograph was taken and/or the location of an object in the photograph. Users can search for and obtain copies of their own photographs, i.e., that they had stored previously with the photograph repository service. In addition, users can search for and obtain copies of photographs that had been taken by other users and stored with the photograph repository service.

[0008] In alternative embodiments, the photograph repository system is implemented as a standalone system, a hybrid system, or a peer-to-peer system.

BRIEF DESCRIPTION OF THE DRAWINGS

[0009] FIG. 1 is a diagram showing a first embodiment of a photograph repository system.

[0010] FIG. 2 is a flowchart showing a process performed by the photo acceptance application of FIG. 1.

[0011] FIG. 3 is a block diagram showing components of the photo database of FIG. 1.

[0012] FIG. 4 is a flowchart showing a process performed by the photo retrieval application of FIG. 1.

[0013] FIG. 5 is a diagram showing a peer-to-peer embodiment of a photograph repository system.

[0014] FIG. 6 is a diagram showing a standalone embodiment of a photograph repository system.

[0015] FIG. 7 is a diagram showing a hybrid embodiment of a photograph repository system.

DETAILED DESCRIPTION OF THE PRESENTLY PREFERRED EMBODIMENTS

[0016] I. First Embodiment

[0017] A. Overview of System

[0018] FIG. 1 shows a first embodiment of a photograph repository (or archive) system 100. In FIG. 1, users 110 have digital photographs. The digital photographs are in the form of data files 114 stored in suitable image formats, such as *.jpg, *.bmp, or *.png. Other suitable file formats may be used. The data files 114 that comprise the digital photographs are stored on suitable data storage media 116, such as flash memory cards, computer hard drives, CD-ROMs, DVDs, and so on. Any suitable data storage media may be used.

[0019] The digital photographs may be obtained from digital cameras 120 that are operated by the users 110. The digital cameras 120 may be standalone units or may be incorporated into other devices, such as portable phones or PDAs. Digital photographs may also be obtained from scanners that form image data files 114 from physical photographs (which may have been taken with either film cameras or digital cameras). The scanners may be connected to other suitable equipment, if necessary, such as personal computers.

[0020] In this embodiment, the users 110 may include individual people or corporate entities. The users 110 may include commercial or non-commercial users.

[0021] The users 110 operate devices 128 that are equipped to access a data network 134. The devices 128 include personal computers, PDAs, telephones, and so on. The devices 128 may use any means now known or developed in the future for interfacing with the network 134.

[0022] The network 134 may include any common data network, such as the Internet, or any other type of network capable of exchanging data, including public and private networks, POTS (plain old telephone service), wireless and land-based communications networks, and so on.

[0023] The users 110 operate the devices 128 to access a photograph repository service 140. The photograph repository service 140 is a combination of hardware and software components. The photograph repository service 140 allows users to store and retrieve digital photographs. For these purposes, the photograph repository service 140 includes suitable hardware and software that enables users to conduct interactive sessions in which the digital photograph data files are exchanged between the users and the photograph repository service 140. For example, the photograph repository

service **140** includes one or more servers or other computing platforms and appropriate programming. The photograph repository service **140** also includes one or more data storage devices, such as hard drives, tape drives, etc.

[0024] B. Operation—Storage of Digital Photos

[0025] The photograph repository service **140** includes applications **144** that provide functions to users. The applications **144** provide for interactive on-line sessions between users and the photo repository service **140**. In one embodiment, the applications **144** provide for accessing the photo repository service **140** using a web browser.

[0026] Among the applications **144** is an acceptance application **150**. The acceptance application **150** enables users **110** to store their digital photographs (as data) on a data storage medium **146** in the photo repository service **140**. (The data storage medium **146** may be one or more hard drives or other suitable equipment.) The acceptance application **150** also enables users to categorize their stored photographs by location. To provide for this feature, the acceptance application **150** enables users to associate each stored photograph with one or more location references. A location reference is a data item that is associated with a photograph. The location reference may indicate a location from which the photograph was taken (i.e., the “vantage point”). Alternatively, the location reference may indicate the location of a feature in the photograph (i.e., an object location). In another alternative, a photograph may be stored with a composite location reference that indicates both the location from which the photograph was taken and the location of one or more features or objects in the photograph.

[0027] FIG. 2 shows a process **152** performed by the acceptance application **150**. In a first step, a session is initiated between a user and the photo repository service **140** (Step **154**). Then, the photo repository service **140** receives a digital photograph (as a data file) from the user **110** (Step **156**). Next, the photo repository service **140** associates one or more location references with the photograph (Step **158**).

[0028] The location reference may be expressed in several different ways. For example, the location reference may be expressed as geographic coordinates (e.g., latitude, longitude, and optionally altitude). Alternatively, the location reference may be expressed as a street address (e.g., 1245 N. Main St., Springfield, Ill., USA). According to another alternative, the location reference may be expressed as a point relative to a map. Alternative ways of expressing a location reference may be supported.

[0029] The location reference to be associated with a digital photograph may be obtained in several different ways. Some cameras include positioning equipment, such as a GPS unit. These types of digital cameras are capable of determining a position (e.g., latitude and longitude coordinates) at which a photograph is taken. Data indicating the position are associated (e.g., linked, embedded) with the photograph image data file. Alternatively, the position information is overlaid on the photograph.

[0030] Another way that the photo repository service **140** may obtain a location reference to associate with a photograph is from the user. The acceptance application **150** provides a means for the user to indicate a location to associate with a photograph. According to one alternative,

the acceptance application **150** may provide entry fields in a web page displayed on the user’s computing platform into which the user can indicate a location. The acceptance application **150** may provide various different ways for the user to indicate a location. For example, the acceptance application **150** may allow the user to specify geographic coordinates. Alternatively, the acceptance application **150** may allow the user to specify a street address or street intersection. Alternatively, the acceptance application **150** may allow the user to specify a point of interest or a well-known location. The acceptance application **150** may also allow a user to specify an inexact or fuzzy address (e.g., a zip code or a neighborhood).

[0031] The acceptance application **150** also allows a user to provide additional information to be associated with a photograph (Step **160**). This additional information may be optional. This additional information may include the identity (or alias) of the person submitting the photograph to the repository, an orientation (e.g., a compass heading and elevation) of the camera when the photograph was taken, a date on which the photograph was taken, a time-of-day at which the photograph was taken, the date the photograph is being archived, a title to be associated with the photograph, a subject matter category to be associated with the photograph, restrictions imposed on sharing the photograph with other users, and a user-provided description or narrative to be associated with the photograph. Other information may also be included. For example, aperture setting, focal length and shutter speed may be included.

[0032] Some of these types of information may be provided automatically, e.g., without requiring the user to input a value. For example, some cameras can automatically associate time-of-day data with a photograph. Similarly, cameras equipped with a compass or gyroscope can automatically associate orientation data with a digital photograph. Cameras can also automatically associate focal length, aperture setting and shutter speed data with photographs.

[0033] As stated above, restrictions may be imposed on the sharing of photographs with other users. In one embodiment, the photo repository may support password protection of photographs. According to this feature, a user storing a photograph on the photo repository may specify a password to be associated with the photograph. The photo repository would then make the photograph available to only users who specify the password.

[0034] Once the acceptance application **150** obtains the digital photograph, location reference information and any other information to be associated with the photograph from the user, the acceptance application **150** stores the digital photograph, location reference information and other associated information in a photo database **164** on the data storage medium **146** (Step **162**). The acceptance application **150** stores the digital photograph, location reference information and other information so that the digital photograph is searchable. Accordingly, appropriate indexing or other data search techniques are used. In addition, appropriate indexing or other techniques may be used so that the digital photographs are searchable by any of the other stored information, such as by date, owner, and so on.

[0035] FIG. 3 shows an embodiment of some of the data components associated with stored photograph images **114** in the photo database **164**.

[0036] Referring again to **FIG. 1**, the acceptance application **150** may transform the location reference information into one or more alternative formats as part of the process. This transformation process is performed so that photographs may be searched by location using any of several alternative location referencing systems. As part of this process, the acceptance application **150** may geo-code the location information. As an example, if a user specifies a photograph location by street address, the acceptance application **150** may determine the geographic coordinates of the street address provided by the user and associate (e.g., store) the geographic coordinates as well as the street address specified by the user in the photo database **164**. In order to perform this function, the acceptance application **150** may use a geographic database **170** that associates addresses and geographic coordinates. Such databases are available from commercial sources, such as Navigation Technologies Corporation of Chicago, Ill. Similarly, if the user specifies geographic coordinates, the acceptance application **150** may determine a street address that corresponds to the coordinates and store the street address as well as the geographic coordinates in the photo database **164**. Conversion to other location referencing formats may also be performed.

[0037] C. Operation—Retrieval of Photos

[0038] Referring still to **FIG. 1**, the photo repository service **140** also includes a retrieval application **174**. The retrieval application **174** enables each user to retrieve his/her own photographs from the photo database **164**. When retrieving photos, a user may use the location associated with the photo as a search criterion. Alternatively, a user may use any of the other attributes associated with a photo as a search criterion. The photo retrieval application **174** also provides a means by which users can obtain (e.g., retrieve) copies of photos taken by others from the photo database **164** using the location of the photo as a search criterion or alternatively, any of the other attributes associated with a photo as a search criterion.

[0039] The retrieval application **174** is accessed and used in the same or a similar way as the acceptance application **150**. The user **110** operates the device **128** that is equipped to access the data network **134**. The photo retrieval application **174** provides for an interactive on-line session between the user **110** and the photo repository **140**.

[0040] **FIG. 4** shows a process **178** performed by the photo retrieval application **174**. In a first step, an interactive on-line session is initiated between a user and the photo repository service **140** (Step **180**). Upon initiating the session with the photo repository **140**, the user is prompted to search for photos by location (Step **182**). The user may be presented with labeled entry fields on a display of the device **128** used to access the photo repository **140**. Alternatively, the user may be prompted to indicate the location using voice input. The user may specify the location in various ways. For example, the user may specify the location by geographic coordinates. Alternatively, the user may specify the location by street address. According to other alternatives, the user may specify the location by cross streets or by the name of the location. The user may also specify an approximate location (e.g., a zip code).

[0041] In a present embodiment, the user may also provide one or more additional criteria to restrict the search for photos (Step **184**). For example, the user may want only

photos of 1245 Main Street, Springfield, Ill. that were taken between Jul. 1, 2002 and Aug. 1, 2002. According to another alternative, the search may be restricted spatially. For example, the search may be restricted to a specified distance from a reference point (e.g., a search radius) or to a specified bounding area (e.g., a bounding rectangle). Appropriate input fields may be presented to the user for these purposes.

[0042] Upon obtaining information from the user that specify the criteria for selecting photos, the photo retrieval application **174** conducts a search of the photo database **164** for photos that match the specified criteria (Step **186**). The matching photos, if any, are provided to the user (Step **188**). Full copies of the matching photos may be provided to the user. Alternatively, only thumbnail copies of the matching photos may be provided initially with full copies available upon further selection by the user. According to another alternative, a count of the number of matches is provided to the user and the user is requested to indicate whether to transmit all, or just some of the photos. According to still another alternative, if there are a large number of matches, the user may be provided with a portion of the results (e.g., ten matches), with a link to get another portion (e.g., the next **10**) and so on.

[0043] III. Alternatives

[0044] A. Peer-to-Peer

[0045] **FIG. 5** shows an alternative embodiment **200** of the photo repository system. In the embodiment of **FIG. 5**, a peer-to-peer technology is used to store and exchange photographs.

[0046] In **FIG. 5**, each user **206** has a computing platform **210** that has a data storage device **214**. The computer platform **210** may be a personal computer or PDA. The data storage device **214** may be a hard drive, CDROM or DVD. Other types of computing platforms and data storage devices may be suitable. The end users' computer platforms **210** are connected to a data network **220**, such as the Internet.

[0047] Each end user has digital photographs stored on his/her data storage device **214** of his/her respective computer platform **210**. The digital photographs are obtained from digital cameras **120** or from other sources, such as scanners. The digital photographs are stored as data files **230** in appropriate image formats, such as jpeg, gif, png, etc.

[0048] In the embodiment of **FIG. 5**, instead of transmitting copies of their digital photographs to a central photograph repository (as in the embodiment of **FIG. 1**), each end user retains his/her copies of digital photographs on his/her own local data storage device **214** but makes the digital photographs available to other users over the data network **220**. In order for users to find digital photographs of other users, each end user runs a peer-to-peer photo exchange program **240**.

[0049] The peer-to-peer photo exchange program **240** allows end users to conduct searches for digital photographs of other end users and to download selected digital photographs from the other end users' local data storage devices. In the embodiment of **FIG. 5**, the peer-to-peer photo exchange program **240** provides for searching by location (i.e., the location where the photograph was taken or the location of an object in the photograph).

[0050] The peer-to-peer photo exchange program 240 is obtained from a map service provider 244 or other source. The peer-to-peer photo exchange program 240 installs a client component on an end user's computer. The peer-to-peer photo exchange program 240 provides an indexing function that allows the photo files stored on an end user's computing platform to be categorized by location, e.g., with location references. The peer-to-peer photo exchange program 240 uses a geographic database 256 to geocode an end user's photographs. The geographic database 256 and geocoding software 258 may be located on a server associated with the photo service provider 244. As described in connection with the first embodiment, the peer-to-peer photo exchange program 240 may provide for various different ways of indicating location, such as by street address, geographic coordinates, and so on. Also as described in connection with the first embodiment, the peer-to-peer photo exchange program 240 may provide for different ways by which location data may be associated with a photograph. In addition, the peer-to-peer photo exchange program 240 may also provide for associating additional attributes (e.g., date, orientation, etc.) with photograph images and providing for searches based on these additional attributes.

[0051] After an end user has associated a location with each digital photograph to be shared, the client component of the peer-to-peer photo exchange program 240 forms an individual index file 260. The individual index file 260 indicates the location references (and possibly other searchable attributes) associated with a user's photographs and includes references (e.g., pathnames) to the associated photograph data files. The individual index file 260 is transmitted over the data exchange network 220 to the map service provider 244. In this embodiment, the photograph data files are not transmitted to the map service provider 244 but instead remain on the user's local data storage device.

[0052] The map service provider 244 receives an individual index file 260 from each user. The map service provider 244 integrates the individual index file 260 obtained from each user into a master index file 262. The master index file 262 indexes the photographic data files from all end users by their associated locations. When an individual index file 260 from a user is integrated into the master index file 262, references to the photograph data files on the end user's computing platform are augmented with a reference to the end user's computer on the network, e.g., an IP address.

[0053] Using the master index file 262, the peer-to-peer photo exchange program 240 enables users to search for photographs stored on any data storage device (e.g., hard drive) connected to the network 220. The peer-to-peer photo exchange program 240 enables searches for photographs by their associated location references (i.e., where the photographs were taken or the locations of features in the photographs). By providing a centralized master index, searches for photographs can be conducted quickly and efficiently. Keeping the photographs on the end users' local data storage devices reduces the need for providing a large amount of data storage on a server.

[0054] B. Standalone Version

[0055] Another alternative embodiment of a photo repository system 300 is shown in FIG. 6. The embodiment of FIG. 6 includes decentralized storage of photographs.

According to this embodiment, each user has a computing platform 310 that runs a repository program 316 that provides for associating location data (and possibly other information) with digital photographs 318 and then search for digital photographs based on the associated location. In order to geocode the photographs, the repository program 316 uses a geographic database 320 and a geocoding program 324. In one version of this embodiment, the geographic database 320 and geocoding program 324 are stored locally (i.e., on the end user's computing platform). In an alternative version of this embodiment, the geographic database 320 and geocoding program 324 are stored remotely (e.g., with a map service provider 326) and accessed over a network 328 by the local portion of the repository program 316. In still another version of this embodiment, the geocoding program 324 is stored locally and the geographic database 320 is stored remotely and accessed by the local geocoding program 324. The repository program 316 provides that the digital photographs can be stored locally, i.e., on a data storage device, such as a hard drive 322, located with the end user's own computing platform 310.

[0056] This embodiment is similar to the other embodiments in that the users are provided with a way to organize their digital photographs. The digital photographs 318 stored on a user's local hard 322 are associated with location references. As in the previously described embodiments, users may employ various search criteria to find photographs of interest. As in the previously described embodiments, users may search for photographs by location, i.e., the location associated the photograph. In this embodiment, the repository program 316 provides that the photographs stored locally are kept private and not necessarily shared with others.

[0057] C. Hybrid Version

[0058] Another alternative embodiment 400 of the photo repository system is shown in FIG. 7. The embodiment of FIG. 7 is a hybrid version that provides for both centralized and decentralized storage of photographs. In this embodiment, each user has a computing platform 410 that runs a repository program 416 (similar to the program 316 in FIG. 6) that provides for associating location data with digital photographs and then search for digital photographs based on the associated location data. Photographs are geocoded (i.e., associated with location references) using a local or remote geographic database 420 and local or remote geocoding software 424. The repository program 416 provides that the user can store some digital photographs 418L locally on a data storage device 419 located with the end user's own computing platform 410 so that these photographs can be kept private and not necessarily shared with others. The repository program 416 also provides that the user can store some photographs 418R remotely in a photo database 428 on a data storage device 430 associated with a remotely located photo repository 440. The remotely stored photographs 418R are shared with other users, as described in connection with the first embodiment (in FIG. 1).

[0059] In this embodiment, the location referencing of locally stored photographs is compatible with the location referencing of remotely stored photographs. Searches may be performed for locally stored photographs, remotely stored photographs, or both locally and remotely stored photographs. Compatible location referencing facilitates the

ability to interact with the remote photo repository 440 for sharing, purchasing, and selling photographs and other information (such as point of interest information).

[0060] D. Groups

[0061] According to this alternative, a photo repository system provides for the establishment of groups. A group refers to one or more users. A group can be established to include various users who have a common interest in sharing photographs. For example, a group may include all members of a family, all employees of a company, all employees of a company above (or below) a certain management level, all employees of a department in a company, all members of a labor union, all students or faculty of an educational institution, all residents of a neighborhood, all customers of a business, all members of a religious institution, clubs, societies, and so forth. In this embodiment, the photo repository allows stored photographs to be group-restricted. The photo repository allows photographs to be shared only within the group.

[0062] In one alternative, all members of the group can store photos in, retrieve photo from or remove photos from the photo repository. In other alternatives, only some group members are authorized to store or delete photos.

[0063] The photo repository may use various means to verify and authenticate group members.

[0064] Groups may be implemented with various different embodiments of the photo repository system. For example, groups may be implemented with a centralized photo repository (e.g., **FIG. 1**), a peer-to-peer photo repository (e.g., **FIG. 5**), or a hybrid photo repository (e.g., **FIG. 7**).

[0065] E. Other Alternatives

[0066] In one alternative embodiment, the photograph repository can provide a marketplace to buy and sell photographs. Photographs for sale may be photographs taken by professional photographers or that otherwise have value. According to this embodiment, a user accesses the photo repository and selects a location reference. The location reference may be a location from which the user took a photograph or may be a location in which the user has an interest. The photo repository identifies photos that match the user's search criteria and also indicates prices for the identified photos. The prices may be fixed or negotiable. If the user wishes the purchase an identified photograph, the user pays for it using any available method for making on-line purchases. The buying and selling of photographs on the photo repository may be provided in addition to the free exchange of photographs.

[0067] According to another alternative embodiment, the photo repository service may also provide navigation-related or map-related features. These navigation-related or map-related features may pertain to the locations of photographs. As an example, when a user obtains a photograph from the photo repository service, the user may be provided with routing directions (e.g., turn-by-turn driving instructions, pedestrian, inter-modal) to the location associated with the photograph. According to another alternative, when a user obtains a photograph from the photo repository service, the user may be provided with a map that shows the location associated with the photograph.

[0068] In further alternative embodiments, a photo-taking location assistance feature is provided. According to this feature, an application (executed on a standalone, server, or hybrid system) allows a user to specify subject matter categories (e.g. historical sites, natural/scenic, etc.) that he/she wants to take pictures of. As the user travels through a geographic area, the user's position is determined on a regular basis by equipment (e.g., GPS, cell phone positioning) in the standalone, server, or hybrid system. The photo-taking location assistance feature of the application notifies the user when the user is in proximity to a location where a photo can be taken of an object of one of the user's specified subject matter categories. Alternatively, the application may direct the user (e.g., with driving or pedestrian routing instructions) to the location where a photo can be taken of an object of one of the user's specified subject matter categories. Once the user takes a picture, all the other repository-related functions mentioned in connection with the various embodiments apply.

[0069] In another alternative embodiment, the photo repository may include links to web cam feeds. These web cam feed links would be categorized and searchable by location. According to this embodiment, the photo repository service includes an acceptance application for web cam links. This acceptance application for web cam links would be similar to the photo acceptance application described above. A user who is operating a web cam would provide a link to the web cam's network address. The user would also indicate the physical location (e.g., geographic coordinates, street address, etc.) of the web cam, and possibly other information, such as the orientation of the web cam, permissions, etc. The link and location information would be stored in a database file at the photo repository. (The web cam links may be stored in the same database used to store digital photographs, or alternatively the web cam links may be stored in a separate database.) Using this information, the photo repository service would be a resource for viewing live conditions anywhere in the world. As an example, a user may want to get a live view of weather conditions at a particular location. The user would search the photo repository database for a web cam feed associated with that particular location. If a web cam feed is available for the desired location, the link to that web cam is sent the user. Then, the user uses the link to receive the web cam feed to observe conditions at the location.

[0070] Another use for the photo repository is to provide evidence in judicial matters or to aid investigations. As an example, the photo repository could be used to find photographs of a particular location taken on a particular day in order to corroborate a witness's testimony. The photo repository might also be used to establish before-and-after conditions at sites of accidents, fires, etc.

[0071] Another way that the photo repository can be used is to view sites that were visited in the past to observe how they have changed. For example, a user may store a series of photos showing locations visited on a vacation. Years later, the user may obtain current photographs of those same locations in order to see how they have changed.

[0072] According to another embodiment, the photos stored in the photo repository by users can be used by a map developer to create new maps or update existing maps. Because photos stored in the repository are indexed by

location, a map developer can use the photos taken by users to obtain information about the locations in the photos. As an example, if a photo taken by a user shows a bridge, the map developer can examine the photo to obtain information about the bridge, such as the number of lanes of traffic, the bridge height, the bridge length, road signs, and so on. Similarly, a user's photo of a building can be used by the map developer to obtain information about the building height, footprint, address, and so on. The information obtained in this manner may be used directly by a map developer for creating or updating a map, or alternatively, the information obtained in this manner may be used by the map developer to determine where to send field personnel for updating purposes.

[0073] The various embodiments of the photo repository may include versions particularly designed for either home or business uses.

[0074] In some of the embodiments disclosed above, photo repository software or data are stored locally on an end user's computer platform. In these embodiments, the software or data may be downloaded to the end user's computer platform. Alternatively, the software or data may be provided on media (e.g., CD-ROM) delivered to the end user.

[0075] In another embodiment, the photo repository can provide users a feature that allows a plurality of stored photographs to be associated with each other. As an example, a user may take a number (e.g., 50) of photographs while on a vacation. According to this embodiment, the photo repository allows the user to associate these photographs as a set. The user may be allowed to name the set (e.g., Hawaiian vacation, August 2003). When the user wishes to retrieve these photos for viewing, the photo repository would allow the user to retrieve the photos as a set.

[0076] It was stated above in connection with the embodiment of the photo repository that used peer-to-peer data exchange technology that photos stored on end users' computers were referenced by a link that included the end user's network address. One way to implement this is to establish a separate domain or suffix to be used for photo links, e.g., pix.

[0077] There are various ways to generate revenue from the operation of embodiments of the photo repository. In one alternative, end users pay a fee for storage of photographs in the repository. Alternatively, end users pay a fee for downloading photographs of others. In another alternative, advertising is presented to the users when they access or use the photo repository. Alternatively, advertising may be added to or overlaid on downloaded photographs. In alternatives in which users install repository software or geographic data locally, the users may pay a fee (e.g., a license fee) for the software and/or data.

[0078] As mentioned above, a user may search the photo repository for stored photographs based on search criteria other than location. In one embodiment, users may search the photo repository for photographs by color or color combination. In this embodiment, a user may want a photograph having a specific color or combination of colors for decorating purposes, for example. According to this embodiment, the photo repository supports searches of stored

photographs based on the dominant color or color combinations in the photographs. Searches may combine color with other criteria (e.g., photographs of the Grand Canyon that have strong red colors).

[0079] According to another embodiment, the photo repository includes a free text search engine. This would enable searches for photos based on any word or phrase associated in any way with a photograph. Inexact and fuzzy matches would also be supported.

[0080] Another feature included in an alternative embodiment of the photo repository provides for automatic recognition of placenames when entering text. As mentioned above, some embodiments of the photo repository allow a user to provide a description, title or narrative to be associated with a photograph when the photograph is being stored. The user may provide these types of information as text. According to this feature, if a user indicates a placename when providing text for a description, title or narrative, the photo repository automatically identifies the potential placename and asks the user to confirm that the identified text is the placename of the location associated with the photograph. As an example, if a user provides the text "This is a picture of the Empire State Building at noon" for a description to be associated with a digital photograph being stored, the photo repository automatically identifies the text "Empire State Building" as the name of a place and asks the user to confirm that the object in the picture is the "Empire State Building." If the user confirms that the object in the picture is the Empire State Building, the photo repository automatically associates the location of the Empire State Building with the photo being stored. The photo repository can automatically identify placenames in text by comparing user-entered text to a table of placenames, searching user-entered text for placename patterns (e.g., "1245 Main Street", first letter capitalized words), or various other means.

[0081] It is intended that the foregoing detailed description be regarded as illustrative rather than limiting and that it is understood that the following claims including all equivalents are intended to define the scope of the invention.

We claim:

1. A method of storing photographs comprising:

providing a data repository on a network accessible to a plurality of users who have digital photographs, wherein the digital photographs are comprised of data files in a suitable format;

receiving digital photographs from the users over the network;

storing the digital photographs in the data repository;

when storing each digital photograph in the data repository, associating each digital photograph with data that indicate a physical location;

providing a search function available to the users over the network that enables users to search by physical location for digital photographs stored by other users;

allowing users to select digital photographs stored by other users; and

transmitting copies of the selected digital photographs to the users who selected them over the network.

2. The method of claim 1 further comprising:

for some of the digital photographs stored in the data repository, associating additional data with the digital photograph and storing the additional data in the data repository, wherein the additional data indicates an orientation.

3. The method of claim 1 further comprising:

for some of the digital photographs stored in the data repository, associating additional data with the digital photograph and storing the additional data in the data repository, wherein the additional data restrict which other users may obtain a copy of the digital photograph.

4. The method of claim 1 further comprising:

for some of the digital photographs stored in the data repository, associating additional data with the digital photograph and storing the additional data in the data repository, wherein the additional data indicate an owner of the digital photograph.

5. The method of claim 1 further comprising:

for some of the digital photographs stored in the data repository, associating additional data with the digital photograph and storing the additional data in the data repository, wherein the additional data indicate a date on which the digital photograph was taken.

6. The method of claim 1 further comprising:

for some of the digital photographs stored in the data repository, associating additional data with the digital photograph and storing the additional data in the data repository, wherein the additional data indicate a date on which the digital photograph was deposited in the data repository.

7. The method of claim 1 further comprising:

for some of the digital photographs stored in the data repository, associating additional data with the digital photograph and storing the additional data in the data repository, wherein the additional data provide a description of the digital photograph.

8. The method of claim 1 further comprising:

for some of the digital photographs stored in the data repository, associating additional data with the digital photograph and storing the additional data in the data repository, wherein the additional data include a focal length used for the digital photograph.

9. The method of claim 1 further comprising:

for some of the selected digital photographs transmitted to users, charging the users a fee for the selected digital photographs.

10. The method of claim 1 further comprising:

storing links to web cams in the data repository;

when storing each link to a web cam in the data repository, associating each link to a web cam with data that indicate a physical location, wherein the physical location indicates where the web cam associated with the link is located;

providing a search function available to the users over the network that enables users to search by physical location for web cam links stored by other users;

allowing users to select links to web cams of other users; and

transmitting the respective selected web cam links to the users who selected them over the network.

11. The method of claim 1 wherein the physical location associated with the digital photograph indicates a vantage point of the digital photograph.

12. The method of claim 1 wherein the physical location associated with the digital photograph indicates the location of an object in the digital photograph.

13. The method of claim 1 wherein the data that indicate a physical location is obtained, for at least some of the digital photographs, from positioning equipment associated with the camera that took the photograph.

14. The method of claim 1 wherein the data that indicate a physical location is obtained from the user from whom the associated digital photograph was received.

15. The method of claim 1 further comprising:

when receiving digital photographs from users, requesting each user to indicate the physical location to be associated with the digital photograph.

16. The method of claim 1 further comprising:

making the data repository accessible to a map developer; and

allowing the map developer to update maps using the digital photographs stored in the data repository.

17. The method of claim 1 further comprising:

for some of the copies of selected digital photographs transmitted to users over the network, providing the users with route guidance for traveling to the respective locations shown in the digital photographs.

18. The method of claim 1 further comprising:

for some of the digital photographs received from users, allowing the users to associate a plurality of digital photographs as a related group.

19. The method of claim 1 wherein the search function allows a user to specify a physical location by distance from a reference point.

20. The method of claim 1 wherein the search function allows a user to specify a physical location by a bounding area.

21. The method of claim 1 further comprising:

establishing groups of users, wherein each group comprises a subset of all users; and

restricting exchange of digital photographs stored in the data repository by members of a group to only members of the group.

22. The method of claim 1 wherein the search function supports free text searches.

23. The method of claim 1 wherein the data repository automatically recognizes potential placenames when users enter text to be associated with digital photographs being stored.

24. A method of exchanging photographs comprising:

providing an indexing program on a network accessible to a plurality of users, wherein each of the users has digital photographs stored as data files on a respective separate one of a plurality of data storage devices connected to the network, wherein the indexing program associates each digital photograph with a physical

location, and wherein the indexing program refers to each digital photograph by referencing the user's data storage device on which the digital photograph is stored;

providing a search function available to the users over the network that enables users to search by physical location for digital photographs of other users;

allowing users to select digital photographs stored by other users on said other users' data storage devices; and

providing for the transmission of copies of the selected digital photographs to those users who selected them over the network.

25. The method of claim 24 wherein the indexing program includes a client component that forms an individual index of digital photographs stored on an individual user's data storage device, and wherein the individual index is transmitted over the network and integrated with other users' individual indexes to form a master index.

26. A method of storing photographs in a standalone computing system comprising:

providing a data repository on the standalone computing system;

storing digital photographs in the data repository;

when storing each digital photograph in the data repository, associating each digital photograph with data that indicate a physical location;

providing a search function available to the user of the standalone computing system that enables the user to search by physical location for digital photographs stored in the data repository;

allowing the user to select digital photographs stored in the data repository; and

providing copies of the selected digital photographs to the user from the standalone computing system.

27. A method of storing photographs in computing systems connected to a data network, the method comprising:

providing a first data repository on first computing system connected to the data network;

storing a first plurality of digital photographs in the first data repository;

when storing each digital photograph in the first data repository, associating each digital photograph with location reference data that indicate a physical location, wherein the location reference data is in a selected format;

providing a second data repository on a second computing system accessible to a plurality of users who have digital photographs, wherein the second computing system is accessible over the data network to the first computing system;

storing a second plurality of digital photographs in the second data repository;

when storing each digital photograph in the second data repository, associating each digital photograph with location reference data that indicate a physical location, wherein the location reference data associated with the digital photographs stored in the second data repository is in the selected format;

providing a search function available to a user of the first computing system that enables the user to search by physical location for digital photographs stored in the first data repository and the second data repository;

allowing the user to select digital photographs stored in the first data repository and the second data repository; and

providing copies of the selected digital photographs to the user from the first data repository and the second data repository.

28. A method of enabling a user to take photographs of a place of interest comprising:

storing data in a computing system to indicate a user-selected subject matter category;

determining locations of the user as the user travels through a geographic region;

using a geographic database to compare locations of the user to locations of places that match the user-selected subject matter category; and

informing the user when the user is in proximity to one place that matches the user-selected subject matter category.

* * * * *