



US006058417A

United States Patent [19]
Hess et al.

[11] **Patent Number:** **6,058,417**
[45] **Date of Patent:** **May 2, 2000**

[54] **INFORMATION PRESENTATION AND MANAGEMENT IN AN ONLINE TRADING ENVIRONMENT**

[75] Inventors: **Martin L. Hess**, Aptos; **Michael K. Wilson**, Los Gatos, both of Calif.

[73] Assignee: **eBay Inc.**, San Jose, Calif.

[21] Appl. No.: **09/177,726**

[22] Filed: **Oct. 23, 1998**

[51] **Int. Cl.**⁷ **G06F 13/00**

[52] **U.S. Cl.** **709/219; 709/203; 705/27**

[58] **Field of Search** 709/217, 218, 709/219, 203, 300, 302; 707/9, 10, 100, 101, 104, 501; 345/329, 335, 339, 349; 705/26, 27, 28, 29

[56] **References Cited**

U.S. PATENT DOCUMENTS

5,557,728	9/1996	Garrett et al.	395/340
5,598,557	1/1997	Doner et al.	707/5
5,706,457	1/1998	Dwyer et al.	345/349
5,737,599	4/1998	Rowe et al.	707/104
5,771,380	6/1998	Tanaka et al.	707/104
5,794,216	8/1998	Brown	705/27
5,884,056	3/1999	Steele	345/339

FOREIGN PATENT DOCUMENTS

WO 94/22108	9/1994	WIPO .
WO 98/35468	8/1998	WIPO .

OTHER PUBLICATIONS

European Patent Office Search Report, RS 102472 US, 4 pages.

Hong et al, "Multilingual Information Retrieval System", Multimedia Storage and Archiving Systems, Nov. 18–19, 1996.

Liepins et al, "A Browser Based Image Bank, Useful Tool or Expensive Toy", MEDNET97, Nov., 1997


Mohan, "Text–Based Search of TV News Stories", Multi-media Storage and Archiving Systems, Nov. 18–19, 1996.

Primary Examiner—Zarni Maung
Assistant Examiner—Viet Vu
Attorney, Agent, or Firm—Blakely, Sokoloff, Taylor & Zafman, LLP

[57] **ABSTRACT**

A method and apparatus for information presentation and management in an online trading environment are provided. According to one aspect of the present invention, person-to-person commerce over the Internet is facilitated by providing prospective buyers the ability to quickly preview items for sale. Images are harvested from a plurality of sites based upon user-supplied information. The user-supplied information includes descriptions of items for sale and locations from which images that are to be associated with the items can be retrieved. Thumbnail images are created corresponding to the harvested images and are aggregated onto a web page for presentation at a remote site. According to another aspect of the present invention, a user may submit a query to preview items for sale. After receiving the query, thumbnail images corresponding to items that satisfy the user query are displayed, each of the thumbnail images previously having been created based upon a user-specified image.

3 Claims, 12 Drawing Sheets





Top : Antiques : Folk Art	
Current Auctions	
Current	New Today Ending Today Completed Going, Going, Gone
NEW! Vintage handmade paper florals on wood tray PIC	\$2.00 - 10/26 10:23
NEW! **SUPER TRAMP ART 3 STORY BUILDING BOX** PIC	\$100.00 - 10/26 09:44
NEW! Mexican Pottery Vase No. 1 PIC	\$5.00 - 10/26 09:26
NEW! Mexican Pottery Vase No. 2 PIC	\$5.00 - 10/26 09:09
NEW! Antique look Xmas Wall Decor "Mittins" PIC	\$3.00 - 10/26 09:08
NEW! Mexican Pottery Vase No. 3 PIC	\$5.00 - 10/26 08:57
NEW! Mexican Pottery Vase No. 4 PIC	\$5.00 - 10/26 08:45
NEW! Hand painted Pottery Wine Jug with Cup PIC	\$40.00 - 10/26 08:24
NEW! (SUPER!) Folk Art Tucan Head Cane PIC	\$49.00 - 10/26 08:12
NEW! SCRIMSHAW PIC	\$60.00 - 10/26 08:09
NEW! Folk Art Hand Carved Light House - Large PIC	\$25.00 - 10/22 08:41
NEW! Antique Hand Made Adirondak 31" Plant Stand PIC	\$9.99 - 10/26 07:40
NEW! BUFFALO, MINNESOTA FISH DECOY-red&white PIC	\$15.00 - 10/26 07:36
NEW! BLACK FOLK ART DOLL- "SHUFFLIN SAM" PIC	\$22.00 - 10/26 06:52
NEW! HOLY FRIJOLE! TRIPLE KITCHEN VIRGIN APPEARS PIC	\$29.00 1 10/26 06:39

For more items in this category, click on the following pages:

$$= 1 = \boxed{2} \quad \boxed{3} \quad \boxed{4} \quad \boxed{5} \quad \boxed{6} \quad \boxed{7} \quad \boxed{8} \quad \boxed{9} \quad \boxed{10} \quad \boxed{11} \quad \boxed{12} \quad \boxed{13} \quad \boxed{14} \quad \boxed{15} \quad \boxed{16} \quad \boxed{17} \quad \gg$$

Top : Antiques : Folk Art

Fig. 1
(Prior Art)




Fig. 2




Fig. 3




Fig. 4




Fig. 5

600



Home

Listings

Buyers

Sellers

Search

Help

News/Chat

Site Map

So many services, so little time! Never fear, the eBay Helpful Services page is [here](#).
Click here for our Halloween Bash!

Sell Your Item

User ID / Password	<div>User ID or E-mail address605</div> <div>Password (forgotten it?)610</div>
Title (no HTML)	<div>e.g.: Rare collection of 100 beanie babies (required)615</div>
Item location	<div>e.g. : San Jose, California (required)620</div> <div>Please specify the geographic location of the item(s) you are offering. This gives the potential bidder an idea of shipping costs, etc.</div>

625

Category (choose one category only) (required)
Try to choose the most specific category, especially for computer-related items

Antiques:

Books, Movies, Music:

630

Accepted Payment Methods (choose as many as apply)	<div><div>☐ Money Order/Cashiers Check</div><div>☐ Personal Check</div><div>☐ Visa/MasterCard</div><div>☐ COD (collect on delivery)</div><div>☐ On-line Escrow</div><div>☐ American Express</div><div>☒ See Item Description</div><div>☐ Other</div><div>☐ Discover</div></div>
Shipping Terms	<div><div>☐ Seller Pays</div><div>☐ Buyer Pays Fixed Amount</div><div>☐ Buyer Pays Actual Shipping Costs</div><div>☐ Will Ship Internationally</div><div>☒ See Item Description</div></div>

640

Fig. 6A



TikTok Inc. EX1045

TikTok Inc. v. Distefano Website Innovations, LLC

IPR2025-01224

Page 7 of 19

600

Description (HTML ok) 	<div>(required)</div> <div>645</div>
Picture URL 	<div>(optional) 650</div> <div>http://</div> <div>If you have a URL to a picture you would like to include in, but did not enter HTML code for it in the description above, you may enter the URL here. By entering it here, the PIG icon will appear next to your item in the listings. Note that you must enter a complete URL to a picture on your own Web site. If you'd like more information on including pictures with your listings, three excellent tutorials on the subject can be found at http://www.pongo.com/tutorials/aweb-images/, http://www.pixhost.com/, and http://www.twaze.com/aolpix/. (These tutorials are maintained by eBay Community members, and eBay is not responsible for their content or accuracy).</div>
Quantity 655	<div>1</div> <div>(type numerals only) (optional)</div>
Minimum bid 660	<div></div> <div>per item (numerals and decimal point '.' only) (required)</div>
Duration	<div>7</div> <div>days (required)</div>

665

Fig. 6B




Fig. 7










Fig. 8



900 ↘

 920 921	NEW! Folk Art Hand Carved Light House - Large \$25.00 10/22 08:41
	NEW! Antique Hand Made Adirondak 31" Plant Stand \$9.99 10/26 07:40
	NEW! BUFFALO, MINNESOTA FISH DECOY-red&white \$15.00 10/26 07:36
	NEW! BLACK FOLK ART DOLL- "SHUFFLIN SAM" \$22.00 10/26 06:52
	NEW! HOLY FRIJOLE! TRIPLE KITCHEN VIRGIN APPEARS \$29.99(1) 10/26 06:39

For more items in this category, click on the following pages:
= 1 = [2] [3] [4] [5] [6] [7] [8] [9] [10] [11] [12] [13] [14] [15] [16] [17] >>

Top : Antiques : Folk Art

△ Fig. 9B

5 {

915 {
910 {
930 {
950 {

970

△




Fig. 10

INFORMATION PRESENTATION AND MANAGEMENT IN AN ONLINE TRADING ENVIRONMENT

COPYRIGHT NOTICE

Contained herein is material that is subject to copyright protection. The copyright owner has no objection to the facsimile reproduction of the patent disclosure by any person as it appears in the Patent and Trademark Office patent files or records, but otherwise reserves all rights to the copyright whatsoever.

BACKGROUND OF THE INVENTION

1. Field of the Invention

The invention relates generally to the field of online commerce. More particularly, the invention relates to information presentation and management in an online trading environment, such as an online shopping site, an online auctioning site, an online e-commerce site, an online person-to-person trading site, or the like.

2. Description of the Related Art

More and more Internet users are realizing the ease and convenience of buying and selling online by way of person-to-person online trading pioneered by eBay Inc., the assignee of the present invention. As a result, collectors, hobbyists, small dealers, unique item seekers, bargain hunters, and other consumers, are able to buy and sell millions of items at various online shopping sites.

The success of an online shopping site depends upon its ability to provide an enjoyable shopping experience and an easy-to-use environment in which buyers and sellers can conduct business efficiently. Current online shopping sites have certain limitations in the manner in which they present information to users. With reference to FIG. 1, a typical item listing will briefly be described. A textual list of items 105 representing the results of a user query is presented within a web page format 100 to the user (e.g., a prospective buyer) on his/her computer system. In this example, the web page format 100 presented to the prospective buyer includes items 110 that are currently available for sale on a particular page 170 within a particular category 160. Each item 110 includes a hypertext link 115 having a title (or brief description) of the item for sale, an indication 120 of whether or not an image of the item is available, the current minimum bid 130, the number of bids received 140, and an auction ending time 150. Based upon the item titles, prospective buyers can decide whether or not to view more detailed information on a particular item. In order to view detailed information on a particular item of interest, the buyer is required to select the hypertext link 115 associated with the item. A new page is then presented with more detailed information regarding the item selected. The more detailed information may include, among other things, the item's starting price, a username associated with the seller of the item, a username associated with the current high bidder, a detailed description of the item in text or HTML format, and an image the seller has associated with the item, for example. To continue browsing other items of interest, the prospective buyer must return to the previously viewed listing, using the browser's "Back" function, for instance, and select the hypertext link 115 associated with the next item of interest. While associating an image with an item, such as a digitized picture of the item, has the advantage of allowing the prospective purchaser to make a more informed decision, the iterative process of individually selecting items to view their images can be very time consuming and even frustrating.

In the light of the foregoing, it is desirable to provide an improved user interface for online commerce sites. In particular, it would be advantageous to enhance the online trading experience by providing buyers with a mechanism to more quickly preview items for sale. Additionally, the trading experience of sellers may be improved by automating certain aspects associated with item registration.

BRIEF SUMMARY OF THE INVENTION

A method and apparatus for information presentation and management in an online trading environment are described. According to one aspect of the present invention, person-to-person commerce over the Internet is facilitated by providing prospective buyers the ability to quickly preview items for sale. Images are harvested from a plurality of sites based upon user-supplied information. The user-supplied information includes descriptions of items for sale and locations from which images that are to be associated with the items can be retrieved. Thumbnail images are created corresponding to the harvested images and are aggregated onto a web page for presentation at a remote site.

According to another aspect of the present invention, a user may submit a query to preview items for sale. After receiving the query, thumbnail images corresponding to items that satisfy the user query are displayed, each of the thumbnail images previously having been created based upon a user-specified image.

Other features of the present invention will be apparent from the accompanying drawings and from the detailed description which follows.

BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWINGS

The present invention is illustrated by way of example, and not by way of limitation, in the figures of the accompanying drawings and in which like reference numerals refer to similar elements and in which:

FIG. 1 is an example of a prior interface to an online person-to-person trading site that employs text-based item listings.

FIG. 2 is a simplified view of an exemplary client-server environment in which online commerce may take place.

FIG. 3 is an example of a computer system upon which one embodiment of the present invention may be implemented.

FIG. 4 is a high level illustration of the interaction among various devices according to one embodiment of the present invention.

FIG. 5 conceptually illustrates high level item maintenance processing according to one embodiment of the present invention.

FIG. 6 is an exemplary form that may be used during item registration.

FIG. 7 is a flow diagram illustrating image harvesting processing according to one embodiment of the present invention.

FIG. 8 is a flow diagram illustrating item presentation processing according to one embodiment of the present invention.

FIG. 9 is an example of an item presentation format for an online person-to-person trading site according to one embodiment of the present invention.

FIG. 10 illustrates memory mapped file access to the thumb database according to one embodiment of the present invention.

DETAILED DESCRIPTION OF THE INVENTION

A method and apparatus for information presentation and management in an online trading environment are described. In the following description, for the purposes of explanation, numerous specific details are set forth in order to provide a thorough understanding of the present invention. It will be apparent, however, to one skilled in the art that the present invention may be practiced without some of these specific details. In other instances, well-known structures and devices are shown in block diagram form.

As will be described in greater detail below, the present invention includes features for enhancing the online trading experience for both buyers and sellers. When sellers register an item for sale, they provide information about the item. For example, the seller may associate a textual description, an image, shipping terms, and other information with the item. Advantageously, according to one aspect of the present invention, to associate an image with an item for sale, the seller is not required to provide the image in a particular format or size; rather, the method and apparatus of the present invention automatically harvest images and transform them to an appropriate format for use with the system. According to another aspect of the present invention, prospective purchasers visiting an online commerce site employing the present invention need not navigate to a separate web page for each item to view images associated with the items; rather, thumbnail images for multiple items are aggregated onto a web page to allow quick preview by the prospective purchaser. In the context of this application, the term “thumbnail” or “thumbnail image” generally refers to a new image that is a miniature version of the original, user-supplied image. Typically, the thumbnail image will be approximately 1 inch×1 inch or smaller. According to one embodiment, thumbnail images are approximately 96 pixels×96 pixels.

In the preferred embodiment, the steps of the present invention are embodied in machine-executable instructions. The instructions can be used to cause a general-purpose or special-purpose processor which is programmed with the instructions to perform the steps of the present invention. Alternatively, the steps of the present invention might be performed by specific hardware components that contain hardwired logic for performing the steps, or by any combination of programmed computer components and custom hardware components.

The present invention may be provided as a computer program product which may include a machine-readable medium having stored thereon instructions which may be used to program a computer (or other electronic devices) to perform a process according to the present invention. The machine-readable medium may include, but is not limited to, floppy diskettes, optical disks, CD-ROMs, and magneto-optical disks, ROMs, RAMs, EPROMs, EEPROMs, magnet or optical cards, or other type of media/machine-readable medium suitable for storing electronic instructions. Moreover, the present invention may also be downloaded as a computer program product, wherein the program may be transferred from a remote computer (e.g., a server) to a requesting computer (e.g., a client) by way of data signals embodied in a carrier wave or other propagation medium via a communication link (e.g., a modem or network connection).

Importantly, while embodiments of the present invention will be described with respect to an online person-to-person trading environment, the method and apparatus described

herein are equally relevant to other applications in which image data is collected from disparate sources and presented to a user and/or other e-commerce environments, such as online shopping sites, auctioning sites, and the like.

Client-Server Environment

FIG. 2 is a simplified view of an exemplary client-server environment, such as the World Wide Web (the Web), in which online commerce may take place. The architecture of the Web follows a conventional client-server model. The terms “client” and “server” are used to refer to a computer’s general role as a requester of data (the client) or provider of data (the server). Web clients **205** and Web servers **210** communicate using a protocol such as HyperText Transfer Protocol (HTTP). In the Web environment, Web browsers reside on clients and render Web documents (pages) served by the Web servers. The client-server model is used to communicate information between clients **205** and servers **210**. Web servers **210** are coupled to the Internet **200** and respond to document requests and/or other queries from Web clients **205**. When a user selects a document by submitting its Uniform Resource Locator (URL), a Web browser, such as Netscape Navigator or Internet Explorer, opens a connection to a server **210** and initiates a request (e.g., an HTTP get) for the document. The server **210** delivers the requested document, typically in the form of a text document coded in a standard markup language such as HyperText Markup Language (HTML).

Exemplary Computer System

A computer system **300** representing an exemplary server in which features of the present invention may be implemented will now be described with reference to FIG. 3. Computer system **300** comprises a bus or other communication means **301** for communicating information, and a processing means such as processor **302** coupled with bus **301** for processing information. Computer system **300** further comprises a random access memory (RAM) or other dynamic storage device **304** (referred to as main memory), coupled to bus **301** for storing information and instructions to be executed by processor **302**. Main memory **304** also may be used for storing temporary variables or other intermediate information during execution of instructions by processor **302**. Computer system **300** also comprises a read only memory (ROM) and/or other static storage device **306** coupled to bus **301** for storing static information and instructions for processor **302**.

A data storage device **307** such as a magnetic disk or optical disc and its corresponding drive may also be coupled to computer system **300** for storing information and instructions. Computer system **300** can also be coupled via bus **301** to a display device **321**, such as a cathode ray tube (CRT) or Liquid Crystal Display (LCD), for displaying information to a computer user. Typically, an alphanumeric input device **322**, including alphanumeric and other keys, may be coupled to bus **301** for communicating information and/or command selections to processor **302**. Another type of user input device is cursor control **323**, such as a mouse, a trackball, or cursor direction keys for communicating direction information and command selections to processor **302** and for controlling cursor movement on display **321**.

A communication device **325** is also coupled to bus **301** for accessing remote servers via the Internet, for example. The communication device **325** may include a modem, a network interface card, or other commercially available network interface devices, such as those used for coupling to an Ethernet, token ring, or other type of network. In any event, in this manner, the computer system **300** may be coupled to a number of clients and/or other servers via a

conventional network infrastructure, such as a company's Intranet and/or the Internet, for example.

System Overview

FIG. 4 is a high level illustration of the interaction among various devices according to one embodiment of the present invention. According to the embodiment depicted, an online commerce site **400** may comprise a listing server **410**, a thumb server **430**, and a thumb building machine **450**. Briefly, the listing server **410** includes a listing management process **415** and a listing database **420**. The listing management process interacts with sellers to allow new items to be added to the listing database **420** and with prospective purchasers to provide them with information about items in which they are interested. As will be described further below, the listing management process **415** supports both a text-based item listing format, such as that illustrated in FIG. 1, or a Gallery™ presentation format, such as that illustrated in FIG. 9, that includes thumbnail images of the items for sale (Gallery is a trademark of eBay Inc. of San Jose, Calif.). According to one embodiment, depending on a user-selected mode, e.g., text mode or photo mode, the listing management process **415** provides HTML appropriate for the text-based item listing format or the Gallery presentation format, respectively.

The thumb building machine **450** includes a harvesting process **455** and a database **460**. As will be described further below, the harvesting process **455** periodically harvests images that sellers have associated with items in the listing database **420**. After a set of images have been harvested and thumbnailed, the harvesting process **455** notifies the thumb server **430** that new thumbnails are available.

The thumb server **430** includes a thumbnail management process **435**, a thumb database **440** and one or more backup databases **445**. Clients **470** interact with the thumbnail management process **435** to receive image data associated with the Gallery format. When new thumbnails are available, the thumbnail management process **435** makes a backup copy of the current thumb database **440**, receives a copy of a new database from the thumb building machine **450**, and begins serving thumbnail images from the new database.

Importantly, as one feature of the present embodiment, thumbnail images are not stored as individual files; rather, they are stored in an efficient database format that will be described further below. However, at this point, a justification for such an approach is worth mentioning. In the context of an online commerce site that may process tens of thousands of new items every day, efficiency and stability are key considerations. The practicality of storing and maintaining thousands upon thousands of individual compressed thumbnail image files is questionable at best. It is thought that existing operating systems would become unstable and/or fail to work properly if millions of thumbnail images were stored in various places on the disk as individual files cluttering the file system. Therefore, rather than maintaining a complex file structure with potentially millions of separate files, according to one embodiment of the present invention an efficient database is maintained that is designed to get information into memory quickly to provide fast access to the thumbnail images stored therein.

Note that in this description, in order to facilitate explanation, the thumb building machine **450**, the listing server **410**, and the thumb server **430** are generally discussed as if they were each a single device. However, each of the thumb building machine **450**, the listing server **410**, and the thumb server **430** may actually comprise multiple physical and/or logical devices connected in a distributed

architecture, and the various functions performed may actually be distributed among multiple devices. Additionally, in alternative embodiments, the functions performed by the various servers may be consolidated and/or distributed differently than as described. For example, any function can be implemented on any number of machines or on a single machine. Also, any process may be divided across multiple machines.

Item Maintenance

Having briefly described exemplary interactions among various devices in which features of the present invention may be implemented, item maintenance processing will now be described with reference to FIG. 5. In general, item maintenance comprises three activities: creating and modifying items, harvesting images to be associated with the items, and presenting items to prospective buyers.

At step **510**, depending upon user interactions with the various servers, appropriate processing is performed. If a user request is received to add a new item, then processing continues with step **520**. If a user query is received, e.g., a query specifying a category and a page, then processing continues with step **540**. Various events may also trigger item maintenance processing. For example, according to the embodiment illustrated, upon expiration of a predetermined harvesting interval, processing continues with step **530**. In alternative embodiments, harvesting may be performed on a periodic basis or continuously.

At step **520**, item registration processing is performed. According to one embodiment, an HTML form, such as the one illustrated in FIG. 6, is supplied to the user. When the completed form is submitted to the listing server **410**, the listing management process **415** updates the listing database **420** to include the new item.

At step **530**, the harvesting process **455** downloads user-specified images associated with newly listed items to its local database **460**. New items may be identified, for example, by a periodic scan of the listing database by either of the listing management process **415** or the harvesting process **455**. The harvesting process **455** may also periodically reload images and update thumbnails associated with items that are not new to accommodate subsequent user modification. For example, a user may change the originally specified image or provide a new URL to be associated with an item for sale. Further details regarding harvesting are described below.

At step **540**, item presentation processing is performed. According to one embodiment responsive to a user request, e.g., a query specifying a category and a page number, the listing management process **415** generates HTML describing to the user's browser how to gather and compose the web page. As will be described further below, the HTML may contain image tags referencing thumbnail images stored in the thumb database **440**. An exemplary Gallery format, an item presentation format that incorporates thumbnails for fast preview, is illustrated in FIG. 9.

Item Registration

FIG. 6 is an exemplary registration form **600** that may be used during item registration. To sell an item on an online commerce site, typically the seller first registers the item to be sold. In this context, the act of registering simply refers to the process of supplying information about the item so that the information may be presented to prospective purchasers responsive to their requests and/or queries.

Upon receiving a request to add a new item, the listing management process **415** may respond with an HTML form, such as registration form **600**. The registration form **600** may include a variety of standard HTML form interface

elements, including text input fields, checkboxes, radio buttons, and popup menus, for example. The most important piece of information for purposes of this application is the picture URL **650**. The picture URL **650** text input field allows a seller to specify an image of his/her choice to be associated with the item being registered. Note, that no additional information regarding the image is necessary. Advantageously, in this manner, the user need not worry about supplying an image in a particular format or one that is limited to a particular size. As will be described further below, the harvesting process **455** automatically downloads the specified image, converts it to the appropriate format, and scales it to the appropriate size that is appropriate for use with the Gallery presentation mechanism.

The seller also provides his/her user ID or email address **605** and a password **610** in form **600**. According to this example, the seller additionally submits a descriptive title **615** for the item and a geographical location **620** of the item. Providing the location **620** of the item allows prospective buyers to evaluate potential costs relating to shipping, etc. In order for the item to show up in user queries for a particular category, the seller also selects one of a number of categories **625** and chooses the most specific sub-categories from a predefined list in a popup menu, for example. Finally, the seller may specify acceptable payment methods **630**, shipping terms **640**, the quantity **655** of items of this type that are available, a minimum bid **660** per item, and the duration **665** of the offer. When the item is posted to the listing database **420** a unique item number is generated and associated with the item. The item numbers may be sequentially numbered as new items are posted to the listing database **420**, for example.

The present invention is not limited to any particular implementation of registration processing or to the specific information that may be associated with an item for sale. Importantly, the registration form **600** is intended only to illustrate some of the many types of information that may be associated with an item that is posted to the listing database **420**. In alternate embodiments, more or less information may be associated with items.

Image Harvesting

FIG. 7 is a flow diagram illustrating image harvesting processing according to one embodiment of the present invention.

At step **710**, image location information is retrieved from the listing database **420** for a set of images that will be downloaded concurrently. According to one embodiment, the image location information is a URL. However, other mechanisms are envisioned for specifying an image location, such as a directory path, etc.

At step **720**, an attempt is made to convert erroneous user-supplied data to "legal" data. For example, the user-supplied data for the image location may be massaged to have correct URL syntax. URLs follow the syntax described in Request for Comments (RFC) 1738, Uniform Resource Locators (URL), December 1994. According to RFC 1738, a URL contains the name of the "scheme" being used (e.g., http, ftp, gopher, etc.) followed by a colon and then a string, the "scheme-specific part" whose interpretation depends on the scheme. URLs are, therefore, written as follows:

<scheme>:<scheme-specific part>

For example, the eBay home page is currently located at the following URL: "http://www.ebay.com". The scheme is "http" and the scheme-specific part is "www.ebay.com".

At step **730**, multiple image downloads are started using a sockets-based interface. Prior to starting the downloads, it

may be necessary to attempt a variety of option configurations in order to establish communication with a particular server.

At any rate, assuming communication has successfully been established with the servers that have the desired image data, in one embodiment, 500 downloads are performed concurrently. After the downloads have begun, the status of the downloads is polled periodically (step **740**). If an error arose in one or more of the downloads, processing continues with step **750**. If one or more of the downloads has completed, then processing continues with step **760**.

At step **750**, error handling is performed. Attempts may be made to determine whether or not an error has in fact occurred. For example, it is not uncommon for a server to incorrectly identify a file size thereby causing a mismatch between the actual size of the downloaded file and the expected file size. In situations like these, the image can be salvaged; however, other situations may require the download to be restarted.

At step **760**, the one or more images that have been downloaded successfully are thumbnailed and stored for later inclusion in the thumbnail database **440**. According to one embodiment, the process of thumbnailing an image is performed with an imaging tool kit, such as ImageGear98 Gold Pro of Accusoft. Thumbnailing an image may be broken down into three steps: (1) first, decompression is performed from the harvested image's source format; (2) then, the decompressed image is converted to a thumbnail that will fit within a predetermined space. For example, the largest dimension of the source image may be scaled to fit the corresponding dimension of the predetermined space, then the other dimension of the source image may be scaled proportionately; (3) finally, the thumbnail is recompressed into a predetermined output format, e.g., Joint Photographics Expert Group (JPEG).

Preferably, for convenience of the users, the thumbnailing process may receive one of many different image formats. According to one embodiment, the source format and the output format are one of the following: Tagged Image File Format (TIFF), JPEG, JPEG 12 Lossy, JPEG 12-8 Lossless, P-JPEG, Audio Video Interleave (AVI), (JPEG File Interchange Format) JFIF, Delrin Winfax, PCX (ZSoft Paint format), TGA (Truevision (Targa) File Format), Portable Network Graphics (PNG), DCX, G3, G4, G3 2D, Computer Aided Acquisition and Logistics Support Raster Format (CALS), Electronic Arts Interchange File Format (IFF), IOCA, PCD, IGF, ICO, Mixed Object Document Content Architecture (MO:DCA), Windows Metafile Format (WMF), ATT, Windows Bitmap Format (BMP), BRK, CLP, LV, GX2, IMG(GEM), IMG(Xerox), IMT, KFX, FLE, MAC, MSP, NCR, Portable Bitmap (PBM), Portable Grey-map (PGM), SUN, PNM, Portable Pixmap (PPM), Adobe Photoshop (PSD), Sun Rasterfile (RAS), SGI, X BitMap (XBM), X PixMap (XPM), X Window Dump (XWD), AFX, Imara, Exif, WordPerfect Graphics Metafile (WPG), Macintosh Picture (PICT), Encapsulated PostScript (EPS), Graphics Interchange Format (GIF). Of course, as new image formats are introduced, it would be advantageous to provide support for those as well.

Item Presentation

FIG. 8 is a flow diagram illustrating item presentation processing according to one embodiment of the present invention. The assignee of the present invention has observed that in the context of item presentation only a small amount of information actually needs to be changed in the HTML that is generated for various user queries. For an item presentation format, such as that illustrated in FIG. 9, the

information that varies is essentially limited to: the item title, the current minimum bid, the image, and the auction ending time. The remainder of the web page comprises HTML interface elements that remain constant regardless of the result of the user's query. Consequently, according to one embodiment, a predefined page format (referred to as the Gallery template) is employed into which the information that varies can be inserted on the fly as data is retrieved from the databases.

At step **810**, the predefined page format, e.g., the Gallery template, is obtained.

At step **820**, the listing management process **415** retrieves information from the listing database **420** corresponding to the items that will be displayed for the category and page requested, for example.

At step **830**, the predefined page format is populated based upon the information retrieved in step **820**. At this point, it should be noted that according to one embodiment of the present invention, thumbnail images are accessed from the thumb server **430** by item number. As one feature of this embodiment, references to the thumbnail images stored on the thumb server **430** may be generated on the fly by the listing management process **415** based upon the image format and the item number. For example, an inline image tag can be generated having the general form: `<img src=path/item_number.jpg>`. In this manner, no additional space is required in the listing database **420** for image file names. Another option would have been to represent the image reference in the form of a query, e.g., `http://cgi.ebay.com/cgi/DBAPI.dll?GetImage&item=item_number`. However, while the former representation would be cached by caching proxy servers, the latter representation is not typically cached by caching proxy servers. Therefore, hiding the underlying queries to the thumb database **440** from caching proxy servers by representing the thumbnail images in the HTML as if they were stored as individual files has the benefit of causing the caching proxy servers to perform more efficiently thereby generally reducing the load on the site and making the experience better for all users. Additionally, users that access the listing server **410** and the thumb server **430** by way of a caching proxy server, such as those on America Online, for example, will have enhanced performance as a result of the thumbnail images being cached because the data for rendering the web pages will be available much faster.

Gallery Presentation Format

FIG. **9** is an example of an item presentation format for an online person-to-person trading site according to one embodiment of the present invention. The Gallery presentation page format **900** of the present embodiment includes a text mode button **975** and a photo mode button **980** allowing the user to switch between the text-based item listing format and the Gallery presentation format. In response to a user query, such as a request for a particular page **970** within a particular category **960**, a list of items **905** is displayed to the users. In this example, each individual item **910** includes a thumbnail image **920**, a title **915**, a current minimum bid **930**, and the auction ending time **950**. Advantageously, in this manner, the Gallery presentation page format **900** allows a prospective buyer to quickly scan the thumbnails for items of interest. Such a feature becomes critical in an online commerce environment in which thousands of unique items are for sale, for example.

According to another feature of the present embodiment, by displaying all images in a predetermined, fixed-size display area **921**, the listing management process **415** doesn't need to have detailed knowledge about the indi-

vidual images. For example, according to an embodiment described previously, the listing management process **415** can simply use the item number to generate references, e.g., inline image tags, for the desired thumbnail images.

Thumb Database Access

FIG. **10** illustrates memory mapped file access to the thumb database **1020** according to one embodiment of the present invention. According to the embodiment depicted, rather than maintaining a complex file structure with potentially millions of separate files, a simple and efficient thumb database **1020** is maintained that is designed to get information into memory quickly to provide fast access to the thumbnail images stored therein. Briefly, the goal is to keep the thumb database **1020** reasonably sized so that it can be completely loaded into a virtual address space **1015** and accessed as a memory mapped file.

According to one embodiment, each database entry comprises a length field and image data. The length field may identify the length of the entry or the length of the image data. The image data represents the compressed thumbnail image. For purposes of this example, it is assumed the thumb server has a 4 Gigabyte virtual address space and that the thumb database **1020** can be compressed into a single 1 Gigabyte file. When the thumbnail management process **435** opens the thumb database **1020** for reading; rather than using file system calls that would not provide sufficient caching, it opens the thumb database **1020** as a memory mapped file. As a result, the thumb database is loaded completely into a continuous block **1025** of the virtual address space **1015**. Accessing an individual entry of the database may then be accomplished by selecting an offset corresponding to the desired image from an array of relative offsets, such as index **1010**. Advantageously, after the thumb database **1020** is loaded into virtual address space **1015**, disk I/O can be avoided for subsequent accesses thereby enhancing the speed at which images can be served to clients.

In the foregoing specification, the invention has been described with reference to specific embodiments thereof. It will, however, be evident that various modifications and changes may be made thereto without departing from the broader spirit and scope of the invention. The specification and drawings are, accordingly, to be regarded in an illustrative rather than a restrictive sense.

What is claimed is:

1. A method performed by a marketplace computer for facilitating electronic commerce over a network between a plurality of seller and buyer computers, the method comprising the steps of:

presenting a registration web page to a remote first seller computer over the network;

receiving a first registration for a first product from the first seller computer over the network, the first registration including a first product description and a first Universal Resource Locator (URL) indicating a first location of a first image of the first product, the first location referencing the first seller computer or a third computer on the network, and the first image being in one of a plurality of predetermined source image formats;

presenting a registration web page to a remote second seller computer over the network;

receiving a second registration for a second product from the second seller computer over the network the second registration including a second product description and a second URL indicating a second location of a second image of the second product, the second location referencing the second seller computer or a fourth com-

11

puter on the network, and the second image being in one of a plurality of predetermined source image formats;
retrieving the first image based on the received first URL;
manipulating the first image to produce a first thumbnail image of a first predetermined size and format;
retrieving the second image based on the received second URL;
manipulating the second image to produce a second thumbnail image of a second predetermined size and format;

12

creating a customized web page including the first and second thumbnail images; and
presenting the customized web page to a buyer computer.
2. The method of claim 1, wherein the first and second predetermined sizes are the same, and the first and second predetermined formats are the same.
3. The method of claim 1, wherein the customized web page further includes the first and second product descriptions.

* * * * *