

- Olson, J. S., Card, S. K., Landauer, T. K., Olson, G. M., Malone, T., & Leggett, J. (1993). Computer-supported co-operative work: Research issues for the 90s. *Behaviour & Information Technology*, 12(2), 115–129.
- Perlman, G. (2001). HCI Bibliography: free access to human-computer interaction resources. Available: www.hcibib.org
- Pew, R. W., & Rollins, A. M. (1975). Dialog specification procedures (Rev. ed.). *BBN Report 3129*. Cambridge, MA: Bolt Beranek and Newman.
- Pew, R. W., Rollins, A. M., & Williams, G. A. (1976). Generic man-computer dialogue specification: An alternative to dialogue specialists. *Proceeding of the 6th Congress of the International Ergonomics Association* (pp. 251–254). Santa Monica, CA: Human Factors Society.
- Preece, J., Rogers, Y., Sharp, H., Benyon, D., Holland, S., & Carey, T. (1994). *Human-computer interaction*. Wokingham, UK: Addison-Wesley.
- Ramsey, H. R., & Atwood, M. E. (1979). Human factors in computer systems: A review of the literature. *Technical Report SAI-79-111-DEN*. Englewood, CO: Science Applications, Inc.
- Rheingold, H. (2000). *Tools for thought: MIT Press edition*. Cambridge, MA: MIT Press.
- Sackman, H. (1970). *Man-computer problem solving: Experimental evaluation of time sharing and batch processing*. Princeton, NJ: Auerback.
- Sears, A., & Jacko, J. A. (2000). Understanding the relationship between network quality of service and the usability of distributed multimedia documents. *Human Computer Interaction*, 15, 43–68.
- Shackel, B. (1997). Human-computer interaction—Whence and whither? *Journal of the American Society for Information Science*, 48(11), 970–986.
- Shackel, B. (2000). People and computers—Some recent highlights. *Applied Ergonomics*, 31, 595–608.
- Shneiderman, B. (1980). *Software psychology: Human factors in computer and information systems*. Cambridge, MA: Winthrop Publishers.
- Shneiderman, B. (1983). Direct manipulation: A step beyond programming languages. *IEEE Computers*, 16(8), 57–62.
- Shneiderman, B. (1992). *Designing the user interface: Strategies for effective human-computer interaction*. Reading, MA: Addison-Wesley.
- Smith, H. T., & Green, T. R. G. (Eds.). (1980). *Human interaction with computers*. London: Academic Press.
- Smith, S. L., & Mosier J. N. (1986). Guidelines for designing user interface software. *Technical Report ESD TR-86-278*. Hanscom AFB, MA: USAF Electronic Systems Division.
- Stevens, A., Roberts, B., & Stead, L. (1983). The use of a sophisticated graphics interface in computer-assisted instruction. *IEEE Computer Graphics and Applications*, 3(2), 25–31.
- Stranahan, P. (1996). Dan Bricklin. *Jones Telecommunications and Multimedia Encyclopedia*. Available: <http://ei.cs.vt.edu/~history/BRICKLIN.Fleming.HTML>
- Suchman, L. (1987). *Plans and situated actions: The problem of human-machine communication*. Cambridge, UK: Cambridge University Press.
- Sutherland, I. E. (1963). Sketchpad: A man-machine graphical communication system. *AFIOS Conference Proceedings*, 23, 329–346.
- Taylor, F. W. (1911). *Principles of scientific management*. New York: Harper.
- Teitelman, W. (1979). A display oriented programmer's assistant. *International Journal of Man-Machine Studies*, 11, 157–187.
- Ventana (2001). Available: <http://www.ventana.com.html>
- Waldrop, M. M. (2001). *The dream machine: J. C. R. Licklider and the revolution that made computing personal*. New York, NY: Viking.
- Weinberg, G. (1971). *The psychology of computer programming*. New York: Van Nostrand Reinhold.
- Weiser, M. (1993). Some computer science issues in ubiquitous computing. *Communications of the ACM*, 36(7), 75–84.
- Weiser, M. (1996). Mark Weiser. Available: <http://nano.xerox.com/hypertext/weiser/UbiHome.html>
- Whiteside, J., Bennett, J., & Holtzblatt, K. (1988). Usability engineering: Our experience and evolution. In Helander M. (Ed.), *Handbook of human-computer interaction* (pp. 791–817). Amsterdam: North Holland.
- Wilkes, M. (1993). From Fortran and Algol to object-oriented languages. *Communications of the ACM*, 36(7), 21–23.
- Wilson, B. (1999). HTML overview. Available: http://www.zdnet.com/devhead/resources/tag_library/history/html.html
- Winter, D. (1999). Pong-story. Available: <http://pong-story.com/atpong1.htm>
- Zakon, R. H. (2001). Hobbes' Internet Timeline. Available: <http://www.zakon.org/robert/internet/timeline/>

References

Introduction. Evolution of Human-Computer Interaction: From Memex to Bluetooth and Beyond

Baecker, R.M., & Buxton, W. A. S. (1987). Readings in human-computer interaction: A multidisciplinary approach. Los Altos, CA: Morgan Kaufmann.

Baecker, R. M., Grudin, J., Buxton, W. A. S., & Greenberg, S. (1995). Readings in human-computer interaction: Toward the year 2000 (2nd ed.). San Francisco: Morgan Kaufmann.

Baker, J. (1979). Trainable grammars for speech recognition. In D. Klatt and J. Wolf (Eds.), Speech Communication Papers for the 97th Meeting of the Acoustical Society of America (pp. 547-550). Cambridge, MA: MIT Press.

Bewley, W. L., Roberts, T. L., Schroit, D., & Verplank, W. L. (1983). Human factors testing in the design of Xerox's 8010 "Star" Office Workstation. In Proceedings of the CHI '83 Conference (pp. 72-77). New York: Association of Computing Machinery.

Berners-Lee, T. (1989). Information management: A proposal. CERN. Available:
<http://www.w3.org/History/1989/proposal.html>

Bias, R. G., & Mayhew, D. J. (1994). Cost justifying usability. Cambridge, MA: Academic Press.

Borman, L. (1996). SIGCHI: The early years. SIGCHI Bulletin [On-line], 28(1), 4-6. Available:
<http://www.acm.org/sigchi/bulletin/1996.1>

Brooks, F. P. (1975). The mythical man-month: Essays on software engineering. Reading, MA: Addison-Wesley.

Bush, V. (1945). As we may think. Atlantic Monthly, 176, 101-108.

Card, S. K., English, W. K., & Burr, B. J. (1978). Evaluation of mouse, rate-controlled isometric joystick, step keys and text keys for text selection on a CRT. Ergonomics, 21(8), 601-613.

Card, S. K., Moran, T. P., & Newell, A. (1980a). The keystroke-level model for user performance time with interactive systems. Communications of the ACM, 23(7),

396-410. Card, S. K., Moran, T. P., & Newell, A. (1980b). Computer text editing: An information-processing analysis of a routine cognitive skill. *Cognitive Psychology*, 12, 32-74.

Card, S. K., Moran, T. P., & Newell, A. (1983). *The psychology of human-computer interaction*. Hillsdale, NJ: Erlbaum.

Carroll, J. M. (1997). *Human-computer interaction: Psychology as a science of design*. In *Annual review of psychology* (Vol. 48, pp. 61-83). Palo Alto, CA: Annual Reviews.

Dickason, E. (2001). Remembering Grace Murray Hopper: A legend in her own time. Available: <http://www.norfolk.navy.mil/chips/grace-hopper/file2.htm>

Dix, A., Finlay, J., Abowd, G., & Beale, R. (1993). *Human-computer interaction*. Hillsdale, NJ: Prentice Hall.

Dreyfuss, H. (1955). *Designing for people*. New York: Simon & Schuster.

Engle, S. E., & Granda, R. E. (1975). Guidelines for man/display interfaces. IBM Technical Report TR 00.2720. Poughkeepsie, NY: IBM.

Englebart, D. (1963). A conceptual framework for the augmentation of man's intellect. In P. W. Howerton, & D. C. Weeks (Eds.), *Vistas in information handling* (Vol. 1, pp. 1-29). Washington, DC: Spartan.

Ericsson, K. A., & Simon, H. A. (1980). Verbal reports as data. *Psychological Review*, 3, 215-251.

Foley, J. D., & Van Dam, A. (1982). *Fundamentals of interactive computer graphics*. Reading, MA: Addison-Wesley.

Gaines, B. R., & Shaw, M. L. G. (1986). From timesharing to the sixth generation: The development of human-computer interaction. Part I. *International Journal of Man-Machine Studies*, 24, 1-27.

Galitz, W. O. (1981). *Handbook of screen format design*. Wellesley, MA: Q. E. D. Information Sciences.

Gold, M. (1969). Time sharing and batch processing: An experimental comparison of their values in a problem-solving situation. *Communications of the ACM*, 12(5), 249-259.

Goldberg, A. (1998). *A history of personal workstations*. Reading, MA Addison-Wesley.

Grant, E. E., & Sackman, H. (1967). An exploratory investigation of programmer performance under on-line and off-line conditions. *IEEE Transactions on Human Factors in Electronics*, HFE-8(1), 33-48.

Gray, W. D., John, B. E., & Atwood, M. E. (1993). Project Ernestine: Validating a GOMS analysis for predicting and explaining real-work task performance. *Human-Computer Interaction*, 8, 237-309.

Hafner, K., & Lyon, M. (1996). *Where wizards stay up late: The origins of the Internet*. New York: Simon & Schuster.

Hanson, W. (1971). User engineering principles for interactive systems. In AFIPS Conference Proceedings 39, Fall Joint Computer Conference (pp. 523-532). Montvale, New Jersey: AFIPS Press.

Heidegger, M. (1962). Being and time (J. Macquarrie and E. Robinson, Trans.). New York: Harper Row.

Henderson, D. A., Jr. (1986). The trillium user interface design environment. In Proceedings SIGCHI'86: Human Factors in Computing Systems (pp. 221-227). New York: Association for Computing Machinery.

Hix, D., & Hartson, H. R. (1993). Developing user interfaces: Ensuring usability through product and process. New York: John Wiley & Sons, Inc.

Jessup, L., & Valacich, J. (Eds.). (1993). Group support systems: New perspectives. New York: Macmillan.

Joyner, R., & Tunstall, K. (1970). Computer augmented organizational problem solving. Management Science, 17(4), 212-225.

Kay, A. (1969). The reactive engine. PhD Thesis, University of Utah, Salt Lake City.

Kemeny, J. G., & Kurtz, T. E. (1966). BASIC (3rd ed.). Hanover, NH: Dartmouth College.

Kraemer, K. L., & King, J. L. (1986). Computer-based systems for group decision support: Status of use and problems in development. Proceedings of the Conference on Computer-Supported Cooperative Work (pp. 353-375). Austin, TX.

Lampson, B., & Taft, E. (1979). Alto user's handbook. Palo Alto, CA: Xerox Palo Alto Research Center.

Landauer, T. (1995). The trouble with computers. Cambridge, MA: The MIT Press.

LegacyJ Corp. (2001). COBOL milestones. Available: [http://www.legacyj.com/cobol/cobol history.html](http://www.legacyj.com/cobol/cobol%20history.html)

Lewis, C. (1982). Using the "thinking-aloud" method in cognitive interface design. IBM Research Report RC 9265. Yorktown Heights, NY: IBM Thomas J. Watson Research Center.

Lewis, C., Polson, P. G., & Rieman, J. (1991). Cognitive walkthrough forms and instructions. Institute of Cognitive Science Technical Report #ICS 91-14. Boulder, CO: University of Colorado.

Licklider, J. C. R. (1960). Man-computer symbiosis. IRE Transaction on Human Factors in Electronics, HFE-1, 4-11.

Licklider, J. C. R. (1965). Libraries of the future. Cambridge, MA: MIT Press.

Mantei, M., & Teorey, T. J. (1988). Cost/benefit analysis for incorporating human factors in the software lifecycle. Communications of the ACM, 31(4), 428-439.

Mantei, M., & Teorey, T. J. (1989). Incorporating behavioral techniques into the system development life cycle. Management Information Systems Quarterly, 13(3), 257-276.

Marks, S. L., & Armerding, G.W. (1967). The JOSS primerMemorandum RM-5220-PR. Santa Monica, CA: The Rand Corp. Martin, J. (1973). Design of man-computer dialogues. Edgewood Cliffs, NJ: Prentice-Hall. Mathers, B. (2001). Westford, MA: Iris Associates. Available: <http://www.notes.net/history.nsf/text?OpenPage> Mayhew, D. (1992). Principles and guidelines in software user interface design. Edgewood Cliffs, NJ: Prentice Hall. Miller, R. B. (1968). Response time in man-computer conversational transactions. AFIPS Conference Proceedings, 33, 267-277. Morfield, M. A., Wiesen, R. A., Grossberg, M., & Yntema, D. B. (1969). Initial experiments on the effects of systemdelay on on-line problemsolving. MIT Lincoln Laboratory Technical Note 1969-5. Lexington, MA: MIT. Myer, T. H. (1967). TELCOMP manual. Cambridge, MA: Bolt Beranek and Newman. Myers, B. A. (1998). A brief history of human computer interaction technology. ACM Interactions, 5(2), 44-54. Myers, B., Hollan, J., & Cruz I. (1996). Strategic directions in humancomputer interaction. ACM Computing Surveys, 28(4), 794-809. National Center for Supercomputing Applications [NCSA]. (2000). Board of Trustees, University of Illinois Associates. Available: <http://www.ncsa.uiuc.edu/Divisions/Communications/MosaicHistory/impact.html> Nelson, T. H. (1965). A file structure for the complex, the changing and the indeterminate. Proceedings of the ACM National Conference (pp. 84-100). New York: Association for Computing Machinery. Nelson, T. H. (1973). A conceptual framework for man-machine everything. Proceedings of the ACM National Conference (pp. m21- m26). New York: Association for Computing Machinery. Nelson, T.

H. (1974a). Computer lib. South Bend, IN: The Distributors.

Nelson, T. H. (1974b). Dream machines. South Bend, IN: The Distributors.

Nelson, T. H. (1981). Literary machines. San Antonio, TX: Project Xanadu.

Newell, A., & Simon, H. A. (1972). Human problem solving. Englewood Cliffs, NJ: Prentice-Hall.

Nickerson, R. S., & Landauer, T. K. (1997). Human-computer interaction: Background and issues. In M. Helander, T. K. Landauer, & P. Prabhu (Eds.), Handbook of human-computer interaction: Second, completely revised edition (pp. 3-31). Amsterdam: Elsevier Science B.V.

Nielsen, J. (1993). Usability engineering. Cambridge, MA: Academic Press.

Norman, D. (2001a). Cyborgs. Communications of the ACM, 44(3), 36-37.

Norman, D. (2001b). The perils of home theater. Available: <http://www.jnd.org/dn.mss/ProblemsOfHomeTheater.html>

Norman, D. A. (1981a). The trouble with UNIX: The user interface is horrid. Datamation, 27(12), 139-150.

Norman, D. A. (1981b). Comments on cognitive engineering, the need for clear "system images," and the safety of nuclear power plants. Conference Record for 1981 IEEE Standards Workshop on Human Factors and Nuclear Safety (pp. 91-92, 211-212). New York: IEEE.

Norman, D. A., & Draper, S. (Eds.). (1986). User-centered system design: New perspectives on human-computer interaction. Hillsdale, NJ: Erlbaum.

Norman, D. A. (1988). The psychology of everyday things. New York: Basic Books.

Nunamaker, J. F., Dennis, A. R., Valacich, J. S., Vogel, D. R., & George, A. F. (1991). Electronic meeting systems to support group work. Communications of the ACM, 34(7), 40-61.

Nussbaum, B., & Neff, R. (1991). I can't work this thing. Business Week, 58-66. of Human-Computer

Olson, J. S., Card, S. K., Landauer, T. K., Olson, G. M., Malone, T., & Leggett, J. (1993). Computer-supported co-operativework: Research issues for the 90s. Behaviour & Information Technology, 12(2), 115-129.

Pew, R. W., & Rollins, A. M. (1975). Dialog specification procedures (Rev. ed.). BBN Report 3129. Cambridge, MA: Bolt Beranek and Newman.

Pew, R. W., Rollins, A. M., & Williams, G. A. (1976). Generic mancomputer dialogue specification: An alternative to dialogue specialists. Proceeding of the 6th Congress of the International Ergonomics Association (pp. 251-254). Santa Monica, CA: Human Factors Society.

Preece, J., Rogers, Y., Sharp, H., Benyon, D., Holland, S., & Carey, T. (1994). Human-computer interaction. Wokingham, UK: AddisonWesley.

Ramsey, H. R., & Atwood, M. E. (1979). Human factors in computer systems: A review of the literature. Technical Report SAI-79-111-DEN. Englewood, CO: Science Applications, Inc.

Rheingold, H. (2000). Tools for thought: MIT Press edition. Cambridge, MA: MIT Press.

Sackman, H. (1970). Man-computer problem solving: Experimental evaluation of time sharing and batch processing. Princeton, NJ: Auerback.

Sears, A., & Jacko, J. A. (2000). Understanding the relationship between network quality of service and the usability of distributed multimedia documents. *Human Computer Interaction*, 15, 43-68.

Shackel, B. (1997). Human-computer interaction—Whence and whither? *Journal of the American Society for Information Science*, 48(11), 970-986.

Shackel, B. (2000). People and computers—Some recent highlights. *Applied Ergonomics*, 31, 595-608.

Shneiderman, B. (1980). *Software psychology: Human factors in computer and information systems*. Cambridge, MA: Winthrop Publishers.

Shneiderman, B. (1983). Direct manipulation: A step beyond programming languages. *IEEE Computers*, 16(8), 57-62.

Shneiderman, B. (1992). *Designing the user interface: Strategies for effective human-computer interaction*. Reading, MA: AddisonWesley. Smith, H. T., & Green, T. R. G. (Eds.). (1980). *Human interaction with computers*. London: Academic Press. Smith, S. L., & Mosier J. N. (1986). *Guidelines for designing user interface software*. Technical Report ESD TR-86-278. Hanscom AFB, MA: USAF Electronic Systems Division. Stevens, A., Roberts, B., & Stead, L. (1983). The use of a sophisticated graphics interface in computer-assisted instruction. *IEEE Computer Graphics and Applications*, 3(2), 25-31. Stranahan, P. (1996). Dan Bricklin. *Jones Telecommunications and Multimedia Encyclopedia*. Available: <http://ei.cs.vt.edu/~history/BRICKLIN.Fleming.HTML> Suchman, L. (1987). *Plans and situated actions: The problem of human-machine communication*. Cambridge, UK: Cambridge University Press. Sutherland, I. E. (1963). Sketchpad: A man-machine graphical communication system. AFIOS Conference

Proceedings, 23, 329-346. Taylor, F. W. (1911). Principles of scientific management. New York: Harper. Teitelman, W. (1979). A display oriented programmer's assistant. International Journal of Man-Machine Studies, 11, 157-187. Ventana (2001). Available: <http://www.ventana.com.html>
 Waldrop, M. M. (2001). The dream machine: J. C. R. Licklider and the revolution that made computing personal. New York, NY: Viking. Weinberg, G. (1971). The psychology of computer programming. New York: Van Nostrand Reinhold. Weiser, M. (1993). Some computer science issues in ubiquitous computing. Communications of the ACM, 36(7), 75-84. Weiser, M. (1996). Mark Weiser. Available: <http://nano.xerox.com/hypertext/weiser/UbiHome.html>
 Whiteside, J., Bennett, J., & Holtzblatt, K. (1988). Usability engineering: Our experience and evolution. In Helander M. (Ed.), Handbook of human-computer interaction (pp. 791-817). Amsterdam: North Holland. Wilkes, M. (1993). From Fortran and Algol to object-oriented languages. Communications of the ACM, 36(7), 21-23. Wilson, B. (1999). HTML overview. Available: http://www.zdnet.com/devhead/resources/tag_library/history/html.html Winter, D. (1999). Pong-story. Available: <http://pong-story.com/atpong1.htm> Zakon, R. H. (2001). Hobbes' Internet Timeline. Available: <http://www.zakon.org/robert/internet/timeline/>

Part I HUMANS IN HUMAN-COMPUTER INTERACTION

Accot, J., & Zhai, S. (2001). Scale effects in steering law tasks. In J. Jacko, A. Sears, M. Beaudouin-Lafon, & R. J. Jacobs (Eds.), *Proceedings of CHI 2001 ACM SIGCHI Conference on Human Factors in Computing Systems*, 3, 1-8.

Horvitz, E. (1999). Principles of mixed-initiative user interfaces. *Proceedings of CHI '99, ACM SIGCHI Conference on Human Factors in Computing Systems*, Pittsburgh, PA, May 1999, 159-166.

Hutchins, E. (1995). *Cognition in the wild*. Cambridge, MA: MIT Press.

Kelso, J. A. S. (1982). The process approach to understanding human motor behavior: An introduction. In J. A. S. Kelso (Ed.), *Human motor behavior: An introduction* (pp. 3-19). Hillsdale, NJ: Lawrence Erlbaum Associates. Picard, R. W. (1997). *Affective computing*. Cambridge, MA: MIT Press. Pirolli, P., Card, S. K., & Van Der Wege, M. M. (2001). Visual information foraging in a focus + context visualization. In J. Jacko, A. Sears, M. Beaudouin-Lafon, & R. J. Jacobs (Eds.), *Proceedings of CHI 2001 ACM SIGCHI Conference on Human Factors in Computing Systems*, 3, 506-513. Ware, C. (2000). *Information visualization: Perception for design*. San Francisco, CA: Morgan Kaufman Publishers.

8 Conversational Interface Technologies

Allen, J. (1995). Natural Language Understanding, 2nd Ed., ISBN 0805303340. Addison-Wesley Pub. Co.

Burmeister, M., Machate, J., & Klein, J. (1997, March). Access for all: HEPHAISTOS—a personal home assistant. Human Factors in Computing Systems—Computer Human Interaction (CHI) 97 Conference Proceedings (Vol. 2, pp. 36–37). New York: Association of Computing Machinery. Carpenter, B., & Chou-Carroll, J. (Nov. 30–Dec. 4, 1998). Natural language call routing: A robust, self-organizing approach. Paper presented at the Fifth International Conference on Spoken Language Processing. Sydney: Australia. Chai, J. (2001, August). Natural language sales assistant—aWeb-based dialog system for online sales. Presented at the Thirteenth Conference on Innovative Applications of Artificial Intelligence. WA: Seattle. •

Finney, P. B. (1995, August 8). Business travel. New York Times, p. C4.

Fraser, N. M. (1993). Sublanguage, register and natural language interfaces. Interacting with Computers, 5, 441–444.

Gardner-Bonneau, D. (1999). Guidelines for speech-enabled IVR application design. In D. Gardner-Bonneau (Ed.), Human factors and voice interactive systems (pp. 147–162). Boston: Kluwer Academic.

Good, M. D., Whiteside, J. A., Wixon, D. R., & Jones, S. J. (1984). Building a User Derived Interface. In Communications of the ACM, Vol. 27, No. 10.

Halverson, C. A., Horn, D. A., Karat, C., & Karat, J. (1999). The beauty of errors: Patterns of error correction in desktop speech systems. In M. A. Sasse & C. Johnson (Eds.), Human-computer interaction— INTERACT '99 (pp. 133–140). IBM/T. Rowe Price. (2001, June 5). New York Times, p. B2.

Kamm, C., & Helander, M. (1997). Design issues for interfaces using voice input. In M. Helander, T. K. Landauer, & P. Prabhu (Eds.), Handbook of human-computer interaction (pp. 1043–1059). Amsterdam: Elsevier.

Karat, J. (1995). Scenario use in the design of a speech recognition system. In J. Carroll (Ed.), Scenario-Based Design (pp. 109–133). New York: Wiley.

- Karat, C., Halverson, C., Horn, D., & Karat, J. (1999). Patterns of entry and correction in large vocabulary continuous speech recognition systems. In M. Altom & M. Williams (Eds.), *Human factors in computing systems—CHI 99 Conference Proceedings* (pp. 568-575). New York: Association of Computing Machinery.
- Karat, J., Horn, D., Halverson, C., & Karat, C. (2000). Overcoming unusability: Developing efficient strategies in speech recognition systems. *Human Factors in Computing Systems—Computer Human Interaction 2000 Conference Proceedings* (Vol. 2, pp. 141-142). New York: Association of Computing Machinery.
- Karat, J., Lai, J., Danis, C., & Wolf, C. (1999). Speech user interface evolution. In D. Gardner-Bonneau (Ed.), *Human factors and voice interactive systems* (pp. 1-35). Boston: Kluwer Academic.
- Kelly, J. F. (1984). An iterative design methodology for user-friendly natural-language office information applications. *ACM Transactions on Office Information Systems*, 2, 26-41.
- Lai, J., & Vergo, J. (1997). MedSpeak: Report creation with continuous speech recognition. *Human Factors in Computing Systems— CHI 99 Conference Proceedings* (pp. 431-438). New York: Association of Computing Machinery.
- Lucas, B. (2000). VoiceXML for Web-based distributed conversational applications. In *Communications of the ACM*, 43(9), 53-57.
- Malhorta, A., & Sheridan, P. B. (1976). Experimental determination of design requirements for a program explanation system (IBM Research Report RC 5831). Armonk, NY: International Business Machines.
- Marics, M. A., & Englebeck, G. (1997). Designing voice menu applications for telephones. In M. Helander, T. K. Landauer, & P. Prabhu (Eds.), *Handbook of human-computer interaction* (pp. 1085- 1102). Amsterdam: Elsevier.
- Ogden, W. C., & Bernick, P. (1997). Using Natural Language Interfaces. In M. G. Helender, T. K. Landauer, & P. V. Prabhu (Eds.), *Handbook of Human-Computer Interaction* (pp. 137-163). Elsevier, Amsterdam: North Holland.
- Papineni, K. A., Roukos, S., & Ward, R. T. (1997).

Feature-based language understanding. In Proceedings of the 5th European Conference on Speech Communication and Technology, 3, (pp. 1435- 1438). Rhodes, Greece: European Speech Communication Association.

Novick, D. G., Hansen, B., Sutton, S., & Marshall, C. R. (1999). Limiting factors of automated telephone dialogues. In D. Gardner-Bonneau (Ed.), Human factors and voice interactive systems (pp. 163-186). Boston: Kluwer Academic.

Rabiner, L. R. (1989). A tutorial on hidden Markov models and selected applications in speech recognition. Proceedings of Institute of Electrical & Electronics Engineers, 77 , 257-286.

Ramaswamy, G., Kleindienst, J., Coffman, D., Gopalakrishnan, P., & Neti, C. (1999, Sept.). A pervasive conversational interface for information interaction. Eurospeech99, Budapest, Hungary.

Ringle, M. D., & Halstead-Nussloch, R. (1989). Shaping user input: A strategy for natural language design. Interacting with Computers, 1, 227-244.

Roe, D. B., & Wilpon, J. G. (1993). Wither speech recognition: The next 25 years. IEEE Communications Magazine, 11, 54-62.

Sears, A., Karat, C., Oseitutu, K., Kaimullah, A., & Feng, J. (2000). Productivity, satisfaction, and interaction strategies of individuals with spinal cord injuries and traditional users interacting with speech recognition software. Universal Access in the Information Society, 1, 5-25.

Shneiderman, B. (2000). The limits of speech recognition. Communications of the ACM, 43(9), 63-65.

Temem, J., & Gitton, S. (1993). An experience with speech technologies applied to SNCF's Telephone Information Centres. Applications of Speech Technology, 9, 39-42.

Tennant, H. R. (1980). Evaluation of natural language processors (Report T-103). Urbana: University of Illinois, Coordinated Science Laboratory.

Thomas, J. C., Basson, S., & Gardner-Bonneau, D. (1999). Universal access and assistive technology. In D. Gardner-Bonneau (Ed.), Human factors and voice interactive systems (pp. 135-146). Boston: Kluwer Academic.

Turing, A. M. (1950). Computing machinery and intelligence. Mind, 54, 433-460.

Vergin, R., O'Shaughnessy, D., & Farhat, A. (1999, September). Generalized Mel-Frequency Cepstral Coefficients for Large Vocabulary Speaker Independent Continuous Speech Recognition, IEEE Trans. on Speech and Audio Processing (Vol. 7, pp. 525-532).

Vergo, J. (1998). A statistical approach to multimodal natural language interaction. Proceedings of the AAAI'98 Workshop on Representations for Multimodal Human-Computer Interaction (pp. 81-85). Madison WI: AAAI Press.

Walker, M., Fromer, J., & Narayanan, S. (1998). Learning Optimal Dialogue Strategies: A case study of spoken Dialogue Agent for E-Mail, 36th Meeting of the ACL, Montreal, Canada.

Walker, M. A., Litman, D. J., Kamm,

C. A., & Abella, A. (1997, July). PARADISE: A Framework for Evaluating Spoken Dialogue Agents. Proceedings of the Thirty-Fifth Annual Meeting of the Association for Computational Linguistics and Eighth Conference of the European Chapter of the Association for Computational Linguistics. Madrid, Spain. Walker, M. A., Fromer, J., Di Fabbrizio, G., Mestel, C., & Hindle, D. (1998, April). What can I say?: Evaluating a spoken language interface to email. Proceedings of Association of Computing Machinery Computer Human Interaction 98 Conference on Human Factors in Computing Systems (pp. 582-589). Los Angeles. Watt, W. C. (1968, July). Habitability. *American Documentation*, (pp. 338-351). Weinshenk, S., & Barker, D. T. (2000). *Designing effective speech user interfaces*. New York: Wiley. Wilcox, L., Chen, F., Kimber, D., & Balasubramanian, V. (1994). Segmentation of speech using speaker identification. Proceedings of ICASSP-94, I, 161-164.

Wolf, C., & Zadrozny, W. (1998). Evolution of the conversation machine: A case study of bringing advanced technology to the marketplace. *Human Factors in Computing Systems—CHI 1998 Conference Proceedings* (pp. 488-495). New York: Association of Computing Machinery.

Wood D., Personal Communication.

Yankelovich, N., Levow, G., & Marx, M. (1995). Designing speech acts: Issues in speech user interfaces. In *Human factors in computing systems—CHI 95 Conference Proceedings* (pp. 369-376). New York: Association of Computing Machinery. Zadrozny, W., Wolf, C., Kambhatla, N., & Ye, Y. (1998). Conversation machines for transaction processing. Presented at the Fifteenth National Conference on Artificial Intelligence, American Association of Artificial Intelligence and Tenth Conference on Innovative Applications of Artificial Intelligence Conference (IAAI), Madison, Wisconsin.